


```

*****
*****
**
** REPORT ID           = 1                **
** REPORT             = ASSTHIST         **
** DESCRIPTION        = ASSTHIST for A23-033 **
** DATABASE           = trn01_disp       **
**
** CREATED DATE/USER  = 08/01/20 23:16 AMT **
** UPDATED DATE/USER  = 08/01/20 23:16 AMT **
** SUBMITTED DATE/USER = 08/01/20 23:16 AMT **
** STARTED DATE       = 08/01/20 23:16   **
** COMPLETED DATE    = 08/01/20 23:30   **
** ELAPSED TIME(HH:MM:SS) = 00:14:40    **
**
** EXIT STATUS        = SUCCESSFUL       **
**
** APPROX PAGES PRINTED = 4743          **
**
*****
*****

```



PLEASE DO NOT DETACH THESE BANNER PAGES

## QUESTION

## ANSWER

```
=====
Q03 Security Classification:      :FOUO
Q18 Selection or Range:         :S
Q19 Serial/Tail Number:        :A23-033
Q21 Selection or Range:         :S
Q22 Part Number:               :PC9
Q23 Second Part Number:        :
Q33 Subassets                  :Y
Q34 Asset Reception            :Y
Q35 Transaction History        :Y
Q37 SMR's                      :N
Q38 Unserviceabilities        :Y
Q39 Limitations                :N
Q40 Configuration             :Y
Q41 Jobs                      :Y
Q42 Deviations                 :N
Q43 MOD's                     :Y
Q44 STI's                     :Y
Q45 Tool Board History         :N
Q47 Operations                 :N
Q48 Operational Servicing     :N
Q49 Replenishment State History :N
Q50 Maintenance Policy History :Y
Q51 Supplementary comments page :N
Q52 Period Start Date:         :01JAN90
Q53 Period End Date:          :
```

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00001  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0011  
 PART NO : 3-1451 OPT 1  
 ENGINEERING NAME : HUB ASSEMBLY NOSE  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

LOCATION : A23-033  
 LIFE SINCE NEW : 2133.3 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
16APR03	04:43	Change	Serviceability Stat		62.1	U/S			
				50000.0		SERV			XXxxXXxx
29AUG03	11:39	Maintenance	Comment	0.0	0.1	01Nov88 NEW - 0011	3-1451 OPT 1	1201-00-00-K	XXxxXXxx
29AUG03	11:40	Maintenance	Comment	0.0	0.1	21Feb03 A23-054 05.00	6980	24427 LDG	01-FAILED LF34673
29AUG03	11:40	Maintenance	Comment	0.0	0.1	25Feb03 DISPATCHED TO PEAXCON			XXxxXXxx
29AUG03	11:40	Maintenance	Comment	0.0	0.1	29Aug03 LF34673 00.	6980 LDG	TX TO CAMM2	XXxxXXxx
29AUG03	11:46	Maintenance	Comment	0.0	0.1	2FTHYD WFD: 02-OPERATION		US: 18-NSY/VIB	XXxxXXxx
29AUG03	11:46	Maintenance	Comment	0.0	0.1	25Feb03 JOB CHANGE	RR: 03-OH DUE		XXxxXXxx
29AUG03	11:47	Maintenance	Comment	0.0	0.1	VIBRATIONS			XXxxXXxx
29AUG03	11:48	Maintenance	Comment	0.0	0.1	REMOVED FOR R2 INSPECTION			XXxxXXxx
29AUG03	11:49	Maintenance	Comment	0.0	0.1	13Feb03 A23-054 05.00	6972	24427 LDG	IN AS A23T 1201-00-00-K
29AUG03	11:52	Maintenance	Comment	0.0	0.1	13Feb03 2FTINTMH	FF: 01-NIL		MA: 04-CHK/TST
29AUG03	11:55	Maintenance	Comment	0.0	0.1	06Feb03 A23-054 05.00	6972	24427 LDG	05-FUNC CHK LF33724
17JAN05	04:38	Change	Venue of an Asset		502.2	AIP			
				50000.0		AIE			XXxxXXxx
		Change	Location of an Asse		502.2	A1PXXXY500190			
17JAN05	04:51	Change	Serviceability Stat		642.0	EXTERNAL			
				50000.0		MCS			
						SERV			
						U/S			
						PEAXXJ9900538			XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00002  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0011  
 PART NO : 3-1451 OPT 1  
 ENGINEERING NAME : HUB ASSEMBLY NOSE  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~03481

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
17JAN05 04:57	Change Location of an Asse	0.0	MCS WHEEL_BAY	
	50000.0 AFHR		A1EXXXY500038	XXxxXXxx
12SEP06 02:00	Change Serviceability Stat	602.8	U/S SERV	
	50000.0 AFHR			XXxxXXxx
14SEP06 03:26	Asset Installation	1111.7	A23T A18AG 509 A23-050	A23T A18AG 00AC
	50000.0 AFHR			XXxxXXxx
	Change Serviceability Stat	2.0	SERV S/I	
	Change Location of an Asse	604.9	WHEEL_BAY A23-050	
27AUG07 00:56	Asset Removal	346.8	509 A23T A18AG A23-050	A23T A18AG 00A
	50299.5 AFHR			XXxxXXxx
	Change Serviceability Stat	4.9	S/I U/S	
	Change Location of an Asse	346.8	A23-050 AIRFRAME	
27AUG07 00:56	Change Serviceability Stat	0.0	U/S SERV	
	50299.5 AFHR			XXxxXXxx
29AUG07 05:54	Asset Installation	2.2	A23T A18AG 509 A23-050	A23T A18AG 00AC
	50299.5 AFHR			XXxxXXxx
	Change Serviceability Stat	2.2	SERV S/I	
	Change Location of an Asse	2.2	AIRFRAME A23-050	
14JUL08 04:03	Maintenance Comment	0.0	LIF AFHR	CHANGED - OLD VALUE= 50560.3 NEW VALUE= 560.3
	50560.3 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00003  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0011  
 PART NO : 3-1451 OPT 1  
 ENGINEERING NAME : HUB ASSEMBLY NOSE  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~03481

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
18SEP08 22:03	Asset Removal	386.6	509 A23T A18AG	A23T A18AG 00A
	593.6 AFHR Change Serviceability Stat	1.7	S/I U/S	XXXXXXxx
	Change Location of an Asse	386.6	A23-050 AIRFRAME	
18SEP08 22:03	Change Serviceability Stat	0.0	U/S SERV	
	593.6 AFHR			XXXXXXxx
23SEP08 00:31	Asset Installation	4.1	A23T A18AG	A23T A18AG 00AC
	593.6 AFHR Change Serviceability Stat	4.1	SERV S/I	XXXXXXxx
	Change Location of an Asse	4.1	AIRFRAME	
			A23-050	
23OCT08 22:41	Asset Removal	30.9	509 A23T A18AG	A23T A18AG 00A
	621.3 AFHR Change Serviceability Stat	0.7	S/I U/S	XXXXXXxx
	Change Location of an Asse	30.9	A23-050	
			EQUIP_STORE	
23OCT08 22:42	Change Serviceability Stat	0.0	U/S SERV	
	621.3 AFHR			XXXXXXxx
07MAY11 05:48	Asset Installation	925.2	A23T A18AG	A23T A18AG 00AC
	621.3 AFHR Change Serviceability Stat	925.2	SERV S/I	XXXXXXxx
	Change Location of an Asse	925.2	EQUIP_STORE	
			A23-060	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00004  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0011  
 PART NO : 3-1451 OPT 1  
 ENGINEERING NAME : HUB ASSEMBLY NOSE  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~03481

ASSET TRANSACTIONS									
TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER	
			LIFE SINCE NEW						
16SEP11	01:25	Asset Removal		131.8	538	A23T	A18AG	A23T	A18AG
		739.4 AFHR			A23T	A18AG		XXxxXXxx	
		Change Serviceability Stat		0.7	S/I				
		Change Location of an Asse		131.8	U/S	A23-060			
16SEP11	01:26	Change Serviceability Stat		0.0	AIRFRAME				
		739.4 AFHR			U/S			XXxxXXxx	
27SEP11	22:50	Asset Installation		11.8	538	A23T	A18AG	A23T	A18AG
		739.4 AFHR				A23-060		XXxxXXxx	
		Change Serviceability Stat		11.8	SERV				00AC
		Change Location of an Asse		11.8	S/I				
					AIRFRAME				
21AUG12	06:18	Asset Removal		328.3	A23-060			A23T	A18AG
		1030.9 AFHR			538	A23T	A18AG		00A
		Change Serviceability Stat		1.0				XXxxXXxx	
		Change Location of an Asse		328.3	U/S	A23-060			
21AUG12	06:18	Change Serviceability Stat		0.0	AIRFRAME				
		1030.9 AFHR			U/S			XXxxXXxx	
05SEP12	01:45	Asset Installation		14.8	538	A23T	A18AG	A23T	A18AG
		1030.9 AFHR				A23-060		XXxxXXxx	00AC
		Change Serviceability Stat		14.8	SERV				
		Change Location of an Asse		14.8	S/I				
					AIRFRAME				
					A23-060				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00005  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0011  
 PART NO : 3-1451 OPT 1  
 ENGINEERING NAME : HUB ASSEMBLY NOSE  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~03481

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
26SEP12 00:49	Asset Removal	20.9	538 A23T A18AG A23-060 00	A23T A18AG 00A
	1033.9 AFHR Change Serviceability Stat	0.0	S/I U/S	XXXXXXxx
	Change Location of an Asse	20.9	A23-060 AIRFRAME	
26SEP12 00:50	Change Serviceability Stat	0.0	U/S SERV	
	1033.9 AFHR Change Serviceability Stat	0.2	SERV U/S	XXXXXXxx
	1033.9 AFHR Change Location of an Asse	0.2	A1EXXJY606039 AIRFRAME WHEEL_BAY	XXXXXXxx
	1033.9 AFHR Maintenance Comment	0.0	A1EXXX1202379 DUE B/S	XXXXXXxx
22NOV12 05:43	Change Serviceability Stat	56.9	U/S SERV	
	1033.9 AFHR Position Change	330.1	A23T A18AG A23T A18AG	XXXXXXxx
	1033.9 AFHR Change Venue of an Asset	3577.1	A1EXXX1305381 AIE AIP	XXXXXXxx
	1033.9 AFHR Maintenance Comment	0.0	A1EXXX1404438 PHYSICALLY AT AIP	XXXXXXxx
	Change Location of an Asse	768.0	WHEEL_BAY STORES	
05NOV14 02:58	Asset Installation	770.0	A23T A18AG 514 MMI A23-040 00	A23T A18AG 00AC
	1033.9 AFHR Change Serviceability Stat	712.8	SERV S/I	XXXXXXxx
	Change Location of an Asse	1.8	STORES A23-040 MMI	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00006  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0011  
 PART NO : 3-1451 OPT 1  
 ENGINEERING NAME : HUB ASSEMBLY NOSE  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~03481

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
04NOV15 03:49	Asset Removal	364.0	514 A23T A18AG A23-040	A23T A18AG 00A
	1333.9 AFHR Change Serviceability Stat	8.1	S/I U/S	XXXXXXxx
	Change Location of an Asse	364.0	A23-040 INTMH	
04NOV15 03:49	Change Serviceability Stat	0.0	U/S SERV	
	1333.9 AFHR			XXXXXXxx
12NOV15 01:29	Asset Installation	7.9	A23T A18AG 514 A23-040	A23T A18AG 00AC
	1333.9 AFHR Change Serviceability Stat	7.9	SERV S/I	XXXXXXxx
	Change Location of an Asse	7.9	INTMH A23-040	
09NOV16 05:22	Asset Removal	363.1	514 A23T A18AG A23-040	A23T A18AG 00A
	1662.4 AFHR Change Serviceability Stat	19.9	S/I U/S	XXXXXXxx
	Change Location of an Asse	363.1	A23-040 INTMH	
09NOV16 05:24	Change Serviceability Stat	0.0	U/S SERV	
	1662.4 AFHR			XXXXXXxx
30NOV16 00:47	Asset Installation	20.8	A23T A18AG 534 A23-040	A23T A18AG 00AC
	1662.4 AFHR Change Serviceability Stat	20.8	SERV S/I	XXXXXXxx
	Change Location of an Asse	20.8	INTMH A23-040	

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00007  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0011  
 PART NO : 3-1451 OPT 1  
 ENGINEERING NAME : HUB ASSEMBLY NOSE  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~03481

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
29AUG17 23:44	Asset Removal	272.9	534 A23T A18AG A23-040	A23T A18AG 00A
	1988.1 AFHR Change Serviceability Stat	5.8	S/I U/S	XXXXXXxx
	Change Location of an Asse	272.9	A23-040 HG122	
29AUG17 23:45	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
05SEP17 05:56	Asset Installation	6.2	A23T A18AG 534 A23-040	A23T A18AG 00AC
	1988.1 AFHR Change Serviceability Stat	6.2	SERV S/I	XXXXXXxx
	Change Location of an Asse	6.2	HG122 A23-040	
02OCT17 12:56	Asset Removal	27.2	534 A23T A18AG A23-040	A23T A18AG 00A
	1988.7 AFHR Change Serviceability Stat	0.1	S/I U/S	XXXXXXxx
	Change Location of an Asse	27.2	A23-040 STORES	
10OCT17 22:52	Change Location of an Asse	8.4	HYD STORES	
	1988.7 AFHR Change Serviceability Stat	29.3	A1PXXX1714948 U/S	XXXXXXxx
	Change Location of an Asse	20.9	SERV HYD STORES	XXXXXXxx
	1988.7 AFHR		A1PXXX1715687	XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00008  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0011  
 PART NO : 3-1451 OPT 1 ~03481  
 ENGINEERING NAME : HUB ASSEMBLY NOSE  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
26JUN19 22:44	Asset Installation	632.4	A23T A18AG 507 A23-033 00	A23T A18AG 00AC
	1988.7 AFHR Change Serviceability Stat	603.0	SERV S/I STORES A23-033	XXXXXXXX
	Change Location of an Asse	603.0		

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME
A1EXXUY604114	COMPLETED	12SEP06 01:59	50000.0	AFHR		XXXXXXXXXX
12SEP06 01:51	XXXXXXXX	XXXXXXXXXX	AIE			XXXXXXXXXX
		SERV TYRE TO BE FITTED				12SEP06 01:59
						XXXXXXXXXX

Maint Acts: SERV TYRE FITTED IAW 7294.123-3-6

REMOVALS/INSTALLATIONS FOR A1EXXUY604114

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001					5020W00239 QTR461B-2297-TL	A23T	A18AG00	00
							12SEP06 01:57	
A1EXXU1204791	COMPLETED	22NOV12 05:42	1033.9	AFHR	SCM		XXXXXXXXXX	
04OCT12 03:29	XXXXXXXX	XXXXXXXXXX	AIE				XXXXXXXXXX	
04OCT12 03:29	XXXXXXXX	XXXXXXXXXX	AIE				XXXXXXXXXX	
		TA		due on Serial 5020W00239			22NOV12 05:42	
		TYRE NOSE WHEEL		at WAC 0500			XXXXXXXXXX	

Maint Acts: SERV TYRE FITTED REFER SNOW 606039

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00009  
08JAN20  
23:16:15

SERIAL/TAIL NO : 0011 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 3-1451 OPT 1 ~03481  
ENGINEERING NAME : HUB ASSEMBLY NOSE  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1EXXU1204791

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	5020W00239	A23T	A18AG00	00	1236S00561	A23T	A18AG00	00
	QTR461B-2297-TL		22NOV12 05:40	A1EXXJY606005	021-317-1		22NOV12 05:41	

A1EXXU1204792 COMPLETED 10OCT12 02:47 1033.9 AFHR SST XXxxXXxxXXxxXXxxXXxx  
04OCT12 03:29 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 10OCT12 02:47  
04OCT12 03:30 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE XXxxXXxxXXxxXXxxXXxx  
NDI TO BE CARRIED OUT ON HUS ASSY S/NO 0011  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: NDI C/O REFER SNOW 606039-2-1

A1PXXU1713400 COMPLETED 31OCT17 22:24 1988.7 AFHR SCT XXxxXXxxXXxxXXxxXXxx  
10OCT17 22:58 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 31OCT17 22:24  
10OCT17 22:58 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
TA due on Serial 1236S00561  
TYRE NOSE WHEEL at WAC 0500 XXxxXXxxXXxxXXxxXXxx

Maint Acts: NEW TYRE FITTED IAW AAP7294.123-3M REF HYD16393/17

REMOVALS/INSTALLATIONS FOR A1PXXU1713400

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1236S00561	A23T	A18AG00	00	1088S00281	A23T	A18AG00	00
	021-317-1		10OCT17 22:58	A1EXXJ1206254	021-317-1		31OCT17 22:22	

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

PEAXXJCA00430 C COMPLETED 27JAN00 00:00 XXxxXXxx PEA 0.0  
27JAN00 00:00  
03 OVERHAUL DUE

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00010  
08JAN20  
23:16:15

SERIAL/TAIL NO : 0011  
PART NO : 3-1451 OPT 1 ~03481  
ENGINEERING NAME : HUB ASSEMBLY NOSE  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

Unserviceability Details:  
Maintenance Comments:

PEAXXJCA00115 C COMPLETED 17MAY02 00:00 XXxxXXxx PEA 0.0  
17MAY02 00:00  
02 BAY SERVICE DUE

Unserviceability Details:  
Maintenance Comments:

LF34673XXXXXX C COMPLETED 21FEB03 11:48 XXxxXXxx PEA AIE 0.0  
16APR03 04:43  
03 OVERHAUL DUE BEARINGS BRINELLED  
01 NO FAULT 07 OVERHAUL

Unserviceability Details:  
Maintenance Comments:

OVERHAUL AT PTP IAW AAP 7294.123-3M.

PEAXXJ9900538 C COMPLETED 17JAN05 04:51 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE 50000.0 AFHR  
12SEP06 02:00  
02 BAY SERVICE DUE BS due on Serial  
HUB ASSEMBLY NOSE at WAC 0500  
01 NO FAULT 06 BAY SERVICE

Unserviceability Details:  
Maintenance Comments:

BAYSERV 1 IAW 7294.123-3-6(AL1)

A1EXXJY706438 C COMPLETED 27AUG07 00:56 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE 50299.5 AFHR  
27AUG07 00:56 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE  
13 REMOVED FOR ACCESS 99 NO FAILURE R2 due on Serial A23-050  
PC-9 at WAC 0000  
01 NO FAULT 04 CHECK/TEST SERV

Unserviceability Details:  
Maintenance Comments:

CHECK/TEST SERV

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00011  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0011  
 PART NO : 3-1451 OPT 1  
 ENGINEERING NAME : HUB ASSEMBLY NOSE  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~03481

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJY806212	C COMPLETED	18SEP08 22:03	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
13 REMOVED FOR ACCESS	18SEP08 22:03	18SEP08 22:03	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	593.6	AFHR
01 NO FAULT	99 NO FAILURE			R2 PC-9	due on Serial A23-050 at WAC 0000		
	04 CHECK/TEST SERV	Unserviceability Details: Maintenance Comments: CHECK/TEST SERV					

A1EXXJY807039	C COMPLETED	23OCT08 22:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
13 REMOVED FOR ACCESS	23OCT08 22:42	23OCT08 22:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	621.3	AFHR
01 NO FAULT	99 NO FAILURE			NOSE WHEEL SHIMMY FROM 80KTS TO 20 KTS			
	04 CHECK/TEST SERV	Unserviceability Details: Maintenance Comments: CHECK/TEST SERV					

A1EXXJ1104806	C COMPLETED	16SEP11 01:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
13 REMOVED FOR ACCESS	16SEP11 01:26	16SEP11 01:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	739.4	AFHR
01 NO FAULT	99 NO FAILURE			NOSE WHEELS AASEMBLY REMVED FOR R2 SERVICING			
	04 CHECK/TEST SERV	Unserviceability Details: Maintenance Comments: CHECK/TEST SERV					

A1EXXJ1204593	C COMPLETED	21AUG12 06:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
13 REMOVED FOR ACCESS	21AUG12 06:18	21AUG12 06:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	1030.9	AFHR
01 NO FAULT	99 NO FAILURE			NOSE WHEEL ASSEMBLY REMOVED FOR R2 SERVICING			
	04 CHECK/TEST SERV	Unserviceability Details: Maintenance Comments: CHECK/TEST SERV					

A1EXXJ1205594	C COMPLETED	26SEP12 00:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
13 REMOVED FOR ACCESS	26SEP12 00:50	26SEP12 00:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	1033.9	AFHR
01 NO FAULT	99 NO FAILURE			NOSE WHEEL SHIMMY OBSERVED ON LANDING			
	04 CHECK/TEST SERV	Unserviceability Details: Maintenance Comments: CHECK/TEST SERV					

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00012  
08JAN20  
23:16:15

SERIAL/TAIL NO : 0011  
PART NO : 3-1451 OPT 1 -03481  
ENGINEERING NAME : HUB ASSEMBLY NOSE  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJY606039	C COMPLETED	26SEP12 05:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
02 BAY SERVICE DUE	22NOV12 05:43	26SEP12 05:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	1033.9	AFHR
01 NO FAULT		06 BAY SERVICE		BS	due on Serial 0011		
		Unserviceability Details:		HUB ASSEMBLY NOSE	at WAC 0500		
		Maintenance Comments:		BAYSERV CARRIED OUT REFER SNOW 606039			

A1PXXJ1517319	C COMPLETED	04NOV15 03:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	04NOV15 03:49	04NOV15 03:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	1333.9	AFHR
01 NO FAULT		99 NO FAILURE		R2	due on Serial A23-040		
		04 CHECK/TEST SERV		PC-9	at WAC 0000		
		Unserviceability Details:		CHECK/TEST SERV			
		Maintenance Comments:		CHECK/TEST SERV			

A1PXXJ1623332	C COMPLETED	09NOV16 05:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	09NOV16 05:24	09NOV16 05:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	1662.4	AFHR
01 NO FAULT		99 NO FAILURE		R2	due on Serial A23-040		
		04 CHECK/TEST SERV		PC-9	at WAC 0000		
		Unserviceability Details:		CHECK/TEST SERV			
		Maintenance Comments:		CHECK/TEST SERV			

A1PXXJ1717168	C COMPLETED	29AUG17 23:44	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	29AUG17 23:45	29AUG17 23:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	1988.1	AFHR
01 NO FAULT		99 NO FAILURE		R2	due on Serial A23-040		
		04 CHECK/TEST SERV		PC-9	at WAC 0000		
		Unserviceability Details:		CHECK/TEST SERV			
		Maintenance Comments:		CHECK/TEST SERV			

A1EXXJ1206748	C COMPLETED	10OCT17 22:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
02 BAY SERVICE DUE	31OCT17 22:26	10OCT17 22:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	1988.7	AFHR
01 NO FAULT		06 BAY SERVICE		BS	due on Serial 0011		
		Unserviceability Details:		HUB ASSEMBLY NOSE	at WAC 0500		
		Maintenance Comments:		BAY SERVICE C/O IAW AAP 7294.123-3M REF HYD16393/17			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 0011  
PART NO : 3-1451 OPT 1 ~03481  
ENGINEERING NAME : HUB ASSEMBLY NOSE  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

=====

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00014  
08JAN20  
23:16:15

SERIAL/TAIL NO : 0011  
PART NO : 3-1451 OPT 1 ~03481  
ENGINEERING NAME : HUB ASSEMBLY NOSE  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

STI STATUS CHANGE -----  
STI NUMBER CURRENT(Y/N) STATUS DATE/TIME STATUS JOB/SERV NO START DATE/TIME LIFE SINCE NEW  
=====

STI-PC9-0019	Y	09OCT02 00:00	N/A			
--------------	---	---------------	-----	--	--	--

For-Official-Use-Only



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

SERIAL/TAIL NO : 0045 LITERAL SERIAL NO : 0045 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 3049656-01 ~00198  
ENGINEERING NAME : VALVE FLOW DIV-PURG  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 3732.2 ENHR

ASSET RECEPTION

-----  
RECEPTION D/T SER NO PART NO EIAC LCN ALC  
USER ID VENUE LOCATION SUB-LOCATION ASSET ID  
NAME DATE NEW BATCH MATCHED SET NO  
HA SERIAL HA PART  
DATE UNPACKED  
DEFAULT LIFS ENTERED AT RECEPTION  
-----

22JUN04 06:59 0045 3049656-01 ~00198 A23T A1SAK56 01  
aip001 AIP MMIST A1PXXRY401345  
L. DOBSON 17DEC02

0.0 ENHR

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

CAMM2  
 ASSET HISTORY

SERIAL/TAIL NO : 0045 LITERAL SERIAL NO : 0045 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 3049656-01 ~00198  
 ENGINEERING NAME : VALVE FLOW DIV-PURG  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
22JUN04 06:59	Reception History Record	0.0	Reception MMIST	
	0.0 ENHR			XXXXXXxx
22JUN04 07:25	Asset Installation	4.3	A23T 103186 A1SAK56 A23-015	A23T A1SAK56 1 A
	0.0 ENHR			XXXXXXxx
	Change Serviceability Stat	4.3	SERV S/I MMIST A23-015	
	Change Location of an Asse	4.3	MMIST A23-015	
23NOV04 05:12	Asset Removal	153.9	103186 A23T A1SAK56 A23-015	A23T A1SAK56 01A
	108.9 ENHR			XXXXXXxx
	Change Serviceability Stat	22.0	S/I U/S A23-015	
	Change Location of an Asse	153.9	INTMH U/S SERV	
25NOV04 03:12	Change Serviceability Stat	1.9	INTMH U/S SERV	
	108.9 ENHR			XXXXXXxx
25NOV04 03:13	Asset Installation	1.9	A23T 103186 A1SAK56 A23-015	A23T A1SAK56 01AC
	108.9 ENHR			XXXXXXxx
	Change Serviceability Stat	0.0	SERV S/I INTMH A23-015	
	Change Location of an Asse	1.9	INTMH A23-015	
29APR14 04:24	Asset Removal	3442.0	103186 A23T A1SAK56 A23-051	A23T A1SAK56 01A
	2541.8 ENHR			XXXXXXxx
	Change Serviceability Stat	5.0	S/I U/S A23-051	
	Change Location of an Asse	218.1	AIRFRAME	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 0045 LITERAL SERIAL NO : 0045 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 3049656-01 ~00198  
ENGINEERING NAME : VALVE FLOW DIV-PURG  
VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
29APR14 04:25	Change Serviceability Stat	0.0	U/S SERV	
19JUN14 23:37	Asset Installation	51.8	A23T 103186 ALSAK56 103186 01	XXxxXXxx
	Change Serviceability Stat	51.8	SERV S/I AIRFRAME EQUIP_STORE	A23T ALSAK56 01MMI
	Change Location of an Asse	51.8		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJY422805	C COMPLETED	23NOV04 05:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13	REMOVED FOR ACCESS	99 NO FAILURE	R2	due on Serial A23-015	PC-9	108.9	ENHR
01	NO FAULT	04 CHECK/TEST SERV		SERV PURGE VALVE FITTED IAW07-2			
A1EXXJ1402661	C COMPLETED	29APR14 04:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
13	REMOVED FOR ACCESS	99 NO FAILURE	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	2541.8	ENHR
01	NO FAULT	04 CHECK/TEST SERV		FLOW DIVIDER REMOVED FOR ACCESS			
		04 CHECK/TEST SERV		CHECK/TEST SERV			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 00018  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0045  
 PART NO : 33490409201  
 ENGINEERING NAME : BATTERY NICAD  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

~D8034

LOCATION : A23-033  
 LIFE SINCE NEW : 6908.4 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T CHANGE TYPE		LIFE SINCE NEW		SPAN(DYS) FROM TO (OPTIONAL) TRANS REFERENCE		USER		
DATE	TIME	DESCRIPTION	AFHR	START	END	START	END	
01SEP03	02:18	Maintenance Comment	0.0 AFHR	2.7	20Nov02	A23-065 06.60	4804 3720 DAYS	IN AS A23T 1925-00-00-B
01SEP03	02:18	Maintenance Comment	0.0 AFHR	2.7	10Feb03	A23-065 06.60	4886 3802 DAYS	02-BS DUE LF33943
01SEP03	02:18	Maintenance Comment	0.0 AFHR	2.7	3607.2	0.0 AFHR		XXXXXXxx
01SEP03	02:18	Maintenance Comment	0.0 AFHR	2.7	03Jun03	A23-056 06.60	4999 3915 DAYS	02-BS DUE LF39381
01SEP03	02:18	Maintenance Comment	0.0 AFHR	2.7	14Aug03	A23-065 06.60	5071 3987 DAYS	13-REMACCES LG32931
01SEP03	02:18	Maintenance Comment	0.0 AFHR	2.7	3543.0	0.0 AFHR		XXXXXXxx
01SEP03	02:18	Maintenance Comment	0.0 AFHR	2.7	3683.3	0.0 AFHR		XXXXXXxx
01SEP03	02:19	Maintenance Comment	0.0 AFHR	2.7	22Sep89	NEW - 0045	33490409201	1925-00-00-B
01SEP03	02:24	Maintenance Comment	0.0 AFHR	2.7	LAST BS DONE	OLD =	AFHR	NEW = 3521.7 AFHR
01SEP03	02:24	Maintenance Comment	0.0 AFHR	2.7	27Mar03	2FTINTMH	FF: 01-NIL	MA: 04-CHK/TST
01SEP03	02:24	Maintenance Comment	0.0 AFHR	2.7	3687.2	0.0 AFHR		XXXXXXxx
01SEP03	02:25	Maintenance Comment	0.0 AFHR	2.7	04Aug03	2FTJKOT	FF: 03-ELECFAIL	MA: 06-BS
01SEP03	02:25	Maintenance Comment	0.0 AFHR	2.7	14Aug03	2FTINTMH	FF: 01-NIL	MA: 04-CHK/TST
01SEP03	02:26	Maintenance Comment	0.0 AFHR	2.7	07Mar03	2FTJKOT	FF: 03-ELECFAIL	MA: 06-BS
01SEP03	02:26	Maintenance Comment	0.0 AFHR	2.7	26Aug03	A23-065 06.60	5083 3999 DAYS	IN AS A23T 1925-00-00-B
01SEP03	02:26	Maintenance Comment	0.0 AFHR	2.7	3687.2	0.0 AFHR		XXXXXXxx
01SEP03	02:27	Maintenance Comment	0.0 AFHR	2.7	3592.3	0.0 AFHR		XXXXXXxx
								XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00019  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0045  
 PART NO : 33490409201  
 ENGINEERING NAME : BATTERY NICAD  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~D8034

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
01SEP03	02:27	Maintenance Comment 0.0 AFHR	2.7	07Mar03 A23-056 06.60 CAMM LOG00009	4911	3827 DAYS IN AS A23T 1925-00-00-B XXXXXXxx
01SEP03	02:28	Maintenance Comment 0.0 AFHR	2.7	3607.2 0.0 AFHR CAMM LOG00012		XXXXXXxx
01SEP03	02:28	Maintenance Comment 0.0 AFHR	2.7	08Apr03 A23-056 06.60 CAMM LOG00014	4943	3859 DAYS IN AS A23T 1925-00-00-B XXXXXXxx
01SEP03	02:28	Maintenance Comment 0.0 AFHR	2.7	04Aug03 A23-065 06.60 CAMM LOG00019	5061	3977 DAYS IN AS A23T 1925-00-00-B XXXXXXxx
01SEP03	02:29	Maintenance Comment 0.0 AFHR	2.7	NEXT BS2 DUE: OLD = CAMM LOG00002	150.0 AFHR	NEW = 3671.7 AFHR XXXXXXxx
01SEP03	02:31	Maintenance Comment 0.0 AFHR	2.7	3592.3 0.0 AFHR CAMM LOG00007		XXXXXXxx
01SEP03	02:33	Maintenance Comment 0.0 AFHR	2.7	12Nov02 2FTJKOT CAMM LOG00003	FF: 03-ELECFAIL	MA: 06-BS XXXXXXxx
01SEP03	02:33	Maintenance Comment 0.0 AFHR	2.7	3683.3 0.0 AFHR CAMM LOG00017		XXXXXXxx
01SEP03	02:33	Maintenance Comment 0.0 AFHR	2.7	04Aug03 ELPDY CAMM LOG00027	LST BS 03NOV03 ELPDY	NXT BS XXXXXXxx
01SEP03	02:33	Maintenance Comment 0.0 AFHR	2.7	04Aug03 3683.3 AFHR CAMM LOG00028	LST BS 3833.3 AFHR	NXT BS XXXXXXxx
01SEP03	02:33	Maintenance Comment 0.0 AFHR	2.7	29Aug03 A23-065 06.60 CAMM LOG00029	3687.2 AFHR	TX TO CAMM2 XXXXXXxx
01SEP03	02:35	Maintenance Comment 0.0 AFHR	2.7	27Mar03 A23-056 06.60 CAMM LOG00011	4931	3847 DAYS 13-REMACCES LF36263 XXXXXXxx
03NOV03	11:55	Change Serviceability Stat 3710.6 AFHR	0.4	S/I US/I AIPXXJ309900		XXXXXXxx
03NOV03	12:45	Asset Removal 3710.6 AFHR	66.1	565 A23T A1UOA	A23-065 00	A23T A1UOA 00A XXXXXXxx
		Change Serviceability Stat Change Location of an Asse	0.0 xxxx	US/I U/S A23-065 EXTERNAL		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00020  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0045  
 PART NO : 33490409201  
 ENGINEERING NAME : BATTERY NICAD  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~D8034

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
10NOV03 23:50	Change Location of an Asse	7.4	EXTERNAL JANDAKOT A1PXXXY303444	XXxxXXxx
03DEC03 11:26	Change Serviceability Stat	29.9	U/S SERV	XXxxXXxx
03DEC03 11:28	Asset Installation	29.9	A23T 557 A1UOA A23-056	A23T A1UOA 00A
	Change Serviceability Stat	0.0	SERV S/I	XXxxXXxx
	Change Location of an Asse	22.4	JANDAKOT A23-056	
12DEC03 01:24	Asset Removal	8.5	557 A23T A1UOA A23-056	A23T A1UOA 00A
	Change Serviceability Stat	1.9	S/I U/S	XXxxXXxx
	Change Location of an Asse	8.5	A23-056 OPMH	
12DEC03 01:47	Change Serviceability Stat	0.0	U/S SERV	
12DEC03 03:41	Asset Installation	0.0	3718.1 AFHR A23T 557 A1UOA A23-056	A23T A1UOA 00A
	Change Serviceability Stat	0.0	SERV S/I	XXxxXXxx
	Change Location of an Asse	0.0	OPMH A23-056	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00021  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0045  
 PART NO : 33490409201  
 ENGINEERING NAME : BATTERY NICAD  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~D8034

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
15JAN04 01:04	Asset Removal	33.8	557 A23T A1UOA A23-056 00	A23T A1UOA 00A
	3725.7 AFHR Change Serviceability Stat	27.8	S/I U/S	XXXXXXxx
	Change Location of an Asse	33.8	A23-056 JANDAKOT	
17FEB04 11:43	Change Serviceability Stat	33.4	U/S SERV	XXXXXXxx
17FEB04 11:44	Asset Installation	33.4	A23T A1UOA 530 A23-030 00	A23T A1UOA 00A
	3725.7 AFHR Change Serviceability Stat	0.0	SERV S/I	XXXXXXxx
	Change Location of an Asse	33.4	JANDAKOT A23-030	
16MAR04 02:18	Asset Removal	27.6	530 A23T A1UOA A23-030 00	A23T A1UOA 00A
	3753.9 AFHR Change Serviceability Stat	0.8	S/I U/S	XXXXXXxx
	Change Location of an Asse	27.6	A23-030 INTMH	
16MAR04 02:21	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
17MAR04 02:46	Asset Installation	1.0	A23T A1UOA 530 A23-030 00	A23T A1UOA 00A
	3753.9 AFHR Change Serviceability Stat	1.0	SERV S/I	XXXXXXxx
	Change Location of an Asse	1.0	INTMH A23-030	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00022  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0045  
 PART NO : 33490409201  
 ENGINEERING NAME : BATTERY NICAD  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~D8034

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
13MAY04 13:05	Change Serviceability Stat	0.3	S/I US/I	
13MAY04 13:07	Asset Removal	57.4	A1PXXJY402872 530 A23T A1UOA	XXxxXXxx A23T A1UOA 00A
	Change Serviceability Stat	0.0	US/I U/S	XXxxXXxx
	Change Location of an Asse	57.4	A23-030 JANDAKOT	
08JUN04 08:00	Change Serviceability Stat	25.7	U/S SERV	
21JUN04 03:06	Change Location of an Asse	38.5	JANDAKOT MMIST	XXxxXXxx
28JUN04 02:30	Asset Installation	45.5	A1PXXXY414703 A23T A1UOA 533	XXxxXXxx A23T A1UOA 00AC
	Change Serviceability Stat	19.7	SERV S/I	XXxxXXxx
	Change Location of an Asse	6.9	MMIST A23-033	
07SEP04 10:32	Change Serviceability Stat	0.2	S/I US/I	
07SEP04 11:54	Asset Removal	71.3	A1PXXJY411800 533 A23T A1UOA	XXxxXXxx A23T A1UOA 00A
	Change Serviceability Stat	0.0	US/I U/S	XXxxXXxx
	Change Location of an Asse	71.3	A23-033 EXTERNAL	
11OCT04 05:40	Change Serviceability Stat	33.7	U/S SERV	
				XXxxXXxx



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00023  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0045  
 PART NO : 33490409201 ~D8034  
 ENGINEERING NAME : BATTERY NICAD  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
11OCT04 05:42	Asset Installation	33.7	A23T A1UOA 521 A23-021	00 A23T A1UOA 00AC XXXXXXXX
	3981.5 AFHR Change Serviceability Stat	0.0	SERV S/I	
	Change Location of an Asse	33.7	EXTERNAL A23-021	
09DEC04 02:57	Change Serviceability Stat	0.9	S/I US/I A1PXXJY419822	XXXXXXXX
16DEC04 03:38	Asset Removal	65.9	521 A23-021 A23T A1UOA	00 A23T A1UOA 00A XXXXXXXX
	4050.5 AFHR Change Serviceability Stat	7.0	US/I U/S	
	Change Location of an Asse	65.9	A23-021 HG122	
02FEB05 23:25	Change Serviceability Stat	48.8	U/S SERV	XXXXXXXX
02FEB05 23:26	Asset Installation	48.8	A23T A1UOA 554 A23-053	00 A23T A1UOA 00AC XXXXXXXX
	4050.5 AFHR Change Serviceability Stat	0.0	SERV S/I	
	Change Location of an Asse	48.8	HG122 A23-053	
24FEB05 01:20	Asset Removal	21.0	554 A23-053 A23T A1UOA	00 A23T A1UOA 00A XXXXXXXX
	4091.1 AFHR Change Serviceability Stat	0.0	S/I U/S	
	Change Location of an Asse	21.0	A23-053 MMIST	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00024  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0045  
 PART NO : 33490409201 ~D8034  
 ENGINEERING NAME : BATTERY NICAD  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
04APR05 09:50	Change Serviceability Stat	39.3	U/S SERV	
	4091.1 AFHR			XXXXXXxx
04APR05 09:51	Asset Installation	39.3	A23T 48 A1UOA A23-006	A23T A1UOA 00AC
	4091.1 AFHR			XXXXXXxx
	Change Serviceability Stat	0.0	SERV S/I	
	Change Location of an Asse	39.3	MMIST A23-006	
23JUN05 22:21	Change Serviceability Stat	1.5	S/I US/I	
	4217.1 AFHR		A1PXXJY506170	XXXXXXxx
23JUN05 22:27	Asset Removal	80.5	48 A23T A1UOA A23-006	A23T A1UOA 00A
	4217.1 AFHR			XXXXXXxx
	Change Serviceability Stat	0.0	US/I U/S	
	Change Location of an Asse	80.5	A23-006 JANDAKOT	
21JUL05 04:17	Change Serviceability Stat	27.2	U/S SERV	
	4217.1 AFHR			XXXXXXxx
21JUL05 04:18	Asset Installation	27.2	A23T 537 A1UOA A23-037	A23T A1UOA 00AC
	4217.1 AFHR			XXXXXXxx
	Change Serviceability Stat	0.0	SERV S/I	
	Change Location of an Asse	27.2	JANDAKOT A23-037	
19OCT05 22:04	Change Serviceability Stat	0.8	S/I US/I	
	4275.5 AFHR		A1PXXJY513249	XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00025  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0045  
 PART NO : 33490409201 ~D8034  
 ENGINEERING NAME : BATTERY NICAD  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW							
19OCT05	22:41	Asset Removal	90.7	537	A23T	A23-037	A23T A1UOA 00A
		4275.5 AFHR					XXXXXXxx
		Change Serviceability Stat	0.0	US/I			
		Change Location of an Asse	90.7	U/S			
21NOV05	04:58	Change Serviceability Stat	32.2	A23-037	JANDAKOT		
		4275.5 AFHR		U/S			XXXXXXxx
21NOV05	05:00	Asset Installation	32.2	528	A23T	A23-028	A23T A1UOA 00AC
		4275.5 AFHR		SERV			XXXXXXxx
		Change Serviceability Stat	0.0	S/I			
		Change Location of an Asse	32.2	JANDAKOT			
20JAN06	03:30	Change Serviceability Stat	0.7	A23-028			
		4304.6 AFHR		S/I			XXXXXXxx
20JAN06	03:33	Asset Removal	59.9	528	A23T	A23-028	A23T A1UOA 00A
		4304.6 AFHR		A1PXXJY527989			XXXXXXxx
		Change Serviceability Stat	0.0	US/I			
		Change Location of an Asse	59.9	U/S			
10MAR06	03:25	Change Serviceability Stat	48.9	A23-028	JANDAKOT		
		4304.6 AFHR		U/S			XXXXXXxx
				SERV			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00026  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0045  
 PART NO : 33490409201 ~D8034  
 ENGINEERING NAME : BATTERY NICAD  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS									
TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER	
			LIFE SINCE NEW						
13MAR06	11:05	Asset	Installation	52.3	A23T	A1UOA	00		
			4304.6 AFHR		517		A23-017	A23T	A1UOA 00AC
		Change	Serviceability Stat	3.3	SERV			XXXXXXxx	
		Change	Location of an Asse	52.3	S/I				
07JUN06	09:40	Change	Serviceability Stat	0.3	JANDAKOT				
			4422.2 AFHR		A23-017				
07JUN06	11:03	Asset	Removal	85.9	S/I				
			4422.2 AFHR		US/I			XXXXXXxx	
		Change	Serviceability Stat	0.0	A1PXXJY604396		A23-017	A23T	A1UOA 00A
		Change	Location of an Asse	85.9	517				
		Change	Serviceability Stat	19.8	A23T	A1UOA	00		
			4422.2 AFHR		US/I			XXXXXXxx	
27JUN06	08:00	Change	Serviceability Stat	19.8	U/S				
			4422.2 AFHR		A23-017				
23JUL06	22:57	Change	Location of an Asse	46.4	JANDAKOT				
			4422.2 AFHR		MMIST				
25JUL06	23:39	Asset	Installation	48.5	A1PXXXY605720			XXXXXXxx	
			4422.2 AFHR		A23T	A1UOA	00	A23T	A1UOA 00AC
		Change	Serviceability Stat	28.6	550		A23-049	XXXXXXxx	
		Change	Location of an Asse	2.0	SERV				
					S/I				
					MMIST				
					A23-049				

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00027  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0045  
 PART NO : 33490409201 ~D8034  
 ENGINEERING NAME : BATTERY NICAD  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
08SEP06 01:13	Asset Removal	44.0	550 A23T A1UOA A23-049 00	A23T A1UOA 00A
	4477.2 AFHR Change Serviceability Stat	9.5	S/I U/S	XXXXXXxx
	Change Location of an Asse	44.0	A23-049 JANDAKOT	
25SEP06 08:00	Change Serviceability Stat	17.2	U/S SERV	XXXXXXxx
	4477.2 AFHR Change Location of an Asse	19.1	JANDAKOT MMIST	
	4477.2 AFHR Asset Installation	37.8	A1PXXXY607831 A23T A1UOA 518 A23-018 00	XXXXXXxx
	4477.2 AFHR Change Serviceability Stat	20.6	SERV S/I	A23T A1UOA 00AC
	Change Location of an Asse	18.7	MMIST A23-018	
08NOV06 05:37	Asset Removal	23.2	518 A23T A1UOA A23-018 00	A23T A1UOA 00A
	4518.7 AFHR Change Serviceability Stat	1.1	S/I U/S	XXXXXXxx
	Change Location of an Asse	23.2	A23-018 INTMH	
08NOV06 05:40	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
	4518.7 AFHR			XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00028  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0045  
 PART NO : 33490409201 ~D8034  
 ENGINEERING NAME : BATTERY NICAD  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
09NOV06 04:49	Asset Installation	0.9	A23T A1UOA 518 A23-018	00 A23T A1UOA 00AC XXXXXXxx
	4518.7 AFHR Change Serviceability Stat	0.9	SERV S/I	
	Change Location of an Asse	0.9	INTMH A23-018	
17DEC06 22:56	Change Serviceability Stat	5.7	S/I US/I	
	4581.3 AFHR		A1PXXJY615581	XXXXXXxx
18DEC06 01:01	Asset Removal	38.8	518 A23-018 A23T A1UOA	00 A23T A1UOA 00A XXXXXXxx
	4581.3 AFHR Change Serviceability Stat	0.0	US/I U/S	
	Change Location of an Asse	38.8	A23-018 JANDAKOT	
05FEB07 05:00	Change Serviceability Stat	49.1	U/S SERV	
	4581.3 AFHR			XXXXXXxx
12FEB07 21:50	Change Location of an Asse	56.8	JANDAKOT MMIST	
	4581.3 AFHR		A1PXXXY701223	XXXXXXxx
14FEB07 22:30	Asset Installation	58.8	A23T A1UOA 033 A23-002	00 A23T A1UOA 00AC XXXXXXxx
	4581.3 AFHR Change Serviceability Stat	9.7	SERV S/I	
	Change Location of an Asse	2.0	MMIST A23-002	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00029  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0045  
 PART NO : 33490409201 ~D8034  
 ENGINEERING NAME : BATTERY NICAD  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
19FEB07 04:15	Asset Removal	4.2	033 A23T A1UOA A23-002 00	A23T A1UOA 00A
	4581.3 AFHR Change Serviceability Stat	4.2	S/I U/S	XXXXXXxx
	Change Location of an Asse	4.2	A23-002 INTMH	
19FEB07 04:17	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
19FEB07 04:19	Asset Installation	0.0	A23T 033 A1UOA A23-002 00	A23T A1UOA 00AC
	4581.3 AFHR Change Serviceability Stat	0.0	SERV S/I	XXXXXXxx
	Change Location of an Asse	0.0	INTMH A23-002	
07MAY07 09:22	Change Serviceability Stat	13.3	S/I US/I	XXXXXXxx
07MAY07 11:05	Asset Removal	77.2	A1PXXJY703020 033 A23T A1UOA A23-002 00	A23T A1UOA 00A
	4686.1 AFHR Change Serviceability Stat	0.0	US/I U/S	XXXXXXxx
	Change Location of an Asse	77.2	A23-002 JANDAKOT	
24MAY07 08:00	Change Serviceability Stat	16.8	U/S SERV	XXXXXXxx
29MAY07 04:51	Change Location of an Asse	21.7	JANDAKOT MMIST A1PXXXY704604	XXXXXXxx
	4686.1 AFHR			XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00030  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0045  
 PART NO : 33490409201 ~D8034  
 ENGINEERING NAME : BATTERY NICAD  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
05JUN07 01:56	Asset Installation	28.6	A23T A1UOA 058 A23-008	A23T A1UOA 00AC
	4686.1 AFHR Change Serviceability Stat	11.7	SERV S/I	XXXXXXxx
	Change Location of an Asse	6.8	MMIST A23-008	
19JUN07 02:17	Asset Removal	14.0	058 A23T A1UOA A23-008	A23T A1UOA 00A
	4694.9 AFHR Change Serviceability Stat	7.9	S/I U/S	XXXXXXxx
	Change Location of an Asse	14.0	A23-008 INTMH	
19JUN07 02:18	Change Serviceability Stat	0.0	U/S SERV	
	4694.9 AFHR Change Serviceability Stat	0.9	SERV U/S	XXXXXXxx
20JUN07 01:16	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
20JUN07 01:21	Change Serviceability Stat	0.0		XXXXXXxx
20JUN07 22:35	Asset Installation	1.8	A23T A1UOA 058 A23-008	A23T A1UOA 00AC
	4694.9 AFHR Change Serviceability Stat	0.8	SERV S/I	XXXXXXxx
	Change Location of an Asse	1.8	INTMH A23-008	
22AUG07 10:27	Change Serviceability Stat	0.4	S/I US/I	
	4813.5 AFHR		A1PXXJY710519	XXXXXXxx



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00031  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0045  
 PART NO : 33490409201  
 ENGINEERING NAME : BATTERY NICAD  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~D8034

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
22AUG07 10:51	Asset Removal	62.5	058 A23T A1UOA A23-008 00	A23T A1UOA 00A
	4813.5 AFHR Change Serviceability Stat	0.0	US/I U/S	XXXXXXxx
	Change Location of an Asse	62.5	A23-008 JANDAKOT	
08SEP07 05:48	Change Serviceability Stat	16.7	U/S SERV	XXXXXXxx
	4813.5 AFHR Asset Installation	16.7	A23T A1UOA A23-048 00	A23T A1UOA 00AC
	4813.5 AFHR Change Serviceability Stat	0.0	SERV S/I	XXXXXXxx
	Change Location of an Asse	16.7	JANDAKOT A23-048	
20NOV07 21:57	Change Serviceability Stat	0.5	S/I US/I	XXXXXXxx
	4962.0 AFHR Change Serviceability Stat	4.9	A1PXXJY717217	XXXXXXxx
	4962.0 AFHR Change Serviceability Stat	0.1	S/I US/I	XXXXXXxx
	4962.0 AFHR Asset Removal	78.8	A1PXXJY721252 549 A23-048 00	A23T A1UOA 00A
	4962.0 AFHR Change Serviceability Stat	0.0	A23T A1UOA	XXXXXXxx
	Change Location of an Asse	78.8	US/I U/S A23-048	
	Change Serviceability Stat	11.4	EXTERNAL U/S SERV	XXXXXXxx
	4962.0 AFHR			XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00032  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0045  
 PART NO : 33490409201  
 ENGINEERING NAME : BATTERY NICAD  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~D8034

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
10DEC07 05:47	Change Location of an Asse	14.1	EXTERNAL MMIST A1PXXXY711327	XXXXXXxx
12DEC07 05:07	Asset Installation	16.1	A23T A1UOA 521 A23-021 00	A23T A1UOA 00AC
	Change Serviceability Stat	4.7	SERV S/I MMIST A23-021	XXXXXXxx
	Change Location of an Asse	1.9	SERV S/I MMIST A23-021	
07MAR08 02:24	Change Serviceability Stat	9.7	US/I A1PXXJY722003	XXXXXXxx
10MAR08 06:04	Asset Removal	89.0	521 A23T A1UOA A23-021 00	A23T A1UOA 00A
	Change Serviceability Stat	3.1	US/I U/S A23-021	XXXXXXxx
14APR08 16:05	Change Serviceability Stat	35.4	JANDAKOT U/S SERV	XXXXXXxx
17APR08 05:51	Change Location of an Asse	37.9	JANDAKOT MMIST A1PXXXY803155	XXXXXXxx
21APR08 00:14	Asset Installation	41.7	A23T A1UOA 48 A23-006 00	A23T A1UOA 00AC
	Change Serviceability Stat	6.3	SERV S/I MMIST A23-006	XXXXXXxx
	Change Location of an Asse	3.7	SERV S/I MMIST A23-006	
10JUL08 23:30	Change Serviceability Stat	1.8	US/I A1PXXJY806492	XXXXXXxx
	Change Serviceability Stat	5136.6	AFHR	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00033  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0045  
 PART NO : 33490409201  
 ENGINEERING NAME : BATTERY NICAD  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~D8034

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
11JUL08 02:52	Asset Removal	81.1	48 A23T A1UOA A23-006 00	A23T A1UOA 00A
	5136.6 AFHR Change Serviceability Stat	0.1	US/I U/S	XXXXXXxx
	Change Location of an Asse	81.1	A23-006 HOLD	
	Change Venue of an Asset	1777.7	AIP NONC2CONT	
01AUG08 16:05	Change Serviceability Stat	21.5	U/S SERV	XXXXXXxx
	5136.6 AFHR Change Venue of an Asset	24.1	NONC2CONT AIP	XXXXXXxx
	5136.6 AFHR Change Location of an Asse	24.1	NONC2XY808236 HOLD MMIST	XXXXXXxx
06AUG08 11:53	Asset Installation	26.3	A23T A1UOA A23-044 00	A23T A1UOA 00AC
	5136.6 AFHR Change Serviceability Stat	4.8	SERV S/I	XXXXXXxx
	Change Location of an Asse	2.2	MMIST A23-044	
25SEP08 07:40	Change Serviceability Stat	0.0	S/I US/I	
	5173.4 AFHR Asset Removal	50.5	NONC2JY802199 544 A23-044 00	XXXXXXxx A23T A1UOA 00A
	5173.4 AFHR Change Serviceability Stat	0.7	A23T A1UOA	XXXXXXxx
	Change Location of an Asse	50.5	US/I U/S A23-044 MMIST	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00034  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0045  
 PART NO : 33490409201  
 ENGINEERING NAME : BATTERY NICAD  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~D8034

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
06OCT08 22:53	Change Serviceability Stat	10.8	U/S SERV	
	5173.4 AFHR			XXXXXXxx
06OCT08 22:56	Asset Installation	10.8	A23T 544 A1UOA A23-044	00 A23T A1UOA 00AC
	5173.4 AFHR			XXXXXXxx
	Change Serviceability Stat	0.0	SERV S/I	
	Change Location of an Asse	10.8	MMIST A23-044	
29OCT08 23:34	Change Serviceability Stat	0.0	S/I US/I	
	5193.6 AFHR		A1PXXJY816664	XXXXXXxx
29OCT08 23:38	Asset Removal	23.0	544 A23T A1UOA	00 A23T A1UOA 00A
	5193.6 AFHR			XXXXXXxx
	Change Serviceability Stat	0.0	US/I U/S	
	Change Location of an Asse	23.0	A23-044 MMIST	
14NOV08 16:05	Change Serviceability Stat	15.6	U/S SERV	
	5193.6 AFHR			XXXXXXxx
04DEC08 02:37	Asset Installation	35.1	A23T 033 A1UOA A23-002	00 A23T A1UOA 00AC
	5193.6 AFHR			XXXXXXxx
	Change Serviceability Stat	19.4	SERV S/I	
	Change Location of an Asse	35.1	MMIST A23-002	
02FEB09 12:41	Change Serviceability Stat	0.3	S/I US/I	
	5204.6 AFHR		A1PXXJY820373	XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00035  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0045  
 PART NO : 33490409201  
 ENGINEERING NAME : BATTERY NICAD  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~D8034

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW							
02FEB09	12:43	Asset Removal	60.4	033	A23T	A23-002	A23T A1UOA 00A
		5204.6 AFHR					XXxxXXxx
		Change Serviceability Stat	0.0	US/I			
		Change Location of an Asse	60.4	U/S			
23FEB09	16:00	Change Serviceability Stat	21.1	A23-002			
		5204.6 AFHR		MMIST			XXxxXXxx
26FEB09	12:22	Asset Installation	23.9	U/S			
		5204.6 AFHR		SERV			XXxxXXxx
		Change Serviceability Stat	2.8	A23T	A23-024		A23T A1UOA 00AC
		Change Location of an Asse	23.9	524			XXxxXXxx
21MAY09	07:28	Change Serviceability Stat	8.8	SERV			
		5310.1 AFHR		S/I			XXxxXXxx
21MAY09	09:46	Asset Removal	83.8	US/I			
		5310.1 AFHR		A1PXXJY904011			XXxxXXxx
		Change Serviceability Stat	0.0	524	A23-024		A23T A1UOA 00A
		Change Location of an Asse	83.8	A23T			XXxxXXxx
11JUN09	16:00	Change Serviceability Stat	21.2	US/I			
		5310.1 AFHR		U/S			XXxxXXxx
		Change Serviceability Stat	21.2	A23-024			
		5310.1 AFHR		MMIST			XXxxXXxx
		Change Serviceability Stat	21.2	U/S			
		5310.1 AFHR		SERV			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00036  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0045  
 PART NO : 33490409201 ~D8034  
 ENGINEERING NAME : BATTERY NICAD  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
12JUN09 08:33	Asset Installation	21.9	A23T A1UOA 518 A23-018	00 A23T A1UOA 00AC XXXXXXXX
	5310.1 AFHR Change Serviceability Stat	0.6	SERV	
	Change Location of an Asse	21.9	S/I MMIST A23-018	
12JUL09 23:33	Asset Removal	30.6	518 A23-018 A23T A1UOA	00 A23T A1UOA 00A XXXXXXXX
	5331.5 AFHR Change Serviceability Stat	0.0	S/I	
	Change Location of an Asse	30.6	U/S A23-018	
29JUL09 16:00	Change Serviceability Stat	16.6	MMIST U/S SERV	XXXXXXXX
12AUG09 12:23	Asset Installation	30.5	A23T A1UOA 541 A23-041	00 A23T A1UOA 00AC XXXXXXXX
	5331.5 AFHR Change Serviceability Stat	13.8	SERV	
	Change Location of an Asse	30.5	S/I MMIST A23-041	
29SEP09 10:57	Asset Removal	47.9	541 A23-041 A23T A1UOA	00 A23T A1UOA 00A XXXXXXXX
	5395.5 AFHR Change Serviceability Stat	0.1	S/I	
	Change Location of an Asse	47.9	U/S A23-041	
14OCT09 16:00	Change Serviceability Stat	15.2	MMIST U/S SERV	XXXXXXXX
	5395.5 AFHR			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00037  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0045  
 PART NO : 33490409201 ~D8034  
 ENGINEERING NAME : BATTERY NICAD  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
20OCT09	22:40	Asset Installation	21.4	A23T 536	A1UOA A23-036	00 A23T A1UOA 00AC XXXXXXXX
		5395.5 AFHR Change Serviceability Stat	6.2	SERV S/I		
		Change Location of an Asse	21.4	MMIST A23-036		
07JAN10	22:25	Change Serviceability Stat	29.6	S/I US/I		
		5473.9 AFHR		A1PXXJY922407		XXXXXXXX
07JAN10	22:44	Asset Removal	79.0	536 A23T	A23-036 A1UOA	00 A23T A1UOA 00A XXXXXXXX
		5473.9 AFHR Change Serviceability Stat	0.0	US/I U/S		
		Change Location of an Asse	79.0	A23-036 MMIST		
20JAN10	16:00	Change Serviceability Stat	12.7	U/S SERV		XXXXXXXX
		5473.9 AFHR				
27JAN10	02:08	Asset Installation	19.1	A23T 534	A1UOA A23-034	00 A23T A1UOA 00AC XXXXXXXX
		5473.9 AFHR Change Serviceability Stat	6.4	SERV S/I		
		Change Location of an Asse	19.1	MMIST A23-034		
22APR10	07:09	Change Serviceability Stat	21.8	S/I US/I		
		5547.6 AFHR		A1PXXJ1001303		XXXXXXXX

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00038  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0045  
 PART NO : 33490409201  
 ENGINEERING NAME : BATTERY NICAD  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~D8034

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
22APR10 07:10	Asset Removal	85.2	534 A23T A1UOA A23-034 00	A23T A1UOA 00A
	5547.6 AFHR Change Serviceability Stat	0.0	US/I U/S	XXXXXXxx
	Change Location of an Asse	85.2	A23-034 MMIST	
16JUN10 16:00	Change Serviceability Stat	55.3	U/S SERV	XXXXXXxx
27JUN10 22:46	Asset Installation	66.6	A23T 557 A1UOA A23-056 00	A23T A1UOA 00AC
	5547.6 AFHR Change Serviceability Stat	11.2	SERV S/I	XXXXXXxx
	Change Location of an Asse	66.6	MMIST A23-056	
22JUL10 03:27	Asset Removal	24.1	557 A23T A1UOA A23-056 00	A23T A1UOA 00A
	5562.7 AFHR Change Serviceability Stat	7.9	S/I U/S	XXXXXXxx
	Change Location of an Asse	24.1	A23-056 OPMH	
22JUL10 03:27	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
22JUL10 06:13	Asset Installation	0.1	A23T 557 A1UOA A23-056 00	A23T A1UOA 00AC
	5562.7 AFHR Change Serviceability Stat	0.1	SERV S/I	XXXXXXxx
	Change Location of an Asse	0.1	OPMH A23-056	

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00039  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0045  
 PART NO : 33490409201  
 ENGINEERING NAME : BATTERY NICAD  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~D8034

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
10AUG10 22:37	Asset Removal	19.6	557 A23T A1UOA A23-056 00	A23T A1UOA 00A
	5580.8 AFHR Change Serviceability Stat	0.7	S/I U/S	XXXXXXxx
	Change Location of an Asse	19.6	A23-056 INTMH	
10AUG10 22:38	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
	5580.8 AFHR Change Serviceability Stat	22.0	SERV U/S	XXXXXXxx
	5580.8 AFHR Change Serviceability Stat	57.6	A1PXXJ1010897 U/S SERV	XXXXXXxx
	5580.8 AFHR Asset Installation	82.5	A23T A1UOA A23-021 00	A23T A1UOA 00AC
	5580.8 AFHR Change Serviceability Stat	2.7	SERV S/I	XXXXXXxx
	Change Location of an Asse	82.5	INTMH A23-021	
19JAN11 04:44	Asset Removal	78.7	521 A23T A1UOA A23-021 00	A23T A1UOA 00A
	5631.8 AFHR Change Serviceability Stat	2.2	S/I U/S	XXXXXXxx
	Change Location of an Asse	78.7	A23-021 MMIST	
14FEB11 10:12	Change Location of an Asse	26.2	MMIST STORES	
	5631.8 AFHR Change Serviceability Stat	62.1	A1PXXX1101084 U/S SERV	XXXXXXxx
	5631.8 AFHR			XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00040  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0045  
 PART NO : 33490409201 ~D8034  
 ENGINEERING NAME : BATTERY NICAD  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
23MAR11 23:49	Asset Installation	63.7	A23T A1UOA 523 A23-023	00 A23T A1UOA 00AC XXXXXXXX
	5631.8 AFHR Change Serviceability Stat	1.6	SERV	
	Change Location of an Asse	37.5	S/I STORES A23-023	
29MAR11 07:29	Asset Removal	5.3	523 A23-023 A23T A1UOA	00 A23T A1UOA 00A XXXXXXXX
	5632.4 AFHR Change Serviceability Stat	0.0	S/I	
	Change Location of an Asse	5.3	U/S A23-023 STORES	
27APR11 08:00	Change Serviceability Stat	29.0	U/S SERV	XXXXXXXX
03MAY11 04:52	Asset Installation	34.8	A23T A1UOA 543 A23-043	00 A23T A1UOA 00AC XXXXXXXX
	5632.4 AFHR Change Serviceability Stat	5.8	SERV	
	Change Location of an Asse	34.8	S/I STORES A23-043	
09JUN11 03:52	Asset Removal	36.9	543 A23-043 A23T A1UOA	00 A23T A1UOA 00A XXXXXXXX
	5662.4 AFHR Change Serviceability Stat	21.9	S/I	
	Change Location of an Asse	36.9	U/S A23-043 INTMH	
09JUN11 03:53	Change Serviceability Stat	0.0	U/S SERV	XXXXXXXX
	5662.4 AFHR			XXXXXXXX

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00041  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0045  
 PART NO : 33490409201 ~D8034  
 ENGINEERING NAME : BATTERY NICAD  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
16JUN11 11:40	Asset Installation	7.3	A23T A1UOA 543 A23-043	00 A23T A1UOA 00AC XXXXXXXX
	5662.4 AFHR Change Serviceability Stat	7.3	SERV S/I INTMH A23-043	
	Change Location of an Asse	7.3		
19JUN11 23:57	Asset Removal	3.5	543 A23T A1UOA A23-043	00 A23T A1UOA 00A XXXXXXXX
	5662.4 AFHR Change Serviceability Stat	3.5	S/I U/S A23-043	
	Change Location of an Asse	3.5		
19JUN11 23:58	Change Serviceability Stat	0.0	INTMH U/S SERV	XXXXXXXX
20JUN11 08:38	Asset Installation	0.3	A23T A1UOA 543 A23-043	00 A23T A1UOA 00AC XXXXXXXX
	5662.4 AFHR Change Serviceability Stat	0.3	SERV S/I INTMH A23-043	
	Change Location of an Asse	0.3		
21JUL11 22:33	Change Serviceability Stat	0.5	S/I US/I	
	5702.5 AFHR Asset Removal	31.6	A1PXXJ1105826 543 A23T A1UOA A23-043	00 A23T A1UOA 00A XXXXXXXX
	5702.5 AFHR Change Serviceability Stat	0.0	US/I U/S A23-043	
	Change Location of an Asse	31.6	STORES	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00042  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0045  
 PART NO : 33490409201  
 ENGINEERING NAME : BATTERY NICAD  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~D8034

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
09SEP11 16:00	Change Serviceability Stat	49.6	U/S SERV	
27SEP11 01:19	Asset Installation	67.0	A23T 526 A1UOA A23-026	00 A23T A1UOA 00AC
	Change Serviceability Stat	17.3	SERV S/I STORES A23-026	
08DEC11 12:25	Change Serviceability Stat	0.1	S/I US/I A1PXXJ1114133	
08DEC11 12:38	Asset Removal	72.4	A23T 526 A1UOA A23-026	00 A23T A1UOA 00A
	Change Serviceability Stat	0.0	US/I U/S A23-026 STORES	
25JAN12 08:00	Change Serviceability Stat	47.8	U/S SERV	
01FEB12 03:43	Asset Installation	54.6	A23T 531 A1UOA A23-031	00 A23T A1UOA 00AC
	Change Serviceability Stat	6.8	SERV S/I STORES A23-031	
26APR12 01:57	Change Serviceability Stat	1.8	S/I US/I A1PXXJ1201196	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00043  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0045  
 PART NO : 33490409201  
 ENGINEERING NAME : BATTERY NICAD  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~D8034

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
26APR12 02:31	Asset Removal	84.9	531 A23T A1UOA A23-031 00	A23T A1UOA 00A
	5851.6 AFHR Change Serviceability Stat	0.0	US/I U/S	XXXXXXxx
	Change Location of an Asse	72.8	A23-031 RETURNS	
01MAY12 00:54	Change Venue of an Asset	77.7	4SQN 81WGCWKS 4SQNXX1200824	XXXXXXxx
	5851.6 AFHR Change Location of an Asse	4.9	RETURNS BATTERY	
13AUG12 23:16	Change Serviceability Stat	109.8	U/S SERV	XXXXXXxx
	5851.6 AFHR Change Location of an Asse	104.9	BATTERY	
14AUG12 00:00	Change Location of an Asse	104.9	AVMF_JOBS_OUT 81WGCX1207596	XXXXXXxx
14AUG12 00:54	Change Venue of an Asset	105.0	81WGCWKS 4SQN 81WGCX1207604	XXXXXXxx
	5851.6 AFHR Change Location of an Asse	0.0	AVMF_JOBS_OUT EQUIP_WAREHOUSE	
14AUG12 00:58	Asset Installation	109.9	A23T A1UOA A23-020 00	A23T A1UOA 00AC
	5851.6 AFHR Change Serviceability Stat	0.0	SERV S/I	XXXXXXxx
	Change Location of an Asse	0.0	EQUIP_WAREHOUSE A23-020	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00044  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0045  
 PART NO : 33490409201  
 ENGINEERING NAME : BATTERY NICAD  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~D8034

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW						
16AUG12 04:04	Asset Removal	2.1	520	A23-020	A23T A1UOA	00A
	5857.7 AFHR		A23T		00	XXxxXXxx
	Change Serviceability Stat	0.1	S/I			
	Change Location of an Asse	2.1	U/S	A23-020		
08OCT12 21:14	Change Venue of an Asset	55.8	HANGAR_RACKS			
	5857.7 AFHR		4SQN			XXxxXXxx
	Change Location of an Asse	53.7	81WGCWKS			
	Change Serviceability Stat	54.9	4SQNXX1202395			
	5857.7 AFHR		HANGAR_RACKS			XXxxXXxx
17JAN13 22:10	Change Location of an Asse	101.0	BATTERY			
	5857.7 AFHR		U/S			XXxxXXxx
21JAN13 02:19	Change Venue of an Asset	104.2	81WGCX1300337			
	5857.7 AFHR		81WGCWKS			XXxxXXxx
	Change Location of an Asse	3.1	4SQN			
	Change Serviceability Stat	117.1	81WGCX1300433			
04FEB13 07:08	Asset Installation	172.1	AVMF_JOBS_OUT			
	5857.7 AFHR		HANGAR_RACKS			XXxxXXxx
	Change Serviceability Stat	117.1	A23T A1UOA	A23-020	00	A23T A1UOA
	Change Location of an Asse	14.2	520			00AC
	SERV					XXxxXXxx
	S/I					
	HANGAR_RACKS					
	A23-020					

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00045  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0045  
 PART NO : 33490409201  
 ENGINEERING NAME : BATTERY NICAD  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~D8034

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN (DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
01MAR13 00:31	Asset Removal	24.7	520 A23T A1UOA A23-020 00	A23T A1UOA 00A
	5895.1 AFHR Change Serviceability Stat	7.7	S/I U/S	XXXXXXxx
	Change Location of an Asse	7.5	A23-020 INTMH	
01MAR13 00:33	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
	5895.1 AFHR Asset Installation	17.0	A23T A1UOA A23-020 00	A23T A1UOA 00AC
	5895.1 AFHR Change Serviceability Stat	17.0	SERV S/I	XXXXXXxx
	Change Location of an Asse	17.0	INTMH A23-020	
16APR13 02:28	Change Serviceability Stat	0.0	S/I US/I	
	5907.0 AFHR Asset Removal	29.0	81WGCJ1206612 520 A23-020 00	A23T A1UOA 00A
	5907.0 AFHR Change Serviceability Stat	0.0	A23T A1UOA	XXXXXXxx
	Change Location of an Asse	12.1	US/I U/S A23-020	
16APR13 22:05	Change Venue of an Asset	12.9	HANGAR_RACKS 4SQN 81WGCWKS	
	5907.0 AFHR Change Location of an Asse	0.7	4SQNXX1300689 HANGAR_RACKS	XXXXXXxx
01MAY13 04:18	Change Location of an Asse	14.2	BATTERY BATTERY AVMF_JOBS_OUT 81WGCX1303906	XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00046  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0045  
 PART NO : 33490409201 ~D8034  
 ENGINEERING NAME : BATTERY NICAD  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
01MAY13 04:19	Change Serviceability Stat	15.0	U/S SERV	
	5907.0 AFHR			XXxxXXxx
01MAY13 05:07	Change Venue of an Asset	14.2	81WGCWKS 4SQN	
	5907.0 AFHR		81WGCX1303907	XXxxXXxx
	Change Location of an Asse	0.0	AVMF_JOBS_OUT HANGAR_RACKS	
01MAY13 05:29	Asset Installation	15.0	A23T A1UOA 531	A23T A1UOA 00AC
	5907.0 AFHR			XXxxXXxx
	Change Serviceability Stat	0.0	SERV S/I	
	Change Location of an Asse	0.0	HANGAR_RACKS A23-031	
01JUL13 22:18	Asset Removal	61.7	531 A23T A1UOA	A23T A1UOA 00A
	5976.1 AFHR			XXxxXXxx
	Change Serviceability Stat	17.4	S/I U/S	
	Change Location of an Asse	61.7	A23-031 HANGAR_RACKS	
01JUL13 22:19	Change Serviceability Stat	0.0	U/S SERV	
	5976.1 AFHR			XXxxXXxx
18JUL13 05:32	Asset Installation	16.3	A23T A1UOA 531	A23T A1UOA 00AC
	5976.1 AFHR			XXxxXXxx
	Change Serviceability Stat	16.3	SERV S/I	
	Change Location of an Asse	16.3	HANGAR_RACKS A23-031	



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00047  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0045  
 PART NO : 33490409201 ~D8034  
 ENGINEERING NAME : BATTERY NICAD  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
29JUL13 04:35	Asset Removal	10.9	531 A23T A1UOA A23-031 00	A23T A1UOA 00A
	5976.1 AFHR Change Serviceability Stat	10.9	S/I U/S	XXxxXXxx
	Change Location of an Asse	10.9	A23-031 HANGAR_RACKS	
29JUL13 04:36	Change Serviceability Stat	0.0	U/S SERV	XXxxXXxx
	5976.1 AFHR Change Serviceability Stat	2.0	SERV U/S	XXxxXXxx
31JUL13 05:21	Change Serviceability Stat	2.0	81WGCJ1303355	XXxxXXxx
31JUL13 22:14	Change Venue of an Asset	91.7	4SQN 81WGCWKS	XXxxXXxx
	5976.1 AFHR Change Location of an Asse	2.7	4SQNXX1302378 HANGAR_RACKS	XXxxXXxx
05AUG13 22:15	Change Serviceability Stat	5.7	BATTERY U/S SERV	XXxxXXxx
	5976.1 AFHR Change Location of an Asse	5.9	BATTERY AVMF_JOBS_OUT	XXxxXXxx
08AUG13 00:45	Position Change	9.8	81WGCX1307697 A23T A1UOA A23T A1UOA 00 00	XXxxXXxx
	5976.1 AFHR Change Venue of an Asset	7.1	81WGCX1307846 81WGCWKS	XXxxXXxx
08AUG13 02:29	Change Venue of an Asset	7.1	4SQN 81WGCX1307861	XXxxXXxx
	5976.1 AFHR Change Location of an Asse	1.2	AVMF_JOBS_OUT HANGAR_RACKS	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00048  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0045  
 PART NO : 33490409201  
 ENGINEERING NAME : BATTERY NICAD  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~D8034

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
08AUG13 02:33	Asset Installation	9.9	A23T A1UOA 532 A23-032	00 A23T A1UOA 00AC XXXXXXXX
	5976.1 AFHR Change Serviceability Stat	2.1	SERV S/I	
	Change Location of an Asse	0.0	HANGAR_RACKS A23-032	
14AUG13 23:19	Asset Removal	6.8	532 A23-032 A23T A1UOA	00 A23T A1UOA 00A XXXXXXXX
	5977.2 AFHR Change Serviceability Stat	5.8	S/I U/S	
	Change Location of an Asse	6.8	A23-032 HANGAR_RACKS	
14AUG13 23:23	Change Serviceability Stat	0.0	U/S SERV	XXXXXXXX
19AUG13 04:46	Asset Installation	4.2	A23T A1UOA 522 A23-022	00 A23T A1UOA 00AC XXXXXXXX
	5977.2 AFHR Change Serviceability Stat	4.2	SERV S/I	
	Change Location of an Asse	4.2	HANGAR_RACKS A23-022	
30AUG13 00:27	Asset Removal	10.8	522 A23-022 A23T A1UOA	00 A23T A1UOA 00A XXXXXXXX
	6000.6 AFHR Change Serviceability Stat	0.8	S/I U/S	
	Change Location of an Asse	10.8	A23-022 HANGAR_RACKS	
02SEP13 00:03	Change Venue of an Asset	24.8	4SQN 81WGCWKS	XXXXXXXX
	6000.6 AFHR Change Location of an Asse	2.9	4SQNXX1302620 HANGAR_RACKS BATTERY	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00049  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0045  
 PART NO : 33490409201  
 ENGINEERING NAME : BATTERY NICAD  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~D8034

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN (DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
12SEP13 04:47	Position Change		13.1	A23T A1UOA A23T A1UOA	00 00
10OCT13 02:43	Position Change	6000.6 AFHR	41.0	81WGCX1309637 A23T A1UOA A23T A1UOA	00 00 00
27NOV13 03:31	Change Serviceability Stat	6000.6 AFHR	89.1	81WGCX1311067 U/S SERV	XXxxXXxx XXxxXXxx
27NOV13 04:27	Change Venue of an Asset	6000.6 AFHR	86.1	81WGCWKS 92WGSPT	XXxxXXxx
	Change Location of an Asse	6000.6 AFHR	86.1	81WGCX1313368 BATTERY AVWKS	XXxxXXxx
28NOV13 02:54	Change Venue of an Asset		0.9	92WGSPT ARDU	
	Change Location of an Asse	6000.6 AFHR	0.9	92WGSX1312926 AVWKS	XXxxXXxx
28NOV13 03:07	Asset Installation		90.1	MSI A23T A1UOA 563	00 00 00
	Change Serviceability Stat	6000.6 AFHR	0.9	SERV S/I	XXxxXXxx
	Change Location of an Asse		0.0	MSI A23-062	
19JAN14 23:43	Change Serviceability Stat		39.8	S/I US/I	
19JAN14 23:52	Asset Removal	6010.7 AFHR	52.8	81WGCJ1300214 563	XXxxXXxx 00
	Change Serviceability Stat	6010.7 AFHR	0.0	A23T A1UOA	00
	Change Location of an Asse		52.8	US/I U/S A23-062 PC9-AVIONICS	00A

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00050  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0045  
 PART NO : 33490409201  
 ENGINEERING NAME : BATTERY NICAD  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~D8034

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
19JAN14 23:54	Change Venue of an Asset	52.8	ARDU 92WGSPT	
	6010.7 AFHR		ARDUXX1400047	XXxxXXxx
	Change Location of an Asse	0.0	PC9-AVIONICS	
18MAR14 23:10	Change Serviceability Stat	57.9	AVWKS ARDU-BATT	
	6010.7 AFHR		U/S	XXxxXXxx
18MAR14 23:45	Change Venue of an Asset	57.9	92WGSPT	
	6010.7 AFHR		92WGOPS	XXxxXXxx
	Change Location of an Asse	57.9	92WGSX1403049	
20MAR14 02:48	Change Venue of an Asset	1.1	AVWKS ARDU-BATT	
	6010.7 AFHR		MSIST-CLP1	XXxxXXxx
	Change Location of an Asse	1.1	92WGOPS	
21MAR14 00:40	Asset Installation	60.0	ARDU	
	6010.7 AFHR		92WGPX1407409	XXxxXXxx
	Change Serviceability Stat	2.0	MSIST-CLP1	
	Change Location of an Asse	0.9	MSI	
16JUN14 03:19	Change Serviceability Stat	0.0	A23T A1UOA	
	6056.3 AFHR		051 A23-007 00	A23T A1UOA 00AC
	Change Serviceability Stat	0.8	SERV	XXxxXXxx
	Change Location of an Asse	87.9	S/I	
17JUN14 00:26	Asset Removal	87.9	MSI	
	6056.3 AFHR		A23-007	XXxxXXxx
	Change Serviceability Stat	0.8	US/I	
	Change Location of an Asse	87.9	81WGCJ1305520	
			051 A23-007 00	A23T A1UOA 00A
			A23T A1UOA	XXxxXXxx
			US/I	
			U/S	
			A23-007	
			PC9-AVIONICS	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00051  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0045  
 PART NO : 33490409201 ~D8034  
 ENGINEERING NAME : BATTERY NICAD  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
17JUN14 00:33	Change Venue of an Asset	88.9	ARDU 92WGSPT	
	6056.3 AFHR		ARDUXX1401909	XXxxXXxx
	Change Location of an Asse	0.0	PC9-AVIONICS	
01JUL14 03:16	Change Serviceability Stat	14.1	AVWKS ARDU-BATT	
	6056.3 AFHR		U/S	XXxxXXxx
01JUL14 22:35	Change Venue of an Asset	14.9	SERV	
	6056.3 AFHR		92WGSPT	XXxxXXxx
	Change Location of an Asse	14.9	ARDU 92WGSX1405220	
02JUL14 22:44	Change Location of an Asse	1.0	AVWKS ARDU-BATT	
	6056.3 AFHR		HOLD	
03JUL14 00:21	Asset Installation	15.9	HOLD MSI	
	6056.3 AFHR		ARDUXX1402047	XXxxXXxx
	Change Serviceability Stat	1.8	A23T A1UOA	
	Change Location of an Asse	0.0	563 A23-062 00	A23T A1UOA 00AC
04SEP14 03:36	Change Serviceability Stat	7.8	SERV	XXxxXXxx
	6122.9 AFHR		S/I	
07SEP14 23:41	Asset Removal	66.9	MSI A23-062	
	6122.9 AFHR		S/I	XXxxXXxx
	Change Serviceability Stat	3.8	US/I 92WGSJ1403969	
	Change Location of an Asse	4.8	563 A23-062 00	A23T A1UOA 00A
01OCT14 05:49	Change Serviceability Stat	23.2	A23T A1UOA	
	6122.9 AFHR		US/I	XXxxXXxx
			U/S	
			A23-062	
			BATTERY_SHOP	
			U/S	
			SERV	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00052  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0045  
 PART NO : 33490409201 ~D8034  
 ENGINEERING NAME : BATTERY NICAD  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
02OCT14 22:41	Asset Installation	24.9	A23T A1UOA 560 A23-059	00 A23T A1UOA 00AC XXXXXXXX
	6122.9 AFHR Change Serviceability Stat	1.7	SERV S/I	
	Change Location of an Asse	24.9	BATTERY_SHOP A23-059	
08DEC14 05:59	Change Serviceability Stat	0.0	S/I US/I	
	6198.6 AFHR Asset Removal	66.9	A1EXXJ1406081 560 A23-059	00 A23T A1UOA 00A XXXXXXXX
	6198.6 AFHR Change Serviceability Stat	0.6	US/I U/S	
	Change Location of an Asse	66.9	A23-059 BATTERY_SHOP	
21JAN15 03:45	Change Serviceability Stat	43.2	U/S SERV	
	6198.6 AFHR Asset Installation	44.2	A23T A1UOA 559 A23-058	00 A23T A1UOA 00AC XXXXXXXX
	6198.6 AFHR Change Serviceability Stat	0.9	SERV S/I	
	Change Location of an Asse	44.2	BATTERY_SHOP A23-058	
17MAR15 20:50	Change Serviceability Stat	1.7	S/I US/I	
	6239.4 AFHR		92WGSJ1401585	XXXXXXXX

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00053  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0045  
 PART NO : 33490409201  
 ENGINEERING NAME : BATTERY NICAD  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~D8034

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
17MAR15 21:04	Asset Removal	54.7	559 A23T A1UOA A23-058 00	A23T A1UOA 00A
	6239.4 AFHR Change Serviceability Stat	0.0	US/I U/S	XXXXXXxx
	Change Location of an Asse	54.7	A23-058 AVIONICS	
01APR15 01:00	Change Serviceability Stat	14.1	U/S SERV	XXXXXXxx
	6239.4 AFHR Change Serviceability Stat	47.9	SERV U/S	XXXXXXxx
	6239.4 AFHR Change Serviceability Stat	21.0	A1EXXJ1500349 U/S SERV	XXXXXXxx
09JUN15 06:40	Asset Installation	83.3	A23T 566 A1UOA A23-064 00	A23T A1UOA 00AC
	6239.4 AFHR Change Serviceability Stat	0.2	SERV S/I	XXXXXXxx
	Change Location of an Asse	83.3	AVIONICS A23-064	
28JUL15 03:33	Change Serviceability Stat	0.8	S/I US/I	XXXXXXxx
	6308.2 AFHR Asset Removal	78.6	A1EXXJ1503265 566 A23T A1UOA A23-064 00	A23T A1UOA 00A
	6308.2 AFHR Change Serviceability Stat	29.7	US/I U/S	XXXXXXxx
	Change Location of an Asse	78.6	A23-064 BATTERY_SHOP	
14SEP15 02:54	Change Serviceability Stat	18.1	U/S SERV	XXXXXXxx
	6308.2 AFHR			XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00054  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0045  
 PART NO : 33490409201 ~D8034  
 ENGINEERING NAME : BATTERY NICAD  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
14SEP15 04:03	Asset Installation	18.2	A23T A1UOA 560 A23-059	00 A23T A1UOA 00AC XXXXXXXX
	6308.2 AFHR Change Serviceability Stat	0.0	SERV S/I	
	Change Location of an Asse	18.2	BATTERY_SHOP A23-059	
27OCT15 01:00	Asset Removal	42.8	560 A23-059 A23T A1UOA	00 A23T A1UOA 00A XXXXXXXX
	6346.0 AFHR Change Serviceability Stat	10.7	S/I U/S	
	Change Location of an Asse	42.8	A23-059 BATTERY_SHOP	
08DEC15 00:50	Change Serviceability Stat	41.9	U/S SERV	XXXXXXXX
	6346.0 AFHR			
08DEC15 05:15	Asset Installation	42.1	A23T A1UOA 527 A23-027	00 A23T A1UOA 00AC XXXXXXXX
	6346.0 AFHR Change Serviceability Stat	0.1	SERV S/I	
	Change Location of an Asse	42.1	BATTERY_SHOP A23-027	
01MAR16 21:16	Change Serviceability Stat	0.6	S/I US/I	
	6399.4 AFHR		A1EXXJ1501742	XXXXXXXX
01MAR16 21:59	Asset Removal	84.6	527 A23-027 A23T A1UOA	00 A23T A1UOA 00A XXXXXXXX
	6399.4 AFHR Change Serviceability Stat	0.0	US/I U/S	
	Change Location of an Asse	84.6	A23-027 EQUIP_STORE	



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00055  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0045  
 PART NO : 33490409201  
 ENGINEERING NAME : BATTERY NICAD  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~D8034

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
14MAR16 22:16	Change Location of an Asse	13.0	EQUIP_STORE BATTERY_SHOP A1EXXX1600723	XXXXXXxx
18MAY16 06:04	Change Serviceability Stat	77.3	U/S SERV	XXXXXXxx
18MAY16 22:22	Asset Installation	78.0	A23T A1UOA 527 A23-027	00 A23T A1UOA 00AC
	Change Serviceability Stat	0.6	SERV S/I	XXXXXXxx
	Change Location of an Asse	65.0	BATTERY_SHOP A23-027	
02AUG16 22:55	Change Serviceability Stat	0.0	S/I US/I	
02AUG16 23:06	Asset Removal	76.0	A1EXXJ1507455 527 A23T A1UOA	A23-027 00 A23T A1UOA 00A
	Change Serviceability Stat	0.0	US/I U/S	XXXXXXxx
	Change Location of an Asse	76.0	A23-027 AVIONICS	REC
14AUG16 23:01	Change Serviceability Stat	11.9	U/S SERV	
15AUG16 04:05	Asset Installation	12.2	A23T A1UOA 537 A23-037	00 A23T A1UOA 00AC
	Change Serviceability Stat	0.2	SERV S/I	XXXXXXxx
	Change Location of an Asse	12.2	AVIONICS A23-037	REC
29SEP16 02:45	Change Serviceability Stat	9.9	S/I US/I	
			A1EXXJ1608025	XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00056  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0045  
 PART NO : 33490409201  
 ENGINEERING NAME : BATTERY NICAD  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~D8034

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW							
06OCT16	21:27	Asset Removal	52.7	537	A23T	A1UOA	A23T A1UOA 00A
		6475.6 AFHR					XXxxXXxx
		Change Serviceability Stat	7.7	US/I			
		Change Location of an Asse	52.7	U/S			
26OCT16	01:48	Change Serviceability Stat	19.1	A23-037	BATTERY_SHOP		
		6475.6 AFHR		U/S			XXxxXXxx
26OCT16	03:36	Asset Installation	19.2	SERV			
		6475.6 AFHR		A23T	A1UOA		A23T A1UOA 00AC
		Change Serviceability Stat	0.0	560			XXxxXXxx
		Change Location of an Asse	19.2	SERV			
				S/I			
24JAN17	03:12	Change Serviceability Stat	0.0	BATTERY_SHOP			
		6528.1 AFHR		A23-059			XXxxXXxx
24JAN17	03:49	Asset Removal	90.0	US/I			
		6528.1 AFHR		A1EXXJ1610390			XXxxXXxx
		Change Serviceability Stat	0.0	560			A23T A1UOA 00A
		Change Location of an Asse	90.0	A23T	A1UOA		XXxxXXxx
				US/I			
				U/S			
19FEB17	23:48	Change Serviceability Stat	26.8	A23-059	BATTERY_SHOP		
		6528.1 AFHR		U/S			XXxxXXxx
				SERV			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00057  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0045  
 PART NO : 33490409201 ~D8034  
 ENGINEERING NAME : BATTERY NICAD  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
28FEB17 02:46	Asset Installation	34.9	A23T A1UOA 48 A23-006	00 A23T A1UOA 00AC XXXXXXXX
	6528.1 AFHR Change Serviceability Stat	8.1	SERV S/I	
	Change Location of an Asse	34.9	BATTERY_SHOP A23-006	
12JUL17 03:19	Change Serviceability Stat	103.9	S/I US/I	
	6549.2 AFHR		A1EXXJ1605407	XXXXXXXX
12JUL17 22:53	Asset Removal	134.8	48 A23-006 A23T A1UOA	00 A23T A1UOA 00A XXXXXXXX
	6549.2 AFHR Change Serviceability Stat	0.8	US/I U/S	
	Change Location of an Asse	134.8	A23-006 AVIONICS	RSERV
07AUG17 22:25	Change Serviceability Stat	25.9	U/S SERV	
	6549.2 AFHR			XXXXXXXX
07AUG17 22:47	Asset Installation	25.9	A23T A1UOA 527 A23-027	00 A23T A1UOA 00AC XXXXXXXX
	6549.2 AFHR Change Serviceability Stat	0.0	SERV S/I	
	Change Location of an Asse	25.9	AVIONICS A23-027	RSERV
07AUG17 23:10	Change Serviceability Stat	0.0	S/I US/I	
	6549.2 AFHR		A1EXXJ1704575	XXXXXXXX
07AUG17 23:13	Change Serviceability Stat	0.0	US/I S/I	
	6549.2 AFHR			XXXXXXXX
25OCT17 22:43	Change Serviceability Stat	0.0	S/I US/I	
	6687.5 AFHR		A1EXXJ1701012	XXXXXXXX

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00058  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0045  
 PART NO : 33490409201  
 ENGINEERING NAME : BATTERY NICAD  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~D8034

ASSET TRANSACTIONS		-----									
TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)		USER				
			LIFE SINCE NEW	TRANS REFERENCE							
=====											
25OCT17	23:10	Asset Removal	79.0	527	A23T	A1UOA	A23-027	00	A23T	A1UOA	00A
		6687.5 AFHR							XXXXXXxx		
		Change Serviceability Stat	0.0	US/I							
		Change Location of an Asse	79.0	U/S							
14NOV17	00:44	Change Serviceability Stat	19.0	A23-027			REC				
		6687.5 AFHR		AVIONICS					XXXXXXxx		
		Change Serviceability Stat	19.0	U/S							
14NOV17	21:42	Asset Installation	19.9	SERV	A23T	A1UOA	A23-064	00	A23T	A1UOA	00AC
		6687.5 AFHR			566				XXXXXXxx		
		Change Serviceability Stat	0.8	SERV							
		Change Location of an Asse	19.9	S/I			REC				
		Change Serviceability Stat	70.2	AVIONICS							
19FEB18	03:07	Change Serviceability Stat	70.2	A23-064							
		6712.3 AFHR		S/I					XXXXXXxx		
27FEB18	03:34	Asset Removal	104.2	US/I	A23T	A1UOA	A23-064	00	A23T	A1UOA	00A
		6712.3 AFHR		A1EXXJ1706773					XXXXXXxx		
		Change Serviceability Stat	8.0	566							
		Change Location of an Asse	104.2	A23T					XXXXXXxx		
		Change Serviceability Stat	50.0	US/I							
18APR18	05:50	Change Serviceability Stat	50.0	U/S							
		6712.3 AFHR		A23-064					XXXXXXxx		
		Change Serviceability Stat	50.0	BATTERY_SHOP							
		Change Serviceability Stat	50.0	U/S							
		6712.3 AFHR		SERV					XXXXXXxx		

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00059  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0045  
 PART NO : 33490409201 ~D8034  
 ENGINEERING NAME : BATTERY NICAD  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
18APR18 22:35	Asset Installation	50.7	A23T A1UOA 559 A23-058	00 A23T A1UOA 00AC XXXXXXXX
	6712.3 AFHR Change Serviceability Stat	0.6	SERV S/I	
	Change Location of an Asse	50.7	BATTERY_SHOP A23-058	
17JUL18 04:53	Change Serviceability Stat	0.0	S/I US/I	
	6738.1 AFHR		A1EXXJ1705145	XXXXXXXX
17JUL18 06:11	Asset Removal	89.3	559 A23-058 A23T A1UOA	00 A23T A1UOA 00A XXXXXXXX
	6738.1 AFHR Change Serviceability Stat	0.0	US/I U/S	
	Change Location of an Asse	89.3	A23-058 BATTERY_SHOP	
15OCT18 02:21	Change Serviceability Stat	89.8	U/S SERV	
	6738.1 AFHR			XXXXXXXX
15OCT18 22:36	Asset Installation	90.6	A23T A1UOA 537 A23-037	00 A23T A1UOA 00AC XXXXXXXX
	6738.1 AFHR Change Serviceability Stat	0.8	SERV S/I	
	Change Location of an Asse	90.6	BATTERY_SHOP A23-037	
17DEC18 05:20	Asset Removal	62.2	537 A23-037 A23T A1UOA	00 A23T A1UOA 00A XXXXXXXX
	6771.4 AFHR Change Serviceability Stat	6.1	S/I U/S	
	Change Location of an Asse	6.2	A23-037 HG122	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00060  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0045  
 PART NO : 33490409201 ~D8034  
 ENGINEERING NAME : BATTERY NICAD  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
17DEC18 05:20	Change Serviceability Stat	6771.4 AFHR	0.0	U/S SERV	XXxxXXxx
07JAN19 02:28	Change Serviceability Stat	6771.4 AFHR	20.8	SERV U/S	XXxxXXxx
07JAN19 03:36	Change Location of an Asse	6771.4 AFHR	20.9	A1EXXJ1801832 HG122	XXxxXXxx
01MAR19 01:00	Change Serviceability Stat	6771.4 AFHR	52.9	BATTSHOP-JNDKT A1PXXX1900027	XXxxXXxx
01MAR19 07:49	Change Location of an Asse	6771.4 AFHR	53.1	U/S SERV	XXxxXXxx
11MAR19 13:38	Asset Installation	6771.4 AFHR	84.3	BATTSHOP-JNDKT OPMH AVIONICS	XXxxXXxx
	Change Serviceability Stat	6771.4 AFHR	10.5	A1PXXX1901874 A23T A1UOA 00	XXxxXXxx
	Change Location of an Asse	6771.4 AFHR	10.2	552 A23-051 A23T A1UOA 00AC	XXxxXXxx
14MAR19 02:49	Asset Removal	6771.4 AFHR	2.5	SERV S/I OPMH AVIONICS	XXxxXXxx
	Change Serviceability Stat	6771.4 AFHR	2.5	A23-051 552 A23-051 A23T A1UOA 00A	XXxxXXxx
	Change Location of an Asse	6771.4 AFHR	2.5	A23T A1UOA 00	XXxxXXxx
14MAR19 02:49	Change Serviceability Stat	6771.4 AFHR	0.0	S/I U/S A23-051 OPMH U/S SERV	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00061  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0045  
 PART NO : 33490409201 ~D8034  
 ENGINEERING NAME : BATTERY NICAD  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
14MAR19 11:11	Asset Installation	0.3	A23T A1UOA 552 A23-051	00 A23T A1UOA 00AC XXXXXXXX
	6771.4 AFHR Change Serviceability Stat	0.3	SERV S/I	
	Change Location of an Asse	0.3	OPMH A23-051	
03JUN19 23:01	Change Serviceability Stat	3.6	S/I US/I	
	6862.1 AFHR		A1PXXJ1903446	XXXXXXXX
04JUN19 01:11	Asset Removal	81.5	552 A23-051 A23T A1UOA	00 A23T A1UOA 00A XXXXXXXX
	6862.1 AFHR Change Serviceability Stat	0.0	US/I U/S	
	Change Location of an Asse	81.5	A23-051	
18SEP19 01:00	Change Serviceability Stat	105.9	BATTSHOP-JNDKT U/S SERV	
	6862.1 AFHR			XXXXXXXX
18SEP19 06:33	Change Location of an Asse	106.2	BATTSHOP-JNDKT OPMH	
	6862.1 AFHR Maintenance Comment	0.0	A1PXXX1908631	XXXXXXXX
09OCT19 03:45	Asset Installation	127.1	POST OH ITEM A23T A1UOA	00 A23T A1UOA 00AC XXXXXXXX
	6862.1 AFHR Change Serviceability Stat	21.1	533 A23-033 SERV S/I	
	Change Location of an Asse	20.8	OPMH A23-033	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 0045  
 PART NO : 33490409201 ~D8034  
 ENGINEERING NAME : BATTERY NICAD  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
81WGPU1218135	COMPLETED	25JUL12 23:50	5851.6	AFHR	T+TS	XXXXXXXXXX
25JUL12 23:48	XXXXXXXX	XXXXXXXXXX	81WGCWKS			25JUL12 23:50
25JUL12 23:48	XXXXXXXX	XXXXXXXXXX	81WGCWKS			XXXXXXXXXX
		TEMP SENSOR REQUIRES REPLACEMENT				25JUL12 23:50
						XXXXXXXXXX
	Maint Acts:	TEMP SENSOR REPLACED WITH SERV ITEM IAW AAP 7414.030-3M TOPIC -3				
81WGPU1219941	COMPLETED	13AUG12 23:59	5851.6	AFHR	SCM	XXXXXXXXXX
13AUG12 23:16	XXXXXXXX	XXXXXXXXXX	81WGCWKS			XXXXXXXXXX
13AUG12 23:17	XXXXXXXX	XXXXXXXXXX	81WGCWKS			XXXXXXXXXX
		JIF TRACKING SHEET NO (A1PXXJ1201196) IN USE				13AUG12 23:59
						XXXXXXXXXX
	Maint Acts:	JIF TRACKING SHEET A1PXXJ1201196 CLEARED IAW 7001.059 SECT 4 CHAP 2.				
81WGPU1225311	COMPLETED	17JAN13 22:09	5857.7	AFHR	SCM	XXXXXXXXXX
10OCT12 02:41	XXXXXXXX	XXXXXXXXXX	81WGCWKS			XXXXXXXXXX
10OCT12 02:43	XXXXXXXX	XXXXXXXXXX	81WGCWKS			XXXXXXXXXX
		CAMM2 JOB TRACKING SHEET 4SQNXJ1201243 IN USE				17JAN13 22:09
						XXXXXXXXXX
	Maint Acts:	JIF TRACKING SHEET PPC1021948 CLEARED IAW AAP 7001.059 SECT 4 CHAP 2				
81WGPU1300202	COMPLETED	17JAN13 02:25	5857.7	AFHR	T+TS	XXXXXXXXXX
10JAN13 21:55	XXXXXXXX	XXXXXXXXXX	81WGCWKS			17JAN13 02:25
10JAN13 21:58	XXXXXXXX	XXXXXXXXXX	81WGCWKS			XXXXXXXXXX
		ALL BATTERY CELLS REQUIRE REPLACEMENT DUE TO 8 CELLS FAILING				17JAN13 02:25
		BATTEERY ANALYSIS				XXXXXXXXXX
	Maint Acts:	ALL BATTERY CELLS REPLACED WITH SERV ITEMS IAW AAP 7414.030-3M				
81WGPU1308243	COMPLETED	01MAY13 03:41	5907.0	AFHR	SCM	XXXXXXXXXX
01MAY13 03:17	XXXXXXXX	XXXXXXXXXX	81WGCWKS			XXXXXXXXXX
01MAY13 03:18	XXXXXXXX	XXXXXXXXXX	81WGCWKS			XXXXXXXXXX
		CTK # 23 IN USE. TO BE CLEARED AND CLOSED				01MAY13 03:41
						XXXXXXXXXX
	Maint Acts:	CTK # 23 CLEARED AND CLOSED				



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 0045  
 PART NO : 33490409201 ~D8034  
 ENGINEERING NAME : BATTERY NICAD  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN	
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME	
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR	
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME	
EE500PG EE500LN						INSPECTOR	
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME	
81WGPU1308250	COMPLETED	01MAY13 04:21	5907.0	AFHR	T+TS+II	XXXXXXXXXX	
01MAY13 03:39	XXXXXXXX	XXXXXXXXXX	81WGCWKS			01MAY13 03:41	
01MAY13 03:39	XXXXXXXX	XXXXXXXXXX	81WGCWKS	REF		XXXXXXXXXX	
		FOC CHECK REQUIRED FOR REPLACEMENT OF LID					01MAY13 03:41
						XXXXXXXXXX	
						01MAY13 04:21	
	Maint Acts:	FOC CHECK CARRIED OUT SERV IAW 7001.059 (AM1). NIL FOD FOUND					
81WGPU1308263	COMPLETED	01MAY13 04:29	5907.0	AFHR	SCM	XXXXXXXXXX	
01MAY13 04:19	XXXXXXXX	XXXXXXXXXX	81WGCWKS			XXXXXXXXXX	
01MAY13 04:20	XXXXXXXX	XXXXXXXXXX	81WGCWKS			XXXXXXXXXX	
		JIF TRACKING SHEET NO PPC1022711 IN USE					01MAY13 04:29
						XXXXXXXXXX	
	Maint Acts:	JIF TRACKING SHEET NO PPC1022711 CLEARED IAW AAP 7001.059 SECT 4 CHAP 2					
81WGPU1313955	COMPLETED	06AUG13 03:32	5976.1	AFHR	T+TS+II	XXXXXXXXXX	
05AUG13 22:13	XXXXXXXX	XXXXXXXXXX	81WGCWKS			06AUG13 03:31	
05AUG13 22:14	XXXXXXXX	XXXXXXXXXX	81WGCWKS	REF		XXXXXXXXXX	
		FOC CHECK REQUIRED PRIOR TO FINAL ASSEMBLY OF UNIT					06AUG13 03:31
						XXXXXXXXXX	
	Maint Acts:	FOC CHECK CARRIED OUT SERV IAW AAP 7001.059 (AM1) NIL FOD FOUND					06AUG13 03:32
81WGPU1313956	COMPLETED	06AUG13 21:20	5976.1	AFHR	SCM	XXXXXXXXXX	
05AUG13 22:15	XXXXXXXX	XXXXXXXXXX	81WGCWKS			XXXXXXXXXX	
05AUG13 22:16	XXXXXXXX	XXXXXXXXXX	81WGCWKS			XXXXXXXXXX	
		JIF TRACKING SHEET PPC1023495 IN USE					06AUG13 21:20
						XXXXXXXXXX	
	Maint Acts:	JIF TRACKING SHEET #PPC1023495 CLEARED IAW AAP 7001.059 SECT 4 CHAP 2					
81WGPU1313957	COMPLETED	06AUG13 03:28	5976.1	AFHR	SCM	XXXXXXXXXX	
05AUG13 22:17	XXXXXXXX	XXXXXXXXXX	81WGCWKS			XXXXXXXXXX	
05AUG13 22:17	XXXXXXXX	XXXXXXXXXX	81WGCWKS			XXXXXXXXXX	
		CTK 23 IN USE TO BE CLEARED AND CLOSED					06AUG13 03:28
						XXXXXXXXXX	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00064  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0045  
 PART NO : 33490409201 ~D8034  
 ENGINEERING NAME : BATTERY NICAD  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: CTK 23 CLEARED AND CLOSED

A1EXXU1501988	COMPLETED	01APR15 01:01	6239.4	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
01APR15 01:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			
01APR15 01:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		US RAISED TO CORRECT SERV STATE				01APR15 01:01
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: US RAISED AND COMPLETED TO CORRECT SERV STAE

A1PXXU1900091	COMPLETED	01MAR19 01:00	6771.4	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
07JAN19 02:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			01MAR19 01:00
07JAN19 02:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FT due on Serial EA1400083				
		TEMPERATURE SENSOR at WAC 0660				XXxxXXxxXXxxXXxxXXxx

N  
 Maint Acts: TEMP SENSOR S/NO EA1400083 FUNCTIONAL TEST CARRIED OUT IAW AAP  
 7414.030-3M REF WORK SHEET LSN AIP MCS 012/19 @ AIP BATT SHOP

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

2FTSXJCA11337	C COMPLETED	10SEP92 00:00	XXxxXXxx		2FTS		0.0
03 OVERHAUL DUE	10SEP92 00:00						

Unserviceability Details:  
 Maintenance Comments:

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : 0045  
PART NO : 33490409201 ~D8034  
ENGINEERING NAME : BATTERY NICAD  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

=====

2FTSXJCA03582 C COMPLETED 04AUG03 00:00 XXxxXXxx 2FTS 0.0  
04AUG03 00:00  
02 BAY SERVICE DUE

Unserviceability Details:  
Maintenance Comments:

AIPXXJ309900X C COMPLETED 03NOV03 12:45 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
03DEC03 11:26 3710.6 AFHR  
02 BAY SERVICE DUE BS due on Serial 0045  
BATTERY NICAD at WAC 0660

01 NO FAULT 06 BAY SERVICE

Unserviceability Details:  
Maintenance Comments:

BAY SERVICE C/O

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	150.0	AFHR	27.3		
SM	BS	91.0	ELPDY			03NOV03
SM	BS	150.0	AFHR	27.3		

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

=====

A1PXXJY308954 C COMPLETED 12DEC03 01:24 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
12DEC03 01:47 3718.1 AFHR  
13 REMOVED FOR ACCESS 99 NO FAILURE BATTERY NICAD RFA

01 NO FAULT 04 CHECK/TEST SERV

Unserviceability Details:  
Maintenance Comments:

BATT NICAD RFA

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : 0045  
PART NO : 33490409201 ~D8034  
ENGINEERING NAME : BATTERY NICAD  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

1PXXJY400760	C COMPLETED	15JAN04 01:04	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	17FEB04 11:43					3725.7	AFHR
01 UNSERVICEABLE		05 TECHNICAL B/F		LOW BATTERY VOLTAGE			
		03 ELECTRICAL FAILURE					
03 ELECTRICAL COMPONENT FAIL		06 BAY SERVICE					
		Unserviceability Details:		LOW VOLTAGE			
		Maintenance Comments:		BAY SERV CARRIED OUT			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	150.0	AFHR	15.1		

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

1PXXJY404740	C COMPLETED	16MAR04 02:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	16MAR04 02:21					3753.9	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE		R1 due on Serial A23-030			
				PC-9 at WAC 0000			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:		RFA			
		Maintenance Comments:					

1PXXJY402872	C COMPLETED	13MAY04 13:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	08JUN04 08:00					3873.1	AFHR
02 BAY SERVICE DUE				BS due on Serial 0045			
				BATTERY NICAD at WAC 0660			
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:		BS AT AIRFLITE JANDAKOT 08JUN04			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00067  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0045  
 PART NO : 33490409201 ~D8034  
 ENGINEERING NAME : BATTERY NICAD  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	150.0	AFHR	147.4		
SM	BS	91.0	ELPDY			18MAY04
SM	BS	150.0	AFHR	147.4		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
ALPXXJY411800	C COMPLETED	07SEP04 11:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	11OCT04 05:40					3981.5	AFHR
02 BAY SERVICE DUE					due on Serial 0045		
					at WAC 0660		
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:		BAY SERV CARRIED OUT - CELL BALANCE RESTORED			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	150.0	AFHR	108.4		
SM	BS	91.0	ELPDY			07SEP04
SM	BS	150.0	AFHR	108.4		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
ALPXXJY419822	C COMPLETED	16DEC04 03:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	02FEB05 23:25					4050.5	AFHR
02 BAY SERVICE DUE					due on Serial 0045		
					at WAC 0660		
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:		BAY SERV CARRIED OUT			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00068  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0045  
 PART NO : 33490409201 ~D8034  
 ENGINEERING NAME : BATTERY NICAD  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	150.0	AFHR	69.0		
SM	BS	91.0	ELPDY			10JAN05
SM	BS	150.0	AFHR	69.0		

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS		UNSERVICEABILITY DETAILS			
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS		MAINTENANCE COMMENT			
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

A1PXXJY424566	C COMPLETED	16DEC04 03:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	16DEC04 03:39					4050.5	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		7212.007-215	due on Serial A23-021		
				PC-9	at WAC 0000		
01	NO FAULT	04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:	SERV				

A1PXXJY503295	C COMPLETED	24FEB05 01:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	04APR05 09:50					4091.1	AFHR
01	UNSERVICEABLE	04 AIRCREW B/F			BATTERY WOULD NOT COME ON LINE		
		03 ELECTRICAL FAILURE					
09	OUT OF LIMITS	06 BAY SERVICE					
		Unserviceability Details:	BATTERY WOULD NOT COME ON LINE				
		Maintenance Comments:	BAY SERVICE CARRIED OUT				

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	150.0	AFHR	40.6		

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00069  
08JAN20  
23:16:15

SERIAL/TAIL NO : 0045  
PART NO : 33490409201 ~D8034  
ENGINEERING NAME : BATTERY NICAD  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJY506170 C COMPLETED 23JUN05 22:27 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
21JUL05 04:17 4217.1 AFHR  
02 BAY SERVICE DUE BS due on Serial 0045  
BATTERY NICAD at WAC 0660  
01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: 4 CELLS REPLACED

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	150.0	AFHR	126.0		
SM	BS	91.0	ELPDY			04JUL05
SM	BS	150.0	AFHR	126.0		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJY513249 C COMPLETED 19OCT05 22:41 XXxxXXxx XXxxXXxxXXxxXXxx AIP AIP  
21NOV05 04:58 4275.5 AFHR  
02 BAY SERVICE DUE BS due on Serial 0045  
BATTERY NICAD at WAC 0660  
01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: REPLACED 2 CELLS AND B/S C/O

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	150.0	AFHR	58.4		
SM	BS	91.0	ELPDY			20OCT05
SM	BS	150.0	AFHR	58.4		

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00070  
08JAN20  
23:16:15

SERIAL/TAIL NO : 0045  
PART NO : 33490409201 ~D8034  
ENGINEERING NAME : BATTERY NICAD  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJY527989 C COMPLETED 20JAN06 03:33 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
10MAR06 03:25 4304.6 AFHR  
02 BAY SERVICE DUE BS due on Serial 0045  
BATTERY NICAD at WAC 0660  
01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: BS C/O

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	150.0	AFHR	29.1		
SM	BS	91.0	ELPDY			01FEB06
SM	BS	150.0	AFHR	29.1		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJY604396 C COMPLETED 07JUN06 11:03 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
27JUN06 08:00 4422.2 AFHR  
02 BAY SERVICE DUE BS due on Serial 0045  
BATTERY NICAD at WAC 0660  
01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: 27JUN06 B/S AT AIRFLITE JANDAKOT

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	150.0	AFHR	117.6		
SM	BS	91.0	ELPDY			09JUN06
SM	BS	150.0	AFHR	117.6		



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 0045  
 PART NO : 33490409201 ~D8034  
 ENGINEERING NAME : BATTERY NICAD  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

A1PXXJY614155	C COMPLETED	08SEP06 01:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	25SEP06 08:00					4477.2	AFHR
01 UNSERVICEABLE		05 TECHNICAL B/F		BATTERY VOLTAGE LOW			
		03 ELECTRICAL FAILURE					
03 ELECTRICAL COMPONENT FAIL		06 BAY SERVICE					
		Unserviceability Details:		LOV VOLTAGE ON LOAD			
		Maintenance Comments:		25SEP06 B/S AT AIRFLITE JANDAKOT			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
=====	=====	=====	=====	=====	=====	=====
SM	BS	150.0	AFHR	55.0		

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

A1PXXJY618200	C COMPLETED	08NOV06 05:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	08NOV06 05:40	08NOV06 05:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	4518.7	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE		BATT NICAD RFA			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:		CHECK/TEST SERV			
		Maintenance Comments:					
A1PXXJY615581	C COMPLETED	18DEC06 01:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	05FEB07 05:00	17DEC06 22:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	4581.3	AFHR
02 BAY SERVICE DUE				BS due on Serial 0045			
				BATTERY NICAD at WAC 0660			
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:		05FEB07 B/S AT AIRFLITE JANDAKOT			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00072  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0045  
 PART NO : 33490409201 ~D8034  
 ENGINEERING NAME : BATTERY NICAD  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	150.0	AFHR	104.1		
SM	BS	91.0	ELPDY			25DEC06
SM	BS	150.0	AFHR	104.1		

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

1PXXJY703456	C COMPLETED	19FEB07 04:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	19FEB07 04:17	19FEB07 04:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	4581.3	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		BATTERY NICAD RFA.			

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

1PXXJY703020	C COMPLETED	07MAY07 11:05	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	24MAY07 08:00	07MAY07 09:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	4686.1	AFHR
02	BAY SERVICE DUE			BS due on Serial 0045			
				BATTERY NICAD at WAC 0660			

01 NO FAULT 06 BAY SERVICE  
 Unserviceability Details:  
 Maintenance Comments: 24MAY07 B/S AT AIRFLITE JANDAKOT

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	150.0	AFHR	104.8		
SM	BS	91.0	ELPDY			07MAY07
SM	BS	150.0	AFHR	104.8		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00073  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0045  
 PART NO : 33490409201 ~D8034  
 ENGINEERING NAME : BATTERY NICAD  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJY711997	C COMPLETED	19JUN07 02:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	19JUN07 02:18	19JUN07 02:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	4694.9	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		BATT NICAD RFA			

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

A1PXXJY712038	C COMPLETED	20JUN07 01:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	20JUN07 01:21	20JUN07 01:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	4694.9	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		FUCJK OFF			

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: F U

A1PXXJY710519	C COMPLETED	22AUG07 10:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	08SEP07 05:48	22AUG07 10:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	4813.5	AFHR
02	BAY SERVICE DUE			BS due on Serial 0045			
				BATTERY NICAD at WAC 0660			

01 NO FAULT 06 BAY SERVICE  
 Unserviceability Details:  
 Maintenance Comments: BATTERY WAS SERVICED IAW 7414.019-3M

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	150.0	AFHR	127.4		
SM	BS	91.0	ELPDY			23AUG07
SM	BS	150.0	AFHR	127.4		

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 0045  
 PART NO : 33490409201 ~D8034  
 ENGINEERING NAME : BATTERY NICAD  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			

A1PXXJY721252	C COMPLETED	26NOV07 01:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	07DEC07 12:00	26NOV07 01:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	4962.0	AFHR
02 BAY SERVICE DUE				BS	due on Serial 0045		
				BATTERY NICAD	at WAC 0660		
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:		07DEC07 BS C/O IAW AAP 7414.019-3M			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	150.0	AFHR	148.5		
SM	BS	91.0	ELPDY			08DEC07
SM	BS	150.0	AFHR	148.5		

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			

A1PXXJY722003	C COMPLETED	10MAR08 06:04	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	14APR08 16:05	07MAR08 02:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	5024.7	AFHR
02 BAY SERVICE DUE				BS	due on Serial 0045		
				BATTERY NICAD	at WAC 0660		
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:		B/S C/O IAW AAP 7414.019-3M			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	150.0	AFHR	62.7		
SM	BS	91.0	ELPDY			07MAR08
SM	BS	150.0	AFHR	62.7		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 0045  
 PART NO : 33490409201 ~D8034  
 ENGINEERING NAME : BATTERY NICAD  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			

A1PXXJY806492	C COMPLETED	11JUL08 02:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	01AUG08 16:05	10JUL08 23:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	5136.6	AFHR
02 BAY SERVICE DUE				BS	due on Serial 0045		
				BATTERY NICAD	at WAC 0660		
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:		B/S C/O IAW AAP 7414.019-3M			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	150.0	AFHR	111.9		
SM	BS	91.0	ELPDY			14JUL08
SM	BS	150.0	AFHR	111.9		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			

A1PXXJY816664	C COMPLETED	29OCT08 23:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	14NOV08 16:05	29OCT08 23:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	5193.6	AFHR
02 BAY SERVICE DUE				BS	due on Serial 0045		
				BATTERY NICAD	at WAC 0660		
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:		B/S C/O IAW AAP 7414.019-3M			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	150.0	AFHR	57.0		
SM	BS	91.0	ELPDY			31OCT08
SM	BS	150.0	AFHR	57.0		

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : 0045  
PART NO : 33490409201 ~D8034  
ENGINEERING NAME : BATTERY NICAD  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJY820373	C COMPLETED	02FEB09 12:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		NONC2CONT	
	23FEB09 16:00	02FEB09 12:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		5204.6 AFHR	
02 BAY SERVICE DUE				BS due on Serial 0045			
				BATTERY NICAD at WAC 0660			
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:		BATTERY WAS SERVICED IAW AAP 7414.019-3M			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	150.0	AFHR	11.0		
SM	BS	91.0	ELPDY			13FEB09
SM	BS	150.0	AFHR	11.0		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJY904011	C COMPLETED	21MAY09 09:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		NONC2CONT	
	11JUN09 16:00	21MAY09 07:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		5310.1 AFHR	
02 BAY SERVICE DUE				BS due on Serial 0045			
				BATTERY NICAD at WAC 0660			
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:		BAY SERVICE C/O IAW AAP 7414.019-3M (BY AIJ)			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	150.0	AFHR	105.5		
SM	BS	91.0	ELPDY			25MAY09
SM	BS	150.0	AFHR	105.5		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 0045  
 PART NO : 33490409201 ~D8034  
 ENGINEERING NAME : BATTERY NICAD  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJY914859	C COMPLETED	12JUL09 23:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	NONC2CONT	
	29JUL09 16:00	12JUL09 23:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	5331.5	AFHR
01 UNSERVICEABLE		05 TECHNICAL B/F		BATTERY NICAD VOLTAGE LOW			
		03 ELECTRICAL FAILURE					
09 OUT OF LIMITS		06 BAY SERVICE					
		Unserviceability Details:		BATTERY NICAD VOLTAGE LOW (19 VOLTS)			
		Maintenance Comments:		BAY SERVICE C/O IAW AAP 7414.019-3M			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
=====	=====	=====	=====	=====	=====	=====
SM	BS	150.0	AFHR	21.4		

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJY921208	C COMPLETED	29SEP09 10:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	NONC2CONT	
	14OCT09 16:00	29SEP09 10:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	5395.5	AFHR
01 UNSERVICEABLE		05 TECHNICAL B/F		BATTERY NICAD U/S			
		03 ELECTRICAL FAILURE					
09 OUT OF LIMITS		06 BAY SERVICE					
		Unserviceability Details:		BATTERY VOLTAGE LOW			
		Maintenance Comments:		B/S C/O IAW AAP 7414.019-3M AT AIJ			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
=====	=====	=====	=====	=====	=====	=====
SM	BS	150.0	AFHR	64.0		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 0045  
 PART NO : 33490409201 ~D8034  
 ENGINEERING NAME : BATTERY NICAD  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			

A1PXXJY922407	C COMPLETED	07JAN10 22:44	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	NONC2CONT	
	20JAN10 16:00	07JAN10 22:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	5473.9	AFHR
02 BAY SERVICE DUE				BS	due on Serial 0045		
				BATTERY NICAD	at WAC 0660		
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:		BATTERY WAS SERVICED	IAW AAP 7414 019-3M		

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	150.0	AFHR	78.4		
SM	BS	91.0	ELPDY			13JAN10
SM	BS	150.0	AFHR	78.4		

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			

A1PXXJ1001303	C COMPLETED	22APR10 07:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	NONC2CONT	
	16JUN10 16:00	22APR10 07:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	5547.6	AFHR
02 BAY SERVICE DUE				BS	due on Serial 0045		
				BATTERY NICAD	at WAC 0660		
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:		B/S C/O IAW AAP 7414.019-3M @ AIJ			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	150.0	AFHR	73.7		
SM	BS	91.0	ELPDY			21APR10
SM	BS	150.0	AFHR	73.7		



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 0045  
 PART NO : 33490409201 ~D8034  
 ENGINEERING NAME : BATTERY NICAD  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS		UNSERVICEABILITY DETAILS			
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS		MAINTENANCE COMMENT			
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

A1PXXJ1013029	C COMPLETED	22JUL10 03:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	22JUL10 03:27	22JUL10 03:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	5562.7	AFHR
13 REMOVED FOR ACCESS	99 NO FAILURE			BATT NICAD REMOVED FOR ACCESS			

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

A1PXXJ1014404	C COMPLETED	10AUG10 22:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	10AUG10 22:38	10AUG10 22:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	5580.8	AFHR
13 REMOVED FOR ACCESS	99 NO FAILURE			BATTERY NICAD AND INVERTERS RFA			

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

A1PXXJ1010897	C COMPLETED	02SEP10 00:55	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	NONC2CONT	
	29OCT10 16:00	02SEP10 00:55	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	5580.8	AFHR
02 BAY SERVICE DUE				BS	due on Serial 0045		
				BATTERY NICAD	at WAC 0660		

01 NO FAULT 06 BAY SERVICE  
 Unserviceability Details:  
 Maintenance Comments: FF 09 MA 06 BS C/O IAW AAP 7414.019-3M @ AIJ

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	150.0	AFHR	33.2		
SM	BS	91.0	ELPDY			15SEP10
SM	BS	150.0	AFHR	33.2		

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00080  
08JAN20  
23:16:15

SERIAL/TAIL NO : 0045  
PART NO : 33490409201 ~D8034  
ENGINEERING NAME : BATTERY NICAD  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJ1100479	C COMPLETED	19JAN11 04:44	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
01 UNSERVICEABLE	22MAR11 08:00	19JAN11 04:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	5631.8	AFHR
09 OUT OF LIMITS		05 TECHNICAL B/F		BATT NICAD LOW VOLTS			

Unserviceability Details: LOW VOLTS (22)  
Maintenance Comments: OH C/O IAW DD A23/026/2010

A1PXXJ1104233	C COMPLETED	29MAR11 07:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
01 UNSERVICEABLE	27APR11 08:00	29MAR11 07:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	5632.4	AFHR
09 OUT OF LIMITS		04 AIRCREW B/F		BATTERY NICAD U/S			

Unserviceability Details: BATTERY VOLTAGE TOO LOW (13V)  
Maintenance Comments: B/SERV C/OUT IAW 7414.019-314

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	150.0	AFHR	0.6		

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJ1108578	C COMPLETED	09JUN11 03:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	09JUN11 03:53	09JUN11 03:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	5662.4	AFHR
01 NO FAULT		99 NO FAILURE		BATTERY NICAD RFA.			

Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 0045 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 33490409201 ~D8034  
ENGINEERING NAME : BATTERY NICAD  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJ1109000	C COMPLETED	19JUN11 23:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	19JUN11 23:58	19JUN11 23:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	5662.4	AFHR	
13 REMOVED FOR ACCESS		99 NO FAILURE		BATTERY NICAD, SN 0045, RFA.			

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

A1PXXJ1114130	C COMPLETED	21JUL11 12:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	NONC2CONT		
	09SEP11 16:00	22SEP11 05:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	5702.5	AFHR	

01 UNSERVICEABLE 28 HIGHER ASSEMBLY MAINTENANCE CAMM2 DOWN CELL ASSY TB REPLACED  
 06 OUT OF LIMITS  
 03 ELECTRICAL COMPONENT FAIL 06 BAY SERVICE  
 Unserviceability Details: CELL OUT OF TOLERANCE

Maintenance Comments: BS C/O IAW AAP 7414.019-3M @ AIJ

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	150.0	AFHR	70.1		

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJ1105826	C COMPLETED	21JUL11 23:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	NONC2CONT		
	09SEP11 16:00	21JUL11 22:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	5702.5	AFHR	

02 BAY SERVICE DUE BS due on Serial 0045  
 BATTERY NICAD at WAC 0660

01 NO FAULT 06 BAY SERVICE  
 Unserviceability Details:  
 Maintenance Comments: BS C/O IAW AAP 7414.019-3M @ AIJ

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00082  
08JAN20  
23:16:15

SERIAL/TAIL NO : 0045  
PART NO : 33490409201 ~D8034  
ENGINEERING NAME : BATTERY NICAD  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	150.0	AFHR			
SM	BS	91.0	ELPDY			27JUL11
SM	BS	150.0	AFHR	70.1		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

=====  
A1PXXJ1114133 C COMPLETED 08DEC11 12:38 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
25JAN12 08:00 08DEC11 12:25 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 5799.4 AFHR  
02 BAY SERVICE DUE BS due on Serial 0045  
BATTERY NICAD at WAC 0660  
01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: BAY SERV C/OUT IAW 7414.030-3M

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	150.0	AFHR	96.9		
SM	BS	91.0	ELPDY			09DEC11
SM	BS	150.0	AFHR	96.9		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

=====  
A1PXXJ1201196 C COMPLETED 26APR12 02:31 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 81WGCWKS  
13AUG12 23:40 26APR12 01:57 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 5851.6 AFHR  
02 BAY SERVICE DUE BS due on Serial 0045  
BATTERY NICAD at WAC 0660  
01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: BAY SERVICE CARRIED OUT AS PART OF OVERHAUL REFER  
A1PXXJ1103962

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00083  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0045  
 PART NO : 33490409201 ~D8034  
 ENGINEERING NAME : BATTERY NICAD  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	91.0	ELPDY			25APR12
SM	BS	150.0	AFHR	52.2		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

=====  
 A1PXXJ1103962 C COMPLETED 13AUG12 23:28 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 81WGCWKS 81WGCWKS  
 13AUG12 23:39 13AUG12 23:28 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 81WGCWKS 5851.6 AFHR  
 03 OVERHAUL DUE OH due on Serial 0045  
 BATTERY NICAD at WAC 0660  
 01 NO FAULT 07 OVERHAUL  
 Unserviceability Details:  
 Maintenance Comments: OVERHAUL CARRIED OUT SERVICEABLE IAW 7414.030-3M TOPIC 3 REFER  
 WORKSHEETS A1PXXJ1201196 (IMI FOR FOC CHECK ONLY)

4SQNXJ1201244 C COMPLETED 16AUG12 04:05 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 81WGCWKS  
 17JAN13 02:40 16AUG12 04:07 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 5857.7 AFHR  
 01 UNSERVICEABLE 31 DURING ACCESS LEAKS FOUND ON BATTERY CASE AROUND ELECTRICAL CONNECTIONS AND  
 09 LEAKING BATTERY LID  
 06 MOISTURE 07 OVERHAUL  
 Unserviceability Details: LEAKS FOUND ON BATTERY CASE  
 Maintenance Comments: SPILLAGE CLEANED; OVERHAUL CARRIED OUT IAW 7414.030-3M REF  
 JOB: 81WGCJ1206611

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	1.0	ELPYR			17JAN14

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00084  
08JAN20  
23:16:15

SERIAL/TAIL NO : 0045  
PART NO : 33490409201 ~D8034  
ENGINEERING NAME : BATTERY NICAD  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

81WGCJ1206611 C COMPLETED 17JAN13 02:29 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 81WGCWKS 81WGCWKS  
17JAN13 02:31 17JAN13 02:29 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 81WGCWKS 5857.7 AFHR  
03 OVERHAUL DUE OH due on Serial 0045  
BATTERY NICAD at WAC 0660  
01 NO FAULT 07 OVERHAUL  
Unserviceability Details:  
Maintenance Comments: OVERHAUL CARRIED OUT IAW AAP 7414.030-3M

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	1.0	ELPYR			13AUG13
SM	OH	1.0	ELPYR			13AUG13

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJ1302918 C COMPLETED 01MAR13 00:31 XXxxXXxx XXxxXXxxXXxxXXxx AIP AIP  
01MAR13 00:33 01MAR13 00:32 XXxxXXxx XXxxXXxxXXxxXXxx AIP 5895.1 AFHR  
13 REMOVED FOR ACCESS 99 NO FAILURE BATT NICAD RFA  
01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV

81WGCJ1206612 C COMPLETED 16APR13 03:40 XXxxXXxx XXxxXXxxXXxxXXxx 4SQN 81WGCWKS  
01MAY13 03:38 16APR13 02:28 XXxxXXxx XXxxXXxxXXxxXXxx 4SQN 5907.0 AFHR  
02 BAY SERVICE DUE BS due on Serial 0045  
BATTERY NICAD at WAC 0660  
01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: BAY SERVICE CARRIED OUT SERV IAW 7414.030-3M TOPIC 6 SECT 1  
CHAP 1

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00085  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0045  
 PART NO : 33490409201 ~D8034  
 ENGINEERING NAME : BATTERY NICAD  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	150.0	AFHR	49.3		
SM	BS	91.0	ELPDY			18APR13
SM	BS	150.0	AFHR	49.3		

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
4SQNXJ1300785	C COMPLETED	01JUL13 22:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	4SQN	
	01JUL13 22:19	01JUL13 22:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	5976.1 AFHR	
13	REMOVED FOR ACCESS	99 NO FAILURE		MAIN BATTERY REMOVED FOR ACCESS REF: 4SQNXU1302171			
01	NO FAULT	04 CHECK/TEST SERV		Unserviceability Details: Maintenance Comments: CHECK/TEST SERV			
4SQNXJ1300950	C COMPLETED	29JUL13 04:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	4SQN	
	29JUL13 04:36	29JUL13 04:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	5976.1 AFHR	
13	REMOVED FOR ACCESS	99 NO FAILURE		BATTERY AND BATTERY TRAY REMOVED FOR ACCESS REFER TO 4SQNXU1302510			
01	NO FAULT	04 CHECK/TEST SERV		Unserviceability Details: Maintenance Comments: CHECK/TEST SERV			
81WGCJ1303355	C COMPLETED	31JUL13 05:21	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	81WGCWKS	
	06AUG13 03:27	31JUL13 05:21	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	5976.1 AFHR	
02	BAY SERVICE DUE			BS due on Serial 0045 BATTERY NICAD at WAC 0660			
01	NO FAULT	06 BAY SERVICE		Unserviceability Details: Maintenance Comments: BAY SERVICE CARRIED OUT SERV IAW AAP 7414.030-3M TOPIC-6 SECT1 CHAP1			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	150.0	AFHR	69.1		
SM	BS	91.0	ELPDY			31JUL13
SM	BS	150.0	AFHR	69.1		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00086  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0045  
 PART NO : 33490409201 ~D8034  
 ENGINEERING NAME : BATTERY NICAD  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
4SQNXJ1301066	C COMPLETED	14AUG13 23:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	4SQN	
	14AUG13 23:23	14AUG13 23:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	5977.2	AFHR
09 CANNIBALISATION	99 NO FAILURE			NICAD BATTERY CANNABALISED SERV TO A23-022			
01 NO FAULT	04 CHECK/TEST SERV						
	Unserviceability Details:						
	Maintenance Comments:			CHECK/TEST SERV			
4SQNXJ1301151	C COMPLETED	30AUG13 00:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	92WGSPT	
	27NOV13 03:31	30AUG13 00:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	6000.6	AFHR
13 REMOVED FOR ACCESS	99 NO FAILURE			NICAD BATTERY DISCHARGED, BATTERY VOLTAGE BELOW MINIMUM REQUIRED DURING BEFORE FLIGHT TESTING			
01 NO FAULT	04 CHECK/TEST SERV						
	Unserviceability Details:						
	Maintenance Comments:			BAY SERVICE C/O SERV BY RATHEON IAW AAP 7414.030-3M AL3. REFER R2RAV22516			
81WGCJ1300214	C COMPLETED	19JAN14 23:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU	92WGSPT	
	18MAR14 23:10	19JAN14 23:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU	6010.7	AFHR
03 OVERHAUL DUE				OH	due on Serial 0045		
01 NO FAULT	07 OVERHAUL			BATTERY NICAD	at WAC 0660		
	Unserviceability Details:						
	Maintenance Comments:			OVERHALL C/O SERV BY RAYTHEON IAW AAP7414.030-3M AL3. REFER R2RAV23115			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	1.0	ELPYR			17JAN14
SM	OH	1.0	ELPYR			17JAN14



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 0045  
 PART NO : 33490409201 ~D8034  
 ENGINEERING NAME : BATTERY NICAD  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

81WGCJ1305520	C COMPLETED	17JUN14 00:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU	92WGSPT	
	01JUL14 03:16	16JUN14 03:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU	6056.3	AFHR
02 BAY SERVICE DUE				BS	due on Serial 0045		
				BATTERY NICAD	at WAC 0660		
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:			BAY SERVICE C/O SERV BY RAYTHEON IAW 7414.030-3M AL3 (CAP 100%), REFER R2RAV24353		

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	150.0	AFHR	45.6		
SM	BS	91.0	ELPDY			17JUN14
SM	BS	150.0	AFHR	45.6		

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

92WGSJ1403969	C COMPLETED	07SEP14 23:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	01OCT14 05:49	04SEP14 03:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	6122.9	AFHR
02 BAY SERVICE DUE				BS	due on Serial 0045		
				BATTERY NICAD	at WAC 0660		
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:			B/S C/O SERV IAW 7414.030-3M REF MCS BATTERY 26/14		

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	150.0	AFHR	66.6		
SM	BS	91.0	ELPDY			30SEP14
SM	BS	150.0	AFHR	66.6		

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : 0045  
PART NO : 33490409201 ~D8034  
ENGINEERING NAME : BATTERY NICAD  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJ1406081	C COMPLETED	08DEC14 21:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	21JAN15 03:45	08DEC14 05:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	6198.6	AFHR
02 BAY SERVICE DUE				BS	due on Serial 0045		
				BATTERY NICAD	at WAC 0660		
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:		BS CO IAW AAP7414.030-3M			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	150.0	AFHR	75.7		
SM	BS	91.0	ELPDY			31DEC14
SM	BS	150.0	AFHR	75.7		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

92WGSJ1401585	C COMPLETED	17MAR15 21:04	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	31MAR15 23:32	17MAR15 20:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	6239.4	AFHR
03 OVERHAUL DUE				OH	due on Serial 0045		
				BATTERY NICAD	at WAC 0660		
01 NO FAULT		07 OVERHAUL					
		Unserviceability Details:					
		Maintenance Comments:		OVERHAUL CARRIED OUT SERV IAW AAP 7414.030-3M			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	1.0	ELPYR			18MAR15
SM	OH	1.0	ELPYR			18MAR15

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 0045  
 PART NO : 33490409201 ~D8034  
 ENGINEERING NAME : BATTERY NICAD  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			

A1EXXJ1500349	C COMPLETED	18MAY15 23:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	09JUN15 01:32	18MAY15 23:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	6239.4	AFHR
02 BAY SERVICE DUE				BS	due on Serial 0045		
				BATTERY NICAD	at WAC 0660		
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:		BAY SERVICE CARRIED OUT SERV IAW AAP 7414.030-3M			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	150.0	AFHR			
SM	BS	91.0	ELPDY			30JUN15
SM	BS	150.0	AFHR			

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			

A1EXXJ1503265	C COMPLETED	26AUG15 22:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	14SEP15 02:54	28JUL15 03:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	6308.2	AFHR
02 BAY SERVICE DUE				BS	due on Serial 0045		
				BATTERY NICAD	at WAC 0660		
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:		BAY SERVICE CARRIED OUT SERV IAW AAP 7414.030-3M			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	150.0	AFHR	68.8		
SM	BS	91.0	ELPDY			08SEP15
SM	BS	150.0	AFHR	68.8		

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00090  
08JAN20  
23:16:15

SERIAL/TAIL NO : 0045  
PART NO : 33490409201 ~D8034  
ENGINEERING NAME : BATTERY NICAD  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJ1506596	C COMPLETED	27OCT15 01:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIE	AIE		
	08DEC15 00:39	03NOV15 22:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIE		6346.0	AFHR
01 UNSERVICEABLE		02 DURING OPERATION		CAMM2 DOWN: BATTERY NICAD VOLTAGE BELOW 24VDC			
		06 OUT OF LIMITS					
09 OUT OF LIMITS		02 REPAIR					

Unserviceability Details: BATTERY VOLTAGE BELOW 24VDC

Maintenance Comments: BS CARRIED OUT SERV REF A1EXXJ1505252

A1EXXJ1505252	C COMPLETED	08NOV15 22:02	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIE	AIE		
	08DEC15 00:50	08NOV15 22:02	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIE		6346.0	AFHR
02 BAY SERVICE DUE				BS due on Serial 0045			
				BATTERY NICAD at WAC 0660			

01 NO FAULT 06 BAY SERVICE

Unserviceability Details:

Maintenance Comments: BS CARRIED OUT SERV IAW AAP 7414.030-3M

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	150.0	AFHR	37.8		
SM	BS	91.0	ELPDY			14DEC15
SM	BS	150.0	AFHR	37.8		

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJ1501742	C COMPLETED	01MAR16 21:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIE	AIE		
	18MAY16 06:04	01MAR16 21:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIE		6399.4	AFHR
03 OVERHAUL DUE				OH due on Serial 0045			
				BATTERY NICAD at WAC 0660			

01 NO FAULT 07 OVERHAUL

Unserviceability Details:

Maintenance Comments: OH CO IAW AAP7414.030-3M

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00091  
08JAN20  
23:16:15

SERIAL/TAIL NO : 0045  
PART NO : 33490409201 ~D8034  
ENGINEERING NAME : BATTERY NICAD  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	1.0	ELPYR			30MAR16
SM	OH	1.0	ELPYR			30MAR16

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

=====  
A1EXXJ1507455 C COMPLETED 02AUG16 23:06 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
14AUG16 23:01 02AUG16 22:55 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 6455.6 AFHR  
02 BAY SERVICE DUE BS due on Serial 0045  
BATTERY NICAD at WAC 0660  
01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: BS CO IAW AAP7414.030-3M

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	150.0	AFHR	56.2		
SM	BS	91.0	ELPDY			17AUG16
SM	BS	150.0	AFHR	56.2		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

=====  
A1EXXJ1608025 C COMPLETED 06OCT16 21:27 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
26OCT16 01:48 29SEP16 02:45 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 6475.6 AFHR  
02 BAY SERVICE DUE BS due on Serial 0045  
BATTERY NICAD at WAC 0660  
01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: BS CO IAW AAP7414.030-3M

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00092  
08JAN20  
23:16:15

SERIAL/TAIL NO : 0045  
PART NO : 33490409201 ~D8034 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : BATTERY NICAD  
VENUE : A23DISP LOCATION : A23-033

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	150.0	AFHR	20.0		
SM	BS	91.0	ELPDY			13NOV16
SM	BS	150.0	AFHR	20.0		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

11EXXJ1610390 C COMPLETED 24JAN17 03:49 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
19FEB17 23:48 24JAN17 03:12 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 6528.1 AFHR  
02 BAY SERVICE DUE BS due on Serial 0045  
BATTERY NICAD at WAC 0660  
01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: BS CO IAW AAP7414.030-3M

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	150.0	AFHR	52.5		
SM	BS	91.0	ELPDY			25JAN17
SM	BS	150.0	AFHR	52.5		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

11EXXJ1704548 C COMPLETED 12JUL17 22:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
07AUG17 22:25 12JUL17 22:55 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 6549.2 AFHR  
01 UNSERVICEABLE 09 R2 SERVICING OH due on Serial 0045  
06 OUT OF LIMITS BATTERY NICAD at WAC 0660  
01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details: O/H DUE ON BATTERY NI-CAD  
Maintenance Comments: OH CO IAW AAP7414.030-3M

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00093  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0045  
 PART NO : 33490409201 ~D8034  
 ENGINEERING NAME : BATTERY NICAD  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJ1704575	C COMPLETED	07AUG17 23:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE		
03 OVERHAUL DUE	07AUG17 23:13	07AUG17 23:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	6549.2	AFHR	
01 NO FAULT	07 OVERHAUL	Unserviceability Details: Maintenance Comments: OVERHAUL CARRIED OUT IAW 7414.030-3M						

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	1.0	ELPYR			18MAY17
SM	OH	1.0	ELPYR			18MAY17

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJ1701012	C COMPLETED	25OCT17 23:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE		
02 BAY SERVICE DUE	14NOV17 00:44	25OCT17 22:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	6687.5	AFHR	
01 NO FAULT	06 BAY SERVICE	Unserviceability Details: Maintenance Comments: BS CO IAWW AAP7414.030-3M						

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	150.0	AFHR	138.3		
SM	BS	91.0	ELPDY			06NOV17
SM	BS	150.0	AFHR	138.3		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 0045  
 PART NO : 33490409201 ~D8034  
 ENGINEERING NAME : BATTERY NICAD  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			

A1EXXJ1706773	C COMPLETED	27FEB18 03:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	18APR18 05:50	19FEB18 03:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	6712.3	AFHR
02 BAY SERVICE DUE				BS	due on Serial 0045		
				BATTERY NICAD	at WAC 0660		
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:		BS CO IAW AAP7414.030-3M			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	150.0	AFHR	24.8		
SM	BS	91.0	ELPDY			13FEB18
SM	BS	150.0	AFHR	24.8		

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			

A1EXXJ1705145	C COMPLETED	17JUL18 06:11	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	15OCT18 02:21	17JUL18 04:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	6738.1	AFHR
03 OVERHAUL DUE				OH	due on Serial 0045		
				BATTERY NICAD	at WAC 0660		
01 NO FAULT		07 OVERHAUL					
		Unserviceability Details:					
		Maintenance Comments:		OH CO IAW AAP7414.030-3M			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	1.0	ELPYR			07AUG18
SM	OH	1.0	ELPYR			07AUG18



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00095  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0045  
 PART NO : 33490409201 ~D8034  
 ENGINEERING NAME : BATTERY NICAD  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1PXXJ1821851 C COMPLETED 17DEC18 05:20 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 17DEC18 05:20 17DEC18 05:20 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 6771.4 AFHR  
 13 REMOVED FOR ACCESS 99 NO FAILURE BATT NICAD RFA

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

A1EXXJ1801832 C COMPLETED 07JAN19 02:28 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP NONC2CONT  
 01MAR19 01:00 07JAN19 02:28 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 6771.4 AFHR  
 02 BAY SERVICE DUE BS due on Serial 0045  
 BATTERY NICAD at WAC 0660

01 NO FAULT 06 BAY SERVICE  
 Unserviceability Details:  
 Maintenance Comments: BAY SERVICE C/O IAW AAP 7414.030-3M AND TEMP SENSOR S/NO  
 EA1400083 FUNCTIONAL TEST CARRIED OUT IAW AAP 7414.030-3M REF  
 WORK SHEET LSN AIP MCS 012/19 @ AIP BATT SHOP

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	150.0	AFHR	33.3		
SM	BS	91.0	ELPDY			14JAN19
SM	BS	150.0	AFHR	33.3		

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1PXXJ1904113 C COMPLETED 14MAR19 02:49 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 14MAR19 02:49 14MAR19 02:49 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 6771.4 AFHR  
 13 REMOVED FOR ACCESS 99 NO FAILURE BATT NICAD REMOVED FOR ACCESS

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 0045  
PART NO : 33490409201 ~D8034  
ENGINEERING NAME : BATTERY NICAD  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

A1PXXJ1903446	C COMPLETED	04JUN19 01:11	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	NONC2CONT	
	18SEP19 01:00	03JUN19 23:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	6862.1	AFHR
02 BAY SERVICE DUE	28 HIGHER ASSEMBLY MAINTENANCE		BS	due on Serial 0045			
	06 OUT OF LIMITS		BATTERY NICAD	at WAC 0660			
09 OUT OF LIMITS	07 OVERHAUL						

Unserviceability Details: OVERHAUL DUE

Maintenance Comments: OVERHAUL CARRIED OUT IAW AAP7414.030-3M @ AIJ REF WORKSHEET  
AIP MCS 572/19

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	1.0	ELPYR			15OCT19
SM	OH	1.0	ELPYR			15OCT19

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00097  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0045  
 PART NO : 33490409201 ~D8034  
 ENGINEERING NAME : BATTERY NICAD  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MOD NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
7414.019-108	Y	18AUG93 00:00	INC			

STI NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
STI-ELEC-0160	Y	18AUG93 00:00	N/A			

POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	USER ID
22NOV05 03:51	SM DLD Changed From: 21NOV2005	BS	XXxxXXxx
17JAN13 02:31	SM Claimed	BS	
17JAN13 02:40	SM Claimed	BS	
28NOV13 21:26	SM DLD Changed From: 06AUG2013	BS	XXxxXXxx
18MAR14 23:38	SM Claimed	BS	
31MAR15 23:33	SM Claimed	BS	
18MAY16 06:04	SM Claimed	BS	
07AUG17 23:13	SM Claimed By Activity: OH US/Job: ALEXJ1704575	BS	XXxxXXxx
15OCT18 02:21	SM Claimed By Activity: OH US/Job: ALEXJ1705145	BS	XXxxXXxx

Serial: 0045  
 Part: 33490409201 ~D8034  
 Serial: 0045  
 Part: 33490409201 ~D8034

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

SERIAL/TAIL NO : 0045  
PART NO : 33490409201 ~D8034  
ENGINEERING NAME : BATTERY NICAD  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MAINTENANCE POLICY HISTORY -----

POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	USER ID
18SEP19 06:32	SM	BS	XXXXXXxx
	Claimed By Activity: OH		Serial: 0045
	US/Job: A1PXXJ1903446		Part: 33490409201 ~D8034

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 0072 LITERAL SERIAL NO : 0072 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 116.35.07.288 ~S4080  
ENGINEERING NAME : STICK GRIP ASSY  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 469.3 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		

15MAR18 23:31	0072	116.35.07.288	~S4080	A23T	ALUEU00	00
aip02188	AIP	STORES		MMI	A1PXXR1800313	
R. ORLOWSKI		17MAR17		N/A		

0.0 AFHR

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 0072 LITERAL SERIAL NO : 0072 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 116.35.07.288 ~S4080  
ENGINEERING NAME : STICK GRIP ASSY  
VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
15MAR18 23:33	Maintenance Comment	0.0	0.0	PILATUS COFC NO 80220846 DATE 17MAR17 AUTH F ANTONAZZA A1PXXX1802378 XXXXXX	
30AUG18 12:45	Asset Installation	0.0 AFHR	531.5	A23T A1UEU00 00 PC1400364 A23-033	A23T A1UEU00 00AC XXXXXX
	Change Serviceability Stat	0.0 AFHR	531.5	SERV S/I	
	Change Location of an Asse		531.5	STORES MMI A23-033	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 016591 LITERAL SERIAL NO : 016591 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 399700 ~59875  
ENGINEERING NAME : PUMP FUEL HIGH PRES  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 144.6 ENHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
12APR19 03:24	016591	399700	~59875	A23T	A1SAI10
aip04023	AIP	STORES		MMI	A1PXXR1900601
K. ARUMUGAM		28NOV18		BT903851	02
	0.0 AFHR	0.0 ENHR			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 016591 LITERAL SERIAL NO : 016591 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 399700 ~59875  
ENGINEERING NAME : PUMP FUEL HIGH PRES  
VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS -----

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW						
20JUN19 06:20	Asset Installation	204.2	A23T 103186	AlSAI10	A23-033	02 A23T AlSAI10 XXXXXXxx
	0.0 ENHR Change Serviceability Stat	204.2	SERV S/I			
	Change Location of an Asse	204.2	STORES A23-033		MMI	



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 0210A LITERAL SERIAL NO : 210A PERIOD: 01JAN90 TO 08JAN20  
PART NO : 959.47.81.705 ~S4080  
ENGINEERING NAME : BRAKE UNIT MODIFIED  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 2851.6 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE UNPACKED			
06DEC06 01:19	210A	959.47.81.705	~S4080	A23T	00
aip001	AIP	MMIST		A2KDI	
L. DOBSON		09JUN06		A1PXXRY603388	
	0.0 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 0210A LITERAL SERIAL NO : 210A PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 959.47.81.705 ~S4080  
 ENGINEERING NAME : BRAKE UNIT MODIFIED  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
06DEC06 01:19	Reception History Record	0.0	Reception MMIST	
	0.0 AFHR			XXxxXXxx
06DEC06 05:00	Change Serial Number of an	0.2	210A 0210A	
	0.0 AFHR		A1PXXXY610409	XXxxXXxx
02FEB07 02:00	Asset Installation	238.0	A23T A2KDI	
	1.2 AFHR		114 A23-049	A23T A2KEE 00AC
	Change Serviceability Stat	58.0	SERV S/I	XXxxXXxx
	Change Location of an Asse	58.0	MMIST A23-049	
22JUN07 02:33	Asset Removal	140.0	114 A23-049	A23T A2KEE 00A
	212.3 AFHR		A23T A2KEE	00
	Change Serviceability Stat	0.0	S/I	XXxxXXxx
	Change Location of an Asse	140.0	U/S A23-049	
13JUL07 02:15	Change Serviceability Stat	20.9	HYD U/S	
	212.3 AFHR		SERV	XXxxXXxx
13JUL07 03:06	Change Location of an Asse	21.0	HYD MMIST	
	212.3 AFHR		A1PXXXY706085	XXxxXXxx
31JUL07 11:20	Asset Installation	39.3	A23T A2KEE	
	212.3 AFHR		545 A23-056	A23T A2KEE 00AC
	Change Serviceability Stat	18.3	SERV S/I	XXxxXXxx
	Change Location of an Asse	18.3	MMIST A23-056	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 0210A LITERAL SERIAL NO : 210A PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 959.47.81.705 ~S4080  
 ENGINEERING NAME : BRAKE UNIT MODIFIED  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
11MAR08 22:11	Asset Removal	224.4	545 A23T A2KEE A23-056 00	A23T A2KEE 00A
	415.3 AFHR Change Serviceability Stat	6.8	S/I U/S	XXXXXXxx
	Change Location of an Asse	224.4	A23-056	
08APR08 07:45	Change Serviceability Stat	27.3	HYD U/S SERV	
	415.3 AFHR Change Location of an Asse	27.4	HYD	XXXXXXxx
	415.3 AFHR Asset Installation	37.1	MMIST A1PXXXY802773 A23T A2KEE 512 A23-011 00	XXXXXXxx
	415.3 AFHR Change Serviceability Stat	9.7	SERV S/I	A23T A2KDI 00AC XXXXXXxx
	Change Location of an Asse	9.7	MMIST A23-011	
02OCT08 06:29	Asset Removal	167.2	512 A23T A2KDI 512 00	A23T A2KDI 00M XXXXXXxx
	419.7 AFHR Change Serviceability Stat	157.2	S/I U/S	
02OCT08 06:30	Change Serviceability Stat	0.0	U/S SERV	
	419.7 AFHR Asset Installation	42.8	A23T 117 A2KDI 117 00	XXXXXXxx
	419.7 AFHR Change Serviceability Stat	42.8	SERV S/I	A23T A2KDI 00MMI XXXXXXxx
	Change Location of an Asse	43.9	HG122 HG121	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00106  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0210A LITERAL SERIAL NO : 210A PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 959.47.81.705 ~S4080  
 ENGINEERING NAME : BRAKE UNIT MODIFIED  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
24AUG09 10:51	Asset Removal	283.3	117 A23T A2KDI A23-009 00	A23T A2KDI 00A
	703.5 AFHR Change Serviceability Stat	0.3	S/I U/S	XXXXXXxx
	Change Location of an Asse	223.2	A23-009 HYD	
21OCT09 06:29	Change Serviceability Stat	57.8	U/S SERV	XXXXXXxx
	703.5 AFHR Change Location of an Asse	57.8	HYD MMIST	
			A1PXXXY911162	XXXXXXxx
17NOV09 09:54	Asset Installation	84.9	A23T A2KDI 137 A23-003 00	A23T A2KDI 00AC
	703.5 AFHR Change Serviceability Stat	27.1	SERV S/I	XXXXXXxx
	Change Location of an Asse	27.1	MMIST A23-003	
31OCT11 01:01	Asset Removal	712.6	137 A23T A2KDI A23-003 00	A23T A2KDI 00A
	929.6 AFHR Change Serviceability Stat	4.8	S/I U/S	XXXXXXxx
	Change Location of an Asse	712.6	A23-003 HYD	
18JAN12 02:02	Change Serviceability Stat	79.0	U/S SERV	XXXXXXxx
	929.6 AFHR Change Location of an Asse	79.0	HYD STORES	
			A1PXXX1200170	XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 0210A LITERAL SERIAL NO : 210A PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 959.47.81.705 ~S4080  
 ENGINEERING NAME : BRAKE UNIT MODIFIED  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
06FEB12	03:16	Asset Installation	98.0	A23T 524	A2KDI A23-017	00 A23T A2KEE 00AC XXXXXXXX
		929.6 AFHR Change Serviceability Stat	19.0	SERV		
		Change Location of an Asse	19.0	S/I STORES A23-017		
09MAY12	22:24	Asset Removal	93.7	524 A23T	A23-017 A2KEE	00 A23T A2KEE 00A XXXXXXXX
		1079.3 AFHR Change Serviceability Stat	0.8	S/I		
		Change Location of an Asse	93.7	U/S A23-017		
10MAY12	02:35	Change Location of an Asse	0.1	INTMH INTMH HYD		
		1079.3 AFHR Change Serviceability Stat	67.3	A1PXXX1204249		XXXXXXXX
16JUL12	07:15	Change Serviceability Stat	67.3	U/S SERV		XXXXXXXX
16JUL12	07:15	Change Location of an Asse	67.1	HYD STORES		
		1079.3 AFHR Asset Installation	88.5	A1PXXX1206920 A23T	A2KEE	00 A23T A2KDI 00AC XXXXXXXX
		1079.3 AFHR Change Serviceability Stat	21.1	100 SERV	A23-005	
		Change Location of an Asse	21.1	S/I STORES A23-005		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00108  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0210A LITERAL SERIAL NO : 210A PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 959.47.81.705 ~S4080  
 ENGINEERING NAME : BRAKE UNIT MODIFIED  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
=====	=====	=====	=====	=====	=====	=====
15MAY13 13:10	Asset Removal	282.1	100	A23T	A2KDI	A23T A2KDI 00A
	1326.0 AFHR					XXXXXXxx
	Change Serviceability Stat	0.1	S/I			
	Change Location of an Asse	282.1	U/S	A23-005		
16MAY13 02:17	Change Location of an Asse	0.5	STORES			
	1326.0 AFHR		HYD	A1PXXX1305047		XXXXXXxx
04JUL13 07:02	Change Serviceability Stat	49.7	U/S			
	1326.0 AFHR		SERV			XXXXXXxx
04JUL13 07:10	Change Location of an Asse	49.2	HYD			
	1326.0 AFHR		STORES	A1PXXX1307313		XXXXXXxx
06AUG13 13:02	Asset Installation	82.9	A23T	A2KDI		A23T A2KDI 00AC
	1326.0 AFHR		096	A23-013		XXXXXXxx
	Change Serviceability Stat	33.2	SERV			
	Change Location of an Asse	33.2	S/I	A23-013		
08AUG14 00:25	Asset Removal	366.4	096	A23T	A2KDI	A23T A2KDI 00A
	1583.6 AFHR		A23T	A2KDI		XXXXXXxx
	Change Serviceability Stat	78.9	S/I			
	Change Location of an Asse	154.0	U/S	A23-013		
17NOV14 01:26	Change Serviceability Stat	101.0	HYD			
	1583.6 AFHR		U/S			XXXXXXxx
17NOV14 01:35	Change Location of an Asse	101.0	SERV			
	1583.6 AFHR		HYD	A1PXXX1412594		XXXXXXxx
			STORES			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00109  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0210A LITERAL SERIAL NO : 210A PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 959.47.81.705 ~S4080  
 ENGINEERING NAME : BRAKE UNIT MODIFIED  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
=====	=====	=====	=====	=====	=====
	LIFE SINCE NEW		TRANS REFERENCE		
19FEB15 08:51	Asset Installation	195.3	A23T 113	A2KDI A23-048	00 A23T A2KDI 00AC XXXXXXXX
	1583.6 AFHR Change Serviceability Stat	94.3	SERV S/I		
	Change Location of an Asse	94.3	STORES A23-048		
19FEB16 07:53	Asset Removal	364.9	113 A23T	A2KDI A23-048	00 A23T A2KDI 00A XXXXXXX
	1872.9 AFHR Change Serviceability Stat	0.0	S/I U/S		
	Change Location of an Asse	364.9	A23-048 HYD		
30MAR16 05:38	Change Serviceability Stat	39.9	U/S SERV		XXXXXXX
	1872.9 AFHR Change Location of an Asse	39.9	HYD STORES		
	1872.9 AFHR		A1PXXX1602833		XXXXXXX
03MAY16 12:36	Asset Installation	74.1	A23T 143	A2KDI A23-018	00 A23T A2KEE 00AC XXXXXXX
	1872.9 AFHR Change Serviceability Stat	34.2	SERV S/I		
	Change Location of an Asse	34.2	STORES A23-018		
31AUG16 12:49	Asset Removal	120.0	143 A23T	A2KEE A23-018	00 A23T A2KEE 00A XXXXXXX
	2015.6 AFHR Change Serviceability Stat	0.3	S/I U/S		
	Change Location of an Asse	120.0	A23-018 STORES		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

CAMM2  
 ASSET HISTORY

SERIAL/TAIL NO : 0210A LITERAL SERIAL NO : 210A PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 959.47.81.705 ~S4080  
 ENGINEERING NAME : BRAKE UNIT MODIFIED  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW						
03OCT16 05:42	Change Serviceability Stat	32.7	U/S			
	2015.6 AFHR		SERV			XXXXXXxx
13FEB17 02:00	Asset Installation	165.5	A23T	A2KEE	A23-034 00	A23T A2KDI 00AC
	2015.6 AFHR					XXXXXXxx
	Change Serviceability Stat	132.8	SERV			
	Change Location of an Asse	165.5	S/I			
			STORES			
16AUG17 09:44	Asset Removal	184.3	A23-034			
			544	A23T	A2KDI 00	A23T A2KDI 00A
	2221.6 AFHR					XXXXXXxx
	Change Serviceability Stat	0.1	S/I			
	Change Location of an Asse	184.3	U/S			
			A23-034			
			STORES			
18SEP17 05:22	Change Serviceability Stat	32.8	U/S			
	2221.6 AFHR		SERV			XXXXXXxx
04OCT17 10:41	Asset Installation	49.0	A23T	A2KDI	A23-056 00	A23T A2KEE 00AC
	2221.6 AFHR					XXXXXXxx
	Change Serviceability Stat	16.2	SERV			
	Change Location of an Asse	49.0	S/I			
			STORES			
			A23-056			
08AUG18 12:08	Asset Removal	308.0	545	A23T	A2KEE A23-056 00	A23T A2KEE 00A
	2485.0 AFHR					XXXXXXxx
	Change Serviceability Stat	0.3	S/I			
	Change Location of an Asse	308.0	U/S			
			A23-056			
			HYD			



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00111  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0210A LITERAL SERIAL NO : 210A PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 959.47.81.705 ~S4080  
 ENGINEERING NAME : BRAKE UNIT MODIFIED  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
11OCT18 02:18	Change Serviceability Stat	63.5	U/S SERV	
	2485.0 AFHR			XXxxXXxx
11OCT18 02:18	Change Location of an Asse	63.5	HYD STORES	
	2485.0 AFHR		A1PXXX1810151	XXxxXXxx
18OCT18 12:30	Asset Installation	71.0	A23T A2KEE	
	2485.0 AFHR		A23-040 00	A23T A2KEE 00AC
	Change Serviceability Stat	7.4	SERV S/I	XXxxXXxx
	Change Location of an Asse	7.4	STORES A23-040	
27FEB19 13:04	Asset Removal	132.0	520 A23T A2KEE	
	2684.8 AFHR		A23-040 00	A23T A2KEE 00A
	Change Serviceability Stat	0.1	S/I U/S	XXxxXXxx
	Change Location of an Asse	132.0	A23-040 INTMH	
05MAR19 02:37	Change Location of an Asse	5.5	INTMH HYD	
	2684.8 AFHR		A1PXXX1901926	XXxxXXxx
09APR19 05:08	Change Serviceability Stat	40.6	U/S SERV	
	2684.8 AFHR			XXxxXXxx
09APR19 05:09	Change Location of an Asse	35.1	HYD STORES	
	2684.8 AFHR		A1PXXX1903289	XXxxXXxx
29APR19 13:28	Asset Installation	61.0	A23T A2KEE	
	2684.8 AFHR		027 A23-033 00	A23T A2KDI 00AC
	Change Serviceability Stat	20.3	SERV S/I	XXxxXXxx
	Change Location of an Asse	20.3	STORES A23-033	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 0210A LITERAL SERIAL NO : 210A PERIOD: 01JAN90 TO 08JAN20  
PART NO : 959.47.81.705 ~S4080  
ENGINEERING NAME : BRAKE UNIT MODIFIED  
VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
29APR19 13:33	Asset Removal	0.0	027 A23T A2KDI A23-033 00	A23T A2KDI 00A
	2684.8 AFHR Change Serviceability Stat	0.0	S/I U/S	XXXXXXxx
	Change Location of an Asse	0.0	A23-033 OPMH	
29APR19 13:35	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
	2684.8 AFHR Asset Installation	0.0	A23T A2KDI A23-033 00	A23T A2KDI 00AC
	2684.8 AFHR Change Serviceability Stat	0.0	SERV S/I OPMH A23-033	XXXXXXxx
	Change Location of an Asse	0.0		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJY619963	C COMPLETED	25JUN07 09:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	13JUL07 02:15	25JUN07 09:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	212.3	AFHR
02 BAY SERVICE DUE			BS1	due on Serial 0210A			
01 NO FAULT		06 BAY SERVICE		BRAKE UNIT MOD RH at WAC 1050			
		Unserviceability Details:					
		Maintenance Comments:		BAY SERVICE C/O IAW AAP 7294.124-3M REF OAM 836/07			
A1PXXJY713614	C COMPLETED	12MAR08 00:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	08APR08 07:45	12MAR08 00:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	415.3	AFHR
02 BAY SERVICE DUE			BS1	due on Serial 0210A			
01 NO FAULT		06 BAY SERVICE		BRAKE UNIT MOD RH at WAC 1050			
		Unserviceability Details:					
		Maintenance Comments:		BAY SERVICE C/O IAW AAP 7294.124-3M REF OAM 366/08			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 0210A LITERAL SERIAL NO : 210A PERIOD: 01JAN90 TO 08JAN20  
PART NO : 959.47.81.705 ~S4080  
ENGINEERING NAME : BRAKE UNIT MODIFIED  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJY816536	C COMPLETED	02OCT08 06:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	02OCT08 06:30	02OCT08 06:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	419.7	AFHR
01 NO FAULT	99 NO FAILURE			U/C COMPONENTS REMOVED FOR WING REFERB			
	04 CHECK/TEST SERV						
				Unserviceability Details:			
				Maintenance Comments:			
A1PXXJY805803	C COMPLETED	31AUG09 02:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
02 BAY SERVICE DUE	21OCT09 06:29	31AUG09 02:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	703.5	AFHR
01 NO FAULT	06 BAY SERVICE			BS1 due on Serial 0210A			
				BRAKE UNIT MOD LH at WAC 0950			
				Unserviceability Details:			
				Maintenance Comments:			
A1PXXJY922734	C COMPLETED	31OCT11 06:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
02 BAY SERVICE DUE	18JAN12 02:02	31OCT11 06:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	929.6	AFHR
01 NO FAULT	06 BAY SERVICE			BS1 due on Serial 0210A			
				BRAKE UNIT MOD LH at WAC 0950			
				Unserviceability Details:			
				Maintenance Comments:			
A1PXXJ1200645	C COMPLETED	10MAY12 02:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
02 BAY SERVICE DUE	16JUL12 07:15	10MAY12 02:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	1079.3	AFHR
01 NO FAULT	06 BAY SERVICE			BS1 due on Serial 0210A			
				BRAKE UNIT MOD RH at WAC 1050			
				Unserviceability Details:			
				Maintenance Comments:			
A1PXXJ1210272	C COMPLETED	16MAY13 02:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
02 BAY SERVICE DUE	04JUL13 07:02	16MAY13 02:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	1326.0	AFHR
01 NO FAULT	06 BAY SERVICE			BS1 DUE ON SERIAL 0210A			
				BRAKE UNIT MOD LH AT WAC 0950			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 0210A LITERAL SERIAL NO : 210A PERIOD: 01JAN90 TO 08JAN20  
PART NO : 959.47.81.705 ~S4080  
ENGINEERING NAME : BRAKE UNIT MODIFIED  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

Unserviceability Details:

Maintenance Comments: BAY SERVICE C/O IAW AAP 7294.124-3M REF HYD 9273/13

A1PXXJ1308835	C COMPLETED	10AUG14 22:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	17NOV14 01:26	10AUG14 22:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	1583.6	AFHR
02 BAY SERVICE DUE				BS1 due on Serial 0210A			
				BRAKE UNIT MOD LH at WAC 0950			

01 NO FAULT 06 BAY SERVICE

Unserviceability Details:

Maintenance Comments: BAY SERVICE C/O IAW AAP 7294.124-3M REF HYD 11723/14

A1PXXJ1604238	C COMPLETED	19FEB16 07:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	30MAR16 05:38	19FEB16 07:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	1872.9	AFHR
01 UNSERVICEABLE		07 AFTER FLIGHT		LH BRAKE WTL			
		06 OUT OF LIMITS					
09 OUT OF LIMITS		06 BAY SERVICE					

Unserviceability Details:

LH BRAKE WTL

Maintenance Comments: BAY SERVICE C/O IAW AAP 7294.124-3M REF HYD 14287/16

A1PXXJ1618512	C COMPLETED	31AUG16 12:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	03OCT16 05:42	31AUG16 12:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	2015.6	AFHR
01 UNSERVICEABLE		05 TECHNICAL B/F		RH BRAKE W.T.L			
		16 WORN/FRAYED					
09 OUT OF LIMITS		06 BAY SERVICE					

Unserviceability Details:

W.T.L

Maintenance Comments: BAY SERVICE C/O IAW AAP 7294.124-3M REF HYD 15015/16

A1PXXJ1716270	C COMPLETED	16AUG17 09:44	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	18SEP17 05:22	16AUG17 09:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	2221.6	AFHR
01 UNSERVICEABLE		32 DURING FAULT FINDING		LH BRAKE UNIT WTL			
		06 OUT OF LIMITS					
09 OUT OF LIMITS		06 BAY SERVICE					

Unserviceability Details:

LH BRAKE UNIT WTL

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 0210A LITERAL SERIAL NO : 210A PERIOD: 01JAN90 TO 08JAN20  
PART NO : 959.47.81.705 ~S4080  
ENGINEERING NAME : BRAKE UNIT MODIFIED  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

Maintenance Comments: BAY SERVICE C/O IAW AAP 7294.1245-3MREF HYD 16224/17

A1PXXJ1813008	C COMPLETED	08AUG18 12:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	11OCT18 02:18	08AUG18 12:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		2485.0	AFHR
01 UNSERVICEABLE		07 AFTER FLIGHT		LEFT ND RIGHT HAND BRAKES WORN TO LIMITS			
		06 OUT OF LIMITS					
09 OUT OF LIMITS		06 BAY SERVICE					

Unserviceability Details: BRAKE WORN TO LIMITS

Maintenance Comments: BAY SERVICE C/O IAW AAP 7294.124-3M REF HYD 17540/18

A1PXXJ1903279	C COMPLETED	27FEB19 13:04	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	09APR19 05:08	27FEB19 13:04	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		2684.8	AFHR
01 UNSERVICEABLE		07 AFTER FLIGHT		R/H BRAKE W.T.L			
		06 OUT OF LIMITS					
09 OUT OF LIMITS		06 BAY SERVICE					

Unserviceability Details: R/H BRAKE W.T.L

Maintenance Comments: BAY SERVICE C/O IAW AAP 7294.124-3M REF HYD 18200/19

A1PXXJ1907009	C COMPLETED	29APR19 13:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	29APR19 13:35	29APR19 13:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		2684.8	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE		LH BRAKE WORN TO LIMIT			
01 NO FAULT		04 CHECK/TEST SERV					

Unserviceability Details:

Maintenance Comments: CHECK/TEST SERV

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 00116  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027  
 PART NO : 557.05.09.953  
 ENGINEERING NAME : WING ASSY  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

~S4080

LOCATION : A23-033  
 LIFE SINCE NEW : 9036.4 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
01SEP03	01:54	Maintenance	Comment	0.0	2.7	21Aug02		*****	
				AFHR		CMM LOG00005			XXxxXXxx
01SEP03	01:54	Maintenance	Comment	0.0	2.7	MR C. MACDONALD	ENGMAN, AIRFLITE	PEARCE	
				AFHR		CMM LOG00010			XXxxXXxx
01SEP03	01:55	Maintenance	Comment	0.0	2.7	24May02	IMPEDANCE PLANE	EDDY CURRENT INSP C/O	
				AFHR		CMM LOG00004			XXxxXXxx
01SEP03	01:55	Maintenance	Comment	0.0	2.7	NO CRACKS	EVIDENT.		
				AFHR		CMM LOG00018			XXxxXXxx
01SEP03	01:55	Maintenance	Comment	0.0	2.7	08May03	STI-PC9-289B	CARRIED OUT ON LHS ONLY.	
				AFHR		CMM LOG00020			XXxxXXxx
01SEP03	02:01	Maintenance	Comment	0.0	2.7	COMPLETED	IAW AAP 7001.006-2		
				AFHR		CMM LOG00007			XXxxXXxx
01SEP03	02:01	Maintenance	Comment	0.0	2.7	24May02	STI-PC9-269A	STI STATUS NOW	RINC
				AFHR		CMM LOG00002			XXxxXXxx
01SEP03	02:01	Maintenance	Comment	0.0	2.7	24May02	STI-PC9-269B	STI STATUS NOW	RINC
				AFHR		CMM LOG00003			XXxxXXxx
01SEP03	02:01	Maintenance	Comment	0.0	2.7	CMM LOG00012			XXxxXXxx
01SEP03	02:01	Maintenance	Comment	0.0	2.7	14Sep87	NEW - 027	557.06.09.953	1000-00-00-B
				AFHR		CMM LOG00025			XXxxXXxx
01SEP03	02:02	Maintenance	Comment	0.0	2.7	08May03	STI-PC9-289A	STI STATUS NOW	RINC
				AFHR		CMM LOG00016			XXxxXXxx
01SEP03	02:02	Maintenance	Comment	0.0	2.7	CMM LOG00008			XXxxXXxx
01SEP03	02:02	Maintenance	Comment	0.0	2.7	15Apr03	STI-PC9-257C	STI STATUS NOW	RINC
				AFHR		CMM LOG00015			XXxxXXxx
01SEP03	02:02	Maintenance	Comment	0.0	2.7	29Aug03	A23-003	15.00	5086.1 AFHR TX TO CMM2
				AFHR		CMM LOG00026			XXxxXXxx
01SEP03	02:04	Maintenance	Comment	0.0	2.7	ANNUAL LOG	BOOK INSPECTION		
				AFHR		CMM LOG00006			XXxxXXxx
01SEP03	02:04	Maintenance	Comment	0.0	2.7	08May03	STI-PC9-289B	STI STATUS NOW	PINC
				AFHR		CMM LOG00019			XXxxXXxx
01SEP03	02:04	Maintenance	Comment	0.0	2.7	04Jul03	STI-PC9-0298	STI STATUS NOW	NA
				AFHR		CMM LOG00023			XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 00117  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027  
 PART NO : 557.05.09.953  
 ENGINEERING NAME : WING ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
01SEP03	02:08	Maintenance Comment 0.0 AFHR	2.7	08Aug01 STI-PC9-257C CMM LOG00001	STI STATUS NOW	RINC XXxxXXxx
01SEP03	02:08	Maintenance Comment 0.0 AFHR	2.7	***** CMM LOG00011		XXxxXXxx
01SEP03	02:08	Maintenance Comment 0.0 AFHR	2.7	09Oct02 STI-PC9-269C CMM LOG00013	STI STATUS NOW	NA XXxxXXxx
01SEP03	02:08	Maintenance Comment 0.0 AFHR	2.7	557.10.09.057 AND 557.10.09.059 CMM LOG00022		XXxxXXxx
01SEP03	02:09	Maintenance Comment 0.0 AFHR	2.7	03Feb03 STI-PC9-257C CMM LOG00014	STI STATUS NOW	RINC XXxxXXxx
01SEP03	02:11	Maintenance Comment 0.0 AFHR	2.7	1ST OVERSIZE BOLTS FITTED, 557.10.09.056, CMM LOG00021		XXxxXXxx
01SEP03	02:11	Maintenance Comment 0.0 AFHR	2.7	..... CMM LOG00009		XXxxXXxx
01SEP03	02:11	Maintenance Comment 0.0 AFHR	2.7	08May03 STI-PC9-289A CARRIED OUT ON LHS ONLY. CMM LOG00017		XXxxXXxx
01SEP03	02:11	Maintenance Comment 0.0 AFHR	2.7	28May03 STI-PC9-289B CMM LOG00024	STI STATUS NOW	INC XXxxXXxx
03OCT03	23:37	Asset Removal 5086.1 AFHR	35.6	A23-003 A23T A2K	A23-003 00	A23T A2K XXxxXXxx
		Change Serviceability Stat	4690.9	S/I U/S		
		Change Location of an Asse	xxxx	A23-003 HG121		
30MAR05	06:11	Change Location of an Asse 5086.1 AFHR	543.2	HG121 JANDAKOT		XXxxXXxx
11APR05	22:46	Change Part Number of an A 5086.1 AFHR	591.5	A1PXXXY504616 557.06.09.953 557.05.09.953	~S4080 ~S4080	XXxxXXxx
25JAN06	00:38	Maintenance Comment 5086.1 AFHR	0.0	A1PXXXY505549 DESIGN DEVIATION A23/030/2005 INC		XXxxXXxx
25JAN06	00:39	Maintenance Comment 5086.1 AFHR	0.0	A1PXXXY600622 DESIGN DEVIATION A23/031/2004 INC		XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00118  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027  
 PART NO : 557.05.09.953  
 ENGINEERING NAME : WING ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
25JAN06 00:40	Maintenance Comment 5086.1 AFHR	0.0	DESIGN DEVIATION A23/053/2005 INC A1PXXXY600624	XXxxXXxx
25JAN06 03:28	Maintenance Comment 5086.1 AFHR	0.0	DESIGN DEVIATION A23/046/2005 INC A1PXXXY600639	XXxxXXxx
08FEB06 23:50	Change Location of an Asse 5086.1 AFHR	315.7	JANDAKOT HG121 A1PXXXY600971	XXxxXXxx
23MAY06 07:16	Maintenance Comment 5086.1 AFHR	0.0	DESIGN DEVIATION A23/004/2006 INCORPORATED A1PXXXY604007	XXxxXXxx
20JUN06 02:13	Change Serviceability Stat 5086.1 AFHR	990.1	U/S SERV	XXxxXXxx
20JUN06 22:15	Asset Installation 5086.1 AFHR	990.9	A23T A2K 00 A23-033 A23-033	A23T A2K 00AC XXxxXXxx
	Change Serviceability Stat 5086.1 AFHR	0.8	SERV S/I	
	Change Location of an Asse 5086.1 AFHR	131.9	HG121 A23-033	
21JUN06 00:42	Change Serviceability Stat 5086.1 AFHR	0.1	S/I US/I A1PXXJY608003	XXxxXXxx
21JUN06 00:52	Change Serviceability Stat 5086.1 AFHR	0.0	US/I S/I	XXxxXXxx
22JUN06 23:21	Change Serviceability Stat 5086.1 AFHR	1.9	S/I US/I A1PXXJY507019	XXxxXXxx
22JUN06 23:26	Change Serviceability Stat 5086.1 AFHR	0.0	US/I S/I	XXxxXXxx
22JUN06 23:29	Change Serviceability Stat 5086.1 AFHR	0.0	S/I US/I A1PXXJY507015	XXxxXXxx



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00119  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027  
 PART NO : 557.05.09.953  
 ENGINEERING NAME : WING ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
22JUN06 23:31	Change Serviceability Stat	0.0	US/I S/I	
	5086.1 AFHR			XXxxXXxx
03AUG06 00:44	Maintenance Comment	0.0	MOD 7212.007-208 INCORPORATED REF LSN 290/03	
	5086.1 AFHR		A1PXXXY606149	XXxxXXxx
03AUG06 00:52	Maintenance Comment	0.0	RH DIHEDRAL FITTING REPLACED REF LSN 291/03	
	5086.1 AFHR		A1PXXXY606152	XXxxXXxx
25AUG06 03:33	Maintenance Comment	0.0	21AUG06 DD A23/050/2006 AUTH OPS TO10,000 HRS PRIOR REPAIR	
	5104.2 AFHR		A1PXXXY606971	XXxxXXxx
14NOV06 04:42	Change Serviceability Stat	0.0	S/I US/I	
	5232.3 AFHR		A1PXXJY617026	XXxxXXxx
16NOV06 06:42	Change Serviceability Stat	2.0	US/I S/I	
	5233.6 AFHR			XXxxXXxx
31JAN07 04:51	Change Serviceability Stat	9.0	S/I US/I	
	5306.5 AFHR		A1PXXJY700283	XXxxXXxx
31JAN07 04:53	Change Serviceability Stat	0.0	US/I S/I	
	5306.5 AFHR			XXxxXXxx
22MAR07 22:07	Change Serviceability Stat	0.9	S/I US/I	
	5383.4 AFHR		A1PXXJY618627	XXxxXXxx
03APR07 07:14	Change Serviceability Stat	11.3	US/I S/I	
	5383.4 AFHR			XXxxXXxx
24APR07 00:51	Maintenance Comment	0.0	INSPECTED DURING THE INCORPORATION OF STI-PC9-0386, NO	
	5400.7 AFHR		A1PXXXY703528	XXxxXXxx
24APR07 00:51	Maintenance Comment	0.0	MONEL FASTENERS PRESENT. AS DIRECTED BY STI-PC9-0441	
	5400.7 AFHR		A1PXXXY703529	XXxxXXxx
29JUL07 23:56	Change Serviceability Stat	4.9	S/I US/I	
	5533.4 AFHR		A1PXXJY706560	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00120  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027  
 PART NO : 557.05.09.953  
 ENGINEERING NAME : WING ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
31JUL07 05:04	Change Serviceability Stat	1.2	US/I S/I	
	5533.4 AFHR			XXxxXXxx
17SEP07 23:26	Change Serviceability Stat	7.4	S/I US/I	
	5592.6 AFHR		A1PXXJY615235	XXxxXXxx
26OCT07 01:38	Maintenance Comment	0.0	WING HAS A SAFE LIFE OF 10,000 AFHRS, REF DD A23/103/2007	
	5592.6 AFHR		A1PXXXY709585	XXxxXXxx
19MAY08 02:59	Change Serviceability Stat	244.1	US/I S/I	
	5592.6 AFHR			XXxxXXxx
22MAY08 03:11	Change Serviceability Stat	0.9	US/I S/I	
	5592.6 AFHR			XXxxXXxx
21AUG08 22:19	Change Serviceability Stat	0.6	S/I US/I	
	5683.4 AFHR		A1PXXJY808576	XXxxXXxx
25AUG08 07:22	Change Serviceability Stat	3.3	US/I S/I	
	5683.4 AFHR			XXxxXXxx
05DEC08 00:53	Maintenance Comment	0.0	ANNUAL REVIEW OF WING LOG BOOK C/OUT IAW AAP 7001.059	
	5821.4 AFHR		A1PXXXY812654	XXxxXXxx
11JAN09 23:14	Change Serviceability Stat	28.0	S/I US/I	
	5829.5 AFHR		A1PXXJY814196	XXxxXXxx
13JAN09 09:34	Change Serviceability Stat	1.4	US/I S/I	
	5829.5 AFHR			XXxxXXxx
10MAY09 23:12	Change Serviceability Stat	4.8	S/I US/I	
	5978.7 AFHR		A1PXXJY900890	XXxxXXxx
14MAY09 14:36	Change Serviceability Stat	3.6	US/I S/I	
	5978.7 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00121  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027  
 PART NO : 557.05.09.953  
 ENGINEERING NAME : WING ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
18AUG09 10:16	Change Serviceability Stat	0.1	S/I US/I 6127.9 AFHR A1PXXJY910290	XXxxXXxx
18AUG09 21:57	Maintenance Comment	0.0	NO PARENT TRANSACTION DETAILS TASPO/2003/5192/3(77)	
20AUG09 02:46	Change Serviceability Stat	1.6	US/I S/I 6127.9 AFHR	XXxxXXxx
07DEC09 06:05	Maintenance Comment	0.0	ANNUAL REVIEW OF WING LOG BOOK C/O IAW AAP 7001.059 A1PXXY913276	XXxxXXxx
07DEC09 22:25	Change Serviceability Stat	0.6	S/I US/I 6277.9 AFHR	XXxxXXxx
20JAN10 00:49	Change Serviceability Stat	43.0	US/I S/I 6277.9 AFHR	XXxxXXxx
13MAY10 03:28	Change Serviceability Stat	0.7	S/I US/I 6427.4 AFHR	XXxxXXxx
18MAY10 03:17	Change Serviceability Stat	4.9	US/I S/I 6427.4 AFHR	XXxxXXxx
01SEP10 23:49	Change Serviceability Stat	6.6	S/I US/I 6574.0 AFHR	XXxxXXxx
30SEP10 05:40	Change Serviceability Stat	28.2	US/I S/I 6574.0 AFHR	XXxxXXxx
13DEC10 02:45	Maintenance Comment	0.0	ANNUAL REVIEW OF WING LOG BOOK C/O IAW AAP7001-059 A1PXXJ1013891	XXxxXXxx
11MAY11 23:01	Change Serviceability Stat	0.5	S/I US/I 6720.5 AFHR	XXxxXXxx
16MAY11 23:33	Change Serviceability Stat	5.0	US/I S/I 6720.5 AFHR	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00122  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027  
 PART NO : 557.05.09.953  
 ENGINEERING NAME : WING ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
12JUL11 07:45	Change Serviceability Stat	6735.8 AFHR	4.0	S/I US/I A1PXXJ1110139	XXxxXXxx
12JUL11 07:52	Change Serviceability Stat	6735.8 AFHR	0.0	US/I S/I	XXxxXXxx
20OCT11 02:55	Change Serviceability Stat	6870.5 AFHR	2.7	S/I US/I A1PXXJ1110530	XXxxXXxx
30NOV11 23:18	Change Serviceability Stat	6870.5 AFHR	41.8	US/I S/I	XXxxXXxx
12DEC11 03:54	Maintenance Comment	6871.5 AFHR	0.0	ANNUAL REVIEW OF WING LOG BOOK C/O IAW AAP7001.059 A1PXXX1111546	XXxxXXxx
13APR12 02:54	Change Serviceability Stat	7013.3 AFHR	2.0	S/I US/I A1PXXJ1116227	XXxxXXxx
18APR12 08:17	Change Serviceability Stat	7013.3 AFHR	5.2	US/I S/I	XXxxXXxx
11MAY12 01:59	Change Serviceability Stat	7029.5 AFHR	0.7	S/I US/I A1PXXJ1206632	XXxxXXxx
11MAY12 02:04	Change Serviceability Stat	7029.5 AFHR	0.0	US/I S/I	XXxxXXxx
23MAY12 08:13	Change Serviceability Stat	7053.6 AFHR	0.0	S/I US/I A1PXXJ1206633	XXxxXXxx
23MAY12 08:13	Change Serviceability Stat	7053.6 AFHR	0.0	US/I S/I	XXxxXXxx
31MAY12 23:44	Change Serviceability Stat	7078.0 AFHR	0.5	S/I US/I A1PXXJ1207719	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00123  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027  
 PART NO : 557.05.09.953  
 ENGINEERING NAME : WING ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
31MAY12 23:45	Change Serviceability Stat	7078.0 AFHR	0.0	US/I S/I	XXxxXXxx
11JUN12 05:24	Change Serviceability Stat	7100.4 AFHR	0.0	S/I US/I A1PXXJ1208214	XXxxXXxx
11JUN12 05:25	Change Serviceability Stat	7100.4 AFHR	0.0	US/I S/I	XXxxXXxx
21JUN12 10:56	Change Serviceability Stat	7124.9 AFHR	0.1	S/I US/I A1PXXJ1208532	XXxxXXxx
21JUN12 11:19	Change Serviceability Stat	7124.9 AFHR	0.0	US/I S/I	XXxxXXxx
02JUL12 08:53	Change Serviceability Stat	7147.4 AFHR	0.0	S/I US/I A1PXXJ1208997	XXxxXXxx
02JUL12 08:54	Change Serviceability Stat	7147.4 AFHR	0.0	US/I S/I	XXxxXXxx
05JUL12 22:00	Position Change	7159.6 AFHR	2206.9	A23T A2K 00 A23T A2K 00 A1PXXX1206528	XXxxXXxx
17SEP12 23:46	Maintenance Comment Change Serviceability Stat	0.0 55.6	0.0 55.6	POLICY COPY; POSN. AUTH: MPAN 13/2012 NEW MS5=300AFHR/1ELPYR S/I	
13NOV12 22:37	Maintenance Comment	7163.2 AFHR	0.0	US/I A1PXXJ1209820	XXxxXXxx
06DEC12 02:59	Change Serviceability Stat	7163.2 AFHR	79.1	DD ADP-09-DD-12-07 INCOPORATED. REF:MCS1102/12/24/2 A1PXXX1212031	XXxxXXxx
06DEC12 05:43	Maintenance Comment	7163.2 AFHR	0.0	US/I S/I	XXxxXXxx
		7163.2 AFHR		ANNUAL REVIEW OF WING ASSY C/O IAW AAP7001-059 'SATIS'. A1PXXX1212957	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00124  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027  
 PART NO : 557.05.09.953 ~S4080  
 ENGINEERING NAME : WING ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
14FEB13 22:10	Change Part Number of an A Maintenance Comment	0.0	NO PARENT TRANSACTION DETAILS	
07MAR13 06:33	Maintenance Comment	0.0	POLICY COPY, PARTNO. AUTH: MPAN 03/2013 - STI-PC9-0560 ADDED	
	7163.2 AFHR		DESIGN DEVIATION ADP-09-DD-12-071 INCORPORATED	
13MAR13 05:13	Change Serviceability Stat	97.0	A1PXXX1302331	XXxxXXxx
	7163.2 AFHR		S/I	
26MAR13 02:07	Change Serviceability Stat	12.8	US/I	
	7163.2 AFHR		A1PXXJ1205273	XXxxXXxx
03SEP13 23:20	Change Serviceability Stat	0.7	US/I	XXxxXXxx
	7313.2 AFHR		S/I	
09SEP13 06:11	Change Serviceability Stat	5.2	A1PXXJ1304087	XXxxXXxx
	7313.2 AFHR		US/I	
01DEC13 23:12	Change Part Number of an A Maintenance Comment	0.0	NO PARENT TRANSACTION DETAILS	
12DEC13 05:45	Change Serviceability Stat	0.1	POLICY COPY; PARTNO. MPAN 37/2013. STI-PC9-0568 APPLIED	
	7383.9 AFHR		S/I	
12DEC13 09:50	Change Serviceability Stat	0.1	US/I	
	7383.9 AFHR		A1PXXJ1317153	XXxxXXxx
08JAN14 02:45	Maintenance Comment	0.0	US/I	XXxxXXxx
	7383.9 AFHR		S/I	
30JAN14 22:15	Position Change	2780.9	ANNUAL REVIEW OF WING LOG BOOK C/O IAW AAP7001-059	XXxxXXxx
	7395.5 AFHR		A1PXXX1400030	
01MAY14 03:41	Change Serviceability Stat	14.0	A23T A2K 00	
	Maintenance Comment	0.0	A23T A2K 00	
	7462.7 AFHR		A1PXXX1400739	XXxxXXxx
13MAY14 03:48	Change Serviceability Stat	12.0	MPAN 02/2014. MS16 APPLIED. STI-PC9-0550 SUPERCD	
	7462.7 AFHR		S/I	
			US/I	
			A1PXXJ1401276	XXxxXXxx
			S/I	
				XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00125  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027  
 PART NO : 557.05.09.953  
 ENGINEERING NAME : WING ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
05JUN14 05:02	Change Serviceability Stat	7463.9 AFHR	20.9	S/I US/I A1PXXJ1408801	XXxxXXxx
05JUN14 05:06	Change Serviceability Stat	7463.9 AFHR	0.0	US/I S/I	XXxxXXxx
11NOV14 23:32	Maintenance Comment	7631.9 AFHR	0.0	POLICY COPY; POSN. AUTH: MPAN 032/2014. NEW MS18= 270 ELPDYS	XXxxXXxx
22JAN15 02:21	Change Serviceability Stat	7681.3 AFHR	0.0	S/I US/I A1PXXJ1419744	XXxxXXxx
22JAN15 12:29	Change Serviceability Stat	7681.3 AFHR	0.4	US/I S/I	XXxxXXxx
18FEB15 22:51	Change Part Number of an A Maintenance Comment		0.0	NO PARENT TRANSACTION DETAILS AUTH: MPAN 004/2015 - STI-PC9-0581. LOADED DUE: 15APR15	
23MAR15 06:41	Change Serviceability Stat	7751.2 AFHR	0.0	S/I US/I A1PXXJ1502698	XXxxXXxx
23MAR15 06:45	Change Serviceability Stat	7751.2 AFHR	0.0	US/I S/I	XXxxXXxx
07APR15 22:30	Asset Removal		3213.0	A23-033 A2K A23-033 00	A23T A2K 00A
	Change Serviceability Stat	7761.9 AFHR	12.5	S/I U/S	XXxxXXxx
	Change Location of an Asse		3213.0	A23-033 HG122	
07APR15 22:37	Change Serviceability Stat	7761.9 AFHR	0.0	U/S SERV	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00126  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027  
 PART NO : 557.05.09.953  
 ENGINEERING NAME : WING ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
LIFE SINCE NEW		TRANS REFERENCE			
14APR15 05:19	Change Serviceability Stat	6.2	SERV U/S		
	7761.9 AFHR Estimated Date/Time Servic	736067.7	A1PXXU1503864		XXxxXXxx
14APR15 05:19	Change Serviceability Stat	0.0	SERV STAT U/S		
	7761.9 AFHR		SERV		XXxxXXxx
14MAY15 04:57	Asset Installation	36.2	A23T A2K	00	
	7761.9 AFHR		A23-033 A23-033	A23T A2K	XXxxXXxx 00AC
	Change Serviceability Stat	29.9	SERV S/I		
	Change Location of an Asse	36.2	HG122 A23-033		
18MAY15 10:55	Change Serviceability Stat	4.2	S/I US/I		
	7761.9 AFHR		A1PXXJ1505509		XXxxXXxx
02JUN15 09:38	Change Part Number of an A Maintenance Comment	0.0	NO PARENT TRANSACTION DETAILS MPAN 020/2015; STI-PC9-0595 APPLIED: DUE 30SEP15. AK10355838		
09JUN15 22:31	Change Part Number of an A Maintenance Comment	0.0	NO PARENT TRANSACTION DETAILS AUTH MPAN 022/2015. STI-PC9-0597 APPLIED. OBJ.ID: AK10471552		
30JUN15 11:16	Change Part Number of an A Maintenance Comment	0.0	NO PARENT TRANSACTION DETAILS POLICY COPY; PARTNO. RE: MPAN 023/2015. STI-PC9-0598 APPLIED		
22JUL15 04:39	Change Serviceability Stat	64.7	US/I S/I		
	7761.9 AFHR				XXxxXXxx
10SEP15 08:22	Change Part Number of an A Maintenance Comment	0.0	NO PARENT TRANSACTION DETAILS POLICY COPY: PARTNO - STI-PC9-0599 AL.1 - BNF: 10SEP15		
10SEP15 12:53	Change Serviceability Stat	0.3	S/I US/I		
	7839.2 AFHR		A1PXXJ1514083		XXxxXXxx
11SEP15 01:14	Change Serviceability Stat	0.5	US/I S/I		
	7839.2 AFHR				XXxxXXxx



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00127  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027  
 PART NO : 557.05.09.953  
 ENGINEERING NAME : WING ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
26OCT15 00:51	Change Serviceability Stat	2.8	S/I US/I	
	7911.5 AFHR		A1PXXJY618790	XXxxXXxx
27OCT15 02:37	Position Change	165.9	A23T A2K 00 A23T A2K 00	
	7911.5 AFHR		A1PXXX1509950	XXxxXXxx
28OCT15 13:07	Maintenance Comment Change Serviceability Stat	0.0 2.5	POLICY COPY IAW IRN: 253/2015-016 & 028 US/I S/I	
	7911.5 AFHR			XXxxXXxx
23NOV15 01:10	Maintenance Comment	0.0	ANNUAL REVIEW OF WING LOG C/O IAW AAP7001-059	
	7944.3 AFHR		A1PXXX1510938	XXxxXXxx
24NOV15 23:33	Maintenance Comment	0.0	DESIGN DEVIATION ADO-09-DD-15-037 INC	
	7951.6 AFHR		A1PXXX1511006	XXxxXXxx
06JAN16 04:50	Change Serviceability Stat	28.8	S/I US/I	
	7983.8 AFHR		A1PXXJ1510225	XXxxXXxx
06JAN16 05:10	Change Serviceability Stat	0.0	US/I S/I	
	7983.8 AFHR			XXxxXXxx
31MAR16 04:57	Change Serviceability Stat	7.8	S/I US/I	
	8076.5 AFHR		A1PXXJ1605440	XXxxXXxx
21APR16 23:14	Change Serviceability Stat	21.7	US/I S/I	
	8076.5 AFHR			XXxxXXxx
13MAY16 03:42	Maintenance Comment	0.0	DESIGN DEVIATION ADO-09-DD-025 INCORPORATED	
	8076.5 AFHR		A1PXXX1604499	XXxxXXxx
20MAY16 03:13	Maintenance Comment	0.0	DESIGN DEVIATION A23/006/2016 INCORPORATED	
	8076.5 AFHR		A1PXXX1604723	XXxxXXxx
31MAY16 01:00	Maintenance Comment	0.0	DESIGN DEVIATION ADO-09-DD-16-025 INCORPORATED	
	8100.9 AFHR		A1PXXX1605000	XXxxXXxx
20JUN16 05:06	Change Serviceability Stat	0.0	S/I US/I	
	8141.3 AFHR		A1PXXJ1612147	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00128  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027  
 PART NO : 557.05.09.953  
 ENGINEERING NAME : WING ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
20JUN16 06:16	Change Serviceability Stat	0.0	US/I S/I	
29AUG16 23:30	Asset Removal	473.7	A23-033 A23T A2K	XXxxXXxx A23T A2K 00A
	Change Serviceability Stat	0.6	S/I	XXxxXXxx
29AUG16 23:35	Asset Installation	0.0	A23T A2K A23-033	00 A23T A2K 00AC
	Change Serviceability Stat	0.0	SERV S/I	XXxxXXxx
06JAN17 01:23	Maintenance Comment	0.0	ANNUAL REVIEW OF WING LOG BOOK CARRIED OUT	IAW AAP7001-059
03APR17 02:41	Change Serviceability Stat	128.9	A1PXXX1700039	XXxxXXxx
08JUN17 00:08	Change Serviceability Stat	65.8	S/I US/I A1PXXJ1516899	XXxxXXxx
22AUG17 22:21	Change Serviceability Stat	0.6	S/I US/I	XXxxXXxx
22AUG17 22:24	Change Serviceability Stat	0.0	A1PXXJ1715477 US/I S/I	XXxxXXxx
	Change Part Number of an A		NO PARENT TRANSACTION DETAILS	
30OCT17 11:50	Maintenance Comment	0.0	MPAN 065/2017 AL 1 INC'D REF: OID AK15421623	
07NOV17 09:02	Change Serviceability Stat	5.2	S/I US/I A1PXXJ1720248	XXxxXXxx
07NOV17 09:04	Change Serviceability Stat	0.0	US/I S/I	XXxxXXxx
	Change Serviceability Stat			XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00129  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027  
 PART NO : 557.05.09.953  
 ENGINEERING NAME : WING ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
09NOV17 03:08	Change Serviceability Stat			1.7	S/I US/I	
14NOV17 00:52	Change Serviceability Stat	8564.8	AFHR	4.9	A1PXXJ1500990 US/I S/I	XXxxXXxx
04DEC17 01:06	Maintenance Comment	8564.8	AFHR	0.0	ANNUAL REVIEW OF WING LOG BOOK C/OUT IAW AAP 7001.059 A1PXXX1716867	XXxxXXxx
26JUL18 03:23	Maintenance Comment	8564.8	AFHR	0.0	DEVIATION ADO-09-DD-18-006 INC A1PXXX1807293	XXxxXXxx
02OCT18 01:18	Maintenance Comment	8647.9	AFHR	0.0	ANNUAL REVIEW OF WING LOG BOOK C/OUT IAW AAP 7001.059 A1PXXX1809643	XXxxXXxx
01NOV18 02:59	Change Serviceability Stat			0.5	S/I US/I	
10DEC18 09:23	Position Change	8729.8	AFHR	832.4	A1PXXJ1721226 A23T A2K 00 A23T A2K 00	XXxxXXxx
17DEC18 04:17	Maintenance Comment Change Serviceability Stat	8729.8	AFHR	0.0 46.0	POLICY COPY IAW MPAN 045/2018 OID: BM1783034 US/I S/I	XXxxXXxx
17DEC18 05:06	Maintenance Comment	8729.8	AFHR	0.0	ADO-09-DD-18-052 INC'D. REF: AIP MCS 1381/18-2-1 A1PXXX1812615	XXxxXXxx
20MAY19 03:43	Change Serviceability Stat			13.5	S/I US/I	
18JUN19 05:20	Change Serviceability Stat	8891.8	AFHR	29.0	A1PXXJ1711265 US/I S/I	XXxxXXxx
		8891.8	AFHR			XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 027 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 557.05.09.953 ~S4080  
 ENGINEERING NAME : WING ASSY  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY301258	COMPLETED	20JUN06 01:19	5086.1	AFHR		XXXXXXXXXXXXXXXXXXXX
04OCT03 04:53	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		AOA TX REMOVED TO WING 137				20JUN06 01:19
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: TX TO A23-033 A1PXXUY606892

REMOVALS/INSTALLATIONS FOR A1PXXUY301258

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	5763	A23T	A2KGA	00				
	975.44.21.401		04OCT03 04:54	A1PXXJY302367				

A1PXXUY301260	COMPLETED	20JUN06 01:18	5086.1	AFHR		XXXXXXXXXXXXXXXXXXXX
04OCT03 05:03	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		AIRBRAKE ACTUATOR REMOVED SERV TO WING137				20JUN06 01:18
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: TX TO A23-033 A1PXXUY606890

REMOVALS/INSTALLATIONS FOR A1PXXUY301260

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	YH164965	A23T	A2KBE	00				
	4041 H3		04OCT03 05:05	A1PXXJY302368				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 027  
 PART NO : 557.05.09.953 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : WING ASSY  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY401247	COMPLETED	05APR06 05:28	5086.1	AFHR		XXxxXXxxXXxxXXxxXXxx
29JAN04 00:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		LH AILERON REMOVED SERV FOR EAST SALE				05APR06 05:28
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV LH AILERON FITTED IAW 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY401247

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	537	A23T	A2KCA	00	508	A23T	A2KCA	00
	557.51.09.003		29JAN04 00:29	A1PXXJY401597	557.51.09.003		05APR06 05:25	

A1PXXUY502145	COMPLETED	01JUN06 00:30	5086.1	AFHR		XXxxXXxxXXxxXXxxXXxx
21FEB05 00:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MLG ACTUATOR REMOVED SERV TO WING 521				01JUN06 00:30
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV MLG ACT FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY502145

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	YH170749	A23T	A2KBO	00	FYH192353	A23T	A2KBO	00
	4033 H2		21FEB05 00:14	A1PXXJY502848	960.10.01.101		01JUN06 00:28	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : 027  
PART NO : 557.05.09.953 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : WING ASSY  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY507318	COMPLETED	20JUN06 01:14	5086.1	AFHR		XXXXXXXXXXXXXXXXXXXX
29MAR05 04:40	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		AILERON REMOVED FROM MAIN WING ASSY FOR USE ON A23-017				20JUN06 01:14
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: TX TO A23-033 A1PXXUY606889

REMOVALS/INSTALLATIONS FOR A1PXXUY507318

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	033	A23T	A2KCC	00				
	557.51.09.004		29MAR05 04:42	A1PXXJY505361				

A1PXXUY600711	COMPLETED	17MAY06 04:31	5086.1	AFHR		XXXXXXXXXXXXXXXXXXXX
24JAN06 06:16	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		LH INBOARD FLAP REMOVED FOR ACCESS				17MAY06 04:31
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: LH INBOARD FLAP ASSY SN 526 FITTED 2 WING IAW AAP 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY600711

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	025	A23T	A2KCW04	00	526	A23T	A2KCW04	00
	557.52.09.009		24JAN06 06:17	A1PXXJY600837	557.52.09.009		17MAY06 04:28	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 027  
 PART NO : 557.05.09.953 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : WING ASSY  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY605348	COMPLETED	17MAY06 04:47	5086.1	AFHR		XXXXXXXXXXXXXXXXXXXX
17MAY06 04:31	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		RH INBOARD FLAP AND AIRBRAKE ASSEMBLIES RFA				17MAY06 04:47
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: RH INBOARD FLAP AND AIRBRAKE ASSEMBLIES INSTALLED IAW AAP 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY605348

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	528	A23T	A2KCW06	00	502	A23T	A2KCW06	00
	557.52.09.010		17MAY06 04:42	A1PXXJY607562	557.52.09.010		17MAY06 04:43	
002					528	A23T	A2KBA	00
					557.53.09.002		17MAY06 04:44	

A1PXXUY605349	COMPLETED	17MAY06 05:05	5086.1	AFHR		XXXXXXXXXXXXXXXXXXXX
17MAY06 04:52	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		FLAP ACTUATOR, EMERG HYD POWER PACK, LH AND RH DELIVERY JET PUMPS TO BE FITTED TO WING 027				17MAY06 05:05
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: FLAP ACT, EMERG POWER PACK, LH AND RH JET PUMPS FITTED

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00134  
08JAN20  
23:16:15

SERIAL/TAIL NO : 027 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 557.05.09.953 ~S4080  
ENGINEERING NAME : WING ASSY  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY605349

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001					YH191612 4155 H3 MOD A413	A23T	A2KEU 17MAY06 04:55	00
002					B3627 968.84.71.103	A23T	A2KFG 17MAY06 04:56	00
003					B3504 968.84.71.103	A23T	A2KFE 17MAY06 04:57	00
004	YH170742 4039 H2	A23T	A2KBK 17MAY06 05:03	00 A1PXXJY607564	YH167726 4039 H2	A23T	A2KBK 17MAY06 05:04	00

A1PXXUY606034 COMPLETED 01JUN06 00:27 5086.1 AFHR  
31MAY06 05:31 XXXXX  
HYD FLUID LEAKING FRO ORIFICE  
aip001 31MAY06 06:00:52  
HYD FLUID LEAKING FROM ORIFICE ON LH MLG ACT

Maint Acts: SERV MLG ACT FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY606034

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	YH175840 4033 H2	A23T	A2KBM 31MAY06 06:03	00 A1PXXJY608433	FYH177044 4033 H2	A23T	A2KBM 01JUN06 00:24	00
-----	---------------------	------	------------------------	---------------------	----------------------	------	------------------------	----



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00135  
08JAN20  
23:16:15

SERIAL/TAIL NO : 027  
PART NO : 557.05.09.953 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : WING ASSY  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY606091	COMPLETED	01JUN06 02:14	5086.1	AFHR		XXxxXXxxXXxxXXxxXXxx
01JUN06 00:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		LH AND RH BOOSTER PUMPS PREVIOUSLY RFA				01JUN06 02:14
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV LH AND RH BOOSTER PUMPS FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY606091

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001					B3704 RR53710B	A23T	A2KFC 01JUN06 01:27	00
002					B3622 RR53710B	A23T	A2KFA 01JUN06 02:11	00

A1PXXUY606665	COMPLETED	14JUN06 00:10	5086.1	AFHR		XXxxXXxxXXxxXXxxXXxx
13JUN06 23:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0346 due on Serial 713				14JUN06 00:10
		ACT AILERON TRIM at WAC 0920				XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-0346 INC P/N 2196T100-3

A1PXXU1503864	COMPLETED	14MAY15 04:44	7761.9	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
14APR15 05:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			14MAY15 04:44
14APR15 05:21	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AILERON TRIM ACT AND SPRING STRUT RFA				XXxxXXxxXXxxXXxxXXxx

Maint Acts: AILERON TRIM ACT AND SPRING STRUT REFITTED IAW AAP 7212-007-2. REFER AIP MCS 122/15-12#5

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00136  
08JAN20  
23:16:15

SERIAL/TAIL NO : 027  
PART NO : 557.05.09.953 ~S4080  
ENGINEERING NAME : WING ASSY  
VENUE : A23DISP LOCATION : A23-033  
REMOVALS/INSTALLATIONS FOR A1PXXU1503864  
PERIOD: 01JAN90 TO 08JAN20

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	713 2196T100-3	A23T	A2KAY 14APR15 05:23	00 A1PXXJ1505840	713 2196T100-3	A23T	A2KAY 14MAY15 04:43	00
002	L930579 527.10.09.034	A23T	A2KFU 14APR15 05:25	00 A1PXXJ1505841	L930579 527.10.09.034	A23T	A2KFU 14MAY15 04:42	00

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS	UNSERVICEABILITY DETAILS	UNSERVICEABILITY DETAILS	MAINTENANCE COMMENT		
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS	UNSERVICEABILITY DETAILS	UNSERVICEABILITY DETAILS	UNSERVICEABILITY DETAILS		
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT	MAINTENANCE COMMENT	MAINTENANCE COMMENT	MAINTENANCE COMMENT		
A1PXXJY302355	C COMPLETED 20JUN06 02:13	03OCT03 23:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	5086.1	AFHR
01 UNSERVICEABLE	09 R2 SERVICING 13 CORRODED			AIRCRAFT TO BE REBUILT POST WING CHANGE			
12 CORRODED	02 REPAIR						
	Unserviceability Details:			SPAR CAP CORRODED			
	Maintenance Comments:			SPAR CAP REPAIRED			
A1PXXJY525723	C COMPLETED 15JUN06 00:58	14DEC05 06:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	5086.1	AFHR
08 MOD/STI/DVI REQUIRED				STI-PC9-0386 due on Serial 027 WING ASSY at WAC 1500			
01 NO FAULT	08 MOD/STI/DVI INCORP						
	Unserviceability Details:						
	Maintenance Comments:			STI-PC9-0386 C/O NIL DEFECTS FOUND			
A1PXXJY507016	C COMPLETED 14JUN06 00:36	13JUN06 23:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	5086.1	AFHR
08 MOD/STI/DVI REQUIRED				STI-PC9-0307 due on Serial 027 WING ASSY at WAC 1500			
01 NO FAULT	08 MOD/STI/DVI INCORP						
	Unserviceability Details:						
	Maintenance Comments:			STI PC9-0307 PREVIOUSLY INC ON BOOSTER PUMPS S/N B3622 AND (Continued on next page.)			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00137  
08JAN20  
23:16:15

SERIAL/TAIL NO : 027  
PART NO : 557.05.09.953 ~S4080  
ENGINEERING NAME : WING ASSY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

(Continued from previous page.)  
B3704

A1PXXJY507017	C COMPLETED	13JUN06 23:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	5086.1	AFHR
	14JUN06 00:48						
08 MOD/STI/DVI REQUIRED				STI-PC9-0331 due on Serial 027			
				WING ASSY at WAC 1500			
01 NO FAULT		08 MOD/STI/DVI INCORP					
		Unserviceability Details:					
		Maintenance Comments:		STI-PC-0331 INC AND INNER WING REPAIR NO 1 (SRM 57-70-01) LH AND RH INC			
A1PXXJY524084	C COMPLETED	14JUN06 23:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	5086.1	AFHR
	15JUN06 00:56						
08 MOD/STI/DVI REQUIRED				STI-PC9-0379 due on Serial 027			
				WING ASSY at WAC 1500			
01 NO FAULT		08 MOD/STI/DVI INCORP					
		Unserviceability Details:					
		Maintenance Comments:		STI -PC9-0379 C/O NIL DEFECTS FOUND			
A1PXXJY608003	C COMPLETED	21JUN06 00:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	5086.1	AFHR
	21JUN06 00:52						
08 MOD/STI/DVI REQUIRED		99 NO FAILURE		STI-PC9-0403 due on Serial 027			
				WING ASSY at WAC 1500			
01 NO FAULT		08 MOD/STI/DVI INCORP					
		Unserviceability Details:					
		Maintenance Comments:		STI-PC9-0403 INC			
A1PXXJY507019	C COMPLETED	22JUN06 23:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	5086.1	AFHR
	22JUN06 23:26						
08 MOD/STI/DVI REQUIRED				STI-PC9-0355 due on Serial 027			
				WING ASSY at WAC 1500			
01 NO FAULT		08 MOD/STI/DVI INCORP					
		Unserviceability Details:					
		Maintenance Comments:		STI-PC9-0355 INC			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00138  
08JAN20  
23:16:15

SERIAL/TAIL NO : 027  
PART NO : 557.05.09.953 ~S4080  
ENGINEERING NAME : WING ASSY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

1PXXJY507015	C COMPLETED	22JUN06 23:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP 5086.1	AFHR
08 MOD/STI/DVI REQUIRED				7212.007-208 WING ASSY	due on Serial 027 at WAC 1500		
01 NO FAULT		08 MOD/STI/DVI INCORP		Unserviceability Details: Maintenance Comments:	MOD 7212.007-208 INC		

1PXXJY616256	C COMPLETED	15NOV06 04:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP 5232.3	AFHR
08 MOD/STI/DVI REQUIRED		14NOV06 04:42	XXxxXXxx	STI-PC9-422B WING ASSY	due on Serial 027 at WAC 1500		
01 NO FAULT		08 MOD/STI/DVI INCORP		Unserviceability Details: Maintenance Comments:	STI INCORPORATED REFER NDI REPORT 1093/06		

1PXXJY616255	C COMPLETED	15NOV06 04:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP 5232.3	AFHR
08 MOD/STI/DVI REQUIRED		14NOV06 04:42	XXxxXXxx	STI-PC9-422A WING ASSY	due on Serial 027 at WAC 1500		
01 NO FAULT		08 MOD/STI/DVI INCORP		Unserviceability Details: Maintenance Comments:	STI INCORPORATED REFER NDI REPORT 1093/06		

1PXXJY617026	C COMPLETED	15NOV06 06:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP 5232.3	AFHR
08 MOD/STI/DVI REQUIRED		14NOV06 04:42	XXxxXXxx	STI-PC9-0423 WING ASSY	due on Serial 027 at WAC 1500		
01 NO FAULT		08 MOD/STI/DVI INCORP		Unserviceability Details: Maintenance Comments:	STI INC		

1PXXJY510534	C COMPLETED	16NOV06 06:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP 5232.3	AFHR
05 SCHED FUNCTION CHECK/TEST		14NOV06 04:43	XXxxXXxx	FT WING ASSY	due on Serial 027 at WAC 1500		
01 NO FAULT		04 CHECK/TEST SERV					

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00139  
08JAN20  
23:16:15

SERIAL/TAIL NO : 027  
PART NO : 557.05.09.953 ~S4080  
ENGINEERING NAME : WING ASSY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

Unserviceability Details:  
Maintenance Comments: FT C/O

A1PXXJY700283 C COMPLETED 31JAN07 04:51 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
31JAN07 04:53 31JAN07 04:51 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 5306.5 AFHR  
08 MOD/STI/DVI REQUIRED STI-PC9-427B due on Serial 027  
WING ASSY at WAC 1500  
01 NO FAULT 08 MOD/STI/DVI INCORP

Unserviceability Details:  
Maintenance Comments: STI-PC9-0427B CARRIED OUT

A1PXXJY618628 C COMPLETED 03APR07 07:13 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
03APR07 07:14 22MAR07 22:07 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 5383.4 AFHR  
08 MOD/STI/DVI REQUIRED STI-PC9-422A due on Serial 027  
WING ASSY at WAC 1500  
01 NO FAULT 08 MOD/STI/DVI INCORP

Unserviceability Details:  
Maintenance Comments: ASSESSED SERV

A1PXXJY618627 C COMPLETED 03APR07 07:13 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
03APR07 07:14 22MAR07 22:07 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 5383.4 AFHR  
08 MOD/STI/DVI REQUIRED STI-PC9-422B due on Serial 027  
WING ASSY at WAC 1500  
01 NO FAULT 08 MOD/STI/DVI INCORP

Unserviceability Details:  
Maintenance Comments: ASSESSED SERV

A1PXXJY613831 C COMPLETED 03APR07 07:15 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
03APR07 07:16 22MAR07 22:21 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 5383.4 AFHR  
08 MOD/STI/DVI REQUIRED 7212.007-244 due on Serial 027  
WING ASSY at WAC 1500  
01 NO FAULT 08 MOD/STI/DVI INCORP

Unserviceability Details:  
Maintenance Comments: ASSESSED SERV

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00140  
08JAN20  
23:16:15

SERIAL/TAIL NO : 027  
PART NO : 557.05.09.953 ~S4080  
ENGINEERING NAME : WING ASSY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJY706559	C COMPLETED	31JUL07 05:03	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
	31JUL07 05:04	29JUL07 23:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		5533.4	AFHR
08 MOD/STI/DVI REQUIRED				STI-PC9-422A due on Serial 027			
				WING ASSY at WAC 1500			
01 NO FAULT		08 MOD/STI/DVI INCORP					
		Unserviceability Details:					
		Maintenance Comments:		NIL DEFECTS FOUND			

A1PXXJY706560	C COMPLETED	31JUL07 05:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
	31JUL07 05:09	29JUL07 23:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		5533.4	AFHR
08 MOD/STI/DVI REQUIRED				STI-PC9-422B due on Serial 027			
				WING ASSY at WAC 1500			
01 NO FAULT		08 MOD/STI/DVI INCORP					
		Unserviceability Details:					
		Maintenance Comments:		SERV			

A1PXXJY604922	C COMPLETED	19MAY08 02:55	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
	19MAY08 02:59	29NOV07 01:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		5592.6	AFHR
08 MOD/STI/DVI REQUIRED				STI-PC9-0395 due on Serial 027			
				WING ASSY at WAC 1500			
01 NO FAULT		08 MOD/STI/DVI INCORP					
		Unserviceability Details:					
		Maintenance Comments:		STI-PC9-0395 INC (REF 7212.007-229 PW LSN 357/07)			

A1PXXJY615235	C COMPLETED	19MAY08 03:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
	19MAY08 03:11	17SEP07 23:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		5592.6	AFHR
08 MOD/STI/DVI REQUIRED				7212.007-229 due on Serial 027			
				WING ASSY at WAC 1500			
01 NO FAULT		08 MOD/STI/DVI INCORP					
		Unserviceability Details:					
		Maintenance Comments:		MOD 7212.007-229 C/O(REF 229 PW LSN 357/07)			

A1PXXJY615236	C COMPLETED	19MAY08 03:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
	19MAY08 03:32	17SEP07 23:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		5592.6	AFHR
08 MOD/STI/DVI REQUIRED				7212.007-230 due on Serial 027			
				WING ASSY at WAC 1500			
01 NO FAULT		08 MOD/STI/DVI INCORP					

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00141  
08JAN20  
23:16:15

SERIAL/TAIL NO : 027  
PART NO : 557.05.09.953 ~S4080  
ENGINEERING NAME : WING ASSY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

Unserviceability Details:

Maintenance Comments: MOD 7212.007-230 C/O REF 7212.007-230 P/W LSN358/07

A1PXXJY615237	C COMPLETED	19MAY08 03:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	19MAY08 03:35	17SEP07 23:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	5592.6	AFHR	
08 MOD/STI/DVI REQUIRED				7212.007-231 due on Serial 027			
				WING ASSY at WAC 1500			
01 NO FAULT		08 MOD/STI/DVI INCORP					

Unserviceability Details:

Maintenance Comments: MOD 7212.007-231 C/O (REF MOD 231 PW LSN359/07)

A1PXXJY615238	C COMPLETED	19MAY08 04:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	19MAY08 04:51	17SEP07 23:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	5592.6	AFHR	
08 MOD/STI/DVI REQUIRED				7212.007-232 due on Serial 027			
				WING ASSY at WAC 1500			
01 NO FAULT		08 MOD/STI/DVI INCORP					

Unserviceability Details:

Maintenance Comments: MOD 7212.07-232 C/O (REF 7212.007-232 PWLSN360/070)

A1PXXJY708616	C COMPLETED	22MAY08 03:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	22MAY08 03:11	17SEP07 23:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	5592.6	AFHR	
08 MOD/STI/DVI REQUIRED				STI-PC9-0445 due on Serial 027			
				WING ASSY at WAC 1500			
01 NO FAULT		08 MOD/STI/DVI INCORP					

Unserviceability Details:

Maintenance Comments: STI-PC9-449 C/O REF S33 P/WORK LSN 388/07 SHEET 6 NO 7

A1PXXJY714647	C COMPLETED	22MAY08 03:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	22MAY08 03:20	12MAY08 22:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	5592.6	AFHR	
08 MOD/STI/DVI REQUIRED				STI-PC9-422A due on Serial 027			
				WING ASSY at WAC 1500			
01 NO FAULT		08 MOD/STI/DVI INCORP					

Unserviceability Details:

Maintenance Comments: STI-PC9-0422A C/O REF R1 P/WORK SHEET8 NO 7

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00142  
08JAN20  
23:16:15

SERIAL/TAIL NO : 027  
PART NO : 557.05.09.953 ~S4080  
ENGINEERING NAME : WING ASSY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJY714648	C COMPLETED	22MAY08 03:21	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	22MAY08 03:23	12MAY08 22:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		5592.6	AFHR
08 MOD/STI/DVI REQUIRED				STI-PC9-422B due on Serial 027			
				WING ASSY at WAC 1500			
01 NO FAULT		08 MOD/STI/DVI INCORP					
		Unserviceability Details:					
		Maintenance Comments:		STI-PC9-0422B C/O REF RI P/WORK 250/08 SHEET8 NO 7			

A1PXXJY808577	C COMPLETED	25AUG08 07:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	25AUG08 07:22	21AUG08 22:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		5683.4	AFHR
08 MOD/STI/DVI REQUIRED				STI-PC9-422B due on Serial 027			
				WING ASSY at WAC 1500			
01 NO FAULT		08 MOD/STI/DVI INCORP					
		Unserviceability Details:					
		Maintenance Comments:		NDI REPORT NO 755/08			

A1PXXJY808576	C COMPLETED	25AUG08 07:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	25AUG08 07:20	21AUG08 22:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		5683.4	AFHR
08 MOD/STI/DVI REQUIRED				STI-PC9-422A due on Serial 027			
				WING ASSY at WAC 1500			
01 NO FAULT		08 MOD/STI/DVI INCORP					
		Unserviceability Details:					
		Maintenance Comments:		NDI REPORT NO 755/08			

A1PXXJY814196	C COMPLETED	13JAN09 09:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	13JAN09 09:34	11JAN09 23:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		5829.5	AFHR
08 MOD/STI/DVI REQUIRED				STI-PC9-422B due on Serial 027			
				WING ASSY at WAC 1500			
01 NO FAULT		08 MOD/STI/DVI INCORP					
		Unserviceability Details:					
		Maintenance Comments:		STI-PC9-0422A&B INC NIL DEFECTS EVIDENT			

A1PXXJY814195	C COMPLETED	13JAN09 09:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	13JAN09 09:36	11JAN09 23:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		5829.5	AFHR
08 MOD/STI/DVI REQUIRED				STI-PC9-422A due on Serial 027			
				WING ASSY at WAC 1500			
01 NO FAULT		08 MOD/STI/DVI INCORP					



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00143  
08JAN20  
23:16:15

SERIAL/TAIL NO : 027  
PART NO : 557.05.09.953 ~S4080  
ENGINEERING NAME : WING ASSY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

Unserviceability Details:

Maintenance Comments: STI-PC9-0422 RINC NIL DEFECTS EVIDENT

A1PXXJY814909	C COMPLETED	14MAY09 14:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	14MAY09 14:33	10MAY09 23:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	5978.7	AFHR	
08 MOD/STI/DVI REQUIRED				STI-PC9-0483 due on Serial 027			
				WING ASSY at WAC 1500			
01 NO FAULT		08 MOD/STI/DVI INCORP					

Unserviceability Details:

Maintenance Comments: INCORP

A1PXXJY900891	C COMPLETED	14MAY09 14:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	14MAY09 14:35	10MAY09 23:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	5978.7	AFHR	
08 MOD/STI/DVI REQUIRED				STI-PC9-422A due on Serial 027			
				WING ASSY at WAC 1500			
01 NO FAULT		08 MOD/STI/DVI INCORP					

Unserviceability Details:

Maintenance Comments: INCORP

A1PXXJY900890	C COMPLETED	14MAY09 14:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	14MAY09 14:36	10MAY09 23:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	5978.7	AFHR	
08 MOD/STI/DVI REQUIRED				STI-PC9-422B due on Serial 027			
				WING ASSY at WAC 1500			
01 NO FAULT		08 MOD/STI/DVI INCORP					

Unserviceability Details:

Maintenance Comments: INCORP

A1PXXJY918438	C COMPLETED	19AUG09 00:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	19AUG09 01:15	19AUG09 00:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	6127.9	AFHR	
08 MOD/STI/DVI REQUIRED				STI-PC9-0514 due on Serial 027			
				WING ASSY at WAC 1500			
01 NO FAULT		08 MOD/STI/DVI INCORP					

Unserviceability Details:

Maintenance Comments: ASSESSED SERV

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00144  
08JAN20  
23:16:15

SERIAL/TAIL NO : 027  
PART NO : 557.05.09.953 ~S4080  
ENGINEERING NAME : WING ASSY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJY910292	C COMPLETED	20AUG09 02:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	20AUG09 02:46	18AUG09 10:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		6127.9	AFHR
08 MOD/STI/DVI REQUIRED				STI-PC9-422B due on Serial 027			
				WING ASSY at WAC 1500			
01 NO FAULT		08 MOD/STI/DVI INCORP					
		Unserviceability Details:					
		Maintenance Comments:		STI C/O IAW INSTRUCTIONS REF MCS772/09-8-5			

A1PXXJY910290	C COMPLETED	20AUG09 02:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	20AUG09 02:43	18AUG09 10:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		6127.9	AFHR
08 MOD/STI/DVI REQUIRED				STI-PC9-422A due on Serial 027			
				WING ASSY at WAC 1500			
01 NO FAULT		08 MOD/STI/DVI INCORP					
		Unserviceability Details:					
		Maintenance Comments:		STI C/O IAW INSTRUCTIONS REF MCS772/09-8-5			

A1PXXJY918628	C COMPLETED	14DEC09 22:55	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	14DEC09 22:58	07DEC09 22:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		6277.9	AFHR
08 MOD/STI/DVI REQUIRED				STI-PC9-422A due on Serial 027			
				WING ASSY at WAC 1500			
01 NO FAULT		08 MOD/STI/DVI INCORP					
		Unserviceability Details:					
		Maintenance Comments:		C/O			

A1PXXJY918629	C COMPLETED	14DEC09 22:55	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	14DEC09 22:59	07DEC09 22:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		6277.9	AFHR
08 MOD/STI/DVI REQUIRED				STI-PC9-422B due on Serial 027			
				WING ASSY at WAC 1500			
01 NO FAULT		08 MOD/STI/DVI INCORP					
		Unserviceability Details:					
		Maintenance Comments:		C/O			

A1PXXJ1001093	C COMPLETED	20JAN10 00:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	20JAN10 00:49	20JAN10 00:44	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		6277.9	AFHR
13 REMOVED FOR ACCESS				FOR CAMM PURPOSE ONLY			
01 NO FAULT		04 CHECK/TEST SERV					

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00145  
08JAN20  
23:16:15

SERIAL/TAIL NO : 027  
PART NO : 557.05.09.953 ~S4080  
ENGINEERING NAME : WING ASSY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

Unserviceability Details:

Maintenance Comments:

TO MAKE SERV ON CAMM

A1PXXJY926303 C COMPLETED 18MAY10 03:11 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
18MAY10 03:16 13MAY10 03:28 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 6427.4 AFHR  
08 MOD/STI/DVI REQUIRED STI-PC9-422A due on Serial 027  
WING ASSY at WAC 1500

01 NO FAULT 08 MOD/STI/DVI INCORP

Unserviceability Details:

Maintenance Comments:

STI C/I IAW INSTRUCTIONS REF MCS 320/10-9/2

A1PXXJY926305 C COMPLETED 18MAY10 03:11 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
18MAY10 03:17 13MAY10 03:28 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 6427.4 AFHR  
08 MOD/STI/DVI REQUIRED STI-PC9-422B due on Serial 027  
WING ASSY at WAC 1500

01 NO FAULT 08 MOD/STI/DVI INCORP

Unserviceability Details:

Maintenance Comments:

STI C/I IAW INSTRUCTIONS REF MCS 320/10-9/2

A1PXXJ1008743 C COMPLETED 30SEP10 05:38 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
30SEP10 05:40 01SEP10 23:49 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 6574.0 AFHR  
08 MOD/STI/DVI REQUIRED STI-PC9-422B due on Serial 027  
WING ASSY at WAC 1500

01 NO FAULT 08 MOD/STI/DVI INCORP

Unserviceability Details:

Maintenance Comments:

C/O

A1PXXJ1008742 C COMPLETED 30SEP10 05:38 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
30SEP10 05:39 01SEP10 23:49 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 6574.0 AFHR  
08 MOD/STI/DVI REQUIRED STI-PC9-422A due on Serial 027  
WING ASSY at WAC 1500

01 NO FAULT 08 MOD/STI/DVI INCORP

Unserviceability Details:

Maintenance Comments:

C/O

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00146  
08JAN20  
23:16:15

SERIAL/TAIL NO : 027  
PART NO : 557.05.09.953 ~S4080  
ENGINEERING NAME : WING ASSY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJ1017195	C COMPLETED	16MAY11 23:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	16MAY11 23:31	11MAY11 23:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		AIP 6720.5	AFHR
08 MOD/STI/DVI REQUIRED				STI-PC9-422A due on Serial 027			
				WING ASSY at WAC 1500			
01 NO FAULT		08 MOD/STI/DVI INCORP					
		Unserviceability Details:					
		Maintenance Comments:		STI-PC9-422A RINC.			

A1PXXJ1017196	C COMPLETED	16MAY11 23:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	16MAY11 23:33	11MAY11 23:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		AIP 6720.5	AFHR
08 MOD/STI/DVI REQUIRED				STI-PC9-422B due on Serial 027			
				WING ASSY at WAC 1500			
01 NO FAULT		08 MOD/STI/DVI INCORP					
		Unserviceability Details:					
		Maintenance Comments:		STI-PC9-422B RINC.			

A1PXXJ1110139	C COMPLETED	12JUL11 07:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	12JUL11 07:51	12JUL11 07:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		AIP 6735.8	AFHR
08 MOD/STI/DVI REQUIRED				STI-PC9-541A due on Serial 027			
				WING ASSY at WAC 1500			
01 NO FAULT		08 MOD/STI/DVI INCORP					
		Unserviceability Details:					
		Maintenance Comments:		STI-PC9-541A INC RF NDI REPORT 446/11			

A1PXXJ1110140	C COMPLETED	12JUL11 07:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	12JUL11 07:52	12JUL11 07:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		AIP 6735.8	AFHR
08 MOD/STI/DVI REQUIRED				STI-PC9-541B due on Serial 027			
				WING ASSY at WAC 1500			
01 NO FAULT		08 MOD/STI/DVI INCORP					
		Unserviceability Details:					
		Maintenance Comments:		STI-PC9-541B INC REF NDI REPORT 446/11			

A1PXXJ1106976	C COMPLETED	03NOV11 22:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	03NOV11 22:35	20OCT11 02:55	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		AIP 6870.5	AFHR
08 MOD/STI/DVI REQUIRED				STI-PC9-422B due on Serial 027			
				WING ASSY at WAC 1500			
01 NO FAULT		08 MOD/STI/DVI INCORP					

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00147  
08JAN20  
23:16:15

SERIAL/TAIL NO : 027  
PART NO : 557.05.09.953 ~S4080  
ENGINEERING NAME : WING ASSY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

Unserviceability Details:

Maintenance Comments: STI-PC9-422B RINC REF NDI REPORT 673/11

A1PXXJ1110530 C COMPLETED 03NOV11 22:28 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
03NOV11 22:30 20OCT11 02:55 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 6870.5 AFHR  
08 MOD/STI/DVI REQUIRED STI-PC9-541B due on Serial 027  
WING ASSY at WAC 1500  
01 NO FAULT 08 MOD/STI/DVI INCORP

Unserviceability Details:

Maintenance Comments: STI-PC9-541B RINC

A1PXXJ1106975 C COMPLETED 03NOV11 22:28 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
03NOV11 22:33 20OCT11 02:55 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 6870.5 AFHR  
08 MOD/STI/DVI REQUIRED STI-PC9-422A due on Serial 027  
WING ASSY at WAC 1500  
01 NO FAULT 08 MOD/STI/DVI INCORP

Unserviceability Details:

Maintenance Comments: STI-PC9-442A RINC REF NDI REPORT 673/11

A1PXXJ1115595 C COMPLETED 30NOV11 23:17 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
30NOV11 23:18 30NOV11 23:17 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 6870.5 AFHR  
08 MOD/STI/DVI REQUIRED STI-PC9-0469 due on Serial 027  
WING ASSY at WAC 1500  
01 NO FAULT 08 MOD/STI/DVI INCORP

Unserviceability Details:

Maintenance Comments: STI-PC9-0469 C/O IAW STI INSTRUCTIONS REF NDI REPORT 746/11,  
AND MCS1596/11

A1PXXJ1116228 C COMPLETED 18APR12 08:08 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
18APR12 08:13 13APR12 02:54 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 7013.3 AFHR  
08 MOD/STI/DVI REQUIRED STI-PC9-422B due on Serial 027  
WING ASSY at WAC 1500  
01 NO FAULT 08 MOD/STI/DVI INCORP

Unserviceability Details:

Maintenance Comments: STI-PC9-0422 CARRIED OUT REF NDI RE[PORT 166/12 AND MCS 592/12  
SHEET 8 LINE 5

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00148  
08JAN20  
23:16:15

SERIAL/TAIL NO : 027  
PART NO : 557.05.09.953 ~S4080  
ENGINEERING NAME : WING ASSY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
------------	------------------	-------------------	-----------------	--------------	---------------	----------------	--

REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS					
-------------------	-------------------------	----------	--	--	--	--	--

MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS					
---------------	------------------	--------------------------	--	--	--	--	--

FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					
-------------	--------------------------	---------------------	--	--	--	--	--

A1PXXJ1116225	C COMPLETED	18APR12 08:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	18APR12 08:17	13APR12 02:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	7013.3	AFHR
08 MOD/STI/DVI REQUIRED				STI-PC9-541B	due on Serial 027		
				WING ASSY	at WAC 1500		
01 NO FAULT		08 MOD/STI/DVI INCORP					
		Unserviceability Details:					
		Maintenance Comments:		STI-PC9-0541B	CARRIED OUT REF NDI REPORT 167/12 AND MCS 592/12		
					SHEET8 LINE 6		

A1PXXJ1116227	C COMPLETED	18APR12 08:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	18APR12 08:10	13APR12 02:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	7013.3	AFHR
08 MOD/STI/DVI REQUIRED				STI-PC9-422A	due on Serial 027		
				WING ASSY	at WAC 1500		
01 NO FAULT		08 MOD/STI/DVI INCORP					
		Unserviceability Details:					
		Maintenance Comments:		STI-PC9-0422	CARRIED OUT REF NDI REPORT 166/12 AND MCS 592/12		
					SHEET 8 LINE 5		

A1PXXJ1206632	C COMPLETED	11MAY12 02:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	11MAY12 02:04	11MAY12 01:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	7029.5	AFHR
08 MOD/STI/DVI REQUIRED				STI-PC9-549A	due on Serial 027		
				WING ASSY	at WAC 1500		
01 NO FAULT		08 MOD/STI/DVI INCORP					
		Unserviceability Details:					
		Maintenance Comments:		STI-549A	CO REF NDI REPORT 209/12 AND EE 509233-5		

A1PXXJ1206633	C COMPLETED	23MAY12 08:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	23MAY12 08:13	23MAY12 08:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	7053.6	AFHR
08 MOD/STI/DVI REQUIRED				STI-PC9-549B	DUE ON SERIAL 027		
				WING ASSY	AT WAC 1500		
01 NO FAULT		08 MOD/STI/DVI INCORP					
		Unserviceability Details:					
		Maintenance Comments:		C/O			

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00149  
08JAN20  
23:16:15

SERIAL/TAIL NO : 027  
PART NO : 557.05.09.953 ~S4080  
ENGINEERING NAME : WING ASSY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJ1207719	C COMPLETED	31MAY12 23:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
		31MAY12 23:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		7078.0	AFHR
08 MOD/STI/DVI REQUIRED				STI-PC9-549B due on Serial 027			
				WING ASSY at WAC 1500			
01 NO FAULT		08 MOD/STI/DVI INCORP					
		Unserviceability Details:					
		Maintenance Comments:		STI CO REF: 508018-1			

A1PXXJ1208214	C COMPLETED	11JUN12 05:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
		11JUN12 05:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		7100.4	AFHR
08 MOD/STI/DVI REQUIRED				STI-PC9-549B due on Serial 027			
				WING ASSY at WAC 1500			
01 NO FAULT		08 MOD/STI/DVI INCORP					
		Unserviceability Details:					
		Maintenance Comments:		STI-PC9-549B RINC.			

A1PXXJ1208532	C COMPLETED	21JUN12 11:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
		21JUN12 11:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		7124.9	AFHR
08 MOD/STI/DVI REQUIRED				STI-PC9-549B due on Serial 027			
				WING ASSY at WAC 1500			
01 NO FAULT		08 MOD/STI/DVI INCORP					
		Unserviceability Details:					
		Maintenance Comments:		C/O			

A1PXXJ1208997	C COMPLETED	02JUL12 08:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
		02JUL12 08:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		7147.4	AFHR
08 MOD/STI/DVI REQUIRED				STI-PC9-549B due on Serial 027			
				WING ASSY at WAC 1500			
01 NO FAULT		08 MOD/STI/DVI INCORP					
		Unserviceability Details:					
		Maintenance Comments:		STI C/O SERV			

A1PXXJ1110141	C COMPLETED	30OCT12 22:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
		05NOV12 04:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		7163.2	AFHR
08 MOD/STI/DVI REQUIRED		24OCT12 02:03		STI-PC9-541C due on Serial 027			
				WING ASSY at WAC 1500			
01 NO FAULT		08 MOD/STI/DVI INCORP					

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00150  
08JAN20  
23:16:15

SERIAL/TAIL NO : 027 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 557.05.09.953 ~S4080  
ENGINEERING NAME : WING ASSY  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

Unserviceability Details:

Maintenance Comments: STI-PC9-541C IAW ST-PC9-541C P/W XREF MCS 1102/12/21/2 & MCS1102/12/21/4

A1PXXJ1209820 C COMPLETED 06DEC12 02:44 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
06DEC12 02:59 17SEP12 23:46 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 7163.2 AFHR  
19 MMI SERVICING DUE MS5 due on Serial 027  
WING ASSY at WAC 1500

01 NO FAULT

12 MMI SERVICING

Unserviceability Details:

Maintenance Comments: MS5 C/O IAW AAP 7212.007-2 XREF MCS1102/12 SH 9 #5

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS5	1.0	ELPYR			05JUL13

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJ1206634 C COMPLETED 06DEC12 02:55 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
06DEC12 02:59 24OCT12 02:05 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 7163.2 AFHR  
08 MOD/STI/DVI REQUIRED STI-PC9-549C due on Serial 027  
WING ASSY at WAC 1500

01 NO FAULT

08 MOD/STI/DVI INCORP

Unserviceability Details:

Maintenance Comments: STI-PC9-549C INC IAW STI P/W XREF MCS 1102/12/21/3

A1PXXJ1205272 C COMPLETED 25MAR13 00:27 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
26MAR13 02:04 13MAR13 05:13 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 7163.2 AFHR  
08 MOD/STI/DVI REQUIRED STI-PC9-422A due on Serial 027  
WING ASSY at WAC 0000

01 NO FAULT

08 MOD/STI/DVI INCORP



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00151  
08JAN20  
23:16:15

SERIAL/TAIL NO : 027  
PART NO : 557.05.09.953 ~S4080  
ENGINEERING NAME : WING ASSY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

Unserviceability Details:

Maintenance Comments: STI-PC9-422A INC. NDI REPORT NO: 132/13, REFER AIP MCS 1102/12-51-1

A1PXXJ1205273 C COMPLETED 25MAR13 00:27 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
26MAR13 02:07 13MAR13 05:13 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 7163.2 AFHR  
08 MOD/STI/DVI REQUIRED STI-PC9-422B due on Serial 027  
WING ASSY at WAC 0000

01 NO FAULT 08 MOD/STI/DVI INCORP  
Unserviceability Details:  
Maintenance Comments: STI-PC9-422B INC, NDI REPORT NO: 132/13. REFER AIP MCS 1102/12-51-1

A1PXXJ1304087 C COMPLETED 09SEP13 06:09 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
09SEP13 06:11 03SEP13 23:20 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 7313.2 AFHR  
08 MOD/STI/DVI REQUIRED STI-PC9-422A due on Serial 027  
WING ASSY at WAC 0000

01 NO FAULT 08 MOD/STI/DVI INCORP  
Unserviceability Details:  
Maintenance Comments: STI-422 CO REF MCS 1296/13-7-6

A1PXXJ1304088 C COMPLETED 09SEP13 06:09 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
09SEP13 06:11 03SEP13 23:20 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 7313.2 AFHR  
08 MOD/STI/DVI REQUIRED STI-PC9-422B due on Serial 027  
WING ASSY at WAC 0000

01 NO FAULT 08 MOD/STI/DVI INCORP  
Unserviceability Details:  
Maintenance Comments: STI-422 CO REF MCS 1296/13-7-6

A1PXXJ1317153 C COMPLETED 12DEC13 05:45 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
12DEC13 09:50 12DEC13 05:45 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 7383.9 AFHR  
08 MOD/STI/DVI REQUIRED STI-PC9-0568 due on Serial 027  
WING ASSY at WAC 0000

01 NO FAULT 08 MOD/STI/DVI INCORP  
Unserviceability Details:  
Maintenance Comments: STI-PC9-0568 C/O IAW STI INSTRUCTIONS, REF 525373/4-1-2

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : 027 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 557.05.09.953 ~S4080  
ENGINEERING NAME : WING ASSY  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1PXXJ1401276	C	COMPLETED	01MAY14 03:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP
		04MAY14 23:45	05MAY14 03:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	7462.7 AFHR
19	MMI SERVICING DUE			MS16	due on Serial 027		
				WING ASSY	at WAC 0000		
01	NO FAULT		12	MMI SERVICING			
				Unserviceability Details:			
				Maintenance Comments: MS16 CLAIMED IAW MPAN 02/2014. REFER STI-PC9-0550 INC'D; A1PXXU1304008.			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS16	2.0	ELPYR			26MAR15
SM	MS16	2.0	ELPYR			26MAR15

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1PXXJ1407928	C	COMPLETED	13MAY14 03:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP
		13MAY14 03:48	13MAY14 03:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	7462.7 AFHR
14	CONFIGURATION CHANGE			CAMM FIX			
01	NO FAULT		04	CHECK/TEST SERV			
				Unserviceability Details:			
				Maintenance Comments: CAMM FIX			

A1PXXJ1408801	C	COMPLETED	05JUN14 05:02	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP
		05JUN14 05:06	05JUN14 05:02	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	7463.9 AFHR
08	MOD/STI/DVI REQUIRED			STI-PC9-0572	due on Serial 027		
				WING ASSY	at WAC 0000		
01	NO FAULT		08	MOD/STI/DVI INCORP			
				Unserviceability Details:			
				Maintenance Comments: C/O			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : 027  
PART NO : 557.05.09.953 ~S4080  
ENGINEERING NAME : WING ASSY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJ1419744	C COMPLETED	22JAN15 12:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	Y
	22JAN15 12:29	22JAN15 02:21	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	7681.3 AFHR	
19 MMI SERVICING DUE			MS18	due on Serial 027			
			WING ASSY	at WAC 0000			

01 NO FAULT  
12 MMI SERVICING  
Unserviceability Details:  
Maintenance Comments:

MS18 C/O CORROSION FOUND ON STRINGER BETWEEN RIBS 18 AND 19 ON RH WING. C/O IAW AAP7212.007-2 REF 562823-1-1#2

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS18	270.0	ELPDY			
SM	MS18	270.0	ELPDY			

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJ1502698	C COMPLETED	23MAR15 06:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	23MAR15 06:45	23MAR15 06:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	7751.2 AFHR	
08 MOD/STI/DVI REQUIRED			STI-PC9-0581	due on Serial 027			
			WING ASSY	at WAC 0000			

01 NO FAULT  
08 MOD/STI/DVI INCORP  
Unserviceability Details:  
Maintenance Comments:

STI-PC9-0581 C/O IAW STI INSTRUCTIONS NIL DEFECTS EVIDENT REF EE508: 559685/3-1-4

A1PXXJ1505234	C COMPLETED	07APR15 22:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	07APR15 22:37	07APR15 22:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	7761.9 AFHR	
13 REMOVED FOR ACCESS		99 NO FAILURE		WING ASSY AND HARDWARE REMOVED FOR HALF RIB 3 REPAIR			

01 NO FAULT  
04 CHECK/TEST SERV  
Unserviceability Details:

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00154  
08JAN20  
23:16:15

SERIAL/TAIL NO : 027  
PART NO : 557.05.09.953 ~S4080  
ENGINEERING NAME : WING ASSY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

Maintenance Comments: CHECK/TEST SERV

A1PXXJ1507865 C COMPLETED 07APR15 22:38 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
21MAY15 05:42 21MAY15 05:13 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 7761.9 AFHR  
12 DAMAGED 09 R2 SERVICING FROM A23-033: AIPXXU1408303. [R&I: A1PXXJ1505234]  
01 DAMAGED/CRACKED  
15 EXPECTED DETERIORATION 01 REPAIR IN SITU

Unserviceability Details: SRM 57-21-00 REPAIR.03 TBCO. WING REAR SPAR HALF RIB3 STOP DRILLED ON RHS

Maintenance Comments: REPAIR C/O. REFER: AIPMCS 112/15-8/1. NEW ALC=/01. PARTNO=SBI-2B. NEW NDT= 1139 AFHR. NEXT DUE= 8900.9 - IAW A23T TMP PART.3 & SRM SUPP# 118.

A1PXXJ1505509 C COMPLETED 18MAY15 10:55 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
04JUN15 02:36 18MAY15 10:55 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 7761.9 AFHR  
08 MOD/STI/DVI REQUIRED STI-PC9-0591 due on Serial 027  
WING ASSY at WAC 0000  
01 NO FAULT 08 MOD/STI/DVI INCORP

Unserviceability Details:  
Maintenance Comments: CARRIED OUT IAW STI-PC9-0591 REFER MCS 188-3/15

A1PXXJ1508541 C COMPLETED 19JUN15 00:37 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
19JUN15 00:37 19JUN15 00:37 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 7761.9 AFHR  
08 MOD/STI/DVI REQUIRED STI-PC9-0595 due on Serial 027  
WING ASSY at WAC 0000  
01 NO FAULT 08 MOD/STI/DVI INCORP

Unserviceability Details:  
Maintenance Comments: STI C/O NO NEW PANELS FITTED

A1PXXJ1006857 C COMPLETED 22JUL15 04:38 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
22JUL15 04:39 08JUN15 00:32 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 7761.9 AFHR  
08 MOD/STI/DVI REQUIRED 7212.007-254 due on Serial 027  
WING ASSY at WAC 0000  
01 NO FAULT 08 MOD/STI/DVI INCORP

Unserviceability Details:  
Maintenance Comments: MOD 7212.007-254 CO REF MCS 182/15-33-2

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00155  
08JAN20  
23:16:15

SERIAL/TAIL NO : 027  
PART NO : 557.05.09.953 ~S4080  
ENGINEERING NAME : WING ASSY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJ1514083	C COMPLETED	11SEP15 01:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	11SEP15 01:14	10SEP15 12:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		7839.2	AFHR
08 MOD/STI/DVI REQUIRED				STI-PC9-0599 due on Serial 027			
				WING ASSY at WAC 0000			
01 NO FAULT		08 MOD/STI/DVI INCORP					
		Unserviceability Details:					
		Maintenance Comments:		STI-PC9-0599 C/O NIL CRACKS OR CORROSION EVIDENT REF NDT			
				REPORT AIP/NDT/A23-033/041 AND 548807/5-1			

A1PXXJY618790	C COMPLETED	28OCT15 13:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	28OCT15 13:07	26OCT15 00:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		7911.5	AFHR
05 SCHED FUNCTION CHECK/TEST				FT due on Serial 027			
				WING ASSY at WAC 0000			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		S3 AND FT C/O IAW AAP7212.007-2 REF AIP MCS 454/15			

A1PXXJ1510225	C COMPLETED	06JAN16 05:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	06JAN16 05:10	06JAN16 04:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		7983.8	AFHR
08 MOD/STI/DVI REQUIRED				STI-PC9-0598 due on Serial 027			
				WING ASSY at WAC 0000			
01 NO FAULT		08 MOD/STI/DVI INCORP					
		Unserviceability Details:					
		Maintenance Comments:		STI 0598 C/O IAW STI			

A1PXXJ1509008	C COMPLETED	11APR16 04:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	11APR16 04:58	31MAR16 04:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		8076.5	AFHR
08 MOD/STI/DVI REQUIRED				STI-PC9-0597 due on Serial 027			
				WING ASSY at WAC 0000			
01 NO FAULT		08 MOD/STI/DVI INCORP					
		Unserviceability Details:					
		Maintenance Comments:		STI-PC9-0597 CARRIED OUT. LH FITTING 2024-T351. RH FITTING			
				2124-T851. NIL CRACKS EVIDENT. REFER TO NDT REPORT			
				AIP/NDT/A23-033/060.			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00156  
08JAN20  
23:16:15

SERIAL/TAIL NO : 027  
PART NO : 557.05.09.953 ~S4080  
ENGINEERING NAME : WING ASSY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJ1407403	C COMPLETED	12APR16 04:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	12APR16 05:01	31MAR16 23:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		8076.5	AFHR
19 MMI SERVICING DUE				MS16 due on Serial 027			
				WING ASSY at WAC 0000			
01 NO FAULT		12 MMI SERVICING					
		Unserviceability Details:					
		Maintenance Comments:		MS16 SERVICING CARRIED OUT IAW AAP 7212.007-2, NIL CRACKING EVIDENT, REFER AIP MCS 090/16-14-03			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS16	2.0	ELPYR			03MAY16
SM	MS16	2.0	ELPYR			03MAY16

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJ1218636	C COMPLETED	12APR16 04:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	12APR16 05:10	31MAR16 22:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		8076.5	AFHR
19 MMI SERVICING DUE				MS5 due on Serial 027			
				WING ASSY at WAC 0000			
01 NO FAULT		12 MMI SERVICING					
		Unserviceability Details:					
		Maintenance Comments:		MS 5 SERVICING CARRIED IAW AAP 7212.007-2, NIL CORROSION EVIDENT, REFER AIP MCS 090/16-18-01			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS5	234.0	ELPWK			01JUN17
SM	MS5	234.0	ELPWK			01JUN17
SM	MS5	1050.0	AFHR	913.3		

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00157  
08JAN20  
23:16:15

SERIAL/TAIL NO : 027  
PART NO : 557.05.09.953 ~S4080  
ENGINEERING NAME : WING ASSY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJ1605440	C COMPLETED	21APR16 22:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	21APR16 23:14	31MAR16 04:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		8076.5	AFHR
08 MOD/STI/DVI REQUIRED				STI-PC9-0611 due on Serial 027			
				WING ASSY at WAC 0000			
01 NO FAULT		08 MOD/STI/DVI INCORP					
		Unserviceability Details:					
		Maintenance Comments:		STI-PC9-0611 INC, FRETTING/SCORING DAMAGE EVIDENT ON BEARING			
				JOURNALS OF CENTERLINE BEARING BRACKET. REWORK CARRIED OUT IAW			
				DD/006/2016. NDT REPORT NUMBER AIP/NDT/A23-033/061, NIL			
				DEFECTS EVIDENT. REFER AIP MCS 090/16-22-04 AND AIP MCS			
				090/16-18-02			

A1PXXJ1612147	C COMPLETED	20JUN16 06:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	20JUN16 06:16	20JUN16 05:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		8141.3	AFHR
08 MOD/STI/DVI REQUIRED				STI-PC9-0619 due on Serial 027			
				WING ASSY at WAC 0000			
01 NO FAULT		08 MOD/STI/DVI INCORP					
		Unserviceability Details:					
		Maintenance Comments:		STI-PC9-0619 C/O REF P/W 5645661/1-1-1			

A1PXXJ1710353	C COMPLETED	25MAY17 00:04	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	25MAY17 00:55	25MAY17 00:04	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		8406.0	AFHR
08 MOD/STI/DVI REQUIRED				STI-PC9-0645 due on Serial 027			
				WING ASSY at WAC 0000			
01 NO FAULT		08 MOD/STI/DVI INCORP					
		Unserviceability Details:					
		Maintenance Comments:		STI-PC9-0645 INC IAW INSTRUCTIONS REF AIP MCS 1036/16-36-1 AND			
				AIP/NDT/A23-033/091 NIL CRACKS EVIDENT			

A1PXXJ1516899	C COMPLETED	07JUN17 23:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	08JUN17 00:05	03APR17 02:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		8406.0	AFHR
05 SCHED FUNCTION CHECK/TEST				FT due on Serial 027			
				WING ASSY at WAC 0000			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		FT CO REF AIP MCS 036/16-14-1			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 027  
 PART NO : 557.05.09.953 ~S4080  
 ENGINEERING NAME : WING ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

=====  
 A1PXXJ1608273 C COMPLETED 08JUN17 00:07 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 08JUN17 00:08 03APR17 06:08 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 8406.0 AFHR  
 19 MMI SERVICING DUE MS16 due on Serial 027  
 WING ASSY at WAC 0000  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS16 CO NIL FAULTS REF AIP MCS 1036/16-23-5

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS16	2.0	ELPYR			12APR18
SM	MS16	2.0	ELPYR			12APR18

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

=====  
 A1PXXJ1715477 C COMPLETED 22AUG17 22:21 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 22AUG17 22:24 22AUG17 22:21 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 8501.8 AFHR  
 08 MOD/STI/DVI REQUIRED STI-PC9-0654 due on Serial 027  
 WING ASSY at WAC 0000  
 01 NO FAULT 08 MOD/STI/DVI INCORP  
 Unserviceability Details:  
 Maintenance Comments: STI-PC9-0654 INC IAW INSTRUCTIONS NIL CRACKING DETECTED REF:  
 AIP/NDT/A23-033/093 REF: 569403-1

=====  
 A1PXXJ1720248 C COMPLETED 07NOV17 09:02 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 07NOV17 09:04 07NOV17 09:02 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 8564.8 AFHR  
 08 MOD/STI/DVI REQUIRED STI-PC9-0659 due on Serial 027  
 WING ASSY at WAC 0000  
 01 NO FAULT 08 MOD/STI/DVI INCORP  
 Unserviceability Details:  
 Maintenance Comments: STI-PC9-0659 CARRIED OUT IAW STI INSTRUCTIONS, NIL CRACKS OR  
 (Continued on next page.)



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : 027  
PART NO : 557.05.09.953 ~S4080  
ENGINEERING NAME : WING ASSY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

(Continued from previous page.)  
DEFECTS EVIDENT REF: EE508 584757/3-1-4

A1PXXJ1500990	C COMPLETED	09NOV17 22:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	Y
	14NOV17 00:52	09NOV17 03:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	8564.8 AFHR	
19 MMI SERVICING DUE			MS18	due on Serial 027			
01 NO FAULT		12 MMI SERVICING	WING ASSY	at WAC 0000			

Unserviceability Details:  
Maintenance Comments:

MS18 SERVICING C/O VIA EPSS. CORROSION EVIDENT AT LB11 BETWEEN WING SPAR AND SPAR CAP. REFER AIP MCS 1311/17-4#4

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS18	270.0	ELPDY			06MAR18
SM	MS18	270.0	ELPDY			06MAR18

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1PXXJ1721226	C COMPLETED	13DEC18 04:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	17DEC18 04:17	01NOV18 02:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	8729.8 AFHR	
19 MMI SERVICING DUE			MS18	due on Serial 027			
01 NO FAULT		12 MMI SERVICING	WING ASSY	at WAC 0000			

Unserviceability Details:  
Maintenance Comments:

CARRIED OUT. REF: AIP MCS 1381/18

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS18	270.0	ELPDY			20MAY19
SM	MS18	270.0	ELPDY			20MAY19

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00160  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027  
 PART NO : 557.05.09.953 ~S4080  
 ENGINEERING NAME : WING ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
---------------	---------------	----------	---------------	--------------	----------------	----------

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJ1711265	C	COMPLETED	18JUN19 05:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP
		18JUN19 05:20	20MAY19 03:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	8891.8 AFHR
19 MMI SERVICING DUE				MS16	due on Serial 027		
				WING ASSY	at WAC 0000		
01 NO FAULT		12 MMI SERVICING					
		Unserviceability Details:					
		Maintenance Comments:			MS 16 INSPECTIONS C/O IAW ATACSPO MRD WEBSITE PSS.CHAPTER		
					53-20-01NIL DEFECT EVIDENT.REF AIP MCS 272/19 WC 102-103-104		

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS16	2.0	ELPYR			08JUN19
SM	MS16	2.0	ELPYR			08JUN19

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00161  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027  
 PART NO : 557.05.09.953  
 ENGINEERING NAME : WING ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

MOD NUMBER	CURRENT (Y/N)	STATUS	DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE	SINCE	NEW
7212.007-114	Y		19AUG97 00:00	INC					
7212.007-189	Y		11JUL96 00:00	INC					
7212.007-190	Y		31JAN97 00:00	INC					
7212.007-208	N		15NOV00 00:00	NINC					
7212.007-208	Y		22JUN06	INC	A1PXXJY507015	22JUN06 23:30	5086.1		AFHR
7212.007-229	N		26SEP06	NINC					
7212.007-229	Y		19MAY08	INC	A1PXXJY615235	19MAY08 03:09	5592.6		AFHR
7212.007-230	N		26SEP06	NINC					
7212.007-230	Y		19MAY08	INC	A1PXXJY615236	19MAY08 03:30	5592.6		AFHR
7212.007-231	N		26SEP06	NINC					
7212.007-231	Y		19MAY08	INC	A1PXXJY615237	19MAY08 03:34	5592.6		AFHR
7212.007-232	N		26SEP06	NINC					
7212.007-232	Y		19MAY08	INC	A1PXXJY615238	19MAY08 04:49	5592.6		AFHR
7212.007-233	Y		07SEP08	NINC					
7212.007-235	N		26SEP06	NINC					
7212.007-235	Y		17APR07	INC	MANUAL				NOT REC.
7212.007-244	N		05SEP06	NINC					
7212.007-244	Y		03APR07	INC	A1PXXJY613831	03APR07 07:15	5383.4		AFHR
7212.007-254	N		20APR10	NINC					
7212.007-254	Y		22JUL15 04:38	INC	A1PXXJ1006857	22JUL15 04:38	7761.9		AFHR

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00162  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027  
 PART NO : 557.05.09.953  
 ENGINEERING NAME : WING ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

STI STATUS CHANGE								
STI NUMBER	CURRENT (Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW		
=====	=====	=====	=====	=====	=====	=====	=====	=====
STI-PC9-0115	Y	28JUN94 00:00	N/A					
STI-PC9-0116	Y	28JUN94 00:00	N/A					
STI-PC9-0172	Y	11JUL96 00:00	N/A					
STI-PC9-0182	Y	04NOV96 00:00	N/A					
STI-PC9-0243	Y	12JUL00 00:00	RINC					
STI-PC9-0245	N	14JUN01 00:00	RINC					
STI-PC9-0245	N	17SEP03	NINC					
STI-PC9-0245	Y	17SEP03	N/A					
STI-PC9-0298	Y	04JUL03 00:00	N/A					
STI-PC9-0307	N	19SEP03	NINC					
STI-PC9-0307	Y	14JUN06	INC	A1PXXJY507016	13JUN06 23:33	5086.1	AFHR	
STI-PC9-0321	N	02FEB04	NINC					
STI-PC9-0321	Y	02FEB04	N/A					
STI-PC9-0331	N	19APR04	NINC					
STI-PC9-0331	Y	14JUN06	INC	A1PXXJY507017	13JUN06 23:38	5086.1	AFHR	
STI-PC9-0340	N	10AUG04	NINC					
STI-PC9-0340	Y	27JAN11	INC	MANUAL			NOT REC.	
STI-PC9-0355	N	08DEC04	NINC					
STI-PC9-0355	Y	22JUN06	INC	A1PXXJY507019	22JUN06 23:23	5086.1	AFHR	
STI-PC9-0374	N	11JUL05	NINC					
STI-PC9-0374	Y	11JUL05	N/A					
STI-PC9-0379	N	19SEP05	NINC					

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00163  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027  
 PART NO : 557.05.09.953  
 ENGINEERING NAME : WING ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 ~S4080  
 PERIOD: 01JAN90 TO 08JAN20

STI STATUS CHANGE							
STI NUMBER	CURRENT (Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW	
=====	=====	=====	=====	=====	=====	=====	=====
STI-PC9-0379	Y	15JUN06	INC	A1PXXJY524084	14JUN06 23:14	5086.1	AFHR
STI-PC9-0385	N	16OCT05	NINC				
STI-PC9-0385	Y	16OCT05	N/A				
STI-PC9-0386	N	20OCT05	NINC				
STI-PC9-0386	Y	15JUN06	INC	A1PXXJY525723	14DEC05 06:58	5086.1	AFHR
STI-PC9-0389	N	07NOV05	NINC				
STI-PC9-0389	Y	07NOV05	N/A				
STI-PC9-0391	N	28NOV05	NINC				
STI-PC9-0391	Y	28NOV05	N/A				
STI-PC9-0395	N	21MAR06	NINC				
STI-PC9-0395	Y	19MAY08	INC	A1PXXJY604922	19MAY08 02:55	5592.6	AFHR
STI-PC9-0402	N	21MAY06	NINC				
STI-PC9-0402	Y	25MAY06	N/A				
STI-PC9-0403	N	25MAY06	NINC				
STI-PC9-0403	Y	21JUN06	INC	A1PXXJY608003	21JUN06 00:42	5086.1	AFHR
STI-PC9-0406	N	13JUN06	NINC				
STI-PC9-0406	Y	13JUN06	N/A				
STI-PC9-0423	N	24OCT06	NINC				
STI-PC9-0423	Y	16NOV06	INC	A1PXXJY617026	15NOV06 04:08	5232.3	AFHR
STI-PC9-0425	N	05DEC06	NINC				
STI-PC9-0425	Y	06DEC06	N/A				
STI-PC9-0426	N	11DEC06	NINC				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00164  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027  
 PART NO : 557.05.09.953  
 ENGINEERING NAME : WING ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 ~S4080  
 PERIOD: 01JAN90 TO 08JAN20

STI STATUS CHANGE							
STI NUMBER	CURRENT (Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW	
=====	=====	=====	=====	=====	=====	=====	=====
STI-PC9-0426	Y	11DEC06	N/A				
STI-PC9-0436	N	19MAR07	NINC				
STI-PC9-0436	Y	19MAR07	N/A				
STI-PC9-0437	N	09APR07	NINC				
STI-PC9-0437	Y	09APR07	N/A				
STI-PC9-0438	N	09APR07	NINC				
STI-PC9-0438	Y	09APR07	N/A				
STI-PC9-0439	N	09APR07	NINC				
STI-PC9-0439	Y	09APR07	N/A				
STI-PC9-0441	N	23APR07	NINC				
STI-PC9-0441	Y	24APR07	N/A				
STI-PC9-0444	N	30APR07	NINC				
STI-PC9-0444	Y	30APR07	N/A				
STI-PC9-0445	N	30APR07	NINC				
STI-PC9-0445	Y	22MAY08	INC	A1PXXJY708616	22MAY08 03:09	5592.6	AFHR
STI-PC9-0452	N	12JUL07	NINC				
STI-PC9-0452	Y	12JUL07	N/A				
STI-PC9-0469	N	14APR08	NINC				
STI-PC9-0469	Y	30NOV11	INC	A1PXXJ1115595	30NOV11 23:17	6870.5	AFHR
STI-PC9-0483	N	07SEP08	NINC				
STI-PC9-0483	Y	14MAY09	INC	A1PXXJY814909	14MAY09 14:32	5978.7	AFHR
STI-PC9-0509	N	16JUL09	NINC				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00165  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027  
 PART NO : 557.05.09.953  
 ENGINEERING NAME : WING ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

STI STATUS CHANGE								
STI NUMBER	CURRENT (Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW		
=====	=====	=====	=====	=====	=====	=====	=====	=====
STI-PC9-0509	Y	16JUL09	N/A					
STI-PC9-0514	N	18AUG09	NINC					
STI-PC9-0514	Y	19AUG09	INC	A1PXXJY918438	19AUG09 00:14	6127.9	AFHR	
STI-PC9-0523	N	07MAR10	NINC					
STI-PC9-0523	Y	10MAR10	INC	MANUAL			NOT REC.	
STI-PC9-0540	N	27JUN11	NINC					
STI-PC9-0540	Y	27JUN11	N/A					
STI-PC9-0554	Y	17SEP12 00:00	N/A					
STI-PC9-0554	N	17SEP12 02:56	NINC					
STI-PC9-0560	N	14FEB13 22:10	NINC					
STI-PC9-0560	Y	14FEB13 22:31	N/A					
STI-PC9-0568	N	01DEC13 23:12	NINC					
STI-PC9-0568	Y	12DEC13 09:48	INC	A1PXXJ1317153	12DEC13 05:45	7383.9	AFHR	
STI-PC9-0572	N	27MAY14 00:09	NINC					
STI-PC9-0572	Y	05JUN14 05:02	INC	A1PXXJ1408801	05JUN14 05:02	7463.9	AFHR	
STI-PC9-0581	N	18FEB15 22:51	NINC					
STI-PC9-0581	Y	23MAR15 06:43	INC	A1PXXJ1502698	23MAR15 06:42	7751.2	AFHR	
STI-PC9-0591	N	09APR15 05:30	NINC					
STI-PC9-0591	Y	04JUN15 02:35	INC	A1PXXJ1505509	18MAY15 10:55	7761.9	AFHR	
STI-PC9-0595	N	02JUN15 09:38	NINC					
STI-PC9-0595	Y	19JUN15 00:37	INC	A1PXXJ1508541	19JUN15 00:37	7761.9	AFHR	
STI-PC9-0597	N	09JUN15 22:31	NINC					

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00166  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027  
 PART NO : 557.05.09.953  
 ENGINEERING NAME : WING ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 ~S4080  
 PERIOD: 01JAN90 TO 08JAN20

STI STATUS CHANGE									
STI NUMBER	CURRENT (Y/N)	STATUS DATE/TIME		STATUS	JOB/SERV NO	START DATE/TIME		LIFE SINCE NEW	
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
STI-PC9-0597	Y	11APR16	04:56	INC	A1PXXJ1509008	11APR16	04:56	8076.5	AFHR
STI-PC9-0598	N	30JUN15	11:16	NINC					
STI-PC9-0598	Y	06JAN16	05:10	INC	A1PXXJ1510225	06JAN16	05:08	7983.8	AFHR
STI-PC9-0599	N	10SEP15	08:22	NINC					
STI-PC9-0599	Y	11SEP15	01:11	INC	A1PXXJ1514083	11SEP15	01:10	7839.2	AFHR
STI-PC9-0611	N	09MAR16	22:10	NINC					
STI-PC9-0611	Y	21APR16	22:57	INC	A1PXXJ1605440	21APR16	22:57	8076.5	AFHR
STI-PC9-0619	N	30MAY16	02:19	NINC					
STI-PC9-0619	Y	20JUN16	06:15	INC	A1PXXJ1612147	20JUN16	06:15	8141.3	AFHR
STI-PC9-0645	N	23MAY17	07:21	NINC					
STI-PC9-0645	Y	25MAY17	00:53	INC	A1PXXJ1710353	25MAY17	00:04	8406.0	AFHR
STI-PC9-0654	N	08AUG17	10:54	NINC					
STI-PC9-0654	Y	22AUG17	22:22	INC	A1PXXJ1715477	22AUG17	22:21	8501.8	AFHR
STI-PC9-0659	N	30OCT17	11:51	NINC					
STI-PC9-0659	Y	07NOV17	09:03	INC	A1PXXJ1720248	07NOV17	09:02	8564.8	AFHR
STI-PC9-257A	Y	19JUN01	00:00	N/A					
STI-PC9-257B	Y	19JUN01	00:00	N/A					
STI-PC9-257C	N	15APR03	00:00	RINC					
STI-PC9-257C	Y	22JUN06		N/A					
STI-PC9-257C	N	22JUN06		NINC					
STI-PC9-269A	Y	24MAY02	00:00	RINC					
STI-PC9-269B	Y	24MAY02	00:00	RINC					



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00167  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027  
 PART NO : 557.05.09.953  
 ENGINEERING NAME : WING ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

STI NUMBER	CURRENT (Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
STI-PC9-269C	Y	09OCT02 00:00	N/A			
STI-PC9-277A	N	09SEP02 00:00	NINC			
STI-PC9-277A	Y	28MAY03 00:00	N/A			
STI-PC9-277B	N	09SEP02 00:00	NINC			
STI-PC9-277B	Y	28MAY03 00:00	N/A			
STI-PC9-289A	N	08MAY03 00:00	RINC			
STI-PC9-289A	N	19SEP03	NINC			
STI-PC9-289A	Y	19SEP03	N/A			
STI-PC9-289B	Y	28MAY03 00:00	INC			
STI-PC9-422A	N	10OCT06	NINC			
STI-PC9-422A	N	15NOV06	INC	A1PXXJY616255	15NOV06 04:07	5232.3 AFHR
STI-PC9-422A	N	03APR07	RINC	A1PXXJY618628	03APR07 07:13	5383.4 AFHR
STI-PC9-422A	N	31JUL07	RINC	A1PXXJY706559	31JUL07 05:03	5533.4 AFHR
STI-PC9-422A	N	22MAY08	RINC	A1PXXJY714647	22MAY08 03:14	5592.6 AFHR
STI-PC9-422A	N	25AUG08	RINC	A1PXXJY808576	25AUG08 07:17	5683.4 AFHR
STI-PC9-422A	N	13JAN09	RINC	A1PXXJY814195	13JAN09 09:35	5829.5 AFHR
STI-PC9-422A	N	14MAY09	RINC	A1PXXJY900891	14MAY09 14:32	5978.7 AFHR
STI-PC9-422A	N	20AUG09	RINC	A1PXXJY910290	20AUG09 02:40	6127.9 AFHR
STI-PC9-422A	N	14DEC09	RINC	A1PXXJY918628	14DEC09 22:55	6277.9 AFHR
STI-PC9-422A	N	18MAY10	RINC	A1PXXJY926303	18MAY10 03:11	6427.4 AFHR
STI-PC9-422A	N	30SEP10	RINC	A1PXXJ1008742	30SEP10 05:38	6574.0 AFHR
STI-PC9-422A	N	16MAY11	RINC	A1PXXJ1017195	16MAY11 23:29	6720.5 AFHR

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00168  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027  
 PART NO : 557.05.09.953  
 ENGINEERING NAME : WING ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 ~S4080  
 PERIOD: 01JAN90 TO 08JAN20

STI STATUS CHANGE							
STI NUMBER	CURRENT (Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE	SINCE NEW
=====	=====	=====	=====	=====	=====	=====	=====
STI-PC9-422A	N	03NOV11	RINC	A1PXXJ1106975	03NOV11 22:28	6870.5	AFHR
STI-PC9-422A	N	18APR12	RINC	A1PXXJ1116227	18APR12 08:08	7013.3	AFHR
STI-PC9-422A	N	26MAR13 02:01	RINC	A1PXXJ1205272	25MAR13 00:27	7163.2	AFHR
STI-PC9-422A	N	09SEP13 06:10	RINC	A1PXXJ1304087	09SEP13 06:09	7313.2	AFHR
STI-PC9-422A	N	05MAY14 00:00	NINC				
STI-PC9-422A	Y	05MAY14 00:00	N/A				
STI-PC9-422B	N	10OCT06	NINC				
STI-PC9-422B	N	15NOV06	INC	A1PXXJY616256	15NOV06 04:07	5232.3	AFHR
STI-PC9-422B	N	03APR07	RINC	A1PXXJY618627	03APR07 07:13	5383.4	AFHR
STI-PC9-422B	N	31JUL07	RINC	A1PXXJY706560	31JUL07 05:06	5533.4	AFHR
STI-PC9-422B	N	22MAY08	RINC	A1PXXJY714648	22MAY08 03:21	5592.6	AFHR
STI-PC9-422B	N	25AUG08	RINC	A1PXXJY808577	25AUG08 07:17	5683.4	AFHR
STI-PC9-422B	N	13JAN09	RINC	A1PXXJY814196	13JAN09 09:32	5829.5	AFHR
STI-PC9-422B	N	14MAY09	RINC	A1PXXJY900890	14MAY09 14:32	5978.7	AFHR
STI-PC9-422B	N	20AUG09	RINC	A1PXXJY910292	20AUG09 02:40	6127.9	AFHR
STI-PC9-422B	N	14DEC09	RINC	A1PXXJY918629	14DEC09 22:55	6277.9	AFHR
STI-PC9-422B	N	18MAY10	RINC	A1PXXJY926305	18MAY10 03:11	6427.4	AFHR
STI-PC9-422B	N	30SEP10	RINC	A1PXXJ1008743	30SEP10 05:38	6574.0	AFHR
STI-PC9-422B	N	16MAY11	RINC	A1PXXJ1017196	16MAY11 23:29	6720.5	AFHR
STI-PC9-422B	N	03NOV11	RINC	A1PXXJ1106976	03NOV11 22:28	6870.5	AFHR
STI-PC9-422B	N	18APR12	RINC	A1PXXJ1116228	18APR12 08:08	7013.3	AFHR
STI-PC9-422B	N	26MAR13 02:05	RINC	A1PXXJ1205273	25MAR13 00:27	7163.2	AFHR

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00169  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027  
 PART NO : 557.05.09.953  
 ENGINEERING NAME : WING ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 ~S4080  
 PERIOD: 01JAN90 TO 08JAN20

STI NUMBER	CURRENT (Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
STI-PC9-422B	N	09SEP13 06:11	RINC	A1PXXJ1304088	09SEP13 06:09	7313.2 AFHR
STI-PC9-422B	N	05MAY14 00:00	NINC			
STI-PC9-422B	Y	05MAY14 00:00	N/A			
STI-PC9-427B	N	09JAN07	NINC			
STI-PC9-427B	Y	31JAN07	INC	A1PXXJY700283	31JAN07 04:51	5306.5 AFHR
STI-PC9-541A	N	06JUL11	NINC			
STI-PC9-541A	Y	12JUL11	INC	A1PXXJ1110139	12JUL11 07:47	6735.8 AFHR
STI-PC9-541B	N	06JUL11	NINC			
STI-PC9-541B	N	12JUL11	INC	A1PXXJ1110140	12JUL11 07:47	6735.8 AFHR
STI-PC9-541B	N	03NOV11	RINC	A1PXXJ1110530	03NOV11 22:28	6870.5 AFHR
STI-PC9-541B	N	18APR12	RINC	A1PXXJ1116225	18APR12 08:08	7013.3 AFHR
STI-PC9-541B	N	14FEB13 00:00	NINC			
STI-PC9-541B	Y	14FEB13 00:00	N/A			
STI-PC9-541C	N	06JUL11	NINC			
STI-PC9-541C	Y	05NOV12 04:34	INC	A1PXXJ1110141	30OCT12 22:45	7163.2 AFHR
STI-PC9-549A	N	04MAY12	NINC			
STI-PC9-549A	Y	11MAY12	INC	A1PXXJ1206632	11MAY12 02:01	7029.5 AFHR
STI-PC9-549B	N	04MAY12	NINC			
STI-PC9-549B	N	23MAY12	INC	A1PXXJ1206633	23MAY12 08:13	7053.6 AFHR
STI-PC9-549B	N	31MAY12 23:45	RINC	A1PXXJ1207719	31MAY12 23:45	7078.0 AFHR
STI-PC9-549B	N	11JUN12 05:24	RINC	A1PXXJ1208214	11JUN12 05:24	7100.4 AFHR
STI-PC9-549B	N	21JUN12 11:19	RINC	A1PXXJ1208532	21JUN12 11:19	7124.9 AFHR

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00170  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027  
 PART NO : 557.05.09.953 ~S4080  
 ENGINEERING NAME : WING ASSY  
 VENUE : A23DISP LOCATION : A23-033

PERIOD: 01JAN90 TO 08JAN20

STI NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
STI-PC9-549B	N	02JUL12 08:53	RINC	A1PXXJ1208997	02JUL12 08:53	7147.4 AFHR
STI-PC9-549B	N	14FEB13 00:00	NINC			
STI-PC9-549B	Y	14FEB13 00:00	N/A			
STI-PC9-549C	N	04MAY12	NINC			
STI-PC9-549C	Y	06DEC12 02:58	INC	A1PXXJ1206634	06DEC12 02:55	7163.2 AFHR

POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	USER ID
07AUG13 08:36	SM DLD Changed From:	MS6 14SEP1987	XXXXXXxx
31JAN14 01:37	SM DLD Changed From:	MS16 14SEP1987	XXXXXXxx
27JUL15 00:39	SM Claimed	MS18	
20MAY16 04:09	SM Claimed	MS18	
09JUN17 01:50	SM Claimed By Activity:	MS18 R2 US/Job: A1PXXU1606090	XXXXXXxx Serial: A23-033 Part: PC9 ~S4080
23AUG18 06:29	SM Claimed By Activity:	MS18 R2 US/Job: A1PXXU1707725	XXXXXXxx Serial: A23-033 Part: PC9 ~S4080
09JUL19 22:45	SM Claimed By Activity:	MS18 R2 US/Job: A1PXXU1810531	XXXXXXxx Serial: A23-033 Part: PC9 ~S4080

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

CAMM2  
 ASSET HISTORY

SERIAL/TAIL NO : 027  
 PART NO : 557.10.09.001 ~S4080  
 ENGINEERING NAME : WING MAIN SPAR  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 9036.4 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T CHANGE TYPE			SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW							
01SEP03	22:18	Maintenance Comment	3.5	29Aug03	027	15.00 5086.1 AFHR	TX TO CAMM2
		0.0 AFHR			CAMM LOG00004		XXXXXXxx
01SEP03	22:19	Maintenance Comment	3.5	23Oct02	027	15.00 4893.4	0.0 AFHR IN AS A23T 1000-01-00-H
		0.0 AFHR			CAMM LOG00002		XXXXXXxx
01SEP03	22:24	Maintenance Comment	3.5	14Feb87	NEW - 027	557.10.09.001	1000-01-00-H
		0.0 AFHR			CAMM LOG00003		XXXXXXxx
01SEP03	22:25	Maintenance Comment	3.5	23Oct02	XLOC	00. 4893.4	0.0 AFHR RECEPTION (MILX)
		0.0 AFHR			CAMM LOG00001		XXXXXXxx
07MAY09	05:25	Position Change	2077.8	A23T	A2KAC	00	
		5978.7 AFHR		A23T	A2KAC	00	
09MAY09	06:01	Maintenance Comment	0.0	A1PXXXY904750			XXXXXXxx
		5978.7 AFHR		LIF LDG	CHANGED - OLD VALUE= 50000.0	NEW VALUE= 13383.0	XXXXXXxx
05MAY16	09:55	Position Change	4633.0	A23T	A2KAC	00	
		8076.5 AFHR		A23T	A2KAC	00	
		Maintenance Comment	0.0	A1PXXX1604114			XXXXXXxx
01OCT18	22:40	Position Change	5512.5	MPAN 12/2016 NEW TA= 30,000 LDG	IRN:150/2016-003. AK12387596		
		8647.9 AFHR		A23T	A2KAC	00	
		Maintenance Comment	0.0	A23T	A2KAC	00	
				A1PXXX1809609			XXXXXXxx
				POLICY UPDATE IAW MPAN 037/2018			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 027 LITERAL SERIAL NO : A23-033; WING 027 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 557.31.09.142 ~S4080  
ENGINEERING NAME : CONTROL COLUMN SUPPORT BRACKET BEARING  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 9036.4 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC	
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID		
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO		
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED			
10MAR14 13:01	027	557.31.09.142	~S4080	A23T	A2KKA	00
aip04023	AIP	HOLD			A1PXXR1400466	
K. ARUMUGAM		14SEP87		14SEP87		
	7445.6 AFHR					

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00173  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027 LITERAL SERIAL NO : A23-033; WING 027 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 557.31.09.142 ~S4080  
 ENGINEERING NAME : CONTROL COLUMN SUPPORT BRACKET BEARING  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
10MAR14 13:01	Reception History Record	0.0	Reception HOLD	
	7445.6 AFHR			XXxxXXxx
10MAR14 13:36	Asset Installation	9674.5	A23T A2KKA 027 A23-033 00	A23T A2KKA 00AC
	7445.6 AFHR			XXxxXXxx
	Change Serviceability Stat	9674.5	SERV S/I	
	Change Location of an Asse	9674.5	HOLD A23-033	
28APR14 01:58	Change Serviceability Stat	11.0	S/I US/I	
	7462.7 AFHR		A1PXXJ1403847	XXxxXXxx
29APR14 06:56	Change Serviceability Stat	1.2	US/I S/I	
	7462.7 AFHR			XXxxXXxx
29APR14 11:11	Position Change	49.8	A23T A2KKA 00 A23T A2KKA 01	
	7462.7 AFHR		A1PXXX1404253	XXxxXXxx
29APR14 12:18	Maintenance Comment Change Serviceability Stat	0.0 0.2	MS7 C/O REF; MCS 203/14. MATERIAL SPEC = 2024 T351 S/I	
	7462.7 AFHR		US/I A1PXXJ1406931	XXxxXXxx
29APR14 13:23	Change Serviceability Stat	0.0	US/I S/I	
	7462.7 AFHR			XXxxXXxx
31MAR16 23:00	Change Serviceability Stat	8.5	S/I US/I	
	8076.5 AFHR		A1PXXJ1406958	XXxxXXxx
13APR16 05:06	Change Serviceability Stat	12.2	US/I S/I	
	8076.5 AFHR			XXxxXXxx
07JUN17 07:01	Position Change	1184.7	A23T A2KKA 01 A23T A2KKA 01	
	8406.0 AFHR		A1PXXX1709058	XXxxXXxx
	Maintenance Comment	0.0	POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00174  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027 LITERAL SERIAL NO : A23-033; WING 027 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 557.31.09.142 ~S4080  
 ENGINEERING NAME : CONTROL COLUMN SUPPORT BRACKET BEARING  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
02FEB18 00:05	Change Serviceability Stat	91.8	S/I US/I A1PXXJ1608408	XXxxXXxx
12FEB18 09:47	Change Serviceability Stat	10.4	US/I S/I	XXxxXXxx

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJ1403847	C COMPLETED	28APR14 01:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
19 MMI SERVICING DUE		29APR14 06:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		7462.7	AFHR
01 NO FAULT		12 MMI SERVICING		MS7 due on Serial 027			
		Unserviceability Details:		R CONT CLM SPT at WAC 0740			
		Maintenance Comments:		MS7 CARRIED OUT REF AIP/NDT/A23-033/001 MATERIAL SPEC 2024-T351			
A1PXXJ1406931	C COMPLETED	29APR14 12:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
19 MMI SERVICING DUE		29APR14 12:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		7462.7	AFHR
01 NO FAULT		12 MMI SERVICING		MS14 due on Serial 027			
		Unserviceability Details:		R CONT CLM SPT at WAC 0740			
		Maintenance Comments:		MS14 CARRIED OUT IAW MOD 264 INSTRUCTIONS REF AIP MCS 203/14-6-1			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS14	2.0	ELPYR			13SEP89
SM	MS14	2.0	ELPYR			13SEP89



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 027 LITERAL SERIAL NO : A23-033; WING 027 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 557.31.09.142 ~S4080  
ENGINEERING NAME : CONTROL COLUMN SUPPORT BRACKET BEARING  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			

A1PXXJ1406958 C COMPLETED 13APR16 05:04 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 13APR16 05:06 31MAR16 23:00 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 8076.5 AFHR  
 19 MMI SERVICING DUE MS14 due on Serial 027  
 R CONT CLM SPT at WAC 0740  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS14 SERVICING CARRIED OUT IAW AAP 7212.007-2, NIL CRACKS EVIDENT. REFER AIP MCS 090/16-15-04

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS14	2.0	ELPYR			28APR16
SM	MS14	2.0	ELPYR			28APR16

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			

A1PXXJ1608408 C COMPLETED 02FEB18 00:05 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 12FEB18 09:47 02FEB18 00:05 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 8564.8 AFHR  
 19 MMI SERVICING DUE MS14 due on Serial 027  
 R CONT CLM SPT at WAC 0740  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS14 C/O IAW 7212.007-2. NIL CRACKS EVIDENT

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS14	2.0	ELPYR			13APR18
SM	MS14	2.0	ELPYR			13APR18

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00176  
08JAN20  
23:16:15

SERIAL/TAIL NO : 027  
PART NO : SLL-C-1A ~Z5514  
ENGINEERING NAME : NSE SPIG FRM2 ATTCH  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 9036.4 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
22FEB06 00:24	027	SLL-C-1A	~Z5514	A23T	00
aip001	AIP	MMIST		A2KJQ	
L. DOBSON		14SEP87		A1PXXRY600787	
	5086.1 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00177  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027  
 PART NO : SLL-C-1A ~Z5514  
 ENGINEERING NAME : NSE SPIG FRM2 ATTC  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
22FEB06 00:24	Reception History Record	0.0	Reception MMIST	
22FEB06 00:25	Asset Installation	6736.0	A23T A2KJQ 027 027 00	XXXXXXxx
	Change Serviceability Stat	0.0	SERV S/I MMIST HG121	XXXXXXxx
07JUN17 07:32	Position Change	4123.2	A23T A2KJQ 00	
	Maintenance Comment	0.0	A23T A2KJQ 00 A1PXXX1709089 POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE	XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

CAMM2  
 ASSET HISTORY

SERIAL/TAIL NO : 027LH LITERAL SERIAL NO : A23-033; WING 027 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 111.34.07.329 ~S4080  
 ENGINEERING NAME : FLAP BEARING SUPPORT BRACKET LH  
 VENUE : A23DISP LOCATION : A23-033  
 CURRENT CONDITION : S/I LIFE SINCE NEW : 9036.4 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
10MAR14 12:58	027LH	111.34.07.329	~S4080	A23T	00
aip04023	AIP	HOLD		A2KJR	
K. ARUMUGAM		14SEP87		A1PXXR1400464	
	7445.6 AFHR		14SEP87		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

CAMM2  
 ASSET HISTORY

SERIAL/TAIL NO : 027LH LITERAL SERIAL NO : A23-033; WING 027 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 111.34.07.329 ~S4080  
 ENGINEERING NAME : FLAP BEARING SUPPORT BRACKET LH  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
10MAR14 12:58	Reception History Record	0.0	Reception HOLD	
	7445.6 AFHR			XXxxXXxx
10MAR14 13:35	Asset Installation	9674.5	A23T A2KJR 027 A23-033 00	A23T A2KJR 00AC
	7445.6 AFHR			XXxxXXxx
	Change Serviceability Stat	9674.5	SERV S/I	
	Change Location of an Asse	9674.5	HOLD A23-033	
28APR14 01:58	Change Serviceability Stat	11.0	S/I US/I	
	7462.7 AFHR		A1PXXJ1403845	XXxxXXxx
29APR14 06:54	Change Serviceability Stat	1.2	US/I S/I	
	7462.7 AFHR			XXxxXXxx
29APR14 11:10	Position Change	49.8	A23T A2KJR 00 A23T A2KJR 01	
	7462.7 AFHR		A1PXXX1404251	XXxxXXxx
29APR14 12:14	Maintenance Comment Change Serviceability Stat	0.0 0.2	MS7 C/O REF; MCS 203/14. MATERIAL SPEC = 2024 T351	
	7462.7 AFHR		US/I A1PXXJ1406927	XXxxXXxx
29APR14 13:18	Change Serviceability Stat	0.0	US/I S/I	
	7462.7 AFHR			XXxxXXxx
31MAR16 23:00	Change Serviceability Stat	8.5	S/I US/I	
	8076.5 AFHR		A1PXXJ1406955	XXxxXXxx
12APR16 05:21	Change Serviceability Stat	11.2	US/I S/I	
	8076.5 AFHR			XXxxXXxx
07JUN17 07:00	Position Change	1184.7	A23T A2KJR 01 A23T A2KJR 01	
	8406.0 AFHR		A1PXXX1709056	XXxxXXxx
	Maintenance Comment	0.0	POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00180  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027LH LITERAL SERIAL NO : A23-033; WING 027 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 111.34.07.329 ~S4080  
 ENGINEERING NAME : FLAP BEARING SUPPORT BRACKET LH  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
01FEB18 23:53	Change Serviceability Stat	91.8	S/I US/I A1PXXJ1608277	XXxxXXxx
02FEB18 00:21	Change Serviceability Stat	0.0	US/I S/I	XXxxXXxx

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJ1403845	C COMPLETED	28APR14 01:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
19 MMI SERVICING DUE		29APR14 06:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	7462.7	AFHR
01 NO FAULT		12 MMI SERVICING		MS7 due on Serial 027LH			
		Unserviceability Details:		FLAP BRG SUPPORT LH at WAC 0940			
		Maintenance Comments:		MS7 CARRIED OUT REF AIP/NDT/A23-033/001 MATERIAL SPEC 2024-T351			
A1PXXJ1406927	C COMPLETED	29APR14 12:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
19 MMI SERVICING DUE		29APR14 12:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	7462.7	AFHR
01 NO FAULT		12 MMI SERVICING		MS10 due on Serial 027LH			
		Unserviceability Details:		FLAP BRG SUPPORT LH at WAC 0940			
		Maintenance Comments:		MS10 CARRIED OUT IAW MOD 264 INSTRUCTIONS REF AIP MCS 203/14-4-5			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS10	2.0	ELPYR			13SEP89
SM	MS10	2.0	ELPYR			13SEP89

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 027LH LITERAL SERIAL NO : A23-033; WING 027 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 111.34.07.329 ~S4080  
ENGINEERING NAME : FLAP BEARING SUPPORT BRACKET LH  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			

A1PXXJ1406955 C COMPLETED 12APR16 05:18 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 12APR16 05:21 31MAR16 23:00 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 8076.5 AFHR  
 19 MMI SERVICING DUE MS10 due on Serial 027LH  
 FLAP BRG SUPPORT LH at WAC 0940  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS 10 SERVICING CARRIED OUT IAW AAP 7212.007-2, NIL CRACKING  
 EVIDENT, REFER AIP MCS 090/16-15-03

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS10	2.0	ELPYR			28APR16
SM	MS10	2.0	ELPYR			28APR16

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			

A1PXXJ1608277 C COMPLETED 02FEB18 00:04 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 02FEB18 00:21 01FEB18 23:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 8564.8 AFHR  
 19 MMI SERVICING DUE MS10 due on Serial 027LH  
 FLAP BRG SUPPORT LH at WAC 0940  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS10 SERVICING CARRIED OUT IAW AAP 7212.007-2

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS10	2.0	ELPYR			12APR18
SM	MS10	2.0	ELPYR			12APR18

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 027LH  
PART NO : 111.34.07.469 ~S4080  
ENGINEERING NAME : AFT DIHEDRAL LH  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 9036.4 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		

15JUN15 03:52	027LH	111.34.07.469	~S4080	A23T	
aip02017	AIP	MCS			
J. MCLEAN		14SEP87			

7761.9 AFHR



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00183  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027LH  
 PART NO : 111.34.07.469 ~S4080  
 ENGINEERING NAME : AFT DIHEDRAL LH  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS		-----			
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
LIFE SINCE NEW		TRANS REFERENCE			
15JUN15 03:52	Reception History Record	0.0	Reception		
	7761.9 AFHR		MCS		XXxxXXxx
15JUN15 03:53	Maintenance Comment	0.0	CREATED IAW MPAN 022/2015. STI-0595. REF: AK10471552		AK10471552
	7761.9 AFHR		A1PXXX1505291		XXxxXXxx
23AUG18 12:04	Position Change	xxxx	A23T A2KKD 00		
	8564.8 AFHR		A23T A2KKD 00		
	Maintenance Comment	0.0	A1PXXX1808349		XXxxXXxx
19SEP19 02:04	Change Serviceability Stat	0.8	POS CX TO CLEAR COMP DEFAULT POLICY ERROR		
	8990.1 AFHR		S/I		
			US/I		
09OCT19 03:05	Change Serviceability Stat	20.0	A1PXXJ1913559		XXxxXXxx
	8990.1 AFHR		US/I		
			S/I		
					XXxxXXxx

MMI JOBS-----									
JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS		
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW		
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS					
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS					
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT					
A1PXXJ1913559	C COMPLETED	20SEP19 03:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP			
	09OCT19 03:05	19SEP19 02:04	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	8990.1	AFHR		
08 MOD/STI/DVI REQUIRED				STI-PC9-0693	due on	Serial 027LH			
				AFT DIHEDRAL LH	at	WAC 0920			
01 NO FAULT		08 MOD/STI/DVI INCORP							
			Unserviceability Details:						
			Maintenance Comments:						
			STI-PC9-0693 C/O IAW STI INSTRUCTION REF; NDT REPORT #						
			AIP/NDT/A23-033/110 NIL CRACKING DETECTEC,REF AIP MCS						
			860-1/19-4-6.						

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00184  
08JAN20  
23:16:15

SERIAL/TAIL NO : 027LH  
PART NO : 111.34.07.469 ~S4080  
ENGINEERING NAME : AFT DIHEDRAL LH  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

STI STATUS CHANGE -----

STI NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
=====	=====	=====	=====	=====	=====	=====
STI-PC9-0693	N	28AUG19 08:20	NINC			
STI-PC9-0693	Y	09OCT19 03:03	INC	A1PXXJ1913559	20SEP19 03:09	8990.1 AFHR

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 027LH LITERAL SERIAL NO : A23-033; WING 027 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 527.10.09.021 ~S4080  
 ENGINEERING NAME : AILERON OUTER CONTROL ROD  
 VENUE : A23DISP LOCATION : A23-033  
 CURRENT CONDITION : S/I LIFE SINCE NEW : 9036.4 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
10MAR14 13:04	27LH	527.10.09.021	~S4080	A23T	00
aip04023	AIP	HOLD		A2KCB	
K. ARUMUGAM		14SEP87		A1PXXR1400467	
	7445.6 AFHR		14SEP87		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00186  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027LH LITERAL SERIAL NO : A23-033; WING 027 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 527.10.09.021 ~S4080  
 ENGINEERING NAME : AILERON OUTER CONTROL ROD  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
10MAR14 13:04	Reception History Record	0.0	Reception HOLD	
	7445.6 AFHR			XXxxXXxx
10MAR14 13:37	Asset Installation	9674.5	A23T A2KCB 00 027 A23-033	A23T A2KCB 00AC
	7445.6 AFHR			XXxxXXxx
	Change Serviceability Stat	9674.5	SERV S/I	
	Change Location of an Asse	9674.5	HOLD A23-033	
15APR14 06:17	Change Serial Number of an	9710.2	27LH 027LH	
	7457.6 AFHR		A1PXXX1403799	XXxxXXxx
28APR14 01:58	Maintenance Comment	0.0	SERIALNO CHANGED TO REFLECT PARENT WING S/NO:	
	Change Serviceability Stat	11.0	S/I	
	7462.7 AFHR		US/I A1PXXJ1403848	XXxxXXxx
29APR14 06:57	Change Serviceability Stat	1.2	US/I	
	7462.7 AFHR		S/I	XXxxXXxx
29APR14 08:37	Asset Removal	49.7	027 A23-033	A23T A2KCB 00A
	7462.7 AFHR		A23T A2KCB 00	XXxxXXxx
	Change Serviceability Stat	0.0	S/I	
	Change Location of an Asse	49.7	U/S A23-033	
29APR14 08:38	Change Serviceability Stat	0.0	INTMH	
	7462.7 AFHR		U/S SERV	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

CAMM2  
 ASSET HISTORY

SERIAL/TAIL NO : 027LH LITERAL SERIAL NO : A23-033; WING 027 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 527.10.09.021 ~S4080  
 ENGINEERING NAME : AILERON OUTER CONTROL ROD  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
			TRANS REFERENCE		
29APR14 08:39	Asset Installation	0.0	A23T 027	A2KCB A23-033	00 A23T A2KCB 00AC XXXXXXXX
	7462.7 AFHR Change Serviceability Stat	0.0	SERV		
	Change Location of an Asse	0.0	S/I INTMH A23-033		
29APR14 11:12	Position Change	0.1	A23T A23T	A2KCB A2KCB	00 01 XXXXXXXX
	7462.7 AFHR Maintenance Comment	0.0	A1PXXX1404254		
29APR14 12:18	Change Serviceability Stat	0.1	MS7 C/O REF; MCS 203/14. MATERIAL SPEC = 2024 T351		
	7462.7 AFHR Change Serviceability Stat	0.0	S/I US/I A1PXXJ1406933		XXXXXXXX
31MAR16 23:00	Change Serviceability Stat	8.5	S/I US/I A1PXXJ1406959		XXXXXXXX
11APR16 04:37	Asset Removal	712.8	027 A23T	A23-033 A2KCB	01 A23T A2KCB 01A XXXXXXXX
	8076.5 AFHR Change Serviceability Stat	10.2	US/I U/S A23-033		
	Change Location of an Asse	332.9	INTMH		
13APR16 05:18	Change Serviceability Stat	2.0	U/S SERV		XXXXXXXX
	8076.5 AFHR				XXXXXXXX

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 027LH LITERAL SERIAL NO : A23-033; WING 027 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 527.10.09.021 ~S4080  
ENGINEERING NAME : AILERON OUTER CONTROL ROD  
VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
13APR16 05:19	Asset Installation	2.0	A23T A2KCB 027 A23-033 01	A23T A2KCB 01AC XXXXXXXX
	8076.5 AFHR Change Serviceability Stat	0.0	SERV S/I	
	Change Location of an Asse	2.0	INTMH A23-033	
02FEB18 00:06	Change Serviceability Stat	91.8	S/I US/I	
	8564.8 AFHR Change Serviceability Stat	0.0	A1PXXJ1608413	XXXXXX
02FEB18 00:12	Change Serviceability Stat	0.0	US/I S/I	XXXXXX
	8564.8 AFHR			XXXXXX

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJ1403848	C COMPLETED	28APR14 01:58	XXXXXX	XXXXXXXXXXXXXXXXX AIP	AIP		
	29APR14 06:57	28APR14 01:58	XXXXXX	XXXXXXXXXXXXXXXXX AIP	7462.7	AFHR	
19	MMI SERVICING DUE		MS7	due on Serial 027LH			
01	NO FAULT	12	MMI SERVICING	ROD AIL OUTER LH at WAC 0920			
			Unserviceability Details:				
			Maintenance Comments:	MS7 CARRIED OUT REF AIP/NDT/A23-033/001 MATERIAL SPEC 2024-T351			
A1PXXJ1406898	C COMPLETED	29APR14 08:37	XXXXXX	XXXXXXXXXXXXXXXXX AIP	AIP		
	29APR14 08:38	29APR14 08:38	XXXXXX	XXXXXXXXXXXXXXXXX AIP	7462.7	AFHR	
13	REMOVED FOR ACCESS	99	NO FAILURE	MMI ITEMS REMOVED FOR MOD 7212.007-248			
01	NO FAULT	04	CHECK/TEST SERV				
			Unserviceability Details:				
			Maintenance Comments:	CHECK/TEST SERV			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 027LH LITERAL SERIAL NO : A23-033; WING 027 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 527.10.09.021 ~S4080  
ENGINEERING NAME : AILERON OUTER CONTROL ROD  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			

A1PXXJ1406933	C COMPLETED	29APR14 12:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	29APR14 13:24	29APR14 12:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	7462.7	AFHR
19	MMI SERVICING DUE			MS15	due on Serial 027LH		
				ROD AIL OUTER LH	at WAC 0920		
01	NO FAULT	12	MMI SERVICING	Unserviceability Details: Maintenance Comments: MS15 CARRIED OUT IAW MOD 264 INSTRUCTIONS REF AIP MCS 203/14-6-2			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS15	2.0	ELPYR			13SEP89
SM	MS15	2.0	ELPYR			13SEP89

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			

A1PXXJ1406959	C COMPLETED	11APR16 04:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	13APR16 05:18	31MAR16 23:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	8076.5	AFHR
19	MMI SERVICING DUE			MS15	due on Serial 027LH		
				ROD AIL OUTER LH	at WAC 0920		
01	NO FAULT	12	MMI SERVICING	Unserviceability Details: Maintenance Comments: SM15 SERVICING CARRIED OUT IAW AAP 7212.007-2, NIL DEFECTS EVIDENT, REFER AIP MCS 09*0/16-14-05.			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS15	2.0	ELPYR			28APR16
SM	MS15	2.0	ELPYR			28APR16

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

CAMM2  
 ASSET HISTORY

PAGE 00190  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027LH LITERAL SERIAL NO : A23-033; WING 027 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 527.10.09.021 ~S4080  
 ENGINEERING NAME : AILERON OUTER CONTROL ROD  
 VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

=====

A1PXXJ1608164	C	COMPLETED	11APR16 04:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	
		11APR16 04:38	11APR16 04:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	8076.5	AFHR
13		REMOVED FOR ACCESS	99	NO FAILURE	LH AND RH OUTER AILERON ROD RFA.		

01		NO FAULT	04	CHECK/TEST SERV			
				Unserviceability Details:	CHECK/TEST SERV		
				Maintenance Comments:			
A1PXXJ1608413	C	COMPLETED	02FEB18 00:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	
		02FEB18 00:12	02FEB18 00:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	8564.8	AFHR
19		MMI SERVICING DUE		MS15	due on Serial 027LH		
					ROD AIL OUTER LH at WAC 0920		

01		NO FAULT	12	MMI SERVICING			
				Unserviceability Details:			
				Maintenance Comments:	MS15 VISUAL INSPECTION CARRIED OUT IAW AAP 7212.007-2		

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS15	2.0	ELPYR			13APR18
SM	MS15	2.0	ELPYR			13APR18



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00191  
08JAN20  
23:16:15

SERIAL/TAIL NO : 027LH  
PART NO : 532.10.09.129 ~S4080  
ENGINEERING NAME : STRUT FLDG UPPR LH  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 19551.0 LDG

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS	ENTERED AT RECEPTION	DATE UNPACKED		
02OCT15 00:21	027LH	532.10.09.129	~S4080	A23T	00
aip02017	AIP	MCS		A2KKF	
J. MCLEAN		14FEB87		A1PXXR1501460	
	17216.0	LDG			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00192  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027LH  
 PART NO : 532.10.09.129  
 ENGINEERING NAME : STRUT FLDG UPPR LH  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
02OCT15 00:21	Reception History Record	0.0	Reception MCS	
	17216.0 LDG			XXxxXXxx
02OCT15 00:22	Asset Installation	xxxx	A23T A2KKF A23-033 00	A23T A2KKF 00AC
	17216.0 LDG			XXxxXXxx
	Change Serviceability Stat	0.0	SERV S/I MCS A23-033	
	Change Location of an Asse	0.0	S/I US/I A1PXXJ1618724	
30MAR17 05:42	Change Serviceability Stat	125.0	027 A23-033 00	A23T A2KKF 00A
	18354.0 LDG			XXxxXXxx
05MAY17 00:06	Asset Removal	580.9	A23T A2KKF A23-033 00	A23T A2KKF 00AC
	18354.0 LDG			XXxxXXxx
	Change Serviceability Stat	35.7	US/I U/S A23-033	
	Change Location of an Asse	580.9	INTMH U/S SERV	
12MAY17 02:44	Change Serviceability Stat	7.1		
	18354.0 LDG			XXxxXXxx
12MAY17 02:45	Asset Installation	7.1	A23T A2KKF A23-033 00	A23T A2KKF 00AC
	18354.0 LDG			XXxxXXxx
	Change Serviceability Stat	0.0	SERV S/I INTMH A23-033	
	Change Location of an Asse	7.1	NO PARENT TRANSACTION DETAILS	
08JUN17 05:48	Maintenance Comment	0.0	AS PER MPAN 028/2017 OID: AK14587821	
09JUN17 03:24	Change Serviceability Stat	28.0	S/I US/I A1PXXJ1711379	
	18354.0 LDG			XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00193  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027LH  
 PART NO : 532.10.09.129 ~S4080  
 ENGINEERING NAME : STRUT FLDG UPPR LH  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
09JUN17 03:26	Change Serviceability Stat		0.0	US/I S/I	
22MAR18 05:23	Asset Removal	18354.0 LDG	314.1	027 A23T A2KKF A23-033 00	XXxxXXxx A23T A2KKF 00A
	Change Serviceability Stat	18687.0 LDG	140.1	S/I U/S	XXxxXXxx
	Change Location of an Asse		314.1	A23-033 HG122	
22MAR18 05:23	Change Serviceability Stat		0.0	U/S SERV	
28MAR18 05:55	Asset Installation	18687.0 LDG	6.0	A23T A2KKF A23-033 00	XXxxXXxx A23T A2KKF 00AC
	Change Serviceability Stat	18687.0 LDG	6.0	SERV S/I	XXxxXXxx
	Change Location of an Asse		6.0	HG122 A23-033	

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS		UNSERVICEABILITY DETAILS			
MAINT PROCESS	UNSERVICEABILITY	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			
FAULT FOUND	MAINTENANCE ACTION TAKEN						
A1PXXJ1618724	C COMPLETED	05MAY17 00:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	12MAY17 02:44	30MAR17 05:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	18354.0 LDG	
08 MOD/STI/DVI REQUIRED				STI-PC9-0631	due on Serial 027LH		
01 NO FAULT	08 MOD/STI/DVI INCORP			STRUT FLDG UPPR LH	at WAC 0950		
	Unserviceability Details:			STI-PC9-0631 C/O. REF: AIPMCS1044/16			
	Maintenance Comments:						
A1PXXJ1711379	C COMPLETED	09JUN17 03:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	09JUN17 03:26	09JUN17 03:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	18354.0 LDG	
08 MOD/STI/DVI REQUIRED				STI-PC9-0647	due on Serial 027LH		
01 NO FAULT	08 MOD/STI/DVI INCORP			STRUT FLDG UPPR LH	at WAC 0950		

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 027LH  
PART NO : 532.10.09.129 ~S4080  
ENGINEERING NAME : STRUT FLDG UPPR LH  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS		UNSERVICEABILITY DETAILS			
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS		MAINTENANCE COMMENT			
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

Unserviceability Details:

Maintenance Comments: STI-PC9-647 INC REF 576927-4-3-2

A1PXXJ1804965	C COMPLETED	22MAR18 05:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	22MAR18 05:23	22MAR18 05:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	18687.0	LDG
13 REMOVED FOR ACCESS	99 NO FAILURE			BOTH LH AND RH MLG UPPER FOLDING STRUTS RFA. (STI-647).			
01 NO FAULT	04 CHECK/TEST SERV						

Unserviceability Details:

Maintenance Comments: CHECK/TEST SERV

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00195  
08JAN20  
23:16:15

SERIAL/TAIL NO : 027LH  
PART NO : 532.10.09.129 ~S4080  
ENGINEERING NAME : STRUT FLDG UPPR LH  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

STI STATUS CHANGE -----

STI NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
=====	=====	=====	=====	=====	=====	=====
STI-PC9-0631	N	06SEP16 00:12	NINC			
STI-PC9-0631	Y	12MAY17 02:44	INC	A1PXXJ1618724	05MAY17 00:06	18354.0 LDG
STI-PC9-0647	N	08JUN17 05:48	NINC			
STI-PC9-0647	Y	09JUN17 03:25	INC	A1PXXJ1711379	09JUN17 03:25	18354.0 LDG

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

SERIAL/TAIL NO : 027LH                      LITERAL SERIAL NO : 027LH                      PERIOD: 01JAN90 TO 08JAN20  
PART NO : 557.21.09.734                      ~S4080  
ENGINEERING NAME : INBOARD WING BAY  
VENUE : A23DISP                      LOCATION : A23-033  
CURRENT CONDITION : S/I                      LIFE SINCE NEW : 9036.4 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC	
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID		
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO		
	DEFAULT LIFS ENTERED AT RECEPTION		DATE UNPACKED			
29AUG16 23:27	027LH	557.21.09.734	~S4080	A23T	A2KKH	00
aip02188	AIP	MCS			A1PXXR1601416	
R. ORLOWSKI		14SEP87				
	8264.6 AFHR					

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00197  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027LH LITERAL SERIAL NO : 027LH PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 557.21.09.734 ~S4080  
 ENGINEERING NAME : INBOARD WING BAY  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
29AUG16 23:27	Reception History Record	0.0	Reception MCS	
29AUG16 23:31	Asset Installation	xxxx	A23T A2KKH 027 027 00	XXxxXXxx
	8264.6 AFHR			
	Change Serviceability Stat	0.9	SERV S/I	XXxxXXxx
	Change Location of an Asse	0.9	MCS A23-033	
30MAR17 05:42	Change Serviceability Stat	125.0	S/I US/I	
08JUN17 01:01	Change Serviceability Stat	69.8	A1PXXJ1618228	XXxxXXxx
21MAR18 03:41	Change Serviceability Stat	139.0	S/I US/I	XXxxXXxx
22MAR18 05:37	Change Serviceability Stat	1.0	A1PXXJ1711277	XXxxXXxx
23AUG18 12:06	Position Change	723.5	S/I US/I	XXxxXXxx
	8564.8 AFHR			
	Maintenance Comment	0.0	A23T A2KKH 00	
24APR19 12:15	Change Serviceability Stat	0.1	A1PXXX1808353	XXxxXXxx
	8864.2 AFHR			
25APR19 08:29	Change Serviceability Stat	0.8	POS CX TO CLEAR COMP DEFAULT POLICY ERROR	
	8864.2 AFHR			
			S/I US/I A1PXXJ1804970	XXxxXXxx
			S/I	XXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 027LH LITERAL SERIAL NO : 027LH PERIOD: 01JAN90 TO 08JAN20  
PART NO : 557.21.09.734 ~S4080  
ENGINEERING NAME : INBOARD WING BAY  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

1PXXJ1618228	C COMPLETED	08JUN17 01:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	08JUN17 01:01	30MAR17 05:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	8406.0	AFHR
07 SCHED PERFORMANCE MONITOR			NDT	due on Serial 027LH			
			INBOARD WING BAY LH at WAC 0920				
01 NO FAULT	04 CHECK/TEST SERV		Unserviceability Details:				
			Maintenance Comments:		NDT CO REF AIP MCS 1036/17-16-6		

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT	1.0	ELPYR			
SM	NDT	1.0	ELPYR			

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

1PXXJ1711277	C COMPLETED	22MAR18 05:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	22MAR18 05:37	21MAR18 03:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	8564.8	AFHR
07 SCHED PERFORMANCE MONITOR			NDT	due on Serial 027LH			
			INBOARD WING BAY LH at WAC 0920				
01 NO FAULT	04 CHECK/TEST SERV		Unserviceability Details:				
			Maintenance Comments:		NDT1 CARRIED OUT IAW AAP 7212-007-2. NIL ANOMALIES EVIDENT. REF AIP MCS 338/18-7-5		

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT	1.0	ELPYR			08JUN18
SM	NDT	1.0	ELPYR			08JUN18



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 027LH LITERAL SERIAL NO : 027LH PERIOD: 01JAN90 TO 08JAN20  
PART NO : 557.21.09.734 ~S4080  
ENGINEERING NAME : INBOARD WING BAY  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

1PXXJ1804970	C COMPLETED	25APR19 08:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	25APR19 08:29	24APR19 12:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	8864.2	AFHR
07 SCHED PERFORMANCE MONITOR				NDT	due on Serial 027LH		
					INBOARD WING BAY LH at WAC 0920		
01 NO FAULT		04 CHECK/TEST SERV					

Unserviceability Details:  
Maintenance Comments:

INBOARD WING BAY INSPECTION CARRIED IAW AAP 7212-007-2. NIL  
ANOMALIES EVIDENT  
REF EE500 SNOW: 604949/1

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT	1.0	ELPYR			24APR19
SM	NDT	1.0	ELPYR			24APR19

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

SERIAL/TAIL NO : 027LH  
PART NO : SBI-101B ~Z5514  
ENGINEERING NAME : WNG NSE SKN & RIB3  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 9036.4 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC	
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID		
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO		
	DEFAULT LIFS ENTERED AT RECEPTION	DATE UNPACKED				
31JAN07 04:08	027LH	SLL-FS-1A	~Z5514	A23T	A2KIG	00
aip01713	AIP	MMIST			A1PXXRY700828	
R. ROSAM		14SEP87				
	5306.5 AFHR					

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00201  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027LH  
 PART NO : SBI-101B  
 ENGINEERING NAME : WNG NSE SKN & RIB3  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~Z5514

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
31JAN07 04:08	Reception History Record	0.0	Reception MMIST	
31JAN07 04:09	Asset Installation	7079.1	A23T A2KIG 027 A23-033 00	XXxxXXxx
	Change Serviceability Stat	7079.1	SERV S/I MMIST A23-033	XXxxXXxx
	Change Location of an Asse	7079.1	SERV S/I MMIST A23-033	
22MAR07 22:08	Change Serviceability Stat	0.9	SERV S/I MMIST A23-033	
03APR07 06:51	Change Serviceability Stat	11.3	US/I A1PXXJY702273	XXxxXXxx
04APR07 01:26	Change Part Number of an A	7142.0	SERV S/I MMIST A23-033	XXxxXXxx
	Maintenance Comment	0.0	REPAIR PREV INC	
04APR07 01:28	Position Change	62.8	A23T A2KIG 01	
	Maintenance Comment	0.0	REPAIR INC	
04APR07 02:03	Maintenance Comment	0.0	LIF AFHR CHANGED - OLD VALUE= 5383.4 NEW VALUE= 297.3	XXxxXXxx
04APR07 02:14	Maintenance Comment	0.0	SRM 57-21-00 REPAIR NO 01 INC 03AUG06, 5086.1 HRS	XXxxXXxx
09AUG07 03:26	Maintenance Comment	0.0	LIF AFHR CHANGED - OLD VALUE= 459.8 NEW VALUE= 5545.9	XXxxXXxx
28APR14 01:54	Change Serviceability Stat	11.0	SERV S/I MMIST A23-033	
06MAY14 23:15	Change Serviceability Stat	8.8	US/I A1PXXJ1402652	XXxxXXxx
	Maintenance Comment	0.0	REPAIR INC	
	Change Serviceability Stat	7462.7	SERV S/I MMIST A23-033	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00202  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027LH  
 PART NO : SBI-101B  
 ENGINEERING NAME : WNG NSE SKN & RIB3  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~Z5514

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
19MAY15 03:39	Change Serviceability Stat	7761.9 AFHR	53.7	S/I US/I A1PXXJ1407599	XXxxXXxx
22JUL15 04:35	Change Serviceability Stat	7761.9 AFHR	64.0	US/I S/I	XXxxXXxx
10MAR16 10:20	Change Serviceability Stat	8060.7 AFHR	0.0	S/I US/I A1PXXJ1511359	XXxxXXxx
10MAR16 12:59	Change Serviceability Stat	8060.7 AFHR	0.1	US/I S/I	XXxxXXxx
30AUG16 00:52	Maintenance Comment	8264.6 AFHR	0.0	LIF AFHR CHANGED - OLD VALUE= 8264.6 NEW VALUE= 5383.4	XXxxXXxx
30AUG16 01:19	Maintenance Comment	5383.4 AFHR	0.0	LIF AFHR CHANGED - OLD VALUE= 5383.4 NEW VALUE= 8264.6	XXxxXXxx
24OCT16 21:55	Change Serviceability Stat	8388.8 AFHR	0.5	S/I US/I A1PXXJ1605556	XXxxXXxx
24OCT16 22:24	Change Serviceability Stat	8388.8 AFHR	0.0	US/I S/I	XXxxXXxx
07DEC16 12:44	Change Part Number of an A	8406.0 AFHR	3535.4	SLL-FS-1B ~Z5514 SBI-101B ~Z5514 A1PXXX1612977	XXxxXXxx
30MAR17 05:42	Maintenance Comment Change Serviceability Stat	8406.0 AFHR	0.0 125.0	APPLIED MPAN 031/2016 S/I	XXxxXXxx
09MAY17 05:04	Change Serviceability Stat	8406.0 AFHR	39.9	US/I A1PXXJ1622372	XXxxXXxx
07JUN17 07:51	Position Change	8406.0 AFHR	3780.1	S/I A23T A2KIG 01 A23T A2KIG 01 A1PXXX1709099	XXxxXXxx
	Maintenance Comment	8406.0 AFHR	0.0	POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00203  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027LH  
 PART NO : SBI-101B ~Z5514  
 ENGINEERING NAME : WNG NSE SKN & RIB3  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
21MAR18 05:23	Change Serviceability Stat	139.1	S/I US/I A1PXXJ1709238	XXxxXXxx
22MAR18 05:43	Change Serviceability Stat	1.0	US/I S/I	XXxxXXxx
20MAY19 03:43	Change Serviceability Stat	13.5	S/I US/I A1PXXJ1804972	XXxxXXxx
18JUN19 05:39	Change Serviceability Stat	29.0	US/I S/I	XXxxXXxx
	8891.8 AFHR			XXxxXXxx

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJ1402652	C COMPLETED	06MAY14 23:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
07 SCHED PERFORMANCE MONITOR		28APR14 01:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	7462.7	AFHR
01 NO FAULT		04 CHECK/TEST SERV		NDT1		due on Serial 027LH	
		Unserviceability Details:		LWNG NSE SKN TO FUS at WAC 0900			
		Maintenance Comments:		NIL CRACKING EVIDENT.			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT1	300.0	AFHR			
SM	NDT1	300.0	AFHR			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00204  
08JAN20  
23:16:15

SERIAL/TAIL NO : 027LH  
PART NO : SBI-101B ~Z5514  
ENGINEERING NAME : WNG NSE SKN & RIB3  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

1PXXJ1407599	C COMPLETED	21MAY15 06:11	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	22JUL15 04:35	19MAY15 03:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	7761.9	AFHR
07 SCHED PERFORMANCE MONITOR				NDT1	due on Serial 027LH		
				LWNG NSE SKN TO FUS at WAC 0900			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		NDT CO REF MCS 182/15-15-2	NIL VISIBLE CRACKS		

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT1	300.0	AFHR	299.2		
SM	NDT1	300.0	AFHR	299.2		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

1PXXJ1511359	C COMPLETED	10MAR16 12:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	10MAR16 12:59	10MAR16 10:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	8060.7	AFHR
07 SCHED PERFORMANCE MONITOR				NDT1	due on Serial 027LH		
				LWNG NSE SKN TO FUS at WAC 0900			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		NDT C/O SERV NIL DEFECTS EVIDENT REF 558548/2-1-3			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT1	300.0	AFHR	298.8		
SM	NDT1	300.0	AFHR	298.8		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00205  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027LH  
 PART NO : SBI-101B ~Z5514  
 ENGINEERING NAME : WNG NSE SKN & RIB3  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

=====  
 A1PXXJ1605556 C COMPLETED 24OCT16 22:23 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 24OCT16 22:24 24OCT16 21:55 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 8388.8 AFHR  
 07 SCHED PERFORMANCE MONITOR NDT1 due on Serial 027LH  
 LWNG NSE SKN TO FUS at WAC 0900  
 01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: NDT1 CARRIED OUT NIL DEFECTS

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT1	330.0	AFHR	328.1		
SM	NDT1	330.0	AFHR	328.1		

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

=====  
 A1PXXJ1622372 C COMPLETED 09MAY17 05:02 XXxxXXxx XXxxXXxxXXxxXXxx AIP AIP  
 09MAY17 05:04 30MAR17 05:42 XXxxXXxx XXxxXXxxXXxxXXxx AIP 8406.0 AFHR  
 07 SCHED PERFORMANCE MONITOR NDT1 due on Serial 027LH  
 LWNG NSE SKN TO FUS at WAC 0900  
 01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: SBI-101B CARRIED OUT IAW INSTRUCTIONS IN AAP 7212.007-2 CHAP  
 57-10-06. NO CRACKS FOUND. REF AIP MCS 1036/16-15-1

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT1	330.0	AFHR	17.2		
SM	NDT1	330.0	AFHR	17.2		

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00206  
08JAN20  
23:16:15

SERIAL/TAIL NO : 027LH  
PART NO : SBI-101B ~Z5514  
ENGINEERING NAME : WNG NSE SKN & RIB3  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJ1709238	C COMPLETED	22MAR18 05:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	22MAR18 05:43	21MAR18 05:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	8564.8	AFHR	
07 SCHED PERFORMANCE MONITOR				NDT1 due on Serial 027LH			
				LWNG NSE SKN TO FUS at WAC 0900			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		NDT1 CARRIED OUT IAW AAP 7212-007-2. NIL ANOMALIES EVIDENT.			
				REF AIP MCS 338/18-7-5			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT1	330.0	AFHR	158.8		
SM	NDT1	330.0	AFHR	158.8		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJ1804972	C COMPLETED	18JUN19 05:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	18JUN19 05:39	20MAY19 03:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	8891.8	AFHR	
07 SCHED PERFORMANCE MONITOR				NDT1 due on Serial 027LH			
				LWNG NSE SKN TO FUS at WAC 0900			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		LH WING NOSE SKIN TO FUSELAGE INSPECTIONS C/O IAW AAP			
				7212-007-2.NIL DEFECT EVIDENT.CHAPTER 57-10-06			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT1	330.0	AFHR	327.0		
SM	NDT1	330.0	AFHR	327.0		



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00207  
08JAN20  
23:16:15

SERIAL/TAIL NO : 027LH  
PART NO : SBI-101B ~Z5514  
ENGINEERING NAME : WNG NSE SKN & RIB3  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MAINTENANCE POLICY HISTORY -----

POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	CHANGE DETAILS	USER ID
09AUG07 03:31	SM	NDT	DLD Changed From: 14SEP1987 To:	XXxxXXxx
03AUG17 13:47	SM	BS9	LLD Changed From: 0.0 AFHR To: 5383.4 AFHR	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00208  
08JAN20  
23:16:15

SERIAL/TAIL NO : 027LH  
PART NO : SBI-102B ~Z5514  
ENGINEERING NAME : WNG RSPAR HLF R3  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 9036.4 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC	
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID		
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO		
	DEFAULT LIFS ENTERED AT RECEPTION	DATE UNPACKED				
31JAN07 04:13	027LH	SLL-FS-2A	~Z5514	A23T	A2KIK	00
aip01713	AIP	MMIST			A1PXXRY700831	
R. ROSAM		14SEP87				
	5306.5 AFHR					

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00209  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027LH  
 PART NO : SBI-102B ~Z5514 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : WNG RSPAR HLF R3  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
31JAN07 04:13	Reception History Record	0.0	Reception MMIST	
31JAN07 04:14	Asset Installation	7079.1	A23T A2KIK 00 027 A23-033	XXxxXXxx A23T A2KIK 00AC XXxxXXxx
	Change Serviceability Stat	7079.1	SERV S/I MMIST A23-033	
	Change Location of an Asse	7079.1	SERV S/I MMIST A23-033	
21AUG08 22:20	Change Serviceability Stat	0.6	S/I US/I A1PXXJY702278	XXxxXXxx
15SEP08 12:24	Change Serviceability Stat	24.5	S/I US/I	XXxxXXxx
20OCT11 03:32	Change Serviceability Stat	2.7	S/I US/I A1PXXJY815408	XXxxXXxx
03NOV11 23:00	Change Serviceability Stat	14.8	S/I US/I	XXxxXXxx
07APR15 22:38	Change Serviceability Stat	12.5	S/I US/I	XXxxXXxx
21MAY15 05:38	Change Part Number of an A	xxxx	SLL-FS-2A ~Z5514 SBI-2B ~Z5514 A1PXXX1504373	XXxxXXxx
21MAY15 05:40	Maintenance Comment Position Change	0.0 3032.0	PARTNO= SBI-2B. NEW ALC= /01. NEW NDT= 1139 NEXT DUE= 8900.9 A23T A2KIK 00 A23T A2KIK 01	XXxxXXxx
21MAY15 05:41	Maintenance Comment Change Serviceability Stat	0.0 43.2	A1PXXX1504375 SRM 57-21-00 REP.03 C/O IAW SUPP#118 REF: AIPMCS 122/15 -7/6 US/I S/I	XXxxXXxx
	Change Serviceability Stat	7761.9	AFHR	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00210  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027LH  
 PART NO : SBI-102B ~Z5514  
 ENGINEERING NAME : WNG RSPAR HLF R3  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS		-----				
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER	
LIFE SINCE NEW		TRANS REFERENCE				
=====						
07DEC16	11:52	Change Part Number of an A	566.2	SBI-2B SBI-102B A1PXXX1612969	~Z5514 ~Z5514 XXxxXXxx	
		8406.0 AFHR Maintenance Comment	0.0	APPLIED MPAN 031/2016		
07JUN17	07:51	Position Change	3780.1	A23T A2KIK 01 A23T A2KIK 01		
		8406.0 AFHR Maintenance Comment	0.0	A1PXXX1709100	XXxxXXxx	
09JUN17	05:28	Position Change	3782.0	POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE A23T A2KIK 01 A23T A2KIK 01		
		8406.0 AFHR Maintenance Comment	0.0	A1PXXX1709247	XXxxXXxx	
03JAN18	06:33	Position Change	3990.0	POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE A23T A2KIK 01 A23T A2KIK 01		
		8564.8 AFHR Maintenance Comment	0.0	A1PXXX1800006	XXxxXXxx	
05JAN18	04:03	Change Serviceability Stat	64.0	MPAN 077/2017 POLICY COPY S/I US/I		
		8564.8 AFHR		A1PXXJ1116236	XXxxXXxx	
08JAN18	05:56	Change Serviceability Stat	3.0	US/I S/I		
		8564.8 AFHR			XXxxXXxx	
02NOV18	03:24	Change Serviceability Stat	1.5	S/I US/I		
		8729.8 AFHR		A1PXXJ1800403	XXxxXXxx	
11DEC18	02:10	Change Serviceability Stat	38.9	US/I S/I		
		8729.8 AFHR			XXxxXXxx	
20MAY19	03:43	Change Serviceability Stat	13.5	S/I US/I		
		8891.8 AFHR		A1PXXJ1821309	XXxxXXxx	
06JUN19	01:31	Change Serviceability Stat	16.9	US/I S/I		
		8891.8 AFHR			XXxxXXxx	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00211  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027LH  
 PART NO : SBI-102B ~Z5514  
 ENGINEERING NAME : WNG RSPAR HLF R3  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS		LIFE SINCE NEW		SPAN(DYS)	FROM	TO (OPTIONAL)	USER
TRANSACTION	D/T	CHANGE	TYPE		TO (OPTIONAL)	TRANS REFERENCE	
19SEP19	02:08	Change	Serviceability Stat	0.8	S/I		
			8990.1 AFHR		US/I	A1PXXJ1909563	XXxxXXxx
09OCT19	03:09	Change	Serviceability Stat	20.0	US/I		
			8990.1 AFHR		S/I		XXxxXXxx

MMI JOBS									
JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS		
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW			
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT					
A1PXXJY702278	C COMPLETED	15SEP08 12:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP			
	15SEP08 12:24	21AUG08 22:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	5683.4	AFHR		
18 SPECIAL SERVICING DUE				NDT	due on Serial 027LH				
				LWNG RSPAR HLF R3	at WAC 0900				
01 NO FAULT		11 SPECIAL SERVICING		Unserviceability Details:					
				Maintenance Comments:			SERV		

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT	5686.1	AFHR	5683.4		
SM	NDT	5686.1	AFHR	5683.4		

MMI JOBS									
JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS		
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW			
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT					
A1PXXJY815408	C COMPLETED	03NOV11 22:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP			
	03NOV11 23:00	20OCT11 03:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	6870.5	AFHR		
18 SPECIAL SERVICING DUE				NDT	due on Serial 027LH				
				LWNG RSPAR HLF R3	at WAC 0900				
01 NO FAULT		11 SPECIAL SERVICING							

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : 027LH  
PART NO : SBI-102B ~Z5514 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : WNG RSPAR HLF R3  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			

Unserviceability Details:  
Maintenance Comments: NDT C/O REF NDI REPORT 675/11

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT	1200.0	AFHR	1187.1		
SM	NDT	1200.0	AFHR	1187.1		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			

A1PXXJ1507866	C COMPLETED	07APR15 22:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	21MAY15 05:41	21MAY15 05:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	7761.9	AFHR
14	CONFIGURATION CHANGE	33 DURING CONFIGURATION CHANGE		SRM 57-21-00 REPAIR.03 TBCO [TASPO REQUEST]			
09	OUT OF LIMITS	06 OUT OF LIMITS					
		01 REPAIR IN SITU					

Unserviceability Details: LHS WING REAR SPAR HALF RIB3 REPAIR IAW SRM RAAF SUPP# 118.  
Maintenance Comments: REPAIR C/O. REFER: AIPMCS 112/15-8/1. NEW ALC=/01. PARTNO=SBI-2B. NEW NDT= 1139 AFHR. NEXT DUE= 8900.9 - IAW A23T TMP PART.3 & SRM SUPP# 118.

A1PXXJ1116236	C COMPLETED	08JAN18 05:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	08JAN18 05:56	05JAN18 04:03	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	8564.8	AFHR
07	SCHED PERFORMANCE MONITOR			NDT		due on Serial 027LH	
				LWNG RSPAR HLF R3		at WAC 0900	

01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: NDT CARRIED OUT IAW AAP 7212.007-36 SECT 4 CHAP 8. NIL CRACKS EVIDENT. REFER TO NDT REPORT AIP/NDT/A23-033/096.

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00213  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027LH  
 PART NO : SBI-102B ~Z5514  
 ENGINEERING NAME : WNG RSPAR HLF R3  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT	165.0	AFHR	802.9		
SM	NDT	165.0	AFHR	802.9		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJ1800403	C COMPLETED	11DEC18 02:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
07 SCHED PERFORMANCE MONITOR		11DEC18 02:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	8729.8	AFHR
01 NO FAULT				NDT	due on Serial 027LH		
				LWNG RSPAR HLF R3	at WAC 0900		
		04 CHECK/TEST SERV		Unserviceability Details:			
				Maintenance Comments: NDT CARRIED OUT IAW AAP 7212.007-36 SECT 4 CHAP 8. NIL CRACKS EVIDENT. REFER TO NDT REPORT AIP/NDT/A23-033/103.			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT	165.0	AFHR	165.0		
SM	NDT	165.0	AFHR	165.0		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJ1821309	C COMPLETED	06JUN19 01:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
07 SCHED PERFORMANCE MONITOR		06JUN19 01:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	8891.8	AFHR
01 NO FAULT				NDT	due on Serial 027LH		
				LWNG RSPAR HLF R3	at WAC 0900		
		04 CHECK/TEST SERV		Unserviceability Details:			
				Maintenance Comments: NDT CARRIED OUT IAW AAP 7212.007-36 SECT 4 CHAP 8. NIL CRACKING DETECTED REF: AIP/NDT/A23-033/104 REF: AIP MCS 272-1/19-7-1&2			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00214  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027LH  
 PART NO : SBI-102B ~Z5514  
 ENGINEERING NAME : WNG RSPAR HLF R3  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT	165.0	AFHR	162.0		
SM	NDT	165.0	AFHR	162.0		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1PXXJ1909563 C COMPLETED 20SEP19 03:08 XXxxXXxx XXxxXXxxXXxxXXxx AIP AIP  
 09OCT19 03:09 19SEP19 02:08 XXxxXXxx XXxxXXxxXXxxXXxx AIP 8990.1 AFHR  
 07 SCHED PERFORMANCE MONITOR NDT due on Serial 027LH  
 LWNG RSPAR HLF R3 at WAC 0900

01 NO FAULT

04 CHECK/TEST SERV

Unserviceability Details:  
 Maintenance Comments:

NDT C/O IAW AAP 7212.007-36 SECT 4 CHAP 8.NIL CRACKING  
 DETECTED.REF; NDT REPORT # AIP/NDT/A23-033/111.AIP MCS  
 860-1/19-5-1.

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT	165.0	AFHR	98.3		
SM	NDT	165.0	AFHR	98.3		



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

SERIAL/TAIL NO : 027LH  
PART NO : SBI-102B ~Z5514  
ENGINEERING NAME : WNG RSPAR HLF R3  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	USER ID
21MAY15 06:01	SM	NDT	XXxxXXxx
	DLD Changed From: 03NOV2011 To:		

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00216  
08JAN20  
23:16:15

SERIAL/TAIL NO : 027LH  
PART NO : SBI-103B ~Z5514  
ENGINEERING NAME : WNG RSPAR UP FLNG  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 9036.4 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
31JAN07 04:19	027LH	SLL-FS-3A	~Z5514 A23T	A2KIO	00
aip01713	AIP	MMIST		A1PXXRY700835	
R. ROSAM		14SEP87			
	5306.5 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00217  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027LH  
 PART NO : SBI-103B ~Z5514 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : WNG RSPAR UP FLNG  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS		-----									
TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN(DYS)	FROM	TO (OPTIONAL)			USER		
						TRANS REFERENCE					
=====											
31JAN07	04:19	Reception History Record		0.0	Reception						
		5306.5	AFHR		MMIST				XXxxXXxx		
31JAN07	04:20	Asset Installation		7079.1	A23T	A2KIO		00	A23T	A2KIO	00AC
		5306.5	AFHR		027		A23-033				
		Change Serviceability Stat		7079.1	SERV				XXxxXXxx		
		Change Location of an Asse		7079.1	S/I						
					MMIST						
					A23-033						
17APR07	01:21	Change Part Number of an A		7155.0	SLL-FS-3A				~Z5514		
		5394.4	AFHR		SLL-FS-3B				~Z5514		
		Maintenance Comment		0.0	A1PXXXY703321				XXxxXXxx		
		Position Change		75.8	11APR05 MOD 7212.007-235	INC	AT	AIRFLITE	JANDAKOT		
17APR07	01:22				A23T	A2KIO		00			
		5394.4	AFHR		A23T	A2KIO		01			
		Maintenance Comment		0.0	A1PXXXY703322				XXxxXXxx		
		Maintenance Comment		0.0	11APR05 MOD 7212.007-235	INC	AT	AIRFLITE	JANDAKOT		
		Maintenance Comment		0.0	DOM CHANGE - OLD VALUE=14-sep-1987 00:00:00						
17APR07	01:23	5394.4	AFHR		XXxxXXxx						
17APR07	01:23	5394.4	AFHR	0.0	LIF AFHR	CHANGED - OLD VALUE=	5394.4	NEW VALUE=	308.3		
09AUG07	03:44	459.8	AFHR	0.0	LIF AFHR	CHANGED - OLD VALUE=	459.8	NEW VALUE=	5545.9		
03APR13	23:45	Change Serviceability Stat		253.6	S/I				XXxxXXxx		
		7163.2	AFHR		US/I						
04APR13	00:22	Change Serviceability Stat		0.0	A1PXXJY702286				XXxxXXxx		
		7163.2	AFHR		US/I						
28APR14	02:47	Change Serviceability Stat		11.0	S/I				XXxxXXxx		
		7462.7	AFHR		US/I						
13MAY14	03:40	Change Serviceability Stat		15.0	A1PXXJ1304446				XXxxXXxx		
		7462.7	AFHR		US/I						
					S/I				XXxxXXxx		

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00218  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027LH  
 PART NO : SBI-103B ~Z5514  
 ENGINEERING NAME : WNG RSPAR UP FLNG  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
07DEC16 11:57	Change Part Number of an A	3522.4	SLL-FS-3B ~Z5514 SBI-103B ~Z5514 A1PXXX1612971	XXxxXXxx
07JUN17 07:53	Maintenance Comment Position Change	0.0 3780.1	APPLIED MPAN 031/2016 A23T A2KIO 01 A23T A2KIO 01 A1PXXX1709102	XXxxXXxx
26JUL18 06:47	Maintenance Comment Change Serviceability Stat	0.0 266.1	POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE S/I US/I	XXxxXXxx
23AUG18 06:19	Change Serviceability Stat	27.9	A1PXXJ1407925 US/I S/I	XXxxXXxx

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJY702286	C COMPLETED	04APR13 00:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
07 SCHED PERFORMANCE MONITOR		04APR13 00:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	7163.2	AFHR
01 NO FAULT		04 CHECK/TEST SERV		NDT			
		Unserviceability Details:		due on Serial 027LH			
		Maintenance Comments:		LWNG RSPAR UP FLNG at WAC 0900			
				NDT CO REF MCS 1102/12-55-6			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT	2201.0	AFHR	2077.1		
SM	NDT	2201.0	AFHR	2077.1		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 027LH  
 PART NO : SBI-103B ~Z5514  
 ENGINEERING NAME : WNG RSPAR UP FLNG  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

=====  
 A1PXXJ1304446 C COMPLETED 13MAY14 03:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 13MAY14 03:40 28APR14 02:47 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 7462.7 AFHR  
 07 SCHED PERFORMANCE MONITOR NDT due on Serial 027LH  
 LWNG RSPAR UP FLNG at WAC 0900  
 01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: NDT CO REF MCS 194/14-16-2

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT	2201.0	AFHR	2068.3		
SM	NDT	2201.0	AFHR	2068.3		

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

=====  
 A1PXXJ1407925 C COMPLETED 23AUG18 06:17 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 23AUG18 06:19 26JUL18 06:47 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 8564.8 AFHR  
 07 SCHED PERFORMANCE MONITOR NDT due on Serial 027LH  
 LWNG RSPAR UP FLNG at WAC 0900  
 01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: NDT CARRIED OUT IAW AAP 7212.007-36 SECT 4 CHAP 9 NIL CRACKS  
 EVIDENT. REFER TO NDT REPORT AIP/NDT/A23-033/101.

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT	739.0	AFHR	1102.1		
SM	NDT	739.0	AFHR	1102.1		

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00220  
08JAN20  
23:16:15

SERIAL/TAIL NO : 027LH  
PART NO : SBI-103B ~Z5514  
ENGINEERING NAME : WNG RSPAR UP FLNG  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MAINTENANCE POLICY HISTORY -----  
POLICY DATE/TIME           ACTIVITY TYPE   ACTIVITY CODE           USER ID  
CHANGE DETAILS  
=====

14FEB14 01:25	SM	NDT	XXXXXXxx
	DLD Changed From: 04APR2013		To:

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00221  
08JAN20  
23:16:15

SERIAL/TAIL NO : 027LH  
PART NO : SBI-104B ~Z5514  
ENGINEERING NAME : WNG RSPAR LW FLNG  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 9036.4 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
31JAN07 04:25	027LH	SLL-FS-4A	~Z5514 A23T	A2KIS	00
aip01713	AIP	MMIST		A1PXXRY700839	
R. ROSAM		14SEP87			
	5306.5 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00222  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027LH  
 PART NO : SBI-104B ~Z5514 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : WNG RSPAR LW FLNG  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
31JAN07 04:25	Reception History Record	0.0	Reception MMIST	
31JAN07 04:26	Asset Installation	7079.1	A23T A2KIS 027 A23-033 00	XXxxXXxx
	Change Serviceability Stat	7079.1	SERV S/I MMIST A23-033	XXxxXXxx
	Change Location of an Asse	7079.1	SERV S/I MMIST A23-033	
22MAR07 22:08	Change Serviceability Stat	0.9	SERV S/I MMIST A23-033	
03APR07 06:39	Change Serviceability Stat	11.3	US/I A1PXXJY702291	XXxxXXxx
08NOV08 01:49	Change Part Number of an A	7726.0	S/I A1PXXJY702291	XXxxXXxx
	Maintenance Comment	0.0	SLL-FS-4A ~Z5514	
	Position Change	646.8	SLL-FS-4B ~Z5514	XXxxXXxx
08NOV08 01:54	Maintenance Comment	0.0	A1PXXXY811063	
	Maintenance Comment	0.0	REF MOD 229	
08NOV08 02:01	Maintenance Comment	0.0	A23T A2KIS 00	
	Maintenance Comment	0.0	A23T A2KIS 01	
11FEB10 10:44	Maintenance Comment	0.0	A1PXXXY811089	XXxxXXxx
	Maintenance Comment	0.0	REF MOD 229	
01APR16 00:26	Change Serviceability Stat	8.6	LIF AFHR CHANGED - OLD VALUE= 5771.2 NEW VALUE= 178.6	XXxxXXxx
	Change Serviceability Stat	3.2	LIF AFHR CHANGED - OLD VALUE= 708.3 NEW VALUE= 6300.9	XXxxXXxx
04APR16 05:21	Change Serviceability Stat	3.2	S/I A1PXXJY819492	XXxxXXxx
	Change Serviceability Stat	8.6	US/I A1PXXJY819492	
	Change Serviceability Stat	3.2	S/I A1PXXJY819492	XXxxXXxx



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00223  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027LH  
 PART NO : SBI-104B ~Z5514  
 ENGINEERING NAME : WNG RSPAR LW FLNG  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
07DEC16 12:05	Change Part Number of an A	2951.4	SLL-FS-4B ~Z5514 SBI-104B ~Z5514 A1PXXX1612973	XXxxXXxx
30MAR17 05:42	Maintenance Comment Change Serviceability Stat	0.0 125.0	APPLIED MPAN 031/2016 S/I US/I	
07JUN17 07:53	Position Change	3780.1	A1PXXJ1607589 A23T A2KIS 01 A23T A2KIS 01	XXxxXXxx
08JUN17 04:55	Maintenance Comment Change Serviceability Stat	0.0 69.9	A1PXXX1709103 POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE US/I S/I	XXxxXXxx
25JUL18 08:36	Position Change	4193.1	A23T A2KIS 01 A23T A2KIS 01 A1PXXX1807241	XXxxXXxx
	Maintenance Comment	0.0	POLICY UPDATE AS PER OID: AK16664342- MPAN 027/2018	

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJY702291	C COMPLETED	03APR07 05:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
18 SPECIAL SERVICING DUE		22MAR07 22:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	5383.4	AFHR
01 NO FAULT		11 SPECIAL SERVICING		NDT due on Serial 027LH LWNG RSPAR LW FLNG at WAC 0900			
		Unserviceability Details:		Maintenance Comments: ASSESSED SERV			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT	5386.1	AFHR	5383.4		
SM	NDT	5386.1	AFHR	5383.4		

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00224  
08JAN20  
23:16:15

SERIAL/TAIL NO : 027LH  
PART NO : SBI-104B ~Z5514  
ENGINEERING NAME : WNG RSPAR LW FLNG  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJY819492	C COMPLETED	04APR16 05:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
07 SCHED PERFORMANCE MONITOR	04APR16 05:21	01APR16 00:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		8076.5	AFHR
01 NO FAULT	04 CHECK/TEST SERV	Unserviceability Details:		NDT CARRIED OUT IAW AAP 7212.007-36 SECT 4 CHAP 10. NIL CRACKS EVIDENT. REFER TO NDT REPORT AIP/NDT/A23-033/047.			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT	2583.0	AFHR	2483.9		
SM	NDT	2583.0	AFHR	2483.9		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJ1607589	C COMPLETED	08JUN17 02:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
07 SCHED PERFORMANCE MONITOR	08JUN17 04:55	30MAR17 05:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		8406.0	AFHR
01 NO FAULT	04 CHECK/TEST SERV	Unserviceability Details:		SBI-104 CO REF AIP MCS 1036/16-16-2			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT	990.0	AFHR	329.5		
SM	NDT	990.0	AFHR	329.5		

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00225  
08JAN20  
23:16:15

SERIAL/TAIL NO : 027LH  
PART NO : SBI-104B ~Z5514  
ENGINEERING NAME : WNG RSPAR LW FLNG  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MAINTENANCE POLICY HISTORY -----  
POLICY DATE/TIME           ACTIVITY TYPE   ACTIVITY CODE           USER ID  
CHANGE DETAILS  
=====

11FEB10 10:44	SM	NDT	XXXXXXxx
	DLD Changed From: 14SEP1987		To:

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 027LH  
PART NO : SBI-105B ~Z5514  
ENGINEERING NAME : WNG AUXSPAR WWEL  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 9036.4 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		

14FEB06 23:25	027LH	SLL-FS-5A	~Z5514	A23T	A2KIW	00
aip01713	AIP	MMIST			A1PXXRY600235	
R. ROSAM		14SEP97				

5086.1 AFHR

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00227  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027LH  
 PART NO : SBI-105B ~Z5514  
 ENGINEERING NAME : WNG AUXSPAR WWEL  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS		-----									
TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN(DYS)	FROM	TO (OPTIONAL)			USER		
						TRANS REFERENCE					
=====											
14FEB06	23:25	Reception History Record		0.0	Reception						
		5086.1	AFHR		MMIST				XXxxXXxx		
14FEB06	23:26	Asset Installation		3075.9	A23T	A2KIW	027	00	A23T	A2KIW	00MMI
		5086.1	AFHR				027				XXxxXXxx
		Change Serviceability Stat		0.9	SERV						
		Change Location of an Asse		0.9	S/I						
					MMIST						
					HG121						
14FEB06	23:29	Maintenance Comment		0.0	DOM CHANGE - OLD VALUE=14-sep-1997 00:00:00						
		5086.1	AFHR							XXxxXXxx	
08NOV08	00:43	Change Part Number of an A		998.0	SLL-FS-5A				~Z5514		
					SLL-FS-5B				~Z5514		
		5771.2	AFHR		A1PXXXY811011					XXxxXXxx	
08NOV08	00:49	Maintenance Comment		0.0	REF MOD 229						
		Position Change		997.0	A23T	A2KIW		00			
					A23T	A2KIW		01			
		5771.2	AFHR		A1PXXXY811036					XXxxXXxx	
08NOV08	01:04	Maintenance Comment		0.0	REF MOD 229						
		Maintenance Comment		0.0	LIF AFHR	CHANGED - OLD VALUE=	5771.2	NEW VALUE=	178.6		
		5771.2	AFHR							XXxxXXxx	
11FEB10	10:45	Maintenance Comment		0.0	LIF AFHR	CHANGED - OLD VALUE=	708.3	NEW VALUE=	6300.9		
		708.3	AFHR							XXxxXXxx	
07DEC16	12:24	Change Part Number of an A		2951.4	SLL-FS-5B				~Z5514		
					SBI-105B				~Z5514		
		8406.0	AFHR		A1PXXX1612975					XXxxXXxx	
		Maintenance Comment		0.0	APPLIED MPAN 031/2016						
07JUN17	07:29	Position Change		4130.3	A23T	A2KIW		01			
					A23T	A2KIW		01			
		8406.0	AFHR		A1PXXX1709084					XXxxXXxx	
		Maintenance Comment		0.0	POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE						

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

SERIAL/TAIL NO : 027LH  
PART NO : SBI-105B ~Z5514  
ENGINEERING NAME : WNG AUXSPAR WWEL  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MAINTENANCE POLICY HISTORY -----

POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	CHANGE DETAILS	USER ID
11FEB10 10:46	SM	NDT	DLD Changed From: 14SEP1987 To:	XXxxXXxx
07DEC16 12:27	SM	TA	DLD Changed From: 14SEP1987 To:	XXxxXXxx

=====

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 027LH  
PART NO : SBI-106B ~Z5514  
ENGINEERING NAME : WNG AUXSPAR MRIB  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 9036.4 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		

31JAN07 04:39	027LH	SLL-FS-6A	~Z5514	A23T	A2KJA	00
aip01713	AIP	MMIST			A1PXXRY700841	
R. ROSAM		14SEP87				

5306.5 AFHR

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00230  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027LH  
 PART NO : SBI-106B ~Z5514  
 ENGINEERING NAME : WNG AUXSPAR MRIB  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS		-----									
TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN(DYS)	FROM	TO (OPTIONAL)			USER		
						TRANS REFERENCE					
=====											
31JAN07	04:39	Reception History Record		0.0	Reception						
		5306.5	AFHR		MMIST				XXxxXXxx		
31JAN07	04:40	Asset Installation		7079.1	A23T	A2KJA		00			
		5306.5	AFHR		027		A23-033		A23T	A2KJA 00AC	
		Change Serviceability Stat		7079.1	SERV				XXxxXXxx		
		Change Location of an Asse		7079.1	S/I						
					MMIST						
					A23-033						
12FEB07	03:40	Change Serviceability Stat		11.9	S/I						
		5344.2	AFHR		US/I						
12FEB07	03:48	Change Serviceability Stat		0.0	A1PXXJY702300				XXxxXXxx		
		5344.2	AFHR		US/I						
		Change Part Number of an A		7726.1	S/I				XXxxXXxx		
08NOV08	02:39				SLL-FS-6A	~Z5514					
		5771.2	AFHR		SLL-FS-6B	~Z5514					
		Maintenance Comment		0.0	A1PXXXY811115				XXxxXXxx		
08NOV08	02:44	Position Change		646.9	REF MOD 229						
		5771.2	AFHR		A23T	A2KJA		00			
		Maintenance Comment		0.0	A23T	A2KJA		01			
		5771.2	AFHR		A1PXXXY811139				XXxxXXxx		
		Maintenance Comment		0.0	REF MOD 229						
08NOV08	02:51	Maintenance Comment		0.0	LIF AFHR	CHANGED - OLD VALUE= 5771.2			NEW VALUE= 178.6		
		5771.2	AFHR						XXxxXXxx		
11FEB10	10:46	Maintenance Comment		0.0	LIF AFHR	CHANGED - OLD VALUE= 708.3			NEW VALUE= 6300.9		
		708.3	AFHR						XXxxXXxx		
30AUG16	00:56	Maintenance Comment		0.0	LIF AFHR	CHANGED - OLD VALUE= 8264.6			NEW VALUE= 5344.2		
		8264.6	AFHR						XXxxXXxx		
30AUG16	01:12	Maintenance Comment		0.0	LIF AFHR	CHANGED - OLD VALUE= 5344.2			NEW VALUE= 8264.6		
		5344.2	AFHR						XXxxXXxx		
07DEC16	10:37	Change Part Number of an A		2951.3	SLL-FS-6B	~Z5514					
		8406.0	AFHR		SBI-106B	~Z5514					
		Maintenance Comment		0.0	A1PXXX1612967				XXxxXXxx		
					APPLIED MPAN 031/2016						



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00231  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027LH  
 PART NO : SBI-106B  
 ENGINEERING NAME : WNG AUXSPAR MRIB  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~Z5514

ASSET TRANSACTIONS		TRANSACTION D/T CHANGE TYPE		SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW			TRANS REFERENCE		
07JUN17	07:53	Position Change		3780.1	A23T A2KJA	01	
		8406.0 AFHR			A23T A2KJA	01	
		Maintenance Comment		0.0	A1PXXX1709104		XXxxXXxx
09JUN17	05:29	Position Change		3782.0	A23T A2KJA	01	
		8406.0 AFHR			A23T A2KJA	01	
		Maintenance Comment		0.0	A1PXXX1709250		XXxxXXxx
					POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE		

MMI JOBS							
JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					
A1PXXJY702300	C COMPLETED	12FEB07 03:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	12FEB07 03:48	12FEB07 03:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	5344.2	AFHR
18 SPECIAL SERVICING DUE				NDT	due on Serial 027LH		
				LWNG AUXSPAR OSPA	at WAC 0900		
01 NO FAULT		11 SPECIAL SERVICING					
		Unserviceability Details:					
		Maintenance Comments:		STI-PC9-0423 CO NIL DEFCTS	16NOV06. MOD 232	NOT CO	

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT	5686.1	AFHR	5344.2		
SM	NDT	5686.1	AFHR	5344.2		

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

SERIAL/TAIL NO : 027LH  
PART NO : SBI-106B ~Z5514  
ENGINEERING NAME : WNG AUXSPAR MRIB  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MAINTENANCE POLICY HISTORY

POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	CHANGE DETAILS	USER ID
12FEB07 03:52	SM	NDT	DLD Changed From: 12FEB2007 To:	XXxxXXxx
11FEB10 10:47	SM	NDT	DLD Changed From: 14SEP1987 To:	XXxxXXxx
07DEC16 12:33	SM	TA	DLD Changed From: 14SEP1987 To:	XXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 027LH  
PART NO : SBI-107A ~Z5514  
ENGINEERING NAME : WNG LWSKN MLG  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 9036.4 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		

31JAN07 04:44	027LH	SLL-FS-7A	~Z5514	A23T	A2KJE	00
aip01713	AIP	MMIST			A1PXXRY700844	
R. ROSAM		14SEP87				

5306.5 AFHR

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00234  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027LH  
 PART NO : SBI-107A ~Z5514  
 ENGINEERING NAME : WNG LWSKN MLG  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
31JAN07 04:44	Reception History Record	0.0	Reception MMIST	
31JAN07 04:46	Asset Installation	7079.1	A23T A2KJE 027 A23-033 00	XXXXXXxx
	Change Serviceability Stat	7079.1	SERV S/I MMIST A23-033	XXXXXXxx
07DEC16 10:29	Change Part Number of an A	xxxx	SLL-FS-7A SBI-107A ~Z5514 ~Z5514	
	Maintenance Comment	0.0	A1PXXX1612965 APPLIED MPAN 031/2016	XXXXXXxx
07JUN17 07:55	Position Change	3780.1	A23T A2KJE 00	
	Maintenance Comment	0.0	A1PXXX1709107 POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE	XXXXXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

SERIAL/TAIL NO : 027LH  
PART NO : SBI-107A ~Z5514  
ENGINEERING NAME : WNG LWSKN MLG  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	USER ID
27OCT15 08:43	SM DLD Changed From:	NDT 14SEP1987	XXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00236  
08JAN20  
23:16:15

SERIAL/TAIL NO : 027LH  
PART NO : SBI-108A ~Z5514  
ENGINEERING NAME : WNG CNTR LWSKN RS  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 9036.4 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
15FEB06 00:16	027LH	SLL-FS-8A	~Z5514 A23T	A2KJI	00
aip001	AIP	MMIST		A1PXXRY600244	
L. DOBSON		14SEP87			
	5086.1 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00237  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027LH  
 PART NO : SBI-108A ~Z5514 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : WNG CNTR LWSKN RS  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
15FEB06 00:16	Reception History Record	0.0	Reception MMIST	
20FEB06 02:42	Maintenance Comment	0.0	LIF AFHR CHANGED - OLD VALUE= 5086.1 NEW VALUE= 4578.4	XXXXXXxx
07FEB07 02:44	Maintenance Comment	0.0	LIF AFHR CHANGED - OLD VALUE= 4823.8 NEW VALUE= 5840.3	XXXXXXxx
07FEB07 02:46	Maintenance Comment	0.0	LIF AFHR CHANGED - OLD VALUE= 5840.3 NEW VALUE= 5331.5	XXXXXXxx
07DEC09 23:25	Change Serviceability Stat	0.7	S/I US/I A1PXXJY602008	XXXXXXxx
14DEC09 23:03	Change Serviceability Stat	6.9	S/I	
07DEC16 10:23	Change Part Number of an A	xxxx	SLL-FS-8A ~Z5514 SBI-108A ~Z5514	XXXXXXxx
07JUN17 07:30	Maintenance Comment Position Change	0.0 xxxx	A1PXXX1612963 APPLIED MPAN 031/2016 A23T A2KJI 00 A23T A2KJI 00	XXXXXXxx
	Maintenance Comment	0.0	A1PXXX1709085 POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE	XXXXXXxx

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJY602008	C COMPLETED	14DEC09 23:02	XXXXXXxx	XXXXXXxxXXXXXXxx AIP	AIP		
		14DEC09 23:03	XXXXXXxx	XXXXXXxxXXXXXXxx AIP	AIP	6277.9	AFHR
18	SPECIAL SERVICING DUE			NDT due on Serial 027LH			
01	NO FAULT	11	SPECIAL SERVICING	LWNG CNTR LWSKN RS at WAC 0900			
			Unserviceability Details:				
			Maintenance Comments:	C/O			

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00238  
08JAN20  
23:16:15

SERIAL/TAIL NO : 027LH  
PART NO : SBI-108A  
ENGINEERING NAME : WNG CNTR LWSKN RS  
VENUE : A23DISP LOCATION : A23-033

~Z5514

PERIOD: 01JAN90 TO 08JAN20

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
=====	=====	=====	=====	=====	=====	=====
SM	NDT	6286.1	AFHR	6277.9		
SM	NDT	6286.1	AFHR	6277.9		



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

SERIAL/TAIL NO : 027LH  
PART NO : SBI-109B ~Z5514  
ENGINEERING NAME : WNG LWSKN DRAIN HL  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 9036.4 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS	ENTERED AT RECEPTION	DATE UNPACKED		
16FEB06 06:11	027LH	SLL-FS-9A	~Z5514 A23T	A2KJM	00
aip01713	AIP	MMIST		A1PXXRY600436	
R. ROSAM		14SEP87			
	5086.1	AFHR			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00240  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027LH  
 PART NO : SBI-109B ~Z5514  
 ENGINEERING NAME : WNG LWSKN DRAIN HL  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
16FEB06 06:11	Reception History Record	0.0	Reception MMIST	
16FEB06 06:12	Asset Installation	6730.2	A23T A2KJM 027 027 00	XXxxXXxx
	Change Serviceability Stat	0.2	SERV S/I MMIST	XXxxXXxx
	Change Location of an Asse	0.2	HG121	
05NOV08 07:03	Change Part Number of an A	993.2	SLL-FS-9A ~Z5514 SLL-FS-9B ~Z5514	
05NOV08 07:04	Maintenance Comment Position Change	0.0 993.0	A1PXXXY810668 REF MOD 229 A23T A2KJM 00 A23T A2KJM 01	XXxxXXxx
05NOV08 07:07	Maintenance Comment	0.0	A1PXXXY810670 REF MOD 229	XXxxXXxx
11FEB10 10:48	Maintenance Comment	0.0	LIF AFHR CHANGED - OLD VALUE= 5767.6 NEW VALUE= 175.0	XXxxXXxx
07DEC16 10:14	Change Part Number of an A	2954.1	SLL-FS-9B ~Z5514 SBI-109B ~Z5514	XXxxXXxx
30MAR17 05:42	Maintenance Comment Change Serviceability Stat	0.0 125.0	A1PXXX1612961 APPLIED MPAN 031/2016 S/I US/I	XXxxXXxx
07JUN17 07:31	Position Change	4129.0	A1PXXJY602325 A23T A2KJM 01 A23T A2KJM 01	XXxxXXxx
08JUN17 01:04	Maintenance Comment Change Serviceability Stat	0.0 69.8	A1PXXX1709088 POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE US/I S/I	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 027LH  
 PART NO : SBI-109B ~Z5514  
 ENGINEERING NAME : WNG LWSKN DRAIN HL  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

```

=====
A1PXXJY602325  C  COMPLETED      08JUN17  01:03  XXxxXXxx  XXxxXXxxXXxxXXxxXXxx  AIP  AIP
                08JUN17  01:04      30MAR17  05:42  XXxxXXxx  XXxxXXxxXXxxXXxxXXxx  AIP  8406.0  AFHR
07 SCHED PERFORMANCE MONITOR                                NDT  due on Serial 027LH
                                                         LWNG LWSKN DRAIN HL at WAC 0900
01 NO FAULT          04 CHECK/TEST SERV
                    Unserviceability Details:
                    Maintenance Comments:  SBI-109B CO REF AIP MCS 1036/17-16-4
  
```

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
=====	=====	=====	=====	=====	=====	=====
SM	NDT	2700.0	AFHR	2813.4		
SM	NDT	2700.0	AFHR	2813.4		

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

SERIAL/TAIL NO : 027LH  
PART NO : SBI-109B ~Z5514  
ENGINEERING NAME : WNG LWSKN DRAIN HL  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	USER ID
11FEB10 10:49	SM DLD Changed From: 14SEP1987	NDT	XXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00243  
08JAN20  
23:16:15

SERIAL/TAIL NO : 027LH  
PART NO : SLL-C-2A ~Z5514  
ENGINEERING NAME : AILERON SUPP STRUCT  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 9036.4 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
17FEB06 00:25	027LH	SLL-C-2A	~Z5514 A23T	A2KJS	00
aip001	AIP	MMIST		A1PXXRY600463	
L. DOBSON		14SEP87			
	5086.1 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00244  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027LH  
 PART NO : SLL-C-2A ~Z5514  
 ENGINEERING NAME : AILERON SUPP STRUCT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
17FEB06 00:25	Reception History Record	0.0	Reception	MMIST		
	5086.1 AFHR					XXxxXXxx
12APR12 21:59	Position Change	8977.8	A23T	A2KJS	00	
	7013.3 AFHR		A23T	A2KJS	00	
	Maintenance Comment	0.0	MPAN 04/2012: T/A POLICY CHNG. NEW: 10,000 - OLD: 7750 AFHRS			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 027RH LITERAL SERIAL NO : A23-033; WING 027 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 111.34.07.330 ~S4080  
ENGINEERING NAME : FLAP BEARING SUPPORT BRACKET RH  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 9036.4 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
10MAR14 13:00	027RH	111.34.07.330	~S4080	A23T	00
aip04023	AIP	HOLD		A2KJT	
K. ARUMUGAM		14SEP87		A1PXXR1400465	
	7445.6 AFHR		14SEP87		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00246  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027RH LITERAL SERIAL NO : A23-033; WING 027 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 111.34.07.330 ~S4080  
 ENGINEERING NAME : FLAP BEARING SUPPORT BRACKET RH  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
10MAR14 13:00	Reception History Record	0.0	Reception HOLD	
	7445.6 AFHR			XXxxXXxx
10MAR14 13:36	Asset Installation	9674.5	A23T A2KJT 027 A23-033 00	A23T A2KJT 00AC
	7445.6 AFHR			XXxxXXxx
	Change Serviceability Stat	9674.5	SERV S/I	
	Change Location of an Asse	9674.5	HOLD A23-033	
28APR14 01:58	Change Serviceability Stat	11.0	S/I US/I	
	7462.7 AFHR		A1PXXJ1403846	XXxxXXxx
29APR14 06:55	Change Serviceability Stat	1.2	US/I S/I	
	7462.7 AFHR			XXxxXXxx
29APR14 11:10	Position Change	49.8	A23T A2KJT 00 A23T A2KJT 01	
	7462.7 AFHR		A1PXXX1404252	XXxxXXxx
29APR14 12:14	Maintenance Comment Change Serviceability Stat	0.0 0.2	MS7 C/O REF; MCS 203/14. MATERIAL SPEC = 2024 T351	
	7462.7 AFHR		US/I A1PXXJ1406929	XXxxXXxx
29APR14 13:20	Change Serviceability Stat	0.0	US/I S/I	
	7462.7 AFHR			XXxxXXxx
31MAR16 23:00	Change Serviceability Stat	8.5	S/I US/I	
	8076.5 AFHR		A1PXXJ1406956	XXxxXXxx
13APR16 05:09	Change Serviceability Stat	12.2	US/I S/I	
	8076.5 AFHR			XXxxXXxx
07JUN17 07:00	Position Change	1184.7	A23T A2KJT 01 A23T A2KJT 01	
	8406.0 AFHR		A1PXXX1709057	XXxxXXxx
	Maintenance Comment	0.0	POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE	



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00247  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027RH LITERAL SERIAL NO : A23-033; WING 027 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 111.34.07.330 ~S4080  
 ENGINEERING NAME : FLAP BEARING SUPPORT BRACKET RH  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
01FEB18 23:53	Change Serviceability Stat	91.8	S/I US/I A1PXXJ1608409	XXxxXXxx
02FEB18 00:20	Change Serviceability Stat	0.0	US/I S/I	XXxxXXxx

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJ1403846	C COMPLETED	28APR14 01:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
19 MMI SERVICING DUE		29APR14 06:55	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	7462.7	AFHR
01 NO FAULT		12 MMI SERVICING		MS7 due on Serial 027RH FLAP BRG SUPPORT RH at WAC 1040			
		Unserviceability Details:		MS7 CARRIED OUT REF AIP/NDT/A23-033/001 MATERIAL SPEC 2024-T351			
A1PXXJ1406929	C COMPLETED	29APR14 12:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
19 MMI SERVICING DUE		29APR14 12:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	7462.7	AFHR
01 NO FAULT		12 MMI SERVICING		MS10 due on Serial 027RH FLAP BRG SUPPORT RH at WAC 1040			
		Unserviceability Details:		MS10 CARRIED OUT IAW MOD 264 INSTRUCTIONS REF AIP MCS 203/14-4-6			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS10	2.0	ELPYR			13SEP89
SM	MS10	2.0	ELPYR			13SEP89

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 027RH LITERAL SERIAL NO : A23-033; WING 027 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 111.34.07.330 ~S4080  
ENGINEERING NAME : FLAP BEARING SUPPORT BRACKET RH  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1PXXJ1406956 C COMPLETED 13APR16 05:04 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 13APR16 05:09 31MAR16 23:00 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 8076.5 AFHR  
 19 MMI SERVICING DUE MS10 due on Serial 027RH  
 FLAP BRG SUPPORT RH at WAC 1040  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS10 SERVICING CARRIED OUT IAW AAP 7212.007-2, NIL CRACKS  
 EVIDENT. REFER AIP MCS 090/16-15-03

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS10	2.0	ELPYR			28APR16
SM	MS10	2.0	ELPYR			28APR16

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1PXXJ1608409 C COMPLETED 02FEB18 00:04 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 02FEB18 00:20 01FEB18 23:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 8564.8 AFHR  
 19 MMI SERVICING DUE MS10 due on Serial 027RH  
 FLAP BRG SUPPORT RH at WAC 1040  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS10 SERVICING CARRIED OUT IAW AAP 7212.007-2

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS10	2.0	ELPYR			13APR18
SM	MS10	2.0	ELPYR			13APR18

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 027RH LITERAL SERIAL NO : A23-033; WING 027 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 527.10.09.021 ~S4080  
ENGINEERING NAME : AILERON OUTER CONTROL ROD  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 9036.4 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
10MAR14 13:06	27RH	527.10.09.021	~S4080	A23T	00
aip04023	AIP	HOLD		A2KCD	
K. ARUMUGAM		14SEP87		A1PXXR1400468	
	7445.6 AFHR		14SEP87		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00250  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027RH LITERAL SERIAL NO : A23-033; WING 027 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 527.10.09.021 ~S4080  
 ENGINEERING NAME : AILERON OUTER CONTROL ROD  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
=====	=====	=====	=====	=====	=====	=====
10MAR14 13:06	Reception History Record	0.0	Reception			
			HOLD			
	7445.6 AFHR					XXxxXXxx
10MAR14 13:37	Asset Installation	9674.5	A23T	A2KCD	00	
			027	A23-033		A23T A2KCD 00AC
	7445.6 AFHR					XXxxXXxx
	Change Serviceability Stat	9674.5	SERV			
	Change Location of an Asse	9674.5	S/I			
			HOLD			
			A23-033			
15APR14 06:17	Change Serial Number of an	9710.2	27RH			
			027RH			
	7457.6 AFHR		A1PXXX1403800			XXxxXXxx
	Maintenance Comment	0.0	SERIALNO CHANGED TO REFLECT PARENT WING S/NO:			
28APR14 01:58	Change Serviceability Stat	11.0	S/I			
			US/I			
	7462.7 AFHR		A1PXXJ1403849			XXxxXXxx
29APR14 06:58	Change Serviceability Stat	1.2	US/I			
			S/I			
	7462.7 AFHR					XXxxXXxx
29APR14 08:40	Asset Removal	49.7	027	A23-033		
			A23T	A2KCD	00	A23T A2KCD 00A
	7462.7 AFHR					XXxxXXxx
	Change Serviceability Stat	0.0	S/I			
	Change Location of an Asse	49.7	U/S			
			A23-033			
29APR14 08:40	Change Serviceability Stat	0.0	INTMH			
			U/S			
			SERV			
	7462.7 AFHR					XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

CAMM2  
 ASSET HISTORY

SERIAL/TAIL NO : 027RH LITERAL SERIAL NO : A23-033; WING 027 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 527.10.09.021 ~S4080  
 ENGINEERING NAME : AILERON OUTER CONTROL ROD  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
			TRANS REFERENCE		
29APR14 08:41	Asset Installation	0.0	A23T 027	A2KCD A23-033	00 A23T A2KCD 00AC
	7462.7 AFHR Change Serviceability Stat	0.0	SERV		XXXXXXXX
	Change Location of an Asse	0.0	S/I INTMH A23-033		
29APR14 11:12	Position Change	0.1	A23T A23T	A2KCD A2KCD	00 01
	7462.7 AFHR Maintenance Comment	0.0	A1PXXX1404255		XXXXXXXX
29APR14 12:18	Change Serviceability Stat	0.1	MS7 C/O REF; MCS 203/14. MATERIAL SPEC = 2024 T351		
	7462.7 AFHR Change Serviceability Stat	0.0	S/I US/I A1PXXJ1406935		XXXXXXXX
29APR14 13:25	Change Serviceability Stat	0.0	S/I		XXXXXXXX
31MAR16 23:00	Change Serviceability Stat	8.5	S/I US/I A1PXXJ1406960		XXXXXXXX
11APR16 04:39	Asset Removal	712.8	027	A23-033	A23T A2KCD 01A
	8076.5 AFHR Change Serviceability Stat	10.2	A23T A2KCD		XXXXXXXX
	Change Location of an Asse	332.9	US/I U/S A23-033		
13APR16 05:16	Change Serviceability Stat	2.0	INTMH U/S SERV		XXXXXXXX
	8076.5 AFHR				XXXXXXXX

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 027RH LITERAL SERIAL NO : A23-033; WING 027 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 527.10.09.021 ~S4080  
 ENGINEERING NAME : AILERON OUTER CONTROL ROD  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
13APR16 05:18	Asset Installation	2.0	A23T A2KCD 027 A23-033 01	A23T A2KCD 01AC XXXXXXXX
	8076.5 AFHR Change Serviceability Stat	0.0	SERV S/I	
	Change Location of an Asse	2.0	INTMH A23-033	
02FEB18 00:06	Change Serviceability Stat	91.8	S/I US/I	
	8564.8 AFHR Change Serviceability Stat	0.0	A1PXXJ1608412	XXXXXX
02FEB18 00:11	Change Serviceability Stat	0.0	US/I S/I	XXXXXX
	8564.8 AFHR			XXXXXX

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJ1403849	C COMPLETED	28APR14 01:58	XXXXXX	XXXXXXXXXXXXXXXXX AIP	AIP		
	29APR14 06:58	28APR14 01:58	XXXXXX	XXXXXXXXXXXXXXXXX AIP	7462.7	AFHR	
19	MMI SERVICING DUE		MS7	due on Serial 027RH			
01	NO FAULT	12	MMI SERVICING	ROD AIL OUTER RH at WAC 1020			
			Unserviceability Details:				
			Maintenance Comments:	MS7 CARRIED OUT REF AIP/NDT/A23-033/001 MATERIAL SPEC 2024-T351			
A1PXXJ1406900	C COMPLETED	29APR14 08:40	XXXXXX	XXXXXXXXXXXXXXXXX AIP	AIP		
	29APR14 08:40	29APR14 08:40	XXXXXX	XXXXXXXXXXXXXXXXX AIP	7462.7	AFHR	
13	REMOVED FOR ACCESS	99	NO FAILURE	MMI ITEMS REMOVED FOR MOD 7212.007-248			
01	NO FAULT	04	CHECK/TEST SERV				
			Unserviceability Details:				
			Maintenance Comments:	CHECK/TEST SERV			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 027RH LITERAL SERIAL NO : A23-033; WING 027 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 527.10.09.021 ~S4080  
ENGINEERING NAME : AILERON OUTER CONTROL ROD  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			

A1PXXJ1406935 C COMPLETED 29APR14 12:57 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 29APR14 13:25 29APR14 12:18 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 7462.7 AFHR  
 19 MMI SERVICING DUE MS15 due on Serial 027RH  
 ROD AIL OUTER RH at WAC 1020  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS15 CARRIED OUT IAW MOD 264 INSTRUCTIONS REF AIP MCS 203/14-6-2

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS15	2.0	ELPYR			13SEP89
SM	MS15	2.0	ELPYR			13SEP89

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			

A1PXXJ1406960 C COMPLETED 11APR16 04:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 13APR16 05:16 31MAR16 23:00 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 8076.5 AFHR  
 19 MMI SERVICING DUE MS15 due on Serial 027RH  
 ROD AIL OUTER RH at WAC 1020  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: SM15 SERVICING CARRIED OUT IAW AAP 7212.007-2, NIL DEFECTS EVIDENT, REFER AIP MCS 09\*0/16-14-05.

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS15	2.0	ELPYR			28APR16
SM	MS15	2.0	ELPYR			28APR16

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 027RH LITERAL SERIAL NO : A23-033; WING 027 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 527.10.09.021 ~S4080  
ENGINEERING NAME : AILERON OUTER CONTROL ROD  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJ1608167	C COMPLETED	11APR16 04:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	11APR16 04:40	11APR16 04:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	8076.5	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		LH AND RH OUTER AILERON ROD RFA.			

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

A1PXXJ1608412	C COMPLETED	02FEB18 00:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	02FEB18 00:11	02FEB18 00:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	8564.8	AFHR
19	MMI SERVICING DUE			MS15 due on Serial 027RH ROD AIL OUTER RH at WAC 1020			

01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS15 VISUAL INSPECTION CARRIED OUT IAW AAP 7212.007-2

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS15	2.0	ELPYR			13APR18
SM	MS15	2.0	ELPYR			13APR18



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00255  
08JAN20  
23:16:15

SERIAL/TAIL NO : 027RH  
PART NO : 532.10.09.130 ~S4080  
ENGINEERING NAME : STRUT FLDG UPPR RH  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 19551.0 LDG

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION		DATE UNPACKED		
02OCT15 00:22	027RH	532.10.09.130	~S4080	A2KKG	00
aip02017	AIP	MCS	A23T	A1PXXR1501461	
J. MCLEAN		14FEB87			
	17216.0 LDG				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00256  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027RH  
 PART NO : 532.10.09.130  
 ENGINEERING NAME : STRUT FLDG UPPR RH  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
02OCT15 00:22	Reception History Record	0.0	Reception MCS	
	17216.0 LDG			XXxxXXxx
02OCT15 00:23	Asset Installation	xxxx	A23T A2KKG A23-033 00	A23T A2KKG 00AC
	17216.0 LDG			XXxxXXxx
	Change Serviceability Stat	0.0	SERV S/I MCS A23-033	
	Change Location of an Asse	0.0	S/I US/I A1PXXJ1618725	
30MAR17 05:42	Change Serviceability Stat	125.0	027 A23-033 00	A23T A2KKG 00A
	18354.0 LDG			XXxxXXxx
05MAY17 00:05	Asset Removal	580.9	A23T A2KKG A23-033 00	A23T A2KKG 00A
	18354.0 LDG			XXxxXXxx
	Change Serviceability Stat	35.7	US/I U/S A23-033	
	Change Location of an Asse	580.9	INTMH U/S SERV	
12MAY17 02:53	Change Serviceability Stat	7.1		
	18354.0 LDG			XXxxXXxx
12MAY17 02:54	Asset Installation	7.1	A23T A2KKG A23-033 00	A23T A2KKG 00AC
	18354.0 LDG			XXxxXXxx
	Change Serviceability Stat	0.0	SERV S/I INTMH A23-033	
	Change Location of an Asse	7.1	NO PARENT TRANSACTION DETAILS	
08JUN17 05:51	Maintenance Comment	0.0	POLICY COPIED IAW MPAN 028/2017 OID: AK14587821	
09JUN17 03:24	Change Serviceability Stat	28.0	S/I US/I A1PXXJ1711401	XXxxXXxx
	18354.0 LDG			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00257  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027RH  
 PART NO : 532.10.09.130 ~S4080  
 ENGINEERING NAME : STRUT FLDG UPPR RH  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
09JUN17 03:27	Change Serviceability Stat		0.0	US/I S/I	
22MAR18 05:24	Asset Removal	18354.0 LDG	314.1	027 A23T A2KKG A23-033 00	XXxxXXxx A23T A2KKG 00A
	Change Serviceability Stat	18687.0 LDG	140.1	S/I U/S A23-033 HG122	XXxxXXxx
22MAR18 05:24	Change Location of an Asse		314.1	U/S SERV	
28MAR18 05:53	Asset Installation	18687.0 LDG	6.0	A23T A2KKG A23-033 00	XXxxXXxx A23T A2KKG 00AC
	Change Serviceability Stat	18687.0 LDG	6.0	SERV S/I HG122 A23-033	XXxxXXxx
	Change Location of an Asse		6.0		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS		UNSERVICEABILITY DETAILS			
MAINT PROCESS	UNSERVICEABILITY	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			
FAULT FOUND	MAINTENANCE ACTION TAKEN						
A1PXXJ1618725	C COMPLETED	05MAY17 00:05	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	12MAY17 02:53	30MAR17 05:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	18354.0 LDG	
08 MOD/STI/DVI REQUIRED				STI-PC9-0631	due on Serial 027RH		
01 NO FAULT	08 MOD/STI/DVI INCORP			STRUT FLDG UPPR RH	at WAC 1050		
	Unserviceability Details:			STI-PC9-0631 C/O			
	Maintenance Comments:						
A1PXXJ1711401	C COMPLETED	09JUN17 03:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	09JUN17 03:27	09JUN17 03:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	18354.0 LDG	
08 MOD/STI/DVI REQUIRED				STI-PC9-0647	due on Serial 027RH		
01 NO FAULT	08 MOD/STI/DVI INCORP			STRUT FLDG UPPR RH	at WAC 1050		

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 027RH  
PART NO : 532.10.09.130 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : STRUT FLDG UPPR RH  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

Unserviceability Details:

Maintenance Comments: STI-PC9-0647 INC REF 576927-4-3-2

A1PXXJ1804966	C COMPLETED	22MAR18 05:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	22MAR18 05:24	22MAR18 05:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	18687.0	LDG
13 REMOVED FOR ACCESS	99 NO FAILURE			BOTH LH AND RH MLG UPPER FOLDING STRUTS RFA. (STI-647).			
01 NO FAULT	04 CHECK/TEST SERV						

Unserviceability Details:

Maintenance Comments: CHECK/TEST SERV

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00259  
08JAN20  
23:16:15

SERIAL/TAIL NO : 027RH  
PART NO : 532.10.09.130 ~S4080  
ENGINEERING NAME : STRUT FLDG UPPR RH  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

STI STATUS CHANGE -----

STI NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
=====	=====	=====	=====	=====	=====	=====
STI-PC9-0631	N	06SEP16 00:13	NINC			
STI-PC9-0631	Y	12MAY17 02:52	INC	A1PXXJ1618725	05MAY17 00:05	18354.0 LDG
STI-PC9-0647	N	08JUN17 05:51	NINC			
STI-PC9-0647	Y	09JUN17 03:27	INC	A1PXXJ1711401	09JUN17 03:25	18354.0 LDG

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00260  
08JAN20  
23:16:15

SERIAL/TAIL NO : 027RH  
PART NO : 557.10.09.072 ~S4080  
ENGINEERING NAME : AFT DIHEDRAL RH  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 9036.4 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	DATE NEW	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	HA PART	DATE UNPACKED		
15JUN15 03:52	027RH	111.34.07.470	~S4080	A23T	00
aip02017	AIP	MCS		A2KKE	
J. MCLEAN		14SEP87		A1PXXR1501004	
	7761.9 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00261  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027RH  
 PART NO : 557.10.09.072 ~S4080  
 ENGINEERING NAME : AFT DIHEDRAL RH  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
15JUN15 03:52	Reception History Record		0.0	Reception MCS	
15JUN15 03:53	Maintenance Comment	7761.9 AFHR	0.0	CREATED IAW MPAN 022/2015. STI-0595. REF: AK10471552	XXxxXXxx
20MAY16 06:00	Change Part Number of an A	7761.9 AFHR	xxxx	A1PXXX1505292 111.34.07.470 557.10.09.072 ~S4080 ~S4080	XXxxXXxx
23AUG18 12:04	Position Change	8076.5 AFHR	0.0	A1PXXX1604742 REF: AIP MCS 090/16-14-4 & AIP/NDT/A23-033/060 (T-851)	XXxxXXxx
	Maintenance Comment	8564.8 AFHR	0.0	A23T A2KKE 00 A23T A2KKE 00 A1PXXX1808350	XXxxXXxx
	Maintenance Comment		0.0	POS CX TO CLEAR COMP DEFAULT POLICY ERROR	

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 027RH LITERAL SERIAL NO : 027RH PERIOD: 01JAN90 TO 08JAN20  
PART NO : 557.21.09.734 ~S4080  
ENGINEERING NAME : INBOARD WING BAY  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 9036.4 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
29AUG16 23:33	027RH	557.21.09.734	~S4080	A23T	A2KKI
aip02188	AIP	MCS			A1PXXR1601417
R. ORLOWSKI		14SEP87			00
	8264.6 AFHR				



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

CAMM2  
 ASSET HISTORY

SERIAL/TAIL NO : 027RH LITERAL SERIAL NO : 027RH PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 557.21.09.734 ~S4080  
 ENGINEERING NAME : INBOARD WING BAY  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW						
29AUG16 23:33	Reception History Record	0.0	Reception			
	8264.6 AFHR		MCS			XXxxXXxx
29AUG16 23:34	Asset Installation	xxxx	A23T	A2KKI	00	
	8264.6 AFHR		027	027		A23T A2KKI 00MMI
	Change Serviceability Stat	0.9	SERV			XXxxXXxx
	Change Location of an Asse	0.9	S/I			
			MCS			
			A23-033			
30MAR17 05:42	Change Serviceability Stat	125.0	S/I			
	8406.0 AFHR		US/I			
08JUN17 01:02	Change Serviceability Stat	69.8	A1PXXJ1618229			XXxxXXxx
	8406.0 AFHR		US/I			
			S/I			
21MAR18 03:41	Change Serviceability Stat	139.0	S/I			XXxxXXxx
	8564.8 AFHR		US/I			
22MAR18 05:38	Change Serviceability Stat	1.0	A1PXXJ1711278			XXxxXXxx
	8564.8 AFHR		US/I			
			S/I			
23AUG18 12:06	Position Change	723.5	A23T	A2KKI	00	XXxxXXxx
	8564.8 AFHR		A23T	A2KKI	00	
	Maintenance Comment	0.0	A1PXXX1808354			XXxxXXxx
24APR19 12:15	Change Serviceability Stat	0.1	POS CX TO CLEAR COMP DEFAULT POLICY ERROR			
	8864.2 AFHR		S/I			
			US/I			
25APR19 08:30	Change Serviceability Stat	0.8	A1PXXJ1804971			XXxxXXxx
	8864.2 AFHR		US/I			
			S/I			
						XXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 027RH LITERAL SERIAL NO : 027RH PERIOD: 01JAN90 TO 08JAN20  
PART NO : 557.21.09.734 ~S4080  
ENGINEERING NAME : INBOARD WING BAY  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1PXXJ1618229 C COMPLETED 08JUN17 01:00 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 08JUN17 01:02 30MAR17 05:42 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 8406.0 AFHR  
 07 SCHED PERFORMANCE MONITOR NDT due on Serial 027RH  
 INBOARD WING BAY RH at WAC 1020  
 01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: NDT CO REF AIP MCS 1036/17-17-1

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT	1.0	ELPYR			
SM	NDT	1.0	ELPYR			

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1PXXJ1711278 C COMPLETED 22MAR18 05:34 XXxxXXxx XXxxXXxxXXxxXXxx AIP AIP  
 22MAR18 05:38 21MAR18 03:41 XXxxXXxx XXxxXXxxXXxxXXxx AIP 8564.8 AFHR  
 07 SCHED PERFORMANCE MONITOR NDT due on Serial 027RH  
 INBOARD WING BAY RH at WAC 1020  
 01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: NDT1 CARRIED OUT IAW AAP 7212-007-2. NIL ANOMALIES EVIDENT.  
 REF AIP MCS 338/18-7-6

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT	1.0	ELPYR			08JUN18
SM	NDT	1.0	ELPYR			08JUN18

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 027RH LITERAL SERIAL NO : 027RH PERIOD: 01JAN90 TO 08JAN20  
PART NO : 557.21.09.734 ~S4080  
ENGINEERING NAME : INBOARD WING BAY  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

1PXXJ1804971	C COMPLETED	25APR19 08:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	25APR19 08:30	24APR19 12:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	8864.2	AFHR

07 SCHED PERFORMANCE MONITOR NDT due on Serial 027RH  
INBOARD WING BAY RH at WAC 1020

01 NO FAULT 04 CHECK/TEST SERV

Unserviceability Details:  
Maintenance Comments:

INBOARD WING BAY INSPECTION CARRIED IAW AAP 7212-007-2. NIL  
ANOMALIES EVIDENT  
REF EE500 SNOW: 604949/1

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT	1.0	ELPYR			24APR19
SM	NDT	1.0	ELPYR			24APR19

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00266  
08JAN20  
23:16:15

SERIAL/TAIL NO : 027RH  
PART NO : SBI-101B ~Z5514  
ENGINEERING NAME : WNG NSE SKN & RIB3  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 9036.4 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC	
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID		
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO		
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED			
31JAN07 04:11	027RH	SLL-FS-1A	~Z5514	A23T	A2KII	00
aip01713	AIP	MMIST			A1PXXRY700829	
R. ROSAM		14SEP87				
	5306.5 AFHR					

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00267  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027RH  
 PART NO : SBI-101B ~Z5514  
 ENGINEERING NAME : WNG NSE SKN & RIB3  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
31JAN07 04:11	Reception History Record	0.0	Reception MMIST	
31JAN07 04:12	Asset Installation	7079.1	A23T A2KII 027 A23-033 00	XXxxXXxx
	Change Serviceability Stat	7079.1	SERV S/I MMIST A23-033	XXxxXXxx
	Change Location of an Asse	7079.1	SERV S/I MMIST A23-033	
22MAR07 22:08	Change Serviceability Stat	0.9	SERV S/I US/I A1PXXJY702275	XXxxXXxx
03APR07 06:49	Change Serviceability Stat	11.3	SERV S/I US/I	
04APR07 01:27	Change Part Number of an A	7142.0	SLL-FS-1A ~Z5514 SLL-FS-1B ~Z5514	XXxxXXxx
04APR07 01:28	Maintenance Comment Position Change	0.0 62.8	REPAIR PREV INC A23T A2KII 027 A23T A2KII 01	XXxxXXxx
04APR07 02:06	Maintenance Comment	0.0	LIF AFHR CHANGED - OLD VALUE= 5383.4 NEW VALUE= 297.3	XXxxXXxx
04APR07 02:14	Maintenance Comment	0.0	SRM 57-21-00 REPAIR NO 01 INC 03AUG06, 5086.1 HRS	XXxxXXxx
09AUG07 03:32	Maintenance Comment	0.0	LIF AFHR CHANGED - OLD VALUE= 459.8 NEW VALUE= 5545.9	XXxxXXxx
28APR14 01:54	Change Serviceability Stat	11.0	SERV S/I US/I A1PXXJ1402655	XXxxXXxx
06MAY14 23:22	Change Serviceability Stat	8.8	SERV S/I US/I	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00268  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027RH  
 PART NO : SBI-101B ~Z5514  
 ENGINEERING NAME : WNG NSE SKN & RIB3  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
19MAY15 03:39	Change Serviceability Stat	7761.9 AFHR	53.7	S/I US/I A1PXXJ1407606	XXxxXXxx
22JUL15 04:36	Change Serviceability Stat	7761.9 AFHR	64.0	US/I S/I	XXxxXXxx
10MAR16 10:20	Change Serviceability Stat	8060.7 AFHR	0.0	S/I US/I A1PXXJ1511360	XXxxXXxx
10MAR16 13:00	Change Serviceability Stat	8060.7 AFHR	0.1	US/I S/I	XXxxXXxx
30AUG16 00:54	Maintenance Comment	8264.6 AFHR	0.0	LIF AFHR CHANGED - OLD VALUE= 8264.6 NEW VALUE= 5383.4	XXxxXXxx
30AUG16 01:17	Maintenance Comment	5383.4 AFHR	0.0	LIF AFHR CHANGED - OLD VALUE= 5383.4 NEW VALUE= 8264.6	XXxxXXxx
24OCT16 21:55	Change Serviceability Stat	8388.8 AFHR	0.5	S/I US/I A1PXXJ1605557	XXxxXXxx
24OCT16 22:24	Change Serviceability Stat	8388.8 AFHR	0.0	US/I S/I	XXxxXXxx
07DEC16 12:45	Change Part Number of an A	8406.0 AFHR	3535.4	SLL-FS-1B ~Z5514 SBI-101B ~Z5514 A1PXXX1612978	XXxxXXxx
30MAR17 05:42	Maintenance Comment Change Serviceability Stat	8406.0 AFHR	0.0 125.0	APPLIED MPAN 031/2016 S/I US/I A1PXXJ1622373	XXxxXXxx
09MAY17 05:05	Change Serviceability Stat	8406.0 AFHR	39.9	US/I S/I	XXxxXXxx
21MAR18 05:23	Change Serviceability Stat	8564.8 AFHR	139.1	S/I US/I A1PXXJ1709239	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00269  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027RH  
 PART NO : SBI-101B ~Z5514  
 ENGINEERING NAME : WNG NSE SKN & RIB3  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
22MAR18 05:44	Change Serviceability Stat	1.0	US/I S/I	
	8564.8 AFHR			XXxxXXxx
20MAY19 03:43	Change Serviceability Stat	13.5	S/I US/I	
	8891.8 AFHR		A1PXXJ1804973	XXxxXXxx
18JUN19 05:42	Change Serviceability Stat	29.0	US/I S/I	
	8891.8 AFHR			XXxxXXxx

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJ1402655	C COMPLETED	06MAY14 23:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		AIP	
	06MAY14 23:22	28APR14 01:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		7462.7	AFHR
07 SCHED PERFORMANCE MONITOR				NDT1 due on Serial 027RH			
				RWNG NSE SKN TO FUS at WAC 1000			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		NIL DAMAGE EVIDENT DURING VISUAL EXAMINATION.			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT1	300.0	AFHR			
SM	NDT1	300.0	AFHR			

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 027RH  
PART NO : SBI-101B ~Z5514  
ENGINEERING NAME : WNG NSE SKN & RIB3  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

1PXXJ1407606	C COMPLETED	21MAY15 06:11	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	22JUL15 04:36	19MAY15 03:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	7761.9	AFHR
07 SCHED PERFORMANCE MONITOR			NDT1	due on Serial 027RH			
			RWNG NSE SKN TO FUS at WAC 1000				
01 NO FAULT	04 CHECK/TEST SERV		Unserviceability Details:				
			Maintenance Comments: NDT CO REF MCS 182/15-15-2 NIL VISIBLE CRACKS				

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT1	300.0	AFHR	299.2		
SM	NDT1	300.0	AFHR	299.2		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

1PXXJ1511360	C COMPLETED	10MAR16 12:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	10MAR16 13:00	10MAR16 10:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	8060.7	AFHR
07 SCHED PERFORMANCE MONITOR			NDT1	due on Serial 027RH			
			RWNG NSE SKN TO FUS at WAC 1000				
01 NO FAULT	04 CHECK/TEST SERV		Unserviceability Details:				
			Maintenance Comments: NDT C/O SERV NIL DEFECTS EVIDENT REF 558548/2-1-3				

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT1	300.0	AFHR	298.8		
SM	NDT1	300.0	AFHR	298.8		



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00271  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027RH  
 PART NO : SBI-101B ~Z5514  
 ENGINEERING NAME : WNG NSE SKN & RIB3  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

=====  
 A1PXXJ1605557 C COMPLETED 24OCT16 22:23 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 24OCT16 22:24 24OCT16 21:55 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 8388.8 AFHR  
 07 SCHED PERFORMANCE MONITOR NDT1 due on Serial 027RH  
 RWNG NSE SKN TO FUS at WAC 1000  
 01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: NDT 1 CARRIED OUT NIL DEFECTS

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT1	330.0	AFHR	328.1		
SM	NDT1	330.0	AFHR	328.1		

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

=====  
 A1PXXJ1622373 C COMPLETED 09MAY17 05:02 XXxxXXxx XXxxXXxxXXxxXXxx AIP AIP  
 09MAY17 05:05 30MAR17 05:42 XXxxXXxx XXxxXXxxXXxxXXxx AIP 8406.0 AFHR  
 07 SCHED PERFORMANCE MONITOR NDT1 due on Serial 027RH  
 RWNG NSE SKN TO FUS at WAC 1000  
 01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: SBI-101B CARRIED OUT IAW INSTRUCTIONS IN AAP 7212.007-2 CHAP  
 57-10-06. NO CRACKS FOUND. REF AIP MCS 1036/16-15-2

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT1	330.0	AFHR	17.2		
SM	NDT1	330.0	AFHR	17.2		

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00272  
08JAN20  
23:16:15

SERIAL/TAIL NO : 027RH  
PART NO : SBI-101B ~Z5514  
ENGINEERING NAME : WNG NSE SKN & RIB3  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJ1709239	C COMPLETED	22MAR18 05:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	22MAR18 05:44	21MAR18 05:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		8564.8	AFHR
07 SCHED PERFORMANCE MONITOR				NDT1 due on Serial 027RH			
				RWNG NSE SKN TO FUS at WAC 1000			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		NDT1 CARRIED OUT IAW AAP 7212-007-2. NIL ANOMALIES EVIDENT.			
				REF AIP MCS 338/18-7-6			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT1	330.0	AFHR	158.8		
SM	NDT1	330.0	AFHR	158.8		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJ1804973	C COMPLETED	18JUN19 05:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	18JUN19 05:42	20MAY19 03:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		8891.8	AFHR
07 SCHED PERFORMANCE MONITOR				NDT1 due on Serial 027RH			
				RWNG NSE SKN TO FUS at WAC 1000			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		RH WING NOSE SKIN TO FUSELAGE INSPECTIONS C/O IAW AAP			
				7212-007-2.NIL DEFECT EVIDENT.CHAPTER 57-10-06			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT1	330.0	AFHR	327.0		
SM	NDT1	330.0	AFHR	327.0		

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00273  
08JAN20  
23:16:15

SERIAL/TAIL NO : 027RH  
PART NO : SBI-101B ~Z5514  
ENGINEERING NAME : WNG NSE SKN & RIB3  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MAINTENANCE POLICY HISTORY -----

POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	CHANGE DETAILS	USER ID
09AUG07 03:33	SM	NDT	DLD Changed From: 14SEP1987 To:	XXxxXXxx
03AUG17 13:49	SM	BS9	LLD Changed From: 0.0 AFHR To: 5383.4 AFHR	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00274  
08JAN20  
23:16:15

SERIAL/TAIL NO : 027RH  
PART NO : SBI-102E ~Z5514  
ENGINEERING NAME : WNG RSPAR HLF R3  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 9036.4 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC	
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID		
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO		
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED			
31JAN07 04:16	027RH	SLL-FS-2A	~Z5514	A23T	A2KIM	00
aip01713	AIP	MMIST			A1PXXRY700832	
R. ROSAM		14SEP87				
	5306.5 AFHR					

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00275  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027RH  
 PART NO : SBI-102E ~Z5514  
 ENGINEERING NAME : WNG RSPAR HLF R3  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS		-----									
TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN(DYS)	FROM	TO (OPTIONAL)			USER		
						TRANS REFERENCE					
=====											
31JAN07	04:16	Reception History Record		0.0	Reception						
		5306.5	AFHR		MMIST				XXxxXXxx		
31JAN07	04:18	Asset Installation		7079.1	A23T	A2KIM		00			
		5306.5	AFHR		027		A23-033		A23T	A2KIM 00AC	
		Change Serviceability Stat		7079.1	SERV				XXxxXXxx		
		Change Location of an Asse		7079.1	S/I						
					MMIST						
					A23-033						
21AUG08	22:20	Change Serviceability Stat		0.6	S/I						
		5683.4	AFHR		US/I						
15SEP08	12:24	Change Serviceability Stat		24.5	A1PXXJY702280				XXxxXXxx		
		5683.4	AFHR		US/I						
		Change Serviceability Stat		2.7	S/I				XXxxXXxx		
		6870.5	AFHR		US/I						
03NOV11	23:04	Change Serviceability Stat		14.8	A1PXXJY815409				XXxxXXxx		
		6870.5	AFHR		US/I						
		Change Serviceability Stat		28.8	S/I				XXxxXXxx		
		7463.9	AFHR		US/I						
13JUN14	02:33	Change Serviceability Stat		28.8	A1PXXJ1116238				XXxxXXxx		
		7463.9	AFHR		US/I						
		Change Serviceability Stat		0.0	S/I				XXxxXXxx		
		7463.9	AFHR		S/I						
17JUN14	05:03	Change Part Number of an A		9773.2	SLL-FS-2A			~Z5514			
					SLL-FS-2CB			~Z5514			
		7463.9	AFHR		A1PXXX1406185				XXxxXXxx		
		Maintenance Comment		0.0	RHS 2 CRACKS= 12MM - REPAIR 2 C/O @ STI-0572				A1PXXJ1408801.		
17JUN14	05:04	Position Change		2694.0	A23T	A2KIM		00			
					A23T	A2KIM		20			
		7463.9	AFHR		A1PXXX1406186				XXxxXXxx		
		Maintenance Comment		0.0	NEW PARTNO= SLL-FS-2CB + NEW ALC= /20. IAW STI-PC9-0572.						

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00276  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027RH  
 PART NO : SBI-102E ~Z5514  
 ENGINEERING NAME : WNG RSPAR HLF R3  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
19MAY15 03:39	Change Serviceability Stat	7761.9 AFHR	53.7	S/I US/I A1PXXJ1409965	XXxxXXxx
21MAY15 03:21	Change Serviceability Stat	7761.9 AFHR	1.9	US/I S/I	XXxxXXxx
21MAY15 03:32	Change Serviceability Stat	7761.9 AFHR	0.0	S/I US/I	XXxxXXxx
21MAY15 05:38	Change Part Number of an A	7761.9 AFHR	338.0	SLL-FS-2CB ~Z5514 SBI-2B ~Z5514	XXxxXXxx
21MAY15 05:40	Maintenance Comment Position Change	7761.9 AFHR	0.0 3032.0	A1PXXX1504374 PARTNO= SBI-2B. NEW ALC= /01. NEW NDT= 1139 NEXT DUE= 8900.9 A23T A2KIM 20 A23T A2KIM 01	XXxxXXxx
21MAY15 05:41	Maintenance Comment Change Serviceability Stat	7761.9 AFHR	0.0 0.0	A1PXXX1504376 SRM 57-21-00 REP.03 C/O IAW SUPP#118 REF: AIPMCS 122/15 -7/6 US/I S/I	XXxxXXxx
07DEC16 11:52	Change Part Number of an A	8406.0 AFHR	566.2	SBI-2B ~Z5514 SBI-102B ~Z5514	XXxxXXxx
07JUN17 07:52	Maintenance Comment Position Change	8406.0 AFHR	0.0 3780.1	A1PXXX1612970 APPLIED MPAN 031/2016 A23T A2KIM 01 A23T A2KIM 01	XXxxXXxx
09JUN17 05:29	Maintenance Comment Position Change	8406.0 AFHR	0.0 3782.0	A1PXXX1709101 POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE A23T A2KIM 01 A23T A2KIM 01	XXxxXXxx
03JAN18 06:33	Maintenance Comment Position Change	8406.0 AFHR	0.0 3990.0	A1PXXX1709248 POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE A23T A2KIM 01 A23T A2KIM 01	XXxxXXxx
	Maintenance Comment	8564.8 AFHR	0.0	A1PXXX1800006 MPAN 077/2017 POLICY COPY	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00277  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027RH  
 PART NO : SBI-102E ~Z5514  
 ENGINEERING NAME : WNG RSPAR HLF R3  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
05JAN18 04:03	Change Serviceability Stat	8564.8 AFHR	64.0	S/I US/I A1PXXJ1507858	XXxxXXxx
08JAN18 05:57	Change Serviceability Stat	8564.8 AFHR	3.0	US/I S/I	XXxxXXxx
02NOV18 03:24	Change Serviceability Stat	8729.8 AFHR	1.5	S/I US/I A1PXXJ1800405	XXxxXXxx
11DEC18 02:11	Change Serviceability Stat	8729.8 AFHR	38.9	US/I S/I	XXxxXXxx
20MAY19 03:43	Change Serviceability Stat	8891.8 AFHR	13.5	S/I US/I A1PXXJ1821311	XXxxXXxx
06JUN19 01:34	Change Serviceability Stat	8891.8 AFHR	16.9	US/I S/I	XXxxXXxx
27JUN19 03:43	Change Part Number of an A	8891.8 AFHR	931.6	SBI-102B ~Z5514 SBI-102E ~Z5514 A1PXXX1906129	XXxxXXxx
27JUN19 03:45	Maintenance Comment Position Change		0.0 4529.9	REF AIP/NDT/A23-033/104 REF WH PK AIP MCS 272-1/19-7-1&2 A23T A2KIM 01 A23T A2KIM 03 A1PXXX1906130	XXxxXXxx
19SEP19 02:08	Maintenance Comment Change Serviceability Stat	8891.8 AFHR	0.0 0.8	REF AIP/NDT/A23-033/104 REF WK PK AIP MCS 272-1/19 P10 2&3 S/I	
09OCT19 03:12	Change Serviceability Stat	8990.1 AFHR	20.0	US/I A1PXXJ1909565 US/I S/I	XXxxXXxx
		8990.1 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : 027RH  
PART NO : SBI-102E ~Z5514  
ENGINEERING NAME : WNG RSPAR HLF R3  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1PXXJY702280	C COMPLETED	15SEP08 12:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	15SEP08 12:24	21AUG08 22:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	5683.4	AFHR
18 SPECIAL SERVICING DUE			NDT	due on Serial 027RH			
			RWNG RSPAR HLF R3	at WAC 1000			
01 NO FAULT	11 SPECIAL SERVICING		Unserviceability Details:				
			Maintenance Comments: SERV				

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT	5686.1	AFHR	5683.4		
SM	NDT	5686.1	AFHR	5683.4		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1PXXJY815409	C COMPLETED	03NOV11 22:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	03NOV11 23:04	20OCT11 03:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	6870.5	AFHR
18 SPECIAL SERVICING DUE			NDT	due on Serial 027RH			
			RWNG RSPAR HLF R3	at WAC 1000			
01 NO FAULT	11 SPECIAL SERVICING		Unserviceability Details:				
			Maintenance Comments: NDT C/O REF REPORT NDI 675/11				

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT	1200.0	AFHR	1187.1		
SM	NDT	1200.0	AFHR	1187.1		



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00279  
08JAN20  
23:16:15

SERIAL/TAIL NO : 027RH  
PART NO : SBI-102E ~Z5514  
ENGINEERING NAME : WNG RSPAR HLF R3  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJ1116238	C COMPLETED	13JUN14 02:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	13JUN14 02:42	13JUN14 02:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		7463.9	AFHR
07 SCHED PERFORMANCE MONITOR				NDT due on Serial 027RH			
				RWNG RSPAR HLF R3 at WAC 1000			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		SBI-2A CARRIED OUT, TOTAL CRACK LENGTH 12MM, REFER			
				AIP/NDT/A23-033/005 AND EE508 505130-3P6			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT	595.0	AFHR	593.4		
SM	NDT	595.0	AFHR	593.4		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJ1409965	C COMPLETED	21MAY15 00:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	21MAY15 03:21	19MAY15 03:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		7761.9	AFHR
07 SCHED PERFORMANCE MONITOR				NDT due on Serial 027RH			
				RWNG RSPAR HLF R3 at WAC 1000			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		NDT CARRIED OUT IAW AAP 7212.007-36 SECT 4 CHAP 8. NIL CRACKS			
				EVIDENT. REPAIR INSTALLED IAW AAP 7212.007-3 57-21-00 REPAIR			
				03. LOCATION TO BE RE-IDENTIFIED AS SBI-2B. REFER TO NDT			
				REPORT AIP/NDT/A23-033/018.			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT	300.0	AFHR	298.0		
SM	NDT	300.0	AFHR	298.0		

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00280  
08JAN20  
23:16:15

SERIAL/TAIL NO : 027RH  
PART NO : SBI-102E ~Z5514  
ENGINEERING NAME : WNG RSPAR HLF R3  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJ1507867	C COMPLETED	21MAY15 03:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	21MAY15 05:41	21MAY15 05:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		7761.9	AFHR
14 CONFIGURATION CHANGE		33 DURING CONFIGURATION CHANGE		FROM A23-033: AIPXXU1408303.		[WING; 027	R&I: A1PXXJ1505234]
08 DAMAGE		01 DAMAGED/CRACKED					
		01 REPAIR IN SITU					
		Unserviceability Details:		SRM 57-21-00 REPAIR.03 TBCO. WING REAR SPAR HALF RIB3 STOP DRILLED ON RHS			
		Maintenance Comments:		REPAIR C/O. REFER: AIPMCS 112/15-8/1. NEW ALC=/01. PARTNO=SBI-2B. NEW NDT= 1139 AFHR. NEXT DUE= 8900.9 - IAW A23T TMP PART.3 & SRM SUPP# 118.			

A1PXXJ1507858	C COMPLETED	08JAN18 05:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	08JAN18 05:57	05JAN18 04:03	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		8564.8	AFHR
07 SCHED PERFORMANCE MONITOR				NDT due on Serial 027RH			
				RWNG RSPAR HLF R3 at WAC 1000			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		NDT CARRIED OUT IAW AAP 7212.007-36 SECT 4 CHAP 8. NIL CRACKS EVIDENT. REFER TO NDT REPORT AIP/NDT/A23-033/096.			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT	165.0	AFHR	802.9		
SM	NDT	165.0	AFHR	802.9		

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJ1800405	C COMPLETED	11DEC18 02:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	11DEC18 02:11	02NOV18 03:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		8729.8	AFHR
07 SCHED PERFORMANCE MONITOR				NDT due on Serial 027RH			
				RWNG RSPAR HLF R3 at WAC 1000			
01 NO FAULT		04 CHECK/TEST SERV					

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00281  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027RH PERIOD: 01JAN90 TO 08JAN20  
 PART NO : SBI-102E ~Z5514  
 ENGINEERING NAME : WNG RSPAR HLF R3  
 VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

Unserviceability Details:

Maintenance Comments: NDT CARRIED OUT IAW AAP 7212.007-36 SECT 4 CHAP 8. NIL CRACKS EVIDENT. REFER TO NDT REPORT AIP/NDT/A23-033/103.

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT	165.0	AFHR	165.0		
SM	NDT	165.0	AFHR	165.0		

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1PXXJ1821311 C COMPLETED 06JUN19 01:29 XXxxXXxx XXxxXXxxXXxxXXxx AIP AIP  
 06JUN19 01:34 20MAY19 03:43 XXxxXXxx XXxxXXxxXXxxXXxx AIP 8891.8 AFHR  
 07 SCHED PERFORMANCE MONITOR NDT due on Serial 027RH  
 RWNG RSPAR HLF R3 at WAC 1000  
 01 NO FAULT 04 CHECK/TEST SERV

Unserviceability Details:

Maintenance Comments: NDT CARRIED OUT IAW AAP 7212.007-36 SECT 4 CHAP 8. 8.6MM CRACK DETECTED REF: AIP/NDT/A23-033/104 REF: AIP MCS 272-1/19-7-1&2

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT	165.0	AFHR	162.0		
SM	NDT	165.0	AFHR	162.0		

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 027RH  
 PART NO : SBI-102E ~Z5514  
 ENGINEERING NAME : WNG RSPAR HLF R3  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

1PXXJ1909565	C COMPLETED	20SEP19 03:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	09OCT19 03:12	19SEP19 02:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	8990.1	AFHR
07 SCHED PERFORMANCE MONITOR				NDT	due on Serial 027RH		
				RWNG RSPAR HLF R3	at WAC 1000		
01 NO FAULT		04 CHECK/TEST SERV					

Unserviceability Details:  
 Maintenance Comments:

NDT C/O IAW AAP 7212.007-36 SECT 4 CHAP 8.NIL CRACKING GROWTH  
 DETECTED. CRACK REMAIN 8.6 MM LENGHT REF; NDT REPORT #  
 AIP/NDT/A23-033/111.AIP MCS 860-1/19-5-2.

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
=====	=====	=====	=====	=====	=====	=====
SM	NDT	100.0	AFHR	98.3		
SM	NDT	100.0	AFHR	98.3		

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 027RH  
PART NO : SBI-103B ~Z5514  
ENGINEERING NAME : WNG RSPAR UP FLNG  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 9036.4 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		

31JAN07 04:21	027RH	SLL-FS-3A	~Z5514	A23T	A2KIQ	00
aip01713	AIP	MMIST			A1PXXRY700836	
R. ROSAM		14SEP87				

5306.5 AFHR

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00284  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027RH  
 PART NO : SBI-103B  
 ENGINEERING NAME : WNG RSPAR UP FLNG  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~Z5514

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
31JAN07 04:21	Reception History Record	0.0	Reception MMIST	
31JAN07 04:23	Asset Installation	7079.1	A23T A2KIQ 00 027 A23-033	XXxxXXxx A23T A2KIQ 00AC XXxxXXxx
17APR07 01:25	Change Part Number of an A	7155.0	SLL-FS-3A ~Z5514 SLL-FS-3B ~Z5514 A1PXXXY703323	XXxxXXxx
17APR07 01:25	Maintenance Comment Position Change	0.0 75.8	11APR05 MOD 7212.007-235 INC AT AIRFLITE JANDAKOT A23T A2KIQ 00 A23T A2KIQ 01	XXxxXXxx
17APR07 01:26	Maintenance Comment	0.0	11APR05 MOD 7212.007-235 INC AT AIRFLITE JANDAKOT	XXxxXXxx
17APR07 01:26	Maintenance Comment	0.0	DOM CHANGE - OLD VALUE=14-sep-1987 00:00:00	XXxxXXxx
09AUG07 03:45	Maintenance Comment	0.0	LIF AFHR CHANGED - OLD VALUE= 459.8 NEW VALUE= 5545.9	XXxxXXxx
03APR13 23:45	Change Serviceability Stat	253.6	S/I US/I	
04APR13 00:22	Change Serviceability Stat	0.0	A1PXXJY702287 US/I S/I	XXxxXXxx
28APR14 02:47	Change Serviceability Stat	11.0	S/I US/I	XXxxXXxx
13MAY14 03:40	Change Serviceability Stat	15.0	A1PXXJ1304447 US/I S/I	XXxxXXxx
				XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00285  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027RH  
 PART NO : SBI-103B ~Z5514  
 ENGINEERING NAME : WNG RSPAR UP FLNG  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS		LIFE SINCE NEW		SPAN(DYS) FROM		TO (OPTIONAL)		USER	
TRANSACTION D/T	CHANGE TYPE					TRANS REFERENCE			
07DEC16 11:58	Change Part Number of an A	8406.0	AFHR	3522.4		SLL-FS-3B	~Z5514		
	Maintenance Comment			0.0		SBI-103B	~Z5514		XXxxXXxx
26JUL18 06:47	Change Serviceability Stat	8564.8	AFHR	266.1		A1PXXX1612972			
						APPLIED MPAN 031/2016			
23AUG18 06:20	Change Serviceability Stat	8564.8	AFHR	27.9		S/I			XXxxXXxx
						A1PXXJ1407926			
						US/I			XXxxXXxx
						S/I			

MMI JOBS									
JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS		
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW		
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT					
A1PXXJY702287	C COMPLETED	04APR13 00:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP			
	04APR13 00:22	03APR13 23:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	7163.2	AFHR		
07 SCHED PERFORMANCE MONITOR				NDT	due on Serial 027RH				
01 NO FAULT	04 CHECK/TEST SERV				RWNG RSPAR UP FLNG at WAC 1000				
	Unserviceability Details:								
	Maintenance Comments:	NDT CO REF MCS 1102/12-55-6							

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT	2201.0	AFHR	2077.1		
SM	NDT	2201.0	AFHR	2077.1		

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00286  
08JAN20  
23:16:15

SERIAL/TAIL NO : 027RH  
PART NO : SBI-103B ~Z5514  
ENGINEERING NAME : WNG RSPAR UP FLNG  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

1PXXJ1304447	C COMPLETED	13MAY14 03:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	13MAY14 03:40	28APR14 02:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		7462.7	AFHR
07 SCHED PERFORMANCE MONITOR				NDT due on Serial 027RH			
				RWNG RSPAR UP FLNG at WAC 1000			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		NDT CO REF MCS 194/14-16-2			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT	2201.0	AFHR	2068.3		
SM	NDT	2201.0	AFHR	2068.3		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

1PXXJ1407926	C COMPLETED	23AUG18 06:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	23AUG18 06:20	26JUL18 06:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		8564.8	AFHR
07 SCHED PERFORMANCE MONITOR				NDT due on Serial 027RH			
				RWNG RSPAR UP FLNG at WAC 1000			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		NDT CARRIED OUT IAW AAP 7212.007-36 SECT 4 CHAP 9. NIL CRACKS EVIDENT. REFER TO NDT REPORT AIP/NDT/A23-033/101.			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT	739.0	AFHR	1102.1		
SM	NDT	739.0	AFHR	1102.1		



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00287  
08JAN20  
23:16:15

SERIAL/TAIL NO : 027RH  
PART NO : SBI-103B ~Z5514  
ENGINEERING NAME : WNG RSPAR UP FLNG  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MAINTENANCE POLICY HISTORY -----  
POLICY DATE/TIME           ACTIVITY TYPE   ACTIVITY CODE           USER ID  
CHANGE DETAILS  
=====

14FEB14 01:27	SM	NDT	XXxxXXxx
	DLD Changed From: 04APR2013		To:

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

SERIAL/TAIL NO : 027RH  
PART NO : SBI-104B ~Z5514  
ENGINEERING NAME : WNG RSPAR LW FLNG  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 9036.4 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
31JAN07 04:29	027RH	SLL-FS-4A	~Z5514 A23T	A2KIU	00
aip01713	AIP	MMIST		A1PXXRY700840	
R. ROSAM		14SEP87			
	5306.5 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00289  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027RH  
 PART NO : SBI-104B  
 ENGINEERING NAME : WNG RSPAR LW FLNG  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~Z5514

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
31JAN07 04:29	Reception History Record	0.0	Reception MMIST	
31JAN07 04:32	Asset Installation	7079.1	A23T A2KIU A23-033 00	XXxxXXxx
	Change Serviceability Stat	7079.1	SERV S/I MMIST A23-033	XXxxXXxx
	Change Location of an Asse	7079.1	SERV S/I MMIST A23-033	
22MAR07 22:08	Change Serviceability Stat	0.9	SERV S/I MMIST A23-033	
03APR07 06:40	Change Serviceability Stat	11.3	US/I A1PXXJY702294	XXxxXXxx
08NOV08 01:49	Change Part Number of an A	7726.0	SLL-FS-4A ~Z5514 SLL-FS-4B ~Z5514	XXxxXXxx
08NOV08 01:54	Maintenance Comment Position Change	0.0 646.8	REF MOD 229 A23T A2KIU A23T A2KIU 00 A1PXXJY811064 01	XXxxXXxx
08NOV08 02:03	Maintenance Comment	0.0	LIF AFHR CHANGED - OLD VALUE= 5771.2 NEW VALUE= 178.6	XXxxXXxx
11FEB10 10:50	Maintenance Comment	0.0	LIF AFHR CHANGED - OLD VALUE= 708.3 NEW VALUE= 6300.9	XXxxXXxx
01APR16 00:26	Change Serviceability Stat	8.6	SERV S/I MMIST A23-033	
04APR16 05:22	Change Serviceability Stat	3.2	US/I A1PXXJY819493	XXxxXXxx
	Change Serviceability Stat		SERV S/I MMIST A23-033	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00290  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027RH  
 PART NO : SBI-104B ~Z5514  
 ENGINEERING NAME : WNG RSPAR LW FLNG  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
07DEC16 12:06	Change Part Number of an A	2951.4	SLL-FS-4B ~Z5514 SBI-104B ~Z5514 A1PXXX1612974	XXxxXXxx
30MAR17 05:42	Maintenance Comment Change Serviceability Stat	0.0 125.0	APPLIED MPAN 031/2016 S/I US/I	
07JUN17 07:54	Position Change	3780.1	A1PXXJ1607590 A23T A2KIU 01 A23T A2KIU 01	XXxxXXxx
08JUN17 04:58	Maintenance Comment Change Serviceability Stat	0.0 69.9	A1PXXX1709105 POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE US/I S/I	XXxxXXxx
25JUL18 08:36	Position Change	4193.1	A23T A2KIU 01 A23T A2KIU 01 A1PXXX1807241	XXxxXXxx
	Maintenance Comment	0.0	POLICY UPDATE AS PER OID: AK16664342- MPAN 027/2018	

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJY702294	C COMPLETED	03APR07 05:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
18 SPECIAL SERVICING DUE		22MAR07 22:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	5383.4	AFHR
01 NO FAULT		11 SPECIAL SERVICING		NDT due on Serial 027RH RWNG RSPAR LW FLNG at WAC 1000			
		Unserviceability Details:		Maintenance Comments: ASSESSED SERV			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT	5386.1	AFHR	5383.4		
SM	NDT	5386.1	AFHR	5383.4		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 027RH  
 PART NO : SBI-104B ~Z5514  
 ENGINEERING NAME : WNG RSPAR LW FLNG  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1PXXJY819493	C COMPLETED	04APR16 05:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	04APR16 05:22	01APR16 00:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	8076.5	AFHR
07 SCHED PERFORMANCE MONITOR				NDT	due on Serial 027RH		
				RWNG RSPAR LW FLNG at WAC 1000			
01 NO FAULT		04 CHECK/TEST SERV		Unserviceability Details:			
				Maintenance Comments: NDT CARRIED OUT IAW AAP 7212.007-36 SECT 4 CHAP 10. NIL CRACKS EVIDENT. REFER TO NDT REPORT AIP/NDT/A23-033/047.			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT	2583.0	AFHR	2483.9		
SM	NDT	2583.0	AFHR	2483.9		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1PXXJ1607590	C COMPLETED	08JUN17 02:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	08JUN17 04:58	30MAR17 05:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	8406.0	AFHR
07 SCHED PERFORMANCE MONITOR				NDT	due on Serial 027RH		
				RWNG RSPAR LW FLNG at WAC 1000			
01 NO FAULT		04 CHECK/TEST SERV		Unserviceability Details:			
				Maintenance Comments: SBI-104 CO REF AIP MCS 1036/16-16-3			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT	990.0	AFHR	329.5		
SM	NDT	990.0	AFHR	329.5		

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

SERIAL/TAIL NO : 027RH  
PART NO : SBI-104B ~Z5514  
ENGINEERING NAME : WNG RSPAR LW FLNG  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	USER ID
11FEB10 10:50	SM	NDT	XXxxXXxx
	DLD Changed From: 14SEP1987		To:

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 027RH  
PART NO : SBI-105B ~Z5514  
ENGINEERING NAME : WNG AUXSPAR WWEL  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 9036.4 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		

15FEB06 23:29	027RH	SLL-FS-5A	~Z5514	A23T	A2KIY	00
aip01713	AIP	MMIST			A1PXXRY600328	
R. ROSAM		14SEP87				

5086.1 AFHR

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00294  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027RH  
 PART NO : SBI-105B ~Z5514  
 ENGINEERING NAME : WNG AUXSPAR WWEL  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
15FEB06 23:29	Reception History Record	0.0	Reception MMIST	
15FEB06 23:31	Asset Installation	6729.9	A23T A2KIY 027 027 00	XXxxXXxx
	Change Serviceability Stat	0.9	SERV S/I MMIST	XXxxXXxx
	Change Location of an Asse	0.9	HG121	
08NOV08 00:43	Change Part Number of an A	997.0	SLL-FS-5A ~Z5514 SLL-FS-5B ~Z5514	
08NOV08 00:49	Maintenance Comment Position Change	0.0 996.0	A1PXXXY811010 REF MOD 229 A23T A2KIY 00 A23T A2KIY 01	XXxxXXxx
08NOV08 01:05	Maintenance Comment	0.0	A1PXXXY811037 REF MOD 229	
11FEB10 10:51	Maintenance Comment	0.0	LIF AFHR CHANGED - OLD VALUE= 708.3 NEW VALUE= 6300.9	XXxxXXxx
30AUG16 01:02	Maintenance Comment	0.0	LIF AFHR CHANGED - OLD VALUE= 8264.6 NEW VALUE= 5771.2	XXxxXXxx
30AUG16 01:06	Maintenance Comment	0.0	LIF AFHR CHANGED - OLD VALUE= 5771.2 NEW VALUE= 8264.6	XXxxXXxx
07DEC16 12:25	Change Part Number of an A	2951.4	SLL-FS-5B ~Z5514 SBI-105B ~Z5514	
	Maintenance Comment	0.0	A1PXXX1612976 APPLIED MPAN 031/2016	XXxxXXxx



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00295  
08JAN20  
23:16:15

SERIAL/TAIL NO : 027RH  
PART NO : SBI-105B ~Z5514  
ENGINEERING NAME : WNG AUXSPAR WWEL  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MAINTENANCE POLICY HISTORY

POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	CHANGE DETAILS	USER ID
11FEB10 10:51	SM	NDT	DLD Changed From: 14SEP1987 To:	XXxxXXxx
07DEC16 12:28	SM	TA	DLD Changed From: 14SEP1987 To:	XXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00296  
08JAN20  
23:16:15

SERIAL/TAIL NO : 027RH  
PART NO : SBI-106B ~Z5514  
ENGINEERING NAME : WNG AUXSPAR MRIB  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 9036.4 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
31JAN07 04:42	027RH	SLL-FS-6A	~Z5514 A23T	A2KJC	00
aip01713	AIP	MMIST		A1PXXRY700843	
R. ROSAM		14SEP87			
	5306.5 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00297  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027RH  
 PART NO : SBI-106B ~Z5514  
 ENGINEERING NAME : WNG AUXSPAR MRIB  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS		-----									
TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN(DYS)	FROM	TO (OPTIONAL)			USER		
						TRANS REFERENCE					
=====											
31JAN07	04:42	Reception History Record		0.0	Reception						
		5306.5	AFHR		MMIST				XXxxXXxx		
31JAN07	04:43	Asset Installation		7079.1	A23T	A2KJC		00			
		5306.5	AFHR		027		A23-033		A23T	A2KJC 00AC	
		Change Serviceability Stat		7079.1	SERV				XXxxXXxx		
		Change Location of an Asse		7079.1	S/I						
					MMIST						
					A23-033						
12FEB07	03:40	Change Serviceability Stat		11.9	S/I						
		5344.2	AFHR		US/I						
12FEB07	03:43	Change Serviceability Stat		0.0	A1PXXJY702303				XXxxXXxx		
		5344.2	AFHR		US/I						
		Change Part Number of an A		7726.1	S/I				XXxxXXxx		
08NOV08	02:39				SLL-FS-6A			~Z5514			
		5771.2	AFHR		SLL-FS-6B			~Z5514			
		Maintenance Comment		0.0	A1PXXXY811116				XXxxXXxx		
08NOV08	02:44	Position Change		646.9	REF MOD 229						
		5771.2	AFHR		A23T	A2KJC		00			
		Maintenance Comment		0.0	A23T	A2KJC		01			
		5771.2	AFHR		A1PXXXY811140				XXxxXXxx		
		Maintenance Comment		0.0	REF MOD 229						
08NOV08	02:52	Maintenance Comment		0.0	LIF AFHR	CHANGED - OLD VALUE=	5771.2	NEW VALUE=	178.6		
		5771.2	AFHR							XXxxXXxx	
11FEB10	10:52	Maintenance Comment		0.0	LIF AFHR	CHANGED - OLD VALUE=	708.3	NEW VALUE=	6300.9		
		708.3	AFHR							XXxxXXxx	
30AUG16	00:59	Maintenance Comment		0.0	LIF AFHR	CHANGED - OLD VALUE=	8264.6	NEW VALUE=	5344.2		
		8264.6	AFHR							XXxxXXxx	
30AUG16	01:15	Maintenance Comment		0.0	LIF AFHR	CHANGED - OLD VALUE=	5344.2	NEW VALUE=	8264.6		
		5344.2	AFHR							XXxxXXxx	
07DEC16	10:38	Change Part Number of an A		2951.3	SLL-FS-6B			~Z5514			
		8406.0	AFHR		SBI-106B			~Z5514			
		Maintenance Comment		0.0	A1PXXX1612968				XXxxXXxx		
					APPLIED MPAN 031/2016						

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00298  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027RH  
 PART NO : SBI-106B  
 ENGINEERING NAME : WNG AUXSPAR MRIB  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~Z5514

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
			TRANS REFERENCE		
07JUN17 07:54	Position Change	3780.1	A23T A2KJC	01	
	8406.0 AFHR		A23T A2KJC	01	
	Maintenance Comment	0.0	A1PXXX1709106		XXxxXXxx
09JUN17 05:29	Position Change	3782.0	A23T A2KJC	01	
	8406.0 AFHR		A23T A2KJC	01	
	Maintenance Comment	0.0	A1PXXX1709249		XXxxXXxx
			POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS		UNSERVICEABILITY DETAILS			
MAINT PROCESS	UNSERVICEABILITY	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			
FAULT FOUND	MAINTENANCE ACTION TAKEN						
A1PXXJY702303	C COMPLETED	12FEB07 03:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	12FEB07 03:43	12FEB07 03:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	5344.2	AFHR
18 SPECIAL SERVICING DUE				NDT	due on Serial 027RH		
01 NO FAULT				RWNG AUXSPAR OSPA	at WAC 1000		
	11 SPECIAL SERVICING			Unserviceability Details:			
				Maintenance Comments: STI-PC9-0423 CO. NIL DEFECTS NIL MOD 232 16NOV06			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
=====	=====	=====	=====	=====	=====	=====
SM	NDT	5686.1	AFHR	5344.2		
SM	NDT	5686.1	AFHR	5344.2		

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 027RH  
PART NO : SBI-106B ~Z5514  
ENGINEERING NAME : WNG AUXSPAR MRIB  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MAINTENANCE POLICY HISTORY -----

POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	CHANGE DETAILS	USER ID
12FEB07 03:53	SM	NDT	DLD Changed From: 12FEB2007 To:	XXxxXXxx
11FEB10 10:53	SM	NDT	DLD Changed From: 14SEP1987 To:	XXxxXXxx
07DEC16 12:35	SM	TA	DLD Changed From: 14SEP1987 To:	XXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00300  
08JAN20  
23:16:15

SERIAL/TAIL NO : 027RH  
PART NO : SBI-107A ~Z5514  
ENGINEERING NAME : WNG LWSKN MLG  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 9036.4 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
31JAN07 04:47	027RH	SLL-FS-7A	~Z5514 A23T	A2KJG	00
aip01713	AIP	MMIST		A1PXXRY700845	
R. ROSAM		14SEP87			
	5306.5 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00301  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027RH  
 PART NO : SBI-107A ~Z5514  
 ENGINEERING NAME : WNG LWSKN MLG  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
31JAN07 04:47	Reception History Record	0.0	Reception MMIST	
31JAN07 04:49	Asset Installation	7079.2	A23T A2KJG 027 A23-033 00	XXXXXXxx
	Change Serviceability Stat	7079.2	SERV S/I MMIST A23-033	XXXXXXxx
07DEC16 10:30	Change Part Number of an A	xxxx	SLL-FS-7A SBI-107A ~Z5514 ~Z5514	
	Maintenance Comment	0.0	A1PXXX1612966 APPLIED MPAN 031/2016	XXXXXXxx
07JUN17 07:55	Position Change	3780.1	A23T A2KJG 00	
	Maintenance Comment	0.0	A1PXXX1709108 POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE	XXXXXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 027RH  
PART NO : SBI-107A ~Z5514  
ENGINEERING NAME : WNG LWSKN MLG  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MAINTENANCE POLICY HISTORY -----

POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	USER ID
=====	CHANGE DETAILS	=====	=====
27OCT15 08:45	SM DLD Changed From: 14SEP1987	NDT To:	XXxxXXxx



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00303  
08JAN20  
23:16:15

SERIAL/TAIL NO : 027RH  
PART NO : SBI-108A ~Z5514  
ENGINEERING NAME : WNG CNTR LWSKN RS  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 9036.4 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
16FEB06 00:05	027RH	SLL-FS-8A	~Z5514	A23T	00
aip001	AIP	MMIST		A2KJI	
L. DOBSON		14SEP87		A1PXXRY600338	
	5086.1 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00304  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027RH  
 PART NO : SBI-108A ~Z5514  
 ENGINEERING NAME : WNG CNTR LWSKN RS  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
16FEB06 00:05	Reception History Record	0.0	Reception MMIST	
07DEC09 23:25	Change Serviceability Stat	0.7	S/I US/I	XXxxXXxx
14DEC09 23:05	Change Serviceability Stat	6.9	US/I S/I	XXxxXXxx
07DEC16 10:23	Change Part Number of an A	xxxx	SLL-FS-8A SBI-108A	XXxxXXxx
07JUN17 07:30	Maintenance Comment Position Change	0.0	APPLIED MPAN 031/2016	XXxxXXxx
	Maintenance Comment	0.0	POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE	XXxxXXxx

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJY602183	C COMPLETED	14DEC09 22:55	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
18 SPECIAL SERVICING DUE		14DEC09 23:05	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	6277.9	AFHR
01 NO FAULT		11 SPECIAL SERVICING		due on Serial 027RH			
		Unserviceability Details:		at WAC 1000			
		Maintenance Comments:	C./O				

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT	6286.1	AFHR	6277.9		
SM	NDT	6286.1	AFHR	6277.9		

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00305  
08JAN20  
23:16:15

SERIAL/TAIL NO : 027RH  
PART NO : SBI-109B ~Z5514  
ENGINEERING NAME : WNG LWSKN DRAIN HL  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 9036.4 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
16FEB06 07:06	027RH	SLL-FS-9A	~Z5514	A2KJO	00
aip01713	AIP	MMIST	A23T	A1PXXRY600450	
R. ROSAM		14SEP87			
	5086.1 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00306  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 027RH  
 PART NO : SBI-109B ~Z5514  
 ENGINEERING NAME : WNG LWSKN DRAIN HL  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
LIFE SINCE NEW				
16FEB06 07:06	Reception History Record	0.0	Reception MMIST	
16FEB06 07:07	Asset Installation	6730.2	A23T A2KJO 027 027 00	XXxxXXxx
	Change Serviceability Stat	0.2	SERV S/I MMIST HG121	XXxxXXxx
	Change Location of an Asse	0.2		
05NOV08 07:04	Change Part Number of an A	993.2	SLL-FS-9A ~Z5514 SLL-FS-9B ~Z5514	
	Maintenance Comment	0.0	A1PXXXY810669 REF MOD 229	XXxxXXxx
05NOV08 07:05	Position Change	992.9	A23T A2KJO 01	
	Maintenance Comment	0.0	A1PXXXY810671 REF MOD 229	XXxxXXxx
05NOV08 07:08	Maintenance Comment	0.0	LIF AFHR CHANGED - OLD VALUE= 5767.6 NEW VALUE= 175.0	XXxxXXxx
11FEB10 10:53	Maintenance Comment	0.0	LIF AFHR CHANGED - OLD VALUE= 708.3 NEW VALUE= 6300.9	XXxxXXxx
07DEC16 10:14	Change Part Number of an A	2954.1	SLL-FS-9B ~Z5514 SBI-109B ~Z5514	
	Maintenance Comment	0.0	A1PXXX1612962 APPLIED MPAN 031/2016	XXxxXXxx
30MAR17 05:42	Change Serviceability Stat	125.0	S/I US/I	
07JUN17 07:31	Position Change	4129.0	A1PXXJY602340 A23T A2KJO 01 A23T A2KJO 01	XXxxXXxx
	Maintenance Comment	0.0	A1PXXX1709087	XXxxXXxx
08JUN17 01:07	Change Serviceability Stat	69.8	POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE US/I S/I	
				XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 027RH  
 PART NO : SBI-109B ~Z5514  
 ENGINEERING NAME : WNG LWSKN DRAIN HL  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

```

=====
A1PXXJY602340  C  COMPLETED      08JUN17  01:03  XXxxXXxx  XXxxXXxxXXxxXXxxXXxx AIP      AIP
                08JUN17  01:07      30MAR17  05:42  XXxxXXxx  XXxxXXxxXXxxXXxxXXxx AIP      8406.0  AFHR
07 SCHED PERFORMANCE MONITOR
                NDT                                due on Serial 027RH
                RWNG LWSKN DRAIN HL at WAC 1000
01 NO FAULT                04 CHECK/TEST SERV
                Unserviceability Details:
                Maintenance Comments:  NDT CO REF AIP MCS 1036/17-16-5
  
```

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
=====	=====	=====	=====	=====	=====	=====
SM	NDT	4032.0	AFHR	2813.4		
SM	NDT	4032.0	AFHR	2813.4		

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 027RH  
PART NO : SBI-109B ~Z5514  
ENGINEERING NAME : WNG LWSKN DRAIN HL  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MAINTENANCE POLICY HISTORY

POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	CHANGE DETAILS	USER ID
11FEB10 10:54	SM	NDT	DLD Changed From: 14SEP1987 To:	XXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00309  
08JAN20  
23:16:15

SERIAL/TAIL NO : 027RH  
PART NO : SLL-C-2A ~Z5514  
ENGINEERING NAME : AILERON SUPP STRUCT  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 9036.4 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
17FEB06 00:29	027RH	SLL-C-2A	~Z5514 A23T	A2KJU	00
aip001	AIP	MMIST		A1PXXRY600465	
L. DOBSON		14SEP87			
	5086.1 AFHR				

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00310  
08JAN20  
23:16:15

SERIAL/TAIL NO : 027RH  
PART NO : SLL-C-2A ~Z5514  
ENGINEERING NAME : AILERON SUPP STRUCT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
17FEB06	00:29	Reception History Record	0.0	Reception			
				MMIST			
12APR12	21:59	Position Change	8977.8	A23T	A2KJU	00	XXxxXXxx
				A23T	A2KJU	00	
				A1PXXX1203226			XXxxXXxx
		Maintenance Comment	0.0	MPAN 04/2012: T/A POLICY CHNG.	NEW: 10,000	OLD: 7750	AFHRS

For-Official-Use-Only



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00311  
08JAN20  
23:16:15

SERIAL/TAIL NO : 033  
PART NO : SBI-110 ~Z5514  
ENGINEERING NAME : AFT FUS TOP SKIN  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 9545.2 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

-----  
RECEPTION D/T SER NO PART NO EIAC LCN ALC  
USER ID VENUE LOCATION SUB-LOCATION ASSET ID  
NAME DATE NEW BATCH MATCHED SET NO  
HA SERIAL HA PART  
DATE UNPACKED  
DEFAULT LIFS ENTERED AT RECEPTION  
-----

23FEB06 06:50 033 SLL-FS-14B ~Z5514 A23T ALURE 01  
aip01713 AIP MMIST  
R. ROSAM 06APR05 A1PXXRY600981

332.9 AFHR

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00312  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 033  
 PART NO : SBI-110 ~Z5514  
 ENGINEERING NAME : AFT FUS TOP SKIN  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
23FEB06 06:50	Reception History Record	0.0	Reception MMIST	
23FEB06 06:51	Asset Installation	323.2	A23T A1URE 01 533 A23-033	XXxxXXxx
	Change Serviceability Stat	0.2	SERV S/I MMIST A23-033	XXxxXXxx
	Change Location of an Asse	0.2	SERV S/I MMIST A23-033	
30JAN07 22:00	Change Part Number of an A	341.9	SLL-FS-14B ~Z5514 SLL-FS-14A ~Z5514	
	Maintenance Comment	0.0	A1PXXXY700754	XXxxXXxx
30JAN07 22:01	Position Change	341.6	TASPO/2003/51925/3 FOR P/N CX A23T A1URE 01	
	Maintenance Comment	0.0	A23T A1URE 00	XXxxXXxx
	Maintenance Comment	0.0	A1PXXXY700755	XXxxXXxx
07FEB07 02:41	Maintenance Comment	0.0	TASPO/2003/51925/3 FOR P/N CX	
	Change Serviceability Stat	0.9	LIF AFHR CHANGED - OLD VALUE= 643.1 NEW VALUE= 5840.3	XXxxXXxx
22MAR07 22:07	Change Serviceability Stat	0.9	S/I US/I A1PXXJY702109	XXxxXXxx
04APR07 01:51	Change Serviceability Stat	12.1	S/I US/I	XXxxXXxx
02SEP10 01:25	Change Serviceability Stat	6.7	S/I US/I A1PXXJY706605	XXxxXXxx
30SEP10 05:19	Change Serviceability Stat	28.1	US/I S/I	XXxxXXxx
19MAY15 03:39	Change Serviceability Stat	53.7	S/I US/I A1PXXJ1017184	XXxxXXxx
	Change Serviceability Stat	8270.7	AFHR	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00313  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 033  
 PART NO : SBI-110 ~Z5514  
 ENGINEERING NAME : AFT FUS TOP SKIN  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
21MAY15 03:17	Change Serviceability Stat	1.9	US/I S/I	
	8270.7 AFHR			XXxxXXxx
07DEC16 10:05	Change Part Number of an A	3598.5	SLL-FS-14A SBI-110 ~Z5514 ~Z5514	
	8914.8 AFHR		A1PXXX1612957	XXxxXXxx
07DEC16 10:05	Maintenance Comment Position Change	0.0 3940.1	APPLIED MPAN 031/2016 A23T A1URE 00 A23T A1URE 70	
	8914.8 AFHR		A1PXXX1612958	XXxxXXxx
30MAR17 05:42	Change Serviceability Stat	125.0	APPLIED MPAN 031/2016 S/I	
	8914.8 AFHR		US/I A1PXXJ1625775	XXxxXXxx
08JUN17 02:29	Change Serviceability Stat	69.8	US/I S/I	
	8914.8 AFHR			XXxxXXxx

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJY702109	C COMPLETED	04APR07 01:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
18 SPECIAL SERVICING DUE		04APR07 01:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	5892.2	AFHR
				due on Serial 033			
01 NO FAULT				AFT FUS TSKN RIVET at WAC 0670			
		11 SPECIAL SERVICING					
		Unserviceability Details:					
		Maintenance Comments:	ASSESSED SERV				

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT	5894.9	AFHR	5892.2		
SM	NDT	5894.9	AFHR	5892.2		

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00314  
08JAN20  
23:16:15

SERIAL/TAIL NO : 033  
PART NO : SBI-110 ~Z5514  
ENGINEERING NAME : AFT FUS TOP SKIN  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

18 SPECIAL SERVICING DUE	C COMPLETED	30SEP10 04:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
	30SEP10 05:19	02SEP10 01:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		7082.8	AFHR
01 NO FAULT				NDT due on Serial 033			
				AFT FUS TSKN RIVET at WAC 0670			
				11 SPECIAL SERVICING			
				Unserviceability Details:			
				Maintenance Comments: C/O			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT	1200.0	AFHR	1190.6		
SM	NDT	1200.0	AFHR	1190.6		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

07 SCHED PERFORMANCE MONITOR	C COMPLETED	21MAY15 00:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
	21MAY15 03:17	19MAY15 03:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		8270.7	AFHR
01 NO FAULT				NDT due on Serial 033			
				AFT FUS TSKN RIVET at WAC 0670			
				04 CHECK/TEST SERV			
				Unserviceability Details:			
				Maintenance Comments: NDT CARRIED OUT IAW AAP 7212.007-36 SECT 4 CHAP 18. NIL CRACKS EVIDENT. REFER TO NDT REPORT AIP/NDT/A23-033/013.			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT	1200.0	AFHR	1187.9		
SM	NDT	1200.0	AFHR	1187.9		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 033  
 PART NO : SBI-110 ~Z5514  
 ENGINEERING NAME : AFT FUS TOP SKIN  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS		UNSERVICEABILITY DETAILS			
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS		MAINTENANCE COMMENT			
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

```

=====
A1PXXJ1625775  C  COMPLETED      08JUN17  01:03  XXxxXXxx  XXxxXXxxXXxxXXxxXXxx  AIP  AIP
                08JUN17  02:29      30MAR17  05:42  XXxxXXxx  XXxxXXxxXXxxXXxxXXxx  AIP  8914.8  AFHR
19 MMI SERVICING DUE
                MS21  due on Serial 033
                SBI AFT FUS TSKN  at WAC 0670
01 NO FAULT
                12 MMI SERVICING
                    Unserviceability Details:
                    Maintenance Comments:  MS21 CO REF AIP MCS 1037/16
  
```

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
=====	=====	=====	=====	=====	=====	=====
SM	MS21	990.0	AFHR			
SM	MS21	990.0	AFHR			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 033  
PART NO : SBI-111 ~Z5514  
ENGINEERING NAME : SBI FUS FRAME 4  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 9545.2 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	DATE NEW	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	HA PART	DATE UNPACKED		

04MAR08 05:27	033	SLL-C-6-1A	~Z5514	A23T	00
aip01865	AIP	MMIST		ALUSG00	
D. ULLMER		12JUL90		A1PXXRY800816	

6101.4 AFHR

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00317  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 033  
 PART NO : SBI-111 ~Z5514  
 ENGINEERING NAME : SBI FUS FRAME 4  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS		-----									
TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN(DYS)	FROM	TO (OPTIONAL)			USER		
						TRANS REFERENCE					
=====											
04MAR08	05:27	Reception History Record		0.0	Reception						
		6101.4	AFHR		MMIST				XXxxXXxx		
04MAR08	05:29	Asset Installation		6445.2	A23T	A1USG00		00			
		6101.4	AFHR		033		A23-033		A23T	A1USG00 00AC	
		Change Serviceability Stat		0.2	SERV				XXxxXXxx		
		Change Location of an Asse		0.2	S/I						
		Change Serviceability Stat		0.2	MMIST						
15JUL09	02:37	Change Serviceability Stat		7.0	A23-033						
		6570.7	AFHR		S/I						
15JUL09	02:42	Change Serviceability Stat		0.0	US/I	A1PXXJY818049			XXxxXXxx		
		6570.7	AFHR		S/I						
18MAY10	23:29	Change Part Number of an A		805.9	SLL-C-6-1A			~Z5514	XXxxXXxx		
		6936.2	AFHR		SLL-C-6-1B			~Z5514			
		Maintenance Comment		0.0	A1PXXX1005113				XXxxXXxx		
18MAY10	23:29	Position Change		805.7	SUPP 87 INC 08MAY08 REF 471987/1J#2, DD	A23/111/2007					
		6936.2	AFHR		A23T A1USG00			00			
		Maintenance Comment		0.0	A23T A1USG00			01	XXxxXXxx		
		Change Part Number of an A		2394.4	A1PXXX1005115				XXxxXXxx		
		8914.8	AFHR		SUPP 87 INC 08MAY08 REF 471987/1J#2, DD	A23/111/2007					
07DEC16	09:54	Change Part Number of an A		2394.4	SLL-C-6-1B			~Z5514			
		8914.8	AFHR		SBI-111			~Z5514			
		Maintenance Comment		0.0	A1PXXX1612954				XXxxXXxx		
07DEC16	09:55	Position Change		3200.1	APPLIED MPAN 031/2016						
		8914.8	AFHR		A23T A1USG00			01			
		Maintenance Comment		0.0	A23T A1USG00			70	XXxxXXxx		
30MAR17	05:42	Change Serviceability Stat		125.0	A1PXXX1612955				XXxxXXxx		
		8914.8	AFHR		APPLIED MPAN 031/2016						
		Change Serviceability Stat		125.0	S/I						
		8914.8	AFHR		US/I						
		Change Serviceability Stat		125.0	A1PXXJ1625774				XXxxXXxx		

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00318  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 033  
 PART NO : SBI-111 ~Z5514  
 ENGINEERING NAME : SBI FUS FRAME 4  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
08JUN17 05:00	Change Serviceability Stat	8914.8 AFHR	69.9	US/I S/I	
19SEP19 02:32	Change Serviceability Stat	9498.9 AFHR	0.8	S/I US/I AIPXXJ1711361	XXxxXXxx
09OCT19 02:31	Change Serviceability Stat	9498.9 AFHR	19.9	US/I S/I	XXxxXXxx

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJY818049	C COMPLETED	15JUL09 02:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
18 SPECIAL SERVICING DUE		15JUL09 02:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		6570.7 AFHR	
01 NO FAULT		11 SPECIAL SERVICING		NDT due on Serial 033			
		Unserviceability Details:		FUS FRAME 4 at WAC 0600			
		Maintenance Comments:		CAMM2 UPDATED IAW STI-PC9-0491. REF MCS 642/09			
A1PXXJ1625774	C COMPLETED	08JUN17 02:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
19 MMI SERVICING DUE		30MAR17 05:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		8914.8 AFHR	
01 NO FAULT		12 MMI SERVICING		MS22 due on Serial 033			
		Unserviceability Details:		SBI FUS FRAME 4 at WAC 0600			
		Maintenance Comments:		MS22 CO REF AIP MCS 1037/16			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS22	660.0	AFHR			
SM	MS22	660.0	AFHR			



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 033  
 PART NO : SBI-111 ~Z5514  
 ENGINEERING NAME : SBI FUS FRAME 4  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS		UNSERVICEABILITY DETAILS			
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS		MAINTENANCE COMMENT			
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

A1PXXJ1711361	C COMPLETED	20SEP19 03:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	09OCT19 02:31	19SEP19 02:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	9498.9	AFHR
19	MMI SERVICING DUE			MS22	due on Serial 033		
				SBI FUS FRAME 4	at WAC 0600		
01	NO FAULT	12	MMI SERVICING				

Unserviceability Details:  
 Maintenance Comments:

MS 22 SERV C/O IAW AAP 7212.007-7, NIL ABNORMALITIES EVIDENT,  
 NDT REPORT # AIP/NDT/A23-033/112 REF AIP MCS 860/19 PAGE 18 TO  
 20.

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
=====	=====	=====	=====	=====	=====	=====
SM	MS22	660.0	AFHR	584.1		
SM	MS22	660.0	AFHR	584.1		

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00320  
08JAN20  
23:16:15

SERIAL/TAIL NO : 033  
PART NO : SBI-112 ~Z5514  
ENGINEERING NAME : SBI FUS FRAME 4A  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 9545.2 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	DATE NEW	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	HA PART	DATE UNPACKED		
04MAR08 05:28	033	SLL-C-6-2A	~Z5514 A23T	ALUSG02	00
aip01865	AIP	MMIST		A1PXXRY800817	
D. ULLMER		12JUL90			
	6101.4 AFHR				

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00321  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 033  
 PART NO : SBI-112  
 ENGINEERING NAME : SBI FUS FRAME 4A  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~Z5514

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
04MAR08 05:28	Reception History Record	0.0	Reception MMIST	
04MAR08 05:29	Asset Installation	6445.2	A23T A1USG02 033 A23-033 00	XXxxXXxx
	6101.4 AFHR			
	Change Serviceability Stat	0.2	SERV S/I	XXxxXXxx
	Change Location of an Asse	0.2	MMIST A23-033	
15JUL09 02:37	Change Serviceability Stat	7.0	S/I US/I	
15JUL09 02:41	Change Serviceability Stat	0.0	A1PXXJY818050	XXxxXXxx
	6570.7 AFHR			
02SEP10 02:05	Change Serviceability Stat	6.7	S/I US/I	XXxxXXxx
	7082.8 AFHR			
30SEP10 05:26	Change Serviceability Stat	28.1	A1PXXJY915161	XXxxXXxx
	7082.8 AFHR			
13MAR13 07:36	Change Serviceability Stat	231.9	S/I US/I	XXxxXXxx
	7672.0 AFHR			
26MAR13 01:00	Change Serviceability Stat	12.7	A1PXXJ1017189	XXxxXXxx
	7672.0 AFHR			
19MAY15 03:39	Change Serviceability Stat	53.7	S/I US/I	XXxxXXxx
	8270.7 AFHR			
21MAY15 03:27	Change Serviceability Stat	1.9	A1PXXJ1304066	XXxxXXxx
	8270.7 AFHR			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00322  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 033  
 PART NO : SBI-112 ~Z5514  
 ENGINEERING NAME : SBI FUS FRAME 4A  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS		-----				
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER	
=====	=====	=====	=====	=====	=====	
	LIFE SINCE NEW		TRANS REFERENCE			
09AUG16 05:34	Change Serviceability Stat	0.8	S/I			
	8750.3 AFHR		US/I			
10AUG16 23:02	Change Serviceability Stat	1.7	A1PXXJ1507861		XXxxXXxx	
	8750.3 AFHR		US/I			
07DEC16 08:39	Change Part Number of an A	3200.3	S/I		XXxxXXxx	
	8914.8 AFHR		SLL-C-6-2A	~Z5514		
	Maintenance Comment	0.0	SBI-112	~Z5514		
07DEC16 08:39	Position Change	3200.1	A1PXXX1612925		XXxxXXxx	
	8914.8 AFHR		APPLIED MPAN 031/2016			
	Maintenance Comment	0.0	A23T A1USG02	00		
30MAR17 05:42	Change Serviceability Stat	125.0	A23T A1USG02	70		
	8914.8 AFHR		A1PXXX1612926		XXxxXXxx	
	Maintenance Comment	0.0	APPLIED MPAN 031/2016			
08JUN17 05:01	Change Serviceability Stat	69.9	S/I		XXxxXXxx	
	8914.8 AFHR		US/I			
	Change Part Number of an A		S/I		XXxxXXxx	
01OCT18 22:02	Maintenance Comment	0.0	NO PARENT TRANSACTION DETAILS			
03OCT18 22:17	Change Serviceability Stat	0.5	STI POLICY UPDATE IAW MPAN 038/2018			
	9166.2 AFHR		S/I			
03OCT18 22:37	Change Serviceability Stat	0.0	US/I		XXxxXXxx	
	9166.2 AFHR		A1PXXJ1815996			
19SEP19 02:32	Change Serviceability Stat	0.8	US/I		XXxxXXxx	
	9498.9 AFHR		S/I			
09OCT19 02:34	Change Serviceability Stat	20.0	A1PXXJ1711362		XXxxXXxx	
	9498.9 AFHR		US/I			
			S/I		XXxxXXxx	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 033  
 PART NO : SBI-112 ~Z5514  
 ENGINEERING NAME : SBI FUS FRAME 4A  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1PXXJY818050 C COMPLETED 15JUL09 02:37 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 15JUL09 02:41 15JUL09 02:37 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 6570.7 AFHR  
 18 SPECIAL SERVICING DUE NDT due on Serial 033  
 FUS FRAME 4A at WAC 0600  
 01 NO FAULT 11 SPECIAL SERVICING  
 Unserviceability Details:  
 Maintenance Comments: CAMM2 UPDATED IAW STI-PC9-0491. REF MCS 642/09

A1PXXJY915161 C COMPLETED 30SEP10 05:18 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 30SEP10 05:26 02SEP10 02:05 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 7082.8 AFHR  
 18 SPECIAL SERVICING DUE NDT due on Serial 033  
 FUS FRAME 4A at WAC 0600  
 01 NO FAULT 11 SPECIAL SERVICING  
 Unserviceability Details:  
 Maintenance Comments: C/O

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT	600.0	AFHR	512.1		
SM	NDT	600.0	AFHR	512.1		

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1PXXJ1017189 C COMPLETED 25MAR13 00:31 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 26MAR13 01:00 13MAR13 07:36 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 7672.0 AFHR  
 07 SCHED PERFORMANCE MONITOR NDT due on Serial 033  
 FUS FRAME 4A at WAC 0600  
 01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: RAAF SUPP98 C/O, NIL DEFECTS EVIDENT, NDI REPORT NO: 144/13.  
 REFER AIP MCS 1102/12-53-1

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00324  
08JAN20  
23:16:15

SERIAL/TAIL NO : 033  
PART NO : SBI-112 ~Z5514 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : SBI FUS FRAME 4A  
VENUE : A23DISP LOCATION : A23-033

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT	600.0	AFHR	589.2		
SM	NDT	600.0	AFHR	589.2		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJ1304066 C COMPLETED 21MAY15 00:45 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
21MAY15 03:27 19MAY15 03:39 XXxxXXxx XXxxXXxxXXxxXXxx AIP 8270.7 AFHR  
07 SCHED PERFORMANCE MONITOR NDT due on Serial 033  
FUS FRAME 4A at WAC 0600  
01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: NDT CARRIED OUT IAW AAP 7212.007-3 AAP SUPP 98. NIL CRACKS  
EVIDENT. REFER TO NDT REPORT AIP/NDT/A23-033/016.

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT	600.0	AFHR	598.7		
SM	NDT	600.0	AFHR	598.7		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJ1507861 C COMPLETED 10AUG16 23:00 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
10AUG16 23:02 09AUG16 05:34 XXxxXXxx XXxxXXxxXXxxXXxx AIP 8750.3 AFHR  
07 SCHED PERFORMANCE MONITOR NDT due on Serial 033  
FUS FRAME 4A at WAC 0600  
01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: NDT CARRIED OUT IAW AAP 7212.007-3 SUPP 98. NIL CRACKS  
EVIDENT. REFER TO NDT REPORT AIP/NDT/A23-033/067.

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00325  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 033  
 PART NO : SBI-112 ~Z5514 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : SBI FUS FRAME 4A  
 VENUE : A23DISP LOCATION : A23-033

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT	600.0	AFHR	479.6		
SM	NDT	600.0	AFHR	479.6		

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1PXXJ1625766 C COMPLETED 08JUN17 02:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 08JUN17 05:01 30MAR17 05:42 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 8914.8 AFHR  
 19 MMI SERVICING DUE MS23 due on Serial 033  
 SBI FUS FRAME 4A at WAC 0600  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS23 CO REF AIP MCS 1037/16

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS23	660.0	AFHR			
SM	MS23	660.0	AFHR			

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1PXXJ1815996 C COMPLETED 03OCT18 22:17 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 03OCT18 22:37 03OCT18 22:17 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 9166.2 AFHR  
 08 MOD/STI/DVI REQUIRED STI-PC9-0679 due on Serial 033  
 SBI FUS FRAME 4A at WAC 0600  
 01 NO FAULT 08 MOD/STI/DVI INCORP  
 Unserviceability Details:  
 Maintenance Comments: STI-PC9-0679 CARRIED OUT SERV IAW STI-PC9-0679. REF EE500  
 593982-4

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 033  
PART NO : SBI-112 ~Z5514 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : SBI FUS FRAME 4A  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJ1711362	C COMPLETED	20SEP19 03:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	09OCT19 02:34	19SEP19 02:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	9498.9	AFHR

19 MMI SERVICING DUE MS23 due on Serial 033  
SBI FUS FRAME 4A at WAC 0600

01 NO FAULT 12 MMI SERVICING  
Unserviceability Details:  
Maintenance Comments:

MS 23 SERV C/O IAW AAP 7212.007-7, NIL ABNORMALITIES EVIDENT,  
NDT REPORT # AIP/NDT/A23-033/113 REF AIP MCS 860/19 PAGE 21 TO  
24.

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
=====	=====	=====	=====	=====	=====	=====
SM	MS23	660.0	AFHR	584.1		
SM	MS23	660.0	AFHR	584.1		



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00327  
08JAN20  
23:16:15

SERIAL/TAIL NO : 033  
PART NO : SBI-112  
ENGINEERING NAME : SBI FUS FRAME 4A  
VENUE : A23DISP  
LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20  
~Z5514

STI STATUS CHANGE -----

STI NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
=====	=====	=====	=====	=====	=====	=====
STI-PC9-0679	N	01OCT18 22:02	NINC			
STI-PC9-0679	Y	03OCT18 22:36	INC	A1PXXJ1815996	03OCT18 22:17	9166.2 AFHR

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00328  
08JAN20  
23:16:15

SERIAL/TAIL NO : 033  
PART NO : SBI-113 ~Z5514  
ENGINEERING NAME : SBI FUS FRAME 6  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 9545.2 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	DATE NEW	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	HA PART	DATE UNPACKED		
04MAR08 05:28	033	SLL-C-6-3A	~Z5514 A23T	ALUSG04	00
aip01865	AIP	MMIST		A1PXXRY800818	
D. ULLMER		12JUL90			

6101.4 AFHR

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00329  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 033  
 PART NO : SBI-113  
 ENGINEERING NAME : SBI FUS FRAME 6  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~Z5514

ASSET TRANSACTIONS		-----									
TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN(DYS)	FROM	TO (OPTIONAL)			USER		
						TRANS REFERENCE					
=====											
04MAR08	05:28	Reception History Record		0.0	Reception						
		6101.4	AFHR		MMIST				XXxxXXxx		
04MAR08	05:30	Asset Installation		6445.2	A23T	A1USG04		00			
		6101.4	AFHR		033		A23-033		A23T	A1USG04 00AC	
		Change Serviceability Stat		0.2	SERV				XXxxXXxx		
		Change Location of an Asse		0.2	S/I						
					MMIST						
					A23-033						
15JUL09	02:37	Change Serviceability Stat		7.0	S/I						
		6570.7	AFHR		US/I						
15JUL09	02:43	Change Serviceability Stat		0.0	A1PXXJY818051				XXxxXXxx		
		6570.7	AFHR		US/I						
		Change Serviceability Stat		6.7	S/I				XXxxXXxx		
02SEP10	02:06	Change Serviceability Stat		6.7	US/I						
		7082.8	AFHR		A1PXXJY915164				XXxxXXxx		
30SEP10	05:28	Change Serviceability Stat		28.1	US/I						
		7082.8	AFHR		S/I				XXxxXXxx		
13MAR13	07:36	Change Serviceability Stat		231.9	S/I						
		7672.0	AFHR		US/I						
26MAR13	00:49	Change Serviceability Stat		12.7	A1PXXJ1017191				XXxxXXxx		
		7672.0	AFHR		US/I						
		Change Part Number of an A		1876.3	S/I				XXxxXXxx		
		7672.0	AFHR		SLL-C-6-3A			~Z5514			
		Maintenance Comment		0.0	SLL-C-6-3B			~Z5514			
		7672.0	AFHR		A1PXXX1304135				XXxxXXxx		
23APR13	09:15	Position Change		1876.1	MOD-201 INCORPORATED REF: A1PXXUY711471	DTD:18MAR13					
		7672.0	AFHR		A23T A1USG04	00					
		Maintenance Comment		0.0	A23T A1USG04	01					
		7672.0	AFHR		A1PXXX1304137				XXxxXXxx		
					MOD-201 INCORPORATED REF: A1PXXUY711471	DTD:18MAR13					

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00330  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 033  
 PART NO : SBI-113 ~Z5514  
 ENGINEERING NAME : SBI FUS FRAME 6  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
07DEC16 08:41	Change Part Number of an A	1323.9	SLL-C-6-3B SBI-113 ~Z5514 ~Z5514	
	8914.8 AFHR Maintenance Comment	0.0	A1PXXX1612927 APPLIED MPAN 031/2016	XXxxXXxx
07DEC16 08:41	Position Change	3200.1	A23T A1USG04 01 A23T A1USG04 70	
	8914.8 AFHR Maintenance Comment	0.0	A1PXXX1612928 APPLIED MPAN 031/2016	XXxxXXxx
30MAR17 05:42	Change Serviceability Stat	125.0	S/I US/I	
	8914.8 AFHR		A1PXXJ1625767	XXxxXXxx
08JUN17 02:43	Change Serviceability Stat	69.8	US/I S/I	
	8914.8 AFHR			XXxxXXxx
19SEP19 02:32	Change Serviceability Stat	0.8	S/I US/I	
	9498.9 AFHR		A1PXXJ1711321	XXxxXXxx
09OCT19 02:58	Change Serviceability Stat	20.0	US/I S/I	
	9498.9 AFHR			XXxxXXxx

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJY818051	C COMPLETED	15JUL09 02:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	15JUL09 02:43	15JUL09 02:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	6570.7	AFHR	
18 SPECIAL SERVICING DUE			NDT	due on Serial 033			
01 NO FAULT		11 SPECIAL SERVICING	FUS FRAME 6	at WAC 0600			
		Unserviceability Details:					
		Maintenance Comments:		CAMM2 UPDATED IAW STI-PC9-0491. REF MCS 642/09			
A1PXXJY915164	C COMPLETED	30SEP10 05:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	30SEP10 05:28	02SEP10 02:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	7082.8	AFHR	
18 SPECIAL SERVICING DUE			NDT	due on Serial 033			
01 NO FAULT		11 SPECIAL SERVICING	FUS FRAME 6	at WAC 0600			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00331  
08JAN20  
23:16:15

SERIAL/TAIL NO : 033  
PART NO : SBI-113 ~Z5514 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : SBI FUS FRAME 6  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

Unserviceability Details:  
Maintenance Comments: C/O SERV REF 595/10

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT	600.0	AFHR	512.1		
SM	NDT	600.0	AFHR	512.1		

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJ1017191 C COMPLETED 25MAR13 00:31 XXxxXXxx XXxxXXxxXXxxXXxx AIP AIP  
26MAR13 00:49 13MAR13 07:36 XXxxXXxx XXxxXXxxXXxxXXxx AIP 7672.0 AFHR  
07 SCHED PERFORMANCE MONITOR NDT due on Serial 033  
FUS FRAME 6 at WAC 0600  
01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: RAAF SUPP 96 C/O, NIL CRACKING EVIDENT. NDI REPORT NO: 142/13.  
REFER AIP MCS 1102/12-53-3

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT	600.0	AFHR	589.2		
SM	NDT	600.0	AFHR	589.2		

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00332  
08JAN20  
23:16:15

SERIAL/TAIL NO : 033  
PART NO : SBI-113 ~Z5514  
ENGINEERING NAME : SBI FUS FRAME 6  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

=====  
A1PXXJ1625767 C COMPLETED 08JUN17 02:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
08JUN17 02:43 30MAR17 05:42 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 8914.8 AFHR  
19 MMI SERVICING DUE MS24 due on Serial 033  
SBI FUS FRAME 6 at WAC 0600  
01 NO FAULT 12 MMI SERVICING  
Unserviceability Details:  
Maintenance Comments: MS24 CO REF AIP MCS 1037/16

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS24	660.0	AFHR			
SM	MS24	660.0	AFHR			

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

=====  
A1PXXJ1711321 C COMPLETED 20SEP19 03:09 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
09OCT19 02:58 19SEP19 02:32 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 9498.9 AFHR  
19 MMI SERVICING DUE MS24 due on Serial 033  
SBI FUS FRAME 6 at WAC 0600  
01 NO FAULT 12 MMI SERVICING  
Unserviceability Details:  
Maintenance Comments: MS 24 SERV C/O IAW AAP 7212.007-7,NIL ABNORMALITIES  
EVIDENT.NDT REPORT # AIP/NDT/A23-033/114,REF AIP MCS 860/19 PG  
25 TO 26 R1 PAPER WORKS.

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS24	660.0	AFHR	584.1		
SM	MS24	660.0	AFHR	584.1		

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00333  
08JAN20  
23:16:15

SERIAL/TAIL NO : 033  
PART NO : SBI-114 ~Z5514  
ENGINEERING NAME : SBI FUS FRAME 7  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 9545.2 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	DATE NEW	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	HA PART	DATE UNPACKED		
04MAR08 05:29	033	SLL-C-6-4A	~Z5514 A23T	ALUSG06	00
aip01865	AIP	MMIST		A1PXXRY800819	
D. ULLMER		12JUL90			
	6101.4 AFHR				

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00334  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 033  
 PART NO : SBI-114 ~Z5514  
 ENGINEERING NAME : SBI FUS FRAME 7  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
04MAR08 05:29	Reception History Record	0.0	Reception MMIST	
04MAR08 05:30	Asset Installation	6445.2	A23T A1USG06 033 A23-033 00	XXxxXXxx
	6101.4 AFHR			
	Change Serviceability Stat	0.2	SERV S/I	XXxxXXxx
	Change Location of an Asse	0.2	MMIST A23-033	
15JUL09 02:37	Change Serviceability Stat	7.0	S/I US/I	
15JUL09 02:43	Change Serviceability Stat	0.0	A1PXXJY818052 US/I S/I	XXxxXXxx
02SEP10 02:07	Change Serviceability Stat	6.7	S/I US/I	XXxxXXxx
30SEP10 05:30	Change Serviceability Stat	28.1	7082.8 AFHR A1PXXJY915163 US/I S/I	XXxxXXxx
13MAR13 07:36	Change Serviceability Stat	231.9	7082.8 AFHR S/I US/I	XXxxXXxx
26MAR13 00:57	Change Serviceability Stat	12.7	7672.0 AFHR A1PXXJ1017192 US/I S/I	XXxxXXxx
19MAY15 03:39	Change Serviceability Stat	53.7	7672.0 AFHR S/I US/I	XXxxXXxx
21MAY15 03:29	Change Serviceability Stat	1.9	8270.7 AFHR A1PXXJ1304064 US/I S/I	XXxxXXxx
	8270.7 AFHR			XXxxXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00335  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 033  
 PART NO : SBI-114 ~Z5514  
 ENGINEERING NAME : SBI FUS FRAME 7  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
09AUG16 05:34	Change Serviceability Stat	0.8	S/I US/I 8750.3 AFHR A1PXXJ1507862	XXxxXXxx
10AUG16 23:03	Change Serviceability Stat	1.7	US/I S/I	
07DEC16 08:54	Change Part Number of an A	3200.3	SLL-C-6-4A SBI-114 ~Z5514 ~Z5514	XXxxXXxx
07DEC16 08:55	Maintenance Comment Position Change	0.0 3200.1	A1PXXX1612930 APPLIED MPAN 031/2016 A23T A1USG06 00 A23T A1USG06 70	XXxxXXxx
30MAR17 05:42	Change Serviceability Stat	125.0	A1PXXX1612931 APPLIED MPAN 031/2016 S/I US/I	XXxxXXxx
08JUN17 02:42	Change Serviceability Stat	69.8	A1PXXJ1625768 US/I S/I	XXxxXXxx
19SEP19 02:32	Change Serviceability Stat	0.8	S/I US/I	XXxxXXxx
09OCT19 03:01	Change Serviceability Stat	20.0	A1PXXJ1711320 US/I S/I	XXxxXXxx
	9498.9 AFHR			XXxxXXxx

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
ALPXXJY818052	C COMPLETED	15JUL09 02:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
18 SPECIAL SERVICING DUE	15JUL09 02:43	15JUL09 02:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	6570.7 AFHR	
01 NO FAULT	11 SPECIAL SERVICING			NDT FUS FRAME 7	due on Serial 033 at WAC 0600		
	Unserviceability Details:						
	Maintenance Comments:						CAMM2 UPDATED IAW STI-PC9-0491. REF MCS 642/09

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00336  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 033 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : SBI-114 ~Z5514  
 ENGINEERING NAME : SBI FUS FRAME 7  
 VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJY915163	C COMPLETED	30SEP10 05:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	30SEP10 05:30	02SEP10 02:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	7082.8	AFHR
18 SPECIAL SERVICING DUE				NDT	due on Serial 033		
				FUS FRAME 7	at WAC 0600		
01 NO FAULT		11 SPECIAL SERVICING					
		Unserviceability Details:					
		Maintenance Comments:	C/O				

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT	600.0	AFHR	512.1		
SM	NDT	600.0	AFHR	512.1		

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJ1017192	C COMPLETED	25MAR13 00:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	26MAR13 00:57	13MAR13 07:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	7672.0	AFHR
07 SCHED PERFORMANCE MONITOR				NDT	due on Serial 033		
				FUS FRAME 7	at WAC 0600		
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:	RAAF SUPP 97 C/O, NIL DEFECTS EVIDENT, NDI REPORT NO: 143/13.				
			REFER AIP MCS 1102/12-53-3				

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT	600.0	AFHR	589.2		
SM	NDT	600.0	AFHR	589.2		

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00337  
08JAN20  
23:16:15

SERIAL/TAIL NO : 033  
PART NO : SBI-114 ~Z5514 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : SBI FUS FRAME 7  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJ1304064	C COMPLETED	21MAY15 00:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	21MAY15 03:29	19MAY15 03:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		8270.7	AFHR
07 SCHED PERFORMANCE MONITOR				NDT due on Serial 033			
				FUS FRAME 7 at WAC 0600			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		NDT CARRIED OUT IAW AAP 7212.007-3 AAP SUPP 97. NIL CRACKS			
				EVIDENT. REFER TO NDT REPORT AIP/NDT/A23-033/017.			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT	600.0	AFHR	598.7		
SM	NDT	600.0	AFHR	598.7		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJ1507862	C COMPLETED	10AUG16 23:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	10AUG16 23:03	09AUG16 05:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		8750.3	AFHR
07 SCHED PERFORMANCE MONITOR				NDT due on Serial 033			
				FUS FRAME 7 at WAC 0600			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		NDT CARRIED OUT IAW AAP 7212.007-3 SUPP 97. NIL CRACKS			
				EVIDENT. REFER TO NDT REPORT AIP/NDT/A23-033/068.			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT	600.0	AFHR	479.6		
SM	NDT	600.0	AFHR	479.6		

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : 033  
PART NO : SBI-114 ~Z5514  
ENGINEERING NAME : SBI FUS FRAME 7  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

19	MMI SERVICING DUE	08JUN17 02:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	AFHR
01	NO FAULT	12	MMI SERVICING	MS25	due on Serial 033	8914.8	
				SBI FUS FRAME 7	at WAC 0600		

Unserviceability Details:  
Maintenance Comments: MS25 CO REF AIP MCS 1037/16

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS25	660.0	AFHR			
SM	MS25	660.0	AFHR			

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

19	MMI SERVICING DUE	09OCT19 03:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	AFHR
01	NO FAULT	12	MMI SERVICING	MS25	due on Serial 033	9498.9	
				SBI FUS FRAME 7	at WAC 0600		

Unserviceability Details:  
Maintenance Comments: MS 25 SERV C/O IAW AAP 7212.007-7,NIL ABNORMALITIES  
EVIDENT.NDT REPORT # AIP/NDT/A23-033/115,REF AIP MCS 860/19 PG  
27 TO 30 R1 PAPER WORKS.

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS25	660.0	AFHR	584.1		
SM	MS25	660.0	AFHR	584.1		

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00339  
08JAN20  
23:16:15

SERIAL/TAIL NO : 033  
PART NO : SBI-115 ~Z5514  
ENGINEERING NAME : SBI FUS FRAME 8  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 9545.2 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	DATE NEW	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	HA PART	DATE UNPACKED		
17JAN07 03:47	033	SLL-FS-18A	~Z5514 A23T	ALURM	00
aip01713	AIP	MMIST		A1PXXRY700117	
R. ROSAM		06APR05			
	5794.3 AFHR				

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00340  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 033  
 PART NO : SBI-115 ~Z5514 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : SBI FUS FRAME 8  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS		-----									
TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN(DYS)	FROM	TO (OPTIONAL)			USER		
						TRANS REFERENCE					
=====											
17JAN07	03:47	Reception History Record		0.0	Reception						
		5794.3	AFHR		MMIST				XXxxXXxx		
17JAN07	03:49	Asset Installation		651.1	A23T	A1URM		00			
		5794.3	AFHR		533		A23-033		A23T	A1URM 00AC	
		Change Serviceability Stat		651.1	SERV				XXxxXXxx		
		Change Location of an Asse		651.1	S/I						
					MMIST						
					A23-033						
22MAR07	22:08	Change Serviceability Stat		0.9	S/I						
		5892.2	AFHR		US/I						
03APR07	05:44	Change Serviceability Stat		11.3	A1PXXJY700873				XXxxXXxx		
		5892.2	AFHR		US/I						
		Change Serviceability Stat		0.7	S/I				XXxxXXxx		
07DEC09	23:25				US/I						
		6786.7	AFHR		A1PXXJY706536				XXxxXXxx		
14DEC09	23:11	Change Serviceability Stat		6.9	US/I						
		6786.7	AFHR		S/I						
08FEB10	11:40	Change Part Number of an A		1769.4	SLL-FS-18A			~Z5514	XXxxXXxx		
		6807.4	AFHR		SLL-FS-18B			~Z5514			
		Maintenance Comment		0.0	A1PXXX1001358				XXxxXXxx		
08FEB10	11:40	Position Change		1118.3	MOD 215 INC 06APR05 AUTH TASPO 2005/1031226/2(20)						
		6807.4	AFHR		A23T A1URM 00						
					A23T A1URM 02						
		Maintenance Comment		0.0	A1PXXX1001360				XXxxXXxx		
31MAR16	04:57	Change Serviceability Stat		7.8	MOD 215 INC 06APR05 AUTH TASPO 2005/1031226/2(20)						
		8585.3	AFHR		S/I						
10APR16	23:17	Change Serviceability Stat		10.7	US/I				XXxxXXxx		
		8585.3	AFHR		A1PXXJ1002286						
					US/I						
					S/I				XXxxXXxx		

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00341  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 033  
 PART NO : SBI-115 ~Z5514  
 ENGINEERING NAME : SBI FUS FRAME 8  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
07DEC16 08:59	Change Part Number of an A 8914.8 AFHR Maintenance Comment	2493.8 0.0	SLL-FS-18B SBI-115 A1PXXX1612933 APPLIED MPAN 031/2016	~Z5514 ~Z5514 XXxxXXxx
07DEC16 08:59	Position Change 8914.8 AFHR Maintenance Comment	3612.2 0.0	A23T ALURM A23T ALURM A1PXXX1612934 APPLIED MPAN 031/2016	02 70 XXxxXXxx
30MAR17 05:42	Change Serviceability Stat 8914.8 AFHR	125.0 0.0	S/I US/I A1PXXJ1608100	XXxxXXxx
07JUN17 07:50	Position Change 8914.8 AFHR Maintenance Comment	3794.1 0.0	A23T ALURM A23T ALURM A1PXXX1709096 POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE	70 70 XXxxXXxx
08JUN17 02:38	Change Serviceability Stat 8914.8 AFHR	69.8 13.5	S/I US/I A1PXXJ1711318	XXxxXXxx
20MAY19 03:43	Change Serviceability Stat 9400.6 AFHR	37.8	US/I S/I	XXxxXXxx
26JUN19 23:40	Change Serviceability Stat 9400.6 AFHR			XXxxXXxx

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS		UNSERVICEABILITY DETAILS			
MAINT PROCESS	UNSERVICEABILITY	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					
A1PXXJY700873	C COMPLETED	03APR07 05:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
18 SPECIAL SERVICING DUE	03APR07 05:44	22MAR07 22:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	5892.2	AFHR	
01 NO FAULT	11 SPECIAL SERVICING	due on Serial 033 FRM 8 STR 8L & 8R at WAC 0670					
	Unserviceability Details:	NIL DEFECTS					
	Maintenance Comments:	NIL DEFECTS					

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00342  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 033  
 PART NO : SBI-115 ~Z5514  
 ENGINEERING NAME : SBI FUS FRAME 8  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT	5894.9	AFHR	5892.2		
SM	NDT	5894.9	AFHR	5892.2		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJY706536	C COMPLETED	14DEC09 22:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		AIP	
18 SPECIAL SERVICING DUE		07DEC09 23:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		6786.7	AFHR
01 NO FAULT		11 SPECIAL SERVICING		due on Serial 033			
		Unserviceability Details:		FRM 8 STR 8L & 8R at WAC 0670			
		Maintenance Comments:		C/O			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT	900.0	AFHR	894.5		
SM	NDT	900.0	AFHR	894.5		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJ1002286	C COMPLETED	10APR16 23:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		AIP	
07 SCHED PERFORMANCE MONITOR		31MAR16 04:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		8585.3	AFHR
01 NO FAULT		04 CHECK/TEST SERV		due on Serial 033			
		Unserviceability Details:		FRM 8 STR 8L & 8R at WAC 0670			
		Maintenance Comments:		NDT CARRIED OUT IAW AAP 7212.007-36 SECT 4 CHAP 20. NIL CRACKS EVIDENT. REFER TO NDT REPORT AIP/NDT/A23-033/055.			



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00343  
08JAN20  
23:16:15

SERIAL/TAIL NO : 033  
PART NO : SBI-115 ~Z5514  
ENGINEERING NAME : SBI FUS FRAME 8  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

1PXXJ1608100	C COMPLETED	08JUN17 02:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	08JUN17 02:38	30MAR17 05:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		8914.8	AFHR
07 SCHED PERFORMANCE MONITOR				NDT	due on Serial 033		
				SBI FUS FRAME 8	at WAC 0670		
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:	SBI-115	CO REF AIP MCS 1036/13-3			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT	660.0	AFHR	329.5		
SM	NDT	660.0	AFHR	329.5		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

1PXXJ1711318	C COMPLETED	26JUN19 23:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	26JUN19 23:40	20MAY19 03:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		9400.6	AFHR
07 SCHED PERFORMANCE MONITOR				NDT	due on Serial 033		
				SBI FUS FRAME 8	at WAC 0670		
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:	NDT C/O IAW AAP7212.007-36 SECT4 CHAP20.NIL CRACKING				
			DETECTED.REF : AIP/NDT/A23-033/105.				

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT	660.0	AFHR	485.8		
SM	NDT	660.0	AFHR	485.8		

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

SERIAL/TAIL NO : 033  
PART NO : SBI-115 ~Z5514  
ENGINEERING NAME : SBI FUS FRAME 8  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MAINTENANCE POLICY HISTORY

POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	CHANGE DETAILS	USER ID
08FEB10 11:42	SM	NDT	DLD Changed From: 06APR2005 To:	XXxxXXxx
27OCT15 10:31	SM	NDT	DLD Changed From: 06APR2005 To:	XXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

SERIAL/TAIL NO : 033  
PART NO : SBI-117 ~Z5514  
ENGINEERING NAME : SBI FUS FRAME 10  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 9545.2 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
17JAN07 03:55	033	SLL-FS-21A	~Z5514 A23T	ALURS	00
aip01713	AIP	MMIST		A1PXXRY700120	
R. ROSAM		06APR05			
	5794.3 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00346  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 033  
 PART NO : SBI-117 ~Z5514  
 ENGINEERING NAME : SBI FUS FRAME 10  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
17JAN07 03:55	Reception History Record	0.0	Reception MMIST	
17JAN07 03:57	Asset Installation	651.1	A23T A1URS A23-033 00	XXxxXXxx
	5794.3 AFHR			
	Change Serviceability Stat	651.1	SERV S/I MMIST A23-033	XXxxXXxx
	Change Location of an Asse	651.1	SERV S/I MMIST A23-033	
22MAR07 22:08	Change Serviceability Stat	0.9	SERV S/I US/I A1PXXJY700875	XXxxXXxx
03APR07 05:51	Change Serviceability Stat	11.3	SERV S/I US/I	XXxxXXxx
07DEC09 23:25	Change Serviceability Stat	0.7	SERV S/I US/I A1PXXJY706538	XXxxXXxx
14DEC09 23:14	Change Serviceability Stat	6.9	SERV S/I US/I	XXxxXXxx
13MAR13 07:36	Change Serviceability Stat	231.9	SERV S/I US/I A1PXXJY926320	XXxxXXxx
26MAR13 01:18	Change Serviceability Stat	12.7	SERV S/I US/I	XXxxXXxx
10MAR16 10:23	Change Serviceability Stat	0.0	SERV S/I US/I A1PXXJ1304073	XXxxXXxx
13MAR16 22:56	Change Serviceability Stat	3.5	SERV S/I US/I	XXxxXXxx
	8569.5 AFHR			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00347  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 033  
 PART NO : SBI-117 ~Z5514  
 ENGINEERING NAME : SBI FUS FRAME 10  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
07DEC16 09:17	Change Part Number of an A 8914.8 AFHR Maintenance Comment	4263.3 0.0	SLL-FS-21A SBI-116 A1PXXX1612942 APPLIED MPAN 031/2016	~Z5514 ~Z5514 XXxxXXxx
07DEC16 09:33	Change Part Number of an A 8914.8 AFHR Maintenance Comment	0.0	SBI-116 SBI-117 A1PXXX1612943 APPLIED MPAN 031/2016	~Z5514 ~Z5514 XXxxXXxx
07DEC16 09:33	Position Change 8914.8 AFHR Maintenance Comment	3612.2 0.0	A23T ALURS A23T ALURS A1PXXX1612944 APPLIED MPAN 031/2016	00 70 XXxxXXxx
30MAR17 05:42	Change Serviceability Stat 8914.8 AFHR	125.0	S/I US/I A1PXXJ1625772	XXxxXXxx
08JUN17 02:40	Change Serviceability Stat 8914.8 AFHR	69.8	US/I S/I	XXxxXXxx
21MAR18 05:23	Change Serviceability Stat 9073.6 AFHR	139.1	S/I US/I A1PXXJ1711319	XXxxXXxx
26MAR18 06:51	Change Serviceability Stat 9073.6 AFHR	5.0	US/I S/I	XXxxXXxx
20MAY19 03:43	Change Serviceability Stat 9400.6 AFHR	13.5	S/I US/I A1PXXJ1805105	XXxxXXxx
18JUN19 05:29	Change Serviceability Stat 9400.6 AFHR	29.0	US/I S/I	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00348  
08JAN20  
23:16:15

SERIAL/TAIL NO : 033  
PART NO : SBI-117 ~Z5514  
ENGINEERING NAME : SBI FUS FRAME 10  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

1PXXJY700875 C COMPLETED 03APR07 05:43 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
03APR07 05:51 22MAR07 22:08 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 5892.2 AFHR  
18 SPECIAL SERVICING DUE NDT due on Serial 033  
FRM 10 STR 2L & 2R at WAC 0670  
01 NO FAULT 11 SPECIAL SERVICING  
Unserviceability Details:  
Maintenance Comments: ASSESSED SERV

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT	5894.9	AFHR	5892.2		
SM	NDT	5894.9	AFHR	5892.2		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

1PXXJY706538 C COMPLETED 14DEC09 22:56 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
14DEC09 23:14 07DEC09 23:25 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 6786.7 AFHR  
18 SPECIAL SERVICING DUE NDT due on Serial 033  
FRM 10 STR 2L & 2R at WAC 0670  
01 NO FAULT 11 SPECIAL SERVICING  
Unserviceability Details:  
Maintenance Comments: C/O

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT	900.0	AFHR	894.5		
SM	NDT	900.0	AFHR	894.5		

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00349  
08JAN20  
23:16:15

SERIAL/TAIL NO : 033  
PART NO : SBI-117 ~Z5514  
ENGINEERING NAME : SBI FUS FRAME 10  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJY926320	C COMPLETED	25MAR13 00:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	26MAR13 01:18	13MAR13 07:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		7672.0	AFHR
07 SCHED PERFORMANCE MONITOR				NDT due on Serial 033			
				FRM 10 STR 2L & 2R at WAC 0670			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		SBI 19 C/O, NIL DEFECTS EVIDENT. NDI REPORT NO: 140/13. REFER			
				AIP MCS 1102/12-52-2			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT	900.0	AFHR	885.3		
SM	NDT	900.0	AFHR	885.3		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJ1304073	C COMPLETED	13MAR16 22:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	13MAR16 22:56	10MAR16 10:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		8569.5	AFHR
07 SCHED PERFORMANCE MONITOR				NDT due on Serial 033			
				FRM 10 STR 2L & 2R at WAC 0670			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		NDT CARRIED OUT IAW AAP 7212.007-36 SECT 4 CHAP 21. NIL CRACKS			
				EVIDENT. REFER TO NDT REPORT AIP/NDT/A23-033/044.			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT	900.0	AFHR	897.5		
SM	NDT	900.0	AFHR	897.5		

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 033  
PART NO : SBI-117 ~Z5514  
ENGINEERING NAME : SBI FUS FRAME 10  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

1PXXJ1625772	C COMPLETED	08JUN17 02:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	08JUN17 02:40	30MAR17 05:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	8914.8	AFHR
19	MMI SERVICING DUE			MS28	due on Serial 033		
				SBI FUS FRAME 10	at WAC 0670		
01	NO FAULT	12	MMI SERVICING	Unserviceability Details:			
				Maintenance Comments: MS28 CO REF AIP MCS 1037/16			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS28	330.0	AFHR			
SM	MS28	330.0	AFHR			

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

1PXXJ1711319	C COMPLETED	26MAR18 06:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	26MAR18 06:51	21MAR18 05:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	9073.6	AFHR
19	MMI SERVICING DUE			MS28	due on Serial 033		
				SBI FUS FRAME 10	at WAC 0670		
01	NO FAULT	12	MMI SERVICING	Unserviceability Details:			
				Maintenance Comments: MS 28 INSPECTIONS C/O SERV IAW AAP 7212-007-2 CHAP 53.			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS28	330.0	AFHR	158.8		
SM	MS28	330.0	AFHR	158.8		



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 033  
 PART NO : SBI-117 ~Z5514 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : SBI FUS FRAME 10  
 VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

1PXXJ1805105	C COMPLETED	18JUN19 05:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	18JUN19 05:29	20MAY19 03:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	9400.6	AFHR
19 MMI SERVICING DUE				MS28	due on Serial 033		
				SBI FUS FRAME 10	at WAC 0670		

01 NO FAULT

12 MMI SERVICING

Unserviceability Details:  
 Maintenance Comments:

MS 28 INSPECTIONS C/O IAW ATACSP0 MRD WEBSITE PSS.ASIMP VOL.2  
 NIL DEFECT EVIDENT.REF AIP MCS 272/19 WC 100-101

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
=====	=====	=====	=====	=====	=====	=====
SM	MS28	330.0	AFHR	327.0		
SM	MS28	330.0	AFHR	327.0		

RUN ID: ASSTHIST

RUN BY: tforner

ASSET HISTORY

08JAN20

PROGRM: ASSTHIST

23:16:15

SERIAL/TAIL NO : 033 LITERAL SERIAL NO : 533, A23-033 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : SBI-118 ~Z5514  
 ENGINEERING NAME : FRAME 11 HSTAB ATT  
 VENUE : A23DISP LOCATION : A23-033  
 CURRENT CONDITION : S/I LIFE SINCE NEW : 9545.2 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
21JUL13 22:40	033	SBI-47	~Z5514	A23T	00
aip04023	AIP	A23-033		ALUQS06	
K. ARUMUGAM		10JUL13		A1PXXR1301150	
	7745.0 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00353  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 033 LITERAL SERIAL NO : 533, A23-033 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : SBI-118 ~Z5514  
 ENGINEERING NAME : FRAME 11 HSTAB ATT  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
11JUL13 00:00	Asset Installation	1.0	A23T A1UQS06 533 A23-033 00	A23T A1UQS06 00AC
	7753.8 AFHR Change Serviceability Stat	1.0	SERV S/I	XXXXXXxx
21JUL13 22:40	Reception History Record	0.0	Reception A23-033	
	7745.0 AFHR Change Serviceability Stat	11.0	S/I	XXXXXXxx
28APR14 01:54	Change Serviceability Stat	6.9	US/I A1PXXJ1309714	XXXXXXxx
05MAY14 00:03	Change Serviceability Stat	6.9	US/I	
	7971.5 AFHR Change Part Number of an A	1246.3	S/I SBI-47 ~Z5514 SBI-118 ~Z5514	XXXXXXxx
	8914.8 AFHR Maintenance Comment	0.0	A1PXXX1612938	XXXXXXxx
07DEC16 09:11	Position Change	1245.3	APPLIED MPAN 031/2016 A23T A1UQS06 00 A23T A1UQS06 70	
	8914.8 AFHR Maintenance Comment	0.0	A1PXXX1612939	XXXXXXxx
30MAR17 05:42	Change Serviceability Stat	125.0	APPLIED MPAN 031/2016 S/I	
	8914.8 AFHR Change Serviceability Stat	69.8	US/I A1PXXJ1625770	XXXXXXxx
08JUN17 00:57	Change Serviceability Stat	69.8	US/I	
	8914.8 AFHR Change Serviceability Stat	0.8	S/I	XXXXXXxx
19SEP19 02:17	Change Serviceability Stat	0.8	US/I	
	9498.9 AFHR Change Serviceability Stat	20.0	A1PXXJ1711275	XXXXXXxx
09OCT19 02:52	Change Serviceability Stat	20.0	US/I	
	9498.9 AFHR		S/I	XXXXXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 033 LITERAL SERIAL NO : 533, A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : SBI-118 ~Z5514  
ENGINEERING NAME : FRAME 11 HSTAB ATT  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
ALPXXJ1309714	C COMPLETED	05MAY14 00:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	05MAY14 00:03	28APR14 01:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		7971.5	AFHR
07 SCHED PERFORMANCE MONITOR				NDT due on Serial 033			
				UPPR HSTAB FRM 11 at WAC 0600			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		INSPECTION C.O. NIL DETERIORATION FOUND.			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT	50000.0	AFHR			
SM	NDT	50000.0	AFHR			

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
ALPXXJ1625770	C COMPLETED	08JUN17 00:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	08JUN17 00:57	30MAR17 05:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		8914.8	AFHR
19 MMI SERVICING DUE				MS29 due on Serial 033			
				FRAME 11 HSTAB ATT at WAC 0600			
01 NO FAULT		12 MMI SERVICING					
		Unserviceability Details:					
		Maintenance Comments:		MS29 CO REF AIP MCS 1037/16			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS29	660.0	AFHR			
SM	MS29	660.0	AFHR			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 033 LITERAL SERIAL NO : 533, A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : SBI-118 ~Z5514  
ENGINEERING NAME : FRAME 11 HSTAB ATT  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJ1711275	C COMPLETED	20SEP19 03:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	09OCT19 02:52	19SEP19 02:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	9498.9	AFHR

19 MMI SERVICING DUE MS29 due on Serial 033  
FRAME 11 HSTAB ATT at WAC 0600

01 NO FAULT 12 MMI SERVICING  
Unserviceability Details:  
Maintenance Comments:

MS 29 C/O IAW AAP 7212.007-7,NIL ABNORMALITIES EVIDENT.NDT  
REPORT # AIP/NDT/A23-033/116,REF; AIP MCS 860/19-PG 31 TO 36.

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS29	660.0	AFHR	584.1		
SM	MS29	660.0	AFHR	584.1		

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00356  
08JAN20  
23:16:15

SERIAL/TAIL NO : 033  
PART NO : SBI-124 ~Z5514  
ENGINEERING NAME : AFT FUS SIDE SKINS  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 9545.2 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC	
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID		
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO		
	DEFAULT LIFS ENTERED AT RECEPTION	DATE UNPACKED				
29FEB08 00:20	033	SLL-C-5-3A	~Z5514	A23T	ALUSE04	00
aip01865	AIP	MMIST			A1PXXRY800657	
D. ULLMER		12JUL90				

6101.4 AFHR

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00357  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 033  
 PART NO : SBI-124  
 ENGINEERING NAME : AFT FUS SIDE SKINS  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~Z5514

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
29FEB08 00:20	Reception History Record	0.0	Reception MMIST	
29FEB08 00:21	Asset Installation	6441.0	A23T A1USE04 033 A23-033 00	XXxxXXxx
	Change Serviceability Stat	0.0	SERV S/I MMIST A23-033	XXxxXXxx
	Change Location of an Asse	0.0	SERV S/I MMIST A23-033	
15JUL09 02:37	Change Serviceability Stat	7.0	SERV S/I MMIST A23-033	
15JUL09 02:40	Change Serviceability Stat	0.0	6570.7 AFHR A1PXXJY818048	XXxxXXxx
02SEP10 02:04	Change Serviceability Stat	6.7	6570.7 AFHR S/I US/I	XXxxXXxx
30SEP10 05:24	Change Serviceability Stat	28.1	7082.8 AFHR A1PXXJY915160	XXxxXXxx
13MAR13 07:36	Change Serviceability Stat	231.9	7082.8 AFHR S/I US/I	XXxxXXxx
26MAR13 00:54	Change Serviceability Stat	12.7	7672.0 AFHR A1PXXJ1017188	XXxxXXxx
19MAY15 03:39	Change Serviceability Stat	53.7	7672.0 AFHR S/I US/I	XXxxXXxx
21MAY15 03:25	Change Serviceability Stat	1.9	8270.7 AFHR A1PXXJ1304061	XXxxXXxx
	Change Serviceability Stat		8270.7 AFHR S/I	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00358  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 033  
 PART NO : SBI-124 ~Z5514  
 ENGINEERING NAME : AFT FUS SIDE SKINS  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
09AUG16 05:34	Change Serviceability Stat	0.8	S/I US/I 8750.3 AFHR A1PXXJ1507860	XXxxXXxx
10AUG16 23:01	Change Serviceability Stat	1.7	US/I S/I	
07DEC16 07:17	Change Part Number of an A	3204.3	SLL-C-5-3A ~Z5514 SBI-124 ~Z5514 8914.8 AFHR A1PXXX1612909	XXxxXXxx
07DEC16 07:18	Maintenance Comment Position Change	0.0 3204.2	APPLIED MPAN 031/2016 A23T A1USE04 00 A23T A1USE04 70	
30MAR17 05:42	Change Serviceability Stat	125.0	8914.8 AFHR A1PXXJ1625757	XXxxXXxx
08JUN17 04:59	Change Serviceability Stat	69.9	US/I S/I	
19SEP19 02:32	Change Serviceability Stat	0.8	S/I US/I 9498.9 AFHR A1PXXJ1711360	XXxxXXxx
09OCT19 02:27	Change Serviceability Stat	19.9	US/I S/I 9498.9 AFHR	XXxxXXxx

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
ALPXXJY818048	C COMPLETED	15JUL09 02:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	15JUL09 02:40	15JUL09 02:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	6570.7	AFHR	
18	SPECIAL SERVICING DUE			NDT due on Serial 033			
01	NO FAULT	11	SPECIAL SERVICING	AFT FUS PORT SKIN at WAC 0600			
			Unserviceability Details:				
			Maintenance Comments:	CAMM2 UPDATED IAW STI-PC9-0491. REF MCS 642/09			

For-Official-Use-Only



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00359  
08JAN20  
23:16:15

SERIAL/TAIL NO : 033  
PART NO : SBI-124 ~Z5514  
ENGINEERING NAME : AFT FUS SIDE SKINS  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJY915160 C COMPLETED 30SEP10 05:18 XXxxXXxx XXxxXXxxXXxxXXxx AIP AIP  
30SEP10 05:24 02SEP10 02:04 XXxxXXxx XXxxXXxxXXxxXXxx AIP 7082.8 AFHR  
18 SPECIAL SERVICING DUE NDT due on Serial 033  
AFT FUS PORT SKIN at WAC 0600

01 NO FAULT 11 SPECIAL SERVICING  
Unserviceability Details:  
Maintenance Comments: C/O

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT	600.0	AFHR	512.1		
SM	NDT	600.0	AFHR	512.1		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJ1017188 C COMPLETED 25MAR13 00:31 XXxxXXxx XXxxXXxxXXxxXXxx AIP AIP  
26MAR13 00:54 13MAR13 07:36 XXxxXXxx XXxxXXxxXXxxXXxx AIP 7672.0 AFHR  
07 SCHED PERFORMANCE MONITOR NDT due on Serial 033  
AFT FUS PORT SKIN at WAC 0600

01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: RAAF SUPP 102 C/O, NIL DEFECTS EVIDENT. NDI REPORT NO: 145/13,  
REFER AIP 1102/12-52-6

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT	600.0	AFHR	589.2		
SM	NDT	600.0	AFHR	589.2		

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00360  
08JAN20  
23:16:15

SERIAL/TAIL NO : 033  
PART NO : SBI-124 ~Z5514 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : AFT FUS SIDE SKINS  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJ1304061	C COMPLETED	21MAY15 00:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	21MAY15 03:25	19MAY15 03:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		8270.7	AFHR
07 SCHED PERFORMANCE MONITOR				NDT due on Serial 033			
				AFT FUS PORT SKIN at WAC 0600			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		NDT CARRIED OUT IAW AAP 7212.007-3 AAP SUPP 102. NIL CRACKS			
				EVIDENT. REFER TO NDT REPORT AIP/NDT/A23-033/015.			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT	600.0	AFHR	598.7		
SM	NDT	600.0	AFHR	598.7		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJ1507860	C COMPLETED	10AUG16 23:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	10AUG16 23:01	09AUG16 05:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		8750.3	AFHR
07 SCHED PERFORMANCE MONITOR				NDT due on Serial 033			
				AFT FUS PORT SKIN at WAC 0600			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		NDT CARRIED OUT IAW AAP 7212.007-3 SUPP 102. NIL CRACKS			
				EVIDENT. REFER TO NDT REPORT AIP/NDT/A23-033/066.			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT	600.0	AFHR	479.6		
SM	NDT	600.0	AFHR	479.6		

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00361  
08JAN20  
23:16:15

SERIAL/TAIL NO : 033  
PART NO : SBI-124 ~Z5514  
ENGINEERING NAME : AFT FUS SIDE SKINS  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

19	MMI SERVICING DUE	08JUN17 04:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	8914.8	AFHR
01	NO FAULT	12	MMI SERVICING	MS34	due on Serial 033		
				AFT FUS SIDE SKINS	at WAC 0600		
				Unserviceability Details:			
				Maintenance Comments:	MS34 CO REF AIP MCS 1037/16		

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS34	660.0	AFHR			
SM	MS34	660.0	AFHR			

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

19	MMI SERVICING DUE	09OCT19 02:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	9498.9	AFHR
01	NO FAULT	12	MMI SERVICING	MS34	due on Serial 033		
				AFT FUS SIDE SKINS	at WAC 0600		
				Unserviceability Details:			
				Maintenance Comments:	MS 34 SERV C/O IAW AAP 7212.007-7, NIL ABNORMALITIES EVIDENT REF AIP MCS 860/19 PAGE 38 TO 42.		

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS34	660.0	AFHR	584.1		
SM	MS34	660.0	AFHR	584.1		

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 033  
PART NO : SBI-130 ~Z5514  
ENGINEERING NAME : FUS ENG MNT SUPP ST  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 9545.2 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE UNPACKED			

27FEB06 23:52	033	SLL-C-7A	~Z5514 A23T	ALUSI	00
aip001	AIP	MMIST		A1PXXRY601304	
L. DOBSON		12JUL90			

5531.6 AFHR

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00363  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 033  
 PART NO : SBI-130 ~Z5514 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : FUS ENG MNT SUPP ST  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
27FEB06 23:52	Reception History Record	0.0	Reception MMIST	
27FEB06 23:53	Asset Installation	5709.9	A23T A1USI 533 A23-033 00	XXxxXXxx
	Change Serviceability Stat	0.9	SERV S/I MMIST A23-033	XXxxXXxx
	Change Location of an Asse	0.9	SERV S/I MMIST A23-033	
05DEC16 13:16	Change Part Number of an A	3934.5	SLL-C-7A ~Z5514 SBI-130 ~Z5514	
	Maintenance Comment	0.0	A1PXXX1612809	XXxxXXxx
07JUN17 07:34	Position Change	4117.3	A23T A1USI 00	
	Maintenance Comment	0.0	A1PXXX1709092	XXxxXXxx
09JUN17 01:32	Change Serviceability Stat	195.8	POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE	
	Change Serviceability Stat	0.0	S/I US/I A1PXXJ1625497	XXxxXXxx
	Change Serviceability Stat	0.0	S/I US/I	XXxxXXxx

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJ1625497	C COMPLETED	09JUN17 01:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
07 SCHED PERFORMANCE MONITOR		09JUN17 01:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		8914.8 AFHR	
01 NO FAULT		04 CHECK/TEST SERV		NDT due on Serial 033			
		Unserviceability Details:		FUS ENG MNT SUPP ST at WAC 0600			
		Maintenance Comments:		SBI-130 CO REF AIP MCS 1036/16-32-1			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00364  
08JAN20  
23:16:15

SERIAL/TAIL NO : 033  
PART NO : SBI-130  
ENGINEERING NAME : FUS ENG MNT SUPP ST  
VENUE : A23DISP LOCATION : A23-033

PERIOD: 01JAN90 TO 08JAN20

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
=====	=====	=====	=====	=====	=====	=====
SM	NDT	4.0	ELPYR			27MAR17
SM	NDT	4.0	ELPYR			27MAR17

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 033  
PART NO : SBI-130 ~Z5514 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : FUS ENG MNT SUPP ST  
VENUE : A23DISP LOCATION : A23-033

MAINTENANCE POLICY HISTORY -----

POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	USER ID
=====	CHANGE DETAILS	=====	=====
06DEC16 08:46	SM DLD Changed From: 12JUL1990	NDT To:	XXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

SERIAL/TAIL NO : 033  
PART NO : SLL-C-5A ~Z5514  
ENGINEERING NAME : FUS SKN FRM 4 - 7  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 9545.2 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
27FEB06 05:38	033	SLL-C-5A	~Z5514	A23T	00
aip01713	AIP	MMIST		ALUSE	
R. ROSAM		12JUL90		A1PXXRY601236	
	5531.6 AFHR				



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00367  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 033  
 PART NO : SLL-C-5A ~Z5514  
 ENGINEERING NAME : FUS SKN FRM 4 - 7  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
27FEB06 05:38	Asset Installation	5531.6 AFHR	5709.2	A23T A1USE 533 A23-033	00 A23T A1USE 00AC XXXXXX
	Change Serviceability Stat		0.2	SERV S/I	
	Change Location of an Asse		0.2	MMIST A23-033	
27FEB06 05:38	Reception History Record		0.0	Reception MMIST	
29FEB08 02:31	Position Change	5531.6 AFHR	731.8	A23T A1USE A23T A1USE	00 00 XXXXXX
29FEB08 02:41	Position Change	6101.4 AFHR	731.8	A1PXXXY801568 A23T A1USE A23T A1USE	00 00 XXXXXX
		6101.4 AFHR		A1PXXXY801569	XXXXXX

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 033  
 PART NO : SLL-C-6A ~Z5514  
 ENGINEERING NAME : FUS FRMS FRM 4 - 7  
 VENUE : A23DISP LOCATION : A23-033  
 CURRENT CONDITION : S/I LIFE SINCE NEW : 9545.2 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
28FEB06 00:32	033	SLL-C-6A	~Z5514	A1USG	00
aip01713	AIP	MMIST	A23T	A1PXXRY601336	
R. ROSAM		12JUL90			
	5531.6 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00369  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 033  
 PART NO : SLL-C-6A ~Z5514  
 ENGINEERING NAME : FUS FRMS FRM 4 - 7  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
28FEB06 00:32	Reception History Record		0.0	Reception MMIST	
28FEB06 00:33	Asset Installation	5531.6 AFHR	5710.0	A23T A1USG 533 A23-033	00 A23T A1USG 00AC
	Change Serviceability Stat	5531.6 AFHR	0.0	SERV S/I MMIST A23-033	XXXXXXxx
04MAR08 23:22	Position Change		735.9	A23T A1USG A23T A1USG A1PXXXY801643	00 00 XXXXXxx
		6101.4 AFHR			

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00370  
08JAN20  
23:16:15

SERIAL/TAIL NO : 033  
PART NO : SLL-FS-25A ~Z5514  
ENGINEERING NAME : FUS LONG FRM 4 - 7  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 9545.2 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE UNPACKED			
27FEB06 02:55	033	SLL-FS-25A	~Z5514	A23T	00
aip01713	AIP	MMIST		ALUSA	
R. ROSAM		12JUL90		A1PXXRY601174	
	5531.6 AFHR				

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00371  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 033  
 PART NO : SLL-FS-25A ~Z5514  
 ENGINEERING NAME : FUS LONG FRM 4 - 7  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW						
27FEB06 02:55	Asset Installation	5709.1	A23T	A1USA	00	
	5531.6 AFHR		533		A23-033	A23T A1USA 00AC
	Change Serviceability Stat	0.1	SERV			XXXXXXxx
	Change Location of an Asse	0.1	S/I			
27FEB06 02:55	Reception History Record	0.0	MMIST			
	5531.6 AFHR		A23-033			
07JUN17 07:33	Position Change	4118.1	Reception			XXXXXXxx
	8914.8 AFHR		MMIST			
	Maintenance Comment	0.0	A23T	A1USA	00	
			A23T	A1USA	00	
			A1PXXX1709090			XXXXXXxx
			POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 033A  
 PART NO : SLL-C-1B ~Z5514  
 ENGINEERING NAME : WING ATTCH FRM2  
 VENUE : A23DISP LOCATION : A23-033  
 CURRENT CONDITION : S/I LIFE SINCE NEW : 9545.2 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
27FEB06 05:44	033A	SLL-C-1A	~Z5514 A23T	ALUSC	00
aip001	AIP	MMIST		A1PXXRY601238	
L. DOBSON		12JUL90			
	5531.6 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00373  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 033A  
 PART NO : SLL-C-1B ~Z5514  
 ENGINEERING NAME : WING ATTCH FRM2  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS		-----									
TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN(DYS)	FROM	TO (OPTIONAL)			USER		
						TRANS REFERENCE					
=====											
27FEB06	05:43	Reception History Record		0.0	Reception						
		5531.6	AFHR		MMIST					XXxxXXxx	
27FEB06	05:44	Asset Installation		5709.2	A23T	A1USC		00			
		5531.6	AFHR		533		A23-033		A23T	A1USC 00AC	
		Change Serviceability Stat		0.2	SERV					XXxxXXxx	
		Change Location of an Asse		0.2	S/I						
					MMIST						
					A23-033						
17FEB10	22:35	Position Change		1451.7	A23T	A1USC		00			
		6816.2	AFHR		A23T	A1USC		00			
		Change Part Number of an A		2690.9	A1PXXX1001918					XXxxXXxx	
		7745.0	AFHR		SLL-C-1A			~Z5514			
		Maintenance Comment		0.0	SLL-C-1B			~Z5514			
		Change Serviceability Stat		125.0	A1PXXX1307638					XXxxXXxx	
30MAR17	05:42	Change Serviceability Stat		125.0	PARTNO CHNG. AUTH: MPAN 15/2013. - ALIGN TMP + ASIMP V.2						
		8914.8	AFHR		S/I						
		Change Serviceability Stat		4118.0	US/I					XXxxXXxx	
07JUN17	07:33	Position Change		4118.0	A1PXXJ1706538			00			
		8914.8	AFHR		A23T	A1USC		00			
		Maintenance Comment		0.0	A23T	A1USC		00			
		Change Serviceability Stat		70.0	A1PXXX1709091					XXxxXXxx	
08JUN17	06:17	Change Serviceability Stat		70.0	POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE						
		8914.8	AFHR		US/I						
		Change Serviceability Stat		13.5	S/I					XXxxXXxx	
20MAY19	03:43	Change Serviceability Stat		13.5	US/I						
		9400.6	AFHR		A1PXXJ1711425					XXxxXXxx	
26JUN19	23:48	Change Serviceability Stat		37.8	US/I						
		9400.6	AFHR		S/I					XXxxXXxx	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00374  
08JAN20  
23:16:15

SERIAL/TAIL NO : 033A  
PART NO : SLL-C-1B ~Z5514  
ENGINEERING NAME : WING ATTCH FRM2  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

1PXXJ1706538	C COMPLETED	08JUN17 06:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	08JUN17 06:17	30MAR17 05:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		8914.8	AFHR
07 SCHED PERFORMANCE MONITOR				NDT due on Serial 033A			
				FUS FRM2 WLE ATTCH at WAC 0800			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		NDT CO REF AIP MCS 1036/16-40-4			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT	660.0	AFHR			
SM	NDT	660.0	AFHR			

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

1PXXJ1711425	C COMPLETED	13JUN19 03:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	26JUN19 23:48	20MAY19 03:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		9400.6	AFHR
07 SCHED PERFORMANCE MONITOR				NDT due on Serial 033A			
				FUS FRM2 WLE ATTCH at WAC 0800			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		NDT C/O IAW AAP7212.007-36 SECT5 CHAP2.NIL CRACKING DETECTED.REF : AIP/NDT/A23-033/109.			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT	660.0	AFHR	485.8		
SM	NDT	660.0	AFHR	485.8		



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00375  
08JAN20  
23:16:15

SERIAL/TAIL NO : 033Z  
PART NO : SBI-116 ~Z5514  
ENGINEERING NAME : SBI FUS FRAME 9  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 1873.2 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	DATE NEW	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	HA PART	DATE UNPACKED		
23APR13 08:16	033Z	SBI-18C	A23T	ALURQ	30
aip04023	AIP	HOLD		A1PXXR1300570	
K. ARUMUGAM		06MAR13	06MAR13		
	0.0 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00376  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 033Z  
 PART NO : SBI-116 ~Z5514  
 ENGINEERING NAME : SBI FUS FRAME 9  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
23APR13 08:16	Reception History Record	0.0	Reception HOLD	
	0.0 AFHR			XXxxXXxx
23APR13 08:30	Asset Installation	48.3	A23T A1URQ 533 A23-033 30	A23T A1URQ 30AC
	0.0 AFHR			XXxxXXxx
	Change Serviceability Stat	48.3	SERV S/I	
	Change Location of an Asse	48.3	HOLD A23-033	
31MAR16 04:57	Change Serviceability Stat	7.8	S/I US/I	
	913.3 AFHR		A1PXXJ1305363	XXxxXXxx
10APR16 23:11	Change Serviceability Stat	10.7	US/I S/I	
	913.3 AFHR			XXxxXXxx
07DEC16 09:41	Change Part Number of an A	1372.4	SBI-18C SBI-116 ~Z5514 ~Z5514	
	1242.8 AFHR		A1PXXX1612949	XXxxXXxx
07DEC16 09:43	Maintenance Comment Position Change	0.0 1324.0	APPLIED MPAN 031/2016 A23T A1URQ 70	
	1242.8 AFHR		A23T A1URQ A1PXXX1612950	XXxxXXxx
	Maintenance Comment	0.0	APPLIED MPAN 031/2016	
30MAR17 05:42	Change Serviceability Stat	125.0	S/I US/I	
	1242.8 AFHR		A1PXXJ1625773	XXxxXXxx
08JUN17 00:57	Change Serviceability Stat	69.8	US/I S/I	
	1242.8 AFHR			XXxxXXxx
21MAR18 05:23	Change Serviceability Stat	139.1	S/I US/I	
	1401.6 AFHR		A1PXXJ1711274	XXxxXXxx
26MAR18 06:52	Change Serviceability Stat	5.0	US/I S/I	
	1401.6 AFHR			XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00377  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 033Z  
 PART NO : SBI-116 ~Z5514 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : SBI FUS FRAME 9  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS		LIFE SINCE NEW		SPAN(DYS)	FROM TO (OPTIONAL)	USER
TRANSACTION D/T	CHANGE TYPE				TRANS REFERENCE	
20MAY19 03:43	Change Serviceability Stat	1728.6	AFHR	13.5	S/I US/I A1PXXJ1805106	XXxxXXxx
18JUN19 05:26	Change Serviceability Stat	1728.6	AFHR	29.0	US/I S/I	XXxxXXxx

MMI JOBS									
JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS		
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW			
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS						
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT					
A1PXXJ1305363	C COMPLETED	10APR16 23:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP			
	10APR16 23:11	31MAR16 04:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	913.3	AFHR		
07 SCHED PERFORMANCE MONITOR				NDT	due on Serial 033Z				
01 NO FAULT	04 CHECK/TEST SERV	Unserviceability Details:			FRM 9 STR 6L & 6R at WAC 0670				
		Maintenance Comments:			NDT CARRIED OUT IAW AAP 7212.007-36 SECT 4 CHAP 21. NIL CRACKS EVIDENT. REFER TO NDT REPORT AIP/NDT/A23-033/050.				

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT	900.0	AFHR			
SM	NDT	900.0	AFHR			

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00378  
08JAN20  
23:16:15

SERIAL/TAIL NO : 033Z PERIOD: 01JAN90 TO 08JAN20  
PART NO : SBI-116 ~Z5514  
ENGINEERING NAME : SBI FUS FRAME 9  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

=====  
A1PXXJ1625773 C COMPLETED 08JUN17 00:52 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
08JUN17 00:57 30MAR17 05:42 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 1242.8 AFHR  
19 MMI SERVICING DUE MS27 due on Serial 033Z  
SBI FUS FRAME 9 at WAC 0670  
01 NO FAULT 12 MMI SERVICING  
Unserviceability Details:  
Maintenance Comments: MS27 CO REF AIP MCS 1037/16

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS27	330.0	AFHR			
SM	MS27	330.0	AFHR			

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

=====  
A1PXXJ1711274 C COMPLETED 26MAR18 06:50 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
26MAR18 06:52 21MAR18 05:23 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 1401.6 AFHR  
19 MMI SERVICING DUE MS27 due on Serial 033Z  
SBI FUS FRAME 9 at WAC 0670  
01 NO FAULT 12 MMI SERVICING  
Unserviceability Details:  
Maintenance Comments: MS 27 INSPECTIONS C/O SERV IAW AAP 7212-007-2 CHAP 53.

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS27	330.0	AFHR	158.8		
SM	MS27	330.0	AFHR	158.8		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 033Z  
 PART NO : SBI-116 ~Z5514 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : SBI FUS FRAME 9  
 VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS	UNSERVICEABILITY DETAILS				
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS	MAINTENANCE COMMENT				
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

```

=====
1PXXJ1805106 C COMPLETED 18JUN19 05:22 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP
18JUN19 05:26 20MAY19 03:43 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 1728.6 AFHR
19 MMI SERVICING DUE MS27 due on Serial 033Z
SBI FUS FRAME 9 at WAC 0670
01 NO FAULT 12 MMI SERVICING
Unserviceability Details:
Maintenance Comments: MS 27 INSPECTIONS C/O IAW ATACSP0 MRD WEBSITE PSS.ASIMP VOL.2
CHAPTER 53-10-06NIL DEFECT EVIDENT.REF AIP MCS 272/19 WC 98-99
  
```

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
=====	=====	=====	=====	=====	=====	=====
SM	MS27	330.0	AFHR	327.0		
SM	MS27	330.0	AFHR	327.0		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00380  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 035  
 PART NO : 532.30.09.217  
 ENGINEERING NAME : CONT UNIT LDG REAR  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

~S4080

PERIOD: 01JAN90 TO 08JAN20

LOCATION : A23-033  
 LIFE SINCE NEW : 7131.3 AFHR

ASSET TRANSACTIONS

TRANSACTION D/T CHANGE TYPE		LIFE SINCE NEW		SPAN(DYS) FROM		TO (OPTIONAL)		TRANS REFERENCE		USER	
=====		=====		=====		=====		=====		=====	
31AUG03	15:16	Maintenance Comment	0.0	AFHR	2.2	MOD 7445.031-101 INC					XXxxXXxx
31AUG03	15:17	Maintenance Comment	0.0	AFHR	2.2	STI-PC9-0195 CARRIED OUT					XXxxXXxx
31AUG03	15:18	Maintenance Comment	0.0	AFHR	2.2	13Aug03 A23-028 07.40	2736.3	0.0	AFHR	01-FAILED	LG32928
31AUG03	15:18	Maintenance Comment	0.0	AFHR	2.2	23Aug02 7445.031-101			MOD STATUS NOW	INC	
31AUG03	15:18	Maintenance Comment	0.0	AFHR	2.2	11Aug03 2FTOPMH			FF: 01-NIL	MA: 04-CHK/TST	
31AUG03	15:18	Maintenance Comment	0.0	AFHR	2.2	29Aug03 LG32928 00.	2736.3	AFHR	TX TO	CAMM2	
31AUG03	15:20	Maintenance Comment	0.0	AFHR	2.2	11Aug03 A23-030 07.40	2736.3	0.0	AFHR	05-FUNC CHK	LG32607
31AUG03	15:22	Maintenance Comment	0.0	AFHR	2.2	23Aug02 2FTAVOP			FF: 01-NIL	MA: 08-MOD/STI	
31AUG03	15:23	Maintenance Comment	0.0	AFHR	2.2	21Aug02 2FTAVOP 00.	2499.3	0.0	AFHR	08-MOD/STI	LE26734
31AUG03	15:24	Maintenance Comment	0.0	AFHR	2.2	2FTQND			WFD: 29-MOD/STI	US: 03-ELECFAIL	
31AUG03	15:25	Maintenance Comment	0.0	AFHR	2.2	FAILS STI-3023					XXxxXXxx
31AUG03	15:26	Maintenance Comment	0.0	AFHR	2.2	22Mar94 NEW - 035	532.30.09.217	1101-00-00-H			XXxxXXxx
31AUG03	15:26	Maintenance Comment	0.0	AFHR	2.2	23Aug02 A23-030 07.40	2499.3	0.0	AFHR	IN AS A23T 1101-00-00-H	
31AUG03	15:33	Maintenance Comment	0.0	AFHR	2.2	13Aug03 A23-028 07.40	2736.3	0.0	AFHR	IN AS A23T 1101-00-00-H	
08SEP03	03:02	Change Serviceability Stat			26.1	U/S					XXxxXXxx
			2736.3	AFHR		SERV					XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00381  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 035  
 PART NO : 532.30.09.217  
 ENGINEERING NAME : CONT UNIT LDG REAR  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
08SEP03 03:53	Change Location of an Asse 2736.3 AFHR	26.1	QND A23-028 AIPXXXY300685	XXxxXXxx
09SEP03 02:13	Maintenance Comment Asset Installation	0.0 10.7	REAR HANDLE FITTED A23T A1UGY 528 A23-028	00
	2736.3 AFHR Change Serviceability Stat	0.9	SERV S/I	XXxxXXxx
21NOV03 00:32	Position Change	72.9	A23T A1UGY 528 A23-028	00
	2764.9 AFHR Maintenance Comment	0.0	A1PXXXY304654 STI-PC9-317 A & B	XXxxXXxx
22NOV03 03:05	Change Serviceability Stat	1.0	S/I US/I	
22NOV03 03:23	Change Serviceability Stat	0.0	A1PXXJY307065 US/I S/I	XXxxXXxx
01DEC03 08:48	Change Serviceability Stat	3.3	S/I US/I	XXxxXXxx
01DEC03 09:02	Change Serviceability Stat	0.0	A1PXXJY307306 US/I S/I	XXxxXXxx
01DEC03 09:04	Asset Removal	83.2	528 A23-028 A23T A1UGY	00
	2783.7 AFHR Change Serviceability Stat	0.0	S/I U/S	XXxxXXxx
	Change Location of an Asse	84.2	A23-028 EXTERNAL	
01DEC03 23:30	Change Serviceability Stat	0.6	U/S SERV	
	2783.7 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00382  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 035  
 PART NO : 532.30.09.217 ~S4080  
 ENGINEERING NAME : CONT UNIT LDG REAR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW								
01DEC03	23:43	Change	Serviceability Stat	0.0	SERV			
			2783.7 AFHR		U/S			
25MAR04	02:40	Change	Serviceability Stat	114.1	A1PXXJY307971			XXxxXXxx
			2783.7 AFHR		U/S			
25MAR04	02:42	Change	Location of an Asse	114.7	SERV			XXxxXXxx
			2783.7 AFHR		EXTERNAL			
					A23-044			
25MAR04	03:25	Asset	Installation	114.7	A1PXXXY407046			XXxxXXxx
			2783.7 AFHR		A23T	A1UGY		
					544	A23-044	00	
						A23T	A1UGY	0 A
			Change Serviceability Stat	0.0	SERV			XXxxXXxx
			2933.2 AFHR		S/I			
30JUN04	02:27	Asset	Removal	96.9	544	A23-044	00	A23T A1UGY 00A
			2933.2 AFHR		A23T	A1UGY	00	
			Change Serviceability Stat	5.7	S/I			XXxxXXxx
			Change Location of an Asse	96.9	U/S			
					A23-044			
30JUN04	03:10	Change	Serviceability Stat	0.0	INTMH			
			2933.2 AFHR		U/S			
30JUN04	05:03	Asset	Installation	0.1	SERV			XXxxXXxx
			2933.2 AFHR		A23T	A1UGY	00	
					544	A23-044		
			Change Serviceability Stat	0.0	SERV			XXxxXXxx
			Change Location of an Asse	0.1	S/I			
					INTMH			
					A23-044			

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00383  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 035  
 PART NO : 532.30.09.217 ~S4080  
 ENGINEERING NAME : CONT UNIT LDG REAR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS									
TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER	
			LIFE SINCE NEW						
24FEB05	03:23	Asset Removal		238.9	544	A23-044		A23T	00A
		3232.2 AFHR			A23T		00		
		Change Serviceability Stat	7.9		S/I			XXxxXXxx	
		Change Location of an Asse	238.9		U/S				
24FEB05	03:24	Change Serviceability Stat	0.0		A23-044				
		3232.2 AFHR			INTMH				
		Change Serviceability Stat	0.0		U/S			XXxxXXxx	
24FEB05	04:36	Asset Installation	0.0		A23T		00		
		3232.2 AFHR			544	A23-044		A23T	00AC
		Change Serviceability Stat	0.0		SERV			XXxxXXxx	
		Change Location of an Asse	0.0		S/I				
		Change Location of an Asse	0.0		INTMH				
21APR06	03:12	Asset Removal	420.9		A23-044		00	A23T	00A
		3531.7 AFHR			544				
		Change Serviceability Stat	10.1		A23T			XXxxXXxx	
		Change Location of an Asse	420.9		U/S				
		Change Location of an Asse	420.9		A23-044				
21APR06	03:13	Change Serviceability Stat	0.0		INTMH				
		3531.7 AFHR			U/S				
		Change Serviceability Stat	0.0		SERV			XXxxXXxx	
25APR06	23:30	Asset Installation	4.8		A23T		00		
		3531.7 AFHR			544	A23-044		A23T	00AC
		Change Serviceability Stat	4.8		SERV			XXxxXXxx	
		Change Location of an Asse	4.8		S/I				
		Change Location of an Asse	4.8		INTMH				
		Change Location of an Asse	4.8		A23-044				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00384  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 035  
 PART NO : 532.30.09.217  
 ENGINEERING NAME : CONT UNIT LDG REAR  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
19JAN07 00:13	Asset Removal	268.0	544 A23T A1UGY A23-044 00	A23T A1UGY 00A
	3831.3 AFHR Change Serviceability Stat	35.9	S/I U/S	XXXXXXxx
	Change Location of an Asse	268.0	A23-044 INTMH	
19JAN07 00:15	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
31JAN07 00:12	Asset Installation	11.9	A23T A1UGY A23-044 00	A23T A1UGY 00AC
	3831.3 AFHR Change Serviceability Stat	11.9	SERV S/I	XXXXXXxx
	Change Location of an Asse	11.9	INTMH A23-044	
29NOV07 00:00	Asset Removal	301.9	544 A23T A1UGY A23-044 00	A23T A1UGY 00A
	4129.7 AFHR Change Serviceability Stat	13.4	S/I U/S	XXXXXXxx
	Change Location of an Asse	301.9	A23-044 INTMH	
29NOV07 00:03	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
03DEC07 00:00	Asset Installation	3.9	A23T A1UGY A23-044 00	A23T A1UGY 00AC
	4129.7 AFHR Change Serviceability Stat	3.9	SERV S/I	XXXXXXxx
	Change Location of an Asse	3.9	INTMH A23-044	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00385  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 035  
 PART NO : 532.30.09.217  
 ENGINEERING NAME : CONT UNIT LDG REAR  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
11APR08 23:02	Position Change	130.9	A23T A1UGY 00 A23T A1UGY 00	
30SEP08 05:41	Change Serviceability Stat	4.9	4249.1 AFHR A1PXXXY802930 S/I US/I	XXXXXXxx
30SEP08 06:19	Asset Removal	302.2	4427.7 AFHR A1PXXJY806121 544 A23-044 A23T A1UGY 00	XXXXXXxx A23T A1UGY 00A
	Change Serviceability Stat	0.0	4427.7 AFHR US/I	XXXXXXxx
	Change Location of an Asse	302.2	U/S A23-044 MMIST	
15OCT08 04:49	Change Serviceability Stat	14.9	U/S SERV	
16OCT08 01:07	Asset Installation	15.7	4427.7 AFHR A23T A1UGY 00 555 A23-054	XXXXXXxx A23T A1UGY 00AC
	Change Serviceability Stat	0.8	4427.7 AFHR SERV S/I	XXXXXXxx
	Change Location of an Asse	15.7	MMIST A23-054	
10JUN14 02:47	Change Serviceability Stat	4.0	S/I US/I	
10JUN14 02:51	Asset Removal	2063.0	5838.5 AFHR A1PXXJY817554 555 A23-054 A23T A1UGY 00	XXXXXXxx A23T A1UGY 00A
	Change Serviceability Stat	0.0	5838.5 AFHR US/I	XXXXXXxx
	Change Location of an Asse	2063.0	U/S A23-054 STORES	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00386  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 035  
 PART NO : 532.30.09.217 ~S4080  
 ENGINEERING NAME : CONT UNIT LDG REAR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
11JUN14 02:19	Change Venue of an Asset	3938.7	AIP NONC2CONT	
	5838.5 AFHR Change Location of an Asse	0.9	A1PXXX1405923 STORES HOLD	XXxxXXxx
01OCT14 07:00	Change Serviceability Stat	113.1	U/S SERV	
	5838.5 AFHR Change Venue of an Asset	147.0	NONC2CONT AIP	XXxxXXxx
05NOV14 02:28	Maintenance Comment	0.0	NONC2X1412273	XXxxXXxx
	Change Location of an Asse	147.0	REPAIR AND BAY SERV AT JNDKT ON 01OCT14 AND MOVED TO AIP. HOLD	
16MAR15 12:56	Asset Installation	279.4	STORES A23T A1UGY A23-033 00	A23T A1UGY 00AC
	5838.5 AFHR Change Serviceability Stat	166.2	SERV S/I	XXxxXXxx
	Change Location of an Asse	131.4	STORES A23-033	
09FEB17 03:14	Asset Removal	695.5	533 A23-033 00	A23T A1UGY 00A
	6500.9 AFHR Change Serviceability Stat	75.9	A23T A1UGY	XXxxXXxx
	Change Location of an Asse	695.5	S/I U/S A23-033	
09FEB17 03:16	Change Serviceability Stat	0.0	INTMH U/S SERV	
	6500.9 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00387  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 035  
 PART NO : 532.30.09.217 ~S4080  
 ENGINEERING NAME : CONT UNIT LDG REAR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
05MAY17 03:36	Asset Installation	85.0	A23T A1UGY 533 A23-033 00	A23T A1UGY 00AC
	6500.9 AFHR Change Serviceability Stat	85.0	SERV S/I	XXXXXXXX
	Change Location of an Asse	85.0	INTMH A23-033	

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
AIPXXUY300475	COMPLETED	08SEP03 03:42	2736.3	AFHR		XXXXXXXXXXXXXXXXXXXX
08SEP03 03:02	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		IC PN PAL12116J/883B				08SEP03 03:42
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: HANDLE ASSESSED SERV IAW STI-302

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

LG32928XXXXXX C COMPLETED 13AUG03 11:34 XXXX  
 08SEP03 03:23  
 01 UNSERVICEABLE 29 DURING MOD/STI/DVI IC P/N PAL12H6J/883B  
 03 ELECTRICAL COMPONENT FAIL 03 ELECTRICAL FAILURE  
 02 REPAIR  
 Unserviceability Details: FAILS STI-3023  
 Maintenance Comments: REPAIR

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00388  
08JAN20  
23:16:15

SERIAL/TAIL NO : 035  
PART NO : 532.30.09.217 ~S4080  
ENGINEERING NAME : CONT UNIT LDG REAR  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

AIPXXJY310452	C COMPLETED	08SEP03 03:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	08SEP03 03:14					2736.3	AFHR
13	REMOVED FOR ACCESS			NO FAULT			

01 NO FAULT  
04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments:

CHECK TEST

AIPXXJY307065	C COMPLETED	22NOV03 03:05	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	22NOV03 03:23					2766.0	AFHR
08	MOD/STI/DVI REQUIRED			STI-PC9-317A due on Serial 035 CONT UNIT LDG REAR at WAC 0740			

01 NO FAULT  
08 MOD/STI/DVI INCORP  
Unserviceability Details:  
Maintenance Comments:

STI 317 INC

AIPXXJY307066	C COMPLETED	22NOV03 03:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	22NOV03 03:21					2766.0	AFHR
08	MOD/STI/DVI REQUIRED			STI-PC9-317B due on Serial 035 CONT UNIT LDG REAR at WAC 0740			

01 NO FAULT  
08 MOD/STI/DVI INCORP  
Unserviceability Details:  
Maintenance Comments:

STI 317 INC

AIPXXJY307306	C COMPLETED	01DEC03 08:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	01DEC03 09:02					2783.7	AFHR
08	MOD/STI/DVI REQUIRED			STI-PC9-317B due on Serial 035 CONT UNIT LDG REAR at WAC 0740			

01 NO FAULT  
08 MOD/STI/DVI INCORP  
Unserviceability Details:  
Maintenance Comments:

STI INC

AIPXXJY307300	C COMPLETED	01DEC03 08:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	01DEC03 08:58					2783.7	AFHR
08	MOD/STI/DVI REQUIRED			STI-PC9-317A due on Serial 035 CONT UNIT LDG REAR at WAC 0740			

01 NO FAULT  
08 MOD/STI/DVI INCORP  
Unserviceability Details:

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00389  
08JAN20  
23:16:15

SERIAL/TAIL NO : 035  
PART NO : 532.30.09.217 ~S4080  
ENGINEERING NAME : CONT UNIT LDG REAR  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

Maintenance Comments: STI INC

A1PXXJY307961 C COMPLETED 01DEC03 23:43 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP 2783.7 AFHR  
25MAR04 02:38  
08 MOD/STI/DVI REQUIRED STI-PC9-317A due on Serial  
CONT UNIT LDG REAR at WAC 0740  
01 NO FAULT 08 MOD/STI/DVI INCORP  
Unserviceability Details:  
Maintenance Comments: STI-PC9-317A C/O

A1PXXJY307971 C COMPLETED 01DEC03 23:43 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP 2783.7 AFHR  
25MAR04 02:40  
08 MOD/STI/DVI REQUIRED STI-PC9-317B due on Serial  
CONT UNIT LDG REAR at WAC 0740  
01 NO FAULT 08 MOD/STI/DVI INCORP  
Unserviceability Details:  
Maintenance Comments: STI -PC9-317B

A1PXXJY412600 C COMPLETED 30JUN04 02:27 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP 2933.2 AFHR  
30JUN04 03:10  
13 REMOVED FOR ACCESS 99 NO FAILURE STI-PC9-0195 due on Serial A23-044  
PC-9 at WAC 0000  
01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: STI-PC9-0195 RINC.

A1PXXJY503319 C COMPLETED 24FEB05 03:23 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP 3232.2 AFHR  
24FEB05 03:24  
13 REMOVED FOR ACCESS 99 NO FAILURE STI-PC9-0195 due on Serial A23-044  
PC-9 at WAC 0000  
01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00390  
08JAN20  
23:16:15

SERIAL/TAIL NO : 035  
PART NO : 532.30.09.217 ~S4080  
ENGINEERING NAME : CONT UNIT LDG REAR  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJY606303	C COMPLETED	21APR06 03:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	99 NO FAILURE	21APR06 03:13				3531.7	AFHR
01 NO FAULT	04 CHECK/TEST SERV						
	Unserviceability Details:						
	Maintenance Comments:			CHECK/TEST SERV			

A1PXXJY701092	C COMPLETED	19JAN07 00:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	99 NO FAILURE	19JAN07 00:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	3831.3	AFHR
01 NO FAULT	04 CHECK/TEST SERV						
	Unserviceability Details:						
	Maintenance Comments:			CHECK/TEST SERV			

A1PXXJY721463	C COMPLETED	29NOV07 00:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	99 NO FAILURE	29NOV07 00:03	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	4129.7	AFHR
01 NO FAULT	04 CHECK/TEST SERV						
	Unserviceability Details:						
	Maintenance Comments:			CHECK/TEST SERV			

A1PXXJY806121	C COMPLETED	30SEP08 06:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
02 BAY SERVICE DUE		30SEP08 05:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	4427.7	AFHR
01 NO FAULT	06 BAY SERVICE						
	Unserviceability Details:						
	Maintenance Comments:			BAY SERVICE CARRIED OUT IAW AAP 7445.031-3M			

A1PXXJY817554	C COMPLETED	10JUN14 02:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
02 BAY SERVICE DUE		10JUN14 02:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	5838.5	AFHR
01 NO FAULT	06 BAY SERVICE						
	Unserviceability Details:						
	Maintenance Comments:			UNIT REPAIRED & TESTED & B/S C/O IAW AAP 7445.031-3M			



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00391  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 035  
 PART NO : 532.30.09.217 ~S4080  
 ENGINEERING NAME : CONT UNIT LDG REAR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1500.0	AFHR	1410.8		
SM	BS	1500.0	AFHR	1410.8		

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

```

=====
A1PXXJ1702526  C  COMPLETED      09FEB17  03:14  XXxxXXxx  XXxxXXxxXXxxXXxxXXxx  AIP  AIP
                09FEB17  03:16      09FEB17  03:15  XXxxXXxx  XXxxXXxxXXxxXXxxXXxx  AIP  6500.9  AFHR
13 REMOVED FOR ACCESS      99 NO FAILURE      REAR COCKPIT LGCU RFA

01 NO FAULT                04 CHECK/TEST SERV
                           Unserviceability Details:
                           Maintenance Comments:  CHECK/TEST SERV
  
```

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00392  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 035  
 PART NO : 532.30.09.217 ~S4080  
 ENGINEERING NAME : CONT UNIT LDG REAR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MOD NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
7445.031-101	Y	23AUG02 00:00	INC			

STI NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
STI-PC9-0303	N	22AUG03 00:00	NINC			
STI-PC9-0303	Y	21NOV03	N/A			
STI-PC9-317A	N	20NOV03	NINC			
STI-PC9-317A	N	22NOV03	INC	A1PXXJY307065	22NOV03 03:05	2766.0 AFHR
STI-PC9-317A	N	01DEC03	RINC	A1PXXJY307300	01DEC03 08:50	2783.7 AFHR
STI-PC9-317A	N	25MAR04	RINC	A1PXXJY307961	01DEC03 23:43	2783.7 AFHR
STI-PC9-317A	N	21APR04	NINC			
STI-PC9-317A	Y	21APR04	N/A			
STI-PC9-317B	N	20NOV03	NINC			
STI-PC9-317B	N	22NOV03	INC	A1PXXJY307066	22NOV03 03:19	2766.0 AFHR
STI-PC9-317B	N	22NOV03	NINC			
STI-PC9-317B	N	01DEC03	INC	A1PXXJY307306	01DEC03 08:49	2783.7 AFHR
STI-PC9-317B	N	01DEC03	NINC			
STI-PC9-317B	Y	25MAR04	INC	A1PXXJY307971	01DEC03 23:43	2783.7 AFHR

POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	USER ID
21NOV03 00:20	STI DLD Changed From: 22MAR1994	STI-PC9-317A	XXXXXX

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00393  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0379  
 PART NO : 631 367 409 ~S3715  
 ENGINEERING NAME : CONTROL AMR 349-1  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 6667.7 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
30AUG03 20:44	Maintenance Comment	0.0 AFHR	1.5	29Aug03 A23-066 07.4A 4022.6 AFHR Camm LOG00004	TX TO CAMM2 XXXXXXxx
30AUG03 20:49	Maintenance Comment	0.0 AFHR	1.5	23Apr98 A23-066 07.4 2342.7 Camm LOG00002	0.0 AFHR UPDATED LIFE (MPMI) XXXXXXxx
30AUG03 20:51	Maintenance Comment	0.0 AFHR	1.5	30Apr92 A23-066 07.4 0.0 Camm LOG00001	0.0 AFHR ^^^^^^RECEPTION XXXXXXxx
30AUG03 20:51	Maintenance Comment	0.0 AFHR	1.5	23Feb92 NEW - 0379 631 367 409 Camm LOG00003	2475-00-00-H XXXXXXxx
02FEB09 23:55	Asset Removal	5543.2 AFHR	1984.6	567 A23-066 A23T A1UHC 00	A23T A1UHC 00A XXXXXXxx
	Change Serviceability Stat	0.0	0.0	S/I U/S	
	Change Location of an Asse	5543.2 AFHR	620.7	A23-066 EQUIP_STORE	
03FEB09 00:26	Change Venue of an Asset	0.0	620.7	AIE NONC2CONT	
	Change Location of an Asse	5543.2 AFHR	0.0	A1EXXXY900377 EQUIP_STORE	XXXXXXxx
05DEC13 02:00	Change Serviceability Stat	5543.2 AFHR	1766.0	HOLD U/S SERV	XXXXXXxx
12DEC13 06:11	Change Venue of an Asset	5543.2 AFHR	1773.2	NONC2CONT AIP	XXXXXXxx
	Maintenance Comment	5543.2 AFHR	0.0	NONC2X1312717	XXXXXXxx
	Change Location of an Asse	1773.2	1773.2	REPAIRD ATSAAB ON 05NOV13 AND MOVED TO AIP HOLD STORES	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00394  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0379  
 PART NO : 631 367 409  
 ENGINEERING NAME : CONTROL AMR 349-1  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S3715

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
14JAN14 02:47	Asset Installation	1806.1	A23T A1UHC 512 A23-011	A23T A1UHC 00AC
	5543.2 AFHR Change Serviceability Stat	40.0	SERV S/I	XXXXXXxx
	Change Location of an Asse	32.8	STORES A23-011	
01DEC15 22:43	Asset Removal	686.8	512 A23-011 A23T A1UHC	A23T A1UHC 00A
	6179.1 AFHR Change Serviceability Stat	0.5	S/I U/S	XXXXXXxx
	Change Location of an Asse	686.8	A23-011 STORES	
03DEC15 06:15	Change Venue of an Asset	721.0	AIP NONC2CONT	
	6179.1 AFHR Change Location of an Asse	1.3	A1PXXX1511340 STORES	XXXXXXxx
22AUG16 02:00	Change Serviceability Stat	264.1	HOLD U/S SERV	
	6179.1 AFHR Change Venue of an Asset	647.7	NONC2CONT AIP	XXXXXXxx
10SEP17 23:25	Maintenance Comment	0.0	NONC2X1709994	XXXXXXxx
	Change Location of an Asse	647.7	REPAIRED ON 22AUG16 AT SAAB TECH. MOVED TO AIP PEA HOLD	
17OCT17 05:18	Asset Installation	685.2	STORES A23T A1UHC 533 A23-033	A23T A1UCU 00AC
	6179.1 AFHR Change Serviceability Stat	421.1	SERV S/I	XXXXXXxx
	Change Location of an Asse	36.2	STORES A23-033	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 0379  
 PART NO : 631 367 409 ~S3715  
 ENGINEERING NAME : CONTROL AMR 349-1  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1EXXJY900568	C COMPLETED	02FEB09 23:55	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIP	
	05DEC13 02:00	02FEB09 23:55	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	5543.2	AFHR
01 UNSERVICEABLE		01 IN FLIGHT		COMM1 VOLUME ADJUSTMENT OPERATES INTERMITTENTLY			
07 BAD ADJUST/ALIGN		03 ELECTRICAL FAILURE					
		02 REPAIR					
		Unserviceability Details:		VOLUME ADJUSTMENT INTERMITTENT OPERATION			
		Maintenance Comments:		ITEM CHECK AND TESTED IAW PUBLICATION AR/10.587 EDITION 2 DATED 23-09-1988			

A1PXXJ1518787	C COMPLETED	01DEC15 22:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	NONC2CONT	
	22AUG16 02:00	01DEC15 22:44	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	6179.1	AFHR
01 UNSERVICEABLE		01 IN FLIGHT		REAR SEAT COMM 1 BLANKING AND POOR TRANSMISSION INTERMITTANTLY			
03 ELECTRICAL COMPONENT FAIL		03 ELECTRICAL FAILURE					
		02 REPAIR					
		Unserviceability Details:		SCREEN BLANKING AN INTERMITTANT TX			
		Maintenance Comments:		ITEM REPAIRED IAW PUBLICATION AR/10.587 EDITION 2 DATED 23SEP1988. REFER TO MAB AUTHORISATION 001/2005 REF SAAB TECH COC 290533 & ACS1512054			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00396  
08JAN20  
23:16:15

SERIAL/TAIL NO : 0379  
PART NO : 631 367 409 ~S3715  
ENGINEERING NAME : CONTROL AMR 349-1  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MOD NUMBER	CURRENT (Y/N)	STATUS	DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
7831.200-101	N	20JAN99	00:00	NINC			
7831.200-101	Y	17SEP03		N/A			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00397  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 039  
 PART NO : \$0438 ~\$A23T  
 ENGINEERING NAME : DROG LINK PIST ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 CURRENT CONDITION : S/I LIFE SINCE NEW : 7191.9 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T CHANGE TYPE		LIFE SINCE NEW		SPAN(DYS) FROM		TO (OPTIONAL)		TRANS REFERENCE		USER	
=====		=====		=====		=====		=====		=====	
30AUG03	05:38	Maintenance Comment	0.0	AFHR	0.8	21Jan02	039	00.30	4463	2350 DAYS	03-OH DUE RY20027
											XXXXXXxx
30AUG03	05:39	Maintenance Comment	0.0	AFHR	0.8	21Jan02		ELPYR	LST OH	20JAN08	ELPYR NXT OH
											XXXXXXxx
30AUG03	05:40	Maintenance Comment	0.0	AFHR	0.8	03Apr00	039	00.30	3806	1693 DAYS	02-B S DUE RW03569
											XXXXXXxx
30AUG03	05:40	Maintenance Comment	0.0	AFHR	0.8	3129.6	0.0	AFHR			
											XXXXXXxx
30AUG03	05:40	Maintenance Comment	0.0	AFHR	0.8	2736.2	0.0	AFHR			
											XXXXXXxx
30AUG03	05:40	Maintenance Comment	0.0	AFHR	0.8	29Aug03	039	07.30	3416.2	AFHR	TX TO CAMM2
											XXXXXXxx
30AUG03	05:41	Maintenance Comment	0.0	AFHR	0.8	03Apr00	RV99908		FF: 01-NIL		MA: 06-BS
											XXXXXXxx
30AUG03	05:42	Maintenance Comment	0.0	AFHR	0.8	2598.0	0.0	AFHR			
											XXXXXXxx
30AUG03	05:44	Maintenance Comment	0.0	AFHR	0.8	30Oct89	NEW - 039		\$0438	1450-14-00-K	
											XXXXXXxx
30AUG03	05:46	Maintenance Comment	0.0	AFHR	0.8	21Jan02	RX16093		FF: 01-NIL		MA: 07-OH
											XXXXXXxx
30AUG03	05:46	Maintenance Comment	0.0	AFHR	0.8	21Jan02		ELPYR	LST BS	21JAN04	ELPYR NXT BS
											XXXXXXxx
12NOV03	22:35	Position Change			75.5	A23T	ALWAG			00	
											0
			3440.7	AFHR		ARDUXXY	300820				XXXXXXxx
11DEC03	00:29	Change Serviceability Stat			21.9	S/I					
			3446.1	AFHR		US/I					
19MAR04	00:15	Change Serviceability Stat			98.9	ARDUPJ	302000				XXXXXXxx
			3446.1	AFHR		US/I					
03APR06	03:18	Change Serviceability Stat			17.0	S/I					XXXXXXxx
			3798.4	AFHR		US/I					
						ALEXJY	401871				XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00398  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 039  
 PART NO : \$0438  
 ENGINEERING NAME : DROG LINK PIST ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~\$A23T

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
		LIFE SINCE NEW			
20APR06	23:27	Change Serviceability Stat	17.8	US/I S/I	
		3798.4 AFHR			XXxxXXxx
16JAN08	23:39	Change Serviceability Stat	2.8	S/I US/I	
		4077.4 AFHR		ARDUPJ301999X	XXxxXXxx
29APR08	00:41	Change Serviceability Stat	103.0	US/I S/I	
		4077.4 AFHR			XXxxXXxx
28MAR10	21:27	Change Serviceability Stat	3.6	S/I US/I	
		4672.6 AFHR		A1EXXJY602723	XXxxXXxx
24MAY10	03:21	Change Serviceability Stat	56.2	US/I S/I	
		4672.6 AFHR			XXxxXXxx
02MAY12	03:49	Change Serviceability Stat	0.9	S/I US/I	
		5251.8 AFHR		A1EXXJ1002913	XXxxXXxx
23MAY12	04:05	Change Serviceability Stat	21.0	US/I S/I	
		5251.8 AFHR			XXxxXXxx
24FEB14	22:38	Change Serviceability Stat	10.8	S/I US/I	
		5844.9 AFHR		A1EXXJY802822	XXxxXXxx
09OCT14	04:00	Change Serviceability Stat	226.2	US/I S/I	
		5844.9 AFHR			XXxxXXxx
22SEP16	04:29	Change Serviceability Stat	62.9	S/I US/I	
		6286.7 AFHR		A1EXXJ1202812	XXxxXXxx
08NOV16	04:55	Change Serviceability Stat	47.0	US/I S/I	
		6286.7 AFHR			XXxxXXxx
15NOV18	00:12	Change Serviceability Stat	6.7	S/I US/I	
		6890.5 AFHR		A1EXXJ1610672	XXxxXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00399  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 039  
 PART NO : \$0438 ~\$A23T  
 ENGINEERING NAME : DROG LINK PIST ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
19FEB19 04:14	Change Serviceability Stat	96.1	US/I S/I	XXxxXXxx
	6890.5 AFHR			

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
ARDUPJCA00465	C COMPLETED	21JAN02 00:00	XXxxXXxx		ARDUPEA		0.0
	21JAN02 00:00						

02 BAY SERVICE DUE

Unserviceability Details:  
 Maintenance Comments:

ARDUPJCA00413 C COMPLETED  
 21JAN02 00:00  
 03 OVERHAUL DUE

Unserviceability Details:  
 Maintenance Comments:

ARDUPJ302000X C COMPLETED  
 19MAR04 00:15  
 02 BAY SERVICE DUE

XXxxXXxx  
 ARDU AIE 3446.1 AFHR  
 BS due on Serial 039  
 DROG LINK PIST ASSY at WAC 0730

01 NO FAULT 06 BAY SERVICE

Unserviceability Details:  
 Maintenance Comments: BSCO

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			21JAN04
SM	BS	2.0	ELPYR			21JAN04

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00400  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 039 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : \$0438 ~\$A23T  
 ENGINEERING NAME : DROG LINK PIST ASSY  
 VENUE : A23DISP LOCATION : A23-033

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
=====	=====	=====	=====	=====	=====	=====

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1EXXJY401871	C COMPLETED	20APR06 23:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	20APR06 23:27					3798.4	AFHR
02 BAY SERVICE DUE				BS	due on Serial 039		
					DROG LINK PIST ASSY at WAC 0730		
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:		BSCO			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
=====	=====	=====	=====	=====	=====	=====
SM	BS	2.0	ELPYR			19MAR06

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

ARDUPJ301999X	C COMPLETED	28MAR08 00:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU	AIE	
	29APR08 00:41	16JAN08 23:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU	4077.4	AFHR
03 OVERHAUL DUE				OH	due on Serial 039		
					DROG LINK PIST ASSY at WAC 0730		
01 NO FAULT		07 OVERHAUL					
		Unserviceability Details:					
		Maintenance Comments:		OH C/O			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
=====	=====	=====	=====	=====	=====	=====
SM	OH	6.0	ELPYR			20JAN08
SM	OH	6.0	ELPYR			20JAN08

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00401  
08JAN20  
23:16:15

SERIAL/TAIL NO : 039  
PART NO : \$0438 ~\$A23T PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : DROG LINK PIST ASSY  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJY602723	C COMPLETED	24MAY10 03:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	24MAY10 03:21	28MAR10 21:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	4672.6	AFHR
02 BAY SERVICE DUE				BS	due on Serial 039		
					DROG LINK PIST ASSY at WAC 0730		
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:		BS C/O SERV REF SNOW 602727			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			29APR10

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJ1002913	C COMPLETED	23MAY12 03:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	23MAY12 04:05	02MAY12 03:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	5251.8	AFHR
02 BAY SERVICE DUE				BS	due on Serial 039		
					DROG LINK PIST ASSY at WAC 0730		
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:		BS C/O SERV REF SNOW 1002923			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			23MAY12

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : 039  
PART NO : \$0438 ~\$A23T PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : DROG LINK PIST ASSY  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJY802822	C COMPLETED	09OCT14 03:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	09OCT14 04:00	24FEB14 22:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	5844.9	AFHR
03 OVERHAUL DUE			OH	due on Serial 039			
				DROG LINK PIST ASSY at WAC 0730			
01 NO FAULT	07 OVERHAUL		Unserviceability Details:				
			Maintenance Comments: OH C/O SERV REF SNOW 802830				

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	6.0	ELPYR			28APR14
SM	OH	6.0	ELPYR			28APR14

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJ1202812	C COMPLETED	23SEP16 00:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	08NOV16 04:55	22SEP16 04:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	6286.7	AFHR
02 BAY SERVICE DUE			BS	due on Serial 039			
				DROG LINK PIST ASSY at WAC 0730			
01 NO FAULT	06 BAY SERVICE		Unserviceability Details:				
			Maintenance Comments: BAY SERV CO SNOW 1202816				

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			08OCT16
SM	BS	2.0	ELPYR			08OCT16

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 039  
 PART NO : \$0438 ~\$A23T  
 ENGINEERING NAME : DROG LINK PIST ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

```

=====
A1EXXJ1610672  C  COMPLETED      07FEB19  03:55   XXxxXXxx      XXxxXXxxXXxxXXxxXXxx 4SQN      AIE
                19FEB19  04:14      15NOV18  00:12   XXxxXXxx      XXxxXXxxXXxxXXxxXXxx 4SQN      6890.5  AFHR
02 BAY SERVICE DUE
                01 NO FAULT          06 BAY SERVICE
                Unserviceability Details:
                Maintenance Comments:  INSITU BAY SERVICE CARRIED OUT SERV REF SNOW 1610682 AIE MCS
                07/19
=====

```

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
=====	=====	=====	=====	=====	=====	=====
SM	BS	2.0	ELPYR			08NOV18
SM	BS	2.0	ELPYR			08NOV18

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00404  
08JAN20  
23:16:15

SERIAL/TAIL NO : 039  
PART NO : \$0438 ~\$A23T  
ENGINEERING NAME : DROG LINK PIST ASSY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MAINTENANCE POLICY HISTORY			
POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	USER ID
CHANGE DETAILS			
09OCT14 04:00	SM Claimed	BS	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00405  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 039  
 PART NO : AUL1A-1  
 ENGINEERING NAME : SEAT EJECT FRONT  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

~U1604

PERIOD: 01JAN90 TO 08JAN20

LOCATION : A23-033  
 LIFE SINCE NEW : 7191.9 AFHR

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
30AUG03	04:28	Maintenance	Comment	0.0 AFHR	0.8	09Nov99	A23-063	07.30 3660 1547 DAYS	02-BS DUE RV99908
30AUG03	04:28	Maintenance	Comment	0.0 AFHR	0.8	CAMM LOG00003			XXXXXXxx
30AUG03	04:29	Maintenance	Comment	0.0 AFHR	0.8	03Apr00	AIEAR	FF: 01-NIL	MA: 06-BS
30AUG03	04:29	Maintenance	Comment	0.0 AFHR	0.8	CAMM LOG00005			XXXXXXxx
30AUG03	04:29	Maintenance	Comment	0.0 AFHR	0.8	2736.2	0.0 AFHR		XXXXXXxx
30AUG03	04:29	Maintenance	Comment	0.0 AFHR	0.8	CAMM LOG00004			XXXXXXxx
30AUG03	04:29	Maintenance	Comment	0.0 AFHR	0.8	07Aug01	A23-046	07.30 4296 2183 DAYS	03-OH DUE RX16093
30AUG03	04:29	Maintenance	Comment	0.0 AFHR	0.8	CAMM LOG00015			XXXXXXxx
30AUG03	04:30	Maintenance	Comment	0.0 AFHR	0.8	21Jan02	ELPYR	LST OH 20JAN08	ELPYR NXT OH
30AUG03	04:30	Maintenance	Comment	0.0 AFHR	0.8	CAMM LOG00026			XXXXXXxx
30AUG03	04:34	Maintenance	Comment	0.0 AFHR	0.8	2904.6	0.0 AFHR		XXXXXXxx
30AUG03	04:34	Maintenance	Comment	0.0 AFHR	0.8	CAMM LOG00011			XXXXXXxx
30AUG03	04:34	Maintenance	Comment	0.0 AFHR	0.8	21Jan02	AIEAR	FF: 01-NIL	MA: 07-OH
30AUG03	04:34	Maintenance	Comment	0.0 AFHR	0.8	CAMM LOG00017			XXXXXXxx
30AUG03	04:34	Maintenance	Comment	0.0 AFHR	0.8	31Jan02	A23-007	07.30 4473 10 DAYS	IN AS A23T 1450-00-00-C
30AUG03	04:34	Maintenance	Comment	0.0 AFHR	0.8	CAMM LOG00018			XXXXXXxx
30AUG03	04:35	Maintenance	Comment	0.0 AFHR	0.8	3325.4	0.0 AFHR		XXXXXXxx
30AUG03	04:35	Maintenance	Comment	0.0 AFHR	0.8	CAMM LOG00021			XXXXXXxx
30AUG03	04:35	Maintenance	Comment	0.0 AFHR	0.8	2598.0	0.0 AFHR		XXXXXXxx
30AUG03	04:35	Maintenance	Comment	0.0 AFHR	0.8	CAMM LOG00001			XXXXXXxx
30AUG03	04:35	Maintenance	Comment	0.0 AFHR	0.8	04Apr00	A23-046	07.30 3807 1694 DAYS	IN AS A23T 1450-00-00-C
30AUG03	04:35	Maintenance	Comment	0.0 AFHR	0.8	CAMM LOG00006			XXXXXXxx
30AUG03	04:35	Maintenance	Comment	0.0 AFHR	0.8	2736.2	0.0 AFHR		XXXXXXxx
30AUG03	04:35	Maintenance	Comment	0.0 AFHR	0.8	CAMM LOG00007			XXXXXXxx
30AUG03	04:35	Maintenance	Comment	0.0 AFHR	0.8	3129.6	0.0 AFHR		XXXXXXxx
30AUG03	04:35	Maintenance	Comment	0.0 AFHR	0.8	CAMM LOG00019			XXXXXXxx
30AUG03	04:35	Maintenance	Comment	0.0 AFHR	0.8	04Oct00	AIEAR	FF: 01-NIL	MA: 04-CHK/TST
30AUG03	04:35	Maintenance	Comment	0.0 AFHR	0.8	CAMM LOG00012			XXXXXXxx
30AUG03	04:35	Maintenance	Comment	0.0 AFHR	0.8	20Feb03	A23-007	07.30 4862 399 DAYS	IN AS A23T 1450-00-00-C
30AUG03	04:36	Maintenance	Comment	0.0 AFHR	0.8	CAMM LOG00023			XXXXXXxx
30AUG03	04:36	Maintenance	Comment	0.0 AFHR	0.8	04Oct00	A23-046	07.30 3990 1877 DAYS	IN AS A23T 1450-00-00-C
30AUG03	04:36	Maintenance	Comment	0.0 AFHR	0.8	CAMM LOG00013			XXXXXXxx
30AUG03	04:36	Maintenance	Comment	0.0 AFHR	0.8	2904.6	0.0 AFHR		XXXXXXxx
30AUG03	04:36	Maintenance	Comment	0.0 AFHR	0.8	CAMM LOG00014			XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00406  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 039  
 PART NO : AU11A-1  
 ENGINEERING NAME : SEAT EJECT FRONT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS		-----							
TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER		
=====		LIFE SINCE NEW		=====		=====			
30AUG03	04:37	Maintenance Comment	0.8	30Oct89 NEW - 039	AU11A-1	1450-00-00-C			
		0.0 AFHR		CAMM LOG00025		XXXXXXxx			
30AUG03	04:38	Maintenance Comment	0.8	27Jul99 7291.042-113		MOD STATUS NOW INC			
		0.0 AFHR		CAMM LOG00002		XXXXXXxx			
30AUG03	04:38	Maintenance Comment	0.8						
		0.0 AFHR		CAMM LOG00009		XXXXXXxx			
30AUG03	04:38	Maintenance Comment	0.8	3129.6 0.0 AFHR					
		0.0 AFHR		CAMM LOG00016		XXXXXXxx			
30AUG03	04:38	Maintenance Comment	0.8	3325.4 0.0 AFHR					
		0.0 AFHR		CAMM LOG00024		XXXXXXxx			
30AUG03	04:39	Maintenance Comment	0.8	04Oct00 A23-046 07.30	3990	1877 DAYS	13-REMACCES	RW08179	
		0.0 AFHR		CAMM LOG00010		XXXXXXxx			
30AUG03	04:42	Maintenance Comment	0.8	19Feb03 ARDARH		FF: 01-NIL	MA: 04-CHK/TST		
		0.0 AFHR		CAMM LOG00022		XXXXXXxx			
30AUG03	04:42	Maintenance Comment	0.8	21Jan02	ELPYR	LST BS 21JAN04	ELPYR	NXT BS	
		0.0 AFHR		CAMM LOG00027		XXXXXXxx			
30AUG03	04:44	Maintenance Comment	0.8						
		0.0 AFHR		CAMM LOG00008		XXXXXXxx			
30AUG03	04:44	Maintenance Comment	0.8	19Feb03 A23-007 07.30	4862	399 DAYS	13-REMACCES	HE34049	
		0.0 AFHR		CAMM LOG00020		XXXXXXxx			
30AUG03	04:45	Maintenance Comment	0.8	29Aug03 A23-007 07.30	3416.2 AFHR	TX TO CAMM2			
		0.0 AFHR		CAMM LOG00028		XXXXXXxx			
24NOV03	01:11	Change Serviceability Stat	5.0	S/I					
		0.0 AFHR		US/I					
				ARDUXJY301120		XXXXXXxx			
24NOV03	04:06	Asset Removal	86.8	A23-007	A23-007	A23T	A1W		00A
		0.0 AFHR		A23T	A1W	00			
		Change Serviceability Stat	0.1	US/I		XXXXXXxx			
				U/S					
		Change Location of an Asse	23.9	A23-007					
				ARDARH					
24NOV03	04:10	Change Serviceability Stat	0.0	U/S					
		0.0 AFHR		SERV		XXXXXXxx			

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00407  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 039  
 PART NO : AUL1A-1  
 ENGINEERING NAME : SEAT EJECT FRONT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
03DEC03 03:23	Change Serviceability Stat	8.9	SERV U/S ARDUXUY300820	XXxxXXxx
	0.0 AFHR Estimated Date/Time Servic	0.1	SERV STAT SERV STAT	
03DEC03 03:23	Change Serviceability Stat	0.0	U/S SERV	XXxxXXxx
	0.0 AFHR			
09DEC03 22:27	Change Serviceability Stat	6.7	SERV U/S ARDUXUY300853	XXxxXXxx
	0.0 AFHR Estimated Date/Time Servic	0.9	SERV STAT SERV STAT	
09DEC03 22:27	Change Serviceability Stat	0.0	U/S SERV	XXxxXXxx
	0.0 AFHR			
11DEC03 00:50	Change Venue of an Asset	40.8	ARDU ARDU ARDUXXY300958	XXxxXXxx
	0.0 AFHR Change Location of an Asse	16.8	ARDARH ARMAMENT	
24MAR04 21:35	Asset Installation	121.7	A23T A1W A23-011 00	A23T A1W 0 A
	0.0 AFHR Change Serviceability Stat	105.9	SERV S/I	XXxxXXxx
	Change Location of an Asse	104.8	ARMAMENT A23-011	
01NOV04 03:21	Asset Removal	221.2	A23-011 A23T A1W A23-011 00	A23T A1W 00A
	0.0 AFHR Change Serviceability Stat	5.0	S/I U/S	XXxxXXxx
	Change Location of an Asse	210.1	A23-011 ARMAMENT	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00408  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 039  
 PART NO : AUL1A-1  
 ENGINEERING NAME : SEAT EJECT FRONT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS		-----									
TRANSACTION	D/T	CHANGE	TYPE	SPAN (DYS)	FROM	TO (OPTIONAL)				USER	
			LIFE SINCE NEW	TRANS REFERENCE							
=====											
01NOV04	03:29	Change	Serviceability Stat	0.0	U/S						
			0.0 AFHR		SERV					XXXXXXxx	
20DEC04	22:33	Asset	Installation	49.8	A23T	A1W					
			0.0 AFHR		A23-011		A23-011	00	A23T	A1W 00AC	
		Change	Serviceability Stat	49.7	SERV					XXXXXXxx	
		Change	Location of an Asse	49.8	S/I						
					ARMAMENT						
16FEB05	02:00	Asset	Removal	57.1	A23-011		A23-011		A23T	A1W 00A	
			0.0 AFHR		A23T	A1W		00			
		Change	Serviceability Stat	0.8	S/I					XXXXXXxx	
		Change	Location of an Asse	57.1	U/S						
					A23-011						
16FEB05	02:15	Change	Serviceability Stat	0.0	PC9-AVIONICS						
			0.0 AFHR		U/S						
					SERV					XXXXXXxx	
17FEB05	05:30	Asset	Installation	1.1	A23T	A1W					
			0.0 AFHR		A23-011		A23-011	00	A23T	A1W 00AC	
		Change	Serviceability Stat	1.1	SERV					XXXXXXxx	
		Change	Location of an Asse	1.1	S/I						
					PC9-AVIONICS						
					A23-011						
27JUL05	03:08	Asset	Removal	159.9	A23-011		A23-011		A23T	A1W 00A	
			3716.9 AFHR		A23T	A1W		00			
		Change	Serviceability Stat	4.9	S/I					XXXXXXxx	
		Change	Location of an Asse	2.2	U/S						
					A23-011						
					ARMAMENT						

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00409  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 039  
 PART NO : AUL1A-1  
 ENGINEERING NAME : SEAT EJECT FRONT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN (DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
27JUL05 03:29	Change Serviceability Stat	0.0	U/S SERV	
	3716.9 AFHR			XXXXXXxx
18AUG05 06:02	Asset Installation	22.1	A23T A1W A23-011 00	A23T A1W 00AC
	3716.9 AFHR			XXXXXXxx
	Change Serviceability Stat	22.1	SERV S/I	
	Change Location of an Asse	22.1	ARMAMENT A23-011	
21MAR06 04:17	Asset Removal	214.9	A23-011 A23T A1W 00	A23T A1W 00A
	3798.4 AFHR			XXXXXXxx
	Change Serviceability Stat	4.1	S/I U/S	
	Change Location of an Asse	188.2	A23-011 ARMAMENT	
21MAR06 04:18	Change Serviceability Stat	0.0	U/S SERV	
	3798.4 AFHR			XXXXXXxx
03APR06 01:43	Change Venue of an Asset	201.0	ARDU AIE ARDUXXY601826	XXXXXXxx
	3798.4 AFHR			XXXXXXxx
	Change Location of an Asse	12.8	ARMAMENT ARMAMENT	
03APR06 03:18	Change Serviceability Stat	12.9	SERV U/S	
	3798.4 AFHR		A1EXXJY401875	XXXXXXxx
20APR06 23:36	Change Serviceability Stat	17.8	U/S SERV	
	3798.4 AFHR			XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00410  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 039  
 PART NO : AUL1A-1 ~U1604  
 ENGINEERING NAME : SEAT EJECT FRONT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
31OCT06 01:37	Change Venue of an Asset	210.9	AIE FACDU A1EXXXY606476	XXxxXXxx
	3798.4 AFHR Maintenance Comment	0.0	VENUE CHANGE	
	Change Location of an Asse	210.9	ARMAMENT	
31OCT06 04:24	Change Serviceability Stat	193.2	ATECH SERV U/S FACDUUY601330	XXxxXXxx
	3798.4 AFHR Estimated Date/Time Servic	731924.7	SERV STAT	
31OCT06 04:33	Change Serviceability Stat	0.0	SERV STAT U/S SERV	
	3798.4 AFHR			XXxxXXxx
20NOV06 02:35	Asset Installation	243.9	A23T A1W A23-032 A23-032	A23T A1W 00AC
	3798.4 AFHR Change Serviceability Stat	19.9	SERV S/I	XXxxXXxx
	Change Location of an Asse	20.0	ATECH A23-032	
16JAN08 23:39	Change Serviceability Stat	2.8	S/I US/I	
	4077.4 AFHR		ARDUPJ302246X	XXxxXXxx
16JAN08 23:57	Asset Removal	422.8	A23-032 A23T A1W	A23T A1W 00A
	4077.4 AFHR Change Serviceability Stat	0.0	US/I U/S	XXxxXXxx
	Change Location of an Asse	422.8	A23-032 RSERV	
27MAR08 02:51	Change Venue of an Asset	513.0	FACDU AIE	
	4077.4 AFHR Change Location of an Asse	70.1	FACDUXY800245 RSERV ARMAMENT	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00411  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 039  
 PART NO : AUL1A-1 ~U1604  
 ENGINEERING NAME : SEAT EJECT FRONT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
29APR08 01:03	Change Serviceability Stat	103.0	U/S SERV	
	4077.4 AFHR			XXxxXXxx
29APR08 03:42	Change Serviceability Stat	0.1	SERV U/S	
	4077.4 AFHR		A1EXXUY801635	XXxxXXxx
	Estimated Date/Time Servic	732981.0	SERV STAT	
29APR08 03:42	Change Serviceability Stat	0.0	SERV STAT U/S	
	4077.4 AFHR		SERV	XXxxXXxx
30APR08 22:59	Change Serviceability Stat	1.8	SERV U/S	
	4077.4 AFHR		A1EXXUY801663	XXxxXXxx
	Estimated Date/Time Servic	733526.1	SERV STAT	
30APR08 22:59	Change Serviceability Stat	0.0	SERV STAT U/S	
	4077.4 AFHR		SERV	XXxxXXxx
30APR08 23:07	Asset Installation	104.9	A23T A1W	
	4077.4 AFHR		A23-012 00	A23T A1W 00AC
	Change Serviceability Stat	0.0	SERV	XXxxXXxx
	Change Location of an Asse	34.8	S/I ARMAMENT	
30OCT08 22:49	Asset Removal	182.9	A23-012 A23T	
	4285.2 AFHR		A1W 00	A23T A1W 00A
	Change Serviceability Stat	1.9	S/I	XXxxXXxx
	Change Location of an Asse	182.9	U/S A23-012	
30OCT08 22:50	Change Serviceability Stat	0.0	ARMAMENT U/S	
	4285.2 AFHR		SERV	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00412  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 039  
 PART NO : AUL1A-1  
 ENGINEERING NAME : SEAT EJECT FRONT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
		LIFE SINCE NEW					
04NOV08	22:19	Asset Installation	4.9	A23T	A1W	A23-012	00
		4285.2 AFHR		A23-012		A23-012	A23T A1W
		Change Serviceability Stat	4.9	SERV			XXXXXXxx
		Change Location of an Asse	4.9	S/I			
02MAR09	04:57	Change Serviceability Stat	31.1	ARMAMENT			
		4340.9 AFHR		A23-012			
02MAR09	05:02	Change Serviceability Stat	0.0	S/I			XXXXXXxx
		4340.9 AFHR		US/I			
15APR09	23:53	Asset Removal	162.0	A1EXXJY901186			XXXXXXxx
		4376.8 AFHR		A23-012	A23-012		A23T A1W
		Change Serviceability Stat	6.8	A23T	A1W		00
		Change Location of an Asse	162.0	S/I			XXXXXXxx
15APR09	23:53	Change Serviceability Stat	0.0	U/S			
		4376.8 AFHR		A23-012			
21MAY09	23:09	Asset Installation	35.9	ARMAMENT			XXXXXXxx
		4376.8 AFHR		U/S			
		Change Serviceability Stat	35.9	SERV			A23T A1W
		Change Location of an Asse	35.9	S/I			XXXXXXxx
				ARMAMENT			
				A23-012			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00413  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 039  
 PART NO : AUL1A-1  
 ENGINEERING NAME : SEAT EJECT FRONT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW							
23JUL09	03:58	Asset Removal	62.2	A23-012	A23-012		A23T A1W 00A
		4436.0 AFHR		A23T	A1W	00	XXXXXXxx
		Change Serviceability Stat	0.9	S/I			
		Change Location of an Asse	62.2	U/S			
23JUL09	04:00	Change Serviceability Stat	0.0	A23-012			
		4436.0 AFHR		ARMAMENT			XXXXXXxx
		Change Serviceability Stat	0.0	U/S			
		Change Location of an Asse	0.0	SERV			
23JUL09	05:19	Asset Installation	0.0	A23T	A1W	00	A23T A1W 00AC
		4436.0 AFHR		A23-012	A23-012		XXXXXXxx
		Change Serviceability Stat	0.0	SERV			
		Change Location of an Asse	0.0	S/I			
		Change Location of an Asse	0.0	ARMAMENT			
28MAR10	21:27	Change Serviceability Stat	3.6	A23-012			
		4672.6 AFHR		S/I			XXXXXXxx
		Change Serviceability Stat	0.0	US/I			
		Change Location of an Asse	248.6	A1EXXJY602727			
28MAR10	21:32	Asset Removal	248.6	A23-012	A23-012		A23T A1W 00A
		4672.6 AFHR		A23T	A1W	00	XXXXXXxx
		Change Serviceability Stat	0.0	US/I			
		Change Location of an Asse	248.6	U/S			
		Change Location of an Asse	248.6	A23-012			
		Change Serviceability Stat	0.0	ARMAMENT			
		Change Serviceability Stat	0.0	U/S			
		4672.6 AFHR		SERV			XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00414  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 039  
 PART NO : AUL1A-1  
 ENGINEERING NAME : SEAT EJECT FRONT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
25MAY10 04:28	Asset Installation	57.2	A23T A1W A23-012	00 A23T A1W 00AC
	4672.6 AFHR Change Serviceability Stat	57.2	SERV S/I	XXXXXXxx
	Change Location of an Asse	57.2	ARMAMENT A23-012	
27MAY10 01:41	Asset Removal	1.8	A23-012 A23T A1W	00 A23T A1W 00A
	4673.5 AFHR Change Serviceability Stat	0.0	S/I U/S	XXXXXXxx
	Change Location of an Asse	1.8	A23-012 ARMAMENT	
27MAY10 03:04	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
04JUN10 00:57	Asset Installation	7.9	A23T A1W A23-012	00 A23T A1W 00AC
	4673.5 AFHR Change Serviceability Stat	7.9	SERV S/I	XXXXXXxx
	Change Location of an Asse	7.9	ARMAMENT A23-012	
21FEB11 23:49	Asset Removal	262.9	A23-012 A23T A1W	00 A23T A1W 00A
	4894.8 AFHR Change Serviceability Stat	14.8	S/I U/S	XXXXXXxx
	Change Location of an Asse	262.9	A23-012 ARMAMENT	
21FEB11 23:49	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
	4894.8 AFHR			XXXXXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00415  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 039  
 PART NO : AUL1A-1 ~U1604  
 ENGINEERING NAME : SEAT EJECT FRONT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS									
TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER		
		LIFE SINCE NEW							
22FEB11	00:16	Asset Installation	0.0	A23T	A1W				
		4894.8 AFHR		A23-012		A23-012	A23T A1W		00AC
		Change Serviceability Stat	0.0	SERV			XXXXXXxx		
		Change Location of an Asse	0.0	S/I					
				ARMAMENT					
27APR11	03:46	Asset Removal	64.1	A23-012		A23-012	A23T A1W		00A
		4951.9 AFHR		A23T	A1W				
		Change Serviceability Stat	8.9	S/I			XXXXXXxx		
		Change Location of an Asse	64.1	U/S					
				A23-012					
				ARMAMENT					
27APR11	04:17	Change Serviceability Stat	0.0	U/S					
				SERV			XXXXXXxx		
29JUN11	03:41	Asset Installation	62.9	A23T	A1W				
		4951.9 AFHR		A23-012		A23-012	A23T A1W		00AC
		Change Serviceability Stat	62.9	SERV			XXXXXXxx		
		Change Location of an Asse	62.9	S/I					
				ARMAMENT					
03NOV11	03:50	Asset Removal	127.0	A23-012		A23-012	A23T A1W		00A
		5121.5 AFHR		A23T	A1W				
		Change Serviceability Stat	0.0	S/I			XXXXXXxx		
		Change Location of an Asse	127.0	U/S					
				A23-012					
				ARMAMENT					
03NOV11	03:51	Change Serviceability Stat	0.0	U/S					
				SERV			XXXXXXxx		
		5121.5 AFHR							

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00416  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 039  
 PART NO : AUL1A-1  
 ENGINEERING NAME : SEAT EJECT FRONT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
03NOV11 04:00	Asset Installation	0.0	A23T A1W A23-012	00 A23T A1W 00AC
	5121.5 AFHR Change Serviceability Stat	0.0	SERV S/I	XXXXXXxx
	Change Location of an Asse	0.0	ARMAMENT A23-012	
02MAY12 03:49	Change Serviceability Stat	0.9	S/I US/I	
	5251.8 AFHR		A1EXXJ1002923	XXXXXXxx
02MAY12 03:50	Asset Removal	180.9	A23-012 A23T A1W	A23T A1W 00A
	5251.8 AFHR Change Serviceability Stat	0.0	US/I U/S	XXXXXXxx
	Change Location of an Asse	180.9	A23-012 ARMAMENT	
23MAY12 04:22	Change Serviceability Stat	21.0	U/S SERV	
	5251.8 AFHR			XXXXXXxx
23MAY12 05:23	Change Serviceability Stat	0.0	SERV U/S	
	5251.8 AFHR Estimated Date/Time Servic	733528.7	A1EXXU1202130 SERV STAT	XXXXXXxx
23MAY12 05:25	Change Serviceability Stat	0.0	SERV STAT U/S SERV	
	5251.8 AFHR			XXXXXXxx
24MAY12 05:46	Asset Installation	22.0	A23T A1W A23-012	00 A23T A1W 00AC
	5251.8 AFHR Change Serviceability Stat	1.0	SERV S/I	XXXXXXxx
	Change Location of an Asse	22.0	ARMAMENT A23-012	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00417  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 039  
 PART NO : AUL1A-1  
 ENGINEERING NAME : SEAT EJECT FRONT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
05FEB13 21:07	Asset Removal	257.6	A23-012 A23T A1W	A23T A1W 00A
	5548.6 AFHR Change Serviceability Stat	13.6	S/I U/S	XXXXXXxx
	Change Location of an Asse	257.6	A23-012 ARMAMENT	
05FEB13 21:36	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
18MAR13 02:32	Asset Installation	40.2	A23T A23-012 A1W	A23T A1W 00AC
	5548.6 AFHR Change Serviceability Stat	40.2	SERV S/I	XXXXXXxx
	Change Location of an Asse	40.2	ARMAMENT	
09SEP13 23:18	Asset Removal	175.8	A23-012 A23T A1W	A23T A1W 00A
	5695.5 AFHR Change Serviceability Stat	0.8	S/I U/S	XXXXXXxx
	Change Location of an Asse	175.8	A23-012 ARMAMENT	
09SEP13 23:19	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
10SEP13 05:28	Asset Installation	0.2	A23T A23-012 A1W	A23T A1W 00AC
	5695.5 AFHR Change Serviceability Stat	0.2	SERV S/I	XXXXXXxx
	Change Location of an Asse	0.2	ARMAMENT A23-012	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00418  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 039  
 PART NO : AUL1A-1 ~U1604  
 ENGINEERING NAME : SEAT EJECT FRONT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
24FEB14 22:38	Change Serviceability Stat	5844.9 AFHR	10.8	S/I US/I A1EXXJY802830	XXxxXXxx
24FEB14 22:39	Asset Removal	5844.9 AFHR	167.7	A23-012 A23T A1W A23-012 00	A23T A1W 00A
	Change Serviceability Stat		0.0	US/I U/S	XXxxXXxx
	Change Location of an Asse		167.7	A23-012 ARMAMENT	
27FEB14 22:20	Change Serviceability Stat	5844.9 AFHR	2.9	U/S SERV	XXxxXXxx
09OCT14 05:09	Change Serviceability Stat	5844.9 AFHR	223.2	SERV U/S A1EXXU1406639	XXxxXXxx
	Estimated Date/Time Servic		735012.0	SERV STAT SERV STAT	
09OCT14 05:09	Change Serviceability Stat	5844.9 AFHR	0.0	U/S SERV	XXxxXXxx
09OCT14 05:21	Change Serviceability Stat	5844.9 AFHR	0.0	SERV SERV	XXxxXXxx
09OCT14 05:21	Change Serviceability Stat	5844.9 AFHR	0.0	SERV U/S A1EXXU1406641	XXxxXXxx
	Estimated Date/Time Servic		735880.9	SERV STAT SERV STAT	
12OCT14 21:35	Change Serviceability Stat	5844.9 AFHR	3.6	U/S SERV	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00419  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 039  
 PART NO : AUL1A-1 ~U1604  
 ENGINEERING NAME : SEAT EJECT FRONT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW						
20OCT14 04:28	Change Venue of an Asset	2398.0	AIE			
	5844.9 AFHR		4SQN			
	Change Location of an Asse	237.2	A1EXXX1404246			XXxxXXxx
			ARMAMENT			
30OCT14 21:17	Asset Installation	247.9	ARM_SECTION			
	5844.9 AFHR		A23T A1W			
	Change Serviceability Stat	17.9	A23-020	A23-020	00	A23T A1W 00AC
	Change Location of an Asse	10.7	SERV			XXxxXXxx
			S/I			
10MAR15 00:09	Asset Removal	130.1	ARM_SECTION			
	5954.7 AFHR		A23-020	A23-020	00	A23T A1W 00A
	Change Serviceability Stat	8.0	A23T A1W			XXxxXXxx
	Change Location of an Asse	6.0	S/I			
			U/S			
10MAR15 00:10	Change Serviceability Stat	0.0	A23-020			
	5954.7 AFHR		INTMH			XXxxXXxx
27MAR15 03:03	Asset Installation	17.1	U/S			
	5954.7 AFHR		A23T A1W	A23-020	00	A23T A1W 00AC
	Change Serviceability Stat	17.1	A23-020			XXxxXXxx
	Change Location of an Asse	17.1	SERV			
			S/I			
08MAR16 03:49	Asset Removal	347.0	INTMH			
	6204.8 AFHR		A23-020	A23-020	00	A23T A1W 00A
	Change Serviceability Stat	4.1	A23T A1W			XXxxXXxx
	Change Location of an Asse	0.2	S/I			
			U/S			
			A23-020			
			ARMAMENT			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00420  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 039  
 PART NO : AUL1A-1  
 ENGINEERING NAME : SEAT EJECT FRONT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
08MAR16 03:57	Change Serviceability Stat	0.0	U/S SERV	
	6204.8 AFHR			XXXXXXxx
07APR16 01:45	Asset Installation	29.9	A23T A1W A23-020 00	A23T A1W 00AC
	6204.8 AFHR			XXXXXXxx
	Change Serviceability Stat	29.9	SERV S/I	
	Change Location of an Asse	29.9	ARMAMENT A23-020	
27JUL16 00:41	Asset Removal	110.9	A23-020 A23T A1W 00	A23T A1W 00A
	6281.8 AFHR			XXXXXXxx
	Change Serviceability Stat	5.8	S/I U/S	
27JUL16 00:42	Change Serviceability Stat	0.0	U/S SERV	
	6281.8 AFHR			XXXXXXxx
03AUG16 05:12	Change Serviceability Stat	7.1	SERV U/S	
	6281.8 AFHR		ARDUXU1602292	XXXXXXxx
	Estimated Date/Time Servic	735881.0	SERV STAT	
03AUG16 05:12	Change Serviceability Stat	0.0	SERV U/S	
	6281.8 AFHR			XXXXXXxx
16AUG16 23:41	Maintenance Comment	0.0	LIF AFHR CHANGED - OLD VALUE= 6281.8	NEW VALUE= 6284.8
	6281.8 AFHR			XXXXXXxx
17AUG16 05:31	Maintenance Comment	0.0	LIF AFHR CHANGED - OLD VALUE= 6287.8	NEW VALUE= 6284.8
	6287.8 AFHR			XXXXXXxx
18AUG16 23:09	Change Serviceability Stat	15.7	SERV U/S	
	6284.8 AFHR		ARDUXJ1602204	XXXXXXxx
18AUG16 23:12	Change Serviceability Stat	0.0	U/S SERV	
	6284.8 AFHR			XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00421  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 039  
 PART NO : AUL1A-1  
 ENGINEERING NAME : SEAT EJECT FRONT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS									
TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER	
			LIFE SINCE NEW						
30AUG16	06:12	Asset	Installation	34.2	A23T	A1W			
			6284.8 AFHR		A23-020		A23-020	A23T A1W	00AC
		Change	Serviceability Stat	11.2	SERV			XXXXXXxx	
		Change	Location of an Asse	40.2	S/I				
					PC9-AIRCRAFT				
22SEP16	04:28	Change	Serviceability Stat	22.9	A23-020				
			6286.7 AFHR		S/I				
					US/I			XXXXXXxx	
22SEP16	04:30	Asset	Removal	22.9	A1EXXJ1202816				
					A23-020		A23-020	A23T A1W	00A
			6286.7 AFHR		A23T	A1W			
		Change	Serviceability Stat	0.0				XXXXXXxx	
		Change	Location of an Asse	3.2	US/I				
					U/S				
					A23-020				
22SEP16	04:45	Change	Serviceability Stat	0.0	ARMAMENT				
			6286.7 AFHR		U/S				
		Asset	Installation	56.0	SERV			XXXXXXxx	
17NOV16	05:05				A23T	A1W			
			6286.7 AFHR		A23-020		A23-020	A23T A1W	00AC
		Change	Serviceability Stat	56.0				XXXXXXxx	
		Change	Location of an Asse	56.0	SERV				
					S/I				
					ARMAMENT				
28NOV16	21:51	Asset	Removal	11.6	A23-020				
					A23-020		A23-020	A23T A1W	00A
			6286.7 AFHR		A23T	A1W			
		Change	Serviceability Stat	0.7				XXXXXXxx	
		Change	Location of an Asse	11.6	S/I				
					U/S				
					A23-020				
					ARMAMENT				

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00422  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 039  
 PART NO : AUL1A-1  
 ENGINEERING NAME : SEAT EJECT FRONT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
28NOV16 21:52	Change Serviceability Stat		0.0	U/S SERV	
29NOV16 01:38	Asset Installation	6286.7 AFHR	0.1	A23T A1W A23-020	00 XXxxXXxx
	Change Serviceability Stat	6286.7 AFHR	0.1	SERV S/I	A23T A1W XXxxXXxx 00AC
	Change Location of an Asse		0.1	ARMAMENT A23-020	
12DEC17 04:53	Asset Removal		378.1	A23-020 A23T A1W	00 A23T A1W 00A
	Change Serviceability Stat	6616.7 AFHR	7.0	S/I U/S	XXxxXXxx
	Change Location of an Asse		6.3	A23-020 AROM	
12DEC17 04:55	Change Serviceability Stat		0.0	U/S SERV	
19JAN18 02:02	Asset Installation	6616.7 AFHR	37.8	A23T A1W A23-020	00 XXxxXXxx
	Change Serviceability Stat	6616.7 AFHR	37.8	SERV S/I	A23T A1W XXxxXXxx 00AC
	Change Location of an Asse		37.8	AROM A23-020	
28MAY18 01:39	Asset Removal		128.9	A23-020 A23T A1W	00 A23T A1W 00A
	Change Serviceability Stat	6720.2 AFHR	2.9	S/I U/S	XXxxXXxx
	Change Location of an Asse		95.8	A23-020 HANGAR_RACKS	



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00423  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 039  
 PART NO : AUL1A-1  
 ENGINEERING NAME : SEAT EJECT FRONT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS		-----									
TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN(DYS)	FROM	TO (OPTIONAL)			USER		
						TRANS REFERENCE					
=====											
28MAY18	01:48	Change Serviceability Stat		0.0	U/S						
			6720.2	AFHR	SERV				XXxxXXxx		
29MAY18	04:34	Asset Installation		1.1	A23T	A1W		00			
			6720.2	AFHR	A23-020		A23-020		A23T	A1W 00AC	
		Change Serviceability Stat		1.1	SERV				XXxxXXxx		
		Change Location of an Asse		1.1	S/I						
					HANGAR_RACKS						
11NOV18	22:17	Asset Removal		166.7	A23-020		A23-020		A23T	A1W 00A	
			6890.5	AFHR	A23T	A1W		00			
		Change Serviceability Stat		3.6	S/I				XXxxXXxx		
		Change Location of an Asse		166.7	U/S						
					A23-020						
07FEB19	03:11	Change Venue of an Asset		350.9	HANGAR_RACKS						
			6890.5	AFHR	4SQN						
		Change Location of an Asse		87.2	AIE				XXxxXXxx		
					4SQNXX1900101						
					HANGAR_RACKS						
19FEB19	05:14	Change Serviceability Stat		99.2	ARMAMENT						
			6890.5	AFHR	U/S						
		Change Serviceability Stat		100.2	SERV				XXxxXXxx		
20FEB19	03:17	Asset Installation		100.2	A23T	A1W		00			
			6890.5	AFHR	A23-025		A23-025		A23T	A1W 00AC	
		Change Serviceability Stat		0.9	SERV				XXxxXXxx		
		Change Location of an Asse		13.0	S/I						
					ARMAMENT						
					A23-025						
29MAY19	06:22	Change Part Number of an A Maintenance Comment		0.0	NO PARENT TRANSACTION DETAILS					POLICY UPDATE REF: IRB: 86/2019-004	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00424  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 039  
 PART NO : AUL1A-1  
 ENGINEERING NAME : SEAT EJECT FRONT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW							
12SEP19	03:46	Asset Removal	204.0	A23-025	A23-025	00	A23T A1W 00A
		7145.6 AFHR		A23T	A1W		XXxxXXxx
		Change Serviceability Stat	5.9	S/I			
		Change Location of an Asse	2.0	U/S			
12SEP19	03:47	Change Serviceability Stat	0.0	A23-025			
		7145.6 AFHR		MCS			XXxxXXxx
12SEP19	03:47	Change Venue of an Asset	2.0	U/S			
		7145.6 AFHR		SERV			XXxxXXxx
		Change Location of an Asse	0.0	A23DISP			
		7145.6 AFHR		AIP			XXxxXXxx
		Change Location of an Asse	0.0	A23DSX1900745			
		7145.6 AFHR		MCS			XXxxXXxx
04OCT19	02:14	Asset Installation	21.9	EGRESS			
		7145.6 AFHR		A23T	A1W	00	A23T A1W 00AC
		Change Serviceability Stat	21.9	A23-033			XXxxXXxx
		Change Location of an Asse	21.9	SERV			
		7145.6 AFHR		S/I			
		Change Serviceability Stat	5.0	EGRESS			
		7145.6 AFHR		A23-033			
09OCT19	02:40	Change Serviceability Stat	5.0	S/I			
		7145.6 AFHR		US/I			XXxxXXxx
09OCT19	02:42	Change Serviceability Stat	0.0	A1PXXJ1909127			
		7145.6 AFHR		US/I			XXxxXXxx
		Change Serviceability Stat	0.0	S/I			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 039  
 PART NO : AUL1A-1 ~U1604  
 ENGINEERING NAME : SEAT EJECT FRONT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1EXXU1900671	CANCELLED	20FEB19 03:14	6890.5	AFHR	SCT	
19FEB19 05:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			
19FEB19 05:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		FRONT SEAT SEO TO BE FITTED				20FEB19 03:14
						XXxxXXxxXXxxXXxxXXxx

N  
 Maint Acts: ENTERED IN ERROR:US MOVED TO A/C

ARDEXUY300820	COMPLETED	03DEC03 03:25	0.0			XXxxXXxxXXxxXXxxXXxx
03DEC03 03:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU			
		PSP 2B RFA				XXxxXXxxXXxxXXxxXXxx
						03DEC03 03:25
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: PSP RFA

REMOVALS/INSTALLATIONS FOR ARDEXUY300820

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	DPSP2	A23T	A1WBG	01				
	DESERTPACK-1		03DEC03 03:24	ARDEXUY301413				

ARDEXUY300853	COMPLETED	19MAR04 00:34	0.0			XXxxXXxxXXxxXXxxXXxx
09DEC03 22:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU			
		SET CART SEAT, PARA, SEO TO BE REMOVED FOR SEAT BAY SERVICE				XXxxXXxxXXxxXXxxXXxx
						19MAR04 00:34
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: BSCO

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00426  
08JAN20  
23:16:15

SERIAL/TAIL NO : 039  
PART NO : AUL1A-1 ~U1604  
ENGINEERING NAME : SEAT EJECT FRONT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

REMOVALS/INSTALLATIONS FOR ARDUXUY300853

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
=====	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	H304946	A23T	A1WAE	00				
	MBEU100021		10DEC03 00:19	ARDUXJY301461				

002	R717426	A23T	A1WBA	00				
	MBEU100664		10DEC03 00:20	ARDUXJY301462				

003	1806063	A23T	A1WBE	00				
	MBEU100618		10DEC03 00:21	ARDUXJY301463				

ARDUXUY300866	COMPLETED	19MAR04 00:26	0.0	XXxxXXxxXXxxXXxxXXxx
11DEC03 00:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU	
		BS	due on Serial MD1904	19MAR04 00:26
		ACTUATOR SEAT PAN	at WAC 0730	XXxxXXxxXXxxXXxxXXxx

Maint Acts: BSCO

ARDUXUY300867	COMPLETED	19MAR04 00:17	0.0	XXxxXXxxXXxxXXxxXXxx
11DEC03 00:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU	
		BS	due on Serial 039	19MAR04 00:17
		DROG LINK PIST ASSY	at WAC 0730	XXxxXXxxXXxxXXxxXXxx

Maint Acts: BSCO

ARDUXUY300868	COMPLETED	19MAR04 00:00	0.0	XXxxXXxxXXxxXXxxXXxx
11DEC03 00:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU	
		BS	due on Serial LE0361	19MAR04 00:00
		GUN ASSY TELESCOPIC	at WAC 0730	XXxxXXxxXXxxXXxxXXxx

Maint Acts: BS CO

ARDUXUY300869	COMPLETED	18MAR04 23:50	0.0	XXxxXXxxXXxxXXxxXXxx
11DEC03 00:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU	
		BS	due on Serial LE0361	18MAR04 23:50
		GAS FIRING UNIT GUN	at WAC 0730	XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 039  
 PART NO : AUL1A-1 ~U1604  
 ENGINEERING NAME : SEAT EJECT FRONT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
=====						
	Maint Acts:	BS CO				
ARLUXUY300870	COMPLETED	19MAR04 00:12	0.0			XXxxXXxxXXxxXXxxXXxx
11DEC03 00:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU			
		BS		due on Serial MD1878		XXxxXXxxXXxxXXxxXXxx
		GUN DROGUE		at WAC 0730		19MAR04 00:12
						XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	BSCO				
ARLUXUY300871	COMPLETED	18MAR04 23:46	0.0			XXxxXXxxXXxxXXxxXXxx
11DEC03 00:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU			
		BS		due on Serial MD1878		XXxxXXxxXXxxXXxxXXxx
		GAS FRNG UNIT DROG		at WAC 0730		18MAR04 23:46
						XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	BS CO				
ARLUXUY300872	COMPLETED	19MAR04 00:21	0.0			XXxxXXxxXXxxXXxxXXxx
11DEC03 00:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU			
		BS		due on Serial DD4449		XXxxXXxxXXxxXXxxXXxx
		HPRU		at WAC 0730		19MAR04 00:21
						XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	BSCO				
ARLUXUY300873	COMPLETED	18MAR04 23:53	0.0			XXxxXXxxXXxxXXxxXXxx
11DEC03 00:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU			
		BS		due on Serial DD4449		XXxxXXxxXXxxXXxxXXxx
		GAS FRNG UNIT HPRU		at WAC 0730		18MAR04 23:53
						XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	BS CO				
ARLUXUY300874	COMPLETED	18MAR04 23:57	0.0			XXxxXXxxXXxxXXxxXXxx
11DEC03 00:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU			
		BS		due on Serial DD4449		XXxxXXxxXXxxXXxxXXxx
		HPRU BODY		at WAC 0730		18MAR04 23:57
						XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 039  
PART NO : AUL1A-1 ~U1604 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : SEAT EJECT FRONT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
=====						
	Maint Acts:	BS CO				
ARDEXUY300875	COMPLETED	19MAR04 00:07	0.0			XXxxXXxxXXxxXXxxXXxx
11DEC03 00:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU			
		BS		due on Serial MD2428		XXxxXXxxXXxxXXxxXXxx
		REL BAROSTATIC TIME		at WAC 0730		19MAR04 00:07
						XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	BSCO				
A1EXXUY401015	COMPLETED	18MAR04 23:43	0.0			XXxxXXxxXXxxXXxxXXxx
18MAR04 23:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			
		BS		due on Serial 039		XXxxXXxxXXxxXXxxXXxx
		INITIATOR MAIN GUN		at WAC 0730		18MAR04 23:43
						XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	BS CO				
A1EXXUY601406	COMPLETED	20APR06 23:34	3798.4	AFHR		XXxxXXxxXXxxXXxxXXxx
03APR06 03:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			
		BS		due on Serial MD1904		XXxxXXxxXXxxXXxxXXxx
		ACTUATOR SEAT PAN		at WAC 0730		20APR06 23:34
						XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	BSCO				
A1EXXUY601407	COMPLETED	20APR06 23:28	3798.4	AFHR		XXxxXXxxXXxxXXxxXXxx
03APR06 03:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			
		BS		due on Serial 039		XXxxXXxxXXxxXXxxXXxx
		DROG LINK PIST ASSY		at WAC 0730		20APR06 23:28
						XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	BSCO				
A1EXXUY601408	COMPLETED	20APR06 23:21	3798.4	AFHR		XXxxXXxxXXxxXXxxXXxx
03APR06 03:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			
		BS		due on Serial LE0361		XXxxXXxxXXxxXXxxXXxx
		GUN ASSY TELESCOPIC		at WAC 0730		20APR06 23:21
						XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 039  
PART NO : AUL1A-1 ~U1604  
ENGINEERING NAME : SEAT EJECT FRONT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
=====						
	Maint Acts:	BSCO				
A1EXXUY601409	COMPLETED	20APR06 23:14	3798.4	AFHR		XXxxXXxxXXxxXXxxXXxx
03APR06 03:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial LE0361				20APR06 23:14
		GAS FIRING UNIT GUN at WAC 0730				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	BSCO				
A1EXXUY601410	COMPLETED	20APR06 23:26	3798.4	AFHR		XXxxXXxxXXxxXXxxXXxx
03APR06 03:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial MD1878				20APR06 23:26
		GUN DROGUE at WAC 0730				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	BSCO				
A1EXXUY601411	COMPLETED	20APR06 23:12	3798.4	AFHR		XXxxXXxxXXxxXXxxXXxx
03APR06 03:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial MD1878				20APR06 23:12
		GAS FRNG UNIT DROG at WAC 0730				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	BSCO				
A1EXXUY601412	COMPLETED	20APR06 23:32	3798.4	AFHR		XXxxXXxxXXxxXXxxXXxx
03APR06 03:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial DD4449				20APR06 23:32
		HPRU at WAC 0730				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	BSCO				
A1EXXUY601413	COMPLETED	20APR06 23:17	3798.4	AFHR		XXxxXXxxXXxxXXxxXXxx
03APR06 03:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial DD4449				20APR06 23:17
		GAS FRNG UNIT HPRU at WAC 0730				XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 039  
PART NO : AUL1A-1 ~U1604 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : SEAT EJECT FRONT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: BSCO

A1EXXUY601414	COMPLETED	20APR06 23:19	3798.4	AFHR		XXxxXXxxXXxxXXxxXXxx
03APR06 03:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		BS		due on Serial DD4449		20APR06 23:19
		HPRU BODY		at WAC 0730		XXxxXXxxXXxxXXxxXXxx

Maint Acts: BSCO

A1EXXUY601415	COMPLETED	20APR06 23:30	3798.4	AFHR		XXxxXXxxXXxxXXxxXXxx
03APR06 03:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		BS		due on Serial 039		20APR06 23:30
		INITIATOR MAIN GUN		at WAC 0730		XXxxXXxxXXxxXXxxXXxx

Maint Acts: BSCO

A1EXXUY601416	COMPLETED	20APR06 23:24	3798.4	AFHR		XXxxXXxxXXxxXXxxXXxx
03APR06 03:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		BS		due on Serial MD2428		20APR06 23:24
		REL BAROSTATIC TIME		at WAC 0730		XXxxXXxxXXxxXXxxXXxx

Maint Acts: BSCO

FACDUUY601330	COMPLETED	31OCT06 04:40	3798.4	AFHR	CMO	XXxxXXxxXXxxXXxxXXxx
31OCT06 04:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			31OCT06 04:29
31OCT06 04:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			XXxxXXxxXXxxXXxxXXxx
		PARA ASSY 2B FITTED				31OCT06 04:29
						XXxxXXxxXXxxXXxxXXxx
						31OCT06 04:40

Maint Acts: PARA ASSY FITTED IAW 7291.042-2MB1 SECT 2A PARA 2



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00431  
08JAN20  
23:16:15

SERIAL/TAIL NO : 039 PERIOD: 01JAN90 TO 08JAN20  
PART NO : AUL1A-1 ~U1604  
ENGINEERING NAME : SEAT EJECT FRONT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR FACDUUY601330  
SEQ REMOVED SERIAL NO EIAC LCN ALC INSTALLED SERIAL NO EIAC LCN ALC  
REMOVED PART NO DATE/TIME JOB NUMBER INSTALLED PART NO DATE/TIME  
=====  
001 MB15748 A23T A1WBA 00  
MBEU100664 31OCT06 04:27

FACDUUY601331 COMPLETED 31OCT06 04:41 3798.4 AFHR CMO  
31OCT06 04:25 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU 31OCT06 04:32  
31OCT06 04:25 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU 31OCT06 04:32  
PSP 2B FITTED XXxxXXxxXXxxXXxxXXxx  
31OCT06 04:41

Maint Acts: PSP FITTED IAW 7212.007-2B3 CHAP 25-10-06

REMOVALS/INSTALLATIONS FOR FACDUUY601331  
SEQ REMOVED SERIAL NO EIAC LCN ALC INSTALLED SERIAL NO EIAC LCN ALC  
REMOVED PART NO DATE/TIME JOB NUMBER INSTALLED PART NO DATE/TIME  
=====  
001 DE0538 A23T A1WBG 00  
STANDARDPACK-1 31OCT06 04:30

FACDUUY601332 COMPLETED 17NOV06 00:29 3798.4 AFHR CMO  
31OCT06 04:25 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU 17NOV06 00:29  
31OCT06 04:25 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU 17NOV06 00:29  
SEO 2B FITTED XXxxXXxxXXxxXXxxXXxx  
17NOV06 00:29

Maint Acts: SEO FITTED IAW 7212.007-2 CH 25-10-09

REMOVALS/INSTALLATIONS FOR FACDUUY601332  
SEQ REMOVED SERIAL NO EIAC LCN ALC INSTALLED SERIAL NO EIAC LCN ALC  
REMOVED PART NO DATE/TIME JOB NUMBER INSTALLED PART NO DATE/TIME  
=====  
001 8826640 A23T A1WBE 00  
MBEU100618 17NOV06 00:28

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 039 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : AUL1A-1 ~U1604  
 ENGINEERING NAME : SEAT EJECT FRONT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

FACDUUY601333	COMPLETED	14NOV06 04:25	3798.4	AFHR	CMO	XXxxXXxxXXxxXXxxXXxx
31OCT06 04:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			13NOV06 23:16
31OCT06 04:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			XXxxXXxxXXxxXXxxXXxx
		SEAT ARM 2BCO				14NOV06 04:24
						XXxxXXxxXXxxXXxxXXxx
						14NOV06 04:25

Maint Acts: SEAT ARM CARRIED OUT SERV IAW 7212.007-2 CHAP 25-00-00

REMOVALS/INSTALLATIONS FOR FACDUUY601333

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001					004L749F	A23T	A1WAE	00
					MBEU100021		13NOV06 22:21	

FACDUUY601334	COMPLETED	17NOV06 00:48	3798.4	AFHR		XXxxXXxxXXxxXXxxXXxx
31OCT06 04:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			XXxxXXxxXXxxXXxxXXxx
31OCT06 04:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			17NOV06 00:48
		SEAT WORK SHEETS REGISTRATION NUMBER RECS/26/06 2B CLEARED				XXxxXXxxXXxxXXxxXXxx

Maint Acts: SEAT WORKSHEET REG RECS/26/06 CLEARED IAW 7001.059 SECT 3 CHAP 3

FACDUUY800034	COMPLETED	29APR08 00:48	4077.4	AFHR		XXxxXXxxXXxxXXxxXXxx
16JAN08 23:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			XXxxXXxxXXxxXXxxXXxx
16JAN08 23:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			29APR08 00:48
		OH due on Serial MD1904				XXxxXXxxXXxxXXxxXXxx
		ACTUATOR SEAT PAN at WAC 0730				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-032				

Maint Acts: OH C/O

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 039  
 PART NO : AUL1A-1 ~U1604  
 ENGINEERING NAME : SEAT EJECT FRONT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

FACDUUY800035	COMPLETED	29APR08 00:42	4077.4	AFHR		XXxxXXxxXXxxXXxxXXxx
16JAN08 23:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			
16JAN08 23:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial 039				29APR08 00:42
		DROG LINK PIST ASSY at WAC 0730				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-032				

Maint Acts: OH C/O

FACDUUY800036	COMPLETED	29APR08 00:30	4077.4	AFHR		XXxxXXxxXXxxXXxxXXxx
16JAN08 23:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			
16JAN08 23:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial LE0361				29APR08 00:30
		GUN ASSY TELESCOPIC at WAC 0730				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-032				

Maint Acts: OH C/O

FACDUUY800037	COMPLETED	29APR08 00:09	4077.4	AFHR		XXxxXXxxXXxxXXxxXXxx
16JAN08 23:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			
16JAN08 23:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial LE0361				29APR08 00:09
		GAS FIRING UNIT GUN at WAC 0730				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-032				

Maint Acts: OH C/O

FACDUUY800038	COMPLETED	29APR08 00:58	4077.4	AFHR		XXxxXXxxXXxxXXxxXXxx
16JAN08 23:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			
16JAN08 23:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial MD1878				29APR08 00:58
		GUN DROGUE at WAC 0730				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-032				
		OH due on Serial MD1878				
		GUN DROGUE at WAC 0730				

Maint Acts: C/O

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 039 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : AUL1A-1 ~U1604  
 ENGINEERING NAME : SEAT EJECT FRONT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
FACDUUY800039	COMPLETED	29APR08 00:06	4077.4	AFHR		XXxxXXxxXXxxXXxxXXxx
16JAN08 23:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			
16JAN08 23:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial MD1878				29APR08 00:06
		GAS FRNG UNIT DROG at WAC 0730				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-032				
	Maint Acts:	OH C/O				
FACDUUY800040	COMPLETED	29APR08 00:46	4077.4	AFHR		XXxxXXxxXXxxXXxxXXxx
16JAN08 23:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			
16JAN08 23:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial DD4449				29APR08 00:46
		HPRU at WAC 0730				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-032				
	Maint Acts:	OH C/O				
FACDUUY800041	COMPLETED	29APR08 00:13	4077.4	AFHR		XXxxXXxxXXxxXXxxXXxx
16JAN08 23:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			
16JAN08 23:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial DD4449				29APR08 00:13
		GAS FRNG UNIT HPRU at WAC 0730				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-032				
	Maint Acts:	OH C/O				
FACDUUY800042	COMPLETED	29APR08 00:28	4077.4	AFHR		XXxxXXxxXXxxXXxxXXxx
16JAN08 23:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			
16JAN08 23:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial DD4449				29APR08 00:28
		HPRU BODY at WAC 0730				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-032				
	Maint Acts:	OH C/O				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : 039  
PART NO : AUL1A-1 ~U1604 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : SEAT EJECT FRONT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

FACDUUY800043	COMPLETED	29APR08 00:44	4077.4	AFHR		XXxxXXxxXXxxXXxxXXxx
16JAN08 23:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			
16JAN08 23:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial 039				29APR08 00:44
		INITIATOR MAIN GUN at WAC 0730				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-032				

Maint Acts: OH C/O

FACDUUY800044	COMPLETED	29APR08 00:39	4077.4	AFHR		XXxxXXxxXXxxXXxxXXxx
16JAN08 23:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			
16JAN08 23:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial 039				29APR08 00:39
		MANIFOLD ASSY BAL at WAC 0730				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-032				

Maint Acts: OH C/O

FACDUUY800045	COMPLETED	29APR08 00:33	4077.4	AFHR		XXxxXXxxXXxxXXxxXXxx
16JAN08 23:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			
16JAN08 23:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial MD2428				29APR08 00:33
		REL BAROSTATIC TIME at WAC 0730				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-032				

Maint Acts: OH C/O

FACDUUY800046	COMPLETED	29APR08 00:51	4077.4	AFHR		XXxxXXxxXXxxXXxxXXxx
16JAN08 23:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			
16JAN08 23:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial 039				29APR08 00:51
		TROMBONE ASSY-INIT at WAC 0730				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-032				

Maint Acts: OH C/O

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 039  
 PART NO : AUL1A-1 ~U1604  
 ENGINEERING NAME : SEAT EJECT FRONT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

FACDUUY800047	COMPLETED	29APR08 00:35	4077.4	AFHR		XXxxXXxxXXxxXXxxXXxx
16JAN08 23:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			
16JAN08 23:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial 039				29APR08 00:35
		TROMBONE ASSY-MOR at WAC 0730				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-032				

Maint Acts: OH C/O

A1EXXUY801635	COMPLETED	29APR08 03:48	4077.4	AFHR		XXxxXXxxXXxxXXxxXXxx
29APR08 03:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			
29APR08 03:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		PARA ASSY, PSP AND SET CART EJECTION TO BE FITTED				29APR08 03:48
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV PARA ASSY, PSP AND SET CART EJECT FITTED

REMOVALS/INSTALLATIONS FOR A1EXXUY801635

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001					MB10703	A23T	A1WBA	00
					MBEU100664		29APR08 03:45	
002					DF1692	A23T	A1WBG	00
					STANDARDPACK-1		29APR08 03:45	
003					199L899	A23T	A1WAE	00
					MBEU100021		29APR08 03:46	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 039 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : AUL1A-1 ~U1604  
 ENGINEERING NAME : SEAT EJECT FRONT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1EXXUY801663	COMPLETED	30APR08 23:02	4077.4	AFHR		XXXXXXXXXX
30APR08 22:59	XXXXXXXX	XXXXXXXXXXXXXXXXXX	AIE			
30APR08 23:00	XXXXXXXX	XXXXXXXXXXXXXXXXXX	AIE			XXXXXXXXXX
		SEO TO BE FITTED				30APR08 23:02
						XXXXXXXXXX

Maint Acts: SERV SEO FITTED

REMOVALS/INSTALLATIONS FOR A1EXXUY801663

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001					1080	A23T	A1WBE	00
					MBEU100618		30APR08 23:01	

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1EXXUY901807	COMPLETED	20MAY09 02:58	4376.8	AFHR	SCM	XXXXXXXXXX
15APR09 23:53	XXXXXXXX	XXXXXXXXXXXXXXXXXX	AIE			
15APR09 23:53	XXXXXXXX	XXXXXXXXXXXXXXXXXX	AIE			XXXXXXXXXX
		TA due on Serial 199L899				20MAY09 02:58
		SET CART EJECTION at WAC 0730				XXXXXXXXXX
		TRANSFERRED FROM A23-012				

Maint Acts: SERV SET CART SEAT FITTED IAW AAP 7291.042-2MB1

REMOVALS/INSTALLATIONS FOR A1EXXUY901807

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	199L899	A23T	A1WAE	00	082L493	A23T	A1WAE	00
	MBEU100021		04MAY09 22:57	A1EXXJY705480	MBEU100021		20MAY09 02:57	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 039  
 PART NO : AUL1A-1 ~U1604  
 ENGINEERING NAME : SEAT EJECT FRONT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1EXXUY901808	COMPLETED	21MAY09 22:49	4376.8	AFHR	SCM	XXXXXXXXXX
15APR09 23:53	XXXXXXXX	XXXXXXXXXX	AIE			
15APR09 23:53	XXXXXXXX	XXXXXXXXXX	AIE			XXXXXXXXXX
		BS due on Serial DG2681				21MAY09 22:49
		SURVIVAL PACK ASSY at WAC 0730				XXXXXXXXXX
		TRANSFERRED FROM A23-012				

Maint Acts: FRONT PSP FITTED SERV IAW AAP 7291.042-2MB1 REF WS 448674-1-2-4-2-1

REMOVALS/INSTALLATIONS FOR A1EXXUY901808

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	DG2681	A23T	A1WBG	00	DF5416	A23T	A1WBG	00
	STANDARDPACK-1		21MAY09 01:03	A1EXXJY900843	STANDARDPACK-1		21MAY09 22:45	

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
OH						INSPECTOR
PARACHUTE ASSY		MAINT ACTION/LIMITATIONS				DATE/TIME
A1EXXUY901809	COMPLETED	21MAY09 22:51	4376.8	AFHR	SCM	XXXXXXXXXX
15APR09 23:53	XXXXXXXX	XXXXXXXXXX	AIE			
15APR09 23:53	XXXXXXXX	XXXXXXXXXX	AIE			XXXXXXXXXX
		OH due on Serial MB13495				21MAY09 22:51
		PARACHUTE ASSY at WAC 0730				XXXXXXXXXX
		TRANSFERRED FROM A23-012				

Maint Acts: FRONT PARA ASSY FITTED SERV IAW AAP 7291.042-2MB1 REF WS 448674-1-2-4-2-1

REMOVALS/INSTALLATIONS FOR A1EXXUY901809

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	MB13495	A23T	A1WBA	00	MB13003	A23T	A1WBA	00
	MBEU100664		21MAY09 01:01	A1EXXJY900688	MBEU100664		21MAY09 22:49	



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 039 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : AUL1A-1 ~U1604  
 ENGINEERING NAME : SEAT EJECT FRONT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES -----  
 SERV NUMBER STATUS STATUS DATE/TIME TOTAL LIFE INT TYPE CERTIFICATION TRADESMAN  
 RAISED DATE/TIME RAISED USER ID RAISED NAME RAISED VENUE CAPABILITY CODE EPSS DATE/TIME  
 ENTERED DATE/TIME ENTERED USER ID ENTERED NAME ENTERED VENUE IMIC NO SUPERVISOR  
 OPERATION NO ASOR NO SYMPTOMS  
 EE500PG EE500LN  
 STA WL BL ADMIN MAINT ACTION/LIMITATIONS  
 =====

A1EXXUY901810 COMPLETED 21MAY09 22:54 4376.8 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
 15APR09 23:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE  
 15APR09 23:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE  
 BS due on Serial 1080  
 SET EMERG OXYGEN at WAC 0730  
 TRANSFERRED FROM A23-012

Maint Acts: FRONT SEAT SEO FITTED SERV IAW AAP 7291.042-2MB1 REF WS  
 448674-1-2-4-2-1

REMOVALS/INSTALLATIONS FOR A1EXXUY901810

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
=====	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1080	A23T	A1WBE	00	1664296	A23T	A1WBE	00
	MBEU100618		16APR09 00:00	A1EXXJY802911	MBEU100618		21MAY09 22:52	

A1EXXU1001330 COMPLETED 24MAY10 23:07 4672.6 AFHR T+TS+II XXxxXXxxXXxxXXxxXXxx  
 28MAR10 21:32 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE  
 28MAR10 21:32 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE  
 OH due on Serial MB13003  
 PARACHUTE ASSY at WAC 0730  
 TRANSFERRED FROM A23-012

Maint Acts: PARA ASSY FITTED SERV REF SNOW 474681-3-2-4-2-1

REMOVALS/INSTALLATIONS FOR A1EXXU1001330

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
=====	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	MB13003	A23T	A1WBA	00	MB10703	A23T	A1WBA	00
	MBEU100664		28MAR10 21:58	A1EXXJY903304	MBEU100664		24MAY10 22:24	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 039  
 PART NO : AUL1A-1 ~U1604  
 ENGINEERING NAME : SEAT EJECT FRONT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1EXXU1001331	COMPLETED	24MAY10 23:05	4672.6	AFHR	T+TS+II	XXxxXXxxXXxxXXxxXXxx
28MAR10 21:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			24MAY10 22:24
28MAR10 21:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial DF5416				24MAY10 22:24
		SURVIVAL PACK ASSY at WAC 0730				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-012				24MAY10 23:05

Maint Acts: PSP FITTED SERV REF SNOW 474681-3-2-4-2-1

REMOVALS/INSTALLATIONS FOR A1EXXU1001331

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	DF5416	A23T	A1WBG	00	DC0489	A23T	A1WBG	00
	STANDARDPACK-1		28MAR10 21:57	A1EXXJY903309	STANDARDPACK-1		24MAY10 22:22	

A1EXXU1001332	COMPLETED	24MAY10 03:39	4672.6	AFHR	T+TS+II	XXxxXXxxXXxxXXxxXXxx
28MAR10 21:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			24MAY10 03:38
28MAR10 21:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial MD1904				24MAY10 03:38
		ACTUATOR SEAT PAN at WAC 0730				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-012				24MAY10 03:39

Maint Acts: BS C/O SERV REF SNOW 602727

A1EXXU1001333	COMPLETED	24MAY10 03:36	4672.6	AFHR	T+TS+II	XXxxXXxxXXxxXXxxXXxx
28MAR10 21:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			24MAY10 03:35
28MAR10 21:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial 039				24MAY10 03:36
		DROG LINK PIST ASSY at WAC 0730				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-012				24MAY10 03:36

Maint Acts: BS C/O SERV REF SNOW 602727

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 039  
 PART NO : AUL1A-1 ~U1604  
 ENGINEERING NAME : SEAT EJECT FRONT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1EXXU1001334	COMPLETED	24MAY10 03:33	4672.6	AFHR	T+TS+II	XXxxXXxxXXxxXXxxXXxx
28MAR10 21:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			24MAY10 03:33
28MAR10 21:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial LE0361				24MAY10 03:33
		GUN ASSY TELESCOPIC at WAC 0730				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-012				24MAY10 03:33
	Maint Acts:	BS C/O SERV REF SNOW 602727				
A1EXXU1001335	COMPLETED	24MAY10 03:30	4672.6	AFHR	T+TS+II	XXxxXXxxXXxxXXxxXXxx
28MAR10 21:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			24MAY10 03:30
28MAR10 21:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial LE0361				24MAY10 03:30
		GAS FIRING UNIT GUN at WAC 0730				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-012				24MAY10 03:30
	Maint Acts:	BS C/O SERV REF SNOW 602727				
A1EXXU1001336	COMPLETED	24MAY10 03:35	4672.6	AFHR	T+TS+II	XXxxXXxxXXxxXXxxXXxx
28MAR10 21:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			24MAY10 03:34
28MAR10 21:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial MD1878				24MAY10 03:35
		GUN DROGUE at WAC 0730				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-012				24MAY10 03:35
	Maint Acts:	BS C/O SERV REF SNOW 602727				
A1EXXU1001337	COMPLETED	24MAY10 03:29	4672.6	AFHR	T+TS+II	XXxxXXxxXXxxXXxxXXxx
28MAR10 21:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			24MAY10 03:29
28MAR10 21:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial MD1878				24MAY10 03:29
		GAS FRNG UNIT DROG at WAC 0730				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-012				24MAY10 03:29
	Maint Acts:	BS C/O SERV REF SNOW 602727				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 039  
PART NO : AUL1A-1 ~U1604  
ENGINEERING NAME : SEAT EJECT FRONT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1EXXU1001338	COMPLETED	24MAY10 03:38	4672.6	AFHR	T+TS+II	XXxxXXxxXXxxXXxxXXxx
28MAR10 21:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			24MAY10 03:37
28MAR10 21:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial DD4449				24MAY10 03:37
		HPRU at WAC 0730				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-012				24MAY10 03:38
	Maint Acts:	BS C/O SERV REF SNOW 602727				
A1EXXU1001339	COMPLETED	24MAY10 03:31	4672.6	AFHR	T+TS+II	XXxxXXxxXXxxXXxxXXxx
28MAR10 21:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			24MAY10 03:31
28MAR10 21:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial DD4449				24MAY10 03:31
		GAS FRNG UNIT HPRU at WAC 0730				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-012				24MAY10 03:31
	Maint Acts:	BS C/O SERV REF SNOW 602727				
A1EXXU1001340	COMPLETED	24MAY10 03:32	4672.6	AFHR	T+TS+II	XXxxXXxxXXxxXXxxXXxx
28MAR10 21:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			24MAY10 03:32
28MAR10 21:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial DD4449				24MAY10 03:32
		HPRU BODY at WAC 0730				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-012				24MAY10 03:32
	Maint Acts:	BS C/O SERV REF SNOW 602727				
A1EXXU1001341	COMPLETED	24MAY10 03:37	4672.6	AFHR	T+TS+II	XXxxXXxxXXxxXXxxXXxx
28MAR10 21:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			24MAY10 03:36
28MAR10 21:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial 039				24MAY10 03:36
		INITIATOR MAIN GUN at WAC 0730				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-012				24MAY10 03:37
	Maint Acts:	BS C/O SERV REF SNOW 602727				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 039  
 PART NO : AUL1A-1 ~U1604  
 ENGINEERING NAME : SEAT EJECT FRONT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1EXXU1001342	COMPLETED	24MAY10 03:34	4672.6	AFHR	T+TS+II	XXxxXXxxXXxxXXxxXXxx
28MAR10 21:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			24MAY10 03:34
28MAR10 21:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial MD2428				24MAY10 03:34
		REL BAROSTATIC TIME at WAC 0730				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-012				24MAY10 03:34

Maint Acts: BS C/O SERV REF SNOW 602727

A1EXXU1001362	COMPLETED	25MAY10 04:23	4672.6	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
28MAR10 22:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			
28MAR10 22:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		SEAT CART 2B RFA REF WS 474681-3-2-4-2-1				25MAY10 04:23
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: SEAT CARTS FITTED SERV REF SNOW 474681-3-2-4-2-1

REMOVALS/INSTALLATIONS FOR A1EXXU1001362

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	082L493	A23T	A1WAE	00	082L493	A23T	A1WAE	00
	MBEU100021		28MAR10 22:13	A1EXXJ1001759	MBEU100021		25MAY10 04:22	

A1EXXU1001363	COMPLETED	24MAY10 23:03	4672.6	AFHR	T+TS+II	XXxxXXxxXXxxXXxxXXxx
28MAR10 22:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			24MAY10 22:21
28MAR10 22:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		SEO RFA REF WS 474681-3-2-4-2-1				24MAY10 22:21
						XXxxXXxxXXxxXXxxXXxx
						24MAY10 23:03

Maint Acts: SEO FITTED SERV REF SNOW 474681-3-2-4-2-1

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00444  
08JAN20  
23:16:15

SERIAL/TAIL NO : 039  
PART NO : AUL1A-1 ~U1604 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : SEAT EJECT FRONT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1EXXU1001363

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1664296	A23T	A1WBE	00	1664296	A23T	A1WBE	00
	MBEU100618		28MAR10 22:15	A1EXXJ1001760	MBEU100618		24MAY10 22:02	
002	1664296	A23T	A1WBE	00	1664296	A23T	A1WBE	00
	MBEU100618		24MAY10 22:03	A1EXXJ1002946	MBEU100618		24MAY10 22:08	

A1EXXU1100615 COMPLETED 22FEB11 00:10 4894.8 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
21FEB11 23:49 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE  
21FEB11 23:49 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE  
TA due on Serial 082L493  
SET CART EJECTION at WAC 0730  
TRANSFERRED FROM A23-012

Maint Acts: SERV SEAT CART SET FITTED REF SNOW 471050-2

REMOVALS/INSTALLATIONS FOR A1EXXU1100615

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	082L493	A23T	A1WAE	00	033L269	A23T	A1WAE	00
	MBEU100021		22FEB11 00:08	A1EXXJY901992	MBEU100021		22FEB11 00:08	

A1EXXU1201730 COMPLETED 02MAY12 03:50 5251.8 AFHR SST XXxxXXxxXXxxXXxxXXxx  
02MAY12 03:50 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE  
02MAY12 03:50 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE  
TA due on Serial PBY600188  
HARNES at WAC 0730  
TRANSFERRED FROM A23-012

Maint Acts: TRANSFERRED TO R717426

A1EXXU1201731 COMPLETED 02MAY12 04:34 5251.8 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
02MAY12 03:50 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE  
02MAY12 03:50 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE  
BS due on Serial 1664341  
SET EMERG OXYGEN at WAC 0730  
TRANSFERRED FROM A23-012

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00445  
08JAN20  
23:16:15

SERIAL/TAIL NO : 039  
PART NO : AUL1A-1 ~U1604  
ENGINEERING NAME : SEAT EJECT FRONT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: SEO REMOVED FOR SEAT BS REF SNOW 542040-3-2-4-2-1

REMOVALS/INSTALLATIONS FOR A1EXXU1201731

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001 1664341 A23T A1WBE 00  
MBEU100618 02MAY12 04:06 A1EXXJ1103072

A1EXXU1201732 COMPLETED 23MAY12 04:21 5251.8 AFHR SCM  
02MAY12 03:50 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE  
02MAY12 03:50 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE  
BS due on Serial MD1904  
ACTUATOR SEAT PAN at WAC 0730  
TRANSFERRED FROM A23-012

Maint Acts: BS C/O SERV REF SNOW 1002923

A1EXXU1201733 COMPLETED 23MAY12 04:06 5251.8 AFHR SCM  
02MAY12 03:50 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE  
02MAY12 03:50 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE  
BS due on Serial 039  
DROG LINK PIST ASSY at WAC 0730  
TRANSFERRED FROM A23-012

Maint Acts: BS C/O SERV REF SNOW 1002923

A1EXXU1201734 COMPLETED 23MAY12 04:00 5251.8 AFHR SCM  
02MAY12 03:50 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE  
02MAY12 03:50 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE  
BS due on Serial LE0361  
GUN ASSY TELESCOPIC at WAC 0730  
TRANSFERRED FROM A23-012

Maint Acts: BS C/O SERV REF SNOW 1002923

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 039  
 PART NO : AUL1A-1 ~U1604  
 ENGINEERING NAME : SEAT EJECT FRONT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1EXXU1201735	COMPLETED	23MAY12 03:55	5251.8	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
02MAY12 03:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			
02MAY12 03:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial LE0361				23MAY12 03:55
		GAS FIRING UNIT GUN at WAC 0730				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-012				

Maint Acts: BS C/O SERV REF SNOW 1002923

A1EXXU1201736	COMPLETED	23MAY12 04:04	5251.8	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
02MAY12 03:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			
02MAY12 03:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial MD1878				23MAY12 04:04
		GUN DROGUE at WAC 0730				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-012				

Maint Acts: BS C/O SERV REF SNOW 1002923

A1EXXU1201737	COMPLETED	23MAY12 03:53	5251.8	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
02MAY12 03:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			
02MAY12 03:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial MD1878				23MAY12 03:53
		GAS FRNG UNIT DROG at WAC 0730				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-012				

Maint Acts: BS C/O SERV REF SNOW 1002923

A1EXXU1201738	COMPLETED	23MAY12 04:13	5251.8	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
02MAY12 03:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			
02MAY12 03:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial DD4449				23MAY12 04:13
		HPRU at WAC 0730				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-012				

Maint Acts: BS C/O SERV REF SNOW 1002923



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 039  
 PART NO : AUL1A-1 ~U1604  
 ENGINEERING NAME : SEAT EJECT FRONT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1EXXU1201739	COMPLETED	23MAY12 03:57	5251.8	AFHR	SCM	XXXXXXXXXXXXXXXXXXXX
02MAY12 03:51	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			
02MAY12 03:51	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			XXXXXXXXXXXXXXXXXXXX
		BS due on Serial DD4449				23MAY12 03:57
		GAS FRNG UNIT HPRU at WAC 0730				XXXXXXXXXXXXXXXXXXXX
		TRANSFERRED FROM A23-012				
	Maint Acts:	BS C/O SERV REF SNOW 1002923				
A1EXXU1201740	COMPLETED	23MAY12 03:58	5251.8	AFHR	SCM	XXXXXXXXXXXXXXXXXXXX
02MAY12 03:51	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			
02MAY12 03:51	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			XXXXXXXXXXXXXXXXXXXX
		BS due on Serial DD4449				23MAY12 03:58
		HPRU BODY at WAC 0730				XXXXXXXXXXXXXXXXXXXX
		TRANSFERRED FROM A23-012				
	Maint Acts:	BS C/O SERV REF SNOW 1002923				
A1EXXU1201741	COMPLETED	23MAY12 04:11	5251.8	AFHR	SCM	XXXXXXXXXXXXXXXXXXXX
02MAY12 03:51	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			
02MAY12 03:51	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			XXXXXXXXXXXXXXXXXXXX
		BS due on Serial 039				23MAY12 04:11
		INITIATOR MAIN GUN at WAC 0730				XXXXXXXXXXXXXXXXXXXX
		TRANSFERRED FROM A23-012				
	Maint Acts:	BS C/O SERV REF SNOW 1002923				
A1EXXU1201742	COMPLETED	23MAY12 04:02	5251.8	AFHR	SCM	XXXXXXXXXXXXXXXXXXXX
02MAY12 03:51	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			
02MAY12 03:51	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			XXXXXXXXXXXXXXXXXXXX
		BS due on Serial MD2428				23MAY12 04:02
		REL BAROSTATIC TIME at WAC 0730				XXXXXXXXXXXXXXXXXXXX
		TRANSFERRED FROM A23-012				
	Maint Acts:	BS C/O SERV REF SNOW 1002923				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 039  
 PART NO : AUL1A-1 ~U1604  
 ENGINEERING NAME : SEAT EJECT FRONT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1EXXU1201757	COMPLETED	02MAY12 04:35	5251.8	AFHR	SCM	XXXXXXXXXXXXXXXXXXXX
02MAY12 04:01	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			
02MAY12 04:01	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			XXXXXXXXXXXXXXXXXXXX
		EJECTION SEAT CARTS RFA				02MAY12 04:35
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: FRONT EJECTION SEAT CARTS REMOVED FOR SEAT BS REF SNOW  
 542040-3-2-4-2-1

REMOVALS/INSTALLATIONS FOR A1EXXU1201757

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	033L269	A23T	A1WAE	00				
	MBEU100021		02MAY12 04:02	A1EXXJ1202316				

A1EXXU1201758	COMPLETED	02MAY12 04:38	5251.8	AFHR	SCM	XXXXXXXXXXXXXXXXXXXX
02MAY12 04:03	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			
02MAY12 04:04	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			XXXXXXXXXXXXXXXXXXXX
		FRONT PARA RFA				02MAY12 04:38
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: FRONT PARA REMOVED FOR SEAT BS REF SNOW 542040-3-2-4-2-1

REMOVALS/INSTALLATIONS FOR A1EXXU1201758

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	R717426	A23T	A1WBA	00				
	MBEU100664		02MAY12 04:37	A1EXXJ1202321				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 039 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : AUL1A-1 ~U1604  
 ENGINEERING NAME : SEAT EJECT FRONT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1EXXU1201759	COMPLETED	02MAY12 04:36	5251.8	AFHR	SCM	XXXXXXXXXXXXXXXXXXXX
02MAY12 04:05	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			
02MAY12 04:05	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			XXXXXXXXXXXXXXXXXXXX
		FRONT PSP RFA				02MAY12 04:36
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: FRONT PSP REMOVED FOR SEAT BS REF SNOW 542040-3-2-4-2-1

REMOVALS/INSTALLATIONS FOR A1EXXU1201759

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	DE0536	A23T	A1WBG	00				
	STANDARDPACK-1		02MAY12 04:36	A1EXXJ1202320				

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1EXXU1202130	COMPLETED	23MAY12 05:29	5251.8	AFHR	SCM	XXXXXXXXXXXXXXXXXXXX
23MAY12 05:23	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			
23MAY12 05:24	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			XXXXXXXXXXXXXXXXXXXX
		FRONT SEAT CART SET 2B FITTED				23MAY12 05:29
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: FRONT SEAT CART SET FITTED SERV REF SNOW 542040-3-2-4-2-1

REMOVALS/INSTALLATIONS FOR A1EXXU1202130

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001					033L269	A23T	A1WAE	00
					MBEU100021		23MAY12 05:27	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00450  
08JAN20  
23:16:15

SERIAL/TAIL NO : 039  
PART NO : AUL1A-1 ~U1604  
ENGINEERING NAME : SEAT EJECT FRONT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1EXXU1202131	COMPLETED	23MAY12 05:36	5251.8	AFHR	SCM	XXXXXXXXXX
23MAY12 05:24	XXXXXXXX	XXXXXXXXXX	AIE			
23MAY12 05:25	XXXXXXXX	XXXXXXXXXX	AIE			XXXXXXXXXX
		FRONT PARA ASSY 2B FITTED				23MAY12 05:36
						XXXXXXXXXX

Maint Acts: FRONT PARA ASSY FITTED SERV REF SNOW 542040-3-2-4-2-1

REMOVALS/INSTALLATIONS FOR A1EXXU1202131

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001					R717426	A23T	A1WBA	00
					MBEU100664		23MAY12 05:36	

A1EXXU1202132	COMPLETED	23MAY12 05:38	5251.8	AFHR	SCM	XXXXXXXXXX
23MAY12 05:25	XXXXXXXX	XXXXXXXXXX	AIE			
23MAY12 05:25	XXXXXXXX	XXXXXXXXXX	AIE			XXXXXXXXXX
		FRONT PSP 2B FITTED				23MAY12 05:38
						XXXXXXXXXX

Maint Acts: FRONT PSP FITTED SERV REF SNOW 542040-3-2-4-2-1

REMOVALS/INSTALLATIONS FOR A1EXXU1202132

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001					DE0536	A23T	A1WBG	00
					STANDARDPACK-1		23MAY12 05:37	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 039 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : AUL1A-1 ~U1604  
 ENGINEERING NAME : SEAT EJECT FRONT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1EXXU1202133	COMPLETED	23MAY12 05:39	5251.8	AFHR	SCM	XXXXXXXXXXXXXXXXXXXX
23MAY12 05:25	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			
23MAY12 05:26	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			XXXXXXXXXXXXXXXXXXXX
		FRONT SEO 2B FITTED				23MAY12 05:39
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: FRONT SEO FITTED SERV REF SNOW 542040-3-2-4-2-1

REMOVALS/INSTALLATIONS FOR A1EXXU1202133

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001					2746657	A23T	A1WBE	00
					MBEU100618		23MAY12 05:38	

A1EXXU1304153	COMPLETED	09SEP13 23:31	5695.5	AFHR	SCM	XXXXXXXXXXXXXXXXXXXX
09SEP13 23:19	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			
09SEP13 23:19	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			XXXXXXXXXXXXXXXXXXXX
		TA due on Serial 033L269				09SEP13 23:31
		SET CART EJECTION at WAC 0730				XXXXXXXXXXXXXXXXXXXX
		TRANSFERRED FROM A23-012				

Maint Acts: SERV FRONT EJECTION SEAT CART SET FITTED REF SNOW 529028-1-2-4-2-1

REMOVALS/INSTALLATIONS FOR A1EXXU1304153

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	033L269	A23T	A1WAE	00	1213L809F	A23T	A1WAE	00
	MBEU100021		09SEP13 23:26	A1EXXJ1100860	MBEU100021		09SEP13 23:29	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 039  
PART NO : AUL1A-1 ~U1604 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : SEAT EJECT FRONT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1EXXU1401273	COMPLETED	09OCT14 04:10	5844.9	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
24FEB14 22:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			
24FEB14 22:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial MD1904				09OCT14 04:10
		ACTUATOR SEAT PAN at WAC 0730				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-012				

Maint Acts: OH C/O SERV REF SNOW 802830

A1EXXU1401274	COMPLETED	09OCT14 04:08	5844.9	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
24FEB14 22:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			
24FEB14 22:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial 039				09OCT14 04:08
		DROG LINK PIST ASSY at WAC 0730				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-012				

Maint Acts: OH C/O SERV REF SNOW 802830

A1EXXU1401275	COMPLETED	09OCT14 04:06	5844.9	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
24FEB14 22:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			
24FEB14 22:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial LE0361				09OCT14 04:06
		GUN ASSY TELESCOPIC at WAC 0730				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-012				

Maint Acts: OH C/O SERV REF SNOW 802830

A1EXXU1401276	COMPLETED	09OCT14 04:05	5844.9	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
24FEB14 22:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			
24FEB14 22:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial LE0361				09OCT14 04:05
		GAS FIRING UNIT GUN at WAC 0730				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-012				

Maint Acts: OH C/O SERV REF SNOW 802830

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 039  
PART NO : AUL1A-1 ~U1604 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : SEAT EJECT FRONT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1EXXU1401277	COMPLETED	09OCT14 04:08	5844.9	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
24FEB14 22:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			
24FEB14 22:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial MD1878				09OCT14 04:08
		GUN DROGUE at WAC 0730				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-012				

Maint Acts: OH C/O SERV REF SNOW 802830

A1EXXU1401278	COMPLETED	09OCT14 04:09	5844.9	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
24FEB14 22:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			
24FEB14 22:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial DD4449				09OCT14 04:09
		HPRU at WAC 0730				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-012				

Maint Acts: OH C/O SERV REF SNOW 802830

A1EXXU1401279	COMPLETED	09OCT14 04:05	5844.9	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
24FEB14 22:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			
24FEB14 22:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial DD4449				09OCT14 04:05
		GAS FRNG UNIT HPRU at WAC 0730				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-012				

Maint Acts: OH C/O SERV REF SNOW 802830

A1EXXU1401280	COMPLETED	09OCT14 04:06	5844.9	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
24FEB14 22:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			
24FEB14 22:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial DD4449				09OCT14 04:06
		HPRU BODY at WAC 0730				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-012				

Maint Acts: OH C/O SERV REF SNOW 802830

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 039  
 PART NO : AUL1A-1 ~U1604  
 ENGINEERING NAME : SEAT EJECT FRONT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1EXXU1401281	COMPLETED	09OCT14 04:09	5844.9	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
24FEB14 22:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			
24FEB14 22:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial 039				09OCT14 04:09
		INITIATOR MAIN GUN at WAC 0730				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-012				
	Maint Acts:	OH C/O SERV REF SNOW 802830				
A1EXXU1401282	COMPLETED	09OCT14 04:07	5844.9	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
24FEB14 22:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			
24FEB14 22:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial 039				09OCT14 04:07
		MANIFOLD ASSY BAL at WAC 0730				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-012				
	Maint Acts:	OH C/O SERV REF SNOW 802830				
A1EXXU1401283	COMPLETED	09OCT14 04:06	5844.9	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
24FEB14 22:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			
24FEB14 22:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial MD2428				09OCT14 04:06
		REL BAROSTATIC TIME at WAC 0730				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-012				
	Maint Acts:	OH C/O SERV REF SNOW 802830				
A1EXXU1401284	COMPLETED	09OCT14 04:10	5844.9	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
24FEB14 22:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			
24FEB14 22:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial 039				09OCT14 04:10
		TROMBONE ASSY-INIT at WAC 0730				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-012				
	Maint Acts:	OH C/O SERV REF SNOW 802830				



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00455  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 039  
 PART NO : AUL1A-1 ~U1604  
 ENGINEERING NAME : SEAT EJECT FRONT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1EXXU1401285	COMPLETED	09OCT14 04:07	5844.9	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
24FEB14 22:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			
24FEB14 22:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial 039				09OCT14 04:07
		TROMBONE ASSY-MOR at WAC 0730				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-012				

Maint Acts: OH C/O SERV REF SNOW 802830

A1EXXU1401380	COMPLETED	09OCT14 04:16	5844.9	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
27FEB14 22:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			
27FEB14 22:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		FRONT SEO REMOVED FOR ACCESS				09OCT14 04:16
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: FRONT SEO REMOVED FOR SEAT OH

REMOVALS/INSTALLATIONS FOR A1EXXU1401380

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1888230	A23T	A1WBE	00				
	MBEU100618		27FEB14 22:21	A1EXXJ1401408				

A1EXXU1401564	COMPLETED	09OCT14 04:15	5844.9	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
06MAR14 03:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			
06MAR14 03:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		FRONT PARA ASSY REMOVED FOR ACCESS				09OCT14 04:15
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: FRONT PARA ASSY REMOVED FOR SEAT OH

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : 039 PERIOD: 01JAN90 TO 08JAN20  
PART NO : AUL1A-1 ~U1604  
ENGINEERING NAME : SEAT EJECT FRONT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1EXXU1401564

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	MB13003	A23T	A1WBA	00				
	MBEU100664		06MAR14 03:45	A1EXXJ1401584				

A1EXXU1401567 COMPLETED 09OCT14 04:14 5844.9 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
06MAR14 03:46 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE  
06MAR14 03:47 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE  
FRONT PSP REMOVED FOR ACCESS  
09OCT14 04:14  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: FRONT PSP REMOVED FOR SEAT OH

REMOVALS/INSTALLATIONS FOR A1EXXU1401567

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	DG2685	A23T	A1WBG	00				
	STANDARDPACK-1		06MAR14 03:47	A1EXXJ1401585				

A1EXXU1403316 COMPLETED 09OCT14 04:14 5844.9 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
26MAY14 23:58 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE  
26MAY14 23:58 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE  
FRONT SEAT CARTS REMOVED FOR ACCESS  
09OCT14 04:14  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: FRONT CART SET REMOVED FOR SEAT OH

REMOVALS/INSTALLATIONS FOR A1EXXU1403316

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1213L809F	A23T	A1WAE	00				
	MBEU100021		26MAY14 23:58	A1EXXJ1403263				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 039 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : AUL1A-1 ~U1604  
 ENGINEERING NAME : SEAT EJECT FRONT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1EXXU1406639	COMPLETED	09OCT14 05:12	5844.9	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
09OCT14 05:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			
09OCT14 05:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		DROGUE GUN GAS FIRING UNIT DUE FOR TA				09OCT14 05:12
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV DROGUE GUN GAS FIRING UNIT FITTED REF SNOW 802830

REMOVALS/INSTALLATIONS FOR A1EXXU1406639

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	MD1878	A23T	A1WAK00	00	MD1878A	A23T	A1WAK00	00
	MBEU62327		09OCT14 05:10	A1EXXJ1406422	MBEU62327		09OCT14 05:11	

A1EXXU1406641	COMPLETED	09OCT14 05:23	5844.9	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
09OCT14 05:21	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			
09OCT14 05:21	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial MD1878A				09OCT14 05:23
		GAS FRNG UNIT DROG at WAC 0730				XXxxXXxxXXxxXXxxXXxx

Maint Acts: BS C/O SERV REF SNOW 802830

A1EXXU1601161	COMPLETED	07APR16 01:37	6204.8	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
08MAR16 03:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			
08MAR16 03:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		TA due on Serial 4562014F				07APR16 01:37
436914 1		SET CART EJECTION at WAC 0730				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-020				

Maint Acts: SERV FRONT EJECTION SEAT CART SET FITTED REF SNOW 436914-1 AIE MCS 14/16

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : 039 PERIOD: 01JAN90 TO 08JAN20  
PART NO : AUL1A-1 ~U1604  
ENGINEERING NAME : SEAT EJECT FRONT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1EXXU1601161

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	4562014F	A23T	A1WAE	00	2016L898F	A23T	A1WAE	00
	MBEU100021		08MAR16 04:42	A1PXXJ1406560	MBEU100021		07APR16 01:36	

A1EXXU1601167 COMPLETED 07APR16 01:40 6204.8 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
08MAR16 03:57 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE  
08MAR16 03:58 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE  
FRONT PARA ASSY REMOVED FOR ACCESS  
436914 1 XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV FRONT PARA ASSY FITTED REF SNOW 436914-1 AIE MCS 14/16

REMOVALS/INSTALLATIONS FOR A1EXXU1601167

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	MB13170	A23T	A1WBA	00	MB13170	A23T	A1WBA	00
	MBEU100664		08MAR16 04:39	A1EXXJ1602071	MBEU100664		07APR16 01:40	

A1EXXU1601171 COMPLETED 07APR16 01:39 6204.8 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
08MAR16 04:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE  
08MAR16 04:40 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE  
FRONT PSP REMOVED FOR ACCESS  
436914 1 XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV FRONT PSP FITTED REF SNOW 436914-1 AIE MCS 14/16

REMOVALS/INSTALLATIONS FOR A1EXXU1601171

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	DL1388	A23T	A1WBG	00	DL1388	A23T	A1WBG	00
	STANDARDPACK-1		08MAR16 04:40	A1EXXJ1602072	STANDARDPACK-1		07APR16 01:38	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 039  
 PART NO : AUL1A-1 ~U1604  
 ENGINEERING NAME : SEAT EJECT FRONT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
ARDUXU1602292	COMPLETED	03AUG16 06:13	6281.8	AFHR	T+TS	XXXXXXXXXXXXXXXXXXXX
03AUG16 05:12	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	ARDU			03AUG16 06:13
03AUG16 05:13	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	ARDU			XXXXXXXXXXXXXXXXXXXX
		STI-PC9-0625 TO BE CARRIED OUT				03AUG16 06:13
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: STI -PC9-0625 CARRIED OUT IAW ENCLOSED INSTRUCTIONS SEAT FOUND IN CORRECT CONFIGURATION

A1EXXU1605670	COMPLETED	09NOV16 22:32	6286.7	AFHR	SCM	XXXXXXXXXXXXXXXXXXXX
22SEP16 04:30	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			
22SEP16 04:30	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			XXXXXXXXXXXXXXXXXXXX
		BS due on Serial MD1904				09NOV16 22:32
		ACTUATOR SEAT PAN at WAC 0730				XXXXXXXXXXXXXXXXXXXX
		TRANSFERRED FROM A23-020				

Maint Acts: BAY SERV CO SNOW 1202816 MCS ARM 51/16

REMOVALS/INSTALLATIONS FOR A1EXXU1605670

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	MD1904	A23T	A1WAC	00	MD1904	A23T	A1WAC	00
	MBEU100490		23SEP16 00:54	A1EXXJ1202815	MBEU100490		09NOV16 22:31	

A1EXXU1605671	COMPLETED	09NOV16 04:53	6286.7	AFHR	SCM	XXXXXXXXXXXXXXXXXXXX
22SEP16 04:30	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			
22SEP16 04:30	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			XXXXXXXXXXXXXXXXXXXX
		BS due on Serial 039				09NOV16 04:53
		DROG LINK PIST ASSY at WAC 0730				XXXXXXXXXXXXXXXXXXXX
		TRANSFERRED FROM A23-020				

Maint Acts: BAY MAINT CO SNOW 1202816 MCS ARM 51/16

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : 039  
PART NO : AUL1A-1 ~U1604  
ENGINEERING NAME : SEAT EJECT FRONT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1EXXU1605672	COMPLETED	16NOV16 22:29	6286.7	AFHR	SCM	XXXXXXXXXXXXXXXXXXXX
22SEP16 04:30	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			
22SEP16 04:30	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			XXXXXXXXXXXXXXXXXXXX
		BS due on Serial LE0361				16NOV16 22:29
		GUN ASSY TELESCOPIC at WAC 0730				XXXXXXXXXXXXXXXXXXXX
		TRANSFERRED FROM A23-020				

Maint Acts: BAY MAINT CO SERV REF SNOW 1202816 MCS ARM 51/16

REMOVALS/INSTALLATIONS FOR A1EXXU1605672

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	LE0361	A23T	A1WAI	00	LE0361	A23T	A1WAI	00
	MBEU100078		23SEP16 00:51	A1EXXJ1202809	MBEU100078		16NOV16 22:27	

A1EXXU1605673	COMPLETED	16NOV16 22:35	6286.7	AFHR	SCM	XXXXXXXXXXXXXXXXXXXX
22SEP16 04:30	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			
22SEP16 04:30	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			XXXXXXXXXXXXXXXXXXXX
		BS due on Serial LE0361				16NOV16 22:35
		GAS FIRING UNIT GUN at WAC 0730				XXXXXXXXXXXXXXXXXXXX
		TRANSFERRED FROM A23-020				

Maint Acts: BAY MAINT CO SERV REF SNOW 1202816 MCS ARM 51/16

REMOVALS/INSTALLATIONS FOR A1EXXU1605673

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	LE0361	A23T	A1WAI00	00	LE0361	A23T	A1WAI00	00
	MBEU70156		23SEP16 00:50	A1EXXJ1202805	MBEU70156		16NOV16 22:33	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 039 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : AUL1A-1 ~U1604  
 ENGINEERING NAME : SEAT EJECT FRONT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES -----  
 SERV NUMBER STATUS STATUS DATE/TIME TOTAL LIFE INT TYPE CERTIFICATION TRADESMAN  
 RAISED DATE/TIME RAISED USER ID RAISED NAME RAISED VENUE CAPABILITY CODE EPSS DATE/TIME  
 ENTERED DATE/TIME ENTERED USER ID ENTERED NAME ENTERED VENUE IMIC NO SUPERVISOR  
 OPERATION NO ASOR NO SYMPTOMS DATE/TIME  
 EE500PG EE500LN INSPECTOR  
 STA WL BL ADMIN MAINT ACTION/LIMITATIONS DATE/TIME  
 =====

A1EXXU1605674 COMPLETED 09NOV16 22:35 6286.7 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
 22SEP16 04:31 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE  
 22SEP16 04:31 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE  
 BS due on Serial MD1878  
 GUN DROGUE at WAC 0730  
 TRANSFERRED FROM A23-020  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: BAY SERV CO SNOW 1202816 MCS ARM 51/16

REMOVALS/INSTALLATIONS FOR A1EXXU1605674

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	MD1878	A23T	A1WAK	00	MD1878	A23T	A1WAK	00
	MBEU91524		23SEP16 00:52	A1EXXJ1406398	MBEU91524		09NOV16 22:33	

A1EXXU1605675 COMPLETED 09NOV16 22:37 6286.7 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
 22SEP16 04:31 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE  
 22SEP16 04:31 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE  
 BS due on Serial MD1878A  
 GAS FRNG UNIT DROG at WAC 0730  
 TRANSFERRED FROM A23-020  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: BAY SERV CO SNOW 1202816 MCS ARM 51/16

REMOVALS/INSTALLATIONS FOR A1EXXU1605675

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	MD1878A	A23T	A1WAK00	00	MD1878A	A23T	A1WAK00	00
	MBEU62327		23SEP16 00:48	A1EXXJ1406424	MBEU62327		09NOV16 22:35	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00462  
08JAN20  
23:16:15

SERIAL/TAIL NO : 039  
PART NO : AUL1A-1 ~U1604  
ENGINEERING NAME : SEAT EJECT FRONT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES -----  
SERV NUMBER STATUS STATUS DATE/TIME TOTAL LIFE INT TYPE CERTIFICATION TRADESMAN  
RAISED DATE/TIME RAISED USER ID RAISED NAME RAISED VENUE CAPABILITY CODE EPSS DATE/TIME  
ENTERED DATE/TIME ENTERED USER ID ENTERED NAME ENTERED VENUE IMIC NO SUPERVISOR  
OPERATION NO ASOR NO SYMPTOMS  
EE500PG EE500LN  
STA WL BL ADMIN MAINT ACTION/LIMITATIONS  
=====

A1EXXU1605676 COMPLETED 09NOV16 22:27 6286.7 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
22SEP16 04:31 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE  
22SEP16 04:31 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE  
BS due on Serial DD4449  
HPRU at WAC 0730  
TRANSFERRED FROM A23-020  
09NOV16 22:27  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: BAY SERV CO SNOW1202816 MCS ARM 51/16

REMOVALS/INSTALLATIONS FOR A1EXXU1605676

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	DD4449	A23T	A1WAM	00	DD4449	A23T	A1WAM	00
	MBEU114626		23SEP16 00:53	A1EXXJ1202814	MBEU114626		09NOV16 22:25	

A1EXXU1605677 COMPLETED 09NOV16 22:30 6286.7 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
22SEP16 04:31 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE  
22SEP16 04:31 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE  
BS due on Serial DD4449  
GAS FRNG UNIT HPRU at WAC 0730  
TRANSFERRED FROM A23-020  
09NOV16 22:30  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: BAY SER CO SNOW 1202816 MCS ARM 51/16

REMOVALS/INSTALLATIONS FOR A1EXXU1605677

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	DD4449	A23T	A1WAM00	00	DD4449	A23T	A1WAM00	00
	MBEU90848		23SEP16 00:49	A1EXXJ1202806	MBEU90848		09NOV16 22:28	



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00463  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 039  
 PART NO : AUL1A-1 ~U1604  
 ENGINEERING NAME : SEAT EJECT FRONT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1EXXU1605678	COMPLETED	22SEP16 04:31	6286.7	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
22SEP16 04:31	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			23SEP16 00:53
22SEP16 04:31	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			XXXXXXXXXXXXXXXXXXXX
		BS due on Serial DD4449				
		HPRU BODY at WAC 0730				XXXXXXXXXXXXXXXXXXXX
		TRANSFERRED FROM A23-020				

Maint Acts: TRANSFERRED TO DD4449

A1EXXU1605679	COMPLETED	09NOV16 04:31	6286.7	AFHR	SCM	XXXXXXXXXXXXXXXXXXXX
22SEP16 04:31	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			
22SEP16 04:31	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			XXXXXXXXXXXXXXXXXXXX
		BS due on Serial 039				09NOV16 04:31
		INITIATOR MAIN GUN at WAC 0730				XXXXXXXXXXXXXXXXXXXX
		TRANSFERRED FROM A23-020				

Maint Acts: BAY MAINT CO SNOW 1202816 MCS ARM 51/16

A1EXXU1605680	COMPLETED	09NOV16 22:23	6286.7	AFHR	SCM	XXXXXXXXXXXXXXXXXXXX
22SEP16 04:31	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			
22SEP16 04:31	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			XXXXXXXXXXXXXXXXXXXX
		BS due on Serial MD2428				09NOV16 22:23
		REL BAROSTATIC TIME at WAC 0730				XXXXXXXXXXXXXXXXXXXX
		TRANSFERRED FROM A23-020				

Maint Acts: BAY SERV CO SNOW 1202816 MCS ARM 51/16

REMOVALS/INSTALLATIONS FOR A1EXXU1605680

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	MD2428	A23T	A1WBC	00	MD2428	A23T	A1WBC	00
	MBEU90652		23SEP16 00:52	A1EXXJ1202810	MBEU90652		09NOV16 22:21	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00464  
08JAN20  
23:16:15

SERIAL/TAIL NO : 039  
PART NO : AUL1A-1 ~U1604  
ENGINEERING NAME : SEAT EJECT FRONT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1EXXU1605694	COMPLETED	17NOV16 00:55	6286.7	AFHR	SCM	XXXXXXXXXX
22SEP16 04:45	XXXXXXXX	XXXXXXXXXXXXXXXX	AIE			
22SEP16 04:45	XXXXXXXX	XXXXXXXXXXXXXXXX	AIE			XXXXXXXXXX
		FRONT EJECTION SEAT CART SET REMOVED FOR ACCESS				17NOV16 00:55
						XXXXXXXXXX

Maint Acts: FRONT EJECTION SEAT CART SET FITTED SERV REF SNOW MCS R2 88/16  
436940-1-2-4-2-1

REMOVALS/INSTALLATIONS FOR A1EXXU1605694

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	2016L898F	A23T	A1WAE	00	2016L898F	A23T	A1WAE	00
	MBEU100021		22SEP16 04:46	A1EXXJ1609386	MBEU100021		17NOV16 00:54	

A1EXXU1605695	COMPLETED	17NOV16 00:53	6286.7	AFHR	SCM	XXXXXXXXXX
22SEP16 04:47	XXXXXXXX	XXXXXXXXXXXXXXXX	AIE			
22SEP16 04:47	XXXXXXXX	XXXXXXXXXXXXXXXX	AIE			XXXXXXXXXX
		FRONT PARA ASSY REMOVED FOR ACCESS				17NOV16 00:53
						XXXXXXXXXX

Maint Acts: FRONT PARA ASSY FITTED SERV REF SNOW MCS R2 88/16 436940-1-2-4-2-1

REMOVALS/INSTALLATIONS FOR A1EXXU1605695

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	MB13170	A23T	A1WBA	00	MB13170	A23T	A1WBA	00
	MBEU100664		22SEP16 04:48	A1EXXJ1609387	MBEU100664		17NOV16 00:52	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 039 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : AUL1A-1 ~U1604  
 ENGINEERING NAME : SEAT EJECT FRONT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1EXXU1605696	COMPLETED	17NOV16 00:52	6286.7	AFHR	SCM	XXXXXXXXXXXXXXXXXXXX
22SEP16 04:48	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			
22SEP16 04:48	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			XXXXXXXXXXXXXXXXXXXX
		FRONT PSP REMOVED FOR ACCESS				17NOV16 00:52
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: FRONT SPS FITTED SERV REF SNOW MCS R2 88/16 436940-1-2-4-2-1

REMOVALS/INSTALLATIONS FOR A1EXXU1605696

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	DL1388	A23T	A1WBG	00	DL1388	A23T	A1WBG	00
	STANDARDPACK-1		22SEP16 04:48	A1EXXJ1609388	STANDARDPACK-1		17NOV16 00:51	

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1EXXU1605697	COMPLETED	17NOV16 00:50	6286.7	AFHR	SCM	XXXXXXXXXXXXXXXXXXXX
22SEP16 04:49	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			
22SEP16 04:49	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			XXXXXXXXXXXXXXXXXXXX
		FRONT SEO REMOVED FOR ACCESS				17NOV16 00:50
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: FRONT SEO FITTED SERV REF SNOW MCS R2 88/16 436940-1-2-4-2-1

REMOVALS/INSTALLATIONS FOR A1EXXU1605697

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1690518	A23T	A1WBE	00	1690518	A23T	A1WBE	00
	MBEU100618		22SEP16 04:50	A1EXXJ1609389	MBEU100618		17NOV16 00:49	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 039 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : AU11A-1 ~U1604  
 ENGINEERING NAME : SEAT EJECT FRONT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
4SQNXU1802359	COMPLETED	29MAY18 04:22	6720.2	AFHR	MM	XXXXXXXXXXXXXXXXXXXX
28MAY18 01:48	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	4SQN			
28MAY18 01:49	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	4SQN			XXXXXXXXXXXXXXXXXXXX
		THROWAWAY DUE ON CARTS SN 2016L898F				29MAY18 04:22
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: CARTS REPLACED SERV REFER WORKSHEETS 4SQN/WS/46/18 AND 4SQN/WS/48/18

REMOVALS/INSTALLATIONS FOR 4SQNXU1802359

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	2016L898F	A23T	A1WAE	00	2018L548F	A23T	A1WAE	00
	MBEU100021		28MAY18 01:49	4SQNXJ1800847	MBEU100021		28MAY18 23:35	
002	LE0361	A23T	A1WAI	00	LE0361	A23T	A1WAI	00
	MBEU100078		28MAY18 01:56	4SQNXJ1800848	MBEU100078		29MAY18 00:36	

4SQNXU1804948	COMPLETED	07FEB19 03:56	6890.5	AFHR	SCT	XXXXXXXXXXXXXXXXXXXX
11NOV18 22:35	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	4SQN			07FEB19 03:56
11NOV18 22:36	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	4SQN			XXXXXXXXXXXXXXXXXXXX
		FRONT SEAT PARACUTE ASSY DUE B/S				
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: CAMM DATA UPDATE

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00467  
08JAN20  
23:16:15

SERIAL/TAIL NO : 039  
PART NO : AU11A-1 ~U1604  
ENGINEERING NAME : SEAT EJECT FRONT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

REMOVALS/INSTALLATIONS FOR 4SQNXU1804948

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	MB13781 MBEU100664	A23T	A1WBA 11NOV18 22:37	00 4SQNXJ1801656				
002	DD2111 STANDARDPACK-1	A23T	A1WBG 11NOV18 22:38	00 4SQNXJ1801657				
003	LE0361 MBEU100078	A23T	A1WAI 11NOV18 23:05	00 4SQNXJ1801658	LE0361 MBEU100078	A23T	A1WAI 07FEB19 03:51	00

4SQNXU1804965 COMPLETED 07FEB19 04:07 6890.5 AFHR SCT  
12NOV18 03:47 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 07FEB19 04:07  
12NOV18 03:48 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN XXxxXXxxXXxxXXxxXXxx  
FRONT EJECTION SEAT CARTS TO BE REMOVED FOR INSTALLATION ONTO NEW  
EJECTION SEAT XXxxXXxxXXxxXXxxXXxx

Maint Acts: CAMM DATA RESET

REMOVALS/INSTALLATIONS FOR 4SQNXU1804965

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	2018L548F MBEU100021	A23T	A1WAE 12NOV18 03:49	00 4SQNXJ1801667				
002	1806061 MBEU100618	A23T	A1WBE 12NOV18 03:50	00 4SQNXJ1801668				

4SQNXU1805072 COMPLETED 19FEB19 04:52 6890.5 AFHR SCT  
15NOV18 00:12 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 19FEB19 04:52  
15NOV18 00:12 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN XXxxXXxxXXxxXXxxXXxx  
BS due on Serial MD1904  
ACTUATOR SEAT PAN at WAC 0730 XXxxXXxxXXxxXXxxXXxx

Maint Acts: SEAT PAN ACTUATOR FITTED SERV REF SNOW 1610682 AIE MCS 07/19

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00468  
08JAN20  
23:16:15

SERIAL/TAIL NO : 039  
PART NO : AU11A-1 ~U1604  
ENGINEERING NAME : SEAT EJECT FRONT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

REMOVALS/INSTALLATIONS FOR 4SQNXU1805072

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	MD1904	A23T	AlWAC	00	MD1904	A23T	AlWAC	00
	MBEU100490		07FEB19 04:17	AlEXXJ1610671	MBEU100490		19FEB19 04:51	

4SQNXU1805073 COMPLETED 19FEB19 04:53 6890.5 AFHR SCT XXxxXXxxXXxxXXxxXXxx  
15NOV18 00:12 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 19FEB19 04:53  
15NOV18 00:12 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN XXxxXXxxXXxxXXxxXXxx  
BS due on Serial 039  
DROG LINK PIST ASSY at WAC 0730 XXxxXXxxXXxxXXxxXXxx

Maint Acts: INSITU BAY SERVICE CARRIED OUT SERV REF SNOW 1610682 AIE MCS 07/19

4SQNXU1805074 COMPLETED 19FEB19 04:54 6890.5 AFHR SCT XXxxXXxxXXxxXXxxXXxx  
15NOV18 00:12 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 19FEB19 04:54  
15NOV18 00:12 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN XXxxXXxxXXxxXXxxXXxx  
BS due on Serial MD1878  
GUN DROGUE at WAC 0730 XXxxXXxxXXxxXXxxXXxx

Maint Acts: DROGUE GUN FITTED SERV REF SNOW 1610682 AIE MCS 07/19

REMOVALS/INSTALLATIONS FOR 4SQNXU1805074

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	MD1878	A23T	AlWAC	00	MD1878	A23T	AlWAC	00
	MBEU91524		07FEB19 04:18	AlEXXJ1610674	MBEU91524		19FEB19 04:53	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00469  
08JAN20  
23:16:15

SERIAL/TAIL NO : 039 PERIOD: 01JAN90 TO 08JAN20  
PART NO : AUL1A-1 ~U1604  
ENGINEERING NAME : SEAT EJECT FRONT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

4SQNXU1805075	COMPLETED	15NOV18 00:12	6890.5	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
15NOV18 00:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			07FEB19 04:19
15NOV18 00:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial MD1878A				
		GAS FRNG UNIT DROG at WAC 0730				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	TRANSFERRED TO MD1878				

4SQNXU1805076	COMPLETED	19FEB19 04:56	6890.5	AFHR	SCT	XXxxXXxxXXxxXXxxXXxx
15NOV18 00:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			19FEB19 04:56
15NOV18 00:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial DD4449				
		HPRU at WAC 0730				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	HPRU FITTED SERV REF SNOW 1610682 AIE MCS 07/19				

REMOVALS/INSTALLATIONS FOR 4SQNXU1805076

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	DD4449	A23T	A1WAM	00	DD4449	A23T	A1WAM	00
	MBEU114626		07FEB19 04:19	A1EXXJ1610680	MBEU114626		19FEB19 04:55	

4SQNXU1805077	COMPLETED	15NOV18 00:12	6890.5	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
15NOV18 00:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			07FEB19 04:19
15NOV18 00:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial DD4449				
		GAS FRNG UNIT HPRU at WAC 0730				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	TRANSFERRED TO DD4449				

4SQNXU1805078	COMPLETED	15NOV18 00:12	6890.5	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
15NOV18 00:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			07FEB19 04:19
15NOV18 00:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial DD4449				
		HPRU BODY at WAC 0730				XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00470  
08JAN20  
23:16:15

SERIAL/TAIL NO : 039  
PART NO : AUL1A-1 ~U1604 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : SEAT EJECT FRONT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: TRANSFERRED TO DD4449

4SQNXU1805079	COMPLETED	19FEB19 04:57	6890.5	AFHR	SCT	XXxxXXxxXXxxXXxxXXxx
15NOV18 00:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			19FEB19 04:57
15NOV18 00:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial 039				
		INITIATOR MAIN GUN at WAC 0730				XXxxXXxxXXxxXXxxXXxx

Maint Acts: INSITU BAY SERVICE CARRIED OUT SERV REF SNOW 1610682 AIE MCS 07/19

4SQNXU1805080	COMPLETED	19FEB19 04:58	6890.5	AFHR	SCT	XXxxXXxxXXxxXXxxXXxx
15NOV18 00:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			19FEB19 04:58
15NOV18 00:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial MD2428				
		REL BAROSTATIC TIME at WAC 0730				XXxxXXxxXXxxXXxxXXxx

Maint Acts: BTRU FITTED SERV REF SNOW 1610682 AIE MCS 07/19

REMOVALS/INSTALLATIONS FOR 4SQNXU1805080

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	MD2428	A23T	A1WBC	00	MD2428	A23T	A1WBC	00
	MBEU90652		07FEB19 04:21	A1EXXJ1610678	MBEU90652		19FEB19 04:57	

A1EXXU1900506	COMPLETED	07FEB19 03:55	6890.5	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
07FEB19 03:55	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			07FEB19 04:22
07FEB19 03:55	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial LE0361				
		GAS FIRING UNIT GUN at WAC 0730				XXxxXXxxXXxxXXxxXXxx

N  
Maint Acts: TRANSFERRED TO LE0361



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00471  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 039 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : AUL1A-1 ~U1604  
 ENGINEERING NAME : SEAT EJECT FRONT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1EXXU1900507	COMPLETED	19FEB19 05:00	6890.5	AFHR	SCT	XXXXXXXXXXXXXXXXXXXX
07FEB19 03:55	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			19FEB19 05:00
07FEB19 03:55	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			XXXXXXXXXXXXXXXXXXXX
		BS due on Serial LE0361				
		GUN ASSY TELESCOPIC at WAC 0730				XXXXXXXXXXXXXXXXXXXX
	N					
	Maint Acts:	GUN ASSY TELESCOPIC FITTED SERV REF SNOW 1610682 AIE MCS 07/19				

REMOVALS/INSTALLATIONS FOR A1EXXU1900507

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	LE0361	A23T	A1WAI	00	LE0361	A23T	A1WAI	00
	MBEU100078		07FEB19 04:22	A1EXXJ1900664	MBEU100078		19FEB19 04:59	

A1EXXU1900668	COMPLETED	20FEB19 00:11	6890.5	AFHR	SCT	XXXXXXXXXXXXXXXXXXXX
19FEB19 05:09	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			20FEB19 00:11
19FEB19 05:10	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			XXXXXXXXXXXXXXXXXXXX
		FRONT EJECTION SEAT CARTS TO BE FITTED				
	N					XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	FRONT EJECTION SEAT CARTS FITTED SERV REF SNOW 572632-3-2-4-2-1 AIE MCS 107/18				

REMOVALS/INSTALLATIONS FOR A1EXXU1900668

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001					2518L547F	A23T	A1WAE	00
					MBEU100021		20FEB19 00:09	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 039  
 PART NO : AU11A-1 ~U1604  
 ENGINEERING NAME : SEAT EJECT FRONT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1EXXU1900669	COMPLETED	20FEB19 00:14	6890.5	AFHR	SCT	XXXXXXXXXXXXXXXXXXXX
19FEB19 05:11	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			20FEB19 00:14
19FEB19 05:12	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			XXXXXXXXXXXXXXXXXXXX
		FRONT SEAT PARA ASSY TO BE FITTED				XXXXXXXXXXXXXXXXXXXX

N  
 Maint Acts: FRONT SEAT PARA ASSY FITTED SERV REF SNOW 572632-3-2-4-2-1 AIE MCS 107/18

REMOVALS/INSTALLATIONS FOR A1EXXU1900669

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001					MB10786	A23T	A1WBA	00
					MBEU100664		20FEB19 00:12	

A1EXXU1900670	COMPLETED	20FEB19 00:16	6890.5	AFHR	SCT	XXXXXXXXXXXXXXXXXXXX
19FEB19 05:13	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			20FEB19 00:16
19FEB19 05:13	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			XXXXXXXXXXXXXXXXXXXX
		FRONT SEAT PSP TO BE FITTED				XXXXXXXXXXXXXXXXXXXX

N  
 Maint Acts: FRONT SEAT PSP FITTED SERV REF SNOW 572632-3-2-4-2-1 AIE MCS 107/18

REMOVALS/INSTALLATIONS FOR A1EXXU1900670

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001					DD0041	A23T	A1WBG	00
					STANDARDPACK-1		20FEB19 00:14	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00473  
08JAN20  
23:16:15

SERIAL/TAIL NO : 039  
PART NO : AUL1A-1 ~U1604  
ENGINEERING NAME : SEAT EJECT FRONT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

ARDUPJCA00480 C COMPLETED 21JAN02 00:00 XXxxXXxx ARDUPEA 0.0  
02 BAY SERVICE DUE

Unserviceability Details:  
Maintenance Comments:

ARDUPJCA00421 C COMPLETED 21JAN02 00:00 XXxxXXxx ARDUPEA 0.0  
03 OVERHAUL DUE

Unserviceability Details:  
Maintenance Comments:

ARDUXJY301120 C COMPLETED 24NOV03 01:19 XXxxXXxx XXxxXXxxXXxxXXxxXXxx ARDU ARDU 0.0 AFHR  
08 MOD/STI/DVI REQUIRED STI-PC9-315B due on Serial 039  
SEAT EJECTION FRONT at WAC 0730

01 NO FAULT 08 MOD/STI/DVI INCORP  
Unserviceability Details:  
Maintenance Comments: STI-PC9-315B INC

ARDUXJY301316 C COMPLETED 24NOV03 04:06 XXxxXXxx XXxxXXxxXXxxXXxxXXxx ARDU ARDU 0.0  
13 REMOVED FOR ACCESS 99 NO FAILURE FRONT EJECTION SEAT REMOVED FOR ACCESS

01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: SERV

ARDUPJ302245X C COMPLETED 11DEC03 00:29 XXxxXXxx XXxxXXxxXXxxXXxxXXxx ARDU AIE 0.0  
02 BAY SERVICE DUE BS due on Serial  
SEAT EJECTION FRONT at WAC 0730

01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00474  
08JAN20  
23:16:15

SERIAL/TAIL NO : 039  
PART NO : AUL1A-1 ~U1604  
ENGINEERING NAME : SEAT EJECT FRONT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

Maintenance Comments: BSCO

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			21JAN04
SM	BS	2.0	ELPYR			21JAN04

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

ARDUXJY412228	C COMPLETED	01NOV04 03:21	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU	ARDU	
	01NOV04 03:29					0.0	
13	REMOVED FOR ACCESS	99 NO FAILURE		TA	due on Serial H204882		
				SET CART EJECTION	at WAC 0730		
01	NO FAULT	04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		SERV			
ARDUXJY500540	C COMPLETED	16FEB05 02:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU	ARDU	
	16FEB05 02:15					0.0	
13	REMOVED FOR ACCESS	99 NO FAILURE			FRONT EJECTION SEAT REMOVED FOR ACCESS		
01	NO FAULT	04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		CHECK/TEST SERV			
ALEXJY505942	C COMPLETED	27JUL05 03:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	27JUL05 03:29					3716.9	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE			F AND R EJECTION SEATS REMOVED FOR ACCESS		
01	NO FAULT	04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		ITEM SERV			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00475  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 039  
 PART NO : AUL1A-1 ~U1604  
 ENGINEERING NAME : SEAT EJECT FRONT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

A1EXXJY505945	C COMPLETED	27JUL05 03:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	27JUL05 03:18					3716.9	AFHR
13	REMOVED FOR ACCESS			REMOVED FOR ACCESS			

01	NO FAULT	04 CHECK/TEST SERV	Unserviceability Details:				
			Maintenance Comments: ITEM SERV				

ARDUXJY600887	C COMPLETED	21MAR06 04:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU	ARDU	
	21MAR06 04:18					3798.4	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		FRONT AND REAR EJECTION SEATS DUE B/S			

01	NO FAULT	04 CHECK/TEST SERV	Unserviceability Details:				
			Maintenance Comments: CHECK/TEST SERV				

A1EXXJY401875	C COMPLETED	03APR06 03:18	XXxxXXxx	XXXXXXxxXXxxXXxxXXxx	AIE	AIE	
	20APR06 23:36					3798.4	AFHR
02	BAY SERVICE DUE			BS due on Serial 039			
				SEAT EJECTION FRONT at WAC 0730			

01	NO FAULT	06 BAY SERVICE	Unserviceability Details:				
			Maintenance Comments: BSCO				

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			19MAR06

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : 039  
PART NO : AUL1A-1 ~U1604  
ENGINEERING NAME : SEAT EJECT FRONT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

ARDUPJ302246X C COMPLETED 16JAN08 23:57 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU AIE  
29APR08 01:03 16JAN08 23:40 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU 4077.4 AFHR  
03 OVERHAUL DUE OH due on Serial 039  
SEAT EJECTION FRONT at WAC 0730  
01 NO FAULT 07 OVERHAUL  
Unserviceability Details:  
Maintenance Comments: OVERHAUL CARRIED OUT

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	6.0	ELPYR			20JAN08
SM	OH	6.0	ELPYR			20JAN08

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1EXXJY807229 C COMPLETED 30OCT08 22:49 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
30OCT08 22:50 30OCT08 22:49 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 4285.2 AFHR  
13 REMOVED FOR ACCESS 99 NO FAILURE FRONT EJECTION SEAT RFA  
01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV

A1EXXJY901186 C COMPLETED 02MAR09 04:57 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
02MAR09 05:02 02MAR09 04:57 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 4340.9 AFHR  
08 MOD/STI/DVI REQUIRED STI-PC9-0499 due on Serial 039  
SEAT EJECTION FRONT at WAC 0730  
01 NO FAULT 08 MOD/STI/DVI INCORP  
Unserviceability Details:  
Maintenance Comments: STI-PC9-0499 CARRIED OUT REFER SNOW 440933-3-5-1-2-3

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 039  
 PART NO : AUL1A-1 ~U1604  
 ENGINEERING NAME : SEAT EJECT FRONT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

A1EXXJY902046	C COMPLETED	15APR09 23:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
13 REMOVED FOR ACCESS	15APR09 23:53	15APR09 23:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	4376.8	AFHR
	99 NO FAILURE			FRONT EJECTION SEAT RFA REF WS 448674-1-2-4-2-1-2			

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

A1EXXJY904715	C COMPLETED	23JUL09 03:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
13 REMOVED FOR ACCESS	23JUL09 04:00	23JUL09 03:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	4436.0	AFHR
	99 NO FAILURE			FRONT EJECTION SEAT REMOVED FOR ACCESS REF 434698.3			

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

A1EXXJY602727	C COMPLETED	28MAR10 21:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
02 BAY SERVICE DUE	24MAY10 03:40	28MAR10 21:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	4672.6	AFHR
				BS due on Serial 039			
				SEAT EJECTION FRONT at WAC 0730			

01 NO FAULT 06 BAY SERVICE  
 Unserviceability Details:  
 Maintenance Comments: BS C/O SERV REF SNOW 602727

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			29APR10

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00478  
08JAN20  
23:16:15

SERIAL/TAIL NO : 039  
PART NO : AU11A-1 ~U1604  
ENGINEERING NAME : SEAT EJECT FRONT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1EXXJ1003150	C COMPLETED	27MAY10 01:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
13 REMOVED FOR ACCESS	27MAY10 03:04	27MAY10 01:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	4673.5	AFHR
01 NO FAULT	99 NO FAILURE			FRONT SEAT REMOVED FOR ACCESS			
	04 CHECK/TEST SERV						
	Unserviceability Details:						
	Maintenance Comments:			FRONT EJECTION SEAT REMOVED SERV REF SNOW 474685-2			
A1EXXJ1100872	C COMPLETED	21FEB11 23:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
13 REMOVED FOR ACCESS	22FEB11 00:05	21FEB11 23:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	4894.8	AFHR
01 NO FAULT	99 NO FAILURE			FRONT SEAT REMOVED FOR ACCESS			
	04 CHECK/TEST SERV						
	Unserviceability Details:						
	Maintenance Comments:			CHECK/TEST SERV			
A1EXXJ1102070	C COMPLETED	27APR11 03:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
13 REMOVED FOR ACCESS	27APR11 04:17	27APR11 03:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	4951.9	AFHR
01 NO FAULT	99 NO FAILURE			FRONT EJECTION SEAT REMOVED FOR ACCESS			
	04 CHECK/TEST SERV						
	Unserviceability Details:						
	Maintenance Comments:			FRONT SEAT REMOVED SERV REF SNOW 443798-3-2-4-2-2			
A1EXXJ1105911	C COMPLETED	03NOV11 03:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
13 REMOVED FOR ACCESS	03NOV11 03:51	03NOV11 03:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	5121.5	AFHR
01 NO FAULT	99 NO FAILURE			FRONT EJECTION SEAT REMOVED FOR ACCESS			
	04 CHECK/TEST SERV						
	Unserviceability Details:						
	Maintenance Comments:			CHECK/TEST SERV			
A1EXXJ1002923	C COMPLETED	02MAY12 03:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
02 BAY SERVICE DUE	23MAY12 04:22	02MAY12 03:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	5251.8	AFHR
01 NO FAULT	06 BAY SERVICE			BS due on Serial 039			
	Unserviceability Details:			SEAT EJECTION FRONT at WAC 0730			
	Maintenance Comments:			BS C/O SERV REF SNOW 1002923			

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00479  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 039  
 PART NO : AUL1A-1 ~U1604  
 ENGINEERING NAME : SEAT EJECT FRONT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			23MAY12

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS		UNSERVICEABILITY DETAILS			
MAINT PROCESS	UNSERVICEABILITY	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

A1EXXJ1300486	C COMPLETED	05FEB13 21:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	05FEB13 21:36	05FEB13 21:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	5548.6	AFHR
13 REMOVED FOR ACCESS	99 NO FAILURE			FRONT EJECTION SEAT REMOVED FOR ACCESS			
01 NO FAULT	04 CHECK/TEST SERV			Unserviceability Details: Maintenance Comments: CHECK/TEST SERV			
A1EXXJ1304654	C COMPLETED	09SEP13 23:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	09SEP13 23:19	09SEP13 23:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	5695.5	AFHR
13 REMOVED FOR ACCESS	99 NO FAILURE			FRONT EJECTION SEAT REMOVED FOR ACCESS			
01 NO FAULT	04 CHECK/TEST SERV			Unserviceability Details: Maintenance Comments: CHECK/TEST SERV			
A1EXXJY802830	C COMPLETED	24FEB14 22:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	09OCT14 04:12	24FEB14 22:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	5844.9	AFHR
03 OVERHAUL DUE				OH due on Serial 039 SEAT EJECTION FRONT at WAC 0730			
01 NO FAULT	07 OVERHAUL			Unserviceability Details: Maintenance Comments: OH C/O SERV REF SNOW 802830			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	6.0	ELPYR			28APR14
SM	OH	6.0	ELPYR			28APR14

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00480  
08JAN20  
23:16:15

SERIAL/TAIL NO : 039  
PART NO : AUL1A-1 ~U1604  
ENGINEERING NAME : SEAT EJECT FRONT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJ1405347	C COMPLETED	02SEP14 23:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIE	AIE	AIE	
08 MOD/STI/DVI REQUIRED		02SEP14 23:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIE		5844.9	AFHR
01 NO FAULT		08 MOD/STI/DVI INCORP		STI-PC9-0573 due on Serial 039			
		Unserviceability Details:		SEAT EJECTION FRONT at WAC 0730			
		Maintenance Comments:		STI-PC9-0573 INCORPORATED SERV REF SNOW 83/14 802830			

A1PXXJ1503551	C COMPLETED	10MAR15 00:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
13 REMOVED FOR ACCESS		10MAR15 00:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		5954.7	AFHR
01 NO FAULT		99 NO FAILURE		BOTH FRONT AND REAR EJECTION SEATS RFA.			
		04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		CHECK/TEST SERV			

A1EXXJ1602064	C COMPLETED	08MAR16 03:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIE	AIE	AIE	
13 REMOVED FOR ACCESS		08MAR16 03:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIE		6204.8	AFHR
01 NO FAULT		99 NO FAILURE		FRONT EJECTION SEAT REMOVED FOR ACCESS			
		04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		CHECK/TEST SERV			

ARDUXJ1602010	C COMPLETED	27JUL16 00:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx ARDU	ARDU	ARDU	
13 REMOVED FOR ACCESS		27JUL16 00:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx ARDU		6281.8	AFHR
01 NO FAULT		99 NO FAILURE		FRONT AND REAR EJECTION SEATS REMOVED FOR ACCESS			
		04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		CHECK/TEST SERV			

ARDUXJ1602204	C COMPLETED	18AUG16 23:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx ARDU	ARDU	ARDU	
08 MOD/STI/DVI REQUIRED		18AUG16 23:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx ARDU		6284.8	AFHR
01 NO FAULT		08 MOD/STI/DVI INCORP		STI-PC9-0629 due on Serial 039			
		Unserviceability Details:		SEAT EJECTION FRONT at WAC 0730			
		Maintenance Comments:		STI CARRIED OUT IAW ENCLOSED INSTRUCTIONS SEAT IN CORRECT			
				(Continued on next page.)			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00481  
08JAN20  
23:16:15

SERIAL/TAIL NO : 039  
PART NO : AUL1A-1 ~U1604  
ENGINEERING NAME : SEAT EJECT FRONT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			

(Continued from previous page.)  
CONFIG

A1EXXJ1202816 C COMPLETED 22SEP16 04:30 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
08NOV16 05:24 22SEP16 04:29 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 6286.7 AFHR  
02 BAY SERVICE DUE BS due on Serial 039  
SEAT EJECTION FRONT at WAC 0730  
01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: BAY SERV CO SNOW 1202816 MCS ARM 51/16

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			08OCT16
SM	BS	2.0	ELPYR			08OCT16

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			

A1EXXJ1611303 C COMPLETED 28NOV16 21:51 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
28NOV16 21:52 28NOV16 21:52 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 6286.7 AFHR  
13 REMOVED FOR ACCESS 99 NO FAILURE FRONT EJECTION SEAT REMOVED FOR ACCESS  
01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV

A1PXXJ1722948 C COMPLETED 12DEC17 04:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
12DEC17 04:55 12DEC17 04:54 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 6616.7 AFHR  
13 REMOVED FOR ACCESS 99 NO FAILURE FRONT & REAR SEATS RFA.  
01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00482  
08JAN20  
23:16:15

SERIAL/TAIL NO : 039  
PART NO : AUL1A-1 ~U1604  
ENGINEERING NAME : SEAT EJECT FRONT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

Maintenance Comments: CHECK/TEST SERV

4SQNXJ1800845 C COMPLETED 28MAY18 01:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 4SQN  
28MAY18 23:32 28MAY18 01:41 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 6720.2 AFHR  
13 REMOVED FOR ACCESS 99 NO FAILURE FRONT AND REAR EJECTION SEATS TO BE REMOVED FOR ACCESS

01 NO FAULT

04 CHECK/TEST SERV

Unserviceability Details:

Maintenance Comments: CHECK/TEST SERV

1EXXJ1610682 C COMPLETED 15NOV18 00:12 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN AIE  
19FEB19 05:22 15NOV18 00:12 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 6890.5 AFHR

02 BAY SERVICE DUE

BS due on Serial 039  
SEAT EJECTION FRONT at WAC 0730

01 NO FAULT

06 BAY SERVICE

Unserviceability Details:

Maintenance Comments: BAY SERVICE CARRIED OUT SERV REF SNOW 1610682 AIE MCS 07/19

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			08NOV18
SM	BS	2.0	ELPYR			08NOV18

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A23DSJ1900615 C COMPLETED 12SEP19 03:46 XXxxXXxx XXxxXXxxXXxxXXxxXXxx A23DISP A23DISP  
12SEP19 03:47 12SEP19 03:46 XXxxXXxx XXxxXXxxXXxxXXxxXXxx A23DISP 7145.6 AFHR  
13 REMOVED FOR ACCESS 99 NO FAILURE FRONT AND REAR EJECTION SEATS REMOVED TO SERVICE A23-033

01 NO FAULT

04 CHECK/TEST SERV

Unserviceability Details:

Maintenance Comments: CHECK/TEST SERV

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 039  
PART NO : AU11A-1 ~U1604  
ENGINEERING NAME : SEAT EJECT FRONT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS		UNSERVICEABILITY DETAILS			
MAINT PROCESS	UNSERVICEABILITY	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

1PXXJ1909127	C COMPLETED	09OCT19 02:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	09OCT19 02:42	09OCT19 02:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	7145.6	AFHR
08 MOD/STI/DVI REQUIRED				STI-PC9-0689	due on Serial 039		
				SEAT EJECTION FRONT at WAC 0730			
01 NO FAULT	08 MOD/STI/DVI INCORP						
		Unserviceability Details:					
		Maintenance Comments:		STI-PC9-0689 C/0 AS PER STI INSTRUCTION			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00484  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 039  
 PART NO : AUL1A-1 ~U1604  
 ENGINEERING NAME : SEAT EJECT FRONT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MOD NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
7291.042-101	Y	22JAN91 00:00	INC			
7291.042-102	Y	12NOV97 00:00	INC			
7291.042-104	Y	24JAN91 00:00	INC			
7291.042-109	Y	20NOV91 00:00	INC			
7291.042-113	Y	27JUL99 00:00	INC			

STI NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
STI-ESCFAC-0246	Y	25JUL90 00:00	N/A			
STI-ESCFAC-0257	Y	22JAN91 00:00	INC			
STI-ESCFAC-0260	Y	22JAN91 00:00	INC			
STI-ESCFAC-0263	Y	22JAN91 00:00	INC			
STI-ESCFAC-0266	Y	22JAN91 00:00	N/A			
STI-ESCFAC-0269	N	25JUL90 00:00	NINC			
STI-ESCFAC-0269	Y	15SEP03	N/A			
STI-ESCFAC-0280	Y	23JUL91 00:00	INC			
STI-ESCFAC-0288	Y	13JAN92 00:00	INC			
STI-ESCFAC-0289	Y	12AUG92 00:00	INC			
STI-ESCFAC-0291	Y	12AUG92 00:00	INC			
STI-ESCFAC-261A	Y	22JAN91 00:00	INC			
STI-ESCFAC-261B	Y	22JAN91 00:00	N/A			
STI-ESCFAC-265A	Y	22JAN91 00:00	INC			
STI-ESCFAC-265B	N	22JAN91 00:00	RINC			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00485  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 039  
 PART NO : AUL1A-1 ~U1604  
 ENGINEERING NAME : SEAT EJECT FRONT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

STI NUMBER	CURRENT (Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
STI-ESCFAC-265B	N	15SEP03	NINC			
STI-ESCFAC-265B	Y	15SEP03	N/A			
STI-ESCFAC-271A	Y	22JAN91 00:00	N/A			
STI-ESCFAC-271B	Y	22JAN91 00:00	INC			
STI-ESCFAC-275A	Y	22JAN91 00:00	INC			
STI-ESCFAC-279A	Y	23APR91 00:00	N/A			
STI-ESCFAC-279B	N	05MAR91 00:00	NINC			
STI-ESCFAC-279B	Y	15SEP03	N/A			
STI-ESCFAC-281A	Y	23JUL91 00:00	INC			
STI-ESCFAC-281B	N	12AUG92 00:00	RINC			
STI-ESCFAC-281B	Y	15SEP03	N/A			
STI-ESCFAC-281B	N	15SEP03	NINC			
STI-ESCFAC-282A	Y	22JAN91 00:00	INC			
STI-ESCFAC-282B	Y	05APR91 00:00	N/A			
STI-ESCFAC-283A	Y	26APR91 00:00	N/A			
STI-ESCFAC-283B	Y	07MAY91 00:00	INC			
STI-ESCFAC-285A	Y	13JUN91 00:00	INC			
STI-ESCFAC-285B	Y	13JUN91 00:00	INC			
STI-PARACHUTE-0156	Y	05NOV90 00:00	INC			
STI-PC9-0035	N	20SEP90 00:00	NINC			
STI-PC9-0035	Y	10OCT03	N/A			
STI-PC9-035A	N	01DEC92 00:00	NINC			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00486  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 039  
 PART NO : AUL1A-1  
 ENGINEERING NAME : SEAT EJECT FRONT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 ~U1604  
 PERIOD: 01JAN90 TO 08JAN20

STI NUMBER	CURRENT (Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
STI-PC9-035A	Y	10OCT03	N/A			
STI-PC9-035B	N	25JUL90 00:00	NINC			
STI-PC9-035B	Y	10OCT03	N/A			
STI-PC9-0499	N	01MAR09	NINC			
STI-PC9-0499	Y	02MAR09	INC	A1EXXJY901186	02MAR09 04:57	4340.9 AFHR
STI-PC9-0551	N	06AUG12 22:33	NINC			
STI-PC9-0551	Y	11NOV13 00:00	N/A			
STI-PC9-0573	N	27AUG14 23:02	NINC			
STI-PC9-0573	Y	02SEP14 23:26	INC	A1EXXJ1405347	02SEP14 23:26	5844.9 AFHR
STI-PC9-0625	Y	16AUG16 00:00	INC	MANUAL		NOT REC.
STI-PC9-0625	N	16AUG16 00:17	NINC			
STI-PC9-0629	N	18AUG16 22:39	NINC			
STI-PC9-0629	Y	18AUG16 23:11	INC	ARDUXJ1602204	18AUG16 23:09	6284.8 AFHR
STI-PC9-0689	N	29MAY19 06:22	NINC			
STI-PC9-0689	Y	09OCT19 02:41	INC	A1PXXJ1909127	09OCT19 02:40	7145.6 AFHR
STI-PC9-309B	N	23OCT03	NINC			
STI-PC9-309B	Y	23OCT03	N/A			
STI-PC9-315B	N	12NOV03	NINC			
STI-PC9-315B	Y	24NOV03	INC	ARDUXJY301120	24NOV03 01:19	0.0 AFHR



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00487  
08JAN20  
23:16:15

SERIAL/TAIL NO : 039  
PART NO : A11A-1 ~U1604  
ENGINEERING NAME : SEAT EJECT FRONT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MAINTENANCE POLICY HISTORY -----  
POLICY DATE/TIME           ACTIVITY TYPE   ACTIVITY CODE                    USER ID  
CHANGE DETAILS  
=====

09OCT14 04:12	SM Claimed	BS	
---------------	---------------	----	--

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00488  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 039  
 PART NO : MBEU100334 ~U1604  
 ENGINEERING NAME : MANIFOLD ASSY BAL  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 7191.9 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T CHANGE TYPE		LIFE SINCE NEW		SPAN(DYS)	FROM	TO (OPTIONAL)		TRANS REFERENCE		USER
=====		=====		=====	=====	=====		=====		=====
30AUG03	05:43	Maintenance Comment	0.0	AFHR	0.8	14Aug95	RQ54770	FF: 01-NIL		MA: 07-OH XXXXXXxx
30AUG03	05:45	Maintenance Comment	0.0	AFHR	0.8	14Aug95	039 00.	2113 2113 DAYS		03-OH DUE RR51477 XXXXXXxx
30AUG03	05:45	Maintenance Comment	0.0	AFHR	0.8	416.2	0.0 AFHR			XXXXXXxx
30AUG03	05:46	Maintenance Comment	0.0	AFHR	0.8	29Aug03	039 07.30	3416.2 AFHR	TX TO	CAMM2 XXXXXXxx
30AUG03	05:47	Maintenance Comment	0.0	AFHR	0.8	29Jun99	039 07.30	3527	1414 DAYS	UPDATED LIFE (MPMI) XXXXXXxx
30AUG03	05:47	Maintenance Comment	0.0	AFHR	0.8	21Jan02	039 00.30	4463	2350 DAYS	03-OH DUE RY20026 XXXXXXxx
30AUG03	05:47	Maintenance Comment	0.0	AFHR	0.8	2190.1	0.0 AFHR			XXXXXXxx
30AUG03	05:47	Maintenance Comment	0.0	AFHR	0.8	3129.6	0.0 AFHR			XXXXXXxx
30AUG03	05:47	Maintenance Comment	0.0	AFHR	0.8	21Jan02	ELPYR	LST OH 20JAN08	ELPYR	NXT OH XXXXXXxx
30AUG03	05:50	Maintenance Comment	0.0	AFHR	0.8	2598.0	0.0 AFHR			XXXXXXxx
30AUG03	05:51	Maintenance Comment	0.0	AFHR	0.8	1149.1	0.0 AFHR			XXXXXXxx
30AUG03	05:51	Maintenance Comment	0.0	AFHR	0.8	21Apr98	039 07.3	3093	980 DAYS	UPDATED LIFE (MPMI) XXXXXXxx
30AUG03	05:53	Maintenance Comment	0.0	AFHR	0.8	21Jan02	RX16093	FF: 01-NIL		MA: 07-OH XXXXXXxx
30AUG03	05:53	Maintenance Comment	0.0	AFHR	0.8	30Oct89	NEW - 039	MBEU100334		1450-10-00-H XXXXXXxx
19NOV03	02:16	Position Change			81.7	A23T	ALWAY	00		
			3443.0	AFHR		A23T	ALWAY	0		
16JAN08	23:40	Change Serviceability Stat			2.8	ARDUXXY	300852			XXXXXXxx
			4077.4	AFHR		US/I				
						ARDUPJ	301974X			XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00489  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 039  
 PART NO : MBEU100334 ~U1604  
 ENGINEERING NAME : MANIFOLD ASSY BAL  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS		LIFE SINCE NEW		SPAN(DYS)	FROM TO (OPTIONAL)	USER
TRANSACTION D/T	CHANGE TYPE				TRANS REFERENCE	
29APR08 00:37	Change Serviceability Stat	4077.4	AFHR	103.0	US/I S/I	XXxxXXxx
24FEB14 22:38	Change Serviceability Stat	5844.9	AFHR	10.8	S/I US/I ALEXXJY802820	XXxxXXxx
09OCT14 03:58	Change Serviceability Stat	5844.9	AFHR	226.2	US/I S/I	XXxxXXxx

MMI JOBS							
JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				
ARDUPJCA00241	C COMPLETED	21JAN02 00:00	XXxxXXxx		ARDUPEA	0.0	
03 OVERHAUL DUE	21JAN02 00:00						

Unserviceability Details:  
 Maintenance Comments:

ARDUPJ301974X	C COMPLETED	28MAR08 00:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU	AIE	
03 OVERHAUL DUE	29APR08 00:37	16JAN08 23:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU	4077.4	AFHR
01 NO FAULT		07 OVERHAUL			OH		due on Serial 039
					MANIFOLD ASSY BAL		at WAC 0730

Unserviceability Details:  
 Maintenance Comments: OH C/O

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	6.0	ELPYR			20JAN08
SM	OH	6.0	ELPYR			20JAN08

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 039  
 PART NO : MBEU100334 ~U1604  
 ENGINEERING NAME : MANIFOLD ASSY BAL  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

A1EXXJY802820	C COMPLETED	09OCT14 03:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	09OCT14 03:58	24FEB14 22:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	5844.9	AFHR
03 OVERHAUL DUE				OH	due on Serial 039		
				MANIFOLD ASSY BAL	at WAC 0730		
01 NO FAULT	07 OVERHAUL	Unserviceability Details:					
		Maintenance Comments: OH C/O SERV REF SNOW 802830					

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
=====	=====	=====	=====	=====	=====	=====
SM	OH	6.0	ELPYR			28APR14
SM	OH	6.0	ELPYR			28APR14

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00491  
08JAN20  
23:16:15

SERIAL/TAIL NO : 039  
PART NO : MBEU100334 ~U1604  
ENGINEERING NAME : MANIFOLD ASSY BAL  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

STI STATUS CHANGE -----

STI NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
=====	=====	=====	=====	=====	=====	=====
STI-ESCFAC-0286	Y	13JAN92 00:00	INC			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00492  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 039  
 PART NO : MBEU90445  
 ENGINEERING NAME : INITIATOR MAIN GUN  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

LOCATION : A23-033  
 LIFE SINCE NEW : 7191.9 AFHR

PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
30AUG03	05:31	Maintenance	Comment	0.0 AFHR	0.8	3129.6	0.0	AFHR	XXxxXXxx
30AUG03	05:32	Maintenance	Comment	0.0 AFHR	0.8	2736.2	0.0	AFHR	XXxxXXxx
30AUG03	05:32	Maintenance	Comment	0.0 AFHR	0.8	21Jan02	ELPYR	LST BS 21JAN04	ELPYR NXT BS
30AUG03	05:32	Maintenance	Comment	0.0 AFHR	0.8	29Aug03	039	07.30	3416.2 AFHR TX TO CAMM2
30AUG03	05:33	Maintenance	Comment	0.0 AFHR	0.8	29Jun99	039	07.30	3527 1414 DAYS UPDATED LIFE (MPMI)
30AUG03	05:34	Maintenance	Comment	0.0 AFHR	0.8	21Jan02	RX16093	FF: 01-NIL	XXxxXXxx MA: 07-OH
30AUG03	05:34	Maintenance	Comment	0.0 AFHR	0.8	NEXT BS1 DUE:	OLD =	8224 HABS	NEW = 12NOV99 ELPYR
30AUG03	05:38	Maintenance	Comment	0.0 AFHR	0.8	2598.0	0.0	AFHR	XXxxXXxx
30AUG03	05:38	Maintenance	Comment	0.0 AFHR	0.8	03Apr00	RV99908	FF: 01-NIL	MA: 06-BS
30AUG03	05:38	Maintenance	Comment	0.0 AFHR	0.8	21Jan02	ELPYR	LST OH 20JAN08	ELPYR NXT OH
30AUG03	05:38	Maintenance	Comment	0.0 AFHR	0.8	03Apr00	039	00.30	3806 1693 DAYS 02-BS DUE RW03568
30AUG03	05:40	Maintenance	Comment	0.0 AFHR	0.8	NEXT BS2 DUE:	OLD =	12NOV99 ELPYR	NEW =
30AUG03	05:41	Maintenance	Comment	0.0 AFHR	0.8	21Jan02	039	00.30	4463 2350 DAYS 03-OH DUE RY20024
30AUG03	05:42	Maintenance	Comment	0.0 AFHR	0.8	30Oct89	NEW - 039	MBEU90445	1450-07-00-A
18MAR04	23:38	Change	Serviceability Stat	3446.1 AFHR	120.9	S/I			XXxxXXxx
18MAR04	23:41	Change	Serviceability Stat	3446.1 AFHR	0.0	ARDUPJ302025			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00493  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 039  
 PART NO : MBEU90445  
 ENGINEERING NAME : INITIATOR MAIN GUN  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
03APR06 03:18	Change Serviceability Stat	3798.4 AFHR	17.0	S/I US/I A1EXXJY401863	XXxxXXxx
20APR06 23:29	Change Serviceability Stat	3798.4 AFHR	17.8	US/I S/I	XXxxXXxx
16JAN08 23:40	Change Serviceability Stat	4077.4 AFHR	2.8	S/I US/I ARDUPJ302026X	XXxxXXxx
29APR08 00:43	Change Serviceability Stat	4077.4 AFHR	103.0	US/I S/I	XXxxXXxx
28MAR10 21:27	Change Serviceability Stat	4672.6 AFHR	3.6	S/I US/I A1EXXJY602724	XXxxXXxx
24MAY10 03:21	Change Serviceability Stat	4672.6 AFHR	56.2	US/I S/I	XXxxXXxx
02MAY12 03:49	Change Serviceability Stat	5251.8 AFHR	0.9	S/I US/I A1EXXJ1002914	XXxxXXxx
23MAY12 04:07	Change Serviceability Stat	5251.8 AFHR	21.0	US/I S/I	XXxxXXxx
24FEB14 22:38	Change Serviceability Stat	5844.9 AFHR	10.8	S/I US/I A1EXXJY802823	XXxxXXxx
09OCT14 04:01	Change Serviceability Stat	5844.9 AFHR	226.2	US/I S/I	XXxxXXxx
22SEP16 04:29	Change Serviceability Stat	6286.7 AFHR	62.9	S/I US/I A1EXXJ1202813	XXxxXXxx
08NOV16 05:15	Change Serviceability Stat	6286.7 AFHR	47.0	US/I S/I	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00494  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 039  
 PART NO : MBEU90445 ~U1604  
 ENGINEERING NAME : INITIATOR MAIN GUN  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS		-----			
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
LIFE SINCE NEW		TRANS REFERENCE			
15NOV18 00:12	Change Serviceability Stat	6.7	S/I		
	6890.5 AFHR		US/I	A1EXXJ1610677	XXxxXXxx
19FEB19 04:22	Change Serviceability Stat	96.1	US/I		
	6890.5 AFHR		S/I		XXxxXXxx

MMI JOBS								
JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS	
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW		
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT					

ARDUPJCA00451 C COMPLETED 21JAN02 00:00 XXxxXXxx ARDUPEA 0.0  
 21JAN02 00:00  
 02 BAY SERVICE DUE

Unserviceability Details:  
 Maintenance Comments:

ARDUPJCA00449 C COMPLETED 21JAN02 00:00 XXxxXXxx ARDUPEA 0.0  
 21JAN02 00:00  
 03 OVERHAUL DUE

Unserviceability Details:  
 Maintenance Comments:

ARDUPJ302025X C COMPLETED 18MAR04 23:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE 3446.1 AFHR  
 18MAR04 23:41  
 02 BAY SERVICE DUE BS due on Serial 039  
 INITIATOR MAIN GUN at WAC 0730

01 NO FAULT 06 BAY SERVICE  
 Unserviceability Details:  
 Maintenance Comments: BS CO

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 00495  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 039 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : MBEU90445 ~U1604  
 ENGINEERING NAME : INITIATOR MAIN GUN  
 VENUE : A23DISP LOCATION : A23-033

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			21JAN04
SM	BS	2.0	ELPYR			21JAN04

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1EXXJY401863 C COMPLETED 20APR06 23:28 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
 20APR06 23:29 3798.4 AFHR  
 02 BAY SERVICE DUE BS due on Serial 039  
 INITIATOR MAIN GUN at WAC 0730  
 01 NO FAULT 06 BAY SERVICE  
 Unserviceability Details:  
 Maintenance Comments: BSCO

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			18MAR06

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

ARDUPJ302026X C COMPLETED 28MAR08 00:13 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU AIE  
 29APR08 00:43 16JAN08 23:40 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU 4077.4 AFHR  
 03 OVERHAUL DUE OH due on Serial 039  
 INITIATOR MAIN GUN at WAC 0730  
 01 NO FAULT 07 OVERHAUL  
 Unserviceability Details:  
 Maintenance Comments: OH C/O

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	6.0	ELPYR			20JAN08
SM	OH	6.0	ELPYR			20JAN08

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00496  
08JAN20  
23:16:15

SERIAL/TAIL NO : 039 PERIOD: 01JAN90 TO 08JAN20  
PART NO : MBEU90445 ~U1604  
ENGINEERING NAME : INITIATOR MAIN GUN  
VENUE : A23DISP LOCATION : A23-033

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
---------------	---------------	----------	---------------	--------------	----------------	----------

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1EXXJY602724	C COMPLETED	24MAY10 03:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	24MAY10 03:21	28MAR10 21:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	4672.6	AFHR
02 BAY SERVICE DUE				BS	due on Serial 039		
					INITIATOR MAIN GUN at WAC 0730		
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:		BS C/O SERV REF SNOW 602727			

SM	BS	2.0	ELPYR			29APR10
----	----	-----	-------	--	--	---------

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1EXXJ1002914	C COMPLETED	23MAY12 03:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	23MAY12 04:07	02MAY12 03:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	5251.8	AFHR
02 BAY SERVICE DUE				BS	due on Serial 039		
					INITIATOR MAIN GUN at WAC 0730		
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:		BS C/O SERV REF SNOW 1002923			

SM	BS	2.0	ELPYR			23MAY12
----	----	-----	-------	--	--	---------

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 039 PERIOD: 01JAN90 TO 08JAN20  
PART NO : MBEU90445 ~U1604  
ENGINEERING NAME : INITIATOR MAIN GUN  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJY802823	C COMPLETED	09OCT14 03:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
03 OVERHAUL DUE	09OCT14 04:01	24FEB14 22:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	5844.9	AFHR
01 NO FAULT	07 OVERHAUL	Unserviceability Details:		OH due on Serial 039 INITIATOR MAIN GUN at WAC 0730			
		Maintenance Comments:		OH C/O SERV REF SNOW 802830			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	6.0	ELPYR			28APR14
SM	OH	6.0	ELPYR			28APR14

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJ1202813	C COMPLETED	23SEP16 00:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
02 BAY SERVICE DUE	08NOV16 05:15	22SEP16 04:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	6286.7	AFHR
01 NO FAULT	06 BAY SERVICE	Unserviceability Details:		BS due on Serial 039 INITIATOR MAIN GUN at WAC 0730			
		Maintenance Comments:		BAY MAINT CO SNOW 1202816 MCS ARM 51/16			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			08OCT16
SM	BS	2.0	ELPYR			08OCT16

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 039  
 PART NO : MBEU90445 ~U1604  
 ENGINEERING NAME : INITIATOR MAIN GUN  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS		UNSERVICEABILITY DETAILS			
MAINT PROCESS	UNSERVICEABILITY	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

A1EXXJ1610677	C COMPLETED	07FEB19 03:55	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	AIE	
	19FEB19 04:22	15NOV18 00:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	6890.5	AFHR
02 BAY SERVICE DUE				BS	due on Serial 039		
				INITIATOR MAIN GUN	at WAC 0730		
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:		INSITU BAY SERVICE CARRIED OUT SERV REF SNOW 1610682 AIE MCS			
				07/19			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
=====	=====	=====	=====	=====	=====	=====
SM	BS	2.0	ELPYR			08NOV18
SM	BS	2.0	ELPYR			08NOV18

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00499  
08JAN20  
23:16:15

SERIAL/TAIL NO : 039  
PART NO : MBEU90445 ~U1604  
ENGINEERING NAME : INITIATOR MAIN GUN  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MAINTENANCE POLICY HISTORY -----  
POLICY DATE/TIME           ACTIVITY TYPE   ACTIVITY CODE                   USER ID  
CHANGE DETAILS  
=====

09OCT14 04:01	SM Claimed	BS	
---------------	---------------	----	--

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00500  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 039  
 PART NO : MBEU91477 ~U1604  
 ENGINEERING NAME : TROMBONE ASSY-INIT  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 7191.9 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
			LIFE SINCE NEW					
30AUG03	05:19	Maintenance Comment	0.0 AFHR	0.8	14Aug95	RQ54770	FF: 01-NIL	MA: 07-OH XXxxXXxx
30AUG03	05:25	Maintenance Comment	0.0 AFHR	0.8	21Jan02	RX16093	FF: 01-NIL	MA: 07-OH XXxxXXxx
30AUG03	05:27	Maintenance Comment	0.0 AFHR	0.8	1149.1	0.0 AFHR		XXxxXXxx
30AUG03	05:27	Maintenance Comment	0.0 AFHR	0.8	2190.1	0.0 AFHR		XXxxXXxx
30AUG03	05:30	Maintenance Comment	0.0 AFHR	0.8	21Apr98	039 07.3	3093	980 DAYS UPDATED LIFE (MPMI) XXxxXXxx
30AUG03	05:30	Maintenance Comment	0.0 AFHR	0.8	29Jun99	039 07.30	3527	1414 DAYS UPDATED LIFE (MPMI) XXxxXXxx
30AUG03	05:33	Maintenance Comment	0.0 AFHR	0.8	2598.0	0.0 AFHR		XXxxXXxx
30AUG03	05:33	Maintenance Comment	0.0 AFHR	0.8	30Oct89	NEW - 039	MBEU91477	1450-08-00-G XXxxXXxx
30AUG03	05:33	Maintenance Comment	0.0 AFHR	0.8	3129.6	0.0 AFHR		XXxxXXxx
30AUG03	05:34	Maintenance Comment	0.0 AFHR	0.8	14Aug95	039 00.	2113	2113 DAYS 03-OH DUE RR51476 XXxxXXxx
30AUG03	05:34	Maintenance Comment	0.0 AFHR	0.8	21Jan02	039 00.30	4463	2350 DAYS 03-OH DUE RY20025 XXxxXXxx
30AUG03	05:36	Maintenance Comment	0.0 AFHR	0.8	21Jan02		ELPYR LST OH 20JAN08 ELPYR NXT OH XXxxXXxx	
30AUG03	05:36	Maintenance Comment	0.0 AFHR	0.8	29Aug03	039 07.30	3416.2 AFHR	TX TO CAMM2 XXxxXXxx
19NOV03	02:23	Position Change	3443.0 AFHR	81.7	A23T	AlWBI	00	XXxxXXxx
16JAN08	23:40	Change Serviceability Stat	4077.4 AFHR	2.8	A23T	AlWBI	0	XXxxXXxx
					ARDUXXY300855			
					S/I			
					US/I			
					ARDUPJ302072X			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00501  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 039  
 PART NO : MBEU91477 ~U1604  
 ENGINEERING NAME : TROMBONE ASSY-INIT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS		LIFE SINCE NEW		SPAN(DYS)	FROM TO (OPTIONAL)	USER
TRANSACTION D/T	CHANGE TYPE				TRANS REFERENCE	
29APR08 00:50	Change Serviceability Stat	4077.4	AFHR	103.0	US/I S/I	XXxxXXxx
24FEB14 22:38	Change Serviceability Stat	5844.9	AFHR	10.8	S/I US/I ALEXJY802827	XXxxXXxx
09OCT14 04:04	Change Serviceability Stat	5844.9	AFHR	226.2	US/I S/I	XXxxXXxx

MMI JOBS							
JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				
ARDUPJCA00410	C COMPLETED	21JAN02 00:00	XXxxXXxx		ARDUPEA	0.0	
03 OVERHAUL DUE	21JAN02 00:00						

Unserviceability Details:  
 Maintenance Comments:

ARDUPJ302072X	C COMPLETED	28MAR08 00:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU	AIE	
03 OVERHAUL DUE	29APR08 00:50	16JAN08 23:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU	4077.4	AFHR
01 NO FAULT		07 OVERHAUL					
				OH	due on Serial 039		
				TROMBONE ASSY-INIT	at WAC 0730		

Unserviceability Details:  
 Maintenance Comments: OH C/O

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	6.0	ELPYR			20JAN08
SM	OH	6.0	ELPYR			20JAN08

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 039  
 PART NO : MBEU91477 ~U1604  
 ENGINEERING NAME : TROMBONE ASSY-INIT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

A1EXXJY802827	C COMPLETED	09OCT14 03:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	09OCT14 04:04	24FEB14 22:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	5844.9	AFHR
03 OVERHAUL DUE				OH	due on Serial 039		
				TROMBONE ASSY-INIT	at WAC 0730		
01 NO FAULT	07 OVERHAUL	Unserviceability Details:					
		Maintenance Comments: OH C/O SERV REF SNOW 802830					

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
=====	=====	=====	=====	=====	=====	=====
SM	OH	6.0	ELPYR			28APR14
SM	OH	6.0	ELPYR			28APR14



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00503  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 039  
 PART NO : MBEU91479 ~U1604  
 ENGINEERING NAME : TROMBONE ASSY-MOR  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 7191.9 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
30AUG03 05:43	Maintenance Comment	0.0 AFHR	0.8	NEXT OH2 DUE: OLD = 12AUG01 ELPYR NEW = CAMM LOG00003	XXXXXXxx
30AUG03 05:43	Maintenance Comment	0.0 AFHR	0.8	3129.6 0.0 AFHR CAMM LOG00007	XXXXXXxx
30AUG03 05:44	Maintenance Comment	0.0 AFHR	0.8	29Aug03 039 07.30 3416.2 AFHR TX TO CAMM2	XXXXXXxx
30AUG03 05:45	Maintenance Comment	0.0 AFHR	0.8	NEXT OH1 DUE: OLD = 8224 HAOH NEW = 12AUG01 ELPYR	XXXXXXxx
30AUG03 05:49	Maintenance Comment	0.0 AFHR	0.8	29Jun99 039 07.30 3527 1414 DAYS UPDATED LIFE (MPMI)	XXXXXXxx
30AUG03 05:49	Maintenance Comment	0.0 AFHR	0.8	2598.0 0.0 AFHR CAMM LOG00005	XXXXXXxx
30AUG03 05:51	Maintenance Comment	0.0 AFHR	0.8	30Oct89 NEW - 039 MBEU91479 1450-04-00-E	XXXXXXxx
30AUG03 05:51	Maintenance Comment	0.0 AFHR	0.8	21Jan02 RX16093 FF: 01-NIL MA: 07-OH	XXXXXXxx
30AUG03 05:52	Maintenance Comment	0.0 AFHR	0.8	21Jan02 039 00.30 4463 2350 DAYS 03-OH DUE RY20020	XXXXXXxx
30AUG03 05:53	Maintenance Comment	0.0 AFHR	0.8	21Jan02 ELPYR LST OH 20JAN08 ELPYR NXT OH	XXXXXXxx
30AUG03 05:59	Maintenance Comment	0.0 AFHR	0.8	2190.1 0.0 AFHR CAMM LOG00001	XXXXXXxx
19NOV03 02:20	Position Change		81.7	A23T A1WBK 00 A23T A1WBK 0	
16JAN08 23:40	Change Serviceability Stat	3443.0 AFHR	2.8	ARDUXXY300854 S/I	XXXXXXxx
29APR08 00:34	Change Serviceability Stat	4077.4 AFHR	103.0	ARDUPJ301961X US/I	XXXXXXxx
24FEB14 22:38	Change Serviceability Stat	4077.4 AFHR	10.8	S/I	XXXXXXxx
		5844.9 AFHR		US/I A1EXXJY802819	XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00504  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 039 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : MBEU91479 ~U1604  
 ENGINEERING NAME : TROMBONE ASSY-MOR  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
09OCT14 03:57	Change Serviceability Stat	226.2	US/I S/I	XXxxXXxx
	5844.9 AFHR			

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
ARDUPJCA00426	C COMPLETED	21JAN02 00:00	XXxxXXxx		ARDUPEA		0.0
03 OVERHAUL DUE							

Unserviceability Details:  
 Maintenance Comments:

ARDUPJ301961X	C COMPLETED	28MAR08 00:11	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx FACDU	AIE		
03 OVERHAUL DUE	29APR08 00:34	16JAN08 23:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx FACDU	4077.4	AFHR	
01 NO FAULT		07 OVERHAUL		OH TROMBONE ASSY-MOR			due on Serial 039 at WAC 0730

Unserviceability Details:  
 Maintenance Comments: OH C/O

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	6.0	ELPYR			20JAN08
SM	OH	6.0	ELPYR			20JAN08

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 039  
 PART NO : MBEU91479 ~U1604  
 ENGINEERING NAME : TROMBONE ASSY-MOR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

A1EXXJY802819	C COMPLETED	09OCT14 03:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
03 OVERHAUL DUE	09OCT14 03:57	24FEB14 22:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	5844.9	AFHR
01 NO FAULT	07 OVERHAUL	Unserviceability Details:		OH due on Serial 039			
		Maintenance Comments:		TROMBONE ASSY-MOR at WAC 0730			
		OH C/O SERV REF SNOW 802830					

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
=====	=====	=====	=====	=====	=====	=====
SM	OH	6.0	ELPYR			28APR14
SM	OH	6.0	ELPYR			28APR14

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00506  
08JAN20  
23:16:15

SERIAL/TAIL NO : 0398  
PART NO : 3-1555 ~03481  
ENGINEERING NAME : HUB ASSY MAIN  
VENUE : A23DISP  
CURRENT CONDITION : S/I  
LOCATION : A23-033  
LIFE SINCE NEW : 657.0 AFHR  
PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS	ENTERED AT RECEPTION	DATE UNPACKED		
19FEB14 02:43	0398	3-1555	~03481 A23T	A2KDM	01
aip01694	AIP	STORES		A1PXXR1400273	
M. COX		01DEC11	19FEB14		
	0.0 AFHR	0.0 LDG			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00507  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0398  
 PART NO : 3-1555  
 ENGINEERING NAME : HUB ASSY MAIN  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~03481

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
19FEB14 02:43	Reception History Record	0.0	Reception STORES	
	0.0 AFHR			XXxxXXxx
19FEB14 05:48	Change Location of an Asse	0.2	STORES HYD	
	0.0 AFHR		A1PXXX1401578	XXxxXXxx
19FEB14 05:48	Change Serviceability Stat	0.2	SERV U/S	
	0.0 AFHR		A1PXXU1402007	XXxxXXxx
	Estimated Date/Time Servic	735648.7	SERV STAT	
19FEB14 05:48	Change Serviceability Stat	0.0	SERV STAT U/S	
	0.0 AFHR			XXxxXXxx
20FEB14 01:07	Change Location of an Asse	0.8	HYD STORES	
	0.0 AFHR		A1PXXX1401649	XXxxXXxx
25MAR14 13:12	Asset Installation	845.5	A23T A2KDM	
	0.0 AFHR		039 A23-006 01	A23T A2KDM 01AC
	Change Serviceability Stat	34.3	SERV S/I	XXxxXXxx
	Change Location of an Asse	33.5	STORES A23-006	
05NOV14 06:45	Asset Removal	224.7	039 A23T A2KDM	
	99.3 AFHR		039 01	A23T A2KDM 01M
	Change Serviceability Stat	180.0	S/I U/S	XXxxXXxx
	Change Location of an Asse	154.0	HG122 STORES	
05NOV14 06:46	Change Serviceability Stat	0.0	U/S SERV	
	99.3 AFHR			XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00508  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0398  
 PART NO : 3-1555  
 ENGINEERING NAME : HUB ASSY MAIN  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~03481

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
				TRANS REFERENCE		
LIFE SINCE NEW						
10NOV14	07:07	Asset Installation	5.0	A23T 027	A2KDM A23-033	01 A23T A2KEI 01AC XXxxXXxx
		99.3 AFHR Change Serviceability Stat	5.0	SERV S/I		
		Change Location of an Asse	5.0	STORES A23-033		
18MAY15	00:17	Asset Removal	188.7	027 A23T	A23-033 A2KEI	01 A23T A2KEI 01A XXxxXXxx
		231.8 AFHR Change Serviceability Stat	52.6	S/I U/S		
		Change Location of an Asse	3.8	A23-033 INTMH		
18MAY15	05:27	Change Location of an Asse	0.2	INTMH HYD		
		231.8 AFHR Change Serviceability Stat	0.2	A1PXXX1504232 U/S		XXxxXXxx
		231.8 AFHR Change Location of an Asse	8.9	SERV HYD		XXxxXXxx
27MAY15	05:01	Change Location of an Asse	8.9	STORES A1PXXX1504611		XXxxXXxx
11JUN15	23:55	Asset Installation	24.9	A23T 099	A2KEI A23-016	01 A23T A2KEI 01AC XXxxXXxx
		231.8 AFHR Change Serviceability Stat	24.7	SERV S/I		
		Change Location of an Asse	15.7	STORES A23-016		

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00509  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0398  
 PART NO : 3-1555  
 ENGINEERING NAME : HUB ASSY MAIN  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~03481

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
12SEP15 23:59	Asset Removal	93.0	099 A23T A2KEI A23-016 01	A23T A2KEI 01A
	332.1 AFHR Change Serviceability Stat	2.9	S/I U/S	XXXXXXxx
	Change Location of an Asse	93.0	A23-016 INTMH	
13SEP15 00:00	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
13SEP15 03:09	Asset Installation	0.1	A23T A2KEI A23-016 01	A23T A2KEI 01AC
	332.1 AFHR Change Serviceability Stat	0.1	SERV S/I	XXXXXXxx
	Change Location of an Asse	0.1	INTMH A23-016	
09MAY17 06:05	Asset Removal	604.1	099 A23T A2KEI 099 01	A23T A2KEI 01M
	434.9 AFHR Change Serviceability Stat	544.9	S/I U/S	XXXXXXxx
09MAY17 06:06	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
29MAY18 03:17	Change Serviceability Stat	384.8	SERV U/S	XXXXXXxx
30MAY18 00:18	Change Location of an Asse	475.8	HG122 HYD	XXXXXXxx
04JUN18 22:54	Change Serviceability Stat	6.8	A1PXXX1805213 U/S SERV	XXXXXXxx
	434.9 AFHR			XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00510  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0398  
 PART NO : 3-1555  
 ENGINEERING NAME : HUB ASSY MAIN  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~03481

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
04JUN18 22:55	Change Location of an Asse		5.9	HYD STORES	
06JUN18 11:24	Asset Installation	434.9 AFHR	393.2	A1PXXX1805347 A23T A2KEI	XXxxXXxx
	Change Serviceability Stat	434.9 AFHR	1.5	A23-048 113	A23T A2KEI 01AC
	Change Location of an Asse		1.5	SERV S/I	
18JUN18 07:37	Asset Removal		11.8	STORES A23-048	
	Change Serviceability Stat	443.0 AFHR	7.0	113 A23T A2KEI	01A XXxxXXxx
	Change Location of an Asse		11.8	SERV U/S	
18JUN18 07:37	Change Serviceability Stat		0.0	A23-048 HG122	
13JUL18 03:35	Asset Installation	443.0 AFHR	24.8	U/S SERV	XXxxXXxx
	Change Serviceability Stat	443.0 AFHR	24.8	A23T A2KEI	A23T A2KEI 01AC
	Change Location of an Asse		24.8	SERV S/I	
07NOV18 23:26	Asset Removal		117.8	HG122 A23-048	
	Change Serviceability Stat	536.5 AFHR	0.6	113 A23T A2KEI	01A XXxxXXxx
	Change Location of an Asse		117.8	SERV U/S	
				A23-048 OPMH	



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00511  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0398  
 PART NO : 3-1555  
 ENGINEERING NAME : HUB ASSY MAIN  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~03481

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
07NOV18 23:27	Change Serviceability Stat	0.0	U/S SERV	
	536.5 AFHR			XXXXXXxx
07NOV18 23:29	Asset Installation	0.0	A23T 113 A2KEI A23-048	A23T A2KEI 01AC
	536.5 AFHR			XXXXXXxx
	Change Serviceability Stat	0.0	SERV S/I OPMH A23-048	
	Change Location of an Asse	0.0		
26NOV18 02:40	Asset Removal	18.1	113 A23T A2KEI A23-048	A23T A2KEI 01A
	589.2 AFHR			XXXXXXxx
	Change Serviceability Stat	2.8	S/I U/S A23-048	
	Change Location of an Asse	18.1		
06DEC18 00:31	Change Serviceability Stat	9.9	HYD U/S SERV	
	589.2 AFHR			XXXXXXxx
06DEC18 00:35	Change Location of an Asse	9.9	HYD STORES A1PXXX1812242	
	589.2 AFHR			XXXXXXxx
04SEP19 11:36	Asset Installation	282.3	A23T 027 A2KEI A23-033	A23T A2KDM 01AC
	589.2 AFHR			XXXXXXxx
	Change Serviceability Stat	272.4	SERV S/I STORES A23-033	
	Change Location of an Asse	272.4		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 0398  
 PART NO : 3-1555  
 ENGINEERING NAME : HUB ASSY MAIN  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~03481

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1402007	COMPLETED	20FEB14 01:06	0.0	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
19FEB14 05:48	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
19FEB14 05:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		NEW TYRE TO BE FITTED - BRAND NEW HUB				20FEB14 01:06
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: NEW TYRE FITTED IAW AAP 7294.133-3M REF HYD

REMOVALS/INSTALLATIONS FOR A1PXXU1402007

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001					0174S00427	A23T	A2KDM00	01
					025-338-0		20FEB14 01:06	

A1PXXU1505194	COMPLETED	27MAY15 04:51	231.8	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
18MAY15 05:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
18MAY15 05:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		TA due on Serial 0174S00427				27MAY15 04:51
		TYRE MAIN WHEEL at WAC 1050				XXxxXXxxXXxxXXxxXXxx

Maint Acts: NEW TYRE FITTED IAW AAP 7294.133-3M REF HYD 13031/15

REMOVALS/INSTALLATIONS FOR A1PXXU1505194

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0174S00427	A23T	A2KEI00	01	4239S00180	A23T	A2KEI00	01
	025-338-0		18MAY15 05:38	A1PXXJ1402591	025-338-0		27MAY15 04:50	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 0398  
 PART NO : 3-1555  
 ENGINEERING NAME : HUB ASSY MAIN  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~03481

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME

EE500PG	EE500LN	BL	ADMIN	MAINT ACTION/LIMITATIONS	INSPECTOR	DATE/TIME
A1PXXU1806683	COMPLETED	04JUN18	22:52	434.9	AFHR	SCT
30MAY18	00:28	XXxxXXxx	XXxxXXxx	XXxxXXxx	AIP	04JUN18 22:52
30MAY18	00:28	XXxxXXxx	XXxxXXxx	XXxxXXxx	AIP	XXxxXXxx
				TA due on Serial 4239S00180		
				TYRE MAIN WHEEL at WAC 1050	XXxxXXxx	

Maint Acts: NEW TYRE FITTED IAW AAP 7294.133-3M REF HYD 17224/18

REMOVALS/INSTALLATIONS FOR A1PXXU1806683

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	4239S00180	A23T	A2KEI00	01	7126S00205	A23T	A2KEI00	01
	025-338-0		30MAY18 00:30	A1PXXJ1508016	025-338-0		04JUN18 22:51	

A1PXXU1814777	COMPLETED	06DEC18	00:30	589.2	AFHR	SCT
26NOV18	22:49	XXxxXXxx	XXxxXXxx	XXxxXXxx	AIP	06DEC18 00:30
26NOV18	22:49	XXxxXXxx	XXxxXXxx	XXxxXXxx	AIP	XXxxXXxx
				TA due on Serial 7126S00205		
				TYRE MAIN WHEEL at WAC 1050	XXxxXXxx	

N  
 Maint Acts: NEW TYRE FITTED IAW AAP 7294.133-3M REF HYD 17992/18

REMOVALS/INSTALLATIONS FOR A1PXXU1814777

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	7126S00205	A23T	A2KEI00	01	7124S00193	A23T	A2KEI00	01
	025-338-0		26NOV18 22:50	A1PXXJ1808369	025-338-0		06DEC18 00:29	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00514  
08JAN20  
23:16:15

SERIAL/TAIL NO : 0398  
PART NO : 3-1555 -03481  
ENGINEERING NAME : HUB ASSY MAIN  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJ1419335	C COMPLETED	05NOV14 06:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	05NOV14 06:46	05NOV14 06:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		99.3	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		LH MLG HUB ASSY TO BE TRANSFERRED TO SERV STOCK, LH BRAKE ASSY CANNABILISED TO SERVICE A23-003			
01	NO FAULT	04 CHECK/TEST SERV		REF AIP MCS 236/14 59/2			

Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV

A1PXXJ1402570	C COMPLETED	18MAY15 05:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	27MAY15 04:50	18MAY15 05:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		231.8	AFHR
02	BAY SERVICE DUE			BS1 due on Serial 0398			
				HUB ASSY MAIN RH at WAC 1050			
01	NO FAULT	06 BAY SERVICE					

Unserviceability Details:  
Maintenance Comments: 1ST BS1 T/C 1 C/O IAW AAP 7294.133-3M REF HYD 13031/15

A1PXXJ1514178	C COMPLETED	12SEP15 23:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	13SEP15 00:00	12SEP15 23:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		332.1	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		LH AND RH MLG HUB ASSYS RFA FOR RIGGING			
01	NO FAULT	04 CHECK/TEST SERV					

Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV

A1PXXJ1709245	C COMPLETED	09MAY17 06:05	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	09MAY17 06:06	09MAY17 06:05	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		434.9	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		L/H AND R/H MLG HUB ASSY RFA.			
01	NO FAULT	04 CHECK/TEST SERV					

Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV

A1PXXJ1508181	C COMPLETED	30MAY18 00:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	04JUN18 22:54	30MAY18 00:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		434.9	AFHR
02	BAY SERVICE DUE			BS1 due on Serial 0398			
				HUB ASSY MAIN RH at WAC 1050			
01	NO FAULT	06 BAY SERVICE					

Unserviceability Details:  
Maintenance Comments: 2ND BS1 TC 2 C/O IAW AAP 7294.133-3M REF HYD 17224/18

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00515  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0398  
 PART NO : 3-1555 ~03481  
 ENGINEERING NAME : HUB ASSY MAIN  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJ1809807	C COMPLETED	18JUN18 07:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	18JUN18 07:37	18JUN18 07:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	443.0	AFHR
01 NO FAULT		99 NO FAILURE		R2 PC-9	due on Serial A23-048 at WAC 0000		
		04 CHECK/TEST SERV		Unserviceability Details: Maintenance Comments:	CHECK/TEST SERV		
A1PXXJ1819050	C COMPLETED	07NOV18 23:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	07NOV18 23:27	07NOV18 23:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	536.5	AFHR
01 NO FAULT		99 NO FAILURE		R/H BRAKE ASSY WORN TO LIMITS			
		04 CHECK/TEST SERV		Unserviceability Details: Maintenance Comments:	CHECK/TEST SERV		
A1PXXJ1809021	C COMPLETED	26NOV18 22:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
02 BAY SERVICE DUE	06DEC18 00:31	26NOV18 22:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	589.2	AFHR
01 NO FAULT		06 BAY SERVICE		BS1 HUB ASSY MAIN RH	due on Serial 0398 at WAC 1050		
		Unserviceability Details: Maintenance Comments:		3RD BS1 T/C 3 C/O IAW AAP 7294.133-3M REF HYD 17922/18			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00516  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 040  
 PART NO : \$0438 ~\$A23T  
 ENGINEERING NAME : DROG LINK PIST ASSY  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 7193.3 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
30AUG03	05:49	Maintenance	Comment	0.0 AFHR	0.8	NEXT BS2 DUE:	OLD = 12NOV99	ELPYR NEW =	XXxxXXxx
30AUG03	05:49	Maintenance	Comment	0.0 AFHR	0.8	21Jan02 RX16094	FF: 01-NIL	MA: 07-OH	XXxxXXxx
30AUG03	05:50	Maintenance	Comment	0.0 AFHR	0.8	13Nov89 NEW - 040	\$0438	1451-14-00-C	XXxxXXxx
30AUG03	05:50	Maintenance	Comment	0.0 AFHR	0.8	21Jan02	ELPYR LST BS 21JAN04	ELPYR NXT BS	XXxxXXxx
30AUG03	05:50	Maintenance	Comment	0.0 AFHR	0.8	3130.9 0.0 AFHR			XXxxXXxx
30AUG03	05:51	Maintenance	Comment	0.0 AFHR	0.8	NEXT BS1 DUE:	OLD = 8224 HABS	NEW = 12NOV99	ELPYR
30AUG03	05:52	Maintenance	Comment	0.0 AFHR	0.8	2737.5 0.0 AFHR			XXxxXXxx
30AUG03	05:56	Maintenance	Comment	0.0 AFHR	0.8	2599.3 0.0 AFHR			XXxxXXxx
30AUG03	05:56	Maintenance	Comment	0.0 AFHR	0.8	21Jan02	ELPYR LST OH 20JAN08	ELPYR NXT OH	XXxxXXxx
30AUG03	05:56	Maintenance	Comment	0.0 AFHR	0.8	29Aug03 040	07.40 3417.5 AFHR	TX TO CAMM2	XXxxXXxx
30AUG03	05:57	Maintenance	Comment	0.0 AFHR	0.8	03Apr00 RV99907	FF: 01-NIL		MA: 06-BS
30AUG03	05:59	Maintenance	Comment	0.0 AFHR	0.8	01Jul99 040	07.40 3515	1416 DAYS	UPDATED LIFE (MPMI)
30AUG03	05:59	Maintenance	Comment	0.0 AFHR	0.8	03Apr00 040	00.40 3792	1693 DAYS	02-BS DUE RW03580
30AUG03	05:59	Maintenance	Comment	0.0 AFHR	0.8	21Jan02 040	00.40 4449	2350 DAYS	03-OH DUE RY20042
12NOV03	22:35	Position	Change	3442.1 AFHR	75.5	A23T A26AG	00		XXxxXXxx
11DEC03	00:32	Change	Serviceability Stat	3447.5 AFHR	21.9	A23T A26AG	0		XXxxXXxx
						ARDUXXY300820			XXxxXXxx
						S/I			
						US/I			
						ARDUPJ301920			XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00517  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 040  
 PART NO : \$0438  
 ENGINEERING NAME : DROG LINK PIST ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~\$A23T

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
18MAR04	22:47	Change Serviceability Stat	98.9	US/I		
		3447.5 AFHR		S/I		XXxxXXxx
03APR06	03:19	Change Serviceability Stat	17.0	S/I		
		3799.8 AFHR		US/I	A1EXXJY401858	XXxxXXxx
21APR06	00:22	Change Serviceability Stat	17.8	US/I		
		3799.8 AFHR		S/I		XXxxXXxx
17JAN08	00:00	Change Serviceability Stat	2.8	S/I		
		4078.8 AFHR		US/I	ARDUPJ301919X	XXxxXXxx
29APR08	02:00	Change Serviceability Stat	103.0	US/I		
		4078.8 AFHR		S/I		XXxxXXxx
28MAR10	21:27	Change Serviceability Stat	3.6	S/I		
		4674.0 AFHR		US/I	A1EXXJY602734	XXxxXXxx
24MAY10	03:56	Change Serviceability Stat	56.2	US/I		
		4674.0 AFHR		S/I		XXxxXXxx
02MAY12	03:49	Change Serviceability Stat	0.9	S/I		
		5253.2 AFHR		US/I	A1EXXJ1002931	XXxxXXxx
23MAY12	05:02	Change Serviceability Stat	21.0	US/I		
		5253.2 AFHR		S/I		XXxxXXxx
24FEB14	22:38	Change Serviceability Stat	10.8	S/I		
		5846.3 AFHR		US/I	A1EXXJY802848	XXxxXXxx
09OCT14	04:46	Change Serviceability Stat	226.2	US/I		
		5846.3 AFHR		S/I		XXxxXXxx
22SEP16	04:29	Change Serviceability Stat	62.9	S/I		
		6288.1 AFHR		US/I	A1EXXJ1202826	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00518  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 040  
 PART NO : \$0438 ~\$A23T PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : DROG LINK PIST ASSY  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
08NOV16 00:33	Change Serviceability Stat	6288.1 AFHR	46.8	US/I S/I	XXxxXXxx
15NOV18 00:17	Change Serviceability Stat	6891.9 AFHR	6.7	S/I US/I ALEXJ1610658	XXxxXXxx
19FEB19 00:44	Change Serviceability Stat	6891.9 AFHR	96.0	US/I S/I	XXxxXXxx

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

ARDUPJCA00456 C COMPLETED 21JAN02 00:00 XXxxXXxx ARDUPEA 0.0  
 02 BAY SERVICE DUE

Unserviceability Details:  
 Maintenance Comments:

ARDUPJCA00424 C COMPLETED 21JAN02 00:00 XXxxXXxx ARDUPEA 0.0  
 03 OVERHAUL DUE

Unserviceability Details:  
 Maintenance Comments:

ARDUPJ301920X C COMPLETED 18MAR04 22:46 XXxxXXxx XXxxXXxxXXxxXXxxXXxx ARDU AIE 3447.5 AFHR  
 02 BAY SERVICE DUE BS due on Serial 040 DROG LINK PIST ASSY at WAC 0740

01 NO FAULT 06 BAY SERVICE  
 Unserviceability Details:  
 Maintenance Comments: BS CO



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 040  
 PART NO : \$0438 ~\$A23T PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : DROG LINK PIST ASSY  
 VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			21JAN04
SM	BS	2.0	ELPYR			21JAN04

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1EXXJY401858 C COMPLETED 21APR06 00:21 XXxxXXxx XXXXX  
 21APR06 00:22 AIE 3799.8 AFHR  
 02 BAY SERVICE DUE BS due on Serial 040  
 DROG LINK PIST ASSY at WAC 0740

01 NO FAULT 06 BAY SERVICE  
 Unserviceability Details:  
 Maintenance Comments: BSCO

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			18MAR06

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00520  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 040  
 PART NO : \$0438 ~\$A23T PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : DROG LINK PIST ASSY  
 VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

ARDUPJ301919X C COMPLETED 27MAR08 23:38 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU AIE  
 29APR08 02:00 17JAN08 00:00 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU 4078.8 AFHR  
 03 OVERHAUL DUE OH due on Serial 040  
 DROG LINK PIST ASSY at WAC 0740  
 01 NO FAULT 07 OVERHAUL  
 Unserviceability Details:  
 Maintenance Comments: OH C/O

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	6.0	ELPYR			20JAN08
SM	OH	6.0	ELPYR			20JAN08

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJY602734 C COMPLETED 24MAY10 03:44 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
 24MAY10 03:56 28MAR10 21:27 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 4674.0 AFHR  
 02 BAY SERVICE DUE BS due on Serial 040  
 DROG LINK PIST ASSY at WAC 0740  
 01 NO FAULT 06 BAY SERVICE  
 Unserviceability Details:  
 Maintenance Comments: BS C/O SERV REF SNOW 602739

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			29APR10

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00521  
08JAN20  
23:16:15

SERIAL/TAIL NO : 040  
PART NO : \$0438 ~\$A23T PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : DROG LINK PIST ASSY  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1EXXJ1002931 C COMPLETED 23MAY12 04:45 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
23MAY12 05:02 02MAY12 03:49 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 5253.2 AFHR  
02 BAY SERVICE DUE BS due on Serial 040  
DROG LINK PIST ASSY at WAC 0740  
01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: BS C/O SERV REF SNOW 1002936

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			23MAY12

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1EXXJY802848 C COMPLETED 09OCT14 04:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
09OCT14 04:46 24FEB14 22:38 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 5846.3 AFHR  
03 OVERHAUL DUE OH due on Serial 040  
DROG LINK PIST ASSY at WAC 0740  
01 NO FAULT 07 OVERHAUL  
Unserviceability Details:  
Maintenance Comments: OH C/O SERV REF SNOW 802851

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	6.0	ELPYR			28APR14
SM	OH	6.0	ELPYR			28APR14

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00522  
08JAN20  
23:16:15

SERIAL/TAIL NO : 040  
PART NO : \$0438 ~\$A23T PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : DROG LINK PIST ASSY  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJ1202826	C COMPLETED	23SEP16 00:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	08NOV16 00:33	22SEP16 04:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	6288.1	AFHR
02 BAY SERVICE DUE				BS	due on Serial 040		
					DROG LINK PIST ASSY at WAC 0740		
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:			BS C/O SERV REF SNOW 1202831 MCS ARM 52/16		

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			08OCT16
SM	BS	2.0	ELPYR			08OCT16

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJ1610658	C COMPLETED	07FEB19 03:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	AIE	
	19FEB19 00:44	15NOV18 00:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	6891.9	AFHR
02 BAY SERVICE DUE				BS	due on Serial 040		
					DROG LINK PIST ASSY at WAC 0740		
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:			INSITU BAY SERVICE CARRIED OUT SERV REF SNOW 1610669 AIE MCS		
					08/19		

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			08NOV18
SM	BS	2.0	ELPYR			08NOV18

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00523  
08JAN20  
23:16:15

SERIAL/TAIL NO : 040  
PART NO : \$0438  
ENGINEERING NAME : DROG LINK PIST ASSY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20  
~\$A23T

MAINTENANCE POLICY HISTORY			
POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	USER ID
09OCT14 04:46	SM Claimed	BS	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00524  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 040  
 PART NO : AUL1A-2  
 ENGINEERING NAME : SEAT EJECT REAR  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

~U1604

PERIOD: 01JAN90 TO 08JAN20

LOCATION : A23-033  
 LIFE SINCE NEW : 7193.3 AFHR

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
30AUG03	04:28	Maintenance	Comment	0.0 AFHR	0.8	09Nov99	A23-063	07.40 3646	1547 DAYS 02-BS DUE RV99907 Camm LOG00003 XXXXXXxx
30AUG03	04:28	Maintenance	Comment	0.0 AFHR	0.8	2737.5	0.0 AFHR		XXXXXXxx
30AUG03	04:28	Maintenance	Comment	0.0 AFHR	0.8	31Jan02	A23-007	07.40 4459	10 DAYS IN AS A23T 1451-00-00-G Camm LOG00016 XXXXXXxx
30AUG03	04:28	Maintenance	Comment	0.0 AFHR	0.8	04Oct00	A23-046	07.40 3976	1877 DAYS IN AS A23T 1451-00-00-G Camm LOG00011 XXXXXXxx
30AUG03	04:28	Maintenance	Comment	0.0 AFHR	0.8	3130.9	0.0 AFHR		XXXXXXxx
30AUG03	04:29	Maintenance	Comment	0.0 AFHR	0.8	2905.9	0.0 AFHR		XXXXXXxx
30AUG03	04:30	Maintenance	Comment	0.0 AFHR	0.8	21Jan02		ELPYR LST OH 20JAN08	ELPYR NXT OH Camm LOG00024 XXXXXXxx
30AUG03	04:31	Maintenance	Comment	0.0 AFHR	0.8	04Oct00	A23-046	07.40 3976	1877 DAYS 13-REMACCES RW08180 Camm LOG00008 XXXXXXxx
30AUG03	04:31	Maintenance	Comment	0.0 AFHR	0.8	04Apr00	A23-046	07.40 3793	1694 DAYS IN AS A23T 1451-00-00-G Camm LOG00006 XXXXXXxx
30AUG03	04:31	Maintenance	Comment	0.0 AFHR	0.8	07Aug01	A23-046	07.40 4282	2183 DAYS 03-OH DUE RX16094 Camm LOG00013 XXXXXXxx
30AUG03	04:34	Maintenance	Comment	0.0 AFHR	0.8	04Oct00	AIEAR		FF: 01-NIL MA: 04-CHK/TST Camm LOG00010 XXXXXXxx
30AUG03	04:34	Maintenance	Comment	0.0 AFHR	0.8	04Nov02	ARDARH		FF: 01-NIL MA: 04-CHK/TST Camm LOG00020 XXXXXXxx
30AUG03	04:34	Maintenance	Comment	0.0 AFHR	0.8	04Nov02	A23-007	07.40 4736	287 DAYS IN AS A23T 1451-00-00-G Camm LOG00021 XXXXXXxx
30AUG03	04:35	Maintenance	Comment	0.0 AFHR	0.8	3280.7	0.0 AFHR		XXXXXXxx
30AUG03	04:35	Maintenance	Comment	0.0 AFHR	0.8	2599.3	0.0 AFHR		XXXXXXxx
30AUG03	04:35	Maintenance	Comment	0.0 AFHR	0.8	21Jan02		ELPYR LST BS 21JAN04	ELPYR NXT BS Camm LOG00025 XXXXXXxx
30AUG03	04:37	Maintenance	Comment	0.0 AFHR	0.8	2905.9	0.0 AFHR		XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00525  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 040  
 PART NO : AU11A-2  
 ENGINEERING NAME : SEAT EJECT REAR  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
				TRANS REFERENCE		
LIFE SINCE NEW						
30AUG03	04:38	Maintenance Comment	0.8	21Jan02 AIEAR	FF: 01-NIL	MA: 07-OH
		0.0 AFHR		CAMM LOG00015		XXXXXXxx
30AUG03	04:39	Maintenance Comment	0.8	27Jul99 7291.042-113	MOD STATUS NOW	INC
		0.0 AFHR		CAMM LOG00002		XXXXXXxx
30AUG03	04:39	Maintenance Comment	0.8	3130.9 0.0 AFHR		
		0.0 AFHR		CAMM LOG00014		XXXXXXxx
30AUG03	04:39	Maintenance Comment	0.8	3280.7 0.0 AFHR		
		0.0 AFHR		CAMM LOG00019		XXXXXXxx
30AUG03	04:39	Maintenance Comment	0.8	13Nov89 NEW - 040	AU11A-2	1451-00-00-G
		0.0 AFHR		CAMM LOG00023		XXXXXXxx
30AUG03	04:44	Maintenance Comment	0.8	2737.5 0.0 AFHR		
		0.0 AFHR		CAMM LOG00004		XXXXXXxx
30AUG03	04:44	Maintenance Comment	0.8	03Apr00 AIEAR	FF: 01-NIL	MA: 06-BS
		0.0 AFHR		CAMM LOG00005		XXXXXXxx
30AUG03	04:45	Maintenance Comment	0.8	04Nov02 A23-007 07.40	4736	287 DAYS 13-REMACCES HE23272
		0.0 AFHR		CAMM LOG00018		XXXXXXxx
30AUG03	04:45	Maintenance Comment	0.8	29Aug03 A23-007 07.40	3417.5 AFHR	TX TO CAMM2
		0.0 AFHR		CAMM LOG00026		XXXXXXxx
24NOV03	01:16	Change Serviceability Stat	5.0	S/I		
		0.0 AFHR		US/I		
09DEC03	22:18	Asset Removal	102.5	ARDUXJY301123		XXXXXXxx
		0.0 AFHR		A23-007	A23-007	A23T A26
		Change Serviceability Stat	15.8	A23T A26	00	XXXXXXxx
		Change Location of an Asse	39.7	US/I		
		Change Serviceability Stat	0.0	U/S		
10DEC03	00:26	Change Serviceability Stat	0.0	A23-007		
		0.0 AFHR		ARDARH		XXXXXXxx
11DEC03	00:51	Change Venue of an Asset	40.8	U/S		
		0.0 AFHR		SERV		
		Change Location of an Asse	1.1	ARDU		
		0.0 AFHR		ARDU		XXXXXXxx
		Change Location of an Asse	1.1	ARDUXXY300959		
		0.0 AFHR		ARDARH		
		Change Location of an Asse	1.1	ARMAMENT		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00526  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 040  
 PART NO : AUL1A-2  
 ENGINEERING NAME : SEAT EJECT REAR  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
24MAR04 21:39	Asset Installation	105.9	A23T A26 A23-011 A23-011	00 A23T A26 XXXXXXxx
	0.0 AFHR Change Serviceability Stat	105.8	SERV S/I	
	Change Location of an Asse	104.8	ARMAMENT A23-011	
01NOV04 03:20	Asset Removal	221.2	A23-011 A26 A23T A26	00 A23T A26 XXXXXXxx
	0.0 AFHR Change Serviceability Stat	5.0	S/I U/S	
	Change Location of an Asse	210.1	A23-011 ARMAMENT	
01NOV04 03:31	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
20DEC04 22:23	Asset Installation	49.7	A23T A26 A23-011 A23-011	00 A23T A26 XXXXXXxx
	0.0 AFHR Change Serviceability Stat	49.7	SERV S/I	
	Change Location of an Asse	49.7	ARMAMENT A23-011	
16FEB05 01:05	Asset Removal	57.1	A23-011 A26 A23T A26	00 A23T A26 XXXXXXxx
	0.0 AFHR Change Serviceability Stat	0.8	S/I U/S	
	Change Location of an Asse	57.1	A23-011 PC9-AVIONICS	
16FEB05 01:10	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
	0.0 AFHR			

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00527  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 040  
 PART NO : AUL1A-2  
 ENGINEERING NAME : SEAT EJECT REAR  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS									
TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER	
			LIFE SINCE NEW						
17FEB05	05:30	Asset	Installation	1.1	A23T	A26			
			0.0 AFHR		A23-011	A26	A23-011	A23T A26	00AC
			Change Serviceability Stat	1.1	SERV			XXXXXXxx	
			Change Location of an Asse	1.1	S/I				
					PC9-AVIONICS				
27JUL05	03:10	Asset	Removal	159.9	A23-011	A26	A23-011	A23T A26	00A
			3718.3 AFHR		A23T	A26			
			Change Serviceability Stat	4.9	S/I			XXXXXXxx	
			Change Location of an Asse	2.2	U/S				
					A23-011				
27JUL05	03:31	Change	Serviceability Stat	0.0	ARMAMENT				
			3718.3 AFHR		U/S			XXXXXXxx	
18AUG05	06:01	Asset	Installation	22.1	A23T	A26	A23-011	A23T A26	00AC
			3718.3 AFHR		A23-011			XXXXXXxx	
			Change Serviceability Stat	22.1	SERV				
			Change Location of an Asse	22.1	S/I				
					ARMAMENT				
21MAR06	04:18	Asset	Removal	214.9	A23-011	A26	A23-011	A23T A26	00A
			3799.8 AFHR		A23T	A26			
			Change Serviceability Stat	4.1	S/I			XXXXXXxx	
			Change Location of an Asse	188.2	U/S				
					A23-011				
					ARMAMENT				
21MAR06	04:32	Change	Serviceability Stat	0.0	U/S				
			3799.8 AFHR		SERV			XXXXXXxx	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00528  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 040  
 PART NO : AUL1A-2  
 ENGINEERING NAME : SEAT EJECT REAR  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS		-----									
TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN(DYS)	FROM	TO (OPTIONAL)			USER		
						TRANS REFERENCE					
=====											
03APR06	01:44	Change Venue of an Asset		201.0	ARDU						
			3799.8	AFHR	AIE						
		Change Location of an Asse		12.8	ARDUXXY601827				XXxxXXxx		
					ARMAMENT						
03APR06	03:19	Change Serviceability Stat		12.9	SERV						
			3799.8	AFHR	U/S						
21APR06	00:31	Change Serviceability Stat		17.8	A1EXXJY401862				XXxxXXxx		
					U/S						
			3799.8	AFHR	SERV				XXxxXXxx		
31OCT06	01:38	Change Venue of an Asset		210.9	AIE						
			3799.8	AFHR	FACDU						
		Maintenance Comment		0.0	A1EXXXY606477				XXxxXXxx		
		Change Location of an Asse		210.9	VENUE CHANGE						
					ARMAMENT						
31OCT06	04:02	Change Serviceability Stat		193.1	ATECH						
			3799.8	AFHR	SERV						
		Estimated Date/Time Servic		732980.8	U/S				XXxxXXxx		
					FACDUUY601325						
31OCT06	04:21	Change Serviceability Stat		0.0	SERV STAT						
					SERV STAT						
			3799.8	AFHR	U/S						
20NOV06	02:07	Asset Installation		243.9	SERV				XXxxXXxx		
					A23T	A26	00				
					A23-032	A23-032		A23T	A26	00AC	
		Change Serviceability Stat		19.9	SERV						
					S/I						
		Change Location of an Asse		20.0	ATECH						
					A23-032						
16JAN08	23:59	Change Serviceability Stat		2.8	S/I						
			4078.8	AFHR	US/I						
					ARDUPJ302249X				XXxxXXxx		

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00529  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 040  
 PART NO : AUL1A-2  
 ENGINEERING NAME : SEAT EJECT REAR  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW						
17JAN08 04:59	Asset Removal	423.1	A23-032	A23-032		A23T A26 00A
	4078.8 AFHR		A23T	A26	00	XXXXXXxx
	Change Serviceability Stat	0.2	US/I			
	Change Location of an Asse	423.1	U/S			
17JAN08 05:20	Asset Installation	0.0	A23-032	A23-032		A23T A26 00AC
	4078.8 AFHR		A23T	A26	00	XXXXXXxx
	Change Serviceability Stat	0.0	A23-032			
	Change Location of an Asse	0.0	U/S			
17JAN08 05:21	Asset Removal	0.0	US/I			
	4078.8 AFHR		RSERV			
	Change Serviceability Stat	0.0	A23-032	A23-032	00	A23T A26 00A
	Change Location of an Asse	0.0	A23T	A26		XXXXXXxx
17JAN08 05:23	Change Serviceability Stat	0.0	A23-032			
	4078.8 AFHR		U/S			XXXXXXxx
27MAR08 02:52	Change Venue of an Asset	513.0	U/S			
	4078.8 AFHR		SERV			XXXXXXxx
	Change Location of an Asse	69.8	FACDU			
	Change Serviceability Stat	102.9	AIE			
29APR08 03:50	Change Serviceability Stat	102.9	FACDUXY800246			XXXXXXxx
	4078.8 AFHR		A23-032			
	Estimated Date/Time Servic	732981.0	ARMAMENT			
29APR08 03:50	Change Serviceability Stat	0.0	SERV			XXXXXXxx
	4078.8 AFHR		U/S			
	Change Serviceability Stat	0.0	A1EXXUY801636			XXXXXXxx
	Change Serviceability Stat	0.0	SERV STAT			
	4078.8 AFHR		U/S			
	Change Serviceability Stat	0.0	SERV			XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00530  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 040  
 PART NO : AUL1A-2  
 ENGINEERING NAME : SEAT EJECT REAR  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
30APR08 23:03	Change Serviceability Stat	1.8	SERV U/S A1EXXUY801664	XXxxXXxx
	4078.8 AFHR Estimated Date/Time Servic	733526.1	SERV STAT SERV STAT	
30APR08 23:03	Change Serviceability Stat	0.0	U/S SERV	XXxxXXxx
	4078.8 AFHR			
30APR08 23:07	Asset Installation	104.7	A23T A26 A23-012	A23T A26 00AC
	4078.8 AFHR			XXxxXXxx
	Change Serviceability Stat	0.0	SERV S/I	
	Change Location of an Asse	34.8	ARMAMENT A23-012	
30OCT08 22:52	Asset Removal	182.9	A23-012 A23T A26	A23T A26 00A
	4286.6 AFHR			XXxxXXxx
	Change Serviceability Stat	1.9	S/I U/S	
	Change Location of an Asse	182.9	A23-012 ARMAMENT	
30OCT08 22:52	Change Serviceability Stat	0.0	U/S SERV	XXxxXXxx
	4286.6 AFHR			
04NOV08 22:21	Asset Installation	4.9	A23T A26 A23-012	A23T A26 00AC
	4286.6 AFHR			XXxxXXxx
	Change Serviceability Stat	4.9	SERV S/I	
	Change Location of an Asse	4.9	ARMAMENT A23-012	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00531  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 040  
 PART NO : AUL1A-2  
 ENGINEERING NAME : SEAT EJECT REAR  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS		-----									
TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)		TRANS REFERENCE		USER	
				LIFE	SINCE	NEW					
=====											
02FEB09	00:29	Asset	Removal	89.0	A23-012	A23-012		A23T	A26		00A
		4342.3	AFHR		A23T	A26	00			XXxxXXxx	
		Change	Serviceability Stat	2.9	S/I						
		Change	Location of an Asse	89.0	U/S						
02FEB09	00:30	Change	Serviceability Stat	0.0	A23-012						
		4342.3	AFHR		ARMAMENT					XXxxXXxx	
		Change	Serviceability Stat	28.1	U/S						
02MAR09	04:58	Change	Serviceability Stat	0.0	A1EXXJY901169					XXxxXXxx	
		4342.3	AFHR		U/S						
		Change	Serviceability Stat	0.0	SERV					XXxxXXxx	
16MAR09	23:53	Asset	Installation	42.9	A23T	A26	00	A23T	A26		00AC
		4342.3	AFHR		A23-012	A23-012				XXxxXXxx	
		Change	Serviceability Stat	14.7	SERV						
		Change	Location of an Asse	42.9	S/I						
		Change	Location of an Asse	42.9	ARMAMENT						
15APR09	23:54	Asset	Removal	30.0	A23-012	A23-012		A23T	A26		00A
		4378.2	AFHR		A23-012	A26	00			XXxxXXxx	
		Change	Serviceability Stat	6.8	A23T						
		Change	Location of an Asse	30.0	U/S						
		Change	Location of an Asse	30.0	A23-012						
		Change	Serviceability Stat	0.0	ARMAMENT						
15APR09	23:54	Change	Serviceability Stat	0.0	U/S						
		4378.2	AFHR		SERV					XXxxXXxx	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00532  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 040  
 PART NO : AUL1A-2  
 ENGINEERING NAME : SEAT EJECT REAR  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS										
TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER			
LIFE SINCE NEW										
21MAY09	23:11	Asset Installation	35.9	A23T	A26	A23-012	00	A23T	A26	00AC
		4378.2 AFHR						XXXXXXxx		
		Change Serviceability Stat	35.9	SERV						
		Change Location of an Asse	35.9	S/I						
				ARMAMENT						
23JUL09	04:03	Asset Removal	62.2	A23-012		A23-012	00	A23T	A26	00A
		4437.4 AFHR		A23T	A26			XXXXXXxx		
		Change Serviceability Stat	0.9	S/I						
		Change Location of an Asse	62.2	U/S						
				A23-012						
				ARMAMENT						
23JUL09	04:04	Change Serviceability Stat	0.0	U/S						
		4437.4 AFHR		SERV				XXXXXXxx		
23JUL09	05:20	Asset Installation	0.0	A23T	A26	A23-012	00	A23T	A26	00AC
		4437.4 AFHR		A23-012				XXXXXXxx		
		Change Serviceability Stat	0.0	SERV						
		Change Location of an Asse	0.0	S/I						
				ARMAMENT						
				A23-012						
28MAR10	21:27	Change Serviceability Stat	3.6	S/I						
		4674.0 AFHR		US/I				XXXXXXxx		
28MAR10	21:34	Asset Removal	248.6	A1EXXJY602739		A23-012	00	A23T	A26	00A
		4674.0 AFHR		A23-012				XXXXXXxx		
		Change Serviceability Stat	0.0	A23T	A26					
		Change Location of an Asse	248.6	US/I						
				U/S						
				A23-012						
				ARMAMENT						

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00533  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 040  
 PART NO : AUL1A-2  
 ENGINEERING NAME : SEAT EJECT REAR  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS		-----									
TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN(DYS)	FROM	TO (OPTIONAL)			USER		
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	
28MAR10	22:17	Change Serviceability Stat		0.0	U/S						
			4674.0 AFHR		SERV				XXXXXXxx		
25MAY10	04:29	Asset Installation		57.2	A23T	A26					
			4674.0 AFHR		A23-012		A23-012	00	A23T	A26 00AC	
		Change Serviceability Stat		57.2	SERV				XXXXXXxx		
		Change Location of an Asse		57.2	S/I						
					ARMAMENT						
21FEB11	23:50	Asset Removal		272.8	A23-012		A23-012		A23T	A26 00A	
			4896.2 AFHR		A23T	A26		00			
		Change Serviceability Stat		14.8	S/I				XXXXXXxx		
		Change Location of an Asse		272.8	U/S						
					A23-012						
					ARMAMENT						
21FEB11	23:51	Change Serviceability Stat		0.0	U/S						
			4896.2 AFHR		SERV				XXXXXXxx		
22FEB11	00:17	Asset Installation		0.0	A23T	A26					
			4896.2 AFHR		A23-012		A23-012	00	A23T	A26 00AC	
		Change Serviceability Stat		0.0	SERV				XXXXXXxx		
		Change Location of an Asse		0.0	S/I						
					ARMAMENT						
					A23-012						
27APR11	03:47	Asset Removal		64.1	A23-012		A23-012		A23T	A26 00A	
			4953.3 AFHR		A23T	A26		00			
		Change Serviceability Stat		8.9	S/I				XXXXXXxx		
		Change Location of an Asse		64.1	U/S						
					A23-012						
					ARMAMENT						

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00534  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 040  
 PART NO : AUL1A-2 ~U1604  
 ENGINEERING NAME : SEAT EJECT REAR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
27APR11 03:47	Change Serviceability Stat	0.0	U/S SERV	
29JUN11 03:52	Asset Installation	63.0	A23T A26 A23-012 00	XXxxXXxx
	Change Serviceability Stat	63.0	SERV S/I ARMAMENT A23-012	XXxxXXxx
02MAY12 03:49	Change Serviceability Stat	0.9	US/I A1EXXJ1002936	
02MAY12 03:52	Asset Removal	307.9	A23-012 A23T A26 00	XXxxXXxx
	Change Serviceability Stat	0.0	US/I U/S A23-012 ARMAMENT	
23MAY12 05:09	Change Serviceability Stat	21.0	U/S SERV	
23MAY12 05:40	Change Serviceability Stat	0.0	SERV U/S A1EXXU1202136	XXxxXXxx
	Estimated Date/Time Servic	733528.7	SERV STAT	XXxxXXxx
23MAY12 05:42	Change Serviceability Stat	0.0	SERV U/S SERV	
	Change Serviceability Stat	0.0	U/S SERV	XXxxXXxx



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00535  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 040  
 PART NO : AUL1A-2  
 ENGINEERING NAME : SEAT EJECT REAR  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
24MAY12 05:47	Asset Installation	22.0	A23T A26 A23-012 A23-012	00 A23T A26 XXXXXXxx 00AC
	5253.2 AFHR Change Serviceability Stat	1.0	SERV	
	Change Location of an Asse	22.0	S/I ARMAMENT A23-012	
05FEB13 21:09	Asset Removal	257.6	A23-012 A26 A23T A26	00 A23T A26 XXXXXXxx 00A
	5550.0 AFHR Change Serviceability Stat	13.6	S/I	
	Change Location of an Asse	257.6	U/S A23-012 ARMAMENT	
05FEB13 21:37	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
18MAR13 02:35	Asset Installation	40.2	A23T A26 A23-012 A23-012	00 A23T A26 XXXXXXxx 00AC
	5550.0 AFHR Change Serviceability Stat	40.2	SERV	
	Change Location of an Asse	40.2	S/I ARMAMENT A23-012	
09SEP13 23:21	Asset Removal	175.8	A23-012 A26 A23T A26	00 A23T A26 XXXXXXxx 00A
	5696.9 AFHR Change Serviceability Stat	0.8	S/I	
	Change Location of an Asse	175.8	U/S A23-012 ARMAMENT	
09SEP13 23:21	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
	5696.9 AFHR			XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00536  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 040  
 PART NO : AUL1A-2  
 ENGINEERING NAME : SEAT EJECT REAR  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
10SEP13 05:31	Asset Installation	0.2	A23T A26 A23-012 A23-012	00 A23T A26 XXXXXXxx 00AC
	5696.9 AFHR Change Serviceability Stat	0.2	SERV S/I	
	Change Location of an Asse	0.2	ARMAMENT A23-012	
24FEB14 22:38	Change Serviceability Stat	10.8	S/I US/I	
	5846.3 AFHR		A1EXXJY802851	XXXXXXxx
24FEB14 22:40	Asset Removal	167.7	A23-012 A23-012	A23T A26 00A
	5846.3 AFHR Change Serviceability Stat	0.0	A23T A26	00 XXXxXXxx
	Change Location of an Asse	167.7	US/I U/S A23-012	
27MAY14 00:27	Change Serviceability Stat	91.0	ARMAMENT U/S SERV	
	5846.3 AFHR			XXXXXXxx
09OCT14 05:13	Change Serviceability Stat	135.1	SERV U/S	
	5846.3 AFHR Estimated Date/Time Servic	735012.0	A1EXXU1406640 SERV STAT	XXXXXXxx
09OCT14 05:13	Change Serviceability Stat	0.0	SERV STAT U/S SERV	
	5846.3 AFHR			XXXXXXxx
09OCT14 05:23	Change Serviceability Stat	0.0	SERV SERV	
	5846.3 AFHR			XXXXXXxx
09OCT14 05:23	Change Serviceability Stat	0.0	SERV U/S	
	5846.3 AFHR Estimated Date/Time Servic	735880.9	A1EXXU1406642 SERV STAT	XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00537  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 040  
 PART NO : AUL1A-2 ~U1604  
 ENGINEERING NAME : SEAT EJECT REAR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
12OCT14 21:38	Change Serviceability Stat	3.6	U/S SERV	
	5846.3 AFHR			XXxxXXxx
20OCT14 04:25	Change Venue of an Asset	2398.0	AIE 4SQN	
	5846.3 AFHR		A1EXXX1404244	XXxxXXxx
	Change Location of an Asse	237.2	ARMAMENT ARM_SECTION	
29OCT14 22:07	Change Serviceability Stat	17.0	SERV U/S	
	5846.3 AFHR		4SQNXU1403826	XXxxXXxx
	Estimated Date/Time Servic	735880.3	SERV STAT	
29OCT14 22:07	Change Serviceability Stat	0.0	SERV U/S	
	5846.3 AFHR			XXxxXXxx
30OCT14 22:44	Asset Installation	248.0	A23T A26	
	5846.3 AFHR		A23-020 A23-020 00	A23T A26 00AC
	Change Serviceability Stat	1.0	SERV S/I	XXxxXXxx
	Change Location of an Asse	10.7	ARM_SECTION	
10MAR15 00:10	Asset Removal	130.0	A23-020 A23-020	
	5956.1 AFHR		A23T A26 00	A23T A26 00A
	Change Serviceability Stat	8.0	S/I U/S	XXxxXXxx
	Change Location of an Asse	6.0	A23-020 INTMH	
10MAR15 00:11	Change Serviceability Stat	0.0	SERV U/S	
	5956.1 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00538  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 040  
 PART NO : AUL1A-2  
 ENGINEERING NAME : SEAT EJECT REAR  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS										
TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER			
LIFE SINCE NEW										
27MAR15	03:02	Asset Installation	17.1	A23T	A26	A23-020	00	A23T	A26	00AC
		5956.1 AFHR		A23-020		A23-020		XXxxXXxx		
		Change Serviceability Stat	17.1	SERV						
		Change Location of an Asse	17.1	S/I						
				INTMH						
08MAR16	03:51	Asset Removal	347.0	A23-020		A23-020	00	A23T	A26	00A
		6206.2 AFHR		A23-020	A26			XXxxXXxx		
		Change Serviceability Stat	4.1	A23T						
		Change Location of an Asse	0.2	S/I						
				U/S						
				A23-020						
08MAR16	04:34	Change Serviceability Stat	0.0	ARMAMENT						
		6206.2 AFHR		U/S				XXxxXXxx		
07APR16	01:47	Asset Installation	29.9	A23T	A26	A23-020	00	A23T	A26	00AC
		6206.2 AFHR		A23-020		A23-020		XXxxXXxx		
		Change Serviceability Stat	29.8	SERV						
		Change Location of an Asse	29.9	S/I						
				ARMAMENT						
27JUL16	00:43	Asset Removal	110.9	A23-020		A23-020	00	A23T	A26	00A
		6283.2 AFHR		A23-020	A26			XXxxXXxx		
		Change Serviceability Stat	5.8	A23T						
		Change Location of an Asse	5.9	S/I						
				U/S						
				PC9-AIRCRAFT		EO-STORAGE				
27JUL16	00:44	Change Serviceability Stat	0.0	ARMAMENT						
		6283.2 AFHR		U/S				XXxxXXxx		
				SERV						

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00539  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 040  
 PART NO : AUL1A-2  
 ENGINEERING NAME : SEAT EJECT REAR  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
03AUG16 05:13	Change Serviceability Stat	7.1	SERV U/S ARDUXU1602293	XXXXXXxx
	6283.2 AFHR Estimated Date/Time Servic	735901.7	SERV STAT	
03AUG16 05:13	Change Serviceability Stat	0.0	SERV U/S	
	6283.2 AFHR			XXXXXXxx
16AUG16 23:42	Maintenance Comment	0.0	LIF AFHR CHANGED - OLD VALUE= 6283.2	NEW VALUE= 6286.2
	6283.2 AFHR			XXXXXXxx
17AUG16 05:50	Maintenance Comment	0.0	LIF AFHR CHANGED - OLD VALUE= 6289.2	NEW VALUE= 6286.2
	6289.2 AFHR			XXXXXXxx
18AUG16 23:10	Change Serviceability Stat	15.7	SERV U/S ARDUXJ1602201	XXXXXXxx
18AUG16 23:15	Change Serviceability Stat	0.0	SERV U/S	
	6286.2 AFHR			XXXXXXxx
30AUG16 06:11	Asset Installation	34.2	A23T A26 00	
	6286.2 AFHR		A23-020	A23T A26 00AC
	Change Serviceability Stat	11.2	SERV S/I	
	Change Location of an Asse	34.2	ARMAMENT EO-STORAGE	
22SEP16 04:29	Change Serviceability Stat	22.9	A23-020 S/I	
	6288.1 AFHR		US/I A1EXXJ1202831	XXXXXXxx
22SEP16 04:32	Asset Removal	22.9	A23-020 A23T A26 00	
	6288.1 AFHR			XXXXXXxx
	Change Serviceability Stat	0.0	US/I	
	Change Location of an Asse	3.2	U/S A23-020 ARMAMENT	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00540  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 040  
 PART NO : AUL1A-2  
 ENGINEERING NAME : SEAT EJECT REAR  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
22SEP16 04:51	Change Serviceability Stat	0.0	U/S SERV	
17NOV16 05:08	Asset Installation	56.0	A23T A26 A23-020	00 A23T A26 00AC
	Change Serviceability Stat	56.0	SERV S/I ARMAMENT A23-020	XXxxXXxx
28NOV16 21:53	Asset Removal	11.6	A23-020 A23T A26	00 A23T A26 00A
	Change Serviceability Stat	0.7	S/I U/S A23-020 ARMAMENT	XXxxXXxx
28NOV16 21:54	Change Serviceability Stat	0.0	U/S SERV	
29NOV16 01:42	Asset Installation	0.1	A23T A26 A23-020	00 A23T A26 00AC
	Change Serviceability Stat	0.1	SERV S/I ARMAMENT A23-020	XXxxXXxx
12DEC17 04:55	Asset Removal	378.1	A23-020 A23T A26	00 A23T A26 00A
	Change Serviceability Stat	7.0	S/I U/S A23-020 AROM	XXxxXXxx
	Change Location of an Asse	6.3		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00541  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 040  
 PART NO : AUL1A-2  
 ENGINEERING NAME : SEAT EJECT REAR  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
12DEC17 04:56	Change Serviceability Stat		0.0	U/S SERV	
19JAN18 02:00	Asset Installation	6618.1 AFHR	37.8	A23T A26 A23-020 A23-020	00 A23T A26 00AC XXXXXXxx
	Change Serviceability Stat	6618.1 AFHR	37.8	SERV	XXXXXXxx
	Change Location of an Asse		37.8	S/I AROM A23-020	
28MAY18 01:43	Asset Removal		128.9	A23-020 A26 A23T A26	00 A23T A26 00A
	Change Serviceability Stat	6721.6 AFHR	2.9	S/I	XXXXXXxx
	Change Location of an Asse		95.8	U/S A23-020 HANGAR_RACKS	
28MAY18 01:43	Change Serviceability Stat		0.0	U/S SERV	
29MAY18 04:34	Asset Installation	6721.6 AFHR	1.1	A23T A26 A23-020 A23-020	00 A23T A26 00AC XXXXXXxx
	Change Serviceability Stat	6721.6 AFHR	1.1	SERV	XXXXXXxx
	Change Location of an Asse		1.1	S/I HANGAR_RACKS A23-020	
12NOV18 00:30	Asset Removal		166.8	A23-020 A26 A23T A26	00 A23T A26 00A
	Change Serviceability Stat	6891.9 AFHR	3.7	S/I	XXXXXXxx
	Change Location of an Asse		166.8	U/S A23-020 HANGAR_RACKS	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00542  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 040  
 PART NO : AUL1A-2  
 ENGINEERING NAME : SEAT EJECT REAR  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
07FEB19 03:10	Change Venue of an Asset	350.9	4SQN AIE 4SQNXX1900099	XXxxXXxx
	6891.9 AFHR Change Location of an Asse	87.1	HANGAR_RACKS ARMAMENT	
19FEB19 05:19	Change Serviceability Stat	99.2	U/S SERV	
	6891.9 AFHR			XXxxXXxx
20FEB19 03:20	Asset Installation	100.1	A23T A26 A23-025 A23-025	A23T A26 00AC
	6891.9 AFHR Change Serviceability Stat	0.9	SERV S/I	
	Change Location of an Asse	13.0	ARMAMENT A23-025	
29MAY19 06:24	Change Part Number of an A Maintenance Comment	0.0	NO PARENT TRANSACTION DETAILS POLICY UPDATE AS PER IRN: 86/2019-004	
12SEP19 03:43	Asset Removal	204.0	A23-025 A23-025 A23T A26	A23T A26 00A
	7147.0 AFHR Change Serviceability Stat	5.9	S/I U/S	XXxxXXxx
	Change Location of an Asse	2.0	A23-025 MCS	
12SEP19 03:44	Change Serviceability Stat	0.0	U/S SERV	
	7147.0 AFHR			XXxxXXxx
12SEP19 03:48	Change Venue of an Asset	2.0	A23DISP AIP	
	7147.0 AFHR Change Location of an Asse	0.0	A23DSX1900746 MCS EGRESS	XXxxXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00543  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 040  
 PART NO : AU11A-2 ~U1604  
 ENGINEERING NAME : SEAT EJECT REAR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
04OCT19 02:13	Asset Installation	21.9	A23T A26 A23-033 A23-033	00 A23T A26 00AC XXXXXXxx
	7147.0 AFHR Change Serviceability Stat	21.9	SERV S/I	
	Change Location of an Asse	21.9	EGRESS A23-033	
09OCT19 02:40	Change Serviceability Stat	5.0	S/I US/I	
	7147.0 AFHR		A1PXXJ1909157	XXXXXXxx
09OCT19 02:44	Change Serviceability Stat	0.0	US/I S/I	
	7147.0 AFHR			XXXXXXxx

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN	MAINT ACTION/LIMITATIONS					DATE/TIME
A1EXXU1900675	CANCELLED	20FEB19 03:16	6891.9	AFHR	SCT	
19FEB19 05:19	XXXXXXxx	XXXXXXxxXXXXXXxx	AIE			
19FEB19 05:20	XXXXXXxx	XXXXXXxxXXXXXXxx	AIE			XXXXXXxxXXXXXXxx
		REAR SEAT SEO TO BE FITTED				20FEB19 03:16
						XXXXXXxxXXXXXXxx
	N Maint Acts:	ENTERED IN ERROR:US MOVED TO A/C				
ARDUXUY300854	COMPLETED	18MAR04 23:34	0.0			XXXXXXxxXXXXXXxx
10DEC03 00:26	XXXXXXxx	XXXXXXxxXXXXXXxx	ARDU			
		SET CART SEAT, PARA, SEO TO BE REMOVED FOR SEAT BAY SERVICE				XXXXXXxxXXXXXXxx
						18MAR04 23:34
						XXXXXXxxXXXXXXxx
	Maint Acts:	BS CO				

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00544  
08JAN20  
23:16:15

SERIAL/TAIL NO : 040  
PART NO : AUL1A-2 ~U1604  
ENGINEERING NAME : SEAT EJECT REAR  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

REMOVALS/INSTALLATIONS FOR ARDUXUY300854

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC	
=====	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME		=====

001	H204887	A23T	A26AE	00					
	MBEU100021		10DEC03 00:28	ARDUXJY301464					

002	MB13782	A23T	A26BA	00					
	MBEU12043PA		10DEC03 00:28	ARDUXJY301465					

003	2923836	A23T	A26BE	00					
	MBEU100618		10DEC03 00:29	ARDUXJY301466					

ARDUXUY300876	COMPLETED	18MAR04 23:00	0.0	XXxxXXxxXXxxXXxxXXxx
11DEC03 00:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU	

BS due on Serial MD1475  
ACTUATOR SEAT PAN at WAC 0740

18MAR04 23:00  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: BS CO

ARDUXUY300877	COMPLETED	18MAR04 22:48	0.0	XXxxXXxxXXxxXXxxXXxx
11DEC03 00:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU	

BS due on Serial 040  
DROG LINK PIST ASSY at WAC 0740

18MAR04 22:48  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: BS CO

ARDUXUY300878	COMPLETED	18MAR04 22:44	0.0	XXxxXXxxXXxxXXxxXXxx
11DEC03 00:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU	

BS due on Serial LE0357  
GUN ASSY TELESCOPIC at WAC 0740

18MAR04 22:44  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: BS CO

ARDUXUY300879	COMPLETED	18MAR04 22:37	0.0	XXxxXXxxXXxxXXxxXXxx
11DEC03 00:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU	

BS due on Serial LE0357  
GAS FIRING UNIT GUN at WAC 0740

18MAR04 22:37  
XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : 040  
PART NO : AUL1A-2 ~U1604  
ENGINEERING NAME : SEAT EJECT REAR  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
=====						
	Maint Acts:	BS CO				
ARDEXUY300880 11DEC03 00:32	COMPLETED XXxxXXxx	18MAR04 22:53 XXxxXXxxXXxxXXxxXXxx	0.0 ARDU			XXxxXXxxXXxxXXxxXXxx
		BS GUN DROGUE	due on Serial MD1414 at WAC 0740			XXxxXXxxXXxxXXxxXXxx 18MAR04 22:53 XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	BS CO				
ARDEXUY300881 11DEC03 00:32	COMPLETED XXxxXXxx	18MAR04 23:32 XXxxXXxxXXxxXXxxXXxx	0.0 ARDU			XXxxXXxxXXxxXXxxXXxx
		BS GAS FRNG UNIT DROG	due on Serial MD1414 at WAC 0740			XXxxXXxxXXxxXXxxXXxx 18MAR04 23:32 XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	BS CO				
ARDEXUY300882 11DEC03 00:32	COMPLETED XXxxXXxx	18MAR04 22:24 XXxxXXxxXXxxXXxxXXxx	0.0 ARDU			XXxxXXxxXXxxXXxxXXxx
		BS HPRU	due on Serial DD1109 at WAC 0740			XXxxXXxxXXxxXXxxXXxx 18MAR04 22:24 XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	BS CO				
ARDEXUY300883 11DEC03 00:32	COMPLETED XXxxXXxx	18MAR04 22:33 XXxxXXxxXXxxXXxxXXxx	0.0 ARDU			XXxxXXxxXXxxXXxxXXxx
		BS GAS FRNG UNIT HPRU	due on Serial DD1109 at WAC 0740			XXxxXXxxXXxxXXxxXXxx 18MAR04 22:33 XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	BS CO				
ARDEXUY300884 11DEC03 00:32	COMPLETED XXxxXXxx	18MAR04 22:29 XXxxXXxxXXxxXXxxXXxx	0.0 ARDU			XXxxXXxxXXxxXXxxXXxx
		BS HPRU BODY	due on Serial DD1109 at WAC 0740			XXxxXXxxXXxxXXxxXXxx 18MAR04 22:29 XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 040  
PART NO : AUL1A-2 ~U1604 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : SEAT EJECT REAR  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
=====						
	Maint Acts:	BS CO				
ARLUXUY300885	COMPLETED	18MAR04 22:41	0.0			XXxxXXxxXXxxXXxxXXxx
11DEC03 00:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU			XXxxXXxxXXxxXXxxXXxx
		BS		due on Serial 040		18MAR04 22:41
		INITIATOR MAIN GUN		at WAC 0740		XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	BS CO				
ARLUXUY300886	COMPLETED	18MAR04 22:56	0.0			XXxxXXxxXXxxXXxxXXxx
11DEC03 00:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU			XXxxXXxxXXxxXXxxXXxx
		BS		due on Serial MD1440		18MAR04 22:56
		REL BAROSTATIC TIME		at WAC 0740		XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	BS CO				
A1EXXUY601417	COMPLETED	21APR06 00:30	3799.8	AFHR		XXxxXXxxXXxxXXxxXXxx
03APR06 03:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		BS		due on Serial MD1475		21APR06 00:30
		ACTUATOR SEAT PAN		at WAC 0740		XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	BSCO				
A1EXXUY601418	COMPLETED	21APR06 00:23	3799.8	AFHR		XXxxXXxxXXxxXXxxXXxx
03APR06 03:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		BS		due on Serial 040		21APR06 00:23
		DROG LINK PIST ASSY		at WAC 0740		XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	BSCO				
A1EXXUY601419	COMPLETED	20APR06 23:59	3799.8	AFHR		XXxxXXxxXXxxXXxxXXxx
03APR06 03:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		BS		due on Serial LE0357		20APR06 23:59
		GUN ASSY TELESCOPIC		at WAC 0740		XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 040  
PART NO : AUL1A-2 ~U1604 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : SEAT EJECT REAR  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
=====						
	Maint Acts:	BSCO				
A1EXXUY601420	COMPLETED	20APR06 23:55	3799.8	AFHR		XXxxXXxxXXxxXXxxXXxx
03APR06 03:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial LE0357				20APR06 23:55
		GAS FIRING UNIT GUN at WAC 0740				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	BSCO				
A1EXXUY601421	COMPLETED	21APR06 00:25	3799.8	AFHR		XXxxXXxxXXxxXXxxXXxx
03APR06 03:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial MD1414				21APR06 00:25
		GUN DROGUE at WAC 0740				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	BSCO				
A1EXXUY601422	COMPLETED	20APR06 23:48	3799.8	AFHR		XXxxXXxxXXxxXXxxXXxx
03APR06 03:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial MD1414				20APR06 23:48
		GAS FRNG UNIT DROG at WAC 0740				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	BSCO				
A1EXXUY601423	COMPLETED	21APR06 00:28	3799.8	AFHR		XXxxXXxxXXxxXXxxXXxx
03APR06 03:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial DD1109				21APR06 00:28
		HPRU at WAC 0740				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	BSCO				
A1EXXUY601424	COMPLETED	20APR06 23:53	3799.8	AFHR		XXxxXXxxXXxxXXxxXXxx
03APR06 03:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial DD1109				20APR06 23:53
		GAS FRNG UNIT HPRU at WAC 0740				XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 040  
PART NO : AUL1A-2 ~U1604 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : SEAT EJECT REAR  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
=====						
	Maint Acts:	BSCO				
A1EXXUY601425	COMPLETED	20APR06 23:51	3799.8	AFHR		XXxxXXxxXXxxXXxxXXxx
03APR06 03:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		BS		due on Serial DD1109		20APR06 23:51
		HPRU BODY		at WAC 0740		XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	BSCO				
A1EXXUY601426	COMPLETED	20APR06 23:57	3799.8	AFHR		XXxxXXxxXXxxXXxxXXxx
03APR06 03:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		BS		due on Serial 040		20APR06 23:57
		INITIATOR MAIN GUN		at WAC 0740		XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	BSCO				
A1EXXUY601427	COMPLETED	21APR06 00:27	3799.8	AFHR		XXxxXXxxXXxxXXxxXXxx
03APR06 03:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		BS		due on Serial MD1440		21APR06 00:27
		REL BAROSTATIC TIME		at WAC 0740		XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	BSCO				
FACDUUY601325	COMPLETED	31OCT06 04:44	3799.8	AFHR	CMO	XXxxXXxxXXxxXXxxXXxx
31OCT06 04:02	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			31OCT06 04:11
31OCT06 04:03	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			XXxxXXxxXXxxXXxxXXxx
		PARA ASSY 2B FITTED				31OCT06 04:12
						XXxxXXxxXXxxXXxxXXxx
						31OCT06 04:44
	Maint Acts:	PARA ASY FITTED IAW 7291.042-2MB1 SECT 2A PARA 2				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00549  
08JAN20  
23:16:15

SERIAL/TAIL NO : 040 PERIOD: 01JAN90 TO 08JAN20  
PART NO : AUL1A-2 ~U1604  
ENGINEERING NAME : SEAT EJECT REAR  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR FACDUUY601325  
SEQ REMOVED SERIAL NO EIAC LCN ALC INSTALLED SERIAL NO EIAC LCN ALC  
REMOVED PART NO DATE/TIME JOB NUMBER INSTALLED PART NO DATE/TIME  
=====  
001 MB12001 A23T A26BA 00  
MBEU12043PA 31OCT06 04:04

FACDUUY601326 COMPLETED 31OCT06 04:45 3799.8 AFHR CMO  
31OCT06 04:13 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU 31OCT06 04:16  
31OCT06 04:13 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU 31OCT06 04:16  
PSP 2B FITTED XXxxXXxxXXxxXXxxXXxx  
31OCT06 04:45

Maint Acts: PSP FITTED IAW 7212.007-2B3 CH 25-10-06

REMOVALS/INSTALLATIONS FOR FACDUUY601326  
SEQ REMOVED SERIAL NO EIAC LCN ALC INSTALLED SERIAL NO EIAC LCN ALC  
REMOVED PART NO DATE/TIME JOB NUMBER INSTALLED PART NO DATE/TIME  
=====  
001 DE0541 A23T A26BG 00  
STANDARDPACK-1 31OCT06 04:14

FACDUUY601327 COMPLETED 17NOV06 00:30 3799.8 AFHR CMO  
31OCT06 04:16 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU 17NOV06 00:27  
31OCT06 04:17 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU 17NOV06 00:27  
SEO 2B FITTED XXxxXXxxXXxxXXxxXXxx  
17NOV06 00:30

Maint Acts: SERV SEO FITTED IAW 7212.007-2B 25-10-09

REMOVALS/INSTALLATIONS FOR FACDUUY601327  
SEQ REMOVED SERIAL NO EIAC LCN ALC INSTALLED SERIAL NO EIAC LCN ALC  
REMOVED PART NO DATE/TIME JOB NUMBER INSTALLED PART NO DATE/TIME  
=====  
001 8873275 A23T A26BE 00  
MBEU100618 17NOV06 00:23

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : 040  
PART NO : AUL1A-2 ~U1604  
ENGINEERING NAME : SEAT EJECT REAR  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

FACDUUY601328	COMPLETED	14NOV06 04:26	3799.8	AFHR	CMO	XXxxXXxxXXxxXXxxXXxx
31OCT06 04:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			13NOV06 22:19
31OCT06 04:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			XXxxXXxxXXxxXXxxXXxx
		SEAT ARM 2BCO				14NOV06 04:23
						XXxxXXxxXXxxXXxxXXxx
						14NOV06 04:26

Maint Acts: SEAT ARM CARRIED OUT SERV IAW 7212.007-2 CHAP 25-00-00

REMOVALS/INSTALLATIONS FOR FACDUUY601328

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001					004L749R	A23T	A26AE	00
					MBEU100021		13NOV06 22:17	

FACDUUY601329	COMPLETED	17NOV06 00:50	3799.8	AFHR		XXxxXXxxXXxxXXxxXXxx
31OCT06 04:21	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			
31OCT06 04:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			XXxxXXxxXXxxXXxxXXxx
		SEAT WORKSHEETS 2B CLEARED REGISTRATION NUMBER RECS/25/06				17NOV06 00:50
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: SEAT WORKSHEET REG RECS/25/06 CLEARED IAW 7001.059 SECT 3 CHAP 3

FACDUUY800068	COMPLETED	29APR08 01:31	4078.8	AFHR		XXxxXXxxXXxxXXxxXXxx
17JAN08 05:21	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			
17JAN08 05:21	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial MD1475				29APR08 01:31
		ACTUATOR SEAT PAN at WAC 0740				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-032				

Maint Acts: OH C/O



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 040  
PART NO : AUL1A-2 ~U1604 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : SEAT EJECT REAR  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

FACDUUY800069	COMPLETED	29APR08 02:01	4078.8	AFHR		XXxxXXxxXXxxXXxxXXxx
17JAN08 05:21	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			
17JAN08 05:21	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial 040				29APR08 02:01
		DROG LINK PIST ASSY at WAC 0740				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-032				

Maint Acts: OH C/O

FACDUUY800070	COMPLETED	29APR08 01:56	4078.8	AFHR		XXxxXXxxXXxxXXxxXXxx
17JAN08 05:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			
17JAN08 05:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial LE0357				29APR08 01:56
		GUN ASSY TELESCOPIC at WAC 0740				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-032				

Maint Acts: OH C/O

FACDUUY800071	COMPLETED	29APR08 01:34	4078.8	AFHR		XXxxXXxxXXxxXXxxXXxx
17JAN08 05:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			
17JAN08 05:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial LE0357				29APR08 01:34
		GAS FIRING UNIT GUN at WAC 0740				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-032				

Maint Acts: OH C/O

FACDUUY800072	COMPLETED	29APR08 01:22	4078.8	AFHR		XXxxXXxxXXxxXXxxXXxx
17JAN08 05:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			
17JAN08 05:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial MD1414				29APR08 01:22
		GUN DROGUE at WAC 0740				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-032				
		OH due on Serial MD1414				
		GUN DROGUE at WAC 0740				

Maint Acts: OH C/O

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 040 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : AUL1A-2 ~U1604  
 ENGINEERING NAME : SEAT EJECT REAR  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
FACDUUY800073	COMPLETED	29APR08 01:20	4078.8	AFHR		XXxxXXxxXXxxXXxxXXxx
17JAN08 05:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			
17JAN08 05:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial MD1414				29APR08 01:20
		GAS FRNG UNIT DROG at WAC 0740				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-032				
	Maint Acts:	OH C/O				
FACDUUY800074	COMPLETED	29APR08 01:29	4078.8	AFHR		XXxxXXxxXXxxXXxxXXxx
17JAN08 05:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			
17JAN08 05:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial DD1109				29APR08 01:29
		HPRU at WAC 0740				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-032				
	Maint Acts:	OH C/O				
FACDUUY800075	COMPLETED	29APR08 01:26	4078.8	AFHR		XXxxXXxxXXxxXXxxXXxx
17JAN08 05:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			
17JAN08 05:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial DD1109				29APR08 01:26
		GAS FRNG UNIT HPRU at WAC 0740				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-032				
	Maint Acts:	OH C/O				
FACDUUY800076	COMPLETED	29APR08 01:24	4078.8	AFHR		XXxxXXxxXXxxXXxxXXxx
17JAN08 05:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			
17JAN08 05:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial DD1109				29APR08 01:24
		HPRU BODY at WAC 0740				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-032				
	Maint Acts:	OH C/O				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 040  
PART NO : AUL1A-2 ~U1604 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : SEAT EJECT REAR  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

FACDUUY800077	COMPLETED	29APR08 01:37	4078.8	AFHR		XXxxXXxxXXxxXXxxXXxx
17JAN08 05:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			
17JAN08 05:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial 040				29APR08 01:37
		INITIATOR MAIN GUN at WAC 0740				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-032				

Maint Acts: OH C/O

FACDUUY800078	COMPLETED	29APR08 02:04	4078.8	AFHR		XXxxXXxxXXxxXXxxXXxx
17JAN08 05:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			
17JAN08 05:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial 040				29APR08 02:04
		MANIFOLD ASSY BAL at WAC 0740				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-032				

Maint Acts: OH C/O

FACDUUY800079	COMPLETED	29APR08 02:08	4078.8	AFHR		XXxxXXxxXXxxXXxxXXxx
17JAN08 05:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			
17JAN08 05:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial MD1440				29APR08 02:08
		REL BAROSTATIC TIME at WAC 0740				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-032				

Maint Acts: OH C/O

FACDUUY800080	COMPLETED	29APR08 01:59	4078.8	AFHR		XXxxXXxxXXxxXXxxXXxx
17JAN08 05:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			
17JAN08 05:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial 040				29APR08 01:59
		TROMBONE ASSY-INIT at WAC 0740				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-032				

Maint Acts: OH C/O

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00554  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 040  
 PART NO : AUL1A-2 ~U1604  
 ENGINEERING NAME : SEAT EJECT REAR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

FACDUUY800081	COMPLETED	29APR08 01:53	4078.8	AFHR		XXxxXXxxXXxxXXxxXXxx
17JAN08 05:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			
17JAN08 05:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial 040				29APR08 01:53
		TROMBONE ASSY-MOR at WAC 0740				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-032				

Maint Acts: OH CO

A1EXXUY801636	COMPLETED	29APR08 03:54	4078.8	AFHR		XXxxXXxxXXxxXXxxXXxx
29APR08 03:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			
29APR08 03:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		PARA ASSY , PSP AND SET CART EJECT TO BE FITTED				29APR08 03:54
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV PARA ASSY, PSP ANDSET CART EJECT FITTED

REMOVALS/INSTALLATIONS FOR A1EXXUY801636

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001					MB9754 MBEU12043PA	A23T	A26BA 29APR08	00 03:51
002					DC2822 STANDARDPACK-1	A23T	A26BG 29APR08	00 03:52
003					200L899 MBEU100021	A23T	A26AE 29APR08	00 03:53

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 040 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : AUL1A-2 ~U1604  
 ENGINEERING NAME : SEAT EJECT REAR  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1EXXUY801664	COMPLETED	30APR08 23:05	4078.8	AFHR		XXxxXXxxXXxxXXxxXXxx
30APR08 23:03	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			
30APR08 23:04	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		SEO TO BE FITTED				30APR08 23:05
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV SEO FITTED

REMOVALS/INSTALLATIONS FOR A1EXXUY801664

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001					1690518	A23T	A26BE	00
					MBEU100618		30APR08 23:04	

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1EXXUY901811	COMPLETED	20MAY09 03:00	4378.2	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
15APR09 23:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			
15APR09 23:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		TA due on Serial 200L899				20MAY09 03:00
		CARTRIDGE SET SEAT at WAC 0740				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-012				

Maint Acts: SERV SET CART SEAT FITTED IAW AAP 7291.042-2MB1 REF WS  
 448674-1-2-4-2-1

REMOVALS/INSTALLATIONS FOR A1EXXUY901811

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	200L899	A23T	A26AE	00	083L493	A23T	A26AE	00
	MBEU100021		04MAY09 22:58	A1EXXJY705481	MBEU100021		20MAY09 02:59	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 040 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : AUL1A-2 ~U1604  
 ENGINEERING NAME : SEAT EJECT REAR  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES -----  
 SERV NUMBER STATUS STATUS DATE/TIME TOTAL LIFE INT TYPE CERTIFICATION TRADESMAN  
 RAISED DATE/TIME RAISED USER ID RAISED NAME RAISED VENUE CAPABILITY CODE EPSS DATE/TIME  
 ENTERED DATE/TIME ENTERED USER ID ENTERED NAME ENTERED VENUE IMIC NO SUPERVISOR  
 OPERATION NO ASOR NO SYMPTOMS  
 EE500PG EE500LN  
 STA WL BL ADMIN MAINT ACTION/LIMITATIONS  
 =====

A1EXXUY901812 COMPLETED 21MAY09 22:57 4378.2 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
 15APR09 23:54 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE  
 15APR09 23:54 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE  
 BS due on Serial DF3235  
 SURVIVAL PACK ASSY at WAC 0740  
 TRANSFERRED FROM A23-012

Maint Acts: REAR PSP FITTED SERV IAW AAP 7291.042-2MB1 REF WS 448674-1-2-4-2-1

REMOVALS/INSTALLATIONS FOR A1EXXUY901812

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	DF3235	A23T	A26BG	00	DD0041	A23T	A26BG	00
	STANDARDPACK-1		21MAY09 01:09	A1EXXJY900850	STANDARDPACK-1		21MAY09 22:55	

A1EXXUY901813 COMPLETED 21MAY09 22:59 4378.2 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
 15APR09 23:54 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE  
 15APR09 23:54 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE  
 OH due on Serial MB15244  
 PARACHUTE ASSY at WAC 0740  
 TRANSFERRED FROM A23-012

Maint Acts: REAR PARA ASSY FITTED SERV IAW AAP 7291.042-2MB1 REF WS  
 448674-1-2-4-2-1

REMOVALS/INSTALLATIONS FOR A1EXXUY901813

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	MB15244	A23T	A26BA	00	MB9641	A23T	A26BA	00
	MBEU12043PA		21MAY09 01:06	A1EXXJY900684	MBEU12043PA		21MAY09 22:57	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : 040  
PART NO : AUL1A-2 ~U1604  
ENGINEERING NAME : SEAT EJECT REAR  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1EXXUY901814	COMPLETED	21MAY09 23:02	4378.2	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
15APR09 23:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			
15APR09 23:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial 1690518				21MAY09 23:02
		SET EMERG OXYGEN at WAC 0740				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-012				

Maint Acts: REAR SEAT SEO FITTED SERV IAW AAP 7291.042-2MB1 REF WS  
448674-1-2-4-2-1

REMOVALS/INSTALLATIONS FOR A1EXXUY901814

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1690518	A23T	A26BE	00	1806069	A23T	A26BE	00
	MBEU100618		16APR09 00:01	A1EXXJY405963	MBEU100618		21MAY09 23:00	

A1EXXU1001343	COMPLETED	24MAY10 23:09	4674.0	AFHR	T+TS+II	XXxxXXxxXXxxXXxxXXxx
28MAR10 21:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			24MAY10 22:30
28MAR10 21:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial DD0041				24MAY10 22:30
		SURVIVAL PACK ASSY at WAC 0740				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-012				24MAY10 23:09

Maint Acts: PSP FITTED SERV REF SNOW 474681-3-2-4-2-1

REMOVALS/INSTALLATIONS FOR A1EXXU1001343

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	DD0041	A23T	A26BG	00	DE3065	A23T	A26BG	00
	STANDARDPACK-1		28MAR10 22:05	A1EXXJY903310	STANDARDPACK-1		24MAY10 22:30	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 040  
 PART NO : AUL1A-2 ~U1604  
 ENGINEERING NAME : SEAT EJECT REAR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1EXXU1001344	COMPLETED	24MAY10 23:08	4674.0	AFHR	T+TS+II	XXXXXXXXXX
28MAR10 21:34	XXXXXXXX	XXXXXXXXXX	AIE			24MAY10 22:29
28MAR10 21:34	XXXXXXXX	XXXXXXXXXX	AIE			XXXXXXXXXX
		OH due on Serial MB9641				24MAY10 22:29
		PARACHUTE ASSY at WAC 0740				XXXXXXXXXX
		TRANSFERRED FROM A23-012				24MAY10 23:08

Maint Acts: PARA ASSY FITTED SERV REF SNOW 474681-3-2-4-2-1

REMOVALS/INSTALLATIONS FOR A1EXXU1001344

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	MB9641	A23T	A26BA	00	MB9754	A23T	A26BA	00
	MBEU12043PA		28MAR10 22:03	A1EXXJY903299	MBEU12043PA		24MAY10 22:28	

A1EXXU1001345	COMPLETED	24MAY10 04:03	4674.0	AFHR	T+TS+II	XXXXXXXXXX
28MAR10 21:34	XXXXXXXX	XXXXXXXXXX	AIE			24MAY10 04:03
28MAR10 21:34	XXXXXXXX	XXXXXXXXXX	AIE			XXXXXXXXXX
		BS due on Serial MD1475				24MAY10 04:03
		ACTUATOR SEAT PAN at WAC 0740				XXXXXXXXXX
		TRANSFERRED FROM A23-012				24MAY10 04:03

Maint Acts: BS C/O SERV REF SNOW 602739

A1EXXU1001346	COMPLETED	24MAY10 03:57	4674.0	AFHR	T+TS+II	XXXXXXXXXX
28MAR10 21:34	XXXXXXXX	XXXXXXXXXX	AIE			24MAY10 03:56
28MAR10 21:34	XXXXXXXX	XXXXXXXXXX	AIE			XXXXXXXXXX
		BS due on Serial 040				24MAY10 03:56
		DROG LINK PIST ASSY at WAC 0740				XXXXXXXXXX
		TRANSFERRED FROM A23-012				24MAY10 03:57

Maint Acts: BS C/O SERV REF SNOW 602739



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 040  
 PART NO : AUL1A-2 ~U1604 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : SEAT EJECT REAR  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1EXXU1001347	COMPLETED	24MAY10 03:55	4674.0	AFHR	T+TS+II	XXxxXXxxXXxxXXxxXXxx
28MAR10 21:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			24MAY10 03:54
28MAR10 21:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial LE0357				24MAY10 03:55
		GUN ASSY TELESCOPIC at WAC 0740				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-012				24MAY10 03:55
	Maint Acts:	BS C/O SERV REF SNOW 602739				
A1EXXU1001348	COMPLETED	24MAY10 03:51	4674.0	AFHR	T+TS+II	XXxxXXxxXXxxXXxxXXxx
28MAR10 21:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			24MAY10 03:51
28MAR10 21:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial LE0357				24MAY10 03:51
		GAS FIRING UNIT GUN at WAC 0740				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-012				24MAY10 03:51
	Maint Acts:	BS C/O SERV REF SNOW 602739				
A1EXXU1001349	COMPLETED	24MAY10 04:06	4674.0	AFHR	T+TS+II	XXxxXXxxXXxxXXxxXXxx
28MAR10 21:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			24MAY10 04:06
28MAR10 21:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial MD1414				24MAY10 04:06
		GUN DROGUE at WAC 0740				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-012				24MAY10 04:06
	Maint Acts:	BS C/O SERV REF SNOW 602739				
A1EXXU1001350	COMPLETED	24MAY10 03:46	4674.0	AFHR	T+TS+II	XXxxXXxxXXxxXXxxXXxx
28MAR10 21:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			24MAY10 03:46
28MAR10 21:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial MD1414				24MAY10 03:46
		GAS FRNG UNIT DROG at WAC 0740				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-012				24MAY10 03:46
	Maint Acts:	BS C/O SERV REF SNOW 602739				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 040  
PART NO : AUL1A-2 ~U1604 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : SEAT EJECT REAR  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1EXXU1001351	COMPLETED	24MAY10 04:01	4674.0	AFHR	T+TS+II	XXxxXXxxXXxxXXxxXXxx
28MAR10 21:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			24MAY10 04:01
28MAR10 21:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial DD1109				24MAY10 04:01
		HPRU at WAC 0740				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-012				24MAY10 04:01

Maint Acts: BS C/O SERV REF ASNOW 602739

A1EXXU1001352	COMPLETED	24MAY10 03:50	4674.0	AFHR	T+TS+II	XXxxXXxxXXxxXXxxXXxx
28MAR10 21:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			24MAY10 03:49
28MAR10 21:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial DD1109				24MAY10 03:49
		GAS FRNG UNIT HPRU at WAC 0740				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-012				24MAY10 03:50

Maint Acts: BS C/O SERV REF SNOW 602739

A1EXXU1001353	COMPLETED	24MAY10 03:48	4674.0	AFHR	T+TS+II	XXxxXXxxXXxxXXxxXXxx
28MAR10 21:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			24MAY10 03:47
28MAR10 21:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial DD1109				24MAY10 03:48
		HPRU BODY at WAC 0740				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-012				24MAY10 03:48

Maint Acts: BS C/O SERV REF SNOW 602739

A1EXXU1001354	COMPLETED	24MAY10 03:53	4674.0	AFHR	T+TS+II	XXxxXXxxXXxxXXxxXXxx
28MAR10 21:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			24MAY10 03:53
28MAR10 21:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial 040				24MAY10 03:53
		INITIATOR MAIN GUN at WAC 0740				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-012				24MAY10 03:53

Maint Acts: BS C/O SERV REF SNOW 602739

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 040  
 PART NO : AUL1A-2 ~U1604  
 ENGINEERING NAME : SEAT EJECT REAR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME

EE500PG	EE500LN	STA	WL	BL	ADMIN	MAINT ACTION/LIMITATIONS	INSPECTOR	DATE/TIME
A1EXXU1001355	COMPLETED	24MAY10	03:59			4674.0 AFHR T+TS+II	XXxxXXxxXXxxXXxxXXxx	24MAY10 03:59
28MAR10	21:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE		BS due on Serial MD1440	XXxxXXxxXXxxXXxxXXxx	24MAY10 03:59
28MAR10	21:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE		REL BAROSTATIC TIME at WAC 0740	XXxxXXxxXXxxXXxxXXxx	24MAY10 03:59
						TRANSFERRED FROM A23-012		

Maint Acts: BS C/O SERV REF SNOW 602739

A1EXXU1001356	COMPLETED	24MAY10	23:10			4674.0 AFHR T+TS+II	XXxxXXxxXXxxXXxxXXxx	24MAY10 22:27
28MAR10	21:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE		BS due on Serial 1806069	XXxxXXxxXXxxXXxxXXxx	24MAY10 22:27
28MAR10	21:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE		SET EMERG OXYGEN at WAC 0740	XXxxXXxxXXxxXXxxXXxx	24MAY10 23:10
						TRANSFERRED FROM A23-012		

Maint Acts: SEO FITTED SERV REF SNOW 474681-3-2-4-2-1

REMOVALS/INSTALLATIONS FOR A1EXXU1001356

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1806069		A23T	00	1089		A23T	00
	MBEU100618		28MAR10 21:59	A1EXXJY901503	GA1566		24MAY10 22:27	

A1EXXU1001364	COMPLETED	25MAY10	04:25			4674.0 AFHR SCM	XXxxXXxxXXxxXXxxXXxx	25MAY10 04:25
28MAR10	22:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE		SEAT CARTS RFA REF WS 474681-3-2-4-2-1	XXxxXXxxXXxxXXxxXXxx	25MAY10 04:25
28MAR10	22:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx	

Maint Acts: SEAT CARTS FITTED SERV REF SNOW 474681-3-2-4-2-1

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : 040  
PART NO : AUL1A-2 ~U1604  
ENGINEERING NAME : SEAT EJECT REAR  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

REMOVALS/INSTALLATIONS FOR A1EXXU1001364

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	083L493	A23T	A26AE	00	083L493	A23T	A26AE	00
	MBEU100021		28MAR10 22:18	A1EXXJ1001761	MBEU100021		25MAY10 04:24	

A1EXXU1100617 COMPLETED 22FEB11 00:11 4896.2 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
21FEB11 23:51 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE  
21FEB11 23:51 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE  
TA due on Serial 083L493  
CARTRIDGE SET SEAT at WAC 0740  
TRANSFERRED FROM A23-012

Maint Acts: SERV SEAT CART SET FITTED REF SNOW 471050-2

REMOVALS/INSTALLATIONS FOR A1EXXU1100617

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	083L493	A23T	A26AE	00	034L269	A23T	A26AE	00
	MBEU100021		22FEB11 00:10	A1EXXJY901993	MBEU100021		22FEB11 00:11	

A1EXXU1101622 COMPLETED 29JUN11 02:46 4953.3 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
27APR11 03:47 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE  
27APR11 03:47 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE  
BS due on Serial 1089  
SET EMERG OXYGEN at WAC 0740  
TRANSFERRED FROM A23-012

Maint Acts: SERV SEO FITTED REF SNOW 443798-3-2-4

REMOVALS/INSTALLATIONS FOR A1EXXU1101622

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1089	A23T	A26BE	00	8086402	A23T	A26BE	00
	GA1566		29JUN11 02:44	A1PXXJY921027	MBEU100618		29JUN11 02:45	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 040  
PART NO : AUL1A-2 ~U1604 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : SEAT EJECT REAR  
VENUE : A23DISP LOCATION : A23-033

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1EXXU1201743	COMPLETED	02MAY12 04:32	5253.2	AFHR	SCM	XXXXXXXXXXXXXXXXXXXX
02MAY12 03:52	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			
02MAY12 03:52	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			XXXXXXXXXXXXXXXXXXXX
		BS due on Serial 8086402				02MAY12 04:32
		SET EMERG OXYGEN at WAC 0740				XXXXXXXXXXXXXXXXXXXX
		TRANSFERRED FROM A23-012				

Maint Acts: SEO REMOVED FOR SEAT BS REF SNOW 542040-3-2-4-2-1

REMOVALS/INSTALLATIONS FOR A1EXXU1201743

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	8086402	A23T	A26BE	00				
	MBEU100618		02MAY12 04:15	A1EXXJ1103069				

A1EXXU1201744	COMPLETED	23MAY12 05:08	5253.2	AFHR	SCM	XXXXXXXXXXXXXXXXXXXX
02MAY12 03:52	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			
02MAY12 03:52	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			XXXXXXXXXXXXXXXXXXXX
		BS due on Serial MD1475				23MAY12 05:08
		ACTUATOR SEAT PAN at WAC 0740				XXXXXXXXXXXXXXXXXXXX
		TRANSFERRED FROM A23-012				

Maint Acts: BS C/O SERV REF SNOW 1002936

A1EXXU1201745	COMPLETED	23MAY12 05:03	5253.2	AFHR	SCM	XXXXXXXXXXXXXXXXXXXX
02MAY12 03:52	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			
02MAY12 03:52	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			XXXXXXXXXXXXXXXXXXXX
		BS due on Serial 040				23MAY12 05:03
		DROG LINK PIST ASSY at WAC 0740				XXXXXXXXXXXXXXXXXXXX
		TRANSFERRED FROM A23-012				

Maint Acts: BS C/O SERV REF SNOW 1002963

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00564  
08JAN20  
23:16:15

SERIAL/TAIL NO : 040  
PART NO : AUL1A-2 ~U1604 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : SEAT EJECT REAR  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1EXXU1201746	COMPLETED	23MAY12 05:01	5253.2	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
02MAY12 03:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			
02MAY12 03:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial LE0357				23MAY12 05:01
		GUN ASSY TELESCOPIC at WAC 0740				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-012				
	Maint Acts:	BS C/O SERV REF SNOW 1002936				
A1EXXU1201747	COMPLETED	23MAY12 04:51	5253.2	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
02MAY12 03:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			
02MAY12 03:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial LE0357				23MAY12 04:51
		GAS FIRING UNIT GUN at WAC 0740				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-012				
	Maint Acts:	BS C/O SERV REF SNOW 1002936				
A1EXXU1201748	COMPLETED	23MAY12 05:04	5253.2	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
02MAY12 03:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			
02MAY12 03:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial MD1414				23MAY12 05:04
		GUN DROGUE at WAC 0740				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-012				
	Maint Acts:	BS C/O SERV REF SNOW 1002936				
A1EXXU1201749	COMPLETED	23MAY12 04:47	5253.2	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
02MAY12 03:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			
02MAY12 03:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial MD1414				23MAY12 04:47
		GAS FRNG UNIT DROG at WAC 0740				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-012				
	Maint Acts:	BS C/O SERV REF SNOW 1002936				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00565  
08JAN20  
23:16:15

SERIAL/TAIL NO : 040  
PART NO : AUL1A-2 ~U1604  
ENGINEERING NAME : SEAT EJECT REAR  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1EXXU1201750	COMPLETED	23MAY12 05:07	5253.2	AFHR	SCM	XXXXXXXXXX
02MAY12 03:52	XXXXXXXX	XXXXXXXXXX	AIE			
02MAY12 03:52	XXXXXXXX	XXXXXXXXXX	AIE			XXXXXXXXXX
		BS due on Serial DD1109				23MAY12 05:07
		HPRU at WAC 0740				XXXXXXXXXX
		TRANSFERRED FROM A23-012				
	Maint Acts:	BS C/O SERV REF SNOW 1002936				
A1EXXU1201751	COMPLETED	23MAY12 04:50	5253.2	AFHR	SCM	XXXXXXXXXX
02MAY12 03:52	XXXXXXXX	XXXXXXXXXX	AIE			
02MAY12 03:52	XXXXXXXX	XXXXXXXXXX	AIE			XXXXXXXXXX
		BS due on Serial DD1109				23MAY12 04:50
		GAS FRNG UNIT HPRU at WAC 0740				XXXXXXXXXX
		TRANSFERRED FROM A23-012				
	Maint Acts:	BS C/O SERV REF SNOW 1002936				
A1EXXU1201752	COMPLETED	23MAY12 04:48	5253.2	AFHR	SCM	XXXXXXXXXX
02MAY12 03:52	XXXXXXXX	XXXXXXXXXX	AIE			
02MAY12 03:52	XXXXXXXX	XXXXXXXXXX	AIE			XXXXXXXXXX
		BS due on Serial DD1109				23MAY12 04:48
		HPRU BODY at WAC 0740				XXXXXXXXXX
		TRANSFERRED FROM A23-012				
	Maint Acts:	BS C/O SERV REF SNOW 1002936				
A1EXXU1201753	COMPLETED	23MAY12 05:00	5253.2	AFHR	SCM	XXXXXXXXXX
02MAY12 03:52	XXXXXXXX	XXXXXXXXXX	AIE			
02MAY12 03:52	XXXXXXXX	XXXXXXXXXX	AIE			XXXXXXXXXX
		BS due on Serial 040				23MAY12 05:00
		INITIATOR MAIN GUN at WAC 0740				XXXXXXXXXX
		TRANSFERRED FROM A23-012				
	Maint Acts:	BS C/O SERV REF SNOW 1002936				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 00566  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 040  
 PART NO : AUL1A-2 ~U1604  
 ENGINEERING NAME : SEAT EJECT REAR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1EXXU1201754	COMPLETED	23MAY12 05:06	5253.2	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
02MAY12 03:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			
02MAY12 03:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial MD1440				23MAY12 05:06
		REL BAROSTATIC TIME at WAC 0740				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-012				

Maint Acts: BS C/O SERV REF SNOW 1002936

A1EXXU1201760	COMPLETED	02MAY12 04:22	5253.2	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
02MAY12 04:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			
02MAY12 04:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		EJECTION SEAT CARTS RFA				02MAY12 04:22
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: CARTS REMOVED FOR SEAT BS REF SNOW 524040-3-2-4-2-1

REMOVALS/INSTALLATIONS FOR A1EXXU1201760

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	034L269	A23T	A26AE	00				
	MBEU100021		02MAY12 04:07	A1EXXJ1202317				

A1EXXU1201761	COMPLETED	02MAY12 04:28	5253.2	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
02MAY12 04:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			
02MAY12 04:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		REAR PARA RFA				02MAY12 04:28
						XXxxXXxxXXxxXXxxXXxx

aie1806 02MAY12 04:25:37

Maint Acts: REAR PSP REMOVED FOR SEAT BS REF SNOW 542040-3-2-4-2-1



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00567  
08JAN20  
23:16:15

SERIAL/TAIL NO : 040  
PART NO : AUL1A-2 ~U1604  
ENGINEERING NAME : SEAT EJECT REAR  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

REMOVALS/INSTALLATIONS FOR A1EXXU1201761

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	DD3514	A23T	A26BG	00				
	STANDARDPACK-1		02MAY12 04:23	A1EXXJ1202318				

A1EXXU1201762	COMPLETED		02MAY12 04:31	5253.2	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
02MAY12 04:13	XXxxXXxx		XXxxXXxxXXxxXXxxXXxx	AIE			
02MAY12 04:13	XXxxXXxx		XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
			REAR PSP RFA				02MAY12 04:31
							XXxxXXxxXXxxXXxxXXxx
			aie1806 02MAY12 04:28:55				
			REAR PARA ASSY REMOVED FOR ACCESS				

Maint Acts: REASR PARA ASSY REMOVED FOR SEAT BS REF SNOW 542040-3-2-4-2-1

REMOVALS/INSTALLATIONS FOR A1EXXU1201762

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	MB13782	A23T	A26BA	00				
	MBEU12043PA		02MAY12 04:30	A1EXXJ1202319				

A1EXXU1202136	COMPLETED		23MAY12 05:43	5253.2	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
23MAY12 05:40	XXxxXXxx		XXxxXXxxXXxxXXxxXXxx	AIE			
23MAY12 05:40	XXxxXXxx		XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
			REAR SEAT CART SET 2B FITTED				23MAY12 05:43
							XXxxXXxxXXxxXXxxXXxx

Maint Acts: REAR SEAT CART SET FITTED SERV REF SNOW 542040-3-2-4-2-1

REMOVALS/INSTALLATIONS FOR A1EXXU1202136

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001					034L269	A23T	A26AE	00
					MBEU100021		23MAY12 05:42	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00568  
08JAN20  
23:16:15

SERIAL/TAIL NO : 040  
PART NO : AUL1A-2 ~U1604  
ENGINEERING NAME : SEAT EJECT REAR  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
=====						
A1EXXU1202137	COMPLETED	23MAY12 05:44	5253.2	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
23MAY12 05:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			
23MAY12 05:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		REAR PARA ASSY 2B FITTED				23MAY12 05:44
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: REAR PARA ASSY FITTED SERV REF SNOW 542040-3-2-4-2-1

REMOVALS/INSTALLATIONS FOR A1EXXU1202137

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001					MB13782	A23T	A26BA	00
					MBEU12043PA		23MAY12 05:44	

A1EXXU1202138	COMPLETED	23MAY12 05:45	5253.2	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
23MAY12 05:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			
23MAY12 05:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		REAR PSP 2B FITTED				23MAY12 05:45
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: REAR PSP FITTED SERV REF SNOW 542040-3-2-4-2-1

REMOVALS/INSTALLATIONS FOR A1EXXU1202138

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001					DD3514	A23T	A26BG	00
					STANDARDPACK-1		23MAY12 05:45	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 040  
 PART NO : AUL1A-2 ~U1604  
 ENGINEERING NAME : SEAT EJECT REAR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1EXXU1202139	COMPLETED	23MAY12 05:46	5253.2	AFHR	SCM	XXXXXXXXXXXXXXXXXXXX
23MAY12 05:42	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			
23MAY12 05:42	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			XXXXXXXXXXXXXXXXXXXX
		REAR SEO 2B FITTED				23MAY12 05:46
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: REAR SEO FITTED SERV REF SNOW 542040-3-2-4-2-1

REMOVALS/INSTALLATIONS FOR A1EXXU1202139

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001					8086402	A23T	A26BE	00
					MBEU100618		23MAY12 05:46	

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1EXXU1304155	COMPLETED	09SEP13 23:33	5696.9	AFHR	SCM	XXXXXXXXXXXXXXXXXXXX
09SEP13 23:21	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			
09SEP13 23:21	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			XXXXXXXXXXXXXXXXXXXX
		TA due on Serial 034L269				09SEP13 23:33
		CARTRIDGE SET SEAT at WAC 0740				XXXXXXXXXXXXXXXXXXXX
		TRANSFERRED FROM A23-012				

Maint Acts: SERV REAR EJECTION SEAT CART SET FITTED REF SNOW 529028-1-2-4-2-1

REMOVALS/INSTALLATIONS FOR A1EXXU1304155

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	034L269	A23T	A26AE	00	1213L809R	A23T	A26AE	00
	MBEU100021		09SEP13 23:27	A1EXXJ1100861	MBEU100021		09SEP13 23:32	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 040  
PART NO : AUL1A-2 ~U1604 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : SEAT EJECT REAR  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1EXXU1401286	COMPLETED	09OCT14 04:57	5846.3	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
24FEB14 22:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			
24FEB14 22:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial MD1475				09OCT14 04:57
		ACTUATOR SEAT PAN at WAC 0740				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-012				

Maint Acts: OH C/O SERV REF SNOW 802851

A1EXXU1401287	COMPLETED	09OCT14 04:54	5846.3	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
24FEB14 22:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			
24FEB14 22:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial 040				09OCT14 04:54
		DROG LINK PIST ASSY at WAC 0740				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-012				

Maint Acts: OH C/O SERV REF SNOW 802851

A1EXXU1401288	COMPLETED	09OCT14 04:53	5846.3	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
24FEB14 22:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			
24FEB14 22:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial LE0357				09OCT14 04:53
		GUN ASSY TELESCOPIC at WAC 0740				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-012				

Maint Acts: OH C/O SERV REF SNOW 802851

A1EXXU1401289	COMPLETED	09OCT14 04:52	5846.3	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
24FEB14 22:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			
24FEB14 22:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial LE0357				09OCT14 04:52
		GAS FIRING UNIT GUN at WAC 0740				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-012				

Maint Acts: OH C/O SERV REF SNOW 802851

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00571  
08JAN20  
23:16:15

SERIAL/TAIL NO : 040  
PART NO : AUL1A-2 ~U1604  
ENGINEERING NAME : SEAT EJECT REAR  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1EXXU1401290	COMPLETED	09OCT14 04:55	5846.3	AFHR	SCM	XXXXXXXXXX
24FEB14 22:41	XXXXXXXX	XXXXXXXXXX	AIE			
24FEB14 22:41	XXXXXXXX	XXXXXXXXXX	AIE			XXXXXXXXXX
		BS due on Serial MD1414				09OCT14 04:55
		GUN DROGUE at WAC 0740				XXXXXXXXXX
		TRANSFERRED FROM A23-012				

Maint Acts: OH C/O SERV REF SNOW 802851

A1EXXU1401291	COMPLETED	09OCT14 04:56	5846.3	AFHR	SCM	XXXXXXXXXX
24FEB14 22:41	XXXXXXXX	XXXXXXXXXX	AIE			
24FEB14 22:41	XXXXXXXX	XXXXXXXXXX	AIE			XXXXXXXXXX
		OH due on Serial DD1109				09OCT14 04:56
		HPRU at WAC 0740				XXXXXXXXXX
		TRANSFERRED FROM A23-012				

Maint Acts: OH C/O SERV REF SNOW 802851

A1EXXU1401292	COMPLETED	09OCT14 04:52	5846.3	AFHR	SCM	XXXXXXXXXX
24FEB14 22:41	XXXXXXXX	XXXXXXXXXX	AIE			
24FEB14 22:41	XXXXXXXX	XXXXXXXXXX	AIE			XXXXXXXXXX
		OH due on Serial DD1109				09OCT14 04:52
		GAS FRNG UNIT HPRU at WAC 0740				XXXXXXXXXX
		TRANSFERRED FROM A23-012				

Maint Acts: OH C/O SERV REF SNOW 802851

A1EXXU1401293	COMPLETED	09OCT14 04:51	5846.3	AFHR	SCM	XXXXXXXXXX
24FEB14 22:41	XXXXXXXX	XXXXXXXXXX	AIE			
24FEB14 22:41	XXXXXXXX	XXXXXXXXXX	AIE			XXXXXXXXXX
		OH due on Serial DD1109				09OCT14 04:51
		HPRU BODY at WAC 0740				XXXXXXXXXX
		TRANSFERRED FROM A23-012				

Maint Acts: OH C/O SERV REF SNOW 802851

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 040  
 PART NO : AUL1A-2 ~U1604  
 ENGINEERING NAME : SEAT EJECT REAR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1EXXU1401294	COMPLETED	09OCT14 04:52	5846.3	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
24FEB14 22:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			
24FEB14 22:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial 040				09OCT14 04:52
		INITIATOR MAIN GUN at WAC 0740				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-012				
	Maint Acts:	OH C/O SERV REF SNOW 802851				
A1EXXU1401295	COMPLETED	09OCT14 04:55	5846.3	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
24FEB14 22:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			
24FEB14 22:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial 040				09OCT14 04:55
		MANIFOLD ASSY BAL at WAC 0740				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-012				
	Maint Acts:	OH C/O SERV REF SNOW 802851				
A1EXXU1401296	COMPLETED	09OCT14 04:56	5846.3	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
24FEB14 22:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			
24FEB14 22:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial MD1440				09OCT14 04:56
		REL BAROSTATIC TIME at WAC 0740				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-012				
	Maint Acts:	OH C/O SERV REF SNOW 802851				
A1EXXU1401297	COMPLETED	09OCT14 04:54	5846.3	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
24FEB14 22:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			
24FEB14 22:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial 040				09OCT14 04:54
		TROMBONE ASSY-INIT at WAC 0740				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-012				
	Maint Acts:	OH C/O SERV REF SNOW 802851				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 040  
 PART NO : AU11A-2 ~U1604  
 ENGINEERING NAME : SEAT EJECT REAR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1EXXU1401298	COMPLETED	09OCT14 04:53	5846.3	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
24FEB14 22:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			
24FEB14 22:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial 040				09OCT14 04:53
		TROMBONE ASSY-MOR at WAC 0740				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-012				

Maint Acts: OH C/O SERV REF SNOW 802851

A1EXXU1401379	COMPLETED	09OCT14 04:59	5846.3	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
27FEB14 22:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			
27FEB14 22:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial 1664354				09OCT14 04:59
		SET EMERG OXYGEN at WAC 0740				XXxxXXxxXXxxXXxxXXxx

Maint Acts: REAR SEO REMOVED FOR SEAT OH

REMOVALS/INSTALLATIONS FOR A1EXXU1401379

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1664354	A23T	A26BE	00				
	MBEU100618		27FEB14 22:20	A1EXXJY901509				

A1EXXU1401568	COMPLETED	09OCT14 04:59	5846.3	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
06MAR14 03:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			
06MAR14 03:48	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		REAR PARA ASSY REMOVED FOR ACCESS				09OCT14 04:59
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: REAR PARA ASSY REMOVED FOR SEAT OH

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 040 PERIOD: 01JAN90 TO 08JAN20  
PART NO : AUL1A-2 ~U1604  
ENGINEERING NAME : SEAT EJECT REAR  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1EXXU1401568

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	MB9641	A23T	A26BA	00				
	MBEU12043PA		06MAR14 03:48	A1EXXJ1401586				

A1EXXU1401570	COMPLETED		09OCT14 05:00	5846.3	AFHR	SCM		
06MAR14 03:49	XXXXXXXX		XXXXXXXXXXXXXXXXXXXX	AIE				XXXXXXXXXXXXXXXXXXXX
06MAR14 03:49	XXXXXXXX		XXXXXXXXXXXXXXXXXXXX	AIE				XXXXXXXXXXXXXXXXXXXX
			REAR PSP REMOVED FOR ACCESS					09OCT14 05:00
								XXXXXXXXXXXXXXXXXXXX

Maint Acts: REAR PSP REMOVED FOR SEAT OH

REMOVALS/INSTALLATIONS FOR A1EXXU1401570

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	DC4958	A23T	A26BG	00				
	STANDARDPACK-1		06MAR14 03:49	A1EXXJ1401587				

A1EXXU1403317	COMPLETED		09OCT14 05:01	5846.3	AFHR	SCM		
27MAY14 00:27	XXXXXXXX		XXXXXXXXXXXXXXXXXXXX	AIE				XXXXXXXXXXXXXXXXXXXX
27MAY14 00:27	XXXXXXXX		XXXXXXXXXXXXXXXXXXXX	AIE				XXXXXXXXXXXXXXXXXXXX
			REAR EJECTION SEAT CART SET REMOVED FOR ACCESS					09OCT14 05:01
								XXXXXXXXXXXXXXXXXXXX

Maint Acts: REAR EJECTION SEAT CART SET REMOVED FOR SEAT OH

REMOVALS/INSTALLATIONS FOR A1EXXU1403317

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	1213L809R	A23T	A26AE	00				
	MBEU100021		27MAY14 00:27	A1EXXJ1403264				



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00575  
08JAN20  
23:16:15

SERIAL/TAIL NO : 040  
PART NO : AUL1A-2 ~U1604  
ENGINEERING NAME : SEAT EJECT REAR  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

=====

A1EXXU1406640 COMPLETED 09OCT14 05:15 5846.3 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
09OCT14 05:13 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE  
09OCT14 05:13 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE  
DROGUE GUN GAS FIRING UNIT REMOVED FOR TA  
09OCT14 05:15  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV DROGUE GUN GAS FIRING UNIT FITTED REF SNOW 802851

REMOVALS/INSTALLATIONS FOR A1EXXU1406640

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

====

001 MD1414 A23T A26AK00 00 MD1414A A23T A26AK00 00  
MBEU62327 09OCT14 05:14 A1EXXJ1406423 MBEU62327 09OCT14 05:14

A1EXXU1406642	COMPLETED	09OCT14 05:25	5846.3	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
09OCT14 05:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			
09OCT14 05:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial MD1414A				09OCT14 05:25
		GAS FRNG UNIT DROG at WAC 0740				XXxxXXxxXXxxXXxxXXxx

Maint Acts: BS C/O SERV REF SNOW 802851

4SQNXU1403826	COMPLETED	29OCT14 22:22	5846.3	AFHR	T+TS+II	XXxxXXxxXXxxXXxxXXxx
29OCT14 22:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			29OCT14 22:22
29OCT14 22:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	REF		XXxxXXxxXXxxXXxxXXxx
		REAR PARACHUTE ASSY REQUIRES BACK PAD TO BE REPLACED DUE TO BROKEN				29OCT14 22:22
		STICHING				XXxxXXxxXXxxXXxxXXxx
						29OCT14 22:22

Maint Acts: BACK PAD REPLACED WITH SERV ITEM IAW AAP 7212.007-6-6.

A1EXXU1601163	COMPLETED	07APR16 01:42	6206.2	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
08MAR16 03:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			
08MAR16 03:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		TA due on Serial 4562014R				07APR16 01:42
		CARTRIDGE SET SEAT at WAC 0740				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-020				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 040 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : AUL1A-2 ~U1604  
 ENGINEERING NAME : SEAT EJECT REAR  
 VENUE : A23DISP LOCATION : A23-033

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: SERV REAR EJECTION SEAT CART SET FITTED REF SNOW 436914-1 AIE MCS 14/16

REMOVALS/INSTALLATIONS FOR A1EXXU1601163

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	4562014R MBEU100021	A23T	A26AE 08MAR16 04:33	00 A1PXXJ1406561	2016L898R MBEU100021	A23T	A26AE 07APR16 01:41	00

A1EXXU1601169 COMPLETED 07APR16 01:43 6206.2 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
 08MAR16 04:33 XXxxXXxx XXxxXXxxXXxxXXxx AIE  
 08MAR16 04:34 XXxxXXxx XXxxXXxxXXxxXXxx AIE XXxxXXxxXXxxXXxxXXxx  
 436914 1 REAR PARA ASSY REMOVED FOR ACCESS 07APR16 01:43  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV REAR PARA ASSY FITTED REF SNOW 436914-1 AIE MCS 14/16

REMOVALS/INSTALLATIONS FOR A1EXXU1601169

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	MB13015 MBEU12043PA	A23T	A26BA 08MAR16 04:34	00 A1EXXJ1602069	MB13015 MBEU12043PA	A23T	A26BA 07APR16 01:42	00

A1EXXU1601170 COMPLETED 07APR16 01:44 6206.2 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
 08MAR16 04:34 XXxxXXxx XXxxXXxxXXxxXXxx AIE  
 08MAR16 04:35 XXxxXXxx XXxxXXxxXXxxXXxx AIE XXxxXXxxXXxxXXxxXXxx  
 436914 1 REAR PSP REMOVED FOR ACCESS 07APR16 01:44  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV REAR PSP FITTED REF SNOW 436914-1 AIE MCS 14/16

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : 040  
PART NO : AUL1A-2 ~U1604 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : SEAT EJECT REAR  
VENUE : A23DISP LOCATION : A23-033  
REMOVALS/INSTALLATIONS FOR A1EXXU1601170

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	DG0041	A23T	A26BG	00	DG0041	A23T	A26BG	00
	STANDARDPACK-1		08MAR16 04:35	A1EXXJ1602070	STANDARDPACK-1		07APR16 01:43	

ARDEXU1602293 COMPLETED 03AUG16 06:11 6283.2 AFHR T+TS  
03AUG16 05:13 XXxxXXxx XXxxXXxxXXxxXXxxXXxx ARDU 03AUG16 06:11  
03AUG16 05:13 XXxxXXxx XXxxXXxxXXxxXXxxXXxx ARDU 03AUG16 06:11  
STI-PC9-0625 TO BE CARRIED OUIT XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI -PC9-0625 CARRIED OUT IAW ENCLOSED INSTRUCTIONS SEAT FOUND IN CORRECT CONFIGURATION

A1EXXU1605681 COMPLETED 08NOV16 03:42 6288.1 AFHR SCM  
22SEP16 04:32 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE  
22SEP16 04:32 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE  
BS due on Serial MD1475  
ACTUATOR SEAT PAN at WAC 0740  
TRANSFERRED FROM A23-020  
08NOV16 03:42  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV SEAT PAN ACTUATOR FITTED REF SNOW 1202831 MCS ARM 52/16

REMOVALS/INSTALLATIONS FOR A1EXXU1605681

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	MD1475	A23T	A26AC	00	MD1475	A23T	A26AC	00
	MBEU100490		23SEP16 01:00	A1EXXJ1202830	MBEU100490		08NOV16 03:41	

A1EXXU1605682 COMPLETED 08NOV16 00:35 6288.1 AFHR SCM  
22SEP16 04:32 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE  
22SEP16 04:32 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE  
BS due on Serial 040  
DROG LINK PIST ASSY at WAC 0740  
TRANSFERRED FROM A23-020  
08NOV16 00:35  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: BS C/O SERV REF SNOW 1202831 MCS ARM 52/16

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 040  
 PART NO : AUL1A-2 ~U1604  
 ENGINEERING NAME : SEAT EJECT REAR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES -----  
 SERV NUMBER STATUS STATUS DATE/TIME TOTAL LIFE INT TYPE CERTIFICATION TRADESMAN  
 RAISED DATE/TIME RAISED USER ID RAISED NAME RAISED VENUE CAPABILITY CODE EPSS DATE/TIME  
 ENTERED DATE/TIME ENTERED USER ID ENTERED NAME ENTERED VENUE IMIC NO SUPERVISOR  
 OPERATION NO ASOR NO SYMPTOMS  
 EE500PG EE500LN  
 STA WL BL ADMIN MAINT ACTION/LIMITATIONS  
 =====

A1EXXU1605683 COMPLETED 16NOV16 04:40 6288.1 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
 22SEP16 04:32 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE  
 22SEP16 04:32 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE  
 BS due on Serial LE0357  
 GUN ASSY TELESCOPIC at WAC 0740  
 TRANSFERRED FROM A23-020

Maint Acts: SERV GUN ASSY TELESCOPIC FITTED REF SNOW 1202831 MCS ARM 52/16

REMOVALS/INSTALLATIONS FOR A1EXXU1605683

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
=====	=====	=====	=====	=====	=====	=====	=====	=====
001	LE0357	A23T	A26AI	00	LE0357	A23T	A26AI	00
	MBEU100078		23SEP16 00:57	A1EXXJ1202825	MBEU100078		16NOV16 04:39	

A1EXXU1605684 COMPLETED 22SEP16 04:32 6288.1 AFHR SST XXxxXXxxXXxxXXxxXXxx  
 22SEP16 04:32 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE  
 22SEP16 04:32 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE  
 BS due on Serial LE0357  
 GAS FIRING UNIT GUN at WAC 0740  
 TRANSFERRED FROM A23-020

Maint Acts: TRANSFERRED TO LE0357

A1EXXU1605685 COMPLETED 08NOV16 03:43 6288.1 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
 22SEP16 04:32 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE  
 22SEP16 04:32 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE  
 BS due on Serial MD1414  
 GUN DROGUE at WAC 0740  
 TRANSFERRED FROM A23-020

Maint Acts: SERV DROGUE GUN FITTED REF SNOW 1202831 MCS ARM 52/16

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00579  
08JAN20  
23:16:15

SERIAL/TAIL NO : 040  
PART NO : AUL1A-2 ~U1604  
ENGINEERING NAME : SEAT EJECT REAR  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

REMOVALS/INSTALLATIONS FOR A1EXXU1605685

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	MD1414	A23T	A26AK	00	MD1414	A23T	A26AK	00
MBEU91524	23SEP16 00:58	A1EXXJ1406413	MBEU91524	08NOV16 03:43				

A1EXXU1605686 COMPLETED 22SEP16 04:32 6288.1 AFHR SST  
22SEP16 04:32 XXXX  
22SEP16 04:32 XXXX  
BS due on Serial MD1414A  
GAS FRNG UNIT DROG at WAC 0740  
TRANSFERRED FROM A23-020  
XXXXXX  
23SEP16 00:58  
XXXXXX

Maint Acts: TRANSFERRED TO MD1414

A1EXXU1605687 COMPLETED 08NOV16 03:41 6288.1 AFHR SCM  
22SEP16 04:32 XXXX  
22SEP16 04:32 XXXX  
BS due on Serial DD1109  
HPRU at WAC 0740  
TRANSFERRED FROM A23-020  
XXXXXX  
08NOV16 03:41  
XXXXXX

Maint Acts: SERV HPRU FITTED REF SNOW 1202831 MCS ARM 52/16

REMOVALS/INSTALLATIONS FOR A1EXXU1605687

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	DD1109	A23T	A26AM	00	DD1109	A23T	A26AM	00
MBEU114626	23SEP16 01:00	A1EXXJ1202829	MBEU114626	08NOV16 03:40				

A1EXXU1605688 COMPLETED 22SEP16 04:32 6288.1 AFHR SST  
22SEP16 04:32 XXXX  
22SEP16 04:32 XXXX  
BS due on Serial DD1109  
GAS FRNG UNIT HPRU at WAC 0740  
TRANSFERRED FROM A23-020  
XXXXXX  
23SEP16 01:00  
XXXXXX

Maint Acts: TRANSFERRED TO DD1109

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
Camm2  
ASSET HISTORY

PAGE 00580  
08JAN20  
23:16:15

SERIAL/TAIL NO : 040  
PART NO : AUL1A-2 ~U1604  
ENGINEERING NAME : SEAT EJECT REAR  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME

A1EXXU1605689	COMPLETED	22SEP16 04:33	6288.1	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
22SEP16 04:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			23SEP16 01:00
22SEP16 04:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
EE500PG EE500LN		BS due on Serial DD1109				
STA WL BL ADMIN		HPRU BODY at WAC 0740				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-020				

Maint Acts: TRANSFERRED TO DD1109

A1EXXU1605690	COMPLETED	08NOV16 00:36	6288.1	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
22SEP16 04:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			
22SEP16 04:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial 040				08NOV16 00:36
		INITIATOR MAIN GUN at WAC 0740				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-020				

Maint Acts: BS C/O SERV REF SNOW 1202831 MCS ARM 52/16

A1EXXU1605691	COMPLETED	08NOV16 03:40	6288.1	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
22SEP16 04:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			
22SEP16 04:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial MD1440				08NOV16 03:40
		REL BAROSTATIC TIME at WAC 0740				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-020				

Maint Acts: SERV BTRU FITTED REF SNOW 1202831 MCS ARM 52/16

REMOVALS/INSTALLATIONS FOR A1EXXU1605691

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	MD1440	A23T	A26BC	00	MD1440	A23T	A26BC	00
	MBEU90652		23SEP16 00:59	A1EXXJ1202828	MBEU90652		08NOV16 03:39	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : 040  
PART NO : AUL1A-2 ~U1604  
ENGINEERING NAME : SEAT EJECT REAR  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1EXXU1605698	COMPLETED	17NOV16 00:59	6288.1	AFHR	SCM	XXXXXXXXXX
22SEP16 04:51	XXXXXXXX	XXXXXXXXXX	AIE			
22SEP16 04:51	XXXXXXXX	XXXXXXXXXX	AIE			XXXXXXXXXX
		REAR EJECTION SEAT CART SET REMOVED FOR ACCESS				17NOV16 00:59
						XXXXXXXXXX

Maint Acts: REAR EJECTION SEAT CART SET FITTED SERV REF SNOW MCS R2 88/16  
436940-1-2-4-2-1

REMOVALS/INSTALLATIONS FOR A1EXXU1605698

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	2016L898R	A23T	A26AE	00	2016L898R	A23T	A26AE	00
	MBEU100021		22SEP16 04:51	A1EXXJ1609390	MBEU100021		17NOV16 00:58	

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1EXXU1605699	COMPLETED	17NOV16 00:58	6288.1	AFHR	SCM	XXXXXXXXXX
22SEP16 04:53	XXXXXXXX	XXXXXXXXXX	AIE			
22SEP16 04:54	XXXXXXXX	XXXXXXXXXX	AIE			XXXXXXXXXX
		REAR PARA ASSY REMOVED FOR ACCESS				17NOV16 00:58
						XXXXXXXXXX

Maint Acts: REAR PARA ASSY FITTED SERV REF SNOW MCS R2 88/16 436940-1-2-4-2-1

REMOVALS/INSTALLATIONS FOR A1EXXU1605699

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	MB13015	A23T	A26BA	00	MB13015	A23T	A26BA	00
	MBEU12043PA		22SEP16 04:54	A1EXXJ1609392	MBEU12043PA		17NOV16 00:57	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 040  
 PART NO : AUL1A-2 ~U1604  
 ENGINEERING NAME : SEAT EJECT REAR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1EXXU1605700	COMPLETED	17NOV16 00:57	6288.1	AFHR	SCM	XXXXXXXXXXXXXXXXXXXX
22SEP16 04:54	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			
22SEP16 04:55	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			XXXXXXXXXXXXXXXXXXXX
		REAR PSP REMOVED FOR ACCESS				17NOV16 00:57
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: REAR PSP FITTED SERV REF SNOW MCS R2 88/16 436940-1-2-4-2-1

REMOVALS/INSTALLATIONS FOR A1EXXU1605700

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	DG0041	A23T	A26BG	00	DG0041	A23T	A26BG	00
	STANDARDPACK-1		22SEP16 04:55	A1EXXJ1609393	STANDARDPACK-1		17NOV16 00:56	

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1EXXU1605701	COMPLETED	17NOV16 00:56	6288.1	AFHR	SCM	XXXXXXXXXXXXXXXXXXXX
22SEP16 04:56	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			
22SEP16 04:56	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			XXXXXXXXXXXXXXXXXXXX
		REAR SEO REMOVED FOR ACCESS				17NOV16 00:56
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: REAR SEO FITTED SERV REF SNOW MCS R2 88/16 436940-1-2-4-2-1

REMOVALS/INSTALLATIONS FOR A1EXXU1605701

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1690620	A23T	A26BE	00	1690620	A23T	A26BE	00
	MBEU100618		22SEP16 04:56	A1EXXJ1609394	MBEU100618		17NOV16 00:55	



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 00583  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 040  
 PART NO : AUL1A-2 ~U1604  
 ENGINEERING NAME : SEAT EJECT REAR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
4SQNXU1802358	COMPLETED	29MAY18 04:26	6721.6	AFHR	MM	XXXXXXXXXXXXXXXXXXXX
28MAY18 01:43	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	4SQN			
28MAY18 01:43	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	4SQN			XXXXXXXXXXXXXXXXXXXX
		TA due on Serial 2016L898R				29MAY18 04:26
		CARTRIDGE SET SEAT at WAC 0740				XXXXXXXXXXXXXXXXXXXX
		TRANSFERRED FROM A23-020				

Maint Acts: CARTS REPLACED SERV REFER WORKSHEETS 4SQN/WS/45/18 AND 4SQN/WS/49/18

REMOVALS/INSTALLATIONS FOR 4SQNXU1802358

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	2016L898R	A23T	A26AE	00	2018L548R	A23T	A26AE	00
	MBEU100021		28MAY18 01:46	ALEXJ1602413	MBEU100021		28MAY18 23:36	
002	LE0357	A23T	A26AI	00	LE0357	A23T	A26AI	00
	MBEU100078		28MAY18 01:57	4SQNXJ1800849	MBEU100078		29MAY18 04:24	

4SQNXU1804963	COMPLETED	07FEB19 03:39	6891.9	AFHR	SCT	XXXXXXXXXXXXXXXXXXXX
12NOV18 03:30	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	4SQN			07FEB19 03:39
12NOV18 03:35	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	4SQN			XXXXXXXXXXXXXXXXXXXX
		REAR EJECTION SEAT CARTS, PSP, EMERGENCY OXYGEN BOTTLE AND PARACHUTE				
		ASSY TO BE REMOVED FROM EJECTION SEAT FOR TRANSFER TO NEW EJECTION SEAT				XXXXXXXXXXXXXXXXXXXX

Maint Acts: CMM UPDATE

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00584  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 040  
 PART NO : AU11A-2 ~U1604  
 ENGINEERING NAME : SEAT EJECT REAR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

REMOVALS/INSTALLATIONS FOR 4SQNXU1804963

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				

001	2018L548R MBEU100021	A23T	A26AE 12NOV18	03:46	00 4SQNXJ1801666			
002	2923827 MBEU100618	A23T	A26BE 12NOV18	03:54	00 4SQNXJ1801669			
003	DE0540 STANDARDPACK-1	A23T	A26BG 12NOV18	04:18	00 4SQNXJ1801670			
004	MB13435 MBEU12095PA	A23T	A26BA10 12NOV18	04:23	00 4SQNXJ1801671			
005	LE0357 MBEU100078	A23T	A26AI 12NOV18	04:24	00 4SQNXJ1801672	LE0357 MBEU100078	A23T	A26AI 07FEB19 03:34
006	MB13435-SET36 MBEU12043PA	A23T	A26BA 14NOV18	23:09	00 4SQNXJ1801697			

4SQNXU1805081	COMPLETED	19FEB19 01:54	6891.9	AFHR	SCT	XXXXXXXXXXXXXXXXXXXX
15NOV18 00:16	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	4SQN			19FEB19 01:54
15NOV18 00:17	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	4SQN			XXXXXXXXXXXXXXXXXXXX
		BS	due on Serial MD1475			
		ACTUATOR SEAT PAN	at WAC 0740			XXXXXXXXXXXXXXXXXXXX

Maint Acts: SEAT PAN ACTUATOR FITTED SERV REF SNOW 1610669 AIE MCS 08/19

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00585  
08JAN20  
23:16:15

SERIAL/TAIL NO : 040 PERIOD: 01JAN90 TO 08JAN20  
PART NO : AUL1A-2 ~U1604  
ENGINEERING NAME : SEAT EJECT REAR  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR 4SQNXU1805081

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	MD1475	A23T	A26AC	00	MD1475	A23T	A26AC	00
MBEU100490	07FEB19 04:35	A1EXXJ1610650	MBEU100490	19FEB19 01:53				

4SQNXU1805082 COMPLETED 19FEB19 01:55 6891.9 AFHR SCT XXxxXXxxXXxxXXxxXXxx  
15NOV18 00:16 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 19FEB19 01:55  
15NOV18 00:17 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN XXxxXXxxXXxxXXxxXXxx  
BS due on Serial 040  
DROG LINK PIST ASSY at WAC 0740 XXxxXXxxXXxxXXxxXXxx

Maint Acts: INSITU BAY SERVICE CARRIED OUT SERV REF SNOW 1610669 AIE MCS 08/19

4SQNXU1805083 COMPLETED 19FEB19 01:57 6891.9 AFHR SCT XXxxXXxxXXxxXXxxXXxx  
15NOV18 00:16 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 19FEB19 01:57  
15NOV18 00:17 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN XXxxXXxxXXxxXXxxXXxx  
BS due on Serial MD1414  
GUN DROGUE at WAC 0740 XXxxXXxxXXxxXXxxXXxx

Maint Acts: DRORUE GUN FITTED SERV REF SNOW 1610669 AIE MCS 08/19

REMOVALS/INSTALLATIONS FOR 4SQNXU1805083

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	MD1414	A23T	A26AK	00	MD1414	A23T	A26AK	00
MBEU91524	07FEB19 04:36	A1EXXJ1610653	MBEU91524	19FEB19 01:56				

4SQNXU1805084 COMPLETED 15NOV18 00:16 6891.9 AFHR SST XXxxXXxxXXxxXXxxXXxx  
15NOV18 00:16 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 07FEB19 04:36  
15NOV18 00:17 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN XXxxXXxxXXxxXXxxXXxx  
BS due on Serial MD1414A  
GAS FRNG UNIT DROG at WAC 0740 XXxxXXxxXXxxXXxxXXxx

Maint Acts: TRANSFERRED TO MD1414

4SQNXU1805085 COMPLETED 19FEB19 01:59 6891.9 AFHR SCT XXxxXXxxXXxxXXxxXXxx  
15NOV18 00:16 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 19FEB19 01:59  
15NOV18 00:17 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN XXxxXXxxXXxxXXxxXXxx  
BS due on Serial DD1109  
HPRU at WAC 0740 XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00586  
08JAN20  
23:16:15

SERIAL/TAIL NO : 040  
PART NO : AUL1A-2 ~U1604  
ENGINEERING NAME : SEAT EJECT REAR  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: HPRU FITTED SERV REF SNOW 1610669 AIE MCS 08/19

REMOVALS/INSTALLATIONS FOR 4SQNXU1805085

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001 DD1109 A23T A26AM 04:37 00 A1EXXJ1610656 DD1109 A23T A26AM 01:58 00  
MBEU114626

4SQNXU1805086 COMPLETED 15NOV18 00:16 6891.9 AFHR SST  
15NOV18 00:16 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 07FEB19 04:37  
15NOV18 00:17 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN XXxxXXxxXXxxXXxxXXxx  
BS due on Serial DD1109  
GAS FRNG UNIT HPRU at WAC 0740 XXxxXXxxXXxxXXxxXXxx

Maint Acts: TRANSFERRED TO DD1109

4SQNXU1805087 COMPLETED 15NOV18 00:16 6891.9 AFHR SST  
15NOV18 00:16 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 07FEB19 04:37  
15NOV18 00:17 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN XXxxXXxxXXxxXXxxXXxx  
BS due on Serial DD1109  
HPRU BODY at WAC 0740 XXxxXXxxXXxxXXxxXXxx

Maint Acts: TRANSFERRED TO DD1109

4SQNXU1805088 COMPLETED 19FEB19 02:00 6891.9 AFHR SCT  
15NOV18 00:16 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 19FEB19 02:00  
15NOV18 00:17 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN XXxxXXxxXXxxXXxxXXxx  
BS due on Serial 040  
INITIATOR MAIN GUN at WAC 0740 XXxxXXxxXXxxXXxxXXxx

Maint Acts: INSITU BAY SERVICE CARRIED OUT SERV REF SNOW 1610669 AIE MCS 08/19

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 040  
 PART NO : AUL1A-2 ~U1604  
 ENGINEERING NAME : SEAT EJECT REAR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME

EE500PG	EE500LN	BL	ADMIN	MAINT ACTION/LIMITATIONS	INSPECTOR	DATE/TIME
4SQNXU1805089	COMPLETED	19FEB19	02:01	6891.9	AFHR	SCT
15NOV18	00:16	XXxxXXxx		4SQN		19FEB19 02:01
15NOV18	00:17	XXxxXXxx		4SQN		XXxxXXxxXXxxXXxxXXxx
				BS due on Serial MD1440		
				REL BAROSTATIC TIME at WAC 0740		XXxxXXxxXXxxXXxxXXxx

Maint Acts: BTRU FITTED SERV REF SNOW 1610669 AIE MCS 08/19

REMOVALS/INSTALLATIONS FOR 4SQNXU1805089

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	MD1440	A23T	A26BC	00	MD1440	A23T	A26BC	00
	MBEU90652		07FEB19 04:38	A1EXXJ1610657	MBEU90652		19FEB19 02:00	

A1EXXU1900504	COMPLETED	07FEB19	03:41	6891.9	AFHR	SST
07FEB19	03:41	XXxxXXxx		AIE		07FEB19 04:39
07FEB19	03:41	XXxxXXxx		AIE		XXxxXXxxXXxxXXxxXXxx
				BS due on Serial LE0357		
				GAS FIRING UNIT GUN at WAC 0740		XXxxXXxxXXxxXXxxXXxx

N  
 Maint Acts: TRANSFERRED TO LE0357

A1EXXU1900505	COMPLETED	19FEB19	02:03	6891.9	AFHR	SCT
07FEB19	03:41	XXxxXXxx		AIE		19FEB19 02:03
07FEB19	03:41	XXxxXXxx		AIE		XXxxXXxxXXxxXXxxXXxx
				BS due on Serial LE0357		
				GUN ASSY TELESCOPIC at WAC 0740		XXxxXXxxXXxxXXxxXXxx

N  
 Maint Acts: GUN ASSY TELESCOPIC FITTED SERV REF SNOW 1610669 AIE MCS 08/19

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00588  
08JAN20  
23:16:15

SERIAL/TAIL NO : 040  
PART NO : AU11A-2 ~U1604  
ENGINEERING NAME : SEAT EJECT REAR  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

REMOVALS/INSTALLATIONS FOR A1EXXU1900505

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	LE0357	A23T	A26AI	00	LE0357	A23T	A26AI	00
	MBEU100078		07FEB19 04:39	A1EXXJ1900662	MBEU100078		19FEB19 02:02	

A1EXXU1900672 COMPLETED 20FEB19 00:18 6891.9 AFHR SCT XXxxXXxxXXxxXXxxXXxx  
19FEB19 05:15 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 20FEB19 00:18  
19FEB19 05:16 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE XXxxXXxxXXxxXXxxXXxx  
REAR EJECTION SEAT CARTS TO BE FITTED

N  
Maint Acts: REAR EJECTION SEAT CARTS FITTED SERV REF SNOW 572632-3-2-4-2-1 AIE  
MCS 107/18

REMOVALS/INSTALLATIONS FOR A1EXXU1900672

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001					2518L547R	A23T	A26AE	00
					MBEU100021		20FEB19 00:17	

A1EXXU1900673 COMPLETED 20FEB19 00:21 6891.9 AFHR SCT XXxxXXxxXXxxXXxxXXxx  
19FEB19 05:17 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 20FEB19 00:21  
19FEB19 05:18 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE XXxxXXxxXXxxXXxxXXxx  
REAR SEAT PARA ASSY TO BE FITTED

N  
Maint Acts: REAR SEAT PARA ASSY FITTED SERV REF SNOW 572632-3-2-4-2-1 AIE MCS  
107/18

REMOVALS/INSTALLATIONS FOR A1EXXU1900673

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001					R717458	A23T	A26BA	00
					MBEU12043PA		20FEB19 00:19	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00589  
08JAN20  
23:16:15

SERIAL/TAIL NO : 040 PERIOD: 01JAN90 TO 08JAN20  
PART NO : AUL1A-2 ~U1604  
ENGINEERING NAME : SEAT EJECT REAR  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

=====

A1EXXU1900674	COMPLETED	20FEB19 00:23	6891.9	AFHR	SCT	XXXXXXXXXXXXXXXXXXXX
19FEB19 05:18	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			20FEB19 00:23
19FEB19 05:19	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			XXXXXXXXXXXXXXXXXXXX
		REAR SEAT PSP TO BE FITTED				XXXXXXXXXXXXXXXXXXXX

N  
Maint Acts: FEAR SEAT PSP FITTED SERV REF SNOW 572632-3-2-4-2-1 AIE MCS 107/18

REMOVALS/INSTALLATIONS FOR A1EXXU1900674

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

=====  
001  
DF0209 A23T A26BG 00  
STANDARDPACK-1 20FEB19 00:22

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

=====

ARDUPJCA00428	C COMPLETED	21JAN02 00:00	XXXXXXXX		ARDUPEA	0.0	
02 BAY SERVICE DUE							

Unserviceability Details:  
Maintenance Comments:

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00590  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 040  
 PART NO : AUL1A-2 ~U1604  
 ENGINEERING NAME : SEAT EJECT REAR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

ARDUPJCA00242	C COMPLETED	21JAN02 00:00	XXxxXXxx		ARDUPEA	0.0	
03 OVERHAUL DUE	21JAN02 00:00						

Unserviceability Details:  
 Maintenance Comments:

ARDUXJY301123	C COMPLETED	24NOV03 01:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU	ARDU	
08 MOD/STI/DVI REQUIRED	09DEC03 22:26			STI-PC9-315B due on Serial 040		0.0	AFHR
01 NO FAULT		08 MOD/STI/DVI INCORP		SEAT EJECTION REAR at WAC 0740			

Unserviceability Details:  
 Maintenance Comments:

STI-PC9-315B

ARDUXJY301460	C COMPLETED	09DEC03 22:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU	AIE	
13 REMOVED FOR ACCESS	18MAR04 23:23	99 NO FAILURE		FRONT EJECTION SEAT REMOVED FOR ACCESS		0.0	

01 NO FAULT  
 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments:

BS CO

ARDUPJ302248X	C COMPLETED	11DEC03 00:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU	AIE	
02 BAY SERVICE DUE	18MAR04 23:02			BS due on Serial		0.0	
01 NO FAULT		06 BAY SERVICE		SEAT EJECTION REAR at WAC 0740			

Unserviceability Details:  
 Maintenance Comments:

BS CO

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			21JAN04
SM	BS	2.0	ELPYR			21JAN04



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00591  
08JAN20  
23:16:15

SERIAL/TAIL NO : 040  
PART NO : AUL1A-2 ~U1604  
ENGINEERING NAME : SEAT EJECT REAR  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
ARDUXJY412227	C COMPLETED	01NOV04 03:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU	ARDU	
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
13	REMOVED FOR ACCESS	99 NO FAILURE		TA	due on Serial H204883	0.0	
01	NO FAULT	04 CHECK/TEST SERV		CARTRIDGE SET SEAT at WAC 0740			
		Unserviceability Details:		SERV			
		Maintenance Comments:					
ARDUXJY500539	C COMPLETED	16FEB05 01:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU	ARDU	
13	REMOVED FOR ACCESS	99 NO FAILURE		REAR SEAT TO BE REMOVED FOR ACCESS		0.0	
01	NO FAULT	04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		CHECK/TEST SERV			
A1EXXJY505944	C COMPLETED	27JUL05 03:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
13	REMOVED FOR ACCESS	99 NO FAILURE		F AND R EJECTION SEATS REMOVED FOR ACCESS		3718.3	AFHR
01	NO FAULT	04 CHECK/TEST SERV					
		Unserviceability Details:		ITEM SERV			
		Maintenance Comments:					
A1EXXJY505946	C COMPLETED	27JUL05 03:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
13	REMOVED FOR ACCESS	99 NO FAILURE		REMOVED FOR ACCESS		3718.3	AFHR
01	NO FAULT	04 CHECK/TEST SERV					
		Unserviceability Details:		ITEM SERV			
		Maintenance Comments:					
ARDUXJY600888	C COMPLETED	21MAR06 04:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU	ARDU	
13	REMOVED FOR ACCESS	99 NO FAILURE		FRONT AND REAR EJECTION SEATS DUE B/S		3799.8	AFHR
01	NO FAULT	04 CHECK/TEST SERV					
		Unserviceability Details:		CHECK/TEST SERV			
		Maintenance Comments:					

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00592  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 040  
 PART NO : AUL1A-2 ~U1604  
 ENGINEERING NAME : SEAT EJECT REAR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

ALEXJY401862 C COMPLETED 03APR06 03:19 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
 21APR06 00:31 3799.8 AFHR  
 02 BAY SERVICE DUE BS due on Serial 040  
 SEAT EJECTION REAR at WAC 0740  
 01 NO FAULT 06 BAY SERVICE  
 Unserviceability Details:  
 Maintenance Comments: BSCO

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			18MAR06

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

ARDUPJ302249X C COMPLETED 17JAN08 04:59 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU AIE  
 29APR08 02:07 17JAN08 00:00 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU 4078.8 AFHR  
 03 OVERHAUL DUE OH due on Serial 040  
 SEAT EJECTION REAR at WAC 0740  
 01 NO FAULT 07 OVERHAUL  
 Unserviceability Details:  
 Maintenance Comments: OH C/O

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	6.0	ELPYR			20JAN08
SM	OH	6.0	ELPYR			20JAN08

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00593  
08JAN20  
23:16:15

SERIAL/TAIL NO : 040  
PART NO : AUL1A-2 ~U1604  
ENGINEERING NAME : SEAT EJECT REAR  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJY807230	C COMPLETED	30OCT08 22:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
13 REMOVED FOR ACCESS		30OCT08 22:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	4286.6	AFHR
01 NO FAULT		99 NO FAILURE		REAR EJECTION SEAT RFA			

04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments:

CHECK/TEST SERV

A1EXXJY900552	C COMPLETED	02FEB09 00:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
13 REMOVED FOR ACCESS		02FEB09 00:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	4342.3	AFHR
01 NO FAULT		99 NO FAILURE		REAR EJECTION SEAT RFA REF WS 440933-3-5-1			

04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments:

CHECK/TEST SERV

A1EXXJY901169	C COMPLETED	02MAR09 04:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
08 MOD/STI/DVI REQUIRED		02MAR09 04:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	4342.3	AFHR
01 NO FAULT				STI-PC9-0499 due on Serial 040 SEAT EJECTION REAR at WAC 0740			

08 MOD/STI/DVI INCORP  
Unserviceability Details:  
Maintenance Comments:

STI-PC9-0499 CARRIED OUT REFER SNOW 440933-3-5-1-2-4

A1EXXJY902047	C COMPLETED	15APR09 23:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
13 REMOVED FOR ACCESS		15APR09 23:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	4378.2	AFHR
01 NO FAULT		99 NO FAILURE		REAR EJECTION SEAT RFA REF WS 448674-1-2-4-2-1-2			

04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments:

CHECK/TEST SERV

A1EXXJY904716	C COMPLETED	23JUL09 04:03	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
13 REMOVED FOR ACCESS		23JUL09 04:03	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	4437.4	AFHR
01 NO FAULT		99 NO FAILURE		REAR EJECTION SEAT REMOVED FOR ACCESS REF 434698.3			

04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments:

CHECK/TEST SERV

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00594  
08JAN20  
23:16:15

SERIAL/TAIL NO : 040  
PART NO : AUL1A-2 ~U1604  
ENGINEERING NAME : SEAT EJECT REAR  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJY602739	C COMPLETED	28MAR10 21:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	24MAY10 04:04	28MAR10 21:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	4674.0	AFHR
02 BAY SERVICE DUE				BS	due on Serial 040		
					SEAT EJECTION REAR at WAC 0740		
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:		BS C/O SERV REF SNOW 602739			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			29APR10

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJ1100873	C COMPLETED	21FEB11 23:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	22FEB11 00:05	21FEB11 23:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	4896.2	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE			REAR SEAT REMOVED FOR ACCESS		
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		CHECK/TEST SERV			

A1EXXJ1102071	C COMPLETED	27APR11 03:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	27APR11 04:19	27APR11 03:48	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	4953.3	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE			REAR EJECTION SEAT REMOVED FOR ACCESS		
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		REAR SEAT REMOVED SERV REF SNOW 443798-3-2-4-2-2			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00595  
08JAN20  
23:16:15

SERIAL/TAIL NO : 040  
PART NO : AUL1A-2 ~U1604  
ENGINEERING NAME : SEAT EJECT REAR  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJ1002936	C COMPLETED	02MAY12 03:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	23MAY12 05:09	02MAY12 03:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	5253.2	AFHR
02 BAY SERVICE DUE				BS	due on Serial 040		
					SEAT EJECTION REAR at WAC 0740		
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:		BS C/O SERV REF SNOW 1002936			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			23MAY12

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJ1300487	C COMPLETED	05FEB13 21:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	05FEB13 21:37	05FEB13 21:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	5550.0	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE			REAR EJECTION SEAT REMOVED FOR ACCESS		
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		CHECK/TEST SERV			

A1EXXJ1304655	C COMPLETED	09SEP13 23:21	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	09SEP13 23:22	09SEP13 23:21	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	5696.9	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE			REAR EJECTION SEAT REMOVED FOR ACCESS		
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		CHECK/TEST SERV			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00596  
08JAN20  
23:16:15

SERIAL/TAIL NO : 040  
PART NO : AUL1A-2 ~U1604  
ENGINEERING NAME : SEAT EJECT REAR  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJY802851	C COMPLETED	24FEB14 22:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
03 OVERHAUL DUE	09OCT14 04:58	24FEB14 22:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	5846.3	AFHR
01 NO FAULT		07 OVERHAUL		OH due on Serial 040			
				SEAT EJECTION REAR at WAC 0740			
				Unserviceability Details:			
				Maintenance Comments:	OH C/O SERV REF SNOW 802851		

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	6.0	ELPYR			28APR14
SM	OH	6.0	ELPYR			28APR14

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJ1405366	C COMPLETED	02SEP14 23:55	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
08 MOD/STI/DVI REQUIRED	02SEP14 23:57	02SEP14 23:55	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	5846.3	AFHR
01 NO FAULT		08 MOD/STI/DVI INCORP		STI-PC9-0573 due on Serial 040			
				SEAT EJECTION REAR at WAC 0740			
				Unserviceability Details:			
				Maintenance Comments:	STI-PC9-0573 INCORPORATED SERV REF SNOW 90/14 802851		

A1PXXJ1503552	C COMPLETED	10MAR15 00:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	10MAR15 00:11	10MAR15 00:11	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	5956.1	AFHR
01 NO FAULT		99 NO FAILURE		BOTH FRONT AND REAR EJECTION SEATS RFA.			
		04 CHECK/TEST SERV		Unserviceability Details:			
				Maintenance Comments:	CHECK/TEST SERV		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00597  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 040  
 PART NO : AUL1A-2 ~U1604  
 ENGINEERING NAME : SEAT EJECT REAR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

A1EXXJ1602065	C COMPLETED	08MAR16 03:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	08MAR16 03:51	08MAR16 03:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	6206.2	AFHR
13 REMOVED FOR ACCESS	99 NO FAILURE			REAR EJECTION SEAT REMOVED FOR ACCESS			

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

ARDUXJ1602011	C COMPLETED	27JUL16 00:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU	ARDU	
	27JUL16 00:44	27JUL16 00:44	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU	6283.2	AFHR
13 REMOVED FOR ACCESS	99 NO FAILURE			FRONT AND REAR EJECTION SEATS REMOVED FOR ACCESS			

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

ARDUXJ1602201	C COMPLETED	18AUG16 23:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU	ARDU	
	18AUG16 23:15	18AUG16 23:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU	6286.2	AFHR
08 MOD/STI/DVI REQUIRED				STI-PC9-0629 due on Serial 040			
				SEAT EJECTION REAR at WAC 0740			

01 NO FAULT 08 MOD/STI/DVI INCORP  
 Unserviceability Details:  
 Maintenance Comments: STI CARRIED OUT IAW ENCLOSED INSTRUCTIONS SEAT IN CORRECT CONFIG

A1EXXJ1202831	C COMPLETED	22SEP16 04:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	08NOV16 03:38	22SEP16 04:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	6288.1	AFHR
02 BAY SERVICE DUE				BS due on Serial 040			
				SEAT EJECTION REAR at WAC 0740			

01 NO FAULT 06 BAY SERVICE  
 Unserviceability Details:  
 Maintenance Comments: BS C/O SERV REF SNOW 1202831 MCS ARM 52/16

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			08OCT16
SM	BS	2.0	ELPYR			08OCT16

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00598  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 040  
 PART NO : AUL1A-2 ~U1604  
 ENGINEERING NAME : SEAT EJECT REAR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

A1EXXJ1611304	C COMPLETED	28NOV16 21:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	28NOV16 21:54	28NOV16 21:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	6288.1	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		REAR EJECTION SEAT REMOVED FOR ACCESS			

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

A1PXXJ1722949	C COMPLETED	12DEC17 04:55	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	12DEC17 04:56	12DEC17 04:55	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	6618.1	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		FRONT & REAR SEATS RFA.			

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

4SQNXJ1800846	C COMPLETED	28MAY18 01:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	4SQN	
	28MAY18 23:36	28MAY18 01:44	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	6721.6	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		FRONT AND REAR EJECTION SEATS TO BE REMOVED FOR ACCESS			

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

A1EXXJ1610669	C COMPLETED	15NOV18 00:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	AIE	
	19FEB19 05:24	15NOV18 00:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	6891.9	AFHR
02	BAY SERVICE DUE			due on Serial 040			
				SEAT EJECTION REAR at WAC 0740			

01 NO FAULT 06 BAY SERVICE  
 Unserviceability Details:  
 Maintenance Comments: BAY SERVICE CARRIED OUT SERV REF SNOW 1610669 AIE MCS 08/19

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			08NOV18
SM	BS	2.0	ELPYR			08NOV18



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : 040  
PART NO : AUL1A-2 ~U1604  
ENGINEERING NAME : SEAT EJECT REAR  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A23DSJ1900614	C COMPLETED	12SEP19 03:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	A23DISP	A23DISP	
	12SEP19 03:44	12SEP19 03:44	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	A23DISP	7147.0	AFHR
13 REMOVED FOR ACCESS	99 NO FAILURE			FRONT AND REAR EJECTION SEATS REMOVED TO SERVICE			A23-033

01 NO FAULT  
04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV

A1PXXJ1909157	C COMPLETED	09OCT19 02:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	09OCT19 02:44	09OCT19 02:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	7147.0	AFHR
08 MOD/STI/DVI REQUIRED				STI-PC9-0689 due on Serial 040			
				SEAT EJECTION REAR at WAC 0740			

01 NO FAULT  
08 MOD/STI/DVI INCORP  
Unserviceability Details:  
Maintenance Comments: STI-PC9-0689 C/0 AS PER STI INSTRUCTION

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00600  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 040  
 PART NO : AUL1A-2 ~U1604  
 ENGINEERING NAME : SEAT EJECT REAR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MOD NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
7291.042-101	Y	22JAN91 00:00	INC			
7291.042-102	Y	12NOV97 00:00	INC			
7291.042-104	Y	24JAN91 00:00	INC			
7291.042-109	Y	20NOV91 00:00	INC			
7291.042-113	Y	27JUL99 00:00	INC			

STI NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
STI-ESCFAC-0246	Y	25JUL90 00:00	N/A			
STI-ESCFAC-0257	Y	22JAN91 00:00	INC			
STI-ESCFAC-0260	Y	22JAN91 00:00	INC			
STI-ESCFAC-0263	Y	22JAN91 00:00	INC			
STI-ESCFAC-0266	Y	22JAN91 00:00	N/A			
STI-ESCFAC-0269	N	25JUL90 00:00	NINC			
STI-ESCFAC-0269	Y	15SEP03	N/A			
STI-ESCFAC-0280	Y	23JUL91 00:00	INC			
STI-ESCFAC-0288	Y	13JAN92 00:00	INC			
STI-ESCFAC-0289	Y	12AUG92 00:00	INC			
STI-ESCFAC-0291	Y	12AUG92 00:00	INC			
STI-ESCFAC-261A	Y	22JAN91 00:00	INC			
STI-ESCFAC-261B	Y	22JAN91 00:00	N/A			
STI-ESCFAC-265A	Y	22JAN91 00:00	INC			
STI-ESCFAC-265B	N	22JAN91 00:00	RINC			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00601  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 040  
 PART NO : AUL1A-2 ~U1604  
 ENGINEERING NAME : SEAT EJECT REAR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

STI NUMBER	CURRENT (Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
STI-ESCFAC-265B	N	15SEP03	NINC			
STI-ESCFAC-265B	Y	15SEP03	N/A			
STI-ESCFAC-271A	Y	22JAN91 00:00	N/A			
STI-ESCFAC-271B	Y	22JAN91 00:00	INC			
STI-ESCFAC-275B	Y	22JAN91 00:00	INC			
STI-ESCFAC-279A	Y	23APR91 00:00	N/A			
STI-ESCFAC-279B	N	05MAR91 00:00	NINC			
STI-ESCFAC-279B	Y	15SEP03	N/A			
STI-ESCFAC-281A	Y	23JUL91 00:00	INC			
STI-ESCFAC-281B	N	12AUG92 00:00	RINC			
STI-ESCFAC-281B	Y	15SEP03	N/A			
STI-ESCFAC-281B	N	15SEP03	NINC			
STI-ESCFAC-282A	Y	22JAN91 00:00	INC			
STI-ESCFAC-282B	Y	05APR91 00:00	N/A			
STI-ESCFAC-283A	Y	07MAY91 00:00	N/A			
STI-ESCFAC-283B	Y	07MAY91 00:00	INC			
STI-ESCFAC-285A	Y	13JUN91 00:00	INC			
STI-ESCFAC-285B	Y	12AUG92 00:00	INC			
STI-PARACHUTE-0156	Y	05NOV90 00:00	INC			
STI-PC9-0035	N	20SEP90 00:00	NINC			
STI-PC9-0035	Y	10OCT03	N/A			
STI-PC9-035A	N	01DEC92 00:00	NINC			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00602  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 040  
 PART NO : AUL1A-2  
 ENGINEERING NAME : SEAT EJECT REAR  
 VENUE : A23DISP  
 LOCATION : A23-033  
 ~U1604  
 PERIOD: 01JAN90 TO 08JAN20

STI STATUS CHANGE								
STI NUMBER	CURRENT (Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW		
=====	=====	=====	=====	=====	=====	=====	=====	=====
STI-PC9-035A	Y	10OCT03	N/A					
STI-PC9-035B	N	25JUL90 00:00	NINC					
STI-PC9-035B	Y	10OCT03	N/A					
STI-PC9-0499	N	01MAR09	NINC					
STI-PC9-0499	Y	02MAR09	INC	A1EXXJY901169	02MAR09 04:58	4342.3	AFHR	
STI-PC9-0551	N	06AUG12 23:07	NINC					
STI-PC9-0551	Y	11NOV13 00:00	N/A					
STI-PC9-0573	N	27AUG14 23:58	NINC					
STI-PC9-0573	Y	02SEP14 23:56	INC	A1EXXJ1405366	02SEP14 23:55	5846.3	AFHR	
STI-PC9-0625	Y	16AUG16 00:00	INC	MANUAL			NOT REC.	
STI-PC9-0625	N	16AUG16 00:17	NINC					
STI-PC9-0629	N	18AUG16 22:37	NINC					
STI-PC9-0629	Y	18AUG16 23:14	INC	ARDUXJ1602201	18AUG16 23:10	6286.2	AFHR	
STI-PC9-0689	N	29MAY19 06:24	NINC					
STI-PC9-0689	Y	09OCT19 02:44	INC	A1PXXJ1909157	09OCT19 02:40	7147.0	AFHR	
STI-PC9-309B	N	23OCT03	NINC					
STI-PC9-309B	Y	23OCT03	N/A					
STI-PC9-315B	N	12NOV03	NINC					
STI-PC9-315B	Y	09DEC03	INC	ARDUXJY301123	24NOV03 01:19	0.0	AFHR	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00603  
08JAN20  
23:16:15

SERIAL/TAIL NO : 040  
PART NO : A11A-2 ~U1604  
ENGINEERING NAME : SEAT EJECT REAR  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MAINTENANCE POLICY HISTORY -----

POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	USER ID
09OCT14 04:58	SM Claimed	BS	

-----

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00604  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 040  
 PART NO : MBEU100335 ~U1604  
 ENGINEERING NAME : MANIFOLD ASSY BAL  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 7193.3 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
				LIFE SINCE NEW				
30AUG03	05:43	Maintenance Comment		0.8	14Aug95	040	00.	2100 2100 DAYS 03-OH DUE RR51499
		0.0	AFHR		CAMM LOG00002			XXXXXXxx
30AUG03	05:44	Maintenance Comment		0.8	1149.1	0.0	AFHR	
		0.0	AFHR		CAMM LOG00003			XXXXXXxx
30AUG03	05:45	Maintenance Comment		0.8	416.2	0.0	AFHR	
		0.0	AFHR		CAMM LOG00001			XXXXXXxx
30AUG03	05:49	Maintenance Comment		0.8	14Aug95	RQ54771		FF: 01-NIL MA: 07-OH
		0.0	AFHR		CAMM LOG00004			XXXXXXxx
30AUG03	05:49	Maintenance Comment		0.8	2599.3	0.0	AFHR	
		0.0	AFHR		CAMM LOG00008			XXXXXXxx
30AUG03	05:49	Maintenance Comment		0.8	3130.9	0.0	AFHR	
		0.0	AFHR		CAMM LOG00010			XXXXXXxx
30AUG03	05:50	Maintenance Comment		0.8	2191.4	0.0	AFHR	
		0.0	AFHR		CAMM LOG00006			XXXXXXxx
30AUG03	05:51	Maintenance Comment		0.8	22Apr98	040	07.4	3080 981 DAYS UPDATED LIFE (MPMI)
		0.0	AFHR		CAMM LOG00005			XXXXXXxx
30AUG03	05:51	Maintenance Comment		0.8	29Aug03	040	07.40	3417.5 AFHR TX TO CAMM2
		0.0	AFHR		CAMM LOG00014			XXXXXXxx
30AUG03	05:53	Maintenance Comment		0.8	01Jul99	040	07.40	3515 1416 DAYS UPDATED LIFE (MPMI)
		0.0	AFHR		CAMM LOG00007			XXXXXXxx
30AUG03	05:53	Maintenance Comment		0.8	21Jan02	RX16094		FF: 01-NIL MA: 07-OH
		0.0	AFHR		CAMM LOG00011			XXXXXXxx
30AUG03	05:58	Maintenance Comment		0.8	21Jan02	040	00.40	4449 2350 DAYS 03-OH DUE RY20041
		0.0	AFHR		CAMM LOG00009			XXXXXXxx
30AUG03	05:59	Maintenance Comment		0.8	13Nov89	NEW - 040		MBEU100335 1451-10-00-A
		0.0	AFHR		CAMM LOG00012			XXXXXXxx
30AUG03	05:59	Maintenance Comment		0.8	21Jan02		ELPYR LST OH 20JAN08	ELPYR NXT OH
		0.0	AFHR		CAMM LOG00013			XXXXXXxx
17JAN08	00:00	Change Serviceability Stat		2.8	S/I			
		4078.8	AFHR		US/I			
29APR08	02:03	Change Serviceability Stat		103.0	ARDUPJ301968X			XXXXXXxx
		4078.8	AFHR		US/I			
					S/I			XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00605  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 040  
 PART NO : MBEU100335 ~U1604  
 ENGINEERING NAME : MANIFOLD ASSY BAL  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS		LIFE SINCE NEW		SPAN(DYS) FROM		TO (OPTIONAL)		USER	
TRANSACTION	D/T	CHANGE	TYPE			TRANS	REFERENCE		
24FEB14	22:38	Change	Serviceability Stat	10.8	S/I				
			5846.3 AFHR		US/I	A1EXXJY802849		XXxxXXxx	
09OCT14	04:48	Change	Serviceability Stat	226.2	US/I				
			5846.3 AFHR		S/I			XXxxXXxx	

MMI JOBS									
JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS		
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW			
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS						
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS						
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT						
ARDUPJCA00425	C COMPLETED	21JAN02 00:00	XXxxXXxx		ARDUPEA	0.0			
03 OVERHAUL DUE	21JAN02 00:00								

Unserviceability Details:  
 Maintenance Comments:

ARDUPJ301968X	C COMPLETED	27MAR08 23:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU	AIE			
03 OVERHAUL DUE	29APR08 02:03	17JAN08 00:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU	4078.8	AFHR		
01 NO FAULT		07 OVERHAUL			OH	due on Serial 040			
					MANIFOLD ASSY BAL	at WAC 0740			
					Unserviceability Details:				
					Maintenance Comments: OH C/O				

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	6.0	ELPYR			20JAN08
SM	OH	6.0	ELPYR			20JAN08

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 040  
 PART NO : MBEU100335 ~U1604  
 ENGINEERING NAME : MANIFOLD ASSY BAL  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS		UNSERVICEABILITY DETAILS			
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS		MAINTENANCE COMMENT			
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT		MAINTENANCE COMMENT			

A1EXXJY802849	C COMPLETED	09OCT14 04:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	09OCT14 04:48	24FEB14 22:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	5846.3	AFHR
03 OVERHAUL DUE				OH	due on Serial 040		
				MANIFOLD ASSY BAL	at WAC 0740		
01 NO FAULT	07 OVERHAUL	Unserviceability Details:					
		Maintenance Comments: OH C/O SERV REF SNOW 802851					

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
=====	=====	=====	=====	=====	=====	=====
SM	OH	6.0	ELPYR			28APR14
SM	OH	6.0	ELPYR			28APR14



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00607  
08JAN20  
23:16:15

SERIAL/TAIL NO : 040  
PART NO : MBEU100335 ~U1604  
ENGINEERING NAME : MANIFOLD ASSY BAL  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

STI STATUS CHANGE -----

STI NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
=====	=====	=====	=====	=====	=====	=====
STI-ESCFAC-0286	Y	13JAN92 00:00	INC			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 00608  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 040  
 PART NO : MBEU90445 ~U1604  
 ENGINEERING NAME : INITIATOR MAIN GUN  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 7193.3 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
				LIFE SINCE NEW				
30AUG03	05:55	Maintenance	Comment	0.8	21Jan02	RX16094	FF: 01-NIL	MA: 07-OH
		0.0	AFHR			CAMM LOG00008		XXXXXXxx
30AUG03	05:55	Maintenance	Comment	0.8	01Jul99	040	07.40 3515	1416 DAYS UPDATED LIFE (MPMI)
		0.0	AFHR			CAMM LOG00001		XXXXXXxx
30AUG03	05:55	Maintenance	Comment	0.8	13Nov89	NEW - 040	MBEU90445	1451-07-00-E
		0.0	AFHR			CAMM LOG00009		XXXXXXxx
30AUG03	06:00	Maintenance	Comment	0.8	2737.5	0.0 AFHR		XXXXXXxx
		0.0	AFHR			CAMM LOG00004		XXXXXXxx
30AUG03	06:00	Maintenance	Comment	0.8	21Jan02	040	00.40 4449	2350 DAYS 03-OH DUE RY20038
		0.0	AFHR			CAMM LOG00006		XXXXXXxx
30AUG03	06:02	Maintenance	Comment	0.8	03Apr00	RV99907	FF: 01-NIL	MA: 06-BS
		0.0	AFHR			CAMM LOG00005		XXXXXXxx
30AUG03	06:02	Maintenance	Comment	0.8	3130.9	0.0 AFHR		XXXXXXxx
		0.0	AFHR			CAMM LOG00007		XXXXXXxx
30AUG03	06:02	Maintenance	Comment	0.8	29Aug03	040	07.40 3417.5 AFHR	TX TO CAMM2
		0.0	AFHR			CAMM LOG00012		XXXXXXxx
30AUG03	06:03	Maintenance	Comment	0.8	2599.3	0.0 AFHR		XXXXXXxx
		0.0	AFHR			CAMM LOG00002		XXXXXXxx
30AUG03	06:03	Maintenance	Comment	0.8	03Apr00	040	00.40 3792	1693 DAYS 02-BS DUE RW03579
		0.0	AFHR			CAMM LOG00003		XXXXXXxx
30AUG03	06:04	Maintenance	Comment	0.9	21Jan02		ELPYR LST BS 21JAN04	ELPYR NXT BS
		0.0	AFHR			CAMM LOG00011		XXXXXXxx
30AUG03	06:10	Maintenance	Comment	0.9	21Jan02		ELPYR LST OH 20JAN08	ELPYR NXT OH
		0.0	AFHR			CAMM LOG00010		XXXXXXxx
11DEC03	00:32	Change	Serviceability Stat	21.9	S/I			
		3447.5	AFHR		US/I			
18MAR04	22:39	Change	Serviceability Stat	98.9	ARDUPJ301884			XXXXXXxx
					US/I			
		3447.5	AFHR		S/I			XXXXXXxx
03APR06	03:19	Change	Serviceability Stat	17.0	S/I			
		3799.8	AFHR		US/I			
					A1EXXJY401856			XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00609  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 040  
 PART NO : MBEU90445  
 ENGINEERING NAME : INITIATOR MAIN GUN  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
20APR06	23:56	Change Serviceability Stat	17.8	US/I S/I	
		3799.8 AFHR			XXxxXXxx
17JAN08	00:00	Change Serviceability Stat	2.8	S/I US/I	
		4078.8 AFHR		ARDUPJ301883X	XXxxXXxx
29APR08	01:36	Change Serviceability Stat	103.0	US/I S/I	
		4078.8 AFHR			XXxxXXxx
28MAR10	21:27	Change Serviceability Stat	3.6	S/I US/I	
		4674.0 AFHR		A1EXXJY602732	XXxxXXxx
24MAY10	03:52	Change Serviceability Stat	56.2	US/I S/I	
		4674.0 AFHR			XXxxXXxx
02MAY12	03:49	Change Serviceability Stat	0.9	S/I US/I	
		5253.2 AFHR		A1EXXJ1002929	XXxxXXxx
23MAY12	04:53	Change Serviceability Stat	21.0	US/I S/I	
		5253.2 AFHR			XXxxXXxx
24FEB14	22:38	Change Serviceability Stat	10.8	S/I US/I	
		5846.3 AFHR		A1EXXJY802842	XXxxXXxx
09OCT14	04:43	Change Serviceability Stat	226.2	US/I S/I	
		5846.3 AFHR			XXxxXXxx
22SEP16	04:29	Change Serviceability Stat	62.9	S/I US/I	
		6288.1 AFHR		A1EXXJ1202824	XXxxXXxx
08NOV16	00:34	Change Serviceability Stat	46.8	US/I S/I	
		6288.1 AFHR			XXxxXXxx
15NOV18	00:17	Change Serviceability Stat	6.7	S/I US/I	
		6891.9 AFHR		A1EXXJ1610659	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00610  
08JAN20  
23:16:15

SERIAL/TAIL NO : 040 PERIOD: 01JAN90 TO 08JAN20  
PART NO : MBEU90445 ~U1604  
ENGINEERING NAME : INITIATOR MAIN GUN  
VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
19FEB19 00:52	Change Serviceability Stat	96.0	US/I S/I	XXxxXXxx
	6891.9 AFHR			

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
ARDUPJCA00453	C COMPLETED	21JAN02 00:00	XXxxXXxx		ARDUPEA		0.0
	21JAN02 00:00						
02 BAY SERVICE DUE							

Unserviceability Details:  
Maintenance Comments:

ARDUPJCA00446	C COMPLETED	21JAN02 00:00	XXxxXXxx		ARDUPEA		0.0
	21JAN02 00:00						
03 OVERHAUL DUE							

Unserviceability Details:  
Maintenance Comments:

ARDUPJ301884X	C COMPLETED	18MAR04 22:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU	AIE	3447.5 AFHR
	18MAR04 22:39						
02 BAY SERVICE DUE				BS	due on Serial 040		
				INITIATOR MAIN GUN	at WAC 0740		
01 NO FAULT		06 BAY SERVICE					

Unserviceability Details:  
Maintenance Comments: BS CO

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			21JAN04
SM	BS	2.0	ELPYR			21JAN04

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00611  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 040 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : MBEU90445 ~U1604  
 ENGINEERING NAME : INITIATOR MAIN GUN  
 VENUE : A23DISP LOCATION : A23-033

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
=====	=====	=====	=====	=====	=====	=====

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			
=====							
A1EXXJY401856	C COMPLETED	20APR06 23:55	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	20APR06 23:56					3799.8	AFHR
02 BAY SERVICE DUE				BS	due on Serial 040		
				INITIATOR MAIN GUN	at WAC 0740		
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:	BSCO				

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
=====	=====	=====	=====	=====	=====	=====
SM	BS	2.0	ELPYR			18MAR06

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			
=====							
ARDUPJ301883X	C COMPLETED	27MAR08 23:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU	AIE	
	29APR08 01:36	17JAN08 00:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU	4078.8	AFHR
03 OVERHAUL DUE				OH	due on Serial 040		
				INITIATOR MAIN GUN	at WAC 0740		
01 NO FAULT		07 OVERHAUL					
		Unserviceability Details:					
		Maintenance Comments:	OH C/O				

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
=====	=====	=====	=====	=====	=====	=====
SM	OH	6.0	ELPYR			20JAN08
SM	OH	6.0	ELPYR			20JAN08

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00612  
08JAN20  
23:16:15

SERIAL/TAIL NO : 040  
PART NO : MBEU90445 ~U1604  
ENGINEERING NAME : INITIATOR MAIN GUN  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJY602732	C COMPLETED	24MAY10 03:44	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	24MAY10 03:52	28MAR10 21:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	4674.0	AFHR
02 BAY SERVICE DUE				BS	due on Serial 040		
					INITIATOR MAIN GUN at WAC 0740		
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:		BS C/O SERV REF SNOW 602739			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			29APR10

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJ1002929	C COMPLETED	23MAY12 04:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	23MAY12 04:53	02MAY12 03:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	5253.2	AFHR
02 BAY SERVICE DUE				BS	due on Serial 040		
					INITIATOR MAIN GUN at WAC 0740		
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:		BS C/O SERV REF SNOW 1002936			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			23MAY12

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : 040  
PART NO : MBEU90445 ~U1604  
ENGINEERING NAME : INITIATOR MAIN GUN  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

1ALEXXJY802842 C COMPLETED 09OCT14 04:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
09OCT14 04:43 24FEB14 22:38 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 5846.3 AFHR  
03 OVERHAUL DUE OH due on Serial 040  
INITIATOR MAIN GUN at WAC 0740  
01 NO FAULT 07 OVERHAUL  
Unserviceability Details:  
Maintenance Comments: OH C/O SERV REF SNOW 802851

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	6.0	ELPYR			28APR14
SM	OH	6.0	ELPYR			28APR14

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

1ALEXXJ1202824 C COMPLETED 23SEP16 00:57 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
08NOV16 00:34 22SEP16 04:29 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 6288.1 AFHR  
02 BAY SERVICE DUE BS due on Serial 040  
INITIATOR MAIN GUN at WAC 0740  
01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: BS C/O SERV REF SNOW 1202831 MCS ARM 52/16

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			08OCT16
SM	BS	2.0	ELPYR			08OCT16

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 040  
 PART NO : MBEU90445 ~U1604  
 ENGINEERING NAME : INITIATOR MAIN GUN  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS		UNSERVICEABILITY DETAILS			
MAINT PROCESS	UNSERVICEABILITY	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT		MAINTENANCE COMMENT			

A1EXXJ1610659	C COMPLETED	07FEB19 03:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	AIE	
	19FEB19 00:52	15NOV18 00:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	6891.9	AFHR
02 BAY SERVICE DUE				BS	due on Serial 040		
				INITIATOR MAIN GUN	at WAC 0740		
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:		INSITU BAY SERVICE CARRIED OUT SERV REF SNOW 1610669 AIE MCS			
				08/19			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
=====	=====	=====	=====	=====	=====	=====
SM	BS	2.0	ELPYR			08NOV18
SM	BS	2.0	ELPYR			08NOV18



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00615  
08JAN20  
23:16:15

SERIAL/TAIL NO : 040  
PART NO : MBEU90445 ~U1604  
ENGINEERING NAME : INITIATOR MAIN GUN  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MAINTENANCE POLICY HISTORY -----

POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	USER ID
09OCT14 04:43	SM Claimed	BS	

-----

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00616  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 040  
 PART NO : MBEU91477 ~U1604  
 ENGINEERING NAME : TROMBONE ASSY-INIT  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 7193.3 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
				LIFE SINCE NEW				
30AUG03	05:50	Maintenance	Comment	0.8	14Aug95	RQ54771	FF: 01-NIL	MA: 07-OH
								XXxxXXxx
30AUG03	05:50	Maintenance	Comment	0.8	3130.9	0.0 AFHR		
								XXxxXXxx
30AUG03	05:54	Maintenance	Comment	0.8	21Jan02	ELPYR	LST OH 20JAN08	ELPYR
								NXT OH
30AUG03	05:56	Maintenance	Comment	0.8	29Aug03	040	07.40	3417.5 AFHR
								TX TO CAMM2
30AUG03	05:56	Maintenance	Comment	0.8	14Aug95	040	00.	2100
								2100 DAYS
								03-OH DUE
								RR51498
30AUG03	05:56	Maintenance	Comment	0.8	2599.3	0.0 AFHR		
								XXxxXXxx
30AUG03	05:58	Maintenance	Comment	0.8	21Jan02	040	00.40	4449
								2350 DAYS
								03-OH DUE
								RY20040
30AUG03	05:58	Maintenance	Comment	0.8	01Jul99	040	07.40	3515
								1416 DAYS
								UPDATED LIFE
								(MPMI)
30AUG03	05:59	Maintenance	Comment	0.8	1149.1	0.0 AFHR		
								XXxxXXxx
30AUG03	05:59	Maintenance	Comment	0.8	22Apr98	040	07.4	3080
								981 DAYS
								UPDATED LIFE
								(MPMI)
30AUG03	06:03	Maintenance	Comment	0.8	2191.4	0.0 AFHR		
								XXxxXXxx
30AUG03	06:03	Maintenance	Comment	0.8	13Nov89	NEW - 040	MBEU91477	1451-08-00-L
								XXxxXXxx
30AUG03	06:05	Maintenance	Comment	0.9	21Jan02	RX16094	FF: 01-NIL	MA: 07-OH
								XXxxXXxx
19NOV03	02:22	Position	Change	81.7	A23T	A26BI		00
								0
								ARDUXXY300855
								XXxxXXxx
17JAN08	00:00	Change	Serviceability Stat	2.8	S/I			
								US/I
								4078.8 AFHR
								ARDUPJ301915X
								XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00617  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 040  
 PART NO : MBEU91477 ~U1604  
 ENGINEERING NAME : TROMBONE ASSY-INIT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
29APR08 01:58	Change Serviceability Stat	4078.8	AFHR	103.0	US/I S/I	XXxxXXxx
24FEB14 22:38	Change Serviceability Stat	5846.3	AFHR	10.8	S/I US/I ALEXJY802847	XXxxXXxx
09OCT14 04:46	Change Serviceability Stat	5846.3	AFHR	226.2	US/I S/I	XXxxXXxx

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
ARDUPJCA00439	C COMPLETED	21JAN02 00:00	XXxxXXxx		ARDUPEA		0.0
03 OVERHAUL DUE		21JAN02 00:00					

Unserviceability Details:  
 Maintenance Comments:

ARDUPJ301915X	C COMPLETED	27MAR08 23:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU	AIE	
03 OVERHAUL DUE	29APR08 01:58	17JAN08 00:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU	4078.8	AFHR
01 NO FAULT		07 OVERHAUL					

OH due on Serial 040  
 TROMBONE ASSY-INIT at WAC 0740

Unserviceability Details:  
 Maintenance Comments: OH C/O

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	6.0	ELPYR			20JAN08
SM	OH	6.0	ELPYR			20JAN08

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 040  
 PART NO : MBEU91477 ~U1604  
 ENGINEERING NAME : TROMBONE ASSY-INIT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

```

=====
A1EXXJY802847  C  COMPLETED      09OCT14  04:39   XXxxXXxx   XXxxXXxxXXxxXXxxXXxx AIE      AIE
                09OCT14  04:46      24FEB14  22:38   XXxxXXxx   XXxxXXxxXXxxXXxxXXxx AIE      5846.3  AFHR
03 OVERHAUL DUE                                OH          due on Serial 040
                                                TROMBONE ASSY-INIT at WAC 0740
01 NO FAULT                                     07 OVERHAUL
                                                Unserviceability Details:
                                                Maintenance Comments:  OH C/O SERV REF SNOW 802851
  
```

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
=====	=====	=====	=====	=====	=====	=====
SM	OH	6.0	ELPYR			28APR14
SM	OH	6.0	ELPYR			28APR14

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00619  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 040  
 PART NO : MBEU91479 ~U1604  
 ENGINEERING NAME : TROMBONE ASSY-MOR  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 7193.3 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
30AUG03 05:54	Maintenance Comment	0.0 AFHR	0.8	3130.9	0.0 AFHR	CAMM LOG00009	XXxxXXxx
30AUG03 05:55	Maintenance Comment	0.0 AFHR	0.8	2599.3	0.0 AFHR	CAMM LOG00007	XXxxXXxx
30AUG03 05:55	Maintenance Comment	0.0 AFHR	0.8	2191.4	0.0 AFHR	CAMM LOG00004	XXxxXXxx
30AUG03 05:55	Maintenance Comment	0.0 AFHR	0.8	29Aug03 040	07.40	3417.5 AFHR TX TO CAMM2	XXxxXXxx
30AUG03 05:57	Maintenance Comment	0.0 AFHR	0.8	NEXT OH2 DUE: OLD =	8224 HAOH	NEW =	XXxxXXxx
30AUG03 05:57	Maintenance Comment	0.0 AFHR	0.8	13Nov89 NEW - 040	MBEU91479	1451-04-00-J	XXxxXXxx
30AUG03 05:57	Maintenance Comment	0.0 AFHR	0.8	21Jan02 RX16094	FF: 01-NIL	MA: 07-OH	XXxxXXxx
30AUG03 06:00	Maintenance Comment	0.0 AFHR	0.8	1149.1	0.0 AFHR	CAMM LOG00001	XXxxXXxx
30AUG03 06:01	Maintenance Comment	0.0 AFHR	0.8	21Jan02	ELPYR LST OH 20JAN08	ELPYR NXT OH	XXxxXXxx
30AUG03 06:05	Maintenance Comment	0.0 AFHR	0.9	22Apr98 040	07.4	3080 981 DAYS UPDATED LIFE (MPMI)	XXxxXXxx
30AUG03 06:05	Maintenance Comment	0.0 AFHR	0.9	21Jan02 040	00.40	4449 2350 DAYS 03-OH DUE RY20034	XXxxXXxx
30AUG03 06:11	Maintenance Comment	0.0 AFHR	0.9	14Aug95 RQ54771	FF: 01-NIL	MA: 07-OH	XXxxXXxx
30AUG03 06:11	Maintenance Comment	0.0 AFHR	0.9	01Jul99 040	07.40	3515 1416 DAYS UPDATED LIFE (MPMI)	XXxxXXxx
19NOV03 02:20	Position Change	3444.4 AFHR	81.7	A23T A26BK	00		XXxxXXxx
17JAN08 00:00	Change Serviceability Stat	4078.8 AFHR	2.8	A23T A26BK	0		XXxxXXxx
				ARDUXXY300854			
				S/I			
				US/I			
				ARDUPJ301893X			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00620  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 040  
 PART NO : MBEU91479 ~U1604  
 ENGINEERING NAME : TROMBONE ASSY-MOR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
29APR08 01:51	Change Serviceability Stat	103.0	US/I S/I	
	4078.8 AFHR			XXxxXXxx
24FEB14 22:38	Change Serviceability Stat	10.8	S/I US/I	
	5846.3 AFHR		A1EXXJY802843	XXxxXXxx
09OCT14 04:44	Change Serviceability Stat	226.2	US/I S/I	
	5846.3 AFHR			XXxxXXxx

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
ARDUPJCA00441	C COMPLETED	21JAN02 00:00	XXxxXXxx		ARDUPEA		0.0
03 OVERHAUL DUE		21JAN02 00:00					

Unserviceability Details:  
 Maintenance Comments:

ARDUPJ301893X	C COMPLETED	27MAR08 23:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU	AIE	
03 OVERHAUL DUE	29APR08 01:51	17JAN08 00:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU	4078.8 AFHR	
01 NO FAULT		07 OVERHAUL					

Unserviceability Details:  
 Maintenance Comments: OH C/O

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	6.0	ELPYR			20JAN08
SM	OH	6.0	ELPYR			20JAN08

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 040  
 PART NO : MBEU91479 ~U1604  
 ENGINEERING NAME : TROMBONE ASSY-MOR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1EXXJY802843	C COMPLETED	09OCT14 04:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	09OCT14 04:44	24FEB14 22:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	5846.3	AFHR
03 OVERHAUL DUE				OH	due on Serial 040		
				TROMBONE ASSY-MOR	at WAC 0740		
01 NO FAULT		07 OVERHAUL					
		Unserviceability Details:					
		Maintenance Comments:		OH C/O SERV REF SNOW 802851			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
=====	=====	=====	=====	=====	=====	=====
SM	OH	6.0	ELPYR			28APR14
SM	OH	6.0	ELPYR			28APR14

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 0407  
 PART NO : 3-1555 ~03481  
 ENGINEERING NAME : HUB ASSY MAIN  
 VENUE : A23DISP LOCATION : A23-033  
 CURRENT CONDITION : S/I LIFE SINCE NEW : 1241.8 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
26MAY15 02:15	0407	3-1555	~03481 A23T	A2KDM	01
aip01694	AIP	STORES		A1PXXR1500847	
M. COX		01DEC11	26MAY15		
	0.0 AFHR	0.0 LDG			



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00623  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0407  
 PART NO : 3-1555  
 ENGINEERING NAME : HUB ASSY MAIN  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~03481

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
26MAY15 02:15	Reception History Record	0.0	Reception STORES	
	0.0 AFHR			XXxxXXxx
26MAY15 08:01	Change Location of an Asse	0.3	STORES HYD	
	0.0 AFHR		A1PXXX1504544	XXxxXXxx
26MAY15 08:04	Change Serviceability Stat	0.3	SERV U/S	
	0.0 AFHR		A1PXXU1505532	XXxxXXxx
	Estimated Date/Time Servic	736109.6	SERV STAT	
26MAY15 08:04	Change Serviceability Stat	0.0	SERV STAT U/S	
	0.0 AFHR			XXxxXXxx
15JUN15 03:13	Change Location of an Asse	19.7	HYD STORES	
	0.0 AFHR		A1PXXX1505278	XXxxXXxx
16JUL15 11:20	Asset Installation	1323.4	A23T A2KDM	
	0.0 AFHR		102 A23-021 01	A23T A2KDM 02AC
	Change Serviceability Stat	51.1	SERV S/I	
	Change Location of an Asse	31.3	STORES A23-021	
05FEB16 02:41	Asset Removal	203.6	102 A23-021 02	A23T A2KDM 02A
	85.9 AFHR		A23T A2KDM	XXxxXXxx
	Change Serviceability Stat	134.7	S/I U/S	
	Change Location of an Asse	203.6	A23-021 INTMH	
05FEB16 02:42	Change Serviceability Stat	0.0	U/S SERV	
	85.9 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00624  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0407  
 PART NO : 3-1555  
 ENGINEERING NAME : HUB ASSY MAIN  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~03481

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
LIFE SINCE NEW			TRANS REFERENCE		
18FEB16 04:37	Asset Installation	13.0	A23T 102	A2KDM A23-021	02 A23T A2KDM 02AC XXXXXXXX
	85.9 AFHR Change Serviceability Stat	13.0	SERV S/I		
	Change Location of an Asse	13.0	INTMH A23-021		
23JUN16 11:30	Asset Removal	126.2	102 A23T	A2KDM A23-021	02 A23T A2KDM 02A XXXXXXXX
	257.8 AFHR Change Serviceability Stat	0.0	S/I U/S		
	Change Location of an Asse	114.0	A23-021 STORES		
26JUN16 22:19	Position Change	3.4	A23T A23T	A2KDM A2KDM	02 01 XXXXXXXX
	257.8 AFHR Change Location of an Asse	3.4	A1PXXX1605751 STORES		
	257.8 AFHR Change Serviceability Stat	5.4	HYD A1PXXX1605752		XXXXXXXX
	257.8 AFHR Asset Installation	7.7	U/S SERV		XXXXXXXX
01JUL16 05:10	Asset Installation	7.7	A23T 117	A2KDM A23-009	01 A23T A2KDM 02AC XXXXXXXX
	257.8 AFHR Change Serviceability Stat	2.2	SERV S/I		
	Change Location of an Asse	4.2	HYD A23-009		

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00625  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0407  
 PART NO : 3-1555  
 ENGINEERING NAME : HUB ASSY MAIN  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~03481

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
27JUL16 02:33	Asset Removal	25.8	117 A23T A2KDM A23-009 02	A23T A2KDM 02A
	289.8 AFHR Change Serviceability Stat	5.0	S/I U/S	XXXXXXxx
	Change Location of an Asse	25.8	A23-009 INTMH	
27JUL16 02:34	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
10AUG16 00:50	Asset Installation	13.9	A23T A2KDM A23-009 02	A23T A2KDM 02AC
	289.8 AFHR Change Serviceability Stat	13.9	SERV S/I	XXXXXXxx
	Change Location of an Asse	13.9	INTMH A23-009	
16FEB17 09:18	Asset Removal	190.3	117 A23T A2KDM A23-009 02	A23T A2KDM 02A
	542.0 AFHR Change Serviceability Stat	0.0	S/I U/S	XXXXXXxx
	Change Location of an Asse	190.3	A23-009 STORES	
21FEB17 04:42	Change Location of an Asse	4.8	HYD STORES	
	542.0 AFHR Change Serviceability Stat	7.5	A1PXXX1702618 U/S	XXXXXXxx
	542.0 AFHR Change Location of an Asse	2.7	SERV HYD STORES	XXXXXXxx
	542.0 AFHR		A1PXXX1702827	XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00626  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0407  
 PART NO : 3-1555  
 ENGINEERING NAME : HUB ASSY MAIN  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~03481

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
30MAR17 11:55	Asset Installation	42.1	A23T A2KDM 135 A23-061	02 A23T A2KEI 02AC XXXXXXXX
	542.0 AFHR Change Serviceability Stat	34.5	SERV S/I	
	Change Location of an Asse	34.5	STORES A23-061	
26JUL17 00:10	Asset Removal	117.5	135 A23-061 A23T A2KEI	02 A23T A2KEI 02A XXXXXXXX
	663.0 AFHR Change Serviceability Stat	21.8	S/I U/S	
	Change Location of an Asse	117.5	A23-061 INTMH	
26JUL17 00:10	Change Serviceability Stat	0.0	U/S SERV	XXXXXXXX
08AUG17 03:43	Asset Installation	13.1	A23T A2KEI 135 A23-061	02 A23T A2KEI 02AC XXXXXXXX
	663.0 AFHR Change Serviceability Stat	13.1	SERV S/I	
	Change Location of an Asse	13.1	INTMH A23-061	
31OCT17 10:58	Asset Removal	84.3	135 A23-061 A23T A2KEI	02 A23T A2KEI 02A XXXXXXXX
	796.1 AFHR Change Serviceability Stat	0.1	S/I U/S	
	Change Location of an Asse	84.3	A23-061 OPMH	
31OCT17 22:14	Change Location of an Asse	0.4	OPMH HYD A1PXXX1715685	XXXXXXXX
	796.1 AFHR			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00627  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0407  
 PART NO : 3-1555  
 ENGINEERING NAME : HUB ASSY MAIN  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~03481

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
31OCT17 22:17	Position Change	0.4	A23T A2KEI 02 A23T A2KEI 01	
27NOV17 07:11	Change Serviceability Stat	26.8	796.1 AFHR A1PXXX1715686 U/S SERV	XXXXXXxx
27NOV17 07:11	Change Location of an Asse	26.3	796.1 AFHR HYD STORES	XXXXXXxx
24JAN18 00:05	Asset Installation	84.5	796.1 AFHR A1PXXX1716622 A23T A2KEI 01 045 A23-054	XXXXXXxx A23T A2KDM 01AC
	Change Serviceability Stat	57.7	796.1 AFHR SERV S/I	XXXXXXxx
	Change Location of an Asse	57.7	796.1 AFHR STORES A23-054	
31OCT18 09:37	Asset Removal	280.3	045 A23-054 A23T A2KDM 01	A23T A2KDM 01A
	Change Serviceability Stat	1.0	1117.9 AFHR S/I U/S	XXXXXXxx
	Change Location of an Asse	280.3	1117.9 AFHR A23-054 STORES	
06NOV18 03:06	Change Location of an Asse	5.7	HYD STORES	
12NOV18 23:47	Change Serviceability Stat	12.5	1117.9 AFHR A1PXXX1811083 U/S SERV	XXXXXXxx
12NOV18 23:47	Change Location of an Asse	6.8	1117.9 AFHR HYD STORES	XXXXXXxx
			1117.9 AFHR A1PXXX1811329	XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00628  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0407  
 PART NO : 3-1555 ~03481  
 ENGINEERING NAME : HUB ASSY MAIN  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS									
TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER		
LIFE SINCE NEW									
01AUG19	12:08	Asset Installation	274.1	A23T	A2KDM	01	A23T	A2KEI	01AC
		1117.9 AFHR		027	A23-033		XXxxXXxx		
		Change Serviceability Stat	261.5	SERV					
		Change Location of an Asse	261.5	S/I					
				STORES					
				A23-033					

UNSERVICEABILITIES										
SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN				
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME				
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR				
OPERATION NO	ASOR NO	SYMPTOMS					DATE/TIME			
EE500PG EE500LN							INSPECTOR			
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS					DATE/TIME			
A1PXXU1505532	COMPLETED	15JUN15 02:28	0.0	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx				
26MAY15 08:04	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx				
26MAY15 08:04	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			15JUN15 02:28				
		TYRE TO BE FITTED - NEW HUB ASSEMBLY					XXxxXXxxXXxxXXxxXXxx			

Maint Acts: NEW TYRE FITTED IAW AAP 7294.133-3M REF 13086/15

REMOVALS/INSTALLATIONS FOR A1PXXU1505532

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001					4036S00282	A23T	A2KDM00	01
					025-338-0		15JUN15 02:26	

A1PXXU1607503	COMPLETED	28JUN16 23:01	257.8	AFHR	SCT	XXxxXXxxXXxxXXxxXXxx			
26JUN16 22:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			28JUN16 23:01			
26JUN16 22:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx			
		TA	due on Serial 4036S00282						
		TYRE MAIN WHEEL	at WAC 0950						
							XXxxXXxxXXxxXXxxXXxx		

Maint Acts: NEW TYRE FITTED IAW AAP 7294.133-3M REF HYD 14754/16

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00629  
08JAN20  
23:16:15

SERIAL/TAIL NO : 0407 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 3-1555 ~03481  
ENGINEERING NAME : HUB ASSY MAIN  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1607503

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	4036S00282	A23T	A2KDM00	02	5132S00244	A23T	A2KDM00	01
	025-338-0		26JUN16 22:17	A1PXXJ1509242	025-338-0		28JUN16 23:00	

A1PXXU1702476 COMPLETED 23FEB17 23:06 542.0 AFHR SCT  
21FEB17 04:39 XXXXX  
21FEB17 04:39 XXXXX  
TA due on Serial 5132S00244  
TYRE MAIN WHEEL at WAC 0950  
XXXXXX  
XXXXXX  
XXXXXX

Maint Acts: NEW TYRE FITTED IAW AAP 7294.133-3M REF HYD 15551/17

REMOVALS/INSTALLATIONS FOR A1PXXU1702476

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	5132S00244	A23T	A2KDM00	02	6267S00254	A23T	A2KDM00	02
	025-338-0		21FEB17 04:40	A1PXXJ1613749	025-338-0		23FEB17 23:03	

A1PXXU1714208 COMPLETED 27NOV17 07:10 796.1 AFHR SCT  
31OCT17 22:15 XXXXX  
31OCT17 22:15 XXXXX  
TA due on Serial 6267S00254  
TYRE MAIN WHEEL at WAC 0950  
XXXXXX  
XXXXXX  
XXXXXX

Maint Acts: NEW TYRE FITTED IAW AAP 7294.133-3M REF HYD 16473/17

REMOVALS/INSTALLATIONS FOR A1PXXU1714208

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	6267S00254	A23T	A2KEI00	02	7073S00126	A23T	A2KEI00	01
	025-338-0		31OCT17 22:16	A1PXXJ1703869	025-338-0		27NOV17 07:09	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 0407  
 PART NO : 3-1555  
 ENGINEERING NAME : HUB ASSY MAIN  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1813751	COMPLETED	12NOV18 23:45	1117.9	AFHR	SCT	XXXXXXXXXXXXXXXXXXXX
06NOV18 03:12	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			12NOV18 23:45
06NOV18 03:12	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		TA due on Serial 7073S00126				
		TYRE MAIN WHEEL at WAC 0950				XXXXXXXXXXXXXXXXXXXX

Maint Acts: NEW TYRE FITTED IAW AAP 7294.133-3M REF HYD 17830/18

REMOVALS/INSTALLATIONS FOR A1PXXU1813751

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	7073S00126	A23T	A2KDM00	01	7125S00210	A23T	A2KDM00	01
	025-338-0		06NOV18 03:12	A1PXXJ1721632	025-338-0		12NOV18 23:44	

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			
A1PXXJ1603290	C COMPLETED	05FEB16 02:41	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX AIP		AIP	
	05FEB16 02:42	05FEB16 02:42	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX AIP		85.9	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE		R2 due on Serial A23-021			
				PC-9 at WAC 0000			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:		CHECK/TEST SERV			
		Maintenance Comments:					
A1PXXJ1508058	C COMPLETED	26JUN16 22:16	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX AIP		AIP	
	28JUN16 23:03	26JUN16 22:16	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX AIP		257.8	AFHR
02 BAY SERVICE DUE				BS1 due on Serial 0407			
				HUB ASSY MAIN LH at WAC 0950			
01 NO FAULT		06 BAY SERVICE					



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00631  
08JAN20  
23:16:15

SERIAL/TAIL NO : 0407  
PART NO : 3-1555 ~03481 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : HUB ASSY MAIN  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

Unserviceability Details:

Maintenance Comments: 1ST BS1 T/C 1 C/O IAW AAP 7294.133-3M REF HYD 14754/16

A1PXXJ1616039	C COMPLETED	27JUL16 02:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	27JUL16 02:34	27JUL16 02:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	289.8	AFHR
14 CONFIGURATION CHANGE	99 NO FAILURE			R2 due on Serial A23-009			
				PC-9 at WAC 0000			
01 NO FAULT		04 CHECK/TEST SERV					

Unserviceability Details:

Maintenance Comments: CHECK/TEST SERV

A1PXXJ1613789	C COMPLETED	21FEB17 04:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	23FEB17 23:08	21FEB17 04:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	542.0	AFHR
02 BAY SERVICE DUE				BS1 due on Serial 0407			
				HUB ASSY MAIN LH at WAC 0950			
01 NO FAULT		06 BAY SERVICE					

Unserviceability Details:

Maintenance Comments: BAY SERVICE C/O 2ND BS1 TC 2 IAW AAP 7294.133-3M REF HYD 15551/17

A1PXXJ1714513	C COMPLETED	26JUL17 00:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	26JUL17 00:10	26JUL17 00:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	663.0	AFHR
13 REMOVED FOR ACCESS	99 NO FAILURE			R2 due on Serial A23-061			
				PC-9 at WAC 0000			
01 NO FAULT		04 CHECK/TEST SERV					

Unserviceability Details:

Maintenance Comments: CHECK/TEST SERV

A1PXXJ1704306	C COMPLETED	31OCT17 22:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	27NOV17 07:11	31OCT17 22:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	796.1	AFHR
02 BAY SERVICE DUE				BS1 due on Serial 0407			
				HUB ASSY MAIN RH at WAC 1050			
01 NO FAULT		06 BAY SERVICE					

Unserviceability Details:

Maintenance Comments: 3RD BS1 T/C 3 C/O IAW AAP 7294.133-3M REF HYD 16473/17

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 0407  
PART NO : 3-1555 ~03481 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : HUB ASSY MAIN  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS	UNSERVICEABILITY DETAILS				
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS	MAINTENANCE COMMENT				
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

```

=====
A1PXXJ1721928  C  COMPLETED      06NOV18  03:12  XXxxXXxx  XXxxXXxxXXxxXXxxXXxx  AIP  AIP
                12NOV18  23:47      06NOV18  03:12  XXxxXXxx  XXxxXXxxXXxxXXxxXXxx  AIP  1117.9  AFHR
02 BAY SERVICE DUE
                06 BAY SERVICE
                Unserviceability Details:
                Maintenance Comments:  4TH BS1 TC4 C/O IAW AAP 7294.133-3M REF HYD 17830/18
=====

```

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00633  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 042  
 PART NO : 555.20.09.257  
 ENGINEERING NAME : ELEVATOR ASSY  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

~S4080

PERIOD: 01JAN90 TO 08JAN20

LOCATION : A23-033  
 LIFE SINCE NEW : 9102.1 AFHR

ASSET TRANSACTIONS

TRANSACTION D/T CHANGE TYPE		LIFE SINCE NEW		SPAN(DYS) FROM TO (OPTIONAL) TRANS REFERENCE		USER	
DATE	TIME	DESCRIPTION	START	END	START	END	REFERENCE
01SEP03	02:12	Maintenance Comment 0.0 AFHR	2.7	30Jan02	2FTMMIST 00.	3931.4	0.0 AFHR 12-DAMAGED HE21364 Camm LOG00002 XXXXXXxx
01SEP03	02:12	Maintenance Comment 0.0 AFHR	2.7	07May03	A23-047 13.00	4158.9	0.0 AFHR 13-REMACCES LF37971 Camm LOG00017 XXXXXXxx
01SEP03	02:18	Maintenance Comment 0.0 AFHR	2.7	10Mar03	A23-047 13.00	4074.8	0.0 AFHR IN AS A23T 1325-00-00-A Camm LOG00016 XXXXXXxx
01SEP03	02:19	Maintenance Comment 0.0 AFHR	2.7	10Oct02	A23-004 13.00	3979.9	0.0 AFHR IN AS A23T 1325-00-00-A Camm LOG00012 XXXXXXxx
01SEP03	02:20	Maintenance Comment 0.0 AFHR	2.7	10Oct02	A23-028 13.00	3979.9	0.0 AFHR REM SVC TO A23-004 Camm LOG00011 XXXXXXxx
01SEP03	02:20	Maintenance Comment 0.0 AFHR	2.7	08Jul03	A23-047 13.00	4259.7	0.0 AFHR 13-REMACCES LG31187 Camm LOG00020 XXXXXXxx
01SEP03	02:20	Maintenance Comment 0.0 AFHR	2.7	29Aug03	A23-047 13.00	4305.4 AFHR	TX TO CAMM2 Camm LOG00024 XXXXXXxx
01SEP03	02:21	Maintenance Comment 0.0 AFHR	2.7		SKIN CREASED Camm LOG00004 XXXXXXxx		
01SEP03	02:21	Maintenance Comment 0.0 AFHR	2.7	26Aug02	A23-028 13.00	3931.4	0.0 AFHR IN AS A23T 1325-00-00-A Camm LOG00007 XXXXXXxx
01SEP03	02:21	Maintenance Comment 0.0 AFHR	2.7	10Oct02	2FTINTMH	FF: 01-NIL	MA: 04-CHK/TST Camm LOG00009 XXXXXXxx
01SEP03	02:21	Maintenance Comment 0.0 AFHR	2.7	10Oct02	A23-028 13.00	3979.9	0.0 AFHR IN AS A23T 1325-00-00-A Camm LOG00010 XXXXXXxx
01SEP03	02:21	Maintenance Comment 0.0 AFHR	2.7	10Mar03	A23-004 13.00	4074.8	0.0 AFHR 09-CANNIBAL LF35260 Camm LOG00014 XXXXXXxx
01SEP03	02:22	Maintenance Comment 0.0 AFHR	2.7	2FTPOM	WFD: 22-POST DEPLMNT		US: 01-DAM/CRACK Camm LOG00003 XXXXXXxx
01SEP03	02:22	Maintenance Comment 0.0 AFHR	2.7	10Oct02	A23-028 13.00	3979.9	0.0 AFHR 13-REMACCES LE28847 Camm LOG00008 XXXXXXxx
01SEP03	02:22	Maintenance Comment 0.0 AFHR	2.7	08May03	A23-047 13.00	4158.9	0.0 AFHR IN AS A23T 1325-00-00-A Camm LOG00019 XXXXXXxx
01SEP03	02:25	Maintenance Comment 0.0 AFHR	2.7	10Mar03	2FTOPMH	FF: 01-NIL	MA: 04-CHK/TST Camm LOG00015 XXXXXXxx
01SEP03	02:25	Maintenance Comment 0.0 AFHR	2.7	27Mar02	XL0C 00.	3931.4	0.0 AFHR RECEPTION (MIRE) Camm LOG00001 XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00634  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 042  
 PART NO : 555.20.09.257  
 ENGINEERING NAME : ELEVATOR ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
01SEP03 02:26	Maintenance Comment	0.0 AFHR	2.7	12Aug02 2FTPMOM Camm LOG00005	FF: 02-MECHFAIL MA: 02-REPAIR XXXXXXXXXX
01SEP03 02:26	Maintenance Comment	0.0 AFHR	2.7	02Jun88 NEW - 042 Camm LOG00023	555.20.09.003 1325-00-00-A XXXXXXXXXX
01SEP03 02:28	Maintenance Comment	0.0 AFHR	2.7	NEW OUTBD SKIN FITTED Camm LOG00006	XXXXXXXXXX
01SEP03 02:28	Maintenance Comment	0.0 AFHR	2.7	09Jul03 A23-047 13.00 Camm LOG00022	4259.7 0.0 AFHR IN AS A23T 1325-00-00-A XXXXXXXXXX
01SEP03 02:29	Maintenance Comment	0.0 AFHR	2.7	11Oct02 STI-PC9-0263 Camm LOG00013	STI STATUS NOW INC XXXXXXXXXX
01SEP03 02:29	Maintenance Comment	0.0 AFHR	2.7	07May03 2FTINTMH Camm LOG00018	FF: 01-NIL MA: 04-CHK/TST XXXXXXXXXX
01SEP03 02:29	Maintenance Comment	0.0 AFHR	2.7	08Jul03 2FTINTMH Camm LOG00021	FF: 01-NIL MA: 04-CHK/TST XXXXXXXXXX
23SEP03 07:32	Change Part Number of an A	4312.0 AFHR	24.9	555.20.09.003 555.20.09.003 A1PXXXY300776	~\$\$\$\$\$ ~S4080 XXXXXXXXXX
02DEC03 23:47	Maintenance Comment Asset Removal	0.0 AFHR	95.6	CHANGE MAN CODE 039 A23T A2IBC	A23-047 00 A23T A2IBC 00A
	Change Serviceability Stat	4382.9 AFHR	0.9	S/I U/S	XXXXXXXXXX
	Change Location of an Asse	xxxx		A23-047 INTMH	
03DEC03 00:16	Change Serviceability Stat	0.0		U/S SERV	
	Change Serviceability Stat	4382.9 AFHR	0.0		XXXXXXXXXX
03DEC03 00:50	Change Serviceability Stat	0.0		SERV U/S	
	Change Serviceability Stat	4382.9 AFHR	64.2		XXXXXXXXXX
05FEB04 06:04	Change Serviceability Stat	4382.9 AFHR		U/S SERV	
	Change Serviceability Stat	4382.9 AFHR			XXXXXXXXXX

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00635  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 042  
 PART NO : 555.20.09.257  
 ENGINEERING NAME : ELEVATOR ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
05FEB04 06:07	Asset Installation	64.2	A23T A2IBC 068 A23-053	00 A23T A2IBC 00A XXXXXXXX
	4382.9 AFHR Change Serviceability Stat	0.0	SERV	
	Change Location of an Asse	64.2	S/I INTMH A23-053	
29APR04 05:20	Asset Removal	83.9	068 A23-053 A23T A2IBC	00 A23T A2IBC 00A XXXXXXXX
	4521.7 AFHR Change Serviceability Stat	0.6	S/I	
	Change Location of an Asse	83.9	U/S A23-053	
29APR04 05:27	Change Serviceability Stat	0.0	OPMH U/S SERV	XXXXXXXX
29APR04 05:28	Asset Installation	0.0	A23T A2IBC 068 A23-053	00 A23T A2IBC 00A XXXXXXXX
	4521.7 AFHR Change Serviceability Stat	0.0	SERV	
	Change Location of an Asse	0.0	S/I OPMH A23-053	
17MAY04 00:00	Asset Removal	17.7	068 A23-053 A23T A2IBC	00 A23T A2IBC 00A XXXXXXXX
	4532.1 AFHR Change Serviceability Stat	2.8	S/I	
	Change Location of an Asse	17.7	U/S A23-053	
19MAY04 04:28	Change Serviceability Stat	2.1	INTMH U/S SERV	XXXXXXXX
	4532.1 AFHR			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00636  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 042  
 PART NO : 555.20.09.257  
 ENGINEERING NAME : ELEVATOR ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
19MAY04 04:29	Asset Installation	2.1	A23T A2IBC 068 A23-053	00 A23T A2IBC XXXXXXxx 0 A
	4532.1 AFHR Change Serviceability Stat	0.0	SERV S/I	
	Change Location of an Asse	2.1	INTMH A23-053	
21OCT04 02:46	Asset Removal	154.9	068 A23-053 A23T A2IBC	00 A23T A2IBC XXXXXXxx 00A
	4682.0 AFHR Change Serviceability Stat	15.9	S/I U/S	
	Change Location of an Asse	154.9	A23-053 INTMH	
25OCT04 04:35	Change Serviceability Stat	4.0	U/S SERV	XXXXXXxx
25OCT04 04:35	Asset Installation	4.0	A23T A2IBC 068 A23-053	00 A23T A2IBC XXXXXXxx 00AC
	4682.0 AFHR Change Serviceability Stat	0.0	SERV S/I	
	Change Location of an Asse	4.0	INTMH A23-053	
01NOV04 07:16	Asset Removal	7.1	068 A23-053 A23T A2IBC	00 A23T A2IBC XXXXXXxx 00A
	4682.0 AFHR Change Serviceability Stat	7.1	S/I U/S	
	Change Location of an Asse	7.1	A23-053 INTMH	
02NOV04 04:59	Change Serviceability Stat	0.9	U/S SERV	XXXXXXxx
	4682.0 AFHR			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00637  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 042  
 PART NO : 555.20.09.257  
 ENGINEERING NAME : ELEVATOR ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
02NOV04 05:00	Asset Installation	0.9	A23T A2IBC 068 A23-053	00 A23T A2IBC 00AC XXXXXXXX
	4682.0 AFHR Change Serviceability Stat	0.0	SERV	
	Change Location of an Asse	0.9	S/I INTMH A23-053	
05JAN05 05:29	Asset Removal	64.0	068 A23-053 A23T A2IBC	00 A23T A2IBC 00A XXXXXXXX
	4737.3 AFHR Change Serviceability Stat	27.0	S/I	
	Change Location of an Asse	64.0	U/S A23-053	
30JAN05 23:09	Change Serviceability Stat	25.7	SURFIN U/S SERV	XXXXXXXX
30JAN05 23:36	Asset Installation	25.7	A23T A2IBC 068 A23-053	00 A23T A2IBC 00AC XXXXXXXX
	4737.3 AFHR Change Serviceability Stat	0.0	SERV	
	Change Location of an Asse	25.7	S/I SURFIN A23-053	
14MAR05 03:58	Asset Removal	42.1	068 A23-053 A23T A2IBC	00 A23T A2IBC 00A XXXXXXXX
	4819.6 AFHR Change Serviceability Stat	3.0	S/I	
	Change Location of an Asse	42.1	U/S A23-053	
22MAR05 05:31	Change Part Number of an A	545.9	INTMH 555.20.09.003 555.20.09.256	~S4080 ~S4080 XXXXXXXX
	4819.6 AFHR			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00638  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 042  
 PART NO : 555.20.09.257  
 ENGINEERING NAME : ELEVATOR ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
22MAR05 05:36	Change Serviceability Stat	8.0	U/S SERV	
22MAR05 05:40	Asset Installation	8.0	A23T 068 A2IBC A23-053 00	XXXXXXxx
	Change Serviceability Stat	0.0	SERV S/I INTMH A23-053	A23T A2IBC 00AC
29AUG05 06:03	Asset Removal	160.0	A23T 068 A2IBC A23-053 00	XXXXXXxx
	Change Serviceability Stat	5.1	S/I U/S A23-053	
29AUG05 06:06	Change Serviceability Stat	0.0	INTMH U/S SERV	
06SEP05 05:03	Asset Installation	7.9	A23T 068 A2IBC A23-053 00	XXXXXXxx
	Change Serviceability Stat	7.9	SERV S/I INTMH A23-053	A23T A2IBC 00AC
31OCT05 03:06	Maintenance Comment	0.0	POST STI-PC9-0225 WEIGHT 16.5KGS	
01FEB06 10:43	Asset Removal	148.2	A1PXXXY515324 068 A23T A2IBC A23-053 00	XXXXXXxx
	Change Serviceability Stat	6.0	S/I U/S A23-053	
	Change Location of an Asse	148.2	OPMH	



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00639  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 042  
 PART NO : 555.20.09.257  
 ENGINEERING NAME : ELEVATOR ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
01FEB06 10:43	Change Serviceability Stat	0.0	U/S SERV	
	5117.8 AFHR			XXXXXXxx
03FEB06 00:02	Maintenance Comment	0.0	WEIGHED AT 16.8 KG	
	5117.8 AFHR		A1PXXXY600839	XXXXXXxx
07FEB06 06:18	Asset Installation	5.8	A23T A2IBC	
	5117.8 AFHR		A23-053	A23T A2IBC 00AC
	Change Serviceability Stat	5.8	SERV S/I	XXXXXXxx
	Change Location of an Asse	5.8	OPMH A23-053	
26JUL06 05:22	Change Serviceability Stat	6.9	S/I US/I	
	5267.8 AFHR		A1PXXJY611257	XXXXXXxx
26JUL06 05:26	Change Serviceability Stat	0.0	US/I S/I	
	5267.8 AFHR			XXXXXXxx
07SEP06 06:24	Asset Removal	212.0	068 A23T A2IBC	
	5267.8 AFHR		A23-053	A23T A2IBC 00A
	Change Serviceability Stat	43.0	S/I U/S	XXXXXXxx
	Change Location of an Asse	212.0	A23-053 INTMH	
07SEP06 06:25	Change Serviceability Stat	0.0	U/S SERV	
	5267.8 AFHR			XXXXXXxx
21SEP06 05:39	Asset Installation	13.9	A23T A2IBC	
	5267.8 AFHR		A23-053	A23T A2IBC 00AC
	Change Serviceability Stat	13.9	SERV S/I	XXXXXXxx
	Change Location of an Asse	13.9	INTMH A23-053	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00640  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 042  
 PART NO : 555.20.09.257  
 ENGINEERING NAME : ELEVATOR ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
09JAN07 02:52	Asset Removal	109.8	068 A23T A2IBC A23-053	A23T A2IBC 00A
	5412.9 AFHR Change Serviceability Stat	26.7	S/I U/S	XXXXXXxx
	Change Location of an Asse	109.8	A23-053 INTMH	
09JAN07 02:53	Change Serviceability Stat	0.0	U/S SERV	
	5412.9 AFHR			XXXXXXxx
10JAN07 05:15	Asset Installation	1.0	A23T A2IBC A23-053	A23T A2IBC 00AC
	5412.9 AFHR Change Serviceability Stat	1.0	SERV S/I	XXXXXXxx
	Change Location of an Asse	1.0	INTMH A23-053	
18APR07 03:56	Asset Removal	97.9	068 A23T A2IBC A23-053	A23T A2IBC 00A
	5559.8 AFHR Change Serviceability Stat	12.9	S/I U/S	XXXXXXxx
	Change Location of an Asse	97.9	A23-053 INTMH	
18APR07 03:57	Change Serviceability Stat	0.0	U/S SERV	
	5559.8 AFHR			XXXXXXxx
19APR07 06:12	Asset Installation	1.0	A23T A2IBC A23-053	A23T A2IBC 00AC
	5559.8 AFHR Change Serviceability Stat	1.0	SERV S/I	XXXXXXxx
	Change Location of an Asse	1.0	INTMH A23-053	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00641  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 042  
 PART NO : 555.20.09.257  
 ENGINEERING NAME : ELEVATOR ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
14FEB08 23:06	Asset Removal	301.7	068 A23T A2IBC 068 00	A23T A2IBC 00M
	5859.8 AFHR Change Serviceability Stat	1.9	S/I SERV A23T 068	XXXXXXxx
22FEB08 02:19	Asset Installation	7.1	A23T A2IBC A23-053 00	A23T A2IBC 00AC
	5859.8 AFHR Change Serviceability Stat	7.1	SERV S/I INTMH A23-053	XXXXXXxx
26FEB08 04:26	Asset Removal	4.0	068 A23T A2IBC A23-053 00	A23T A2IBC 00A
	5859.8 AFHR Change Serviceability Stat	4.0	S/I U/S A23-053 INTMH	XXXXXXxx
26FEB08 04:31	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
26FEB08 04:33	Asset Installation	0.0	A23T A2IBC A23-053 00	A23T A2IBC 00AC
	5859.8 AFHR Change Serviceability Stat	0.0	SERV S/I INTMH A23-053	XXXXXXxx
12NOV08 13:34	Asset Removal	260.3	068 A23T A2IBC A23-053 00	A23T A2IBC 00A
	6143.7 AFHR Change Serviceability Stat	0.2	S/I U/S A23-053 INTMH	XXXXXXxx
	Change Location of an Asse	260.3		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00642  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 042  
 PART NO : 555.20.09.257  
 ENGINEERING NAME : ELEVATOR ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
12NOV08 13:35	Change Serviceability Stat	0.0	U/S SERV	
16NOV08 23:04	Asset Installation	4.3	A23T 068 A2IBC A23-053 00	XXXXXXxx
	Change Serviceability Stat	4.3	SERV S/I INTMH A23-053	XXXXXXxx
	Change Location of an Asse	4.3	S/I US/I A1PXXJY410166	
14APR09 10:23	Change Serviceability Stat	6.3	068 A23T A2IBC A23-053 00	XXXXXXxx
16APR09 02:49	Asset Removal	150.1	A23T A2IBC A23-053 00	XXXXXXxx
	Change Serviceability Stat	1.6	US/I U/S A23-053 HG121	
23APR09 22:35	Change Venue of an Asset	2064.5	AIP NONC2CONT A1PXXY904246	XXXXXXxx
	Change Location of an Asse	7.8	HG121 HOLD NONC2CONT AIP	
21JUL09 05:00	Change Venue of an Asset	88.2	NONC2XY908734	XXXXXXxx
	Change Location of an Asse	88.2	HOLD HG121	
24AUG09 23:50	Change Part Number of an A	1616.7	555.20.09.256 ~S4080 555.20.09.257 ~S4080	
24AUG09 23:58	Maintenance Comment	0.0	ELEVATOR WEIGHT AT BALANCE 18.5 KG, TRIM MOTOR EM4059-3	XXXXXXxx
			A1PXXY909021	XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00643  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 042  
 PART NO : 555.20.09.257  
 ENGINEERING NAME : ELEVATOR ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
25AUG09 00:06	Change Serviceability Stat	6292.8 AFHR	130.8	U/S SERV	XXXXXXxx
26AUG09 01:17	Maintenance Comment	6292.8 AFHR	0.0	TOTAL WEIGHT ELEVATOR AFTER BALANCE: 18.5 KG. A1PXXXY909056	XXXXXXxx
20OCT09 10:43	Asset Installation	6292.8 AFHR	187.3	A23T A2IBC 530 A23-017	A23T A2IBC XXXXXXxx 00AC
	Change Serviceability Stat		56.4	SERV S/I	
	Change Location of an Asse		91.2	HG121 A23-017	
09NOV10 01:02	Asset Removal	6588.5 AFHR	384.5	530 A23-017 A23T A2IBC	A23T A2IBC 00A
	Change Serviceability Stat		4.6	S/I	XXXXXXxx
	Change Location of an Asse		384.5	U/S A23-017	
09NOV10 01:03	Change Serviceability Stat	6588.5 AFHR	0.0	INTMH U/S SERV	XXXXXXxx
16NOV10 01:11	Asset Installation	6588.5 AFHR	7.0	A23T A2IBC 530 A23-017	A23T A2IBC XXXXXXxx 00AC
	Change Serviceability Stat		7.0	SERV S/I	
	Change Location of an Asse		7.0	INTMH A23-017	
30JAN12 01:57	Asset Removal	6887.3 AFHR	440.0	530 A23-017 A23T A2IBC	A23T A2IBC 00A
	Change Serviceability Stat		53.7	S/I	XXXXXXxx
	Change Location of an Asse		440.0	U/S A23-017 INTMH	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00644  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 042  
 PART NO : 555.20.09.257  
 ENGINEERING NAME : ELEVATOR ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
30JAN12 01:58	Change Serviceability Stat		0.0	U/S SERV	
06FEB12 05:04	Asset Installation	6887.3 AFHR	7.1	A23T 530	XXxxXXxx
	Change Serviceability Stat	6887.3 AFHR	7.1	SERV S/I INTMH A23-017	A23T A2IBC 00AC
	Change Location of an Asse		7.1		XXxxXXxx
10SEP12 23:48	Asset Removal		217.7	530 A23T A2IBC	A23-017 00A
	Change Serviceability Stat	7187.0 AFHR	4.6	S/I U/S A23-017	XXxxXXxx
	Change Location of an Asse		217.7	INTMH U/S SERV	
11SEP12 00:14	Change Serviceability Stat		0.0		
13SEP12 06:00	Asset Installation	7187.0 AFHR	2.2	A23T 530	XXxxXXxx
	Change Serviceability Stat	7187.0 AFHR	2.2	SERV S/I INTMH A23-017	A23T A2IBC 00AC
	Change Location of an Asse		2.2		XXxxXXxx
14JAN13 11:57	Asset Removal		123.2	530 A23T A2IBC	A23-017 00A
	Change Serviceability Stat	7228.9 AFHR	54.1	S/I U/S A23-017	XXxxXXxx
	Change Location of an Asse		123.2	INTMH	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00645  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 042  
 PART NO : 555.20.09.257  
 ENGINEERING NAME : ELEVATOR ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
14JAN13 11:57	Change Serviceability Stat	0.0	U/S SERV	
21MAR13 03:46	Asset Installation	65.6	A23T 530 A2IBC A23-033	00 A23T A2IBC 00AC
18JUL13 23:56	Asset Removal	119.8	530 A23T A2IBC A23-033	00 A23T A2IBC 00A
18JUL13 23:59	Change Serviceability Stat	0.0	S/I U/S A23-033 INTMH U/S SERV	
19JUL13 00:51	Change Serviceability Stat	0.0	7310.7 AFHR	XXxxXXxx
19JUL13 07:45	Change Serviceability Stat	0.2	7310.7 AFHR U/S SERV	XXxxXXxx
19JUL13 07:45	Asset Installation	0.3	7310.7 AFHR A23T 530 A2IBC A23-033	00 A23T A2IBC 00AC
	Change Serviceability Stat	0.0	7310.7 AFHR S/I INTMH A23-033	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00646  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 042  
 PART NO : 555.20.09.257  
 ENGINEERING NAME : ELEVATOR ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
04SEP13 06:13	Asset Removal	46.9	530 A23T A2IBC A23-033	A23T A2IBC 00A
	7378.9 AFHR Change Serviceability Stat	1.0	S/I U/S	XXXXXXxx
	Change Location of an Asse	46.9	A23-033 INTMH	
04SEP13 06:14	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
09SEP13 22:22	Asset Installation	5.6	A23T 530 A23-033	A23T A2IBC 00AC
	7378.9 AFHR Change Serviceability Stat	5.6	SERV S/I	XXXXXXxx
	Change Location of an Asse	5.6	INTMH A23-033	
29APR14 01:16	Asset Removal	231.1	530 A23T A2IBC A23-033	A23T A2IBC 00A
	7528.4 AFHR Change Serviceability Stat	11.9	S/I U/S	XXXXXXxx
	Change Location of an Asse	231.1	A23-033 INTMH	
29APR14 01:17	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
06MAY14 05:29	Asset Installation	7.1	A23T 530 A23-033	A23T A2IBC 00AC
	7528.4 AFHR Change Serviceability Stat	7.1	SERV S/I	XXXXXXxx
	Change Location of an Asse	7.1	INTMH A23-033	



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00647  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 042  
 PART NO : 555.20.09.257  
 ENGINEERING NAME : ELEVATOR ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
27OCT14 11:48	Asset Removal	174.2	530 A23T A2IBC A23-033 00	A23T A2IBC 00A
	7678.0 AFHR Change Serviceability Stat	0.1	S/I U/S	XXXXXXxx
	Change Location of an Asse	174.2	A23-033 INTMH	
27OCT14 11:49	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
	7678.0 AFHR Asset Installation	0.7	A23T A2IBC A23-033 00	A23T A2IBC 00AC
	7678.0 AFHR Change Serviceability Stat	0.7	SERV S/I	XXXXXXxx
	Change Location of an Asse	0.7	INTMH A23-033	
09APR15 02:59	Position Change	162.8	A23T A2IBC A23T A2IBC 00	
	7827.6 AFHR Maintenance Comment	0.0	A1PXXX1502961	XXXXXXxx
	Change Part Number of an A		POLICY COPY FOR STI-PC9-0589 AUTH: 012/2015	
09APR15 03:21	Maintenance Comment	0.0	NO PARENT TRANSACTION DETAILS	
18MAY15 11:00	Change Serviceability Stat	53.0	POLICY COPY FOR STI-PC9-0589 S/I	
	7827.6 AFHR Asset Removal	202.8	US/I A1PXXJ1505385 530	XXXXXXxx A23T A2IBC 00M
	7827.6 AFHR Change Serviceability Stat	0.6	A23T A2IBC 00	XXXXXXxx
25MAY15 05:38	Change Serviceability Stat	6.1	US/I U/S SERV	XXXXXXxx
	7827.6 AFHR			XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00648  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 042  
 PART NO : 555.20.09.257  
 ENGINEERING NAME : ELEVATOR ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW						
25MAY15 05:44	Asset Installation	6.1	A23T	A2IBC	530	00
	7827.6 AFHR		530		530	A23T A2IBC 00MMI
	Change Serviceability Stat	0.0	SERV			XXXXXXxx
26OCT15 13:45	Asset Removal	154.3	S/I		A23-033	00
	7977.2 AFHR		530	A2IBC		A23T A2IBC 00A
	Change Serviceability Stat	3.4	S/I			XXXXXXxx
	Change Location of an Asse	154.3	U/S		A23-033	
26OCT15 13:45	Change Serviceability Stat	0.0	OPMH			
	7977.2 AFHR		U/S			XXXXXXxx
26OCT15 13:48	Asset Installation	0.0	SERV		A23-033	00
	7977.2 AFHR		530	A2IBC		A23T A2IBC 00AC
	Change Serviceability Stat	0.0	SERV			XXXXXXxx
	Change Location of an Asse	0.0	S/I			
26OCT15 13:51	Asset Removal	0.0	OPMH		A23-033	
	7977.2 AFHR		530	A2IBC		A23T A2IBC 00A
	Change Serviceability Stat	0.0	S/I			XXXXXXxx
	Change Location of an Asse	0.0	U/S		A23-033	
26OCT15 13:51	Change Serviceability Stat	0.0	OPMH			
	7977.2 AFHR		U/S			XXXXXXxx
			SERV			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00649  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 042  
 PART NO : 555.20.09.257  
 ENGINEERING NAME : ELEVATOR ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
29OCT15 12:46	Change Serviceability Stat 7977.2 AFHR Estimated Date/Time Servic	2.9	SERV U/S A1PXXU1512030	XXxxXXxx
29OCT15 12:46	Change Serviceability Stat 7977.2 AFHR	0.0	SERV STAT SERV STAT U/S SERV	XXxxXXxx
29OCT15 12:59	Asset Installation 7977.2 AFHR	2.9	A23T A2IBC 542 A23-033	A23T A2IBC XXxxXXxx 00AC
	Change Serviceability Stat 7977.2 AFHR	0.0	SERV S/I	
	Change Location of an Asse	2.9	OPMH A23-033	
10MAR16 12:33	Asset Removal 8126.4 AFHR	132.9	A23T A2IBC 542 A23-033	A23T A2IBC XXxxXXxx 00A
	Change Serviceability Stat 8126.4 AFHR	0.1	S/I U/S	
	Change Location of an Asse	132.9	A23-033 OPMH	
10MAR16 12:34	Change Serviceability Stat 8126.4 AFHR	0.0	U/S SERV	XXxxXXxx
13MAR16 22:59	Asset Installation 8126.4 AFHR	3.4	A23T A2IBC 542 A23-033	A23T A2IBC XXxxXXxx 00AC
	Change Serviceability Stat 8126.4 AFHR	3.4	SERV S/I	
	Change Location of an Asse	3.4	OPMH A23-033	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00650  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 042  
 PART NO : 555.20.09.257  
 ENGINEERING NAME : ELEVATOR ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
13MAR16 23:10	Asset Removal	0.0	542 A23T A2IBC A23-033 00	A23T A2IBC 00A
	8126.4 AFHR Change Serviceability Stat	0.0	S/I U/S	XXXXXXxx
	Change Location of an Asse	0.0	A23-033 INTMH	
13MAR16 23:11	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
14MAR16 05:53	Asset Installation	0.2	A23T 542 A2IBC A23-033 00	A23T A2IBC 00AC
	8126.4 AFHR Change Serviceability Stat	0.2	SERV S/I	XXXXXXxx
	Change Location of an Asse	0.2	INTMH A23-033	
29MAR16 09:30	Change Part Number of an A	0.0	NO PARENT TRANSACTION DETAILS	
31MAR16 04:57	Maintenance Comment	7.8	MPAN 09/2016 FOR STI-PC9-0615 INCORPORATION POLICY UPDATE	
	Change Serviceability Stat		S/I US/I	
04APR16 02:24	Asset Removal	20.8	A1PXXJ1606689 542 A23T A2IBC A23-033 00	A23T A2IBC 00A
	8142.2 AFHR Change Serviceability Stat	3.8	US/I U/S	XXXXXXxx
	Change Location of an Asse	20.8	A23-033 INTMH	
15APR16 00:36	Change Serviceability Stat	10.9	U/S SERV	XXXXXXxx
	8142.2 AFHR			XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00651  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 042  
 PART NO : 555.20.09.257  
 ENGINEERING NAME : ELEVATOR ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
18APR16 03:16	Asset Installation	14.0	A23T A2IBC 542 A23-033	00 A23T A2IBC 00AC XXXXXXXX
	8142.2 AFHR Change Serviceability Stat	3.1	SERV	
	Change Location of an Asse	14.0	S/I INTMH A23-033	
10AUG16 02:26	Asset Removal	113.9	A23T A2IBC 542 A23-033	00 A23T A2IBC 00A XXXXXXXX
	8307.2 AFHR Change Serviceability Stat	1.7	S/I	
	Change Location of an Asse	113.9	U/S A23-033	
10AUG16 02:26	Change Serviceability Stat	0.0	OPMH U/S SERV	XXXXXXXX
11AUG16 05:03	Asset Installation	1.1	A23T A2IBC 542 A23-033	00 A23T A2IBC 00AC XXXXXXXX
	8307.2 AFHR Change Serviceability Stat	1.1	SERV	
	Change Location of an Asse	1.1	S/I OPMH A23-033	
03APR17 22:35	Asset Removal	235.7	A23T A2IBC 542 A23-033	00 A23T A2IBC 00A XXXXXXXX
	8471.7 AFHR Change Serviceability Stat	129.7	S/I	
	Change Location of an Asse	235.7	U/S A23-033	
03APR17 22:35	Change Serviceability Stat	0.0	INTMH U/S SERV	XXXXXXXX
	8471.7 AFHR			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00652  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 042  
 PART NO : 555.20.09.257  
 ENGINEERING NAME : ELEVATOR ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
11MAY17 04:36	Asset Installation	37.2	A23T A2IBC 542 A23-033	00 A23T A2IBC 00AC XXXXXXXX
	8471.7 AFHR Change Serviceability Stat	37.2	SERV	
	Change Location of an Asse	37.2	S/I INTMH A23-033	
21MAR18 23:33	Asset Removal	314.7	A23T A2IBC 542 A23-033	00 A23T A2IBC 00A XXXXXXXX
	8630.5 AFHR Change Serviceability Stat	139.8	S/I	
	Change Location of an Asse	314.7	U/S A23-033	
21MAR18 23:34	Change Serviceability Stat	0.0	HG122 U/S SERV	XXXXXXXX
29MAR18 02:25	Asset Installation	7.1	A23T A2IBC 542 A23-033	00 A23T A2IBC 00AC XXXXXXXX
	8630.5 AFHR Change Serviceability Stat	7.1	SERV	
	Change Location of an Asse	7.1	S/I HG122 A23-033	
17MAY18 03:34	Asset Removal	49.0	A23T A2IBC 542 A23-033	00 A23T A2IBC 00A XXXXXXXX
	8630.5 AFHR Change Serviceability Stat	49.0	S/I	
	Change Location of an Asse	49.0	U/S A23-033	
17MAY18 06:15	Change Serviceability Stat	0.1	INTMH U/S SERV	XXXXXXXX
	8630.5 AFHR			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00653  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 042  
 PART NO : 555.20.09.257  
 ENGINEERING NAME : ELEVATOR ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
18MAY18 00:55	Asset Installation	0.8	A23T 542 A2IBC A23-033	00 A23T A2IBC 00AC
	8630.5 AFHR Change Serviceability Stat	0.7	SERV S/I	XXXXXXXX
	Change Location of an Asse	0.8	INTMH A23-033	
10DEC18 09:16	Change Part Number of an A Maintenance Comment	0.0	NO PARENT TRANSACTION DETAILS	
08JAN19 22:22	Change Serviceability Stat	69.3	POLICY COPY IAW MPAN 045/2018	OID: BM1783034
	8795.5 AFHR Change Serviceability Stat	0.0	S/I US/I A1PXXJ1821197	XXXXXXXX
09JAN19 00:10	Change Serviceability Stat	0.0	S/I	
	8795.5 AFHR Asset Removal	389.2	542 A23T A2IBC A23-033	XXXXXXXX A23T A2IBC 00A
	8957.5 AFHR Change Serviceability Stat	35.7	S/I U/S	XXXXXXXX
	Change Location of an Asse	389.2	A23-033	
11JUN19 07:37	Change Serviceability Stat	0.0	INTMH U/S SERV	
	8957.5 AFHR Asset Installation	14.8	A23T 542 A2IBC A23-033	00 A23T A2IBC 00AC
	8957.5 AFHR Change Serviceability Stat	14.8	SERV S/I	XXXXXXXX
	Change Location of an Asse	14.8	INTMH A23-033	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00654  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 042  
 PART NO : 555.20.09.257  
 ENGINEERING NAME : ELEVATOR ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
20SEP19 03:03	Asset Removal	85.9	542 A23T A2IBC	A23T A2IBC 00A
	9055.8 AFHR Change Serviceability Stat	1.8	S/I U/S	XXXXXXxx
	Change Location of an Asse	85.9	A23-033 INTMH	
20SEP19 03:03	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
	9055.8 AFHR Asset Installation	12.9	A23T A2IBC	A23T A2IBC 00AC
	9055.8 AFHR Change Serviceability Stat	12.9	SERV S/I INTMH A23-033	XXXXXXxx
	Change Location of an Asse	12.9		

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
11PXXUY906404	COMPLETED	24AUG09 23:56	6292.8	AFHR	SST	XXXXXXxxXXXXXXxx
16APR09 14:53	XXXXXXxx	XXXXXXxxXXXXXXxx	AIP			24AUG09 23:56
16APR09 14:54	XXXXXXxx	XXXXXXxxXXXXXXxx	AIP			XXXXXXxxXXXXXXxx
		LINEAR ACTUATOR RFA				XXXXXXxxXXXXXXxx

Maint Acts: ELEVATOR REPAIRED AT JANDAKOT AND RETURNED TO STORE WITHOUTH ACTUATOR. REF: LSN JSF/015/09.

For-Official-Use-Only



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
Camm2  
ASSET HISTORY

PAGE 00655  
08JAN20  
23:16:15

SERIAL/TAIL NO : 042  
PART NO : 555.20.09.257 ~S4080  
ENGINEERING NAME : ELEVATOR ASSY  
VENUE : A23DISP LOCATION : A23-033  
REMOVALS/INSTALLATIONS FOR A1PXXUY906404

PERIOD: 01JAN90 TO 08JAN20

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	851	A23T	A2IBC01	00				
EM4069-3	16APR09 14:54	A1PXXJY907176						

A1PXXU1211609	COMPLETED	11SEP12 00:15	7187.0	AFHR	SST	XXXXXXXXXX
11SEP12 00:14	XXXXXXXXXX	XXXXXXXXXX	AIP			11SEP12 00:15
11SEP12 00:15	XXXXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
		CAMM FIX				XXXXXXXXXX

Maint Acts: CAM FIXED

A1PXXU1311220	COMPLETED	05SEP13 00:57	7378.9	AFHR	SST	XXXXXXXXXX
04SEP13 06:14	XXXXXXXXXX	XXXXXXXXXX	AIP			05SEP13 00:57
04SEP13 06:14	XXXXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
		STI-PC9-0521	due on Serial 2228			
		ACT ELEVATOR TRIM	at WAC 1300			XXXXXXXXXX
		TRANSFERRED FROM A23-033				

Maint Acts: STI-PC9-0521 ELEVATOR TRIM ACTUATOR INSPECT C/O IAW 7212-007-6-4 REF  
AIP MCS 1296/13-7-5

A1PXXU1405156	COMPLETED	05MAY14 03:14	7528.4	AFHR	SCM	XXXXXXXXXX
29APR14 01:17	XXXXXXXXXX	XXXXXXXXXX	AIP			
29APR14 01:17	XXXXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
		NDT	due on Serial 042			05MAY14 03:14
		ELEV NOSE RIB1 AREA	at WAC 1300			XXXXXXXXXX
		TRANSFERRED FROM A23-033				

Maint Acts: NDT CARRIED OUT NO FAULT FOUND. AIPMCS194/14-8-5.

A1PXXU1413434	COMPLETED	28OCT14 06:04	7678.0	AFHR	SST	XXXXXXXXXX
27OCT14 11:49	XXXXXXXXXX	XXXXXXXXXX	AIP			28OCT14 06:04
27OCT14 11:49	XXXXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
		NDT	due on Serial 042L			
		LH ELEV OB HNG STR	at WAC 1300			XXXXXXXXXX
		TRANSFERRED FROM A23-033				

Maint Acts: NDT C/O REF NDI REPORT # AIP/NDT/A23-033/007

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 042  
 PART NO : 555.20.09.257 ~S4080  
 ENGINEERING NAME : ELEVATOR ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN		
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME		
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR		
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME		
EE500PG EE500LN						INSPECTOR		
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME		
A1PXXU1413435	COMPLETED	28OCT14 06:03	7678.0	AFHR	SST	XXXXXXXXXXXXXXXXXXXX		
27OCT14 11:49	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			28OCT14 06:03		
27OCT14 11:49	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX		
		NDT due on Serial 042R						
		RH ELEV OB HNG STR at WAC 1300				XXXXXXXXXXXXXXXXXXXX		
		TRANSFERRED FROM A23-033						
	Maint Acts:	NDT C/O REF REPORT # AIP/NDT/A23-033/007						
A1PXXU1512030	COMPLETED	29OCT15 12:54	7977.2	AFHR	MM	XXXXXXXXXXXXXXXXXXXX		
29OCT15 12:46	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP					
29OCT15 12:47	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX		
		FROM: A1PXXU1511832. SBI-24 ASSETS TO BE RE-FITTED [ON CAMM ONLY]				29OCT15 12:54		
						XXXXXXXXXXXXXXXXXXXX		
	Maint Acts:	ASSETS SHOULDN'T HAVE BEEN REMOVED = WRONG LCN/SERIALNO COMBINATION						
REMOVALS/INSTALLATIONS FOR A1PXXU1512030								
SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001					042R	A23T	A2IBC18	00
					SBI-24A		29OCT15 12:47	
002					042L	A23T	A2IBC16	00
					SBI-24A		29OCT15 12:48	
A1PXXU1704578	COMPLETED	09MAY17 05:54	8471.7	AFHR	SST	XXXXXXXXXXXXXXXXXXXX		
03APR17 22:35	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			09MAY17 05:54		
03APR17 22:35	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX		
		MS39 due on Serial 042L						
		SBI ELEV INT STR at WAC 1300				XXXXXXXXXXXXXXXXXXXX		
		TRANSFERRED FROM A23-033						
	Maint Acts:	MS 39 C/O IAW AAP 7212-007-2.						

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 042  
 PART NO : 555.20.09.257 ~S4080  
 ENGINEERING NAME : ELEVATOR ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1803655	COMPLETED	28MAR18 04:57	8630.5	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
21MAR18 23:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			28MAR18 04:57
21MAR18 23:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MS39 due on Serial 042L				
		SBI ELEV INT STR at WAC 1300				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-033				
	Maint Acts:	INSPECTIONS C/O SERV IAW AAP 7212-007-2 CHAP 27. NO CRACKS EVIDENT.				
		REF AIP MCS 343/18, 2+3.				

A1PXXU1907066	COMPLETED	18JUN19 01:14	8957.5	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
11JUN19 07:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			18JUN19 01:14
11JUN19 07:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MS39 due on Serial 042L				
		SBI ELEV INT STR at WAC 1300				XXxxXXxxXXxxXXxxXXxx
	N	Copied from A23-033				

Maint Acts: MS39 CARRIED OUT IAW SBI-129 REFER NDT REPORT AIP/NDT/A23-033/108  
 AND WORK PACK AIP MCS 275/19  
 NO DEFECTS FOUND.

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJY308109	C COMPLETED	02DEC03 23:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	02DEC03 23:56					4382.9	AFHR
13 REMOVED FOR ACCESS	99 NO FAILURE			BEARING LOOSE IN BRACKET			
01 NO FAULT	04 CHECK/TEST SERV						
	Unserviceability Details:						
	Maintenance Comments:	BEARING INSPECTED AND SECURED SERV IAW 7212.007-2					

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00658  
08JAN20  
23:16:15

SERIAL/TAIL NO : 042  
PART NO : 555.20.09.257 ~S4080  
ENGINEERING NAME : ELEVATOR ASSY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			
=====							
A1PXXJY308113	C COMPLETED	02DEC03 23:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	03DEC03 00:01					4382.9	AFHR
13 REMOVED FOR ACCESS				BEARING LOOSE IN BRACKET			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		BEARING REPLACED SER IAW 7212.007-2			
A1PXXJY308119	C COMPLETED	03DEC03 00:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	03DEC03 00:09					4382.9	AFHR
13 REMOVED FOR ACCESS				RFA			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		REMOVED SERV FOR BEARING CHANGE			
A1PXXJY308139	C COMPLETED	03DEC03 00:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	05FEB04 06:04					4382.9	AFHR
01 UNSERVICEABLE		26 PRE-INSTALLATION MAINTENANCE		CREASE IN ELEVATOR SKIN			
		01 DAMAGED/CRACKED					
08 DAMAGE		02 REPAIR					
		Unserviceability Details:		CREASE IN SKIN			
		Maintenance Comments:		L/H END CAP REPLACED			
A1PXXJY407784	C COMPLETED	29APR04 05:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	29APR04 05:27					4521.7	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE		ELEV ASSY R.F.A			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		ELEV REFITTED SERV			
A1PXXJY408992	C COMPLETED	17MAY04 00:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	19MAY04 04:28					4532.1	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE		ELEVATOR ASSY R.F.A.			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		ELEVATOR CHECKED SERV			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00659  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 042  
 PART NO : 555.20.09.257 ~S4080  
 ENGINEERING NAME : ELEVATOR ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					
A1PXXJY420476	C COMPLETED	21OCT04 02:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	25OCT04 04:35					4682.0	AFHR
13 REMOVED FOR ACCESS	99 NO FAILURE		R2	due on Serial A23-053			
			PC-9	at WAC 0000			
01 NO FAULT	04 CHECK/TEST SERV						
	Unserviceability Details:	ELEVATOR ASSY IN SERV CONDITION					
	Maintenance Comments:						
A1PXXJY421186	C COMPLETED	01NOV04 07:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	02NOV04 04:59					4682.0	AFHR
13 REMOVED FOR ACCESS	99 NO FAILURE		R2	due on Serial A23-053			
			PC-9	at WAC 0000			
01 NO FAULT	04 CHECK/TEST SERV						
	Unserviceability Details:	NIL FAULTS FOUND					
	Maintenance Comments:						
A1PXXJY500146	C COMPLETED	05JAN05 05:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	30JAN05 23:09					4737.3	AFHR
13 REMOVED FOR ACCESS	99 NO FAILURE		S33	due on Serial A23-053			
			PC-9	at WAC 0000			
01 NO FAULT	04 CHECK/TEST SERV						
	Unserviceability Details:	SERV					
	Maintenance Comments:						
A1PXXJY504326	C COMPLETED	14MAR05 03:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	22MAR05 05:36					4819.6	AFHR
13 REMOVED FOR ACCESS	99 NO FAILURE		R1	due on Serial A23-053			
			PC-9	at WAC 0000			
01 NO FAULT	04 CHECK/TEST SERV						
	Unserviceability Details:	SERV					
	Maintenance Comments:						
A1PXXJY305778	C COMPLETED	17MAR05 04:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	22MAR05 05:35					4819.6	AFHR
08 MOD/STI/DVI REQUIRED			7212.007-225	due on Serial			
			ELEVATOR ASSY	at WAC 1300			
01 NO FAULT	08 MOD/STI/DVI INCORP						
	Unserviceability Details:						
	Maintenance Comments:	SERV					

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00660  
08JAN20  
23:16:15

SERIAL/TAIL NO : 042  
PART NO : 555.20.09.257 ~S4080  
ENGINEERING NAME : ELEVATOR ASSY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			
=====							
A1PXXJY515105	C COMPLETED	29AUG05 06:03	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	29AUG05 06:06					4969.0	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE		ELEVATOR R.F.A.			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:		CHECK/TEST SERV			
		Maintenance Comments:					
A1PXXJY601319	C COMPLETED	01FEB06 10:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	01FEB06 10:43					5117.8	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE		ELEVATOR RFA			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:		CHECK/TEST SERV			
		Maintenance Comments:					
A1PXXJY611257	C COMPLETED	26JUL06 05:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	26JUL06 05:26					5267.8	AFHR
08 MOD/STI/DVI REQUIRED				STI-PC9-0413 due on Serial 042			
				ELEVATOR ASSY at WAC 1300			
01 NO FAULT		08 MOD/STI/DVI INCORP					
		Unserviceability Details:		STI INC SERV			
		Maintenance Comments:					
A1PXXJY614112	C COMPLETED	07SEP06 06:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	07SEP06 06:25					5267.8	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE		ELEVATOR ASSY S/NO 042 RFA			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:		CHECK/TEST SERV			
		Maintenance Comments:					
A1PXXJY700162	C COMPLETED	09JAN07 02:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	09JAN07 02:53	09JAN07 02:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	5412.9	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE		ELEVATOR ASSY RFA			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:		CHECK/TEST SERV			
		Maintenance Comments:					

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00661  
08JAN20  
23:16:15

SERIAL/TAIL NO : 042  
PART NO : 555.20.09.257 ~S4080  
ENGINEERING NAME : ELEVATOR ASSY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJY707815	C COMPLETED	18APR07 03:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
	18APR07 03:57	18APR07 03:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		5559.8	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		ELEVATOR RFA			

01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV

A1PXXJY803580	C COMPLETED	26FEB08 04:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
	26FEB08 04:31	26FEB08 04:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		5859.8	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		ELEVATOR ASSY RFA			

01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: ELEVATOR ASSY CHECK/TEST SERV

A1PXXJY819824	C COMPLETED	12NOV08 13:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
	12NOV08 13:35	12NOV08 13:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		6143.7	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		ELEVATOR ASSY RFA			

01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV

A1PXXJY410166	C COMPLETED	16APR09 02:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
	24AUG09 23:51	14APR09 10:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		6292.8	AFHR
08	MOD/STI/DVI REQUIRED			7212.007-226 due on Serial 042 ELEVATOR ASSY at WAC 1300			

01 NO FAULT 08 MOD/STI/DVI INCORP  
Unserviceability Details:  
Maintenance Comments: MOD-226 C/O IAW 7212.007-3, REF: LSN; JSF/015/09.

A1PXXJY907114	C COMPLETED	16APR09 02:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
	16APR09 02:50	16APR09 02:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		6292.8	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		ELEVATOR ASSY REMOVED FOR ACCESS			

01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00662  
08JAN20  
23:16:15

SERIAL/TAIL NO : 042  
PART NO : 555.20.09.257 ~S4080  
ENGINEERING NAME : ELEVATOR ASSY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJY915738	C COMPLETED	21JUL09 05:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	25AUG09 00:06	21JUL09 05:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		6292.8	AFHR

16 PRE-INSTALLATION MAINT  
01 NO FAULT  
04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: BALANCING REF JSF/015/09.

A1PXXJ1020719	C COMPLETED	09NOV10 01:02	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	09NOV10 01:03	09NOV10 01:02	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		6588.5	AFHR

13 REMOVED FOR ACCESS  
01 NO FAULT  
04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV

A1PXXJ1201178	C COMPLETED	30JAN12 01:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	30JAN12 01:58	30JAN12 01:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		6887.3	AFHR

13 REMOVED FOR ACCESS  
01 NO FAULT  
04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV

A1PXXJ1213783	C COMPLETED	10SEP12 23:48	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	10SEP12 23:49	10SEP12 23:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		7187.0	AFHR

13 REMOVED FOR ACCESS  
01 NO FAULT  
04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV

A1PXXJ1213788	C COMPLETED	11SEP12 00:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	11SEP12 00:14	11SEP12 00:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		7187.0	AFHR

13 REMOVED FOR ACCESS  
01 NO FAULT  
04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: CAMM FIXED

For-Official-Use-Only



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00663  
08JAN20  
23:16:15

SERIAL/TAIL NO : 042  
PART NO : 555.20.09.257 ~S4080  
ENGINEERING NAME : ELEVATOR ASSY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			
=====							
A1PXXJ1300479	C COMPLETED	14JAN13 11:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	14JAN13 11:57	14JAN13 11:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		7228.9	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE		ELEVATOR AND HORIZONTAL STAB RFA			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:		CHECK/TEST SERV			
		Maintenance Comments:					
A1PXXJ1309665	C COMPLETED	18JUL13 23:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	18JUL13 23:59	18JUL13 23:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		7310.7	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE		ELEVATOR REQ'S BALANCE			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:		CHECK/TEST SERV			
		Maintenance Comments:					
A1PXXJ1309666	C COMPLETED	19JUL13 00:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	19JUL13 07:45	19JUL13 00:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		7310.7	AFHR
15 FAULT FINDING		32 DURING FAULT FINDING		FROM A23-033 AIPXXU1309176. ELEVATOR REQUIRES BALANCING. [TRIM			
		06 OUT OF LIMITS		TAB MOTOR R&I]			
07 BAD ADJUST/ALIGN		03 ADJUST/ALIGN					
		Unserviceability Details:		TRIM MOTOR R&I; REFER A23-033. AIPXXU1309146 [NIL OPS]			
		Maintenance Comments:		ELEVATOR BALANCED. REF: SNOW 539962-1 LINE 4			
A1PXXJ1311933	C COMPLETED	04SEP13 06:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	04SEP13 06:15	04SEP13 06:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		7378.9	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE		ELEVATOR RFA WITH ATTACHMENT BRACKET (RAAF SUP 99)			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:		CHECK/TEST SERV			
		Maintenance Comments:					
A1PXXJ1406826	C COMPLETED	29APR14 01:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	29APR14 01:17	29APR14 01:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		7528.4	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE		STI-PC9-0506 due on Serial 530			
				HORIZONTAL STAB ASS at WAC 1100			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:		CHECK/TEST SERV			
		Maintenance Comments:					

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00664  
08JAN20  
23:16:15

SERIAL/TAIL NO : 042  
PART NO : 555.20.09.257 ~S4080  
ENGINEERING NAME : ELEVATOR ASSY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
ALPXXJ1418491	C COMPLETED	27OCT14 11:48	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
13 REMOVED FOR ACCESS	99 NO FAILURE	27OCT14 11:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	7678.0	AFHR
REASON FOR REPORT	WHEN FAILURE DISCOVERED						
01 NO FAULT	04 CHECK/TEST SERV						
	Unserviceability Details:						
	Maintenance Comments:						
ALPXXJ1505385	C COMPLETED	18MAY15 11:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
08 MOD/STI/DVI REQUIRED	99 NO FAILURE	18MAY15 11:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	7827.6	AFHR
REASON FOR REPORT	WHEN FAILURE DISCOVERED						
01 NO FAULT	08 MOD/STI/DVI INCORP						
	Unserviceability Details:						
	Maintenance Comments:						
ALPXXJ1507795	C COMPLETED	19MAY15 02:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
15 FAULT FINDING	99 NO FAILURE	20MAY15 02:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	7827.6	AFHR
REASON FOR REPORT	WHEN FAILURE DISCOVERED						
01 NO FAULT	04 CHECK/TEST SERV						
	Unserviceability Details:						
	Maintenance Comments:						
ALPXXJ1516752	C COMPLETED	26OCT15 13:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
13 REMOVED FOR ACCESS	99 NO FAILURE	26OCT15 13:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	7977.2	AFHR
REASON FOR REPORT	WHEN FAILURE DISCOVERED						
01 NO FAULT	04 CHECK/TEST SERV						
	Unserviceability Details:						
	Maintenance Comments:						
ALPXXJ1516756	C COMPLETED	26OCT15 13:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
13 REMOVED FOR ACCESS	99 NO FAILURE	26OCT15 13:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	7977.2	AFHR
REASON FOR REPORT	WHEN FAILURE DISCOVERED						
01 NO FAULT	04 CHECK/TEST SERV						
	Unserviceability Details:						
	Maintenance Comments:						

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00665  
08JAN20  
23:16:15

SERIAL/TAIL NO : 042  
PART NO : 555.20.09.257 ~S4080  
ENGINEERING NAME : ELEVATOR ASSY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

Unserviceability Details:  
Maintenance Comments:

CHECK/TEST SERV

A1PXXJ1605554 C COMPLETED 10MAR16 12:33 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
10MAR16 12:34 10MAR16 12:33 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 8126.4 AFHR  
13 REMOVED FOR ACCESS 99 NO FAILURE S76 due on Serial A23-033  
PC-9 at WAC 0000  
01 NO FAULT 04 CHECK/TEST SERV

Unserviceability Details:  
Maintenance Comments:

CHECK/TEST SERV

A1PXXJ1605671 C COMPLETED 13MAR16 23:10 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
13MAR16 23:11 13MAR16 23:11 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 8126.4 AFHR  
13 REMOVED FOR ACCESS 99 NO FAILURE ELEVATOR ASSY REMOVED FOR S76  
01 NO FAULT 04 CHECK/TEST SERV

Unserviceability Details:  
Maintenance Comments:

CHECK/TEST SERV

A1PXXJ1606689 C COMPLETED 04APR16 02:24 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
15APR16 00:36 31MAR16 04:57 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 8142.2 AFHR  
08 MOD/STI/DVI REQUIRED STI-PC9-0616 due on Serial 042  
ELEVATOR ASSY at WAC 1300  
01 NO FAULT 08 MOD/STI/DVI INCORP

Unserviceability Details:  
Maintenance Comments:

SBI 129, BOROSCOPE INSPECTION AND NDT CARRIED IAW  
STI-PC9-0616,NIL CRACKS/DEFECTS EVIDENT.NDT REPORT  
AIP/NDT/A23-033/059, REFER AIP MCS 090/16-21-1, 2 AND 3.

A1PXXJ1607562 C COMPLETED 04APR16 02:24 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
04APR16 02:25 04APR16 02:25 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 8142.2 AFHR  
13 REMOVED FOR ACCESS 99 NO FAILURE R2 due on Serial A23-033  
PC-9 at WAC 0000  
01 NO FAULT 04 CHECK/TEST SERV

Unserviceability Details:  
Maintenance Comments:

CHECK/TEST SERV

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00666  
08JAN20  
23:16:15

SERIAL/TAIL NO : 042  
PART NO : 555.20.09.257 ~S4080  
ENGINEERING NAME : ELEVATOR ASSY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJ1616775	C COMPLETED	10AUG16 02:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
13 REMOVED FOR ACCESS	99 NO FAILURE	10AUG16 02:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	8307.2	AFHR
01 NO FAULT	04 CHECK/TEST SERV			ELEVATOR ASSY R.F.A (S76)			
Unserviceability Details:							
Maintenance Comments: CHECK/TEST SERV							
A1PXXJ1706934	C COMPLETED	03APR17 22:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
13 REMOVED FOR ACCESS	99 NO FAILURE	03APR17 22:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	8471.7	AFHR
01 NO FAULT	04 CHECK/TEST SERV			R2 due on Serial A23-033			
Unserviceability Details:							
Maintenance Comments: PC-9 at WAC 0000							
A1PXXJ1804899	C COMPLETED	21MAR18 23:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
13 REMOVED FOR ACCESS	99 NO FAILURE	21MAR18 23:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	8630.5	AFHR
01 NO FAULT	04 CHECK/TEST SERV			R2 due on Serial A23-033			
Unserviceability Details:							
Maintenance Comments: PC-9 at WAC 0000							
A1PXXJ1808260	C COMPLETED	17MAY18 03:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
15 FAULT FINDING	99 NO FAILURE	17MAY18 03:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	8630.5	AFHR
01 NO FAULT	04 CHECK/TEST SERV			R2 due on Serial A23-033			
Unserviceability Details:							
Maintenance Comments: PC-9 at WAC 0000							
A1PXXJ1821197	C COMPLETED	09JAN19 00:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
08 MOD/STI/DVI REQUIRED	08 MOD/STI/DVI INCORP	08JAN19 22:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	8795.5	AFHR
01 NO FAULT	08 MOD/STI/DVI INCORP			STI-PC9-0683 due on Serial 042			
Unserviceability Details:							
Maintenance Comments: ELEVATOR ASSY at WAC 1300							
STI-PC9-0683 C/O AS PER STI INSTRUCTIONS. NO ANORMALY EVIDENT.							

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 042  
PART NO : 555.20.09.257 ~S4080  
ENGINEERING NAME : ELEVATOR ASSY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJ1909725	C COMPLETED	11JUN19 07:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	11JUN19 07:37	11JUN19 07:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	8957.5	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		MS39	due on Serial 042L		
01	NO FAULT	04 CHECK/TEST SERV		SBI ELEV INT STR	at WAC 1300		

Unserviceability Details:  
Maintenance Comments:

CHECK/TEST SERV

A1PXXJ1914473	C COMPLETED	20SEP19 03:03	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	20SEP19 03:03	20SEP19 03:03	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	9055.8	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		R1	due on Serial A23-033		
01	NO FAULT	04 CHECK/TEST SERV		PC-9	at WAC 0000		

Unserviceability Details:  
Maintenance Comments:

CHECK/TEST SERV

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00668  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 042  
 PART NO : 555.20.09.257  
 ENGINEERING NAME : ELEVATOR ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

MOD NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE	SINCE	NEW
7212.007-225	N	12NOV03	NINC					
7212.007-225	Y	22MAR05	INC	A1PXXJY305778	17MAR05 04:53	4819.6		AFHR
7212.007-226	N	27MAY04	NINC					
7212.007-226	Y	24AUG09	INC	A1PXXJY410166	16APR09 02:49	6292.8		AFHR
7212.007-226A	Y	12NOV03	NINC					

STI NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE	SINCE	NEW
STI-PC9-0212	Y	27MAR02 00:00	N/A					
STI-PC9-0220	Y	27MAR02 00:00	N/A					
STI-PC9-0262	Y	05DEC01 00:00	INC					
STI-PC9-0263	Y	11OCT02 00:00	INC					
STI-PC9-0266	Y	27MAR02 00:00	N/A					
STI-PC9-0326	N	23MAR04	NINC					
STI-PC9-0326	Y	23MAR04	N/A					
STI-PC9-0413	N	24JUL06	NINC					
STI-PC9-0413	Y	26JUL06	INC	A1PXXJY611257	26JUL06 05:25	5267.8		AFHR
STI-PC9-0589	N	09APR15 03:21	NINC					
STI-PC9-0589	Y	25MAY15 05:36	INC	A1PXXJ1505385	18MAY15 11:00	7827.6		AFHR
STI-PC9-0616	N	29MAR16 09:30	NINC					
STI-PC9-0616	Y	15APR16 00:30	INC	A1PXXJ1606689	04APR16 02:24	8142.2		AFHR
STI-PC9-0683	N	10DEC18 09:16	NINC					
STI-PC9-0683	Y	09JAN19 00:07	INC	A1PXXJ1821197	09JAN19 00:06	8795.5		AFHR

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00669  
08JAN20  
23:16:15

SERIAL/TAIL NO : 042  
PART NO : 555.20.09.257  
ENGINEERING NAME : ELEVATOR ASSY  
VENUE : A23DISP  
LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20  
~S4080

STI STATUS CHANGE -----

STI NUMBER	CURRENT (Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
=====	=====	=====	=====	=====	=====	=====
STI-PC9-472A	N	25AUG08	NINC			
STI-PC9-472A	Y	26AUG08	N/A			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 042L  
PART NO : SBI-129 ~Z5514  
ENGINEERING NAME : SBI ELEV INT STR  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 9102.1 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	DATE NEW	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	HA PART	DATE UNPACKED		

28FEB06 02:24	042L	SLL-C-3A	~Z5514	A23T	A2IBC16	00
aip01713	AIP	MMIST			A1PXXRY601377	
R. ROSAM		02JUN88				

5117.8 AFHR



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00671  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 042L  
 PART NO : SBI-129 ~Z5514 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : SBI ELEV INT STR  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
28FEB06 02:24	Reception History Record	0.0	Reception MMIST	
28FEB06 02:25	Asset Installation	6480.1	A23T A2IBC16 042 A23-053 00	XXxxXXxx
	Change Serviceability Stat	0.1	SERV S/I MMIST A23-053	XXxxXXxx
	Change Location of an Asse	0.1	SERV S/I MMIST A23-053	
10SEP12 02:45	Change Serviceability Stat	3.7	SERV S/I MMIST A23-053	
20SEP12 03:53	Change Serviceability Stat	10.0	US/I A1PXXJY803310	XXxxXXxx
26AUG14 09:26	Change Part Number of an A	3101.3	SLL-C-3A SBI-24A ~Z5514 ~Z5514	XXxxXXxx
27OCT14 09:16	Maintenance Comment Change Serviceability Stat	0.0	A1PXXX1409325 PART NO CHANGE TO ACRN SET ERROR	XXxxXXxx
28OCT14 06:02	Change Serviceability Stat	0.8	SERV S/I A1PXXJ1214548	XXxxXXxx
26OCT15 13:49	Asset Removal	3527.4	042 A23T A2IBC16 A23-033 00	XXxxXXxx
	Change Serviceability Stat	3.4	SERV S/I U/S A23-033	XXxxXXxx
26OCT15 13:49	Change Serviceability Stat	0.0	OPMH U/S SERV	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00672  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 042L  
 PART NO : SBI-129 ~Z5514  
 ENGINEERING NAME : SBI ELEV INT STR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
29OCT15 12:48	Asset Installation	2.9	A23T A2IBC16 042 042 00	A23T A2IBC16 00MMI
	7977.2 AFHR Change Serviceability Stat	2.9	SERV S/I S/I US/I	XXXXXXxx
01APR16 00:25	Change Serviceability Stat	8.6	8142.2 AFHR A1PXXJ1418523	XXXXXXxx
04APR16 05:27	Change Serviceability Stat	3.2	US/I S/I	XXXXXXxx
07DEC16 06:08	Change Part Number of an A	833.8	8142.2 AFHR SBI-24A ~Z5514 SBI-129 ~Z5514	XXXXXXxx
	8471.7 AFHR Maintenance Comment	0.0	A1PXXX1612893	XXXXXXxx
07DEC16 06:09	Position Change	404.7	APPLIED MPAN 031/2016 A23T A2IBC16 00 A23T A2IBC16 70	XXXXXXxx
	8471.7 AFHR Maintenance Comment	0.0	A1PXXX1612894	XXXXXXxx
30MAR17 05:42	Change Serviceability Stat	125.0	APPLIED MPAN 031/2016 S/I US/I	XXXXXXxx
09MAY17 05:54	Change Serviceability Stat	40.0	8471.7 AFHR A1PXXJ1625747	XXXXXXxx
21MAR18 05:23	Change Serviceability Stat	139.1	US/I S/I	XXXXXXxx
28MAR18 04:56	Change Serviceability Stat	6.9	8630.5 AFHR A1PXXJ1709244	XXXXXXxx
	8630.5 AFHR Change Serviceability Stat	13.5	US/I S/I	XXXXXXxx
20MAY19 03:43	Change Serviceability Stat	13.5	S/I US/I	XXXXXXxx
	8957.5 AFHR		A1PXXJ1805301	XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00673  
08JAN20  
23:16:15

SERIAL/TAIL NO : 042L PERIOD: 01JAN90 TO 08JAN20  
PART NO : SBI-129 ~Z5514  
ENGINEERING NAME : SBI ELEV INT STR  
VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
18JUN19 01:12	Change Serviceability Stat	28.8	US/I S/I	XXxxXXxx
	8957.5 AFHR			

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJY803310	C COMPLETED	20SEP12 03:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	20SEP12 03:53	10SEP12 02:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	7187.0	AFHR
07 SCHED PERFORMANCE MONITOR			NDT	due on Serial 042L			
				LH ELEV OB HNG STR at WAC 1300			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		SLL-C-3A CARRIED OUT IAW INSTRUCTIONS REFER NDI REPORT 507/12 AND LSN MCS 1419/12-15 2 AND 3			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT	7200.0	AFHR	7187.0		
SM	NDT	7200.0	AFHR	7187.0		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJ1214548	C COMPLETED	28OCT14 06:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	28OCT14 06:02	27OCT14 09:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	7678.0	AFHR
07 SCHED PERFORMANCE MONITOR			NDT	due on Serial 042L			
				LH ELEV OB HNG STR at WAC 1300			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		C/O			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00674  
08JAN20  
23:16:15

SERIAL/TAIL NO : 042L  
PART NO : SBI-129 ~Z5514 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : SBI ELEV INT STR  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT	550.0	AFHR	491.0		
SM	NDT	550.0	AFHR	491.0		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

AIPXXJ1516754 C COMPLETED 26OCT15 13:49 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
26OCT15 13:49 26OCT15 13:49 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 7977.2 AFHR  
13 REMOVED FOR ACCESS 99 NO FAILURE ELEVATOR REMOVED FOR NDI ACCESS  
REF JOB NUMBER: AIPXXU1511809 & AIPXXU1511810

01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV

AIPXXJ1418523 C COMPLETED 04APR16 05:26 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
04APR16 05:27 01APR16 00:25 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 8142.2 AFHR  
07 SCHED PERFORMANCE MONITOR NDT due on Serial 042L  
LH ELEV OB HNG STR at WAC 1300

01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: NDT CARRIED OUT IAW AAP 7212.007-3 SUPP 101. NIL CRACKS  
EVIDENT. REFER TO NDT REPORT AIP/NDT/A23-033/045.

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT	564.0	AFHR	464.2		
SM	NDT	564.0	AFHR	464.2		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00675  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 042L  
 PART NO : SBI-129 ~Z5514  
 ENGINEERING NAME : SBI ELEV INT STR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

=====  
 A1PXXJ1625747 C COMPLETED 09MAY17 05:50 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 09MAY17 05:54 30MAR17 05:42 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 8471.7 AFHR  
 19 MMI SERVICING DUE MS39 due on Serial 042L  
 SBI ELEV INT STR at WAC 1300  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS 39 C/O IAW AAP 7212-007-2.

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS39	330.0	AFHR			
SM	MS39	330.0	AFHR			

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

=====  
 A1PXXJ1709244 C COMPLETED 28MAR18 04:55 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 28MAR18 04:56 21MAR18 05:23 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 8630.5 AFHR  
 19 MMI SERVICING DUE MS39 due on Serial 042L  
 SBI ELEV INT STR at WAC 1300  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: INSPECTIONS C/O SERV IAW AAP 7212-007-2 CHAP 27.

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS39	330.0	AFHR	158.8		
SM	MS39	330.0	AFHR	158.8		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 042L  
 PART NO : SBI-129 ~Z5514 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : SBI ELEV INT STR  
 VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

1PXXJ1805301	C COMPLETED	18JUN19 01:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	18JUN19 01:12	20MAY19 03:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	8957.5	AFHR
19	MMI SERVICING DUE			MS39	due on Serial 042L		
				SBI ELEV INT STR	at WAC 1300		
01	NO FAULT	12	MMI SERVICING				
			Unserviceability Details:				
			Maintenance Comments:	MS39 CARRIED OUT IAW SBI-129 REFER NDT REPORT AIP/NDT/A23-033/108 AND WORK PACK AIP MCS 275/19			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
=====	=====	=====	=====	=====	=====	=====
SM	MS39	330.0	AFHR	327.0		
SM	MS39	330.0	AFHR	327.0		

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 043  
PART NO : MSI 30004 ~S4080  
ENGINEERING NAME : INERTIAL SEPERATOR  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 8255.1 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		

30SEP03 21:55	043	MSI 30001	~S4080	A06AA	01
a125666	AIP	MCS	A23T	A1PXXRY300194	
P. GREEN		05DEC90			

4622.7 AFHR

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00678  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 043  
 PART NO : MSI 30004 ~S4080  
 ENGINEERING NAME : INERTIAL SEPERATOR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
30SEP03 21:55	Reception History Record	0.0	Reception MCS	
30SEP03 21:56	Asset Installation	4682.9	A23T A06AA HLY300513 A23-043 01	XXXXXXxx
	Change Serviceability Stat	4682.9	SERV S/I MCS A23-043	XXXXXXxx
20JAN05 01:21	Change Part Number of an A	5160.0	MSI 30001 MSI 30004 ~S4080 ~S4080	
20JAN05 02:19	Position Change	477.1	A23T A06AA A23T A06AA 01 00	XXXXXXxx
28FEB17 04:59	Maintenance Comment	0.0	POST MOD INERTIAL SEPERATOR	
	Position Change	4899.2	A23T A06AA A23T A06AA 00	
	Maintenance Comment	0.0	A1PXXX1703063 POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE	XXXXXXxx



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00679  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0495P  
 PART NO : 2-1524-1  
 ENGINEERING NAME : BRAKE UNIT MODIFIED  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

~03481

PERIOD: 01JAN90 TO 08JAN20

LOCATION : A23-033  
 LIFE SINCE NEW : 3940.5 AFHR

ASSET TRANSACTIONS

TRANSACTION D/T CHANGE TYPE		LIFE SINCE NEW		SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
31AUG03	23:51	Maintenance Comment	0.0	2.6	02May03	A23-047	09.50 667.2 0.0 AFHR	02-BS DUE LF37824
31AUG03	23:52	Maintenance Comment	0.0	2.6	2FTHYD		WFD: 07-AFTER FLIGHT US: 16-WORN	
31AUG03	23:57	Maintenance Comment	0.0	2.6	EDDY CURRENT NDI C/O			
31AUG03	23:58	Maintenance Comment	0.0	2.6	30Jul02	JOB CHANGE	RR: 02-BS DUE	
31AUG03	23:58	Maintenance Comment	0.0	2.6	NEXT OH1 DUE: OLD =	1000.0 AFHR	NEW =	
31AUG03	23:59	Maintenance Comment	0.0	2.6	29Jul02	A23-042	10.50 401.3 401.3 AFHR	01-FAILED LE25651
31AUG03	23:59	Maintenance Comment	0.0	2.6	13Aug02	2FTHYD	FF: 01-NIL	MA: 06-BS
31AUG03	23:59	Maintenance Comment	0.0	2.6	BS C/O			
31AUG03	23:59	Maintenance Comment	0.0	2.6	08May03	2FTHYD	FF: 01-NIL	MA: 06-BS
01SEP03	00:01	Maintenance Comment	0.0	2.6	BAY SERV C/O			
01SEP03	00:01	Maintenance Comment	0.0	2.6	NEW DISK AND LINNINGS FITTED			
01SEP03	00:01	Maintenance Comment	0.0	2.6	29Aug03	A23-040	09.50 751.2 AFHR	TX TO CAMM2
01SEP03	00:02	Maintenance Comment	0.0	2.6	12Jul01	XLOC	00. 0.0 0.0 AFHR	RECEPTION (MIRE)
01SEP03	00:02	Maintenance Comment	0.0	2.6	NEW LINNINGS AND TORQUE PLATE FTED			
01SEP03	00:02	Maintenance Comment	0.0	2.6	22May03	A23-040	09.50 667.2 0.0 AFHR	IN AS A23T 1229-00-00-D
01SEP03	00:04	Maintenance Comment	0.0	2.6	19Apr02	A23-042	10.50 232.0 232.0 AFHR	IN AS A23T 1229-00-00-D
01SEP03	00:06	Maintenance Comment	0.0	2.6	12Jul01	NEW - 0495P	2-1524-1 1229-00-00-D	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 00680  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0495P  
 PART NO : 2-1524-1  
 ENGINEERING NAME : BRAKE UNIT MODIFIED  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~03481

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
					TRANS REFERENCE		
LIFE SINCE NEW							
01SEP03	00:07	Maintenance	Comment	2.6	15Feb02 A23-009	09.50 232.0 232.0	AFHR 02-BS DUE LD28788
		0.0	AFHR		CAMM LOG00003		XXXXXXxx
01SEP03	00:07	Maintenance	Comment	2.6	25Mar02 2FTHYD	FF: 01-NIL	MA: 06-BS
		0.0	AFHR		CAMM LOG00004		XXXXXXxx
01SEP03	00:07	Maintenance	Comment	2.6	NEW DISK AND LININGS FITTED		
		0.0	AFHR		CAMM LOG00020		XXXXXXxx
01SEP03	00:07	Maintenance	Comment	2.6	13Jul01 A23-009	09.50 0.0 0.0	AFHR IN AS A23T 1229-00-00-D
		0.0	AFHR		CAMM LOG00002		XXXXXXxx
01SEP03	00:07	Maintenance	Comment	2.6	10Sep02 A23-047	09.50 401.3 401.3	AFHR IN AS A23T 1229-00-00-D
		0.0	AFHR		CAMM LOG00015		XXXXXXxx
01SEP03	00:07	Maintenance	Comment	2.6	24Oct02 A23-047	09.50 445.9 0.0	AFHR UPDATED LIFE (MPMI)
		0.0	AFHR		CAMM LOG00016		XXXXXXxx
01SEP03	00:08	Maintenance	Comment	2.6	WORN TO LIMITS		
		0.0	AFHR		CAMM LOG00010		XXXXXXxx
14APR04	14:05	Asset Removal		229.2	535	A23-040	A23T A2KDI 00A
		949.8	AFHR		A23T A2KDI		XXXXXXxx
		Change Serviceability Stat		12.3	S/I		
		Change Location of an Asse		xxxx	U/S		
					A23-040		
21APR04	03:20	Change Serviceability Stat		6.5	HYD		
		949.8	AFHR		U/S		
		Change Location of an Asse		6.5	SERV		XXXXXXxx
21APR04	03:21	Change Location of an Asse		6.5	HYD		
		949.8	AFHR		MMIST		
		Asset Installation		22.6	A1PXXXY409375		XXXXXXxx
07MAY04	05:56	Asset Installation		22.6	A23T A2KDI	00	
		949.8	AFHR		118	A23-054	A23T A2KEE 0 A
		Change Serviceability Stat		16.1	SERV		XXXXXXxx
		Change Location of an Asse		16.1	S/I		
					MMIST		
					A23-054		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00681  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0495P  
 PART NO : 2-1524-1  
 ENGINEERING NAME : BRAKE UNIT MODIFIED  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~03481

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
20OCT04 10:09	Asset Removal	166.1	118 A23T A2KEE A23-054	A23T A2KEE 00A
	1131.6 AFHR Change Serviceability Stat	0.1	S/I U/S	XXXXXXxx
	Change Location of an Asse	166.1	A23-054	
29OCT04 03:12	Change Serviceability Stat	8.7	HYD U/S SERV	
	1131.6 AFHR			XXXXXXxx
31OCT04 22:47	Asset Installation	11.5	A23T 532 A23-038	A23T A2KEE 00AC
	1131.6 AFHR Change Serviceability Stat	2.8	SERV S/I	XXXXXXxx
	Change Location of an Asse	11.5	HYD A23-038	
01FEB05 23:33	Asset Removal	93.0	532 A23T A2KEE A23-038	A23T A2KEE 00A
	1198.9 AFHR Change Serviceability Stat	48.8	S/I U/S	XXXXXXxx
	Change Location of an Asse	93.0	A23-038	
01FEB05 23:58	Change Serviceability Stat	0.0	INTMH U/S SERV	
	1198.9 AFHR			XXXXXXxx
02FEB05 05:42	Asset Installation	0.2	A23T 532 A23-038	A23T A2KEE 00AC
	1198.9 AFHR Change Serviceability Stat	0.2	SERV S/I	XXXXXXxx
	Change Location of an Asse	0.2	INTMH A23-038	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00682  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0495P  
 PART NO : 2-1524-1  
 ENGINEERING NAME : BRAKE UNIT MODIFIED  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~03481

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
04MAY05 10:40	Asset Removal	91.2	532 A23T A2KEE A23-038	A23T A2KEE 00A
	1309.8 AFHR Change Serviceability Stat	0.3	S/I U/S	XXXXXXxx
	Change Location of an Asse	91.2	A23-038	
10MAY05 07:07	Change Serviceability Stat	5.8	HYD U/S SERV	
	1309.8 AFHR			XXXXXXxx
17MAY05 13:06	Asset Installation	13.1	A23T A2KEE 534 A23-042	A23T A2KEE 00AC
	1309.8 AFHR Change Serviceability Stat	7.2	SERV S/I	XXXXXXxx
	Change Location of an Asse	13.1	HYD A23-042	
30AUG05 09:52	Asset Removal	104.8	534 A23T A2KEE A23-042	A23T A2KEE 00A
	1445.6 AFHR Change Serviceability Stat	6.3	S/I U/S	XXXXXXxx
	Change Location of an Asse	104.8	A23-042	
31AUG05 00:12	Change Location of an Asse	0.5	INTMH HYD	
	1445.6 AFHR		A1PXXXY513530	XXXXXXxx
18SEP05 23:29	Change Serviceability Stat	19.5	U/S SERV	
	1445.6 AFHR			XXXXXXxx
18SEP05 23:30	Change Location of an Asse	18.9	HYD MMIST	
	1445.6 AFHR		A1PXXXY513983	XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00683  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0495P  
 PART NO : 2-1524-1 ~03481  
 ENGINEERING NAME : BRAKE UNIT MODIFIED  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
14OCT05 08:22	Asset Installation	44.9	A23T A2KEE 096 A23-013	00 A23T A2KEE 00AC 1445.6 AFHR XXXXXXXXXX Change Serviceability Stat
	Change Location of an Asse	25.3	SERV S/I MMIST A23-013	
11JUL06 05:50	Asset Removal	269.8	096 A23-013 A23T A2KEE	00 A23T A2KEE 00A 1638.0 AFHR XXXXXXXXXX Change Serviceability Stat
	Change Location of an Asse	4.0	S/I U/S A23-013	
	Change Location of an Asse	269.8	HYD U/S SERV	
24JUL06 05:01	Change Serviceability Stat	12.9		XXXXXXXXXX
24JUL06 05:17	Change Location of an Asse	12.9	HYD MMIST A1PXXXY605750	XXXXXXXXXX
24JUL06 11:01	Asset Installation	13.2	A23T A2KEE 033 A23-002	00 A23T A2KEE 00AC 1638.0 AFHR XXXXXXXXXX Change Serviceability Stat
	Change Location of an Asse	0.2	SERV S/I MMIST A23-002	
01NOV06 09:27	Asset Removal	99.9	A23-002 033 A23T A2KEE	00 A23T A2KEE 00A 1799.1 AFHR XXXXXXXXXX Change Serviceability Stat
	Change Location of an Asse	1.3	S/I U/S A23-002	
	Change Location of an Asse	99.9	HYD	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00684  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0495P  
 PART NO : 2-1524-1  
 ENGINEERING NAME : BRAKE UNIT MODIFIED  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~03481

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
21NOV06 02:54	Change Serviceability Stat	19.7	U/S SERV	
	1799.1 AFHR			XXxxXXxx
21NOV06 04:45	Change Location of an Asse	19.8	HYD MMIST	
	1799.1 AFHR		A1PXXXY609740	XXxxXXxx
22NOV06 10:25	Asset Installation	21.0	A23T A2KEE	
	1799.1 AFHR		143 A23-018	A23T A2KEE 00AC
	Change Serviceability Stat	1.3	SERV S/I	XXxxXXxx
	Change Location of an Asse	1.2	MMIST A23-018	
23NOV06 07:28	Asset Removal	0.8	143 A23T	A23T A2KEE 00A
	1800.4 AFHR		A2KEE	XXxxXXxx
	Change Serviceability Stat	0.2	S/I U/S	
	Change Location of an Asse	0.8	A23-018	
07FEB07 01:31	Change Serviceability Stat	75.7	HYD U/S SERV	
	1800.4 AFHR			XXxxXXxx
07FEB07 04:49	Change Location of an Asse	75.8	HYD MMIST	
	1800.4 AFHR		A1PXXXY701078	XXxxXXxx
23MAY07 00:20	Asset Installation	180.7	A23T A2KEE	
	1800.4 AFHR		543 A23-047	A23T A2KEE 00AC
	Change Serviceability Stat	104.9	SERV S/I	XXxxXXxx
	Change Location of an Asse	104.8	MMIST A23-047	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00685  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0495P  
 PART NO : 2-1524-1  
 ENGINEERING NAME : BRAKE UNIT MODIFIED  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~03481

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
25MAY07 03:08	Asset Removal	2.1	543 A23T A2KEE	A23T A2KEE 00A
	1805.1 AFHR Change Serviceability Stat	0.0	S/I U/S	XXXXXXxx
	Change Location of an Asse	2.1	A23-047 EXTERNAL	
28MAY07 02:19	Change Location of an Asse	2.9	EXTERNAL QNF	
	1805.1 AFHR Change Serviceability Stat	34.8	A1PXXXY704552 U/S SERV	XXXXXXxx
28JUN07 23:32	Asset Installation	34.8	A23T A2KEE	XXXXXXxx
	1805.1 AFHR Change Serviceability Stat	0.0	027 A23-033	A23T A2KEE 00AC
	Change Location of an Asse	31.8	SERV S/I QNF	XXXXXXxx
18JUN08 05:40	Asset Removal	355.2	A23-033 027 A23T A2KEE	A23T A2KEE 00A
	1917.6 AFHR Change Serviceability Stat	0.0	S/I U/S	XXXXXXxx
	Change Location of an Asse	355.2	A23-033 INTMH	
18JUN08 22:50	Change Location of an Asse	0.7	INTMH HYD	
	1917.6 AFHR Change Serviceability Stat	28.7	A1PXXXY805360 U/S SERV	XXXXXXxx
17JUL08 00:15	Change Serviceability Stat	28.7		
	1917.6 AFHR Change Location of an Asse	28.0	HYD MMIST	XXXXXXxx
17JUL08 00:49	Change Location of an Asse	28.0		
	1917.6 AFHR		A1PXXXY806388	XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00686  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0495P  
 PART NO : 2-1524-1 ~03481  
 ENGINEERING NAME : BRAKE UNIT MODIFIED  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
05MAR09 08:28	Asset Installation	260.1	A23T A2KEE 071 A23-004	00 A23T A2KDI 00AC XXXXXXXX
	1917.6 AFHR Change Serviceability Stat	231.3	SERV	
	Change Location of an Asse	231.3	S/I MMIST A23-004	
22JUN09 03:56	Asset Removal	108.8	071 A23-004 A23T A2KDI	00 A23T A2KDI 00A XXXXXXXX
	2095.9 AFHR Change Serviceability Stat	0.0	S/I	
	Change Location of an Asse	108.8	U/S A23-004	
29JUL09 05:07	Change Serviceability Stat	37.0	HYD U/S SERV	XXXXXXXX
29JUL09 05:07	Change Location of an Asse	37.0	HYD MMIST	XXXXXXXX
	2095.9 AFHR		A1PXXXY908052	XXXXXXXX
04AUG09 07:23	Asset Installation	43.1	A23T A2KDI 099 A23-016	00 A23T A2KDI 00AC XXXXXXXX
	2095.9 AFHR Change Serviceability Stat	6.0	SERV	
	Change Location of an Asse	6.0	S/I MMIST A23-016	
04APR12 22:48	Asset Removal	974.6	099 A23T A2KDI	00 A23T A2KDI 00M XXXXXXXX
	2281.7 AFHR Change Serviceability Stat	848.5	S/I	
	Change Location of an Asse	351.7	U/S HG122 INTMH	

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00687  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0495P  
 PART NO : 2-1524-1  
 ENGINEERING NAME : BRAKE UNIT MODIFIED  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~03481

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
10APR12 03:01	Change Location of an Asse	5.1	INTMH HYD A1PXXX1203119	XXxxXXxx
19JUN12 23:16	Change Serviceability Stat	76.0	U/S SERV	XXxxXXxx
19JUN12 23:40	Change Location of an Asse	70.8	HYD STORES A1PXXX1205881	XXxxXXxx
25SEP12 11:33	Asset Installation	173.5	A23T A2KDI 039	A23T A2KEE 00AC
	Change Serviceability Stat	97.5	SERV S/I	XXxxXXxx
	Change Location of an Asse	97.4	STORES A23-006	
19MAR13 13:33	Asset Removal	175.0	039 A23T A2KEE	A23T A2KEE 00A
	Change Serviceability Stat	0.0	S/I U/S	XXxxXXxx
	Change Location of an Asse	175.0	A23-006 HYD	
30JUN13 22:58	Change Serviceability Stat	103.3	U/S SERV	XXxxXXxx
30JUN13 23:21	Change Location of an Asse	103.4	HYD STORES A1PXXX1307079	XXxxXXxx
23JUL13 11:27	Asset Installation	125.9	A23T A2KEE 071	A23T A2KEE 00AC
	Change Serviceability Stat	22.5	SERV S/I	XXxxXXxx
	Change Location of an Asse	22.5	STORES A23-004	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00688  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0495P  
 PART NO : 2-1524-1  
 ENGINEERING NAME : BRAKE UNIT MODIFIED  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~03481

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
16APR14 00:51	Asset Removal	266.5	071 A23T A2KEE A23-004 00	A23T A2KEE 00A
	2635.3 AFHR Change Serviceability Stat	0.6	S/I U/S	XXXXXXxx
	Change Location of an Asse	266.5	A23-004	
16APR14 04:46	Change Location of an Asse	0.1	INTMH INTMH	
	2635.3 AFHR Change Serviceability Stat	89.8	HYD A1PXXX1403869	XXXXXXxx
14JUL14 22:07	Change Location of an Asse	89.7	U/S SERV	XXXXXXxx
14JUL14 22:22	Change Location of an Asse	89.7	HYD STORES	
	2635.3 AFHR Asset Installation	168.5	A1PXXX1407284 A23T A2KEE	XXXXXXxx
01OCT14 12:58	Change Serviceability Stat	78.6	146 A23-019	A23T A2KEE 00AC
	2635.3 AFHR Change Location of an Asse	78.6	SERV S/I STORES	XXXXXXxx
	Change Location of an Asse	78.6	A23-019	
06MAY15 03:22	Asset Removal	216.6	146 A23T A2KEE A23-019 00	A23T A2KEE 00A
	2836.6 AFHR Change Serviceability Stat	0.0	S/I U/S	XXXXXXxx
	Change Location of an Asse	216.6	A23-019	
11MAY15 02:30	Change Location of an Asse	4.9	INTMH INTMH	
	2836.6 AFHR Change Serviceability Stat	49.9	HYD A1PXXX1503977	XXXXXXxx
25JUN15 01:08	Change Serviceability Stat	49.9	U/S SERV	XXXXXXxx
	2836.6 AFHR			XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00689  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0495P  
 PART NO : 2-1524-1  
 ENGINEERING NAME : BRAKE UNIT MODIFIED  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~03481

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
25JUN15 01:14	Change Location of an Asse	44.9	HYD STORES A1PXXX1505729	XXXXXXxx
07JUL15 01:57	Asset Installation	61.9	A23T A2KEE A23-044	A23T A2KDI 00AC
	Change Serviceability Stat	12.0	SERV S/I	XXXXXXxx
	Change Location of an Asse	12.0	STORES A23-044	
08FEB16 11:38	Asset Removal	216.4	538 A23T A2KDI A23-044	A23T A2KDI 00A
	Change Serviceability Stat	0.3	S/I U/S	XXXXXXxx
	Change Location of an Asse	180.0	A23-044	
30MAR16 05:39	Change Serviceability Stat	50.7	HYD U/S SERV	
	Change Location of an Asse	50.7	HYD STORES A1PXXX1602832	XXXXXXxx
08JUN16 13:42	Asset Installation	121.0	A23T A2KDI A23-033	A23T A2KEE 00AC
	Change Serviceability Stat	70.3	SERV S/I	XXXXXXxx
	Change Location of an Asse	70.3	STORES A23-033	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00690  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0495P  
 PART NO : 2-1524-1  
 ENGINEERING NAME : BRAKE UNIT MODIFIED  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~03481

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
04AUG16 11:42	Asset Removal	56.9	027 A23T A2KEE A23-033	A23T A2KEE 00A
	3193.6 AFHR Change Serviceability Stat	1.0	S/I U/S	XXXXXXxx
	Change Location of an Asse	56.9	A23-033	
21SEP16 07:11	Change Serviceability Stat	47.8	HYD U/S SERV	
	3193.6 AFHR Change Location of an Asse	47.8	HYD STORES	XXXXXXxx
			A1PXXX1609491	XXXXXXxx
02FEB17 13:29	Asset Installation	182.0	A23T A2KEE 522 A23-028	A23T A2KDI 00AC
	3193.6 AFHR Change Serviceability Stat	134.2	SERV S/I	XXXXXXxx
	Change Location of an Asse	134.2	STORES A23-028	
22NOV17 11:22	Asset Removal	292.9	522 A23T A2KDI A23-028	A23T A2KDI 00A
	3474.5 AFHR Change Serviceability Stat	0.1	S/I U/S	XXXXXXxx
	Change Location of an Asse	48.3	A23-028	
27NOV17 05:50	Change Location of an Asse	4.7	OPMH OPMH	
	3474.5 AFHR Change Serviceability Stat	78.4	HYD A1PXXX1716615	XXXXXXxx
			U/S SERV	
08FEB18 22:51	Change Location of an Asse	73.7	HYD STORES	XXXXXXxx
	3474.5 AFHR		A1PXXX1801057	XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00691  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0495P  
 PART NO : 2-1524-1  
 ENGINEERING NAME : BRAKE UNIT MODIFIED  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~03481

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
21MAR18	11:19	Asset Installation	118.9	A23T 136	A2KDI A23-010	00 A23T A2KEE 00AC XXXXXXxx
		3649.5 AFHR Change Serviceability Stat	40.5	SERV S/I		
		Change Location of an Asse	40.5	STORES A23-010		
16AUG18	11:38	Asset Removal	148.0	136 A23T	A23-010 A2KEE	00 A23T A2KEE 00A XXXXXXxx
		3649.2 AFHR Change Serviceability Stat	0.1	S/I U/S		
		Change Location of an Asse	148.0	A23-010 STORES		
20AUG18	04:37	Change Location of an Asse	3.7	HYD STORES		
		3649.2 AFHR Change Serviceability Stat	95.6	A1PXXX1808142 U/S		XXXXXXxx
		3649.2 AFHR Change Location of an Asse	91.9	SERV HYD		XXXXXXxx
20NOV18	02:37	Change Location of an Asse	91.9	STORES A1PXXX1811663		XXXXXXxx
11DEC18	01:29	Asset Installation	116.5	A23T 136	A2KEE A23-010	00 A23T A2KEE 00AC XXXXXXxx
		3649.2 AFHR Change Serviceability Stat	20.9	SERV S/I		
		Change Location of an Asse	20.9	STORES A23-010		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00692  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0495P  
 PART NO : 2-1524-1  
 ENGINEERING NAME : BRAKE UNIT MODIFIED  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~03481

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW						
30MAY19 07:46	Asset Removal	170.2	136	A23T	A23-010	A23T A2KEE 00A
	3816.6 AFHR					XXXXXXxx
	Change Serviceability Stat	2.1	S/I			
	Change Location of an Asse	170.2	U/S			
31JUL19 05:34	Change Serviceability Stat	61.9	A23-010	STORES		
	3816.6 AFHR		U/S			XXXXXXxx
31JUL19 05:38	Change Location of an Asse	61.9	SERV			
	3816.6 AFHR		STORES			XXXXXXxx
31JUL19 05:39	Change Location of an Asse	0.0	HYD			
	3816.6 AFHR		A1PXXX1907227			XXXXXXxx
01AUG19 12:09	Asset Installation	63.1	HYD			
	3816.6 AFHR		STORES			XXXXXXxx
	Change Serviceability Stat	1.2	A1PXXX1907230			
	Change Location of an Asse	1.2	A23T	A2KEE	A23-033	A23T A2KEE 00AC
	3816.6 AFHR		027			XXXXXXxx
	Change Serviceability Stat	1.2	SERV			
	Change Location of an Asse	1.2	S/I			
03OCT19 01:50	Asset Removal	62.5	STORES			
	3894.2 AFHR		A23-033			A23T A2KEE 00A
	Change Serviceability Stat	14.8	027			XXXXXXxx
	Change Location of an Asse	62.5	A23T	A2KEE	A23-033	
	3894.2 AFHR					XXXXXXxx
03OCT19 02:04	Change Serviceability Stat	0.0	HYD			
	3894.2 AFHR		U/S			XXXXXXxx
	Change Serviceability Stat	0.0	SERV			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00693  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0495P  
 PART NO : 2-1524-1 ~03481  
 ENGINEERING NAME : BRAKE UNIT MODIFIED  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
03OCT19 02:06	Asset Installation	0.0	A23T A2KEE 027 A23-033 00	A23T A2KEE 00AC
	3894.2 AFHR Change Serviceability Stat	0.0	SERV S/I HYD A23-033	XXXXXXXX
	Change Location of an Asse	0.0		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			
2FTSXJCA05010	C COMPLETED	08MAY03 00:00	XXxxXXxx		2FTS	0.0	
	08MAY03 00:00						
02 BAY SERVICE DUE							

Unserviceability Details:  
 Maintenance Comments:

A1PXXJY406761	C COMPLETED	14APR04 14:05	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP 949.8	AFHR
	21APR04 03:20						
01 UNSERVICEABLE		07 AFTER FLIGHT		S40	due on Serial A23-040		
		16 WORN/FRAYED		PC-9	at WAC 0000		
09 OUT OF LIMITS		15					
				Unserviceability Details:	WORN TO LIMITS		
				Maintenance Comments:	BS CO NEW DISK & LININGS FITTED IAW 7294.124-3M REF OAM 402/04		

AIPXXJ310604X	C COMPLETED	14APR04 23:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP 949.8	AFHR
	21APR04 03:19						
02 BAY SERVICE DUE				BS1	due on Serial		
				BRAKE UNIT MOD LH	at WAC 0950		
01 NO FAULT		06 BAY SERVICE					
				Unserviceability Details:			
				Maintenance Comments:	BS CO NEW DISK & LININGS FITTED IAW 7294.124-3M REF OAM 402/04		

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00694  
08JAN20  
23:16:15

SERIAL/TAIL NO : 0495P  
PART NO : 2-1524-1 ~03481 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : BRAKE UNIT MODIFIED  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJY407348 C COMPLETED 21OCT04 02:37 XXxxXXxx XXxxXXxxXXxxXXxx AIP AIP  
29OCT04 03:12 1131.6 AFHR  
02 BAY SERVICE DUE BS1 due on Serial  
BRAKE UNIT MOD RH at WAC 1050  
01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: BAY SERVICE C/O IAW AAP 7294.124-3M NEW DISK FITTED

A1PXXJY501811 C COMPLETED 01FEB05 23:33 XXxxXXxx XXxxXXxxXXxxXXxx AIP AIP  
01FEB05 23:58 1198.9 AFHR  
13 REMOVED FOR ACCESS 99 NO FAILURE  
RH BRAKE UNIT MOD REMOVED FOR S28/S29 SERVICING (RFA, STILL  
HYDRAULICLY CONNECTED)  
01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: CHECK TEST SERV IAW 7212.007-2

A1PXXJY501812 C COMPLETED 01FEB05 23:42 XXxxXXxx XXxxXXxxXXxxXXxx AIP AIP  
01FEB05 23:46 1198.9 AFHR  
13 REMOVED FOR ACCESS 99 NO FAILURE  
REMOVED FOR S28/S29 SERVICING  
01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: ITEM INSPECTED AND FOUND SERV IAW 7212.007-2

A1PXXJY501814 C COMPLETED 01FEB05 23:47 XXxxXXxx XXxxXXxxXXxxXXxx AIP AIP  
01FEB05 23:48 1198.9 AFHR  
13 REMOVED FOR ACCESS 99 NO FAILURE  
REMOVED FOR ACCESS  
01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: ITEM FOUND SERV IAW 7212.007-2

A1PXXJY508403 C COMPLETED 04MAY05 10:40 XXxxXXxx XXxxXXxxXXxxXXxx AIP AIP  
10MAY05 07:07 1309.8 AFHR  
01 UNSERVICEABLE 05 TECHNICAL B/F  
16 WORN/FRAYED  
09 OUT OF LIMITS 23  
Unserviceability Details: RH BRAKE UNIT MOD W.T.L.



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : 0495P  
PART NO : 2-1524-1 ~03481 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : BRAKE UNIT MODIFIED  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

Maintenance Comments: BAYSERV CARRIED OUT

A1PXXJY515199 C COMPLETED 30AUG05 09:52 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
18SEP05 23:29 1445.6 AFHR  
01 UNSERVICEABLE 07 AFTER FLIGHT LH & RH BRAKE UNITS W.T.L.  
06 OUT OF LIMITS  
01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details: RH BRAKE UNIT W.T.L.

Maintenance Comments: B/S C/O IAW AAP 7294.124-3M REF WK/SHT OAM 987/05

A1PXXJY508776 C COMPLETED 31AUG05 02:10 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
18SEP05 23:28 1445.6 AFHR  
02 BAY SERVICE DUE BS1 due on Serial 0495P  
BRAKE UNIT MOD RH at WAC 1050  
01 NO FAULT 06 BAY SERVICE

Unserviceability Details:

Maintenance Comments: B/S C/O IAW AAP 7294.124-3M REF WK/SHT OAM 987/05

A1PXXJY523960 C COMPLETED 12JUL06 00:47 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
24JUL06 05:01 1638.0 AFHR  
02 BAY SERVICE DUE BS1 due on Serial 0495P  
BRAKE UNIT MOD RH at WAC 1050  
01 NO FAULT 06 BAY SERVICE

Unserviceability Details:

Maintenance Comments: B/S C/O IAW AAP 7297.124.3M REF OAM 793/06

A1PXXJY611207 C COMPLETED 02NOV06 03:29 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
21NOV06 02:54 02NOV06 03:29 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 1799.1 AFHR  
02 BAY SERVICE DUE BS1 due on Serial 0495P  
BRAKE UNIT MOD RH at WAC 1050  
01 NO FAULT 06 BAY SERVICE

Unserviceability Details:

Maintenance Comments: BAY SERVICE C/O IAW AAP 7294.124-3M REF OAM 1295/06

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00696  
08JAN20  
23:16:15

SERIAL/TAIL NO : 0495P  
PART NO : 2-1524-1 ~03481  
ENGINEERING NAME : BRAKE UNIT MODIFIED  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJY618982	C COMPLETED	27NOV06 03:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
02 BAY SERVICE DUE	07FEB07 01:31	27NOV06 03:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		1800.4	AFHR
01 NO FAULT		06 BAY SERVICE		BS1 due on Serial 0495P			
		Unserviceability Details:		BRAKE UNIT MOD RH at WAC 1050			
		Maintenance Comments:		B/S C/O IAW AAP 7294.124-3M REF OAM 1422/06			

A1PXXJY702681	C COMPLETED	29MAY07 23:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
02 BAY SERVICE DUE	28JUN07 22:23	29MAY07 23:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		1805.1	AFHR
01 NO FAULT		06 BAY SERVICE		BS1 due on Serial 0495P			
		Unserviceability Details:		BRAKE UNIT MOD RH at WAC 1050			
		Maintenance Comments:		BAY SERV C/O IAW AAP 7294.134-3M REF OAM 717/07			

A1PXXJY712864	C COMPLETED	18JUN08 22:48	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
02 BAY SERVICE DUE	17JUL08 00:15	18JUN08 22:48	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		1917.6	AFHR
01 NO FAULT		06 BAY SERVICE		BS1 due on Serial 0495P			
		Unserviceability Details:		BRAKE UNIT MOD RH at WAC 1050			
		Maintenance Comments:		BAY SERVICE C/O IAW AAP 7294.124-3M REF OAM 807/08			

A1PXXJY811567	C COMPLETED	23JUN09 00:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
02 BAY SERVICE DUE	29JUL09 05:07	23JUN09 00:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		2095.9	AFHR
01 NO FAULT		06 BAY SERVICE		BS1 due on Serial 0495P			
		Unserviceability Details:		BRAKE UNIT MOD LH at WAC 0950			
		Maintenance Comments:		BAY SERVICE C/O IAW AAP 7294.124-3M REF OAM 738/09			

A1PXXJY916829	C COMPLETED	10APR12 03:03	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
02 BAY SERVICE DUE	19JUN12 23:16	10APR12 03:03	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		2281.7	AFHR
01 NO FAULT		06 BAY SERVICE		BS1 due on Serial 0495P			
		Unserviceability Details:		BRAKE UNIT MOD LH at WAC 0950			

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00697  
08JAN20  
23:16:15

SERIAL/TAIL NO : 0495P  
PART NO : 2-1524-1 ~03481 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : BRAKE UNIT MODIFIED  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

Unserviceability Details:

Maintenance Comments: BAY SERVICE C/O IAW AAP 7294.124-3M REF HYD 7078/12

A1PXXJ1208871 C COMPLETED 19MAR13 23:59 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
30JUN13 22:58 19MAR13 23:59 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 2435.8 AFHR  
02 BAY SERVICE DUE BS1 due on Serial 0495P  
BRAKE UNIT MOD RH at WAC 1050  
01 NO FAULT 06 BAY SERVICE

Unserviceability Details:

Maintenance Comments: BAY SERVICE C/O IAW AAP 7294.124-3M REF HYD 8981/13

A1PXXJ1308543 C COMPLETED 16APR14 04:46 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
14JUL14 22:07 16APR14 04:46 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 2635.3 AFHR  
02 BAY SERVICE DUE BS1 due on Serial 0495P  
BRAKE UNIT MOD RH at WAC 1050  
01 NO FAULT 06 BAY SERVICE

Unserviceability Details:

Maintenance Comments: BAY SERVICE C/O IAW AAP 7294-124-3M REF HYD 11142/14

A1PXXJ1411820 C COMPLETED 25JUN15 01:06 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
25JUN15 01:08 25JUN15 01:06 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 2836.6 AFHR  
02 BAY SERVICE DUE BS1 due on Serial 0495P  
BRAKE UNIT MOD RH at WAC 1050  
01 NO FAULT 06 BAY SERVICE

Unserviceability Details:

Maintenance Comments: BAY SERVICE C/O IAW AAP 7294.124-3M REF HYD 12992/15

A1PXXJ1603446 C COMPLETED 08FEB16 11:38 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
30MAR16 05:39 08FEB16 11:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 3075.9 AFHR  
01 UNSERVICEABLE 05 TECHNICAL B/F LH BRAKE WTL  
06 OUT OF LIMITS  
09 OUT OF LIMITS 06 BAY SERVICE

Unserviceability Details:

BRAKE WTL

Maintenance Comments: BAY SERVICE C/O IAW AAP 7294.124-3M REF HYD 14270/16

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00698  
08JAN20  
23:16:15

SERIAL/TAIL NO : 0495P  
PART NO : 2-1524-1 ~03481  
ENGINEERING NAME : BRAKE UNIT MODIFIED  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJ1616544	C COMPLETED	04AUG16 11:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	21SEP16 07:11	04AUG16 11:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		3193.6	AFHR
01 UNSERVICEABLE		05 TECHNICAL B/F		RH TYRE AND BRAKE ASSY WTL			
09 OUT OF LIMITS		06 OUT OF LIMITS					
		06 BAY SERVICE					

Unserviceability Details: BRAKE WTL

Maintenance Comments: BAY SERVICE C/O IAW AAP 7294.124-3M REF HYD 14965/16

A1PXXJ1721706	C COMPLETED	22NOV17 11:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	08FEB18 22:51	22NOV17 11:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		3474.5	AFHR
01 UNSERVICEABLE		07 AFTER FLIGHT		LH TYRE AND BRAKE WTL			
		14 DETERIORATED					
09 OUT OF LIMITS		06 BAY SERVICE					

Unserviceability Details: BRAKE UNIT WORN TO LIMITS

Maintenance Comments: BAY SERVICE C/O IAW AAP 7294.124-3M REF HYD16582/17

A1PXXJ1813470	C COMPLETED	16AUG18 11:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	20NOV18 02:37	16AUG18 11:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		3649.2	AFHR
01 UNSERVICEABLE		05 TECHNICAL B/F		RH BRAKE WTL			
		06 OUT OF LIMITS					
09 OUT OF LIMITS		06 BAY SERVICE					

Unserviceability Details: RH BRAKE WTL

Maintenance Comments: BAY SERVICE C/O IAW AAP 7294.124-3M REF HYD 17538/18

A1PXXJ1909280	C COMPLETED	30MAY19 07:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	31JUL19 05:34	30MAY19 07:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		3816.6	AFHR
01 UNSERVICEABLE		21 PRE-DEPLOYMENT SERVICING		RIGHT HAND BRAKE ASSEMBLY WORN TO LIMITS.			
		06 OUT OF LIMITS					
09 OUT OF LIMITS		06 BAY SERVICE					

Unserviceability Details: RIGHT HAND BRAKE WORN TO LIMITS.

Maintenance Comments: BAY SERVICE C/O IAW AAP 7294.124-3M REF HYD 18547/19

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00699  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 053  
 PART NO : 532.11.09.115 ~S4080  
 ENGINEERING NAME : DOOR MLG LH INBD  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 7314.4 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
			LIFE SINCE NEW					
31AUG03	15:16	Maintenance Comment	0.0 AFHR	2.2	29Aug03	2FTHG122 00.	3364.1 AFHR	TX TO CAMM2 XXxxXXxx
31AUG03	15:21	Maintenance Comment	0.0 AFHR	2.2	28May91	NEW - 053	532.11.09.033	1173-00-00-D XXxxXXxx
28FEB05	23:59	Asset Installation		549.6	A23T	A2KCG	00	A23T A2KCG XXxxXXxx
		Change Serviceability Stat	3364.0 AFHR	2804.9	SERV			
		Change Location of an Asse		662.9	HG122			
21NOV05	06:08	Asset Removal		265.2	521	A23-038	00	A23T A2KCG 00MI
		Change Serviceability Stat	3364.1 AFHR	265.2	SERV			XXxxXXxx
		Change Location of an Asse		19.2	U/S	A23-038		
21NOV05	06:10	Change Serviceability Stat		0.0	SURFIN			
		Change Serviceability Stat	3364.1 AFHR		U/S			
14FEB06	02:15	Asset Installation		84.8	SERV			XXxxXXxx
		Change Serviceability Stat	3364.1 AFHR	84.8	A23T	A2KCG	00	A23T A2KCG XXxxXXxx
		Change Location of an Asse		84.8	521	A23-038		00AC
		Change Serviceability Stat			SERV			
		Change Location of an Asse			S/I			
		Change Serviceability Stat			SURFIN			
		Change Location of an Asse			A23-038			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00700  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 053  
 PART NO : 532.11.09.115 ~S4080  
 ENGINEERING NAME : DOOR MLG LH INBD  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
=====	=====	=====	=====	=====	=====	=====
01MAR06 23:14	Asset Removal	15.8	521	A23T	A2KCG	A23T A2KCG 00A
	3364.1 AFHR					XXXXXXxx
	Change Serviceability Stat	15.8	S/I			
	Change Location of an Asse	15.8	U/S			
01MAR06 23:15	Change Serviceability Stat	0.0	A23-038			
	3364.1 AFHR		MMIST			XXXXXXxx
25MAY06 01:52	Change Part Number of an A	999.7	U/S			
	3364.1 AFHR		SERV			XXXXXXxx
	Maintenance Comment	0.0	532.11.09.033	~S4080		
	Asset Installation	112.9	532.11.09.115	~S4080		XXXXXXxx
			A1PXXXY604073			
22JUN06 22:45	Asset Installation	112.9	AUTH M. DELAHUNTY	TASPO		
	3364.1 AFHR		A23T	A2KCG	00	A23T A2KCG 00AC
	Change Serviceability Stat	112.9	027	A23-033		XXXXXXxx
	Change Location of an Asse	112.9	SERV			
			S/I			
			MMIST			
24SEP07 00:41	Asset Removal	458.0	A23-033			
	3870.6 AFHR		027	A23-033	00	A23T A2KCG 00A
	Change Serviceability Stat	13.4	A23T	A2KCG		XXXXXXxx
	Change Location of an Asse	458.0	S/I			
			U/S			
24SEP07 00:47	Change Serviceability Stat	0.0	A23-033			
	3870.6 AFHR		HG121			XXXXXXxx
			U/S			
			SERV			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00701  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 053  
 PART NO : 532.11.09.115 ~S4080  
 ENGINEERING NAME : DOOR MLG LH INBD  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW						
01MAY08 03:41	Asset Installation	220.1	A23T 027	A2KCG	A23-033 00	A23T A2KCG 00AC XXXXXXXX
	3870.6 AFHR Change Serviceability Stat	220.1	SERV S/I			
	Change Location of an Asse	220.1	HG121 A23-033			
07NOV13 10:06	Position Change	2016.2	A23T A23T	A2KCG	00 00	XXXXXXXX
	5641.0 AFHR Maintenance Comment	0.0	A1PXXX1312195			
11NOV13 13:38	Change Serviceability Stat	0.2	POLICY COPY: STI-PC9-0567		AUTH: MPAN 31/2013	
	5647.7 AFHR Change Serviceability Stat	0.0	S/I US/I A1PXXJ1315516			XXXXXXXX
	5647.7 AFHR Asset Removal	2576.8	S/I U/S A23-033			XXXXXXXX
22MAY15 00:14	Change Serviceability Stat	56.6	027 A23T	A2KCG	A23-033 00	A23T A2KCG 00A XXXXXXXX
	6039.9 AFHR Change Location of an Asse	7.8	S/I U/S A23-033			
22MAY15 00:20	Change Serviceability Stat	0.0	INTMH U/S SERV			
	6039.9 AFHR Asset Installation	0.0	A23T 027	A2KCG	00	XXXXXXXX
22MAY15 00:27	Change Serviceability Stat	0.0	A23T 027	A2KCG	A23-033 00	A23T A2KCG 00AC XXXXXXXX
	6039.9 AFHR Change Location of an Asse	0.0	SERV S/I INTMH A23-033			

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00702  
08JAN20  
23:16:15

SERIAL/TAIL NO : 053  
PART NO : 532.11.09.115 ~S4080  
ENGINEERING NAME : DOOR MLG LH INBD  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJY528020	C COMPLETED	21NOV05 06:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	99 NO FAILURE			LH MLG INB DOOR RFA		3364.1	AFHR

01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV

A1PXXJY603875	C COMPLETED	01MAR06 23:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	99 NO FAILURE			LH INBD DOOR, S/N 053 RFA		3364.1	AFHR

01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV

A1PXXJY718019	C COMPLETED	24SEP07 00:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	99 NO FAILURE	24SEP07 00:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	3870.6	AFHR
				S33 due on Serial A23-033			
				PC-9 at WAC 0000			

01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: SERV

A1PXXJ1315516	C COMPLETED	11NOV13 13:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
08 MOD/STI/DVI REQUIRED	11NOV13 13:41	11NOV13 13:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	5647.7	AFHR
				STI-PC9-0567 due on Serial 053			
				DOOR MLG LH INBD at WAC 0950			

01 NO FAULT 08 MOD/STI/DVI INCORP  
Unserviceability Details:  
Maintenance Comments: STI-PC9-0567 C/O IAW STI INSTRUCTIONS, REFER 525361/2

A1PXXJ1507891	C COMPLETED	22MAY15 00:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
01 UNSERVICEABLE	22MAY15 00:20	22MAY15 00:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	6039.9	AFHR
				L/H AND R/H MLG I/B DOOR HAS EXCESSIVE PLAY.			

01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details: DOOR HAS EXCESSIVE PLAY.

Maintenance Comments: DOOR HINGE BUSHING REPLACED IAW AAP 7212.007-2.



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 053  
PART NO : 532.11.09.115 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : DOOR MLG LH INBD  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

=====

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00704  
08JAN20  
23:16:15

SERIAL/TAIL NO : 053  
PART NO : 532.11.09.115 ~S4080  
ENGINEERING NAME : DOOR MLG LH INBD  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

STI STATUS CHANGE -----

STI NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
=====	=====	=====	=====	=====	=====	=====
STI-PC9-0567	N	07NOV13 11:24	NINC			
STI-PC9-0567	Y	11NOV13 13:41	INC	A1PXXJ1315516	11NOV13 13:38	5647.7 AFHR

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 00705  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 056  
 PART NO : 532.30.09.216  
 ENGINEERING NAME : CONT UNIT LDG FRONT  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

~S4080

PERIOD: 01JAN90 TO 08JAN20

LOCATION : A23-033  
 LIFE SINCE NEW : 7505.5 AFHR

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
05SEP03	04:01	Maintenance Comment		0.0 AFHR	0.0	STI-PC9-195 INC		CMM LOG00009	XXxxXXxx
05SEP03	04:04	Maintenance Comment		0.0 AFHR	0.0	30Jul02 A23-060	07.30	3895.5	0.0 AFHR 08-MOD/STI RY25525
05SEP03	04:04	Maintenance Comment		0.0 AFHR	0.0	20Feb03 AIEAV		FF: 01-NIL	XXxxXXxx MA: 08-MOD/STI
05SEP03	04:04	Maintenance Comment		0.0 AFHR	0.0	14Aug03 A23-060	07.30	4327.7	0.0 AFHR 01-FAILED RC35835
05SEP03	04:04	Maintenance Comment		0.0 AFHR	0.0	13Aug01 A23-060	07.30	3644.5	0.0 AFHR IN AS A23T 1100-00-00-D
05SEP03	04:05	Maintenance Comment		0.0 AFHR	0.0	20Feb03 A23-060	07.30	4145.0	0.0 AFHR 08-MOD/STI RC30816
05SEP03	04:06	Maintenance Comment		0.0 AFHR	0.0	STI-PC9-195 2/B INC			XXxxXXxx
05SEP03	04:07	Maintenance Comment		0.0 AFHR	0.0	02Aug02 A23-060	07.30	3895.5	0.0 AFHR IN AS A23T 1100-00-00-D
05SEP03	04:08	Maintenance Comment		0.0 AFHR	0.0	02Aug02 AIEAV		FF: 01-NIL	XXxxXXxx MA: 08-MOD/STI
05SEP03	04:08	Maintenance Comment		0.0 AFHR	0.0	FAILED STI-PC9-301			XXxxXXxx
05SEP03	04:08	Maintenance Comment		0.0 AFHR	0.0	AIEMMI		WFD: 29-MOD/STI	US: 03-ELECFAIL
05SEP03	04:08	Maintenance Comment		0.0 AFHR	0.0	14Aug03 DISPATCHED TO ESLXASTA			XXxxXXxx
05SEP03	04:09	Maintenance Comment		0.0 AFHR	0.0	20Feb03 A23-060	07.30	4145.0	0.0 AFHR IN AS A23T 1100-00-00-D
05SEP03	04:56	Change Venue of an Asset		4327.6 AFHR	0.1	AIE			XXxxXXxx
		Maintenance Comment		0.0	0.0	CHANGE TO AIP			
		Change Location of an Asse		22.2	22.2	HOLD			
						MCS			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00706  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 056  
 PART NO : 532.30.09.216 ~S4080  
 ENGINEERING NAME : CONT UNIT LDG FRONT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW								
07SEP03	23:02	Change	Serviceability Stat	199.9	U/S			
					SERV			XXxxXXxx
07SEP03	23:07	Change	Location of an Asse	2.7	MCS			
					A23-012			
					AIPXXXY300641			XXxxXXxx
10SEP03	23:52	Maintenance Comment	Asset Installation	0.0	SERV UNIT FITTED			
				5.9	A23T	A1UCQ	00	
					509	A23-012		A23T A1UCQ 00A
								XXxxXXxx
		Change	Serviceability Stat	3.0	SERV			
					S/I			
16SEP03	05:16	Asset Removal		5.2	509	A23-012	00	A23T A1UCQ 00A
					A23T			
								XXxxXXxx
		Change	Serviceability Stat	0.2	S/I			
					SERV			
16SEP03	05:17	Asset Installation		0.0	A23T	A1UCQ	00	A23T A1UCQ 0 A
					509	A23-012		XXxxXXxx
		Change	Serviceability Stat	0.0	SERV			
					S/I			
30JUN05	02:00	Asset Removal		652.8	509	A23-012	00	A23T A1UCQ 00A
					A23T			
								XXxxXXxx
		Change	Serviceability Stat	0.9	S/I			
					U/S			
		Change	Location of an Asse	149.8	A23-012			
					EQUIP_STORE			
01JUL05	03:00	Change Venue of an Asset		150.8	AIE			
					NONC2CONT			
					A1EXXXY503943			XXxxXXxx
		Change	Location of an Asse	1.0	EQUIP_STORE			
					HOLD			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00707  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 056  
 PART NO : 532.30.09.216  
 ENGINEERING NAME : CONT UNIT LDG FRONT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
10AUG05 05:36	Change Serviceability Stat	41.1	U/S SERV	
	4509.0 AFHR			XXXXXXxx
19SEP05 03:41	Change Venue of an Asset	80.0	NONC2CONT AIE	
	4509.0 AFHR		NONC2XY505466	XXXXXXxx
	Change Location of an Asse	80.0	HOLD MCS	
19SEP05 05:38	Change Location of an Asse	0.0	MCS	
	4509.0 AFHR		EQUIP_STORE A1EXXXY505806	XXXXXXxx
20SEP05 06:28	Asset Installation	82.1	A23T A1UCQ	
	4509.0 AFHR		527 A23-027	A23T A1UCQ 00AC
	Change Serviceability Stat	41.0	SERV S/I	
	Change Location of an Asse	1.0	EQUIP_STORE A23-027	
13SEP06 02:33	Asset Removal	357.8	527 A23-027	A23T A1UCQ 00A
	4801.4 AFHR		A23T A1UCQ	XXXXXXxx
	Change Serviceability Stat	2.0	S/I	
	Change Location of an Asse	357.8	U/S A23-027	
13SEP06 02:34	Change Serviceability Stat	0.0	AVIONICS	
	4801.4 AFHR		U/S SERV	XXXXXXxx
14SEP06 01:47	Asset Installation	0.9	A23T A1UCQ	
	4801.4 AFHR		527 A23-027	A23T A1UCQ 00AC
	Change Serviceability Stat	0.9	SERV S/I	XXXXXXxx
	Change Location of an Asse	0.9	AVIONICS A23-027	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00708  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 056  
 PART NO : 532.30.09.216 ~S4080  
 ENGINEERING NAME : CONT UNIT LDG FRONT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW								
28FEB08	01:52	Asset Removal		532.0	527	A23T	A23-027	A23T A1UCQ 00A
		5093.0 AFHR						XXXXXXxx
		Change Serviceability Stat		3.0	S/I			
		Change Location of an Asse		532.0	U/S			
28FEB08	01:53	Change Serviceability Stat		0.0	A23-027	AVIONICS	RSERV	
		5093.0 AFHR			U/S			XXXXXXxx
03MAR08	21:48	Asset Installation		4.8	527	A23T	A23-027	A23T A1UCQ 00AC
		5093.0 AFHR						XXXXXXxx
		Change Serviceability Stat		4.8	SERV			
		Change Location of an Asse		4.8	S/I			
		Change Location of an Asse		4.8	AVIONICS		RSERV	
10AUG09	22:10	Asset Removal		525.0	A23-027	527	A23-027	A23T A1UCQ 00A
		5540.7 AFHR			A23T			XXXXXXxx
		Change Serviceability Stat		4.7	U/S			
		Change Location of an Asse		525.0	A23-027	AVIONICS		
10AUG09	22:12	Change Serviceability Stat		0.0	U/S			
		5540.7 AFHR			SERV			XXXXXXxx
10AUG09	23:30	Asset Installation		0.0	A23T	A23-027	A23-027	A23T A1UCQ 00AC
		5540.7 AFHR						XXXXXXxx
		Change Serviceability Stat		0.0	SERV			
		Change Location of an Asse		0.0	S/I			
		Change Location of an Asse		0.0	AVIONICS			
		Change Location of an Asse		0.0	A23-027			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00709  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 056  
 PART NO : 532.30.09.216 ~S4080  
 ENGINEERING NAME : CONT UNIT LDG FRONT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW								
20JAN10	21:02	Change	Serviceability Stat	35.7	S/I			
		5688.5	AFHR		US/I			XXXXXXxx
20JAN10	21:29	Asset Removal		162.9	A1EXXJY802414	A23-027		A23T A1UCQ 00A
		5688.5	AFHR		527			
		Change Serviceability Stat		0.0	A23T A1UCQ			XXXXXXxx
		Change Location of an Asse		75.8	US/I			
		Change Venue of an Asset		75.9	U/S			
20JAN10	22:03	Change Venue of an Asset		75.9	A23-027			
		5688.5	AFHR		AVIONICS			
		Change Location of an Asse		0.0	AIE			XXXXXXxx
10FEB10	22:52	Change Venue of an Asset		21.0	NONC2CONT			
		5688.5	AFHR		A1EXXX1000240			XXXXXXxx
		Change Location of an Asse		21.0	AVIONICS			
10FEB10	23:22	Change Serviceability Stat		21.0	HOLD			
		5688.5	AFHR		NONC2CONT			XXXXXXxx
20JUL10	05:30	Asset Installation		180.3	AIE			
		5688.5	AFHR		NONC2X1002830			XXXXXXxx
		Change Serviceability Stat		159.2	HOLD			
		Change Location of an Asse		159.2	EQUIP_STORE			
		Change Serviceability Stat		180.3	U/S			
		5688.5	AFHR		SERV			XXXXXXxx
		Change Serviceability Stat		159.2	A23T A1UCQ	A23-067		A23T A1UCQ 00AC
		Change Location of an Asse		159.2	545			XXXXXXxx
		Change Serviceability Stat		159.2	SERV			
		Change Location of an Asse		159.2	S/I			
		Change Serviceability Stat		159.2	EQUIP_STORE			
		Change Location of an Asse		159.2	A23-067			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00710  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 056  
 PART NO : 532.30.09.216 ~S4080  
 ENGINEERING NAME : CONT UNIT LDG FRONT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS									
TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER	
			LIFE SINCE NEW						
07NOV11	02:53	Asset Removal		474.8	545	A23T	A23-067	A23T	00A
		5838.5 AFHR			A23T	A1UCQ	00	XXxxXXxx	
		Change Serviceability Stat	3.0		S/I				
		Change Location of an Asse	474.8		U/S				
07NOV11	02:54	Change Serviceability Stat		0.0	A23-067				
		5838.5 AFHR			AVIONICS			XXxxXXxx	
		Change Serviceability Stat	1.7		U/S				
08NOV11	21:13	Asset Installation		1.7	545	A23T	A23-067	A23T	00AC
		5838.5 AFHR			A1UCQ			A1UCQ	
		Change Serviceability Stat	1.7		SERV			XXxxXXxx	
		Change Location of an Asse	1.7		S/I				
21AUG13	22:47	Position Change		652.0	A23-067				
		6515.4 AFHR			A23T	A1UCQ	00		
		Change Serviceability Stat	7.5		A23T	A1UCQ	00		
		7019.2 AFHR			A1EXXX1305035			XXxxXXxx	
		Change Serviceability Stat	12.0		S/I				
10MAY16	03:17	Asset Removal		1644.2	US/I				
		7019.2 AFHR			A1EXXJ1001673			XXxxXXxx	
		Change Serviceability Stat	12.0		545	A23T	A23-067	A23T	00A
		Change Location of an Asse	740.0		A23T	A1UCQ	00	A1UCQ	
		7019.2 AFHR			U/S			XXxxXXxx	
		Change Serviceability Stat	12.0		US/I				
		Change Location of an Asse	740.0		U/S				
10MAY16	04:53	Change Venue of an Asset		740.0	A23-067				
		7019.2 AFHR			AVIONICS		RSERV		
		Change Location of an Asse	0.0		AIE				
		NONC2CONT			AVIONICS				
		Change Location of an Asse	0.0		A1EXXX1601584			XXxxXXxx	
		AVIONICS			HOLD		RSERV		

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00711  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 056  
 PART NO : 532.30.09.216 ~S4080  
 ENGINEERING NAME : CONT UNIT LDG FRONT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
21SEP17 03:00	Change Serviceability Stat	498.9	U/S SERV	
	7019.2 AFHR			XXxxXXxx
05JUL18 07:11	Change Venue of an Asset	786.0	NONC2CONT AIP	
	7019.2 AFHR		NONC2X1806883	XXxxXXxx
	Change Location of an Asse	786.0	HOLD STORES	
24JUL18 03:30	Asset Installation	805.0	A23T A1UCQ 510	
	7019.2 AFHR		MMI A23-009	A23T A1UCQ 00AC
	Change Serviceability Stat	306.0	SERV S/I	XXxxXXxx
	Change Location of an Asse	18.8	STORES A23-009	
14NOV19 00:11	Asset Removal	477.8	510 A23T A1UCQ	
	7497.5 AFHR		MMI A23-009	A23T A1UCQ 00A
	Change Serviceability Stat	61.7	S/I U/S	XXxxXXxx
	Change Location of an Asse	35.8	A23-009 MCS	
14NOV19 00:11	Change Serviceability Stat	0.0	U/S SERV	
	7497.5 AFHR			XXxxXXxx
14NOV19 00:12	Change Venue of an Asset	35.8	A23DISP AIP	
	7497.5 AFHR		A23DSX1901046	XXxxXXxx
	Maintenance Comment	0.0	FOR A23-033	
	Change Location of an Asse	0.0	MCS OPMH	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00712  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 056  
 PART NO : 532.30.09.216 ~S4080  
 ENGINEERING NAME : CONT UNIT LDG FRONT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
14NOV19 00:27	Asset Installation	0.0	A23T A1UCQ 533 A23-033	00 A23T A1UCQ 00AC
	7497.5 AFHR Change Serviceability Stat	0.0	SERV S/I	XXXXXXXX
	Change Location of an Asse	0.0	OPMH A23-033	

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					
RC35835XXXXXX	C COMPLETED	14AUG03 08:45	XXxxXXxx		ESL	AIP	0.0
01 UNSERVICEABLE	07SEP03 23:02	29 DURING MOD/STI/DVI		FAILED STI-PC9-301			
03 ELECTRICAL COMPONENT FAIL	03 ELECTRICAL FAILURE	02 REPAIR					
		Unserviceability Details:		FAILED STI-PC9-301			
		Maintenance Comments:		INTERGRATED CERCUIT REPAIRED			
A1EXXJY505426	C COMPLETED	30JUN05 02:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	4509.0 AFHR
01 UNSERVICEABLE	10AUG05 05:36	05 TECHNICAL B/F		FRONT COCKPIT LGCU RH INDICATOR HAS U/S		GLOBE HOLDER	
02 MECHANICAL COMPONENT FAIL	01 DAMAGED/CRACKED	02 REPAIR					
		Unserviceability Details:		GLOBE HOLDER LOCKING MECHANISM DAMAGED			
		Maintenance Comments:		REPAIR AND TEST AT AIJ IAW AAP 7445.031-3M.			
A1EXXJY606098	C COMPLETED	13SEP06 02:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	4801.4 AFHR
13 REMOVED FOR ACCESS	13SEP06 02:34	99 NO FAILURE		R2 due on Serial A23-027			
01 NO FAULT		04 CHECK/TEST SERV		PC-9 at WAC 0000			
		Unserviceability Details:					
		Maintenance Comments:		CHECK/TEST SERV			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00713  
08JAN20  
23:16:15

SERIAL/TAIL NO : 056  
PART NO : 532.30.09.216 ~S4080  
ENGINEERING NAME : CONT UNIT LDG FRONT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJY801531	C COMPLETED	28FEB08 01:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
13 REMOVED FOR ACCESS	28FEB08 01:53	28FEB08 01:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	5093.0	AFHR
01 NO FAULT	99 NO FAILURE			R2 PC-9	due on Serial A23-027 at WAC 0000		
	04 CHECK/TEST SERV						
	Unserviceability Details:						
	Maintenance Comments:			CHECK/TEST SERV			

A1EXXJY905314	C COMPLETED	10AUG09 22:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
13 REMOVED FOR ACCESS	10AUG09 22:12	10AUG09 22:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	5540.7	AFHR
01 NO FAULT	99 NO FAILURE				FRONT LGCU REMOVED FOR ACCESS		
	04 CHECK/TEST SERV						
	Unserviceability Details:						
	Maintenance Comments:			CHECK/TEST SERV			

A1EXXJY802414	C COMPLETED	20JAN10 21:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	NONC2CONT	
02 BAY SERVICE DUE	10FEB10 23:22	20JAN10 21:02	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	5688.5	AFHR
01 NO FAULT	06 BAY SERVICE			BS	due on Serial 056 CONT UNIT LDG FRONT at WAC 0730		
	Unserviceability Details:						
	Maintenance Comments:			ASSET SERV, BAY SERVICE CARRIED OUT AT AIJ, IAW 7445.031-3M			

A1EXXJ1106005	C COMPLETED	07NOV11 02:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
13 REMOVED FOR ACCESS	07NOV11 02:54	07NOV11 02:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	5838.5	AFHR
01 NO FAULT	99 NO FAILURE				FRONT LGCU RFA		
	04 CHECK/TEST SERV						
	Unserviceability Details:						
	Maintenance Comments:			CHECK/TEST SERV			

A1EXXJ1001673	C COMPLETED	10MAY16 03:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	NONC2CONT	
02 BAY SERVICE DUE	21SEP17 03:00	28APR16 01:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	7019.2	AFHR
01 NO FAULT	06 BAY SERVICE			BS	due on Serial 056 CONT UNIT LDG FRONT at WAC 0730		
	Unserviceability Details:						
	Maintenance Comments:			NEW SEGMENT GEAR FITTED , BAY SERVICE C/O IAW AAP (Continued on next page.)			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 056  
 PART NO : 532.30.09.216 ~S4080  
 ENGINEERING NAME : CONT UNIT LDG FRONT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

(Continued from previous page.)

7445.031.031-3M AL5 , UNIT REPAIRED AND TESTED SERVICEABLE IAW  
 AAP 7445.031-3M AL5 REF AIRFLITE ARC NO PAVI2423 @ AIRFLITE AV  
 SHOP

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1500.0	AFHR	1330.7		
SM	BS	1500.0	AFHR	1330.7		

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A23DSJ1900815 C COMPLETED 14NOV19 00:11 XXxxXXxx XXxxXXxxXXxxXXxxXXxx A23DISP A23DISP  
 14NOV19 00:11 14NOV19 00:11 XXxxXXxx XXxxXXxxXXxxXXxx A23DISP 7497.5 AFHR  
 14 CONFIGURATION CHANGE 99 NO FAILURE FRONT LGCU REMOVED TO SERVICE A23-033  
 NOT TO BE REPLACED  
 01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00715  
08JAN20  
23:16:15

SERIAL/TAIL NO : 056  
PART NO : 532.30.09.216 ~S4080  
ENGINEERING NAME : CONT UNIT LDG FRONT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

STI STATUS CHANGE -----

STI NUMBER	CURRENT (Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
=====	=====	=====	=====	=====	=====	=====
STI-PC9-0303	N	20AUG03 00:00	NINC			
STI-PC9-0303	Y	02SEP03	INC	MANUAL		NOT REC.
STI-PC9-317A	Y	21NOV03	N/A			
STI-PC9-317A	N	21NOV03	NINC			
STI-PC9-317B	N	21NOV03	NINC			
STI-PC9-317B	Y	21NOV03	N/A			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 05777 LITERAL SERIAL NO : 05777 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 00745-00-01 ~U1BL7  
ENGINEERING NAME : TRSPDR TT22 MODE S  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 471.6 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
05APR18 00:33	05777	00745-00-01	~U1BL7	A23T	01
aip02188	AIP	HG122		A1ULQ	
R. ORLOWSKI		03JAN18		A1PXXR1800397	
	0.0 AFHR			N/A	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 05777 LITERAL SERIAL NO : 05777 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 00745-00-01 ~U1BL7  
ENGINEERING NAME : TRSPDR TT22 MODE S  
VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
05APR18 00:42	Maintenance Comment	0.0 AFHR	0.0	MMI ASSET PART OF MOD 7212.007-272 MOD INC A1PXXX1802957	XXXXXXxx
05APR18 00:42	Maintenance Comment	0.0 AFHR	0.0	REF TRIG AV ARC NO TNB 06811 AUTH G MCGOWAN A1PXXX1802958	03JAN18 XXXXXXxx
10MAY18 01:21	Asset Installation	0.0 AFHR	127.0	A23T A1ULQ 01 533 A23-033	A23T A1ULQ XXXXXXxx
	Change Serviceability Stat		127.0	SERV S/I	
	Change Location of an Asse		127.0	HG122 A23-033	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00718  
08JAN20  
23:16:15

SERIAL/TAIL NO : 0608-13264  
PART NO : FMS232-006 ~99564  
ENGINEERING NAME : FATIGUE METER  
VENUE : A23DISP  
CURRENT CONDITION : S/I  
LOCATION : A23-033  
LIFE SINCE NEW : 1809.4 AFHR  
PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
12MAY10 23:06	0608-13264	975.48.06.105	~S4080	A1ULF	00
aie1933	AIE	EQUIP_STORE		ALEXXR1000177	
R. BREAKSPEAR		29MAR09			
	0.0 AFHR				



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00719  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0608-13264  
 PART NO : FMS232-006  
 ENGINEERING NAME : FATIGUE METER  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~99564

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
12MAY10 23:06	Reception History Record	0.0	Reception EQUIP_STORE	
	0.0 AFHR			XXxxXXxx
22FEB11 02:35	Asset Installation	695.1	A23T A1ULF 567 A23-066 00	A23T A1ULF 00AC
	0.0 AFHR			XXxxXXxx
	Change Serviceability Stat	286.1	SERV S/I	
	Change Location of an Asse	286.1	EQUIP_STORE A23-066	
02MAR11 22:33	Change Part Number of an A	294.9	975.48.06.105 FMS232-006 A1EXXJ1100389	~S4080 ~99564
	0.0 AFHR			XXxxXXxx
01JUL11 01:18	Change Serviceability Stat	128.9	S/I US/I	
	0.0 AFHR		A1EXXJ1003949	XXxxXXxx
03JUL11 22:19	Change Serviceability Stat	2.8	US/I S/I	
	0.0 AFHR			XXxxXXxx
07JUL11 06:05	Change Serviceability Stat	0.0	S/I US/I	
	0.9 AFHR		A1EXXJ1103202	XXxxXXxx
07JUL11 21:52	Change Serviceability Stat	0.6	US/I S/I	
	0.9 AFHR			XXxxXXxx
14JUL11 21:29	Change Serviceability Stat	0.6	S/I US/I	
	13.2 AFHR		A1EXXJ1103332	XXxxXXxx
14JUL11 22:02	Change Serviceability Stat	0.0	US/I S/I	
	13.2 AFHR			XXxxXXxx
21JUL11 05:50	Change Serviceability Stat	1.0	S/I US/I	
	16.8 AFHR		A1EXXJ1103465	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00720  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0608-13264  
 PART NO : FMS232-006  
 ENGINEERING NAME : FATIGUE METER  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~99564

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
21JUL11 06:32	Change Serviceability Stat	16.8 AFHR	0.0	US/I S/I	
28JUL11 06:06	Change Serviceability Stat	21.5 AFHR	1.0	S/I US/I A1EXXJ1103603	XXxxXXxx
28JUL11 22:01	Change Serviceability Stat	21.5 AFHR	0.6	US/I S/I	XXxxXXxx
04AUG11 05:30	Change Serviceability Stat	26.6 AFHR	0.0	S/I US/I A1EXXJ1103724	XXxxXXxx
04AUG11 22:11	Change Serviceability Stat	26.6 AFHR	0.6	US/I S/I	XXxxXXxx
11AUG11 06:14	Change Serviceability Stat	29.4 AFHR	2.0	S/I US/I A1EXXJ1103887	XXxxXXxx
11AUG11 22:05	Change Serviceability Stat	29.4 AFHR	0.6	US/I S/I	XXxxXXxx
16AUG11 04:24	Change Serviceability Stat	35.3 AFHR	3.9	S/I US/I A1EXXJ1104047	XXxxXXxx
16AUG11 04:26	Change Serviceability Stat	35.3 AFHR	0.0	US/I S/I	XXxxXXxx
17AUG11 06:40	Change Serviceability Stat	36.9 AFHR	1.0	S/I US/I A1EXXJ1104097	XXxxXXxx
17AUG11 06:43	Change Serviceability Stat	36.9 AFHR	0.0	US/I S/I	XXxxXXxx
20AUG11 03:56	Change Serviceability Stat	40.5 AFHR	2.8	S/I US/I A1EXXJ1104135	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00721  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0608-13264  
 PART NO : FMS232-006  
 ENGINEERING NAME : FATIGUE METER  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~99564

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
20AUG11 04:00	Change Serviceability Stat	40.5 AFHR	0.0	US/I S/I	
25AUG11 06:39	Change Serviceability Stat	50.9 AFHR	0.0	S/I US/I A1EXXJ1104196	XXxxXXxx
25AUG11 22:20	Change Serviceability Stat	50.9 AFHR	0.6	US/I S/I	XXxxXXxx
01SEP11 06:26	Change Serviceability Stat	52.1 AFHR	0.0	S/I US/I A1EXXJ1104336	XXxxXXxx
01SEP11 22:08	Change Serviceability Stat	52.1 AFHR	0.6	US/I S/I	XXxxXXxx
08SEP11 21:26	Change Serviceability Stat	64.0 AFHR	0.6	S/I US/I A1EXXJ1104485	XXxxXXxx
08SEP11 22:03	Change Serviceability Stat	64.0 AFHR	0.0	US/I S/I	XXxxXXxx
15SEP11 06:07	Change Serviceability Stat	75.4 AFHR	0.9	S/I US/I A1EXXJ1104664	XXxxXXxx
15SEP11 21:59	Change Serviceability Stat	75.4 AFHR	0.6	US/I S/I	XXxxXXxx
22SEP11 07:08	Change Serviceability Stat	87.9 AFHR	0.0	S/I US/I A1EXXJ1104787	XXxxXXxx
22SEP11 21:54	Change Serviceability Stat	87.9 AFHR	0.6	US/I S/I	XXxxXXxx
29SEP11 00:39	Change Serviceability Stat	97.0 AFHR	1.7	S/I US/I A1EXXJ1104952	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00722  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0608-13264  
 PART NO : FMS232-006  
 ENGINEERING NAME : FATIGUE METER  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~99564

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
29SEP11	01:16	Change	Serviceability Stat	0.0	US/I S/I	
			97.0 AFHR			XXxxXXxx
04OCT11	06:24	Change	Serviceability Stat	4.0	S/I US/I	
			107.0 AFHR		A1EXXJ1105137	XXxxXXxx
04OCT11	06:30	Change	Serviceability Stat	0.0	US/I S/I	
			107.0 AFHR			XXxxXXxx
05OCT11	21:59	Change	Serviceability Stat	1.6	S/I US/I	
			107.0 AFHR		A1EXXJ1105254	XXxxXXxx
05OCT11	21:59	Change	Serviceability Stat	0.0	US/I S/I	
			107.0 AFHR			XXxxXXxx
10OCT11	21:25	Change	Serviceability Stat	4.9	S/I US/I	
			117.0 AFHR		A1EXXJ1105319	XXxxXXxx
10OCT11	21:53	Change	Serviceability Stat	0.0	US/I S/I	
			117.0 AFHR			XXxxXXxx
13OCT11	05:26	Change	Serviceability Stat	0.0	S/I US/I	
			121.6 AFHR		A1EXXJ1105431	XXxxXXxx
13OCT11	21:09	Change	Serviceability Stat	0.6	US/I S/I	
			124.4 AFHR			XXxxXXxx
20OCT11	05:40	Change	Serviceability Stat	0.0	S/I US/I	
			139.2 AFHR		A1EXXJ1105498	XXxxXXxx
20OCT11	20:43	Change	Serviceability Stat	0.6	US/I S/I	
			139.2 AFHR			XXxxXXxx
28OCT11	23:12	Change	Serviceability Stat	0.8	S/I US/I	
			149.5 AFHR		A1EXXJ1105707	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00723  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0608-13264  
 PART NO : FMS232-006  
 ENGINEERING NAME : FATIGUE METER  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~99564

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
			LIFE SINCE NEW		TRANS REFERENCE		
01NOV11	22:42	Change	Serviceability Stat	3.9	US/I		
			149.5 AFHR		S/I		XXxxXXxx
15NOV11	04:36	Change	Serviceability Stat	0.7	S/I		
			174.5 AFHR		US/I		
15NOV11	04:42	Change	Serviceability Stat	0.0	A1EXXJ1105877		XXxxXXxx
			174.5 AFHR		US/I		
24NOV11	20:23	Change	Serviceability Stat	0.3	S/I		
			200.6 AFHR		US/I		
24NOV11	20:50	Change	Serviceability Stat	0.0	A1EXXJ1106237		XXxxXXxx
			200.6 AFHR		US/I		
08DEC11	04:39	Change	Serviceability Stat	0.9	S/I		
			216.7 AFHR		US/I		
08DEC11	20:45	Change	Serviceability Stat	0.6	A1EXXJ1106471		XXxxXXxx
			216.7 AFHR		US/I		
15JAN12	21:56	Change	Serviceability Stat	31.8	S/I		
			225.6 AFHR		US/I		
15JAN12	22:03	Change	Serviceability Stat	0.0	A1EXXJ1106748		XXxxXXxx
			225.6 AFHR		US/I		
25JAN12	05:12	Change	Serviceability Stat	0.0	S/I		
			230.5 AFHR		US/I		
26JAN12	21:05	Change	Serviceability Stat	1.6	A1EXXJ1200105		XXxxXXxx
			230.5 AFHR		US/I		
03FEB12	02:52	Change	Serviceability Stat	0.0	S/I		
			231.7 AFHR		US/I		
					A1EXXJ1200315		XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00724  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0608-13264  
 PART NO : FMS232-006  
 ENGINEERING NAME : FATIGUE METER  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~99564

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
			LIFE SINCE NEW		TRANS REFERENCE		
04FEB12	22:19	Change	Serviceability Stat	1.8	US/I		
			231.7 AFHR		S/I		XXxxXXxx
16FEB12	04:32	Change	Serviceability Stat	0.3	S/I		
			234.1 AFHR		US/I	A1EXXJ1200491	XXxxXXxx
16FEB12	20:57	Change	Serviceability Stat	0.6	US/I		
			234.1 AFHR		S/I		XXxxXXxx
29FEB12	01:47	Change	Serviceability Stat	4.9	S/I		
			237.2 AFHR		US/I	A1EXXJ1200640	XXxxXXxx
29FEB12	02:07	Change	Serviceability Stat	0.0	US/I		
			237.2 AFHR		S/I		XXxxXXxx
14MAR12	04:58	Change	Serviceability Stat	0.0	S/I		
			251.6 AFHR		US/I	A1EXXJ1200984	XXxxXXxx
14MAR12	20:54	Change	Serviceability Stat	0.6	US/I		
			251.6 AFHR		S/I		XXxxXXxx
28MAR12	05:13	Change	Serviceability Stat	5.1	S/I		
			263.7 AFHR		US/I	A1EXXJ1201238	XXxxXXxx
28MAR12	20:46	Change	Serviceability Stat	0.6	US/I		
			263.7 AFHR		S/I		XXxxXXxx
11APR12	04:12	Change	Serviceability Stat	6.0	S/I		
			271.0 AFHR		US/I	A1EXXJ1201527	XXxxXXxx
11APR12	04:28	Change	Serviceability Stat	0.0	US/I		
			271.0 AFHR		S/I		XXxxXXxx
25APR12	21:46	Change	Serviceability Stat	0.8	S/I		
			279.0 AFHR		US/I	A1EXXJ1201804	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00725  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0608-13264  
 PART NO : FMS232-006  
 ENGINEERING NAME : FATIGUE METER  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~99564

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
25APR12 22:00	Change	Serviceability Stat	0.0	US/I S/I	
		279.0 AFHR			XXxxXXxx
10MAY12 05:56	Change	Serviceability Stat	0.5	S/I US/I	
		293.2 AFHR		A1EXXJ1202190	XXxxXXxx
10MAY12 22:02	Change	Serviceability Stat	0.6	US/I S/I	
		293.2 AFHR			XXxxXXxx
16MAY12 04:48	Change	Serviceability Stat	0.0	S/I US/I	
		299.4 AFHR		A1EXXJ1202556	XXxxXXxx
21JUN12 05:24	Change	Serviceability Stat	36.0	US/I S/I	
		299.4 AFHR			XXxxXXxx
05JUL12 06:08	Change	Serviceability Stat	0.0	S/I US/I	
		320.8 AFHR		A1EXXJ1203374	XXxxXXxx
05JUL12 21:56	Change	Serviceability Stat	0.6	US/I S/I	
		320.8 AFHR			XXxxXXxx
19JUL12 21:25	Change	Serviceability Stat	0.6	S/I US/I	
		350.5 AFHR		A1EXXJ1203658	XXxxXXxx
19JUL12 21:43	Change	Serviceability Stat	0.0	US/I S/I	
		350.5 AFHR			XXxxXXxx
02AUG12 06:49	Change	Serviceability Stat	0.0	S/I US/I	
		380.9 AFHR		A1EXXJ1203834	XXxxXXxx
02AUG12 21:46	Change	Serviceability Stat	0.6	US/I S/I	
		380.9 AFHR			XXxxXXxx
16AUG12 05:29	Change	Serviceability Stat	0.0	S/I US/I	
		398.8 AFHR		A1EXXJ1204042	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00726  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0608-13264  
 PART NO : FMS232-006  
 ENGINEERING NAME : FATIGUE METER  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~99564

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
			LIFE SINCE NEW		TRANS REFERENCE		
16AUG12	21:42	Change	Serviceability Stat	0.6	US/I		
			398.8 AFHR		S/I		XXxxXXxx
27AUG12	21:29	Change	Serviceability Stat	2.7	S/I		
			416.5 AFHR		US/I	A1EXXJ1204486	XXxxXXxx
27AUG12	21:43	Change	Serviceability Stat	0.0	US/I		
			416.5 AFHR		S/I		XXxxXXxx
06SEP12	21:39	Change	Serviceability Stat	2.8	S/I		
			430.7 AFHR		US/I	A1EXXJ1204738	XXxxXXxx
06SEP12	21:45	Change	Serviceability Stat	0.0	US/I		
			430.7 AFHR		S/I		XXxxXXxx
27SEP12	00:44	Change	Serviceability Stat	7.8	S/I		
			440.0 AFHR		US/I	A1EXXJ1205055	XXxxXXxx
27SEP12	00:59	Change	Serviceability Stat	0.0	US/I		
			440.0 AFHR		S/I		XXxxXXxx
11OCT12	02:19	Change	Serviceability Stat	0.0	S/I		
			458.0 AFHR		US/I	A1EXXJ1205604	XXxxXXxx
11OCT12	20:58	Change	Serviceability Stat	0.7	US/I		
			458.0 AFHR		S/I		XXxxXXxx
23OCT12	21:04	Change	Serviceability Stat	0.7	S/I		
			484.1 AFHR		US/I	A1EXXJ1205906	XXxxXXxx
23OCT12	22:02	Change	Serviceability Stat	0.0	US/I		
			484.1 AFHR		S/I		XXxxXXxx
01NOV12	03:28	Change	Serviceability Stat	0.0	S/I		
			497.4 AFHR		US/I	A1EXXJ1206074	XXxxXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00727  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0608-13264  
 PART NO : FMS232-006  
 ENGINEERING NAME : FATIGUE METER  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~99564

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
			LIFE SINCE NEW		TRANS REFERENCE		
01NOV12	05:27	Change	Serviceability Stat	0.0	US/I		
			497.4 AFHR		S/I		XXxxXXxx
15NOV12	20:36	Change	Serviceability Stat	0.3	S/I		
			515.4 AFHR		US/I	A1EXXJ1206249	XXxxXXxx
15NOV12	20:44	Change	Serviceability Stat	0.0	US/I		
			515.4 AFHR		S/I		XXxxXXxx
29NOV12	04:42	Change	Serviceability Stat	0.0	S/I		
			531.7 AFHR		US/I	A1EXXJ1206556	XXxxXXxx
29NOV12	21:10	Change	Serviceability Stat	0.6	US/I		
			531.7 AFHR		S/I		XXxxXXxx
13DEC12	22:55	Change	Serviceability Stat	0.8	S/I		
			561.1 AFHR		US/I	A1EXXJ1206890	XXxxXXxx
13JAN13	21:31	Change	Serviceability Stat	30.9	US/I		
			561.1 AFHR		S/I		XXxxXXxx
24JAN13	20:38	Change	Serviceability Stat	1.6	S/I		
			580.2 AFHR		US/I	A1EXXJ1300111	XXxxXXxx
24JAN13	20:53	Change	Serviceability Stat	0.0	US/I		
			580.2 AFHR		S/I		XXxxXXxx
07FEB13	22:14	Change	Serviceability Stat	14.0	S/I		
			580.2 AFHR		US/I	A1EXXJ1300373	XXxxXXxx
14FEB13	21:03	Change	Serviceability Stat	6.9	US/I		
			580.2 AFHR		S/I		XXxxXXxx
26FEB13	00:49	Change	Serviceability Stat	0.8	S/I		
			589.1 AFHR		US/I	A1EXXJ1300712	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00728  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0608-13264  
 PART NO : FMS232-006  
 ENGINEERING NAME : FATIGUE METER  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~99564

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
27MAR13 03:53	Change Serviceability Stat	589.1 AFHR	29.1	US/I S/I	XXxxXXxx
09APR13 05:42	Change Serviceability Stat	594.8 AFHR	0.0	S/I US/I A1EXXJ1301513	XXxxXXxx
09APR13 05:56	Change Serviceability Stat	594.8 AFHR	0.0	US/I S/I	XXxxXXxx
24APR13 04:30	Change Serviceability Stat	604.6 AFHR	0.0	S/I US/I A1EXXJ1301749	XXxxXXxx
24APR13 05:13	Change Serviceability Stat	604.6 AFHR	0.0	US/I S/I	XXxxXXxx
08MAY13 06:40	Change Serviceability Stat	616.9 AFHR	0.0	S/I US/I A1EXXJ1302066	XXxxXXxx
08MAY13 21:51	Change Serviceability Stat	616.9 AFHR	0.6	US/I S/I	XXxxXXxx
16MAY13 04:13	Change Serviceability Stat	624.3 AFHR	0.0	S/I US/I A1EXXJ1302312	XXxxXXxx
16MAY13 21:48	Change Serviceability Stat	624.3 AFHR	0.7	US/I S/I	XXxxXXxx
30MAY13 01:31	Change Serviceability Stat	628.4 AFHR	6.0	S/I US/I A1EXXJ1302440	XXxxXXxx
30MAY13 03:06	Change Serviceability Stat	628.4 AFHR	0.0	US/I S/I	XXxxXXxx
13JUN13 05:19	Change Serviceability Stat	645.2 AFHR	0.0	S/I US/I A1EXXJ1302719	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00729  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0608-13264  
 PART NO : FMS232-006  
 ENGINEERING NAME : FATIGUE METER  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~99564

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
			LIFE SINCE NEW		TRANS REFERENCE		
13JUN13	21:48	Change	Serviceability Stat	0.6	US/I		
			645.2 AFHR		S/I		XXxxXXxx
27JUN13	05:33	Change	Serviceability Stat	0.0	S/I		
			651.1 AFHR		US/I		
27JUN13	21:47	Change	Serviceability Stat	0.6	A1EXXJ1302970		XXxxXXxx
			651.1 AFHR		US/I		
			651.1 AFHR		S/I		XXxxXXxx
11JUL13	06:16	Change	Serviceability Stat	0.0	S/I		
			666.7 AFHR		US/I		
11JUL13	21:47	Change	Serviceability Stat	0.6	A1EXXJ1303154		XXxxXXxx
			666.7 AFHR		US/I		
			666.7 AFHR		S/I		XXxxXXxx
25JUL13	05:22	Change	Serviceability Stat	0.0	S/I		
			679.9 AFHR		US/I		
25JUL13	21:48	Change	Serviceability Stat	0.6	A1EXXJ1303385		XXxxXXxx
			679.9 AFHR		US/I		
			679.9 AFHR		S/I		XXxxXXxx
08AUG13	06:04	Change	Serviceability Stat	0.0	S/I		
			681.8 AFHR		US/I		
08AUG13	21:48	Change	Serviceability Stat	0.6	A1EXXJ1303720		XXxxXXxx
			681.8 AFHR		US/I		
			681.8 AFHR		S/I		XXxxXXxx
22AUG13	05:50	Change	Serviceability Stat	0.0	S/I		
			691.4 AFHR		US/I		
22AUG13	21:44	Change	Serviceability Stat	0.6	A1EXXJ1304014		XXxxXXxx
			691.4 AFHR		US/I		
			691.4 AFHR		S/I		XXxxXXxx
05SEP13	06:12	Change	Serviceability Stat	0.0	S/I		
			699.5 AFHR		US/I		
			699.5 AFHR		A1EXXJ1304273		XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00730  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0608-13264  
 PART NO : FMS232-006  
 ENGINEERING NAME : FATIGUE METER  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~99564

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
05SEP13 22:19	Change Serviceability Stat	699.5 AFHR	0.6	US/I S/I	
19SEP13 04:44	Change Serviceability Stat	710.6 AFHR	0.0	S/I US/I A1EXXJ1304625	XXxxXXxx
19SEP13 21:47	Change Serviceability Stat	710.6 AFHR	0.7	US/I S/I	XXxxXXxx
03OCT13 00:44	Change Serviceability Stat	715.6 AFHR	0.0	S/I US/I A1EXXJ1304803	XXxxXXxx
03OCT13 01:15	Change Serviceability Stat	715.6 AFHR	0.0	US/I S/I	XXxxXXxx
22OCT13 13:56	Change Serviceability Stat	724.8 AFHR	8.7	S/I US/I A1EXXJ1305103	XXxxXXxx
22OCT13 15:20	Change Serviceability Stat	724.8 AFHR	0.0	US/I S/I	XXxxXXxx
03NOV13 23:06	Change Serviceability Stat	733.1 AFHR	2.8	S/I US/I A1EXXJ1305973	XXxxXXxx
06NOV13 00:52	Change Serviceability Stat	733.1 AFHR	2.0	US/I S/I	XXxxXXxx
14NOV13 20:47	Change Serviceability Stat	743.0 AFHR	0.8	S/I US/I A1EXXJ1306156	XXxxXXxx
14NOV13 20:55	Change Serviceability Stat	743.0 AFHR	0.0	US/I S/I	XXxxXXxx
27NOV13 06:01	Change Serviceability Stat	764.2 AFHR	0.0	S/I US/I A1EXXJ1306470	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00731  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0608-13264  
 PART NO : FMS232-006  
 ENGINEERING NAME : FATIGUE METER  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~99564

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
27NOV13 06:03	Change Serviceability Stat	764.2 AFHR	0.0	US/I S/I	
05DEC13 04:32	Change Serviceability Stat	775.1 AFHR	0.0	S/I US/I	XXxxXXxx
05DEC13 20:52	Change Serviceability Stat	775.1 AFHR	0.6	A1EXXJ1306705 US/I S/I	XXxxXXxx
06JAN14 20:58	Change Serviceability Stat	775.1 AFHR	25.6	S/I US/I	XXxxXXxx
09JAN14 22:10	Change Serviceability Stat	786.0 AFHR	3.0	A1EXXJ1306932 US/I S/I	XXxxXXxx
22JAN14 05:02	Change Serviceability Stat	786.0 AFHR	0.0	S/I US/I	XXxxXXxx
22JAN14 21:28	Change Serviceability Stat	796.9 AFHR	0.6	A1EXXJ1400201 US/I S/I	XXxxXXxx
05FEB14 05:42	Change Serviceability Stat	796.9 AFHR	0.0	S/I US/I	XXxxXXxx
05FEB14 21:23	Change Serviceability Stat	814.1 AFHR	0.6	A1EXXJ1400571 US/I S/I	XXxxXXxx
19FEB14 05:18	Change Serviceability Stat	814.1 AFHR	0.2	S/I US/I	XXxxXXxx
19FEB14 05:23	Change Serviceability Stat	833.5 AFHR	0.0	A1EXXJ1400824 US/I S/I	XXxxXXxx
05MAR14 20:21	Change Serviceability Stat	833.5 AFHR	1.6	S/I US/I	XXxxXXxx
		849.5 AFHR		A1EXXJ1401157	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00732  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0608-13264  
 PART NO : FMS232-006  
 ENGINEERING NAME : FATIGUE METER  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~99564

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
21APR16 06:26	Asset Removal	1885.1	567 A23T A1ULF A23-066 00	A23T A1ULF 00A
	849.5 AFHR Change Serviceability Stat	777.4	US/I U/S	XXXXXXxx
	Change Location of an Asse	1885.1	A23-066 EQUIP_STORE	
21APR16 06:27	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
	849.5 AFHR Change Venue of an Asset	2171.9	AIE NONC2CONT	XXXXXXxx
	849.5 AFHR Change Location of an Asse	0.6	A1EXXX1601340 EQUIP_STORE	XXXXXXxx
04MAY16 01:13	Change Venue of an Asset	12.1	HOLD NONC2CONT	
	849.5 AFHR Maintenance Comment	0.0	AIP NONC2X1604943	XXXXXXxx
	Change Location of an Asse	12.1	SERV AT NONC2. MOVED TO AIP. MS1 2B INITIATED WHEN ON A/C	
04MAY16 23:47	Change Serviceability Stat	13.7	HOLD STORES	
	849.5 AFHR Estimated Date/Time Servic	736453.0	SERV U/S A1PXXU1605193	XXXXXXxx
04MAY16 23:47	Change Serviceability Stat	0.0	SERV STAT SERV STAT	
	849.5 AFHR Asset Installation	13.7	U/S SERV A23T A1ULF A23-033 00	XXXXXXxx
05MAY16 00:36	Change Serviceability Stat	0.0	533 SERV S/I	A23T A1ULF 00AC
	Change Location of an Asse	0.9	STORES A23-033	XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00733  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0608-13264  
 PART NO : FMS232-006  
 ENGINEERING NAME : FATIGUE METER  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~99564

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
16MAY16 06:33	Change Serviceability Stat	849.5 AFHR	11.2	S/I US/I NONC2J1601556	XXxxXXxx
20MAY16 03:07	Change Serviceability Stat	849.5 AFHR	3.8	US/I S/I	XXxxXXxx
06JUN16 22:07	Change Serviceability Stat	887.1 AFHR	3.6	S/I US/I A1PXXJ1611610	XXxxXXxx
06JUN16 22:10	Change Serviceability Stat	887.1 AFHR	0.0	US/I S/I	XXxxXXxx
20JUN16 05:10	Change Serviceability Stat	914.3 AFHR	0.0	S/I US/I A1PXXJ1612644	XXxxXXxx
20JUN16 05:41	Change Serviceability Stat	914.3 AFHR	0.0	US/I S/I	XXxxXXxx
04JUL16 13:00	Change Serviceability Stat	943.3 AFHR	0.2	S/I US/I A1PXXJ1613381	XXxxXXxx
04JUL16 13:01	Change Serviceability Stat	943.3 AFHR	0.0	US/I S/I	XXxxXXxx
18JUL16 08:23	Change Serviceability Stat	977.8 AFHR	0.0	S/I US/I A1PXXJ1614164	XXxxXXxx
18JUL16 09:52	Change Serviceability Stat	977.8 AFHR	0.0	US/I S/I	XXxxXXxx
01AUG16 03:52	Change Serviceability Stat	1006.2 AFHR	3.9	S/I US/I A1PXXJ1615409	XXxxXXxx
01AUG16 04:52	Change Serviceability Stat	1006.2 AFHR	0.0	US/I S/I	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00734  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0608-13264  
 PART NO : FMS232-006  
 ENGINEERING NAME : FATIGUE METER  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~99564

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
17AUG16 09:28	Change Serviceability Stat	1014.5 AFHR	9.0	S/I US/I A1PXXJ1616373	XXxxXXxx
17AUG16 09:53	Change Serviceability Stat	1014.5 AFHR	0.0	US/I S/I	XXxxXXxx
31AUG16 10:39	Change Serviceability Stat	1043.7 AFHR	0.0	S/I US/I A1PXXJ1617447	XXxxXXxx
31AUG16 10:52	Change Serviceability Stat	1043.7 AFHR	0.0	US/I S/I	XXxxXXxx
14SEP16 09:29	Change Serviceability Stat	1074.1 AFHR	0.0	S/I US/I A1PXXJ1618511	XXxxXXxx
14SEP16 09:53	Change Serviceability Stat	1074.1 AFHR	0.0	US/I S/I	XXxxXXxx
28SEP16 09:02	Change Serviceability Stat	1110.4 AFHR	0.0	S/I US/I A1PXXJ1619310	XXxxXXxx
28SEP16 09:03	Change Serviceability Stat	1110.4 AFHR	0.0	US/I S/I	XXxxXXxx
12OCT16 05:43	Change Serviceability Stat	1137.5 AFHR	0.9	S/I US/I A1PXXJ1620194	XXxxXXxx
12OCT16 06:00	Change Serviceability Stat	1137.5 AFHR	0.0	US/I S/I	XXxxXXxx
26OCT16 11:46	Change Serviceability Stat	1169.2 AFHR	0.1	S/I US/I A1PXXJ1621531	XXxxXXxx
26OCT16 11:54	Change Serviceability Stat	1169.2 AFHR	0.0	US/I S/I	XXxxXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00735  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0608-13264  
 PART NO : FMS232-006  
 ENGINEERING NAME : FATIGUE METER  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~99564

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
09NOV16 09:09	Change Serviceability Stat	1172.9 AFHR	0.0	S/I US/I A1PXXJ1622478	XXxxXXxx
09NOV16 09:12	Change Serviceability Stat	1172.9 AFHR	0.0	US/I S/I	XXxxXXxx
23NOV16 09:39	Change Serviceability Stat	1176.2 AFHR	1.0	S/I US/I A1PXXJ1623415	XXxxXXxx
23NOV16 09:43	Change Serviceability Stat	1176.2 AFHR	0.0	US/I S/I	XXxxXXxx
30MAR17 05:54	Change Serviceability Stat	1179.0 AFHR	125.0	S/I US/I A1PXXJ1624626	XXxxXXxx
07JUN17 00:25	Change Serviceability Stat	1179.0 AFHR	68.7	US/I S/I	XXxxXXxx
22JUN17 02:50	Change Serviceability Stat	1200.2 AFHR	0.0	S/I US/I A1PXXJ1711173	XXxxXXxx
22JUN17 02:57	Change Serviceability Stat	1200.2 AFHR	0.0	US/I S/I	XXxxXXxx
06JUL17 11:02	Change Serviceability Stat	1219.7 AFHR	0.0	S/I US/I A1PXXJ1712487	XXxxXXxx
06JUL17 11:07	Change Serviceability Stat	1219.7 AFHR	0.0	US/I S/I	XXxxXXxx
20JUL17 13:34	Change Serviceability Stat	1237.4 AFHR	0.1	S/I US/I A1PXXJ1713294	XXxxXXxx
20JUL17 13:35	Change Serviceability Stat	1237.4 AFHR	0.0	US/I S/I	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00736  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0608-13264  
 PART NO : FMS232-006  
 ENGINEERING NAME : FATIGUE METER  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~99564

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
03AUG17 10:59	Change Serviceability Stat	1250.8 AFHR	0.0	S/I US/I A1PXXJ1714165	XXxxXXxx
03AUG17 11:28	Change Serviceability Stat	1250.8 AFHR	0.0	US/I S/I	XXxxXXxx
17AUG17 04:38	Change Serviceability Stat	1267.8 AFHR	0.0	S/I US/I A1PXXJ1715174	XXxxXXxx
17AUG17 04:46	Change Serviceability Stat	1267.8 AFHR	0.0	US/I S/I	XXxxXXxx
31AUG17 11:45	Change Serviceability Stat	1283.6 AFHR	0.1	S/I US/I A1PXXJ1716402	XXxxXXxx
31AUG17 11:55	Change Serviceability Stat	1283.6 AFHR	0.0	US/I S/I	XXxxXXxx
14SEP17 09:35	Change Serviceability Stat	1297.7 AFHR	0.0	S/I US/I A1PXXJ1717307	XXxxXXxx
14SEP17 11:23	Change Serviceability Stat	1297.7 AFHR	0.0	US/I S/I	XXxxXXxx
28SEP17 07:53	Change Serviceability Stat	1306.9 AFHR	0.0	S/I US/I A1PXXJ1718131	XXxxXXxx
28SEP17 09:28	Change Serviceability Stat	1306.9 AFHR	0.0	US/I S/I	XXxxXXxx
12OCT17 05:11	Change Serviceability Stat	1315.7 AFHR	0.0	S/I US/I A1PXXJ1718715	XXxxXXxx
12OCT17 05:27	Change Serviceability Stat	1315.7 AFHR	0.0	US/I S/I	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00737  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0608-13264  
 PART NO : FMS232-006  
 ENGINEERING NAME : FATIGUE METER  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~99564

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN (DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
26OCT17 06:25	Change	Serviceability Stat	0.0	S/I US/I A1PXXJ1719388	XXxxXXxx
		1332.8 AFHR			
26OCT17 06:35	Change	Serviceability Stat	0.0	US/I S/I	XXxxXXxx
		1332.8 AFHR			
08NOV17 22:03	Change	Serviceability Stat	6.8	S/I US/I A1PXXJ1720120	XXxxXXxx
		1337.8 AFHR			
09NOV17 00:05	Change	Serviceability Stat	0.0	US/I S/I	XXxxXXxx
		1337.8 AFHR			
09FEB18 00:20	Change	Serviceability Stat	92.0	S/I US/I A1PXXJ1720921	XXxxXXxx
		1337.8 AFHR			
05JUL18 05:33	Change	Serviceability Stat	146.2	US/I S/I	XXxxXXxx
		1337.8 AFHR			
11JUL18 03:29	Change	Serviceability Stat	5.9	S/I US/I A1PXXJ1811033	XXxxXXxx
		1337.8 AFHR			
22AUG18 12:58	Change	Serviceability Stat	42.3	US/I S/I	XXxxXXxx
		1337.8 AFHR			
05SEP18 10:22	Change	Serviceability Stat	0.0	S/I US/I A1PXXJ1813829	XXxxXXxx
		1351.8 AFHR			
05SEP18 12:59	Change	Serviceability Stat	0.1	US/I S/I	XXxxXXxx
		1351.8 AFHR			
18SEP18 07:53	Change	Serviceability Stat	0.0	S/I US/I A1PXXJ1814730	XXxxXXxx
		1391.2 AFHR			
18SEP18 08:46	Change	Serviceability Stat	0.0	US/I S/I	XXxxXXxx
		1391.2 AFHR			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00738  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0608-13264  
 PART NO : FMS232-006  
 ENGINEERING NAME : FATIGUE METER  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~99564

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
02OCT18 13:11	Change Serviceability Stat	1425.8 AFHR	0.0	S/I US/I A1PXXJ1815379	XXxxXXxx
02OCT18 13:13	Change Serviceability Stat	1425.8 AFHR	0.0	US/I S/I	XXxxXXxx
16OCT18 09:45	Change Serviceability Stat	1463.8 AFHR	0.0	S/I US/I A1PXXJ1816104	XXxxXXxx
16OCT18 09:47	Change Serviceability Stat	1463.8 AFHR	0.0	US/I S/I	XXxxXXxx
30OCT18 15:42	Change Serviceability Stat	1495.3 AFHR	0.0	S/I US/I A1PXXJ1816995	XXxxXXxx
30OCT18 22:36	Change Serviceability Stat	1495.3 AFHR	0.2	US/I S/I	XXxxXXxx
02NOV18 03:24	Change Serviceability Stat	1502.8 AFHR	1.5	S/I US/I A1PXXJ1818518	XXxxXXxx
09JAN19 05:13	Change Serviceability Stat	1502.8 AFHR	68.0	US/I S/I	XXxxXXxx
23JAN19 10:42	Change Serviceability Stat	1507.8 AFHR	2.3	S/I US/I A1PXXJ1900451	XXxxXXxx
23JAN19 10:44	Change Serviceability Stat	1507.8 AFHR	0.0	US/I S/I	XXxxXXxx
06FEB19 09:35	Change Serviceability Stat	1538.0 AFHR	0.0	S/I US/I A1PXXJ1901244	XXxxXXxx
06FEB19 09:38	Change Serviceability Stat	1538.0 AFHR	0.0	US/I S/I	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00739  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0608-13264  
 PART NO : FMS232-006  
 ENGINEERING NAME : FATIGUE METER  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~99564

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
19FEB19 23:05	Change Serviceability Stat	1553.9 AFHR	0.4	S/I US/I A1PXXJ1902006	XXxxXXxx
19FEB19 23:11	Change Serviceability Stat	1553.9 AFHR	0.0	US/I S/I	XXxxXXxx
05MAR19 00:41	Change Serviceability Stat	1570.1 AFHR	4.7	S/I US/I A1PXXJ1902766	XXxxXXxx
05MAR19 00:43	Change Serviceability Stat	1570.1 AFHR	0.0	US/I S/I	XXxxXXxx
19MAR19 09:05	Change Serviceability Stat	1590.5 AFHR	0.0	S/I US/I A1PXXJ1903455	XXxxXXxx
19MAR19 11:16	Change Serviceability Stat	1590.5 AFHR	0.0	US/I S/I	XXxxXXxx
02APR19 09:25	Change Serviceability Stat	1614.1 AFHR	0.0	S/I US/I A1PXXJ1904496	XXxxXXxx
02APR19 09:27	Change Serviceability Stat	1614.1 AFHR	0.0	US/I S/I	XXxxXXxx
16APR19 06:06	Change Serviceability Stat	1629.3 AFHR	0.0	S/I US/I A1PXXJ1905533	XXxxXXxx
16APR19 06:46	Change Serviceability Stat	1629.3 AFHR	0.0	US/I S/I	XXxxXXxx
30APR19 10:59	Change Serviceability Stat	1646.9 AFHR	0.0	S/I US/I A1PXXJ1906452	XXxxXXxx
30APR19 12:57	Change Serviceability Stat	1646.9 AFHR	0.0	US/I S/I	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00740  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0608-13264  
 PART NO : FMS232-006  
 ENGINEERING NAME : FATIGUE METER  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~99564

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
20MAY19	03:43	Change Serviceability Stat	13.5	S/I		
		1664.8 AFHR		US/I		
09JUL19	22:35	Change Serviceability Stat	50.7	A1PXXJ1907091		XXxxXXxx
		1664.8 AFHR		US/I		
23JUL19	09:28	Change Serviceability Stat	0.0	S/I		XXxxXXxx
		1671.8 AFHR		US/I		
23JUL19	09:54	Change Serviceability Stat	0.0	A1PXXJ1911231		XXxxXXxx
		1671.8 AFHR		US/I		
06AUG19	08:17	Change Serviceability Stat	0.0	S/I		XXxxXXxx
		1699.4 AFHR		US/I		
06AUG19	23:44	Change Serviceability Stat	0.6	A1PXXJ1911928		XXxxXXxx
		1699.4 AFHR		US/I		
20AUG19	13:20	Change Serviceability Stat	4.3	S/I		XXxxXXxx
		1719.8 AFHR		US/I		
20AUG19	13:22	Change Serviceability Stat	0.0	A1PXXJ1912565		XXxxXXxx
		1719.8 AFHR		US/I		
03SEP19	08:41	Change Serviceability Stat	0.0	S/I		XXxxXXxx
		1741.1 AFHR		US/I		
03SEP19	11:01	Change Serviceability Stat	0.0	A1PXXJ1912994		XXxxXXxx
		1741.1 AFHR		US/I		
17SEP19	09:41	Change Serviceability Stat	0.0	S/I		XXxxXXxx
		1759.8 AFHR		US/I		
17SEP19	09:42	Change Serviceability Stat	0.0	A1PXXJ1913764		XXxxXXxx
		1759.8 AFHR		US/I		
		1759.8 AFHR		S/I		XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00741  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0608-13264  
 PART NO : FMS232-006  
 ENGINEERING NAME : FATIGUE METER  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~99564

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
19SEP19 02:16	Change Serviceability Stat		0.8	S/I US/I A1PXXJ1914267	XXxxXXxx
13OCT19 22:09	Change Serviceability Stat	1763.1 AFHR	24.8	US/I S/I	XXxxXXxx
21OCT19 23:54	Change Serviceability Stat	1763.1 AFHR	3.8	S/I US/I A1PXXJ1914942	XXxxXXxx
22OCT19 00:12	Change Serviceability Stat	1769.6 AFHR	0.0	US/I S/I	XXxxXXxx
05NOV19 08:56	Change Serviceability Stat	1769.6 AFHR	0.0	S/I US/I A1PXXJ1915177	XXxxXXxx
05NOV19 23:53	Change Serviceability Stat	1788.8 AFHR	0.6	US/I S/I	XXxxXXxx
18NOV19 02:44	Change Serviceability Stat	1788.8 AFHR	4.9	S/I US/I A1PXXJ1915615	XXxxXXxx
18NOV19 02:48	Change Serviceability Stat	1801.4 AFHR	0.0	US/I S/I	XXxxXXxx
19NOV19 22:23	Change Serviceability Stat	1801.4 AFHR	0.5	S/I US/I A1PXXJ1915846	XXxxXXxx
19NOV19 22:25	Change Serviceability Stat	1806.0 AFHR	0.0	US/I S/I	XXxxXXxx
03DEC19 23:55	Change Serviceability Stat	1806.0 AFHR	0.8	S/I US/I A1PXXJ1915947	XXxxXXxx
03DEC19 23:59	Change Serviceability Stat	1807.3 AFHR	0.0	US/I S/I	XXxxXXxx
		1807.3 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00742  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0608-13264  
 PART NO : FMS232-006  
 ENGINEERING NAME : FATIGUE METER  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~99564

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
10DEC19 03:16	Change Serviceability Stat	4.7	S/I US/I A1PXXJ1916226	XXxxXXxx
10DEC19 03:20	Change Serviceability Stat	0.0	US/I S/I	XXxxXXxx
18DEC19 05:39	Change Serviceability Stat	8.0	S/I US/I A1PXXJ1916352	XXxxXXxx
18DEC19 05:47	Change Serviceability Stat	0.0	US/I S/I	XXxxXXxx

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1605193	COMPLETED	04MAY16 23:53	849.5	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
04MAY16 23:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
04MAY16 23:48	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			04MAY16 23:53
		FATIGUE METER BATTERY TO BE FITTED				XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV FATIGUE METER BATTERY FITTED IAW 7212-007-2

REMOVALS/INSTALLATIONS FOR A1PXXU1605193

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001					PC1600472	A23T	A1ULF00	00
					LS14500		04MAY16 23:50	



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00743  
08JAN20  
23:16:15

SERIAL/TAIL NO : 0608-13264 PERIOD: 01JAN90 TO 08JAN20  
PART NO : FMS232-006 ~99564  
ENGINEERING NAME : FATIGUE METER  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJ1003949	C COMPLETED	03JUL11 22:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	03JUL11 22:19	01JUL11 01:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	0.0	AFHR
19	MMI SERVICING DUE			MS1	due on Serial 0608-13264		
					FATIG METER AMETEK at WAC 0730		
01	NO FAULT	12	MMI SERVICING				
			Unserviceability Details:				
			Maintenance Comments:	MS1 CARRIED OUT IAW 7212.007-2 CH 31			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	7.0	ELPDY			05APR09
SM	MS1	7.0	ELPDY			05APR09

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJ1103202	C COMPLETED	07JUL11 06:05	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	07JUL11 21:52	07JUL11 06:05	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	0.9	AFHR
19	MMI SERVICING DUE			MS1	due on Serial 0608-13264		
					FATIG METER AMETEK at WAC 0730		
01	NO FAULT	12	MMI SERVICING				
			Unserviceability Details:				
			Maintenance Comments:	MS1 CARRIED OUT IAW 7212.007-2 SUP 259			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	7.0	ELPDY			10JUL11
SM	MS1	7.0	ELPDY			10JUL11

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 0608-13264 PERIOD: 01JAN90 TO 08JAN20  
PART NO : FMS232-006 ~99564  
ENGINEERING NAME : FATIGUE METER  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJ1103332 C COMPLETED 14JUL11 21:29 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
 14JUL11 22:02 14JUL11 21:29 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 13.2 AFHR  
 19 MMI SERVICING DUE MS1 due on Serial 0608-13264  
 FATIG METER AMETEK at WAC 0730  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS1 CARRIED OUT IAW 7212.007-2 SUP 259

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	7.0	ELPDY			14JUL11
SM	MS1	7.0	ELPDY			14JUL11

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJ1103465 C COMPLETED 21JUL11 05:50 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
 21JUL11 06:32 21JUL11 05:50 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 16.8 AFHR  
 19 MMI SERVICING DUE MS1 due on Serial 0608-13264  
 FATIG METER AMETEK at WAC 0730  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS1 SERVICING CARRIED OUT IAW 7212.007-2 RAAF SUP 259

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	7.0	ELPDY			21JUL11
SM	MS1	7.0	ELPDY			21JUL11

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00745  
08JAN20  
23:16:15

SERIAL/TAIL NO : 0608-13264 PERIOD: 01JAN90 TO 08JAN20  
PART NO : FMS232-006 ~99564  
ENGINEERING NAME : FATIGUE METER  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJ1103603	C COMPLETED	28JUL11 06:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	28JUL11 22:01	28JUL11 06:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	21.5	AFHR
19 MMI SERVICING DUE				MS1	due on Serial 0608-13264		
					FATIG METER AMETEK at WAC 0730		
01 NO FAULT		12 MMI SERVICING					
		Unserviceability Details:					
		Maintenance Comments:			MS1 CARRIED OUT IAW 7212.007-2 SUP 259		

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	7.0	ELPDY			28JUL11
SM	MS1	7.0	ELPDY			28JUL11

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJ1103724	C COMPLETED	04AUG11 05:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	04AUG11 22:11	04AUG11 05:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	26.6	AFHR
19 MMI SERVICING DUE				MS1	due on Serial 0608-13264		
					FATIG METER AMETEK at WAC 0730		
01 NO FAULT		12 MMI SERVICING					
		Unserviceability Details:					
		Maintenance Comments:			MS1 CARRIED IAW 7212.007-2 SUP 259		

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	7.0	ELPDY			04AUG11
SM	MS1	7.0	ELPDY			04AUG11

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00746  
08JAN20  
23:16:15

SERIAL/TAIL NO : 0608-13264 PERIOD: 01JAN90 TO 08JAN20  
PART NO : FMS232-006 ~99564  
ENGINEERING NAME : FATIGUE METER  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJ1103887	C COMPLETED	11AUG11 06:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	11AUG11 22:05	11AUG11 06:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	29.4	AFHR
19 MMI SERVICING DUE				MS1	due on Serial 0608-13264		
					FATIG METER AMETEK at WAC 0730		
01 NO FAULT		12 MMI SERVICING					
		Unserviceability Details:					
		Maintenance Comments:			MS1 CARRIED OUT IAW 7212.007-2 SUP 259		

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	7.0	ELPDY			11AUG11
SM	MS1	7.0	ELPDY			11AUG11

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJ1104047	C COMPLETED	16AUG11 04:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	16AUG11 04:26	16AUG11 04:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	35.3	AFHR
19 MMI SERVICING DUE				MS1	due on Serial 0608-13264		
					FATIG METER AMETEK at WAC 0730		
01 NO FAULT		12 MMI SERVICING					
		Unserviceability Details:					
		Maintenance Comments:			MS1 CO SERV. REFER EE500 SNOW 471768-4		

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	7.0	ELPDY			18AUG11
SM	MS1	7.0	ELPDY			18AUG11

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 0608-13264 PERIOD: 01JAN90 TO 08JAN20  
PART NO : FMS232-006 ~99564  
ENGINEERING NAME : FATIGUE METER  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJ1104097	C COMPLETED	17AUG11 06:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	17AUG11 06:43	17AUG11 06:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	36.9	AFHR
19	MMI SERVICING DUE			MS1	due on Serial 0608-13264		
				FATIG METER AMETEK at WAC 0730			
01	NO FAULT	12	MMI SERVICING	Unserviceability Details:			
				Maintenance Comments: RECORD PURPOSE ONLY. REFER EE500 SNOW 471768-4			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	7.0	ELPDY			23AUG11
SM	MS1	7.0	ELPDY			23AUG11

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJ1104135	C COMPLETED	20AUG11 03:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	20AUG11 04:00	20AUG11 03:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	40.5	AFHR
19	MMI SERVICING DUE			MS1	due on Serial 0608-13264		
				FATIG METER AMETEK at WAC 0730			
01	NO FAULT	12	MMI SERVICING	Unserviceability Details:			
				Maintenance Comments: MS1 CO SERV. REFER EE500 SNOW 471772-4			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	7.0	ELPDY			24AUG11
SM	MS1	7.0	ELPDY			24AUG11

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00748  
08JAN20  
23:16:15

SERIAL/TAIL NO : 0608-13264 PERIOD: 01JAN90 TO 08JAN20  
PART NO : FMS232-006 ~99564  
ENGINEERING NAME : FATIGUE METER  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJ1104196	C COMPLETED	25AUG11 06:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	25AUG11 22:20	25AUG11 06:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	50.9	AFHR
19 MMI SERVICING DUE				MS1	due on Serial 0608-13264		
					FATIG METER AMETEK at WAC 0730		
01 NO FAULT		12 MMI SERVICING					
		Unserviceability Details:					
		Maintenance Comments:			MS1 CARRIED OUT IAW 7212.007-2 SUP 259		

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	7.0	ELPDY			27AUG11
SM	MS1	7.0	ELPDY			27AUG11

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJ1104336	C COMPLETED	01SEP11 06:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	01SEP11 22:08	01SEP11 06:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	52.1	AFHR
19 MMI SERVICING DUE				MS1	due on Serial 0608-13264		
					FATIG METER AMETEK at WAC 0730		
01 NO FAULT		12 MMI SERVICING					
		Unserviceability Details:					
		Maintenance Comments:			MS1 SERVICING CARRIED OUT SERV IAW 7212.007-2 CH 31		

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	7.0	ELPDY			01SEP11
SM	MS1	7.0	ELPDY			01SEP11

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00749  
08JAN20  
23:16:15

SERIAL/TAIL NO : 0608-13264 PERIOD: 01JAN90 TO 08JAN20  
PART NO : FMS232-006 ~99564  
ENGINEERING NAME : FATIGUE METER  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJ1104485	C COMPLETED	08SEP11 21:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	08SEP11 22:03	08SEP11 21:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	64.0	AFHR
19 MMI SERVICING DUE				MS1	due on Serial 0608-13264		
					FATIG METER AMETEK at WAC 0730		
01 NO FAULT		12 MMI SERVICING					
		Unserviceability Details:					
		Maintenance Comments:		MS1 CARRIED OUT IAW 7212.007 CH 31			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	7.0	ELPDY			08SEP11
SM	MS1	7.0	ELPDY			08SEP11

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJ1104664	C COMPLETED	15SEP11 06:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	15SEP11 21:59	15SEP11 06:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	75.4	AFHR
19 MMI SERVICING DUE				MS1	due on Serial 0608-13264		
					FATIG METER AMETEK at WAC 0730		
01 NO FAULT		12 MMI SERVICING					
		Unserviceability Details:					
		Maintenance Comments:		MS1 CARRIED OUT IAW 7212.007-2 CH31			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	7.0	ELPDY			15SEP11
SM	MS1	7.0	ELPDY			15SEP11

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00750  
08JAN20  
23:16:15

SERIAL/TAIL NO : 0608-13264 PERIOD: 01JAN90 TO 08JAN20  
PART NO : FMS232-006 ~99564  
ENGINEERING NAME : FATIGUE METER  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJ1104787	C COMPLETED	22SEP11 07:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	22SEP11 21:54	22SEP11 07:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	87.9	AFHR
19 MMI SERVICING DUE				MS1	due on Serial 0608-13264		
					FATIG METER AMETEK at WAC 0730		
01 NO FAULT		12 MMI SERVICING					
		Unserviceability Details:					
		Maintenance Comments:		MS1 C/O SERV REF SNOW 471861/4			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	7.0	ELPDY			22SEP11
SM	MS1	7.0	ELPDY			22SEP11

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJ1104952	C COMPLETED	29SEP11 00:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	29SEP11 01:16	29SEP11 00:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	97.0	AFHR
19 MMI SERVICING DUE				MS1	due on Serial 0608-13264		
					FATIG METER AMETEK at WAC 0730		
01 NO FAULT		12 MMI SERVICING					
		Unserviceability Details:					
		Maintenance Comments:		MS1 CARRIED OUT IAW 7212.007-2 SUP 259			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	7.0	ELPDY			29SEP11
SM	MS1	7.0	ELPDY			29SEP11



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 0608-13264 PERIOD: 01JAN90 TO 08JAN20  
PART NO : FMS232-006 ~99564  
ENGINEERING NAME : FATIGUE METER  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJ1105137 C COMPLETED 04OCT11 06:26 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
 04OCT11 06:30 04OCT11 06:24 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 107.0 AFHR  
 19 MMI SERVICING DUE MS1 due on Serial 0608-13264  
 FATIG METER AMETEK at WAC 0730  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS1 CO SERV. REFER EE 500 SNOW 471876-4

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	7.0	ELPDY			06OCT11
SM	MS1	7.0	ELPDY			06OCT11

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJ1105254 C COMPLETED 05OCT11 21:59 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
 05OCT11 21:59 05OCT11 21:59 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 107.0 AFHR  
 19 MMI SERVICING DUE MS1 due on Serial 0608-13264  
 FATIG METER AMETEK at WAC 0730  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS1 CO SERV. REFER EE 500 471876-1

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	7.0	ELPDY			11OCT11
SM	MS1	7.0	ELPDY			11OCT11

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 0608-13264 PERIOD: 01JAN90 TO 08JAN20  
PART NO : FMS232-006 ~99564  
ENGINEERING NAME : FATIGUE METER  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJ1105319 C COMPLETED 10OCT11 21:25 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
 10OCT11 21:53 10OCT11 21:25 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 117.0 AFHR  
 19 MMI SERVICING DUE MS1 due on Serial 0608-13264  
 FATIG METER AMETEK at WAC 0730  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS1 CARRIED OUT IAW 7212.007-2 CH 31

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	7.0	ELPDY			12OCT11
SM	MS1	7.0	ELPDY			12OCT11

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJ1105431 C COMPLETED 13OCT11 05:26 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
 13OCT11 21:09 13OCT11 05:26 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 121.6 AFHR  
 19 MMI SERVICING DUE MS1 due on Serial 0608-13264  
 FATIG METER AMETEK at WAC 0730  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS1 CARRIED OUT IAW 7212.007-2 CH 31

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	7.0	ELPDY			17OCT11
SM	MS1	7.0	ELPDY			17OCT11

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 0608-13264 PERIOD: 01JAN90 TO 08JAN20  
PART NO : FMS232-006 ~99564  
ENGINEERING NAME : FATIGUE METER  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJ1105498 C COMPLETED 20OCT11 05:40 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
 20OCT11 20:43 20OCT11 05:40 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 139.2 AFHR  
 19 MMI SERVICING DUE MS1 due on Serial 0608-13264  
 FATIG METER AMETEK at WAC 0730  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS1 CARRIED OUT IAW 7212.007-2 CH31

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	7.0	ELPDY			20OCT11
SM	MS1	7.0	ELPDY			20OCT11

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJ1105707 C COMPLETED 01NOV11 22:40 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
 01NOV11 22:42 28OCT11 23:12 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 149.5 AFHR  
 19 MMI SERVICING DUE MS1 due on Serial 0608-13264  
 FATIG METER AMETEK at WAC 0730  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MSI SERVICING CARRIED OUT IAW 7212.007.2 CH31

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			03NOV11
SM	MS1	14.0	ELPDY			03NOV11

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 0608-13264 PERIOD: 01JAN90 TO 08JAN20  
PART NO : FMS232-006 ~99564  
ENGINEERING NAME : FATIGUE METER  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJ1105877 C COMPLETED 15NOV11 04:36 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
 15NOV11 04:42 15NOV11 04:36 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 174.5 AFHR  
 19 MMI SERVICING DUE MS1 due on Serial 0608-13264  
 FATIG METER AMETEK at WAC 0730  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS1 CARRIED OUT IAW 7212.007-2 SUP 259

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			15NOV11
SM	MS1	14.0	ELPDY			15NOV11

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJ1106237 C COMPLETED 24NOV11 20:23 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
 24NOV11 20:50 24NOV11 20:23 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 200.6 AFHR  
 19 MMI SERVICING DUE MS1 due on Serial 0608-13264  
 FATIG METER AMETEK at WAC 0730  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS1 CARRIED OUT IAW 7212.007-2 SUP 259

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			29NOV11
SM	MS1	14.0	ELPDY			29NOV11

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00755  
08JAN20  
23:16:15

SERIAL/TAIL NO : 0608-13264  
PART NO : FMS232-006 ~99564 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : FATIGUE METER  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1EXXJ1106471 C COMPLETED 08DEC11 04:40 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
08DEC11 20:45 08DEC11 04:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 216.7 AFHR  
19 MMI SERVICING DUE MS1 due on Serial 0608-13264  
FATIG METER AMETEK at WAC 0730  
01 NO FAULT 12 MMI SERVICING  
Unserviceability Details:  
Maintenance Comments: MS1 CARRIED OUT IAW 7212.007-2 SUP 259

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			08DEC11
SM	MS1	14.0	ELPDY			08DEC11

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1EXXJ1106748 C COMPLETED 15JAN12 21:56 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
15JAN12 22:03 15JAN12 21:56 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 225.6 AFHR  
19 MMI SERVICING DUE MS1 due on Serial 0608-13264  
FATIG METER AMETEK at WAC 0730  
01 NO FAULT 12 MMI SERVICING  
Unserviceability Details:  
Maintenance Comments: MS1 CARRIED OUT SERV

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			22DEC11
SM	MS1	14.0	ELPDY			22DEC11

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00756  
08JAN20  
23:16:15

SERIAL/TAIL NO : 0608-13264 PERIOD: 01JAN90 TO 08JAN20  
PART NO : FMS232-006 ~99564  
ENGINEERING NAME : FATIGUE METER  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJ1200105	C COMPLETED	25JAN12 05:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	26JAN12 21:05	25JAN12 05:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	230.5	AFHR
19 MMI SERVICING DUE				MS1	due on Serial 0608-13264		
					FATIG METER AMETEK at WAC 0730		
01 NO FAULT		12 MMI SERVICING					
		Unserviceability Details:					
		Maintenance Comments:			MS1 CARRIED OUT IAW 7212.007-2 SUP 259		

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			29JAN12
SM	MS1	14.0	ELPDY			29JAN12

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJ1200315	C COMPLETED	03FEB12 02:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	04FEB12 22:19	03FEB12 02:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	231.7	AFHR
19 MMI SERVICING DUE				MS1	due on Serial 0608-13264		
					FATIG METER AMETEK at WAC 0730		
01 NO FAULT		12 MMI SERVICING					
		Unserviceability Details:					
		Maintenance Comments:			MS1 CARRIED OUT IAW 7212.007-2CH31		

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			09FEB12
SM	MS1	14.0	ELPDY			09FEB12

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00757  
08JAN20  
23:16:15

SERIAL/TAIL NO : 0608-13264 PERIOD: 01JAN90 TO 08JAN20  
PART NO : FMS232-006 ~99564  
ENGINEERING NAME : FATIGUE METER  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJ1200491	C COMPLETED	16FEB12 04:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	16FEB12 20:57	16FEB12 04:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	234.1	AFHR
19 MMI SERVICING DUE				MS1	due on Serial 0608-13264		
					FATIG METER AMETEK at WAC 0730		
01 NO FAULT		12 MMI SERVICING					
		Unserviceability Details:					
		Maintenance Comments:		MS1 CARRIED OUT			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			18FEB12
SM	MS1	14.0	ELPDY			18FEB12

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJ1200640	C COMPLETED	29FEB12 01:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	29FEB12 02:07	29FEB12 01:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	237.2	AFHR
19 MMI SERVICING DUE				MS1	due on Serial 0608-13264		
					FATIG METER AMETEK at WAC 0730		
01 NO FAULT		12 MMI SERVICING					
		Unserviceability Details:					
		Maintenance Comments:		MS1 CARRIED OUT SERV			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			01MAR12
SM	MS1	14.0	ELPDY			01MAR12

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 0608-13264 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : FMS232-006 ~99564  
 ENGINEERING NAME : FATIGUE METER  
 VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJ1200984 C COMPLETED 14MAR12 04:58 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
 14MAR12 20:54 14MAR12 04:58 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 251.6 AFHR  
 19 MMI SERVICING DUE MS1 due on Serial 0608-13264  
 FATIG METER AMETEK at WAC 0730  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS1 C/O SERV

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			14MAR12
SM	MS1	14.0	ELPDY			14MAR12

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJ1201238 C COMPLETED 28MAR12 05:13 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
 28MAR12 20:46 28MAR12 05:13 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 263.7 AFHR  
 19 MMI SERVICING DUE MS1 due on Serial 0608-13264  
 FATIG METER AMETEK at WAC 0730  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS1 CATRIED OUT IAW 7212.007-2CH31

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			28MAR12
SM	MS1	14.0	ELPDY			28MAR12



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : 0608-13264 PERIOD: 01JAN90 TO 08JAN20  
PART NO : FMS232-006 ~99564  
ENGINEERING NAME : FATIGUE METER  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJ1201527	C COMPLETED	11APR12 04:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	11APR12 04:28	11APR12 04:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	271.0	AFHR
19 MMI SERVICING DUE				MS1	due on Serial 0608-13264		
					FATIG METER AMETEK at WAC 0730		
01 NO FAULT		12 MMI SERVICING					
		Unserviceability Details:					
		Maintenance Comments:		MS1 CARRIED OUT IAW 7212.007-2CH31			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			11APR12
SM	MS1	14.0	ELPDY			11APR12

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJ1201804	C COMPLETED	25APR12 21:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	25APR12 22:00	25APR12 21:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	279.0	AFHR
19 MMI SERVICING DUE				MS1	due on Serial 0608-13264		
					FATIG METER AMETEK at WAC 0730		
01 NO FAULT		12 MMI SERVICING					
		Unserviceability Details:					
		Maintenance Comments:		MS1 CARRIED OUT IAW 7212.007-2CH31			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			25APR12
SM	MS1	14.0	ELPDY			25APR12

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00760  
08JAN20  
23:16:15

SERIAL/TAIL NO : 0608-13264 PERIOD: 01JAN90 TO 08JAN20  
PART NO : FMS232-006 ~99564  
ENGINEERING NAME : FATIGUE METER  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJ1202190	C COMPLETED	10MAY12 05:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	10MAY12 22:02	10MAY12 05:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	293.2	AFHR
19 MMI SERVICING DUE				MS1	due on Serial 0608-13264		
					FATIG METER AMETEK at WAC 0730		
01 NO FAULT		12 MMI SERVICING					
		Unserviceability Details:					
		Maintenance Comments:		MS1 CARRIED OUT SERV IAW 7212.007-2CH31			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			09MAY12
SM	MS1	14.0	ELPDY			09MAY12

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJ1202556	C COMPLETED	21JUN12 05:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	21JUN12 05:24	16MAY12 04:48	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	299.4	AFHR
19 MMI SERVICING DUE				MS1	due on Serial 0608-13264		
					FATIG METER AMETEK at WAC 0730		
01 NO FAULT		12 MMI SERVICING					
		Unserviceability Details:					
		Maintenance Comments:		MS1 SERVICINS CARRIED OUT. REFER SNOW 542471-1-2-3-2-3			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			24MAY12
SM	MS1	14.0	ELPDY			24MAY12

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00761  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0608-13264 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : FMS232-006 ~99564  
 ENGINEERING NAME : FATIGUE METER  
 VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJ1203374 C COMPLETED 05JUL12 06:09 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
 05JUL12 21:56 05JUL12 06:08 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 320.8 AFHR  
 19 MMI SERVICING DUE MS1 due on Serial 0608-13264  
 FATIG METER AMETEK at WAC 0730  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS1 CARRIED OUT IAW 7212.007-2CH31

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			05JUL12
SM	MS1	14.0	ELPDY			05JUL12

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJ1203658 C COMPLETED 19JUL12 21:26 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
 19JUL12 21:43 19JUL12 21:25 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 350.5 AFHR  
 19 MMI SERVICING DUE MS1 due on Serial 0608-13264  
 FATIG METER AMETEK at WAC 0730  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS1 CARRIED OUT IAW 7212.007-2CH31

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			19JUL12
SM	MS1	14.0	ELPDY			19JUL12

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00762  
08JAN20  
23:16:15

SERIAL/TAIL NO : 0608-13264 PERIOD: 01JAN90 TO 08JAN20  
PART NO : FMS232-006 ~99564  
ENGINEERING NAME : FATIGUE METER  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJ1203834	C COMPLETED	02AUG12 06:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	02AUG12 21:46	02AUG12 06:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	380.9	AFHR
19 MMI SERVICING DUE				MS1	due on Serial 0608-13264		
					FATIG METER AMETEK at WAC 0730		
01 NO FAULT		12 MMI SERVICING					
		Unserviceability Details:					
		Maintenance Comments:		MS1 CARRIED OUT SERV IAW 7212.007-2CH31			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			02AUG12
SM	MS1	14.0	ELPDY			02AUG12

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJ1204042	C COMPLETED	16AUG12 05:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	16AUG12 21:42	16AUG12 05:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	398.8	AFHR
19 MMI SERVICING DUE				MS1	due on Serial 0608-13264		
					FATIG METER AMETEK at WAC 0730		
01 NO FAULT		12 MMI SERVICING					
		Unserviceability Details:					
		Maintenance Comments:		MS1 CARRIED OUT SERV IAW 7212.007-2CH31			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			16AUG12
SM	MS1	14.0	ELPDY			16AUG12

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00763  
08JAN20  
23:16:15

SERIAL/TAIL NO : 0608-13264 PERIOD: 01JAN90 TO 08JAN20  
PART NO : FMS232-006 ~99564  
ENGINEERING NAME : FATIGUE METER  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJ1204486	C COMPLETED	27AUG12 21:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	27AUG12 21:43	27AUG12 21:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	416.5	AFHR
19 MMI SERVICING DUE				MS1	due on Serial 0608-13264		
					FATIG METER AMETEK at WAC 0730		
01 NO FAULT		12 MMI SERVICING					
		Unserviceability Details:					
		Maintenance Comments:			MSI CARRIED OUT SERV IAW 7212.007-2CH31		

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			30AUG12
SM	MS1	14.0	ELPDY			30AUG12

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJ1204738	C COMPLETED	06SEP12 21:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	06SEP12 21:45	06SEP12 21:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	430.7	AFHR
19 MMI SERVICING DUE				MS1	due on Serial 0608-13264		
					FATIG METER AMETEK at WAC 0730		
01 NO FAULT		12 MMI SERVICING					
		Unserviceability Details:					
		Maintenance Comments:			MS1 CARRIED OUT SERV IAW 7212.007-2CH31		

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			10SEP12
SM	MS1	14.0	ELPDY			10SEP12

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00764  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0608-13264 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : FMS232-006 ~99564  
 ENGINEERING NAME : FATIGUE METER  
 VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJ1205055 C COMPLETED 27SEP12 00:58 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
 27SEP12 00:59 27SEP12 00:44 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 440.0 AFHR  
 19 MMI SERVICING DUE MS1 due on Serial 0608-13264  
 FATIG METER AMETEK at WAC 0730  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS1 CARRIED OUT IAW 7212.007-2CH31

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			20SEP12
SM	MS1	14.0	ELPDY			20SEP12

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJ1205604 C COMPLETED 11OCT12 02:19 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
 11OCT12 20:58 11OCT12 02:19 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 458.0 AFHR  
 19 MMI SERVICING DUE MS1 due on Serial 0608-13264  
 FATIG METER AMETEK at WAC 0730  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS1 CARRIED OUT SERV AIW 7212.07-2CH31

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			11OCT12
SM	MS1	14.0	ELPDY			11OCT12

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00765  
08JAN20  
23:16:15

SERIAL/TAIL NO : 0608-13264 PERIOD: 01JAN90 TO 08JAN20  
PART NO : FMS232-006 ~99564  
ENGINEERING NAME : FATIGUE METER  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJ1205906	C COMPLETED	23OCT12 21:04	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	23OCT12 22:02	23OCT12 21:04	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	484.1	AFHR
19 MMI SERVICING DUE				MS1	due on Serial 0608-13264		
					FATIG METER AMETEK at WAC 0730		
01 NO FAULT		12 MMI SERVICING					
		Unserviceability Details:					
		Maintenance Comments:			MS1 CARRIED OUT SER IAW 7212.007-2 CH31		

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			25OCT12
SM	MS1	14.0	ELPDY			25OCT12

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJ1206074	C COMPLETED	01NOV12 03:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	01NOV12 05:27	01NOV12 03:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	497.4	AFHR
19 MMI SERVICING DUE				MS1	due on Serial 0608-13264		
					FATIG METER AMETEK at WAC 0730		
01 NO FAULT		12 MMI SERVICING					
		Unserviceability Details:					
		Maintenance Comments:			MS1 CARRIED OUT SERV IAW 7212.007-2CH31		

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			06NOV12
SM	MS1	14.0	ELPDY			06NOV12

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00766  
08JAN20  
23:16:15

SERIAL/TAIL NO : 0608-13264 PERIOD: 01JAN90 TO 08JAN20  
PART NO : FMS232-006 ~99564  
ENGINEERING NAME : FATIGUE METER  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJ1206249	C COMPLETED	15NOV12 20:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	15NOV12 20:44	15NOV12 20:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	515.4	AFHR
19 MMI SERVICING DUE				MS1	due on Serial 0608-13264		
					FATIG METER AMETEK at WAC 0730		
01 NO FAULT		12 MMI SERVICING					
		Unserviceability Details:					
		Maintenance Comments:		MS1 CARRIED OUT SERV IAW 7212.007-2CH31			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			15NOV12
SM	MS1	14.0	ELPDY			15NOV12

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJ1206556	C COMPLETED	29NOV12 04:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	29NOV12 21:10	29NOV12 04:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	531.7	AFHR
19 MMI SERVICING DUE				MS1	due on Serial 0608-13264		
					FATIG METER AMETEK at WAC 0730		
01 NO FAULT		12 MMI SERVICING					
		Unserviceability Details:					
		Maintenance Comments:		MS1 CARRIED OUT			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			29NOV12
SM	MS1	14.0	ELPDY			29NOV12



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 0608-13264 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : FMS232-006 ~99564  
 ENGINEERING NAME : FATIGUE METER  
 VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJ1206890 C COMPLETED 13JAN13 21:28 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
 13JAN13 21:31 13DEC12 22:55 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 561.1 AFHR  
 19 MMI SERVICING DUE MS1 due on Serial 0608-13264  
 FATIG METER AMETEK at WAC 0730  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS1 CARRIED OUT SERV IAW 7212.007-2 CH31

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			13DEC12
SM	MS1	14.0	ELPDY			13DEC12

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJ1300111 C COMPLETED 24JAN13 20:38 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
 24JAN13 20:53 24JAN13 20:38 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 580.2 AFHR  
 19 MMI SERVICING DUE MS1 due on Serial 0608-13264  
 FATIG METER AMETEK at WAC 0730  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS1 CARRIED OUT SERV IAW 7212.007-2 CH31

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			27JAN13
SM	MS1	14.0	ELPDY			27JAN13

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00768  
08JAN20  
23:16:15

SERIAL/TAIL NO : 0608-13264 PERIOD: 01JAN90 TO 08JAN20  
PART NO : FMS232-006 ~99564  
ENGINEERING NAME : FATIGUE METER  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJ1300373	C COMPLETED	07FEB13 22:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	14FEB13 21:03	07FEB13 22:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	580.2	AFHR
19 MMI SERVICING DUE				MS1	due on Serial 0608-13264		
					FATIG METER AMETEK at WAC 0730		
01 NO FAULT		12 MMI SERVICING					
		Unserviceability Details:					
		Maintenance Comments:			MS1 CARRIED OUT IAW 7212.007-2 CH 31 REF SNOW 519239-2		

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			07FEB13
SM	MS1	14.0	ELPDY			07FEB13

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJ1300712	C COMPLETED	27MAR13 03:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	27MAR13 03:53	26FEB13 00:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	589.1	AFHR
19 MMI SERVICING DUE				MS1	due on Serial 0608-13264		
					FATIG METER AMETEK at WAC 0730		
01 NO FAULT		12 MMI SERVICING					
		Unserviceability Details:					
		Maintenance Comments:			MS1 CARRIED OUT IAW 7212.007-2 CH 31		

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			28FEB13
SM	MS1	14.0	ELPDY			28FEB13

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 0608-13264 PERIOD: 01JAN90 TO 08JAN20  
PART NO : FMS232-006 ~99564  
ENGINEERING NAME : FATIGUE METER  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1EXXJ1301513 C COMPLETED 09APR13 05:42 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
 09APR13 05:56 09APR13 05:42 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 594.8 AFHR  
 19 MMI SERVICING DUE MS1 due on Serial 0608-13264  
 FATIG METER AMETEK at WAC 0730  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS1 CARRIED OUT SERV IAW 7212.007-2 CH31

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			10APR13
SM	MS1	14.0	ELPDY			10APR13

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1EXXJ1301749 C COMPLETED 24APR13 04:30 XXxxXXxx XXxxXXxxXXxxXXxx ARDU ARDU  
 24APR13 05:13 24APR13 06:52 XXxxXXxx XXxxXXxxXXxxXXxx AIE 604.6 AFHR  
 19 MMI SERVICING DUE MS1 due on Serial 0608-13264  
 FATIG METER AMETEK at WAC 0730  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS1 SERVICE C/O IAW AAP 7212.007 CHAP 31

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			23APR13
SM	MS1	14.0	ELPDY			23APR13

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 0608-13264 PERIOD: 01JAN90 TO 08JAN20  
PART NO : FMS232-006 ~99564  
ENGINEERING NAME : FATIGUE METER  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJ1302066 C COMPLETED 08MAY13 06:41 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
 08MAY13 21:51 08MAY13 06:40 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 616.9 AFHR  
 19 MMI SERVICING DUE MS1 due on Serial 0608-13264  
 FATIG METER AMETEK at WAC 0730  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS1 CARRIED OUT SERV IAW 7212.007-2CH31

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			08MAY13
SM	MS1	14.0	ELPDY			08MAY13

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJ1302312 C COMPLETED 16MAY13 04:13 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
 16MAY13 21:48 16MAY13 04:13 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 624.3 AFHR  
 19 MMI SERVICING DUE MS1 due on Serial 0608-13264  
 FATIG METER AMETEK at WAC 0730  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS1 CARRIED OUT SERV IAW 7212.007-2 CH31

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			22MAY13
SM	MS1	14.0	ELPDY			22MAY13

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00771  
08JAN20  
23:16:15

SERIAL/TAIL NO : 0608-13264 PERIOD: 01JAN90 TO 08JAN20  
PART NO : FMS232-006 ~99564  
ENGINEERING NAME : FATIGUE METER  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJ1302440	C COMPLETED	30MAY13 01:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	30MAY13 03:06	30MAY13 01:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	628.4	AFHR
19 MMI SERVICING DUE				MS1	due on Serial 0608-13264		
					FATIG METER AMETEK at WAC 0730		
01 NO FAULT		12 MMI SERVICING					
		Unserviceability Details:					
		Maintenance Comments:		MS1 CARRIED OUT REFER SNOW 506291-4			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			30MAY13
SM	MS1	14.0	ELPDY			30MAY13

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJ1302719	C COMPLETED	13JUN13 05:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	13JUN13 21:48	13JUN13 05:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	645.2	AFHR
19 MMI SERVICING DUE				MS1	due on Serial 0608-13264		
					FATIG METER AMETEK at WAC 0730		
01 NO FAULT		12 MMI SERVICING					
		Unserviceability Details:					
		Maintenance Comments:		MS1 CARRIED OUT SERV IAW 7212.007-2 CH31			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			13JUN13
SM	MS1	14.0	ELPDY			13JUN13

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 0608-13264 PERIOD: 01JAN90 TO 08JAN20  
PART NO : FMS232-006 ~99564  
ENGINEERING NAME : FATIGUE METER  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJ1302970 C COMPLETED 27JUN13 05:34 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
 27JUN13 21:47 27JUN13 05:33 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 651.1 AFHR  
 19 MMI SERVICING DUE MS1 due on Serial 0608-13264  
 FATIG METER AMETEK at WAC 0730  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS1 CARRIED OUT SERV IAW 7212.007-2 CH31

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			27JUN13
SM	MS1	14.0	ELPDY			27JUN13

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJ1303154 C COMPLETED 11JUL13 06:16 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
 11JUL13 21:47 11JUL13 06:16 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 666.7 AFHR  
 19 MMI SERVICING DUE MS1 due on Serial 0608-13264  
 FATIG METER AMETEK at WAC 0730  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS1 CARRIED OUT SERV IAW 7212.007-2 CH31

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			11JUL13
SM	MS1	14.0	ELPDY			11JUL13

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 0608-13264  
PART NO : FMS232-006 ~99564  
ENGINEERING NAME : FATIGUE METER  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJ1303385 C COMPLETED 25JUL13 05:22 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
 25JUL13 21:48 25JUL13 05:22 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 679.9 AFHR  
 19 MMI SERVICING DUE MS1 due on Serial 0608-13264  
 FATIG METER AMETEK at WAC 0730  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS1 CARRIED OUT SERV IAW 7212.007-2 CH31

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			25JUL13
SM	MS1	14.0	ELPDY			25JUL13

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJ1303720 C COMPLETED 08AUG13 06:04 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
 08AUG13 21:48 08AUG13 06:04 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 681.8 AFHR  
 19 MMI SERVICING DUE MS1 due on Serial 0608-13264  
 FATIG METER AMETEK at WAC 0730  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS1 CARRIED OUT SERV IAW 7212.007-2 CH31

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			08AUG13
SM	MS1	14.0	ELPDY			08AUG13

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00774  
08JAN20  
23:16:15

SERIAL/TAIL NO : 0608-13264 PERIOD: 01JAN90 TO 08JAN20  
PART NO : FMS232-006 ~99564  
ENGINEERING NAME : FATIGUE METER  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJ1304014	C COMPLETED	22AUG13 05:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	22AUG13 21:44	22AUG13 05:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	691.4	AFHR
19 MMI SERVICING DUE				MS1	due on Serial 0608-13264		
					FATIG METER AMETEK at WAC 0730		
01 NO FAULT		12 MMI SERVICING					
		Unserviceability Details:					
		Maintenance Comments:			MS1 CARRIED OUT SERV IAW 7212.007-2 CH31		

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			22AUG13
SM	MS1	14.0	ELPDY			22AUG13

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJ1304273	C COMPLETED	05SEP13 06:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	05SEP13 22:19	05SEP13 06:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	699.5	AFHR
19 MMI SERVICING DUE				MS1	due on Serial 0608-13264		
					FATIG METER AMETEK at WAC 0730		
01 NO FAULT		12 MMI SERVICING					
		Unserviceability Details:					
		Maintenance Comments:			MS1 SERVICING CARRIED OUT REFER SNOW 518582-1		

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			05SEP13
SM	MS1	14.0	ELPDY			05SEP13



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 0608-13264 PERIOD: 01JAN90 TO 08JAN20  
PART NO : FMS232-006 ~99564  
ENGINEERING NAME : FATIGUE METER  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1EXXJ1304625 C COMPLETED 19SEP13 04:45 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
 19SEP13 21:47 19SEP13 04:44 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 710.6 AFHR  
 19 MMI SERVICING DUE MS1 due on Serial 0608-13264  
 FATIG METER AMETEK at WAC 0730  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS1 CARRIED OUT SERV IAW 7212.007-2 CH31

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			19SEP13
SM	MS1	14.0	ELPDY			19SEP13

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1EXXJ1304803 C COMPLETED 03OCT13 00:44 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
 03OCT13 01:15 03OCT13 00:44 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 715.6 AFHR  
 19 MMI SERVICING DUE MS1 due on Serial 0608-13264  
 FATIG METER AMETEK at WAC 0730  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS1 CARRIED OUT IAW 7212.007-2 SUP 259

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			03OCT13
SM	MS1	14.0	ELPDY			03OCT13

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 0608-13264 PERIOD: 01JAN90 TO 08JAN20  
PART NO : FMS232-006 ~99564  
ENGINEERING NAME : FATIGUE METER  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJ1305103 C COMPLETED 22OCT13 13:56 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
 22OCT13 15:20 24OCT13 04:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 724.8 AFHR  
 19 MMI SERVICING DUE MS1 due on Serial 0608-13264  
 FATIG METER AMETEK at WAC 0730  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS1 CARRIED OUT REFER SNOW 538064-4

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			17OCT13
SM	MS1	14.0	ELPDY			17OCT13

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJ1305973 C COMPLETED 06NOV13 00:51 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
 06NOV13 00:52 03NOV13 23:06 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 733.1 AFHR  
 19 MMI SERVICING DUE MS1 due on Serial 0608-13264  
 FATIG METER AMETEK at WAC 0730  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS1 CARRIED OUT IAW 7212.007-2 CH 31

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			05NOV13
SM	MS1	14.0	ELPDY			05NOV13

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00777  
08JAN20  
23:16:15

SERIAL/TAIL NO : 0608-13264 PERIOD: 01JAN90 TO 08JAN20  
PART NO : FMS232-006 ~99564  
ENGINEERING NAME : FATIGUE METER  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJ1306156	C COMPLETED	14NOV13 20:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	14NOV13 20:55	14NOV13 20:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	743.0	AFHR
19 MMI SERVICING DUE				MS1	due on Serial 0608-13264		
					FATIG METER AMETEK at WAC 0730		
01 NO FAULT		12 MMI SERVICING					
		Unserviceability Details:					
		Maintenance Comments:			MS1 CARRIED OUT IAW 7212.007-2 SUP 259		

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			20NOV13
SM	MS1	14.0	ELPDY			20NOV13

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJ1306470	C COMPLETED	27NOV13 06:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	27NOV13 06:03	27NOV13 06:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	764.2	AFHR
19 MMI SERVICING DUE				MS1	due on Serial 0608-13264		
					FATIG METER AMETEK at WAC 0730		
01 NO FAULT		12 MMI SERVICING					
		Unserviceability Details:					
		Maintenance Comments:			MS1 SERVICING CARRIED OUT IAW 7212.007-2 SUP 259 REFER SNOW 539158-1		

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			28NOV13
SM	MS1	14.0	ELPDY			28NOV13

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 0608-13264 PERIOD: 01JAN90 TO 08JAN20  
PART NO : FMS232-006 ~99564  
ENGINEERING NAME : FATIGUE METER  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJ1306705 C COMPLETED 05DEC13 04:32 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
 05DEC13 20:52 05DEC13 04:32 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 775.1 AFHR  
 19 MMI SERVICING DUE MS1 due on Serial 0608-13264  
 FATIG METER AMETEK at WAC 0730  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS1 CARRIED OUT IAW 7212.007-2 SUP 259

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			11DEC13
SM	MS1	14.0	ELPDY			11DEC13

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJ1306932 C COMPLETED 06JAN14 20:59 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
 09JAN14 22:10 06JAN14 20:58 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 786.0 AFHR  
 19 MMI SERVICING DUE MS1 due on Serial 0608-13264  
 FATIG METER AMETEK at WAC 0730  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS1 CARRIED OUT SERV IAW 7212.007-2 CH31

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			19DEC13
SM	MS1	14.0	ELPDY			19DEC13

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 0608-13264 PERIOD: 01JAN90 TO 08JAN20  
PART NO : FMS232-006 ~99564  
ENGINEERING NAME : FATIGUE METER  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJ1400201 C COMPLETED 22JAN14 05:03 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
 22JAN14 21:28 22JAN14 05:02 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 796.9 AFHR  
 19 MMI SERVICING DUE MS1 due on Serial 0608-13264  
 FATIG METER AMETEK at WAC 0730  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS1 CARRIED OUT SERV IAW 7212.007-2 CH31

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			23JAN14
SM	MS1	14.0	ELPDY			23JAN14

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJ1400571 C COMPLETED 05FEB14 05:42 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
 05FEB14 21:23 05FEB14 05:42 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 814.1 AFHR  
 19 MMI SERVICING DUE MS1 due on Serial 0608-13264  
 FATIG METER AMETEK at WAC 0730  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS1 CARRIED OUT SERV IAW 7212.007-2 CH31

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			05FEB14
SM	MS1	14.0	ELPDY			05FEB14

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00780  
08JAN20  
23:16:15

SERIAL/TAIL NO : 0608-13264 PERIOD: 01JAN90 TO 08JAN20  
PART NO : FMS232-006 ~99564  
ENGINEERING NAME : FATIGUE METER  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJ1400824	C COMPLETED	19FEB14 05:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	19FEB14 05:23	19FEB14 05:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	833.5	AFHR
19 MMI SERVICING DUE				MS1	due on Serial 0608-13264		
					FATIG METER AMETEK at WAC 0730		
01 NO FAULT		12 MMI SERVICING					
		Unserviceability Details:					
		Maintenance Comments:			MS1 CARRIED OUT SERV IAW 7212.007-2 CH31		

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			19FEB14
SM	MS1	14.0	ELPDY			19FEB14

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJ1604637	C COMPLETED	21APR16 06:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	21APR16 06:29	21APR16 06:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	849.5	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE			FATIGUE METER REMOVED AS DIRECTED BY TASPO		
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:			CHECK/TEST SERV		

NONC2J1601556	C COMPLETED	20MAY16 03:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	20MAY16 03:07	16MAY16 06:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	849.5	AFHR
19 MMI SERVICING DUE				MS1	due on Serial 0608-13264		
					FATIG METER AMETEK at WAC 0730		
01 NO FAULT		12 MMI SERVICING					
		Unserviceability Details:					
		Maintenance Comments:			MS1 NOT REQD AIRCRAFT NOT FLOWN NEW FATIGUE METER FITTED REF AIP MCS 090/15-27-6		

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00781  
08JAN20  
23:16:15

SERIAL/TAIL NO : 0608-13264 PERIOD: 01JAN90 TO 08JAN20  
PART NO : FMS232-006 ~99564  
ENGINEERING NAME : FATIGUE METER  
VENUE : A23DISP LOCATION : A23-033

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			05MAR14
SM	MS1	14.0	ELPDY			05MAR14

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJ1611610 C COMPLETED 06JUN16 22:07 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
06JUN16 22:10 06JUN16 22:07 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 887.1 AFHR  
19 MMI SERVICING DUE MS1 due on Serial 0608-13264  
FATIG METER AMETEK at WAC 0730

01 NO FAULT 12 MMI SERVICING  
Unserviceability Details:  
Maintenance Comments: MS1 SERVICING CARRIED OUT

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			03JUN16
SM	MS1	14.0	ELPDY			03JUN16

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJ1612644 C COMPLETED 20JUN16 05:40 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
20JUN16 05:41 20JUN16 05:10 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 914.3 AFHR  
19 MMI SERVICING DUE MS1 due on Serial 0608-13264  
FATIG METER AMETEK at WAC 0730

01 NO FAULT 12 MMI SERVICING  
Unserviceability Details:  
Maintenance Comments: MS1 SERV C/O IAW AAP7212.007-2

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			20JUN16

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 00782  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0608-13264 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : FMS232-006 ~99564  
 ENGINEERING NAME : FATIGUE METER  
 VENUE : A23DISP LOCATION : A23-033

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			20JUN16

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS		UNSERVICEABILITY DETAILS			
MAINT PROCESS	UNSERVICEABILITY	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			
FAULT FOUND	MAINTENANCE ACTION TAKEN						

1PXXJ1613381 C COMPLETED 04JUL16 13:00 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 04JUL16 13:01 04JUL16 13:00 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 943.3 AFHR  
 19 MMI SERVICING DUE MS1 due on Serial 0608-13264  
 FATIG METER AMETEK at WAC 0730  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS1 SERV C/O IAW AAP7212.007-2

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			04JUL16
SM	MS1	14.0	ELPDY			04JUL16

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS		UNSERVICEABILITY DETAILS			
MAINT PROCESS	UNSERVICEABILITY	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			
FAULT FOUND	MAINTENANCE ACTION TAKEN						

1PXXJ1614164 C COMPLETED 18JUL16 08:23 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 18JUL16 09:52 18JUL16 08:23 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 977.8 AFHR  
 19 MMI SERVICING DUE MS1 due on Serial 0608-13264  
 FATIG METER AMETEK at WAC 0730  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS1 SERVICING CARRIED OUT

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			18JUL16
SM	MS1	14.0	ELPDY			18JUL16



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00783  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0608-13264 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : FMS232-006 ~99564  
 ENGINEERING NAME : FATIGUE METER  
 VENUE : A23DISP LOCATION : A23-033

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
=====	=====	=====	=====	=====	=====	=====

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			
=====							
A1PXXJ1615409	C COMPLETED	01AUG16 03:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	01AUG16 04:52	01AUG16 03:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	1006.2	AFHR
19 MMI SERVICING DUE			MS1	due on Serial 0608-13264			
				FATIG METER AMETEK at WAC 0730			
01 NO FAULT	12 MMI SERVICING						
				Unserviceability Details:			
				Maintenance Comments:	MS1 SERV C/O.		

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
=====	=====	=====	=====	=====	=====	=====
SM	MS1	14.0	ELPDY			01AUG16
SM	MS1	14.0	ELPDY			01AUG16

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			
=====							
A1PXXJ1616373	C COMPLETED	17AUG16 09:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	17AUG16 09:53	17AUG16 09:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	1014.5	AFHR
19 MMI SERVICING DUE			MS1	due on Serial 0608-13264			
				FATIG METER AMETEK at WAC 0730			
01 NO FAULT	12 MMI SERVICING						
				Unserviceability Details:			
				Maintenance Comments:	MS1 SERVICING CARRIED OUT		

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
=====	=====	=====	=====	=====	=====	=====
SM	MS1	14.0	ELPDY			15AUG16
SM	MS1	14.0	ELPDY			15AUG16

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 0608-13264 PERIOD: 01JAN90 TO 08JAN20  
PART NO : FMS232-006 ~99564  
ENGINEERING NAME : FATIGUE METER  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

1PXXJ1617447 C COMPLETED 31AUG16 10:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 31AUG16 10:52 31AUG16 10:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 1043.7 AFHR  
 19 MMI SERVICING DUE MS1 due on Serial 0608-13264  
 FATIG METER AMETEK at WAC 0730  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS1 SERVICING CARRIED OUT

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			31AUG16
SM	MS1	14.0	ELPDY			31AUG16

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

1PXXJ1618511 C COMPLETED 14SEP16 09:29 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 14SEP16 09:53 14SEP16 09:29 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 1074.1 AFHR  
 19 MMI SERVICING DUE MS1 due on Serial 0608-13264  
 FATIG METER AMETEK at WAC 0730  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS1 SERV C/O.

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			14SEP16
SM	MS1	14.0	ELPDY			14SEP16

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 0608-13264 PERIOD: 01JAN90 TO 08JAN20  
PART NO : FMS232-006 ~99564  
ENGINEERING NAME : FATIGUE METER  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

1PXXJ1619310 C COMPLETED 28SEP16 09:02 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 28SEP16 09:03 28SEP16 09:02 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 1110.4 AFHR  
 19 MMI SERVICING DUE MS1 due on Serial 0608-13264  
 FATIG METER AMETEK at WAC 0730  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS1 C/O IAW AAP 7212.007-2 REF EE500: 564366/2

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			28SEP16
SM	MS1	14.0	ELPDY			28SEP16

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

1PXXJ1620194 C COMPLETED 12OCT16 05:59 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 12OCT16 06:00 12OCT16 05:43 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 1137.5 AFHR  
 19 MMI SERVICING DUE MS1 due on Serial 0608-13264  
 FATIG METER AMETEK at WAC 0730  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS1 SERV C/O.

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			12OCT16
SM	MS1	14.0	ELPDY			12OCT16

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : 0608-13264 PERIOD: 01JAN90 TO 08JAN20  
PART NO : FMS232-006 ~99564  
ENGINEERING NAME : FATIGUE METER  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJ1621531	C COMPLETED	26OCT16 11:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	26OCT16 11:54	26OCT16 11:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		1169.2	AFHR
19 MMI SERVICING DUE				MS1 due on Serial 0608-13264			
				FATIG METER AMETEK at WAC 0730			
01 NO FAULT		12 MMI SERVICING					
		Unserviceability Details:					
		Maintenance Comments:		MS1 SERV C/O IAW AAP7212.007-2			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			26OCT16
SM	MS1	14.0	ELPDY			26OCT16

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJ1622478	C COMPLETED	09NOV16 09:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	09NOV16 09:12	09NOV16 09:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		1172.9	AFHR
19 MMI SERVICING DUE				MS1 due on Serial 0608-13264			
				FATIG METER AMETEK at WAC 0730			
01 NO FAULT		12 MMI SERVICING					
		Unserviceability Details:					
		Maintenance Comments:		MS1 SERV C/O IAW AAP 7212.007-2.			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			09NOV16
SM	MS1	14.0	ELPDY			09NOV16

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00787  
08JAN20  
23:16:15

SERIAL/TAIL NO : 0608-13264  
PART NO : FMS232-006 ~99564  
ENGINEERING NAME : FATIGUE METER  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

19	MMI SERVICING DUE	23NOV16 09:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	1176.2	AFHR
01	NO FAULT	12	MMI SERVICING	Unserviceability Details: Maintenance Comments: MS1 SERV C/O IAW AAP7212.007-2 REF 576925-2			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			23NOV16
SM	MS1	14.0	ELPDY			23NOV16

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

19	MMI SERVICING DUE	07JUN17 00:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	1179.0	AFHR
01	NO FAULT	12	MMI SERVICING	Unserviceability Details: Maintenance Comments: MS1 SERVICING CARRIED OUT (FATIGUE METER DOWNLOAD) IAW TASPO MRD WEB			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			07DEC16
SM	MS1	14.0	ELPDY			07DEC16

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 0608-13264 PERIOD: 01JAN90 TO 08JAN20  
PART NO : FMS232-006 ~99564  
ENGINEERING NAME : FATIGUE METER  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

1PXXJ1711173 C COMPLETED 22JUN17 02:55 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 22JUN17 02:57 22JUN17 02:50 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 1200.2 AFHR  
 19 MMI SERVICING DUE MS1 due on Serial 0608-13264  
 FATIG METER AMETEK at WAC 0730  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS1 CARRIED OUT.

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			21JUN17
SM	MS1	14.0	ELPDY			21JUN17

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

1PXXJ1712487 C COMPLETED 06JUL17 11:03 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 06JUL17 11:07 06JUL17 11:02 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 1219.7 AFHR  
 19 MMI SERVICING DUE MS1 due on Serial 0608-13264  
 FATIG METER AMETEK at WAC 0730  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS1 FATIGUE DOWNLOAD C/O IAW AAP 7212.007-2 REF:588460

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			06JUL17
SM	MS1	14.0	ELPDY			06JUL17

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : 0608-13264 PERIOD: 01JAN90 TO 08JAN20  
PART NO : FMS232-006 ~99564  
ENGINEERING NAME : FATIGUE METER  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

1PXXJ1713294 C COMPLETED 20JUL17 13:34 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
20JUL17 13:35 20JUL17 13:34 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 1237.4 AFHR  
19 MMI SERVICING DUE MS1 due on Serial 0608-13264  
FATIG METER AMETEK at WAC 0730  
01 NO FAULT 12 MMI SERVICING  
Unserviceability Details:  
Maintenance Comments: MS1 SERV C/ O IAW AAP 7212.007-2.

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			20JUL17
SM	MS1	14.0	ELPDY			20JUL17

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

1PXXJ1714165 C COMPLETED 03AUG17 11:24 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
03AUG17 11:28 03AUG17 10:59 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 1250.8 AFHR  
19 MMI SERVICING DUE MS1 due on Serial 0608-13264  
FATIG METER AMETEK at WAC 0730  
01 NO FAULT 12 MMI SERVICING  
Unserviceability Details:  
Maintenance Comments: MS1 FATIGUE DOWNLOAD C/O IAW AAP 7212.007-2 REF:588487-2

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			03AUG17
SM	MS1	14.0	ELPDY			03AUG17

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00790  
08JAN20  
23:16:15

SERIAL/TAIL NO : 0608-13264 PERIOD: 01JAN90 TO 08JAN20  
PART NO : FMS232-006 ~99564  
ENGINEERING NAME : FATIGUE METER  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

1PXXJ1715174 C COMPLETED 17AUG17 04:45 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
17AUG17 04:46 17AUG17 04:38 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 1267.8 AFHR  
19 MMI SERVICING DUE MS1 due on Serial 0608-13264  
FATIG METER AMETEK at WAC 0730  
01 NO FAULT 12 MMI SERVICING  
Unserviceability Details:  
Maintenance Comments: MS1 SERV C/O IAW AAP7212.007-2 REF 588499-1

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			17AUG17
SM	MS1	14.0	ELPDY			17AUG17

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

1PXXJ1716402 C COMPLETED 31AUG17 11:54 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
31AUG17 11:55 31AUG17 11:45 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 1283.6 AFHR  
19 MMI SERVICING DUE MS1 due on Serial 0608-13264  
FATIG METER AMETEK at WAC 0730  
01 NO FAULT 12 MMI SERVICING  
Unserviceability Details:  
Maintenance Comments: MS1 SERV C/O IAW AAP7212.007-2 REF 569410-2

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			31AUG17
SM	MS1	14.0	ELPDY			31AUG17



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00791  
08JAN20  
23:16:15

SERIAL/TAIL NO : 0608-13264 PERIOD: 01JAN90 TO 08JAN20  
PART NO : FMS232-006 ~99564  
ENGINEERING NAME : FATIGUE METER  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJ1717307 C COMPLETED 14SEP17 09:35 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
14SEP17 11:23 14SEP17 09:35 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 1297.7 AFHR  
19 MMI SERVICING DUE MS1 due on Serial 0608-13264  
FATIG METER AMETEK at WAC 0730  
01 NO FAULT 12 MMI SERVICING  
Unserviceability Details:  
Maintenance Comments: MS1 SERVICING CARRIED OUT

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			14SEP17
SM	MS1	14.0	ELPDY			14SEP17

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJ1718131 C COMPLETED 28SEP17 07:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
28SEP17 09:28 28SEP17 07:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 1306.9 AFHR  
19 MMI SERVICING DUE MS1 due on Serial 0608-13264  
FATIG METER AMETEK at WAC 0730  
01 NO FAULT 12 MMI SERVICING  
Unserviceability Details:  
Maintenance Comments: MS1 SERV C/O IAW AAP7212.007-2 REF 569430-2

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			28SEP17
SM	MS1	14.0	ELPDY			28SEP17

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 0608-13264 PERIOD: 01JAN90 TO 08JAN20  
PART NO : FMS232-006 ~99564  
ENGINEERING NAME : FATIGUE METER  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

1PXXJ1718715	C COMPLETED	12OCT17 05:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	12OCT17 05:27	12OCT17 05:11	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	1315.7	AFHR
19	MMI SERVICING DUE			MS1	due on Serial 0608-13264		
					FATIG METER AMETEK at WAC 0730		
01	NO FAULT	12	MMI SERVICING	Unserviceability Details:			
				Maintenance Comments: MS1 CARRIED OUT.			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			12OCT17
SM	MS1	14.0	ELPDY			12OCT17

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

1PXXJ1719388	C COMPLETED	26OCT17 06:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	26OCT17 06:35	26OCT17 06:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	1332.8	AFHR
19	MMI SERVICING DUE			MS1	due on Serial 0608-13264		
					FATIG METER AMETEK at WAC 0730		
01	NO FAULT	12	MMI SERVICING	Unserviceability Details:			
				Maintenance Comments: MS1 FATIGUE DOWN LOAD C/O IAW AAP 7212.007-2 REF:584752-1			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			26OCT17
SM	MS1	14.0	ELPDY			26OCT17

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00793  
08JAN20  
23:16:15

SERIAL/TAIL NO : 0608-13264 PERIOD: 01JAN90 TO 08JAN20  
PART NO : FMS232-006 ~99564  
ENGINEERING NAME : FATIGUE METER  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

=====  
A1PXXJ1720120 C COMPLETED 09NOV17 00:04 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
09NOV17 00:05 08NOV17 22:03 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 1337.8 AFHR  
19 MMI SERVICING DUE MS1 due on Serial 0608-13264  
FATIG METER AMETEK at WAC 0730  
01 NO FAULT 12 MMI SERVICING  
Unserviceability Details:  
Maintenance Comments: MS1 C/O

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			09NOV17
SM	MS1	14.0	ELPDY			09NOV17

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

=====  
A1PXXJ1720921 C COMPLETED 09FEB18 00:20 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
05JUL18 05:33 09FEB18 00:20 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 1337.8 AFHR  
19 MMI SERVICING DUE MS1 due on Serial 0608-13264  
FATIG METER AMETEK at WAC 0730  
01 NO FAULT 12 MMI SERVICING  
Unserviceability Details:  
Maintenance Comments: MSI SERV C/O SERV IAW 7212-007-2 REF LSN AIP MCS 1425/17-14-1

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			23NOV17
SM	MS1	14.0	ELPDY			23NOV17

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 0608-13264 PERIOD: 01JAN90 TO 08JAN20  
PART NO : FMS232-006 ~99564  
ENGINEERING NAME : FATIGUE METER  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

1PXXJ1811033 C COMPLETED 22AUG18 12:56 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 22AUG18 12:58 11JUL18 03:29 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 1337.8 AFHR  
 19 MMI SERVICING DUE MS1 due on Serial 0608-13264  
 FATIG METER AMETEK at WAC 0730  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS1 SERV C/O IAW AAP7212.007-2 REF 584757/3-5-5

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			19JUL18
SM	MS1	14.0	ELPDY			19JUL18

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

1PXXJ1813829 C COMPLETED 05SEP18 12:58 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 05SEP18 12:59 05SEP18 10:22 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 1351.8 AFHR  
 19 MMI SERVICING DUE MS1 due on Serial 0608-13264  
 FATIG METER AMETEK at WAC 0730  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS1 SERVICING CARRIED OUT

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			05SEP18
SM	MS1	14.0	ELPDY			05SEP18

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00795  
08JAN20  
23:16:15

SERIAL/TAIL NO : 0608-13264 PERIOD: 01JAN90 TO 08JAN20  
PART NO : FMS232-006 ~99564  
ENGINEERING NAME : FATIGUE METER  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJ1814730	C COMPLETED	18SEP18 08:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	18SEP18 08:46	18SEP18 07:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		1391.2	AFHR
19 MMI SERVICING DUE				MS1 due on Serial 0608-13264			
				FATIG METER AMETEK at WAC 0730			
01 NO FAULT		12 MMI SERVICING					
		Unserviceability Details:					
		Maintenance Comments:		MS1 SERVICING CARRIED OUT			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			19SEP18
SM	MS1	14.0	ELPDY			19SEP18

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJ1815379	C COMPLETED	02OCT18 13:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	02OCT18 13:13	02OCT18 13:11	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		1425.8	AFHR
19 MMI SERVICING DUE				MS1 due on Serial 0608-13264			
				FATIG METER AMETEK at WAC 0730			
01 NO FAULT		12 MMI SERVICING					
		Unserviceability Details:					
		Maintenance Comments:		MS1 SERV C/O IAW AAP7212.007-2 REF 593978-3			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			02OCT18
SM	MS1	14.0	ELPDY			02OCT18

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00796  
08JAN20  
23:16:15

SERIAL/TAIL NO : 0608-13264 PERIOD: 01JAN90 TO 08JAN20  
PART NO : FMS232-006 ~99564  
ENGINEERING NAME : FATIGUE METER  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

19	MMI SERVICING DUE	16OCT18 09:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	1463.8	AFHR
01	NO FAULT	12 MMI SERVICING		MS1 due on Serial 0608-13264			
		Unserviceability Details:		FATIG METER AMETEK at WAC 0730			
		Maintenance Comments:		MS1 C/O			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			16OCT18
SM	MS1	14.0	ELPDY			16OCT18

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

19	MMI SERVICING DUE	30OCT18 22:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	1495.3	AFHR
01	NO FAULT	12 MMI SERVICING		MS1 due on Serial 0608-13264			
		Unserviceability Details:		FATIG METER AMETEK at WAC 0730			
		Maintenance Comments:		MS1 SERV C/O IAW AAP 7202.007-2.			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			30OCT18
SM	MS1	14.0	ELPDY			30OCT18

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 0608-13264 PERIOD: 01JAN90 TO 08JAN20  
PART NO : FMS232-006 ~99564  
ENGINEERING NAME : FATIGUE METER  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

1PXXJ1818518 C COMPLETED 09JAN19 04:59 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 09JAN19 05:13 02NOV18 03:24 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 1502.8 AFHR  
 19 MMI SERVICING DUE MS1 due on Serial 0608-13264  
 FATIG METER AMETEK at WAC 0730  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: CAMM ACTION ONLY. AIRCRAFT NOT FLOWN SINCE LAST SERVICE.

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			13NOV18
SM	MS1	14.0	ELPDY			13NOV18

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

1PXXJ1900451 C COMPLETED 23JAN19 10:43 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 23JAN19 10:44 23JAN19 10:42 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 1507.8 AFHR  
 19 MMI SERVICING DUE MS1 due on Serial 0608-13264  
 FATIG METER AMETEK at WAC 0730  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS1 SERV C/O IAW AAP7212.007-2 REF 594292/1-4-5

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			23JAN19
SM	MS1	14.0	ELPDY			23JAN19

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00798  
08JAN20  
23:16:15

SERIAL/TAIL NO : 0608-13264 PERIOD: 01JAN90 TO 08JAN20  
PART NO : FMS232-006 ~99564  
ENGINEERING NAME : FATIGUE METER  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

19	MMI SERVICING DUE	C COMPLETED	06FEB19 09:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	
01	NO FAULT	12	MMI SERVICING				

Unserviceability Details:  
Maintenance Comments: MS1 SERV C/O IAW AAP7212.007-2 REF 606517/1-1-1

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			06FEB19
SM	MS1	14.0	ELPDY			06FEB19

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

19	MMI SERVICING DUE	C COMPLETED	19FEB19 23:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	
01	NO FAULT	12	MMI SERVICING				

Unserviceability Details:  
Maintenance Comments: MS1 C/O REF 606533-4-1-3

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			20FEB19
SM	MS1	14.0	ELPDY			20FEB19



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00799  
08JAN20  
23:16:15

SERIAL/TAIL NO : 0608-13264 PERIOD: 01JAN90 TO 08JAN20  
PART NO : FMS232-006 ~99564  
ENGINEERING NAME : FATIGUE METER  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

19	MMI SERVICING DUE	C COMPLETED 05MAR19 00:43	05MAR19 00:42 05MAR19 00:41	XXxxXXxx XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx AIP	AIP 1570.1	AFHR
01	NO FAULT				MS1 due on Serial 0608-13264 FATIG METER AMETEK at WAC 0730		

12 MMI SERVICING  
Unserviceability Details:  
Maintenance Comments: MS1 SERV C/O IAW AAP 7212.007-2.

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			05MAR19
SM	MS1	14.0	ELPDY			05MAR19

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

19	MMI SERVICING DUE	C COMPLETED 19MAR19 11:16	19MAR19 11:13 19MAR19 09:05	XXxxXXxx XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx AIP	AIP 1590.5	AFHR
01	NO FAULT				MS1 due on Serial 0608-13264 FATIG METER AMETEK at WAC 0730		

12 MMI SERVICING  
Unserviceability Details:  
Maintenance Comments: MS1 SERVICING CARRIED OUT

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			19MAR19
SM	MS1	14.0	ELPDY			19MAR19

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00800  
08JAN20  
23:16:15

SERIAL/TAIL NO : 0608-13264 PERIOD: 01JAN90 TO 08JAN20  
PART NO : FMS232-006 ~99564  
ENGINEERING NAME : FATIGUE METER  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

19	MMI SERVICING DUE	C COMPLETED 02APR19 09:27	02APR19 09:26 02APR19 09:25	XXxxXXxx XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx AIP	AIP 1614.1	AFHR
01	NO FAULT				MS1 due on Serial 0608-13264 FATIG METER AMETEK at WAC 0730		

12 MMI SERVICING  
Unserviceability Details:  
Maintenance Comments: MS1 SERV C/O IAW AAP7212.007-2 REF 604931-1

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			02APR19
SM	MS1	14.0	ELPDY			02APR19

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

19	MMI SERVICING DUE	C COMPLETED 16APR19 06:46	16APR19 06:06 16APR19 06:06	XXxxXXxx XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx AIP	AIP 1629.3	AFHR
01	NO FAULT				MS1 due on Serial 0608-13264 FATIG METER AMETEK at WAC 0730		

12 MMI SERVICING  
Unserviceability Details:  
Maintenance Comments: MS1 CARRIED OUT

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			16APR19
SM	MS1	14.0	ELPDY			16APR19

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 0608-13264 PERIOD: 01JAN90 TO 08JAN20  
PART NO : FMS232-006 ~99564  
ENGINEERING NAME : FATIGUE METER  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

1PXXJ1906452 C COMPLETED 30APR19 12:56 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 30APR19 12:57 30APR19 10:59 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 1646.9 AFHR  
 19 MMI SERVICING DUE MS1 due on Serial 0608-13264  
 FATIG METER AMETEK at WAC 0730  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS1 C/O REF 601807-1

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			30APR19
SM	MS1	14.0	ELPDY			30APR19

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

1PXXJ1907091 C COMPLETED 09JUL19 22:34 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 09JUL19 22:35 20MAY19 03:43 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 1664.8 AFHR  
 19 MMI SERVICING DUE MS1 due on Serial 0608-13264  
 FATIG METER AMETEK at WAC 0730  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS1 CO REF AIP MCS 272-1/19-18-2

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			14MAY19
SM	MS1	14.0	ELPDY			14MAY19

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 0608-13264  
PART NO : FMS232-006 ~99564  
ENGINEERING NAME : FATIGUE METER  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

1PXXJ1911231 C COMPLETED 23JUL19 09:29 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 23JUL19 09:54 23JUL19 09:28 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 1671.8 AFHR  
 19 MMI SERVICING DUE MS1 due on Serial 0608-13264  
 FATIG METER AMETEK at WAC 0730  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS1 SERV C/O IAW AAP7212.007-2 REF 601827/1-1-1

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			23JUL19
SM	MS1	14.0	ELPDY			23JUL19

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

1PXXJ1911928 C COMPLETED 06AUG19 23:42 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 06AUG19 23:44 06AUG19 08:17 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 1699.4 AFHR  
 19 MMI SERVICING DUE MS1 due on Serial 0608-13264  
 FATIG METER AMETEK at WAC 0730  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS1 SERV C/O

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			06AUG19
SM	MS1	14.0	ELPDY			06AUG19

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00803  
08JAN20  
23:16:15

SERIAL/TAIL NO : 0608-13264 PERIOD: 01JAN90 TO 08JAN20  
PART NO : FMS232-006 ~99564  
ENGINEERING NAME : FATIGUE METER  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

1PXXJ1912565 C COMPLETED 20AUG19 13:21 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
20AUG19 13:22 20AUG19 13:20 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 1719.8 AFHR  
19 MMI SERVICING DUE MS1 due on Serial 0608-13264  
FATIG METER AMETEK at WAC 0730  
01 NO FAULT 12 MMI SERVICING  
Unserviceability Details:  
Maintenance Comments: MS1 C/O REF 605765/3-1-1

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			20AUG19
SM	MS1	14.0	ELPDY			20AUG19

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

1PXXJ1912994 C COMPLETED 03SEP19 08:41 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
03SEP19 11:01 03SEP19 08:41 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 1741.1 AFHR  
19 MMI SERVICING DUE MS1 due on Serial 0608-13264  
FATIG METER AMETEK at WAC 0730  
01 NO FAULT 12 MMI SERVICING  
Unserviceability Details:  
Maintenance Comments: MS1 C/O

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			03SEP19
SM	MS1	14.0	ELPDY			03SEP19

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 0608-13264 PERIOD: 01JAN90 TO 08JAN20  
PART NO : FMS232-006 ~99564  
ENGINEERING NAME : FATIGUE METER  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

1PXXJ1913764 C COMPLETED 17SEP19 09:41 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 17SEP19 09:42 17SEP19 09:41 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 1759.8 AFHR  
 19 MMI SERVICING DUE MS1 due on Serial 0608-13264  
 FATIG METER AMETEK at WAC 0730  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS1 CARRIED OUT IAW AAP 7212-007-2. REF EE500 SN: 605795/1

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			17SEP19
SM	MS1	14.0	ELPDY			17SEP19

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

1PXXJ1914267 C COMPLETED 13OCT19 22:08 XXxxXXxx XXxxXXxxXXxxXXxx AIP AIP  
 13OCT19 22:09 19SEP19 02:16 XXxxXXxx XXxxXXxxXXxxXXxx AIP 1763.1 AFHR  
 19 MMI SERVICING DUE MS1 due on Serial 0608-13264  
 FATIG METER AMETEK at WAC 0730  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS1 CO REF AIP MCS 860-1/19-3-4

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			01OCT19
SM	MS1	14.0	ELPDY			01OCT19

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : 0608-13264 PERIOD: 01JAN90 TO 08JAN20  
PART NO : FMS232-006 ~99564  
ENGINEERING NAME : FATIGUE METER  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

1PXXJ1914942 C COMPLETED 21OCT19 23:55 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 22OCT19 00:12 21OCT19 23:54 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 1769.6 AFHR  
 19 MMI SERVICING DUE MS1 due on Serial 0608-13264  
 FATIG METER AMETEK at WAC 0730  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS1 C/O

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			27OCT19
SM	MS1	14.0	ELPDY			27OCT19

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

1PXXJ1915177 C COMPLETED 05NOV19 23:52 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 05NOV19 23:53 05NOV19 08:56 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 1788.8 AFHR  
 19 MMI SERVICING DUE MS1 due on Serial 0608-13264  
 FATIG METER AMETEK at WAC 0730  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS1 SERV C/O IAW AAP7212.007-2 REF 595617-1

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			05NOV19
SM	MS1	14.0	ELPDY			05NOV19

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00806  
08JAN20  
23:16:15

SERIAL/TAIL NO : 0608-13264 PERIOD: 01JAN90 TO 08JAN20  
PART NO : FMS232-006 ~99564  
ENGINEERING NAME : FATIGUE METER  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

19	MMI SERVICING DUE	18NOV19 02:48	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	1801.4	AFHR
01	NO FAULT	12	MMI SERVICING	Unserviceability Details: Maintenance Comments: MS1 C/O REF 595625/1-2-4			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			19NOV19
SM	MS1	14.0	ELPDY			19NOV19

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

19	MMI SERVICING DUE	19NOV19 22:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	1806.0	AFHR
01	NO FAULT	12	MMI SERVICING	Unserviceability Details: Maintenance Comments: MS1 CARRIED OUT			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			02DEC19
SM	MS1	14.0	ELPDY			02DEC19



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 0608-13264 PERIOD: 01JAN90 TO 08JAN20  
PART NO : FMS232-006 ~99564  
ENGINEERING NAME : FATIGUE METER  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

1PXXJ1915947 C COMPLETED 03DEC19 23:58 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 03DEC19 23:59 03DEC19 23:56 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 1807.3 AFHR  
 19 MMI SERVICING DUE MS1 due on Serial 0608-13264  
 FATIG METER AMETEK at WAC 0730  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS1 CARRIED OUT

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			03DEC19
SM	MS1	14.0	ELPDY			03DEC19

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

1PXXJ1916226 C COMPLETED 10DEC19 03:19 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 10DEC19 03:20 10DEC19 03:16 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 1809.4 AFHR  
 19 MMI SERVICING DUE MS1 due on Serial 0608-13264  
 FATIG METER AMETEK at WAC 0730  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS1 C/O

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS1	14.0	ELPDY			17DEC19
SM	MS1	14.0	ELPDY			17DEC19

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 0608-13264  
PART NO : FMS232-006 ~99564 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : FATIGUE METER  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

```

=====
A1PXXJ1916352  C  COMPLETED      18DEC19  05:39  XXxxXXxx  XXxxXXxxXXxxXXxxXXxx  A23DISP      A23DISP
                18DEC19  05:47      18DEC19  05:39  XXxxXXxx  XXxxXXxxXXxxXXxxXXxx  A23DISP      1809.4  AFHR
19 MMI SERVICING DUE
                MS1
                FATIG METER AMETEK at WAC 0730
01 NO FAULT
                12 MMI SERVICING
                Unserviceability Details:
                Maintenance Comments:  MS1 CARRIED OUT
=====

```

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
=====	=====	=====	=====	=====	=====	=====
SM	MS1	14.0	ELPDY			24DEC19
SM	MS1	14.0	ELPDY			24DEC19

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00809  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 063  
 PART NO : DK463-10 ~D2439  
 ENGINEERING NAME : INDIC OXYGEN COCKPI  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 6484.3 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW				SPAN(DYS) FROM TO (OPTIONAL) TRANS REFERENCE				USER
01SEP03	14:47	Maintenance Comment	0.0 AFHR	3.2	31Oct02	A23-065	07.30 1654.9 1654.9	AFHR IN AS A23T 2251-00-00-D Camm LOG00002 XXXXXXxx
01SEP03	14:49	Maintenance Comment	0.0 AFHR	3.2	31Oct01	XLOC	00. 1654.9 1654.9	AFHR RECEPTION (MIRE) Camm LOG00001 XXXXXXxx
01SEP03	14:52	Maintenance Comment	0.0 AFHR	3.2	30Nov90	NEW - 063	DK463-10 2251-00-00-D	Camm LOG00003 XXXXXXxx
01SEP03	14:56	Maintenance Comment	0.0 AFHR	3.2	29Aug03	A23-065	07.30 1954.0	AFHR TX TO CAMM2 Camm LOG00004 XXXXXXxx
14NOV12	05:52	Asset Removal	4910.6 AFHR	3364.8	565	A23-065	A23T A1UDS 00	A23T A1UDS 00A XXXXXXxx
		Change Serviceability Stat	0.0		S/I			
		Change Location of an Asse	xxxx		U/S	A23-065		
05DEC12	13:09	Change Venue of an Asset	4910.6 AFHR	3386.1	OPMH			
		Change Location of an Asse	21.3		AIP	NONC2CONT		XXXXXXxx
					A1PXXX1212917			
29OCT13	06:00	Change Serviceability Stat	4910.6 AFHR	349.0	HOLD			
					U/S			
					SERV			XXXXXXxx
20NOV13	02:29	Change Venue of an Asset	4910.6 AFHR	349.5	NONC2CONT			
		Maintenance Comment	0.0		AIP	NONC2X1311806		XXXXXXxx
		Change Location of an Asse	349.5		TESTED AND INSP AT JNDKT ON 29OCT13 AND MOVED TO AIP			
					HOLD			
					STORES			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00810  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 063  
 PART NO : DK463-10 ~D2439  
 ENGINEERING NAME : INDIC OXYGEN COCKPI  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
30APR14 03:37	Asset Installation	531.9	A23T A1UDS A23-033	00 A23T A1UDS 00AC
	4910.6 AFHR Change Serviceability Stat	182.9	SERV S/I	XXxxXXxx
	Change Location of an Asse	161.0	STORES A23-033	
08JUN15 05:07	Asset Removal	404.0	533 A23-033	00 A23T A1UDS 00A
	5209.8 AFHR Change Serviceability Stat	73.8	A23T A1UDS	XXxxXXxx
	Change Location of an Asse	404.0	S/I U/S A23-033	
08JUN15 05:07	Change Serviceability Stat	0.0	INTMH U/S SERV	
	5209.8 AFHR			XXxxXXxx
10JUN15 03:07	Asset Installation	1.9	A23T A1UDS A23-033	00 A23T A1UDS 00AC
	5209.8 AFHR Change Serviceability Stat	1.9	SERV S/I	XXxxXXxx
	Change Location of an Asse	1.9	INTMH A23-033	

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
2FTSXJCA11856	C COMPLETED	30NOV90 00:00	XXxxXXxx		2FTS		
	30NOV90 00:00					0.0	
03 OVERHAUL DUE							

Unserviceability Details:  
 Maintenance Comments:

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 063  
 PART NO : DK463-10 ~D2439  
 ENGINEERING NAME : INDIC OXYGEN COCKPI  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJ1217469	C COMPLETED	14NOV12 05:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	29OCT13 06:00	14NOV12 05:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	4910.6	AFHR
15 FAULT FINDING		32 DURING FAULT FINDING		CWS OXY WARNING OCCURS DURING TURBULENCE			
		19 SYSTEM INVESTIGATION					
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:		CWS WARNING OCCURS DURING TURBULENCE			
		Maintenance Comments:		NO FAULT FOUND. UNIT INSPECTED & TESTED SERV IAW AAP7551.100-3M			

A1PXXJ1508891	C COMPLETED	08JUN15 05:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	08JUN15 05:07	08JUN15 05:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	5209.8	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE		7212.007-243	due on Serial A23-033		
				PC-9	at WAC 0000		
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		CHECK/TEST SERV			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00812  
08JAN20  
23:16:15

SERIAL/TAIL NO : 063  
PART NO : DK463-10 ~D2439  
ENGINEERING NAME : INDIC OXYGEN COCKPI  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

STI STATUS CHANGE -----

STI NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
=====	=====	=====	=====	=====	=====	=====
STI-PC9-126B	N	29AUG03 08:31	NINC			
STI-PC9-126B	Y	21SEP03	N/A			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00813  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0656  
 PART NO : 03W061738  
 ENGINEERING NAME : FILTER ASSY FUEL  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

~00736

PERIOD: 01JAN90 TO 08JAN20

LOCATION : A23-033  
 LIFE SINCE NEW : 8975.5 AFHR

ASSET TRANSACTIONS

TRANSACTION D/T CHANGE TYPE		LIFE SINCE NEW		SPAN(DYS) FROM		TO (OPTIONAL)		TRANS REFERENCE		USER	
=====		=====		=====		=====		=====		=====	
01SEP03	10:57	Maintenance Comment	0.0	AFHR	3.1	18Dec01	A23-016	06.10	4187.4	0.0	AFHR 02-BS DUE LD16521
											XXXXXXxx
01SEP03	10:57	Maintenance Comment	0.0	AFHR	3.1	13Dec02	A23-016	06.10	4567.6	0.0	AFHR 13-REMACCES LF21836
											XXXXXXxx
01SEP03	10:58	Maintenance Comment	0.0	AFHR	3.1	10Dec02	A23-016	06.10	4567.6	0.0	AFHR IN AS A23T 2126-00-00-B
											XXXXXXxx
01SEP03	10:58	Maintenance Comment	0.0	AFHR	3.1	11Apr01	A23-016	06.10	3937.5	0.0	AFHR 02-BS DUE LC13673
											XXXXXXxx
01SEP03	10:59	Maintenance Comment	0.0	AFHR	3.1	18Aug03	4717.6	AFHR	LST BS 5617.6	AFHR	NXT BS
											XXXXXXxx
01SEP03	11:00	Maintenance Comment	0.0	AFHR	3.1	26Apr01	2FTHYD		FF: 01-NIL		MA: 06-BS
											XXXXXXxx
01SEP03	11:00	Maintenance Comment	0.0	AFHR	3.1	03May02	A23-016		FF: 01-NIL		MA: 06-BS
											XXXXXXxx
01SEP03	11:00	Maintenance Comment	0.0	AFHR	3.1	18Aug03	A23-016		FF: 01-NIL		MA: 06-BS
											XXXXXXxx
01SEP03	11:03	Maintenance Comment	0.0	AFHR	3.1	03May02	A23-016	06.10	4322.4	0.0	AFHR 02-BS DUE LE21990
											XXXXXXxx
01SEP03	11:03	Maintenance Comment	0.0	AFHR	3.1	13Nov02	A23-016	06.10	4567.6	0.0	AFHR 13-REMACCES LF20417
											XXXXXXxx
01SEP03	11:03	Maintenance Comment	0.0	AFHR	3.1	13Nov02	2FTHG122		FF: 01-NIL		MA: 04-CHK/TST
											XXXXXXxx
01SEP03	11:03	Maintenance Comment	0.0	AFHR	3.1	13Dec02	2FTHG122		FF: 01-NIL		MA: 04-CHK/TST
											XXXXXXxx
01SEP03	11:04	Maintenance Comment	0.0	AFHR	3.1	31Oct02	A23-016		FF: 01-NIL		MA: 06-BS
											XXXXXXxx
01SEP03	11:04	Maintenance Comment	0.0	AFHR	3.1	29Oct02	A23-016	06.10	4565.2	0.0	AFHR UPDATED LIFE (MPMI)
											XXXXXXxx
01SEP03	11:04	Maintenance Comment	0.0	AFHR	3.1	13Dec02	A23-016	06.10	4567.6	0.0	AFHR IN AS A23T 2126-00-00-B
											XXXXXXxx
01SEP03	11:04	Maintenance Comment	0.0	AFHR	3.1	27Jun89	NEW - 0656	03W061738		2126-00-00-B	
											XXXXXXxx
01SEP03	11:05	Maintenance Comment	0.0	AFHR	3.1	18Dec01	2FTINTMH		FF: 01-NIL		MA: 06-BS
											XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00814  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0656  
 PART NO : 03W061738 ~00736 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : FILTER ASSY FUEL  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
					TRANS REFERENCE		
LIFE SINCE NEW							
01SEP03	11:05	Maintenance Comment		3.1	23Jul02 A23-016	06.10 4437.2	0.0 AFHR 02-BS DUE LE25477
		0.0 AFHR			CAMM LOG00014		XXXXXXxx
01SEP03	11:05	Maintenance Comment		3.1	29Aug03 A23-016	06.10 4717.6 AFHR TX TO CAMM2	
		0.0 AFHR			CAMM LOG00030		XXXXXXxx
01SEP03	11:07	Maintenance Comment		3.1	26Apr01 A23-016	06.10 3937.5	0.0 AFHR IN AS A23T 2126-00-00-B
		0.0 AFHR			CAMM LOG00006		XXXXXXxx
01SEP03	11:07	Maintenance Comment		3.1	23Aug01 A23-016	06.10 4067.6	0.0 AFHR 02-BS DUE LD10629
		0.0 AFHR			CAMM LOG00007		XXXXXXxx
01SEP03	11:07	Maintenance Comment		3.1	NEXT BS1 DUE: OLD =	4572.2 AFHR NEW =	5337.2 AFHR
		0.0 AFHR			CAMM LOG00017		XXXXXXxx
01SEP03	11:07	Maintenance Comment		3.1	23Aug01 A23-016	FF: 01-NIL	MA: 06-BS
		0.0 AFHR			CAMM LOG00008		XXXXXXxx
01SEP03	11:08	Maintenance Comment		3.1	19Sep00 A23-016	FF: 01-NIL	MA: 06-BS
		0.0 AFHR			CAMM LOG00001		XXXXXXxx
01SEP03	11:08	Maintenance Comment		3.1	26Apr01 A23-016	06.10 3937.5	0.0 AFHR 02-BS DUE LC14285
		0.0 AFHR			CAMM LOG00004		XXXXXXxx
01SEP03	11:08	Maintenance Comment		3.1	18Aug03 A23-016	06.10 4717.6	0.0 AFHR 02-BS DUE LG33022
		0.0 AFHR			CAMM LOG00026		XXXXXXxx
01SEP03	11:11	Maintenance Comment		3.1	11Apr01 A23-016	FF: 01-NIL	MA: 06-BS
		0.0 AFHR			CAMM LOG00003		XXXXXXxx
01SEP03	11:12	Maintenance Comment		3.1	18Dec01 A23-016	06.10 4187.4	0.0 AFHR IN AS A23T 2126-00-00-B
		0.0 AFHR			CAMM LOG00011		XXXXXXxx
01SEP03	11:12	Maintenance Comment		3.1	23Jul02 A23-016	FF: 01-NIL	MA: 06-BS
		0.0 AFHR			CAMM LOG00015		XXXXXXxx
01SEP03	11:14	Maintenance Comment		3.1	31Oct02 A23-016	06.10 4567.6	0.0 AFHR 02-BS DUE LE29888
		0.0 AFHR			CAMM LOG00018		XXXXXXxx
29JAN04	22:32	Position Change		153.5	A23T A1UJK	00	
		4886.8 AFHR			A23T A1UJK	0	
		Maintenance Comment		0.0	A1PXXXY401329		XXXXXXxx
09DEC05	01:24	Change Serviceability Stat		0.9	CANCELLES THE TMC		
		5608.7 AFHR			S/I		
					US/I		
					A1PXXJY506968		XXXXXXxx



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00815  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0656  
 PART NO : 03W061738 ~00736  
 ENGINEERING NAME : FILTER ASSY FUEL  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW								
13DEC05	01:06	Asset Removal		836.6	516	A23-016	A23T A1UJK	00A
		5608.7 AFHR			A23T		A1UJK	00
		Change Serviceability Stat		3.9	US/I			XXxxXXxx
		Change Location of an Asse		xxxx	U/S	A23-016		
14DEC05	01:00	Change Serviceability Stat		0.9	HYD			
		5608.7 AFHR			U/S			XXxxXXxx
14DEC05	01:00	Change Location of an Asse		0.9	SERV			
		5608.7 AFHR			MMIST			XXxxXXxx
20FEB06	02:21	Asset Installation		69.0	A1PXXXY516838			
		5608.7 AFHR			A23T	A1UJK		00
		Change Serviceability Stat		68.0	525	A23-025	A23T A1UJK	00AC
		Change Location of an Asse		68.0	SERV			XXxxXXxx
		5608.7 AFHR			S/I			
16FEB09	21:54	Change Serviceability Stat		1.0	MMIST			
		6507.7 AFHR			A23-025			XXxxXXxx
03MAR09	03:47	Asset Removal		1107.0	A1PXXXY529143			
		6507.7 AFHR			525	A23-025	A23T A1UJK	00A
		Change Serviceability Stat		14.2	A23T			XXxxXXxx
		Change Location of an Asse		1107.0	US/I			
		6507.7 AFHR			U/S			
09MAR09	21:44	Change Location of an Asse		6.7	A23-025			
		6507.7 AFHR			INTMH			XXxxXXxx
03JUN09	03:20	Change Serviceability Stat		91.9	INTMH			
		6507.7 AFHR			HYD			XXxxXXxx
		Change Serviceability Stat			A1PXXXY902407			
		6507.7 AFHR			U/S			XXxxXXxx
		Change Serviceability Stat			SERV			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00816  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0656  
 PART NO : 03W061738 ~00736 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : FILTER ASSY FUEL  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
03JUN09 03:21	Change Location of an Asse		85.2	HYD MMIST	
08JUN09 22:34	Asset Installation	6507.7 AFHR	97.7	A1PXXXY905720 A23T A1UJK 524 A23-024 00	XXXXXXxx A23T A1UJK 00AC
	Change Serviceability Stat	6507.7 AFHR	5.8	SERV S/I	XXXXXXxx
	Change Location of an Asse		5.8	MMIST A23-024	
10JUN13 04:28	Change Serviceability Stat		17.8	S/I US/I	
13JUN13 02:06	Asset Removal	7403.6 AFHR	1465.1	A1PXXJY911705 524 A23-024 00	XXXXXXxx A23T A1UJK 00A
	Change Serviceability Stat	7403.6 AFHR	2.9	US/I U/S	XXXXXXxx
	Change Location of an Asse		1323.0	A23-024 INTMH	
18JUN13 05:32	Change Location of an Asse		5.1	INTMH HYD	
20JUN13 06:20	Change Serviceability Stat	7403.6 AFHR	7.1	A1PXXX1306296 U/S SERV	XXXXXXxx
20JUN13 06:21	Change Location of an Asse	7403.6 AFHR	2.0	HYD STORES	XXXXXXxx
02JUL13 05:46	Asset Installation	7403.6 AFHR	19.1	A1PXXX1306447 A23T A1UJK 515 A23-014 00	XXXXXXxx A23T A1UJK 00AC
	Change Serviceability Stat	7403.6 AFHR	11.9	SERV S/I	XXXXXXxx
	Change Location of an Asse		11.9	STORES A23-014	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00817  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0656  
 PART NO : 03W061738 ~00736 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : FILTER ASSY FUEL  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS		-----									
TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	VENUE		USER			
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	
10MAY16 23:27	Change Serviceability Stat			0.6	S/I US/I A1PXXJ1308177					XXxxXXxx	
12MAY16 05:39	Asset Removal	8180.6	AFHR	1044.9	515 A23T A1UJK	A23-014	00	A23T	A1UJK	00A	
	Change Serviceability Stat	8180.6	AFHR	1.2	US/I U/S					XXxxXXxx	
	Change Location of an Asse			118.0	A23-014 STORES						
18MAY16 03:39	Change Location of an Asse			5.9	HYD STORES						
02JUN16 02:32	Change Serviceability Stat	8180.6	AFHR	20.8	A1PXXX1604667 U/S SERV					XXxxXXxx	
02JUN16 02:34	Change Location of an Asse	8180.6	AFHR	14.9	HYD STORES					XXxxXXxx	
15AUG16 05:13	Asset Installation	8180.6	AFHR	94.9	A1PXXX1605084 A23T A1UJK	A23-033	00	A23T	A1UJK	00AC	
	Change Serviceability Stat	8180.6	AFHR	74.1	SERV S/I					XXxxXXxx	
	Change Location of an Asse			74.1	STORES A23-033						

UNSERVICEABILITIES										-----									
SERV NUMBER	STATUS	STATUS DATE/TIME		TOTAL LIFE	INT TYPE	CERTIFICATION		TRADESMAN											
RAISED DATE/TIME	RAISED USER ID	RAISED NAME		RAISED VENUE	CAPABILITY CODE	EPSS		DATE/TIME											
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME		ENTERED VENUE	IMIC NO			SUPERVISOR											
OPERATION NO	ASOR NO	SYMPTOMS								DATE/TIME									
EE500PG EE500LN										INSPECTOR									
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS								DATE/TIME									
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====										
A1PXXUY519108	COMPLETED	14DEC05	00:56	5608.7	AFHR			XXxxXXxxXXxxXXxxXXxx											
13DEC05 04:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx		AIP			XXxxXXxxXXxxXXxxXXxx												
		FUEL FILTER ELEMENT TO BE REMOVED AND CLEANED AS PART OF O/H.						14DEC05 00:56 XXxxXXxxXXxxXXxxXXxx											

Maint Acts: ELEMENT CLEANED, INSPECTED AND REINSTALLED IAW AAP 7271.364-3M REF  
 (Continued on next page.)

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 0656 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 03W061738 ~00736  
 ENGINEERING NAME : FILTER ASSY FUEL  
 VENUE : A23DISP LOCATION : A23-033

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

(Continued from previous page.)  
 OAM 1434/05

REMOVALS/INSTALLATIONS FOR 1PXXUY519108

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	L421287	A23T	A1UJK00	00	L421287	A23T	A1UJK00	00
	03W1738-231		13DEC05 04:54	1PXXJY529103	03W1738-231		14DEC05 00:54	

1PXXUY904163 COMPLETED 03JUN09 03:19 6507.7 AFHR SST  
 09MAR09 21:42 XXXXX  
 09MAR09 21:43 XXXXX  
 FUEL FILTER ELEMENT TO BE CLEANED & INSPECTED  
 XXXXX

Maint Acts: FILTER CLEANED, INSPECTED & REFITTED IAW AAP 7271.364-3M REF OAM 296/09

REMOVALS/INSTALLATIONS FOR 1PXXUY904163

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	L233263	A23T	A1UJK00	00	L233263	A23T	A1UJK00	00
	03W1738-231		09MAR09 21:43	1PXXJY904812	03W1738-231		03JUN09 03:18	

1PXXU1307638 COMPLETED 20JUN13 06:17 7403.6 AFHR SCM  
 18JUN13 05:32 XXXXX  
 18JUN13 05:33 XXXXX  
 FILTER ELEMENT TO BE REMOVED, CLEANED & INSPECTED  
 XXXXX

Maint Acts: FILTER SERVICED & REFITTED IAW AAP 7271.364-3M REF 9537/13

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00819  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 0656 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 03W061738 ~00736  
 ENGINEERING NAME : FILTER ASSY FUEL  
 VENUE : A23DISP LOCATION : A23-033  
 REMOVALS/INSTALLATIONS FOR A1PXXU1307638

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	R012071	A23T	A1UJK00	00	R012071	A23T	A1UJK00	00
03W1738-231	18JUN13 05:35	A1PXXJ1307953	03W1738-231	20JUN13 06:10				

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					
2FTSXJCA03422	C COMPLETED	18AUG03 00:00	XXxxXXxx		2FTS	0.0	
02 BAY SERVICE DUE	18AUG03 00:00						

Unserviceability Details:  
 Maintenance Comments:

A1PXXJY506968	C COMPLETED	13DEC05 01:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	5608.7	AFHR
03 OVERHAUL DUE	14DEC05 01:00			OH due on Serial 0656			
01 NO FAULT		07 OVERHAUL		FILTER ASSY FUEL at WAC 0610			

Unserviceability Details:  
 Maintenance Comments: FILTER ASSY OH IAW AAP 7271-364.3M REF OAM 1434/05

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	900.0	AFHR	293.3		
SM	OH	900.0	AFHR	293.3		

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 0656  
PART NO : 03W061738 ~00736 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : FILTER ASSY FUEL  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

1PXXJY529143	C COMPLETED	03MAR09 03:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
03 OVERHAUL DUE	03JUN09 03:20	16FEB09 21:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	6507.7	AFHR
01 NO FAULT		07 OVERHAUL		OH	due on Serial 0656		
				FILTER ASSY FUEL	at WAC 0610		
		Unserviceability Details:		OVERHAUL C/O IAW AAP 7271.364-3M REF OAM 296/09			
		Maintenance Comments:					

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	900.0	AFHR	899.0		
SM	OH	900.0	AFHR	899.0		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

1PXXJY911705	C COMPLETED	13JUN13 02:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
03 OVERHAUL DUE	20JUN13 06:20	10JUN13 04:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	7403.6	AFHR
01 NO FAULT		07 OVERHAUL		OH	due on Serial 0656		
				FILTER ASSY FUEL	at WAC 0610		
		Unserviceability Details:		OVERHAUL C/O IAW AAP 7271.364-3M REF HYD 9537/13			
		Maintenance Comments:					

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	900.0	AFHR	895.9		
SM	OH	900.0	AFHR	895.9		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 0656  
 PART NO : 03W061738 ~00736 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : FILTER ASSY FUEL  
 VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

```

=====
A1PXXJ1308177  C  COMPLETED      12MAY16  05:39  XXxxXXxx  XXxxXXxxXXxxXXxxXXxx AIP  AIP
                02JUN16  02:32      10MAY16  23:27  XXxxXXxx  XXxxXXxxXXxxXXxxXXxx AIP  8180.6  AFHR
03 OVERHAUL DUE                                OH  due on Serial 0656
                FILTER ASSY FUEL  at WAC 0610
01 NO FAULT                                07 OVERHAUL
                Unserviceability Details:
                Maintenance Comments:  OVERHAUL C/O IAW AAP 7271.364-3M REF HYD 14624/16
  
```

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
=====	=====	=====	=====	=====	=====	=====
SM	OH	900.0	AFHR	777.0		
SM	OH	900.0	AFHR	777.0		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00822  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 069  
 PART NO : 532.11.09.116 ~S4080  
 ENGINEERING NAME : DOOR MLG RH INBD  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 7314.4 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
				LIFE SINCE NEW				
31AUG03	15:48	Maintenance	Comment	2.3	29Aug03	2FTHG122	00. 3364.1 AFHR	TX TO CAMM2 XXxxXXxx
31AUG03	15:54	Maintenance	Comment	2.3	27Jan94	NEW - 069	532.11.09.034	1174-00-00-H XXxxXXxx
01MAR05	00:03	Asset	Installation	549.6	A23T	A2KCK	00	A23T A2KCK XXxxXXxx
			Change Serviceability Stat	2805.0	SERV	S/I		
			Change Location of an Asse	663.0	HG122	HG121		
21NOV05	06:13	Asset	Removal	265.2	521	A23-038	00	A23T A2KCK 00MMI
			Change Serviceability Stat	265.2	S/I	U/S		XXxxXXxx
			Change Location of an Asse	19.2	A23-038	SURFIN		
21NOV05	06:14	Change	Serviceability Stat	0.0	U/S	SERV		
14FEB06	02:13	Asset	Installation	84.8	A23T	A2KCK	00	XXxxXXxx
			Change Serviceability Stat	84.8	521	A23-038		A23T A2KCK XXxxXXxx
			Change Location of an Asse	84.8	SERV	S/I		
			Change Location of an Asse	84.8	SURFIN	A23-038		

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00823  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 069  
 PART NO : 532.11.09.116 ~S4080  
 ENGINEERING NAME : DOOR MLG RH INBD  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
01MAR06 23:17	Asset Removal 3364.1 AFHR	15.8	521 A23T A2KCK A23-038 00	A23T A2KCK 00A
	Change Serviceability Stat	15.8	S/I U/S	XXXXXXxx
	Change Location of an Asse	15.8	A23-038 MMIST	
01MAR06 23:18	Change Serviceability Stat 3364.1 AFHR	0.0	U/S SERV	XXXXXXxx
02MAR06 06:38	Change Part Number of an A 3364.1 AFHR	915.9	532.11.09.034 ~S4080 532.11.09.116 ~S4080 A1PXXXY601584	XXXXXXxx
	Maintenance Comment	0.0	AS PER LABEL	
04APR06 06:43	Change Venue of an Asset 3364.1 AFHR	377.7	AIP NONC2CONT A1PXXXY602475	XXXXXXxx
	Change Location of an Asse	33.3	MMIST HOLD	
19JUN06 00:00	Change Venue of an Asset 3364.1 AFHR	75.7	NONC2CONT AIP NONC2XY605972	XXXXXXxx
	Change Location of an Asse	75.7	HOLD MMIST	
22JUN06 23:38	Asset Installation 3364.1 AFHR	113.0	A23T A2KCK A23-033 00	A23T A2KCK 00AC
	Change Serviceability Stat	113.0	SERV S/I	XXXXXXxx
	Change Location of an Asse	3.9	MMIST A23-033	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00824  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 069  
 PART NO : 532.11.09.116 ~S4080  
 ENGINEERING NAME : DOOR MLG RH INBD  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW						
24SEP07 00:55	Asset Removal	458.0	027	A23-033	A23T A2KCK 00	A23T A2KCK 00A
	3870.6 AFHR Change Serviceability Stat	13.4	S/I			XXxxXXxx
	Change Location of an Asse	458.0	U/S	A23-033		
24SEP07 00:56	Change Serviceability Stat	0.0	HG121			
	3870.6 AFHR		U/S			XXxxXXxx
01MAY08 03:36	Asset Installation	220.1	SERV	A23-033	A23T A2KCK 00	A23T A2KCK 00AC
	3870.6 AFHR Change Serviceability Stat	220.1	S/I			XXxxXXxx
	Change Location of an Asse	220.1	HG121			
07NOV13 10:09	Position Change	2016.2	A23-033			
	5641.0 AFHR		A23T A2KCK		00	
	Maintenance Comment	0.0	A23T A2KCK		00	XXxxXXxx
07NOV13 10:36	Position Change	2016.2	A1PXXX1312199			
	5641.0 AFHR		A23T A2KCK		00	XXxxXXxx
	Maintenance Comment	0.0	A1PXXX1312205			
11NOV13 13:38	Change Serviceability Stat	0.2	POLICY COPY: STI-PC9-0567 AUTH: MPAN 31/2013			
	5647.7 AFHR		S/I			XXxxXXxx
11NOV13 13:40	Change Serviceability Stat	0.0	US/I			
	5647.7 AFHR		A1PXXJ1315553			XXxxXXxx
			US/I			
			S/I			XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00825  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 069  
 PART NO : 532.11.09.116 ~S4080  
 ENGINEERING NAME : DOOR MLG RH INBD  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
22MAY15 00:21	Asset Removal	2576.8	027 A23T A2KCK A23-033 00	A23T A2KCK 00A
	6039.9 AFHR Change Serviceability Stat	56.6	S/I U/S	XXXXXXxx
	Change Location of an Asse	7.8	A23-033 INTMH	
22MAY15 00:25	Change Serviceability Stat	0.0	U/S SERV	
	6039.9 AFHR			XXXXXXxx
22MAY15 00:26	Asset Installation	0.0	A23T A2KCK A23-033 00	A23T A2KCK 00AC
	6039.9 AFHR Change Serviceability Stat	0.0	SERV S/I INTMH A23-033	XXXXXXxx
	Change Location of an Asse	0.0		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS		UNSERVICEABILITY DETAILS			
MAINT PROCESS	UNSERVICEABILITY	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					
A1PXXJY528023	C COMPLETED	21NOV05 06:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	21NOV05 06:14					3364.1	AFHR
13	REMOVED FOR ACCESS	99	NO FAILURE		RH MLG INB DOOR RFA		
01	NO FAULT	04	CHECK/TEST SERV				
			Unserviceability Details:		CHECK/TEST SERV		
			Maintenance Comments:				
A1PXXJY603876	C COMPLETED	01MAR06 23:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	01MAR06 23:18					3364.1	AFHR
13	REMOVED FOR ACCESS	99	NO FAILURE		RH INBD DOOR, S/N 069 RFA		
01	NO FAULT	04	CHECK/TEST SERV				
			Unserviceability Details:		CHECK/TEST SERV		
			Maintenance Comments:				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : 069  
PART NO : 532.11.09.116 ~S4080  
ENGINEERING NAME : DOOR MLG RH INBD  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJY718020	C COMPLETED	24SEP07 00:55	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	24SEP07 00:56	24SEP07 00:55	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	3870.6	AFHR
13 REMOVED FOR ACCESS	99 NO FAILURE			S33	due on Serial A23-033		
				PC-9	at WAC 0000		
01 NO FAULT	04 CHECK/TEST SERV						
	Unserviceability Details:						
	Maintenance Comments:			CHECK/TEST SERV			

A1PXXJ1315553	C COMPLETED	11NOV13 13:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	11NOV13 13:40	11NOV13 13:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	5647.7	AFHR
08 MOD/STI/DVI REQUIRED				STI-PC9-0567	due on Serial 069		
				DOOR MLG RH INBD	at WAC 1050		
01 NO FAULT	08 MOD/STI/DVI INCORP						
	Unserviceability Details:						
	Maintenance Comments:			STI-PC9-0567 C/O IAW STI INSTRUCTIONS, REFER 525361/2			

A1PXXJ1507892	C COMPLETED	22MAY15 00:21	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	22MAY15 00:25	22MAY15 00:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	6039.9	AFHR
01 UNSERVICEABLE	09 R2 SERVICING			L/H AND R/H MLG I/B DOOR	HAS EXCESSIVE PLAY.		
	06 OUT OF LIMITS						
01 NO FAULT	04 CHECK/TEST SERV						
	Unserviceability Details:			DOOR HAS EXCESSIVE PLAY			
	Maintenance Comments:			DOOR HINGE BUSHING REPLAECED IAW AAP 7212.007-2.			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00827  
08JAN20  
23:16:15

SERIAL/TAIL NO : 069  
PART NO : 532.11.09.116 ~S4080  
ENGINEERING NAME : DOOR MLG RH INBD  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

STI STATUS CHANGE -----

STI NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
=====	=====	=====	=====	=====	=====	=====
STI-PC9-0567	N	07NOV13 11:43	NINC			
STI-PC9-0567	Y	11NOV13 13:40	INC	A1PXXJ1315553	11NOV13 13:38	5647.7 AFHR

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 00828  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 082  
 PART NO : 556.10.09.043 ~S4080  
 ENGINEERING NAME : CANOPY AND LOCKS  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 7448.4 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
01SEP03	18:55	Maintenance	Comment	0.0 AFHR	3.4	30Apr03	A23-043	07.20 4173.0 4173.0 AFHR	IN AS A23T 2804-00-00-B CMM LOG00011 XXXXXXxx
01SEP03	19:00	Maintenance	Comment	0.0 AFHR	3.4		CANOPY SEAL LEAKING		XXXXXXxx
01SEP03	19:00	Maintenance	Comment	0.0 AFHR	3.4	08Mar89	NEW - 082	556.10.09.043 2804-00-00-B	CMM LOG00005 XXXXXXxx
01SEP03	19:01	Maintenance	Comment	0.0 AFHR	3.4	18Jan02	DISPATCHED TO PEAXCON		XXXXXXxx
01SEP03	19:03	Maintenance	Comment	0.0 AFHR	3.4	10Jan01	A23-004	07.20 4084.3 4084.3 AFHR	IN AS A23T 2804-00-00-B CMM LOG00002 XXXXXXxx
01SEP03	19:03	Maintenance	Comment	0.0 AFHR	3.4		TRANSPARENCIES FITTED		XXXXXXxx
01SEP03	19:04	Maintenance	Comment	0.0 AFHR	3.4	16Apr03	2FTPOM	FF: 02-MECHFAIL	MA: 02-REPAIR CMM LOG00007 XXXXXXxx
01SEP03	19:07	Maintenance	Comment	0.0 AFHR	3.4	20Jun01	A23-004	07.20 4173.0 4173.0 AFHR	01-FAILED LC17393 CMM LOG00003 XXXXXXxx
01SEP03	19:07	Maintenance	Comment	0.0 AFHR	3.4		2FTREP	WFD: 01-IN FLIGHT	US: 09-LEAKING CMM LOG00004 XXXXXXxx
01SEP03	19:07	Maintenance	Comment	0.0 AFHR	3.4	16Apr03	RIVNUTS FITTED	USE SCREWS MS27039-0811	XXXXXXxx
01SEP03	19:09	Maintenance	Comment	0.0 AFHR	3.4	10Jan01	XLOC	00. 4084.3 4084.3 AFHR	RECEPTION (MIRE) CMM LOG00001 XXXXXXxx
01SEP03	19:10	Maintenance	Comment	0.0 AFHR	3.4	29Aug03	A23-043	07.20 4364.3 AFHR	TX TO CMM2 CMM LOG00013 XXXXXXxx
01SEP03	19:15	Maintenance	Comment	0.0 AFHR	3.4		NEW CANOPY SEAL, FRONT AND REAR		XXXXXXxx
07JAN04	04:49	Asset Removal		4471.6 AFHR	130.8	543	A23-043		A23T ALUKW 00A A23T ALUKW 00 XXXXXXxx
		Change Serviceability Stat		33.1		S/I			
		Change Location of an Asse		xxxx		U/S	A23-043		
						INTMH			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00829  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 082  
 PART NO : 556.10.09.043  
 ENGINEERING NAME : CANOPY AND LOCKS  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
07JAN04 04:52	Change Serviceability Stat	0.0	U/S SERV	
	4471.6 AFHR			XXXXXXxx
07JAN04 04:53	Asset Installation	0.0	A23T 543 A1UKW A23-043 00	A23T A1UKW 0 A
	4471.6 AFHR			XXXXXXxx
	Change Serviceability Stat	0.0	SERV S/I	
	Change Location of an Asse	0.0	INTMH A23-043	
06SEP11 13:49	Asset Removal	2799.3	543 A23T A1UKW A23-043 00	A23T A1UKW 00A
	6976.8 AFHR			XXXXXXxx
	Change Serviceability Stat	0.3	S/I U/S	
	Change Location of an Asse	2799.3	A23-043 STORES	
12SEP11 23:27	Change Serviceability Stat	6.4	U/S SERV	
	6976.8 AFHR			XXXXXXxx
12SEP11 23:28	Change Serviceability Stat	0.0	SERV U/S	
	6976.8 AFHR			XXXXXXxx
27SEP11 02:54	Change Venue of an Asset	2950.7	AIP NONC2CONT A1PXXX1108723	XXXXXXxx
	6976.8 AFHR			XXXXXXxx
	Change Location of an Asse	20.5	STORES HOLD	
18NOV15 00:44	Position Change	1533.4	A23T A1UKW 00	
	6976.8 AFHR		A23T A1UKW 00	
	Maintenance Comment	0.0	NONC2X1513163	XXXXXXxx
			GLOBAL POLICY CHANGE TO DELETE OVERHAUL. NEW = TR	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00830  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 082  
 PART NO : 556.10.09.043 ~S4080  
 ENGINEERING NAME : CANOPY AND LOCKS  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
28JAN18 22:51	Change Venue of an Asset	2315.8	NONC2CONT AIP	
	6976.8 AFHR		NONC2X1800745	XXxxXXxx
	Change Location of an Asse	2315.8	HOLD HG121	
23MAY18 00:22	Maintenance Comment	0.0	STI-PC9-0576A/B INC REF LSN AIP MCS125/18 PAGE 3 LINE TWO	
	6976.8 AFHR		A1PXXX1804891	XXxxXXxx
23MAY18 00:24	Maintenance Comment	0.0	STI-PC9-0576A/B INC REF U/S NO A1PXXU1804646=STI STATUS CNX	
	6976.8 AFHR		A1PXXX1804892	XXxxXXxx
24MAY18 04:58	Change Serviceability Stat	2445.2	U/S SERV	
	6976.8 AFHR			XXxxXXxx
24MAY18 05:37	Asset Installation	2451.6	A23T A1UKW 00	
	6976.8 AFHR		533 A23-033	A23T A1UKW 00AC
	Change Serviceability Stat	0.0	SERV S/I	XXxxXXxx
	Change Location of an Asse	115.2	HG121 A23-033	

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1801113	COMPLETED	22MAY18 05:52	6976.8	AFHR	SCT	XXxxXXxxXXxxXXxxXXxx
28JAN18 23:02	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			22MAY18 05:52
28JAN18 23:02	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		NDT due on Serial 082				
		CANOPY at WAC 0720				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	NDT CARRIED OUT IAW AAP 7212.007-36 SECT 4 CHAP 39. NIL CRACKING DETECTED REF: AIP/NDT/GENERAL/834 REF: AIP MCS 125/18-2-1				



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : 082  
PART NO : 556.10.09.043 ~S4080  
ENGINEERING NAME : CANOPY AND LOCKS  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1803948	COMPLETED	24MAY18 04:56	6976.8	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx	
27MAR18 22:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP				
27MAR18 23:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		CTK #50, 71, 73 IN USE, TO BE CLEARED AND CLOSED					24MAY18 04:56
						XXxxXXxxXXxxXXxxXXxx	

Maint Acts: CTK #50,71 &73 CLEARED.

A1PXXU1804646	COMPLETED	23MAY18 00:30	6976.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx	
11APR18 22:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			23MAY18 00:30	
11APR18 22:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		Camm2 DOWN ; INTENT OF STI-PC9-0576 A AND B PC9-CANOPY-RIVNUT INSPECTION AND REPAIR TO BE CARRIED OUT IAW TASPO FORMAL ADVISE 32-2015 - CLOSURE OF STI-PC9-0576, NOTE : CANOPY S/NO 082 P/NO 556.10.09.101					XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-0576 A AND B CARRIED OUT IAW STI INSTRUCTIONS FOUND ALL RIVNUTS CORRECTLY INSTALLED. REFER AIP MCS 125/18-3-2

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJY400191	C COMPLETED	07JAN04 04:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
		07JAN04 04:52				4471.6	AFHR
13 REMOVED FOR ACCESS	99 NO FAILURE			CANOPY RFA			
01 NO FAULT	04 CHECK/TEST SERV						
		Unserviceability Details:					
		Maintenance Comments:		REFITTED			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 082  
 PART NO : 556.10.09.043 ~S4080  
 ENGINEERING NAME : CANOPY AND LOCKS  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJ1113640	C COMPLETED	12SEP11 23:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	24MAY18 04:54	12SEP11 23:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	6976.8	AFHR
01 UNSERVICEABLE		05 TECHNICAL B/F		REAR TRANSPERANCY CRACKED			
		01 DAMAGED/CRACKED					
08 DAMAGE		02 REPAIR					
		Unserviceability Details:		REAR TRANSPERANCY CRACKED			
		Maintenance Comments:		SERV REAR TRANSPARENCY FROM CANOPY S/NO H703064 FITTED IAW ADO-09-DD-18-014.			

A1PXXJ1805258	C COMPLETED	27MAR18 23:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	24MAY18 04:58	27MAR18 23:02	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	6976.8	AFHR
01 UNSERVICEABLE		15 DEPOT LEVEL MAINTENANCE		REAR TRANSPARENCY FROM SN. H703064 TO BE FITTED			
		01 DAMAGED/CRACKED					
02 MECHANICAL COMPONENT FAIL		02 REPAIR					
		Unserviceability Details:		REAR TRANSPARENCY CRACKED			
		Maintenance Comments:		SERV REAR TRANSPARENCY FROM CANOPY S/NO H703064 FITTED IAW ADO-09-DD-18-014., REFER AIP MCS 125/18			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00833  
08JAN20  
23:16:15

SERIAL/TAIL NO : 082  
PART NO : 556.10.09.043 ~S4080  
ENGINEERING NAME : CANOPY AND LOCKS  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

STI STATUS CHANGE -----

STI NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
=====	=====	=====	=====	=====	=====	=====
STI-PC9-0281	N	08OCT02 00:00	NINC			
STI-PC9-0281	Y	20SEP03	N/A			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00834  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 082  
 PART NO : 556.10.09.101  
 ENGINEERING NAME : CANOPY  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

~S4080

PERIOD: 01JAN90 TO 08JAN20

LOCATION : A23-033  
 LIFE SINCE NEW : 7448.4 AFHR

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
01SEP03	23:12	Maintenance	Comment	0.0 AFHR	3.6	04Aug03	STI-PC9-0247	STI STATUS NOW RINC	RINC
01SEP03	23:13	Maintenance	Comment	0.0 AFHR	3.6	30Oct00	STI-PC9-0247	STI STATUS NOW RINC	XXXXXXXXXX
01SEP03	23:13	Maintenance	Comment	0.0 AFHR	3.6	30Apr03	STI-PC9-0247	STI STATUS NOW RINC	XXXXXXXXXX
01SEP03	23:14	Maintenance	Comment	0.0 AFHR	3.6	09Mar92	A23-012 07.0	997.5 997.5 AFHR	XXXXXXXXXX
01SEP03	23:14	Maintenance	Comment	0.0 AFHR	3.6	21Jan97	A23-012 07.0	2839.9 2839.9 AFHR	XXXXXXXXXX
01SEP03	23:14	Maintenance	Comment	0.0 AFHR	3.6	29Aug03	082 07.20	4364.3 AFHR TX TO CAMM2	XXXXXXXXXX
01SEP03	23:18	Maintenance	Comment	0.0 AFHR	3.6	23Apr98	A23-004 07.2	3370.0 3370.0 AFHR	XXXXXXXXXX
01SEP03	23:18	Maintenance	Comment	0.0 AFHR	3.6	21Jan97	A23-004 07.2	2839.9 2839.9 AFHR	XXXXXXXXXX
01SEP03	23:18	Maintenance	Comment	0.0 AFHR	3.6	18Jan01	STI-PC9-0247	STI STATUS NOW RINC	XXXXXXXXXX
01SEP03	23:18	Maintenance	Comment	0.0 AFHR	3.6	08Mar89	NEW - 082	556.10.09.101 2804-01-00-H	XXXXXXXXXX
01SEP03	23:20	Maintenance	Comment	0.0 AFHR	3.6	16Apr03	082 00.20	4173.0 0.0 AFHR	XXXXXXXXXX
01SEP03	23:21	Maintenance	Comment	0.0 AFHR	3.6	10Jan01	A23-004 07.20	4084.3 0.0 AFHR	XXXXXXXXXX
01SEP03	23:27	Maintenance	Comment	0.0 AFHR	3.6	03Mar92	A23-012 07.0	997.5 997.5 AFHR	XXXXXXXXXX
01SEP03	23:28	Maintenance	Comment	0.0 AFHR	3.6	21Jan97	2FTINTMH	FF: 01-NIL	XXXXXXXXXX
01SEP03	23:28	Maintenance	Comment	0.0 AFHR	3.6	10Jan01	082 00.20	4084.3 0.0 AFHR	XXXXXXXXXX
05APR04	23:44	Maintenance	Change Part Number of an A	0.0	0.0			NO PARENT TRANSACTION DETAILS	XXXXXXXXXX
			Comment					MPAN 14/2004	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00835  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 082  
 PART NO : 556.10.09.101  
 ENGINEERING NAME : CANOPY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
19APR04 09:47	Change Serviceability Stat	4610.1 AFHR	4.3	S/I US/I A1PXXJY406220	XXxxXXxx
19APR04 11:03	Change Serviceability Stat	4610.1 AFHR	0.0	US/I S/I	XXxxXXxx
24MAR10 10:48	Change Serviceability Stat	6712.6 AFHR	0.4	S/I US/I A1PXXJY924222	XXxxXXxx
26MAR10 00:29	Change Serviceability Stat	6712.6 AFHR	1.5	US/I S/I	XXxxXXxx
29SEP10 07:02	Change Serviceability Stat	6718.4 AFHR	176.1	S/I US/I A1PXXJ1005591	XXxxXXxx
20OCT10 04:46	Asset Removal	6718.4 AFHR	2608.8	082 A23T A1UKW02	A23T A1UKW02 00A
	Change Serviceability Stat	6718.4 AFHR	20.9	US/I U/S	XXxxXXxx
20OCT10 04:47	Asset Installation	6718.4 AFHR	0.0	A23T A1UKW02	A23T A1UKW02 00AC
	Change Serviceability Stat	6718.4 AFHR	0.0	U/S US/I 082	XXxxXXxx
20OCT10 22:59	Asset Removal	6718.4 AFHR	0.7	A23T A1UKW02	A23T A1UKW02 00A
	Change Serviceability Stat	6718.4 AFHR	0.7	US/I U/S	XXxxXXxx
	Change Location of an Asse		2478.7	A23-043 INTMH	
20OCT10 23:01	Change Serviceability Stat	6718.4 AFHR	0.0	U/S SERV	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 00836  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 082  
 PART NO : 556.10.09.101 ~S4080  
 ENGINEERING NAME : CANOPY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
20OCT10 23:01	Asset Installation	0.0	A23T A1UKW02 00 082 A23-043	A23T A1UKW02 00AC XXXXXXxx
	6976.8 AFHR Change Serviceability Stat	0.0	SERV	
	Change Location of an Asse	0.0	S/I INTMH A23-043	
	Change Part Number of an A		NO PARENT TRANSACTION DETAILS	
21JAN15 03:14	Maintenance Comment	0.0	TASPO MPAN 30/2014 - STI-PC9-576 A+B ADDED	
19JUN17 22:52	Position Change	2433.9	A23T A1UKW02 00 A23T A1UKW02 00	
	6976.8 AFHR Maintenance Comment	0.0	NONC2X1706843	XXXXXXxx
28JAN18 23:02	Change Serviceability Stat	2336.7	POLICY COPY AS PER MPAN 032/2017 OID: AK14634026 S/I	
	6976.8 AFHR Maintenance Comment	0.0	US/I NONC2J1702117	XXXXXXxx
12APR18 02:23	Change Serviceability Stat	113.2	STI-PC9-0576 A & B COMPLIANCE REF A1PXXU1804646 A1PXXX1803275	XXXXXXxx
22MAY18 05:52	Change Serviceability Stat	113.2	US/I	
	6976.8 AFHR Change Part Number of an A		S/I	XXXXXXxx
26JUN19 03:29	Maintenance Comment	0.0	NO PARENT TRANSACTION DETAILS POLICY COPY IAW MPAN 017/2019	

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJY406220	C COMPLETED	19APR04 11:02	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP 4610.1	AFHR
08 MOD/STI/DVI REQUIRED				STI-PC9-0328		due on Serial 082	
01 NO FAULT		08 MOD/STI/DVI INCORP		CANOPY		at WAC 0720	
		Unserviceability Details:					
		Maintenance Comments:		NIL CRACKS EVIDENT			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 082  
 PART NO : 556.10.09.101 ~S4080  
 ENGINEERING NAME : CANOPY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

=====  
 A1PXXJY924222 C COMPLETED 26MAR10 00:24 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 26MAR10 00:29 24MAR10 10:48 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 6712.6 AFHR  
 08 MOD/STI/DVI REQUIRED STI-PC9-0517 due on Serial 082  
 CANOPY at WAC 0720  
 01 NO FAULT 08 MOD/STI/DVI INCORP  
 Unserviceability Details:  
 Maintenance Comments: STI C/O IAW INSTRUCTIONS REF MCS 196/10-8/4

NONC2J1702117 C COMPLETED 22MAY18 05:50 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 22MAY18 05:52 28JAN18 23:02 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 6976.8 AFHR  
 07 SCHED PERFORMANCE MONITOR NDT due on Serial 082  
 CANOPY at WAC 0720  
 01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: NDT CARRIED OUT IAW AAP 7212.007-36 SECT 4 CHAP 39. NIL  
 CRACKING DETECTED REF: AIP/NDT/GENERAL/834 REF: AIP MCS  
 125/18-2-1

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT	660.0	AFHR			
SM	NDT	660.0	AFHR			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00838  
08JAN20  
23:16:15

SERIAL/TAIL NO : 082  
PART NO : 556.10.09.101 ~S4080  
ENGINEERING NAME : CANOPY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

STI STATUS CHANGE -----

STI NUMBER =====	CURRENT(Y/N) =====	STATUS DATE/TIME =====	STATUS =====	JOB/SERV NO =====	START DATE/TIME =====	LIFE SINCE NEW =====
STI-PC9-0247	Y	04AUG03 00:00	RINC			
STI-PC9-0328	N	05APR04	NINC			
STI-PC9-0328	Y	19APR04	INC	A1PXXJY406220	19APR04 11:02	4610.1 AFHR
STI-PC9-0517	N	11NOV09	NINC			
STI-PC9-0517	Y	26MAR10	INC	A1PXXJY924222	26MAR10 00:24	6712.6 AFHR
STI-PC9-0690	Y	26JUN19 03:29	NINC			
STI-PC9-576A	N	21JAN15 03:14	NINC			
STI-PC9-576A	Y	11APR18 00:00	N/A			
STI-PC9-576B	N	21JAN15 03:14	NINC			
STI-PC9-576B	Y	11APR18 00:00	N/A			



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 00839  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 083  
 PART NO : DK463-10 ~D2439  
 ENGINEERING NAME : INDIC OXYGEN COCKPI  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 9545.2 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
01SEP03	12:29	Maintenance	Comment	0.0 AFHR	3.1	09Jul99	A23-033	07.40 3425.0 3425.0 AFHR	IN AS A23T 2251-00-00-D CMM LOG00007 XXXXXXxx
01SEP03	12:30	Maintenance	Comment	0.0 AFHR	3.1	08Aug94	STI-PC9-126B	STI STATUS NOW NA	NA CMM LOG00001 XXXXXXxx
01SEP03	12:32	Maintenance	Comment	0.0 AFHR	3.1	29Apr98	A23-033	07.4 2946.0 2946.0 AFHR	UPDATED LIFE (MPMI) CMM LOG00004 XXXXXXxx
01SEP03	12:36	Maintenance	Comment	0.0 AFHR	3.1	02Jul99	A23-033	07.4 3425.0 3425.0 AFHR	13-REMACCES LY96642 CMM LOG00005 XXXXXXxx
01SEP03	12:36	Maintenance	Comment	0.0 AFHR	3.1	13Sep01	A23-033	07.40 4199.7 4199.7 AFHR	IN AS A23T 2251-00-00-D CMM LOG00010 XXXXXXxx
01SEP03	12:36	Maintenance	Comment	0.0 AFHR	3.1	10Sep01	A23-033	07.40 4199.7 4199.7 AFHR	13-REMACCES LD11539 CMM LOG00008 XXXXXXxx
01SEP03	12:37	Maintenance	Comment	0.0 AFHR	3.1	29Aug03	A23-033	07.40 4770.4 AFHR	TX TO CMM2 CMM LOG00012 XXXXXXxx
01SEP03	12:39	Maintenance	Comment	0.0 AFHR	3.1	10Sep01	2FTHG122	FF: 01-NIL	MA: 04-CHK/TST CMM LOG00009 XXXXXXxx
01SEP03	12:39	Maintenance	Comment	0.0 AFHR	3.1	03Sep97	A23-033	07.4 2623.9 2623.9 AFHR	UPDATED LIFE (MIUP) CMM LOG00002 XXXXXXxx
01SEP03	12:42	Maintenance	Comment	0.0 AFHR	3.1	CURRENT LIFE: OLD = 2622.9 AFHR NEW = 2623.9 AFHR			XXXXXXxx
01SEP03	12:45	Maintenance	Comment	0.0 AFHR	3.1	23Apr90	NEW - 083	DK463-10	2251-00-00-D CMM LOG00011 XXXXXXxx
01SEP03	12:46	Maintenance	Comment	0.0 AFHR	3.1	02Jul99	2FTHG121	FF: 01-NIL	MA: 04-CHK/TST CMM LOG00006 XXXXXXxx

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
2FTSXJCA11949	C COMPLETED	23APR90 00:00	XXXXXXxx		2FTS		0.0
03 OVERHAUL DUE							

Unserviceability Details:  
 Maintenance Comments:

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 083  
PART NO : DK463-10 ~D2439 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : INDIC OXYGEN COCKPI  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

=====

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00841  
08JAN20  
23:16:15

SERIAL/TAIL NO : 083  
PART NO : DK463-10 ~D2439  
ENGINEERING NAME : INDIC OXYGEN COCKPI  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

STI STATUS CHANGE -----

STI NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
=====	=====	=====	=====	=====	=====	=====
STI-PC9-126B	N	29AUG03 08:31	NINC			
STI-PC9-126B	Y	21SEP03	N/A			

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 08797 LITERAL SERIAL NO : 08797 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 00649-00-01 ~U1BL7  
ENGINEERING NAME : CONTROL UNIT TC20  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 471.6 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE UNPACKED			

05APR18 00:26	08797	00649-00-01	~U1BL7	A23T	01
aip02188	AIP	INTMH		ALUCS	
R. ORLOWSKI		03JAN18		A1PXXR1800396	
				N/A	

0.0 AFHR

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00843  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 08797 LITERAL SERIAL NO : 08797 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 00649-00-01 ~U1BL7  
 ENGINEERING NAME : CONTROL UNIT TC20  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
				TRANS REFERENCE		
05APR18	00:43	Maintenance Comment	0.0	MMI ASSET PART OF MOD 7212.007-272 MOD INC		
		0.0 AFHR		A1PXXX1802959		XXxxXXxx
05APR18	00:44	Maintenance Comment	0.0	REF TRIG AV ARC NO TNG 06811 AUTH G MCGOWAN	03JAN18	
		0.0 AFHR		A1PXXX1802961		XXxxXXxx
10MAY18	01:20	Asset Installation	127.0	A23T A1UCS 01		
		0.0 AFHR		533 A23-033		A23T A1UCS 01AC
		Change Serviceability Stat	127.0	SERV		XXxxXXxx
		Change Location of an Asse	127.0	S/I		
		Change Part Number of an A		INTMH		
		Maintenance Comment	0.0	A23-033		
10MAY19	07:24	Maintenance Comment	0.0	NO PARENT TRANSACTION DETAILS		
20MAY19	03:43	Change Serviceability Stat	13.5	POLICY COPY AS PER MPAN 012/2019		
		327.0 AFHR		S/I		
21MAY19	05:24	Change Serviceability Stat	1.0	US/I		XXxxXXxx
		327.0 AFHR		A1PXXJ1907813		
				US/I		XXxxXXxx
				S/I		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS	MAINTENANCE COMMENT		
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					
A1PXXJ1907813	C COMPLETED	21MAY19 05:21	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	21MAY19 05:24	20MAY19 03:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	327.0 AFHR	
08 MOD/STI/DVI REQUIRED				STI-PC9-0688	due on Serial 08797		
01 NO FAULT	08 MOD/STI/DVI INCORP			CONTROL UNIT TC20	at WAC 0730		
	Unserviceability Details:						
	Maintenance Comments:			STI INCORPORATED IAW STI LEAFLET REF AIPMCS272-1/19-9-1			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : 08797                      LITERAL SERIAL NO : 08797                      PERIOD: 01JAN90 TO 08JAN20  
PART NO : 00649-00-01                      ~U1BL7  
ENGINEERING NAME : CONTROL UNIT TC20  
VENUE : A23DISP                      LOCATION : A23-033

STI STATUS CHANGE -----

STI NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
=====	=====	=====	=====	=====	=====	=====
STI-PC9-0688	N	10MAY19 07:24	NINC			
STI-PC9-0688	Y	21MAY19 05:22	INC	A1PXXJ1907813	21MAY19 05:21	327.0 AFHR

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00845  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 10068  
 PART NO : 501-1131-01 ~25583  
 ENGINEERING NAME : IND ATTITUDE STBY  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 7130.6 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
30AUG03	18:52	Maintenance	Comment	0.0 AFHR	1.4	18Jul91	A23-040	05.3 0.0 0.0	AFHR IN AS A23T 2352-00-00-K XXXXXXxx
30AUG03	18:53	Maintenance	Comment	0.0 AFHR	1.4	01Feb68	NEW - 10068	501-1131-01	2352-00-00-K XXXXXXxx
30AUG03	18:58	Maintenance	Comment	0.0 AFHR	1.4	23Apr98	A23-040	07.4 2889.6	0.0 AFHR UPDATED LIFE (MPMI) XXXXXXxx
30AUG03	19:00	Maintenance	Comment	0.0 AFHR	1.4	20Dec90	MNTMMI	00. 0.0	0.0 AFHR ^^^^RECEPTION XXXXXXxx
30AUG03	19:02	Maintenance	Comment	0.0 AFHR	1.4	27Jul98	A23-052	07.3 2974.6	0.0 AFHR IN AS A23T 2352-00-00-K XXXXXXxx
30AUG03	19:06	Maintenance	Comment	0.0 AFHR	1.4	27Jul98	AIEAV	FF: 01-NIL	MA: 04-CHK/TST XXXXXXxx
30AUG03	19:07	Maintenance	Comment	0.0 AFHR	1.4	28May92	A23-040	05.3 281.6	0.0 AFHR REM SVC TO A23-040 XXXXXXxx
30AUG03	19:08	Maintenance	Comment	0.0 AFHR	1.4	29Aug03	A23-052	07.30 4670.4	AFHR TX TO CAMM2 XXXXXXxx
30AUG03	19:14	Maintenance	Comment	0.0 AFHR	1.4	28May92	A23-040	07.4 281.6	0.0 AFHR IN AS A23T 2352-00-00-K XXXXXXxx
30AUG03	19:14	Maintenance	Comment	0.0 AFHR	1.4	27Jul98	A23-040	07.4 2974.6	0.0 AFHR 09-CANNIBAL RU87158 XXXXXXxx
22JUN04	06:39	Asset Removal		4897.3 AFHR	297.9	553	A23-052	00	A23T ALUDM 00A XXXXXXxx
		Change Serviceability Stat		4897.3 AFHR	0.1	S/I			XXXXXXxx
		Change Location of an Asse		4897.3 AFHR	xxxx	U/S	A23-052		XXXXXXxx
23JUN04	22:06	Change Location of an Asse		4897.3 AFHR	1.6	EQUIP_STORE			XXXXXXxx
26JUL05	08:00	Change Serviceability Stat		4897.3 AFHR	399.0	EQUIP_STORE			XXXXXXxx
		Change Serviceability Stat		4897.3 AFHR		HOLD			XXXXXXxx
		Change Serviceability Stat		4897.3 AFHR		A1EXXXY404732			XXXXXXxx
		Change Serviceability Stat		4897.3 AFHR		U/S			XXXXXXxx
		Change Serviceability Stat		4897.3 AFHR		SERV			XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00846  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 10068  
 PART NO : 501-1131-01 ~25583  
 ENGINEERING NAME : IND ATTITUDE STBY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
05JUN07 00:00	Change Venue of an Asset	1375.6	AIE AIP A1EXXXY704087	XXXXXXxx
	4897.3 AFHR Change Location of an Asse	1076.0	HOLD MMIST	
09JUL07 06:09	Asset Installation	1111.9	A23T A1UDM 513 A23-015	A23T A1UDM XXXXXXxx 00AC
	4897.3 AFHR Change Serviceability Stat	712.9	SERV S/I	
	Change Location of an Asse	34.2	MMIST A23-015	
16NOV07 03:14	Asset Removal	129.8	513 A23T A1UDM	A23T A1UDM 00A
	5106.4 AFHR Change Serviceability Stat	0.7	S/I	XXXXXXxx
	Change Location of an Asse	129.8	U/S A23-015	
21NOV07 00:19	Change Venue of an Asset	169.0	QNF AIP NONC2CONT	
	5106.4 AFHR Change Location of an Asse	4.8	A1PXXXY710381 QNF	XXXXXXxx
17MAR08 09:02	Change Serviceability Stat	122.2	HOLD U/S SERV	
	5106.4 AFHR Change Venue of an Asset	275.0	NONC2CONT AIP	XXXXXXxx
22AUG08 01:16	Change Location of an Asse	275.0	NONC2XY809260 HOLD MMIST	XXXXXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00847  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 10068  
 PART NO : 501-1131-01 ~25583  
 ENGINEERING NAME : IND ATTITUDE STBY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
02FEB09 00:09	Asset Installation	443.8	A23T A1UDM 524 A23-024	00 A23T A1UHS 00AC XXXXXXXXXX
	5106.4 AFHR Change Serviceability Stat	321.6	SERV S/I	
	Change Location of an Asse	163.9	MMIST A23-024	
04APR14 04:23	Asset Removal	1887.1	524 A23-024 A23T A1UHS	00 A23T A1UHS 00A XXXXXXXXXX
	6396.4 AFHR Change Serviceability Stat	0.0	S/I U/S	
	Change Location of an Asse	1618.1	A23-024 STORES	
07APR14 11:30	Change Venue of an Asset	1621.4	AIP NONC2CONT	XXXXXXXXXX
	6396.4 AFHR Change Location of an Asse	3.2	A1PXXX1403508 STORES	
23JAN15 02:00	Change Serviceability Stat	293.9	HOLD U/S SERV	XXXXXXXXXX
12MAR15 04:43	Change Venue of an Asset	338.7	NONC2CONT AIP	XXXXXXXXXX
	6396.4 AFHR Maintenance Comment	0.0	NONC2X1502475	XXXXXXXXXX
	Change Location of an Asse	338.7	REPAIRED AT ANZ ON 23JAN15 AND MOVED TO AIP	
05MAY15 10:50	Asset Installation	396.2	HOLD STORES A23T A1UHS 519 A23-019	00 A23T A1UHS 00AC XXXXXXXXXX
	6396.4 AFHR Change Serviceability Stat	102.3	SERV S/I	
	Change Location of an Asse	54.2	STORES A23-019	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00848  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 10068  
 PART NO : 501-1131-01 ~25583  
 ENGINEERING NAME : IND ATTITUDE STBY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
26OCT15 09:09	Asset Removal	173.9	519 A23T A1UHS A23-019 00	A23T A1UHS 00A
	6495.5 AFHR Change Serviceability Stat	0.0	S/I U/S	XXXXXXxx
	Change Location of an Asse	70.0	A23-019 STORES	
28OCT15 22:40	Change Venue of an Asset	230.7	AIP NONC2CONT A1PXXX1510028	XXXXXXxx
	6495.5 AFHR Change Location of an Asse	2.5	STORES HOLD U/S SERV	
15SEP16 00:01	Change Serviceability Stat	324.6		XXXXXXxx
	6495.5 AFHR Change Venue of an Asset	378.1	NONC2CONT AIP	
10NOV16 02:19	Maintenance Comment	0.0	NONC2X1612541	XXXXXXxx
	Change Location of an Asse	378.1	REPAIRED AT ANZ ON 15SEP16. MOVED TO AIP PEA..	
17NOV16 07:18	Asset Installation	387.9	A23T A1UHS A23-033 00	A23T A1UHS 00AC
	6495.5 AFHR Change Serviceability Stat	63.3	533 SERV S/I	XXXXXXxx
	Change Location of an Asse	7.2	STORES A23-033	

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1EXXJY404481	C COMPLETED	22JUN04 06:39	XXXXXXxx	XXXXXXxxXXXXXXxx	AIE	AIP	
	26JUL05 08:00					4897.3	AFHR
01 UNSERVICEABLE		01 IN FLIGHT		STAND BY ATTITUDE IND TOPPLED DURING FLIGHT			
		03 ELECTRICAL FAILURE					
02 MECHANICAL COMPONENT FAIL		02 REPAIR					
		Unserviceability Details:		TOPPLED IN FLIGHT			

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00849  
08JAN20  
23:16:15

SERIAL/TAIL NO : 10068  
PART NO : 501-1131-01 ~25583 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : IND ATTITUDE STBY  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

Maintenance Comments: 26JUL05 REPLACE DAMAGE QUADRANT, BALANCE AND CALIBRATED AT ANZ

A1PXXJY720839	C COMPLETED	16NOV07 03:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	17MAR08 09:02	16NOV07 03:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		5106.4	AFHR
01 UNSERVICEABLE		05 TECHNICAL B/F		SCREW MISSING FROM PROTRACTOR/PULL TO CAGE MECHANISM			
02 MECHANICAL COMPONENT FAIL		02 MECHANICAL FAILURE					
		02 REPAIR					

Unserviceability Details: SCREW MISSING FROM PROTRACTOR

Maintenance Comments: INSTALLED NEW SCREW AND BEARINGS, BALANCED IAW AAP7532.053-3M REV.29.

A1PXXJ1405626	C COMPLETED	04APR14 04:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	23JAN15 02:00	04APR14 04:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		6396.4	AFHR
01 UNSERVICEABLE		01 IN FLIGHT		REAR CPT STBY AI WANDERS/BECOME UNUSEABLE AFTER MODERATE G APPLICATION			
02 MECHANICAL COMPONENT FAIL		03 ELECTRICAL FAILURE					
		02 REPAIR					

Unserviceability Details: STBY AI WANDERS/BECOMES UNUSEABLE AFTER MODERATE G APPLICATION

Maintenance Comments: CLEANED ERECTION SYSTEM. FITTED NEW REAR BEARING IAW AAP 7532.067-3M AL1

A1PXXJ1516738	C COMPLETED	26OCT15 09:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	NONC2CONT		
	15SEP16 00:01	26OCT15 09:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		6495.5	AFHR
01 UNSERVICEABLE		01 IN FLIGHT		REAR SAI ATT WANDERING INTERMITTANTLY			
02 MECHANICAL COMPONENT FAIL		02 MECHANICAL FAILURE					
		02 REPAIR					

Unserviceability Details: WANDERING DURING FLIGHT

Maintenance Comments: FITTED NEW GIMBAL BEARING, DRUM PIVOTS AND SLIP RING IAW AAP 7532.053-3M AL31 REF AIRFLITE ARC ACS1511049

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00850  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 10183  
 PART NO : 071-01227-0001 ~22373  
 ENGINEERING NAME : DATA ADAPTOR KDA689  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 9685.4 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
				LIFE SINCE NEW				
01SEP03	15:50	Maintenance	Comment	3.3	07Dec90	MMI RECEIVED AT	PEARCE	
		0.0	AFHR		CAMM LOG00003			XXxxXXxx
01SEP03	15:53	Maintenance	Comment	3.3	03Dec90	MMI TRANSFERRED FROM	EASTSALE	
		0.0	AFHR		CAMM LOG00002			XXxxXXxx
01SEP03	15:53	Maintenance	Comment	3.3	30Apr98	A23-023 06.4	3122.2 0.0	AFHR UPDATED LIFE (MPMI)
		0.0	AFHR		CAMM LOG00006			XXxxXXxx
01SEP03	15:53	Maintenance	Comment	3.3	18Jan90	A23-023 05.2	0.0	AFHR ^^^^^RECEPTION
		0.0	AFHR		CAMM LOG00001			XXxxXXxx
01SEP03	15:54	Maintenance	Comment	3.3	02Nov91	A23-023 05.2	797.9	0.0 AFHR MPMI CHANGE
		0.0	AFHR		CAMM LOG00004			XXxxXXxx
01SEP03	15:55	Maintenance	Comment	3.3	19Sep01	A23-023 06.40	4385.3	0.0 AFHR 13-REMACCES LD12014
		0.0	AFHR		CAMM LOG00007			XXxxXXxx
01SEP03	15:57	Maintenance	Comment	3.3	29Oct89	NEW - 10183	071-01227-0001	2431-00-00-B
		0.0	AFHR		CAMM LOG00010			XXxxXXxx
01SEP03	16:00	Maintenance	Comment	3.3	24Sep01	A23-023 06.40	4385.3	0.0 AFHR IN AS A23T 2431-00-00-B
		0.0	AFHR		CAMM LOG00009			XXxxXXxx
01SEP03	16:00	Maintenance	Comment	3.3	29Aug03	A23-023 06.40	5014.8	AFHR TX TO CAMM2
		0.0	AFHR		CAMM LOG00011			XXxxXXxx
01SEP03	16:01	Maintenance	Comment	3.3	19Sep01	2FTHG122	FF: 01-NIL	MA: 04-CHK/TST
		0.0	AFHR		CAMM LOG00008			XXxxXXxx
01SEP03	16:05	Maintenance	Comment	3.3	25Feb92	PARTNO REIDENTIFIED FROM	071-1227-01	
		0.0	AFHR		CAMM LOG00005			XXxxXXxx
17OCT03	05:32	Asset Removal		48.8	523	A23-023		A23T ALUMI 00A
		5014.8	AFHR		A23T	ALUMI		XXxxXXxx
		Change Serviceability Stat		753.2	S/I			
		Change Location of an Asse		xxxx	U/S	A23-023		
					INTMH			
17OCT03	05:43	Change Serviceability Stat		0.0	U/S			
		5014.8	AFHR		SERV			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00851  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 10183  
 PART NO : 071-01227-0001 ~22373  
 ENGINEERING NAME : DATA ADAPTOR KDA689  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
23OCT03 22:43	Asset Installation	6.7	A23T A1UMI A23-023	00 A23T A1UMI 0 A
	5014.8 AFHR Change Serviceability Stat	6.7	SERV S/I INTMH A23-023	XXxxXXxx
	Change Location of an Asse	6.7		
15OCT09 03:00	Asset Removal	2183.1	A23T A1UMI A23-023	00 A23T A1UMI 00A
	6847.5 AFHR Change Serviceability Stat	128.0	S/I U/S A23-023	XXxxXXxx
	Change Location of an Asse	2183.1		
15OCT09 03:02	Change Serviceability Stat	0.0	INTMH U/S SERV	XXxxXXxx
	6847.5 AFHR Asset Installation	0.1	A23T A1UMI A23-033	00 A23T A1UMI 00AC
	6847.5 AFHR Change Serviceability Stat	0.1	SERV S/I INTMH A23-033	XXxxXXxx
	Change Location of an Asse	0.1		
07JUN17 06:11	Position Change	2791.9	A23T A1UMI A23T A1UMI	00 00
	9055.0 AFHR Maintenance Comment	0.0	A1PXXX1709016 POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE	XXxxXXxx

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			

A1PXXJY303351 C COMPLETED 17OCT03 05:32 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP 5014.8 AFHR  
 13 REMOVED FOR ACCESS 99 NO FAILURE KDA689 RFA  
 01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00852  
08JAN20  
23:16:15

SERIAL/TAIL NO : 10183  
PART NO : 071-01227-0001 ~22373 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : DATA ADAPTOR KDA689  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

Maintenance Comments: KDA689 RFA

A1PXXJY922279	C COMPLETED	15OCT09 03:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	15OCT09 03:02	15OCT09 03:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	6847.5	AFHR
09 CANNIBALISATION		99 NO FAILURE		DATA ADAPTOR KDA 689 CANNIB TO SERVICE AIRCRAFT A23-033			
01 NO FAULT		04 CHECK/TEST SERV					

Unserviceability Details:

Maintenance Comments: CHECK/TEST SERV

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00853  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 102  
 PART NO : 556.10.09.199 ~S4080  
 ENGINEERING NAME : STRUT DAMPER CANOPY  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 8162.2 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
01SEP03	00:21	Maintenance	Comment	0.0 AFHR	2.6	27Mar96	A23-033	07.3 1498.2 1498.2 AFHR	IN AS A23T 1076-00-00-C XXXXXXxx
01SEP03	00:21	Maintenance	Comment	0.0 AFHR	2.6	23Apr98	A23-033	07.3 2241.5 2241.5 AFHR	UPDATED LIFE (MPMI) XXXXXXxx
01SEP03	00:21	Maintenance	Comment	0.0 AFHR	2.6	OVERHAULED AT JANDAKOT CAMP LOG00002			XXXXXXxx
01SEP03	00:22	Maintenance	Comment	0.0 AFHR	2.6	2FTREP	WFD: 09-R2	US: 11-INOPER	XXXXXXxx
01SEP03	00:22	Maintenance	Comment	0.0 AFHR	2.6	30Jun03	2FTJKOT	FF: 02-MECHFAIL	MA: 07-OH XXXXXXxx
01SEP03	00:23	Maintenance	Comment	0.0 AFHR	2.6	NILDAMPING CAMP LOG00005			XXXXXXxx
01SEP03	00:24	Maintenance	Comment	0.0 AFHR	2.6	13Mar03 DISPATCHED TO PEAXCON CAMP LOG00006			XXXXXXxx
01SEP03	00:28	Maintenance	Comment	0.0 AFHR	2.6	13Mar03	A23-033	07.30 3994.5 3994.5 AFHR	01-FAILED LF35467 XXXXXXxx
01SEP03	00:30	Maintenance	Comment	0.0 AFHR	2.6	09Oct89	NEW - 102	556.10.09.199	1076-00-00-C XXXXXXxx
01SEP03	00:36	Maintenance	Comment	0.0 AFHR	2.6	10Jul03	A23-038	07.30 3994.5	0.0 AFHR IN AS A23T 1076-00-00-C XXXXXXxx
01SEP03	00:37	Maintenance	Comment	0.0 AFHR	2.6	29Aug03	A23-038	07.30 4033.7 AFHR	TX TO CAMM2 XXXXXXxx
16MAY14	02:37	Asset Removal		6887.7 AFHR	3912.7	538	A23-038	00	A23T A1UEY 00A XXXXXXxx
		Change Serviceability Stat		6887.7 AFHR	8.9	S/I			
		Change Location of an Asse		6887.7 AFHR	158.1	U/S	A23-038		
25MAY14	23:46	Change Venue of an Asset		6887.7 AFHR	168.0	INTMH			
		Change Location of an Asse		6887.7 AFHR	9.8	AIP	NONC2CONT		XXXXXXxx
						A1PXXX1405375			
						INTMH			
						HOLD			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00854  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 102  
 PART NO : 556.10.09.199 ~S4080  
 ENGINEERING NAME : STRUT DAMPER CANOPY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
23MAR15 03:00	Change Serviceability Stat	311.0	U/S SERV	
19MAY15 00:28	Change Venue of an Asset	358.0	NONC2CONT AIP	XXxxXXxx
	Maintenance Comment	0.0	NONC2X1505127 REPAIRED AT JNDKT ON 23MAR15 AND MOVED TO AIP	XXxxXXxx
	Change Location of an Asse	358.0	HOLD STORES	
19MAY15 23:54	Asset Installation	368.8	A23T A1UEY 00	
	Maintenance Comment	0.0	A23-033 A23T A1UEY 00AC	XXxxXXxx
	Change Serviceability Stat	57.8	SERV S/I	
	Change Location of an Asse	0.9	STORES A23-033	
09JUN17 05:26	Position Change	751.2	A23T A1UEY 00	
	Maintenance Comment	0.0	A23T A1UEY 00 A1PXXX1709241	XXxxXXxx
			POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE	

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
2FTSXJCA04372	C COMPLETED	30JUN03 00:00	XXxxXXxx		2FTS		
03 OVERHAUL DUE		30JUN03 00:00				0.0	

Unserviceability Details:  
 Maintenance Comments:

A1PXXJ1408258	C COMPLETED	16MAY14 02:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
01 UNSERVICEABLE	23MAR15 03:00	16MAY14 02:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	6887.7	AFHR
09 OUT OF LIMITS		05 TECHNICAL B/F		CANOPY DAMPER STRUT WORN, ONLY PARTIALLY DAMPENS.			
		06 OUT OF LIMITS					
		02 REPAIR		aip0172216MAR14	23:23:06		

(Continued on next page.)



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 102  
PART NO : 556.10.09.199 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : STRUT DAMPER CANOPY  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

(Continued from previous page.)  
EE 500 505845#4 THERE IS NO IMPACT ON AIRWORTHINESS OR  
AIRCRAFT OPERATIONS. THE DAMPER STRUT STILL PROVIDES SOME  
DAMPING ON OPENING AND CLOSING THE CANOPY. THE STRUT WILL BE  
REPLACED AT THE NEXT R SERV

Unserviceability Details: PARTIALLY DAMPEN DURING CANOPY CLOSING.

Maintenance Comments: REPAIR COMPLETED IAW AAP 7298.071-3M

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00856  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 1027  
 PART NO : 35900-K2916  
 ENGINEERING NAME : INDIC AIRSPEED REAR  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

~89944

PERIOD: 01JAN90 TO 08JAN20

LOCATION : A23-033  
 LIFE SINCE NEW : 7760.1 AFHR

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
			LIFE SINCE NEW					
31AUG03	15:27	Maintenance Comment	0.0 AFHR	2.2	28Mar01	O/H AND TEST CARRIED OUT BY NIM		
						CAMM LOG00009		XXxxXXxx
31AUG03	15:28	Maintenance Comment	0.0 AFHR	2.2	07Feb91	NEW - 1027 35900-K2916	2328-00-00-C	
						CAMM LOG00011		XXxxXXxx
31AUG03	15:29	Maintenance Comment	0.0 AFHR	2.2	28Mar01	PEAXCON FF: 10-CONTAM	MA: 02-REPAIR	
						CAMM LOG00007		XXxxXXxx
31AUG03	15:30	Maintenance Comment	0.0 AFHR	2.2	19Feb01	A23-024 07.40 3719.3	0.0 AFHR 01-FAILED	LC11036
						CAMM LOG00002		XXxxXXxx
31AUG03	15:34	Maintenance Comment	0.0 AFHR	2.2	23Apr01	DISPATCHED TO PEAXCON		
						CAMM LOG00006		XXxxXXxx
31AUG03	15:35	Maintenance Comment	0.0 AFHR	2.2	20Feb01	DISPATCHED TO PEAXCON		
						CAMM LOG00005		XXxxXXxx
31AUG03	15:37	Maintenance Comment	0.0 AFHR	2.2		4 KNOTS OUT		
						CAMM LOG00004		XXxxXXxx
31AUG03	15:38	Maintenance Comment	0.0 AFHR	2.2	2FTREP	WFD: 01-IN FLIGHT	US: 06-OUT TOL	
						CAMM LOG00003		XXxxXXxx
31AUG03	15:38	Maintenance Comment	0.0 AFHR	2.2		CLEANED SHAFT MARKER ASSY		
						CAMM LOG00008		XXxxXXxx
31AUG03	15:38	Maintenance Comment	0.0 AFHR	2.2	17Dec02	2FTMMIST 00. 3719.3	0.0 AFHR UPDATED LIFE (MILX)	
						CAMM LOG00010		XXxxXXxx
31AUG03	15:38	Maintenance Comment	0.0 AFHR	2.2	29Apr98	A23-024 07.4 2779.2	0.0 AFHR UPDATED LIFE (MPMI)	
						CAMM LOG00001		XXxxXXxx
31AUG03	15:38	Maintenance Comment	0.0 AFHR	2.2	29Aug03	2FTMMIST 00. 3719.3 AFHR	TX TO CAMM2	
						CAMM LOG00012		XXxxXXxx
31JAN06	22:11	Asset Installation		886.5	A23T	A1UHW 00		
					533	A23-033	A23T A1UHW	00AC
		Change Serviceability Stat	3719.3 AFHR	1770.9	SERV		XXxxXXxx	
		Change Location of an Asse		1005.9	S/I			
					MMIST			
					A23-033			

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00857  
08JAN20  
23:16:15

SERIAL/TAIL NO : 1027  
PART NO : 35900-K2916 ~89944  
ENGINEERING NAME : INDIC AIRSPEED REAR  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
07JUN17 06:21	Position Change	4144.3	A23T	A1UHW	00	
	7129.7 AFHR		A23T	A1UHW	00	
	Maintenance Comment	0.0	A1PXXX1709038			XXxxXXxx
			POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE			

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00858  
08JAN20  
23:16:15

SERIAL/TAIL NO : 1027  
PART NO : 35900-K2916 ~89944  
ENGINEERING NAME : INDIC AIRSPEED REAR  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

STI STATUS CHANGE -----

STI NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
=====	=====	=====	=====	=====	=====	=====
STI-SHELFLIFE-0001	N	29AUG03 08:31	NINC			
STI-SHELFLIFE-0001	Y	20SEP03	N/A			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00859  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 103186 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 3033870 ~00198  
 ENGINEERING NAME : ACC GEARBOX ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 CURRENT CONDITION : S/I LIFE SINCE NEW : 7138.9 ENHR

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
				LIFE SINCE NEW				
20OCT03	22:51	Change	Serial Number of an	52.6	XX0A1EXXRY300127	103186		
06NOV03	21:39	Maintenance	Comment	0.0	A1EXXXY300880		XXxxXXxx	
11NOV03	21:20	Maintenance	Comment	0.0	LIF AFHR	CHANGED - OLD VALUE= 50037.8	NEW VALUE= 3406.7	XXxxXXxx
15JUN04	07:10	Maintenance	Comment	0.0	LIF ENHR	CHANGED - OLD VALUE= 50000.0	NEW VALUE= 3406.7	XXxxXXxx
06JUN14	00:00	Change	Serviceability Stat	42.8	O/H AT P&WC A/ASIA 30MAR04			
16APR15	01:15	Change	Serviceability Stat	314.0	A1PXXXY414184			XXxxXXxx
					S/I			
					US/I			XXxxXXxx
					5948.5	ENHR		
					5948.5	ENHR		XXxxXXxx

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			
ARDUXJ1501078	C COMPLETED	06JUN14 00:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU	NONC2CONT	
13 REMOVED FOR ACCESS	16APR15 01:15	28APR15 06:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU	5948.5	ENHR
08 DAMAGE	31 DURING ACCESS			Camm2 DOWN: DAMAGED			
	01 DAMAGED/CRACKED						
	02 REPAIR						

Unserviceability Details: DAMAGED

Maintenance Comments: REPAIRED IAW P&WC MANUAL P/N 3034543 REV 36

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00860  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 103186  
 PART NO : 3035000  
 ENGINEERING NAME : GAS GENERATOR MOD  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

~00198

PERIOD: 01JAN90 TO 08JAN20

LOCATION : A23-033  
 LIFE SINCE NEW : 7138.9 ENHR

ASSET TRANSACTIONS

TRANSACTION D/T CHANGE TYPE		LIFE SINCE NEW		SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
20OCT03	22:53	Change Serial Number of an		52.6	XX0A1EXXRY303094 103186	
06NOV03	21:41	Maintenance Comment	50037.8 ENHR	0.0	A1EXXXY300881 LIF AFHR CHANGED - OLD VALUE= 50037.8	NEW VALUE= 3406.7 XXxxXXxx
15JUN04	07:13	Maintenance Comment	50037.8 ENHR	0.0	LIF ENHR CHANGED - OLD VALUE= 50000.0	NEW VALUE= 3406.7 XXxxXXxx
15JUN04	07:13	Maintenance Comment	3406.7 ENHR	0.0	O/H AT P&WC A/ASIA 30MAR04 MOD 7113.022-110	SB13322 INC XXxxXXxx
			3406.7 ENHR		A1PXXXY414185	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00861  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 103186  
 PART NO : 3035080  
 ENGINEERING NAME : REDUCTION GEARBOX  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

~00198

PERIOD: 01JAN90 TO 08JAN20

LOCATION : A23-033  
 LIFE SINCE NEW : 7138.9 ENHR

ASSET TRANSACTIONS

TRANSACTION D/T CHANGE TYPE		LIFE SINCE NEW		SPAN(DYS) FROM		TO (OPTIONAL)		TRANS REFERENCE		USER		
=====		=====		=====		=====		=====		=====		
31AUG03	05:01	Maintenance Comment	0.0	ENHR	1.8	NEXT OH2 DUE:	OLD =	3000.0	ENHR	NEW =	XXXXXXxx	
31AUG03	05:01	Maintenance Comment	0.0	ENHR	1.8	20Aug98 103186	01.2	1982.6	1982.6	ENHR	UPDATED LIFE (MPMI)	
31AUG03	05:01	Maintenance Comment	0.0	ENHR	1.8	CAMM LOG00005					XXXXXXxx	
31AUG03	05:01	Maintenance Comment	0.0	ENHR	1.8	NEXT OH1 DUE:	OLD =	3000.0	ENHR	NEW =	3500.0 ENHR	
31AUG03	05:01	Maintenance Comment	0.0	ENHR	1.8	20Sep00 103186	00.20	2765.7	2765.7	ENHR	UPDATED LIFE (MPMI)	
31AUG03	05:08	Maintenance Comment	0.0	ENHR	1.8	CAMM LOG00009					XXXXXXxx	
31AUG03	05:10	Maintenance Comment	0.0	ENHR	1.8	29Aug03 103186	01.20	3368.9	ENHR	TX TO	CAMM2	
31AUG03	05:11	Maintenance Comment	0.0	ENHR	1.8	CAMM LOG00013					XXXXXXxx	
31AUG03	05:11	Maintenance Comment	0.0	ENHR	1.8	NEXT OH1 DUE:	OLD =	3500.0	ENHR	NEW =	4000.0 ENHR	
31AUG03	05:11	Maintenance Comment	0.0	ENHR	1.8	27Apr99 103186	01.2	2266.7	2266.7	ENHR	UPDATED LIFE (MIUP)	
31AUG03	05:11	Maintenance Comment	0.0	ENHR	1.8	CAMM LOG00007					XXXXXXxx	
31AUG03	05:12	Maintenance Comment	0.0	ENHR	1.8	25Nov99 103186	01.20	2516.3	2516.3	ENHR	UPDATED LIFE (MIUP)	
31AUG03	05:12	Maintenance Comment	0.0	ENHR	1.8	CAMM LOG00008					XXXXXXxx	
31AUG03	05:12	Maintenance Comment	0.0	ENHR	1.8	NEXT OH1 DUE:	OLD =		HAOH	NEW =	3000.0 ENHR	
31AUG03	05:12	Maintenance Comment	0.0	ENHR	1.8	CAMM LOG00003					XXXXXXxx	
31AUG03	05:14	Maintenance Comment	0.0	ENHR	1.8	05Jun91	.0	ENHR	LST OH	4000.0	ENHR	NXT OH
31AUG03	05:14	Maintenance Comment	0.0	ENHR	1.8	CAMM LOG00012					XXXXXXxx	
31AUG03	05:18	Maintenance Comment	0.0	ENHR	1.8	24Apr96 103186	00.0	991.7	991.7	ENHR	RECEPTION (MIRE)	
31AUG03	05:18	Maintenance Comment	0.0	ENHR	1.8	CAMM LOG00001					XXXXXXxx	
31AUG03	05:24	Maintenance Comment	0.0	ENHR	1.8	05Jun91 NEW - 103186		3035080		0012-13-01-K		
31AUG03	05:24	Maintenance Comment	0.0	ENHR	1.8	CAMM LOG00011					XXXXXXxx	
15JUN04	07:15	Maintenance Comment	3406.7	ENHR	0.0	24Apr98 103186	01.2	1842.5	1842.5	ENHR	UPDATED LIFE (MPMI)	
10AUG04	04:32	Asset Removal	346.8	ENHR	346.8	CAMM LOG00002					XXXXXXxx	
		Change Serviceability Stat	3463.3	ENHR	1.0	O/H AT P&WC A/ASIA 30MAR04						
						A1PXXXXY414186					XXXXXXxx	
						103186		A23-015		A23T	ALSAO	00A
						A23T	ALSAO	00				
						S/I						
						SERV						

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00862  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 103186 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 3035080 ~00198  
 ENGINEERING NAME : REDUCTION GEARBOX  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
10AUG04 04:34	Asset Installation	0.0	A23T 103186 ALSAO A23-015 00	A23T ALSAM22 00AC
	3463.3 ENHR Change Serviceability Stat	0.0	SERV S/I US/I	XXXXXXxx
06JUN14 00:00	Change Serviceability Stat	42.8	S/I US/I	XXXXXXxx
	5948.5 ENHR Change Serviceability Stat	314.9	US/I S/I	XXXXXXxx
16APR15 22:30	Change Serviceability Stat	314.9	US/I S/I	XXXXXXxx
	5948.5 ENHR Change Serviceability Stat	0.2	S/I US/I	XXXXXXxx
11JUL18 12:42	Change Serviceability Stat	0.2	S/I US/I	XXXXXXxx
	6635.8 ENHR Change Serviceability Stat	0.4	A1PXXJ1810988 US/I S/I	XXXXXXxx
11JUL18 23:37	Change Serviceability Stat	0.4	US/I S/I	XXXXXXxx
	6635.8 ENHR			XXXXXXxx

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
AIEXXJCA04636	C COMPLETED	05JUN91 00:00	XXxxXXxx		AIE		
03 OVERHAUL DUE	05JUN91 00:00					0.0	

Unserviceability Details:  
 Maintenance Comments:

ARDUXJ1501073	C COMPLETED	06JUN14 00:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU	NONC2CONT	
13 REMOVED FOR ACCESS	16APR15 22:30	28APR15 06:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU	5948.5 ENHR	
08 DAMAGE		31 DURING ACCESS			CAMM2 DOWN: REMOVED FOR ACCESS		
		01 DAMAGED/CRACKED					
		02 REPAIR					

Unserviceability Details:  
 Maintenance Comments:

REPAIRED IAW P&WC MANUAL P/N 3034543 REV 36 & AAP7113.022-2

For-Official-Use-Only



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 103186  
PART NO : 3035080 ~00198 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : REDUCTION GEARBOX  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

```

=====
A1PXXJ1810988  C  COMPLETED      11JUL18  23:10  XXxxXXxx  XXxxXXxxXXxxXXxxXXxx  AIP  AIP
                11JUL18  23:37      11JUL18  12:42  XXxxXXxx  XXxxXXxxXXxxXXxxXXxx  AIP  6635.8  ENHR
08 MOD/STI/DVI REQUIRED      29 DURING MOD/STI/DVI  STI-PC9-0673  due on Serial 103186
                13 CORRODED      REDUCTION GEARBOX  at WAC 0120
12 CORRODED      08 MOD/STI/DVI INCORP
                Unserviceability Details:  SUSPECT RGB REAR HOUSING CORRODED
                Maintenance Comments:  STI INCORPORATED IAW STI INSTRUCTIONS. ENGINE CAMM2 U/S
                AIPXXU1808544
=====

```

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00864  
08JAN20  
23:16:15

SERIAL/TAIL NO : 103186  
PART NO : 3035080 ~00198  
ENGINEERING NAME : REDUCTION GEARBOX  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

STI STATUS CHANGE -----

STI NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
STI-PC9-0673	N	05JUL18 00:57	NINC			
STI-PC9-0673	Y	11JUL18 23:36	INC	A1PXXJ1810988	11JUL18 23:10	6635.8 ENHR

MAINTENANCE POLICY HISTORY -----

POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	CHANGE DETAILS	USER ID
15JUN04 07:15	SM	OH	DLD Changed From: 05JUN1991 To:	XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 00865  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 103186  
 PART NO : 3035200  
 ENGINEERING NAME : POWER SECTION MODUL  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

~00198

PERIOD: 01JAN90 TO 08JAN20

LOCATION : A23-033  
 LIFE SINCE NEW : 7138.9 ENHR

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
31AUG03	01:57	Maintenance	Comment	0.0	1.7	ENHR		PROP SHAFT DUE TA CMM LOG00022	XXxxXXxx
31AUG03	01:58	Maintenance	Comment	0.0	1.7	ENHR		PROP SHAFT REPLACED CMM LOG00024	XXxxXXxx
31AUG03	01:58	Maintenance	Comment	0.0	1.7	ENHR		05Jun91 NEW - 103186 3035200 CMM LOG00027	0012-13-00-B XXxxXXxx
31AUG03	01:58	Maintenance	Comment	0.0	1.7	ENHR		NEXT OH2 DUE: OLD = 3000.0 ENHR CMM LOG00008	NEW = XXxxXXxx
31AUG03	01:59	Maintenance	Comment	0.0	1.7	ENHR		14Jan03 103186 00.20 3291.6 3291.6 CMM LOG00026	ENHR UPDATED LIFE (MPMI) XXxxXXxx
31AUG03	01:59	Maintenance	Comment	0.0	1.7	ENHR		29Aug03 103186 01.20 3368.9 ENHR CMM LOG00029	TX TO CMM2 XXxxXXxx
31AUG03	02:03	Maintenance	Comment	0.0	1.7	ENHR		NEXT OH1 DUE: OLD = HAOH CMM LOG00007	NEW = 3000.0 ENHR XXxxXXxx
31AUG03	02:03	Maintenance	Comment	0.0	1.7	ENHR		NEXT OH1 DUE: OLD = 3500.0 ENHR CMM LOG00014	NEW = 4000.0 ENHR XXxxXXxx
31AUG03	02:04	Maintenance	Comment	0.0	1.7	ENHR		27Nov01 2FTOPMH CMM LOG00023	FF: 09-OUT TOL MA: 02-REPAIR XXxxXXxx
31AUG03	02:04	Maintenance	Comment	0.0	1.7	ENHR		05Jun91 .0 ENHR CMM LOG00028	LST OH 4000.0 ENHR NXT OH XXxxXXxx
31AUG03	02:05	Maintenance	Comment	0.0	1.7	ENHR		20Aug98 103186 01.2 1982.6 1982.6 CMM LOG00009	ENHR UPDATED LIFE (MPMI) XXxxXXxx
31AUG03	02:05	Maintenance	Comment	0.0	1.7	ENHR		25Nov99 103186 01.20 2516.3 2516.3 CMM LOG00012	ENHR UPDATED LIFE (MIUP) XXxxXXxx
31AUG03	02:05	Maintenance	Comment	0.0	1.7	ENHR		27Nov01 JOB CHANGE CMM LOG00020	RR: 01-FAILED XXxxXXxx
31AUG03	02:06	Maintenance	Comment	0.0	1.7	ENHR		23Nov01 103186 01.20 2994.7 2994.7 CMM LOG00019	ENHR 05-FUNC CHK LD15500 XXxxXXxx
31AUG03	02:07	Maintenance	Comment	0.0	1.7	ENHR		07May97 2FTOPMH CMM LOG00003	FF: 01-NIL MA: 04-CHK/TST XXxxXXxx
31AUG03	02:07	Maintenance	Comment	0.0	1.7	ENHR		13Jul01 2FTOPMH CMM LOG00017	FF: 01-NIL MA: 04-CHK/TST XXxxXXxx
31AUG03	02:07	Maintenance	Comment	0.0	1.7	ENHR		13Feb01 REPAIR AT PTB CMM LOG00015	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00866  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 103186  
 PART NO : 3035200  
 ENGINEERING NAME : POWER SECTION MODUL  
 VENUE : A23DISP LOCATION : A23-033

PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
			LIFE SINCE NEW				
31AUG03	02:08	Maintenance Comment	1.7	24Apr96	103186	00.0	991.7 991.7 ENHR RECEPTION (MIRE)
		0.0 ENHR					XXXXXXxx
31AUG03	02:08	Maintenance Comment	1.7	07May97	103186	01.0	1499.3 1499.3 ENHR 13-REMACCES LT79706
		0.0 ENHR					XXXXXXxx
31AUG03	02:08	Maintenance Comment	1.7	07May97	103186	01.2	1499.3 1499.3 ENHR IN AS A23T 0012-13-00-B
		0.0 ENHR					XXXXXXxx
31AUG03	02:08	Maintenance Comment	1.7	13Jul01	103186	01.20	2792.2 2792.2 ENHR IN AS A23T 0012-13-00-B
		0.0 ENHR					XXXXXXxx
31AUG03	02:08	Maintenance Comment	1.7	2FTOPMH			WFD: 07-AFTER FLIGHT US: 06-OUT TOL
		0.0 ENHR					XXXXXXxx
31AUG03	02:11	Maintenance Comment	1.7	24Apr98	103186	01.2	1842.5 1842.5 ENHR UPDATED LIFE (MPMI)
		0.0 ENHR					XXXXXXxx
31AUG03	02:11	Maintenance Comment	1.7	27Apr99	103186	01.2	2266.7 2266.7 ENHR UPDATED LIFE (MIUP)
		0.0 ENHR					XXXXXXxx
31AUG03	02:13	Maintenance Comment	1.7	06May98	103186	01.2	1854.3 1854.3 ENHR UPDATED LIFE (MPMI)
		0.0 ENHR					XXXXXXxx
31AUG03	02:13	Maintenance Comment	1.7	13Jul01	103186	01.20	2792.2 2792.2 ENHR 13-REMACCES LC18663
		0.0 ENHR					XXXXXXxx
31AUG03	02:13	Maintenance Comment	1.7	27Nov01	103186	01.20	2994.7 2994.7 ENHR IN AS A23T 0012-13-00-B
		0.0 ENHR					XXXXXXxx
31AUG03	02:13	Maintenance Comment	1.7	NEXT OH1 DUE:			OLD = 3000.0 ENHR NEW = 3500.0 ENHR
		0.0 ENHR					XXXXXXxx
31AUG03	02:13	Maintenance Comment	1.7	20Sep00	103186	00.20	2765.7 2765.7 ENHR UPDATED LIFE (MPMI)
		0.0 ENHR					XXXXXXxx
21OCT03	22:53	Asset Removal	53.6	103186		A23-059	A23T A1SAM 00A
		3406.7 ENHR					XXXXXXxx
		Change Serviceability Stat	4.9	S/I			
				U/S			
		Change Location of an Asse	xxxx	A23-059			
				ENGINE		RSERV	
29OCT03	04:19	Change Serviceability Stat	7.2	U/S			
		3406.7 ENHR		SERV			XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00867  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 103186  
 PART NO : 3035200  
 ENGINEERING NAME : POWER SECTION MODUL  
 VENUE : A23DISP LOCATION : A23-033

PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
13NOV03 02:19	Change Location of an Asse	22.1	ENGINE A23-015	RSERV
27NOV03 02:53	Asset Installation	36.1	A1EXXXY301669 A23T ALSAM 103186	00 A23T ALSAM 0 A
29JAN04 21:08	Change Part Number of an A	153.5	3035200 3035200	~Z0023 ~00198
15JUN04 07:18	Maintenance Comment	0.0	A1EXXXY400583	XXxxXXxx
13SEP05 01:04	Asset Removal	655.9	O/H AT P&WC A/ASIA 30MAR04 MOD 7113.022-101 INC A1PXXXY414187 103186	XXxxXXxx
13SEP05 01:04	Change Serviceability Stat	11.9	A23T ALSAM	00 A23T ALSAM 00A
13SEP05 01:04	Change Serviceability Stat	0.0	S/I U/S A23-015 INTMH U/S SERV	XXxxXXxx
19SEP05 04:47	Asset Installation	6.1	A23T ALSAM 103186	00 A23T ALSAM 00AC
	Change Serviceability Stat	6.1	SERV S/I INTMH A23-015	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00868  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 103186  
 PART NO : 3035200  
 ENGINEERING NAME : POWER SECTION MODUL  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~00198

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
02NOV06 12:51	Asset Removal	409.3	103186 A23T A1SAM A23-015 00	A23T A1SAM 00A
	4114.5 ENHR Change Serviceability Stat	21.2	S/I U/S	XXXXXXxx
	Change Location of an Asse	279.5	A23-015 OPMH	
02NOV06 12:51	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
02NOV06 12:52	Asset Installation	0.0	A23T A1SAM A23-015 00	A23T A1SAM 00AC
	4114.5 ENHR Change Serviceability Stat	0.0	SERV S/I	XXXXXXxx
	Change Location of an Asse	0.0	OPMH A23-015	
03AUG08 22:23	Asset Removal	640.3	103186 A23T A1SAM A23-015 00	A23T A1SAM 00A
	4861.3 ENHR Change Serviceability Stat	9.8	S/I U/S	XXXXXXxx
	Change Location of an Asse	640.3	A23-015 INTMH	
03AUG08 22:23	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
03AUG08 22:36	Asset Installation	0.0	A23T A1SAM A23-015 00	A23T A1SAM 00AC
	4861.3 ENHR Change Serviceability Stat	0.0	SERV S/I	XXXXXXxx
	Change Location of an Asse	0.0	INTMH A23-015	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00869  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 103186  
 PART NO : 3035200  
 ENGINEERING NAME : POWER SECTION MODUL  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~00198

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
04SEP13 05:56	Asset Removal 5823.7 ENHR Change Serviceability Stat	1857.3	103186 A23T A1SAM 103186 00	A23T A1SAM 00M XXXXXXxx
04SEP13 05:57	Change Serviceability Stat 5823.7 ENHR	0.0	S/I U/S U/S SERV	XXXXXXxx
17SEP13 01:30	Asset Installation 5823.7 ENHR Change Serviceability Stat	12.8	A23T 103186 103186 00	A23T A1SAM 00MMI XXXXXXxx
04JUN14 06:20	Asset Removal 5948.5 ENHR Change Serviceability Stat	260.2	103186 A23T A1SAM A23-051 00	A23T A1SAM 00A XXXXXXxx
04JUN14 23:55	Change Location of an Asse 5948.5 ENHR Change Serviceability Stat	254.2	S/I U/S A23-051 ENGINE A23T 103186 A23-051 00	A23T A1SAM 00AC XXXXXXxx
16APR15 04:15	Change Serviceability Stat 5948.5 ENHR	315.1	U/S US/I ENGINE A23-051 US/I S/I	XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00870  
08JAN20  
23:16:15

SERIAL/TAIL NO : 103186  
PART NO : 3035200 ~00198 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : POWER SECTION MODUL  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

AIEXXJCA04642 C COMPLETED 05JUN91 00:00 XXxxXXxx AIE 0.0  
05JUN91 00:00  
03 OVERHAUL DUE

Unserviceability Details:  
Maintenance Comments:

AIEXXJY301518 C COMPLETED 21OCT03 22:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE 3406.7 ENHR  
29OCT03 04:19  
13 REMOVED FOR ACCESS 99 NO FAILURE POWER SECTION MODULE REMOVED FOR ACCESS  
01 NO FAULT 04 CHECK/TEST SERV

Unserviceability Details:  
Maintenance Comments: POWER SECTION REFITTED FOR SHIPMENT TO OH FACILITY

AIPXXJY522953 C COMPLETED 13SEP05 01:04 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP 3814.8 ENHR  
13SEP05 01:04  
13 REMOVED FOR ACCESS 99 NO FAILURE POWER SECTION MODULE R.F.A.  
01 NO FAULT 04 CHECK/TEST SERV

Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV

AIPXXJY617877 C COMPLETED 02NOV06 12:51 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP 4114.5 ENHR  
02NOV06 12:51 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
13 REMOVED FOR ACCESS 99 NO FAILURE ENGINE EXHIBITS LOW POWER  
01 NO FAULT 04 CHECK/TEST SERV

Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV

AIPXXJY812605 C COMPLETED 03AUG08 22:23 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP 4861.3 ENHR  
03AUG08 22:23 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
13 REMOVED FOR ACCESS 99 NO FAILURE S31 due on Serial A23-015  
PC-9 at WAC 0000  
01 NO FAULT 04 CHECK/TEST SERV

Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 103186  
 PART NO : 3035200 ~00198 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : POWER SECTION MODUL  
 VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

A1EXXJ1304551	C COMPLETED	04SEP13 05:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	04SEP13 05:57	04SEP13 05:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	5823.7	ENHR
13 REMOVED FOR ACCESS	99 NO FAILURE			POWER SECTION MODULE REMOVED FOR ACCESS			

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

A1EXXJ1403488	C COMPLETED	04JUN14 06:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	NONC2CONT	
	16APR15 04:15	04JUN14 06:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	5948.5	ENHR
13 REMOVED FOR ACCESS	31 DURING ACCESS			EPSS: AE19 / RKOFPA / 01 : 1ST STAGE POWER TURBINE DISC HAS			
	13 CORRODED			SULPHADISATION TO STAGE 3 LEVEL			
12 CORRODED	02 REPAIR						

Unserviceability Details: 1ST STAGE POWER TURBINE HAS SULPHADISATION TO GRADE 3 LEVEL

Maintenance Comments: REPAIRED IAW P&WC MANUAL P/N 3034543 REV 367 & AAP7113.022-2

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

SERIAL/TAIL NO : 103186  
PART NO : 3035200 ~00198 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : POWER SECTION MODUL  
VENUE : A23DISP LOCATION : A23-033

MAINTENANCE POLICY HISTORY			
POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	USER ID
CHANGE DETAILS			
15JUN04 07:18	SM	OH	XXxxXXxx
	DLD Changed From: 05JUN1991 To:		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00873  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 103186  
 PART NO : 3035300  
 ENGINEERING NAME : ENGINE CHANGE UNIT  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

LOCATION : A23-033  
 LIFE SINCE NEW : 7138.9 ENHR

PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
30AUG03	14:38	Maintenance	Comment	0.0	1.2	24Oct02	DISPATCHED TO ESLXQDS	CAMM LOG00006	XXxxXXxx
30AUG03	14:38	Maintenance	Comment	0.0	1.2	26Mar03	3291.6 ENHR LST BS 4791.6 ENHR	CAMM LOG00026	NXT BS XXxxXXxx
30AUG03	14:39	Maintenance	Comment	0.0	1.2	24Oct02	SIGHTED PRIOR TO ALLOTMENT	CAMM LOG00002	XXxxXXxx
30AUG03	14:44	Maintenance	Comment	0.0	1.2	05May03	ANNUAL LOGBOOK INSPECTION	CAMM LOG00015	XXxxXXxx
30AUG03	14:44	Maintenance	Comment	0.0	1.2	06May03	STI-PC9-288A STI STATUS NOW	CAMM LOG00019	RINC XXxxXXxx
30AUG03	14:45	Maintenance	Comment	0.0	1.2	26Mar03	STI-PC9-288B STI STATUS NOW	CAMM LOG00007	INC XXxxXXxx
30AUG03	14:45	Maintenance	Comment	0.0	1.2	26Mar03	7113.022-108B MOD STATUS NOW	CAMM LOG00008	INC XXxxXXxx
30AUG03	14:45	Maintenance	Comment	0.0	1.2	28Mar03	AIEMMI 00. 3294.9 3294.9 ENHR	CAMM LOG00012	UPDATED LIFE (+MIOP) XXxxXXxx
30AUG03	14:45	Maintenance	Comment	0.0	1.2		ACCESSORY GEARBOX HOUSING OVERBOARD BREATHER	CAMM LOG00021	XXxxXXxx
30AUG03	14:46	Maintenance	Comment	0.0	1.2	06May03	A23-059 01.00 3294.9 3294.9 ENHR	CAMM LOG00018	IN AS A23T 0010-00-00-D XXxxXXxx
30AUG03	14:46	Maintenance	Comment	0.0	1.2		CERTIFIED BY	CAMM LOG00016	XXxxXXxx
30AUG03	14:48	Maintenance	Comment	0.0	1.2		REPAIR/BAY SERVICE IAW PWC OHM 3034543.	CAMM LOG00010	XXxxXXxx
30AUG03	14:48	Maintenance	Comment	0.0	1.2	24Oct02	ALLOTTED TO QDS FOR REPAIR. AUTH. PT6/07/03.	CAMM LOG00001	XXxxXXxx
30AUG03	14:48	Maintenance	Comment	0.0	1.2		AIEMCS.	CAMM LOG00005	XXxxXXxx
30AUG03	14:48	Maintenance	Comment	0.0	1.2		SITE MANAGER	CAMM LOG00017	XXxxXXxx
30AUG03	14:48	Maintenance	Comment	0.0	1.2	30Jun91	NEW - 103186 3035300 0010-00-00-D	CAMM LOG00024	XXxxXXxx
30AUG03	14:49	Maintenance	Comment	0.0	1.2		TEST RUN TIME AT QDS 26MAR03.	CAMM LOG00013	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00874  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 103186  
 PART NO : 3035300  
 ENGINEERING NAME : ENGINE CHANGE UNIT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~00198

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
30AUG03 14:50	Maintenance Comment	0.0 ENHR	1.2	ATTATCHMENT HOLE HAS BEEN REPAIRED USING CAMM LOG00022	XXXXXXxx
30AUG03 14:50	Maintenance Comment	0.0 ENHR	1.2	A KEENSERT REPAIR. CAMM LOG00023	XXXXXXxx
30AUG03 14:50	Maintenance Comment	0.0 ENHR	1.2	30Jun91 .0 ENHR LST OH 4000.0 ENHR CAMM LOG00025	NXT OH XXXXXXxx
30AUG03 14:53	Maintenance Comment	0.0 ENHR	1.2	CAMM LOG00004	XXXXXXxx
30AUG03 14:53	Maintenance Comment	0.0 ENHR	1.2	26Mar03 ESLXQDS FF: 08-DAMAGE CAMM LOG00009	MA: 06-BS XXXXXXxx
30AUG03 14:53	Maintenance Comment	0.0 ENHR	1.2	06May03 UNDER AUTHORITY OF DD/A23/010/2003, CAMM LOG00020	XXXXXXxx
30AUG03 14:54	Maintenance Comment	0.0 ENHR	1.2	CAMM LOG00003	XXXXXXxx
30AUG03 14:54	Maintenance Comment	0.0 ENHR	1.2	28Mar03 AIEMMI 00. 3291.6 3291.6 ENHR UPDATED LIFE (JOBX) CAMM LOG00011	XXXXXXxx
30AUG03 14:54	Maintenance Comment	0.0 ENHR	1.2	29Aug03 A23-059 01.00 3368.9 ENHR TX TO CAMM2 CAMM LOG00027	XXXXXXxx
30AUG03 14:54	Maintenance Comment	0.0 ENHR	1.2	6 STARTS 3.3 ENHR CAMM LOG00014	XXXXXXxx
28OCT03 03:13	Asset Removal	3406.7 ENHR	59.7	A23-059 A23-059 A23T A1S 00	A23T A1S 00A XXXXXXxx
	Change Serviceability Stat		11.0	S/I U/S	
	Change Location of an Asse		xxxx	A23-059 ENGINE RSERV ENGINE RSERV	
11NOV03 21:16	Change Location of an Asse	3406.7 ENHR	14.7	EQUIP_STORE A1EXXXY301611	XXXXXXxx
27NOV03 21:23	Maintenance Comment	3406.7 ENHR	0.0	ALLOTTED TO PWA FOR REPAIR. AUTH.- PT6/05/04. A1EXXXY302201	XXXXXXxx
12FEB04 22:22	Change Location of an Asse	3406.7 ENHR	93.0	EQUIP_STORE HOLD A1EXXXY400957	XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00875  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 103186  
 PART NO : 3035300  
 ENGINEERING NAME : ENGINE CHANGE UNIT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~00198

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
30MAR04 08:00	Change Serviceability Stat	154.1	U/S SERV	
	3406.7 ENHR			XXxxXXxx
15JUN04 03:37	Change Venue of an Asset	290.8	AIE AIP	
	3406.7 ENHR		A1EXXXY404428	XXxxXXxx
	Change Location of an Asse	123.2	HOLD MMIST	
15JUN04 23:59	Maintenance Comment	0.0	16JUN04 ALLOTTED TO P&WC A/ASIA FOR REPAIR AUTH PT6/16/04	
	3406.7 ENHR		A1PXXXY414278	XXxxXXxx
21JUN04 04:47	Asset Installation	237.0	A23T A1S 00	
	3406.7 ENHR		A23-015 A23-015	A23T A1S 0 A
	Change Serviceability Stat	82.8	SERV S/I	XXxxXXxx
	Change Location of an Asse	6.0	MMIST A23-015	
17NOV04 05:09	Change Serviceability Stat	16.0	S/I US/I	
	3515.6 ENHR		A1PXXJY413880	XXxxXXxx
01DEC04 00:13	Change Serviceability Stat	13.7	US/I S/I	
	3515.6 ENHR			XXxxXXxx
06MAY05 02:33	Change Serviceability Stat	0.0	S/I US/I	
	3664.7 ENHR		A1PXXJY424422	XXxxXXxx
11MAY05 06:26	Change Serviceability Stat	5.1	US/I S/I	
	3664.7 ENHR			XXxxXXxx
01SEP05 02:31	Change Serviceability Stat	0.0	S/I US/I	
	3814.8 ENHR		A1PXXJY423309	XXxxXXxx
14SEP05 00:02	Change Serviceability Stat	12.8	US/I S/I	
	3814.8 ENHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00876  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 103186 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 3035300 ~00198  
 ENGINEERING NAME : ENGINE CHANGE UNIT  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
15OCT06 22:25	Change Serviceability Stat	4114.5 ENHR	3.6	S/I US/I A1PXXJY521910	XXxxXXxx
24OCT06 05:08	Change Serviceability Stat	4114.5 ENHR	8.2	US/I S/I	XXxxXXxx
30JUL08 02:39	Change Serviceability Stat	4861.3 ENHR	5.0	S/I US/I A1EXXJ310621X	XXxxXXxx
03AUG08 22:41	Change Serviceability Stat	4861.3 ENHR	4.8	US/I S/I	XXxxXXxx
09OCT08 03:01	Change Serviceability Stat	4950.8 ENHR	5.2	S/I US/I A1PXXJY816611	XXxxXXxx
09OCT08 03:03	Change Serviceability Stat	4950.8 ENHR	0.0	US/I S/I	XXxxXXxx
14MAY09 23:57	Maintenance Comment	5076.2 ENHR	0.0	ANNUAL REVIEW OF ENGINE LOG BOOK C/OUT IAW A1PXXY905059	XXxxXXxx
21JUL09 22:27	Change Part Number of an A		0.0	NO PARENT TRANSACTION DETAILS TASPO/2003/51925/4(68)#2	
21JUL09 22:50	Maintenance Comment		0.0	NO PARENT TRANSACTION DETAILS TASPO/2003/51925/4(68)#3	
30JUL09 05:58	Change Serviceability Stat	5076.2 ENHR	136.0	S/I US/I A1PXXJY916990	XXxxXXxx
12AUG09 09:18	Change Serviceability Stat	5076.2 ENHR	13.1	US/I S/I	XXxxXXxx
14DEC09 06:52	Change Serviceability Stat	5076.2 ENHR	123.8	S/I US/I A1PXXJY925032	XXxxXXxx
09FEB10 00:23	Change Serviceability Stat	5076.2 ENHR	56.7	US/I S/I	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00877  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 103186  
 PART NO : 3035300  
 ENGINEERING NAME : ENGINE CHANGE UNIT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~00198

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
11MAY10 05:05	Maintenance Comment	5182.8 ENHR	0.0	ANNUAL REVIEW OF ENGINE LOGBOOK CARRIED OUT IAW AAP7001.059 A1PXXX1004803	XXxxXXxx
26FEB11 03:26	Asset Removal	5226.2 ENHR	2440.9	A23-015 A23T A1S 00	A23T A1S 00A
	Change Serviceability Stat		269.0	S/I U/S	XXxxXXxx
	Change Location of an Asse		1856.2	A23-015 INTMH	
26FEB11 03:27	Change Serviceability Stat	5226.2 ENHR	0.0	U/S SERV	XXxxXXxx
27FEB11 01:45	Asset Installation	5226.2 ENHR	0.9	A23T A1S A23-036 00	A23T A1S 00AC
	Change Serviceability Stat		0.9	SERV S/I INTMH A23-036	XXxxXXxx
19JAN12 04:59	Maintenance Comment	5378.8 ENHR	0.0	ANNUAL REVIEW OF ENGINE LOG BOOK C/O IAQ AAP7001.059 A1PXXX1200242	XXxxXXxx
01JUL12 22:08	Position Change	5533.8 ENHR	490.8	A23T A1S 00 A23T A1S 00	
	Maintenance Comment		0.0	A1PXXX1206320	XXxxXXxx
04FEB13 03:48	Maintenance Comment	5760.8 ENHR	0.0	POLICY COPY; POSN. AUTH; MPAN 12-2012 NEW MS4 = 300ENHR CURL ANNUAL REVIEW OF ENG LOG BOOK C/O IAW AAP.7001.059 @ AIP QA A1PXXX1300892	XXxxXXxx
27AUG13 04:31	Asset Removal	5823.7 ENHR	912.1	A23-036 A23T A1S 00	A23T A1S 00A
	Change Serviceability Stat		153.8	S/I SERV	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00878  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 103186  
 PART NO : 3035300  
 ENGINEERING NAME : ENGINE CHANGE UNIT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~00198

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
27AUG13 04:38	Asset Installation	0.0	A23T A1S A23-036	00 A23T A1S 00AC
	5823.7 ENHR Change Serviceability Stat	0.0	SERV S/I A23-036	XXxxXXxx
27AUG13 05:13	Asset Removal	0.0	A23-036 A1S	00 A23T A1S 00A
	5823.7 ENHR Change Serviceability Stat	0.0	S/I U/S A23-036	XXxxXXxx
27AUG13 05:17	Change Serviceability Stat	0.0	STORES U/S SERV	MCS XXxxXXxx
27AUG13 05:27	Change Venue of an Asset	2769.2	AIP AIE A1PXXX1309579	XXxxXXxx
	5823.7 ENHR Maintenance Comment	0.0	EX A23-036	
	Change Location of an Asse	0.0	STORES	MCS
22SEP13 23:40	Asset Installation	26.7	ENGINE A23T A1S A23-051	00 A23T A1S 00AC
	5823.7 ENHR Change Serviceability Stat	26.7	SERV S/I ENGINE A23-051	XXxxXXxx
30APR14 03:43	Change Serviceability Stat	5.9	S/I US/I A1PXXJY812610	XXxxXXxx
	5948.5 ENHR			

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00879  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 103186  
 PART NO : 3035300  
 ENGINEERING NAME : ENGINE CHANGE UNIT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~00198

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
06JUN14 00:58	Asset Removal	256.0	A23-051 A23T A1S	A23T A1S 00A
	5948.5 ENHR Change Serviceability Stat	36.8	US/I U/S	XXXXXXxx
	Change Location of an Asse	256.0	A23-051 EQUIP_STORE	
06JUN14 01:04	Change Serviceability Stat	0.0	U/S SERV	
	5948.5 ENHR Change Venue of an Asset	300.6	AIE NONC2CONT	XXXXXXxx
23JUN14 22:13	Change Location of an Asse	17.8	A1EXXX1402114 EQUIP_STORE	XXXXXXxx
	5948.5 ENHR Change Venue of an Asset	0.0	HOLD AIE ARDU	
28APR15 01:43	Maintenance Comment	0.0	A1EXXX1501133	XXXXXXxx
	Change Location of an Asse	0.0	RETURN REQUEST SRF-3040297-DRN EQUIP_STORE	
29APR15 23:08	Change Location of an Asse	1.8	MCS MCS	
	5948.5 ENHR Change Serviceability Stat	328.9	PC9-AIRCRAFT ARDUXX1501613	XXXXXXxx
30APR15 23:39	Estimated Date/Time Servic	736083.0	SERV U/S	
	5948.5 ENHR Change Serviceability Stat	0.0	ARDUXU1502172 SERV STAT	XXXXXXxx
30APR15 23:39	Change Serviceability Stat	0.0	SERV STAT U/S	
	5948.5 ENHR		SERV	XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00880  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 103186  
 PART NO : 3035300  
 ENGINEERING NAME : ENGINE CHANGE UNIT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~00198

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
LIFE SINCE NEW		TRANS REFERENCE			
30APR15 23:51	Asset Installation	328.9	A23T A1S	00	
	5948.5 ENHR		A23-024	A23-024	A23T A1S 00AC
	Change Serviceability Stat	0.0	SERV		XXXXXXXX
	Change Location of an Asse	1.0	S/I		
			PC9-AIRCRAFT		
			A23-024		
17SEP15 03:05	Maintenance Comment	0.0	ANNUAL REVIEW OF ENG LOG BOOK C/O IAW AAP.7001.059 @ AIP QA		
	6008.0 ENHR		A1PXXX1508581		XXXXXXXX
21SEP15 11:16	Maintenance Comment	0.0	ANNUAL REVIEW OF ENGINE LOG C/O IAW AAP7001-059		
	6008.0 ENHR		A1PXXX1508722		XXXXXXXX
	Change Part Number of an A		NO PARENT TRANSACTION DETAILS		
08APR16 02:21	Maintenance Comment	0.0	7113.022 MOD SERIES -293 TO -300 POLICY APPLICATION		
08APR16 02:22	Position Change	343.1	A23T A1S	00	
			A23T A1S	00	
	6008.0 ENHR		A1PXXX1603150		XXXXXXXX
	Change Part Number of an A		NO PARENT TRANSACTION DETAILS		
14APR16 10:06	Maintenance Comment	0.0	MPAN 010 /2016 APPLIED. ENGINE MOD SERIES -301 TO -310.		
05OCT16 03:26	Maintenance Comment	0.0	ANNUAL REVIEW OF ENGINE LOG BOOK C/O IAW AAP 7001-059		
	6008.0 ENHR		A1PXXX1610016		XXXXXXXX
10OCT17 23:08	Maintenance Comment	0.0	ENGINE ANNUAL LOG BOOK REVIEW C/OUT IAW AAP 7001.059 S4C2		
	6374.5 ENHR		A1PXXX1714956		XXXXXXXX
14AUG18 13:15	Asset Removal	1201.5	A23-024	A23-024	A23T A1S 00A
			A23T A1S	00	
	6667.3 ENHR				XXXXXXXX
	Change Serviceability Stat	11.4	S/I		
			U/S		
	Change Location of an Asse	694.5	A23-024		
			OPMH		
14AUG18 13:17	Change Serviceability Stat	0.0	U/S		
			SERV		
	6667.3 ENHR				XXXXXXXX

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00881  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 103186  
 PART NO : 3035300  
 ENGINEERING NAME : ENGINE CHANGE UNIT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~00198

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
15AUG18 02:40	Asset Installation	0.5	A23T A1S A23-033	00 A23T A1S 00AC
	6667.3 ENHR Change Serviceability Stat	0.5	SERV S/I	XXXXXXxx
	Change Location of an Asse	0.5	OPMH A23-033	
23AUG18 02:39	Change Serviceability Stat	7.9	S/I US/I	
	6667.3 ENHR Change Serviceability Stat	0.0	A1EXXJ1304494	XXXXXXxx
	6667.3 ENHR Maintenance Comment	0.0	US/I S/I	XXXXXXxx
02OCT18 01:17			ANNUAL REVIEW OF ENGINE LOG BOOK C/OUT IAW AAP 7001.059	
	6750.4 ENHR Change Serviceability Stat	13.5	A1PXXX1809640	XXXXXXxx
20MAY19 03:43			S/I US/I	
	6994.3 ENHR Change Serviceability Stat	31.9	A1PXXJ1608819	XXXXXXxx
21JUN19 02:04			US/I S/I	XXXXXXxx
	6994.3 ENHR			XXXXXXxx

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1EXXUY301010	COMPLETED	30MAR04 08:00	3406.7	ENHR		
30OCT03 04:54	XXXXXXxx	XXXXXXxxXXXXXXxx	AIE			
		ENGINE MOUNT REMOVED FOR ACCESS				XXXXXXxxXXXXXXxx
						30MAR04 08:00
						XXXXXXxxXXXXXXxx

Maint Acts: CX U/S AS MOUNTS REMOVED AGAINST AIRCRAFT

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00882  
08JAN20  
23:16:15

SERIAL/TAIL NO : 103186 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 3035300 ~00198  
ENGINEERING NAME : ENGINE CHANGE UNIT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1EXXUY301010

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	R222266 93880-28	A23T	A1SAQ 30OCT03 05:13	00 A1EXXJY301850				
-----	---------------------	------	------------------------	---------------------	--	--	--	--

002	R222265 93880-28	A23T	A1SAS 30OCT03 05:16	00 A1EXXJY301851				
-----	---------------------	------	------------------------	---------------------	--	--	--	--

003	R222268 93880-28	A23T	A1SAU 30OCT03 05:18	00 A1EXXJY301852				
-----	---------------------	------	------------------------	---------------------	--	--	--	--

004	R222267 93880-28	A23T	A1SAW 30OCT03 05:19	00 A1EXXJY301853				
-----	---------------------	------	------------------------	---------------------	--	--	--	--

A1EXXUY301016 COMPLETED 30MAR04 08:00 3406.7 ENHR  
30OCT03 20:54 XXXXX

OVERSPEED GOVERNOR REMOVED FOR ACCESS

XXXXXXXXXXXXXXXXXXXX  
30MAR04 08:00  
XXXXXXXXXXXXXXXXXXXX

Maint Acts: U/S CX DUE TO REMOVAL AGAINST AIRCRAFT

REMOVALS/INSTALLATIONS FOR A1EXXUY301016

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	2138432B 210957	A23T	A1SAO04 30OCT03 21:10	00 A1EXXJY301855				
-----	--------------------	------	--------------------------	---------------------	--	--	--	--

A1EXXUY301019 COMPLETED 30MAR04 08:00 3406.7 ENHR  
30OCT03 21:15 XXXXX

FCU MANUAL OVERRIDE REMOVED FOR ACCESS

XXXXXXXXXXXXXXXXXXXX  
30MAR04 08:00  
XXXXXXXXXXXXXXXXXXXX

Maint Acts: U/S CX DUE TO REMOVAL AGAINST AIRCRAFT

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00883  
08JAN20  
23:16:15

SERIAL/TAIL NO : 103186 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 3035300 ~00198  
ENGINEERING NAME : ENGINE CHANGE UNIT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

REMOVALS/INSTALLATIONS FOR A1EXXUY301019

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	315	A23T	A1SAI00	00				
	VL50R4		30OCT03 21:28	A1EXXJY301856				

A1EXXUY301021 COMPLETED 30MAR04 08:00 3406.7 ENHR  
30OCT03 22:22 XXxxXXxx  
XXxxXXxxXXxxXXxxXXxx  
AIE  
EDP REMOVED FOR ACCESS

XXxxXXxxXXxxXXxxXXxx  
30MAR04 08:00  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: U/S CX DUE TO REMOVAL AGAINST AIRCRAFT

REMOVALS/INSTALLATIONS FOR A1EXXUY301021

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1970	A23T	A1SAI20	00				
	151-906-010		30OCT03 23:29	A1EXXJY301866				
002	4501	A23T	A1SAI14	00				
	23081-026		20NOV03 02:19	A1EXXJY302563				
003	CW69A	A23T	A1SAI12	01				
	4049 H5		20NOV03 03:21	A1EXXJY302565				

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : 103186 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 3035300 ~00198  
ENGINEERING NAME : ENGINE CHANGE UNIT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1EXXUY301032	COMPLETED	30MAR04 08:00	3406.7	ENHR		
30OCT03 23:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			
		FUEL FLOW TRANSMITTER REMOVED FOR ACCESS				XXxxXXxxXXxxXXxxXXxx 30MAR04 08:00 XXxxXXxxXXxxXXxxXXxx

Maint Acts: U/S CX DUE TO REMOVAL AGAINST AIRCRAFT

REMOVALS/INSTALLATIONS FOR A1EXXUY301032

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	D0368	A23T	A1SAI04	00				
	2CM9ABZ7		30OCT03 23:35	A1EXXJY301867				

A1EXXUY301033	COMPLETED	30MAR04 08:00	3406.7	ENHR		
30OCT03 23:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			
		TACHO GENERATOR REMOVED FOR ACCESS				XXxxXXxxXXxxXXxxXXxx 30MAR04 08:00 XXxxXXxxXXxxXXxxXXxx

Maint Acts: U/S CX DUE TO REMOVAL AGAINST AIRCRAFT

A1EXXUY301034	COMPLETED	30MAR04 08:00	3406.7	ENHR		
30OCT03 23:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			
		OIL PRESSURE TRANSDUCER REMOVED FOR ACCESS				XXxxXXxxXXxxXXxxXXxx 30MAR04 08:00 XXxxXXxxXXxxXXxxXXxx

Maint Acts: U/S CX DUE TO REMOVAL AGAINST AIRCRAFT

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00885  
08JAN20  
23:16:15

SERIAL/TAIL NO : 103186 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 3035300 ~00198  
ENGINEERING NAME : ENGINE CHANGE UNIT  
VENUE : A23DISP LOCATION : A23-033  
REMOVALS/INSTALLATIONS FOR A1EXXUY301034

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	56915270	A23T	A1SAI16	00				
	IPT20RTPE1000200G		30OCT03 23:43	A1EXXJY301868				

A1PXXU1310793 COMPLETED 22SEP13 23:38 5823.7 ENHR SCM XXxxXXxxXXxxXXxxXXxx  
27AUG13 05:17 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
27AUG13 05:21 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
ENGINE COMPONENTS REMOVED PRIOR TO SHIPMENT.  
LH EXHAUST STUBB R910400  
RH EXHAUST STUBB R910401  
STARTER GENERATOR 5447  
HYD PUMP AH1030A  
SHOCK MOUNT LWR L L931475  
SHOCK MOUNT LWR R L931474  
SHOCK MOUNT UPR L L931476  
SHOCK MOUNT UPR R L931473

Maint Acts: ENGINE COMPONENTS INSTALLED AS REQUIRED REF ENGINE BUILD PACKAGE  
SNOW 480288-2 AND ENGINE INSTALL PACKAGE SNOW 480289-1

REMOVALS/INSTALLATIONS FOR A1PXXU1310793

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	L931473	A23T	A1SAW	00	PB1200254	A23T	A1SAW	00
	93880-26		27AUG13 05:21	A1PXXJ1311493	93880-26		17SEP13 03:38	
002	L931474	A23T	A1SAS	00	PB1200253	A23T	A1SAS	00
	93880-26		27AUG13 05:22	A1PXXJ1311494	93880-26		17SEP13 03:39	
003	L931475	A23T	A1SAQ	00	PB1200255	A23T	A1SAQ	00
	93880-26		27AUG13 05:22	A1PXXJ1311495	93880-26		17SEP13 03:40	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00886  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 103186  
 PART NO : 3035300 ~00198  
 ENGINEERING NAME : ENGINE CHANGE UNIT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

SEQ	REMOVED SERIAL NO REMOVED PART NO	EIAC	LCN DATE/TIME	ALC JOB NUMBER	INSTALLED SERIAL NO INSTALLED PART NO	EIAC	LCN DATE/TIME	ALC
004	L931476 93880-26	A23T	A1SAU 27AUG13 05:23	00 A1PXXJ1311496	PB1200252 93880-26	A23T	A1SAU 17SEP13 03:37	00
005	5447 23081-026	A23T	A1SAI14 27AUG13 05:23	00 A1PXXJ1311497	4512 23081-026	A23T	A1SAI14 22SEP13 23:28	00
006	5979 3032168	A23T	A1SAA00 27AUG13 05:24	00 A1PXXJ1311498				
007	R910401 578.10.09.018	A23T	A1SAM14 27AUG13 05:24	00 A1PXXJ1311499	R818505 578.10.09.020	A23T	A1SAM14 22SEP13 23:18	01
008	R910400 578.10.09.023	A23T	A1SAM12 27AUG13 05:25	01 A1PXXJ1311500	410 578.10.09.023	A23T	A1SAM12 22SEP13 23:16	01
009	AH1030A 4049 H5	A23T	A1SAI12 27AUG13 05:26	01 A1PXXJ1311501	AV264AC 4049 H5	A23T	A1SAI12 17SEP13 01:49	01
010					B14041 3244890-3	A23T	A1SAG 17SEP13 01:36	01
011					NNA06331360 3035889	A23T	A1SAA00 17SEP13 01:39	00
012					0136 978.73.18.126	A23T	A1SAI00 17SEP13 01:47	01



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00887  
08JAN20  
23:16:15

SERIAL/TAIL NO : 103186 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 3035300 ~00198  
ENGINEERING NAME : ENGINE CHANGE UNIT  
VENUE : A23DISP LOCATION : A23-033

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
013					11502075D/F 210957	A23T	A1SAM22AE 17SEP13 03:42	00

A1EXXU1303942 COMPLETED 18SEP13 04:48 5823.7 ENHR SCM XXxxXXxxXXxxXXxxXXxx  
28AUG13 23:24 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE  
28AUG13 23:24 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE  
OH due on Serial RT207  
FUEL NOZZLE SET at WAC 0120  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV FUEL NOZZLE SET INSTALLED REFER SNOW 480288-2-2-1

REMOVALS/INSTALLATIONS FOR A1EXXU1303942

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	RT207 RAAFA62FNS01	A23T	A1SAK27 28AUG13 23:28	00 A1PXXJY413729	RT311 RAAFA62FNS01	A23T	A1SAK27 18SEP13 01:25	00

A1EXXU1303999 COMPLETED 03SEP13 01:02 5823.7 ENHR SCM XXxxXXxxXXxxXXxxXXxx  
02SEP13 05:56 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE  
02SEP13 06:01 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE  
ENGINE BLEED VALVE ASSY TO BE INSTALLED  
480288 2  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: BLEED VALVE ASSY INSTALLED REF SNOW 480288-2-2-6

REMOVALS/INSTALLATIONS FOR A1EXXU1303999

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001					4Y639 3070262-01	A23T	A1SAK54 03SEP13 00:58	00

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 103186 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 3035300 ~00198  
ENGINEERING NAME : ENGINE CHANGE UNIT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1EXXU1304000	COMPLETED	17SEP13 05:56	5823.7	ENHR	SCM	XXXXXXXXXX
02SEP13 06:02	XXXXXXXXXX	XXXXXXXXXX	AIE			
02SEP13 06:04	XXXXXXXXXX	XXXXXXXXXX	AIE			XXXXXXXXXX
480288 2		PROPELLER CONSTANT SPEED UNIT TO BE INSTALLED				17SEP13 05:56
						XXXXXXXXXX

Maint Acts: SERV CONSTANT SPEED UNIT INSTALLED REF SNOW 480288-2-2-3

REMOVALS/INSTALLATIONS FOR A1EXXU1304000

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001					2134697F	A23T	A1SAM22AC	00
					8210-135 REV.G		17SEP13 01:34	

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1EXXU1304051	COMPLETED	17SEP13 05:59	5823.7	ENHR	SCM	XXXXXXXXXX
04SEP13 05:55	XXXXXXXXXX	XXXXXXXXXX	AIE			
04SEP13 05:55	XXXXXXXXXX	XXXXXXXXXX	AIE			XXXXXXXXXX
		POWER SECTION MODULE REMOVED FOR ACCESS				17SEP13 05:59
						XXXXXXXXXX

Maint Acts: POWER SECTION MODULE S/N 103186 RE-INSTALLED REF SNOW 480288-2-4-2

REMOVALS/INSTALLATIONS FOR A1EXXU1304051

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	103186	A23T	A1SAM	00	103186	A23T	A1SAM	00
	3035200		04SEP13 05:56	A1EXXJ1304551	3035200		17SEP13 01:30	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00889  
08JAN20  
23:16:15

SERIAL/TAIL NO : 103186 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 3035300 ~00198  
ENGINEERING NAME : ENGINE CHANGE UNIT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME

A1EXXU1304052	COMPLETED	13SEP13 01:45	5823.7	ENHR	SCM	XXXXXXXXXX
04SEP13 05:58	XXXXXXXX	XXXXXXXXXX	AIE			XXXXXXXXXX
04SEP13 05:59	XXXXXXXX	XXXXXXXXXX	AIE			XXXXXXXXXX
SHROUD AND CT DISK ASSY REMOVED FOR ACCESS						

Maint Acts: SHROUD AND CT DISK ASSY REFITTED REF SNOW 480268-2-4-1

REMOVALS/INSTALLATIONS FOR A1EXXU1304052

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	3Y877	A23T	A1SAK50	00	3Y877	A23T	A1SAK50	00
	HDH/001/PT6A-62		04SEP13 06:02	A1EXXJ1304552	HDH/001/PT6A-62/0648		13SEP13 01:43	

ARDUXU1502092	COMPLETED	29APR15 02:59	5948.5	ENHR	SST	XXXXXXXXXX
03JUN14 04:30	XXXXXXXX	XXXXXXXXXX	ARDU			29APR15 02:59
28APR15 02:07	XXXXXXXX	XXXXXXXXXX	ARDU			XXXXXXXXXX
CMM2 DOWN: AIRCRAFT REQUIRES MANDATORY MCS/AMCO AMD VALIDATION PRIOR TO FLIGHT, IAW SMI 08/20 ENG RECS PACK						

Maint Acts: WORKSHEETS CLEARED AND CLOSED

ARDUXU1502093	COMPLETED	17APR15 00:00	5948.5	ENHR	T+TS+II	XXXXXXXXXX
03JUN14 22:00	XXXXXXXX	XXXXXXXXXX	ARDU			17APR15 00:00
28APR15 02:13	XXXXXXXX	XXXXXXXXXX	ARDU			XXXXXXXXXX
CMM2 DOWN: ALUMEL AND CHROMEL BUSBARS BROKEN IN THREE PLACES						

Maint Acts: BUSBARS REPLACED WITH NEW ITEM

A1EXXU1403564	COMPLETED	30APR15 04:26	5948.5	ENHR	SST	XXXXXXXXXX
06JUN14 01:00	XXXXXXXX	XXXXXXXXXX	AIE			30APR15 04:26
06JUN14 01:01	XXXXXXXX	XXXXXXXXXX	AIE			XXXXXXXXXX
RH UPPER ENGINE MOUNT REMOVED FOR ENGINE CHANGE						

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00890  
08JAN20  
23:16:15

SERIAL/TAIL NO : 103186 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 3035300 ~00198  
ENGINEERING NAME : ENGINE CHANGE UNIT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: RH UPPER ENGINE MOUNT FITTED REF IN07 PAPERWORK VIS/05/15

REMOVALS/INSTALLATIONS FOR A1EXXU1403564

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PB1200254	A23T	A1SAW	00	1377	A23T	A1SAW	00
	93880-26		09JUN14 22:49	A1EXXJ1403537	93880-26		30APR15 04:23	

A1EXXU1403565 COMPLETED 30APR15 04:23 5948.5 ENHR SST XXxxXXxxXXxxXXxxXXxx  
06JUN14 01:01 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 30APR15 04:23  
06JUN14 01:02 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE XXxxXXxxXXxxXXxxXXxx  
RH LOWER ENGINE MOUNT REMOVED FOR ENGINE CHANGE  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: RH LOWER ENGINE MOUNT FITTED REF IN07 PAPERWORK VIS/05/15

REMOVALS/INSTALLATIONS FOR A1EXXU1403565

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PB1200253	A23T	A1SAS	00	1372	A23T	A1SAS	00
	93880-26		09JUN14 22:54	A1EXXJ1403538	93880-26		30APR15 04:20	

A1EXXU1403566 COMPLETED 30APR15 04:18 5948.5 ENHR SST XXxxXXxxXXxxXXxxXXxx  
06JUN14 01:03 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 30APR15 04:18  
06JUN14 01:03 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE XXxxXXxxXXxxXXxxXXxx  
LH UPPER ENGINE MOUNT REMOVED FOR ENGINE CHANGE  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: LH UPPER ENGINE MOUNT FITTED REF IN07 PAPERWORK VIS/05/15

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 103186 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 3035300 ~00198  
 ENGINEERING NAME : ENGINE CHANGE UNIT  
 VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1EXXU1403566

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PB1200252 93880-26	A23T	A1SAU 09JUN14 22:56	00 A1EXXJ1403539	1151 93880-26	A23T	A1SAU 30APR15 04:15	00

A1EXXU1403567 COMPLETED 30APR15 04:12 5948.5 ENHR SST  
 06JUN14 01:03 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 30APR15 04:12  
 06JUN14 01:04 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE XXxxXXxxXXxxXXxxXXxx  
 LH LOWER ENGINE MOUNT REMOVED FOR ENGINE CHANGE  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: LH LOWER ENGINE MOUNT FITTED REFER TO IN07 PAPERWORK VIS/05/15

REMOVALS/INSTALLATIONS FOR A1EXXU1403567

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PB1200255 93880-26	A23T	A1SAQ 09JUN14 22:59	00 A1EXXJ1403540	1381 93880-26	A23T	A1SAQ 30APR15 04:07	00

A1EXXU1403568 COMPLETED 30APR15 05:18 5948.5 ENHR SST  
 06JUN14 01:04 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 30APR15 05:18  
 06JUN14 01:05 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE XXxxXXxxXXxxXXxxXXxx  
 OVERSPEED GOVERNOR REMOVED FOR ENGINE CHANGE  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: OVERSPEED GOVERNOR FITTED REF IN01 PAPERWORK VIS/04/15

REMOVALS/INSTALLATIONS FOR A1EXXU1403568

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	11502075D/F 210957	A23T	A1SAM22AE 09JUN14 23:15	00 A1EXXJ1403546	2138412D/F 210957	A23T	A1SAM22AE 30APR15 05:15	00

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : 103186 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 3035300 ~00198  
ENGINEERING NAME : ENGINE CHANGE UNIT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1EXXU1403569	COMPLETED	30APR15 05:13	5948.5	ENHR	SST	XXXXXXXXXXXXXXXXXXXX
06JUN14 01:05	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			30APR15 05:13
06JUN14 01:06	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			XXXXXXXXXXXXXXXXXXXX
		HYD PUMP REMOVED FOR ENGINE CHANGE				
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: HYD PUMP FITTED REF IN07 PAPERWORK VIS/05/15

REMOVALS/INSTALLATIONS FOR A1EXXU1403569

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	AV264AC	A23T	A1SAI12	01	AH1178A	A23T	A1SAI12	01
	4049 H5		09JUN14 22:41	A1EXXJ1403535	4049 H5		30APR15 05:07	

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1EXXU1403570	COMPLETED	30APR15 05:05	5948.5	ENHR	SST	XXXXXXXXXXXXXXXXXXXX
06JUN14 01:06	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			30APR15 05:05
06JUN14 01:07	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			XXXXXXXXXXXXXXXXXXXX
		TACHO GEN REMOVED FOR ENGINE CHANGE				
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: TACHO GEN FITTED REF IN01 VIS/04/15

REMOVALS/INSTALLATIONS FOR A1EXXU1403570

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	D0193	A23T	A1SAI04	00	X1567	A23T	A1SAI04	00
	2CM9ABZ7		09JUN14 23:04	A1EXXJ1403542	2CM9ABZ7		30APR15 05:02	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 103186 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 3035300 ~00198  
 ENGINEERING NAME : ENGINE CHANGE UNIT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1EXXU1403571	COMPLETED	30APR15 04:49	5948.5	ENHR	SST	XXXXXXXXXXXXXXXXXXXX
06JUN14 01:07	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			30APR15 04:49
06JUN14 01:07	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			XXXXXXXXXXXXXXXXXXXX
		FUEL FLOW TX REMOVED FOR ENGINE CHANGE				
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: FUEL FLOW TX FITTED REF IN01 VIS/04/15

REMOVALS/INSTALLATIONS FOR A1EXXU1403571

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1701	A23T	A1SAI20	00	1663	A23T	A1SAI20	00
	151-906-010		09JUN14 23:13	A1EXXJ1403545	151-906-010		30APR15 04:44	

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1EXXU1403572	COMPLETED	30APR15 04:42	5948.5	ENHR	SST	XXXXXXXXXXXXXXXXXXXX
06JUN14 01:07	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			30APR15 04:42
06JUN14 01:08	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			XXXXXXXXXXXXXXXXXXXX
		OIL PX TRANSDUCER REMOVED FOR ENGINE CHANGE				
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: OIL PX TRANSDUCER FITTED REF IN01 PAPERWORK VIS/04/15

REMOVALS/INSTALLATIONS FOR A1EXXU1403572

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	62644153	A23T	A1SAI16	00	46414436	A23T	A1SAI16	00
	975.21.15.207		09JUN14 23:10	A1EXXJ1403544	975.21.15.207		30APR15 04:38	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 103186 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 3035300 ~00198  
 ENGINEERING NAME : ENGINE CHANGE UNIT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1EXXU1403573	COMPLETED	30APR15 04:36	5948.5	ENHR	SCM	XXxxXXxxXXxxXXxxXXxx
06JUN14 01:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			
06JUN14 01:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		EFCU ACTUATOR REMOVED FOR ENGINE CHANGE				30APR15 04:36
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: EFCU ACTUATOR FITTED REF IN01 PAPERWORK VIS/04/15

REMOVALS/INSTALLATIONS FOR A1EXXU1403573

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0136	A23T	A1SAI00	01	311	A23T	A1SAI00	00
	978.73.18.126		09JUN14 23:07	A1EXXJ1403543	VL50R4		30APR15 04:28	

ARDUXU1502102	COMPLETED	17APR15 00:00	5948.5	ENHR	T+TS+II	XXxxXXxxXXxxXXxxXXxx
19JUN14 05:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU			17APR15 00:00
28APR15 05:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU			XXxxXXxxXXxxXXxxXXxx
		CMM2 DOWN: S31 SERVICING TO BE CARRIED OUT				17APR15 00:00
						XXxxXXxxXXxxXXxxXXxx
						17APR15 00:00

Maint Acts: REPAIRED & BAY SERVICED IAW P&WC MANUAL P/N 3034543 REV 36 & AAP7113.022-2

ARDUXU1502103	COMPLETED	17APR15 00:00	5948.5	ENHR	T+TS+II	XXxxXXxxXXxxXXxxXXxx
19JUN14 06:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU			17APR15 00:00
28APR15 05:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU			XXxxXXxxXXxxXXxxXXxx
		CMM2 DOWN: BLISTERING FOUND COMPRESSOR TURBINE DISC ASSY.				17APR15 00:00
						XXxxXXxxXXxxXXxxXXxx
						17APR15 00:00

Maint Acts: NEW BLADES INSTALLED IAW P&WC MANUAL P/N 3034543 R 36



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 103186 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 3035300 ~00198  
ENGINEERING NAME : ENGINE CHANGE UNIT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

ARDUXU1502104	COMPLETED	17APR15 00:00	5948.5	ENHR	T+TS+II	XXxxXXxxXXxxXXxxXXxx
19JUN14 06:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU			17APR15 00:00
28APR15 05:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU			XXxxXXxxXXxxXXxxXXxx
		CAMM2 DOWN: BLISTERING FOUND ON 1ST STAGE POWER TURBINE BLADES				17APR15 00:00
						XXxxXXxxXXxxXXxxXXxx
						17APR15 00:00

Maint Acts: BLADES OVERHAULED IAW P&WC MANUAL P/N 3034543 R 36

A1EXXU1403848	COMPLETED	19JUN14 23:39	5948.5	ENHR	SCM	XXxxXXxxXXxxXXxxXXxx
19JUN14 23:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
19JUN14 23:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			19JUN14 23:39
		FLOW DIVIDER PURGE VALVE TO BE FITTED				XXxxXXxxXXxxXXxxXXxx

Maint Acts: FLOW DIVIDER PURGE VALVE FITTED IAW AAP 7113.022-3 CH 73

REMOVALS/INSTALLATIONS FOR A1EXXU1403848

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001					0045	A23T	A1SAK56	01
					3049656-01		19JUN14 23:37	

A1EXXU1403849	COMPLETED	16APR15 01:45	5948.5	ENHR	SST	XXxxXXxxXXxxXXxxXXxx
19JUN14 23:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			16APR15 01:45
19JUN14 23:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		FUEL NOZZLE SET TO BE FITTED				XXxxXXxxXXxxXXxxXXxx

Maint Acts: FUEL NOZZLE SET FITTED IAW AAP7113.022-2 MAINTENANCE MANUAL

ARDUXU1502132	COMPLETED	29APR15 00:35	5948.5	ENHR	T+TS+II	XXxxXXxxXXxxXXxxXXxx
29APR15 00:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU			29APR15 00:34
29APR15 00:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU			XXxxXXxxXXxxXXxxXXxx
		RAISED TO FACILITATE REMOVAL AND INSTALL OF OIL FILTERS AND STAT ASSY				29APR15 00:34
		TURB COMP. BOTH ITEMS REMOVED AND REPLACED BY CONTRACTOR.				XXxxXXxxXXxxXXxxXXxx
						29APR15 00:35

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : 103186  
PART NO : 3035300 ~00198 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : ENGINE CHANGE UNIT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: SERVICABLE ITEMS FITTED IAW AAP7113.022-2 MAINTENANCE MANUAL. ITEMS FITTED ON 161145KAPR15

REMOVALS/INSTALLATIONS FOR ARDUXU1502132

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PC1200400 3059257-01	A23T	A1SAK34 29APR15 00:26	00 ARDUXJ1501086	AS1393 3059258-01	A23T	A1SAK34 29APR15 00:28	00
002	967A 3041861CL	A23T	A1SAK50AE 29APR15 00:29	00 ARDUXJ1501087	HLA576AA 3041861CL	A23T	A1SAK50AE 29APR15 00:30	00

ARDUXU1502172 COMPLETED 30APR15 23:48 5948.5 ENHR SST XXxxXXxxXXxxXXxxXXxx  
 30APR15 23:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx ARDU 30APR15 23:48  
 30APR15 23:40 XXxxXXxx XXxxXXxxXXxxXXxxXXxx ARDU XXxxXXxxXXxxXXxxXXxx  
 HIGH PRESS FUEL PUMP AND FCU TO BE FITTED  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: HIGH PRESS FUEL PUMP AND FCU FITTED REFER IN01 PAPERWORK VIS/04/15

REMOVALS/INSTALLATIONS FOR ARDUXU1502172

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001					504 3031806	A23T	A1SAI10 30APR15 23:41	00

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00897  
08JAN20  
23:16:15

SERIAL/TAIL NO : 103186 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 3035300 ~00198  
ENGINEERING NAME : ENGINE CHANGE UNIT  
VENUE : A23DISP LOCATION : A23-033

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
002					C33090 3244856-7-3	A23T	A1SAI02 30APR15 23:44	00

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

AIEXXJCA04404 C COMPLETED 30JUN91 00:00 XXxxXXxx AIE 0.0  
03 OVERHAUL DUE

Unserviceability Details:  
Maintenance Comments:

AIEXXJCA02349 C COMPLETED 26MAR03 00:00 XXxxXXxx AIE 0.0  
02 BAY SERVICE DUE

Unserviceability Details:  
Maintenance Comments:

AIEXXJY301728 C COMPLETED 28OCT03 03:13 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIP 3406.7 ENHR  
12 DAMAGED 09 R2 SERVICING FAILED BORESCOPE INSPECTIONS OF THE CT VANES AND CT BLADES IAW  
01 DAMAGED/CRACKED AAP 7112.022.2  
08 DAMAGE 07 OVERHAUL

Unserviceability Details: COMP/TURB ASSY U/S & COMP/TURB SHROUD ASSY CRACKED  
Maintenance Comments: O/H AT P&WC A/ASIA 30MAR04

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00898  
08JAN20  
23:16:15

SERIAL/TAIL NO : 103186  
PART NO : 3035300 ~00198 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : ENGINE CHANGE UNIT  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJY413880	C COMPLETED	01DEC04 00:05	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	3515.6	ENHR
08 MOD/STI/DVI REQUIRED				STI-PC9-0336 due on Serial 103186			
				ENGINE CHANGE UNIT at WAC 0100			
01 NO FAULT		08 MOD/STI/DVI INCORP					
		Unserviceability Details:					
		Maintenance Comments:		CARRIED OUT			

A1PXXJY424422	C COMPLETED	11MAY05 06:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	3664.7	ENHR
08 MOD/STI/DVI REQUIRED				STI-PC9-0356 due on Serial 103186			
				ENGINE CHANGE UNIT at WAC 0100			
01 NO FAULT		08 MOD/STI/DVI INCORP					
		Unserviceability Details:					
		Maintenance Comments:		STI CO			

A1PXXJY514986	C COMPLETED	14SEP05 00:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	3814.8	ENHR
08 MOD/STI/DVI REQUIRED				STI-PC9-0377 due on Serial 103186			
				ENGINE CHANGE UNIT at WAC 0100			
01 NO FAULT		08 MOD/STI/DVI INCORP					
		Unserviceability Details:					
		Maintenance Comments:		STI-377 C/O SERV			

A1PXXJY423309	C COMPLETED	19SEP05 04:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	3814.8	ENHR
08 MOD/STI/DVI REQUIRED				STI-PC9-0336 due on Serial 103186			
				ENGINE CHANGE UNIT at WAC 0100			
01 NO FAULT		08 MOD/STI/DVI INCORP					
		Unserviceability Details:					
		Maintenance Comments:		STI-336 C/O			

A1PXXJY521910	C COMPLETED	24OCT06 05:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	4114.5	ENHR
08 MOD/STI/DVI REQUIRED		15OCT06 22:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP			
				7113.022-230 due on Serial 103186			
				ENGINE CHANGE UNIT at WAC 0100			
01 NO FAULT		08 MOD/STI/DVI INCORP					

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00899  
08JAN20  
23:16:15

SERIAL/TAIL NO : 103186 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 3035300 ~00198  
ENGINEERING NAME : ENGINE CHANGE UNIT  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

Unserviceability Details:

Maintenance Comments: MOD 230 INC SERV

A1PXXJY525999 C COMPLETED 24OCT06 05:09 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
24OCT06 05:09 15OCT06 22:25 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 4114.5 ENHR  
08 MOD/STI/DVI REQUIRED 7113.022-270 due on Serial 103186  
ENGINE CHANGE UNIT at WAC 0100

01 NO FAULT 08 MOD/STI/DVI INCORP

Unserviceability Details:

Maintenance Comments: MOD 270 INC SERV

AIEXXJ310621X C COMPLETED 03AUG08 22:40 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
03AUG08 22:41 30JUL08 02:40 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 4861.3 ENHR  
02 BAY SERVICE DUE BS due on Serial 103186  
ENGINE CHANGE UNIT at WAC 0100

01 NO FAULT 06 BAY SERVICE

Unserviceability Details:

Maintenance Comments: S3 CO

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1500.0	ENHR	1454.6		

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJY816611 C COMPLETED 09OCT08 03:01 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
09OCT08 03:03 09OCT08 03:01 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 4950.8 ENHR  
08 MOD/STI/DVI REQUIRED STI-PC9-0486 due on Serial 103186  
ENGINE CHANGE UNIT at WAC 0100

01 NO FAULT 08 MOD/STI/DVI INCORP

Unserviceability Details:

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00900  
08JAN20  
23:16:15

SERIAL/TAIL NO : 103186  
PART NO : 3035300  
ENGINEERING NAME : ENGINE CHANGE UNIT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20  
-00198

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

Maintenance Comments: STI INCORP IAW INSTRUCTIONS

A1PXXJY916990 C COMPLETED 12AUG09 09:17 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
12AUG09 09:18 30JUL09 05:58 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 5076.2 ENHR  
08 MOD/STI/DVI REQUIRED STI-PC9-511A due on Serial 103186  
ENGINE CHANGE UNIT at WAC 0100  
01 NO FAULT 08 MOD/STI/DVI INCORP  
Unserviceability Details:  
Maintenance Comments: SERV

A1PXXJY925032 C COMPLETED 09FEB10 00:17 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
09FEB10 00:23 14DEC09 06:52 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 5076.2 ENHR  
08 MOD/STI/DVI REQUIRED STI-PC9-518A due on Serial 103186  
ENGINE CHANGE UNIT at WAC 0100  
01 NO FAULT 08 MOD/STI/DVI INCORP  
Unserviceability Details:  
Maintenance Comments: STI- PC9-518 A INC IAW STI XREF PROJECT ENVIPERT01349AA 21 DEC  
09

A1PXXJ1102475 C COMPLETED 26FEB11 03:26 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
26FEB11 03:27 26FEB11 03:27 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 5226.2 ENHR  
13 REMOVED FOR ACCESS 99 NO FAILURE ENGINE RFA  
01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV

A1PXXJ1311490 C COMPLETED 27AUG13 05:13 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIE  
22SEP13 23:12 27AUG13 05:15 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 5823.7 ENHR  
09 CANNIBALISATION 99 NO FAILURE ENGINE CHANGE UNIT REMOVED FOR SHIPPMENT TO AIE.  
ENGINE REMOVAL PAPERWORK AIP MCS 1287/13 IN USE  
01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: ENGINE REMOVED SERV UNDER TASPO AUTH REMOVAL PACK AIP1287/13  
CLEARED

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00901  
08JAN20  
23:16:15

SERIAL/TAIL NO : 103186 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 3035300 ~00198  
ENGINEERING NAME : ENGINE CHANGE UNIT  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJ1209427 C COMPLETED 28AUG13 23:24 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
02SEP13 23:21 28AUG13 23:24 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 5823.7 ENHR  
19 MMI SERVICING DUE MS4 due on Serial 103186  
ENGINE CHANGE UNIT at WAC 0100  
01 NO FAULT 12 MMI SERVICING  
Unserviceability Details:  
Maintenance Comments: MS4 CARRIED OUT REF SNOW 480288-2-2-2

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS4	300.0	ENHR	289.9		

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1EXXJ1403428 C COMPLETED 03JUN14 04:32 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE ARDU  
29APR15 01:06 03JUN14 04:33 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 5948.5 ENHR  
13 REMOVED FOR ACCESS 99 NO FAILURE JOB RAISED TO FACILITATE THE USE OF A SNOW NO FOR REC'S PACK  
01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: REPAIRED & BAY SERVICED IAW P&WC MANUAL P/N 3034543 REV 36 & AAP7113.022-2

A1EXXJ1403435 C COMPLETED 03JUN14 21:20 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE NONC2CONT  
17APR15 02:00 03JUN14 21:22 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 5948.5 ENHR  
13 REMOVED FOR ACCESS JOB RAISED TO FACILITATE THE USE OF A SNOE FOR ENG STRIP PACK  
01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: REPAIRED & BAY SERVICED IAW P&WC MANUAL P/N 3034543 REV 36 & AAP7113.022-2

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00902  
08JAN20  
23:16:15

SERIAL/TAIL NO : 103186  
PART NO : 3035300 -00198  
ENGINEERING NAME : ENGINE CHANGE UNIT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

1PXXJY812610	C COMPLETED	06JUN14 00:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIE		NONC2CONT	
	17APR15 00:00	30APR14 03:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIE		5948.5 ENHR	
02 BAY SERVICE DUE				BS	due on Serial 103186		
				ENGINE CHANGE UNIT	at WAC 0100		
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:		REPAIRED & BAY SERVICED IAW P&WC MANUAL P/N 3034543 REV 367 & AAP7113.022-2			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1500.0	ENHR	1087.2		
SM	BS	1500.0	ENHR	1087.2		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

1EXXJ1403523	C COMPLETED	06JUN14 00:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIE		NONC2CONT	
	16APR15 01:00	06JUN14 00:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIE		5948.5 ENHR	
01 UNSERVICEABLE		09 R2 SERVICING		ENGINE HAS INTERNAL RUST, CT AND PT BLADE SULPHIDATION,			
		01 DAMAGED/CRACKED		CRACKED COMBUSTION CHAMBER LINER AND CRACKED THERMOCOUPLE			
12 CORRODED		06 BAY SERVICE		BUSBARS			
		Unserviceability Details:		ENGINE CRACKED, RUSTY AND CORRODED INTERNALLY			
		Maintenance Comments:		REPAIRED & BAY SERVICED IAW P&WC MANUAL P/N 3034543 REV 36 & AAP7113.022-2			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1500.0	ENHR			



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00903  
08JAN20  
23:16:15

SERIAL/TAIL NO : 103186  
PART NO : 3035300 -00198  
ENGINEERING NAME : ENGINE CHANGE UNIT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJ1813303	C COMPLETED	14AUG18 13:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
	14AUG18 13:17	14AUG18 13:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	6667.3	ENHR
13	REMOVED FOR ACCESS	99 NO FAILURE		ENGINE S/NO 103186 TO BE REMNOVED FOR CANNABILISATION TO SERVICE A23-033			
01	NO FAULT	04 CHECK/TEST SERV					
		Unserviceability Details:		CHECK/TEST SERV			
		Maintenance Comments:					

A1EXXJ1304494	C COMPLETED	23AUG18 02:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
	23AUG18 02:47	23AUG18 02:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	6667.3	ENHR
19	MMI SERVICING DUE	MS4		due on Serial 103186			
		ENGINE CHANGE UNIT at WAC 0100					
01	NO FAULT	12 MMI SERVICING					
		Unserviceability Details:					
		Maintenance Comments:		MS4 C/O SERV			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS4	1000.0	ENHR	843.6		
SM	MS4	1000.0	ENHR	843.6		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJ1608819	C COMPLETED	20JUN19 06:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
	21JUN19 02:04	20MAY19 03:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	6994.3	ENHR
08	MOD/STI/DVI REQUIRED	7113.022-307		due on Serial 103186			
		ENGINE CHANGE UNIT at WAC 0100					
01	NO FAULT	08 MOD/STI/DVI INCORP					
		Unserviceability Details:					
		Maintenance Comments:		INCORPORATED IAW AAP 7113.022-100 MODIFICATION 7113.022-307.			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00904  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 103186  
 PART NO : 3035300 ~00198  
 ENGINEERING NAME : ENGINE CHANGE UNIT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MOD NUMBER	CURRENT (Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
7113.022-101	Y	13MAY92 00:00	INC			
7113.022-102	Y	24APR96 00:00	INC			
7113.022-103	Y	24MAR92 00:00	INC			
7113.022-104	Y	02MAY96 00:00	INC			
7113.022-105	Y	02MAY96 00:00	INC			
7113.022-106	Y	24APR96 00:00	INC			
7113.022-108A	Y	17JAN03 00:00	N/A			
7113.022-108B	Y	26MAR03 00:00	INC			
7113.022-109A	Y	15JAN02 00:00	INC			
7113.022-109B	Y	19JUN01 00:00	N/A			
7113.022-110	N	14JUL03 00:00	NINC			
7113.022-110	Y	30MAR04	INC	MANUAL		NOT REC.
7113.022-111	N	12SEP05	NINC			
7113.022-111	Y	04OCT05 02:00	INC			
7113.022-112	N	12SEP05	NINC			
7113.022-112	Y	04OCT05 02:00	INC			
7113.022-113	N	12SEP05	NINC			
7113.022-113	Y	04OCT05 02:00	INC			
7113.022-114	Y	12SEP05	NINC			
7113.022-115	N	12SEP05	NINC			
7113.022-115	Y	04OCT05 02:00	INC			
7113.022-116	N	12SEP05	NINC			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00905  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 103186  
 PART NO : 3035300 ~00198  
 ENGINEERING NAME : ENGINE CHANGE UNIT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MOD NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
7113.022-116	Y	04OCT05 02:00	INC			
7113.022-117	N	12SEP05	NINC			
7113.022-117	Y	04OCT05 02:00	INC			
7113.022-118	Y	12SEP05	NINC			
7113.022-119	N	12SEP05	NINC			
7113.022-119	Y	04OCT05 02:00	INC			
7113.022-120	N	12SEP05	NINC			
7113.022-120	Y	04OCT05 02:00	INC			
7113.022-121	N	12SEP05	NINC			
7113.022-121	Y	04OCT05 02:00	INC			
7113.022-122	Y	12SEP05	NINC			
7113.022-123	Y	12SEP05	NINC			
7113.022-124	Y	12SEP05	NINC			
7113.022-125	Y	12SEP05	NINC			
7113.022-126	N	12SEP05	NINC			
7113.022-126	Y	04OCT05 02:00	INC			
7113.022-127	Y	12SEP05	NINC			
7113.022-128	Y	12SEP05	NINC			
7113.022-129	N	12SEP05	NINC			
7113.022-129	Y	04OCT05 02:00	INC			
7113.022-130	N	12SEP05	NINC			
7113.022-130	Y	04OCT05 02:00	INC			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00906  
08JAN20  
23:16:15

SERIAL/TAIL NO : 103186  
PART NO : 3035300 ~00198  
ENGINEERING NAME : ENGINE CHANGE UNIT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MOD NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
7113.022-131	N	12SEP05	NINC			
7113.022-131	Y	04OCT05 02:00	INC			
7113.022-132	N	12SEP05	NINC			
7113.022-132	Y	04OCT05 02:00	INC			
7113.022-133	N	12SEP05	NINC			
7113.022-133	Y	04OCT05 02:00	INC			
7113.022-134	N	12SEP05	NINC			
7113.022-134	Y	04OCT05 02:00	INC			
7113.022-135	N	12SEP05	NINC			
7113.022-135	Y	04OCT05 02:00	INC			
7113.022-136	N	12SEP05	NINC			
7113.022-136	Y	04OCT05 02:00	INC			
7113.022-137	N	12SEP05	NINC			
7113.022-137	Y	04OCT05 02:00	INC			
7113.022-138	N	12SEP05	NINC			
7113.022-138	Y	04OCT05 02:00	INC			
7113.022-139	N	12SEP05	NINC			
7113.022-139	Y	04OCT05 02:00	INC			
7113.022-140	N	12SEP05	NINC			
7113.022-140	Y	04OCT05 02:00	INC			
7113.022-141	N	12SEP05	NINC			
7113.022-141	Y	04OCT05 02:00	INC			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00907  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 103186  
 PART NO : 3035300 ~00198  
 ENGINEERING NAME : ENGINE CHANGE UNIT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MOD NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
7113.022-142	N	12SEP05	NINC			
7113.022-142	Y	04OCT05 02:00	INC			
7113.022-143	Y	12SEP05	NINC			
7113.022-144	N	12SEP05	NINC			
7113.022-144	Y	04OCT05 02:00	INC			
7113.022-145	N	12SEP05	NINC			
7113.022-145	Y	04OCT05 02:00	INC			
7113.022-146	N	12SEP05	NINC			
7113.022-146	Y	04OCT05 02:00	INC			
7113.022-147	Y	12SEP05	NINC			
7113.022-148	N	12SEP05	NINC			
7113.022-148	Y	04OCT05 02:00	INC			
7113.022-149	N	12SEP05	NINC			
7113.022-149	Y	04OCT05 02:00	INC			
7113.022-150	N	12SEP05	NINC			
7113.022-150	Y	04OCT05 02:00	INC			
7113.022-151	N	12SEP05	NINC			
7113.022-151	Y	04OCT05 02:00	INC			
7113.022-152	N	12SEP05	NINC			
7113.022-152	Y	04OCT05 02:00	INC			
7113.022-153	Y	12SEP05	NINC			
7113.022-154	N	12SEP05	NINC			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00908  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 103186  
 PART NO : 3035300 ~00198  
 ENGINEERING NAME : ENGINE CHANGE UNIT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MOD NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
7113.022-154	Y	04OCT05 02:00	INC			
7113.022-155	N	12SEP05	NINC			
7113.022-155	Y	04OCT05 02:00	INC			
7113.022-156	N	12SEP05	NINC			
7113.022-156	Y	04OCT05 02:00	INC			
7113.022-157	Y	12SEP05	NINC			
7113.022-158	Y	12SEP05	NINC			
7113.022-159	N	12SEP05	NINC			
7113.022-159	Y	04OCT05 02:00	INC			
7113.022-160	Y	12SEP05	NINC			
7113.022-161	N	12SEP05	NINC			
7113.022-161	Y	04OCT05 02:00	INC			
7113.022-162	N	12SEP05	NINC			
7113.022-162	Y	04OCT05 02:00	INC			
7113.022-163	N	12SEP05	NINC			
7113.022-163	Y	04OCT05 02:00	INC			
7113.022-164	N	12SEP05	NINC			
7113.022-164	Y	04OCT05 02:00	INC			
7113.022-165	N	12SEP05	NINC			
7113.022-165	Y	04OCT05 02:00	INC			
7113.022-166	N	12SEP05	NINC			
7113.022-166	Y	04OCT05 02:00	INC			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00909  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 103186  
 PART NO : 3035300 ~00198  
 ENGINEERING NAME : ENGINE CHANGE UNIT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MOD NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
7113.022-167	N	12SEP05	NINC			
7113.022-167	Y	04OCT05 02:00	INC			
7113.022-168	N	12SEP05	NINC			
7113.022-168	Y	04OCT05 02:00	INC			
7113.022-169	Y	12SEP05	NINC			
7113.022-170	N	12SEP05	NINC			
7113.022-170	Y	04OCT05 02:00	INC			
7113.022-171	N	12SEP05	NINC			
7113.022-171	Y	04OCT05 02:00	INC			
7113.022-172	N	12SEP05	NINC			
7113.022-172	Y	04OCT05 02:00	INC			
7113.022-173	Y	12SEP05	NINC			
7113.022-174	N	12SEP05	NINC			
7113.022-174	Y	04OCT05 02:00	INC			
7113.022-175	N	12SEP05	NINC			
7113.022-175	Y	04OCT05 02:00	INC			
7113.022-176	N	12SEP05	NINC			
7113.022-176	Y	04OCT05 02:00	INC			
7113.022-177	N	12SEP05	NINC			
7113.022-177	Y	04OCT05 02:00	INC			
7113.022-178	N	12SEP05	NINC			
7113.022-178	Y	04OCT05 02:00	INC			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00910  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 103186  
 PART NO : 3035300 ~00198  
 ENGINEERING NAME : ENGINE CHANGE UNIT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MOD NUMBER	CURRENT (Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
7113.022-179	N	12SEP05	NINC			
7113.022-179	Y	04OCT05 02:00	INC			
7113.022-180	N	12SEP05	NINC			
7113.022-180	Y	04OCT05 02:00	INC			
7113.022-181	N	12SEP05	NINC			
7113.022-181	Y	04OCT05 02:00	INC			
7113.022-182	Y	12SEP05	NINC			
7113.022-183	Y	12SEP05	NINC			
7113.022-184	Y	12SEP05	NINC			
7113.022-185	Y	12SEP05	NINC			
7113.022-186	N	12SEP05	NINC			
7113.022-186	Y	29APR15 00:00	INC	MANUAL		NOT REC.
7113.022-187	Y	12SEP05	NINC			
7113.022-188	Y	12SEP05	NINC			
7113.022-189	Y	12SEP05	NINC			
7113.022-190	N	12SEP05	NINC			
7113.022-190	Y	04OCT05 02:00	INC			
7113.022-191	Y	12SEP05	NINC			
7113.022-192	Y	12SEP05	NINC			
7113.022-193	N	12SEP05	NINC			
7113.022-193	Y	04OCT05 02:00	INC			
7113.022-194	Y	12SEP05	NINC			



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00911  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 103186  
 PART NO : 3035300 ~00198  
 ENGINEERING NAME : ENGINE CHANGE UNIT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MOD NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
7113.022-195	N	12SEP05	NINC			
7113.022-195	Y	04OCT05 02:00	INC			
7113.022-196	N	12SEP05	NINC			
7113.022-196	Y	04OCT05 02:00	INC			
7113.022-197	N	12SEP05	NINC			
7113.022-197	Y	04OCT05 02:00	INC			
7113.022-198	Y	12SEP05	NINC			
7113.022-199	Y	12SEP05	NINC			
7113.022-200	Y	12SEP05	NINC			
7113.022-201	Y	12SEP05	NINC			
7113.022-202	Y	12SEP05	NINC			
7113.022-203	N	12SEP05	NINC			
7113.022-203	Y	04OCT05 02:00	INC			
7113.022-204	N	12SEP05	NINC			
7113.022-204	Y	04OCT05 02:00	INC			
7113.022-205	Y	12SEP05	NINC			
7113.022-206	N	12SEP05	NINC			
7113.022-206	Y	04OCT05 02:00	INC			
7113.022-207	N	12SEP05	NINC			
7113.022-207	Y	04OCT05 02:00	INC			
7113.022-208	Y	12SEP05	NINC			
7113.022-209	Y	12SEP05	NINC			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00912  
08JAN20  
23:16:15

SERIAL/TAIL NO : 103186  
PART NO : 3035300 ~00198  
ENGINEERING NAME : ENGINE CHANGE UNIT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MOD NUMBER	INCORPORATION STATUS	STATUS CHANGE	DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
7113.022-210	Y		12SEP05	NINC			
7113.022-211	Y		12SEP05	NINC			
7113.022-212	N		12SEP05	NINC			
7113.022-212	Y		04OCT05 02:00	INC			
7113.022-213	Y		12SEP05	NINC			
7113.022-214	N		12SEP05	NINC			
7113.022-214	Y		04OCT05 02:00	INC			
7113.022-215	Y		12SEP05	NINC			
7113.022-216	Y		12SEP05	NINC			
7113.022-217	N		12SEP05	NINC			
7113.022-217	Y		04OCT05 02:00	INC			
7113.022-218	Y		12SEP05	NINC			
7113.022-219	N		12SEP05	NINC			
7113.022-219	Y		04OCT05 02:00	INC			
7113.022-220	Y		12SEP05	NINC			
7113.022-221	Y		12SEP05	NINC			
7113.022-222	Y		12SEP05	NINC			
7113.022-223	N		12SEP05	NINC			
7113.022-223	Y		04OCT05 02:00	INC			
7113.022-224	Y		12SEP05	NINC			
7113.022-225	Y		12SEP05	NINC			
7113.022-226	N		12SEP05	NINC			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00913  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 103186  
 PART NO : 3035300 ~00198  
 ENGINEERING NAME : ENGINE CHANGE UNIT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MOD NUMBER	CURRENT (Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
7113.022-226	Y	04OCT05 02:00	INC			
7113.022-227	Y	12SEP05	NINC			
7113.022-228	N	12SEP05	NINC			
7113.022-228	Y	04OCT05 02:00	INC			
7113.022-229	N	12SEP05	NINC			
7113.022-229	Y	04OCT05 02:00	INC			
7113.022-230	N	12SEP05	NINC			
7113.022-230	Y	24OCT06	INC	A1PXXJY521910	24OCT06 05:07	4114.5 ENHR
7113.022-231	N	12SEP05	NINC			
7113.022-231	Y	04OCT05 02:00	INC			
7113.022-232	Y	12SEP05	NINC			
7113.022-233	N	12SEP05	NINC			
7113.022-233	Y	04OCT05 02:00	INC			
7113.022-234	Y	12SEP05	NINC			
7113.022-235	N	12SEP05	NINC			
7113.022-235	Y	04OCT05 02:00	INC			
7113.022-236	Y	12SEP05	NINC			
7113.022-237	Y	12SEP05	NINC			
7113.022-238	Y	12SEP05	NINC			
7113.022-239	N	12SEP05	NINC			
7113.022-239	Y	04OCT05 02:00	INC			
7113.022-240	Y	12SEP05	NINC			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00914  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 103186  
 PART NO : 3035300 ~00198  
 ENGINEERING NAME : ENGINE CHANGE UNIT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MOD NUMBER	CURRENT (Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
7113.022-241	N	12SEP05	NINC			
7113.022-241	Y	04OCT05 02:00	INC			
7113.022-242	Y	12SEP05	NINC			
7113.022-243	N	12SEP05	NINC			
7113.022-243	Y	17APR15 00:00	INC	MANUAL		NOT REC.
7113.022-244	Y	12SEP05	NINC			
7113.022-245	Y	12SEP05	NINC			
7113.022-246	Y	12SEP05	NINC			
7113.022-247	Y	12SEP05	NINC			
7113.022-267	Y	04OCT05 02:00	NINC			
7113.022-268	N	04OCT05 02:00	NINC			
7113.022-268	Y	17APR15 00:00	INC	MANUAL		NOT REC.
7113.022-270	N	24OCT05	NINC			
7113.022-270	Y	24OCT06	INC	A1PXXJY525999	24OCT06 05:09	4114.5 ENHR
7113.022-271	Y	07JAN08	NINC			
7113.022-272	Y	17SEP06	NINC			
7113.022-273	Y	17SEP06	NINC			
7113.022-274	Y	17SEP06	NINC			
7113.022-275	Y	09JAN07	NINC			
7113.022-276	Y	07JAN08	NINC			
7113.022-277	Y	07JAN08	NINC			
7113.022-278	Y	07JAN08	NINC			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00915  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 103186  
 PART NO : 3035300  
 ENGINEERING NAME : ENGINE CHANGE UNIT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~00198

MOD NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
7113.022-279	Y	07JAN08	NINC			
7113.022-280	N	07JAN08	NINC			
7113.022-280	Y	17APR11 00:00	INC	MANUAL		NOT REC.
7113.022-281	Y	07JAN08	NINC			
7113.022-283	Y	21JUL09	NINC			
7113.022-284	Y	21JUL09	NINC			
7113.022-285	N	23APR12	NINC			
7113.022-285	Y	17APR15 00:00	INC	MANUAL		NOT REC.
7113.022-286	Y	23APR12	NINC			
7113.022-287	Y	23APR12	NINC			
7113.022-288	Y	23APR12	NINC			
7113.022-289	Y	23APR12	NINC			
7113.022-290	Y	23APR12	NINC			
7113.022-291	N	23APR12	NINC			
7113.022-291	Y	17APR15 00:00	INC	MANUAL		NOT REC.
7113.022-292	Y	23APR12	NINC			
7113.022-293	Y	29APR15 00:00	INC	MANUAL		NOT REC.
7113.022-293	N	29APR15 00:48	NINC			
7113.022-294	Y	29APR15 00:48	NINC			
7113.022-295	Y	29APR15 00:48	NINC			
7113.022-296	Y	29APR15 00:48	NINC			
7113.022-297	Y	29APR15 00:48	NINC			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00916  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 103186  
 PART NO : 3035300  
 ENGINEERING NAME : ENGINE CHANGE UNIT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~00198

MOD NUMBER	CURRENT (Y/N)	STATUS	DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
7113.022-298	Y		29APR15 00:48	NINC			
7113.022-299	Y		29APR15 00:48	NINC			
7113.022-300	Y		29APR15 00:48	NINC			
7113.022-301	Y		14APR16 10:06	NINC			
7113.022-302	Y		14APR16 10:06	NINC			
7113.022-303	Y		14APR16 10:06	NINC			
7113.022-304	Y		14APR16 10:06	NINC			
7113.022-305	Y		14APR16 10:06	NINC			
7113.022-306	Y		14APR16 10:06	NINC			
7113.022-307	N		14APR16 10:06	NINC			
7113.022-307	Y		21JUN19 02:00	INC	A1PXXJ1608819	20JUN19 06:14	6994.3 ENHR
7113.022-308	Y		14APR16 10:06	NINC			
7113.022-309	Y		14APR16 10:06	NINC			
7113.022-310	Y		14APR16 10:06	NINC			
7113.022-311	Y		21FEB17 11:11	NINC			
7113.022-312	Y		21FEB17 11:11	NINC			

STI NUMBER	CURRENT (Y/N)	STATUS	DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
STI-PC9-0150	Y		24APR96 00:00	N/A			
STI-PC9-0151	Y		24APR96 00:00	N/A			
STI-PC9-0152	Y		24APR96 00:00	INC			
STI-PC9-0153	Y		02MAY96 00:00	INC			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00917  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 103186  
 PART NO : 3035300  
 ENGINEERING NAME : ENGINE CHANGE UNIT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~00198

STI NUMBER	CURRENT (Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
STI-PC9-0187	Y	05AUG97 00:00	INC			
STI-PC9-0198	Y	22JUL97 00:00	INC			
STI-PC9-0213	Y	12MAR98 00:00	N/A			
STI-PC9-0217	Y	16APR98 00:00	N/A			
STI-PC9-0239	Y	25OCT99 00:00	N/A			
STI-PC9-0261	Y	11OCT01 00:00	INC			
STI-PC9-0336	N	18JUL04	NINC			
STI-PC9-0336	N	01DEC04	INC	A1PXXJY413880	01DEC04 00:05	3515.6 ENHR
STI-PC9-0336	Y	19SEP05	RINC	A1PXXJY423309	19SEP05 04:56	3814.8 ENHR
STI-PC9-0356	N	15DEC04	NINC			
STI-PC9-0356	Y	11MAY05	INC	A1PXXJY424422	11MAY05 06:26	3664.7 ENHR
STI-PC9-0377	N	25AUG05	NINC			
STI-PC9-0377	Y	14SEP05	INC	A1PXXJY514986	14SEP05 00:01	3814.8 ENHR
STI-PC9-0486	N	03OCT08	NINC			
STI-PC9-0486	Y	09OCT08	INC	A1PXXJY816611	09OCT08 03:01	4950.8 ENHR
STI-PC9-0489	N	21JUL09	NINC			
STI-PC9-0489	Y	04AUG09	N/A			
STI-PC9-200B	Y	30JUL97 00:00	N/A			
STI-PC9-214A	Y	16MAR98 00:00	N/A			
STI-PC9-214B	Y	16MAR98 00:00	N/A			
STI-PC9-288A	Y	06MAY03 00:00	RINC			
STI-PC9-288B	Y	26MAR03 00:00	INC			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00918  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 103186  
 PART NO : 3035300 ~00198  
 ENGINEERING NAME : ENGINE CHANGE UNIT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

STI STATUS CHANGE							
STI NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW	
=====	=====	=====	=====	=====	=====	=====	=====
STI-PC9-511A	N	30JUL09	NINC				
STI-PC9-511A	Y	12AUG09	INC	A1PXXJY916990	12AUG09 09:17	5076.2	ENHR
STI-PC9-511B	N	30JUL09	NINC				
STI-PC9-511B	Y	18AUG09	N/A				
STI-PC9-518A	N	23NOV09	NINC				
STI-PC9-518A	Y	09FEB10	INC	A1PXXJY925032	09FEB10 00:17	5076.2	ENHR
STI-PC9-518B	N	23NOV09	NINC				
STI-PC9-518B	Y	09FEB10 00:00	N/A				
STI-PWAPT6A62-0010	Y	24APR96 00:00	N/A				
STI-PWAPT6A62-0013	Y	24APR96 00:00	N/A				



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00919  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 103186  
 PART NO : PT6A-62ACC  
 ENGINEERING NAME : ECK  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

~Z0023

PERIOD: 01JAN90 TO 08JAN20

LOCATION : A23-033  
 LIFE SINCE NEW : 7138.9 ENHR

ASSET TRANSACTIONS

TRANSACTION D/T CHANGE TYPE		LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
30AUG03	21:12 Maintenance Comment	0.0 ENHR	1.5	29Aug03 103186 01.00 3368.9 ENHR	TX TO CAMM2 XXxxXXxx
30AUG03	21:13 Maintenance Comment	0.0 ENHR	1.5	DATE NEW FIX: OLD = 05JUN91	NEW = 30JUN91 XXxxXXxx
30AUG03	21:20 Maintenance Comment	0.0 ENHR	1.5	24Apr96 103186 00. 991.7	0.0 ENHR RECEPTION (MIRE) XXxxXXxx
30AUG03	21:20 Maintenance Comment	0.0 ENHR	1.5	23Apr98 103186 01.0 1842.5	0.0 ENHR UPDATED LIFE (MPMI) XXxxXXxx
30AUG03	21:20 Maintenance Comment	0.0 ENHR	1.5	30Jun91 NEW - 103186 PT6A-62ACC	0011-00-00-H XXxxXXxx
15JUN04	07:21 Maintenance Comment	3406.7 ENHR	0.0	O/H AT P&WC A/ASIA 30MAR04 A1PXXXY414188	XXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00920  
08JAN20  
23:16:15

SERIAL/TAIL NO : 103186  
PART NO : PT6A-62ACC ~Z0023  
ENGINEERING NAME : ECK  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

STI STATUS CHANGE -----

STI NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
=====	=====	=====	=====	=====	=====	=====
STI-PWAPT6A62-0008	Y	24APR96 00:00	N/A			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00921  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 103186  
 PART NO : PT6A-62AUST  
 ENGINEERING NAME : ENGINE BARE  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

~Z0023

LOCATION : A23-033  
 LIFE SINCE NEW : 7138.9 ENHR

PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T CHANGE TYPE		LIFE SINCE NEW		SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
30AUG03	21:10	Maintenance Comment	0.0 ENHR	1.5	25Nov99 STI-PC9-0201 Camm LOG00004	STI STATUS NOW RINC XXXXXXxx
30AUG03	21:11	Maintenance Comment	0.0 ENHR	1.5	07Aug00 STI-PC9-0201 Camm LOG00010	STI STATUS NOW RINC XXXXXXxx
30AUG03	21:11	Maintenance Comment	0.0 ENHR	1.5	1087 0 STARTS Camm LOG00012	XXXXXXxx
30AUG03	21:11	Maintenance Comment	0.0 ENHR	1.5	28Mar03 103186 00.00 3291.6 3291.6 Camm LOG00028	ENHR UPDATED LIFE (MIUP) XXXXXXxx
30AUG03	21:11	Maintenance Comment	0.0 ENHR	1.5	CYCLE UPDATE FOR R2 AT 1087 STARTS Camm LOG00007	XXXXXXxx
30AUG03	21:11	Maintenance Comment	0.0 ENHR	1.5	29Aug03 TX TO CAMM2 Camm LOG00038	XXXXXXxx
30AUG03	21:16	Maintenance Comment	0.0 ENHR	1.5	07Aug00 103186 01.00 2765.7 2765.7 Camm LOG00005	ENHR UPDATED LIFE (MIUP) XXXXXXxx
30AUG03	21:16	Maintenance Comment	0.0 ENHR	1.5	13Feb01 TEST BED RUN 2 HR 48 MIN 5 STARTS Camm LOG00015	XXXXXXxx
30AUG03	21:16	Maintenance Comment	0.0 ENHR	1.5	REPAIR/BAY SERVICE AT QDS IAW PWC OHM 3034543. Camm LOG00030	XXXXXXxx
30AUG03	21:17	Maintenance Comment	0.0 ENHR	1.5	NEXT BS1 DUE: OLD = 2999.3 ENHR NEW = 4265.7 ENHR Camm LOG00020	XXXXXXxx NXT OH
30AUG03	21:17	Maintenance Comment	0.0 ENHR	1.5	05Jun91 .0 ENHR LST OH 4000.0 ENHR Camm LOG00035	XXXXXXxx
30AUG03	21:17	Maintenance Comment	0.0 ENHR	1.5	29Aug03 103186 01.00 3368.9 ENHR 1617 Camm LOG00037	STARTS XXXXXXxx
30AUG03	21:18	Maintenance Comment	0.0 ENHR	1.5	07Aug00 103186 01.00 2765.7 2765.7 Camm LOG00008	ENHR UPDATED LIFE (MIUP) XXXXXXxx
30AUG03	21:18	Maintenance Comment	0.0 ENHR	1.5	20Sep00 103186 00.00 2765.7 2765.7 Camm LOG00011	ENHR UPDATED LIFE (MPMI) XXXXXXxx
30AUG03	21:19	Maintenance Comment	0.0 ENHR	1.5	CYCLE UPDATE FOR R2 AT 1330 STARTS Camm LOG00026	XXXXXXxx
30AUG03	21:19	Maintenance Comment	0.0 ENHR	1.5	26Mar03 3291.6 ENHR LST BS 4791.6 ENHR Camm LOG00036	NXT BS XXXXXXxx
30AUG03	21:19	Maintenance Comment	0.0 ENHR	1.5	22Jan02 103186 01.00 3041.3 3041.3 Camm LOG00024	ENHR UPDATED LIFE (MIUP) XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00922  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 103186  
 PART NO : PT6A-62AUST  
 ENGINEERING NAME : ENGINE BARE  
 VENUE : A23DISP

~Z0023

PERIOD: 01JAN90 TO 08JAN20

LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
					TRANS REFERENCE		
LIFE SINCE NEW							
30AUG03	21:20	Maintenance	Comment	1.5	CYCLE UPDATE FOR R2 AT 1116 STARTS		
		0.0	ENHR		CAMM LOG00023		XXxxXXxx
30AUG03	21:20	Maintenance	Comment	1.5	1330 0 STARTS		
		0.0	ENHR		CAMM LOG00025		XXxxXXxx
30AUG03	21:20	Maintenance	Comment	1.5	LAST BS DONE: OLD = 13FEB01	NEW = 26MAR03	
		0.0	ENHR		CAMM LOG00031		XXxxXXxx
30AUG03	21:20	Maintenance	Comment	1.5	NEXT BS1 DUE: OLD = 4265.7 ENHR	NEW = 4791.6 ENHR	
		0.0	ENHR		CAMM LOG00033		XXxxXXxx
30AUG03	21:21	Maintenance	Comment	1.5	09May01 103186 00.00 2765.7 2765.7 ENHR	UPDATED LIFE (MIUP)	
		0.0	ENHR		CAMM LOG00016		XXxxXXxx
30AUG03	21:21	Maintenance	Comment	1.5	02Oct02 STARTS AT R2- 1548.		
		0.0	ENHR		CAMM LOG00027		XXxxXXxx
30AUG03	21:21	Maintenance	Comment	1.5	05Jun91 NEW - 103186 PT6A-62AUST	0012-00-00-A	
		0.0	ENHR		CAMM LOG00034		XXxxXXxx
30AUG03	21:24	Maintenance	Comment	1.5	872 0 STARTS		
		0.0	ENHR		CAMM LOG00002		XXxxXXxx
30AUG03	21:24	Maintenance	Comment	1.5	CYCLE UPDATE FOR R2 AT 872 STARTS		
		0.0	ENHR		CAMM LOG00003		XXxxXXxx
30AUG03	21:24	Maintenance	Comment	1.5	1087 0 STARTS		
		0.0	ENHR		CAMM LOG00009		XXxxXXxx
30AUG03	21:24	Maintenance	Comment	1.5	LAST BS DONE: OLD = 1499.3 ENHR	NEW = 2765.7 ENHR	
		0.0	ENHR		CAMM LOG00019		XXxxXXxx
30AUG03	21:25	Maintenance	Comment	1.5	25Nov99 103186 01.00 2516.3 2516.3 ENHR	UPDATED LIFE (MIUP)	
		0.0	ENHR		CAMM LOG00001		XXxxXXxx
30AUG03	21:25	Maintenance	Comment	1.5	1116 0 STARTS		
		0.0	ENHR		CAMM LOG00022		XXxxXXxx
30AUG03	21:25	Maintenance	Comment	1.5	NEXT OH1 DUE: OLD = 3500.0 ENHR	NEW = 4000.0 ENHR	
		0.0	ENHR		CAMM LOG00013		XXxxXXxx
30AUG03	21:25	Maintenance	Comment	1.5	18Jun01 103186 01.00 2792.2 2792.2 ENHR	UPDATED LIFE (MIUP)	
		0.0	ENHR		CAMM LOG00021		XXxxXXxx
30AUG03	21:25	Maintenance	Comment	1.5	LAST BS DONE: OLD = 2765.7 ENHR	NEW = 3291.6 ENHR	
		0.0	ENHR		CAMM LOG00032		XXxxXXxx
30AUG03	21:26	Maintenance	Comment	1.5	1087 0 STARTS		
		0.0	ENHR		CAMM LOG00006		XXxxXXxx
30AUG03	21:26	Maintenance	Comment	1.5	LAST BS DONE: OLD = 07MAY97	NEW = 13FEB01	
		0.0	ENHR		CAMM LOG00018		XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 00923  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 103186  
 PART NO : PT6A-62AUST  
 ENGINEERING NAME : ENGINE BARE  
 VENUE : A23DISP

~Z0023

PERIOD: 01JAN90 TO 08JAN20

LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
				TRANS REFERENCE		
LIFE SINCE NEW						
30AUG03	21:27	Maintenance Comment	1.5	13Feb01 REPAIR AND B/S AT PTB		
		0.0 ENHR		CAMM LOG00014		XXxxXXxx
30AUG03	21:27	Maintenance Comment	1.5	1087 0 STARTS		
		0.0 ENHR		CAMM LOG00017		XXxxXXxx
30AUG03	21:27	Maintenance Comment	1.5	1548 0 STARTS		
		0.0 ENHR		CAMM LOG00029		XXxxXXxx
20OCT03	00:50	Maintenance Comment	0.0	STARTS AT R2- 1651.		
		3406.7 ENHR		A1EXXXY300840		XXxxXXxx
15JUN04	07:24	Maintenance Comment	0.0	O/H AT P&WC A/ASIA 30MAR04		
		3406.7 ENHR		A1PXXXY414189		XXxxXXxx
02NOV04	00:21	Maintenance Comment	0.0	02NOV04 CYCLE UPDATE FOR R2 AT 1742 STARTS		
		3515.6 ENHR		A1PXXXY427202		XXxxXXxx
13APR05	04:50	Maintenance Comment	0.0	LIF START CHANGED - OLD VALUE= 50000.0 NEW VALUE= 1840.0		
		3628.9 ENHR				XXxxXXxx
02SEP05	01:57	Maintenance Comment	0.0	CYCLE UPDATE FOR R2 SERV AT 1997 STARTS		
		3814.8 ENHR		A1PXXXY513641		XXxxXXxx
16OCT06	02:31	Maintenance Comment	0.0	CYCLE UPDATE FOR R2 SERV AT 2251 STARTS		
		4114.5 ENHR		A1PXXXY608404		XXxxXXxx
08JUN07	02:05	Maintenance Comment	0.0	CYCLE UPDATE FOR R2 SERV AT 2505 STARTS		
		4413.3 ENHR		A1PXXXY704934		XXxxXXxx
02APR08	07:17	Maintenance Comment	0.0	02APR08 CYCLE UPDATE FOR R2 SERVICE AT 2761 STARTS		
		4711.7 ENHR		A1PXXXY802585		XXxxXXxx
03AUG08	23:09	Change Serviceability Stat	9.8	S/I		
		4861.3 ENHR		US/I		
03AUG08	23:10	Change Serviceability Stat	0.0	AIEXXJ309437X		XXxxXXxx
		4861.3 ENHR		US/I		
		5010.4 ENHR		S/I		XXxxXXxx
28NOV08	02:28	Maintenance Comment	0.0	CYCLE UPDATE FOR R2 SERV AT 3006 CURRENT STARTS		
		5010.4 ENHR		A1PXXXY812336		XXxxXXxx
04FEB09	08:27	Maintenance Comment	0.0	29JAN09 CYCLE UPDATED FOR MPAN 02/2009 AT 3015 STARTS		
		5025.5 ENHR		A1PXXXY901025		XXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 103186  
PART NO : PT6A-62AUST ~Z0023  
ENGINEERING NAME : ENGINE BARE  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

AIEXXJCA04645	C COMPLETED	05JUN91 00:00	XXxxXXxx		AIE	0.0	
03 OVERHAUL DUE							

Unserviceability Details:  
Maintenance Comments:

AIEXXJCA01911	C COMPLETED	26MAR03 00:00	XXxxXXxx		AIE	0.0	
02 BAY SERVICE DUE							

Unserviceability Details:  
Maintenance Comments:

AIEXXJ309437X	C COMPLETED	03AUG08 23:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	03AUG08 23:10	03AUG08 23:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	4861.3	ENHR
02 BAY SERVICE DUE							
				BS	due on Serial 103186		
				ENGINE BARE	at WAC 0100		

01 NO FAULT 06 BAY SERVICE

Unserviceability Details:  
Maintenance Comments: S31 SERV CO REF S31 PAPERWORK

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
=====	=====	=====	=====	=====	=====	=====
SM	BS	1500.0	ENHR	1454.6		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00925  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 103186  
 PART NO : PT6A-62AUST  
 ENGINEERING NAME : ENGINE BARE  
 VENUE : A23DISP  
 LOCATION : A23-033  
 ~Z0023  
 PERIOD: 01JAN90 TO 08JAN20

STI NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
STI-PC9-0199	Y	26JUL97 00:00	INC			
STI-PC9-0201	Y	07AUG00 00:00	RINC			
STI-PC9-0226	Y	27MAY99 00:00	INC			

POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	USER ID
15JUN04 07:23	SM DLD Changed From:	OH 05JUN1991	XXxxXXxx
15JUN04 07:23	SM DLD Changed From:	BS 26MAR2003	XXxxXXxx
10AUG17 00:43	SM DLD Changed From:	BS 03AUG2008	XXxxXXxx
10AUG17 00:43	SM LLD Changed From:	BS 4861.3 ENHR	XXxxXXxx
		To: 16APR2015	
		To: 5948.5 ENHR	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00926  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 10564  
 PART NO : 066-1078-14 ~22373  
 ENGINEERING NAME : RECEIVER KNR 634A  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 7068.3 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
			LIFE SINCE NEW					
01SEP03	18:48	Maintenance Comment	0.0 AFHR	3.4	30Apr98	A23-002	06.4 1519.0	0.0 AFHR UPDATED LIFE (MPMI)
								XXXXXXxx
01SEP03	18:49	Maintenance Comment	0.0 AFHR	3.4	19Dec01	2FTHG122	FF: 01-NIL	MA: 04-CHK/TST
								XXXXXXxx
01SEP03	18:49	Maintenance Comment	0.0 AFHR	3.4	29Aug03	A23-002	06.40 3136.2 AFHR	TX TO CAMM2
								XXXXXXxx
01SEP03	18:51	Maintenance Comment	0.0 AFHR	3.4	19Dec01	A23-002	06.40 2543.8	0.0 AFHR 13-REMACCES LD16607
								XXXXXXxx
01SEP03	18:51	Maintenance Comment	0.0 AFHR	3.4	05Dec90	NEW - 10564	066-1078-14	2576-00-00-C
								XXXXXXxx
01SEP03	18:51	Maintenance Comment	0.0 AFHR	3.4	07Oct96	A23-002	06.4 797.3	0.0 AFHR IN AS A23T 2576-00-00-C
								XXXXXXxx
01SEP03	18:52	Maintenance Comment	0.0 AFHR	3.4	08Jan02	A23-002	06.40 2543.8	0.0 AFHR IN AS A23T 2576-00-00-C
								XXXXXXxx
01SEP03	19:05	Maintenance Comment	0.0 AFHR	3.4	02Nov95	2FTMMIST	00. 797.3	0.0 AFHR RECEPTION (MIRE)
								XXXXXXxx
03JUL07	23:47	Asset Removal	4284.8 AFHR	1404.6	033	A23-002		A23T A1ULW 00A
		Change Serviceability Stat		9.0	A23T	A1ULW		XXXXXXxx
		Change Location of an Asse		xxxx	S/I			
					U/S			
		Change Location of an Asse		6.2	A23-002			
					FAK			
10JUL07	06:56	Change Location of an Asse	4284.8 AFHR	6.2	FAK			
					JANDAKOT			
		Change Serviceability Stat		366.4	A1PXXXY705972			XXXXXXxx
					U/S			
		Change Venue of an Asset	4284.8 AFHR	1773.9	SERV			XXXXXXxx
					AIP			
		Change Location of an Asse	4284.8 AFHR	362.9	NONC2CONT			
					A1PXXXY806041			XXXXXXxx
					JANDAKOT			
					HOLD			



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00927  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 10564  
 PART NO : 066-1078-14 ~22373  
 ENGINEERING NAME : RECEIVER KNR 634A  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
25JUL08 03:59	Change Venue of an Asset	17.9	NONC2CONT AIP	
	4284.8 AFHR		NONC2XY807843	XXxxXXxx
	Change Location of an Asse	17.9	HOLD	
19NOV08 07:40	Asset Installation	504.3	MMIST A23T A1ULW	
	4284.8 AFHR		A23-021	A23T A1ULW 00AC
	Change Serviceability Stat	137.8	521	XXxxXXxx
	Change Location of an Asse	117.1	SERV	
			S/I	
			MMIST	
20NOV08 22:48	Asset Removal	1.6	A23-021	
	4293.1 AFHR		521	A23T A1ULW 00A
	Change Serviceability Stat	1.6	A23T A1ULW	XXxxXXxx
	Change Location of an Asse	1.6	S/I	
			U/S	
			A23-021	
02DEC08 05:45	Change Venue of an Asset	130.0	MMIST	
	4293.1 AFHR		AIP	
	Change Location of an Asse	11.2	NONC2CONT A1PXXXY812516	XXxxXXxx
			MMIST	
			HOLD	
13AUG09 14:00	Change Serviceability Stat	265.6	U/S	
	4293.1 AFHR		SERV	XXxxXXxx
15OCT09 12:02	Change Venue of an Asset	317.2	NONC2CONT	
	4293.1 AFHR		AIP	
	Change Location of an Asse	317.2	NONC2XY912789	XXxxXXxx
			HOLD	
			MMIST	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00928  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 10564  
 PART NO : 066-1078-14 ~22373  
 ENGINEERING NAME : RECEIVER KNR 634A  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
26NOV09 11:21	Asset Installation	370.5	A23T A1ULW 533 A23-033	00 A23T A1ULW 00AC XXxxXXxx
	4293.1 AFHR Change Serviceability Stat	104.8	SERV S/I	
	Change Location of an Asse	41.9	MMIST A23-033	
07JUN17 06:09	Position Change	2749.7	A23T A1ULW A23T A1ULW	00 00 XXxxXXxx
	6437.9 AFHR Maintenance Comment	0.0	A1PXXX1709010 POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE	

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJY713013	C COMPLETED	03JUL07 23:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
01 UNSERVICEABLE	04JUL08 11:05	03JUL07 23:48	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	4284.8 AFHR	
		01 IN FLIGHT		DME INFORMATION INTERMITTENT			
03 ELECTRICAL COMPONENT FAIL	02 REPAIR	03 ELECTRICAL FAILURE					
		Unserviceability Details:		DME INFORMATION INTERMITTENT			
		Maintenance Comments:		REPAIRED AND TESTED IAW AAP 7832.0			
A1PXXJY820640	C COMPLETED	20NOV08 22:48	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	NONC2CONT	
01 UNSERVICEABLE	13AUG09 14:00	20NOV08 22:48	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	4293.1 AFHR	
		01 IN FLIGHT		DME INTERMITTENT OPS			
07 BAD ADJUST/ALIGN	02 REPAIR	03 ELECTRICAL FAILURE					
		Unserviceability Details:		DME INTERMITTENT OPERATION			
		Maintenance Comments:		REPAIRED FAULT NOT CONFIRMED UNIT TESTED IAW AAP 7832.066-3M AT AIJ			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00929  
08JAN20  
23:16:15

SERIAL/TAIL NO : 1064  
PART NO : 124210-2022 ~D4856  
ENGINEERING NAME : LCR-92 AHRU  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 4181.3 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	DATE NEW	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	HA PART	DATE UNPACKED		
23MAR04 06:28	1064	124210-2022	~D4856 A23T	ALULY	01
aip01536	AIP	RECEPTION		ALPXXRY400608	
B. CLEAR		01APR03			

0.0 AFHR

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00930  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 1064  
 PART NO : 124210-2022  
 ENGINEERING NAME : LCR-92 AHRU  
 VENUE : A23DISP

~D4856  
 LOCATION : A23-033

PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
23MAR04 06:28	Reception History Record	0.0	Reception RECEPTION	
	0.0 AFHR			XXXXXXxx
23MAR04 06:57	Asset Installation	0.2	A23T A1ULY A23-008 01	A23T A1ULY 1 A
	0.0 AFHR			XXXXXXxx
	Change Serviceability Stat	0.2	SERV S/I RECEPTION A23-008	
	Change Location of an Asse	0.2		
25MAR04 23:32	Maintenance Comment	0.0	LIF AFHR CHANGED - OLD VALUE= 50000.0 NEW VALUE= 2.8	
	50000.0 AFHR			XXXXXXxx
17OCT07 05:22	Asset Removal	1302.9	058 A23-008 A23T A1ULY 01	A23T A1ULY 01A
	1226.6 AFHR			XXXXXXxx
	Change Serviceability Stat	1.1	S/I U/S	
	Change Location of an Asse	1302.9	A23-008 EXTERNAL	
22OCT07 05:44	Change Serviceability Stat	5.0	U/S SERV	
	1226.6 AFHR			XXXXXXxx
22OCT07 05:46	Asset Installation	5.0	A23T A1ULY A23-001 01	A23T A1ULY 01AC
	1226.6 AFHR			XXXXXXxx
	Change Serviceability Stat	0.0	SERV S/I EXTERNAL A23-001	
	Change Location of an Asse	5.0		
13OCT09 11:33	Asset Removal	722.2	032 A23-001 A23T A1ULY 01	A23T A1ULY 01A
	1963.3 AFHR			XXXXXXxx
	Change Serviceability Stat	0.1	S/I U/S	
	Change Location of an Asse	722.2	A23-001 MMIST	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00931  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 1064  
 PART NO : 124210-2022  
 ENGINEERING NAME : LCR-92 AHRU  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~D4856

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
15OCT09 04:00	Change Venue of an Asset	2032.1	AIP NONC2CONT	
	1963.3 AFHR Change Location of an Asse	1.6	A1PXXXY910942 MMIST HOLD	XXxxXXxx
19MAR10 12:00	Change Serviceability Stat	157.0	U/S SERV	
	1963.3 AFHR			XXxxXXxx
31MAY10 03:12	Change Venue of an Asset	227.9	NONC2CONT AIP	
	1963.3 AFHR Change Location of an Asse	227.9	NONC2X1004977 HOLD MMIST	XXxxXXxx
23JUN10 00:22	Change Serviceability Stat	95.5	SERV U/S	
	1963.3 AFHR			XXxxXXxx
23JUN10 23:20	Change Venue of an Asset	23.8	AIP NONC2CONT	
	1963.3 AFHR Change Location of an Asse	23.8	A1PXXX1006413 MMIST HOLD	XXxxXXxx
06SEP10 12:00	Change Serviceability Stat	75.4	U/S SERV	
	1963.3 AFHR			XXxxXXxx
20SEP10 03:25	Change Venue of an Asset	88.1	NONC2CONT AIP	
	1963.3 AFHR Change Location of an Asse	88.1	NONC2X1008886 HOLD MMIST	XXxxXXxx
03DEC10 03:09	Change Location of an Asse	73.9	MMIST FAK	
	1963.3 AFHR		A1PXXX1013637	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00932  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 1064  
 PART NO : 124210-2022  
 ENGINEERING NAME : LCR-92 AHRU  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~D4856

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
11OCT11 01:25	Asset Installation	727.5	A23T A1ULY 058 A23-008	A23T A1ULY 01AC
	1963.3 AFHR Change Serviceability Stat	399.5	SERV S/I FAK A23-008	XXXXXXxx
	Change Location of an Asse	311.9		
07FEB14 05:48	Asset Removal	850.1	058 A23-008 A23T A1ULY	A23T A1ULY 01A
	2702.6 AFHR Change Serviceability Stat	0.0	S/I U/S A23-008	XXXXXXxx
	Change Location of an Asse	850.1		
10FEB14 22:39	Change Venue of an Asset	1239.8	STORES AIP NONC2CONT A1PXXX1401191	XXXXXXxx
	2702.6 AFHR Change Location of an Asse	3.7	STORES HOLD U/S SERV	
08AUG14 07:30	Change Serviceability Stat	182.0		
	2702.6 AFHR Change Venue of an Asset	189.1	NONC2CONT AIP NONC2X1408953	XXXXXXxx
19AUG14 01:08	Maintenance Comment	0.0	REPAIR AT GRUMMAN GERMANY ON 16JUL14 MOVE TO AIP	
	Change Location of an Asse	189.1	HOLD STORES	
02SEP14 11:12	Asset Installation	207.2	A23T A1ULY 533 A23-033	A23T A1ULY 01AC
	2702.6 AFHR Change Serviceability Stat	25.1	SERV S/I STORES A23-033	XXXXXXxx
	Change Location of an Asse	14.4		

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00933  
08JAN20  
23:16:15

SERIAL/TAIL NO : 1064  
PART NO : 124210-2022 ~D4856  
ENGINEERING NAME : LCR-92 AHRU  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

-----  
TRANSACTION D/T CHANGE TYPE SPAN(DYS) FROM TO (OPTIONAL) USER  
LIFE SINCE NEW TRANS REFERENCE  
=====

05FEB15 21:59 Change Part Number of an A Maintenance Comment 0.0 NO PARENT TRANSACTION DETAILS  
MPAN 003/2015; MOD 7533.057-101 APPLIED. DUE= MANUAL

MMI JOBS

-----  
JOB NUMBER STATUS RAISED DATE/TIME RAISED USER ID RAISED NAME RAISED VENUE CERT VENUE EPSS  
DEFECT REF STATUS DATE/TIME ENTERED DATE/TIME ENTERED USER ID ENTERED NAME ENTERED VENUE LIFE SINCE NEW  
REASON FOR REPORT WHEN FAILURE DISCOVERED SYMPTOMS  
MAINT PROCESS UNSERVICEABILITY UNSERVICEABILITY DETAILS  
FAULT FOUND MAINTENANCE ACTION TAKEN MAINTENANCE COMMENT  
=====

A1PXXJY719096 C COMPLETED 17OCT07 05:22 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
22OCT07 05:44 17OCT07 05:23 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 1226.6 AFHR  
01 UNSERVICEABLE 01 IN FLIGHT AHRs HEADING FLAG APPEARED INTERMITTENT AND HEADING INCORRECT  
03 ELECTRICAL FAILURE  
06 MOISTURE 02 REPAIR  
Unserviceability Details: FLAG INTERMITTENT AND BEARING INCORRECT  
Maintenance Comments: ITEM SERV

A1PXXJY922125 C COMPLETED 13OCT09 11:33 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP NONC2CONT  
19MAR10 12:00 13OCT09 11:34 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 1963.3 AFHR  
01 UNSERVICEABLE 01 IN FLIGHT AHRs INCORRECT ATTITUDE AFTER AREO'S. TOOK 1:45MINS TO ERECT  
03 ELECTRICAL COMPONENT FAIL 03 ELECTRICAL FAILURE ITSELF  
02 REPAIR  
Unserviceability Details: FAILED TO ERECT ITSELF FOLLOWING AREO'S  
Maintenance Comments: REAPIRED AND MODIFIED IAW MM 10.480/07-5TS REV B ISSUE SIX  
SERV IAW LITEF ARC NO 067890/10 PC9/A MAB AUTH 005/2005 @ LITEF

A1PXXJ1011217 C COMPLETED 23JUN10 00:22 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP NONC2CONT  
06SEP10 12:00 23JUN10 00:25 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 1963.3 AFHR  
01 UNSERVICEABLE 12 OTHER R SERVICING 1J3 NOT SECURING PROPERLY  
01 DAMAGED/CRACKED  
08 DAMAGE 02 REPAIR  
Unserviceability Details: 1J3 NOT SECURING PROPERLY  
Maintenance Comments: INSPECTED & TESTED IAW TECH SPEC 10.480/07-5 TS REVISION B  
ISSUE6

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 1064  
 PART NO : 124210-2022 ~D4856  
 ENGINEERING NAME : LCR-92 AHRU  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

1PXXJ1401912	C COMPLETED	07FEB14 05:48	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	08AUG14 07:30	07FEB14 05:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	2702.6	AFHR
01 UNSERVICEABLE		01 IN FLIGHT		ATTITUDE AND HEADING FAILURE FLAGS WITH ADF FAILURE ON HSI AND			
		03 ELECTRICAL FAILURE		OSCILLATING TACAN NEEDLE ON RMI			
03 ELECTRICAL COMPONENT FAIL		02 REPAIR					

Unserviceability Details: ATTITUDE AND HEADING FAILURE FLAGS WITH ADF FAILURE ON HSI

Maintenance Comments: ITEM REPAIRED USING OEM CURRENT TECHNICAL SPECIFICATIONS  
 10.480/07-5 TS REV B ISSUE 6 OR SUBSEQUENT REVISIONS REFER  
 PC9/A MAB AUTHORISATION 005/2505



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 1064  
PART NO : 124210-2022 ~D4856  
ENGINEERING NAME : LCR-92 AHRU  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MODIFICATION ORDERS INCORPORATION STATUS CHANGE -----							
MOD NUMBER	CURRENT (Y/N)	STATUS	DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
=====	=====	=====	=====	=====	=====	=====	=====
7533.057-101	Y	05FEB15	00:00	INC	MANUAL		NOT REC.
7533.057-101	N	05FEB15	21:59	NINC			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00936  
08JAN20  
23:16:15

SERIAL/TAIL NO : 1073493  
PART NO : 4A16.32.60F.05.1.A ~S0535  
ENGINEERING NAME : IND VERT VELOCITY  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 1873.2 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS	ENTERED AT	DATE UNPACKED		
	RECEPTION				
17JAN13 13:12	1073493	4A16.32.60F.05.1.A	~S0535 A23T	ALUHU	00
aip04023	AIP	STORES		A1PXXR1300055	
K. ARUMUGAM		26NOV12	17JAN13		
	0.0 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00937  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 1073493  
 PART NO : 4A16.32.60F.05.1.A  
 ENGINEERING NAME : IND VERT VELOCITY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S0535

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
17JAN13 13:12	Reception History Record	0.0	0.0	Reception STORES	MMI
27MAR13 04:02	Asset Installation	0.0 AFHR	121.1	A23T 533 A1UHU A23-033	00 A23T A1UHU 00AC
	Change Serviceability Stat	0.0 AFHR	69.1	SERV S/I STORES A23-033	MMI
	Change Location of an Asse		69.1		

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00938  
08JAN20  
23:16:15

SERIAL/TAIL NO : 1075869  
PART NO : 965.16.13.204 ~S4080  
ENGINEERING NAME : IND VERT VELOCITY  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 1573.7 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	DATE NEW	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	HA PART	DATE UNPACKED		
23OCT13 02:14	1075869	965.16.13.204	~S4080	A1UDO	00
aip01694	AIP	STORES	A23T	A1PXXR1301784	
M. COX		30SEP12			
	0.0 AFHR		23OCT13		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00939  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 1075869  
 PART NO : 965.16.13.204 ~S4080  
 ENGINEERING NAME : IND VERT VELOCITY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW						
23OCT13 02:14	Reception History Record	0.0	Reception			
	0.0 AFHR		STORES	MMI		XXxxXXxx
30APR14 01:21	Asset Installation	577.0	A23T	ALUDO	00	
	0.0 AFHR		533	A23-033		A23T ALUDO 00AC
	Change Serviceability Stat	189.0	SERV			XXxxXXxx
	Change Location of an Asse	189.0	S/I			
			STORES			
			A23-033			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 00940  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 107C230 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 622446-1 ~99193  
 ENGINEERING NAME : SENSOR TEMP CONTROL  
 VENUE : A23DISP LOCATION : A23-033  
 CURRENT CONDITION : S/I LIFE SINCE NEW : 28058.5 AFHR

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
01SEP03	10:01	Maintenance	Comment	3.0	01Feb68	NEW - 107C230	622446-1	1832-00-00-B
		0.0	AFHR			CMM LOG00001		XXXXXXxx
01SEP03	10:02	Maintenance	Comment	3.0	29Aug03	A23-043	06.20 22805.9 AFHR	TX TO CMM2
		0.0	AFHR			CMM LOG00002		XXXXXXxx
17SEP08	06:36	Asset	Removal	1845.9	543	A23-043		A23T A1UOM 00 00A
		24705.5	AFHR			A23T A1UOM		XXXXXXxx
		Change Serviceability Stat		6.1	S/I			
		Change Location of an Asse		xxxx	U/S	A23-043		
17SEP08	06:37	Change	Serviceability Stat	0.0	INTMH			
		24705.5	AFHR		U/S			XXXXXXxx
17SEP08	06:38	Asset	Installation	0.0	SERV			
		24705.5	AFHR		A23T	A1UOM	00	A23T A1UOM 00AC
		Change Serviceability Stat		0.0	533	A23-033		XXXXXXxx
		Change Location of an Asse		0.0	SERV			
		Change Location of an Asse		0.0	S/I			
07JUN17	06:18	Position	Change	3184.9	INTMH			
		27428.1	AFHR		A23-033			
		Maintenance	Comment	0.0	A23T	A1UOM	00	XXXXXXxx
					A23T	A1UOM	00	
					A1PXXX1709029			XXXXXXxx
					POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE			

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			

A1PXXJY815551	C COMPLETED	17SEP08 06:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	17SEP08 06:37	17SEP08 06:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	24705.5	AFHR
09 CANNIBALISATION	99 NO FAILURE			TEMP SENSOR CANNIBALISED TO SERVICE A/C	A23-033		
01 NO FAULT	04 CHECK/TEST SERV						

Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 107C230  
PART NO : 622446-1 ~99193 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : SENSOR TEMP CONTROL  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

=====

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 1082279 LITERAL SERIAL NO : 1082279 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 999.61.11.222 ~S4080  
 ENGINEERING NAME : CLOCK ELP TIME  
 VENUE : A23DISP LOCATION : A23-033  
 CURRENT CONDITION : S/I LIFE SINCE NEW : 212.9 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
06DEC18 06:56	1082279	999.61.11.222	~S4080	A1UCC	00
aip02188	AIP	STORES	MMI	A1PXXR1801558	
R. ORLOWSKI		17NOV15	N/A		
	0.0 AFHR				



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 1082279 LITERAL SERIAL NO : 1082279 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 999.61.11.222 ~S4080  
ENGINEERING NAME : CLOCK ELP TIME  
VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
06DEC18 07:17	Maintenance Comment	0.0	0.0	PILATUS COFC NO 80199094 DOM 17NOV2015	
	0.0 AFHR			A1PXXX1812273	XXXXXXxx
21MAR19 23:14	Asset Installation	0.0	1220.9	A23T A1UCC 00	
	0.0 AFHR			533 A23-033	A23T A1UGI 00AC
	Change Serviceability Stat		1220.9	SERV S/I	XXXXXXxx
	Change Location of an Asse		1220.9	STORES MMI	
				A23-033	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00944  
08JAN20  
23:16:15

SERIAL/TAIL NO : 1088S00281  
PART NO : 021-317-1 ~03481  
ENGINEERING NAME : TYRE NOSE WHEEL  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 144.6 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	DATE NEW	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	HA PART	DATE UNPACKED		
11OCT17 23:01	1088S00281	021-317-1	A23T	A18AG00	00
aip01694	AIP	STORES		A1PXXR1702143	
M. COX		01APR11			
	0.0 AFHR		11OCT17		

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00945  
08JAN20  
23:16:15

SERIAL/TAIL NO : 1088S00281  
PART NO : 021-317-1 ~03481  
ENGINEERING NAME : TYRE NOSE WHEEL  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
31OCT17 22:22	Asset Installation	2405.9	A23T	A18AG00	0011 00	A23T A18AG00 00MMI
	0.0 AFHR					XXXXXXXX
	Change Serviceability Stat	2405.9	SERV			
	Change Location of an Asse	2405.9	S/I			
			STORES			
			HYD			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00946  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 1101  
 PART NO : 44929-903  
 ENGINEERING NAME : ALTIMETER ENCODING  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

~89944

PERIOD: 01JAN90 TO 08JAN20

LOCATION : A23-033  
 LIFE SINCE NEW : 6529.9 AFHR

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
				LIFE SINCE NEW				
01SEP03	13:49	Maintenance Comment		3.2	29Nov02	A23-047	07.30 2512.9	0.0 AFHR UPDATED LIFE (MPMI)
		0.0 AFHR			CAMM LOG00005			XXXXXXxx
01SEP03	13:56	Maintenance Comment		3.2	11Apr96	2FTMMIST 00.	0.0	0.0 AFHR RECEPTION (MIRE)
		0.0 AFHR			CAMM LOG00001			XXXXXXxx
01SEP03	13:56	Maintenance Comment		3.2	29Aug03	A23-047	07.30 2820.5 AFHR	TX TO CAMM2
		0.0 AFHR			CAMM LOG00007			XXXXXXxx
01SEP03	13:57	Maintenance Comment		3.2	29Apr98	A23-047	07.3 853.5	0.0 AFHR UPDATED LIFE (MPMI)
		0.0 AFHR			CAMM LOG00003			XXXXXXxx
01SEP03	13:59	Maintenance Comment		3.2	14Feb96	NEW - 1101	44929-903	2325-00-00-B
		0.0 AFHR			CAMM LOG00006			XXXXXXxx
01SEP03	14:00	Maintenance Comment		3.2	21Sep98	A23-047	07.3 1028.2	0.0 AFHR UPDATED LIFE (MPMI)
		0.0 AFHR			CAMM LOG00004			XXXXXXxx
01SEP03	14:06	Maintenance Comment		3.2	11Apr96	A23-047	07.3 0.0	0.0 AFHR IN AS A23T 2325-00-00-B
		0.0 AFHR			CAMM LOG00002			XXXXXXxx
28NOV06	06:02	Asset Removal		1186.9	548	A23-047		A23T A1UCM 00A
		4004.0 AFHR			A23T	A1UCM	00	XXXXXXxx
		Change Serviceability Stat		0.1	S/I			
					U/S			
		Change Location of an Asse		xxxx	A23-047			
					JANDAKOT			
04DEC06	04:07	Change Venue of an Asset		1192.8	AIP			
		4004.0 AFHR			NONC2CONT			XXXXXXxx
		Change Location of an Asse		5.9	A1PXXXY610172			
					JANDAKOT			
					HOLD			
05MAR07	01:50	Change Serviceability Stat		96.8	U/S			
					SERV			
		4004.0 AFHR						XXXXXXxx
10SEP07	01:44	Change Venue of an Asset		279.9	NONC2CONT			
					AIE			
		4004.0 AFHR			NONC2XY709829			XXXXXXxx
		Change Location of an Asse		279.9	HOLD			
					MCS			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00947  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 1101  
 PART NO : 44929-903  
 ENGINEERING NAME : ALTIMETER ENCODING  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~89944

ASSET TRANSACTIONS		-----									
TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN(DYS)	FROM	TO (OPTIONAL)		TRANS REFERENCE		USER	
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
10SEP07 01:51	Change Location of an Asse			0.0	MCS						
		4004.0	AFHR		EQUIP_STORE					XXxxXXxx	
07JUL08 05:05	Asset Installation			586.9	A1EXXXY706267						
					A23T	ALUCM					
					552		A23-051	00		A23T	ALUCM 00AC
	Change Serviceability Stat	4004.0	AFHR	490.1	SERV					XXxxXXxx	
	Change Location of an Asse			301.1	S/I						
					EQUIP_STORE						
27AUG12 22:34	Asset Removal			1512.7	A23-051						
					552		A23-051	00		A23T	ALUCM 00A
	Change Serviceability Stat	4775.5	AFHR	349.8	A23T	ALUCM					
										XXxxXXxx	
	Change Location of an Asse			1356.0	S/I						
					U/S						
					A23-051						
27AUG12 22:37	Change Serviceability Stat			0.0	AVIONICS						
					U/S						
					SERV						
28AUG12 00:20	Asset Installation			0.0						XXxxXXxx	
					A23T	ALUCM					
					530		A23-030	00		A23T	ALUCM 00AC
	Change Serviceability Stat	4775.5	AFHR	0.0	SERV					XXxxXXxx	
	Change Location of an Asse			0.0	S/I						
					AVIONICS						
08JUL13 03:50	Asset Removal			314.1	A23-030						
					530		A23-030	00		A23T	ALUCM 00A
	Change Serviceability Stat	5023.7	AFHR	66.9	A23T	ALUCM					
										XXxxXXxx	
	Change Location of an Asse			314.1	S/I						
					U/S						
					A23-030						
					AVIONICS						

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00948  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 1101  
 PART NO : 44929-903  
 ENGINEERING NAME : ALTIMETER ENCODING  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~89944

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN (DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
08JUL13 03:51	Change Serviceability Stat	0.0	U/S SERV	
	5023.7 AFHR			XXXXXXxx
08JUL13 05:36	Asset Installation	0.0	A23T 552 A1UCM A23-051	00 A23T A1UCM 00AC
	5023.7 AFHR			XXXXXXxx
	Change Serviceability Stat	0.0	SERV S/I AVIONICS A23-051	
	Change Location of an Asse	0.0		
23AUG17 03:27	Asset Removal	1506.9	552 A23T A1UCM A23-051	00 A23T A1UCM 00A
	6036.9 AFHR			XXXXXXxx
	Change Serviceability Stat	5.9	S/I U/S A23-051 AVIONICS	
	Change Location of an Asse	1506.9		
23AUG17 03:30	Change Serviceability Stat	0.0	U/S SERV	
	6036.9 AFHR			XXXXXXxx
23AUG17 03:49	Asset Installation	0.0	A23T 48 A1UCM A23-006	00 A23T A1UCM 00AC
	6036.9 AFHR			XXXXXXxx
	Change Serviceability Stat	0.0	SERV S/I AVIONICS A23-006	
	Change Location of an Asse	0.0		
12NOV18 22:50	Asset Removal	446.7	48 A23T A1UCM A23-006	00 A23T A1UCM 00A
	6360.4 AFHR			XXXXXXxx
	Change Serviceability Stat	47.8	S/I U/S A23-006 STORES	
	Change Location of an Asse	47.0		

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 00949  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 1101  
 PART NO : 44929-903  
 ENGINEERING NAME : ALTIMETER ENCODING  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~89944

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
12NOV18 22:52	Change Serviceability Stat	0.0	U/S SERV	
29APR19 03:12	Asset Installation	167.1	A23T 533 A1UCM A23-033 00	XXxxXXxx
	Change Serviceability Stat	167.1	SERV S/I	XXxxXXxx
	Change Location of an Asse	167.1	STORES A23-033	A23T A1UGW 00AC

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJY619440	C COMPLETED	28NOV06 06:02	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIE	
	05MAR07 01:50	28NOV06 06:02	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	4004.0	AFHR
01 UNSERVICEABLE		01 IN FLIGHT		ATC MODE C NOT WORKING			
03 ELECTRICAL COMPONENT FAIL		03 ELECTRICAL FAILURE					
		02 REPAIR		Unserviceability Details: ALT MODE C NOT WORKING			
				Maintenance Comments: REPAIR AT ANZ IAW AAP 7531.164-3M.			
A1EXXJ1204744	C COMPLETED	27AUG12 22:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	27AUG12 22:37	27AUG12 22:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	4775.5	AFHR
09 CANNIBALISATION		99 NO FAILURE		FRONT ALTIMETER CANNIBALISED SERV TO A23-030			
01 NO FAULT		04 CHECK/TEST SERV		Unserviceability Details: CHECK/TEST SERV			
				Maintenance Comments: CHECK/TEST SERV			
A1EXXJ1303281	C COMPLETED	08JUL13 03:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	08JUL13 03:51	08JUL13 03:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	5023.7	AFHR
09 CANNIBALISATION		99 NO FAILURE		FRONT ALTIMETER CANNIBALISED SERV TO A23-051			
01 NO FAULT		04 CHECK/TEST SERV		Unserviceability Details: CHECK/TEST SERV			
				Maintenance Comments: CHECK/TEST SERV			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 1101  
PART NO : 44929-903 ~89944 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : ALTIMETER ENCODING  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1EXXJ1705574	C COMPLETED	23AUG17 03:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	23AUG17 03:30	23AUG17 03:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	6036.9	AFHR
09 CANNIBALISATION	99 NO FAILURE						FRONT AND REAR ALTIMETER REQUIRED TO SERVICE A23-006

01 NO FAULT	04 CHECK/TEST SERV						
	Unserviceability Details:						
	Maintenance Comments:			CHECK/TEST SERV			

A1PXXJ1819334	C COMPLETED	12NOV18 22:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	12NOV18 22:52	12NOV18 22:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	6360.4	AFHR
13 REMOVED FOR ACCESS	99 NO FAILURE						FRONT AND REAR COCKPIT COMPONENTS REMOVED AND RETURNED TO STORE FOR AIRCRAFT DISPOSAL PROGRAM

01 NO FAULT	04 CHECK/TEST SERV						
	Unserviceability Details:						
	Maintenance Comments:			CHECK/TEST SERV			



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 00951  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 1102  
 PART NO : HP1460100-3 ~10639 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : ACTUATOR NWS  
 VENUE : A23DISP LOCATION : A23-033  
 CURRENT CONDITION : S/I LIFE SINCE NEW : 7210.6 AFHR

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
30AUG03	13:23	Maintenance	Comment	0.0 AFHR	1.2			UNIT CLEANED RESEALED AND TESTED AT DHG 15SEP92 CMM LOG00005	XXXXXXxx
30AUG03	13:23	Maintenance	Comment	0.0 AFHR	1.2			28Sep92 A23-066 05.0 530.3 530.3 AFHR IN AS A23T 1251-00-00-C CMM LOG00006	XXXXXXxx
30AUG03	13:33	Maintenance	Comment	0.0 AFHR	1.2			29Aug03 A23-066 05.00 4536.9 AFHR TX TO CMM2 CMM LOG00009	XXXXXXxx
30AUG03	13:38	Maintenance	Comment	0.0 AFHR	1.2			28Sep92 MNTPC9AF 00. 530.3 530.3 AFHR LIFE UPDATED CMM LOG00002	XXXXXXxx
30AUG03	13:39	Maintenance	Comment	0.0 AFHR	1.2			16Sep92 MNTPC9AF 00. 530.3 530.3 AFHR ^^^^^^RECEPTION CMM LOG00001	XXXXXXxx
30AUG03	13:39	Maintenance	Comment	0.0 AFHR	1.2			SEVERE NOSE WHEEL SHIMMY ON LANDING CMM LOG00003	XXXXXXxx
30AUG03	13:39	Maintenance	Comment	0.0 AFHR	1.2			21Apr98 A23-066 05.0 2857.0 2857.0 AFHR UPDATED LIFE (MPMI) CMM LOG00007	XXXXXXxx
30AUG03	13:39	Maintenance	Comment	0.0 AFHR	1.2			26Oct89 NEW - 1102 HP1460100-3 1251-00-00-C CMM LOG00008	XXXXXXxx
30AUG03	13:44	Maintenance	Comment	0.0 AFHR	1.2			SUSPECT INTERNAL FAILURE CMM LOG00004	XXXXXXxx
02DEC03	21:37	Asset Removal		4589.2 AFHR	95.5			543 A23-066 A23T A18AC 00	A23T A18AC 00A
		Change Serviceability Stat		4589.2 AFHR	11.9			S/I	XXXXXXxx
		Change Location of an Asse			xxxx			U/S A23-066	
03DEC03	01:53	Change Location of an Asse			0.1			EQUIP_STORE EQUIP_STORE	
		Change Serviceability Stat		4589.2 AFHR	271.1			HOLD A1EXXXY302316	XXXXXXxx
30AUG04	01:00	Change Serviceability Stat		4589.2 AFHR				U/S SERV	XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00952  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 1102  
 PART NO : HP1460100-3 ~10639  
 ENGINEERING NAME : ACTUATOR NWS  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
14FEB06 03:45	Asset Installation	804.2	A23T A18AC A23-062 00	A23T A18AC 00AC
	4589.2 AFHR			XXXXXX
	Change Serviceability Stat	533.1	SERV S/I	
	Change Location of an Asse	804.0	HOLD A23-062	
24MAR06 00:00	Asset Removal	37.8	1020 A23T A18AC A23-062 00	A23T A18AC 00A
	4589.2 AFHR			XXXXXX
	Change Serviceability Stat	37.8	S/I U/S	
	Change Location of an Asse	37.8	A23-062	
14JUN06 01:48	Change Venue of an Asset	1019.7	MCS AIE NONC2CONT	
	4589.2 AFHR		A1EXXXY603231	XXXXXX
	Change Location of an Asse	82.0	MCS HOLD	
03OCT06 23:28	Change Serviceability Stat	193.9	U/S SERV	
	4589.2 AFHR			XXXXXX
01NOV06 22:51	Change Venue of an Asset	140.8	NONC2CONT AIE	
	4589.2 AFHR		NONC2XY610832	XXXXXX
	Change Location of an Asse	140.8	HOLD MCS	
01NOV06 23:30	Change Serviceability Stat	29.0	SERV U/S	
	4589.2 AFHR		A1EXXJY403558	XXXXXX
01NOV06 23:36	Change Location of an Asse	0.0	MCS EQUIP_STORE	
	4589.2 AFHR		A1EXXXY606683	XXXXXX
20NOV06 23:35	Change Serviceability Stat	19.0	U/S SERV	
	4589.2 AFHR			XXXXXX

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00953  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 1102  
 PART NO : HP1460100-3 ~10639  
 ENGINEERING NAME : ACTUATOR NWS  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
20NOV06 23:44	Asset Installation	241.9	A23T A18AC 509 A23-050	00 A23T A18AC 00AC XXXXXXXX
	4589.2 AFHR Change Serviceability Stat	0.0	SERV S/I	
	Change Location of an Asse	19.0	EQUIP_STORE A23-050	
27OCT08 03:56	Change Serviceability Stat	3.0	S/I US/I	
	5166.7 AFHR Asset Removal	706.1	A1EXXJY607578 509 A23-050	XXXXXXXX A23T A18AC 00A
	5166.7 AFHR Change Serviceability Stat	0.0	A23T A18AC	00 XXXXXXXX
	Change Location of an Asse	706.1	US/I U/S A23-050	
27OCT08 21:53	Change Venue of an Asset	725.9	EQUIP_STORE AIE	
	5166.7 AFHR Change Location of an Asse	0.7	NONC2CONT A1EXXXY804505	XXXXXXXX
31MAY12 08:30	Change Serviceability Stat	1312.1	EQUIP_STORE HOLD	
	5166.7 AFHR Change Venue of an Asset	1385.1	U/S SERV	XXXXXXXX
13AUG12 01:35	Change Venue of an Asset	1385.1	NONC2CONT AIE	
	5166.7 AFHR Change Location of an Asse	1385.1	NONC2X1208603 HOLD	XXXXXXXX
23MAY13 05:00	Change Venue of an Asset	283.1	EQUIP_STORE AIE	
	5166.7 AFHR Change Location of an Asse	283.1	NONC2CONT A1EXXX1301412	XXXXXXXX
			EQUIP_STORE HOLD	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00954  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 1102  
 PART NO : HP1460100-3 ~10639  
 ENGINEERING NAME : ACTUATOR NWS  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
28MAY13 02:23	Change Venue of an Asset	4.8	NONC2CONT AIP	
	5166.7 AFHR		NONC2X1304976	XXxxXXxx
	Maintenance Comment	0.0	ALREADY SERV O/H ON 31MAY12 MOVED TO AIP	
	Change Location of an Asse	4.8	HOLD	
29MAY13 06:19	Asset Installation	1675.0	STORES A23T A18AC A23-038 00	A23T A18AC 00AC
	5166.7 AFHR		515	XXxxXXxx
	Change Serviceability Stat	362.9	SERV	
	Change Location of an Asse	1.1	S/I	
			STORES	
30MAR15 10:45	Asset Removal	670.1	A23-038 515	A23T A18AC 00A
	5741.2 AFHR		A23T A18AC	00
	Change Serviceability Stat	25.1	S/I	XXxxXXxx
	Change Location of an Asse	476.4	U/S	
			A23-038	
30MAR15 10:46	Change Serviceability Stat	0.0	INTMH	
			U/S	
			SERV	
31MAR15 11:36	Asset Installation	1.0	A23T A18AC A23-038 00	XXxxXXxx
	5741.2 AFHR		1017	A23T A18AC 00AC
	Change Serviceability Stat	1.0	SERV	XXxxXXxx
	Change Location of an Asse	1.0	S/I	
			INTMH	
			A23-038	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00955  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 1102  
 PART NO : HPL460100-3 ~10639  
 ENGINEERING NAME : ACTUATOR NWS  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
26JUL18 02:32	Asset Removal	1212.6	1017 A23T A18AC A23-038 00	A23T A18AC 00A
	6959.2 AFHR Change Serviceability Stat	6.9	S/I U/S	XXXXXXxx
	Change Location of an Asse	903.7	A23-038 INTMH	
19AUG18 23:43	Change Venue of an Asset	1715.0	AIP NONC2CONT	
	6959.2 AFHR Change Location of an Asse	24.8	A1PXXX1808123 INTMH	XXXXXXxx
07JAN19 06:15	Change Serviceability Stat	165.1	HOLD U/S SERV	
	6959.2 AFHR Change Venue of an Asset	186.2	NONC2CONT AIP	XXXXXXxx
22FEB19 04:36	Change Location of an Asse	186.2	NONC2X1901259 HOLD	XXXXXXxx
25FEB19 00:07	Asset Installation	213.8	STORES A23T A18AC 507 A23-033 00	A23T A18AC 00AC
	6959.2 AFHR Change Serviceability Stat	48.7	SERV S/I	XXXXXXxx
	Change Location of an Asse	2.8	STORES A23-033 MMI	

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
1E1EXXJY302888	C COMPLETED	02DEC03 21:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	30AUG04 01:00					4589.2 AFHR	
12 DAMAGED		09 R2 SERVICING		NWS LEAKING FROM CONTROLLER & ACTUATOR			
		09 LEAKING					
02 MECHANICAL COMPONENT FAIL		02 REPAIR					
Unserviceability Details: LEAKING FROM CONTROLLER & ACTUATOR							

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 1102  
 PART NO : HP1460100-3 ~10639  
 ENGINEERING NAME : ACTUATOR NWS  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

Maintenance Comments: REPAIRED & TESTED AT PTP IAW 7294.128-3M

A1EXXJY601978	C COMPLETED	24MAR06 00:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	03OCT06 23:28					4589.2	AFHR
10 ABNORMALLY OPERATED		07 AFTER FLIGHT		TROUBLESHOOTING, NOSE WHEEL SHIMMY			
		06 OUT OF LIMITS					
02 MECHANICAL COMPONENT FAIL		07 OVERHAUL					

Unserviceability Details: NOSE WHEEL SHIMMY

Maintenance Comments: OVERHAUL AT TACTAIR IAW PUB. HPATP1460100-3.

A1EXXJY403558	C COMPLETED	01NOV06 23:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	20NOV06 23:35	01NOV06 23:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	4589.2	AFHR
08 MOD/STI/DVI REQUIRED				7294.128-101	due on Serial 1102		
				ACTUATOR NWS	at WAC 0500		

01 NO FAULT 08 MOD/STI/DVI INCORP

Unserviceability Details:

Maintenance Comments: MOD 7294.128-101 CARRIED OUT

A1EXXJY607578	C COMPLETED	27OCT08 04:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	NONC2CONT	
	31MAY12 08:30	27OCT08 03:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	5166.7	AFHR
03 OVERHAUL DUE				OH	due on Serial 1102		
				ACTUATOR NWS	at WAC 0500		

01 NO FAULT 07 OVERHAUL

Unserviceability Details:

Maintenance Comments: UNIT OVERHAULED IAW HPATP 1460100-3

A1PXXJ1504898	C COMPLETED	30MAR15 10:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	30MAR15 10:46	30MAR15 10:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	5741.2	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE		SHOCK STRUT NOSE BUE O/H SN515			

01 NO FAULT 04 CHECK/TEST SERV

Unserviceability Details:

Maintenance Comments: CHECK/TEST SERV

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 1102  
 PART NO : HP1460100-3 ~10639  
 ENGINEERING NAME : ACTUATOR NWS  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJ1812252	C COMPLETED	26JUL18 02:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		NONC2CONT	
	07JAN19 06:15	26JUL18 02:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		6959.2	AFHR
15 FAULT FINDING		99 NO FAILURE		REMOVE FOR FAULT FINDING.			

01 NO FAULT  
 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments:

OVERHAULLED - COMPLETELY DISASSEMBLED , CLEANED AND INSPECTED.  
 OVERHAULLED THE UNIT BY REPLACING THE ORIFICE , ALL SEALS AND  
 MINOR HARDWARE , TESTED AND RECERTIFIED TO HPATP1460100-3 REV  
 V DATED 28FEB1997 REF TACTAIR FLUID CONTROLS INC ARC NO 50343  
 DATED 18DEC18 AUTH D DANES , OVERHAULLED IAW OEM CMM  
 HOATP1460100-3 REV F DATED 28FEB1997 REFER TO PC9/A MAB  
 AUTHORISATION 007/2005 REF AIRFLITE ARC NO ACS1808045 @  
 TACTAIR/AIP

A1EXXJ1204367	C COMPLETED	01SEP18 01:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx NONC2CONT		NONC2CONT	
	07JAN19 06:15	22FEB19 04:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx NONC2CONT		6959.2	AFHR
03 OVERHAUL DUE				OH due on Serial 1102			
				ACTUATOR NWS at WAC 0500			

01 NO FAULT  
 07 OVERHAUL  
 Unserviceability Details:  
 Maintenance Comments:

OVERHAULLED - COMPLETELY DISASSEMBLED , CLEANED AND INSPECTED.  
 OVERHAULLED THE UNIT BY REPLACING THE ORIFICE , ALL SEALS AND  
 MINOR HARDWARE , TESTED AND RECERTIFIED TO HPATP1460100-3 REV  
 V DATED 28FEB1997 REF TACTAIR FLUID CONTROLS INC ARC NO 50343  
 DATED 18DEC18 AUTH D DANES , OVERHAULLED IAW OEM CMM  
 HOATP1460100-3 REV F DATED 28FEB1997 REFER TO PC9/A MAB  
 AUTHORISATION 007/2005 REF AIRFLITE ARC NO ACS1808045 @  
 TACTAIR/AIP

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : 1102  
PART NO : HP1460100-3 ~10639  
ENGINEERING NAME : ACTUATOR NWS  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MODIFICATION ORDERS INCORPORATION STATUS CHANGE							
MOD NUMBER	CURRENT (Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW	
7294.128-101	N	20MAY04	NINC				
7294.128-101	Y	20NOV06	INC	A1EXXJY403558	01NOV06 23:30	4589.2	AFHR



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 00959  
08JAN20  
23:16:15

SERIAL/TAIL NO : 111  
PART NO : 571.20.09.045 ~S4080  
ENGINEERING NAME : FRAME ASSY ENGINE  
VENUE : A23DISP  
CURRENT CONDITION : S/I  
LOCATION : A23-033  
LIFE SINCE NEW : 54774.9 AFHR  
PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS -----

TRANSACTION	D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
15DEC03	23:01	Change Serial Number of an	108.6	XX02FTSXRY309164	111		
		50070.1 AFHR		A1PXXXY307182			XXxxXXxx
		Maintenance Comment	0.0	S/N CHANGED TO AS ON DATA PLATE			
25JUN13	13:32	Position Change	3588.2	A23T AOC	00		
		52953.4 AFHR		A23T AOC	00		
		Maintenance Comment	0.0	A1PXXX1306867			XXxxXXxx
				POSN CHNGE: COMPARE POLICY RPT ERROR CORRECTION			

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 1146865 LITERAL SERIAL NO : 1146865 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 972.87.87.167 ~S4080  
ENGINEERING NAME : POWER SUPPLY  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 3443.8 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
06DEC07 00:44	1146865	972.87.87.167	~S4080	A23T	00
aip01795	AIP	MMIST		A2KEW	
W. MCKENZIE		27JUN06		A1PXXRY702625	
	0.0 AFHR				

RUN ID: ASSTHIST

RUN BY: tforner

ASSET HISTORY

08JAN20

PROGRM: ASSTHIST

23:16:15

SERIAL/TAIL NO : 1146865 LITERAL SERIAL NO : 1146865 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 972.87.87.167 ~S4080  
 ENGINEERING NAME : POWER SUPPLY  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
06DEC07 00:44	Reception History Record	0.0	Reception	MMIST	MMI	
	0.0 AFHR					XXXXXXxx
08JAN08 22:37	Asset Installation	560.9	A23T	A2KEW	00	
	0.0 AFHR		533	A23-033		A23T A1UNO 01AC
	Change Serviceability Stat	33.9	SERV			XXXXXXxx
	Change Location of an Asse	33.9	S/I			
			MMIST			
07JUN17 07:59	Position Change	3437.3	A23T	A1UNO	01	
	2813.4 AFHR		A23T	A1UNO	01	
	Maintenance Comment	0.0	A1PXXX1709119			XXXXXXxx
			POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 1151  
PART NO : 93880-26 ~13636  
ENGINEERING NAME : SHOCK MOUNT ASSY EN  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 1190.4 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		

27APR15 02:29	1151	93880-26	~13636	A23T	A1SAQ	00
rayth61	ARDU	PC9-AIRCRAFT			ARDUXR1500083	
R. BROOME		16MAY14				

0.0 AFHR

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00963  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 1151  
 PART NO : 93880-26 ~13636  
 ENGINEERING NAME : SHOCK MOUNT ASSY EN  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS -----

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW						
27APR15 02:29	Reception History Record	0.0	Reception			
	0.0 AFHR		PC9-AIRCRAFT	MMI		XXxxXXxx
30APR15 04:15	Asset Installation	349.1	A23T	AlSAQ	103186 00	
	0.0 AFHR		103186		103186	A23T AlSAU
	Change Serviceability Stat	3.1	SERV			XXxxXXxx
			S/I			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00964  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 116 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 471 TS 06 Y ~F0214  
 ENGINEERING NAME : PNL ANNUNCIATOR REA  
 VENUE : A23DISP LOCATION : A23-033  
 CURRENT CONDITION : S/I LIFE SINCE NEW : 7343.7 AFHR

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
			LIFE SINCE NEW	TRANS REFERENCE		
01SEP03	13:23	Maintenance Comment	3.2	01Sep86 NEW - 116	471 TS 06 Y	2277-00-00-A
		0.0 AFHR		CAMM LOG00001		XXxxXXxx
01SEP03	13:31	Maintenance Comment	3.2	29Aug03 A23-033	07.40 2568.8 AFHR	TX TO CAMM2
		0.0 AFHR		CAMM LOG00002		XXxxXXxx
15MAY09	02:34	Asset Removal	2085.7	533	A23-033	A23T A1UII
		4286.0 AFHR		A23T A1UII	00	XXxxXXxx
		Change Serviceability Stat	9.0	S/I		
		Change Location of an Asse	xxxx	U/S	A23-033	
				INTMH		
15MAY09	02:35	Change Serviceability Stat	0.0	U/S		
		4286.0 AFHR		SERV		XXxxXXxx
18MAY09	00:24	Asset Installation	2.9	A23T	A1UII	
		4286.0 AFHR		533	A23-033	00 A23T A1UII
		Change Serviceability Stat	2.9	SERV		XXxxXXxx
		Change Location of an Asse	2.9	S/I		
				INTMH		
				A23-033		
07JUN17	06:13	Position Change	2942.2	A23T	A1UII	00
		6713.3 AFHR		A23T	A1UII	00
		Maintenance Comment	0.0	A1PXXX1709019		XXxxXXxx
				POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJY910349	C COMPLETED	15MAY09 02:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	15MAY09 02:35	15MAY09 02:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	4286.0	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		REAR CWS PANEL RFA			
01	NO FAULT	04 CHECK/TEST SERV					

Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 116  
PART NO : 471 TS 06 Y ~F0214  
ENGINEERING NAME : PNL ANNUNCIATOR REA  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

=====

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00966  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 116 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 972.81.31.503 ~S4080  
 ENGINEERING NAME : PANEL ANNUNCIATOR F  
 VENUE : A23DISP LOCATION : A23-033  
 CURRENT CONDITION : S/I LIFE SINCE NEW : 8040.1 AFHR

ASSET TRANSACTIONS

TRANSACTION D/T		CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
01SEP03	12:52	Maintenance Comment	0.0 AFHR	3.1	09Sep86 NEW - 116 972.81.31.503	2276-00-00-H XXxxXXxx
01SEP03	13:02	Maintenance Comment	0.0 AFHR	3.1	29Aug03 A23-028 07.30 3445.9 AFHR	TX TO CAMM2 XXxxXXxx
15JAN04	06:09	Asset Removal		138.9	528 A23-028	A23T A1UEC 00A
		Change Serviceability Stat	3493.8 AFHR	28.9	A23T A1UEC 00	XXxxXXxx
		Change Location of an Asse		xxxx	S/I U/S A23-028 HG122	
15JAN04	06:11	Change Serviceability Stat		0.0	U/S SERV	
		Asset Installation	3493.8 AFHR	54.8	A23T A1UEC	XXxxXXxx
10MAR04	02:32	Change Serviceability Stat	3493.8 AFHR	54.8	528 A23-028	A23T A1UEC 0 A
		Change Location of an Asse		54.8	SERV S/I HG122 A23-028	XXxxXXxx
16FEB09	11:56	Asset Removal		1804.3	528 A23-028	A23T A1UEC 00A
		Change Serviceability Stat	5224.7 AFHR	5.4	A23T A1UEC 00	XXxxXXxx
		Change Location of an Asse		761.2	S/I U/S A23-028	
16FEB09	11:56	Change Serviceability Stat		0.0	OPMH U/S SERV	
			5224.7 AFHR			XXxxXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00967  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 116  
 PART NO : 972.81.31.503 ~S4080  
 ENGINEERING NAME : PANEL ANNUNCIATOR F  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
17FEB09 22:25	Asset Installation	1.4	A23T 528 A1UEC A23-028	00 A23T A1UEC 00AC XXxxXXxx
	5224.7 AFHR Change Serviceability Stat	1.4	SERV S/I	
	Change Location of an Asse	1.4	OPMH A23-028	
29JUN17 08:14	Position Change	3053.4	A23T A1UEC A23T A1UEC	00 00 XXxxXXxx
	7516.7 AFHR Maintenance Comment	0.0	A1PXXX1710208	
29NOV18 05:47	Asset Removal	3571.3	POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE 528 A23-028	A23T A1UEC 00A
	7993.8 AFHR Change Serviceability Stat	21.1	S/I U/S	XXxxXXxx
	Change Location of an Asse	420.1	A23-028 STORES	
29NOV18 05:48	Change Serviceability Stat	0.0	U/S SERV	
	7993.8 AFHR Asset Installation	294.7	A23T A1UEC A23-033	00 XXxxXXxx
20SEP19 00:50	Change Serviceability Stat	294.7	SERV S/I	A23T A1UEC 00AC XXxxXXxx
	Change Location of an Asse	294.7	STORES A23-033	

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJY400880	C COMPLETED	15JAN04 06:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	99 NO FAILURE			7212.007-223	due on Serial A23-028	3493.8 AFHR	
01 NO FAULT	04 CHECK/TEST SERV			PC-9	at WAC 0000		

Unserviceability Details:

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : 116  
PART NO : 972.81.31.503 ~S4080  
ENGINEERING NAME : PANEL ANNUNCIATOR F  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

Maintenance Comments: RFA FOR MOD 223

A1PXXJY903295	C COMPLETED	16FEB09 11:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	16FEB09 11:56	16FEB09 11:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	5224.7	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE		FCP CWS PANEL REMOVED FOR ACCESS			

01 NO FAULT

04 CHECK/TEST SERV

Unserviceability Details:

Maintenance Comments:

CHECK/TEST SERV

A1PXXJ1820549	C COMPLETED	29NOV18 05:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	29NOV18 05:48	29NOV18 05:48	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	7993.8	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE		ALL FRONT COCKPIT AND REAR COCKPIT COMPONENTS RFA			

01 NO FAULT

04 CHECK/TEST SERV

Unserviceability Details:

Maintenance Comments:

CHECK/TEST SERV

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

SERIAL/TAIL NO : 1160185 LITERAL SERIAL NO : 1160185 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 8ES007046-03 ~D8095  
ENGINEERING NAME : POWER SUPPLY  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 3443.8 AFHR

ASSET RECEPTION

-----  
RECEPTION D/T SER NO PART NO EIAC LCN ALC  
USER ID VENUE LOCATION SUB-LOCATION ASSET ID  
NAME DATE NEW BATCH MATCHED SET NO  
HA SERIAL HA PART  
DATE UNPACKED  
DEFAULT LIFS ENTERED AT RECEPTION  
-----

18SEP07 02:28 1160185 8ES007046-03 ~D8095 A23T ALUNO 01  
aip001 AIP MMIST  
L. DOBSON 27JUL06 A1PXXRY702314

0.0 AFHR

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00970  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 1160185 LITERAL SERIAL NO : 1160185 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 8ES007046-03 ~D8095  
 ENGINEERING NAME : POWER SUPPLY  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW							
18SEP07	02:28	Reception History Record	0.0	Reception			
		0.0 AFHR		MMIST	MMI		XXXXXXxx
19SEP07	23:36	Asset Installation	419.9	A23T	A1UNO	01	
		0.0 AFHR		027	A23-033		A23T A2KEY 01AC
		Change Serviceability Stat	1.9	SERV			XXXXXXxx
		Change Location of an Asse	1.9	S/I			
				MMIST			
25SEP07	06:57	Asset Removal	5.3	A23-033			
		0.0 AFHR		027	A23-033	01	A23T A2KEY 01A
		Change Serviceability Stat	5.3	A23T	A2KEY		XXXXXXxx
		Change Location of an Asse	5.3	S/I			
				U/S			
				A23-033			
25SEP07	06:58	Change Serviceability Stat	0.0	HG121			
		0.0 AFHR		U/S			XXXXXXxx
23APR08	06:03	Asset Installation	210.9	A23T	A2KEY	01	
		0.0 AFHR		027	A23-033		A23T A2KEW 01AC
		Change Serviceability Stat	210.9	SERV			XXXXXXxx
		Change Location of an Asse	210.9	S/I			
				HG121			
				A23-033			
28APR14	05:03	Asset Removal	2195.9	027	A23-033	01	A23T A2KEW 01A
		1870.1 AFHR		A23T	A2KEW		XXXXXXxx
		Change Serviceability Stat	11.1	S/I			
		Change Location of an Asse	2195.9	U/S			
				A23-033			
				INTMH			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00971  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 1160185 LITERAL SERIAL NO : 1160185 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 8ES007046-03 ~D8095  
 ENGINEERING NAME : POWER SUPPLY  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
28APR14 05:04	Change Serviceability Stat		0.0	U/S SERV	
01MAY14 02:26	Asset Installation	1870.1 AFHR	2.8	A23T A2KEW A23-033 01	XXxxXXxx
	Change Serviceability Stat	1870.1 AFHR	2.8	SERV S/I INTMH A23-033	XXxxXXxx
	Change Location of an Asse		2.8		
11APR16 00:24	Asset Removal		710.9	A23T A2KEW A23-033 01	
	Change Serviceability Stat	2483.9 AFHR	18.6	S/I U/S A23-033	XXxxXXxx
	Change Location of an Asse		332.8		
11APR16 00:24	Change Serviceability Stat		0.0	INTMH U/S SERV	
18APR16 23:49	Asset Installation	2483.9 AFHR	7.9	A23T A2KEW A23-033 01	XXxxXXxx
	Change Serviceability Stat	2483.9 AFHR	7.9	SERV S/I INTMH A23-033	XXxxXXxx
	Change Location of an Asse		7.9		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS		UNSERVICEABILITY DETAILS			
MAINT PROCESS	UNSERVICEABILITY	MAINTENANCE COMMENT					
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

A1PXXJY718157 C COMPLETED 25SEP07 06:57 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 25SEP07 06:58 25SEP07 06:57 XXxxXXxx XXxxXXxxXXxxXXxx AIP 0.0 AFHR  
 13 REMOVED FOR ACCESS 99 NO FAILURE LH AND RH STROBE POWER SUPPLIES REMOVED FOR ACCESS  
 01 NO FAULT 04 CHECK/TEST SERV

Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 1160185 LITERAL SERIAL NO : 1160185 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 8ES007046-03 ~D8095  
ENGINEERING NAME : POWER SUPPLY  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

```

A1PXXJ1406717 C COMPLETED 28APR14 05:03 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP
                28APR14 05:04 28APR14 05:04 XXxxXXxx XXxxXXxxXXxxXXxx AIP 1870.1 AFHR
13 REMOVED FOR ACCESS 99 NO FAILURE BOTH LH AND RH STROBE PWR SUPPLIES RFA

01 NO FAULT 04 CHECK/TEST SERV
                Unserviceability Details:
                Maintenance Comments: CHECK/TEST SERV

```

```

A1PXXJ1608106 C COMPLETED 11APR16 00:24 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP
                11APR16 00:24 11APR16 00:24 XXxxXXxx XXxxXXxxXXxxXXxx AIP 2483.9 AFHR
13 REMOVED FOR ACCESS 99 NO FAILURE BOTH WING TIP STROBE POWER SUPPLIES RFA

01 NO FAULT 04 CHECK/TEST SERV
                Unserviceability Details:
                Maintenance Comments: CHECK/TEST SERV

```

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

SERIAL/TAIL NO : 1160193 LITERAL SERIAL NO : 1160193 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 8ES007046-03 ~D8095  
ENGINEERING NAME : POWER SUPPLY  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 3443.8 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
18SEP07 02:32	1160193	8ES007046-03	~D8095 A23T	ALUNO	01
aip001	AIP	MMIST		A1PXXRY702316	
L. DOBSON		27JUL06			
	0.0 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00974  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 1160193 LITERAL SERIAL NO : 1160193 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 8ES007046-03 ~D8095  
 ENGINEERING NAME : POWER SUPPLY  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
18SEP07 02:32	Reception History Record	0.0	Reception MMIST	
	0.0 AFHR		MMI	XXXXXXxx
23APR08 06:06	Asset Installation	636.2	A23T A1UNO	01
	0.0 AFHR		A23-033	A23T A2KEY 01AC
	Change Serviceability Stat	218.2	SERV S/I	XXXXXXxx
	Change Location of an Asse	218.2	MMIST A23-033	
28APR14 05:05	Asset Removal	2195.9	027 A23T	A23T A2KEY 01A
	1870.1 AFHR		A2KEY	01
	Change Serviceability Stat	11.1	S/I U/S	XXXXXXxx
	Change Location of an Asse	2195.9	A23-033	
28APR14 05:06	Change Serviceability Stat	0.0	INTMH U/S	
	1870.1 AFHR		SERV	XXXXXXxx
01MAY14 02:26	Asset Installation	2.8	A23T A2KEY	01
	1870.1 AFHR		A23-033	A23T A2KEY 01AC
	Change Serviceability Stat	2.8	SERV S/I	XXXXXXxx
	Change Location of an Asse	2.8	INTMH A23-033	
11APR16 00:25	Asset Removal	710.9	027 A23T	A23T A2KEY 01A
	2483.9 AFHR		A2KEY	01
	Change Serviceability Stat	18.6	S/I U/S	XXXXXXxx
	Change Location of an Asse	332.8	A23-033	
			INTMH	



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00975  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 1160193 LITERAL SERIAL NO : 1160193 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 8ES007046-03 ~D8095  
 ENGINEERING NAME : POWER SUPPLY  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
11APR16 00:25	Change Serviceability Stat	0.0	U/S SERV	
18APR16 23:49	Asset Installation	7.9	A23T A2KEY 01 027 A23-033	XXxxXXxx
	Change Serviceability Stat	7.9	SERV S/I INTMH A23-033	XXxxXXxx
	Change Location of an Asse	7.9		01AC

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJ1406718	C COMPLETED	28APR14 05:05	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
		28APR14 05:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	1870.1	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		BOTH LH AND RH STROBE PWR SUPPLIES RFA			
01	NO FAULT	04 CHECK/TEST SERV		Unserviceability Details: Maintenance Comments: CHECK/TEST SERV			
A1PXXJ1608107	C COMPLETED	11APR16 00:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
		11APR16 00:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	2483.9	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		BOTH WING TIP STROBE POWER SUPPLIES RFA			
01	NO FAULT	04 CHECK/TEST SERV		Unserviceability Details: Maintenance Comments: CHECK/TEST SERV			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00976  
08JAN20  
23:16:15

SERIAL/TAIL NO : 116738  
PART NO : 975.44.21.312 ~S4080  
ENGINEERING NAME : ELECTRONICS UNIT AO  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 1838.5 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE UNPACKED			
01NOV06 01:10	116738	975.44.21.312	~S4080 A23T	ALUDG	00
aip01711	AIP	MMIST		A1PXXRY603061	
L. HULL		14FEB05			

0.0 AFHR

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00977  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 116738  
 PART NO : 975.44.21.312  
 ENGINEERING NAME : ELECTRONICS UNIT AO  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN (DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW								
01NOV06	01:10	Reception	History Record	0.0	Reception			
		0.0	AFHR		MMIST	MMI		XXXXXXxx
09MAR07	03:02	Asset	Installation	753.1	A23T	A1UDG	00	A23T A1UDG 00AC
		0.0	AFHR		550	A23-049		XXXXXXxx
		Change Serviceability Stat		128.1	SERV			
		Change Location of an Asse		128.1	S/I			
					MMIST			
06FEB12	11:01	Asset	Removal	1795.3	A23-049			
		1695.2	AFHR		550	A23-049	00	A23T A1UDG 00A
		Change Serviceability Stat		266.2	A23T	A1UDG		XXXXXXxx
		Change Location of an Asse		1795.3	S/I			
					U/S			
06FEB12	11:02	Change	Serviceability Stat	0.0	A23-049			
		1695.2	AFHR		HG122			
		Asset	Installation	219.5	U/S			
		1695.2	AFHR		SERV			XXXXXXxx
13SEP12	00:08	Change	Serviceability Stat	219.5	A23T	A1UDG	00	A23T A1UDG 00AC
		1695.2	AFHR		550	A23-049		XXXXXXxx
		Change Serviceability Stat		219.5	SERV			
		Change Location of an Asse		219.5	S/I			
					HG122			
20SEP12	05:31	Asset	Removal	7.2	A23-049			
		1695.2	AFHR		550	A23-049	00	A23T A1UDG 00A
		Change Serviceability Stat		7.2	A23T	A1UDG		XXXXXXxx
		Change Location of an Asse		7.2	S/I			
					U/S			
					A23-049			
					STORES			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00978  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 116738  
 PART NO : 975.44.21.312 ~S4080  
 ENGINEERING NAME : ELECTRONICS UNIT AO  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
24SEP12 10:52	Change Venue of an Asset	2154.4	AIP NONC2CONT	
	1695.2 AFHR Change Location of an Asse	4.2	A1PXXX1209787 STORES HOLD	XXxxXXxx
02JUL14 04:00	Change Serviceability Stat	649.9	U/S SERV	
	1695.2 AFHR			XXxxXXxx
12OCT17 03:33	Change Venue of an Asset	1843.6	NONC2CONT AIP	
	1695.2 AFHR Maintenance Comment	0.0	NONC2X1711121 REPAIRED AT PILATUS ON 02JUL14. MOVED TO AIP PEA.	XXxxXXxx
	Change Location of an Asse	1843.6	HOLD STORES	
16JUL19 13:51	Asset Installation	2490.3	A23T A1UDG 00 533 A23-033	A23T A1UDG 00AC XXxxXXxx
	1695.2 AFHR Change Serviceability Stat	1840.4	SERV S/I	
	Change Location of an Asse	642.4	STORES A23-033	

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
ALPXXJ1201547	C COMPLETED	06FEB12 11:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	06FEB12 11:02	06FEB12 11:02	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	1695.2 AFHR	
01 NO FAULT	04 CHECK/TEST SERV			AOA ELECTRONICS UNIT REMOVED FOR ACCESS			
	Unserviceability Details:						
	Maintenance Comments:			CHECK/TEST SERV			
ALPXXJ1214553	C COMPLETED	20SEP12 05:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	NONC2CONT	
01 UNSERVICEABLE	02JUL14 04:00	20SEP12 05:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	1695.2 AFHR	
03 ELECTRICAL COMPONENT FAIL	09 R2 SERVICING			UNABLE TO CALIBRATE AOA ELECTONICS UNIT			
	03 ELECTRICAL FAILURE						
	02 REPAIR						

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 116738  
PART NO : 975.44.21.312 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : ELECTRONICS UNIT AO  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

Unserviceability Details: UNABLE TO CALIBRATE - UNIT SLOW TO RESPOND TO ADJUSTMENTS TO POT 4. LIGHT ON AND OFF POSITION APPEARS TO CHANGE EACH TIME (POT 4 ONLY)

Maintenance Comments: ITEM REPAIRED IAW AAP 7537.030-3M REF ARC ACS1210038

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 00980  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 1183  
 PART NO : 44929-903  
 ENGINEERING NAME : ALTIMETER ENCODING  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

~89944

PERIOD: 01JAN90 TO 08JAN20

LOCATION : A23-033  
 LIFE SINCE NEW : 4814.1 AFHR

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
			LIFE SINCE NEW					
31AUG03	16:08	Maintenance Comment	0.0 AFHR	2.3	03May96 NEW - 1183	44929-903	2326-00-00-F	
					CMM LOG00010		XXxxXXxx	
31AUG03	16:09	Maintenance Comment	0.0 AFHR	2.3	04Feb03 2FTOPMH	FF: 01-NIL	MA: 04-CHK/TST	
					CMM LOG00002		XXxxXXxx	
31AUG03	16:09	Maintenance Comment	0.0 AFHR	2.3	05Feb03 A23-025 07.40	2453.3	0.0 AFHR IN AS A23T 2326-00-00-F	
					CMM LOG00003		XXxxXXxx	
31AUG03	16:10	Maintenance Comment	0.0 AFHR	2.3	04Feb03 A23-006 07.30	2453.3	0.0 AFHR 09-CANNIBAL LF33589	
					CMM LOG00001		XXxxXXxx	
31AUG03	16:10	Maintenance Comment	0.0 AFHR	2.3	25Jul03 PEAXCON	FF: 09-OUT TOL	MA: 02-REPAIR	
					CMM LOG00008		XXxxXXxx	
31AUG03	16:12	Maintenance Comment	0.0 AFHR	2.3	06Feb03 A23-025 07.40	2455.9	0.0 AFHR 01-FAILED LF33767	
					CMM LOG00004		XXxxXXxx	
31AUG03	16:15	Maintenance Comment	0.0 AFHR	2.3	ALTIMETER READS 50 FEET LOW			
					CMM LOG00006		XXxxXXxx	
31AUG03	16:15	Maintenance Comment	0.0 AFHR	2.3	07Feb03 DISPATCHED TO PEAXCON			
					CMM LOG00007		XXxxXXxx	
31AUG03	16:15	Maintenance Comment	0.0 AFHR	2.3	29Aug03 2FTFAK 00.	2455.9 AFHR	TX TO CMM2	
					CMM LOG00011		XXxxXXxx	
31AUG03	16:19	Maintenance Comment	0.0 AFHR	2.3	2FTREP	WFD: 01-IN FLIGHT	US: 02-MECHFAIL	
					CMM LOG00005		XXxxXXxx	
31AUG03	16:19	Maintenance Comment	0.0 AFHR	2.3	12Aug03 2FTMMIST 00.	2455.9	0.0 AFHR UPDATED LIFE (JOBX)	
					CMM LOG00009		XXxxXXxx	
16MAR09	12:14	Asset Installation	2455.9 AFHR	2026.1	A23T A1UGW	00	A23T A1UCM	00AC
		Change Serviceability Stat		2061.5	SERV		XXxxXXxx	
		Change Location of an Asse		2042.5	S/I			
					FAK			
					A23-053			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00981  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 1183  
 PART NO : 44929-903  
 ENGINEERING NAME : ALTIMETER ENCODING  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~89944

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
25SEP14 07:55	Asset Removal	2018.8	554 A23T A1UCM A23-053 00	A23T A1UCM 00A
	4158.4 AFHR Change Serviceability Stat	0.0	S/I U/S	XXXXXXxx
	Change Location of an Asse	2018.8	A23-053 OPMH	
02OCT14 07:24	Change Venue of an Asset	4051.9	AIP NONC2CONT A1PXXX1410789	XXXXXXxx
	4158.4 AFHR Change Location of an Asse	6.9	OPMH HOLD	
17JUL15 04:00	Change Serviceability Stat	294.8	U/S SERV	XXXXXXxx
	4158.4 AFHR Change Venue of an Asset	328.9	NONC2CONT AIP	XXXXXXxx
	4158.4 AFHR Maintenance Comment	0.0	NONC2X1509417	XXXXXXxx
	Change Location of an Asse	328.9	REPAIRED AT KOLLSMAN USA ON 17JUL15 AND MOVED TO AIP	
			HOLD STORES	
15OCT15 05:18	Asset Installation	384.8	A23T A1UCM A23-023 00	A23T A1UCM 00AC
	4158.4 AFHR Change Serviceability Stat	90.0	523 SERV	XXXXXXxx
	Change Location of an Asse	48.9	S/I STORES	
30OCT15 00:41	Asset Removal	14.8	A23-023 523 A23T A1UCM 00	A23T A1UCM 00A
	4160.4 AFHR Change Serviceability Stat	0.7	S/I U/S	XXXXXXxx
	Change Location of an Asse	9.5	A23-023 STORES	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00982  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 1183  
 PART NO : 44929-903  
 ENGINEERING NAME : ALTIMETER ENCODING  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~89944

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
02NOV15 00:35	Change Venue of an Asset	66.7	AIP NONC2CONT	
	4160.4 AFHR		A1PXXX1510175	XXxxXXxx
	Change Location of an Asse	2.9	STORES	
10FEB16 01:00	Change Serviceability Stat	103.0	HOLD U/S SERV	
	4160.4 AFHR			XXxxXXxx
20JUN16 01:44	Change Venue of an Asset	231.0	NONC2CONT AIP	
	4160.4 AFHR		NONC2X1606815	XXxxXXxx
	Change Location of an Asse	231.0	HOLD	
05SEP16 05:42	Asset Installation	311.2	STORES A23T A1UCM MMI 00	A23T A1UCM 00AC
	4160.4 AFHR		526 A23-026	XXxxXXxx
	Change Serviceability Stat	208.1	SERV	
	Change Location of an Asse	77.1	S/I STORES A23-026 MMI	
15SEP16 07:49	Asset Removal	10.0	A23-026 526 A23T A1UCM MMI 00	A23T A1UCM 00A
	4183.7 AFHR		A23T A1UCM	XXxxXXxx
	Change Serviceability Stat	0.1	S/I	
	Change Location of an Asse	10.0	U/S A23-026	
20SEP16 04:52	Change Venue of an Asset	92.1	STORES AIP	
	4183.7 AFHR		NONC2CONT A1PXXX1609309	XXxxXXxx
	Change Location of an Asse	4.8	STORES	
01MAY17 02:00	Change Serviceability Stat	227.7	HOLD U/S SERV	
	4183.7 AFHR			XXxxXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00983  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 1183  
 PART NO : 44929-903 ~89944 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : ALTIMETER ENCODING  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
24MAY17 22:43	Change Venue of an Asset	246.7	NONC2CONT AIP NONC2X1705834	XXXXXXxx
	4183.7 AFHR Maintenance Comment	0.0	REPAIRED AT ANZ ON 01MAY17. MOVED TO AIP PEA.	
	Change Location of an Asse	246.7	HOLD STORES	
24MAY17 23:54	Asset Installation	251.6	A23T A1UCM 00 533 A23-033	A23T A1UCM 00AC XXXXXXxx
	4183.7 AFHR Change Serviceability Stat	23.9	SERV S/I	
	Change Location of an Asse	0.0	STORES A23-033	

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			
1PXXJ1416889	C COMPLETED	25SEP14 07:55	XXXXXXxx	XXXXXXxxXXXXXXxx AIP	AIP		
	17JUL15 04:00	25SEP14 07:57	XXXXXXxx	XXXXXXxxXXXXXXxx AIP	AIP	4158.4	AFHR
15	FAULT FINDING	32 DURING FAULT FINDING		TOWER REPORTED MODE C INFO INTERMITTENT			
		19 SYSTEM INVESTIGATION					
02	MECHANICAL COMPONENT FAIL	02 REPAIR					
		Unserviceability Details:		TOWER REPORTED INTERMITTENT MODE C INFO			
		Maintenance Comments:		REPAIRED IAW CMM 34-13-48 8/26/1996 REV 1 FINAL TESTED IAW ATD 44929-903 REV A REF KOLLSMAN ARC FC0070027			
1PXXJ1517003	C COMPLETED	30OCT15 00:41	XXXXXXxx	XXXXXXxxXXXXXXxx AIP	NONC2CONT		
	10FEB16 01:00	30OCT15 00:42	XXXXXXxx	XXXXXXxxXXXXXXxx AIP	AIP	4160.4	AFHR
01	UNSERVICEABLE	01 IN FLIGHT		FRONT ALTIMETER STICKING AT 900 FEET MARK FOR APPROX 500 - 600 FEET			
		02 MECHANICAL FAILURE					
02	MECHANICAL COMPONENT FAIL	02 REPAIR					
		Unserviceability Details:		STICKING AT 900` MARK FOR AAPRX 500 FEET			
		Maintenance Comments:		REPAIRED IAW AAP 7531.164-3M ( AL 0 )			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 1183  
PART NO : 44929-903 ~89944 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : ALTIMETER ENCODING  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

ALPXXJ1619367	C COMPLETED	15SEP16 07:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	NONC2CONT	
	01MAY17 02:00	15SEP16 07:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	4183.7	AFHR
01 UNSERVICEABLE		01 IN FLIGHT		FRONT COCKPIT ALTIMETER STICKING.			
		11 INOPERATIVE					
02 MECHANICAL COMPONENT FAIL		02 REPAIR					

Unserviceability Details: FRONT ALTIMETER POINTER STICKY.

Maintenance Comments: REPAIRED IAW AAP 7531.164-3M AL1 08/03/2011 DUE STICKING.  
NEW COUNTERS FITTED. REF ARC ACS1610006

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 00985  
08JAN20  
23:16:15

SERIAL/TAIL NO : 1191  
PART NO : HP1457100-5 ~10639  
ENGINEERING NAME : RES BRAKE FLUID  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 7475.9 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	DATE NEW	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	HA PART	DATE UNPACKED		
10OCT03 03:27	1191	HP1457100-5	A23T	ALUFC	00
aip01515	AIP	MMIST		A1PXXRY300290	
K. MAY		01DEC89			
	2838.2 AFHR		10OCT03		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00986  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 1191  
 PART NO : HP1457100-5 ~10639  
 ENGINEERING NAME : RES BRAKE FLUID  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW						
10OCT03 03:26	Reception History Record	0.0	Reception			
	2838.2 AFHR		MMIST		SERVJOBS	XXXXXXxx
24FEB04 06:56	Asset Installation	137.2	A23T	A1UFC	00	
	2838.2 AFHR		533	A23-033		A23T A1UFC 0 A
	Change Serviceability Stat	137.2	SERV			XXXXXXxx
	Change Location of an Asse	137.2	S/I		SERVJOBS	
			MMIST			
07JUN17 07:10	Position Change	4852.0	A23-033			
			A23T	A1UFC	00	
	6845.5 AFHR		A23T	A1UFC	00	
	Maintenance Comment	0.0	A1PXXX1709082			XXXXXXxx
			POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE			

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 1201070 LITERAL SERIAL NO : 1201070 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 8ES007046-03 ~D8095  
ENGINEERING NAME : POWER SUPPLY  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 3443.8 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		

18SEP07 02:30	1201070	8ES007046-03	~D8095	A23T	01
aip001	AIP	MMIST		ALUNO	
L. DOBSON		16OCT06		A1PXXRY702315	

0.0 AFHR

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 1201070 LITERAL SERIAL NO : 1201070 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 8ES007046-03 ~D8095  
ENGINEERING NAME : POWER SUPPLY  
VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
18SEP07 02:30	Reception History Record	0.0	0.0	Reception MMIST	SERVJOBS
19SEP07 23:33	Asset Installation	0.0 AFHR	338.9	A23T 533 ALUNO A23-033	01 XXxxXXxx
	Change Serviceability Stat	0.0 AFHR	1.9	SERV S/I MMIST	A23T A1UNS XXxxXXxx
	Change Location of an Asse		1.9	A23-033	01AC

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 00989  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 1216  
 PART NO : HP1457200-1 ~10639  
 ENGINEERING NAME : VALVE PARK BRAKE  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 9545.2 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
31AUG03 22:09	Maintenance Comment	0.0 AFHR	2.5	21May92 A23-033 05.0 795.2 795.2 AFHR	REM SVC TO A23-033 XXXXXXxx
31AUG03 22:09	Maintenance Comment	0.0 AFHR	2.5	02Sep97 A23-033 07.4 2619.5 2619.5 AFHR	UPDATED LIFE (MIUP) XXXXXXxx
31AUG03 22:10	Maintenance Comment	0.0 AFHR	2.5	CURRENT LIFE: OLD = 2618.5 AFHR NEW = 2619.5 AFHR	XXXXXXxx
31AUG03 22:11	Maintenance Comment	0.0 AFHR	2.5	26Jul90 A23-033 05.0 0.0 0.0 AFHR	^^^^^RECEPTION XXXXXXxx
31AUG03 22:11	Maintenance Comment	0.0 AFHR	2.5	21May92 A23-033 07.0 795.2 795.2 AFHR	IN AS A23T 1228-00-00-L XXXXXXxx
31AUG03 22:13	Maintenance Comment	0.0 AFHR	2.5	29Aug03 A23-033 07.40 4770.4 AFHR	TX TO CMM2 XXXXXXxx
31AUG03 22:14	Maintenance Comment	0.0 AFHR	2.5	23Apr98 A23-033 07.4 2946.0 2946.0 AFHR	UPDATED LIFE (MPMI) XXXXXXxx
31AUG03 22:14	Maintenance Comment	0.0 AFHR	2.5	20Mar90 NEW - 1216 HP1457200-1 1228-00-00-L	XXXXXXxx
07JUN17 06:21	Position Change	8914.8 AFHR	5030.9	A23T A1UFI 00 A23T A1UFI 00	XXXXXXxx
	Maintenance Comment		0.0	A1PXXX1709037 POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE	XXXXXXxx

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT	
2FTSXJCA11748	C COMPLETED	20MAR90 00:00	XXxxXXxx		2FTS	0.0	
03 OVERHAUL DUE	20MAR90 00:00						

Unserviceability Details:  
 Maintenance Comments:

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 00990  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 1310A  
 PART NO : HP1457300-2 ~10639  
 ENGINEERING NAME : CYL BRAKE MASTER  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 9274.0 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T CHANGE TYPE		LIFE SINCE NEW		SPAN(DYS) FROM TO (OPTIONAL) TRANS REFERENCE		USER
DATE	TIME	DESCRIPTION	NEW	FROM	TO	USER
29AUG03	12:31	Maintenance Comment	0.0	28Apr97		REIDENTIFIED FROM 1310
			AFHR			CMM LOG00004
29AUG03	12:32	Maintenance Comment	0.0	29Aug03	LF39356 00.	4724.1 AFHR TX TO CMM2
			AFHR			CMM LOG00014
29AUG03	12:38	Maintenance Comment	0.0			NEXT OH1 DUE: OLD = 10000.0 AFHR NEW =
			AFHR			CMM LOG00007
29AUG03	12:38	Maintenance Comment	0.0	2FTHYD	WFD: 09-R2	US: 09-LEAKING
			AFHR			CMM LOG00010
29AUG03	12:39	Maintenance Comment	0.0	03Jun03	DISPATCHED TO PEAXCON	
			AFHR			CMM LOG00012
29AUG03	12:40	Maintenance Comment	0.0	17Sep90	MMI RECEIVED AT PEARCE	
			AFHR			CMM LOG00003
29AUG03	12:40	Maintenance Comment	0.0	03Jun03	A23-017 07.4S 4724.1 0.0 AFHR	01-FAILED LF39356
			AFHR			CMM LOG00009
29AUG03	12:40	Maintenance Comment	0.0	18Jul89	NEW - 1310A HP1457300-2	1226-00-00-C
			AFHR			CMM LOG00013
29AUG03	12:40	Maintenance Comment	0.0	10Sep90	MMI TRANSFERRED FROM EASTSALE	
			AFHR			CMM LOG00002
29AUG03	12:40	Maintenance Comment	0.0	06Jul99	A23-017 07.4S 3786.6 0.0 AFHR	UPDATED LIFE (MPMI)
			AFHR			CMM LOG00006
29AUG03	12:42	Maintenance Comment	0.0	23Apr98	A23-017 07.4S 3356.5 3356.5 AFHR	UPDATED LIFE (MPMI)
			AFHR			CMM LOG00005
29AUG03	12:42	Maintenance Comment	0.0			R/H BRAKE MASTER CYLINDER LEAKING.
			AFHR			CMM LOG00011
29AUG03	12:42	Maintenance Comment	0.0	16Aug89	A23-017 05.0 7.0 7.0 AFHR	^^^^^RECEPTION
			AFHR			CMM LOG00001
29AUG03	12:42	Maintenance Comment	0.0			NEXT TAI DUE: OLD = NEW = 10000.0 AFHR
			AFHR			CMM LOG00008
03DEC03	23:06	Position Change		96.6	A23T ALUFE	00
					A23T ALUFE	00
					A1PXXXY306070	
25MAR04	08:00	Change Serviceability Stat		5364.3	U/S	
					SERV	
			4724.1	AFHR		
			4724.1	AFHR		



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00991  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 1310A  
 PART NO : HP1457300-2 ~10639  
 ENGINEERING NAME : CYL BRAKE MASTER  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
24MAY04 01:23	Change Location of an Asse	264.0	EXTERNAL MMIST A1PXXXY412207	XXXXXXxx
09JUN04 01:01	Asset Installation	284.6	A23T A1UFE 533 A23-033	A23T A1UFE 0 A
	Change Serviceability Stat	75.7	SERV S/I MMIST A23-033	XXXXXXxx
	Change Location of an Asse	15.9	A23T A1UFE	
07JUN17 07:56	Position Change	4746.2	A23T A1UFE 00	
	Maintenance Comment	0.0	A1PXXX1709110 POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE	XXXXXXxx

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
LF39356XXXXXX	C COMPLETED	03JUN03 07:11	XXXXXXxx		PEA	AIP	0.0
01 UNSERVICEABLE		09 R2 SERVICING					
		09 LEAKING					
02 MECHANICAL COMPONENT FAIL		02 REPAIR					
		Unserviceability Details:		R/H BRAKE MASTER CYLINDER LEAKING.			
		Maintenance Comments:		REPAIR AT PACIFIC TURBINE 25MAR04			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00992  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 1315  
 PART NO : 071-1291-15 ~22373  
 ENGINEERING NAME : CONTROL KFS 579-A  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 6457.0 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
01SEP03	19:11	Maintenance Comment		0.0 AFHR	3.4	28Oct92 NEW - 1315	071-1291-15	2600-00-00-D	XXXXXXxx
01SEP03	19:14	Maintenance Comment		0.0 AFHR	3.4	29Aug03 A23-057	07.30 3413.1 AFHR	TX TO CAMM2	XXXXXXxx
01SEP03	19:19	Maintenance Comment		0.0 AFHR	3.4	16Jul93 A23-057	07.3 100.0	0.0 AFHR IN AS A23T 2600-00-00-D	XXXXXXxx
01SEP03	19:20	Maintenance Comment		0.0 AFHR	3.4	29Jan93 025FAK	00. 100.0	0.0 AFHR ^^^^^^RECEPTION	XXXXXXxx
01SEP03	19:20	Maintenance Comment		0.0 AFHR	3.4	23Apr98 A23-057	07.3 1788.4	0.0 AFHR UPDATED LIFE (MPMI)	XXXXXXxx
04NOV09	02:33	Asset Removal		4964.5 AFHR	2258.7	558 A23T	A23-057	A23T A1UCW	00A
		Change Serviceability Stat		0.0		S/I			XXXXXXxx
		Change Location of an Asse		643.8		U/S			
04NOV09	03:35	Change Venue of an Asset		643.9		A23-057			
		Change Location of an Asse		0.0		EQUIP_STORE			XXXXXXxx
		Change Serviceability Stat		426.2		AIE			
04JAN11	08:30	Change Serviceability Stat		426.2		NONC2CONT			XXXXXXxx
06AUG12	03:42	Change Venue of an Asset		1006.0		AIE			XXXXXXxx
		Change Location of an Asse		1006.0		NONC2X1208377			XXXXXXxx
						HOLD			
						EQUIP_STORE			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00993  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 1315  
 PART NO : 071-1291-15 ~22373  
 ENGINEERING NAME : CONTROL KFS 579-A  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
=====	=====	=====	=====	=====	=====	=====
		LIFE SINCE NEW		TRANS REFERENCE		
25MAR13	21:46	Asset Installation	1237.8	A23T A1UCW	00	
		4964.5 AFHR		552 A23-051		A23T A1UCW 00AC
		Change Serviceability Stat	811.5	SERV		XXXXXXxx
		Change Location of an Asse	231.7	S/I		
				EQUIP_STORE		
				A23-051		
19AUG13	03:09	Position Change	146.2	A23T A1UCW	00	
		4989.7 AFHR		A23T A1UCW	00	
		Change Serviceability Stat		A1EXXX1303937		XXXXXXxx
18MAR15	00:47	Asset Removal	722.1	552 A23-051		A23T A1UCW 00A
		5270.6 AFHR		A23T A1UCW	00	
		Change Serviceability Stat	0.0	S/I		XXXXXXxx
		Change Location of an Asse	722.1	U/S		
				A23-051		
				AVIONICS		
18MAR15	04:54	Change Venue of an Asset	954.0	AIE		
		5270.6 AFHR		NONC2CONT		
		Change Location of an Asse	0.1	A1EXXX1500764		XXXXXXxx
				AVIONICS		
				HOLD		
31JUL15	01:00	Change Serviceability Stat	135.0	U/S		
		5270.6 AFHR		SERV		XXXXXXxx
17AUG15	05:47	Change Venue of an Asset	152.0	NONC2CONT		
		5270.6 AFHR		AIP		
		Maintenance Comment	0.0	NONC2X1508992		XXXXXXxx
		Change Location of an Asse	152.0	REPAIRED AT PERTH/JNDKT ON 31JUL15 AND MOVED TO AIP		
				HOLD		
				STORES		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00994  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 1315  
 PART NO : 071-1291-15 ~22373  
 ENGINEERING NAME : CONTROL KFS 579-A  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW	TRANS REFERENCE		
16SEP15 09:56	Asset Installation	182.3	A23T 533	A1UCW A23-033	00 A23T A1UHE 00AC XXxxXXxx
	5270.6 AFHR				
	Change Serviceability Stat	47.3	SERV S/I		
	Change Location of an Asse	30.1	STORES A23-033		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			
A1EXXJY907193	C COMPLETED	04NOV09 02:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	04JAN11 08:30	04NOV09 02:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	4964.5	AFHR
01 UNSERVICEABLE	01 IN FLIGHT			FLIP FLOP NIL OP			
	03 ELECTRICAL FAILURE						
03 ELECTRICAL COMPONENT FAIL	02 REPAIR						
				Unserviceability Details:		FLIP FLOP NIL OP	
				Maintenance Comments:		UNIT REPAIRED & TESTED IAW AAP 7832.065-3M	
A1EXXJ1501429	C COMPLETED	18MAR15 00:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIP	
	31JUL15 01:00	18MAR15 00:48	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	5270.6	AFHR
01 UNSERVICEABLE	01 IN FLIGHT			FRONT COCKPIT NAV/TAC CONTROL UNIT SCREEN TOO DIM TO INTERPRET.			
	03 ELECTRICAL FAILURE						
03 ELECTRICAL COMPONENT FAIL	02 REPAIR						
				Unserviceability Details:		FRONT COCKPIT NAV/TAC CONTROL UNIT SCREEN TOO DIM TO INTERPRET.	
				Maintenance Comments:		NEW PHOTOCCELL & DISPALY FITTED. UNIT REPAIRED & TESTED IAW AAP7832.065-3M AL4	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00995  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 136  
 PART NO : 557.52.09.008 ~S4080  
 ENGINEERING NAME : FLAP ASSY OUTER RH  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 9092.8 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T		CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
01SEP03	03:24	Maintenance Comment	0.0 AFHR	2.7	29Aug03 A23-034 10.40 4842.4 AFHR	TX TO CAMM2 XXxxXXxx
01SEP03	03:29	Maintenance Comment	0.0 AFHR	2.7	19Jul90 NEW - 136 557.52.09.008	1378-00-00-F XXxxXXxx
20MAR06	04:49	Change Part Number of an A	5499.2 AFHR	933.8	557.52.09.008 ~\$\$\$\$ 557.52.09.008 ~S4080	A1PXXXY602024 XXxxXXxx
21MAY07	23:30	Asset Removal	5499.2 AFHR	1361.6	XX02FTSXRY309364 528	A23T A2KCW10 00M
		Change Serviceability Stat	5649.0 AFHR	326.8	A23T A2KCW10	00 XXxxXXxx
01MAY08	01:10	Change Serviceability Stat	5649.0 AFHR	345.0	S/I U/S U/S SERV	XXxxXXxx
01MAY08	01:17	Asset Installation	5649.0 AFHR	345.0	A23T A2KCW10 XX02FTSXRY300179 A23-033	00 A23T A2KCW10 00AC XXxxXXxx
		Change Serviceability Stat	5649.0 AFHR	0.0	SERV	
		Change Location of an Asse		376.9	S/I HG121 A23-033	
06APR16	06:08	Asset Removal	8132.9 AFHR	2897.2	XX02FTSXRY300179 A23-033	A23T A2KCW10 00A XXxxXXxx
		Change Serviceability Stat	8132.9 AFHR	13.8	A23T A2KCW10	00 XXxxXXxx
		Change Location of an Asse		328.0	S/I U/S A23-033	
06APR16	06:09	Change Serviceability Stat	8132.9 AFHR	0.0	INTMH U/S SERV	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00996  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 136  
 PART NO : 557.52.09.008 ~S4080  
 ENGINEERING NAME : FLAP ASSY OUTER RH  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
21APR16 22:44	Asset Installation	15.6	A23T A2KCW10 XX02FTSXRY300179 A23-033	A23T A2KCW10 00AC
	8132.9 AFHR Change Serviceability Stat	15.6	SERV	XXXXXXxx
	Change Location of an Asse	15.6	S/I INTMH A23-033	

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJY710047	C COMPLETED	21MAY07 23:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	01MAY08 01:10	21MAY07 23:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	5649.0	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		RH OUTBOARD FLAP RFA.			
01	NO FAULT	04 CHECK/TEST SERV		Unserviceability Details: Maintenance Comments: CHECK/TEST SERV			
A1PXXJ1607743	C COMPLETED	06APR16 06:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	06APR16 06:09	06APR16 06:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	8132.9	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		LH AND RH OUTER FLAP ASSEMBLY RFA.			
01	NO FAULT	04 CHECK/TEST SERV		Unserviceability Details: Maintenance Comments: CHECK/TEST SERV			

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 1372  
PART NO : 93880-26 ~13636  
ENGINEERING NAME : SHOCK MOUNT ASSY EN  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 1190.4 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		

27APR15 02:25	1372	93880-26	~13636	A23T	A1SAQ	00
rayth61	ARDU	PC9-AIRCRAFT			ARDUXR1500082	
R. BROOME		07JAN15				

0.0 AFHR

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 00998  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 1372  
 PART NO : 93880-26 ~13636  
 ENGINEERING NAME : SHOCK MOUNT ASSY EN  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER	
LIFE SINCE NEW							
27APR15 02:25	Reception History Record	0.0	Reception				
	0.0 AFHR		PC9-AIRCRAFT	SERVJOBS		XXxxXXxx	
30APR15 04:20	Asset Installation	113.1	A23T	103186	103186 00	A23T ALSAS 00MMI	
	0.0 AFHR					XXxxXXxx	
	Change Serviceability Stat	3.1	SERV				
19APR17 22:47	Position Change	720.7	S/I				
	244.1 AFHR		A23T	ALSAS	00		
	Maintenance Comment	0.0	A23T	ALSAS	00		
			A1PXXX1706293			XXxxXXxx	
			POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE				

For-Official-Use-Only



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 1377  
PART NO : 93880-26 ~13636  
ENGINEERING NAME : SHOCK MOUNT ASSY EN  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 1190.4 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		

27APR15 02:24	1377	93880-26	~13636	A23T	A1SAQ	00
rayth61	ARDU	PC9-AIRCRAFT			ARDUXR1500081	
R. BROOME		07JAN15				

0.0 AFHR

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01000  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 1377  
 PART NO : 93880-26 ~13636  
 ENGINEERING NAME : SHOCK MOUNT ASSY EN  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
27APR15 02:24	Reception History Record	0.0	0.0	Reception PC9-AIRCRAFT	SERVJOBS
30APR15 04:23	Asset Installation	0.0 AFHR	113.1	A23T 103186	103186 00 A23T A1SAW
	Change Serviceability Stat	0.0 AFHR	3.1	SERV S/I	00MMI

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

SERIAL/TAIL NO : 1381  
PART NO : 93880-26 ~13636 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : SHOCK MOUNT ASSY EN  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 1190.4 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
27APR15 02:22	1381	93880-26	~13636 A23T	A1SAQ	00
rayth61	ARDU	PC9-AIRCRAFT		ARDUXR1500080	
R. BROOME		07JAN15			

0.0 AFHR

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01002  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 1381  
 PART NO : 93880-26 ~13636  
 ENGINEERING NAME : SHOCK MOUNT ASSY EN  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER	
LIFE SINCE NEW							
27APR15 02:22	Reception History Record	0.0	Reception	PC9-AIRCRAFT	SERVJOBS	XXXXXXxx	
30APR15 04:07	Asset Installation	113.1	A23T	103186	103186 00	A23T ALSAQ 00MMI	
	Change Serviceability Stat	3.1	SERV	S/I		XXXXXXxx	
19APR17 22:47	Position Change	720.7	A23T	A23T	ALSAQ 00		
	Maintenance Comment	0.0	A1PXXX1706292			XXXXXXxx	
			POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE				

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01003  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 1394  
 PART NO : 071-1291-15 ~22373  
 ENGINEERING NAME : CONTROL KFS 579-A  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 6864.7 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T CHANGE TYPE		LIFE SINCE NEW		SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
29AUG03	19:56	Maintenance Comment	0.0 AFHR	0.4	15Sep89	NEW - 1394	071-1291-15	2600-00-00-D Camm LOG00006 XXXXXXxx
29AUG03	20:01	Maintenance Comment	0.0 AFHR	0.4	14May90	A23-022	05.2 160.7	0.0 AFHR MPMI CHANGE Camm LOG00002 XXXXXXxx
29AUG03	20:01	Maintenance Comment	0.0 AFHR	0.4	30Jan91	MMI RECEIVED AT	PEARCE	XXXXXXxx
29AUG03	20:01	Maintenance Comment	0.0 AFHR	0.4	29Aug03	A23-022	07.30 3606.1 AFHR	TX TO CAMM2 Camm LOG00007 XXXXXXxx
29AUG03	20:02	Maintenance Comment	0.0 AFHR	0.4	24Jan91	MMI TRANSFERRED FROM	EASTSALE	XXXXXXxx
29AUG03	20:04	Maintenance Comment	0.0 AFHR	0.4	28Feb00	A23-022	05.2 2892.5	0.0 AFHR UPDATED LIFE (MPMI) Camm LOG00005 XXXXXXxx
29AUG03	20:06	Maintenance Comment	0.0 AFHR	0.4	09Jan90	A23-022	05.2 0.0	0.0 AFHR ^^^^RECEPTION Camm LOG00001 XXXXXXxx
24SEP07	03:21	Asset Removal	4298.2 AFHR	1486.7	522	A23-022		A23T A1UCW 00A A23T A1UCW 00 XXXXXXxx
		Change Serviceability Stat		26.0	S/I			
		Change Location of an Asse		391.0	U/S	A23-022		
24SEP07	03:22	Change Serviceability Stat	4298.2 AFHR	0.0	A23-031			U/S SERV XXXXXXxx
24SEP07	03:22	Asset Installation	4298.2 AFHR	0.0	A23T	A1UCW	00	A23T A1UCW 00AC 531 A23-031 XXXXXXxx
		Change Serviceability Stat		0.0	SERV			S/I

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01004  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 1394  
 PART NO : 071-1291-15 ~22373  
 ENGINEERING NAME : CONTROL KFS 579-A  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
08SEP10 23:22	Asset Removal	1080.8	531 A23T A1UCW A23-031	A23T A1UCW 00A
	4969.6 AFHR Change Serviceability Stat	1.0	S/I U/S	XXXXXXxx
	Change Location of an Asse	308.5	A23-031	
08SEP10 23:22	Change Serviceability Stat	0.0	RSERV U/S SERV	
	4969.6 AFHR			XXXXXXxx
08SEP10 23:24	Asset Installation	0.0	A23T 531 A1UCW A23-031	A23T A1UCW 00AC
	4969.6 AFHR Change Serviceability Stat	0.0	SERV S/I	XXXXXXxx
	Change Location of an Asse	0.0	RSERV A23-031	
09SEP10 23:47	Asset Removal	1.0	531 A23T A1UCW A23-031	A23T A1UCW 00A
	4969.6 AFHR Change Serviceability Stat	1.0	S/I U/S	XXXXXXxx
	Change Location of an Asse	1.0	A23-031	
09SEP10 23:47	Change Serviceability Stat	0.0	RSERV U/S SERV	
	4969.6 AFHR			XXXXXXxx
09SEP10 23:48	Asset Installation	0.0	A23T 531 A1UCW A23-031	A23T A1UCW 00AC
	4969.6 AFHR Change Serviceability Stat	0.0	SERV S/I	XXXXXXxx
	Change Location of an Asse	0.0	RSERV A23-031	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01005  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 1394  
 PART NO : 071-1291-15 ~22373  
 ENGINEERING NAME : CONTROL KFS 579-A  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
20OCT10 02:18	Asset Removal	40.1	531 A23T A1UCW A23-031 00	A23T A1UCW 00A
	4984.6 AFHR Change Serviceability Stat	5.9	S/I U/S A23-031	XXXXXXxx
	Change Location of an Asse	5.9	INTMH U/S SERV	
20OCT10 02:18	Change Serviceability Stat	0.0		XXXXXXxx
20OCT10 05:55	Asset Installation	0.1	A23T 531 A1UCW A23-031 00	A23T A1UCW 00AC
	4984.6 AFHR Change Serviceability Stat	0.1	SERV S/I INTMH A23-031	XXXXXXxx
	Change Location of an Asse	0.1		
18OCT11 23:44	Asset Removal	363.7	531 A23T A1UCW A23-031 00	A23T A1UCW 00A
	5235.3 AFHR Change Serviceability Stat	7.7	S/I U/S A23-031	XXXXXXxx
	Change Location of an Asse	7.6	INTMH AIP NONC2CONT	
19OCT11 02:54	Change Venue of an Asset	7.7	A1PXXX1109571	XXXXXXxx
	5235.3 AFHR Change Location of an Asse	0.1	INTMH HOLD U/S SERV	
14NOV12 07:00	Change Serviceability Stat	392.3		XXXXXXxx
	5235.3 AFHR			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 01006  
08JAN20  
23:16:15

SERIAL/TAIL NO : 1394  
PART NO : 071-1291-15 ~22373  
ENGINEERING NAME : CONTROL KFS 579-A  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
16MAY13 07:01	Change Venue of an Asset	575.1	NONC2CONT AIP	
	5235.3 AFHR Maintenance Comment	0.0	NONC2X1304710 REPAIRED ON 14NOV12 AND MOVED TO AIP	XXxxXXxx
	Change Location of an Asse	575.1	HOLD STORES	
07FEB14 03:44	Asset Installation	842.1	A23T A1UCW A23-033 00	A23T A1UCW 00AC
	5235.3 AFHR Change Serviceability Stat	449.8	533	XXxxXXxx
	Change Location of an Asse	266.8	SERV S/I STORES A23-033	

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			
FACDUJY701783	C COMPLETED	24SEP07 03:21	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU	FACDU	
	24SEP07 03:22	24SEP07 03:21	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU	4298.2 AFHR	
13 REMOVED FOR ACCESS	99 NO FAILURE			NAV/TAC CONTROLLER REMOVED FOR CANNAB TO A23-031			
01 NO FAULT	04 CHECK/TEST SERV			Unserviceability Details: Maintenance Comments: CHECK/TEST SERV			
4SQNXJ1001391	C COMPLETED	08SEP10 23:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	4SQN	
	08SEP10 23:22	08SEP10 23:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	4969.6 AFHR	
13 REMOVED FOR ACCESS	99 NO FAILURE			FRONT AND REAR NAC/TAC CONTROLLERS REMOVED FOR FAULT FINDING			
01 NO FAULT	04 CHECK/TEST SERV			Unserviceability Details: Maintenance Comments: CHECK/TEST SERV			
4SQNXJ1001398	C COMPLETED	09SEP10 23:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	4SQN	
	09SEP10 23:47	09SEP10 23:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	4969.6 AFHR	
13 REMOVED FOR ACCESS	99 NO FAILURE			FRONT NAV/TAC CONTROLLER REMOVED FOR FAULT FINDING			
01 NO FAULT	04 CHECK/TEST SERV						



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 01007  
08JAN20  
23:16:15

SERIAL/TAIL NO : 1394  
PART NO : 071-1291-15 ~22373 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : CONTROL KFS 579-A  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

Unserviceability Details:

Maintenance Comments:

CHECK/TEST SERV

A1PXXJ1019217	C COMPLETED	20OCT10 02:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	20OCT10 02:18	20OCT10 02:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	4984.6	AFHR	
13 REMOVED FOR ACCESS	99 NO FAILURE			FCP NAV/TAC CONTROLLER RFA			
01 NO FAULT	04 CHECK/TEST SERV						

Unserviceability Details:

Maintenance Comments:

CHECK/TEST SERV

A1PXXJ1115423	C COMPLETED	18OCT11 23:44	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	14NOV12 07:00	18OCT11 23:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	5235.3	AFHR	
01 UNSERVICEABLE	09 R2 SERVICING			FRONT C/PIT NAV/TAC AND ADF CONROLLERS DISPLAY SCREENS LOOSE			
	01 DAMAGED/CRACKED						
03 ELECTRICAL COMPONENT FAIL	02 REPAIR						

Unserviceability Details:

DISPLAY SCREEN U/S, LOOSE

Maintenance Comments:

MULTIPLE COMPONENTS REPLACED. UNIT REPAIRED AND TESTED IAW AAP 7832.065-3M

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01008  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 1418  
 PART NO : HP1457300-2 ~10639  
 ENGINEERING NAME : CYL BRAKE MASTER  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 8095.6 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
				LIFE SINCE NEW				
31AUG03	22:54	Maintenance	Comment	2.6	06Jul99	A23-049	07.4S 3233.5	0.0 AFHR UPDATED LIFE (MPMI)
								XXXXXXxx
31AUG03	22:54	Maintenance	Comment	2.6	14Jan91	NEW - 1420	HP1457300-2	1226-00-00-C
								XXXXXXxx
31AUG03	22:55	Maintenance	Comment	2.6	NEXT OH1 DUE:	OLD = 10000.0	AFHR	NEW =
								XXXXXXxx
31AUG03	22:55	Maintenance	Comment	2.6	19Jul91	A23-049	09.2 0.0	0.0 AFHR ^^^^^^RECEPTION
								XXXXXXxx
31AUG03	22:57	Maintenance	Comment	2.6	23Apr98	A23-049	07.4S 2724.5	2724.5 AFHR UPDATED LIFE (MPMI)
								XXXXXXxx
31AUG03	23:04	Maintenance	Comment	2.6	29Aug03	A23-049	07.4S 4731.4	AFHR TX TO CAMM2
								XXXXXXxx
31AUG03	23:09	Maintenance	Comment	2.6	NEXT TAI DUE:	OLD =		NEW = 10000.0 AFHR
								XXXXXXxx
03DEC03	23:04	Position	Change	96.6	A23T	ALUFG		00
								0
								XXXXXXxx
22MAY08	05:06	Change	Serial Number of an	1727.8	1420			
								XXXXXXxx
24AUG09	00:29	Asset	Removal	2186.6	550	A23-049		A23T ALUFG 00A
								XXXXXXxx
			Change Serviceability Stat	9.7	S/I			
					U/S			
			Change Location of an Asse	xxxx	A23-049			
					OPMH			
26AUG09	23:13	Change	Serial Number of an	461.7	01420DUP			
					1418			
			Maintenance Comment	0.0	6821.1	AFHR		XXXXXXxx
								MCS ACTION - ITEM CHANGED TO CORRECT PHYSICAL SERIAL NUMBER

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01009  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 1418  
 PART NO : HP1457300-2 ~10639 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : CYL BRAKE MASTER  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
31AUG09 00:22	Change Venue of an Asset	2193.6	AIP NONC2CONT	
	6821.1 AFHR		A1PXXXY909190	XXxxXXxx
	Change Location of an Asse	6.9	OPMH	
27APR10 04:00	Change Serviceability Stat	246.1	HOLD U/S	
	6821.1 AFHR		SERV	XXxxXXxx
12JUN14 01:00	Change Venue of an Asset	1746.0	NONC2CONT	
	6821.1 AFHR		AIP	XXxxXXxx
	Maintenance Comment	0.0	NONC2X1406068	XXxxXXxx
	Change Location of an Asse	1746.0	OVERHAUL REPAIR AT TACTAIR NY USA ON 27APR10	MOVE TO AIP.
28MAY15 22:18	Asset Installation	2103.9	HOLD STORES	
	6821.1 AFHR		A23T A1UFG 00	A23T A1UFG 00AC
	Change Serviceability Stat	1857.7	533 A23-033	XXxxXXxx
	Change Location of an Asse	350.8	SERV S/I	
			STORES A23-033	

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJY918829	C COMPLETED	24AUG09 00:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
01 UNSERVICEABLE	27APR10 04:00	24AUG09 00:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	6821.1 AFHR	
02 MECHANICAL COMPONENT FAIL		31 DURING ACCESS		RH BRAKE MASTER CYL LEAKING			
		09 LEAKING					
		02 REPAIR					
		Unserviceability Details:		BRAKE CYL LEAKING			
		Maintenance Comments:		OVERHAULED IAW MAB AUTH HPATP1457300 ARC NO 28927 BY TACTAIR FLUID CONTROLS			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01010  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 144  
 PART NO : 280 ZS 01Y01  
 ENGINEERING NAME : GENERATOR TONE LDG  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

~F0214

PERIOD: 01JAN90 TO 08JAN20

LOCATION : A23-033  
 LIFE SINCE NEW : 9545.2 AFHR

ASSET TRANSACTIONS

TRANSACTION D/T CHANGE TYPE		LIFE SINCE NEW		SPAN(DYS) FROM		TO (OPTIONAL)		TRANS REFERENCE		USER	
=====		=====		=====		=====		=====		=====	
01SEP03	13:03	Maintenance Comment	0.0	AFHR	3.1	28Oct91	PARTNO REIDENTIFIED FROM 280 ZS 01				
							CAMM LOG00002			XXXXXXxx	
01SEP03	13:09	Maintenance Comment	0.0	AFHR	3.1	21May92	A23-033 05.2 796.3	0.0	AFHR	REM SVC TO A23-033	
							CAMM LOG00003			XXXXXXxx	
01SEP03	13:11	Maintenance Comment	0.0	AFHR	3.1	20Apr98	A23-033 07.1 2935.5	0.0	AFHR	UPDATED LIFE (MPMI)	
							CAMM LOG00007			XXXXXXxx	
01SEP03	13:11	Maintenance Comment	0.0	AFHR	3.1		CURRENT LIFE: OLD = 2622.9 AFHR		NEW =	2623.9 AFHR	
							CAMM LOG00006			XXXXXXxx	
01SEP03	13:14	Maintenance Comment	0.0	AFHR	3.1	29Aug03	A23-033 07.10 4770.4 AFHR			TX TO CAMM2	
							CAMM LOG00009			XXXXXXxx	
01SEP03	13:19	Maintenance Comment	0.0	AFHR	3.2	26Jul90	A23-033 05.2 0.0	0.0	AFHR	^^^^^RECEPTION	
							CAMM LOG00001			XXXXXXxx	
01SEP03	13:24	Maintenance Comment	0.0	AFHR	3.2	21May92	A23-033 07.3 796.3	0.0	AFHR	IN AS A23T 2275-00-00-D	
							CAMM LOG00004			XXXXXXxx	
01SEP03	13:24	Maintenance Comment	0.0	AFHR	3.2	03Sep97	A23-033 07.1 2623.9	0.0	AFHR	UPDATED LIFE (MIUP)	
							CAMM LOG00005			XXXXXXxx	
01SEP03	13:24	Maintenance Comment	0.0	AFHR	3.2	11Apr90	NEW - 144 280 ZS 01Y01			2275-00-00-D	
							CAMM LOG00008			XXXXXXxx	
07JUN17	06:14	Position Change			5030.9	A23T	A1UDK 00				
						A23T	A1UDK 00				
		8914.8		AFHR		A1PXXX1709020				XXXXXXxx	
		Maintenance Comment	0.0				POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01011  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 1440  
 PART NO : 10585K  
 ENGINEERING NAME : HEATER OIL- FUEL  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

~78385

PERIOD: 01JAN90 TO 08JAN20

LOCATION : A23-033  
 LIFE SINCE NEW : 6994.4 ENHR

ASSET TRANSACTIONS

TRANSACTION D/T		CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
02SEP03	10:52	Maintenance Comment	0.0 ENHR	4.1	29Aug03 103147 01.30 3623.3 ENHR	TX TO CAMM2 XXXXXXxx
02SEP03	10:58	Maintenance Comment	0.0 ENHR	4.1	20Aug98 103147 01.3 2520.8 2520.8 ENHR	UPDATED LIFE (MPMI) XXXXXXxx
02SEP03	11:00	Maintenance Comment	0.0 ENHR	4.1	22Feb96 103147 01. 1465.8 1465.8 ENHR	UPDATED LIFE (MPMI) XXXXXXxx
02SEP03	11:00	Maintenance Comment	0.0 ENHR	4.1	23Apr98 103147 01.3 2384.3 2384.3 ENHR	UPDATED LIFE (MPMI) XXXXXXxx
02SEP03	11:01	Maintenance Comment	0.0 ENHR	4.1	07Dec89 NEW - 1440 3035063	0011-02-00-J XXXXXXxx
02SEP03	11:02	Maintenance Comment	0.0 ENHR	4.1	NEXT OH1 DUE: OLD = 3500.0 ENHR	NEW = 4000.0 ENHR XXXXXXxx
02SEP03	11:02	Maintenance Comment	0.0 ENHR	4.1	07Jun95 103147 00. 1251.0 1251.0 ENHR	RECEPTION (MIRE) XXXXXXxx
02SEP03	11:06	Maintenance Comment	0.0 ENHR	4.1	NEXT OH1 DUE: OLD = 2500.0 ENHR	NEW = 3000.0 ENHR XXXXXXxx
02SEP03	11:06	Maintenance Comment	0.0 ENHR	4.1	NEXT OH1 DUE: OLD = 3000.0 ENHR	NEW = 3500.0 ENHR XXXXXXxx
02SEP03	11:07	Maintenance Comment	0.0 ENHR	4.1	26Nov02 103147 01.30 3463.0 3463.0 ENHR	UPDATED LIFE (MPMI) XXXXXXxx
02SEP03	11:08	Maintenance Comment	0.0 ENHR	4.1	25Oct02 103147 01.30 3444.1 3444.1 ENHR	UPDATED LIFE (MPMI) XXXXXXxx
02SEP03	11:08	Maintenance Comment	0.0 ENHR	4.1	07Dec89 .0 ENHR LST OH 4000.0 ENHR	NXT OH XXXXXXxx
01JUN04	00:00	Change Serviceability Stat		0.0	U/S U/S AIPXXJ302627	XXXXXXxx
14JUN04	22:59	Asset Removal	3822.0 ENHR	290.6	103147 103147	A23T ALSAI06 00M
		Change Serviceability Stat	3822.0 ENHR	129.8	A23T ALSAI06 00	XXXXXXxx
					S/I SERV	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01012  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 1440  
 PART NO : 10585K ~78385  
 ENGINEERING NAME : HEATER OIL- FUEL  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
22APR05 04:08	Change Venue of an Asset	601.8	AIP NONC2CONT	
	3822.0 ENHR Change Location of an Asse	421.9	A1PXXXY506302 EXTERNAL HOLD	XXxxXXxx
30MAY06 02:10	Change Venue of an Asset	402.9	NONC2CONT AIP	
	3822.0 ENHR Change Location of an Asse	402.9	NONC2XY605074 HOLD	XXxxXXxx
31MAY06 02:08	Change Part Number of an A	1005.7	3035063 ~00198 10585K ~78385	
	3822.0 ENHR Maintenance Comment	0.0	NONC2XY605073	XXxxXXxx
26JUN06 04:59	Asset Installation	741.2	01JUN04 O/H AND SB13356 AT P&WC A/ASIA A23T A1SAI06 00	
	3822.0 ENHR Change Serviceability Stat	741.2	103186 A23-015	A23T A1SAI06 00AC XXxxXXxx
	Change Location of an Asse	27.1	SERV S/I MMIST A23-015	
29OCT13 22:21	Position Change	2682.7	A23T A1SAI06 00 A23T A1SAI06 00	
	5704.7 ENHR		A1EXXX1306316	XXxxXXxx

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
AIPXXJ302627X	C COMPLETED	31MAY06 00:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	NONC2CONT	AIP	
03 OVERHAUL DUE	31MAY06 02:05			OH HEATER OIL-FUEL	due on Serial 1440 at WAC 0130	3822.0 ENHR	
01 NO FAULT	07 OVERHAUL			Unserviceability Details: Maintenance Comments:	01JUN04 O/H AND SB 13356 AT P&WC A/ASIA		

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 01013  
08JAN20  
23:16:15

SERIAL/TAIL NO : 1440  
PART NO : 10585K  
ENGINEERING NAME : HEATER OIL- FUEL  
VENUE : A23DISP LOCATION : A23-033

~78385

PERIOD: 01JAN90 TO 08JAN20

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
=====	=====	=====	=====	=====	=====	=====
SM	OH	4000.0	ENHR	3822.0		
SM	OH	4000.0	ENHR	3822.0		

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 1440  
PART NO : 10585K ~78385  
ENGINEERING NAME : HEATER OIL- FUEL  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MODIFICATION ORDERS INCORPORATION STATUS CHANGE							
MOD NUMBER	CURRENT(Y/N)	STATUS	DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
7198.020-105	Y	04OCT05	02:00	INC			
7198.020-110	N	04OCT05	02:00	NINC			
7198.020-110	Y	29JUL15	00:00	N/A			
7198.020-112	N	04OCT05	02:00	NINC			
7198.020-112	Y	29JUL15	00:00	N/A			
7198.020-113	N	04OCT05	02:00	NINC			
7198.020-113	Y	29JUL15	00:00	N/A			

MAINTENANCE POLICY HISTORY			
POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	USER ID
31MAY06 02:07	SM	OH	XXxxXXxx
	DLD Changed From: 31MAY2006		To:



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01015  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 145  
 PART NO : 280 ZS 01Y01  
 ENGINEERING NAME : GENERATOR TONE LDG  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

~F0214

PERIOD: 01JAN90 TO 08JAN20

LOCATION : A23-033  
 LIFE SINCE NEW : 9545.2 AFHR

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
01SEP03	14:36	Maintenance	Comment	0.0 AFHR	3.2	29Aug03	A23-033	07.40 4770.4 AFHR	TX TO CAMM2 XXxxXXxx
01SEP03	14:44	Maintenance	Comment	0.0 AFHR	3.2	20Apr98	A23-033	07.4 2935.5	0.0 AFHR UPDATED LIFE (MPMI) XXxxXXxx
01SEP03	14:46	Maintenance	Comment	0.0 AFHR	3.2	CURRENT LIFE:	OLD =	2622.9 AFHR	NEW = 2623.9 AFHR XXxxXXxx
01SEP03	14:48	Maintenance	Comment	0.0 AFHR	3.2	26Jul90	A23-033	05.3 0.0	0.0 AFHR ^^^^^^RECEPTION XXxxXXxx
01SEP03	14:50	Maintenance	Comment	0.0 AFHR	3.2	21May92	A23-033	05.3 796.3	0.0 AFHR REM SVC TO A23-033 XXxxXXxx
01SEP03	14:51	Maintenance	Comment	0.0 AFHR	3.2	28Oct91	PARTNO	REIDENTIFIED FROM 280 ZS 01	XXxxXXxx
01SEP03	14:51	Maintenance	Comment	0.0 AFHR	3.2	21May92	A23-033	07.4 796.3	0.0 AFHR IN AS A23T 2275-00-00-D XXxxXXxx
01SEP03	14:52	Maintenance	Comment	0.0 AFHR	3.2	11Apr90	NEW - 145	280 ZS 01Y01	2275-00-00-D XXxxXXxx
01SEP03	14:55	Maintenance	Comment	0.0 AFHR	3.2	03Sep97	A23-033	07.4 2623.9	0.0 AFHR UPDATED LIFE (MIUP) XXxxXXxx
07JUN17	06:12	Position	Change	8914.8 AFHR	5030.9	A23T	AlUHQ	00	XXxxXXxx
		Maintenance	Comment	0.0 AFHR	0.0	A23T	AlUHQ	00	XXxxXXxx
						A1PXXX1709017			XXxxXXxx
						POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 01016  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 1481  
 PART NO : 065-05030-0004 ~22373  
 ENGINEERING NAME : DATA ADAPTOR KDA430  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 8120.1 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T		CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
30AUG03	19:56	Maintenance Comment	0.0 AFHR	1.4	22Oct01 A23-061 06.40 3415.1 0.0 AFHR	13-REMACCES RX18172 CMM LOG00004 XXXXXXxx
30AUG03	19:57	Maintenance Comment	0.0 AFHR	1.4	05Jun91 NEW - 1481 065-05030-0004 2430-00-00-J	CMM LOG00007 XXXXXXxx
30AUG03	19:58	Maintenance Comment	0.0 AFHR	1.4	05Feb92 A23-061 06.6 0.0 0.0 AFHR	^^^^^RECEPTION CMM LOG00001 XXXXXXxx
30AUG03	19:58	Maintenance Comment	0.0 AFHR	1.4	25Oct01 A23-061 06.40 3415.1 0.0 AFHR	IN AS A23T 2430-00-00-J CMM LOG00006 XXXXXXxx
30AUG03	19:59	Maintenance Comment	0.0 AFHR	1.4	25Feb92 PARTNO REIDENTIFIED FROM 065-5030-04	CMM LOG00002 XXXXXXxx
30AUG03	19:59	Maintenance Comment	0.0 AFHR	1.4	29Aug03 A23-061 06.40 3789.2 AFHR	TX TO CMM2 CMM LOG00008 XXXXXXxx
30AUG03	20:03	Maintenance Comment	0.0 AFHR	1.4	30Apr98 A23-061 06.4 2422.9 0.0 AFHR	UPDATED LIFE (MPMI) CMM LOG00003 XXXXXXxx
30AUG03	20:03	Maintenance Comment	0.0 AFHR	1.4	22Oct01 AIEAV FF: 01-NIL	MA: 04-CHK/TST CMM LOG00005 XXXXXXxx
18MAY05	22:20	Asset Removal	4376.2 AFHR	628.5	562 A23-061 00	A23T ALUMK XXXXXXxx
		Change Serviceability Stat		1.7	S/I U/S	
		Change Location of an Asse		xxxx	A23-061 AVIONICS	
18MAY05	22:21	Change Serviceability Stat	4376.2 AFHR	0.0	U/S SERV	XXXXXXxx
26MAY05	05:34	Asset Installation	4376.2 AFHR	7.3	A23T ALUMK 00	A23T ALUMK 00AC XXXXXXxx
		Change Serviceability Stat		7.3	SERV S/I	
		Change Location of an Asse		7.3	AVIONICS A23-061	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01017  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 1481  
 PART NO : 065-05030-0004 ~22373  
 ENGINEERING NAME : DATA ADAPTOR KDA430  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
19OCT06 22:06	Asset Removal	511.6	562 A23T A1UMK A23-061 00	A23T A1UMK 00A
	4676.3 AFHR Change Serviceability Stat	0.6	S/I U/S	XXXXXXxx
	Change Location of an Asse	511.6	A23-061 EQUIP_STORE	
19OCT06 22:50	Change Venue of an Asset	1147.6	AIE NONC2CONT A1EXXXY606250	XXXXXXxx
	4676.3 AFHR Change Location of an Asse	0.0	EQUIP_STORE HOLD	
27JUL07 02:09	Change Serviceability Stat	280.1	U/S SERV	XXXXXXxx
	4676.3 AFHR Change Venue of an Asset	482.1	NONC2CONT AIP	XXXXXXxx
14FEB08 02:13	Change Location of an Asse	482.1	NONC2XY801636 HOLD MMIST	XXXXXXxx
01MAY08 02:56	Asset Installation	559.2	A23T A1UMK A23-033 00	A23T A1UMK 00AC
	4676.3 AFHR Change Serviceability Stat	279.0	SERV S/I	XXXXXXxx
	Change Location of an Asse	77.0	MMIST A23-033	
07JUN17 08:00	Position Change	3324.2	A23T A1UMK A23T A1UMK 00	
	7489.7 AFHR Maintenance Comment	0.0	A1PXXX1709122 POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE	XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 1481  
PART NO : 065-05030-0004 ~22373 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : DATA ADAPTOR KDA430  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1EXXJY504235	C COMPLETED	18MAY05 22:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
13 REMOVED FOR ACCESS	18MAY05 22:21	99 NO FAILURE		7212.007-223	due on Serial A23-061	4376.2	AFHR
01 NO FAULT		04 CHECK/TEST SERV		PC-9	at WAC 0000		
		Unserviceability Details:		CHECK/TEST SERV			
		Maintenance Comments:					

A1EXXJY607293	C COMPLETED	19OCT06 22:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIP	
01 UNSERVICEABLE	27JUL07 02:09	19OCT06 22:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	4676.3	AFHR
03 ELECTRICAL COMPONENT FAIL		01 IN FLIGHT		ADF NEEDLE ON HSI FLICKERING			
		03 ELECTRICAL FAILURE					
		02 REPAIR					
		Unserviceability Details:		ADF NEEDLE FLICKERING ON HSI			
		Maintenance Comments:		27JUL07 REPAIRED IAW OEM DRAWINGS AND SPECS MAB AUTH 004/2005			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01019  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 1523  
 PART NO : IL484  
 ENGINEERING NAME : CONVERTER DC-DC  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

~\$A23T

LOCATION : A23-033  
 LIFE SINCE NEW : 9545.2 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T		CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL)	TRANS REFERENCE	USER
01SEP03	11:12	Maintenance Comment	0.0 AFHR	3.1	29Aug03 A23-033	07.40 4770.4 AFHR	TX TO CAMM2 XXXXXXxx
01SEP03	11:16	Maintenance Comment	0.0 AFHR	3.1	04Jun90 NEW - 1523	IL484	1975-00-00-F XXXXXXxx
14APR15	02:48	Asset Removal	8270.7 AFHR	4245.7	533 A23T	A23-033	A23T A1UBK 00A XXXXXXxx
		Change Serviceability Stat	18.7	S/I	U/S		
		Change Location of an Asse	xxxx	A23-033	HG122		
14APR15	02:49	Change Serviceability Stat	0.0	U/S	SERV		XXXXXXxx
07MAY15	03:45	Asset Installation	8270.7 AFHR	23.0	A23T 533	A23-033	A23T A1UBK 00AC XXXXXXxx
		Change Serviceability Stat	23.0	SERV	S/I		
		Change Location of an Asse	23.0	HG122	A23-033		
26MAY15	23:22	Asset Removal	8270.7 AFHR	19.8	533 A23T	A23-033	A23T A1UBK 00A XXXXXXxx
		Change Serviceability Stat	19.8	S/I	U/S		
		Change Location of an Asse	19.8	A23-033	INTMH		
26MAY15	23:23	Change Serviceability Stat	0.0	U/S	SERV		XXXXXXxx
		Change Serviceability Stat	8270.7 AFHR				

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01020  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 1523  
 PART NO : IL484 ~\$A23T  
 ENGINEERING NAME : CONVERTER DC-DC  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
26JUN15 02:16	Asset Installation	30.1	A23T 533 A1UBK A23-033	00 A23T A1UBK 00AC XXxxXXxx
	8270.7 AFHR Change Serviceability Stat	30.1	SERV S/I	
	Change Location of an Asse	30.1	INTMH A23-033	

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJ1505825	C COMPLETED	14APR15 02:48	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	14APR15 02:49	14APR15 02:48	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	8270.7 AFHR	
13	REMOVED FOR ACCESS	99 NO FAILURE		FRONT C/PT DC TO DC CONVERTER RFA			
01	NO FAULT	04 CHECK/TEST SERV		Unserviceability Details: Maintenance Comments: CHECK/TEST SERV			
A1PXXJ1508109	C COMPLETED	26MAY15 23:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	26MAY15 23:23	26MAY15 23:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	8270.7 AFHR	
13	REMOVED FOR ACCESS	99 NO FAILURE		FRONT COCKPIT DC-DC CONVERTER RFA			
01	NO FAULT	04 CHECK/TEST SERV		Unserviceability Details: Maintenance Comments: CHECK/TEST SERV			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 01021  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 157  
 PART NO : 528.20.09.045 ~S4080  
 ENGINEERING NAME : TANK ASSY AEROBATIC  
 VENUE : A23DISP LOCATION : A23-033  
 CURRENT CONDITION : S/I LIFE SINCE NEW : 9472.2 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
01SEP03	10:34	Maintenance Comment		0.0 AFHR	3.0	26Mar91	.0 AFHR	LST OH 6000.0 AFHR	NXT OH XXXXXXxx
01SEP03	10:35	Maintenance Comment		0.0 AFHR	3.0	CAMM LOG00009	NEXT OH1 DUE: OLD =	NEW = 6000.0 AFHR	XXXXXXxx
01SEP03	10:36	Maintenance Comment		0.0 AFHR	3.0	CAMM LOG00004	21Sep98 A23-054 06.1	2770.8 2770.8 AFHR	UPDATED LIFE (MPMI) XXXXXXxx
01SEP03	10:36	Maintenance Comment		0.0 AFHR	3.0	CAMM LOG00003	13Feb03 A23-054 06.10	4295.6 4295.6 AFHR	IN AS A23T 2100-00-00-E XXXXXXxx
01SEP03	10:37	Maintenance Comment		0.0 AFHR	3.0	CAMM LOG00007	11Nov91 A23-054 06.1	0.0 0.0 AFHR	^^^^^RECEPTION XXXXXXxx
01SEP03	10:37	Maintenance Comment		0.0 AFHR	3.0	CAMM LOG00001	29Aug03 A23-054 06.10	4546.0 AFHR	TX TO CMM2 XXXXXXxx
01SEP03	10:38	Maintenance Comment		0.0 AFHR	3.0	CAMM LOG00010	10Feb03 A23-054 06.10	4295.6 4295.6 AFHR	13-REMACCES LF33949 XXXXXXxx
01SEP03	10:39	Maintenance Comment		0.0 AFHR	3.0	CAMM LOG00005	10Feb03 2FTINTMH	FF: 01-NIL	MA: 04-CHK/TST XXXXXXxx
01SEP03	10:45	Maintenance Comment		0.0 AFHR	3.0	CAMM LOG00006	26Mar91 NEW - 157	528.20.09.045 2100-00-00-E	XXXXXXxx
01SEP03	10:45	Maintenance Comment		0.0 AFHR	3.0	CAMM LOG00008	29Apr98 A23-054 06.1	2576.7 0.0 AFHR	UPDATED LIFE (MPMI) XXXXXXxx
17MAY07	22:37	Change Serviceability Stat		5925.7 AFHR	0.8	S/I			
24MAY07	05:31	Asset Removal		5925.7 AFHR	1363.8	US/I	AIPXXJ308721X		XXXXXXxx
		Change Serviceability Stat		5925.7 AFHR	6.2	U/S	555	A23-054	A23T A1UJO
		Change Location of an Asse			730.2	A23T	A1UJO	00	
05JUN07	04:49	Change Serviceability Stat		5925.7 AFHR	11.9	HYD			XXXXXXxx
						U/S			
						SERV			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01022  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 157  
 PART NO : 528.20.09.045  
 ENGINEERING NAME : TANK ASSY AEROBATIC  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
05JUN07 04:55	Change Location of an Asse	11.9	HYD MMIST A1PXXXY704809	XXXXXXxx
21JUN07 04:58	Asset Installation	27.9	A23T A1UJO A23-033	A23T A1UJO 00AC
	Change Serviceability Stat	16.0	SERV S/I MMIST A23-033	XXXXXXxx
22APR08 03:27	Asset Removal	305.9	A23T A1UJO A23-033	A23T A1UJO 00A
	Change Serviceability Stat	224.5	S/I U/S A23-033	XXXXXXxx
22APR08 03:28	Change Serviceability Stat	0.0	HG122 U/S SERV	
22APR08 03:36	Asset Installation	0.0	A23T A1UJO A23-033	A23T A1UJO 00AC
	Change Serviceability Stat	0.0	SERV S/I HG122 A23-033	XXXXXXxx
19MAR13 03:36	Asset Removal	1792.0	A23T A1UJO A23-033	A23T A1UJO 00A
	Change Serviceability Stat	237.7	S/I U/S A23-033	XXXXXXxx
	Change Location of an Asse	1792.0	INTMH	

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01023  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 157  
 PART NO : 528.20.09.045 ~S4080  
 ENGINEERING NAME : TANK ASSY AEROBATIC  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
19MAR13 03:40	Change Serviceability Stat	0.0	U/S SERV	
	7599.0 AFHR			XXXXXXxx
20MAR13 23:43	Asset Installation	1.8	A23T 533 A1UJO A23-033	00 A23T A1UJO 00AC
	7599.0 AFHR			XXXXXXxx
	Change Serviceability Stat	1.8	SERV S/I	
	Change Location of an Asse	1.8	INTMH A23-033	
11JUN15 00:31	Asset Removal	812.0	533 A23T A1UJO A23-033	00 A23T A1UJO 00A
	8197.7 AFHR			XXXXXXxx
	Change Serviceability Stat	76.6	S/I U/S	
	Change Location of an Asse	812.0	A23-033	
11JUN15 00:33	Change Serviceability Stat	0.0	INTMH U/S SERV	
	8197.7 AFHR			XXXXXXxx
02JUL15 23:36	Asset Installation	21.9	A23T 533 A1UJO A23-033	00 A23T A1UJO 00AC
	8197.7 AFHR			XXXXXXxx
	Change Serviceability Stat	21.9	SERV S/I	
	Change Location of an Asse	21.9	INTMH A23-033	

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			

2FTSXJCA11515 C COMPLETED 26MAR91 00:00 XXXXXxx 2FTS 0.0  
 26MAR91 00:00  
 03 OVERHAUL DUE

Unserviceability Details:  
 Maintenance Comments:

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : 157 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 528.20.09.045 ~S4080  
ENGINEERING NAME : TANK ASSY AEROBATIC  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

AIPXXJ308721X C COMPLETED 24MAY07 05:31 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 05JUN07 04:49 17MAY07 22:37 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 5925.7 AFHR  
 03 OVERHAUL DUE OH due on Serial 157  
 TANK ASSY AEROBATIC at WAC 0610  
 01 NO FAULT 07 OVERHAUL  
 Unserviceability Details:  
 Maintenance Comments: OVERHAUL C/O IAW AAP 7271.381-3M REF OAM 690/07

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	6000.0	AFHR	5925.7		
SM	OH	6000.0	AFHR	5925.7		

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

AIPXXJY710096 C COMPLETED 01JUN07 00:47 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 05JUN07 04:47 01JUN07 00:47 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 5925.7 AFHR  
 08 MOD/STI/DVI REQUIRED STI-PC9-0447 due on Serial 157  
 TANK ASSY AEROBATIC at WAC 0610  
 01 NO FAULT 08 MOD/STI/DVI INCORP  
 Unserviceability Details:  
 Maintenance Comments: STI-PC9-0447 INCORPORATED REF OAM 690/07

AIPXXJY806754 C COMPLETED 22APR08 03:27 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 22APR08 03:28 22APR08 03:27 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 6028.4 AFHR  
 13 REMOVED FOR ACCESS 99 NO FAILURE AEROBATIC TANK RFA  
 01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 157  
PART NO : 528.20.09.045 ~S4080  
ENGINEERING NAME : TANK ASSY AEROBATIC  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJ1303764	C COMPLETED	19MAR13 03:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	19MAR13 03:40	19MAR13 03:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	7599.0	AFHR	
13 REMOVED FOR ACCESS	99 NO FAILURE			AEROBATIC TANK ASSY AND FUEL FILTER ASSY REMOVED FOR ACCESS FOR S65 SERVICING			

01 NO FAULT	04 CHECK/TEST SERV						
	Unserviceability Details:						
	Maintenance Comments:			AEROBATIC TANK ASSY REMOVED FOR S65 SERVICING			

A1PXXJ1509158	C COMPLETED	11JUN15 00:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	11JUN15 00:33	11JUN15 00:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	8197.7	AFHR	
13 REMOVED FOR ACCESS	99 NO FAILURE			AEROBATIC TANK RFA			

01 NO FAULT	04 CHECK/TEST SERV						
	Unserviceability Details:						
	Maintenance Comments:			CHECK/TEST SERV			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 01026  
08JAN20  
23:16:15

SERIAL/TAIL NO : 157  
PART NO : 528.20.09.045 ~S4080  
ENGINEERING NAME : TANK ASSY AEROBATIC  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

STI STATUS CHANGE -----

STI NUMBER	CURRENT (Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
=====	=====	=====	=====	=====	=====	=====
STI-PC9-0447	N	22MAY07	NINC			
STI-PC9-0447	Y	05JUN07	INC	A1PXXJY710096	01JUN07 00:47	5925.7 AFHR
STI-PC9-434A	Y	26FEB07	N/A			
STI-PC9-434A	N	26FEB07	NINC			
STI-PC9-434B	N	26FEB07	NINC			
STI-PC9-434B	Y	26FEB07	N/A			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01027  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 160  
 PART NO : 631 367 297  
 ENGINEERING NAME : T-CRIVER AMR 345-2  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

~S3715

PERIOD: 01JAN90 TO 08JAN20

LOCATION : A23-033  
 LIFE SINCE NEW : 6928.0 AFHR

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
01SEP03	07:01	Maintenance	Comment	0.0 AFHR	2.9	13Dec95	PEAX?CON 00.	1864.9	0.0 AFHR UPDATED LIFE (MIRE)
01SEP03	07:01	Maintenance	Comment	0.0 AFHR	2.9	30Apr98	A23-009 06.4	2786.4	0.0 AFHR UPDATED LIFE (MPMI)
01SEP03	07:07	Maintenance	Comment	0.0 AFHR	2.9	30Jan96	A23-009 06.6	1864.9	0.0 AFHR IN AS A23T 2476-00-00-A
01SEP03	07:07	Maintenance	Comment	0.0 AFHR	2.9	22Feb02	DISPATCHED TO PEAXCON		0.0 AFHR
01SEP03	07:07	Maintenance	Comment	0.0 AFHR	2.9	29Oct02	2FTMMIST 00.	3932.2	0.0 AFHR UPDATED LIFE (JOBX)
01SEP03	07:07	Maintenance	Comment	0.0 AFHR	2.9	20Nov00	JOB CHANGE RR: 05-FUNC CHK		0.0 AFHR
01SEP03	07:08	Maintenance	Comment	0.0 AFHR	2.9	19Sep01	A23-023 06.4A	3763.6	0.0 AFHR 13-REMACCES LD12007
01SEP03	07:08	Maintenance	Comment	0.0 AFHR	2.9	19Sep01	2FTHG122		0.0 AFHR MA: 04-CHK/TST
01SEP03	07:09	Maintenance	Comment	0.0 AFHR	2.9	03May00	A23-009 06.40	3515.6	0.0 AFHR 01-FAILED LA09481
01SEP03	07:09	Maintenance	Comment	0.0 AFHR	2.9	03May00	DISPATCHED TO PEAXCON		0.0 AFHR
01SEP03	07:09	Maintenance	Comment	0.0 AFHR	2.9	12Mar01	A23-023 06.4A	3515.6	0.0 AFHR IN AS A23T 2476-00-00-A
01SEP03	07:09	Maintenance	Comment	0.0 AFHR	2.9	27Jun89	NEW - 160	631 367 297	2476-00-00-A
01SEP03	07:10	Maintenance	Comment	0.0 AFHR	2.9	2FTREP	WFD: 01-IN FLIGHT		0.0 AFHR US: 03-ELECFAIL
01SEP03	07:10	Maintenance	Comment	0.0 AFHR	2.9	04Oct00	PEAXCON		0.0 AFHR MA: 04-CHK/TST
01SEP03	07:11	Maintenance	Comment	0.0 AFHR	2.9	01Apr95	DISPATCHED TO PEAX?CON		0.0 AFHR
01SEP03	07:12	Maintenance	Comment	0.0 AFHR	2.9	09Oct02	7831.200-101		0.0 AFHR MOD STATUS NOW NA
01SEP03	07:12	Maintenance	Comment	0.0 AFHR	2.9	26Jun02	PEAXCON		0.0 AFHR MA: 03-ADJUST

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01028  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 160  
 PART NO : 631 367 297  
 ENGINEERING NAME : T-CEIVER AMR 345-2  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S3715

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
01SEP03 07:13	Maintenance Comment	0.0 AFHR	2.9	21Feb02 A23-023 06.4A 3932.2	0.0 AFHR 01-FAILED LD29080 XXXXXXxx
01SEP03 07:13	Maintenance Comment	0.0 AFHR	2.9	CAMM LOG00017 CODE 110 ON POWER UP	XXXXXXxx
01SEP03 07:14	Maintenance Comment	0.0 AFHR	2.9	29Aug03 A23-025 06.4A 4007.8 AFHR	TX TO CAMM2 XXXXXXxx
01SEP03 07:14	Maintenance Comment	0.0 AFHR	2.9	CAMM LOG00027 2FTREP WFD: 01-IN FLIGHT	US: 03-ELECFAIL XXXXXXxx
01SEP03 07:14	Maintenance Comment	0.0 AFHR	2.9	Y CAMM LOG00020	XXXXXXxx
01SEP03 07:16	Maintenance Comment	0.0 AFHR	2.9	CURRENT LIFE: OLD = 1736.9 AFHR	NEW = 1864.9 AFHR XXXXXXxx
01SEP03 07:16	Maintenance Comment	0.0 AFHR	2.9	CAMM LOG00003 24Sep01 A23-023 06.4A 3763.6	0.0 AFHR IN AS A23T 2476-00-00-A XXXXXXxx
01SEP03 07:17	Maintenance Comment	0.0 AFHR	2.9	CAMM LOG00016 INTERMITANT OPERATION	XXXXXXxx
01SEP03 07:17	Maintenance Comment	0.0 AFHR	2.9	CAMM LOG00008 20Nov00 2FTMMIST 00. 3515.6	0.0 AFHR UPDATED LIFE (JOBX) XXXXXXxx
01SEP03 07:17	Maintenance Comment	0.0 AFHR	2.9	CAMM LOG00012 09Jun03 A23-025 06.4A 3932.2	0.0 AFHR IN AS A23T 2476-00-00-A XXXXXXxx
26FEB04 11:34	Asset Removal	4172.1 AFHR	181.1	525 A23-025	A23T A1UMC 00A XXXXXXxx
	Change Serviceability Stat		2.3	A23T A1UMC 00	XXXXXXxx
	Change Location of an Asse		xxxx	S/I U/S A23-025	
11MAY05 07:04	Change Venue of an Asset	4172.1 AFHR	620.9	EXTERNAL AIP	NONC2CONT A1PXXXY507210 XXXXXXxx
	Change Location of an Asse		439.8	EXTERNAL HOLD	
26JUL05 08:00	Change Serviceability Stat	4172.1 AFHR	515.8	U/S SERV	XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01029  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 160  
 PART NO : 631 367 297  
 ENGINEERING NAME : T-CEIVER AMR 345-2  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S3715

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
01NOV05 00:00	Change Venue of an Asset	173.7	NONC2CONT AIP	
	4172.1 AFHR Change Location of an Asse	173.7	NONC2XY507595 HOLD	XXxxXXxx
11JAN06 23:20	Asset Installation	685.4	JANDAKOT A23T A1UMC	
	4172.1 AFHR Change Serviceability Stat	169.6	524 A23-024	A23T A1UMC XXxxXXxx
	Change Location of an Asse	71.9	SERV S/I	
14MAY07 09:44	Asset Removal	487.4	JANDAKOT A23-024	
	4276.4 AFHR Change Serviceability Stat	5.2	524 A23-024	A23T A1UMC XXxxXXxx
	Change Location of an Asse	487.4	A23T A1UMC	
15MAY07 03:46	Change Location of an Asse	0.7	EXTERNAL EXTERNAL	
	4276.4 AFHR Change Serviceability Stat	329.6	JANDAKOT A1PXXXY704155	XXxxXXxx
	Change Serviceability Stat		U/S SERV	XXxxXXxx
07JUL08 07:28	Change Venue of an Asset	979.3	AIP NONC2CONT	
	4276.4 AFHR Change Location of an Asse	419.1	A1PXXXY806041 JANDAKOT	XXxxXXxx
02OCT08 00:18	Change Venue of an Asset	86.7	HOLD NONC2CONT	
	4276.4 AFHR Change Location of an Asse	86.7	AIP NONC2XY811207	XXxxXXxx
			HOLD MMIST	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01030  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 160  
 PART NO : 631 367 297  
 ENGINEERING NAME : T-CEIVER AMR 345-2  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S3715

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
02OCT08 06:05	Asset Installation	506.8	A23T A1UMC 537 A23-037	00 A23T A1UMC 00AC XXXXXXxx
	4276.4 AFHR Change Serviceability Stat	177.2	SERV	
	Change Location of an Asse	0.2	S/I MMIST A23-037	
15AUG13 03:27	Position Change	1777.8	A23T A1UMC A23T A1UMC	00 00
	5416.0 AFHR		A1EXXX1302985	XXXXXXxx
22JAN19 05:19	Asset Removal	3763.9	537 A23-037 A23T A1UMC	00 A23T A1UMC 00A XXXXXXxx
	6737.8 AFHR Change Serviceability Stat	42.1	S/I	
	Change Location of an Asse	42.2	U/S A23-037	
22JAN19 05:26	Change Serviceability Stat	0.0	HG122 U/S SERV	
	6737.8 AFHR			XXXXXXxx
01FEB19 01:01	Asset Installation	9.8	A23T A1UMC 537 A23-037	00 A23T A1UMC 00AC XXXXXXxx
	6737.8 AFHR Change Serviceability Stat	9.8	SERV	
	Change Location of an Asse	9.8	S/I HG122 A23-037	
05FEB19 00:16	Asset Removal	3.9	537 A23-037 A23T A1UMC	00 A23T A1UMC 00A XXXXXXxx
	6737.8 AFHR Change Serviceability Stat	3.9	S/I	
	Change Location of an Asse	3.9	U/S A23-037 STORES	

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01031  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 160  
 PART NO : 631 367 297  
 ENGINEERING NAME : T-CEIVER AMR 345-2  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S3715

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
05FEB19 00:17	Change Serviceability Stat	0.0	U/S SERV	
09APR19 02:50	Asset Installation	63.1	A23T 533 A1UMC A23-033 00	XXxxXXxx
	Change Serviceability Stat	63.1	SERV S/I	XXxxXXxx
	Change Location of an Asse	63.1	STORES A23-033	00AC

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJY403622	C COMPLETED	26FEB04 11:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	26JUL05 08:00					4172.1	AFHR
01 UNSERVICEABLE	01 IN FLIGHT			VERY LOW SIDETONE			
	03 ELECTRICAL FAILURE						
02 MECHANICAL COMPONENT FAIL	02 REPAIR						
	Unserviceability Details:			VERY LOW SIDETONE			
	Maintenance Comments:			REPAIRED AND TESTED IAW AR/10.583 EDN 2. AEROTECHTELUB 26JUL05.			
A1PXXJY709497	C COMPLETED	14MAY07 09:44	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	08APR08 00:40	14MAY07 09:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	4276.4	AFHR
01 UNSERVICEABLE	01 IN FLIGHT			COMM1 WILL NOT RECIEVE ON 377.50MHZ AM.....OK ON OTHER FREQUENCIES			
	03 ELECTRICAL FAILURE						
03 ELECTRICAL COMPONENT FAIL	02 REPAIR						
	Unserviceability Details:			NIL RECEIVE 377.50			
	Maintenance Comments:			ITEM REPAIRED IAW AR/10.583 EDITION2 DATED ON 14/06/88.			
A1PXXJ1901864	C COMPLETED	05FEB19 00:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	05FEB19 00:17	05FEB19 00:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	6737.8	AFHR
13 REMOVED FOR ACCESS	99 NO FAILURE			COMMS 1 TRANCIEVER RFA			
01 NO FAULT	04 CHECK/TEST SERV						

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 160  
PART NO : 631 367 297  
ENGINEERING NAME : T-CEIVER AMR 345-2  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

=====

Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

SERIAL/TAIL NO : 160  
PART NO : 631 367 297 ~S3715  
ENGINEERING NAME : T-CEIVER AMR 345-2  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MODIFICATION ORDERS INCORPORATION STATUS CHANGE -----						
MOD NUMBER	CURRENT (Y/N)	STATUS	DATE/TIME	STATUS	JOB/SERV NO	LIFE SINCE NEW
=====	=====	=====	=====	=====	=====	=====
7831.200-101	Y	09OCT02	00:00	N/A		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 01034  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 1604  
 PART NO : IL484 ~\$A23T  
 ENGINEERING NAME : CONVERTER DC-DC  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 9545.2 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
01SEP03 09:43	Maintenance Comment	0.0 AFHR	3.0	29Aug03 A23-033 07.30 4770.4 AFHR	TX TO CMM2 XXXXXXxx
01SEP03 09:51	Maintenance Comment	0.0 AFHR	3.0	11Apr90 NEW - 1604 IL484	1975-00-00-F XXXXXXxx
02MAY06 05:55	Asset Removal	5594.9 AFHR	976.8	533 A23T A1UFK A23-033 00	A23T A1UFK 00A
	Change Serviceability Stat		6.1	S/I U/S	XXXXXXxx
	Change Location of an Asse		xxxx	A23-033 INTMH	
02MAY06 05:56	Change Serviceability Stat	5594.9 AFHR	0.0	U/S SERV	XXXXXXxx
18JUN06 00:13	Asset Installation	5594.9 AFHR	46.7	A23T A1UFK A23-033 00	A23T A1UFK 00AC
	Change Serviceability Stat		46.7	SERV S/I	XXXXXXxx
	Change Location of an Asse		46.7	INTMH A23-033	
07JUN17 06:18	Position Change	8914.8 AFHR	4007.2	A23T A1UFK A23T A1UFK 00	00
	Maintenance Comment		0.0	A1PXXX1709030	XXXXXXxx
				POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE	

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS		UNSERVICEABILITY DETAILS			
MAINT PROCESS	UNSERVICEABILITY	MAINTENANCE COMMENT					
FAULT FOUND	MAINTENANCE ACTION TAKEN						

A1PXXJY606697 C COMPLETED 02MAY06 05:55 XXXXXxx XXXXXxx  
 13 REMOVED FOR ACCESS 99 NO FAILURE CONVERTER DC - DC RFA  
 01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 1604  
PART NO : IL484  
ENGINEERING NAME : CONVERTER DC-DC  
VENUE : A23DISP  
LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20  
~\$A23T

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 164 LITERAL SERIAL NO : P-F164 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 555.40.09.006 ~S4080  
ENGINEERING NAME : RUDDER ASSY  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 1873.2 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE UNPACKED			
20NOV12 06:49	P-F164	555.40.09.006	~S4080	A23T	A2GAM
aip02017	AIP	SURFIN			00
J. MCLEAN		06JUN11			A1PXXR1201771
	0.0 AFHR			20NOV12	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01037  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 164 LITERAL SERIAL NO : P-F164 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 555.40.09.006 ~S4080  
 ENGINEERING NAME : RUDDER ASSY  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
20NOV12 06:49	Reception History Record	0.0	Reception SURFIN	
	0.0 AFHR		SERVJOBS	XXxxXXxx
20NOV12 06:51	Maintenance Comment	0.0	NEW ITEM RECVD - REFER PILATUS CERT: 80132035 DATED: 06JUN11	
	0.0 AFHR		A1PXXX1212236	XXxxXXxx
10DEC12 06:05	Change Serviceability Stat	20.2	U/S	
	0.0 AFHR		SERV	XXxxXXxx
10DEC12 06:06	Change Serial Number of an	20.2	P-F164	
	0.0 AFHR		164	
	0.0 AFHR		A1PXXX1213100	XXxxXXxx
21MAR13 00:40	Maintenance Comment	0.0	SERIAL NO CHANGED TO MATCH ITEM IDENTIFICATION PLATE.	
	Asset Installation	654.0	A23T A2GAM 00	
	0.0 AFHR		P/F017 A23-033	A23T A2GAM 30AC
	Change Serviceability Stat	100.7	SERV	XXxxXXxx
	Change Location of an Asse	121.0	S/I	
			SURFIN	
			A23-033	
10DEC13 06:46	Change Serviceability Stat	0.1	S/I	
	0.0 AFHR		US/I	
			A1PXXJ1218796	XXxxXXxx
10DEC13 06:47	Change Serviceability Stat	0.0	US/I	
	0.0 AFHR		S/I	XXxxXXxx
27OCT14 09:06	Change Serviceability Stat	0.0	S/I	
	0.0 AFHR		US/I	
			A1PXXJ1317772	XXxxXXxx
28OCT14 02:49	Change Serviceability Stat	0.7	US/I	
	0.0 AFHR		S/I	XXxxXXxx
09APR15 05:03	Change Part Number of an A	0.0	NO PARENT TRANSACTION DETAILS	
	Maintenance Comment		POLICY COPY FOR STI-PC9-0592 AUTH : MPAN 012/2015	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01038  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 164 LITERAL SERIAL NO : P-F164 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 555.40.09.006 ~S4080  
 ENGINEERING NAME : RUDDER ASSY  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
18MAY15 07:54	Asset Removal	788.3	P/F017 A23T A2GAM A23-033	A23T A2GAM 30A
	0.0 AFHR			XXXXXXxx
	Change Serviceability Stat	52.9	S/I U/S	
	Change Location of an Asse	788.3	A23-033	
18MAY15 07:55	Change Serviceability Stat	0.0	INTMH U/S SERV	
	0.0 AFHR			XXXXXXxx
18MAY15 11:27	Change Serviceability Stat	0.1	SERV U/S	
	0.0 AFHR		A1PXXJ1505484	XXXXXXxx
25MAY15 05:24	Change Serviceability Stat	6.7	U/S SERV	
	0.0 AFHR			XXXXXXxx
25MAY15 06:00	Asset Installation	6.9	A23T A2GAM A23-033	A23T A2GAM 30AC
	0.0 AFHR			XXXXXXxx
	Change Serviceability Stat	0.0	SERV S/I	
	Change Location of an Asse	6.9	INTMH A23-033	
16JUL15 23:15	Change Serviceability Stat	52.7	S/I US/I	
	0.0 AFHR		A1PXXJ1418513	XXXXXXxx
22JUL15 13:41	Change Serviceability Stat	5.6	US/I S/I	
	598.7 AFHR			XXXXXXxx
26OCT15 01:07	Change Serviceability Stat	2.8	S/I US/I	
	748.3 AFHR		A1PXXJ1418513	XXXXXXxx
28OCT15 12:30	Change Serviceability Stat	2.4	US/I S/I	
	748.3 AFHR			XXXXXXxx



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01039  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 164 LITERAL SERIAL NO : P-F164 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 555.40.09.006 ~S4080  
 ENGINEERING NAME : RUDDER ASSY  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
10MAR16 12:38	Asset Removal	290.2	P/F017 A23T A2GAM A23-033	A23T A2GAM 30A
	897.5 AFHR			XXXXXXxx
	Change Serviceability Stat	0.1	S/I U/S	
	Change Location of an Asse	290.2	A23-033 OPMH	
10MAR16 12:39	Change Serviceability Stat	0.0	U/S SERV	
	897.5 AFHR			XXXXXXxx
13MAR16 22:58	Asset Installation	3.4	A23T A2GAM A23-033	A23T A2GAM 30AC
	897.5 AFHR			XXXXXXxx
	Change Serviceability Stat	3.4	SERV S/I OPMH	
	Change Location of an Asse	3.4	A23-033	
13MAR16 23:13	Asset Removal	0.0	P/F017 A23T A2GAM A23-033	A23T A2GAM 30A
	897.5 AFHR			XXXXXXxx
	Change Serviceability Stat	0.0	S/I U/S	
	Change Location of an Asse	0.0	A23-033 INTMH	
13MAR16 23:13	Change Serviceability Stat	0.0	U/S SERV	
	897.5 AFHR			XXXXXXxx
14MAR16 05:59	Asset Installation	0.2	A23T A2GAM A23-033	A23T A2GAM 30AC
	897.5 AFHR			XXXXXXxx
	Change Serviceability Stat	0.2	SERV S/I INTMH	
	Change Location of an Asse	0.2	A23-033	
29MAR16 09:22	Change Part Number of an A Maintenance Comment	0.0	NO PARENT TRANSACTION DETAILS MPAN 09/2016 FOR STI-PC9-0615 INCORPORATION	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01040  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 164 LITERAL SERIAL NO : P-F164 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 555.40.09.006 ~S4080  
 ENGINEERING NAME : RUDDER ASSY  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
31MAR16 04:57	Change Serviceability Stat	913.3	AFHR	7.8	S/I US/I A1PXXJ1606668	XXXXXXxx
15APR16 00:23	Change Serviceability Stat	913.3	AFHR	14.8	US/I S/I	XXXXXXxx
19JUL16 09:48	Change Serviceability Stat	1046.3	AFHR	0.0	S/I US/I A1PXXJ1516887	XXXXXXxx
19JUL16 10:41	Change Serviceability Stat	1046.3	AFHR	0.0	US/I S/I	XXXXXXxx
10AUG16 02:23	Asset Removal	1078.3	AFHR	148.8	P/F017 A23T A2GAM A23-033 30	XXXXXXxx A23T A2GAM 30A
	Change Serviceability Stat			1.7	S/I U/S	XXXXXXxx
	Change Location of an Asse			148.8	A23-033 OPMH	
10AUG16 02:25	Change Serviceability Stat			0.0	U/S SERV	
11AUG16 04:44	Asset Installation	1078.3	AFHR	1.0	A23T A2GAM A23-033 30	XXXXXXxx A23T A2GAM 30AC
	Change Serviceability Stat	1078.3	AFHR	1.0	SERV S/I	XXXXXXxx
	Change Location of an Asse			1.0	OPMH A23-033	
11SEP16 22:04	Position Change			31.7	A23T A2GAM 30 A23T A2GAM 30	
03APR17 03:18	Maintenance Comment Change Serviceability Stat	1128.2	AFHR	0.0 128.9	A1PXXX1608926 NEW POLICY = 300AFHR & 1 ELPYR REF: OID: AK11813150 S/I	XXXXXXxx
		1242.8	AFHR		US/I A1PXXJ1615574	XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01041  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 164 LITERAL SERIAL NO : P-F164 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 555.40.09.006 ~S4080  
 ENGINEERING NAME : RUDDER ASSY  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
03APR17 22:23	Asset Removal	235.7	P/F017 A23T A2GAM A23-033 30	A23T A2GAM 30A
	1242.8 AFHR Change Serviceability Stat	0.7	US/I U/S	XXXXXXxx
	Change Location of an Asse	235.7	A23-033 INTMH	
11MAY17 03:47	Change Serviceability Stat	37.2	U/S SERV	
	1242.8 AFHR Asset Installation	37.2	A23T A2GAM A23-033 30	XXXXXXxx
11MAY17 03:55	Change Serviceability Stat	0.0	SERV S/I	A23T A2GAM 30AC
	1242.8 AFHR Change Serviceability Stat	0.0	SERV S/I	XXXXXXxx
	Change Location of an Asse	37.2	INTMH A23-033	
07JUN17 06:24	Position Change	27.1	A23T A2GAM A23T A2GAM 30	
	1242.8 AFHR Maintenance Comment	0.0	A1PXXX1709045	XXXXXXxx
09JUN17 05:27	Position Change	29.0	POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE	
	1242.8 AFHR Maintenance Comment	0.0	A23T A2GAM A23T A2GAM 30	
21MAR18 03:40	Change Serviceability Stat	139.0	A1PXXX1709243	XXXXXXxx
	1401.6 AFHR Change Serviceability Stat	5.1	POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE	
26MAR18 07:13	Change Serviceability Stat	5.1	S/I US/I A1PXXJ1709457	XXXXXXxx
	1401.6 AFHR Change Serviceability Stat	0.6	S/I US/I	XXXXXXxx
26MAR19 22:22	Change Serviceability Stat	0.6	S/I US/I A1PXXJ1805108	XXXXXXxx
	1667.3 AFHR			XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 164 LITERAL SERIAL NO : P-F164 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 555.40.09.006 ~S4080  
 ENGINEERING NAME : RUDDER ASSY  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
26MAR19 22:36	Change Serviceability Stat		0.0	US/I S/I	
02OCT19 23:12	Asset Removal	1667.3 AFHR	874.8	P/F017 A23T A2GAM	A23T A2GAM 30A
	Change Serviceability Stat	1826.9 AFHR	14.6	S/I U/S	XXXXXXxx
	Change Location of an Asse		874.8	A23-033 INTMH	
02OCT19 23:13	Change Serviceability Stat		0.0	U/S SERV	
02OCT19 23:21	Asset Installation	1826.9 AFHR	0.0	A23T A2GAM	A23T A2GAM 30AC
	Change Serviceability Stat	1826.9 AFHR	0.0	SERV S/I	XXXXXXxx
	Change Location of an Asse		0.0	INTMH A23-033	

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1704577	COMPLETED	11MAY17 03:43	1242.8	AFHR	SST	XXXXXXxxXXxxXXxx
03APR17 22:25	XXXXXXxx	XXXXXXxxXXxxXXxxXXxx	AIP			11MAY17 03:43
03APR17 22:25	XXXXXXxx	XXXXXXxxXXxxXXxxXXxx	AIP			XXXXXXxxXXxxXXxxXXxx
		MS38 due on Serial 164				
		RUDDER MSPAR & RIBS at WAC 1410				XXXXXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-033				

Maint Acts: MS38 C/O NIL DEFECT EVIDENT REF AIP MCS 1037/16

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 164 LITERAL SERIAL NO : P-F164 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 555.40.09.006 ~S4080  
 ENGINEERING NAME : RUDDER ASSY  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1910747	COMPLETED	02OCT19 23:20	1826.9	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
02OCT19 23:13	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			02OCT19 23:20
02OCT19 23:13	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		MS38 due on Serial 164				
		RUDDER MSPAR & RIBS at WAC 1410				XXXXXXXXXXXXXXXXXXXX
	N	Copied from A23-033				

Maint Acts: MS 38 SERV C/O IAW AAP 7212.007-2,NIL CRACK/DAMAGE EVIDENT REF NDT  
 REPORT # AIP/NDT/A23-033/119,REF AIP MCS 860/19 WC # 48 TO 51.

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

A1PXXJ1217745	C COMPLETED	20NOV12 06:55	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP	AIP	
	10DEC12 06:05	20NOV12 06:55	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP	0.0	
19 MMI SERVICING DUE				MS2 due on Serial P-F164			
				RUDDER & TRIM TABS at WAC 1410			
01 NO FAULT	12 MMI SERVICING						
	Unserviceability Details:						
	Maintenance Comments:			MS2C/O IAW 7212.007-3. REF W/S COAM 8466/12			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS2	90.0	ELPDY			18FEB13

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 164 LITERAL SERIAL NO : P-F164 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 555.40.09.006 ~S4080  
ENGINEERING NAME : RUDDER ASSY  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

=====  
A1PXXJ1217749 C COMPLETED 20NOV12 06:56 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
10DEC12 06:04 20NOV12 06:57 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 0.0  
16 PRE-INSTALLATION MAINT ITEM REQUIRES SURFACE FINISHING TO BE APPLIED.  
NEW ITEM RECVD - REFER PILATUS CERT: 80132035 DATED: 06JUN11  
01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: SURFACE FINISH C/O IAW 7021.004-1. REF W/S COAM 8466/12

A1PXXJ1218796 C COMPLETED 10DEC13 06:46 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
10DEC13 06:47 10DEC13 06:46 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 0.0  
19 MMI SERVICING DUE 99 NO FAILURE MS2 due on Serial 164  
RUDDER\_TRIM TABS at WAC 1410  
01 NO FAULT 12 MMI SERVICING  
Unserviceability Details:  
Maintenance Comments: MS2 C/O

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS2	1.0	ELPYR			10DEC13
SM	MS2	1.0	ELPYR			10DEC13
SM	MS2	300.0	AFHR	216.9		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

=====  
A1PXXJ1317772 C COMPLETED 28OCT14 02:47 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
28OCT14 02:49 27OCT14 09:06 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 0.0  
19 MMI SERVICING DUE MS2 due on Serial 164  
RUDDER\_TRIM TABS at WAC 1410  
01 NO FAULT 12 MMI SERVICING  
Unserviceability Details:  
Maintenance Comments: MS2 C/O SERV IAW AAP 7212-007-2.

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : 164 LITERAL SERIAL NO : P-F164 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 555.40.09.006 ~S4080  
ENGINEERING NAME : RUDDER ASSY  
VENUE : A23DISP LOCATION : A23-033

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS2	1.0	ELPYR			10DEC14
SM	MS2	1.0	ELPYR			10DEC14
SM	MS2	300.0	AFHR	232.2		

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			
=====							
A1PXXJ1507656	C COMPLETED	18MAY15 07:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	18MAY15 07:55	18MAY15 07:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	0.0	
13 REMOVED FOR ACCESS	99 NO FAILURE			RUDDER, HORIZONTAL STAB AND HSTAB STRUT		RFA	
01 NO FAULT	04 CHECK/TEST SERV			Unserviceability Details:			
				Maintenance Comments:	CHECK/TEST SERV		
A1PXXJ1505484	C COMPLETED	18MAY15 11:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	25MAY15 05:24	18MAY15 11:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	0.0	
08 MOD/STI/DVI REQUIRED				STI-PC9-0592 due on Serial 164			
				RUDDER_TRIM TABS at WAC 1410			
01 NO FAULT	08 MOD/STI/DVI INCORP			Unserviceability Details:			
				Maintenance Comments:	INSPECTION C/O NIL DAMAGE/CRACK FOUND SERV IAW AAP		
					7212.007-2, REF FALKOR STI-PC9-0589 THRU TO -093 LSN'S AIP MCS		
					188-1/15 THRU 188-5/15.		
A1PXXJ1511383	C COMPLETED	22JUL15 13:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	22JUL15 13:41	22JUL15 13:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	598.7	AFHR
15 FAULT FINDING				JOB RAISED TO RESET CAMM2 SERV STATUS			
01 NO FAULT	04 CHECK/TEST SERV			Unserviceability Details:			
				Maintenance Comments:	LAST MAINT PERFORMED: A1PXXJ1505484. STI-PC9-0592 INC'D		
A1PXXJ1418513	C COMPLETED	28OCT15 12:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	28OCT15 12:30	26OCT15 01:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	748.3	AFHR
19 MMI SERVICING DUE				MS2 due on Serial 164			
				RUDDER_TRIM TABS at WAC 1410			
01 NO FAULT	12 MMI SERVICING			Unserviceability Details:			
				Maintenance Comments:	MS2 C/O IAW AAP7212.007-2 NIL CRACKS EVIDENT REF AIP MCS		
					(Continued on next page.)		

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 164 LITERAL SERIAL NO : P-F164 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 555.40.09.006 ~S4080  
ENGINEERING NAME : RUDDER ASSY  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

(Continued from previous page.)  
452/15-7#3

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS2	1.0	ELPYR			28OCT15
SM	MS2	1.0	ELPYR			28OCT15
SM	MS2	300.0	AFHR	299.2		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1PXXJ1605555	C COMPLETED	10MAR16 12:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	10MAR16 12:39	10MAR16 12:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	897.5	AFHR
01 NO FAULT	99 NO FAILURE			S76 PC-9	due on Serial A23-033 at WAC 0000		
	04 CHECK/TEST SERV	Unserviceability Details:		CHECK/TEST SERV			
	Maintenance Comments:						
A1PXXJ1605672	C COMPLETED	13MAR16 23:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	13MAR16 23:13	13MAR16 23:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	897.5	AFHR
01 NO FAULT	99 NO FAILURE			RUDDER ASSY REMOVED FOR S76			
	04 CHECK/TEST SERV	Unserviceability Details:		CHECK/TEST SERV			
	Maintenance Comments:						
A1PXXJ1606668	C COMPLETED	15APR16 00:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
08 MOD/STI/DVI REQUIRED	15APR16 00:23	31MAR16 04:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	913.3	AFHR
01 NO FAULT	08 MOD/STI/DVI INCORP			STI-PC9-0615 RUDDER_TRIM TABS	due on Serial 164 at WAC 1410		
	Unserviceability Details:						



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 164 LITERAL SERIAL NO : P-F164 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 555.40.09.006 ~S4080  
ENGINEERING NAME : RUDDER ASSY  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

Maintenance Comments: SBI 128, RUDDER-PRE ASIMP UPDATE - INSPECTION CARRIED OUT IAW STI-PC9-0615, NIL CRACKING EVIDENT. REFER AIP MCS 090/16-20-05

A1PXXJ1516887	C COMPLETED	19JUL16 10:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	19JUL16 10:41	19JUL16 09:48	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	1046.3	AFHR
19	MMI SERVICING DUE		MS2	due on Serial 164			
				RUDDER_TRIM TABS	at WAC 1410		

01 NO FAULT 12 MMI SERVICING

Unserviceability Details:

Maintenance Comments: MS2 CARRIED OUT WITH NIL DEFECTS

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS2	1.0	ELPYR			27OCT16
SM	MS2	1.0	ELPYR			27OCT16
SM	MS2	300.0	AFHR	298.0		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1PXXJ1616774	C COMPLETED	10AUG16 02:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	10AUG16 02:25	10AUG16 02:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	1078.3	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		RUDDER ASSY R.F.A (FOR S76)			

01 NO FAULT 04 CHECK/TEST SERV

Unserviceability Details:

Maintenance Comments: CHECK/TEST SERV

A1PXXJ1615574	C COMPLETED	03APR17 22:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	11MAY17 03:47	03APR17 03:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	1242.8	AFHR
19	MMI SERVICING DUE		MS2	due on Serial 164			
				RUDDER_TRIM TABS	at WAC 1410		

01 NO FAULT 12 MMI SERVICING

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 164 LITERAL SERIAL NO : P-F164 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 555.40.09.006 ~S4080  
ENGINEERING NAME : RUDDER ASSY  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

Unserviceability Details:  
Maintenance Comments: MS 2 C/O NIL DEFECTS EVIDENT

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS2	1.0	ELPYR			19JUL17
SM	MS2	1.0	ELPYR			19JUL17
SM	MS2	300.0	AFHR	196.5		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJ1706933 C COMPLETED 03APR17 22:23 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 03APR17 22:25 03APR17 22:25 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 1242.8 AFHR  
 13 REMOVED FOR ACCESS 99 NO FAILURE R2 due on Serial A23-033  
 PC-9 at WAC 0000  
 01 NO FAULT 04 CHECK/TEST SERV

Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV

A1PXXJ1709457 C COMPLETED 26MAR18 07:12 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 26MAR18 07:13 21MAR18 03:40 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 1401.6 AFHR  
 19 MMI SERVICING DUE MS2 due on Serial 164  
 RUDDER\_TRIM TABS at WAC 1410  
 01 NO FAULT 12 MMI SERVICING

Unserviceability Details:  
Maintenance Comments: INSPECTIONS C/O SERV IAW AAP 7212-007-2 CHAP 27.

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS2	1.0	ELPYR			11MAY18
SM	MS2	1.0	ELPYR			11MAY18
SM	MS2	300.0	AFHR	158.8		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 164 LITERAL SERIAL NO : P-F164 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 555.40.09.006 ~S4080  
 ENGINEERING NAME : RUDDER ASSY  
 VENUE : A23DISP LOCATION : A23-033

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
---------------	---------------	----------	---------------	--------------	----------------	----------

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS		UNSERVICEABILITY DETAILS			
MAINT PROCESS	UNSERVICEABILITY	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

A1PXXJ1805108	C COMPLETED	26MAR19 22:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	26MAR19 22:36	26MAR19 22:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	1667.3	AFHR
19 MMI SERVICING DUE			MS2	due on Serial 164			
			RUDDER_TRIM TABS	at WAC 1410			
01 NO FAULT	12 MMI SERVICING						
	Unserviceability Details:						
	Maintenance Comments:		C/O SERV				

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS2	1.0	ELPYR			26MAR19
SM	MS2	1.0	ELPYR			26MAR19
SM	MS2	300.0	AFHR	265.7		

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS		UNSERVICEABILITY DETAILS			
MAINT PROCESS	UNSERVICEABILITY	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

A1PXXJ1914729	C COMPLETED	02OCT19 23:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	02OCT19 23:13	02OCT19 23:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	1826.9	AFHR
13 REMOVED FOR ACCESS	99 NO FAILURE		MS38	due on Serial 164			
			RUDDER MSPAR & RIBS	at WAC 1410			
01 NO FAULT	04 CHECK/TEST SERV						
				Copied to 164			

Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 164 LITERAL SERIAL NO : P-F164 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 555.40.09.006 ~S4080  
 ENGINEERING NAME : RUDDER ASSY  
 VENUE : A23DISP LOCATION : A23-033

STI STATUS CHANGE									
STI NUMBER	CURRENT(Y/N)	STATUS DATE/TIME		STATUS	JOB/SERV NO	START DATE/TIME		LIFE SINCE NEW	
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
STI-PC9-0465	Y	22SEP11	00:00	N/A					
STI-PC9-0465	N	20NOV12	06:49	NINC					
STI-PC9-0592	N	09APR15	05:03	NINC					
STI-PC9-0592	Y	25MAY15	05:21	INC	A1PXXJ1505484	18MAY15	11:27	0.0	
STI-PC9-0615	N	29MAR16	09:22	NINC					
STI-PC9-0615	Y	15APR16	00:19	INC	A1PXXJ1606668	15APR16	00:18	913.3	AFHR

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01051  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 164  
 PART NO : SBI-128A ~Z5514  
 ENGINEERING NAME : RUDDER MSPAR & RIBS  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 1873.2 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
20NOV12 06:49	Reception History Record	0.0 AFHR	0.0	Received as sub assembly of Ser No P-F164 Part No 555.40.09.006	~S4080 XXXXXXxx
20NOV12 06:50	Change Serial Number of an	0.0 AFHR	0.2	XX0A1PXXR1201772 P-F164 A1PXXX1212234	XXXXXXxx
21MAR13 03:02	Maintenance Comment Change Serial Number of an	0.0 AFHR	0.0 120.8	SERIALNO REIDENTIFIED TO MATCH PARENT AT RECEPTION P-F164 164-R1B1	
23SEP14 01:30	Change Serial Number of an	0.0 AFHR	550.9	A1PXXX1302870 164-R1B1 164	XXXXXXxx
07DEC16 06:31	Maintenance Comment Change Part Number of an A	403.8 AFHR	0.0 1478.2	A1PXXX1410407 SERIALNO CHANGED TO ALIGN WITH PARENT BUILD STRUCTURE SLL-C-4-4A SBI-128A	XXXXXXxx ~Z5514 ~Z5514
07DEC16 06:33	Maintenance Comment Position Change	1242.8 AFHR	0.0 2011.2	A1PXXX1612897 APPLIED MPAN 031/2016 A23T A2GAM10 30 A23T A2GAM10 71	XXXXXXxx
30MAR17 05:42	Maintenance Comment Change Serviceability Stat	1242.8 AFHR	0.0 125.0	APPLIED MPAN 031/2016 S/I US/I	
09MAY17 22:47	Change Serviceability Stat	1242.8 AFHR	40.7	A1PXXJ1625749 US/I S/I	XXXXXXxx
19SEP19 02:17	Change Serviceability Stat	1242.8 AFHR	0.8	S/I US/I	XXXXXXxx
02OCT19 23:19	Change Serviceability Stat	1826.9 AFHR	13.8	A1PXXJ1709259 US/I S/I	XXXXXXxx
		1826.9 AFHR			XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01052  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 164  
 PART NO : SBI-128A ~Z5514  
 ENGINEERING NAME : RUDDER MSPAR & RIBS  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

1PXXJ1625749 C COMPLETED 09MAY17 22:42 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 09MAY17 22:47 30MAR17 05:42 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 1242.8 AFHR  
 19 MMI SERVICING DUE MS38 due on Serial 164  
 RUDDER MSPAR & RIBS at WAC 1410  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS 38 C/O NIL FAULTS

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS38	7000.0	AFHR	1242.8		
SM	MS38	7000.0	AFHR	1242.8		

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

1PXXJ1709259 C COMPLETED 20SEP19 03:06 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 02OCT19 23:19 19SEP19 02:17 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 1826.9 AFHR  
 19 MMI SERVICING DUE MS38 due on Serial 164  
 RUDDER MSPAR & RIBS at WAC 1410  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS 38 SERV C/O IAW AAP 7212.007-2,NIL CRACK/DAMAGE EVIDENT REF  
 NDT REPORT # AIP/NDT/A23-033/119,REF AIP MCS 860/19 WC # 48 TO  
 51.

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS38	660.0	AFHR	584.1		
SM	MS38	660.0	AFHR	584.1		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01053  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 166  
 PART NO : 521.20.09.197 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : CONTROL UNIT ECS  
 VENUE : A23DISP LOCATION : A23-033  
 CURRENT CONDITION : S/I LIFE SINCE NEW : 8835.5 AFHR

ASSET TRANSACTIONS

TRANSACTION D/T		CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL)	TRANS REFERENCE	USER
01SEP03	02:07	Maintenance Comment	0.0 AFHR	2.7	29Aug03	A23-009 07.30 4523.9 AFHR	TX TO CAMM2 XXxxXXxx
01SEP03	02:21	Maintenance Comment	0.0 AFHR	2.7	26Mar91	NEW - 166 521.20.09.197	1833-00-00-F XXxxXXxx
26JUL05	01:52	Asset Removal		696.7	510	A23-009	A23T A1UEQ 00A
		Change Serviceability Stat	4748.0 AFHR	438.9	A23T	A1UEQ 00	XXxxXXxx
		Change Location of an Asse		xxxx	A23-009		
26JUL05	01:53	Change Serviceability Stat		0.0	OPMH		
		Change Serviceability Stat	4748.0 AFHR		U/S		XXxxXXxx
26JUL05	01:58	Asset Installation		0.0	A23T	A1UEQ	A23T A1UEQ 00AC
		Change Serviceability Stat	4748.0 AFHR	0.0	534	A23-034	XXxxXXxx
		Change Location of an Asse		0.0	SERV		
20MAY08	07:19	Asset Removal		1029.2	S/I	A23-034	A23T A1UEQ 00A
		Change Serviceability Stat	5391.7 AFHR	116.1	OPMH		XXxxXXxx
		Change Location of an Asse		1029.2	A23-034		
20MAY08	07:20	Change Serviceability Stat		0.0	U/S		
		Change Serviceability Stat	5391.7 AFHR		SERV		XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01054  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 166  
 PART NO : 521.20.09.197 ~S4080  
 ENGINEERING NAME : CONTROL UNIT ECS  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
21MAY08 03:06	Asset Installation	0.8	A23T A1UEQ 533 A23-033	00 A23T A1UEQ 00AC XXxxXXxx
	5391.7 AFHR Change Serviceability Stat	0.8	SERV S/I	
	Change Location of an Asse	0.8	OPMH A23-033	
07JUN17 06:20	Position Change	3304.1	A23T A1UEQ A23T A1UEQ	00 00 XXxxXXxx
	8205.1 AFHR Maintenance Comment	0.0	A1PXXX1709035 POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE	

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
1PXXJY513385	C COMPLETED	26JUL05 01:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13	REMOVED FOR ACCESS	99 NO FAILURE		ECS TEMP CONTROLLER REMOVED FOR ACCESS		4748.0	AFHR
01	NO FAULT	04 CHECK/TEST SERV		Unserviceability Details: Maintenance Comments: CHECK/TEST SERV			
1PXXJY808472	C COMPLETED	20MAY08 07:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13	REMOVED FOR ACCESS	99 NO FAILURE	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	5391.7	AFHR
01	NO FAULT	04 CHECK/TEST SERV		ECS CONTOL PANEL AND PRESURE REG RFA Unserviceability Details: Maintenance Comments: CHECK/TEST SERV			



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 01055  
08JAN20  
23:16:15

SERIAL/TAIL NO : 1663  
PART NO : 151-906-010 ~26055  
ENGINEERING NAME : TX FUEL FLOW  
VENUE : A23DISP  
CURRENT CONDITION : S/I  
LOCATION : A23-033  
LIFE SINCE NEW : 14447.4 ENHR  
PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
14APR05 01:13	1663	151-906-010	~26055 A23T	A1SAI20	00
aip01713	AIP	MMIST		A1PXXRY500585	
R. ROSAM		23NOV87			
	10977.5 ENHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01056  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 1663  
 PART NO : 151-906-010 ~26055  
 ENGINEERING NAME : TX FUEL FLOW  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
14APR05 01:13	Reception History Record		0.0	Reception MMIST	
		10977.5 ENHR		SERVJOBS	XXxxXXxx
14APR05 01:16	Maintenance Comment		0.0	21MAR05 TESTED AT ANZ NO FAULT FOUND	
		10977.5 ENHR		A1PXXXY505702	XXxxXXxx
27MAY05 03:03	Asset Installation		43.1	A23T ALSAI20 00	
		10977.5 ENHR		103171 A23-024	A23T ALSAI20 00AC
	Change Serviceability Stat		43.1	SERV S/I	XXxxXXxx
	Change Location of an Asse		43.1	MMIST A23-024	
15MAY08 08:45	Asset Removal		1084.2	103171	A23T ALSAI20 00M
		11434.6 ENHR		A23T ALSAI20 00	XXxxXXxx
	Change Serviceability Stat		3.1	S/I U/S	
	Change Location of an Asse		0.0	EXTERNAL INTMH	
15MAY08 08:45	Change Serviceability Stat		0.0	U/S SERV	
		11434.6 ENHR			XXxxXXxx
15MAY08 08:47	Asset Installation		0.0	A23T ALSAI20 00	
		11434.6 ENHR		103143 A23-024	A23T ALSAI20 00AC
	Change Serviceability Stat		0.0	SERV S/I	XXxxXXxx
	Change Location of an Asse		0.0	INTMH A23-024	
27APR15 01:55	Asset Removal		2537.7	103143	A23T ALSAI20 00M
		13257.0 ENHR		A23T ALSAI20 00	XXxxXXxx
	Change Serviceability Stat		12.8	S/I U/S	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 01057  
08JAN20  
23:16:15

SERIAL/TAIL NO : 1663  
PART NO : 151-906-010 ~26055  
ENGINEERING NAME : TX FUEL FLOW  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
27APR15 01:56	Change Serviceability Stat	0.0	U/S SERV	
30APR15 04:44	Asset Installation	3.1	A23T ALSAI20 103186 103186 00	XXxxXXxx
	Change Serviceability Stat	3.1	SERV S/I	A23T ALSAI20 00MMI XXxxXXxx

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
ALPXXJY808275	C COMPLETED	15MAY08 08:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS		15MAY08 08:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	11434.6	ENHR
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		CHECK/TEST SERV			
ARDUXJ1501034	C COMPLETED	27APR15 01:55	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU	ARDU	
13 REMOVED FOR ACCESS		27APR15 01:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU	13257.0	ENHR
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		CHECK/TEST SERV			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01058  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 167  
 PART NO : 557.52.09.010 ~S4080  
 ENGINEERING NAME : FLAP ASSY INNER RH  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 6795.1 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T		CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
01SEP03	04:03	Maintenance Comment	0.0 AFHR	2.8	29Aug03 A23-057 10.40 2623.5 AFHR	TX TO CAMM2 XXxxXXxx
01SEP03	04:11	Maintenance Comment	0.0 AFHR	2.8	16Nov95 NEW - 167 557.52.09.010	1377-00-00-B XXxxXXxx
05SEP03	03:36	Change Part Number of an A	2623.5 AFHR	6.7	557.52.09.010 ~\$\$\$\$ 557.52.09.010 ~S4080	AIPXXXY300599 XXxxXXxx
21SEP04	23:02	Asset Removal	2844.8 AFHR	389.6	XX02FTSXRY308027 A23-057 A23T A2KCW06 00	A23T A2KCW06 00A XXxxXXxx
		Change Serviceability Stat		1.9	S/I U/S	
		Change Location of an Asse		312.8	A23-057 EQUIP_STORE	
23SEP04	00:53	Change Venue of an Asset	2844.8 AFHR	313.9	AIE NONC2CONT	XXxxXXxx
		Change Location of an Asse		1.0	A1EXXXY407658 EQUIP_STORE	
23MAY05	05:43	Change Venue of an Asset	2844.8 AFHR	242.2	HOLD NONC2CONT	XXxxXXxx
		Change Location of an Asse		242.2	AIP NONC2XY502283	
29MAR06	07:05	Change Location of an Asse	2844.8 AFHR	310.0	HOLD POM	
		Change Serviceability Stat		558.2	HG121 A1PXXXY602337	XXxxXXxx
03APR06	06:12	Change Serviceability Stat	2844.8 AFHR		U/S SERV	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01059  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 167  
 PART NO : 557.52.09.010  
 ENGINEERING NAME : FLAP ASSY INNER RH  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
22JUN06 06:38	Asset Installation	638.3	A23T A2KCW06 XX02FTSXRY300179 A23-033	00 A23T A2KCW06 00AC XXXXXXXX
	2844.8 AFHR Change Serviceability Stat	80.0	SERV S/I	
	Change Location of an Asse	84.9	HG121 A23-033	
27MAR07 23:18	Asset Removal	278.6	XX02FTSXRY300179 A23-033 A23T A2KCW06	00 A23T A2KCW06 00A XXXXXXXX
	3142.1 AFHR Change Serviceability Stat	5.9	S/I U/S	
	Change Location of an Asse	278.6	A23-033 INTMH	
27MAR07 23:18	Change Serviceability Stat	0.0	U/S SERV	XXXXXXXX
28MAR07 23:17	Asset Installation	0.9	A23T A2KCW06 XX02FTSXRY300179 A23-033	00 A23T A2KCW06 00AC XXXXXXXX
	3142.1 AFHR Change Serviceability Stat	0.9	SERV S/I	
	Change Location of an Asse	0.9	INTMH A23-033	
24SEP07 01:02	Asset Removal	179.0	XX02FTSXRY300179 A23-033 A23T A2KCW06	00 A23T A2KCW06 00A XXXXXXXX
	3351.3 AFHR Change Serviceability Stat	13.4	S/I U/S	
	Change Location of an Asse	179.0	A23-033 HG121	
24SEP07 01:03	Change Serviceability Stat	0.0	U/S SERV	XXXXXXXX
	3351.3 AFHR			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01060  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 167  
 PART NO : 557.52.09.010  
 ENGINEERING NAME : FLAP ASSY INNER RH  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
06MAY08 03:09	Asset Installation	225.0	A23T A2KCW06 XX02FTSXRY300179 A23-033	00 A23T A2KCW06 00AC XXXXXXXX
	3351.3 AFHR Change Serviceability Stat	225.0	SERV	
	Change Location of an Asse	225.0	S/I HG121 A23-033	
08DEC09 06:19	Asset Removal	581.1	XX02FTSXRY300179 A23-033 A23T A2KCW06	00 A23T A2KCW06 00A XXXXXXXX
	4036.6 AFHR Change Serviceability Stat	1.0	S/I	
	Change Location of an Asse	581.1	U/S A23-033	
08DEC09 06:19	Change Serviceability Stat	0.0	INTMH U/S SERV	XXXXXXXX
10DEC09 06:13	Asset Installation	1.9	A23T A2KCW06 XX02FTSXRY300179 A23-033	00 A23T A2KCW06 00AC XXXXXXXX
	4036.6 AFHR Change Serviceability Stat	1.9	SERV	
	Change Location of an Asse	1.9	S/I INTMH A23-033	
04APR16 04:47	Asset Removal	2306.9	XX02FTSXRY300179 A23-033 A23T A2KCW06	00 A23T A2KCW06 00A XXXXXXXX
	5835.2 AFHR Change Serviceability Stat	11.8	S/I	
	Change Location of an Asse	325.9	U/S A23-033	
04APR16 04:48	Change Serviceability Stat	0.0	INTMH U/S SERV	XXXXXXXX
	5835.2 AFHR			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01061  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 167  
 PART NO : 557.52.09.010 ~S4080  
 ENGINEERING NAME : FLAP ASSY INNER RH  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
21APR16 22:48	Asset Installation	17.7	A23T A2KCW06 XX02FTSXRY300179 A23-033	A23T A2KCW06 00AC
	5835.2 AFHR Change Serviceability Stat	17.7	SERV	XXxxXXxx
	Change Location of an Asse	17.7	S/I INTMH A23-033	
04APR17 05:13	Asset Removal	347.2	A23T A2KCW06 XX02FTSXRY300179 A23-033	A23T A2KCW06 00A
	6164.7 AFHR Change Serviceability Stat	130.0	A23T A2KCW06 S/I	XXxxXXxx
	Change Location of an Asse	347.2	U/S A23-033	
04APR17 05:14	Change Serviceability Stat	0.0	INTMH U/S SERV	
	6164.7 AFHR			XXxxXXxx
10MAY17 02:49	Asset Installation	35.9	A23T A2KCW06 XX02FTSXRY300179 A23-033	A23T A2KCW06 00AC
	6164.7 AFHR Change Serviceability Stat	35.8	SERV	XXxxXXxx
	Change Location of an Asse	35.9	S/I INTMH A23-033	

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS		UNSERVICEABILITY DETAILS			
MAINT PROCESS	UNSERVICEABILITY	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			
FAULT FOUND	MAINTENANCE ACTION TAKEN						

A1EXXJY407061 C COMPLETED 21SEP04 23:02 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIP  
 03APR06 06:12 2844.8 AFHR  
 01 UNSERVICEABLE 09 R2 SERVICING R1 due on Serial A23-057  
 16 WORN/FRAYED PC-9 at WAC 0000  
 08 DAMAGE 02 REPAIR  
 Unserviceability Details: WORKING RIVETS ALONG TORQUE TUBE  
 Maintenance Comments: SKIN PANEL REPLACED AT JANDAKOT. REF. LSN 325/05

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 01062  
08JAN20  
23:16:15

SERIAL/TAIL NO : 167  
PART NO : 557.52.09.010 ~S4080  
ENGINEERING NAME : FLAP ASSY INNER RH  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJY706181	C COMPLETED	27MAR07 23:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
13 REMOVED FOR ACCESS	99 NO FAILURE	27MAR07 23:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		3142.1	AFHR

01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV

A1PXXJY718024	C COMPLETED	24SEP07 01:03	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
13 REMOVED FOR ACCESS	99 NO FAILURE	24SEP07 01:03	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		3351.3	AFHR

01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV  
S33 due on Serial A23-033  
PC-9 at WAC 0000

A1PXXJY926052	C COMPLETED	08DEC09 06:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
13 REMOVED FOR ACCESS	99 NO FAILURE	08DEC09 06:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		4036.6	AFHR

01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV  
LH AND RH INBOARD FLAPS AND AIRBRAKE RFA

A1PXXJ1607575	C COMPLETED	04APR16 04:48	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
13 REMOVED FOR ACCESS	99 NO FAILURE	04APR16 04:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		5835.2	AFHR

01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV  
LH AND RH INNER FLAP ASSEMBLY RFA

A1PXXJ1707006	C COMPLETED	04APR17 05:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
13 REMOVED FOR ACCESS	99 NO FAILURE	04APR17 05:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		6164.7	AFHR

01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV  
LH AND RH INBOARD FLAPS RFA FOR NDT ACCESS.

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01063  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 177  
 PART NO : 972.81.31.563-M ~Z5023  
 ENGINEERING NAME : FACEPLATE  
 VENUE : A23DISP LOCATION : A23-033  
 CURRENT CONDITION : S/I LIFE SINCE NEW : 8967.0 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T CHANGE TYPE			SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER	
LIFE SINCE NEW								
01SEP03	21:42	Maintenance Comment	3.5	29Aug03	116	07.40 4192.2 AFHR	TX TO CAMM2	
		0.0 AFHR					XXXXXXXXXX	
01SEP03	21:47	Maintenance Comment	3.5	05Dec90	NEW - 177	*2.81.31.563-3M	2277-01-00-G	
		0.0 AFHR					XXXXXXXXXX	
10APR07	02:16	Change Part Number of an A	1319.7	972.81.31.563-3M		~F0214		
		5314.0 AFHR		972.81.31.563-M		~Z5023		
				A1PXXXY703096			XXXXXXXXXX	
07JUN17	06:09	Position Change	5030.9	A23T	A1UII00	00		
		8336.6 AFHR		A23T	A1UII00	00		
				A1PXXX1709008			XXXXXXXXXX	
		Maintenance Comment	0.0	POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE				

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 1E976 LITERAL SERIAL NO : 1E976 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 3036793 ~00198  
 ENGINEERING NAME : IMPELLER CENTRIFUGA  
 VENUE : A23DISP LOCATION : A23-033  
 CURRENT CONDITION : S/I LIFE SINCE NEW : 7138.9 ENHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
22SEP03 01:38	1E976	3036793	~00198	A23T	01
aie1111	AIE	MCS		A1SAK42	
R. COTTELL		05JUN91		A1EXXRY300042	
	3376.3 ENHR	124.0 LDG			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01065  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 1E976 LITERAL SERIAL NO : 1E976 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 3036793 ~00198  
 ENGINEERING NAME : IMPELLER CENTRIFUGA  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW						
22SEP03 01:38	Reception History Record	0.0	Reception			
	3376.3 ENHR		MCS	SERVJOBS		XXxxXXxx
22SEP03 01:41	Asset Installation	0.0	A23T	ALSAK42	01	
	3376.3 ENHR		103186	A23-015		A23T ALSAK42 1 A
	Change Serviceability Stat	0.0	SERV			XXxxXXxx
	Change Location of an Asse	0.0	S/I			
			MCS			
			A23-015			
20OCT03 00:56	Maintenance Comment	0.0	CURRENT CYCLES AT R2-	4474.		
	3406.7 ENHR		A1EXXXY300846			XXxxXXxx
20OCT03 01:41	Maintenance Comment	0.0	LIF LDG	CHANGED - OLD VALUE=	211.0	NEW VALUE= 0.0
	3406.7 ENHR					XXxxXXxx
20OCT03 02:40	Maintenance Comment	0.0	IAW AAP 7212.007-7 PT2.			
	3406.7 ENHR		A1EXXXY300856			XXxxXXxx
15JUN04 07:26	Maintenance Comment	0.0	O/H AT P&WC A/ASIA	30MAR04		
	3406.7 ENHR		A1PXXXY414190			XXxxXXxx
02NOV04 00:25	Maintenance Comment	0.0	LIF LDG	CHANGED - OLD VALUE=	207.0	NEW VALUE= 0.0
	3515.6 ENHR					XXxxXXxx
02NOV04 00:32	Maintenance Comment	0.0	02NOV04 CURRENT CYCLE COUNT	4604		
	3515.6 ENHR		A1PXXXY427209			XXxxXXxx
02SEP05 02:02	Maintenance Comment	0.0	LIF LDG	CHANGED - OLD VALUE=	778.0	NEW VALUE= 0.0
	3814.8 ENHR					XXxxXXxx
02SEP05 02:07	Maintenance Comment	0.0	CURRENT CYCLE COUNT IS	5034		
	3814.8 ENHR		A1PXXXY513651			XXxxXXxx
16OCT06 02:33	Maintenance Comment	0.0	CURRENT CYCLE COUNT IS	5433		
	4114.5 ENHR		A1PXXXY608407			XXxxXXxx
16OCT06 02:38	Maintenance Comment	0.0	LIF LDG	CHANGED - OLD VALUE=	688.0	NEW VALUE= 0.0
	4114.5 ENHR					XXxxXXxx
08JUN07 02:06	Maintenance Comment	0.0	CURRENT CYCLE COUNT IS	5834		
	4413.3 ENHR		A1PXXXY704938			XXxxXXxx
08JUN07 02:10	Maintenance Comment	0.0	LIF LDG	CHANGED - OLD VALUE=	695.0	NEW VALUE= 0.0
	4413.3 ENHR					XXxxXXxx
02APR08 07:29	Maintenance Comment	0.0	02APR08 CURRENT CYCLE COUNT	6237		
	4711.7 ENHR		A1PXXXY802590			XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 1E976 LITERAL SERIAL NO : 1E976 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 3036793 ~00198  
 ENGINEERING NAME : IMPELLER CENTRIFUGA  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS) FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
02APR08 08:02	Maintenance Comment	4711.7 ENHR	0.0	LIF LDG	CHANGED - OLD VALUE= 697.0 NEW VALUE= 0.0	XXXXXXxx
28NOV08 02:29	Maintenance Comment	5010.4 ENHR	0.0	CURRENT CYCLE COUNT 6570		XXXXXXxx
28NOV08 02:36	Maintenance Comment	5010.4 ENHR	0.0	LIF LDG	CHANGED - OLD VALUE= 507.0 NEW VALUE= 0.0	XXXXXXxx
29JAN09 06:57	Maintenance Comment	5017.4 ENHR	0.0	LIF LDG	CHANGED - OLD VALUE= 19.0 NEW VALUE= 0.0	XXXXXXxx
29JAN09 06:57	Maintenance Comment	5017.4 ENHR	0.0	LIF LDG	CHANGED - OLD VALUE= 19.0 NEW VALUE= 0.0	XXXXXXxx
05FEB09 12:01	Maintenance Comment	5032.2 ENHR	0.0	29JAN09 CYCLE COUNT = 6583		XXXXXXxx
11JUL09 03:09	Maintenance Comment	5076.2 ENHR	0.0	LIF PTELCF	CHANGED - OLD VALUE= 6583.0 NEW VALUE= 6668.0	XXXXXXxx
11JUL09 03:09	Maintenance Comment	5076.2 ENHR	0.0	LIF LDG	CHANGED - OLD VALUE= 153.0 NEW VALUE= 0.0	XXXXXXxx
11JUL09 03:42	Maintenance Comment	5076.2 ENHR	0.0	TASPO/2004/1054867/1(24) ENGINE CYCLES UPDATED TO 6583		XXXXXXxx
02AUG09 22:19	Maintenance Comment	5076.2 ENHR	0.0	LAST LINE CORRECTION - CYCLES UPDATED FROM 6583 TO 6668		XXXXXXxx
19APR17 22:03	Position Change	6192.6 ENHR	4958.8	A23T	A1SAK42 01	XXXXXXxx
	Maintenance Comment		0.0	A23T	A1SAK42 01	XXXXXXxx
				A1PXXX1706213		XXXXXXxx
				POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE		

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 1E976 LITERAL SERIAL NO : 1E976 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 3036793 ~00198  
ENGINEERING NAME : IMPELLER CENTRIFUGA  
VENUE : A23DISP LOCATION : A23-033

MAINTENANCE POLICY HISTORY

POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	USER ID
=====	CHANGE DETAILS	=====	=====
15JUN04 07:25	SM DLD Changed From: 05JUN1991	OH To:	XXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 20084791 LITERAL SERIAL NO : 20084791 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 3076016-08 ~00198  
ENGINEERING NAME : ELECTRONIC LIMITER UNIT  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 1130.9 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
20JUL16 23:03	20084791	3076016-08	~00198	A1SAG	20
aip02188	AIP	STORES	A23T	A1PXXR1601256	
R. ORLOWSKI		17NOV15			
	0.0 AFHR	0.0 ENHR			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01069  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 20084791 LITERAL SERIAL NO : 20084791 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 3076016-08 ~00198  
 ENGINEERING NAME : ELECTRONIC LIMITER UNIT  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW						
20JUL16 23:03	Reception History Record	0.0	Reception			
	0.0 AFHR		STORES	HOLD		XXxxXXxx
20JUL16 23:05	Maintenance Comment	0.0	P&WC FORM ONE NO	82578982-000001	2529193	DATE 31OCT15
	0.0 AFHR		A1PXXX1606737			XXxxXXxx
20JUL16 23:06	Maintenance Comment	0.0	IDS PTY LTD COFC NO	COC3491	DATE 22FEB2016	
	0.0 AFHR		A1PXXX1606738			XXxxXXxx
30NOV16 07:24	Asset Installation	379.3	A23T	A1SAG	20	
	0.0 AFHR		103186	A23-024		A23T A1SAG 20AC
	Change Serviceability Stat	133.3	SERV			XXxxXXxx
	Change Location of an Asse	133.3	S/I			
			STORES	HOLD		
14AUG17 23:22	Asset Removal	257.6	A23-024			
	329.8 AFHR		103186	A23-024	20	A23T A1SAG 20A
	Change Serviceability Stat	10.8	A23T	A1SAG		XXxxXXxx
	Change Location of an Asse	257.6	S/I			
			U/S			
			A23-024			
14AUG17 23:23	Change Serviceability Stat	0.0	HG122			
	329.8 AFHR		U/S			
	Change Serviceability Stat	16.9	SERV			XXxxXXxx
31AUG17 22:53	Asset Installation	16.9	A23T	A1SAG	20	
	329.8 AFHR		103186	A23-024		A23T A1SAG 20AC
	Change Serviceability Stat	16.9	SERV			XXxxXXxx
	Change Location of an Asse	16.9	S/I			
			HG122			
			A23-024			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01070  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 20084791 LITERAL SERIAL NO : 20084791 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 3076016-08 ~00198  
 ENGINEERING NAME : ELECTRONIC LIMITER UNIT  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
14AUG18 00:25	Asset Removal	347.0	103186 A23T A1SAG A23-024	A23T A1SAG 20A
	659.3 AFHR Change Serviceability Stat	10.9	S/I U/S	XXXXXXxx
	Change Location of an Asse	347.0	A23-024 OPMH	
14AUG18 00:26	Change Serviceability Stat	0.0	U/S SERV	
	659.3 AFHR			XXXXXXxx
16AUG18 03:34	Asset Installation	2.1	A23T A1SAG A23-033	A23T A1SAG 20AC
	659.3 AFHR Change Serviceability Stat	2.1	SERV S/I	XXXXXXxx
	Change Location of an Asse	2.1	OPMH A23-033	
16JUN19 23:49	Asset Removal	304.8	103186 A23T A1SAG A23-033	A23T A1SAG 20A
	986.3 AFHR Change Serviceability Stat	41.3	S/I U/S	XXXXXXxx
	Change Location of an Asse	304.8	A23-033 HG122	
16JUN19 23:50	Change Serviceability Stat	0.0	U/S SERV	
	986.3 AFHR			XXXXXXxx
25JUN19 23:15	Asset Installation	8.9	A23T A1SAG A23-033	A23T A1SAG 20AC
	986.3 AFHR Change Serviceability Stat	8.9	SERV S/I	XXXXXXxx
	Change Location of an Asse	8.9	HG122 A23-033	



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 20084791 LITERAL SERIAL NO : 20084791 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 3076016-08 ~00198  
ENGINEERING NAME : ELECTRONIC LIMITER UNIT  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJ1715904	C COMPLETED	14AUG17 23:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
		14AUG17 23:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	329.8	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		ELU RFA			

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

A1PXXJ1813235	C COMPLETED	14AUG18 00:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
		14AUG18 00:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	659.3	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		ENGINE S/NO 103186 TO BE REMOVED FOR CANNABILISATION TO SERVICE A23-033			

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

A1PXXJ1909886	C COMPLETED	16JUN19 23:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
		16JUN19 23:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	986.3	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		ELU RFA			

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 201  
 PART NO : 987.91.15.110 ~S4080  
 ENGINEERING NAME : SIG COND FUEL FLOW  
 VENUE : A23DISP LOCATION : A23-033  
 CURRENT CONDITION : S/I LIFE SINCE NEW : 2758.5 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
28NOV05 23:43	201	987.91.15.110	~S4080	A23T	00
aip01711	AIP	MMIST		ALUEG	
L. WOODS		02NOV05		A1PXXRY501886	

0.0 AFHR

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01073  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 201  
 PART NO : 987.91.15.110 ~S4080  
 ENGINEERING NAME : SIG COND FUEL FLOW  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
28NOV05 23:43	Reception History Record	0.0	0.0	Reception MMIST HOLD	
15DEC09 05:27	Asset Installation	0.0 AFHR	1504.2	A23T A1UEG 533 A23-033 00	XXXXXXxx
	Change Serviceability Stat	0.0 AFHR	1478.2	SERV S/I MMIST A23-033	XXXXXXxx
	Change Location of an Asse		1478.2		
07JUN17 07:16	Position Change		2731.0	A23T A1UEG A23T A1UEG 00	
	Maintenance Comment	2128.1 AFHR	0.0	A1PXXX1709083 POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE	XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01074  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 2134697F  
 PART NO : 8210-135 REV.G  
 ENGINEERING NAME : CONSTANT SPEED UNIT  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

~66503

PERIOD: 01JAN90 TO 08JAN20

LOCATION : A23-033  
 LIFE SINCE NEW : 6973.8 ENHR

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
02SEP03	17:16	Maintenance	Comment	0.0	4.3	ELU LIGHT IN FLIGHT		CAMM LOG00006	XXxxXXxx
02SEP03	17:16	Maintenance	Comment	0.0	4.3	26Mar03 103161	01.20	3172.5 588.9 ENHR	IN AS A23T 0012-13-02-G
02SEP03	17:16	Maintenance	Comment	0.0	4.3	08Jul03 JOB CHANGE		RR: 13-REMACCES	XXxxXXxx
02SEP03	17:16	Maintenance	Comment	0.0	4.3	23Jul03 103134	01.20	3263.4 679.8 ENHR	IN AS A23T 0012-13-02-G
02SEP03	17:16	Maintenance	Comment	0.0	4.3	18Jun02 103153	01.20	3172.5 588.9 ENHR	01-FAILED LE24122
02SEP03	17:16	Maintenance	Comment	0.0	4.3	DEFECT: DT0058/02		CAMM LOG00003	XXxxXXxx
02SEP03	17:17	Maintenance	Comment	0.0	4.3	26Nov01 103153	01.20	3168.2 584.6 ENHR	IN AS A23T 0012-13-02-G
02SEP03	17:18	Maintenance	Comment	0.0	4.3	5133 2150 DAYS		CAMM LOG00013	XXxxXXxx
02SEP03	17:18	Maintenance	Comment	0.0	4.3	04Jul03 103161	01.20	3263.4 679.8 ENHR	05-FUNC CHK LG31096
02SEP03	17:18	Maintenance	Comment	0.0	4.3	29Oct02 PEAXQNF		FF: 02-MECHFAIL	MA: 02-REPAIR
02SEP03	17:22	Maintenance	Comment	0.0	4.3	4861 1878 DAYS		CAMM LOG00011	XXxxXXxx
02SEP03	17:22	Maintenance	Comment	0.0	4.3	5289 2306 DAYS		CAMM LOG00023	XXxxXXxx
02SEP03	17:23	Maintenance	Comment	0.0	4.3	DEFECT: CSU REPLACED		ASOR: 2FTS 72/02	XXxxXXxx
02SEP03	17:23	Maintenance	Comment	0.0	4.3	5142 2159 DAYS		CAMM LOG00015	XXxxXXxx
02SEP03	17:24	Maintenance	Comment	0.0	4.3	18Jun02 DISPATCHED TO PEAXCON		CAMM LOG00008	XXxxXXxx
02SEP03	17:24	Maintenance	Comment	0.0	4.3	25Jul02 DISPATCHED TO PEAXQNF		CAMM LOG00009	XXxxXXxx
02SEP03	17:24	Maintenance	Comment	0.0	4.3	5242 2259 DAYS		CAMM LOG00017	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01075  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 2134697F PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 8210-135 REV.G ~66503  
 ENGINEERING NAME : CONSTANT SPEED UNIT  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
					TRANS REFERENCE		
LIFE SINCE NEW							
02SEP03	17:24	Maintenance Comment	0.0 ENHR	4.3	20Aug03 103134	01.20 3300.8 717.2 ENHR	UPDATED LIFE (MIUP)
					CAMM LOG00022		XXXXXXxx
02SEP03	17:24	Maintenance Comment	0.0 ENHR	4.3	26Apr97	ELPYR LST OH 24APR05 ELPYR	NXT OH
					CAMM LOG00026		XXXXXXxx
02SEP03	17:26	Maintenance Comment	0.0 ENHR	4.3	22Feb89 NEW - 2134697F	8210-135F 0012-13-02-G	
					CAMM LOG00024		XXXXXXxx
02SEP03	17:27	Maintenance Comment	0.0 ENHR	4.3	4657 1674 DAYS		XXXXXXxx
					CAMM LOG00002		XXXXXXxx
02SEP03	17:27	Maintenance Comment	0.0 ENHR	4.3	17Mar03 2FTMMIST 00.	3172.5 588.9 ENHR	UPDATED LIFE (JOBX)
					CAMM LOG00012		XXXXXXxx
02SEP03	17:28	Maintenance Comment	0.0 ENHR	4.3	29Aug03 103134	01.20 3300.8 ENHR	TX TO CAMM2
					CAMM LOG00027		XXXXXXxx
02SEP03	17:29	Maintenance Comment	0.0 ENHR	4.3	2FTREP WFD: 01-IN FLIGHT	US: 06-OUT TOL	
					CAMM LOG00005		XXXXXXxx
02SEP03	17:29	Maintenance Comment	0.0 ENHR	4.3	26Apr97 2583.6 ENHR	LST OH 5583.6 ENHR	NXT OH
					CAMM LOG00025		XXXXXXxx
02SEP03	17:33	Maintenance Comment	0.0 ENHR	4.3	08Jul03 2FTOPMH	FF: 01-NIL	MA: 04-CHK/TST
					CAMM LOG00019		XXXXXXxx
02SEP03	17:33	Maintenance Comment	0.0 ENHR	4.3	5261 2278 DAYS		
					CAMM LOG00021		XXXXXXxx
29NOV04	00:46	Asset Removal		457.6	L117861	A23-039	A23T A1SAM22AC 00A
					A23T A1SAM22AC		XXXXXXxx
		Change Serviceability Stat	3681.4 ENHR	59.7	S/I		
		Change Location of an Asse		19.7	U/S		
					A23-039		
30NOV04	02:12	Change Venue of an Asset		20.8	EQUIP_STORE		
					AIE		
					NONC2CONT		
		Change Location of an Asse	3681.4 ENHR	1.0	A1EXXXY409427		XXXXXXxx
					EQUIP_STORE		
25JAN05	04:36	Change Serviceability Stat		57.1	HOLD		
					U/S		
					SERV		
		Change Serviceability Stat	3681.4 ENHR				XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01076  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 2134697F  
 PART NO : 8210-135 REV.G ~66503 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : CONSTANT SPEED UNIT  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
09FEB05 04:25	Change Venue of an Asset	71.0	NONC2CONT AIE NONC2XY500395	XXxxXXxx
	3681.4 ENHR Change Location of an Asse	71.0	HOLD MCS	
09FEB05 04:39	Maintenance Comment	0.0	S/B 33531C MPI CARRIED OUT SATISFACTORILY. A1EXXXY500800	XXxxXXxx
09FEB05 04:39	Change Location of an Asse	0.0	MCS EQUIP_STORE A1EXXXY500801	XXxxXXxx
24FEB05 03:04	Change Location of an Asse	14.9	EQUIP_STORE A23-067 A1EXXXY501129	XXxxXXxx
24FEB05 03:12	Asset Installation	87.1	A23T A1SAM22AC 103192 A23-067 00	A23T A1SAM22AC 00AC XXxxXXxx
	3681.4 ENHR Change Serviceability Stat	29.9	SERV S/I US/I	
05JUN08 23:38	Change Serviceability Stat	115.7		XXxxXXxx
	4491.3 ENHR Change Serviceability Stat	0.0	US/I S/I	
05JUN08 23:41	Change Serviceability Stat	0.0		XXxxXXxx
	4491.3 ENHR Change Serviceability Stat	0.0	S/I US/I	
23JAN13 05:15	Change Serviceability Stat	0.0		XXxxXXxx
	5658.6 ENHR Asset Removal	2890.8	A1EXXJY500963 103192 A23-066	XXxxXXxx A23T A1SAM22AC 00A
23JAN13 22:36	Asset Removal	2890.8	A23T A1SAM22AC 00	XXxxXXxx
	5658.6 ENHR Change Serviceability Stat	0.7	US/I U/S	
	Change Location of an Asse	1387.7	A23-066 EQUIP_STORE	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01077  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 2134697F  
 PART NO : 8210-135 REV.G ~66503  
 ENGINEERING NAME : CONSTANT SPEED UNIT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
06FEB13 22:21	Change Venue of an Asset	1633.7	AIE NONC2CONT	
	5658.6 ENHR Change Location of an Asse	13.9	A1EXXX1300208 EQUIP_STORE HOLD	XXxxXXxx
02JUL13 08:00	Change Venue of an Asset	145.4	NONC2CONT AIE	
	5658.6 ENHR Change Location of an Asse	145.4	NONC2X1307034 HOLD	XXxxXXxx
02JUL13 09:45	Change Serviceability Stat	159.4	EQUIP_STORE U/S SERV	
	5658.6 ENHR Change Part Number of an A	3614.6	8210-135F 8210-135 REV.G	XXxxXXxx
	5658.6 ENHR Position Change	203.9	A1EXXX1302211 A23T A1SAM22AC 00 A23T A1SAM22AC 00	XXxxXXxx
17SEP13 01:34	Asset Installation	236.1	A1EXXX1303205 A23T A1SAM22AC 00 103186 103186	XXxxXXxx
	5658.6 ENHR Change Serviceability Stat	76.6	A23T A1SAM22AC 00MMI SERV S/I	XXxxXXxx
	Change Location of an Asse	76.7	EQUIP_STORE ENGINE	

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
2FTSXJCA10996	C COMPLETED	26APR97 00:00	XXxxXXxx		2FTS		0.0
03 OVERHAUL DUE	26APR97 00:00						

Unserviceability Details:  
 Maintenance Comments:

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 01078  
08JAN20  
23:16:15

SERIAL/TAIL NO : 2134697F PERIOD: 01JAN90 TO 08JAN20  
PART NO : 8210-135 REV.G ~66503  
ENGINEERING NAME : CONSTANT SPEED UNIT  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1EXXJY409144 C COMPLETED 29NOV04 00:46 XXxxXXxx XXxxXXxxXXxxXXxx AIE AIE 3681.4 ENHR  
25JAN05 04:36  
01 UNSERVICEABLE 01 IN FLIGHT ESDP PROP CAUTION ILLUMINATES DURING AEROS  
06 OUT OF LIMITS  
06 MOISTURE 07 OVERHAUL  
Unserviceability Details: ESDP PROP CAUTION ILLUMINATES DURING AEROS, SLOW TO RECOVER  
Maintenance Comments: OVERHAUL AT PWA IAW WOODWARD PUB. WG60023.

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	8.0	ELPYR			24APR05

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

NONC2JY802298 C COMPLETED 05JUN08 23:38 XXxxXXxx XXxxXXxxXXxxXXxx NONC2CONT AIE  
05JUN08 23:41 14AUG08 23:39 XXxxXXxx XXxxXXxxXXxxXXxx NONC2CONT 4491.3 ENHR  
16 PRE-INSTALLATION MAINT TO BE VISUALLY INSPECTED BY CONTRACTOR  
01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: ASSET SERV, VISUALLY INSPECTED AT P & WC IAW OHM 3034543 R28

A1EXXJY500963 C COMPLETED 23JAN13 22:36 XXxxXXxx XXxxXXxxXXxxXXxx AIE NONC2CONT  
02JUL13 09:45 23JAN13 05:15 XXxxXXxx XXxxXXxxXXxxXXxx AIE 5658.6 ENHR  
03 OVERHAUL DUE OH due on Serial 2134697F  
CONSTANT SPEED UNIT at WAC 0120

01 NO FAULT 07 OVERHAUL  
Unserviceability Details:  
Maintenance Comments: OVERHAULED & REIDENTIFIED IAW AAP 7198.020-3M & SILWG 64159



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 01079  
08JAN20  
23:16:15

SERIAL/TAIL NO : 2134697F  
PART NO : 8210-135 REV.G ~66503  
ENGINEERING NAME : CONSTANT SPEED UNIT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
=====	=====	=====	=====	=====	=====	=====
SM	OH	8.0	ELPYR			23JAN13
SM	OH	3000.0	ENHR	1977.2		
SM	OH	8.0	ELPYR			23JAN13

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 01080  
08JAN20  
23:16:15

SERIAL/TAIL NO : 2134697F  
PART NO : 8210-135 REV.G ~66503  
ENGINEERING NAME : CONSTANT SPEED UNIT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MODIFICATION ORDERS INCORPORATION STATUS CHANGE -----							
MOD NUMBER	CURRENT (Y/N)	STATUS	DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
=====	=====	=====	=====	=====	=====	=====	=====
7198.020-106	N	04OCT05	02:00	NINC			
7198.020-106	Y	29JUL15	00:00	N/A			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01081  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 2217  
 PART NO : 071-1282-39 ~22373  
 ENGINEERING NAME : CONTROL KFS 598A  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 7488.9 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
			LIFE SINCE NEW					
30AUG03	00:32	Maintenance Comment	0.0 AFHR	0.6	18Apr90 NEW - 2217	071-1282-39	2451-00-00-H	
					CAMM LOG00008		XXXXXXxx	
30AUG03	00:33	Maintenance Comment	0.0 AFHR	0.6	01Apr03 A23-027	07.40 3655.2	0.0 AFHR 01-FAILED	RC31927
					CAMM LOG00004		XXXXXXxx	
30AUG03	00:33	Maintenance Comment	0.0 AFHR	0.6	29Aug03 RC31927	00. 3655.2 AFHR	TX TO CAMM2	
					CAMM LOG00009		XXXXXXxx	
30AUG03	00:35	Maintenance Comment	0.0 AFHR	0.6	02Nov91 A23-027	05.3 298.7	0.0 AFHR MPMI CHANGE	
					CAMM LOG00002		XXXXXXxx	
30AUG03	00:35	Maintenance Comment	0.0 AFHR	0.6	AIEMMI WFD: 01-IN FLIGHT		US: 03-ELECFAIL	
					CAMM LOG00005		XXXXXXxx	
30AUG03	00:39	Maintenance Comment	0.0 AFHR	0.6	18May90 A23-027	05.3 0.0	0.0 AFHR ^^^^^^RECEPTION	
					CAMM LOG00001		XXXXXXxx	
30AUG03	00:39	Maintenance Comment	0.0 AFHR	0.6	NIL BACKLIGHTING			
					CAMM LOG00006		XXXXXXxx	
30AUG03	00:49	Maintenance Comment	0.0 AFHR	0.6	30Apr98 A23-027	07.4 2102.0	0.0 AFHR UPDATED LIFE (MPMI)	
					CAMM LOG00003		XXXXXXxx	
30AUG03	00:49	Maintenance Comment	0.0 AFHR	0.6	01Apr03 DISPATCHED TO ESLXANZ			
					CAMM LOG00007		XXXXXXxx	
22APR05	04:24	Change Venue of an Asset	3655.2 AFHR	594.9	AIP			
		Change Location of an Asse	3655.2 AFHR	594.9	NONC2CONT			
					A1PXXXY506305		XXXXXXxx	
					EXTERNAL			
					HOLD			
05SEP05	08:00	Change Serviceability Stat	3655.2 AFHR	5619.3	U/S			
					SERV		XXXXXXxx	
01MAY06	00:00	Change Venue of an Asset	3655.2 AFHR	373.8	NONC2CONT			
		Change Location of an Asse	3655.2 AFHR	373.8	AIP			
					NONC2XY603902		XXXXXXxx	
					HOLD			
					MMIST			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01082  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 2217  
 PART NO : 071-1282-39 ~22373 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : CONTROL KFS 598A  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
21JUN06 09:38	Asset Installation	1027.0	A23T A1UDA 541 A23-041	00 A23T A1UDA 00AC
	3655.2 AFHR Change Serviceability Stat	289.0	SERV S/I	XXXXXX
	Change Location of an Asse	51.4	MMIST A23-041	
18APR17 22:30	Position Change	3954.5	A23T A1UDA A23T A1UDA	00 00
	7008.7 AFHR Maintenance Comment	0.0	A1PXXX1705903	XXXXXX
25APR17 22:49	Asset Removal	3961.5	POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE 541 A23-041	A23T A1UDA 00A
	7017.3 AFHR Change Serviceability Stat	0.7	A23T A1UDA	XXXXXX
	Change Location of an Asse	628.4	S/I U/S A23-041	
27APR17 05:50	Change Venue of an Asset	1634.2	STORES AIP	
	7017.3 AFHR Change Location of an Asse	1.2	NONC2CONT A1PXXX1706588	XXXXXX
26APR18 00:30	Change Serviceability Stat	365.0	STORES HOLD	
	7017.3 AFHR Change Venue of an Asset	375.9	U/S SERV	XXXXXX
08MAY18 05:17	Change Venue of an Asset	375.9	NONC2CONT AIP	
	7017.3 AFHR Change Location of an Asse	375.9	NONC2X1804533 HOLD STORES	XXXXXX MMI

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01083  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 2217  
 PART NO : 071-1282-39 ~22373  
 ENGINEERING NAME : CONTROL KFS 598A  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
23MAY18 22:17	Asset Installation	392.9	A23T A1UDA 533 A23-033	00 A23T A1UHI 00AC XXxxXXxx
	7017.3 AFHR Change Serviceability Stat	27.9	SERV S/I	
	Change Location of an Asse	15.7	STORES A23-033	MMI

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			
RC31927XXXXXX	C COMPLETED	01APR03 08:41	XXxxXXxx		ESL	AIP	0.0
	05SEP05 08:00						
01 UNSERVICEABLE	01 IN FLIGHT			NIL BACKLIGHTING			
	03 ELECTRICAL FAILURE						
03 ELECTRICAL COMPONENT FAIL	02 REPAIR						
	Unserviceability Details:			NIL BACKLIGHTING			
	Maintenance Comments:			05SEP05 REPAIR AND TEST AT AIRFLITE JANDAKOT			
A1PXXJ1708274	C COMPLETED	25APR17 22:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	NONC2CONT	
	26APR18 00:30	25APR17 22:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	7017.3 AFHR	
01 UNSERVICEABLE	01 IN FLIGHT			FRONT COMMS 2 CONTROL HEAD FLIP/FLOP SWITCH INOP ( WILL NOT FLIP WHEN NOT PRESS TOO HARD)			
	02 MECHANICAL FAILURE						
03 ELECTRICAL COMPONENT FAIL	02 REPAIR						
	Unserviceability Details:			COMMS2 CONTROL HEAD FLIP/FLOP SW INOP			
	Maintenance Comments:			NEW TRANSFER SWITCH , CHAN SWITCH AND LENS FITTED , UNIT REPAIRED AND TESTED SERVICEABLE IAW AAP 7831.110-3M AL0 REF AIRFLITE ARC NO PAVI2928 @ AIRFLITE AV SHOP			

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 2228  
PART NO : EM4069-3 ~54395  
ENGINEERING NAME : ACTUATOR TRIM  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 1791.4 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	DATE NEW	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	HA PART	DATE UNPACKED		
12JUN13 05:36	2228	EM4069-3	A23T	A2GAK	00
aip01694	AIP	STORES		A1PXXR1300797	
M. COX		20APR12			
	0.0 AFHR		12JUN13		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01085  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 2228  
 PART NO : EM4069-3 ~54395 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : ACTUATOR TRIM  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
12JUN13 05:36	Reception History Record	0.0	Reception STORES	HOLD
19JUL13 07:47	Asset Installation	455.3	A23T 042 A2GAK A23-033	00 A23T A2IBC01 00AC
	Change Serviceability Stat	37.3	SERV S/I STORES A23-033	XXxxXXxx
03SEP13 23:20	Change Serviceability Stat	0.7	S/I US/I A1PXXJ1307668	XXxxXXxx
05SEP13 00:55	Change Serviceability Stat	1.0	S/I	XXxxXXxx
07JUN17 06:26	Position Change	1418.9	A23T A2IBC01 A23T A2IBC01 A1PXXX1709046	00 00 XXxxXXxx
	Maintenance Comment	0.0	POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE	XXxxXXxx

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJ1307668	C COMPLETED	05SEP13 00:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
08 MOD/STI/DVI REQUIRED		03SEP13 23:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	7378.9	AFHR
01 NO FAULT		08 MOD/STI/DVI INCORP		STI-PC9-0521	due on Serial 2228		
		Unserviceability Details:		ACT ELEVATOR TRIM	at WAC 1300		
		Maintenance Comments:		STI 0521 INCORPORATED			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 01086  
08JAN20  
23:16:15

SERIAL/TAIL NO : 2228  
PART NO : EM4069-3 ~54395  
ENGINEERING NAME : ACTUATOR TRIM  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

STI STATUS CHANGE -----

STI NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
=====	=====	=====	=====	=====	=====	=====
STI-PC9-0521	N	12JUN13 05:37	NINC			
STI-PC9-0521	Y	05SEP13 00:54	INC	A1PXXJ1307668	05SEP13 00:54	7378.9 AFHR



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

SERIAL/TAIL NO : 2237  
PART NO : EM4069-3 ~54395  
ENGINEERING NAME : ACTUATOR TRIM  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 259.2 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC	
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID		
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO		
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED			
07APR16 02:29	2237	EM4069-3	~54395	A23T	A2GAK	00
aip01694	AIP	STORES			A1PXXR1600440	
M. COX		20APR12		07APR16		
	0.0 AFHR					

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01088  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 2237  
 PART NO : EM4069-3 ~54395  
 ENGINEERING NAME : ACTUATOR TRIM  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
07APR16 02:29	Reception History Record	0.0	0.0	Reception STORES	HOLD
30JAN17 05:00	Change Location of an Asse	0.0 AFHR	298.2	STORES FAK	XXXXXXxx
18FEB19 03:32	Asset Installation	0.0 AFHR	2495.1	A1PXXX1701184 A23T A2GAK	XXXXXXxx
	Change Serviceability Stat	0.0 AFHR	1047.1	P/F017 A23-033	A23T A2GAK 30AC
	Change Location of an Asse		748.9	SERV S/I FAK A23-033	XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 01089  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 244  
 PART NO : 40807-K2316  
 ENGINEERING NAME : INDIC AIRSPEED FRON  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

~89944

PERIOD: 01JAN90 TO 08JAN20

LOCATION : A23-033  
 LIFE SINCE NEW : 6202.0 AFHR

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
30AUG03	04:57	Maintenance Comment		0.0 AFHR	0.8	08Apr97	NIM	00. 2084.9	0.0 AFHR OVERHAUL XXXXXXxx
30AUG03	04:57	Maintenance Comment		0.0 AFHR	0.8	23May01	A23-007	07.30 2796.9	0.0 AFHR UPDATED LIFE (MPMI) XXXXXXxx
30AUG03	04:58	Maintenance Comment		0.0 AFHR	0.8	OVERSPEED WARNING ON AT 319KTS AND OVERREADS. CMM LOG00002			XXXXXXxx
30AUG03	04:59	Maintenance Comment		0.0 AFHR	0.8	08May98	A23-007	07.3 2268.5	0.0 AFHR UPDATED LIFE (MPMI) XXXXXXxx
30AUG03	04:59	Maintenance Comment		0.0 AFHR	0.8	20Nov90	NEW - 244	40807-K2316	2327-00-00-K CMM LOG00009 XXXXXXxx
30AUG03	05:05	Maintenance Comment		0.0 AFHR	0.8	OH AND TEST IAW AAP 7531.147-3M. CMM LOG00004			XXXXXXxx
30AUG03	05:07	Maintenance Comment		0.0 AFHR	0.8	14May97	AIEMMI	00. 2084.9	0.0 AFHR RECEPTION (MIRE) XXXXXXxx
30AUG03	05:11	Maintenance Comment		0.0 AFHR	0.8	29Aug03	A23-007	07.30 3172.4	AFHR TX TO CMM2 CMM LOG00010 XXXXXXxx
30AUG03	05:12	Maintenance Comment		0.0 AFHR	0.8	27May97	A23-007	07.3 2084.9	0.0 AFHR IN AS A23T 2327-00-00-K CMM LOG00006 XXXXXXxx
30AUG03	05:13	Maintenance Comment		0.0 AFHR	0.8	24Feb97	A23-009	07.3 2084.9	2084.9 AFHR 01-FAILED LT74679 CMM LOG00001 XXXXXXxx
21MAR06	05:37	Position Change		3583.9 AFHR	934.8	A23T	A1UDQ	00	
15MAY08	12:40	Asset Removal		3947.1 AFHR	1721.1	051	A23-007	00	A23T A1UDQ 00A ARDUXXY601023 XXXXXXxx
		Change Serviceability Stat			15.3	S/I			XXXXXXxx
		Change Location of an Asse			107.6	U/S	A23-007		
15MAY08	12:41	Change Serviceability Stat		3947.1 AFHR	0.0	PC9-AVIONICS			
						U/S			
						SERV			XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01090  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 244  
 PART NO : 40807-K2316 ~89944 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : INDIC AIRSPEED FRON  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS		-----									
TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN(DYS)	FROM	TO (OPTIONAL)			USER		
						TRANS REFERENCE					
=====											
08DEC08	00:36	Change Venue of an Asset		314.1	ARDU						
			3947.1	AFHR	NONC2CONT						
		Change Location of an Asse		206.4	ARDUXXY804211				XXxxXXxx		
					PC9-AVIONICS						
12AUG09	01:08	Change Venue of an Asset		247.0	HOLD						
			3947.1	AFHR	NONC2CONT						
		Change Location of an Asse		247.0	ARDU						
					NONC2XY909819				XXxxXXxx		
					HOLD						
01FEB10	21:43	Change Location of an Asse		173.8	PC9-AVIONICS						
			3947.1	AFHR	PC9-AVIONICS						
17JAN11	02:29	Asset Installation		976.5	MSI						
			3947.1	AFHR	ARDUXX1000255				XXxxXXxx		
					A23T A1UDQ	A23-030	00		A23T	A1UDQ	00AC
		Change Serviceability Stat		976.5	530				XXxxXXxx		
					SERV						
		Change Location of an Asse		349.1	S/I						
					MSI						
15AUG13	02:00	Position Change		940.9	A23-030						
					A23T A1UDQ		00				
			4535.3	AFHR	A23T A1UDQ		00				
13NOV13	20:50	Asset Removal		1031.7	A1EXXX1302776				XXxxXXxx		
					530	A23-030			A23T	A1UDQ	00A
			4535.3	AFHR	A23T A1UDQ		00				
		Change Serviceability Stat		195.6	S/I				XXxxXXxx		
					U/S						
		Change Location of an Asse		545.7	A23-030						
					EQUIP_STORE						
13NOV13	20:50	Change Serviceability Stat		0.0	U/S						
			4535.3	AFHR	SERV				XXxxXXxx		

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01091  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 244  
 PART NO : 40807-K2316 ~89944  
 ENGINEERING NAME : INDIC AIRSPEED FRON  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
18NOV13 06:12	Change Venue of an Asset	550.1	AIE AIP A1EXXX1306517	XXXXXXxx
	4535.3 AFHR Maintenance Comment	0.0	ITEM RECEIVE IN AIP	
	Change Location of an Asse	4.3	EQUIP_STORE STORES	
03DEC13 08:26	Asset Installation	19.4	A23T A1UDQ 00 533 A23-033	A23T A1UDQ 00AC XXXXXXxx
	4535.3 AFHR Change Serviceability Stat	19.4	SERV S/I	
	Change Location of an Asse	15.0	STORES A23-033	MMI
07JUN17 07:56	Position Change	1281.9	A23T A1UDQ 00 A23T A1UDQ 00	
	5571.6 AFHR Maintenance Comment	0.0	A1PXXX1709111 POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE	XXXXXXxx

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
ARDUXJY801894	C COMPLETED	15MAY08 12:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU	ARDU	
	15MAY08 12:41	12JUN08 04:21	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU	3947.1 AFHR	
13	REMOVED FOR ACCESS	99 NO FAILURE		FRONT COCKPIT AIRSPEED INDICATOR TO BE REMOVED FOR EFIS UPGRADE MOD			
01	NO FAULT	04 CHECK/TEST SERV		Unserviceability Details: Maintenance Comments: CHECK/TEST SERV			
A1EXXJ1306431	C COMPLETED	13NOV13 20:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	13NOV13 20:50	13NOV13 20:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	4535.3 AFHR	
13	REMOVED FOR ACCESS	99 NO FAILURE		FRONT ASI REMOVED FOR ACCESS			
01	NO FAULT	04 CHECK/TEST SERV		Unserviceability Details: Maintenance Comments: CHECK/TEST SERV			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 01092  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 2456018D/F  
 PART NO : 210957  
 ENGINEERING NAME : GOVERNOR OVERSPEED  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 6200.3 ENHR  
 PERIOD: 01JAN90 TO 08JAN20  
 ~66503

ASSET TRANSACTIONS

TRANSACTION D/T CHANGE TYPE		LIFE SINCE NEW		SPAN(DYS) FROM TO (OPTIONAL) TRANS REFERENCE		USER	
DATE	TIME	DESCRIPTION	ENHR	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	SPAN(DYS)	USER
02SEP03	17:16	Maintenance Comment 0.0	ENHR	4.3	21May01 XLOC 00. CMM LOG00001	1391.4 382.8	ENHR RECEPTION (MIRE) XXXXXXxx
02SEP03	17:17	Maintenance Comment 0.0	ENHR	4.3	3891 1229 DAYS CMM LOG00014		XXXXXXxx
02SEP03	17:18	Maintenance Comment 0.0	ENHR	4.3	13Jun03 103152 CMM LOG00016	01.20 1891.4	882.8 ENHR UPDATED LIFE (MIUP) XXXXXXxx
02SEP03	17:18	Maintenance Comment 0.0	ENHR	4.3	29Oct02 103152 CMM LOG00013	01.20 1641.4	632.8 ENHR UPDATED LIFE (MPMI) XXXXXXxx
02SEP03	17:22	Maintenance Comment 0.0	ENHR	4.3	24Jul02 103152 CMM LOG00009	01.20 1585.4	576.8 ENHR UPDATED LIFE (MIUP) XXXXXXxx
02SEP03	17:22	Maintenance Comment 0.0	ENHR	4.3	3856 1194 DAYS CMM LOG00012		XXXXXXxx
02SEP03	17:22	Maintenance Comment 0.0	ENHR	4.3	3365 703 DAYS CMM LOG00002		XXXXXXxx
02SEP03	17:22	Maintenance Comment 0.0	ENHR	4.3	24Sep02 103152 CMM LOG00011	01.20 1641.4	632.8 ENHR UPDATED LIFE (MIUP) XXXXXXxx
02SEP03	17:24	Maintenance Comment 0.0	ENHR	4.3	LAST OH DONE: OLD = CMM LOG00003		NEW = 17JUN99 XXXXXXxx
02SEP03	17:24	Maintenance Comment 0.0	ENHR	4.3	4118 1456 DAYS CMM LOG00017		XXXXXXxx
02SEP03	17:24	Maintenance Comment 0.0	ENHR	4.3	NEXT OH1 DUE: OLD = CMM LOG00015	4508.6 ENHR	NEW = 4008.6 ENHR XXXXXXxx
02SEP03	17:26	Maintenance Comment 0.0	ENHR	4.3	NEXT OH1 DUE: OLD = CMM LOG00005	3500.0 ENHR	NEW = 4508.6 ENHR XXXXXXxx
02SEP03	17:26	Maintenance Comment 0.0	ENHR	4.3	NEXT OH2 DUE: OLD = CMM LOG00006	28FEB00 ELPYR	NEW = 15JUN07 ELPYR XXXXXXxx
02SEP03	17:27	Maintenance Comment 0.0	ENHR	4.3	3660 998 DAYS CMM LOG00008		XXXXXXxx
02SEP03	17:27	Maintenance Comment 0.0	ENHR	4.3	3794 1132 DAYS CMM LOG00010		XXXXXXxx
02SEP03	17:27	Maintenance Comment 0.0	ENHR	4.3	17Jun99 ELPYR LST OH CMM LOG00020	15JUN07 ELPYR	NXT OH XXXXXXxx
02SEP03	17:27	Maintenance Comment 0.0	ENHR	4.3	29Aug03 103152 CMM LOG00021	01.20 1981.9	ENHR TX TO CMM2 XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01093  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 2456018D/F  
 PART NO : 210957  
 ENGINEERING NAME : GOVERNOR OVERSPEED  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~66503

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
02SEP03 17:29	Maintenance Comment 0.0 ENHR	4.3	01Mar92 NEW - 2456018B 210957 CAMM LOG00018	0012-13-03-D XXXXXXxx
02SEP03 17:33	Maintenance Comment 0.0 ENHR	4.3	LAST OH DONE: OLD = ENHR CAMM LOG00004	NEW = 1008.6 ENHR XXXXXXxx
02SEP03 17:33	Maintenance Comment 0.0 ENHR	4.3	12Mar02 103152 01.20 1391.4 382.8 ENHR CAMM LOG00007	IN AS A23T 0012-13-03-D XXXXXXxx
02SEP03 17:33	Maintenance Comment 0.0 ENHR	4.3	17Jun99 1008.6 ENHR LST OH 4008.6 ENHR CAMM LOG00019	NXT OH XXXXXXxx
09JUL06 23:51	Asset Removal 2788.7 ENHR	1045.6	103152 A23-034 A23T A1SAM22AE 00	A23T A1SAM22AE 00A XXXXXXxx
	Change Serviceability Stat	10.8	S/I U/S	
	Change Location of an Asse	xxxx	A23-034 INTMH	
09JUL06 23:52	Change Serviceability Stat 2788.7 ENHR	0.0	U/S SERV	XXXXXXxx
10JUL06 00:08	Asset Installation 2788.7 ENHR	0.0	A23T A1SAM22AE 00 103112 A23-034	A23T A1SAM22AE 00AC XXXXXXxx
	Change Serviceability Stat	0.0	SERV S/I	
	Change Location of an Asse	0.0	INTMH A23-034	
13JUN07 00:35	Change Serviceability Stat	0.0	S/I US/I	
13JUN07 00:37	Asset Removal 2823.7 ENHR	338.0	AIPXXJ301034X 103112 A23-034 A23T A1SAM22AE 00	XXXXXXxx A23T A1SAM22AE 00A XXXXXXxx
	Change Serviceability Stat	0.0	US/I U/S	
	Change Location of an Asse	338.0	A23-034 EXTERNAL	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01094  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 2456018D/F  
 PART NO : 210957  
 ENGINEERING NAME : GOVERNOR OVERSPEED  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~66503

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
14JUN07 01:14	Change Venue of an Asset	1384.7	AIP NONC2CONT	
	2823.7 ENHR Change Location of an Asse	1.0	A1PXXXY705143 EXTERNAL HOLD	XXxxXXxx
27SEP07 11:45	Change Serviceability Stat	106.4	U/S SERV	
	2823.7 ENHR			XXxxXXxx
10OCT07 03:57	Change Venue of an Asset	118.1	NONC2CONT AIP	
	2823.7 ENHR Change Location of an Asse	118.1	NONC2XY711032 HOLD MMIST	XXxxXXxx
10OCT07 04:12	Change Serial Number of an	1502.8	2456018B 2456018DF	
	2823.7 ENHR Maintenance Comment	0.0	A1PXXXY709087	XXxxXXxx
10OCT07 04:59	Change Serial Number of an	0.0	27SEP07 P/N CHANGE AFTER BS BY PWC A'ASIA 2456018DF 2456018D/F	
	2823.7 ENHR Maintenance Comment	0.0	A1PXXXY709091	XXxxXXxx
26NOV07 01:11	Asset Installation	166.0	10OCT07 CORRECTION ON S/N A23T ALSAM22AE	
	2823.7 ENHR Change Serviceability Stat	59.5	103117 A23-048	A23T ALSAM22AE 00AC XXxxXXxx
	Change Location of an Asse	46.8	SERV S/I MMIST A23-048	
13MAY10 03:18	Asset Removal	899.0	103117 A23-048	
	3584.0 ENHR Change Serviceability Stat	19.8	A23T ALSAM22AE	A23T ALSAM22AE 00A XXxxXXxx
	Change Location of an Asse	42.6	S/I U/S A23-048 INTMH	

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01095  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 2456018D/F  
 PART NO : 210957  
 ENGINEERING NAME : GOVERNOR OVERSPEED  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~66503

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
13MAY10 03:18	Change Serviceability Stat	0.0	U/S SERV	
	3584.0 ENHR			XXXXXXxx
19MAY10 23:00	Asset Installation	6.8	A23T 103068 A1SAM22AE A23-048	A23T A1SAM22AE 00AC
	3584.0 ENHR			XXXXXXxx
	Change Serviceability Stat	6.8	SERV S/I INTMH A23-048	
	Change Location of an Asse	6.8		
21AUG12 01:20	Asset Removal	824.0	103068 A23T A1SAM22AE A23-048	A23T A1SAM22AE 00A
	4135.8 ENHR			XXXXXXxx
	Change Serviceability Stat	178.7	S/I U/S A23-048	
	Change Location of an Asse	824.0		
21AUG12 01:20	Change Serviceability Stat	0.0	INTMH U/S SERV	
	4135.8 ENHR			XXXXXXxx
22AUG12 08:16	Asset Installation	1.2	A23T 103152 A1SAM22AE A23-019	A23T A1SAM22AE 00AC
	4135.8 ENHR			XXXXXXxx
	Change Serviceability Stat	1.2	SERV S/I INTMH A23-019	
	Change Location of an Asse	1.2		
14NOV13 09:50	Position Change	449.0	A23T A1SAM22AE A23T A1SAM22AE	00 00
	4447.6 ENHR		A1PXXX1312442	XXXXXXxx
	Maintenance Comment	0.0	AUTH: MPAN 33/2013. O/H POLICY REINSTATED. OBJID:AK7250143	
23SEP15 02:06	Change Serviceability Stat	0.0	S/I US/I NONC2JY703286	XXXXXXxx
	5069.4 ENHR			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01096  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 2456018D/F  
 PART NO : 210957  
 ENGINEERING NAME : GOVERNOR OVERSPEED  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~66503

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
23SEP15 05:30	Asset Removal	1126.8	103152 A23T A1SAM22AE A23-019 00	A23T A1SAM22AE 00A
	5069.4 ENHR Change Serviceability Stat	0.1	US/I U/S	XXXXXXxx
	Change Location of an Asse	36.8	A23-019 INTMH	
25SEP15 00:57	Change Venue of an Asset	827.9	AIP NONC2CONT A1PXXX1508953	XXXXXXxx
	5069.4 ENHR Change Location of an Asse	1.8	INTMH HOLD U/S SERV	
19JAN16 02:25	Change Serviceability Stat	117.8		XXXXXXxx
	5069.4 ENHR Change Venue of an Asset	137.1	NONC2CONT AIP NONC2X1601321	XXXXXXxx
09FEB16 05:02	Maintenance Comment	0.0	OH AT QDS ON 19JAN16 MOVED TO AIP PEA REF COC 3469	
	Change Location of an Asse	137.1	HOLD STORES	
11NOV16 00:28	Asset Installation	414.7	A23T A1SAM22AE A23-024 00	A23T A1SAM22AE 00AC
	5069.4 ENHR Change Serviceability Stat	296.9	103186 SERV S/I STORES A23-024	XXXXXXxx
	Change Location of an Asse	275.8		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			

2FTSXJCA10453 C COMPLETED 17JUN99 00:00 XXXXXxx 2FTS 0.0  
 17JUN99 00:00  
 03 OVERHAUL DUE

Unserviceability Details:

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 01097  
08JAN20  
23:16:15

SERIAL/TAIL NO : 2456018D/F  
PART NO : 210957 ~66503  
ENGINEERING NAME : GOVERNOR OVERSPEED  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

Maintenance Comments:

AIPXXJY610385 C COMPLETED 09JUL06 23:51 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
09JUL06 23:52 2788.7 ENHR  
13 REMOVED FOR ACCESS 99 NO FAILURE ENGINE COMPONENTS 2B REMOVED FROM OLD TO NEW ENGINE

01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV

AIPXXJ301034X C COMPLETED 13JUN07 00:37 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
27SEP07 11:45 13JUN07 00:35 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 2823.7 ENHR  
03 OVERHAUL DUE OH due on Serial 2456018B  
GOVERNOR OVERSPEED at WAC 0120

01 NO FAULT 07 OVERHAUL  
Unserviceability Details:  
Maintenance Comments: 27SEP07 OH C/O & PN CHANGE BY PWC A'ASIA

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	8.0	ELPYR			15JUN07
SM	OH	3000.0	ENHR	1815.1		
SM	OH	8.0	ELPYR			15JUN07

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

AIPXXJ1008545 C COMPLETED 13MAY10 03:18 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
13MAY10 03:18 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 3584.0 ENHR  
13 REMOVED FOR ACCESS 99 NO FAILURE ENGINE CHANGE TBCO

01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01098  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 2456018D/F PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 210957 ~66503  
 ENGINEERING NAME : GOVERNOR OVERSPEED  
 VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

Maintenance Comments: CHECK/TEST SERV

A1PXXJ1212524	C COMPLETED	21AUG12 01:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
		21AUG12 01:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	4135.8	ENHR
13 REMOVED FOR ACCESS		99 NO FAILURE		OSG REMOVED FOR CANNABILISATION			

01 NO FAULT

04 CHECK/TEST SERV

Unserviceability Details:

Maintenance Comments: CHECK/TEST SERV

NONC2JY703286	C COMPLETED	23SEP15 05:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
		19JAN16 02:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	5069.4	ENHR

03 OVERHAUL DUE

OH due on Serial 2456018D/F  
 GOVERNOR OVERSPEED at WAC 0120

01 NO FAULT

07 OVERHAUL

Unserviceability Details:

Maintenance Comments: OVERHAUL CARRIED OUT IAW AAP7198.024-3M OVERHAUL MANUAL.

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	8.0	ELPYR			25SEP15
SM	OH	3000.0	ENHR	2245.7		
SM	OH	8.0	ELPYR			25SEP15

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01099  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 248  
 PART NO : 631 367 409  
 ENGINEERING NAME : CONTROL AMR 349-1  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

~S3715

PERIOD: 01JAN90 TO 08JAN20

LOCATION : A23-033  
 LIFE SINCE NEW : 6366.8 AFHR

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
29AUG03	13:35	Maintenance	Comment	0.0 AFHR	0.2	18Nov92	A23-065	07.4 0.0	0.0 AFHR IN AS A23T 2475-00-00-H XXXXXXxx
29AUG03	13:35	Maintenance	Comment	0.0 AFHR	0.2	30Apr98	A23-017	07.4 2161.6	0.0 AFHR UPDATED LIFE (MPMI) XXXXXXxx
29AUG03	13:36	Maintenance	Comment	0.0 AFHR	0.2	29Aug03	LF36142	00. 3446.3 AFHR	TX TO CAMM2 XXXXXXxx
29AUG03	13:37	Maintenance	Comment	0.0 AFHR	0.2	06Oct92	MNTMMI	00. 0.0	0.0 AFHR ^^^^^^RECEPTION XXXXXXxx
29AUG03	13:39	Maintenance	Comment	0.0 AFHR	0.2	24Feb98	2FTMMIST	00. 2082.4	0.0 AFHR UPDATED LIFE (JOBX) XXXXXXxx
29AUG03	13:39	Maintenance	Comment	0.0 AFHR	0.2	25Mar03	A23-017	07.4A 3446.3	0.0 AFHR 01-FAILED LF36142 XXXXXXxx
29AUG03	13:39	Maintenance	Comment	0.0 AFHR	0.2	24Nov97	PEAX?CON	FF: 01-NIL	MA: 04-CHK/TST XXXXXXxx
29AUG03	13:39	Maintenance	Comment	0.0 AFHR	0.2	PANEL LIGHTING INTERMITTENT			XXXXXXxx
29AUG03	13:40	Maintenance	Comment	0.0 AFHR	0.2	24Nov97	A23-065	07.4 2082.4	0.0 AFHR 05-FUNC CHK LV73753 XXXXXXxx
29AUG03	13:43	Maintenance	Comment	0.0 AFHR	0.2	03Mar98	A23-017	07.4 2082.4	0.0 AFHR IN AS A23T 2475-00-00-H XXXXXXxx
29AUG03	13:43	Maintenance	Comment	0.0 AFHR	0.2	01Feb91	NEW - 248	631 367 409	2475-00-00-H XXXXXXxx
29AUG03	13:45	Maintenance	Comment	0.0 AFHR	0.2	2FTREP	WFD: 01-IN FLIGHT		US: 03-ELECFAIL XXXXXXxx
29AUG03	13:46	Maintenance	Comment	0.0 AFHR	0.2	23Jan98	DISPATCHED TO PEAX?CON		XXXXXXxx
29AUG03	13:46	Maintenance	Comment	0.0 AFHR	0.2	25Mar03	DISPATCHED TO PEAXCON		XXXXXXxx
11MAY05	07:06	Change Venue of an Asset		3446.3 AFHR	616.3	AIP	NONC2CONT		XXXXXXxx
		Change Location of an Asse			616.3	A1PXXXXY507210	EXTERNAL		
							HOLD		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01100  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 248  
 PART NO : 631 367 409  
 ENGINEERING NAME : CONTROL AMR 349-1  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S3715

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
18AUG05 08:00	Change Serviceability Stat	2725.3	U/S SERV	
	3446.3 AFHR			XXXXXXxx
01NOV05 00:00	Change Venue of an Asset	173.7	NONC2CONT AIP	
	3446.3 AFHR		NONC2XY507594	XXXXXXxx
	Change Location of an Asse	173.7	HOLD	
26JUN06 06:47	Change Location of an Asse	237.2	JANDAKOT JANDAKOT	
	3446.3 AFHR		MMIST A1PXXXY604915	XXXXXXxx
07JUL06 04:53	Asset Installation	1042.8	A23T A1UCU	
	3446.3 AFHR		A23-002	A23T A1UCU 00AC
	Change Serviceability Stat	322.8	SERV S/I	XXXXXXxx
	Change Location of an Asse	10.9	MMIST A23-002	
20APR10 05:32	Asset Removal	1383.0	033 A23T	
	4824.1 AFHR		A1UCU A23-002	A23T A1UCU 00A
	Change Serviceability Stat	20.8	S/I SERV	XXXXXXxx
20APR10 05:34	Asset Installation	0.0	A23T A1UCU	
	4824.1 AFHR		A23-002	A23T A1UCU 00AC
	Change Serviceability Stat	0.0	SERV S/I	XXXXXXxx
09OCT14 02:29	Asset Removal	1632.8	033 A23T	
	5895.5 AFHR		A1UCU A23-002	A23T A1UCU 00A
	Change Serviceability Stat	0.0	S/I U/S	XXXXXXxx
	Change Location of an Asse	3015.9	A23-002 STORES	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01101  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 248  
 PART NO : 631 367 409  
 ENGINEERING NAME : CONTROL AMR 349-1  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S3715

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
13OCT14 05:33	Change Venue of an Asset	3268.2	AIP NONC2CONT	
	5895.5 AFHR Change Location of an Asse	4.1	A1PXXX1411236 STORES HOLD	XXxxXXxx
14SEP15 06:20	Change Serviceability Stat	340.1	U/S SERV	
	5895.5 AFHR Change Venue of an Asset	1365.2	NONC2CONT AIP	XXxxXXxx
09JUL18 10:54	Change Location of an Asse	1365.2	NONC2X1806942 HOLD STORES	XXxxXXxx
27AUG18 03:07	Asset Installation	1418.0	A23T A1UCU MMI 00	
	5895.5 AFHR Change Serviceability Stat	1077.8	533 A23-033	A23T A1UHC XXxxXXxx
	Change Location of an Asse	48.6	SERV S/I STORES A23-033	MMI

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
LF36142XXXXXX	C COMPLETED	25MAR03 12:27	XXxxXXxx		PEA	AIP	0.0
	18AUG05 08:00						
01 UNSERVICEABLE		01 IN FLIGHT		PANEL LIGHTING INTERMITTENT			
		03 ELECTRICAL FAILURE					
03 ELECTRICAL COMPONENT FAIL		02 REPAIR					
		Unserviceability Details:		PANEL LIGHTING INTERMITTENT			
		Maintenance Comments:		UNIT REPAIRED AND TESTED IAW AR/10.587 ED 2. AEROTECHTELUB			
				18AUG05			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 248  
PART NO : 631 367 409 ~S3715  
ENGINEERING NAME : CONTROL AMR 349-1  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

1PXXJ1417554	C COMPLETED	09OCT14 02:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	NONC2CONT	
	14SEP15 06:20	09OCT14 02:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	5895.5	AFHR
01 UNSERVICEABLE		01 IN FLIGHT		FRONT COCKPIT UNABLE TO HEAR COMMS 1			
		03 ELECTRICAL FAILURE					
03 ELECTRICAL COMPONENT FAIL		02 REPAIR					

Unserviceability Details: UNABLE TO HEAR SIDETONE, TRANSMISSIONS OR RECEPTION ON COMMS 1 INTERMITTENTLY IN FRONT COCKPIT ONLY

Maintenance Comments: WORK OMPLETED IS : REPAIR IAW AUSTRALIAN DEFENCE DEPARTMENT CONTRACT CAPO V310148 USING PUBLICATION AR/10.587 EDITION 2 DATED 23/09/88 , PC9/A AUTHORISATION 001/2005 REF SAAB TECHNOLOGIES COFC NO 238907 DATED 02SEP2015 AUTH KENNET DAHLBERG AND AIRFLITE ARC NO ACS1410046 @ SAAB/AIP



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : 248  
PART NO : 631 367 409 ~S3715  
ENGINEERING NAME : CONTROL AMR 349-1  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MOD NUMBER	INCORPORATION	STATUS	CHANGE	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
=====	=====	=====	=====	=====	=====	=====	=====
7831.200-101	Y	25SEP97	00:00	N/A			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01104  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 2524  
 PART NO : 066-1074-01 ~22373 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : REC/TRAN KTU709  
 VENUE : A23DISP LOCATION : A23-033  
 CURRENT CONDITION : S/I LIFE SINCE NEW : 6971.9 AFHR

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
01SEP03	18:19	Maintenance	Comment	0.0 AFHR	3.4	21Oct92	A23-017	06.4 180.5	0.0 AFHR IN AS A23T 2601-00-00-H Camm LOG00004 XXXXXXxx
01SEP03	18:19	Maintenance	Comment	0.0 AFHR	3.4	09Nov01	A23-021	06.40 2989.4	0.0 AFHR 13-REMACCES LD14789 Camm LOG00025 XXXXXXxx
01SEP03	18:20	Maintenance	Comment	0.0 AFHR	3.4	2FTXMMI	WFD: 01-IN FLIGHT		US: 03-ELECFAIL XXXXXXxx
01SEP03	18:20	Maintenance	Comment	0.0 AFHR	3.4	4 DEG OUT			XXXXXXxx
01SEP03	18:20	Maintenance	Comment	0.0 AFHR	3.4	29Jul93	DISPATCHED TO 2FTXMMI		XXXXXXxx
01SEP03	18:21	Maintenance	Comment	0.0 AFHR	3.4	14Sep93	DISPATCHED TO PEAX?CON		XXXXXXxx
01SEP03	18:22	Maintenance	Comment	0.0 AFHR	3.4	2FTREP	WFD: 01-IN FLIGHT		US: 03-ELECFAIL XXXXXXxx
01SEP03	18:22	Maintenance	Comment	0.0 AFHR	3.4	12Jan98	PEAX?CON	FF: 07-OUTADJUST	MA: 03-ADJUST XXXXXXxx
01SEP03	18:22	Maintenance	Comment	0.0 AFHR	3.4	12Jan98	REPAIR CARRIED OUT BY ANZ		XXXXXXxx
01SEP03	18:22	Maintenance	Comment	0.0 AFHR	3.4	16Nov01	A23-021	06.40 2989.4	0.0 AFHR IN AS A23T 2601-00-00-H Camm LOG00027 XXXXXXxx
01SEP03	18:22	Maintenance	Comment	0.0 AFHR	3.4	ALIGNED AS PER SPECS.	UNIT OK		XXXXXXxx
01SEP03	18:26	Maintenance	Comment	0.0 AFHR	3.4	19Mar98	2FTMMIST 00.	2065.6	0.0 AFHR UPDATED LIFE (JOBX) Camm LOG00022 XXXXXXxx
01SEP03	18:26	Maintenance	Comment	0.0 AFHR	3.4	20Feb91	NEW - 2524	066-1074-01	2601-00-00-H Camm LOG00028 XXXXXXxx
01SEP03	18:27	Maintenance	Comment	0.0 AFHR	3.4	29Jul93	A23-017	06.4 373.6	0.0 AFHR 01-FAILED LX34524 Camm LOG00005 XXXXXXxx
01SEP03	18:27	Maintenance	Comment	0.0 AFHR	3.4	23Jun92	DISPATCHED TO 2FTXMMI		XXXXXXxx
01SEP03	18:28	Maintenance	Comment	0.0 AFHR	3.4	09Nov01	2FTHG122	FF: 01-NIL	MA: 04-CHK/TST XXXXXXxx
01SEP03	18:29	Maintenance	Comment	0.0 AFHR	3.4	10Sep92	2FTMMIST 00.	180.5	0.0 AFHR ^^^^^^^^^^^^^^^^^^^^^^^ Camm LOG00003 XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01105  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 2524  
 PART NO : 066-1074-01 ~22373  
 ENGINEERING NAME : REC/TRAN KTU709  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
				LIFE SINCE NEW		TRANS REFERENCE	
01SEP03	18:29	Maintenance	Comment	3.4	DME NIL HOLD		
		0.0	AFHR		CAMM LOG00018		XXxxXXxx
01SEP03	18:29	Maintenance	Comment	3.4	21Mar99 A23-021	06.40 2065.6	0.0 AFHR IN AS A23T 2601-00-00-H
		0.0	AFHR		CAMM LOG00024		XXxxXXxx
01SEP03	18:29	Maintenance	Comment	3.4	29Aug03 A23-021	06.40 3763.0 AFHR	TX TO CAMM2
		0.0	AFHR		CAMM LOG00029		XXxxXXxx
01SEP03	18:30	Maintenance	Comment	3.4	15Sep93 2FTMMIST	00. 373.6	0.0 AFHR ^^^^^^^^^^^^^^^^^^^^^^^
		0.0	AFHR		CAMM LOG00014		XXxxXXxx
01SEP03	18:30	Maintenance	Comment	3.4	31Oct97 DISPATCHED TO	PEAX?CON	
		0.0	AFHR		CAMM LOG00019		XXxxXXxx
01SEP03	18:34	Maintenance	Comment	3.4	17Aug93 PEAX?CON	FF: 07-OUTADJST	MA: 03-ADJUST
		0.0	AFHR		CAMM LOG00010		XXxxXXxx
01SEP03	18:35	Maintenance	Comment	3.4	29Jul93 DISPATCHED TO	PEAX?CON	
		0.0	AFHR		CAMM LOG00009		XXxxXXxx
01SEP03	18:35	Maintenance	Comment	3.4	MISALIGNMENTS ON	R1062 AND R1074	
		0.0	AFHR		CAMM LOG00011		XXxxXXxx
01SEP03	18:35	Maintenance	Comment	3.4	23Mar92 PEAX?CON	FF: 09-OUT TOL	MA: 02-REPAIR
		0.0	AFHR		CAMM LOG00001		XXxxXXxx
01SEP03	18:36	Maintenance	Comment	3.4	24Sep93 A23-047	06.6 373.6	0.0 AFHR IN AS A23T 2601-00-00-H
		0.0	AFHR		CAMM LOG00015		XXxxXXxx
01SEP03	18:36	Maintenance	Comment	3.4	28Oct97 A23-047	06.4 2065.6	0.0 AFHR 01-FAILED LV71834
		0.0	AFHR		CAMM LOG00016		XXxxXXxx
01SEP03	18:36	Maintenance	Comment	3.4	20Apr98 2FTFAK	00. 2065.6	0.0 AFHR UPDATED LIFE (MPMI)
		0.0	AFHR		CAMM LOG00023		XXxxXXxx
03MAY07	10:50	Asset Removal		1343.1	521	A23-021	A23T A1ULS 00A
		5165.3	AFHR		A23T A1ULS		XXxxXXxx
		Change Serviceability Stat		8.1	S/I		
					U/S		
		Change Location of an Asse		xxxx	A23-021		
					INTMH		
03MAY07	10:51	Change Serviceability Stat		0.0	U/S		
		5165.3	AFHR		SERV		XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01106  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 2524  
 PART NO : 066-1074-01 ~22373  
 ENGINEERING NAME : REC/TRAN KTU709  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
LIFE SINCE NEW		TRANS REFERENCE			
04MAY07 03:25	Asset Installation	0.6	A23T 521	A1ULS A23-021	00 A23T A1ULS 00AC XXXXXXXXXX
	5165.3 AFHR Change Serviceability Stat	0.6	SERV S/I		
	Change Location of an Asse	0.6	INTMH A23-021		
30AUG07 23:51	Asset Removal	118.8	521 A23T	A23-021 A1ULS	00 A23T A1ULS 00A XXXXXXXXXX
	5319.4 AFHR Change Serviceability Stat	0.4	S/I U/S		
	Change Location of an Asse	118.8	A23-021 JANDAKOT		
21FEB08 16:33	Change Serviceability Stat	174.6	U/S SERV		XXXXXXXXXX
	5319.4 AFHR Change Venue of an Asset	1773.9	AIP NONC2CONT		XXXXXXXXXX
	5319.4 AFHR Change Location of an Asse	311.2	A1PXXXY806041 JANDAKOT		XXXXXXXXXX
08JUN10 00:21	Change Venue of an Asset	700.7	HOLD NONC2CONT		
	5319.4 AFHR Change Location of an Asse	700.7	AIP NONC2X1005253		XXXXXXXXXX
14FEB11 09:57	Change Location of an Asse	251.4	HOLD MMIST		
	5319.4 AFHR Maintenance Comment	0.0	STORES A1PXXX1101082	MMI	XXXXXXXXXX
18FEB11 00:01	Change Location of an Asse	3.5	MOVE ALL SERV ASSETS TO STORES - MMI STORES	MMI	
	5319.4 AFHR		FAK A1PXXX1101215		XXXXXXXXXX

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01107  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 2524  
 PART NO : 066-1074-01 ~22373  
 ENGINEERING NAME : REC/TRAN KTU709  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
12DEC13 04:32	Asset Installation	2295.1	A23T A1ULS 533 A23-033	00 A23T A1ULS 00AC
	5319.4 AFHR			XXXXXXxx
	Change Serviceability Stat	2120.4	SERV S/I	
	Change Location of an Asse	1028.1	FAK A23-033	

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJY709027	C COMPLETED	03MAY07 10:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	03MAY07 10:51	03MAY07 10:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	5165.3	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		TACAN UNIT KTU 709 RFA			
01	NO FAULT	04 CHECK/TEST SERV					
		Unserviceability Details:		CHECK/TEST SERV			
		Maintenance Comments:					
A1PXXJY716664	C COMPLETED	30AUG07 23:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	NONC2CONT	
	21FEB08 16:33	30AUG07 23:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	5319.4	AFHR
01	UNSERVICEABLE	01 IN FLIGHT		TACAN BEARING LOST DURING FLIGHT			
		03 ELECTRICAL FAILURE					
09	OUT OF LIMITS	02 REPAIR					
		Unserviceability Details:		BEARING INFO LOST DURING FLIGHT			
		Maintenance Comments:		REPAIRED NFF FF 01 MA 04 TESTED SERV IAW AAP 7832.065-3M @ AIJ			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01108  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 2525  
 PART NO : 071-1284-05 ~22373  
 ENGINEERING NAME : CONTROL KFS 586A  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 8079.9 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T		CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
01SEP03	17:51	Maintenance Comment	0.0 AFHR	3.3	07Feb91 NEW - 2525 071-1284-05	2625-00-00-H XXxxXXxx
01SEP03	17:52	Maintenance Comment	0.0 AFHR	3.3	29Aug03 A23-048 07.30 4075.8 AFHR	TX TO CAMM2 Camm LOG00004 XXxxXXxx
01SEP03	17:58	Maintenance Comment	0.0 AFHR	3.3	19Oct99 XLOC 00. 3038.8	0.0 AFHR RECEPTION (MIRE) Camm LOG00001 XXxxXXxx
01SEP03	18:00	Maintenance Comment	0.0 AFHR	3.3	22Sep00 A23-048 07.30 3038.8	0.0 AFHR IN AS A23T 2625-00-00-H Camm LOG00002 XXxxXXxx
05APR05	10:50	Asset Removal		585.1	549 A23-048	A23T A1UCY 00A
		Change Serviceability Stat	4604.2 AFHR	6.3	A23T A1UCY 00	XXxxXXxx
		Change Location of an Asse		xxxx	S/I U/S A23-048	
22APR05	04:14	Change Venue of an Asset		601.8	EXTERNAL AIP NONC2CONT	
		Change Location of an Asse	4604.2 AFHR	16.7	A1PXXX506305	XXxxXXxx
		Change Serviceability Stat		63.8	EXTERNAL HOLD U/S SERV	
		Change Venue of an Asset	4604.2 AFHR	53.8	NONC2CONT AIP	XXxxXXxx
		Change Location of an Asse	4604.2 AFHR	53.8	NONC2XY502809 HOLD MMIST	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01109  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 2525  
 PART NO : 071-1284-05 ~22373  
 ENGINEERING NAME : CONTROL KFS 586A  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
28JUN05 03:09	Asset Installation	83.6	A23T 540 A1UCY A23-040	A23T A1UCY 00AC
	4604.2 AFHR Change Serviceability Stat	19.7	SERV S/I	XXXXXXxx
	Change Location of an Asse	13.0	MMIST A23-040	
02APR12 23:05	Asset Removal	2470.8	540 A23T A1UCY A23-040	A23T A1UCY 00A
	6506.2 AFHR Change Serviceability Stat	263.6	A23T S/I	XXXXXXxx
	Change Location of an Asse	2258.0	U/S A23-040	
04APR12 02:49	Change Venue of an Asset	2259.1	STORES AIP	
	6506.2 AFHR Change Location of an Asse	1.1	NONC2CONT A1PXXX1202989	XXXXXXxx
20AUG13 02:00	Change Serviceability Stat	504.1	HOLD U/S	
	6506.2 AFHR Change Venue of an Asset	579.9	SERV NONC2CONT	XXXXXXxx
05NOV13 02:28	Change Venue of an Asset	579.9	AIP NONC2X1311197	XXXXXXxx
	Maintenance Comment	0.0	REPAIRED AT JNDKT ON 20AUG13 AND MOVED TO AIP	
	Change Location of an Asse	579.9	HOLD STORES	
09MAY14 02:58	Asset Installation	766.1	A23T 533 A1UCY A23-033	A23T A1UCY 00AC
	6506.2 AFHR Change Serviceability Stat	262.0	SERV S/I	XXXXXXxx
	Change Location of an Asse	185.0	STORES A23-033	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 2525  
 PART NO : 071-1284-05 ~22373  
 ENGINEERING NAME : CONTROL KFS 586A  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

=====  
 A1PXXJY506617 C COMPLETED 05APR05 10:50 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 08JUN05 08:00 4604.2 AFHR  
 01 UNSERVICEABLE 01 IN FLIGHT FRONT AND READ ADF C/U'S FLIP FLOP SWITCHES NIL OP'S  
 03 ELECTRICAL COMPONENT FAIL 03 ELECTRICAL FAILURE  
 02 REPAIR  
 Unserviceability Details: FLIP FLOP TRANSFER SWITCH INTERMITTENT OPERATION  
 Maintenance Comments: TRANSFER SWITCH REPLACED IAW 7832.067-3M

A1PXXJ1204462 C COMPLETED 02APR12 23:05 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 20AUG13 02:00 02APR12 23:09 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 6506.2 AFHR  
 01 UNSERVICEABLE 09 R2 SERVICING FRONT AND REAR ADF COBNTORL HEADS HAVE DAMAGED SCREENS  
 02 MECHANICAL FAILURE  
 03 ELECTRICAL COMPONENT FAIL 02 REPAIR  
 Unserviceability Details: DAMAGED SCREEN  
 Maintenance Comments: NEW LENS & MODE SWITCH FITTED. UNIT REPAIRED & TESTED IAW  
 AAP7832.067-3M



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01111  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 2526  
 PART NO : 071-1284-05 ~22373  
 ENGINEERING NAME : CONTROL KFS 586A  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 8513.4 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
01SEP03	18:02	Maintenance	Comment	0.0 AFHR	3.3	02Apr03	2FTMMIST 00.	4256.8	0.0 AFHR UPDATED LIFE (MILX) XXXXXXxx
01SEP03	18:03	Maintenance	Comment	0.0 AFHR	3.3	17Jun02	A23-049 07.40	4256.8	0.0 AFHR 01-FAILED LE24098 XXXXXXxx
01SEP03	18:03	Maintenance	Comment	0.0 AFHR	3.3	TX SWITCH US			XXXXXXxx
01SEP03	18:08	Maintenance	Comment	0.0 AFHR	3.4	22Jul91	A23-049 05.3	0.0	0.0 AFHR ^^^^^^RECEPTION XXXXXXxx
01SEP03	18:09	Maintenance	Comment	0.0 AFHR	3.4	30Apr98	A23-049 07.4	2725.9	0.0 AFHR UPDATED LIFE (MPMI) XXXXXXxx
01SEP03	18:10	Maintenance	Comment	0.0 AFHR	3.4	RENEW DEFCTV SWITCH S405			XXXXXXxx
01SEP03	18:10	Maintenance	Comment	0.0 AFHR	3.4	29Aug03	A23-047 07.40	4323.4 AFHR	TX TO CAMM2 XXXXXXxx
01SEP03	18:15	Maintenance	Comment	0.0 AFHR	3.4	17Jun02	DISPATCHED TO PEAXCON		XXXXXXxx
01SEP03	18:15	Maintenance	Comment	0.0 AFHR	3.4	29Jan91	NEW - 2526 071-1284-05	2625-00-00-H	XXXXXXxx
01SEP03	18:16	Maintenance	Comment	0.0 AFHR	3.4	2FTREP	WFD: 01-IN FLIGHT		US: 01-DAM/CRACK XXXXXXxx
01SEP03	18:16	Maintenance	Comment	0.0 AFHR	3.4	06Dec02	PEAXCON	FF: 02-MECHFAIL	MA: 02-REPAIR XXXXXXxx
01SEP03	18:17	Maintenance	Comment	0.0 AFHR	3.4	17Jun03	A23-047 07.40	4256.8	0.0 AFHR IN AS A23T 2625-00-00-H XXXXXXxx
24OCT12	12:30	Asset Removal		6939.7 AFHR	3344.1	548	A23-047		A23T A1UHG 00A XXXXXXxx
		Change Serviceability Stat			807.1	S/I			
		Change Location of an Asse			1437.6	U/S	A23-047		
						STORES			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01112  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 2526  
 PART NO : 071-1284-05 ~22373  
 ENGINEERING NAME : CONTROL KFS 586A  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
25OCT12 02:47	Change Venue of an Asset	1438.2	AIP NONC2CONT	
	6939.7 AFHR		A1PXXX1210943	XXxxXXxx
	Change Location of an Asse	0.5	STORES	
20AUG13 04:00	Change Serviceability Stat	299.6	HOLD U/S	
	6939.7 AFHR		SERV	XXxxXXxx
02APR14 00:29	Change Venue of an Asset	523.9	NONC2CONT	
	6939.7 AFHR		AIP NONC2X1403176	XXxxXXxx
	Maintenance Comment	0.0	REPAIRED AT JNDKT ON 20AUG13 AND MOVED TO AIP	
	Change Location of an Asse	523.9	HOLD	
09MAY14 02:52	Asset Installation	561.5	STORES A23T A1UHG 00	
	6939.7 AFHR		533 A23-033	A23T A1UHG 00AC XXxxXXxx
	Change Serviceability Stat	261.9	SERV	
	Change Location of an Asse	37.0	S/I STORES A23-033	

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			
A1PXXJ1216376	C COMPLETED	24OCT12 12:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	20AUG13 04:00	24OCT12 12:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	6939.7 AFHR	
01 UNSERVICEABLE	09 R2 SERVICING			REAR ADF CONTROL HAS SCREEN DAMAGE			
	01 DAMAGED/CRACKED						
03 ELECTRICAL COMPONENT FAIL	02 REPAIR						
	Unserviceability Details:			SCREEN DAMAGED			
	Maintenance Comments:			MULTIPLE NEW COMPONENTS FITTED. UNIT REPAIRED & TESTED IAW AAP7832.067-3M			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01113  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 261  
 PART NO : AS3100-15K ~D2356  
 ENGINEERING NAME : PANEL SELECTOR  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 7363.8 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
30AUG03	20:30	Maintenance Comment		0.0 AFHR	1.5	NO RX ON COMMS 2 UNLESS TX CONTROL SELECTED			XXXXXXxx
30AUG03	20:30	Maintenance Comment		0.0 AFHR	1.5	03Dec99 2FTPOM 00.	3129.5	3129.5 AFHR	ADJUST
30AUG03	20:31	Maintenance Comment		0.0 AFHR	1.5	29Aug91 NEW - 261	AS3100-15D	2500-00-00-B	XXXXXXxx
30AUG03	20:32	Maintenance Comment		0.0 AFHR	1.5	20Jul99 A23-040	07.30	3129.5	3129.5 AFHR 01-FAILED RV96634
30AUG03	20:32	Maintenance Comment		0.0 AFHR	1.5	ADJ/ALIGN IAW AAP 7833.055-3M.			XXXXXXxx
30AUG03	20:36	Maintenance Comment		0.0 AFHR	1.5	30Apr03 A23-059	07.40	3368.4	0.0 AFHR 09-CANNIBAL RC32540
30AUG03	20:38	Maintenance Comment		0.0 AFHR	1.5	30Apr03 A23-063	07.40	3368.4	0.0 AFHR IN AS A23T 2500-00-00-B
30AUG03	20:39	Maintenance Comment		0.0 AFHR	1.5	30Apr03 AIEAV		FF: 01-NIL	MA: 04-CHK/TST
30AUG03	20:44	Maintenance Comment		0.0 AFHR	1.5	30Jul02 A23-059	07.40	3129.5	0.0 AFHR IN AS A23T 2500-00-00-B
30AUG03	20:46	Maintenance Comment		0.0 AFHR	1.5	02Feb00 XLOC	00.	3129.5	0.0 AFHR RECEPTION (MIRE)
30AUG03	20:47	Maintenance Comment		0.0 AFHR	1.5	29Aug03 A23-063	07.40	3466.0 AFHR	TX TO CAMM2
31AUG05	23:41	Asset Removal		3885.6 AFHR	733.6	564	A23-063		A23T A1UIG 00A
		Change Serviceability Stat		6.9		A23T A1UIG			XXXXXXxx
		Change Location of an Asse		xxxx		S/I			
		Change Venue of an Asset		744.6		U/S			
12SEP05	00:24	Change Venue of an Asset		11.0		A23-063			
		Change Location of an Asse		11.0		EQUIP_STORE			
						AIE			
						NONC2CONT			
						A1EXXXY505687			XXXXXXxx
						EQUIP_STORE			
						HOLD			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01114  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 261  
 PART NO : AS3100-15K ~D2356  
 ENGINEERING NAME : PANEL SELECTOR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
11NOV05 00:01	Change Venue of an Asset	59.9	NONC2CONT AIP NONC2XY600093	XXXXXXxx
	3885.6 AFHR Change Location of an Asse	59.9	HOLD MMIST	
11NOV05 08:00	Change Serviceability Stat	71.3	U/S SERV	XXXXXXxx
	3885.6 AFHR			
09JAN06 05:21	Change Part Number of an A	863.8	AS3100-15D ~D2356 AS3100-15K ~D2356	XXXXXXxx
	3885.6 AFHR		A1PXXXY600013	XXXXXXxx
09JAN06 23:53	Maintenance Comment Asset Installation	0.0 131.0	BECKER MOD CO. AIJ 11NOV05 A23T A1UIG 00	
	3885.6 AFHR		A23-016	A23T A1UEA 00AC
	Change Serviceability Stat	59.6	SERV	XXXXXXxx
	Change Location of an Asse	59.9	S/I MMIST	
04NOV13 08:41	Asset Removal	2855.3	A23-016 516	A23T A1UEA 00A
	5845.6 AFHR		A23T A1UEA 00	XXXXXXxx
	Change Serviceability Stat	0.1	S/I	
	Change Location of an Asse	2855.3	U/S A23-016	
06NOV13 07:23	Change Venue of an Asset	2917.3	STORES AIP	
	5845.6 AFHR		NONC2CONT	XXXXXXxx
	Change Location of an Asse	1.9	A1PXXX1312117 STORES	
26FEB14 00:10	Change Serviceability Stat	113.6	HOLD U/S	
	5845.6 AFHR		SERV	XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 01115  
08JAN20  
23:16:15

SERIAL/TAIL NO : 261  
PART NO : AS3100-15K ~D2356 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PANEL SELECTOR  
VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
	LIFE SINCE NEW		TRANS REFERENCE		
31MAR14 06:04	Change Venue of an Asset	144.9	NONC2CONT		
	5845.6 AFHR		AIP		XXxxXXxx
	Maintenance Comment	0.0	NONC2X1403059		
	Change Location of an Asse	144.9	REPAIRED AT JNDKT ON 26FEB14 AND MOVED TO AIP		
06AUG14 10:44	Asset Installation	275.0	HOLD		
	5845.6 AFHR		STORES		
	Change Serviceability Stat	161.4	A23T A1UEA A23-033 00	A23T A1UIG	00AC
	Change Location of an Asse	128.1	533		XXxxXXxx
			SERV		
			S/I		
			STORES		
			A23-033		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					
A1EXXJY506730	C COMPLETED	31AUG05 23:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIP	
	11NOV05 08:00					3885.6	AFHR
01 UNSERVICEABLE	29 DURING MOD/STI/DVI		7212.007-218	due on Serial A23-063			
03 ELECTRICAL COMPONENT FAIL	03 ELECTRICAL FAILURE		PC-9	at WAC 0000			
	02 REPAIR						
	Unserviceability Details:			MODIFICATION REQUIRED			
	Maintenance Comments:			MOD 218 CO. AND TESTED IAW AAP7833-055-3M. AIJ 11NOV05			
A1PXXJ1315147	C COMPLETED	04NOV13 08:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	26FEB14 00:10	04NOV13 08:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	5845.6	AFHR
01 UNSERVICEABLE	01 IN FLIGHT			FRONT AUDIO PANEL SELECTOR KNOB END CAP CAME OFF			
02 MECHANICAL COMPONENT FAIL	02 MECHANICAL FAILURE						
	02 REPAIR						
	Unserviceability Details:			ROTARY SELECTOR KNOB END CAP CAME OFF			
	Maintenance Comments:			INIT REPAIRED & TESTED IAW AAP7833.055-3M.ALO			

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 01116  
08JAN20  
23:16:15

SERIAL/TAIL NO : 261  
PART NO : AS3100-15K ~D2356  
ENGINEERING NAME : PANEL SELECTOR  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

STI STATUS CHANGE -----

STI NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
=====	=====	=====	=====	=====	=====	=====
STI-PC9-0308	Y	11NOV05	INC	MANUAL		NOT REC.
STI-PC9-0308	N	09JAN06	NINC			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01117  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 26A697  
 PART NO : 3029313  
 ENGINEERING NAME : DSC PWR TURB 2ND ST  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

LOCATION : A23-033  
 LIFE SINCE NEW : 7138.9 ENHR

PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T CHANGE TYPE		LIFE SINCE NEW		SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
31AUG03	05:54	Maintenance Comment	0.0 ENHR	1.8	CURRENT CYCLE COUNT 6130	
31AUG03	05:54	Maintenance Comment	0.0 ENHR	1.8	CAMM LOG00007	XXXXXXxx
31AUG03	05:54	Maintenance Comment	0.0 ENHR	1.8	05Jun91 NEW - 26A697 3029313	0012-13-06-F
31AUG03	05:54	Maintenance Comment	0.0 ENHR	1.8	CAMM LOG00032	XXXXXXxx
31AUG03	05:54	Maintenance Comment	0.0 ENHR	1.8	29Aug03 TX TO CAMM2	
31AUG03	05:54	Maintenance Comment	0.0 ENHR	1.8	CAMM LOG00035	XXXXXXxx
31AUG03	05:54	Maintenance Comment	0.0 ENHR	1.8	27Apr99 103186 01.2 2266.7 2266.7 ENHR	UPDATED LIFE (MIUP)
31AUG03	05:54	Maintenance Comment	0.0 ENHR	1.8	CAMM LOG00001	XXXXXXxx
31AUG03	05:54	Maintenance Comment	0.0 ENHR	1.8	20Sep00 103186 00.20 2765.7 2765.7 ENHR	UPDATED LIFE (MPMI)
31AUG03	05:55	Maintenance Comment	0.0 ENHR	1.8	CAMM LOG00013	XXXXXXxx
31AUG03	06:00	Maintenance Comment	0.0 ENHR	1.8	CURRENT CYCLE COUNT 5472	
31AUG03	06:00	Maintenance Comment	0.0 ENHR	1.8	CAMM LOG00003	XXXXXXxx
31AUG03	06:00	Maintenance Comment	0.0 ENHR	1.8	CURRENT LIFE: OLD = 561 LDG NEW = LDG	
31AUG03	06:00	Maintenance Comment	0.0 ENHR	1.8	CAMM LOG00029	XXXXXXxx
31AUG03	06:00	Maintenance Comment	0.0 ENHR	1.8	0 0 LDG	
31AUG03	06:00	Maintenance Comment	0.0 ENHR	1.8	CAMM LOG00006	XXXXXXxx
31AUG03	06:00	Maintenance Comment	0.0 ENHR	1.8	22Jan02 103186 01.20 3041.3 3041.3 ENHR	UPDATED LIFE (MIUP)
31AUG03	06:01	Maintenance Comment	0.0 ENHR	1.8	CAMM LOG00021	XXXXXXxx
31AUG03	06:01	Maintenance Comment	0.0 ENHR	1.8	CURRENT LIFE: OLD = 546 LDG NEW = LDG	
31AUG03	06:01	Maintenance Comment	0.0 ENHR	1.8	CAMM LOG00004	XXXXXXxx
31AUG03	06:01	Maintenance Comment	0.0 ENHR	1.8	0 0 LDG	
31AUG03	06:02	Maintenance Comment	0.0 ENHR	1.8	CAMM LOG00018	XXXXXXxx
31AUG03	06:02	Maintenance Comment	0.0 ENHR	1.8	0 0 LDG	
31AUG03	06:02	Maintenance Comment	0.0 ENHR	1.8	CAMM LOG00002	XXXXXXxx
31AUG03	06:02	Maintenance Comment	0.0 ENHR	1.8	18Jun01 103186 01.20 2792.2 2792.2 ENHR	UPDATED LIFE (MIUP)
31AUG03	06:02	Maintenance Comment	0.0 ENHR	1.8	CAMM LOG00017	XXXXXXxx
31AUG03	06:02	Maintenance Comment	0.0 ENHR	1.8	0 0 LDG	
31AUG03	06:02	Maintenance Comment	0.0 ENHR	1.8	CAMM LOG00031	XXXXXXxx
31AUG03	06:02	Maintenance Comment	0.0 ENHR	1.8	29Aug03 103186 01.20 3368.9 ENHR	112 LDG
31AUG03	06:02	Maintenance Comment	0.0 ENHR	1.8	CAMM LOG00034	XXXXXXxx
31AUG03	06:02	Maintenance Comment	0.0 ENHR	1.8	CURRENT LIFE: OLD = 650 LDG NEW = LDG	
31AUG03	06:02	Maintenance Comment	0.0 ENHR	1.8	CAMM LOG00008	XXXXXXxx
31AUG03	06:02	Maintenance Comment	0.0 ENHR	1.8	CURRENT LIFE: OLD = 576 LDG NEW = LDG	
31AUG03	06:02	Maintenance Comment	0.0 ENHR	1.8	CAMM LOG00012	XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01118  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 26A697  
 PART NO : 3029313  
 ENGINEERING NAME : DSC PWR TURB 2ND ST  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~00198

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
				LIFE	SINCE	NEW		
31AUG03	06:03	Maintenance	Comment	1.8	25Nov99	103186	01.20 2516.3 2516.3	ENHR UPDATED LIFE (MIUP)
		0.0	ENHR					XXXXXXXXXX
31AUG03	06:03	Maintenance	Comment	1.8	0	0 LDG		XXXXXXXXXX
		0.0	ENHR					XXXXXXXXXX
31AUG03	06:04	Maintenance	Comment	1.9	NEXT OH1 DUE:	OLD = 3500.0	ENHR NEW = 4000.0	ENHR
		0.0	ENHR					XXXXXXXXXX
31AUG03	06:04	Maintenance	Comment	1.9	14Jan03	103186	00.20 3291.6 3291.6	ENHR UPDATED LIFE (MPMI)
		0.0	ENHR					XXXXXXXXXX
31AUG03	06:06	Maintenance	Comment	1.9	07Aug00	103186	01.20 2765.7 2765.7	ENHR UPDATED LIFE (MIUP)
		0.0	ENHR					XXXXXXXXXX
31AUG03	06:06	Maintenance	Comment	1.9	CURRENT CYCLE COUNT	7470		
		0.0	ENHR					XXXXXXXXXX
31AUG03	06:06	Maintenance	Comment	1.9	02Oct02	CURRENT CYCLES AT R2-	8101.	
		0.0	ENHR					XXXXXXXXXX
31AUG03	06:06	Maintenance	Comment	1.9	I.A.W. AAP	7212.007-7	PT 2.	
		0.0	ENHR					XXXXXXXXXX
31AUG03	06:06	Maintenance	Comment	1.9	CURRENT LIFE:	OLD = 42	LDG NEW =	LDG
		0.0	ENHR					XXXXXXXXXX
31AUG03	06:06	Maintenance	Comment	1.9	CURRENT LIFE:	OLD = 615	LDG NEW =	LDG
		0.0	ENHR					XXXXXXXXXX
31AUG03	06:06	Maintenance	Comment	1.9	0	0 LDG		
		0.0	ENHR					XXXXXXXXXX
31AUG03	06:07	Maintenance	Comment	1.9	0	0 LDG		
		0.0	ENHR					XXXXXXXXXX
31AUG03	06:07	Maintenance	Comment	1.9	CURRENT CYCLE COUNT	6758		
		0.0	ENHR					XXXXXXXXXX
31AUG03	06:07	Maintenance	Comment	1.9	0	0 LDG		
		0.0	ENHR					XXXXXXXXXX
31AUG03	06:07	Maintenance	Comment	1.9	05Jun91	.0	ENHR LST OH 4000.0	ENHR NXT OH
		0.0	ENHR					XXXXXXXXXX
31AUG03	06:09	Maintenance	Comment	1.9	02Oct02	103186	01.20 3291.6 3291.6	ENHR UPDATED LIFE (MIUP)
		0.0	ENHR					XXXXXXXXXX
31AUG03	06:10	Maintenance	Comment	1.9	13Feb01	REPAIR AT PTB		
		0.0	ENHR					XXXXXXXXXX
31AUG03	06:10	Maintenance	Comment	1.9	CURRENT CYCLE COUNT	6834		
		0.0	ENHR					XXXXXXXXXX



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01119  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 26A697  
 PART NO : 3029313  
 ENGINEERING NAME : DSC PWR TURB 2ND ST  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~00198

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
20OCT03	01:24	Maintenance Comment	3406.7 ENHR	0.0	CURRENT CYCLES AT R2- 8385. A1EXXXY300852	XXXXXXxx
20OCT03	01:46	Maintenance Comment	3406.7 ENHR	0.0	LIF LDG CHANGED - OLD VALUE= 211.0	NEW VALUE= 0.0 XXXXXXxx
20OCT03	02:42	Maintenance Comment	3406.7 ENHR	0.0	IAW AAP 7212.007-7 PT2. A1EXXXY300859	XXXXXXxx
15JUN04	07:44	Maintenance Comment	3406.7 ENHR	0.0	O/H AT P&WC A/ASIA 30MAR04 A1PXXXY414195	XXXXXXxx
02NOV04	00:29	Maintenance Comment	3515.6 ENHR	0.0	LIF LDG CHANGED - OLD VALUE= 207.0	NEW VALUE= 0.0 XXXXXXxx
02NOV04	00:33	Maintenance Comment	3515.6 ENHR	0.0	02NOV04 CURRENT CYCLE COUNT 8642 A1PXXXY427212	XXXXXXxx
02SEP05	02:05	Maintenance Comment	3814.8 ENHR	0.0	LIF LDG CHANGED - OLD VALUE= 778.0	NEW VALUE= 0.0 XXXXXXxx
02SEP05	02:09	Maintenance Comment	3814.8 ENHR	0.0	CURRENT CYCLE COUNT IS 9411 A1PXXXY513654	XXXXXXxx
16OCT06	02:34	Maintenance Comment	4114.5 ENHR	0.0	CURRENT CYCLE COUNT IS 10155 A1PXXXY608410	XXXXXXxx
16OCT06	02:40	Maintenance Comment	4114.5 ENHR	0.0	LIF LDG CHANGED - OLD VALUE= 688.0	NEW VALUE= 0.0 XXXXXXxx
08JUN07	02:07	Maintenance Comment	4413.3 ENHR	0.0	CURRENT CYCLE COUNT IS 10901 A1PXXXY704941	XXXXXXxx
08JUN07	02:12	Maintenance Comment	4413.3 ENHR	0.0	LIF LDG CHANGED - OLD VALUE= 695.0	NEW VALUE= 0.0 XXXXXXxx
02APR08	07:37	Maintenance Comment	4711.7 ENHR	0.0	02APR08 CURRENT CYCLE COUNT 11652 A1PXXXY802593	XXXXXXxx
02APR08	08:43	Maintenance Comment	4711.7 ENHR	0.0	LIF LDG CHANGED - OLD VALUE= 697.0	NEW VALUE= 0.0 XXXXXXxx
28NOV08	02:32	Maintenance Comment	5010.4 ENHR	0.0	CURRENT CYCLE COUNT 12330 A1PXXXY812343	XXXXXXxx
28NOV08	02:39	Maintenance Comment	5010.4 ENHR	0.0	LIF LDG CHANGED - OLD VALUE= 507.0	NEW VALUE= 0.0 XXXXXXxx
29JAN09	07:00	Maintenance Comment	5017.4 ENHR	0.0	LIF LDG CHANGED - OLD VALUE= 19.0	NEW VALUE= 0.0 XXXXXXxx
29JAN09	07:00	Maintenance Comment	5017.4 ENHR	0.0	LIF PTELCF CHANGED - OLD VALUE= 50000.0	NEW VALUE= 12355.0 XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01120  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 26A697  
 PART NO : 3029313  
 ENGINEERING NAME : DSC PWR TURB 2ND ST  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~00198

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
05FEB09 12:02	Maintenance Comment	5032.2 ENHR	0.0	29JAN09 CYCLE COUNT = 12355 A1PXXXXY901182	XXXXXX
19APR17 22:38	Position Change	6192.6 ENHR	4982.5	A23T A1SAM06 00 A23T A1SAM06 00 A1PXXX1706286	XXXXXX
21AUG18 11:52	Maintenance Comment	6667.3 ENHR	0.0	POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE	
	Position Change		5471.1	A23T A1SAM06 00 A23T A1SAM06 00 A1PXXX1808213	XXXXXX
	Maintenance Comment		0.0	POLICY COPY IAW MPAN 032/2018 INC'D	

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
AIEXXJCA04634	C COMPLETED	05JUN91 00:00	XXXXXX		AIE	0.0	
03 OVERHAUL DUE							

Unserviceability Details:  
 Maintenance Comments:

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 26A697  
PART NO : 3029313 ~00198 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : DSC PWR TURB 2ND ST  
VENUE : A23DISP LOCATION : A23-033

MAINTENANCE POLICY HISTORY -----

POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	USER ID
15JUN04 07:43	SM DLD Changed From: 05JUN1991	OH To:	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01122  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 2700  
 PART NO : 071-1282-39 ~22373 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : CONTROL KFS 598A  
 VENUE : A23DISP LOCATION : A23-033  
 CURRENT CONDITION : S/I LIFE SINCE NEW : 6402.2 AFHR

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
			LIFE SINCE NEW					
30AUG03	19:51	Maintenance Comment	0.0 AFHR	1.4	04Nov91 NEW - 2700	071-1282-39	2451-00-00-H	XXXXXXxx
30AUG03	19:52	Maintenance Comment	0.0 AFHR	1.4	30Apr92 A23-066	07.3 0.0	0.0 AFHR	^^^^^RECEPTION
30AUG03	19:53	Maintenance Comment	0.0 AFHR	1.4	29Aug03 A23-066	07.30 4022.6 AFHR	TX TO CAMM2	XXXXXXxx
30AUG03	19:58	Maintenance Comment	0.0 AFHR	1.4	23Apr98 A23-066	07.3 2342.7	0.0 AFHR	UPDATED LIFE (MPMI)
22MAR04	05:46	Asset Removal	4179.1 AFHR	205.8	567	A23-066	A23T	ALUDA 00A
		Change Serviceability Stat	0.0		A23T	ALUDA	00	XXXXXXxx
22MAR04	22:36	Change Location of an Asse	4179.1 AFHR	0.7	S/I			
		Change Location of an Asse	4179.1 AFHR	0.7	U/S	A23-066		
12OCT05	11:01	Change Serviceability Stat	4179.1 AFHR	569.2	EQUIP_STORE			XXXXXXxx
		Change Serviceability Stat	4179.1 AFHR	569.2	EQUIP_STORE			XXXXXXxx
07APR08	03:07	Change Location of an Asse	4179.1 AFHR	1476.1	HOLD			XXXXXXxx
22FEB09	22:00	Asset Installation	4179.1 AFHR	1798.6	EQUIP_STORE			XXXXXXxx
		Change Serviceability Stat	4179.1 AFHR	1229.4	A1EXXXY402132			XXXXXXxx
		Change Location of an Asse	4179.1 AFHR	321.7	A23T	ALUDA	00	
19AUG13	23:35	Position Change	5396.7 AFHR	1639.0	561	A23-060	A23T	ALUDA 00AC
		Position Change	5396.7 AFHR	1639.0	SERV			XXXXXXxx
		Position Change	5396.7 AFHR	1639.0	S/I			
		Position Change	5396.7 AFHR	1639.0	EQUIP_STORE			
		Position Change	5396.7 AFHR	1639.0	A23-060			
		Position Change	5396.7 AFHR	1639.0	A23T	ALUDA	00	
		Position Change	5396.7 AFHR	1639.0	A23T	ALUDA	00	
		Position Change	5396.7 AFHR	1639.0	A1EXXX1304397			XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01123  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 2700  
 PART NO : 071-1282-39 ~22373  
 ENGINEERING NAME : CONTROL KFS 598A  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
21JUL15 22:44	Asset Removal	2340.0	561 A23T A1UDA A23-060 00	A23T A1UDA 00A
	5930.6 AFHR Change Serviceability Stat	0.6	S/I U/S	XXXXXXxx
	Change Location of an Asse	1759.0	A23-060 EQUIP_STORE	
21JUL15 23:08	Change Venue of an Asset	1759.0	AIE NONC2CONT A1EXXX1502089	XXXXXXxx
	5930.6 AFHR Change Location of an Asse	0.0	EQUIP_STORE HOLD	
03JUL18 03:00	Change Serviceability Stat	1077.1	U/S SERV	XXXXXXxx
	5930.6 AFHR Change Venue of an Asset	1083.5	NONC2CONT AIP	XXXXXXxx
	5930.6 AFHR Change Location of an Asse	1083.5	NONC2X1806944 HOLD	XXXXXXxx
10JUL18 22:48	Asset Installation	1085.0	A23T A1UDA 533 A23-033 00	A23T A1UDA 00AC
	5930.6 AFHR Change Serviceability Stat	7.8	SERV S/I	XXXXXXxx
	Change Location of an Asse	1.4	STORES A23-033 MMI	

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS		UNSERVICEABILITY DETAILS			
MAINT PROCESS	UNSERVICEABILITY	MAINTENANCE COMMENT					
FAULT FOUND	MAINTENANCE ACTION TAKEN						
A1EXXJY401916	C COMPLETED	22MAR04 05:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE 4179.1	AFHR
01 UNSERVICEABLE	06 TURNAROUND	FRONT COMM 2 DIMS TO BLANK					
	11 INOPERATIVE						
03 ELECTRICAL COMPONENT FAIL	02 REPAIR	Unserviceability Details: CONTROL FAILS TO DIM					

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 2700 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 071-1282-39 ~22373  
ENGINEERING NAME : CONTROL KFS 598A  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

Maintenance Comments: REPAIRED AND TESTED IAW AAP7831.110-3M.

A1EXXJ1504114	C COMPLETED	21JUL15 22:44	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	NONC2CONT	
	03JUL18 03:00	21JUL15 22:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	5930.6	AFHR
01 UNSERVICEABLE		01 IN FLIGHT		COMM 2 FRONT SEAT PANEL UNREADABLE			
		01 DAMAGED/CRACKED					
03 ELECTRICAL COMPONENT FAIL		02 REPAIR					

Unserviceability Details: COMM 2 FRONT SEAT PANEL UNREADEABLE.

Maintenance Comments: REPAIRED - NEW LENS , CHAN & TRANSFER SWITCH FITTED , UNIT REPAIRED AND TESTED SERVICEABLE IAW AAP 7831.110-3M AL0 REF AIRFLITE ARC NO PAVI1203 @ AIP AV SHOP

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 01125  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 272  
 PART NO : AS3100-15K ~D2356  
 ENGINEERING NAME : PANEL SELECTOR  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 6501.7 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T		CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
29AUG03	13:41	Maintenance Comment	0.0 AFHR	0.2	27Aug02 A23-043 07.30 3053.4 0.0 AFHR	08-MOD/STI LE26983 CMM LOG00008 XXXXXXxx
29AUG03	13:41	Maintenance Comment	0.0 AFHR	0.2	16Sep02 2FTAVOP FF: 01-NIL	MA: 08-MOD/STI CMM LOG00010 XXXXXXxx
29AUG03	13:43	Maintenance Comment	0.0 AFHR	0.2	22Apr98 DISPATCHED TO PEAX?CON	XXXXXXxx
29AUG03	13:43	Maintenance Comment	0.0 AFHR	0.2	29Jan99 A23-043 07.3 2186.8 0.0 AFHR	13-REMACCES LX99861 CMM LOG00005 XXXXXXxx
29AUG03	13:44	Maintenance Comment	0.0 AFHR	0.2	INTERNAL ELETRICAL FAULT	XXXXXXxx
29AUG03	13:44	Maintenance Comment	0.0 AFHR	0.2	16Sep02 PARTNO REIDENTIFIED FROM AS3100-15D	XXXXXXxx
29AUG03	13:48	Maintenance Comment	0.0 AFHR	0.2	09Feb99 A23-043 07.3 2186.8 0.0 AFHR	IN AS A23T 2500-00-00-B CMM LOG00007 XXXXXXxx
29AUG03	13:50	Maintenance Comment	0.0 AFHR	0.2	03Sep98 025CMM2 FF: 07-OUTADJUST	MA: 03-ADJUST CMM LOG00003 XXXXXXxx
29AUG03	13:50	Maintenance Comment	0.0 AFHR	0.2	19Oct89 NEW - 272 985.61.15.206 2500-00-00-B	XXXXXXxx
29AUG03	13:50	Maintenance Comment	0.0 AFHR	0.2	09Oct98 A23-043 07.3 2057.3 0.0 AFHR	IN AS A23T 2500-00-00-B CMM LOG00004 XXXXXXxx
29AUG03	13:50	Maintenance Comment	0.0 AFHR	0.2	29Aug03 PEASTORE 00. 3053.4 AFHR	TX TO CMM2 CMM LOG00013 XXXXXXxx
29AUG03	13:57	Maintenance Comment	0.0 AFHR	0.2	29Jan99 2FTHG121 FF: 01-NIL	MA: 04-CHK/TST CMM LOG00006 XXXXXXxx
29AUG03	13:58	Maintenance Comment	0.0 AFHR	0.2	MOD 15D - 15K INC	XXXXXXxx
13OCT03	02:04	Position Change	3053.4 AFHR	44.7	A23T A1UEA 00	XXXXXXxx
17DEC03	06:02	Change Serviceability Stat	3053.4 AFHR	457.2	A23T A1UEA 0 A1PXXXY302012	XXXXXXxx
					SERV U/S A1PXXJY302859	XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01126  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 272  
 PART NO : AS3100-15K ~D2356  
 ENGINEERING NAME : PANEL SELECTOR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS		-----									
TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN(DYS)	FROM	TO (OPTIONAL)		TRANS REFERENCE		USER	
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
07JAN04 00:39	Change Serviceability Stat	20.7		U/S							
			3053.4 AFHR	SERV							XXxxXXxx
22JAN04 03:13	Change Location of an Asse	140.1		EXTERNAL							
			3053.4 AFHR	MMIST							XXxxXXxx
08JUL04 07:52	Change Part Number of an A	313.9		A1PXXXY400661							
				985.61.15.206							~S4080
				AS3100-15K							~D2356
13JUL04 01:18	Asset Installation	318.7		A1PXXXY416268							XXxxXXxx
			3053.4 AFHR	A23T A1UEA							
				544							
					A23-044						00
											A23T A1UEA
											00AC
			3053.4 AFHR	SERV							XXxxXXxx
				S/I							
				MMIST							
				A23-044							
26APR05 00:29	Asset Removal	286.9		544							
				A23T							
					A1UEA						
											00
					A23-044						A23T A1UEA
											00A
			3352.4 AFHR	S/I							XXxxXXxx
				U/S							
				A23-044							
26APR05 00:30	Change Serviceability Stat	0.0		HG122							
				U/S							
				SERV							
26APR05 00:35	Asset Installation	0.0		A23T							XXxxXXxx
				550							
					A1UEA						
											00
					A23-049						A23T A1UEA
											00AC
			3352.4 AFHR	SERV							XXxxXXxx
				S/I							
				HG122							
				A23-049							



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01127  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 272  
 PART NO : AS3100-15K ~D2356  
 ENGINEERING NAME : PANEL SELECTOR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
07MAR06 00:31	Asset Removal	314.9	550 A23T A1UEA A23-049 00	A23T A1UEA 00A
	3609.7 AFHR Change Serviceability Stat	4.7	S/I U/S	XXXXXXxx
	Change Location of an Asse	314.9	A23-049	
14MAR06 01:16	Change Location of an Asse	7.0	INTMH JANDAKOT	
	3609.7 AFHR Change Serviceability Stat	30.3	A1PXXXY601873 U/S SERV	XXXXXXxx
15JUN06 23:10	Change Location of an Asse	93.9	JANDAKOT MMIST	XXXXXXxx
	3609.7 AFHR Asset Installation	106.2	A1PXXXY604654 A23T A1UEA 058	XXXXXXxx
	3609.7 AFHR Change Serviceability Stat	75.8	A23-008 SERV S/I	A23T A1UEA 00AC
	Change Location of an Asse	5.2	MMIST A23-008	
07DEC06 04:59	Asset Removal	168.9	058 A23T A1UEA A23-008 00	A23T A1UEA 00A
	3689.1 AFHR Change Serviceability Stat	0.0	S/I U/S	XXXXXXxx
	Change Location of an Asse	168.9	A23-008	
11DEC06 10:05	Change Serviceability Stat	4.2	OPMH U/S SERV	
	3689.1 AFHR			XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01128  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 272  
 PART NO : AS3100-15K ~D2356  
 ENGINEERING NAME : PANEL SELECTOR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
22FEB07 02:03	Asset Installation	76.8	A23T A1UEA 555 A23-054	00 A23T A1UIG 00AC
	3689.1 AFHR Change Serviceability Stat	72.6	SERV S/I	XXXXXXXX
	Change Location of an Asse	76.8	OPMH A23-054	
15MAR07 04:27	Asset Removal	21.1	555 A23T A1UIG	00 A23T A1UIG 00A
	3715.0 AFHR Change Serviceability Stat	0.0	S/I U/S	XXXXXXXX
	Change Location of an Asse	21.1	A23-054	
20JUL07 08:00	Change Serviceability Stat	127.1	JANDAKOT U/S SERV	
	3715.0 AFHR Change Location of an Asse	158.8	JANDAKOT MMIST	XXXXXXXX
	3715.0 AFHR Change Serviceability Stat	58.9	A1PXXXY707331 SERV U/S	XXXXXXXX
	3715.0 AFHR Estimated Date/Time Servic	733301.6	A1PXXUY713235 SERV STAT	XXXXXXXX
17SEP07 07:27	Change Serviceability Stat	0.0	SERV STAT U/S SERV	
	3715.0 AFHR Change Location of an Asse	28.0	MMIST JANDAKOT	XXXXXXXX
	3715.0 AFHR Change Venue of an Asset	1768.9	A1PXXXY708408 AIP	XXXXXXXX
	3715.0 AFHR Change Location of an Asse	293.9	NONC2CONT A1PXXXY806067 JANDAKOT	XXXXXXXX
			HOLD	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01129  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 272  
 PART NO : AS3100-15K ~D2356  
 ENGINEERING NAME : PANEL SELECTOR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
04AUG08 23:46	Change Venue of an Asset	28.0	NONC2CONT AIP	
	3715.0 AFHR Change Location of an Asse	28.0	NONC2XY808262 HOLD MMIST	XXxxXXxx
05AUG08 03:19	Asset Installation	508.9	A23T A1UIG 528 A23-028	A23T A1UEA 00AC
	3715.0 AFHR Change Serviceability Stat	322.8	SERV S/I	XXxxXXxx
	Change Location of an Asse	0.1	MMIST A23-028	
14OCT08 06:04	Asset Removal	70.1	528 A23T A1UEA	A23T A1UEA 00A
	3792.9 AFHR Change Serviceability Stat	11.1	S/I U/S	XXxxXXxx
	Change Location of an Asse	70.1	A23-028 MMIST	
20OCT08 23:13	Change Venue of an Asset	76.9	AIP NONC2CONT	
	3792.9 AFHR Change Location of an Asse	6.7	A1PXXXY809961 MMIST	XXxxXXxx
	Change Serviceability Stat	9.2	HOLD U/S SERV	
	3792.9 AFHR Change Venue of an Asset	245.1	NONC2CONT AIP	XXxxXXxx
23JUN09 02:23	Change Venue of an Asset	245.1	NONC2XY907596 HOLD MMIST	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01130  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 272  
 PART NO : AS3100-15K ~D2356  
 ENGINEERING NAME : PANEL SELECTOR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
29JUN09 00:29	Asset Installation	257.7	A23T A1UEA A23-054 00	A23T A1UIG 00AC
	3792.9 AFHR			XXXXXXxx
	Change Serviceability Stat	248.5	SERV S/I	
	Change Location of an Asse	5.9	MMIST A23-054	
18FEB15 22:53	Asset Removal	2060.9	555 A23-054 00	A23T A1UIG 00A
	5377.1 AFHR			XXXXXXxx
	Change Serviceability Stat	0.6	S/I U/S	
	Change Location of an Asse	2060.9	A23-054 STORES	
09MAR15 06:20	Change Venue of an Asset	2085.1	AIP NONC2CONT	
	5377.1 AFHR		A1PXXX1501828	XXXXXXxx
	Change Location of an Asse	18.3	STORES HOLD	
19AUG15 01:00	Change Serviceability Stat	181.0	U/S SERV	
	5377.1 AFHR			XXXXXXxx
27OCT15 03:14	Change Venue of an Asset	231.8	NONC2CONT AIP	
	5377.1 AFHR		NONC2X1512310	XXXXXXxx
	Maintenance Comment	0.0	REPAIRED AT JNDKT AIP ON 19AUG15 AND MOVED TO AIP	
	Change Location of an Asse	231.8	HOLD STORES	
04NOV15 11:34	Asset Installation	258.5	A23T A1UIG A23-033 00	A23T A1UEA 00AC
	5377.1 AFHR			XXXXXXxx
	Change Serviceability Stat	77.4	SERV S/I	
	Change Location of an Asse	8.3	STORES A23-033	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 01131  
08JAN20  
23:16:15

SERIAL/TAIL NO : 272 PERIOD: 01JAN90 TO 08JAN20  
PART NO : AS3100-15K ~D2356  
ENGINEERING NAME : PANEL SELECTOR  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

=====  
A1PXXUY713235 COMPLETED 27MAY08 12:05 3715.0 AFHR XXxxXXxxXXxxXXxxXXxx  
17SEP07 07:27 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 27MAY08 12:00  
17SEP07 07:29 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
SHEARED SCREW IN ONE SCREW POSTS OF PLUG CONNECTOR AT REAR OF UNIT 27MAY08 12:05

Maint Acts: REPAIRED AND TESTED IAW AAP 7833.055-3M

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

=====  
A1PXXJY302859 C COMPLETED 17DEC03 06:02 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP 3053.4 AFHR  
07JAN04 00:39  
08 MOD/STI/DVI REQUIRED STI-PC9-0308 due on Serial  
PANEL SELECTOR at WAC 0730  
01 NO FAULT 08 MOD/STI/DVI INCORP  
Unserviceability Details:  
Maintenance Comments: STI PPC9-0308  
A1PXXJY507992 C COMPLETED 26APR05 00:29 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP 3352.4 AFHR  
26APR05 00:30  
09 CANNIBALISATION 99 NO FAILURE FCP AUDIO CONTROL PANEL REMOVED TO SERVICE A23-047  
01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV  
A1PXXJY604062 C COMPLETED 07MAR06 00:31 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP 3609.7 AFHR  
06APR06 10:00  
01 UNSERVICEABLE 01 IN FLIGHT ICS VOL TOO LOW  
03 ELECTRICAL FAILURE  
07 BAD ADJUST/ALIGN 03 ADJUST/ALIGN  
Unserviceability Details: ICS VOLUME TOO LOW

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : 272  
PART NO : AS3100-15K ~D2356 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PANEL SELECTOR  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

Maintenance Comments: UNIT ALIGNED AND TESTED IAW AAP7833.055-3M. AIJ 06APR06

A1PXXJY620101	C COMPLETED	07DEC06 04:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	11DEC06 10:05	07DEC06 04:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		3689.1	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		FRONT AND REAR AUDIO CONTROLLER RFA			

01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: SERV

A1PXXJY705199	C COMPLETED	15MAR07 04:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	20JUL07 08:00	15MAR07 04:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		3715.0	AFHR
10	ABNORMALLY OPERATED	01 IN FLIGHT		FRONT COCKPIT INTERCOM GARBLED, HARD TO UNDERSTAND FROM REAR COCKPIT			
		10 INTERMITTENT					
07	BAD ADJUST/ALIGN	03 ADJUST/ALIGN					

Unserviceability Details: FRONT COCKPIT INTERCOM HARD TO UNDERSTAND FROM REAR COCKPIT

Maintenance Comments: 20JUL07 ALIGN AND TEST AT AIRFLITE JANDAKOT

A1PXXJY817341	C COMPLETED	14OCT08 06:04	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	NONC2CONT		
	23OCT08 11:10	14OCT08 06:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		3792.9	AFHR
01	UNSERVICEABLE	09 R2 SERVICING		BOTH C/P EMERG ICS SQUEELS ,NORMAL ICS OK			
		03 ELECTRICAL FAILURE					
03	ELECTRICAL COMPONENT FAIL	02 REPAIR					

Unserviceability Details: SQUEALS IN EMERG IC,NORMAL IC OK

Maintenance Comments: UNIT ALIGNED & TESTED IAW AAP 7833.0553M

A1PXXJ1502733	C COMPLETED	18FEB15 22:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	19AUG15 01:20	18FEB15 22:55	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		5377.1	AFHR
01	UNSERVICEABLE	01 IN FLIGHT		COMMS 1 AND 2 UNREADABLE AIRBORNE OK ON GROUND.			
		03 ELECTRICAL FAILURE					
03	ELECTRICAL COMPONENT FAIL	02 REPAIR					

Unserviceability Details: SIGNALS UNREADABLE AIRBORNE, OK ON GROUND.

Maintenance Comments: UNIT REPAIRED AND TESTED IAW AAP 7833.035-3M AL0 NEW  
ROTARY SWITCH FITTED

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 01133  
08JAN20  
23:16:15

SERIAL/TAIL NO : 272  
PART NO : AS3100-15K ~D2356  
ENGINEERING NAME : PANEL SELECTOR  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

STI STATUS CHANGE -----

STI NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
=====	=====	=====	=====	=====	=====	=====
STI-PC9-0308	N	13OCT03	NINC			
STI-PC9-0308	Y	07JAN04	INC	A1PXXJY302859	17DEC03 06:02	3053.4 AFHR

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 27S96F  
PART NO : SP4518 ~F9111  
ENGINEERING NAME : MICROSWITCH  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 1620.7 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
18JAN10 02:20	27S96F	SP4518	~F9111	A23T	00
aie1692	AIE	EQUIP_STORE			
I. KING		18JAN10		A18AI	
				A1EXXR1000004	
	0.0 AFHR		18JAN10		



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01135  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 27S96F  
 PART NO : SP4518  
 ENGINEERING NAME : MICROSWITCH  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~F9111

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
18JAN10 02:20	Reception History Record	0.0	0.0	Reception EQUIP_STORE	HOLD
19JAN10 04:52	Asset Installation	0.0 AFHR	1.2	A23T 507 A18AI	00 A23T A18AI 00AC
	Change Serviceability Stat	0.0 AFHR	1.2	SERV S/I	XXxxXXxx
	Change Location of an Asse		1.2	EQUIP_STORE A23-027	

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 01136  
08JAN20  
23:16:15

SERIAL/TAIL NO : 29-10/2009  
PART NO : LRU-16/P ~6M638  
ENGINEERING NAME : LIFERAFT LRU-16  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 1581.0 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION		DATE UNPACKED		
08FEB11 20:46	29-10/2009	LRU-16/P	~6M638	A1WBG04	00
8181254	4SQN	ALS		4SQNXR1100024	
S. BROOKER		01OCT09	OCT09		
	0.0 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01137  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 29-10/2009 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : LRU-16/P ~6M638  
 ENGINEERING NAME : LIFERAFT LRU-16  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS											
TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER			
LIFE SINCE NEW											
=====											
08FEB11	20:46	Reception	History Record	0.0	Reception						
		0.0	AFHR		ALS			HOLD			XXxxXXxx
06MAY11	00:46	Change	Serviceability Stat	87.0	U/S						
		0.0	AFHR		SERV						XXxxXXxx
10MAY11	23:01	Asset	Installation	586.9	A23T	A1WBG04		00			
		0.0	AFHR		DE0541		DE0541		A23T	A1WBG04	00MMI
		0.0	AFHR								XXxxXXxx
		4.9	Change Serviceability Stat		SERV						
08MAY12	07:37	Change	Serviceability Stat	4.1	S/I						
		188.8	AFHR		S/I						
10JUL12	04:50	Change	Serviceability Stat	62.8	US/I	4SQNXJ1100681					XXxxXXxx
		188.8	AFHR		S/I						XXxxXXxx
30MAY13	22:24	Position	Change	750.9	A23T	A26BG04		00			
		444.8	AFHR		A23T	A26BG04		00			
04JUL13	01:16	Change	Serviceability Stat	2.9	4SQNXX1301678						XXxxXXxx
		473.1	AFHR		S/I						
09JUL13	03:58	Change	Serviceability Stat	5.1	US/I	4SQNXJ1201026					XXxxXXxx
		473.1	AFHR		US/I						XXxxXXxx
20AUG14	03:19	Change	Serviceability Stat	67.9	S/I						
		772.4	AFHR		US/I						
28SEP14	22:32	Change	Serviceability Stat	39.8	4SQNXJ1300818						XXxxXXxx
		772.4	AFHR		US/I						XXxxXXxx
17AUG15	23:52	Change	Serviceability Stat	33.7	S/I						
		962.8	AFHR		US/I						XXxxXXxx
					4SQNXJ1401616						XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01138  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 29-10/2009  
 PART NO : LRU-16/P ~6M638  
 ENGINEERING NAME : LIFERAFT LRU-16  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
18AUG15 00:37	Change Serviceability Stat	962.8 AFHR	0.0	US/I S/I	
30AUG16 02:32	Change Serviceability Stat	1075.2 AFHR	62.8	S/I US/I ARDUXJ1502089	XXxxXXxx
01SEP16 00:12	Change Serviceability Stat	1075.2 AFHR	1.9	US/I S/I	XXxxXXxx
06SEP16 22:26	Position Change	1075.2 AFHR	1945.9	A23T A1WBG04 00 A23T A1WBG04 00 4SQNXX1601645	XXxxXXxx
21JAN18 21:04	Maintenance Comment Change Serviceability Stat	1209.1 AFHR	0.0 150.7	LCN CX C/O TO UPDATE POLICY. S/I US/I 4SQNXJ1601472	XXxxXXxx
23JAN18 20:29	Change Serviceability Stat	1209.1 AFHR	1.9	US/I S/I	XXxxXXxx
04MAR18 20:20	Position Change	1209.1 AFHR	2489.8	A23T A26BG04 00 A23T A26BG04 00 4SQNXX1800404	XXxxXXxx
11DEC18 02:34	Change Serviceability Stat	1399.0 AFHR	0.6	S/I US/I 4SQNXJ1800052	XXxxXXxx
22JAN19 02:49	Change Serviceability Stat	1399.0 AFHR	42.0	US/I S/I	XXxxXXxx
14APR19 22:13	Position Change	1399.0 AFHR	2895.9	A23T A1WBG04 00 A23T A1WBG04 00 4SQNXX1900957	XXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 01139  
08JAN20  
23:16:15

SERIAL/TAIL NO : 29-10/2009 PERIOD: 01JAN90 TO 08JAN20  
PART NO : LRU-16/P ~6M638  
ENGINEERING NAME : LIFERAFT LRU-16  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

4SQNXJ1100191	C COMPLETED	08FEB11 20:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	4SQN	
	06MAY11 00:46	08FEB11 20:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	0.0	AFHR
02 BAY SERVICE DUE				BS	due on Serial 29-10/2009		
					LIFE RAFT INFLATABL at WAC 0730		
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:		BS CARRIED OUT IAW AAP 7220.025-3M,CHAP5,SECT2.			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			01OCT10

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

4SQNXJ1100190	C COMPLETED	08FEB11 20:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	4SQN	
	08FEB11 20:53	08FEB11 20:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	0.0	AFHR
08 MOD/STI/DVI REQUIRED				7220.025-104	due on Serial 29-10/2009		
					LIFE RAFT INFLATABL at WAC 0730		
01 NO FAULT		08 MOD/STI/DVI INCORP					
		Unserviceability Details:					
		Maintenance Comments:		MOD INC IAW AAP7220.025-3M.			

4SQNXJ1100681	C COMPLETED	10JUL12 03:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	4SQN	
	10JUL12 04:50	08MAY12 07:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	188.8	AFHR
02 BAY SERVICE DUE				BS	due on Serial 29-10/2009		
					LIFE RAFT INFLATABL at WAC 0740		
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:		BS CARRIED OUT IAW AAP 7220.025-3M,TOPIC 2 CHAP2.			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01140  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 29-10/2009 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : LRU-16/P ~6M638  
 ENGINEERING NAME : LIFERAFT LRU-16  
 VENUE : A23DISP LOCATION : A23-033

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			05MAY12

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
4SQNXJ1201026	C COMPLETED	04JUL13 01:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	4SQN	
02 BAY SERVICE DUE	09JUL13 03:58	04JUL13 01:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	473.1	AFHR
01 NO FAULT	06 BAY SERVICE			BS	due on Serial 29-10/2009 LIFE RAFT INFLATABL at WAC 0740		

Unserviceability Details:  
 Maintenance Comments: BS CARRIED OUT IAW AAP 7220.025-3M,CHAP5,SECT2. ACG SI (LOG) 4-3-10.

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			10JUL13
SM	BS	1.0	ELPYR			10JUL13

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
4SQNXJ1300818	C COMPLETED	23SEP14 00:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	4SQN	
02 BAY SERVICE DUE	28SEP14 22:32	20AUG14 03:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	772.4	AFHR
01 NO FAULT	06 BAY SERVICE			BS	due on Serial 29-10/2009 LIFERAFT INFLATABLE at WAC 0740		

Unserviceability Details:  
 Maintenance Comments: BS CARRIED OUT IAW AAP 7220.025-3M

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			09JUL14

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 01141  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 29-10/2009 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : LRU-16/P ~6M638  
 ENGINEERING NAME : LIFERAFT LRU-16  
 VENUE : A23DISP LOCATION : A23-033

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			09JUL14

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
4SQNXJ1401616	C COMPLETED	17AUG15 23:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU	ARDU	
02 BAY SERVICE DUE	18AUG15 00:37	17AUG15 23:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU	962.8	AFHR
01 NO FAULT	06 BAY SERVICE			BS	due on Serial 29-10/2009 LIFERAFT INFLATABLE at WAC 0740		

Unserviceability Details:  
 Maintenance Comments: BS CO IAW AAP 7220.025-3M

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			28SEP15
SM	BS	1.0	ELPYR			28SEP15

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
ARDUXJ1502089	C COMPLETED	31AUG16 02:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	4SQN	
02 BAY SERVICE DUE	01SEP16 00:12	30AUG16 02:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	1075.2	AFHR
01 NO FAULT	06 BAY SERVICE			BS	due on Serial 29-10/2009 LIFERAFT INFLATABLE at WAC 0740		

Unserviceability Details:  
 Maintenance Comments: B/S C/O IAW AAP 7220.025-3M

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			17AUG16
SM	BS	1.0	ELPYR			17AUG16

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01142  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 29-10/2009 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : LRU-16/P ~6M638  
 ENGINEERING NAME : LIFERAFT LRU-16  
 VENUE : A23DISP LOCATION : A23-033

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
=====	=====	=====	=====	=====	=====	=====

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			
4SQNXJ1601472	C COMPLETED	21JAN18 21:05	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	4SQN	
	23JAN18 20:29	21JAN18 21:04	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	1209.1	AFHR
02 BAY SERVICE DUE				BS	due on Serial 29-10/2009		
01 NO FAULT		06 BAY SERVICE		LIFERAFT INFLATABLE at WAC 0730			

Unserviceability Details:  
 Maintenance Comments: BS CARRIED OUT IAW AAP 7220.025-3M.

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
=====	=====	=====	=====	=====	=====	=====
SM	BS	1.0	ELPYR			01SEP17
SM	BS	1.0	ELPYR			01SEP17

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			
4SQNXJ1800052	C COMPLETED	17JAN19 20:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	4SQN	
	22JAN19 02:49	11DEC18 02:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	1399.0	AFHR
02 BAY SERVICE DUE				BS	due on Serial 29-10/2009		
01 NO FAULT		06 BAY SERVICE		LIFERAFT INFLATABLE at WAC 0740			

Unserviceability Details:  
 Maintenance Comments: B/S C/O IAW AAP 7220.025-3M

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
=====	=====	=====	=====	=====	=====	=====
SM	BS	1.0	ELPYR			23JAN19
SM	BS	1.0	ELPYR			23JAN19



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 01143  
08JAN20  
23:16:15

SERIAL/TAIL NO : 29-10/2009  
PART NO : LRU-16/P ~6M638  
ENGINEERING NAME : LIFERAFT LRU-16  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MOD NUMBER	INCORPORATION STATUS	CHANGE	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
=====	=====	=====	=====	=====	=====	=====
7220.025-104	Y	08FEB11	INC	4SQNXJ1100190	08FEB11 20:47	0.0 AFHR
7220.025-104	N	08FEB11	NINC			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 01144  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 302  
 PART NO : 770GC01Y02 ~F0214 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : RELAY BUS TIE  
 VENUE : A23DISP LOCATION : A23-033  
 CURRENT CONDITION : S/I LIFE SINCE NEW : 7370.7 AFHR

ASSET TRANSACTIONS

TRANSACTION D/T CHANGE TYPE		LIFE SINCE NEW		SPAN(DYS)	FROM	TO (OPTIONAL)		TRANS REFERENCE		USER
=====		=====		=====	=====	=====		=====		=====
01SEP03	09:32	Maintenance Comment	0.0	3.0	01Feb96	A23-033	07.1	20000.0	0.0	AFHR IN AS A23T 1876-00-00-H
			AFHR							XXXXXXxx
01SEP03	09:34	Maintenance Comment	0.0	3.0	29Aug03	A23-033	07.10	2595.8	AFHR	TX TO CMM2
			AFHR							XXXXXXxx
01SEP03	09:35	Maintenance Comment	0.0	3.0	25Aug94	AIEMMI	00.	20000.0	0.0	AFHR LOG INITIALIZED
			AFHR							XXXXXXxx
01SEP03	09:35	Maintenance Comment	0.0	3.0	DATE NEW FIX:		OLD = 01FEB68			NEW = 01NOV87
			AFHR							XXXXXXxx
01SEP03	09:41	Maintenance Comment	0.0	3.0	CURRENT LIFE:		OLD = 20000.0	AFHR		NEW = AFHR
			AFHR							XXXXXXxx
01SEP03	09:47	Maintenance Comment	0.0	3.0	02Feb96	A23-033	07.1	0.0	0.0	AFHR UPDATED LIFE (MIUP)
			AFHR							XXXXXXxx
01SEP03	09:47	Maintenance Comment	0.0	3.0	01Nov87	NEW - 302		770GC01Y02		1876-00-00-H
			AFHR							XXXXXXxx
07JUN17	06:18	Position Change		5030.9	A23T	ALUOK		00		
					A23T	ALUOK		00		
		6740.3	AFHR		A1PXXX1709031					XXXXXXxx
		Maintenance Comment		0.0	POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE					

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01145  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 306  
 PART NO : 360-938-002 ~26055  
 ENGINEERING NAME : INTERMED DEVICE FUE  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 8864.4 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T CHANGE TYPE		LIFE SINCE NEW		SPAN(DYS) FROM TO (OPTIONAL) TRANS REFERENCE		USER			
=====		=====		=====		=====			
01SEP03	12:53	Maintenance Comment	0.0	3.1	20Dec90 MNTMMI	00.	0.0	0.0 AFHR	^^^^^RECEPTION
			AFHR		CAMM LOG00001				XXXXXXxx
01SEP03	12:53	Maintenance Comment	0.0	3.1	21May92 A23-033	01.3	116.5	0.0 AFHR	REM SVC TO A23-033
			AFHR		CAMM LOG00004				XXXXXXxx
01SEP03	12:55	Maintenance Comment	0.0	3.1	29Aug03 A23-033	07.1S	4089.6	AFHR	TX TO CAMM2
			AFHR		CAMM LOG00008				XXXXXXxx
01SEP03	12:57	Maintenance Comment	0.0	3.1	05Nov91 MNTMMI	00.	0.0	0.0 AFHR	MPMI CHANGE
			AFHR		CAMM LOG00002				XXXXXXxx
01SEP03	12:57	Maintenance Comment	0.0	3.1	29Apr98 A23-033	07.1S	2265.2	0.0 AFHR	UPDATED LIFE (MPMI)
			AFHR		CAMM LOG00006				XXXXXXxx
01SEP03	12:59	Maintenance Comment	0.0	3.1	11Mar92 A23-033	01.3	0.0	0.0 AFHR	IN AS A23T 2150-00-00-J
			AFHR		CAMM LOG00003				XXXXXXxx
01SEP03	13:02	Maintenance Comment	0.0	3.1	21May92 A23-033	10.2	116.5	0.0 AFHR	IN AS A23T 2150-00-00-J
			AFHR		CAMM LOG00005				XXXXXXxx
01SEP03	13:02	Maintenance Comment	0.0	3.1	01Feb68 NEW - 306		360-938-002		2150-00-00-J
			AFHR		CAMM LOG00007				XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01146  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 3101  
 PART NO : 8095686-1001 ~27914  
 ENGINEERING NAME : EADI  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 4963.7 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T CHANGE TYPE		LIFE SINCE NEW		SPAN(DYS) FROM		TO (OPTIONAL)		TRANS REFERENCE		USER	
=====		=====		=====		=====		=====		=====	
30AUG03	19:44	Maintenance Comment	0.0	AFHR	1.4	29Jun01	A23-043	07.40	1086.9	1086.9	AFHR 01-FAILED LC17833
											XXXXXXxx
30AUG03	19:45	Maintenance Comment	0.0	AFHR	1.4	20Dec01	ANZ	00.	1086.9	1086.9	AFHR 02-REPAIR
											XXXXXXxx
30AUG03	19:50	Maintenance Comment	0.0	AFHR	1.4	01Jul90	NEW - 3101		8095686-1001	2424-00-00-L	
											XXXXXXxx
30AUG03	19:54	Maintenance Comment	0.0	AFHR	1.4		RENEWED FAULTY HVPS.				
											XXXXXXxx
30AUG03	19:54	Maintenance Comment	0.0	AFHR	1.4	29Aug03	A23-063	07.40	1482.2	AFHR	TX TO CAMM2
											XXXXXXxx
30AUG03	20:00	Maintenance Comment	0.0	AFHR	1.4	19Apr02	A23-063	07.40	1086.9	0.0	AFHR IN AS A23T 2424-00-00-L
											XXXXXXxx
30AUG03	20:00	Maintenance Comment	0.0	AFHR	1.4	03Apr02	XLOC	00.	1086.9	0.0	AFHR RECEPTION (MIRE)
											XXXXXXxx
30AUG03	20:00	Maintenance Comment	0.0	AFHR	1.4		BLURRING				
											XXXXXXxx
27JAN10	21:45	Position Change	3194.2	AFHR	2343.5	A23T	AlUHK		00		
						A23T	AlUHK		00		
											XXXXXXxx
12APR16	22:09	Asset Removal	4194.6	AFHR	4610.5	564		A23-063		A23T	AlUHK 00A
						A23T	AlUHK		00		
											XXXXXXxx
		Change Serviceability Stat			76.7	S/I					
						U/S					
		Change Location of an Asse			xxxx	A23-063					
						AVIONICS		REC			
12APR16	22:10	Change Serviceability Stat	4194.6	AFHR	0.0	U/S					
						SERV					XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01147  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 3101  
 PART NO : 8095686-1001 ~27914  
 ENGINEERING NAME : EADI  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
12APR16 22:50	Asset Installation	0.0	A23T A1UHK 509 A23-012	00 A23T A1UHK 00AC
	4194.6 AFHR Change Serviceability Stat	0.0	SERV S/I AVIONICS A23-012	XXxxXXxx
	Change Location of an Asse	0.0	REC	
25JUL19 01:15	Asset Removal	1198.1	509 A23T A1UHK A23-012	00 A23T A1UHK 00A
	4834.2 AFHR Change Serviceability Stat	107.7	S/I U/S A23-012	XXxxXXxx
	Change Location of an Asse	141.8	STORES U/S SERV	
25JUL19 01:15	Change Serviceability Stat	0.0		XXxxXXxx
29JUL19 23:51	Asset Installation	4.9	A23T A1UHK 533 A23-033	00 A23T A1UDC 00AC
	4834.2 AFHR Change Serviceability Stat	4.9	SERV S/I STORES A23-033	XXxxXXxx
	Change Location of an Asse	4.9		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1EXXJ1603874	C COMPLETED	12APR16 22:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	12APR16 22:10	12APR16 22:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	4194.6 AFHR	
09 CANNIBALISATION	99 NO FAILURE			REAR DU1 CANNIBALISED SERV TO A23-012			
01 NO FAULT	04 CHECK/TEST SERV						

Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 3101  
PART NO : 8095686-1001 ~27914 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : EADI  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

14	CONFIGURATION CHANGE	99 NO FAILURE					
01	NO FAULT	04 CHECK/TEST SERV					

Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

SERIAL/TAIL NO : 3101  
PART NO : 8095686-1001 ~27914  
ENGINEERING NAME : EADI  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MOD NUMBER	CURRENT (Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
7532.067-101	Y	23DEC99 00:00	INC			
7532.067-102	Y	16JUL99 00:00	INC			
7532.067-103	Y	20DEC01 00:00	INC			
7532.067-104	Y	03APR02 00:00	N/A			
7532.067-105	Y	03APR02 00:00	N/A			
7532.067-106	Y	20DEC01 00:00	INC			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01150  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 311  
 PART NO : VL50R4  
 ENGINEERING NAME : ACTUATOR FCU  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

~F0217

PERIOD: 01JAN90 TO 08JAN20

LOCATION : A23-033  
 LIFE SINCE NEW : 5969.3 ENHR

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	LIFE SINCE NEW	ENHR	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
02MAY03	05:09	Change	Serviceability Stat			511.2	U/S			
				3656.1	ENHR					XXxxXXxx
29AUG03	13:23	Maintenance	Comment	0.0	ENHR	0.2	29Aug03	LE29092 00.	3656.2 AFHR	TX TO CAMM2
								CAMM LOG00012		XXxxXXxx
29AUG03	13:30	Maintenance	Comment	0.0	ENHR	0.2	14Jun01	2FTOPMH	FF: 01-NIL	MA: 04-CHK/TST
								CAMM LOG00002		XXxxXXxx
29AUG03	13:30	Maintenance	Comment	0.0	ENHR	0.2	03Dec01	A23-016 01.30	3293.7	0.0 AFHR 13-REMACCES LD15928
								CAMM LOG00004		XXxxXXxx
29AUG03	13:32	Maintenance	Comment	0.0	ENHR	0.2	17Jun01	A23-016 01.30	3070.6	0.0 AFHR IN AS A23T 1550-00-00-E
								CAMM LOG00003		XXxxXXxx
29AUG03	13:32	Maintenance	Comment	0.0	ENHR	0.2	07Mar91	NEW - 311 VL50R4		1550-00-00-E
								CAMM LOG00011		XXxxXXxx
29AUG03	13:32	Maintenance	Comment	0.0	ENHR	0.2	07Dec01	A23-016 01.30	3293.7	0.0 AFHR IN AS A23T 1550-00-00-E
								CAMM LOG00006		XXxxXXxx
29AUG03	13:32	Maintenance	Comment	0.0	ENHR	0.2	21Nov02	DISPATCHED TO PEAXQNF		
								CAMM LOG00008		XXxxXXxx
29AUG03	13:32	Maintenance	Comment	0.0	ENHR	0.2		DEFECT: AIP/97-02		
								CAMM LOG00009		XXxxXXxx
29AUG03	13:33	Maintenance	Comment	0.0	ENHR	0.2	14Jun01	A23-016 01.30	3070.6	0.0 AFHR 13-REMACCES LC17061
								CAMM LOG00001		XXxxXXxx
29AUG03	13:34	Maintenance	Comment	0.0	ENHR	0.2	15Oct02	A23-016 01.30	3656.2	0.0 AFHR 05-FUNC CHK LE29092
								CAMM LOG00007		XXxxXXxx
29AUG03	13:38	Maintenance	Comment	0.0	ENHR	0.2	03Dec01	2FTINTMH	FF: 01-NIL	MA: 04-CHK/TST
								CAMM LOG00005		XXxxXXxx
29AUG03	13:39	Maintenance	Comment	0.0	ENHR	0.2	26Nov02	LE29092 00.	3656.2	0.0 AFHR UPDATED LIFE (MPMI)
								CAMM LOG00010		XXxxXXxx
17FEB04	04:16	Change	Venue of an Asset			166.2	AIP			
				3656.1	ENHR			AIPXXXY403188		XXxxXXxx
		Change	Location of an Asse			166.2	EXTERNAL			
							MCS			

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01151  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 311  
 PART NO : VL50R4  
 ENGINEERING NAME : ACTUATOR FCU  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~F0217

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
17FEB04 05:11	Change Location of an Asse	0.0	MCS EQUIP_STORE	
07JUL06 00:00	Change Venue of an Asset	870.8	A1EXXXY401092 AIE AIP	XXxxXXxx
	Change Location of an Asse	870.7	A1EXXXY603839 EQUIP_STORE	XXxxXXxx
10JUL06 00:03	Asset Installation	1045.6	MMIST A23T A1SAI00	
	Change Serviceability Stat	1164.7	A23-038 103182	A23T A1SAI00 00AC XXxxXXxx
10JUL06 02:36	Asset Removal	0.1	SERV S/I MMIST A23-038 103182	
	Change Serviceability Stat	0.1	A23T A1SAI00	A23T A1SAI00 00M XXxxXXxx
10JUL06 02:42	Change Serviceability Stat	0.0	S/I U/S U/S SERV	
10JUL06 02:44	Asset Installation	0.0	A23T A1SAI00	XXxxXXxx
	Change Serviceability Stat	0.0	103142 A23-038	A23T A1SAI00 00AC XXxxXXxx
	Change Location of an Asse	0.0	SERV S/I OPMH A23-038	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01152  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 311  
 PART NO : VL50R4  
 ENGINEERING NAME : ACTUATOR FCU  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~F0217

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
31JAN07 03:40	Asset Removal	205.0	103142 A23T A1SAI00 A23-038 00	A23T A1SAI00 00A
	3889.9 ENHR Change Serviceability Stat	8.9	S/I U/S	XXXXXXxx
	Change Location of an Asse	205.0	A23-038 EXTERNAL	
31JAN07 04:56	Change Location of an Asse	0.0	EXTERNAL QNF A1PXXXY700837	XXXXXXxx
06FEB07 01:21	Change Location of an Asse	5.8	QNF JANDAKOT A1PXXXY700984	XXXXXXxx
19FEB08 02:23	Change Serviceability Stat	383.9	U/S SERV	XXXXXXxx
02APR08 02:23	Change Location of an Asse	421.0	JANDAKOT MMIST A1PXXXY802567	XXXXXXxx
01DEC08 11:07	Asset Installation	670.3	A23T A1SAI00 103172 A23-021 00	A23T A1SAI00 00AC
	3889.9 ENHR Change Serviceability Stat	286.3	SERV S/I MMIST A23-021	XXXXXXxx
	Change Location of an Asse	243.3	103172 A23T A1SAI00 A23-021 00	A23T A1SAI00 00A
23FEB09 03:49	Asset Removal	83.6	103172 A23T A1SAI00 A23-021 00	A23T A1SAI00 00A
	3982.1 ENHR Change Serviceability Stat	0.0	S/I U/S	XXXXXXxx
	Change Location of an Asse	83.6	A23-021 MMIST	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01153  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 311  
 PART NO : VL50R4  
 ENGINEERING NAME : ACTUATOR FCU  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~F0217

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
26MAR09 03:49	Change Venue of an Asset	993.1	AIP NONC2CONT	
	3982.1 ENHR Change Location of an Asse	31.0	A1PXXXXY903161 MMIST HOLD	XXxxXXxx
08JUL09 12:00	Change Serviceability Stat	135.3	U/S SERV	
	3982.1 ENHR Change Venue of an Asset	329.2	NONC2CONT AIP	XXxxXXxx
18FEB10 08:57	Change Location of an Asse	329.2	NONC2X1001541 HOLD	XXxxXXxx
14FEB11 10:00	Change Location of an Asse	361.0	MMIST STORES	
	3982.1 ENHR Maintenance Comment	0.0	A1PXXX1101082 MOVE ALL SERV ASSETS TO STORES - MMI	XXxxXXxx
17MAY12 03:22	Asset Installation	1178.9	A23T A1SAI00 00 103143 A23-024	A23T A1SAI00 00AC XXxxXXxx
	3982.1 ENHR Change Serviceability Stat	1043.6	SERV S/I	
	Change Location of an Asse	457.7	STORES A23-024	MMI
20APR15 06:45	Asset Removal	1068.1	103143 A23-024 A23T A1SAI00 00	A23T A1SAI00 00A XXxxXXxx
	4778.9 ENHR Change Serviceability Stat	6.0	S/I U/S	
	Change Location of an Asse	228.0	A23-024 PC9-AIRCRAFT	
20APR15 06:46	Change Serviceability Stat	0.0	U/S SERV	XXxxXXxx
	4778.9 ENHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01154  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 311  
 PART NO : VL50R4  
 ENGINEERING NAME : ACTUATOR FCU  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~F0217

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
30APR15 04:28	Asset Installation	9.9	A23T A1SAI00 103186 103186 00	A23T A1SAI00 00MMI
	4778.9 ENHR Change Serviceability Stat	9.9	SERV S/I	XXXXXXXXXX
19APR17 22:50	Position Change	720.7	A23T A1SAI00 00 A23T A1SAI00 00	
	5023.0 ENHR Maintenance Comment	0.0	A1PXXX1706300	XXXXXX
03OCT18 10:04	Change Serviceability Stat	0.0	POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE S/I	
	5590.3 ENHR Change Serviceability Stat	0.0	US/I A1PXXJ1814951	XXXXXX
03OCT18 10:05	Change Serviceability Stat	0.0	US/I	
	5590.3 ENHR			XXXXXX

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
LE29092XXXXXX	C COMPLETED	15OCT02 11:03	XXXXXX		PEA	AIE	
AIP/97-02	02MAY03 05:09					0.0	
05 SCHED FUNCTION CHECK/TEST				CHECK/TEST REQD.			
01 NO FAULT		04 CHECK/TEST SERV		Unserviceability Details: Maintenance Comments: TEST AT LRS IAW AAP 7432.202-2M			
A1PXXJY610407	C COMPLETED	10JUL06 02:36	XXXXXX	XXXXXXXXXXXXXXXXXX AIP		AIP	
13 REMOVED FOR ACCESS	10JUL06 02:42					3656.2	ENHR
	99 NO FAILURE			ITEMS REMOVED FOR ENGINE CHANGE			
01 NO FAULT		04 CHECK/TEST SERV		Unserviceability Details: Maintenance Comments: CHECK/TEST SERV			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 01155  
08JAN20  
23:16:15

SERIAL/TAIL NO : 311  
PART NO : VL50R4 ~F0217  
ENGINEERING NAME : ACTUATOR FCU  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJY702263	C COMPLETED	31JAN07 03:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	19FEB08 02:23	31JAN07 03:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		3889.9	ENHR
01 UNSERVICEABLE		01 IN FLIGHT		EFCU FAILED TO TOGGLED BACK WHEN SELECTED.			
02 MECHANICAL COMPONENT FAIL		02 MECHANICAL FAILURE					
		02 REPAIR					

Unserviceability Details: EFCU ACTUATOR FAILED TO TOGGLE BACK WHEN SELECTED.  
Maintenance Comments: REPAIRED IAW AAP 7432.202-2M

A1PXXJY903841	C COMPLETED	23FEB09 03:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	NONC2CONT		
	08JUL09 12:00	23FEB09 03:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		3982.1	ENHR
01 UNSERVICEABLE		01 IN FLIGHT		EFCU OP'S TOOGLE WOULD POWER UP BUT NOT BACK.			
		03 ELECTRICAL FAILURE					
02 MECHANICAL COMPONENT FAIL		02 REPAIR					

Unserviceability Details: TOOGLE WOULD POWER UP BUT NOT BACK  
Maintenance Comments: REPAIRED IAW CMM 24-09-01 AAP 7432.202-2M SERV IAW PRECILEC  
ARC NO AUB21591 AT PRECILEC AVIATION FRANCE

ARDUXJ1500999	C COMPLETED	20APR15 06:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx ARDU	ARDU		
	20APR15 06:46	20APR15 06:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx ARDU		4778.9	ENHR
13 REMOVED FOR ACCESS		99 NO FAILURE		EMERGENCY FCU ACTUATOR REMOVED OF ACCESS.			
01 NO FAULT		04 CHECK/TEST SERV					

Unserviceability Details: CHECK/TEST SERV  
Maintenance Comments:

A1PXXJ1814951	C COMPLETED	03OCT18 10:04	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	03OCT18 10:05	03OCT18 10:04	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		5590.3	ENHR
08 MOD/STI/DVI REQUIRED				STI-PC9-0678 due on Serial 311			
				ACTUATOR EFCU at WAC 0130			
01 NO FAULT		08 MOD/STI/DVI INCORP					

Unserviceability Details: STI-PC9-0678 C/O IAW 7212.007-2 & STI INSTRUCTIONS  
Maintenance Comments:

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01156  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 311  
 PART NO : VL50R4 ~F0217  
 ENGINEERING NAME : ACTUATOR FCU  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MODIFICATION ORDERS INCORPORATION STATUS CHANGE							
MOD NUMBER	CURRENT(Y/N)	STATUS	DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
7432.202-101	Y	19APR01	00:00	INC			

STI STATUS CHANGE							
STI NUMBER	CURRENT(Y/N)	STATUS	DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
STI-PC9-0017	Y	26SEP00	00:00	N/A			
STI-PC9-0025	Y	26SEP00	00:00	N/A			
STI-PC9-0047	Y	26SEP00	00:00	N/A			
STI-PC9-024A	Y	26SEP00	00:00	N/A			
STI-PC9-024B	Y	26SEP00	00:00	N/A			
STI-PC9-0678	N	10SEP18	22:20	NINC			
STI-PC9-0678	Y	03OCT18	10:04	INC	A1PXXJ1814951	03OCT18 10:04	5590.3 ENHR

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

SERIAL/TAIL NO : 31122010  
PART NO : LRU-16/P ~6M638  
ENGINEERING NAME : LIFERAFT LRU-16  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 1665.7 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
11JUL11 21:29	31102010	LRU-16/P	~6M638	A23T	00
8202772	4SQN	ALS		A1WBG04	
D. HARVEY		01DEC10		4SQNXR1100105	
	0.0 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01158  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 31122010  
 PART NO : LRU-16/P ~6M638  
 ENGINEERING NAME : LIFERAFT LRU-16  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
11JUL11	21:29	Reception History Record	0.0	Reception ALS	HOLD	
		0.0 AFHR				XXxxXXxx
11JUL11	21:30	Change Serial Number of an	0.8	31102010 31122010		
		0.0 AFHR		4SQNXX1101051		XXxxXXxx
11JUL11	21:33	Asset Installation	222.8	A23T A1WBG04 DE0538	00 DE0538	A23T A26BG04 00MMI
		0.0 AFHR				XXxxXXxx
		Change Serviceability Stat	0.8	SERV		
13JUL11	22:24	Change Serviceability Stat	2.0	S/I		
		0.0 AFHR		US/I		XXxxXXxx
13JUL11	22:32	Change Serviceability Stat	0.0	4SQNXJ1101069		
		0.0 AFHR		US/I		XXxxXXxx
12JUL12	01:06	Change Serviceability Stat	13.7	S/I		
		328.1 AFHR		US/I		XXxxXXxx
23JUL12	22:08	Change Serviceability Stat	11.8	4SQNXJ1101093		
		0.0 AFHR		US/I		XXxxXXxx
30MAY13	00:22	Position Change	688.1	A23T A1WBG04 A23T A1WBG04	00 00	
		596.3 AFHR		4SQNXX1301395		XXxxXXxx
07OCT13	23:26	Change Serviceability Stat	81.9	S/I		
		614.1 AFHR		US/I		XXxxXXxx
13OCT13	21:25	Change Serviceability Stat	5.9	4SQNXJ1201111		
		614.1 AFHR		US/I		XXxxXXxx
30NOV14	21:08	Change Serviceability Stat	51.8	S/I		
		908.4 AFHR		US/I		XXxxXXxx
				4SQNXJ1301381		

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01159  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 31122010  
 PART NO : LRU-16/P ~6M638  
 ENGINEERING NAME : LIFERAFT LRU-16  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
15DEC14 01:48	Change Serviceability Stat	14.1	US/I S/I	
	908.4 AFHR			XXxxXXxx
01JUN15 03:04	Position Change	1420.2	A23T A26BG04 00 A23T A26BG04 00	
	999.7 AFHR		4SQNXX1501312	XXxxXXxx
30AUG16 02:30	Maintenance Comment Change Serviceability Stat	0.0 271.0	POSITION CHANGE TO UPDATE POLICY. S/I	
	1159.9 AFHR		US/I 4SQNXJ1401924	XXxxXXxx
01SEP16 00:17	Change Serviceability Stat	1.9	US/I S/I	
	1159.9 AFHR			XXxxXXxx
21JAN18 20:24	Change Serviceability Stat	150.7	S/I US/I	
	1293.8 AFHR		4SQNXJ1601473	XXxxXXxx
23JAN18 20:29	Change Serviceability Stat	2.0	US/I S/I	
	1293.8 AFHR			XXxxXXxx
04MAR18 20:20	Position Change	2427.9	A23T A1WBG04 00 A23T A1WBG04 00	
	1293.8 AFHR		4SQNXX1800405	XXxxXXxx
11DEC18 02:38	Change Serviceability Stat	0.7	S/I US/I	
	1483.7 AFHR		4SQNXJ1800050	XXxxXXxx
21JAN19 04:01	Change Serviceability Stat	41.0	US/I S/I	
	1483.7 AFHR			XXxxXXxx
14APR19 22:13	Position Change	2834.0	A23T A26BG04 00 A23T A26BG04 00	
	1483.7 AFHR		4SQNXX1900958	XXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 01160  
08JAN20  
23:16:15

SERIAL/TAIL NO : 31122010 PERIOD: 01JAN90 TO 08JAN20  
PART NO : LRU-16/P ~6M638  
ENGINEERING NAME : LIFERAFT LRU-16  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

4SQNXJ1101070	C COMPLETED	13JUL11 22:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	4SQN	
	13JUL11 22:32	13JUL11 22:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	0.0	AFHR
02 BAY SERVICE DUE				BS	due on Serial 31122010		
					LIFE RAFT INFLATABL at WAC 0740		
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:		BS CARRIED OUT IAW AAP 7220.025-3M,CHAP5,SECT2.			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			01DEC11

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

4SQNXJ1101069	C COMPLETED	13JUL11 22:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	4SQN	
	13JUL11 22:28	13JUL11 22:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	0.0	AFHR
08 MOD/STI/DVI REQUIRED				7220.025-104	due on Serial 31122010		
					LIFE RAFT INFLATABL at WAC 0740		
01 NO FAULT		08 MOD/STI/DVI INCORP					
		Unserviceability Details:					
		Maintenance Comments:		MOD -104 CARRIED OUT IAW 7220.025-104			

4SQNXJ1101093	C COMPLETED	19JUL12 21:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	4SQN	
	23JUL12 22:08	12JUL12 01:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	328.1	AFHR
02 BAY SERVICE DUE				BS	due on Serial 31122010		
					LIFE RAFT INFLATABL at WAC 0740		
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:		BS CARRIED OUT IAW AAP 7220.025-3M, TOPIC 2 CHAP 2.			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01161  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 31122010 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : LRU-16/P ~6M638  
 ENGINEERING NAME : LIFERAFT LRU-16  
 VENUE : A23DISP LOCATION : A23-033

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			12JUL12

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

4SQNXJ1201111	C COMPLETED	07OCT13 23:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	4SQN	
	13OCT13 21:25	07OCT13 23:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	614.1	AFHR
02 BAY SERVICE DUE				BS	due on Serial 31122010		
				LIFE RAFT INFLATABL at WAC 0730			
01 NO FAULT	06 BAY SERVICE			Unserviceability Details:			
				Maintenance Comments: BS CARRIED OUT IAW AAP 7220.025-3M,CHAP5,SECT2. ACG SI (LOG) 4-3-10.			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			23JUL13
SM	BS	1.0	ELPYR			23JUL13

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

4SQNXJ1301381	C COMPLETED	30NOV14 21:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	4SQN	
	15DEC14 01:48	30NOV14 21:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	908.4	AFHR
02 BAY SERVICE DUE				BS	due on Serial 31122010		
				LIFERAFT INFLATABLE at WAC 0730			
01 NO FAULT	06 BAY SERVICE			Unserviceability Details:			
				Maintenance Comments: BS CARRIED OUT IAW AAP 7220.025-3M,CHAP5,SECT2. ACG SI (LOG) 4-3-10.			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 01162  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 31122010 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : LRU-16/P ~6M638  
 ENGINEERING NAME : LIFERAFT LRU-16  
 VENUE : A23DISP LOCATION : A23-033

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			13OCT14
SM	BS	1.0	ELPYR			13OCT14

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
4SQNXJ1401924	C COMPLETED	30AUG16 02:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	4SQN	
02 BAY SERVICE DUE	01SEP16 00:17	30AUG16 02:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	1159.9	AFHR
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:		B/S C/O IAW AAP 7220.025-3M			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			15DEC15
SM	BS	1.0	ELPYR			15DEC15

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
4SQNXJ1601473	C COMPLETED	21JAN18 20:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	4SQN	
02 BAY SERVICE DUE	23JAN18 20:29	21JAN18 20:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	1293.8	AFHR
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:		BS CARRIED OUT IAW AAP 7220.025-3M.			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			01SEP17

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01163  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 31122010 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : LRU-16/P ~6M638  
 ENGINEERING NAME : LIFERAFT LRU-16  
 VENUE : A23DISP LOCATION : A23-033

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			01SEP17

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

4SQNXJ1800050 C COMPLETED 17JAN19 20:17 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 4SQN  
 21JAN19 04:01 11DEC18 02:38 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 1483.7 AFHR  
 02 BAY SERVICE DUE BS due on Serial 31122010  
 LIFERAFT INFLATABLE at WAC 0730  
 01 NO FAULT 06 BAY SERVICE  
 Unserviceability Details:  
 Maintenance Comments: SCT 3 - B/S C/O IAW AAP 7220.025-3M

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			23JAN19
SM	BS	1.0	ELPYR			23JAN19

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 31122010  
PART NO : LRU-16/P ~6M638  
ENGINEERING NAME : LIFERAFT LRU-16  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MOD NUMBER	CURRENT (Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
7220.025-104	N	11JUL11	NINC			
7220.025-104	Y	13JUL11	INC	4SQNXJ1101069	13JUL11 22:25	0.0 AFHR

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

SERIAL/TAIL NO : 326                      LITERAL SERIAL NO : 326                      PERIOD: 01JAN90 TO 08JAN20  
PART NO : 557.51.09.002                      ~S4080  
ENGINEERING NAME : AILERON RH  
VENUE : A23DISP                      LOCATION : A23-033  
CURRENT CONDITION : S/I                      LIFE SINCE NEW : 3797.4 AFHR

ASSET RECEPTION -----

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC	
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID		
NAME		DATE NEW	BATCH	MATCHED SET NO		
	HA SERIAL	HA PART	DATE UNPACKED			
	DEFAULT LIFS ENTERED AT RECEPTION					
15JUN06 00:28	326	557.51.09.002	~S4080	A23T	A2KCC	00
aip001	AIP	MMIST			A1PXXRY601977	
L. DOBSON		04APR06				

0.0 AFHR

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01166  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 326 LITERAL SERIAL NO : 326 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 557.51.09.002 ~S4080  
 ENGINEERING NAME : AILERON RH  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW						
15JUN06 00:28	Reception History Record	0.0	Reception			
	0.0 AFHR		MMIST	HOLD		XXXXXXxx
28JUN06 07:13	Asset Installation	85.3	A23T	A2KCC	00	
	0.0 AFHR		027	A23-033		A23T A2KCC 00AC
	Change Serviceability Stat	14.3	SERV			XXXXXXxx
	Change Location of an Asse	14.3	S/I			
			MMIST			
09AUG06 04:52	Asset Removal	41.9	A23-033			
	0.0 AFHR		027	A23-033	00	A23T A2KCC 00A
	Change Serviceability Stat	41.9	A23T	A2KCC		XXXXXXxx
	Change Location of an Asse	41.9	S/I			
			U/S			
			A23-033			
09AUG06 04:53	Change Serviceability Stat	0.0	OPMH			
	0.0 AFHR		U/S			XXXXXXxx
10AUG06 05:10	Asset Installation	1.0	A23T	A2KCC	00	
	0.0 AFHR		027	A23-033		A23T A2KCC 00AC
	Change Serviceability Stat	1.0	SERV			XXXXXXxx
	Change Location of an Asse	1.0	S/I			
			OPMH			
			A23-033			
25SEP07 04:52	Asset Removal	410.9	027	A23-033	00	A23T A2KCC 00A
	506.5 AFHR		A23T	A2KCC		XXXXXXxx
	Change Serviceability Stat	14.6	S/I			
	Change Location of an Asse	410.9	U/S			
			A23-033			
			HG121			



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01167  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 326 LITERAL SERIAL NO : 326 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 557.51.09.002 ~S4080  
 ENGINEERING NAME : AILERON RH  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW						
27SEP07 00:14	Change Location of an Asse	1.8	HG121			
	506.5 AFHR		QNF			XXxxXXxx
12OCT07 02:58	Change Location of an Asse	15.1	A1PXXXY708779			
	506.5 AFHR		QNF			XXxxXXxx
26MAR08 22:02	Change Serviceability Stat	183.7	JANDAKOT			
	506.5 AFHR		A1PXXXY709118			XXxxXXxx
26MAR08 22:03	Asset Installation	183.7	U/S			
	506.5 AFHR		SERV			XXxxXXxx
	Change Serviceability Stat	0.0	A23T	A2KCC	528 00	A23T A2KCC 00MMI
	506.5 AFHR		528			XXxxXXxx
	Change Location of an Asse	166.7	SERV			
	Change Location of an Asse	166.7	S/I			
03AUG10 22:01	Asset Removal	859.9	JANDAKOT			
	1402.0 AFHR		HG121			
	Change Serviceability Stat	11.8	528	A23-010		A23T A2KCC 00A
	Change Location of an Asse	853.8	A23T	A2KCC	00	
	1402.0 AFHR					XXxxXXxx
	Change Serviceability Stat	11.8	S/I			
	Change Location of an Asse	853.8	U/S			
03AUG10 22:02	Change Serviceability Stat	0.0	A23-010			
	1402.0 AFHR		INTMH			
	Change Serviceability Stat	0.0	U/S			
03AUG10 22:02	Asset Installation	0.0	SERV			XXxxXXxx
	1402.0 AFHR		A23T	A2KCC	00	A23T A2KCC 00AC
	Change Serviceability Stat	0.0	528	A23-010		XXxxXXxx
	Change Location of an Asse	0.0	SERV			
	Change Location of an Asse	0.0	S/I			
	Change Location of an Asse	0.0	INTMH			
	Change Location of an Asse	0.0	A23-010			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01168  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 326 LITERAL SERIAL NO : 326 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 557.51.09.002 ~S4080  
 ENGINEERING NAME : AILERON RH  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW						
27JUN11 11:23	Asset Removal	327.5	528	A23T	A2KCC	A23T A2KCC 00A
	1659.8 AFHR					XXXXXXxx
	Change Serviceability Stat	40.2	S/I			
	Change Location of an Asse	327.5	U/S			
27JUN11 11:23	Change Serviceability Stat	0.0	A23-010			
	1659.8 AFHR		OPMH			XXXXXXxx
28JUL11 06:11	Asset Installation	30.7	U/S			
	1659.8 AFHR		SERV			XXXXXXxx
	Change Serviceability Stat	30.7	A23T	A2KCC	A23-010	A23T A2KCC 00AC
	Change Location of an Asse	30.7	528			XXXXXXxx
08AUG11 23:53	Asset Removal	11.7	SERV			
	1683.8 AFHR		S/I			XXXXXXxx
	Change Serviceability Stat	3.7	U/S			
	Change Location of an Asse	11.7	A23-010			
08AUG11 23:54	Change Serviceability Stat	0.0	INTMH			
	1683.8 AFHR		U/S			XXXXXXxx
18AUG11 22:26	Asset Installation	9.9	SERV			
	1683.8 AFHR		A23T	A2KCC	A23-010	A23T A2KCC 00AC
	Change Serviceability Stat	9.9	528			XXXXXXxx
	Change Location of an Asse	9.9	SERV			
			S/I			
			INTMH			
			A23-010			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01169  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 326 LITERAL SERIAL NO : 326 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 557.51.09.002 ~S4080  
 ENGINEERING NAME : AILERON RH  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
29MAR12 23:46	Asset Removal	224.0	528 A23T A2KCC A23-010 00	A23T A2KCC 00A
	1833.5 AFHR Change Serviceability Stat	1.4	S/I U/S	XXXXXXxx
	Change Location of an Asse	224.0	A23-010 INTMH	
29MAR12 23:47	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
31MAR12 03:28	Asset Installation	1.1	A23T A2KCC A23-010 00	A23T A2KCC 00AC
	1833.5 AFHR Change Serviceability Stat	1.1	SERV S/I	XXXXXXxx
	Change Location of an Asse	1.1	INTMH A23-010	
24SEP12 03:27	Asset Removal	176.9	528 A23T A2KCC A23-010 00	A23T A2KCC 00A
	1983.0 AFHR Change Serviceability Stat	87.9	S/I U/S	XXXXXXxx
	Change Location of an Asse	176.9	A23-010 INTMH	
24SEP12 03:30	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
12OCT12 00:51	Asset Installation	17.8	A23T A2KCC A23-010 00	A23T A2KCC 00AC
	1983.0 AFHR Change Serviceability Stat	17.8	SERV S/I	XXXXXXxx
	Change Location of an Asse	17.8	INTMH A23-010	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01170  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 326 LITERAL SERIAL NO : 326 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 557.51.09.002 ~S4080  
 ENGINEERING NAME : AILERON RH  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
17MAY13 00:13	Asset Removal	216.9	528 A23T A2KCC A23-010 00	A23T A2KCC 00A
	2132.2 AFHR Change Serviceability Stat	0.7	S/I U/S	XXXXXXxx
	Change Location of an Asse	216.9	A23-010 INTMH	
17MAY13 00:13	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
20MAY13 03:21	Asset Installation	3.1	A23T A2KCC A23-010 00	A23T A2KCC 00AC
	2132.2 AFHR Change Serviceability Stat	3.1	SERV S/I	XXXXXXxx
	Change Location of an Asse	3.1	INTMH A23-010	
09MAY17 04:39	Change Serviceability Stat	273.0	S/I US/I	
09MAY17 23:17	Asset Removal	1450.8	A1PXXJ1620897 528 A23T A2KCC 528 00	XXXXXXxx A23T A2KCC 00M
	3167.0 AFHR Change Serviceability Stat	0.7	US/I U/S	XXXXXXxx
	Change Location of an Asse	112.8	HG122 INTMH	
10MAY17 05:50	Change Serviceability Stat	0.2	U/S SERV	
23MAY17 01:57	Change Serviceability Stat	12.8	SERV U/S	XXXXXXxx
23MAY17 02:05	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
	3167.0 AFHR			XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01171  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 326 LITERAL SERIAL NO : 326 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 557.51.09.002 ~S4080  
 ENGINEERING NAME : AILERON RH  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
24MAY17 06:19	Asset Installation	14.2	A23T A2KCC A23-033 00	A23T A2KCC 00AC
	3167.0 AFHR Change Serviceability Stat	1.1	SERV S/I	XXXXXXXX
	Change Location of an Asse	14.2	INTMH A23-033	
05MAR19 05:01	Asset Removal	649.9	A23T A2KCC A23-033 00	A23T A2KCC 00A
	3558.1 AFHR Change Serviceability Stat	4.9	S/I U/S	XXXXXXXX
	Change Location of an Asse	649.9	A23-033 INTMH	
05MAR19 05:45	Change Serviceability Stat	0.0	U/S SERV	XXXXXXXX
05MAR19 06:12	Asset Installation	0.0	A23T A2KCC A23-033 00	A23T A2KCC 00AC
	3558.1 AFHR Change Serviceability Stat	0.0	SERV S/I	XXXXXXXX
	Change Location of an Asse	0.0	INTMH A23-033	

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
13	REMOVED FOR ACCESS	09AUG06 04:53	99	NO FAILURE			
01	NO FAULT	04	CHECK/TEST SERV				

Unserviceability Details: CHECK/TEST SERV  
 Maintenance Comments: CHECK/TEST SERV

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 01172  
08JAN20  
23:16:15

SERIAL/TAIL NO : 326 LITERAL SERIAL NO : 326 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 557.51.09.002 ~S4080  
ENGINEERING NAME : AILERON RH  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			
=====							
A1PXXJ1014028	C COMPLETED	03AUG10 22:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	03AUG10 22:02	03AUG10 22:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		1402.0	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE		R2 due on Serial A23-010			
				PC-9 at WAC 0000			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:		CHECK/TEST SERV			
		Maintenance Comments:					
A1PXXJ1109482	C COMPLETED	27JUN11 11:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	27JUN11 11:23	27JUN11 11:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		1659.8	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE		LEFT AND RIGHT AILERONS REMOVED FOR MOUNT BRACKET INSPECTION			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:		CHECK/TEST SERV			
		Maintenance Comments:					
A1PXXJ1111942	C COMPLETED	08AUG11 23:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	08AUG11 23:54	08AUG11 23:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		1683.8	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE		AILERON RH, SN 326, REMOVED FOR AIL BRACKET INSP.			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:		CHECK/TEST SERV			
		Maintenance Comments:					
A1PXXJ1204279	C COMPLETED	29MAR12 23:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	29MAR12 23:47	29MAR12 23:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		1833.5	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE		R1 due on Serial A23-010			
				PC-9 at WAC 0000			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:		CHECK/TEST SERV			
		Maintenance Comments:					
A1PXXJ1214681	C COMPLETED	24SEP12 03:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	24SEP12 03:30	24SEP12 03:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		1983.0	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE		LEFT AND RIGHT AILERONS REMOVED FOR STI-PC9-541C			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:		AILERON REMOVED FOR STI-PC9-541C AILERON BRACKET REPLACEMENT			
		Maintenance Comments:					

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 01173  
08JAN20  
23:16:15

SERIAL/TAIL NO : 326 LITERAL SERIAL NO : 326 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 557.51.09.002 ~S4080  
ENGINEERING NAME : AILERON RH  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJ1306492	C COMPLETED	17MAY13 00:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	99 NO FAILURE	17MAY13 00:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	2132.2	AFHR

01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV

A1PXXJ1709267	C COMPLETED	09MAY17 23:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
09 CANNIBALISATION	99 NO FAILURE	09MAY17 23:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	3167.0	AFHR

01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: INSPECT TEST SERV.

A1PXXJ1620897	C COMPLETED	09MAY17 23:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
08 MOD/STI/DVI REQUIRED		09MAY17 04:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	3167.0	AFHR

01 NO FAULT 08 MOD/STI/DVI INCORP  
Unserviceability Details:  
Maintenance Comments: STI-PC9-0634 CARRIED OUT IAW INSTRUCTIONS OFF AIRCRAFT. REF AIP MCS 1036/16-14-3

A1PXXJ1710266	C COMPLETED	23MAY17 01:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
01 UNSERVICEABLE		23MAY17 01:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	3167.0	AFHR

09 OUT OF LIMITS 02 REPAIR  
Unserviceability Details:  
Reason: BALANCE WEIGHTS REPAINTED.

Maintenance Comments: AILERON BALANCED IAW AAP 7212.007-3 CHAP 51-60-01

A1PXXJ1903508	C COMPLETED	05MAR19 05:05	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	99 NO FAILURE	05MAR19 05:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	3558.1	AFHR

01 NO FAULT 04 CHECK/TEST SERV  
R/H AILERON REMOVED FOR ACCESS.

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 326 LITERAL SERIAL NO : 326 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 557.51.09.002 ~S4080  
ENGINEERING NAME : AILERON RH  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

Unserviceability Details:

Maintenance Comments:

R/H AILERON REFITTED IAW AAP 7212.007-2

A1PXXJ1903511	C COMPLETED	05MAR19 05:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	05MAR19 05:10	05MAR19 05:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	3558.1	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		R/H AILERON REMOVED FOR ACCESS			
01	NO FAULT	04 CHECK/TEST SERV					

Unserviceability Details:

Maintenance Comments:

R/H AILERON INBOARD CURTAIN REPLACED IAW AAP 7212.007-2  
REF SNO:606544/1-3-1

A1PXXJ1903516	C COMPLETED	05MAR19 05:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	05MAR19 05:16	05MAR19 05:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	3558.1	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		R/H AILERON REMOVED FOR INBOARD CURTAIN.			
01	NO FAULT	04 CHECK/TEST SERV					

Unserviceability Details:

Maintenance Comments:

R/H AILERON REFITTED IAW AAP 7212.007-2  
REF SNO:606544/1-3-1



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : 326                      LITERAL SERIAL NO : 326                      PERIOD: 01JAN90 TO 08JAN20  
PART NO : 557.51.09.002                      ~S4080  
ENGINEERING NAME : AILERON RH  
VENUE : A23DISP                      LOCATION : A23-033

STI STATUS CHANGE -----

STI NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
=====	=====	=====	=====	=====	=====	=====
STI-PC9-0634	N	06OCT16 00:53	NINC			
STI-PC9-0634	Y	10MAY17 05:47	INC	A1PXXJ1620897	09MAY17 23:17	3167.0 AFHR

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 326 LITERAL SERIAL NO : 326 AILERON RH PERIOD: 01JAN90 TO 08JAN20  
PART NO : 557.51.09.222 ~S4080  
ENGINEERING NAME : AILERON NOSE RIB 1 RH (AA2124-T851)  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 3797.4 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
02OCT13 11:56	326	557.51.09.014	~S4080	A23T	00
aip04023	AIP	HOLD		A2KCC06	
K. ARUMUGAM		04APR06		A1PXXR1301555	
	2266.7 AFHR		01OCT13		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01177  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 326 LITERAL SERIAL NO : 326 AILERON RH PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 557.51.09.222 ~S4080  
 ENGINEERING NAME : AILERON NOSE RIB 1 RH (AA2124-T851)  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
			TRANS REFERENCE		
01OCT13 00:10	Asset Installation	2737.0	A23T 326	A2KCC06 A23-010	00 A23T A2KCC06 00AC
	2269.1 AFHR				XXXXXXxx
	Change Serviceability Stat	0.0	SERV		
	Change Location of an Asse	0.0	S/I		
02OCT13 11:56	Reception History Record	0.0	HOLD	A23-010	
	2266.7 AFHR			HOLD	XXXXXXxx
09OCT13 23:09	Position Change	8.9	A23T A2KCC06	00	
	2269.1 AFHR		A23T A2KCC06	00	XXXXXXxx
	Maintenance Comment	0.0	A1PXXX1310934		
10OCT13 02:41	Change Serviceability Stat	9.1	POLICY COPY; POSN. NEW MS7 LOADED. AUTH: TASPO MPAN 28/2013.		
	2269.1 AFHR		S/I		
10OCT13 11:12	Position Change	9.4	US/I		XXXXXXxx
	2269.1 AFHR		A1PXXJ1313538		
	Maintenance Comment	0.0	A23T A2KCC06	00	
23OCT13 05:08	Change Part Number of an A	22.2	A23T A2KCC06	00	XXXXXXxx
	2269.1 AFHR		A1PXXX1310986		
	Maintenance Comment	0.0	POLICY LOADED FOR MS7 AUTH: MPAN 28/2013		
	Change Location of an A	22.2	557.51.09.014	~S4080	
	2269.1 AFHR		557.51.09.222	~S4080	
	Maintenance Comment	0.0	A1PXXX1311574		XXXXXXxx
23OCT13 05:08	Position Change	22.2	STI-PC9-0506 REF NDT REPORT 500/13		
	2269.1 AFHR		A23T A2KCC06	00	
	Maintenance Comment	0.0	A23T A2KCC06	02	XXXXXXxx
23OCT13 06:29	Change Serviceability Stat	13.1	A1PXXX1311575		
	2269.1 AFHR		STI-PC9-0506 REF NDT REPORT 500/13		
	Change Serviceability Stat	13.1	US/I		
	2269.1 AFHR		S/I		XXXXXXxx
07JUN17 06:26	Position Change	1345.2	A23T A2KCC06	02	
	3167.0 AFHR		A23T A2KCC06	02	XXXXXXxx
	Maintenance Comment	0.0	A1PXXX1709047		
			POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE		

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 326 LITERAL SERIAL NO : 326 AILERON RH PERIOD: 01JAN90 TO 08JAN20  
PART NO : 557.51.09.222 ~S4080  
ENGINEERING NAME : AILERON NOSE RIB 1 RH (AA2124-T851)  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS		UNSERVICEABILITY DETAILS			
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS		MAINTENANCE COMMENT			
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					
=====							
A1PXXJ1313538	C COMPLETED	23OCT13 06:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	23OCT13 06:29	10OCT13 02:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		2269.1	AFHR
19 MMI SERVICING DUE				MS7 due on Serial 326			
				AIL NOSE RIB 1 RH at WAC 1030			
01 NO FAULT	12 MMI SERVICING						
				Unserviceability Details:			
				Maintenance Comments:			C/O REFER MCS 1401/13 P45 MATERIAL 2124 T851

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01179  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 3374  
 PART NO : 3614335-1004 ~27914  
 ENGINEERING NAME : SYMBOL GENERATOR  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 6934.0 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T CHANGE TYPE		LIFE SINCE NEW		SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
29AUG03	12:56	Maintenance Comment	0.0 AFHR	0.1	2FTFAK WFD: 01-IN FLIGHT	US: 03-ELECFAIL XXXXXXxx
29AUG03	13:01	Maintenance Comment	0.0 AFHR	0.1	30Apr98 A23-003 06.4 2723.5	0.0 AFHR UPDATED LIFE (MPMI) XXXXXXxx
29AUG03	13:01	Maintenance Comment	0.0 AFHR	0.1	10Oct97 2FTFAK FF: 01-NIL	MA: 04-CHK/TST XXXXXXxx
29AUG03	13:01	Maintenance Comment	0.0 AFHR	0.1	17Feb03 A23-003 06.40 4247.4	0.0 AFHR 01-FAILED DK50329 XXXXXXxx
29AUG03	13:02	Maintenance Comment	0.0 AFHR	0.1	DUI INOPERATIVE	XXXXXXxx
29AUG03	13:03	Maintenance Comment	0.0 AFHR	0.1	29Aug03 DK50329 00. 4247.4 AFHR	TX TO CAMM2 XXXXXXxx
29AUG03	13:04	Maintenance Comment	0.0 AFHR	0.1	13Feb02 A23-003 06.40 4093.0	0.0 AFHR 13-REMACCES LD28631 XXXXXXxx
29AUG03	13:05	Maintenance Comment	0.0 AFHR	0.1	11Mar02 A23-003 06.40 4093.0	0.0 AFHR IN AS A23T 2429-00-00-J XXXXXXxx
29AUG03	13:05	Maintenance Comment	0.0 AFHR	0.1	04Oct90 NEW - 3374 066-04015-0003	2429-00-00-J XXXXXXxx
29AUG03	13:11	Maintenance Comment	0.0 AFHR	0.1	11Oct97 A23-003 06.4 2421.0	0.0 AFHR IN AS A23T 2429-00-00-J XXXXXXxx
29AUG03	13:11	Maintenance Comment	0.0 AFHR	0.1	05Mar03 DISPATCHED TO PEAXCON	XXXXXXxx
29AUG03	13:11	Maintenance Comment	0.0 AFHR	0.1	13Feb02 2FTHG122 FF: 01-NIL	MA: 04-CHK/TST XXXXXXxx
01MAR04	05:15	Change Serviceability Stat	4247.3 AFHR	721.2	U/S SERV	XXXXXXxx
08APR04	05:11	Change Venue of an Asset	4247.3 AFHR	218.2	AIP AIE	XXXXXXxx
		Change Location of an Asse	4247.3 AFHR	218.2	A1PXXXY408491 EXTERNAL MCS	XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01180  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 3374  
 PART NO : 3614335-1004 ~27914  
 ENGINEERING NAME : SYMBOL GENERATOR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
08APR04 05:17	Change Location of an Asse	0.0	MCS EQUIP_STORE	
05JUL06 03:16	Asset Installation	1040.7	A1EXXXY402625 A23T A1UOS 552 A23-051	00 A23T A1UOS 00AC XXxxXXxx
	Change Serviceability Stat	855.9	SERV S/I	
	Change Location of an Asse	817.9	EQUIP_STORE A23-051	
18JUN08 03:42	Asset Removal	714.0	552 A23-051 A23T A1UOS	00 A23T A1UOS 00A XXxxXXxx
	Change Serviceability Stat	1.8	S/I U/S	
	Change Location of an Asse	714.0	A23-051 EQUIP_STORE	
18JUN08 03:53	Change Serviceability Stat	0.0	U/S SERV	
	Change Serviceability Stat	7.8	SERV U/S	XXxxXXxx
25JUN08 23:16	Change Serviceability Stat	7.8	A1EXXUY802517 SERV STAT	XXxxXXxx
	Estimated Date/Time Servic	733583.0	SERV STAT	
25JUN08 23:23	Change Serviceability Stat	0.0	U/S SERV	
	Change Venue of an Asset	1539.8	A1E NONC2CONT	XXxxXXxx
26JUN08 00:45	Change Venue of an Asset	1539.8	A1EXXXY802682 EQUIP_STORE	XXxxXXxx
	Change Location of an Asse	7.8	HOLD	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01181  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 3374  
 PART NO : 3614335-1004 ~27914  
 ENGINEERING NAME : SYMBOL GENERATOR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
14NOV08 01:42	Change Venue of an Asset	141.0	NONC2CONT AIP	
	4791.5 AFHR Change Location of an Asse	141.0	NONC2XY812839 HOLD	XXxxXXxx
26NOV08 23:53	Asset Installation	161.8	MMIST A23T A1UOS	
	4791.5 AFHR Change Serviceability Stat	154.0	525 A23-025	A23T A1UOS 00AC
	Change Location of an Asse	12.9	SERV S/I	
07APR11 11:53	Asset Removal	861.4	MMIST A23-025	
	5369.2 AFHR Change Serviceability Stat	0.1	525 A23-025	A23T A1UOS 00A
	Change Location of an Asse	861.4	A23T A1UOS	XXxxXXxx
11APR11 02:39	Change Venue of an Asset	878.0	S/I U/S	
	5369.2 AFHR Change Location of an Asse	3.6	A23-025 STORES	
28JUL11 11:08	Change Serviceability Stat	111.9	AIP NONC2CONT	
	5369.2 AFHR Change Venue of an Asset	588.2	A1PXXX1102902	XXxxXXxx
19NOV12 07:46	Change Location of an Asse	588.2	STORES HOLD	
	5369.2 AFHR Change Venue of an Asset	588.2	U/S SERV	XXxxXXxx
	5369.2 AFHR Change Location of an Asse	588.2	NONC2CONT AIP	
	5369.2 AFHR Change Location of an Asse	588.2	NONC2X1212353 HOLD	XXxxXXxx
			STORES	MMI

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01182  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 3374  
 PART NO : 3614335-1004 ~27914 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : SYMBOL GENERATOR  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
20NOV12 02:34	Asset Installation	592.6	A23T A1UOS 554 A23-053	00 A23T A1UOS 00AC XXxxXXxx
	5369.2 AFHR Change Serviceability Stat	480.6	SERV S/I	
	Change Location of an Asse	0.7	STORES MMI	
01SEP15 00:13	Asset Removal	1014.9	A23-053 554 A23T A1UOS	00 A23T A1UOS 00A XXxxXXxx
	6273.8 AFHR Change Serviceability Stat	26.6	S/I U/S	
	Change Location of an Asse	1014.9	A23-053 INTMH	
01SEP15 00:14	Change Serviceability Stat	0.0	U/S SERV	XXxxXXxx
01MAR16 23:36	Asset Installation	182.9	A23T A1UOS 554 A23-053	00 A23T A1UOS 00AC XXxxXXxx
	6273.8 AFHR Change Serviceability Stat	182.9	SERV S/I	
	Change Location of an Asse	182.9	INTMH A23-053	
09AUG16 02:10	Asset Removal	160.1	554 A23T A1UOS	00 A23T A1UOS 00A XXxxXXxx
	6462.4 AFHR Change Serviceability Stat	0.0	S/I U/S	
	Change Location of an Asse	160.1	A23-053 STORES	
10AUG16 00:01	Change Venue of an Asset	1359.6	AIP NONC2CONT	
	6462.4 AFHR Change Location of an Asse	0.9	A1PXXX1607475 STORES HOLD	XXxxXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 01183  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 3374  
 PART NO : 3614335-1004 ~27914  
 ENGINEERING NAME : SYMBOL GENERATOR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
15MAY18 01:00	Change Serviceability Stat	643.9	U/S SERV	
21MAY18 06:54	Change Venue of an Asset	649.2	NONC2CONT AIP	XXxxXXxx
	Change Location of an Asse	649.2	NONC2X1805116 HOLD STORES	XXxxXXxx
21MAY18 07:01	Change Part Number of an A	5378.9	066-04015-0003 3614335-1004	MMI ~22373 ~27914
23MAY18 06:34	Asset Installation	652.1	A1PXXX1804786 REF ANZ ARC NO 500026712	XXxxXXxx
	Change Serviceability Stat	8.2	A23T A1UOS 533 A23-033	09MAY18 AUTH J WILLIAMSON 00 A23T A1UOS 00AC
	Change Location of an Asse	1.9	SERV S/I STORES A23-033	MMI XXxxXXxx

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1EXXUY802517	CANCELLED	25JUN08 23:20	4791.5	AFHR		
25JUN08 23:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			
25JUN08 23:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
466634 3		INTERMITTENT SG FAILLURE WHICH SUBSEQUENTLY RECTIFY THEMSELVES AFTER ABOUT 15 SECS				25JUN08 23:20
	Maint Acts:	ENTERED IN ERROR				XXxxXXxxXXxxXXxxXXxx
A1EXXUY802518	COMPLETED	08OCT08 09:00	4791.5	AFHR		
25JUN08 23:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			07OCT08 14:15
25JUN08 23:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
466632 1		ADF HSI INDICATION PARKED AT 12OCLOCK, RED X. RMI SERV.				08OCT08 09:00
						XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 01184  
08JAN20  
23:16:15

SERIAL/TAIL NO : 3374  
PART NO : 3614335-1004 ~27914 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : SYMBOL GENERATOR  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES -----  
SERV NUMBER STATUS STATUS DATE/TIME TOTAL LIFE INT TYPE CERTIFICATION TRADESMAN  
RAISED DATE/TIME RAISED USER ID RAISED NAME RAISED VENUE CAPABILITY CODE EPSS DATE/TIME  
ENTERED DATE/TIME ENTERED USER ID ENTERED NAME ENTERED VENUE IMIC NO SUPERVISOR  
OPERATION NO ASOR NO SYMPTOMS DATE/TIME  
EE500PG EE500LN INSPECTOR  
STA WL BL ADMIN MAINT ACTION/LIMITATIONS DATE/TIME  
=====

Maint Acts: REPAIRED AND TESTED IAW AAP 7532.067-2MB1 REV9

MMI JOBS-----  
JOB NUMBER STATUS RAISED DATE/TIME RAISED USER ID RAISED NAME RAISED VENUE CERT VENUE EPSS  
DEFECT REF STATUS DATE/TIME ENTERED DATE/TIME ENTERED USER ID ENTERED NAME ENTERED VENUE LIFE SINCE NEW  
REASON FOR REPORT WHEN FAILURE DISCOVERED SYMPTOMS  
MAINT PROCESS UNSERVICEABILITY UNSERVICEABILITY DETAILS  
FAULT FOUND MAINTENANCE ACTION TAKEN MAINTENANCE COMMENT  
=====

DK50329XXXXXX C COMPLETED 17FEB03 10:33 XXxxXXxx PEA AIE  
01MAR04 05:15 01 IN FLIGHT DUI INOPERATIVE  
03 ELECTRICAL FAILURE  
04 OPEN CIRCUIT 02 REPAIR  
Unserviceability Details: DUI INOPERATIVE  
Maintenance Comments: RESOLDER DRY JOINTS ON DA CONVERTER BOARD AT ANZ.

A1EXXJY804243 C COMPLETED 18JUN08 03:42 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
18JUN08 03:53 18JUN08 03:43 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 4791.5 AFHR  
13 REMOVED FOR ACCESS 99 NO FAILURE ADF INDICATION ON HSI U/S. PARKED 12 O'CLOCK, RED X. RMI SERV

01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: REMOVED SERV

A1PXXJ1104837 C COMPLETED 07APR11 11:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP NONC2CONT  
28JUL11 11:08 07APR11 11:55 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 5369.2 AFHR  
01 UNSERVICEABLE 02 DURING OPERATION BOTH COCK-PITS DU 2 SCREENS FLICKERING DURING TAXI  
03 ELECTRICAL COMPONENT FAIL 03 ELECTRICAL FAILURE  
02 REPAIR  
Unserviceability Details: CAUSING DU2 IN BOTH COCK-PITS TO FLICKER DURING TAXING  
Maintenance Comments: TRACED CAUSE OF DEFECTAND REPLACED DAC/WX BOARD. WORK AND TESTING C/O IAW AAP7532.067-2MB1 REV.9 @ ANZ COFC REF: CAPO V310148 & TRACKING NO: ACS1105059

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 3374  
PART NO : 3614335-1004 ~27914 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : SYMBOL GENERATOR  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJ1513350	C COMPLETED	01SEP15 00:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	01SEP15 00:14	01SEP15 00:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	6273.8	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		SYMBOL GENERATOR S/N: 3374	REMOVED FOR ACCESS		

01	NO FAULT	04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		CHECK/TEST SERV			

A1PXXJ1616716	C COMPLETED	09AUG16 02:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	NONC2CONT	
	15MAY18 01:00	09AUG16 02:11	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	6462.4	AFHR

01	UNSERVICEABLE	01 IN FLIGHT		YELLOW DU1 INDICATION INTERMITTANT			
		03 ELECTRICAL FAILURE					
03	ELECTRICAL COMPONENT FAIL	02 REPAIR					
		Unserviceability Details:		DU1 FLASHING ON / OFF BOTH COCKPITS			

Maintenance Comments: REPAIRED - RENEWED CAPACITOR C19 ON POWER SUPPLY BOARD ,  
INSPECTED ALL OTHER BOARDS , REPAIRED POOR GROUNDING ON POWER  
SUPPLY , TESTED IAW 31-10-01 REV 3 REF ANZ ARC NO 50026712  
DATED 09MAY18 AUTH J WILLIAMSON AND REPAIRED IAW AUSTRALIAN  
DEFENCE DEPARTMENT CONTRACT CAPO V310148 USING PUBLICATION AAP  
7532.067-2MB1 AL 1 AIRFLITE ARC NO ACS1608106 @ ANZ/AIRFLITE

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01186  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 3424  
 PART NO : 8095686-1001 ~27914 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : EADI  
 VENUE : A23DISP LOCATION : A23-033  
 CURRENT CONDITION : S/I LIFE SINCE NEW : 3627.1 AFHR

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
				LIFE SINCE NEW				
01SEP03	04:37	Maintenance	Comment	2.8	14May02	PEAXCON	FF: 03-ELECFAIL	MA: 02-REPAIR
		0.0	AFHR			CAMM LOG00006		XXXXXXxx
01SEP03	04:37	Maintenance	Comment	2.8	29Aug03	A23-026 07.30	2427.9 AFHR	TX TO CAMM2
		0.0	AFHR			CAMM LOG00013		XXXXXXxx
01SEP03	04:40	Maintenance	Comment	2.8	28Mar02	DISPATCHED TO PEAXCON		
		0.0	AFHR			CAMM LOG00003		XXXXXXxx
01SEP03	04:40	Maintenance	Comment	2.8	18Jun02	7532.067-105	MOD STATUS NOW	NA
		0.0	AFHR			CAMM LOG00005		XXXXXXxx
01SEP03	04:40	Maintenance	Comment	2.8	20Aug90	NEW - 3424	8095686-1001	2423-00-00-G
		0.0	AFHR			CAMM LOG00012		XXXXXXxx
01SEP03	04:43	Maintenance	Comment	2.8	18Jun02	7532.067-104	MOD STATUS NOW	NA
		0.0	AFHR			CAMM LOG00004		XXXXXXxx
01SEP03	04:43	Maintenance	Comment	2.8	06Jun03	A23-026 07.30	2339.1	0.0 AFHR UPDATED LIFE (MPMI)
		0.0	AFHR			CAMM LOG00011		XXXXXXxx
01SEP03	04:44	Maintenance	Comment	2.8		REPLACED PHOTO CELL AND TEST		
		0.0	AFHR			CAMM LOG00007		XXXXXXxx
01SEP03	04:45	Maintenance	Comment	2.8	2FTREP	WFD: 01-IN FLIGHT	US: 03-ELECFAIL	
		0.0	AFHR			CAMM LOG00001		XXXXXXxx
01SEP03	04:45	Maintenance	Comment	2.8	02Jul02	2FTMMIST 00.	2130.7	0.0 AFHR UPDATED LIFE (JOBX)
		0.0	AFHR			CAMM LOG00008		XXXXXXxx
01SEP03	04:45	Maintenance	Comment	2.8	13Sep02	A23-026 07.30	2130.7	0.0 AFHR IN AS A23T 2423-00-00-G
		0.0	AFHR			CAMM LOG00009		XXXXXXxx
01SEP03	04:47	Maintenance	Comment	2.8	29Nov02	A23-026 07.30	2199.3	0.0 AFHR UPDATED LIFE (MPMI)
		0.0	AFHR			CAMM LOG00010		XXXXXXxx
01SEP03	04:47	Maintenance	Comment	2.8		SCREEN WENT BLANK		
		0.0	AFHR			CAMM LOG00002		XXXXXXxx
15JAN04	02:07	Asset Removal		138.7	526	A23-026	A23T	ALUDE 00A
		2466.7	AFHR			A23T	ALUDE	XXXXXXxx
		Change Serviceability Stat		76.7	S/I			
		Change Location of an Asse		xxxx	U/S	A23-026		
					EXTERNAL			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01187  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 3424  
 PART NO : 8095686-1001 ~27914 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : EADI  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
22MAR04 08:00	Change Serviceability Stat	67.2	U/S SERV	
	2466.7 AFHR			XXxxXXxx
22JUN04 02:46	Change Location of an Asse	159.0	EXTERNAL MMIST	
	2466.7 AFHR		A1PXXXY414844	XXxxXXxx
12JUL04 00:06	Asset Installation	178.9	A23T A1UDE	
	2466.7 AFHR		524 A23-024 00	A23T A1UDC 00AC
	Change Serviceability Stat	111.6	SERV S/I	XXxxXXxx
	Change Location of an Asse	19.8	MMIST A23-024	
05AUG04 00:10	Asset Removal	24.0	524 A23-024	
	2516.4 AFHR		A23T A1UDC 00	A23T A1UDC 00A
	Change Serviceability Stat	5.7	S/I	XXxxXXxx
	Change Location of an Asse	24.0	U/S A23-024	
17AUG04 00:06	Change Location of an Asse	11.9	FAK FAK	
	2516.4 AFHR		EXTERNAL A1PXXXY420876	XXxxXXxx
05MAY05 07:02	Change Venue of an Asset	614.9	AIP NONC2CONT	
	2516.4 AFHR		A1PXXXY506901	XXxxXXxx
	Change Location of an Asse	261.2	EXTERNAL HOLD	
18JUL05 00:01	Change Venue of an Asset	73.7	NONC2CONT AIP	
	2516.4 AFHR		NONC2XY603416	XXxxXXxx
	Change Location of an Asse	73.7	HOLD MMIST	
18JUL05 08:00	Change Serviceability Stat	347.3	U/S SERV	
	2516.4 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01188  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 3424  
 PART NO : 8095686-1001  
 ENGINEERING NAME : EADI  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~27914

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
01JUN06 03:25	Change Serviceability Stat	317.8	SERV U/S A1PXXUY606113	XXxxXXxx
	2516.4 AFHR Estimated Date/Time Serv	732828.8	SERV STAT SERV STAT	
01JUN06 03:25	Change Serviceability Stat	0.0	U/S SERV	XXxxXXxx
	2516.4 AFHR			
20JUN06 05:54	Change Venue of an Asset	337.2	AIP NONC2CONT A1PXXXY604754	XXxxXXxx
	2516.4 AFHR			
	Change Location of an Asse	337.2	MMIST HOLD	
24APR07 01:26	Change Venue of an Asset	307.8	NONC2CONT AIP NONC2XY704008	XXxxXXxx
	2516.4 AFHR			
	Change Location of an Asse	307.8	HOLD MMIST	
28MAY07 07:08	Asset Installation	1026.2	A23T A1UDC 511 A23-010 00	A23T A1UDC 00AC
	2516.4 AFHR			
	Change Serviceability Stat	361.1	SERV S/I	
	Change Location of an Asse	34.2	MMIST A23-010	
24SEP08 11:10	Asset Removal	485.1	511 A23T A1UDC A23-010 00	A23T A1UDC 00A
	2755.7 AFHR			
	Change Serviceability Stat	0.0	S/I U/S	XXxxXXxx
	Change Location of an Asse	485.1	A23-010 MMIST	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01189  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 3424  
 PART NO : 8095686-1001 ~27914 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : EADI  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
02OCT08 09:08	Change Venue of an Asset	527.3	AIP NONC2CONT	
	2755.7 AFHR Change Location of an Asse	7.9	A1PXXXY809166 MMIST HOLD	XXxxXXxx
13OCT09 10:01	Change Serviceability Stat	383.9	U/S SERV	
	2755.7 AFHR Change Venue of an Asset	389.9	NONC2CONT AIP	XXxxXXxx
27OCT09 07:41	Change Location of an Asse	389.9	NONC2XY913155 HOLD MMIST	XXxxXXxx
09NOV09 01:12	Asset Installation	410.5	A23T A1UDC 550	A23T A1UHK 00AC
	2755.7 AFHR Change Serviceability Stat	26.6	SERV S/I	XXxxXXxx
	Change Location of an Asse	12.7	MMIST A23-049	
10DEC12 11:28	Asset Removal	1127.4	550 A23T A1UHK	A23-049 00A
	3307.7 AFHR Change Serviceability Stat	0.0	S/I U/S	XXxxXXxx
	Change Location of an Asse	1127.4	A23-049 STORES	
12DEC12 04:55	Change Venue of an Asset	1141.8	AIP NONC2CONT	
	3307.7 AFHR Change Location of an Asse	1.7	A1PXXX1213230 STORES	XXxxXXxx
11APR14 04:00	Change Serviceability Stat	486.6	HOLD U/S SERV	
	3307.7 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01190  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 3424  
 PART NO : 8095686-1001 ~27914  
 ENGINEERING NAME : EADI  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
21MAY14 01:22	Change Venue of an Asset	524.8	NONC2CONT AIP	
	3307.7 AFHR Maintenance Comment	0.0	NONC2X1405262 REPAIRED AT ANZ ON 11APR14 AND MOVED TO AIP	XXxxXXxx
	Change Location of an Asse	524.8	HOLD STORES	
12JUN14 05:12	Asset Installation	548.7	A23T A1UHK A23-015 00	A23T A1UDE 00AC
	3307.7 AFHR Change Serviceability Stat	62.0	513 SERV	XXxxXXxx
	Change Location of an Asse	22.1	S/I STORES A23-015	
30JUL14 07:00	Asset Removal	48.0	513 A23T A1UDE A23-015 00	A23T A1UDE 00A
	3360.5 AFHR Change Serviceability Stat	0.0	S/I U/S	XXxxXXxx
	Change Location of an Asse	48.0	A23-015 STORES	
31JUL14 05:56	Change Venue of an Asset	71.1	AIP NONC2CONT	
	3360.5 AFHR Change Location of an Asse	0.9	A1PXXX1408190 STORES	XXxxXXxx
	Change Serviceability Stat	585.7	HOLD U/S SERV	
07MAR16 00:02	Change Serviceability Stat	585.7		
	3360.5 AFHR Change Venue of an Asset	642.7	NONC2CONT AIP	XXxxXXxx
04MAY16 00:45	Change Venue of an Asset	642.7	NONC2X1604942 REPAIRED AT ANZ ON 07MAR16. MOVED TO AIP	XXxxXXxx
	3360.5 AFHR Maintenance Comment	0.0	HOLD	
	Change Location of an Asse	642.7	STORES	

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01191  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 3424  
 PART NO : 8095686-1001 ~27914  
 ENGINEERING NAME : EADI  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
05JUL16 12:39	Asset Installation	706.2	A23T A1UDE 548 A23-047	A23T A1UDC 00AC XXXXXXXXXX
	3360.5 AFHR Change Serviceability Stat	120.5	SERV S/I	
	Change Location of an Asse	62.4	STORES A23-047	
18AUG16 12:55	Asset Removal	44.0	548 A23-047 A23T A1UDC	A23T A1UDC 00A XXXXXXXXXX
	3461.4 AFHR Change Serviceability Stat	2.1	S/I U/S	
	Change Location of an Asse	44.0	A23-047 STORES	
19AUG16 03:05	Change Venue of an Asset	107.0	AIP NONC2CONT	
	3461.4 AFHR Change Location of an Asse	0.5	A1PXXX1607866 STORES	XXXXXXXXXX
03FEB17 06:00	Change Serviceability Stat	168.7	HOLD U/S SERV	
	3461.4 AFHR Change Venue of an Asset	228.0	NONC2CONT AIP	XXXXXXXXXX
04APR17 04:49	Maintenance Comment	0.0	NONC2X1703916 REPAIRED AT ANZ ON 03FEB17. MOVED TO AIP PEA.	XXXXXXXXXX
	Change Location of an Asse	228.0	HOLD STORES	
27APR17 03:16	Asset Installation	251.5	A23T A1UDC 510 A23-009	A23T A1UHK 00AC XXXXXXXXXX
	3461.4 AFHR Change Serviceability Stat	82.8	SERV S/I	
	Change Location of an Asse	22.9	STORES A23-009	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01192  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 3424  
 PART NO : 8095686-1001 ~27914  
 ENGINEERING NAME : EADI  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
31MAY17 09:56	Asset Removal	34.2	510 A23T A1UHK A23-009 00	A23T A1UHK 00A
	3482.5 AFHR Change Serviceability Stat	0.3	S/I U/S	XXXXXXxx
	Change Location of an Asse	34.2	A23-009 STORES	
06JUN17 09:51	Change Venue of an Asset	63.2	AIP NONC2CONT A1PXXX1708949	XXXXXXxx
	3482.5 AFHR Change Location of an Asse	5.9	STORES HOLD U/S SERV	
23JAN19 10:00	Change Serviceability Stat	602.0		XXXXXXxx
	3482.5 AFHR Change Venue of an Asset	672.6	NONC2CONT AIP NONC2X1902615	XXXXXXxx
10APR19 01:00	Maintenance Comment Change Location of an Asse	0.0 672.6	POST REPAIRED ITEM HOLD STORES MMI	
25JUN19 06:19	Asset Installation	754.8	A23T A1UHK A23-033 00	A23T A1UDE 00AC
	3482.5 AFHR Change Serviceability Stat	152.8	SERV S/I STORES MMI	XXXXXXxx
	Change Location of an Asse	76.2	A23-033	

For-Official-Use-Only



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 01194  
08JAN20  
23:16:15

SERIAL/TAIL NO : 3424  
PART NO : 8095686-1001 ~27914  
ENGINEERING NAME : EADI  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJY816096	C COMPLETED	24SEP08 11:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		NONC2CONT	
	13OCT09 10:01	24SEP08 11:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		2755.7	AFHR
01 UNSERVICEABLE		01 IN FLIGHT		BOTTOM 2/3 OF FRONT ADI DISPLAY FLICKERING			
03 ELECTRICAL COMPONENT FAIL		03 ELECTRICAL FAILURE					
		02 REPAIR					
		Unserviceability Details:		DU 1 FRONT COCKPIT FLICKERING			
		Maintenance Comments:		BEZEL DAMAGED AND OUT OF CAL, REPLACED BEZEL AND CAPTIVE SCREW ALSO ADJUST CAL IAW AAP 7532.067-2M AL9			

A1PXXJ1218808	C COMPLETED	10DEC12 11:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		AIP	
	11APR14 04:00	10DEC12 11:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		3307.7	AFHR
01 UNSERVICEABLE		01 IN FLIGHT		FRONT C/P DU2 SCREEN WENT BLANK DURING FLIGHT			
03 ELECTRICAL COMPONENT FAIL		03 ELECTRICAL FAILURE					
		02 REPAIR					
		Unserviceability Details:		DISPLAY BLANKS TO BLACK ON LOWER 2/3S			
		Maintenance Comments:		RASTER ONLY ON TOP OF SCREEN. REPAIRED SHORT CICUIT AT Q3 & Q4 ON DEFLECTION MODULE & ALSO REPLACED PHOTO CELL & TESTED IAW AAP7532.067-2M AL1			

A1PXXJ1412865	C COMPLETED	30JUL14 07:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		NONC2CONT	
	07MAR16 00:02	30JUL14 07:02	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		3360.5	AFHR
01 UNSERVICEABLE		01 IN FLIGHT		FRONT DU2 CP CAPTION			
02 MECHANICAL COMPONENT FAIL		03 ELECTRICAL FAILURE					
		02 REPAIR					
		Unserviceability Details:		FRONT COCKPIT DU2 CAPTION			
		Maintenance Comments:		RENEWED FAN MOTOR AND REPAIRED JOINTS ON INTERCONNECT BOARD IAW 006-05354-0001 REV 1			

A1PXXJ1617529	C COMPLETED	18AUG16 12:55	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		NONC2CONT	
	03FEB17 06:00	18AUG16 12:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		3461.4	AFHR
01 UNSERVICEABLE		01 IN FLIGHT		FRONT DU1 FLICKERING INTERMITTENTLY			
03 ELECTRICAL COMPONENT FAIL		03 ELECTRICAL FAILURE					
		02 REPAIR					
		Unserviceability Details:		FLICKERING INTERMITTENTLY			
		Maintenance Comments:		UNABLE TO CONFIRM DEFECT ON TEST. RENEWED LEAKING CAPACITORS IN LOW VOLTAGE POWER SUPPLY AND 2 RESITORS ON INTERCONNECT (Continued on next page.)			

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 3424  
PART NO : 8095686-1001 ~27914 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : EADI  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

(Continued from previous page.)

BOARD. TESTED. PASSED ALL TESTS IAW 31-10-01 REV 3 REF ARC  
ACS1608128

A1PXXJ1710881	C COMPLETED	31MAY17 09:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	NONC2CONT		
	23JAN19 10:00	31MAY17 09:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	3482.5	AFHR	
01 UNSERVICEABLE		01 IN FLIGHT		REAR EADI OCCASSIONALLY FLICKERINGAND GOING DARKER BOTTOM 2/3			
		03 ELECTRICAL FAILURE		OF SCREEN			
03 ELECTRICAL COMPONENT FAIL		02 REPAIR					

Unserviceability Details: SCREEN FLICKERING AND SHADING DARKER

Maintenance Comments: CLEANED CONNECTORS ON J25 & 26 AND RESOLDERED JOINTS ON  
DEFLECTION MODULE AND TESTED IAW 31-10-01 REV.3 @ ANZ ARC REF:  
50026915 AND ACS1707010

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 3424  
 PART NO : 8095686-1001 ~27914  
 ENGINEERING NAME : EADI  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MOD NUMBER	CURRENT (Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
7532.067-101	Y	05FEB01 00:00	INC			
7532.067-102	Y	20MAR02 00:00	INC			
7532.067-103	Y	27FEB02 00:00	NINC			
7532.067-104	Y	18JUN02 00:00	N/A			
7532.067-105	Y	18JUN02 00:00	N/A			
7532.067-106	N	20MAR02 00:00	NINC			
7532.067-106	Y	22MAR04	INC	MANUAL		NOT REC.

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

SERIAL/TAIL NO : 343  
PART NO : 557.51.09.001 ~S4080  
ENGINEERING NAME : AILERON LH  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 2023.2 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
03OCT11 05:51	343	557.51.09.001	~S4080	A23T	00
aip01778	AIP	STORES		A2KCA	
R. ORLOWSKI		03OCT11		A1PXXR1101537	

0.0 AFHR

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01198  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 343  
 PART NO : 557.51.09.001 ~S4080  
 ENGINEERING NAME : AILERON LH  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
03OCT11 05:51	Reception History Record	0.0	Reception STORES MMI	
	0.0 AFHR			XXxxXXxx
05OCT11 02:16	Change Serviceability Stat	2.0	SERV U/S	
	0.0 AFHR			XXxxXXxx
09OCT11 23:44	Change Serviceability Stat	4.8	U/S SERV	
	0.0 AFHR			XXxxXXxx
13OCT11 00:06	Asset Installation	10.0	A23T 097 A2KCA A23-014 00	A23T A2KCA 00AC
	0.0 AFHR			XXxxXXxx
	Change Serviceability Stat	3.0	SERV S/I	
	Change Location of an Asse	10.0	STORES A23-014 MMI	
26SEP12 22:22	Asset Removal	349.9	A23T 097 A2KCA A23-014 00	A23T A2KCA 00A
	150.0 AFHR			XXxxXXxx
	Change Serviceability Stat	190.6	S/I U/S	
	Change Location of an Asse	349.9	A23-014 INTMH	
26SEP12 22:24	Change Serviceability Stat	0.0	U/S SERV	
	150.0 AFHR			XXxxXXxx
26SEP12 22:25	Asset Installation	0.0	A23T 518 A2KCA A23-024 00	A23T A2KCA 00AC
	150.0 AFHR			XXxxXXxx
	Change Serviceability Stat	0.0	SERV S/I	
	Change Location of an Asse	0.0	INTMH A23-024	



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01199  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 343  
 PART NO : 557.51.09.001 ~S4080  
 ENGINEERING NAME : AILERON LH  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS											
TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER				
LIFE SINCE NEW											
02OCT12	05:53	Asset Removal	5.3	518	A23T	A2KCA	A23-024	00	A23T	A2KCA	00A
		150.0 AFHR							XXXXXXxx		
		Change Serviceability Stat	5.3	S/I							
		Change Location of an Asse	5.3	U/S							
02OCT12	05:54	Change Serviceability Stat	0.0	A23-024							
		150.0 AFHR		INTMH					XXXXXXxx		
21MAR13	00:44	Asset Installation	169.7	U/S							
		150.0 AFHR		SERV							
		Change Serviceability Stat	169.7	A23T	A2KCA	A23-033	00	A23T	A2KCA	00AC	
		Change Location of an Asse	169.7	027					XXXXXXxx		
05SEP13	00:35	Asset Removal	167.9	SERV							
		300.0 AFHR		S/I							
		Change Serviceability Stat	1.7	U/S							
		Change Location of an Asse	167.9	A23-033							
05SEP13	00:36	Change Serviceability Stat	0.0	INTMH							
		300.0 AFHR		U/S					XXXXXXxx		
05SEP13	01:22	Change Serviceability Stat	0.0	SERV							
		300.0 AFHR		U/S					XXXXXXxx		
05SEP13	01:26	Change Serviceability Stat	0.0	U/S							
		300.0 AFHR		SERV					XXXXXXxx		

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01200  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 343  
 PART NO : 557.51.09.001 ~S4080  
 ENGINEERING NAME : AILERON LH  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
05SEP13 02:45	Asset Installation	0.0	A23T A2KCA A23-033 00	A23T A2KCA 00AC
	300.0 AFHR Change Serviceability Stat	0.0	SERV	XXXXXXXX
	Change Location of an Asse	0.0	S/I INTMH A23-033	
10MAR14 02:25	Asset Removal	185.9	027 A23T A2KCA A23-033 00	A23T A2KCA 00A
	432.4 AFHR Change Serviceability Stat	2.7	S/I	XXXXXXXX
	Change Location of an Asse	185.9	U/S A23-033	
10MAR14 02:34	Change Serviceability Stat	0.0	INTMH U/S SERV	
	432.4 AFHR			XXXXXXXX
10MAR14 03:52	Asset Installation	0.0	A23T A2KCA A23-033 00	A23T A2KCA 00AC
	432.4 AFHR Change Serviceability Stat	0.0	SERV	XXXXXXXX
	Change Location of an Asse	0.0	S/I INTMH A23-033	
03APR17 05:52	Change Serviceability Stat	129.0	S/I US/I	
	1392.8 AFHR		A1PXXJ1620906	XXXXXXXX
09MAY17 06:12	Change Serviceability Stat	36.0	US/I	
	1392.8 AFHR		S/I	XXXXXXXX
07JUN17 06:23	Position Change	1185.1	A23T A2KCA 00 A23T A2KCA 00	
	1392.8 AFHR Maintenance Comment	0.0	A1PXXX1709042 POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE	XXXXXXXX

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 01201  
08JAN20  
23:16:15

SERIAL/TAIL NO : 343  
PART NO : 557.51.09.001 ~S4080  
ENGINEERING NAME : AILERON LH  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJ1114716	C COMPLETED	05OCT11 02:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	09OCT11 23:44	05OCT11 02:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		0.0	AFHR
16	PRE-INSTALLATION MAINT	26	PRE-INSTALLATION MAINTENANCE	ITEM TO BE SURFACE FINISHED AND BALANCED.			

08 DAMAGE 02 REPAIR  
Unserviceability Details:  
Maintenance Comments: SURFACE FINISH C/O IAW 7021.004-1.BALANCE C/O IAW 7212.007-3.REF W/S COAM 5915/11

A1PXXJ1214784	C COMPLETED	26SEP12 22:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	26SEP12 22:24	26SEP12 22:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		150.0	AFHR
13	REMOVED FOR ACCESS	99	NO FAILURE	L/H AILERON RFA			

01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV

A1PXXJ1214948	C COMPLETED	02OCT12 05:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	02OCT12 05:54	02OCT12 05:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		150.0	AFHR
13	REMOVED FOR ACCESS	99	NO FAILURE	LH AILERON GROUND ADJUSTABLE TAB DISTORTED			

01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV

A1PXXJ1311969	C COMPLETED	05SEP13 00:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	05SEP13 00:36	05SEP13 00:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		300.0	AFHR
13	REMOVED FOR ACCESS	99	NO FAILURE	L/H AILERON GROUND ADJUSTABLE TAB DENTED			

01 NO FAULT 04 CHECK/TEST SERV  
aip0172211AUG13 23:01:38  
EE 500 539987#1 THE GROUND ADJUSTABLE TAB HAS A SMALL SMOOTH DENT IN THE TRAILING EDGE. THERE IS NO EVIDENCE OF ANY CRACKING AND THERE IS NO DAMAGE TO SECONDARY STRUCTURE. THE TRIM TAB IS INSPECTED ON FLIGHT SERVICINGS FOR ANY FURTHER DAMAGE. THERE IS NO IMPACT ON AIRCRAFT OPERATIONS.

Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 01202  
08JAN20  
23:16:15

SERIAL/TAIL NO : 343  
PART NO : 557.51.09.001 ~S4080  
ENGINEERING NAME : AILERON LH  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJ1311973	C COMPLETED	05SEP13 01:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
12 DAMAGED	05SEP13 01:26	05SEP13 01:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	300.0	AFHR
08 DAMAGE		05 TECHNICAL B/F 01 DAMAGED/CRACKED 02 REPAIR		GROUND ADJUSTABLE TAB IS DENTED. REFER CFU EE500		539987#1	
				Unserviceability Details:	GROUND ADJUSTABLE TAB HAS A SMALL SMOOTH DENT IN THE TRAILING EDGE.		
				Maintenance Comments:	GROUND ADJUSTABLE TAB IS REPLACED WITH SERV ITEM REFER AIPMCS1296/13-9-3		
A1PXXJ1403806	C COMPLETED	10MAR14 02:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
15 FAULT FINDING	10MAR14 02:34	10MAR14 02:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	432.4	AFHR
01 NO FAULT		99 NO FAILURE		LATERAL/AXIAL PLAY IN L/H AILERON			
01 NO FAULT		04 CHECK/TEST SERV					
				Unserviceability Details:	REMOVED FOR ACCESS		
				Maintenance Comments:			
A1PXXJ1620906	C COMPLETED	09MAY17 06:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
08 MOD/STI/DVI REQUIRED	09MAY17 06:12	03APR17 05:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	1392.8	AFHR
01 NO FAULT		08 MOD/STI/DVI INCORP		STI-PC9-0634 due on Serial 343 AILERON LH at WAC 0930			
				Unserviceability Details:			
				Maintenance Comments:	STI-PC9-0634 C/O I.A.W STI INSTRUCTIONS		

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 01203  
08JAN20  
23:16:15

SERIAL/TAIL NO : 343  
PART NO : 557.51.09.001 ~S4080  
ENGINEERING NAME : AILERON LH  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

STI STATUS CHANGE -----

STI NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
=====	=====	=====	=====	=====	=====	=====
STI-PC9-0634	N	06OCT16 00:55	NINC			
STI-PC9-0634	Y	09MAY17 06:10	INC	A1PXXJ1620906	09MAY17 06:08	1392.8 AFHR

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 343 LITERAL SERIAL NO : A23-033; AIL LH 343 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 557.51.09.221 ~S4080  
ENGINEERING NAME : AILERON NOSE RIB 1 LH (AA2124-T851)  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 2023.2 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
10MAR14 13:08	343	557.51.09.013	~S4080	A23T	00
aip04023	AIP	HOLD		A2KCA06	
K. ARUMUGAM		03OCT11		A1PXXR1400469	
	432.4 AFHR		03OCT11		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 343 LITERAL SERIAL NO : A23-033; AIL LH 343 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 557.51.09.221 ~S4080  
 ENGINEERING NAME : AILERON NOSE RIB 1 LH (AA2124-T851)  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW						
10MAR14 13:08	Reception History Record	0.0	Reception			
	432.4 AFHR		HOLD	MMI		XXxxXXxx
10MAR14 13:38	Asset Installation	889.5	A23T	A2KCA06	00	
	432.4 AFHR		343	A23-033		A23T A2KCA06 00AC
	Change Serviceability Stat	889.5	SERV			XXxxXXxx
	Change Location of an Asse	889.5	S/I			
28APR14 01:58	Change Serviceability Stat	11.0	HOLD			
	449.5 AFHR		A23-033			
29APR14 07:02	Change Serviceability Stat	1.2	S/I			XXxxXXxx
	449.5 AFHR		US/I	A1PXXJ1403851		
29APR14 11:14	Change Part Number of an A	939.4	S/I			XXxxXXxx
	449.5 AFHR		557.51.09.013		~S4080	
	Maintenance Comment	0.0	557.51.09.221		~S4080	
29APR14 11:15	Position Change	49.9	A1PXXX1404256			XXxxXXxx
	449.5 AFHR		MS7 C/O REF; MCS 203/14. MATERIAL SPEC = 2124 T851			
	Maintenance Comment	0.0	A23T A2KCA06 00			
07JUN17 07:01	Position Change	1184.7	A23T A2KCA06 02			XXxxXXxx
	1392.8 AFHR		A1PXXX1404257			
	Maintenance Comment	0.0	MS7 C/O REF; MCS 203/14. MATERIAL SPEC = 2124 T851			
			A23T A2KCA06 02			
			A23T A2KCA06 02			
			A1PXXX1709059			XXxxXXxx
			POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE			

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	UNSERVICEABILITY	SYMPTOMS	UNSERVICEABILITY DETAILS	MAINTENANCE COMMENT		
MAINT PROCESS	UNSERVICEABILITY	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT				
A1PXXJ1403851	C COMPLETED	28APR14 01:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
19 MMI SERVICING DUE	29APR14 07:02	28APR14 01:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	449.5	AFHR
01 NO FAULT	12 MMI SERVICING			MS7 due on Serial 343			
				AIL NOSE RIB 1 LH at WAC 0930			

Unserviceability Details:

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

PAGE 01206  
08JAN20  
23:16:15

SERIAL/TAIL NO : 343 LITERAL SERIAL NO : A23-033; AIL LH 343 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 557.51.09.221 ~S4080  
ENGINEERING NAME : AILERON NOSE RIB 1 LH (AA2124-T851)  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

Maintenance Comments: MS7 CARRIED OUT REF AIP/NDT/A23-033/001 MATERIAL SPEC 2124-T851



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01207  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 344  
 PART NO : 3214102-1  
 ENGINEERING NAME : REGULATOR PRESSURE  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

~99193

PERIOD: 01JAN90 TO 08JAN20

LOCATION : A23-033  
 LIFE SINCE NEW : 28684.2 AFHR

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
				LIFE SINCE NEW				
01SEP03	06:55	Maintenance	Comment	2.9	05Jan00	REPAIRED BY NOR		XXxxXXxx
		0.0	AFHR		CAMM	LOG00005		
01SEP03	06:58	Maintenance	Comment	2.9	2FTREP	WFD: 09-R2		US: 11-INOPER
		0.0	AFHR		CAMM	LOG00001		XXxxXXxx
01SEP03	06:58	Maintenance	Comment	2.9	25Jan00	2FTMMIST 00. 22483.4		0.0 AFHR UPDATED LIFE (JOBX)
		0.0	AFHR		CAMM	LOG00006		XXxxXXxx
01SEP03	06:58	Maintenance	Comment	2.9	09Nov99	DISPATCHED TO PEAXCON		
		0.0	AFHR		CAMM	LOG00003		XXxxXXxx
01SEP03	06:58	Maintenance	Comment	2.9	22Dec99	PEAXCON FF: 02-MECHFAIL		MA: 02-REPAIR
		0.0	AFHR		CAMM	LOG00004		XXxxXXxx
01SEP03	07:04	Maintenance	Comment	2.9	INTERNAL	FAILURE		
		0.0	AFHR		CAMM	LOG00002		XXxxXXxx
01SEP03	07:04	Maintenance	Comment	2.9	23Nov00	A23-047 01.30 22607.8		0.0 AFHR IN AS A23T 1824-00-00-G
		0.0	AFHR		CAMM	LOG00010		XXxxXXxx
01SEP03	07:05	Maintenance	Comment	2.9	23Nov87	NEW - 344 3214102-1		1824-00-00-G
		0.0	AFHR		CAMM	LOG00011		XXxxXXxx
01SEP03	07:05	Maintenance	Comment	2.9	14Apr00	A23-006 01.30 22607.8		0.0 AFHR 05-FUNC CHK LA08897
		0.0	AFHR		CAMM	LOG00008		XXxxXXxx
01SEP03	07:05	Maintenance	Comment	2.9	29Aug03	A23-047 01.30 23581.7 AFHR		TX TO CAMM2
		0.0	AFHR		CAMM	LOG00012		XXxxXXxx
01SEP03	07:06	Maintenance	Comment	2.9	17Apr00	2FTMMIST FF: 01-NIL		MA: 04-CHK/TST
		0.0	AFHR		CAMM	LOG00009		XXxxXXxx
01SEP03	07:12	Maintenance	Comment	2.9	07Feb00	A23-006 01.30 22483.4		0.0 AFHR IN AS A23T 1824-00-00-G
		0.0	AFHR		CAMM	LOG00007		XXxxXXxx
24AUG08	23:29	Asset	Removal	1822.6	A23-047	A23-047		A23T A00 00A
		25331.2	AFHR		A23T	A00		00
		Change	Serviceability Stat	17.8	S/I			XXxxXXxx
		Change	Location of an Asse	xxxx	U/S			
		Change	Serviceability Stat	0.0	A23-047			
24AUG08	23:30	Change	Serviceability Stat	0.0	INTMH			
		25331.2	AFHR		U/S			
		Change	Serviceability Stat		SERV			XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01208  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 344  
 PART NO : 3214102-1  
 ENGINEERING NAME : REGULATOR PRESSURE  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~99193

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
16SEP08 00:35	Asset Installation	22.0	A23T A00 A23-033 A23-033	A23T A00 00AC
	25331.2 AFHR Change Serviceability Stat	22.0	SERV S/I	XXxxXXxx
	Change Location of an Asse	22.0	INTMH A23-033	
07JUN17 06:19	Position Change	3186.2	A23T A00 A23T A00	00 00
	28053.8 AFHR Maintenance Comment	0.0	A1PXXX1709033 POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE	XXxxXXxx

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			
A1PXXJY814116	C COMPLETED	24AUG08 23:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	24AUG08 23:30	24AUG08 23:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	25331.2 AFHR	
13 REMOVED FOR ACCESS	99 NO FAILURE			FAIL ENG RUN CHECK 7, LOW FLOW AND NO HEAT			
01 NO FAULT	04 CHECK/TEST SERV						
	Unserviceability Details:						
	Maintenance Comments:			CHECK/TEST SERV			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01209  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 350  
 PART NO : 979432-2 ~99193  
 ENGINEERING NAME : VALVE TEMP CONTROL  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 8027.6 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T		CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
30AUG03	17:11	Maintenance Comment	0.0 AFHR	1.3	29Apr98 A23-061 01.3 2422.9	0.0 AFHR UPDATED LIFE (MPMI) XXXXXXxx
30AUG03	17:12	Maintenance Comment	0.0 AFHR	1.3	05Jun91 NEW - 350 979432-2	1828-00-00-A XXXXXXxx
30AUG03	17:17	Maintenance Comment	0.0 AFHR	1.3	04Feb92 A23-061 01.3 0.0	0.0 AFHR ^^^^RECEPTION XXXXXXxx
30AUG03	17:19	Maintenance Comment	0.0 AFHR	1.3	29Aug03 A23-061 01.30 3789.2 AFHR	TX TO CAMM2 XXXXXXxx
22AUG13	04:39	Position Change	6727.7 AFHR	3645.8	A23T AOS 00 A23T AOS 00	XXXXXXxx
22OCT13	00:36	Asset Removal	6753.1 AFHR	3706.6	A1EXXX1305501 A23-061 A23-061	A23T AOS 00A XXXXXXxx
		Change Serviceability Stat		12.8	S/I U/S	
		Change Location of an Asse		xxxx	A23-061 AIRFRAME	
22OCT13	00:48	Change Serviceability Stat	6753.1 AFHR	0.0	U/S SERV	XXXXXXxx
25OCT13	00:30	Asset Installation	6753.1 AFHR	2.9	A23T AOS 00 A23-061 A23-061	A23T AOS 00AC XXXXXXxx
		Change Serviceability Stat		2.9	SERV S/I	
		Change Location of an Asse		2.9	AIRFRAME A23-061	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01210  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 350  
 PART NO : 979432-2  
 ENGINEERING NAME : VALVE TEMP CONTROL  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~99193

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
28OCT13 22:56	Asset Removal	3.9	A23-061 A23T AOS	A23T AOS 00A
	6753.1 AFHR Change Serviceability Stat	3.9	S/I U/S	XXXXXXxx
	Change Location of an Asse	3.9	A23-061 AIRFRAME	
30OCT13 19:49	Change Venue of an Asset	3715.4	AIE NONC2CONT A1EXXX1306336	XXXXXXxx
	6753.1 AFHR Change Location of an Asse	1.8	AIRFRAME HOLD U/S SERV	
04DEC14 04:00	Change Serviceability Stat	401.2		XXXXXXxx
	6753.1 AFHR Change Venue of an Asset	462.1	NONC2CONT AIP NONC2X1501119	XXXXXXxx
	6753.1 AFHR Change Location of an Asse	462.1	HOLD STORES	
23JUL15 03:16	Asset Installation	632.1	A23T AOS A23-033	A23T AOS 00AC
	6753.1 AFHR Change Serviceability Stat	230.9	SERV S/I STORES A23-033	XXXXXXxx
	Change Location of an Asse	168.1		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			

A1EXXJ1305875 C COMPLETED 22OCT13 00:36 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
 22OCT13 00:48 22OCT13 00:36 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 6753.1 AFHR  
 13 REMOVED FOR ACCESS 99 NO FAILURE ECS TEMPERATURE CONTROL VALVE REMOVED FOR ACCESS  
 01 NO FAULT 04 CHECK/TEST SERV

Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 350  
PART NO : 979432-2 ~99193 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : VALVE TEMP CONTROL  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS		UNSERVICEABILITY DETAILS			
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS		MAINTENANCE COMMENT			
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

```

=====
A1EXXJ1305988 C COMPLETED 28OCT13 22:56 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIP
04DEC14 04:00 28OCT13 22:57 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 6753.1 AFHR
01 UNSERVICEABLE 09 R2 SERVICING TEMP CONTROL ELECTRICAL FITTING HAS CORROSION
13 CORRODED
02 MECHANICAL COMPONENT FAIL 02 REPAIR
Unserviceability Details: TEMP CONTROL VALVE ELECRITICAL FITTING HAS CORROSION
Maintenance Comments: ITEM REPAIRED IAW HONEYWELL CMM 36-10-28 REV 3 DATED 02AUG13
REFER TO LETTER OF AUTHORISATION ALC 9748909
=====

```

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01212  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 360884  
 PART NO : PDCR 350-0640  
 ENGINEERING NAME : TRANSDUCER OXY PRES  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

~U0427

PERIOD: 01JAN90 TO 08JAN20

LOCATION : A23-033  
 LIFE SINCE NEW : 8318.8 AFHR

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
				LIFE SINCE NEW				
01SEP03	13:10	Maintenance	Comment	3.1	1709.3	0.0	AFHR	XXxxXXxx
								CAMM LOG00003
01SEP03	13:10	Maintenance	Comment	3.1			BS C/O	XXxxXXxx
								CAMM LOG00009
01SEP03	13:10	Maintenance	Comment	3.1	3783.1	0.0	AFHR	XXxxXXxx
								CAMM LOG00011
01SEP03	13:11	Maintenance	Comment	3.1	29Aug03	A23-003	06.40	4033.2 AFHR TX TO CAMM2
								CAMM LOG00014
01SEP03	13:12	Maintenance	Comment	3.1	12Aug02	A23-003	06.40	4134 0 DAYS IN AS A23T 2250-00-00-L
								CAMM LOG00010
01SEP03	13:13	Maintenance	Comment	3.1	19Apr01	A23-056	06.40	3654 0 DAYS 02-BS DUE LC13945
								CAMM LOG00006
01SEP03	13:14	Maintenance	Comment	3.1	2708.2	0.0	AFHR	XXxxXXxx
								CAMM LOG00005
01SEP03	13:14	Maintenance	Comment	3.1	20Apr01		ELPYR	LST BS 19APR06 ELPYR NXT BS
								CAMM LOG00013
01SEP03	13:15	Maintenance	Comment	3.1	22Apr96	A23-056	06.4	1833 0 DAYS IN AS A23T 2250-00-00-L
								CAMM LOG00002
01SEP03	13:17	Maintenance	Comment	3.2	11Apr96	2FTAVOX		FF: 01-NIL MA: 06-BS
								CAMM LOG00001
01SEP03	13:17	Maintenance	Comment	3.2	29Apr98	A23-056	06.4	2569 0 DAYS UPDATED LIFE (MPMI)
								CAMM LOG00004
01SEP03	13:17	Maintenance	Comment	3.2	20Apr01	2FTAVOX		FF: 01-NIL MA: 06-BS
								CAMM LOG00008
01SEP03	13:18	Maintenance	Comment	3.2	15Apr91	NEW - 360884	PDCR 350-0640	2250-00-00-L
								CAMM LOG00012
01SEP03	13:19	Maintenance	Comment	3.2	3783.1	0.0	AFHR	XXxxXXxx
								CAMM LOG00007
18APR06	05:36	Change	Serviceability Stat	6.8	S/I			
								US/I
					4776.8		AFHR	AIPXXJ307929
								XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01213  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 360884  
 PART NO : PDCR 350-0640  
 ENGINEERING NAME : TRANSDUCER OXY PRES  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U0427

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
18APR06 11:39	Asset Removal	963.1	031 A23T A1UNA A23-003 00	A23T A1UNA 00A
	4776.8 AFHR Change Serviceability Stat	0.2	US/I U/S	XXXXXXxx
	Change Location of an Asse	xxxx	A23-003 MMIST	
19APR06 04:48	Change Location of an Asse	0.7	MMIST AVOX A1PXXXY602846	XXXXXXxx
26MAY06 00:08	Change Serviceability Stat	37.5	U/S SERV	XXXXXXxx
26MAY06 00:53	Change Location of an Asse	36.8	AVOX MMIST A1PXXXY604125	XXXXXXxx
06NOV06 08:47	Asset Installation	201.8	A23T A1UNA 541 A23-041 00	A23T A1UNA 00AC
	4776.8 AFHR Change Serviceability Stat	164.3	SERV S/I	XXXXXXxx
	Change Location of an Asse	164.3	MMIST A23-041	
11MAY09 06:12	Asset Removal	916.8	541 A23T A1UNA A23-041 00	A23T A1UNA 00A
	5673.8 AFHR Change Serviceability Stat	76.7	S/I U/S	XXXXXXxx
	Change Location of an Asse	916.8	A23-041 HG122	
11MAY09 06:53	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
	5673.8 AFHR			XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01214  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 360884  
 PART NO : PDCR 350-0640  
 ENGINEERING NAME : TRANSDUCER OXY PRES  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U0427

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
25MAY09 05:30	Asset Installation	13.9	A23T A1UNA 541 A23-041	00 A23T A1UNA 00AC XXXXXXXXXX
	5673.8 AFHR Change Serviceability Stat	13.9	SERV S/I	
	Change Location of an Asse	13.9	HG122 A23-041	
23MAY11 07:09	Change Serviceability Stat	5.0	S/I US/I	
	5924.3 AFHR		A1PXXJY608155	XXXXXXXXXX
23MAY11 07:10	Asset Removal	728.0	541 A23-041 A23T A1UNA	00 A23T A1UNA 00A XXXXXXXXXX
	5924.3 AFHR Change Serviceability Stat	0.0	US/I U/S	
	Change Location of an Asse	728.0	A23-041 AVOX	
03JUN11 00:27	Change Serviceability Stat	10.7	U/S SERV	
	5924.3 AFHR			XXXXXXXXXX
03JUN11 00:27	Change Location of an Asse	10.7	AVOX STORES	
	5924.3 AFHR		A1PXXX1104902	XXXXXXXXXX
29JUN11 07:08	Asset Installation	36.9	A23T A1UNA 031 A23-003	00 A23T A1UNA 00AC XXXXXXXXXX
	5924.3 AFHR Change Serviceability Stat	26.2	SERV S/I	
	Change Location of an Asse	26.2	STORES A23-003	
19AUG14 09:46	Asset Removal	1147.1	031 A23-003 A23T A1UNA	00 A23T A1UNA 00A XXXXXXXXXX
	6962.1 AFHR Change Serviceability Stat	104.2	S/I SERV	

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01215  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 360884  
 PART NO : PDCR 350-0640 ~U0427  
 ENGINEERING NAME : TRANSDUCER OXY PRES  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
19AUG14 09:47	Asset Installation	0.0	A23T A1UNA 031 A23-003	00 A23T A1UNA 00AC XXXXXXxx
	6962.1 AFHR Change Serviceability Stat	0.0	SERV S/I	
01JUN16 09:14	Change Serviceability Stat	0.0	S/I US/I	
	7688.4 AFHR		A1PXXJ1108254	XXXXXXxx
01JUN16 09:48	Asset Removal	652.0	031 A23-003 A23T A1UNA	00 A23T A1UNA 00A XXXXXXxx
	7688.4 AFHR Change Serviceability Stat	0.0	US/I U/S	
	Change Location of an Asse	1799.1	A23-003 STORES	
01JUN16 21:32	Change Location of an Asse	0.4	STORES AVOX	
	7688.4 AFHR		A1PXXX1605063	XXXXXXxx
15JUN16 05:25	Change Serviceability Stat	13.8	U/S SERV	XXXXXXxx
	7688.4 AFHR			XXXXXXxx
15JUN16 05:26	Change Location of an Asse	13.3	AVOX STORES	
	7688.4 AFHR		A1PXXX1605389	XXXXXXxx
04MAY17 03:16	Asset Installation	336.7	A23T A1UNA 533 A23-033	00 A23T A1UNA 00AC XXXXXXxx
	7688.4 AFHR Change Serviceability Stat	322.9	SERV S/I	
	Change Location of an Asse	322.9	STORES A23-033	MMI

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : 360884  
PART NO : PDCR 350-0640 ~U0427 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : TRANSDUCER OXY PRES  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

2FTSXJCA09492	C COMPLETED	20APR01 00:00	XXxxXXxx		2FTS	0.0	
02 BAY SERVICE DUE							

Unserviceability Details:  
Maintenance Comments:

AIPXXJ307929X	C COMPLETED	18APR06 11:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	4776.8	AFHR
02 BAY SERVICE DUE							
				BS	due on Serial 360884		
				TRANSDUCER OXY PRES at WAC 0640			

01 NO FAULT 06 BAY SERVICE

Unserviceability Details:  
Maintenance Comments: BS C/O IAW AAP7212.007

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	5.0	ELPYR			19APR06
SM	BS	5.0	ELPYR			19APR06

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

AIPXXJY909781	C COMPLETED	11MAY09 06:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	5673.8	AFHR
13 REMOVED FOR ACCESS							
		11MAY09 06:53	11MAY09 06:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		
		99 NO FAILURE OXY COMPONENTS RF MOD 214					

01 NO FAULT 04 CHECK/TEST SERV

Unserviceability Details:  
Maintenance Comments: CHECK TEST C/O

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
Camm2  
ASSET HISTORY

PAGE 01217  
08JAN20  
23:16:15

SERIAL/TAIL NO : 360884 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PDCR 350-0640 ~U0427  
ENGINEERING NAME : TRANSDUCER OXY PRES  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

1PXXJY608155	C COMPLETED	23MAY11 07:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	03JUN11 00:27	23MAY11 07:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	5924.3	AFHR
02 BAY SERVICE DUE				BS	due on Serial 360884		
					TRANSDUCER OXY PRES at WAC 0640		
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:		B/S C/O IAW AAP 7212.007-2 CH35			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	5.0	ELPYR			25MAY11
SM	BS	5.0	ELPYR			25MAY11

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

1PXXJ1108254	C COMPLETED	01JUN16 09:48	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	15JUN16 05:25	01JUN16 09:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	7688.4	AFHR
02 BAY SERVICE DUE				BS	due on Serial 360884		
					TRANSDUCER OXY PRES at WAC 0640		
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:		B/S C/O IAW AAP 7212.007-2 CH35 REFER LSN AIP MCS 669/16			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	5.0	ELPYR			01JUN16
SM	BS	5.0	ELPYR			01JUN16

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 01218  
08JAN20  
23:16:15

SERIAL/TAIL NO : 360884  
PART NO : PDCR 350-0640 ~U0427  
ENGINEERING NAME : TRANSDUCER OXY PRES  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

STI STATUS CHANGE -----  
STI NUMBER CURRENT(Y/N) STATUS DATE/TIME STATUS JOB/SERV NO START DATE/TIME LIFE SINCE NEW  
=====

STI-PC9-126B	Y	08AUG94 00:00	N/A			
--------------	---	---------------	-----	--	--	--

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 01219  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 3634  
 PART NO : 8095635-1005  
 ENGINEERING NAME : PANEL SELECT EFIS  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

~27914

PERIOD: 01JAN90 TO 08JAN20

LOCATION : A23-033  
 LIFE SINCE NEW : 8542.5 AFHR

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
01SEP03 17:39	Maintenance Comment	0.0 AFHR	3.3	23Apr98 A23-034 07.4 2769.5 0.0 AFHR	UPDATED LIFE (MPMI) XXXXXXxx
01SEP03 17:40	Maintenance Comment	0.0 AFHR	3.3	18Oct91 MMI TRANSFERRED FROM PEARCE CMM LOG00011	XXXXXXxx
01SEP03 17:40	Maintenance Comment	0.0 AFHR	3.3	06Nov95 PARTNO REIDENTIFIED FROM 8095635-1003 CMM LOG00004	XXXXXXxx
01SEP03 17:47	Maintenance Comment	0.0 AFHR	3.3	13May91 MMI TRANSFERRED FROM EASTSALE CMM LOG00010	XXXXXXxx
01SEP03 17:47	Maintenance Comment	0.0 AFHR	3.3	29Aug03 A23-034 07.40 4842.4 AFHR TX TO CMM2 CMM LOG00013	XXXXXXxx
01SEP03 17:48	Maintenance Comment	0.0 AFHR	3.3	24Oct91 MMI RECEIVED AT EASTSALE CMM LOG00005	XXXXXXxx
01SEP03 17:49	Maintenance Comment	0.0 AFHR	3.3	22May92 A23-034 05.3 760.9 0.0 AFHR REM SVC TO A23-034 CMM LOG00008	XXXXXXxx
01SEP03 17:53	Maintenance Comment	0.0 AFHR	3.3	05Nov91 A23-034 05.3 520.8 0.0 AFHR MPMI CHANGE CMM LOG00007	XXXXXXxx
01SEP03 17:53	Maintenance Comment	0.0 AFHR	3.3	22May92 A23-034 07.4 760.9 0.0 AFHR IN AS A23T 2432-00-00-F CMM LOG00009	XXXXXXxx
01SEP03 17:54	Maintenance Comment	0.0 AFHR	3.3	16May91 MMI RECEIVED AT PEARCE CMM LOG00003	XXXXXXxx
01SEP03 17:54	Maintenance Comment	0.0 AFHR	3.3	28Oct91 PARTNO REIDENTIFIED FROM 8095635-1006 CMM LOG00006	XXXXXXxx
01SEP03 17:55	Maintenance Comment	0.0 AFHR	3.3	15Aug90 A23-034 05.3 0.0 0.0 AFHR ^^^^^RECEPTION CMM LOG00001	XXXXXXxx
01SEP03 17:56	Maintenance Comment	0.0 AFHR	3.3	28May90 NEW - 3624 8095635-1005 2432-00-00-F CMM LOG00012	XXXXXXxx
08FEB11 22:21	Change Serial Number of an	6763.5 AFHR	2720.5	3624 3634 A1PXXX1100967	XXXXXXxx
	Maintenance Comment		0.0	PHYSICAL SERIAL NUMBER AS STAMPED ON ITEM	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01220  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 3634  
 PART NO : 8095635-1005 ~27914  
 ENGINEERING NAME : PANEL SELECT EFIS  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
09FEB11 07:03	Asset Removal	2720.9	534 A23T A1UIE A23-034 00	A23T A1UIE 00A
	6763.5 AFHR Change Serviceability Stat	7.9	S/I U/S	XXXXXXxx
	Change Location of an Asse	xxxx	A23-034 STORES	
16FEB11 05:41	Change Venue of an Asset	2727.8	AIP NONC2CONT A1PXXX1101147	XXXXXXxx
	6763.5 AFHR Change Location of an Asse	6.9	STORES	
07APR12 01:00	Change Serviceability Stat	422.7	HOLD U/S SERV	
	6763.5 AFHR Change Venue of an Asset	888.8	NONC2CONT AIP	XXXXXXxx
24JUL13 01:56	Maintenance Comment	0.0	NONC2X1307127	XXXXXXxx
	Change Location of an Asse	888.8	REPAIRED AT ANZ ON 02APR12 AND MOVED TO AIP	
30JUL13 03:38	Asset Installation	901.8	HOLD STORES A23T A1UIE A23-033 00	A23T A1UIE 00AC
	6763.5 AFHR Change Serviceability Stat	479.1	SERV S/I	XXXXXXxx
	Change Location of an Asse	6.0	STORES A23-033	

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJ1101656	C COMPLETED	09FEB11 07:03	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
12 DAMAGED	07APR12 01:00	09FEB11 07:05	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	6763.5 AFHR	
08 DAMAGE		09 R2 SERVICING		EFIS CONTROL PANEL RANGE DOWN		MISSING SURROUND	
		01 DAMAGED/CRACKED					
		02 REPAIR					

Unserviceability Details: RANGE DOWN BUTTON MISSING SURROUND

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

SERIAL/TAIL NO : 3634  
PART NO : 8095635-1005 ~27914 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PANEL SELECT EFIS  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

=====

Maintenance Comments: RENEWED RING BUTTON AND LAMP. TESTED IAW AAP 7532.067-2M

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 01222  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 36521  
 PART NO : 2094-19 ~24708 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : ACCELEROMETER  
 VENUE : A23DISP LOCATION : A23-033  
 CURRENT CONDITION : S/I LIFE SINCE NEW : 8414.5 AFHR

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
01SEP03	16:07	Maintenance Comment		0.0 AFHR	3.3	19Aug02	XLOC 00.	3257.3	0.0 AFHR RECEPTION (MIRE)
01SEP03	16:08	Maintenance Comment		0.0 AFHR	3.3	29Aug03	A23-065 07.30	3573.1 AFHR	TX TO CMM2
01SEP03	16:13	Maintenance Comment		0.0 AFHR	3.3	11Jul02	OVERHAULED BY NIM ON 11 JULY 2002		
01SEP03	16:17	Maintenance Comment		0.0 AFHR	3.3	09Apr92	NEW - 36521 2094-19		2375-00-00-F
01SEP03	16:17	Maintenance Comment		0.0 AFHR	3.3	23Sep02	A23-065 07.30	3257.3	0.0 AFHR IN AS A23T 2375-00-00-F
13DEC11	03:34	Asset Removal		6250.9 AFHR	3027.7	565	A23-065		A23T A1UCK 01A
		Change Serviceability Stat		214.0		S/I			XXXXXX
		Change Location of an Asse		xxxx		U/S	A23-065		
13DEC11	03:41	Change Serviceability Stat		0.0		A23-033			
		Change Serviceability Stat		0.0		U/S			
13DEC11	03:47	Asset Installation		6250.9 AFHR	0.0	A23T	A1UCK	01	XXXXXX
		Change Serviceability Stat		0.0		SERV	A23-033		A23T A1UCK 01AC
		Change Serviceability Stat		0.0		S/I			XXXXXX
16JUL13	04:12	Position Change		581.0		A23T	A1UCK	01	
		Maintenance Comment		0.0		A23T	A1UCK	01	
14OCT13	10:32	Position Change		671.2		A23T	A1UCK	01	
		Maintenance Comment		0.0		A23T	A1UCK	01	
		Maintenance Comment		0.0		A1PXXX1311102			XXXXXX
		Maintenance Comment		0.0		POLICY COPY; POSN. NEW TA = OC. AUTH: MPAN 30/2013 AK7106397			



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 36521  
PART NO : 2094-19 ~24708  
ENGINEERING NAME : ACCELEROMETER  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

A1PXXJ1118070	C COMPLETED	13DEC11 03:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	13DEC11 03:41	13DEC11 03:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	6250.9	AFHR
09 CANNIBALISATION	99 NO FAILURE			FRONT C/P G METER ROBBED FOR A/C A23-033			

01 NO FAULT

04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01224  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 36A710  
 PART NO : 3038801  
 ENGINEERING NAME : HUB COMP 1ST STAGE  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

PERIOD: 01JAN90 TO 08JAN20

LOCATION : A23-033  
 LIFE SINCE NEW : 7138.9 ENHR

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
				LIFE SINCE NEW				
31AUG03	01:06	Maintenance	Comment	1.6	07Aug00	103186	01.30 2765.7 2765.7	ENHR UPDATED LIFE (MIUP)
		0.0	ENHR		CAMM LOG00002			XXXXXXxx
31AUG03	01:07	Maintenance	Comment	1.6	CURRENT CYCLE COUNT 3621			
		0.0	ENHR		CAMM LOG00004			XXXXXXxx
31AUG03	01:07	Maintenance	Comment	1.6	0	0 LDG		
		0.0	ENHR		CAMM LOG00009			XXXXXXxx
31AUG03	01:07	Maintenance	Comment	1.6	0	0 LDG		
		0.0	ENHR		CAMM LOG00003			XXXXXXxx
31AUG03	01:07	Maintenance	Comment	1.6	0	0 LDG		
		0.0	ENHR		CAMM LOG00007			XXXXXXxx
31AUG03	01:07	Maintenance	Comment	1.6	18Jun01	103186	01.30 2792.2 2792.2	ENHR UPDATED LIFE (MIUP)
		0.0	ENHR		CAMM LOG00011			XXXXXXxx
31AUG03	01:08	Maintenance	Comment	1.6	22Jan02	103186	01.30 3041.3 3041.3	ENHR UPDATED LIFE (MIUP)
		0.0	ENHR		CAMM LOG00015			XXXXXXxx
31AUG03	01:11	Maintenance	Comment	1.6	20Sep00	103186	00.30 2765.7 2765.7	ENHR UPDATED LIFE (MPMI)
		0.0	ENHR		CAMM LOG00008			XXXXXXxx
31AUG03	01:11	Maintenance	Comment	1.6	02Oct02 CURRENT CYCLES AT R2- 4335.			
		0.0	ENHR		CAMM LOG00019			XXXXXXxx
31AUG03	01:13	Maintenance	Comment	1.6	CURRENT LIFE: OLD = 650 LDG NEW = LDG			
		0.0	ENHR		CAMM LOG00001			XXXXXXxx
31AUG03	01:13	Maintenance	Comment	1.6	05Jun91		.0 ENHR LST OH 4000.0	ENHR NXT OH
		0.0	ENHR		CAMM LOG00027			XXXXXXxx
31AUG03	01:13	Maintenance	Comment	1.6	29Aug03 TX TO CAMM2			
		0.0	ENHR		CAMM LOG00029			XXXXXXxx
31AUG03	01:13	Maintenance	Comment	1.6	0	0 LDG		
		0.0	ENHR		CAMM LOG00012			XXXXXXxx
31AUG03	01:13	Maintenance	Comment	1.6	02Oct02	103186	01.30 3291.6 3291.6	ENHR UPDATED LIFE (MIUP)
		0.0	ENHR		CAMM LOG00020			XXXXXXxx
31AUG03	01:14	Maintenance	Comment	1.6	CURRENT CYCLE COUNT 4003			
		0.0	ENHR		CAMM LOG00017			XXXXXXxx
31AUG03	01:14	Maintenance	Comment	1.6	14Jan03	103186	00.30 3291.6 3291.6	ENHR UPDATED LIFE (MPMI)
		0.0	ENHR		CAMM LOG00024			XXXXXXxx
31AUG03	01:15	Maintenance	Comment	1.6	07Aug00	103186	01.30 2765.7 2765.7	ENHR UPDATED LIFE (MIUP)
		0.0	ENHR		CAMM LOG00006			XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01225  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 36A710  
 PART NO : 3038801  
 ENGINEERING NAME : HUB COMP 1ST STAGE  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~00198

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
31AUG03 01:15	Maintenance Comment	0.0 ENHR	1.6	CURRENT LIFE: OLD = 42 LDG CAMM LOG00014	NEW = LDG XXXXXXxx
31AUG03 01:15	Maintenance Comment	0.0 ENHR	1.6	CURRENT LIFE: OLD = 561 LDG CAMM LOG00023	NEW = LDG XXXXXXxx
31AUG03 01:16	Maintenance Comment	0.0 ENHR	1.7	NEXT OH1 DUE: OLD = 3500.0 ENHR CAMM LOG00010	NEW = 4000.0 ENHR XXXXXXxx
31AUG03 01:16	Maintenance Comment	0.0 ENHR	1.7	CURRENT LIFE: OLD = 615 LDG CAMM LOG00018	NEW = LDG XXXXXXxx
31AUG03 01:16	Maintenance Comment	0.0 ENHR	1.7	I.A.W. AAP 7212.007-7 PT 2. CAMM LOG00022	XXXXXXxx
31AUG03 01:16	Maintenance Comment	0.0 ENHR	1.7	0 0 LDG CAMM LOG00025	XXXXXXxx
31AUG03 01:18	Maintenance Comment	0.0 ENHR	1.7	0 0 LDG CAMM LOG00016	XXXXXXxx
31AUG03 01:18	Maintenance Comment	0.0 ENHR	1.7	29Aug03 103186 01.30 3368.9 ENHR CAMM LOG00028	112 LDG XXXXXXxx
31AUG03 01:22	Maintenance Comment	0.0 ENHR	1.7	CURRENT LIFE: OLD = 576 LDG CAMM LOG00005	NEW = LDG XXXXXXxx
31AUG03 01:22	Maintenance Comment	0.0 ENHR	1.7	CURRENT CYCLE COUNT 3655 CAMM LOG00013	XXXXXXxx
31AUG03 01:22	Maintenance Comment	0.0 ENHR	1.7	0 0 LDG CAMM LOG00021	XXXXXXxx
31AUG03 01:22	Maintenance Comment	0.0 ENHR	1.7	05Jun91 NEW - 36A710 3038801 CAMM LOG00026	0012-02-00-B XXXXXXxx
20OCT03 00:55	Maintenance Comment	3406.7 ENHR	0.0	CURRENT CYCLES AT R2- 4474. A1EXXXY300844	XXXXXXxx
20OCT03 01:39	Maintenance Comment	3406.7 ENHR	0.0	LIF LDG CHANGED - OLD VALUE= 211.0 NEW VALUE= 0.0	XXXXXXxx
20OCT03 02:39	Maintenance Comment	3406.7 ENHR	0.0	IAW AAP 7212.007-7 PT2. A1EXXXY300855	XXXXXXxx
15JUN04 07:45	Change Part Number of an A	3406.7 ENHR	290.9	3033801 ~00198 3038801 ~00198 A1PXXXY414196	XXXXXXxx
15JUN04 07:47	Maintenance Comment	3406.7 ENHR	0.0	PT NO RE-IDENTIFIED AT P&WC A/ASIA 30MAR04 O/H AT P&WC A/ASIA 30MAR04 A1PXXXY414197	XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01226  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 36A710  
 PART NO : 3038801  
 ENGINEERING NAME : HUB COMP 1ST STAGE  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~00198

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
02NOV04 00:24	Maintenance Comment	3515.6 ENHR	0.0	LIF LDG CHANGED - OLD VALUE= 207.0 NEW VALUE= 0.0	XXXXXXxx
02NOV04 00:31	Maintenance Comment	3515.6 ENHR	0.0	02NOV04 CURRENT CYCLE COUNT 4604 A1PXXXXY427208	XXXXXXxx
02SEP05 02:01	Maintenance Comment	3814.8 ENHR	0.0	LIF LDG CHANGED - OLD VALUE= 778.0 NEW VALUE= 0.0	XXXXXXxx
02SEP05 02:07	Maintenance Comment	3814.8 ENHR	0.0	CURRENT CYCLE COUNT IS 5034 A1PXXXXY513649	XXXXXXxx
16OCT06 02:32	Maintenance Comment	4114.5 ENHR	0.0	CURRENT CYCLE COUNT IS 5433 A1PXXXXY608406	XXXXXXxx
16OCT06 02:37	Maintenance Comment	4114.5 ENHR	0.0	LIF LDG CHANGED - OLD VALUE= 688.0 NEW VALUE= 0.0	XXXXXXxx
08JUN07 02:06	Maintenance Comment	4413.3 ENHR	0.0	CURRENT CYCLE COUNT IS 5834 A1PXXXXY704937	XXXXXXxx
08JUN07 02:10	Maintenance Comment	4413.3 ENHR	0.0	LIF LDG CHANGED - OLD VALUE= 695.0 NEW VALUE= 0.0	XXXXXXxx
02APR08 07:29	Maintenance Comment	4711.7 ENHR	0.0	02APR08 CURRENT CYCLE COUNT 6237 A1PXXXXY802589	XXXXXXxx
02APR08 08:01	Maintenance Comment	4711.7 ENHR	0.0	LIF LDG CHANGED - OLD VALUE= 697.0 NEW VALUE= 0.0	XXXXXXxx
28NOV08 02:29	Maintenance Comment	5010.4 ENHR	0.0	CURRENT CYCLE COUNT 6570 A1PXXXXY812339	XXXXXXxx
28NOV08 02:35	Maintenance Comment	5010.4 ENHR	0.0	LIF LDG CHANGED - OLD VALUE= 507.0 NEW VALUE= 0.0	XXXXXXxx
29JAN09 06:56	Maintenance Comment	5017.4 ENHR	0.0	LIF LDG CHANGED - OLD VALUE= 19.0 NEW VALUE= 0.0	XXXXXXxx
29JAN09 06:56	Maintenance Comment	5017.4 ENHR	0.0	LIF PTELCF CHANGED - OLD VALUE= 50000.0 NEW VALUE= 6583.0	XXXXXXxx
05FEB09 12:00	Maintenance Comment	5032.2 ENHR	0.0	29JAN09 CYCLE COUNT = 6583 A1PXXXXY901178	XXXXXXxx
03JUN14 00:00	Change Serviceability Stat	5948.5 ENHR	39.8	S/I US/I	XXXXXXxx
16APR15 02:30	Change Serviceability Stat	5948.5 ENHR	317.1	US/I S/I	XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01227  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 36A710 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 3038801 ~00198  
 ENGINEERING NAME : HUB COMP 1ST STAGE  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW	TRANS REFERENCE		
19APR17 22:39	Position Change	4982.5	A23T A1SAK38	00	
	6192.6 ENHR		A23T A1SAK38	00	
	Maintenance Comment	0.0	A1PXXX1706288		XXxxXXxx
			POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS		UNSERVICEABILITY DETAILS			
MAINT PROCESS	UNSERVICEABILITY	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			
FAULT FOUND	MAINTENANCE ACTION TAKEN						
AIEXXJCA04643	C COMPLETED	05JUN91 00:00	XXxxXXxx		AIE		
03 OVERHAUL DUE	05JUN91 00:00					0.0	

Unserviceability Details:  
 Maintenance Comments:

ARDUXJ1501055	C COMPLETED	03JUN14 00:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU	NONC2CONT	
12 DAMAGED	16APR15 02:30	28APR15 03:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU	5948.5	ENHR
08 DAMAGE		31 DURING ACCESS		Camm2 DOWN: NICKS TO LEADING EDGE BLADES			
		01 DAMAGED/CRACKED					
		01 REPAIR IN SITU					

Unserviceability Details: NICKS TO LEADING EDGE BLADES

Maintenance Comments: BLADES REPAIRED IN-SITU IAW AAP7113.022-2 MAINTENANCE MANUAL

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

SERIAL/TAIL NO : 36A710  
PART NO : 3038801 ~00198  
ENGINEERING NAME : HUB COMP 1ST STAGE  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MAINTENANCE POLICY HISTORY -----

POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	USER ID
15JUN04 07:47	SM	OH	XXxxXXxx
	DLD Changed From: 05JUN1991 To:		

=====

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 01229  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 3754  
 PART NO : 071-01446-0004 ~22373  
 ENGINEERING NAME : PANEL SELECT EFIS  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 9758.1 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T CHANGE TYPE		LIFE SINCE NEW		SPAN(DYS) FROM		TO (OPTIONAL)		TRANS REFERENCE		USER	
=====		=====		=====		=====		=====		=====	
01SEP03	15:10	Maintenance Comment	0.0	AFHR	3.2	05Nov91	A23-042	05.2	304.3	0.0	AFHR MPMI CHANGE
01SEP03	15:10	Maintenance Comment	0.0	AFHR	3.2	CMM LOG00003					XXXXXXxx
01SEP03	15:12	Maintenance Comment	0.0	AFHR	3.2	30Jan92	MNTPC9AV		FF: 01-NIL		MA: 04-CHK/TST
01SEP03	15:16	Maintenance Comment	0.0	AFHR	3.2	CMM LOG00005					XXXXXXxx
01SEP03	15:18	Maintenance Comment	0.0	AFHR	3.2	28Oct91	PARTNO REIDENTIFIED FROM	071-1446-02			XXXXXXxx
01SEP03	15:18	Maintenance Comment	0.0	AFHR	3.2	CMM LOG00002					XXXXXXxx
01SEP03	15:18	Maintenance Comment	0.0	AFHR	3.2	20Apr98	A23-042	07.3	3147.3	0.0	AFHR UPDATED LIFE (MPMI)
01SEP03	15:18	Maintenance Comment	0.0	AFHR	3.2	CMM LOG00012					XXXXXXxx
01SEP03	15:18	Maintenance Comment	0.0	AFHR	3.2	AA	^^				XXXXXXxx
01SEP03	15:18	Maintenance Comment	0.0	AFHR	3.2	CMM LOG00009					XXXXXXxx
01SEP03	15:18	Maintenance Comment	0.0	AFHR	3.2	07Feb92	A23-042	07.2	401.2	0.0	AFHR IN AS A23T 2432-00-00-F
01SEP03	15:18	Maintenance Comment	0.0	AFHR	3.2	CMM LOG00006					XXXXXXxx
01SEP03	15:19	Maintenance Comment	0.0	AFHR	3.2	03Jul92	A23-042	07.2	659.6	0.0	AFHR 13-REMACCES RM27961
01SEP03	15:19	Maintenance Comment	0.0	AFHR	3.2	CMM LOG00007					XXXXXXxx
01SEP03	15:19	Maintenance Comment	0.0	AFHR	3.2	06Nov95	PARTNO REIDENTIFIED FROM	071-01446-0002			XXXXXXxx
01SEP03	15:20	Maintenance Comment	0.0	AFHR	3.2	CMM LOG00011					XXXXXXxx
01SEP03	15:20	Maintenance Comment	0.0	AFHR	3.2	29Aug03	A23-042	07.30	5158.4	AFHR	TX TO CMM2
01SEP03	15:24	Maintenance Comment	0.0	AFHR	3.2	CMM LOG00014					XXXXXXxx
01SEP03	15:24	Maintenance Comment	0.0	AFHR	3.2	03Jul92	MNTPC9AV		FF: 01-NIL		MA: 04-CHK/TST
01SEP03	15:24	Maintenance Comment	0.0	AFHR	3.2	CMM LOG00008					XXXXXXxx
01SEP03	15:24	Maintenance Comment	0.0	AFHR	3.2	20Dec90	A23-042	05.2	0.0	0.0	AFHR ^^^^^^RECEPTION
01SEP03	15:24	Maintenance Comment	0.0	AFHR	3.2	CMM LOG00001					XXXXXXxx
01SEP03	15:24	Maintenance Comment	0.0	AFHR	3.2	30Jan92	A23-042	05.2	401.2	0.0	AFHR 13-REMACCES RM22660
01SEP03	15:24	Maintenance Comment	0.0	AFHR	3.2	CMM LOG00004					XXXXXXxx
01SEP03	15:24	Maintenance Comment	0.0	AFHR	3.2	06Jul92	A23-042	07.3	659.6	0.0	AFHR IN AS A23T 2432-00-00-F
01SEP03	15:24	Maintenance Comment	0.0	AFHR	3.2	CMM LOG00010					XXXXXXxx
01SEP03	15:24	Maintenance Comment	0.0	AFHR	3.2	25Sep90	NEW - 3754		071-01446-0004	2432-00-00-F	
						CMM LOG00013					XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01230  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 3754  
 PART NO : 071-01446-0004 ~22373  
 ENGINEERING NAME : PANEL SELECT EFIS  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
06AUG14 05:57	Asset Removal	3994.8	542 A23T A1UDY A23-042 00	A23T A1UDY 00A
	8417.9 AFHR Change Serviceability Stat	469.6	S/I U/S A23-042 STORES	XXXXXXxx
06AUG14 05:57	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
12FEB15 11:32	Asset Installation	190.2	A23T A1UDY A23-033 00	A23T A1UDY 00AC
	8417.9 AFHR Change Serviceability Stat	190.2	SERV S/I STORES A23-033	XXXXXXxx
	Change Location of an Asse	190.2		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJ1413425	C COMPLETED	06AUG14 05:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	99 NO FAILURE	06AUG14 05:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	8417.9 AFHR	
01 NO FAULT	04 CHECK/TEST SERV						

Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01231  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 3763  
 PART NO : 8095686-1001  
 ENGINEERING NAME : EADI  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

LOCATION : A23-033  
 LIFE SINCE NEW : 5993.7 AFHR

PERIOD: 01JAN90 TO 08JAN20  
 ~27914

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
01SEP03	14:29	Maintenance	Comment	0.0 AFHR	3.2	11Mar92 NEW - 3763	8095686-1001	2423-00-00-G	XXXXXXxx
01SEP03	14:31	Maintenance	Comment	0.0 AFHR	3.2	07Jun01 2FTMMIST 00.	2282.8	0.0 AFHR	UPDATED LIFE (JOBX)
01SEP03	14:31	Maintenance	Comment	0.0 AFHR	3.2	06Jun03 A23-049 07.30	3013.8	0.0 AFHR	UPDATED LIFE (MPMI)
01SEP03	14:31	Maintenance	Comment	0.0 AFHR	3.2	22Jun01 2FTOPMH	FF: 01-NIL	MA: 04-CHK/TST	XXXXXXxx
01SEP03	14:32	Maintenance	Comment	0.0 AFHR	3.2	11Jun01 A23-049 07.30	2282.8	0.0 AFHR	IN AS A23T 2424-00-00-L
01SEP03	14:32	Maintenance	Comment	0.0 AFHR	3.2	22Jun01 A23-049 07.30	2304.7	0.0 AFHR	IN AS A23T 2423-00-00-G
01SEP03	14:32	Maintenance	Comment	0.0 AFHR	3.2	20Mar02 7532.067-103	MOD STATUS NOW	NINC	XXXXXXxx
01SEP03	14:32	Maintenance	Comment	0.0 AFHR	3.2	29Aug03 A23-049 07.30	3095.8 AFHR	TX TO CAMM2	XXXXXXxx
01SEP03	14:36	Maintenance	Comment	0.0 AFHR	3.2	24May01 REPAIRED AND TESTED BY ANZ			XXXXXXxx
01SEP03	14:36	Maintenance	Comment	0.0 AFHR	3.2	22Jun01 A23-049 07.30	2304.7	0.0 AFHR	13-REMACCES LC17475
01SEP03	14:37	Maintenance	Comment	0.0 AFHR	3.2	29Nov02 A23-049 07.30	2845.8	0.0 AFHR	UPDATED LIFE (MPMI)
01SEP03	14:38	Maintenance	Comment	0.0 AFHR	3.2	20Mar02 7532.067-103	MOD STATUS NOW	NA	XXXXXXxx
01SEP03	14:45	Maintenance	Comment	0.0 AFHR	3.2	24May01 PEAXCON	FF: 03-ELECFAIL	MA: 02-REPAIR	XXXXXXxx
13MAY05	07:05	Asset Removal		3471.1 AFHR	622.9	550 A23T	A23-049	A23T	ALUDE 00A
		Change Serviceability Stat		0.1		S/I			XXXXXXxx
		Change Location of an Asse		xxxx		U/S	A23-049		
						EXTERNAL			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01232  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 3763  
 PART NO : 8095686-1001 ~27914  
 ENGINEERING NAME : EADI  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
19MAY05 06:05	Change Venue of an Asset	628.9	AIP NONC2CONT	
	3471.1 AFHR		A1PXXXY507713	XXxxXXxx
	Change Location of an Asse	5.9	EXTERNAL	
01FEB06 01:00	Change Serviceability Stat	263.7	HOLD U/S	
	3471.1 AFHR		SERV	XXxxXXxx
13DEC06 04:25	Change Venue of an Asset	572.9	NONC2CONT	
	3471.1 AFHR		AIP	XXxxXXxx
	Change Location of an Asse	572.9	NONC2XY612405	
29JAN07 05:16	Asset Installation	625.9	HOLD MMIST	
	3471.1 AFHR		A23T A1UDE	
	Change Serviceability Stat	362.1	517 A23-017 00	A23T A1UHM 00AC
	Change Location of an Asse	47.0	SERV	XXxxXXxx
			S/I	
15JUL09 22:53	Asset Removal	898.7	MMIST	
	4332.6 AFHR		A23-017	A23T A1UHM 00A
	Change Serviceability Stat	1.8	517	
	Change Location of an Asse	898.7	A23T A1UHM	00
				XXxxXXxx
			S/I	
			U/S	
15JUL09 22:55	Change Serviceability Stat	0.0	A23-017	
	4332.6 AFHR		MMIST	
			U/S	
			SERV	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01233  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 3763  
 PART NO : 8095686-1001 ~27914  
 ENGINEERING NAME : EADI  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
15JUL09 23:08	Asset Installation	0.0	A23T A1UHM 510 A23-009	00 A23T A1UDE 00AC XXXXXXXX
	4332.6 AFHR Change Serviceability Stat	0.0	SERV	
	Change Location of an Asse	0.0	S/I MMIST A23-009	
06APR11 03:00	Asset Removal	629.1	510 A23-009 A23T A1UDE	00 A23T A1UDE 00A XXXXXXXX
	5114.6 AFHR Change Serviceability Stat	0.0	S/I	
	Change Location of an Asse	629.1	U/S A23-009	
14AUG12 08:30	Change Serviceability Stat	496.2	STORES U/S SERV	XXXXXXXX
05OCT12 01:23	Change Venue of an Asset	2122.8	AIP AIE	XXXXXXXX
	5114.6 AFHR Change Location of an Asse	547.9	A1PXXX1210198 STORES	XXXXXXXX
18NOV12 21:30	Asset Installation	592.7	EQUIP_STORE A23T A1UDE 546 A23-046	00 A23T A1UDC 00AC XXXXXXXX
	5114.6 AFHR Change Serviceability Stat	96.5	SERV	
	Change Location of an Asse	44.8	S/I EQUIP_STORE A23-046	
01APR14 05:50	Asset Removal	498.3	546 A23-046 A23T A1UDC	00 A23T A1UDC 00A XXXXXXXX
	5509.7 AFHR Change Serviceability Stat	0.0	S/I	
	Change Location of an Asse	498.3	U/S A23-046 EQUIP_STORE	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01234  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 3763  
 PART NO : 8095686-1001 ~27914  
 ENGINEERING NAME : EADI  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
01APR14 20:51	Change Venue of an Asset	543.8	AIE NONC2CONT	
	5509.7 AFHR Change Location of an Asse	0.6	A1EXXX1401161 EQUIP_STORE HOLD	XXxxXXxx
26JUL17 06:00	Change Serviceability Stat	1212.0	U/S SERV	
	5509.7 AFHR Change Venue of an Asset	1233.2	NONC2CONT AIP	XXxxXXxx
17AUG17 02:27	Change Venue of an Asset	1233.2	NONC2X1709018	XXxxXXxx
	5509.7 AFHR Maintenance Comment	0.0	REPAIRED ON 26JUL17. MOVED TO AIP PEA.	
	Change Location of an Asse	1233.2	HOLD STORES	
19OCT17 02:44	Asset Installation	1296.8	A23T A1UDC 00	A23T A1UHK 00AC
	5509.7 AFHR Change Serviceability Stat	84.8	533 A23-033	XXxxXXxx
	Change Location of an Asse	63.0	SERV S/I STORES A23-033	

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
ALPXXJY508981	C COMPLETED	13MAY05 07:05	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
01 UNSERVICEABLE	01 FEB06 01:00	01 IN FLIGHT		DU2 FLICKERING IN FLIGHT		3471.1 AFHR	
03 ELECTRICAL COMPONENT FAIL		03 ELECTRICAL FAILURE					
		02 REPAIR					

Unserviceability Details: FLICKERING SCREEN

Maintenance Comments: FOUND LEAKING CAPACITORS IN LOW VOLTAGE POWER SUPPLY. REPLACE LOW VOLTAGE POWER SUPPLY IAW AAP7532.067-3M AL9. 01FEB06 ANZ

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 3763  
 PART NO : 8095686-1001 ~27914  
 ENGINEERING NAME : EADI  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

=====  
 A1PXXJY915244 C COMPLETED 15JUL09 22:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 15JUL09 22:55 15JUL09 22:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 4332.6 AFHR  
 09 CANNIBALISATION 99 NO FAILURE REAR DU 2 REMOVED TO SERV A/C A23-009

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

A1PXXJ1104723 C COMPLETED 06APR11 03:00 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP NONC2CONT  
 14AUG12 08:30 06APR11 03:00 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 5114.6 AFHR  
 01 UNSERVICEABLE 01 IN FLIGHT FRONT COCKPIT DU2 INTERMITTANT OPS  
 03 ELECTRICAL COMPONENT FAIL 03 ELECTRICAL FAILURE  
 02 REPAIR

Unserviceability Details: INTERMITTANT OPERATION  
 Maintenance Comments: DISPLAY WILL NOT DIM. MOD14 HUPS CARRIED OUT AND REPLACED  
 PHOTO-CELL SPECIAL RESISTOR & TESTED. TEST &ADJ IAW AAP  
 7532.067.2M B3

A1EXXJ1402220 C COMPLETED 01APR14 05:50 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE NONC2CONT  
 26JUL17 06:00 01APR14 05:50 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 5509.7 AFHR  
 01 UNSERVICEABLE 01 IN FLIGHT FRONT EADI NO BLUE OR BROWN IN BOTTOM 2/3 OF SCREEN  
 03 ELECTRICAL COMPONENT FAIL 03 ELECTRICAL FAILURE  
 02 REPAIR

Unserviceability Details: INCORRECT COLOUR INDICATION  
 Maintenance Comments: RESOLDERED JOINTS ON INTERCONNECT BOARD & RETENSION END PINS.  
 CARRIED OUT ALIGNMENT & TESTING IAW 31-10-01 REV 3 REF ARC  
 ACS1404038

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 01236  
08JAN20  
23:16:15

SERIAL/TAIL NO : 3763  
PART NO : 8095686-1001 ~27914  
ENGINEERING NAME : EADI  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MOD NUMBER	CURRENT(Y/N)	STATUS	DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
7532.067-101	Y	14OCT92	00:00	INC			
7532.067-102	Y	25OCT94	00:00	INC			
7532.067-103	Y	20MAR02	00:00	N/A			
7532.067-104	Y	24MAY01	00:00	INC			
7532.067-105	Y	24MAY01	00:00	INC			
7532.067-106	N	20MAR02	00:00	NINC			
7532.067-106	Y	14AUG12	00:00	INC	MANUAL		NOT REC.

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 01237  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 3840  
 PART NO : 8095686-1001 ~27914 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : EADI  
 VENUE : A23DISP LOCATION : A23-033  
 CURRENT CONDITION : S/I LIFE SINCE NEW : 7042.7 AFHR

ASSET TRANSACTIONS

TRANSACTION D/T CHANGE TYPE		LIFE SINCE NEW		SPAN(DYS) FROM		TO (OPTIONAL)		TRANS REFERENCE		USER	
=====		=====		=====		=====		=====		=====	
30AUG03	00:20	Maintenance Comment	0.0	AFHR	0.6	28Nov02	A23-064	07.30	4043.4	0.0	AFHR 01-FAILED RY28923
											XXxxXXxx
30AUG03	00:21	Maintenance Comment	0.0	AFHR	0.6	12Jun02	7532.067-105			MOD STATUS NOW	NA
											XXxxXXxx
30AUG03	00:21	Maintenance Comment	0.0	AFHR	0.6	AIEMMI		WFD: 01-IN FLIGHT		US: 03-ELECFAIL	
											XXxxXXxx
30AUG03	00:22	Maintenance Comment	0.0	AFHR	0.6	29Aug03	ESLXANZ	00.	4043.4	AFHR	TX TO CMM2
											XXxxXXxx
30AUG03	00:28	Maintenance Comment	0.0	AFHR	0.6	28Aug03	DISPATCHED TO ESLXANZ				
											XXxxXXxx
30AUG03	00:34	Maintenance Comment	0.0	AFHR	0.6	05Aug02	PARTNO REIDENTIFIED FROM	066-03126-0000			
											XXxxXXxx
30AUG03	00:34	Maintenance Comment	0.0	AFHR	0.6	10Jul03	ESLXANZ			FF: 03-ELECFAIL	MA: 02-REPAIR
											XXxxXXxx
30AUG03	00:36	Maintenance Comment	0.0	AFHR	0.6	FAN INOPERATIVE					
											XXxxXXxx
30AUG03	00:37	Maintenance Comment	0.0	AFHR	0.6	02Dec02	DISPATCHED TO ESLXANZ				
											XXxxXXxx
30AUG03	00:37	Maintenance Comment	0.0	AFHR	0.6	05Jun91	NEW - 3840	8095686-1001	2424-00-00-L		
											XXxxXXxx
30AUG03	00:37	Maintenance Comment	0.0	AFHR	0.6	FAN MOTOR CLOGGED.					
											XXxxXXxx
19NOV03	04:13	Change Venue of an Asset	4043.4	AFHR	74.9	AIP					
											XXxxXXxx
		Change Location of an Asse	4043.4	AFHR	74.9	AIPXXXXY304409					
											EXTERNAL
19NOV03	04:38	Change Location of an Asse	4043.4	AFHR	0.0	MCS					
											MCS
											EQUIP_STORE
											A1EXXXY301936
											XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01238  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 3840  
 PART NO : 8095686-1001 ~27914 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : EADI  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
15APR04 05:19	Asset Installation	229.8	A23T A1UDC 566 A23-064 00	A23T A1UDC 00A
	4043.4 AFHR Change Serviceability Stat	280.2	SERV S/I	XXXXXXxx
	Change Location of an Asse	148.0	EQUIP_STORE A23-064	
05MAY04 23:37	Asset Removal	20.7	566 A23T A1UDC A23-064 00	A23T A1UDC 00A
	4073.5 AFHR Change Serviceability Stat	0.9	S/I U/S	XXXXXXxx
	Change Location of an Asse	20.7	A23-064 EQUIP_STORE	
12MAY04 22:48	Change Location of an Asse	6.9	EQUIP_STORE HOLD	
	4073.5 AFHR Change Serviceability Stat	362.2	A1EXXXY403585 U/S	XXXXXXxx
	4073.5 AFHR Change Location of an Asse	651.2	SERV HOLD	XXXXXXxx
23FEB06 04:37	Asset Installation	734.0	EQUIP_STORE A1EXXXY600854 A23T A1UDC 567 A23-066 00	A23T A1UDE 00AC
	4073.5 AFHR Change Serviceability Stat	371.8	SERV S/I	XXXXXXxx
	Change Location of an Asse	75.8	EQUIP_STORE A23-066	
27JAN10 03:52	Position Change	1358.1	A23T A1UDE A23T A1UDE 00 00	
	5127.9 AFHR		A1EXXX1000528	XXXXXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01239  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 3840  
 PART NO : 8095686-1001 ~27914  
 ENGINEERING NAME : EADI  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
27SEP10 23:44	Asset Removal	1601.9	567 A23T A1UDE A23-066 00	A23T A1UDE 00A
	5309.4 AFHR Change Serviceability Stat	0.0	S/I U/S	XXXXXXxx
	Change Location of an Asse	1222.7	A23-066 EQUIP_STORE	
28SEP10 01:07	Change Venue of an Asset	1222.8	AIE NONC2CONT A1EXXX1005307	XXXXXXxx
	5309.4 AFHR Change Location of an Asse	0.0	EQUIP_STORE HOLD U/S SERV	
04APR11 11:00	Change Serviceability Stat	188.4		XXXXXXxx
	5309.4 AFHR Change Venue of an Asset	222.9	NONC2CONT AIP	
08MAY11 23:53	Change Location of an Asse	222.9	NONC2X1104270 HOLD STORES	XXXXXXxx
12MAY11 07:10	Asset Installation	226.3	A23T A1UDE A23-065 00	A23T A1UDC 00AC
	5309.4 AFHR Change Serviceability Stat	37.8	SERV S/I STORES	XXXXXXxx
	Change Location of an Asse	3.3	A23-065	
01MAY12 23:25	Asset Removal	355.6	565 A23T A1UDC A23-065 00	A23T A1UDC 00A
	5366.5 AFHR Change Serviceability Stat	0.0	S/I U/S	XXXXXXxx
	Change Location of an Asse	355.6	A23-065 STORES	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01240  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 3840  
 PART NO : 8095686-1001 ~27914 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : EADI  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
04MAY12 00:04	Change Venue of an Asset	5366.5 AFHR	361.0	AIP NONC2CONT A1PXXX1204046	XXxxXXxx
	Change Location of an Asse		2.0	STORES HOLD	
12JUL13 03:46	Change Serviceability Stat	5366.5 AFHR	436.1	U/S SERV	XXxxXXxx
03NOV13 23:46	Change Venue of an Asset	5366.5 AFHR	548.9	NONC2CONT AIP NONC2X1311146	XXxxXXxx
	Change Location of an Asse		548.9	HOLD STORES	
05NOV13 10:52	Asset Installation	5366.5 AFHR	552.4	A23T A1UDC 00 533 A23-033	A23T A1UHM 00AC XXxxXXxx
	Change Serviceability Stat		116.2	SERV S/I	
	Change Location of an Asse		1.4	STORES A23-033	

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			
A1EXXJY403190	C COMPLETED	05MAY04 23:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	03MAY05 04:35					4073.5	AFHR
01 UNSERVICEABLE	01 IN FLIGHT			DU 1 CAPTION AFTER START			
	03 ELECTRICAL FAILURE						
03 ELECTRICAL COMPONENT FAIL	02 REPAIR			Unserviceability Details: DU 1 CAPTION AFTER START			
				Maintenance Comments: REPAIR AND TEST AT ANZ IAW AAP 7532.067-2M.			
A1EXXJ1005472	C COMPLETED	27SEP10 23:44	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	NONC2CONT	
	04APR11 11:00	27SEP10 23:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	5309.4	AFHR
01 UNSERVICEABLE	01 IN FLIGHT			FRONT COCKPIT DU2 SCREEN BLANK			
	03 ELECTRICAL FAILURE						
03 ELECTRICAL COMPONENT FAIL	02 REPAIR						

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 3840  
PART NO : 8095686-1001 ~27914 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : EADI  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

Unserviceability Details: SCREEN BLANK

Maintenance Comments: NO DEFECT ON TEST BUT FOUND INTERMITTENT REPLCED PHOTOCELL,  
SPECIAL RESISTOR AND DEFLECTION MODULE AND TESTED IAW  
AAP7532-067-2M AL-9 COCACs1010033

A1PXXJ1206374	C COMPLETED	01MAY12 23:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	NONC2CONT
	12JUL13 03:46	01MAY12 23:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	5366.5 AFHR
01 UNSERVICEABLE		01 IN FLIGHT		FRONT DU1 INTERMITTENT FADESING TO BLACK	
		03 ELECTRICAL FAILURE			
03 ELECTRICAL COMPONENT FAIL		02 REPAIR			

Unserviceability Details: INTERMITTENT FADING TO BLACK

Maintenance Comments: NO DISPLAY, REPLACED RIBBON CABLE FROM LOW VOLT POWER SUPPLY &  
TESTED SERV IAW AAP.7532.067-2. REFER AIJ: ACS#1205113 DATED  
12JUL13.

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 3840  
 PART NO : 8095686-1001 ~27914  
 ENGINEERING NAME : EADI  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MOD NUMBER	CURRENT (Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
7532.067-101	Y	22JUN92 00:00	INC			
7532.067-102	Y	07DEC94 00:00	INC			
7532.067-103	Y	05JUN91 00:00	INC			
7532.067-104	Y	12JUN02 00:00	N/A			
7532.067-105	Y	12JUN02 00:00	N/A			
7532.067-106	N	05AUG02 00:00	NINC			
7532.067-106	Y	10JUL03	INC	MANUAL		NOT REC.

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01243  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 3Y877  
 PART NO : 3040311  
 ENGINEERING NAME : DISC COMP TURBINE  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

LOCATION : A23-033  
 LIFE SINCE NEW : 6234.1 ENHR

PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T CHANGE TYPE		LIFE SINCE NEW		SPAN(DYS) FROM TO (OPTIONAL) TRANS REFERENCE		USER
=====		=====		=====		=====
02SEP03	17:56	Maintenance Comment	0.0 ENHR	4.3	LAST BS DONE: OLD = 18OCT95	NEW = 30MAY98 XXxxXXxx
02SEP03	17:56	Maintenance Comment	0.0 ENHR	4.3	NEXT OH1 DUE: OLD = 3500.0 ENHR	NEW = 4000.0 ENHR XXxxXXxx
02SEP03	17:56	Maintenance Comment	0.0 ENHR	4.3	28Jul89 NEW - 3Y877 3100321-07	0012-06-01-A XXxxXXxx
02SEP03	17:56	Maintenance Comment	0.0 ENHR	4.3	29Aug03 3Y877 01.20 3041.0 ENHR	545 LDG XXxxXXxx
02SEP03	18:03	Maintenance Comment	0.0 ENHR	4.3	0 0 LDG	XXxxXXxx
02SEP03	18:03	Maintenance Comment	0.0 ENHR	4.3	30May98 2178.5 ENHR LST BS 3678.5 ENHR	NXT BS XXxxXXxx
02SEP03	18:03	Maintenance Comment	0.0 ENHR	4.3	0 0 LDG	XXxxXXxx
02SEP03	18:03	Maintenance Comment	0.0 ENHR	4.3	19Feb03 3Y877 01.20 2809.0 2809.0 ENHR	UPDATED LIFE (MIUP) XXxxXXxx
02SEP03	18:04	Maintenance Comment	0.0 ENHR	4.4	LAST BS DONE: OLD = 1248.8 ENHR	NEW = 2178.5 ENHR XXxxXXxx
02SEP03	18:05	Maintenance Comment	0.0 ENHR	4.4	08Aug00 3Y877 00.20 2178.5 2178.5 ENHR	UPDATED LIFE (MIUP) XXxxXXxx
02SEP03	18:05	Maintenance Comment	0.0 ENHR	4.4	20Sep00 3Y877 01.20 2184.1 2184.1 ENHR	UPDATED LIFE (MPMI) XXxxXXxx
02SEP03	18:05	Maintenance Comment	0.0 ENHR	4.4	CURRENT CYCLE COUNT 5647	XXxxXXxx
02SEP03	18:06	Maintenance Comment	0.0 ENHR	4.4	CURRENT CYCLE COUNT 5158	XXxxXXxx
02SEP03	18:06	Maintenance Comment	0.0 ENHR	4.4	CAMM LOG00021	XXxxXXxx
02SEP03	18:06	Maintenance Comment	0.0 ENHR	4.4	0 0 LDG	XXxxXXxx
02SEP03	18:06	Maintenance Comment	0.0 ENHR	4.4	CAMM LOG00024	XXxxXXxx
02SEP03	18:06	Maintenance Comment	0.0 ENHR	4.4	CURRENT LIFE: OLD = 572 LDG	NEW = LDG XXxxXXxx
02SEP03	18:07	Maintenance Comment	0.0 ENHR	4.4	NEXT OH1 DUE: OLD = 3000.0 ENHR	NEW = 3500.0 ENHR XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01244  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 3Y877  
 PART NO : 3040311  
 ENGINEERING NAME : DISC COMP TURBINE  
 VENUE : A23DISP

~00198  
 LOCATION : A23-033

PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
02SEP03	18:07	Maintenance Comment	0.0	4.4	21Aug00	3Y877	01.20 2184.1 2184.1	ENHR UPDATED LIFE (MIUP)
								XXXXXXxx
02SEP03	18:07	Maintenance Comment	0.0	4.4			CURRENT LIFE: OLD = 588 LDG NEW = LDG	
								XXXXXXxx
02SEP03	18:10	Maintenance Comment	0.0	4.4			CURRENT LIFE: OLD = 306 LDG NEW = LDG	
								XXXXXXxx
02SEP03	18:10	Maintenance Comment	0.0	4.4	29Aug03		TX TO CAMM2	
								XXXXXXxx
02SEP03	18:10	Maintenance Comment	0.0	4.4	0	0 LDG		
								XXXXXXxx
02SEP03	18:10	Maintenance Comment	0.0	4.4			B/S CARRIED OUT BY PTB	
								XXXXXXxx
02SEP03	18:10	Maintenance Comment	0.0	4.4			CURRENT CYCLE COUNT 4651	
								XXXXXXxx
02SEP03	18:12	Maintenance Comment	0.0	4.4	23Sep98	3Y877	00.2 2178.5 2178.5	ENHR UPDATED LIFE (MPMI)
								XXXXXXxx
02SEP03	18:12	Maintenance Comment	0.0	4.4			NEXT BS1 DUE: OLD = 2748.8 ENHR NEW = 3678.5 ENHR	
								XXXXXXxx
02SEP03	18:12	Maintenance Comment	0.0	4.4	09Feb01	3Y877	01.20 2309.3 2309.3	ENHR UPDATED LIFE (MIUP)
								XXXXXXxx
02SEP03	18:12	Maintenance Comment	0.0	4.4	0	0 LDG		
								XXXXXXxx
02SEP03	18:13	Maintenance Comment	0.0	4.4			CURRENT CYCLE COUNT 6207	
								XXXXXXxx
02SEP03	18:13	Maintenance Comment	0.0	4.4	28May02	3Y877	01.20 2559.2 2559.2	ENHR UPDATED LIFE (MIUP)
								XXXXXXxx
20JAN04	00:14	Maintenance Comment	3104.5	0.0			LIF LDG CHANGED - OLD VALUE= 648.0 NEW VALUE= 0.0	
								XXXXXXxx
20JAN04	00:22	Maintenance Comment	3104.5	0.0			CURRENT CYCLE COUNT 6207	
								XXXXXXxx
26MAY04	00:22	Maintenance Comment	3254.2	0.0			LIF LDG CHANGED - OLD VALUE= 308.0 NEW VALUE= 0.0	
								XXXXXXxx
26MAY04	00:48	Maintenance Comment	3254.2	0.0			CURRENT CYCLE COUNT 6501	
								XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01245  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 3Y877  
 PART NO : 3040311  
 ENGINEERING NAME : DISC COMP TURBINE  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~00198

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
12MAY05 02:59	Change Part Number of an A		621.7	3100321-07 3121193-01 NONC2XY502003	~00198 ~00198 XXxxXXxx
12MAY05 03:03	Maintenance Comment	3254.2 ENHR	0.0	23FEB O/H AT P&WC A/ASIA NONC2XY502005	XXxxXXxx
31JAN06 02:05	Maintenance Comment	3254.2 ENHR	0.0	CURRENT CYCLE COUNT IS 6785 A1PXXXY600767	XXxxXXxx
31JAN06 02:10	Maintenance Comment	3403.6 ENHR	0.0	LIF LDG CHANGED - OLD VALUE= 327.0 NEW VALUE= 0.0	XXxxXXxx
27NOV06 02:25	Maintenance Comment	3403.6 ENHR	0.0	CURRENT CYCLE COUNT IS 7370 A1PXXXY609942	XXxxXXxx
27NOV06 02:29	Maintenance Comment	3703.6 ENHR	0.0	LIF LDG CHANGED - OLD VALUE= 666.0 NEW VALUE= 0.0	XXxxXXxx
18JUL07 03:08	Maintenance Comment	3956.5 ENHR	0.0	CURRENT CYCLE COUNT IS 7863 A1PXXXY706202	XXxxXXxx
18JUL07 03:12	Maintenance Comment	3956.5 ENHR	0.0	LIF LDG CHANGED - OLD VALUE= 509.0 NEW VALUE= 0.0	XXxxXXxx
28NOV08 02:30	Maintenance Comment	4105.6 ENHR	0.0	CURRENT CYCLE COUNT 8406 A1PXXXY812341	XXxxXXxx
28NOV08 02:37	Maintenance Comment	4105.6 ENHR	0.0	LIF LDG CHANGED - OLD VALUE= 223.0 NEW VALUE= 0.0	XXxxXXxx
20JAN09 08:48	Change Part Number of an A		1349.2	3121193-01 3040311 A1PXXXY900467	~00198 ~00198 XXxxXXxx
20JAN09 08:48	Maintenance Comment	4108.9 ENHR	0.0	REF MPAN 35/2008	
20JAN09 08:48	Position Change		1971.0	A23T A1SAK50AA 00 A23T A1SAK50AC 00	
	Maintenance Comment	4108.9 ENHR	0.0	A1PXXXY900468	XXxxXXxx
29JAN09 06:58	Maintenance Comment		0.0	REF MPAN 35/2008	
29JAN09 06:58	Maintenance Comment	4112.6 ENHR	0.0	LIF LDG CHANGED - OLD VALUE= 19.0 NEW VALUE= 0.0	XXxxXXxx
29JAN09 06:58	Maintenance Comment	4112.6 ENHR	0.0	LIF LDG CHANGED - OLD VALUE= 19.0 NEW VALUE= 0.0	XXxxXXxx
05FEB09 12:01	Maintenance Comment	4127.4 ENHR	0.0	29JAN09 CYCLE COUNT = 8426 A1PXXXY901180	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01246  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 3Y877  
 PART NO : 3040311  
 ENGINEERING NAME : DISC COMP TURBINE  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~00198

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
28AUG12 01:06	Maintenance Comment	4725.9 ENHR	0.0	BS UPDATE TO MATCH ASSY REF W/S AIP MCS 498/08 A1PXXX1208694	XXXXXXxx
29OCT13 22:13	Position Change	4944.4 ENHR	3714.5	A23T A1SAK50AC A23T A1SAK50AC	00 00
06JUN14 00:00	Change Serviceability Stat	5043.7 ENHR	42.8	A1EXXX1306293 S/I US/I	XXXXXXxx
16APR15 03:45	Change Serviceability Stat	5043.7 ENHR	314.1	US/I S/I	XXXXXXxx

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS		UNSERVICEABILITY DETAILS			
MAINT PROCESS	UNSERVICEABILITY	MAINTENANCE COMMENT					
FAULT FOUND	MAINTENANCE ACTION TAKEN						
2FTSXJCA10737	C COMPLETED	30MAY98 00:00	XXxxXXxx		2FTS	0.0	
02 BAY SERVICE DUE							

Unserviceability Details:  
 Maintenance Comments:

ARDUXJ1501061	C COMPLETED	06JUN14 00:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU	NONC2CONT	
13 REMOVED FOR ACCESS	16APR15 03:45	28APR15 06:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU	5043.7 ENHR	
01 NO FAULT	99 NO FAILURE	04 CHECK/TEST SERV					
		Unserviceability Details:		REPAIRED & BAY SERVICED IAW P&WC MANUAL P/N 3034543 REV 36 & AAP7113.022-2			
		Maintenance Comments:					

For-Official-Use-Only



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 3Y877  
PART NO : 3040311 ~00198 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : DISC COMP TURBINE  
VENUE : A23DISP LOCATION : A23-033

MAINTENANCE POLICY HISTORY

POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	CHANGE DETAILS	USER ID
12MAY05 03:01	SM	OH	DLD Changed From: 28JUL1989 To:	XXxxXXxx
12MAY05 03:02	SM	BS	DLD Changed From: 30MAY1998 To:	XXxxXXxx
28AUG12 01:08	SM	BS	DLD Changed From: 23FEB2005 To:	XXxxXXxx
10AUG17 00:48	SM	BS	DLD Changed From: 13DEC2007 To: 16APR2015	XXxxXXxx
10AUG17 00:48	SM	BS	LLD Changed From: 3956.5 ENHR To: 5043.7 ENHR	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01248  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 3Y877  
 PART NO : HDH/001/PT6A-62/0647 ~Z5514  
 ENGINEERING NAME : SHROUD & DISC ASSY  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 6234.1 ENHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
				LIFE SINCE NEW				
02SEP03	14:20	Maintenance	Comment	4.2	NEXT BS1 DUE:	OLD = 2748.8 ENHR	NEW = 3678.5 ENHR	
		0.0	ENHR		CAMM LOG00001		XXXXXXxx	
02SEP03	14:20	Maintenance	Comment	4.2	25Nov02 103132	01.20 2786.0	2786.0 ENHR	UPDATED LIFE (MPMI)
		0.0	ENHR		CAMM LOG00007		XXXXXXxx	
02SEP03	14:21	Maintenance	Comment	4.2	09Feb01 103132	01.20 2309.3	2309.3 ENHR	UPDATED LIFE (MIUP)
		0.0	ENHR		CAMM LOG00005		XXXXXXxx	
02SEP03	14:25	Maintenance	Comment	4.2	30May98 2178.5	ENHR LST BS	3678.5 ENHR	NXT BS
		0.0	ENHR		CAMM LOG00010		XXXXXXxx	
02SEP03	14:27	Maintenance	Comment	4.2	21Aug00 103132	01.20 2184.1	2184.1 ENHR	UPDATED LIFE (MIUP)
		0.0	ENHR		CAMM LOG00002		XXXXXXxx	
02SEP03	14:27	Maintenance	Comment	4.2	28May02 103132	01.20 2559.2	2559.2 ENHR	UPDATED LIFE (MIUP)
		0.0	ENHR		CAMM LOG00006		XXXXXXxx	
02SEP03	14:27	Maintenance	Comment	4.2	NEXT OH1 DUE:	OLD = 3500.0 ENHR	NEW = 4000.0 ENHR	
		0.0	ENHR		CAMM LOG00004		XXXXXXxx	
02SEP03	14:33	Maintenance	Comment	4.2	20Sep00 103132	01.20 2184.1	2184.1 ENHR	UPDATED LIFE (MPMI)
		0.0	ENHR		CAMM LOG00003		XXXXXXxx	
02SEP03	14:33	Maintenance	Comment	4.2	28Jul89 NEW - 3Y877	HDH/001/PT6A-62	0012-06-00-D	
		0.0	ENHR		CAMM LOG00008		XXXXXXxx	
02SEP03	14:34	Maintenance	Comment	4.2	28Jul89 .0	ENHR LST OH	4000.0 ENHR	NXT OH
		0.0	ENHR		CAMM LOG00009		XXXXXXxx	
02SEP03	14:34	Maintenance	Comment	4.2	29Aug03 103132	01.20 3041.0	ENHR TX TO	CAMM2
		0.0	ENHR		CAMM LOG00011		XXXXXXxx	
31MAR04	00:39	Position	Change	214.6	A23T A1SAK50	00		
					A23T A1SAK50	0		
		3190.1	ENHR		A1PXXXY407614		XXXXXXxx	
		Maintenance	Comment	0.0	RAISED TO APPLY STI-PC9-0327			
		Change Part Number of an A			NO PARENT TRANSACTION DETAILS			
31MAR04	01:25	Maintenance	Comment	0.0	APPLIES STI-PC9-0327			
12MAY05	03:07	Maintenance	Comment	0.0	23FEB05 O/H AT P&WC A/ASIA			
		3254.2	ENHR		NONC2XY502006		XXXXXXxx	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01249  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 3Y877  
 PART NO : HDH/001/PT6A-62/0647 ~Z5514  
 ENGINEERING NAME : SHROUD & DISC ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
17JUL07 06:19	Asset Removal	1417.9	103132 A23T A1SAK50 A23-049 00	A23T A1SAK50 00A
	3956.5 ENHR Change Serviceability Stat	4.8	S/I U/S	XXXXXXxx
	Change Location of an Asse	715.0	A23-049 OPMH	
24JUL07 04:52	Change Location of an Asse	6.9	OPMH QNF A1PXXXXY706392	XXXXXXxx
01AUG07 02:40	Change Venue of an Asset	806.9	AIP NONC2CONT A1PXXXXY706674	XXXXXXxx
	3956.5 ENHR Change Location of an Asse	7.9	QNF HOLD	
13DEC07 08:20	Change Serviceability Stat	149.0	U/S SERV	XXXXXXxx
	3956.5 ENHR Change Venue of an Asset	313.9	NONC2CONT AIP	
	3956.5 ENHR Change Location of an Asse	313.9	NONC2XY805884 HOLD	XXXXXXxx
03AUG08 22:35	Asset Installation	383.6	MMIST A23T A1SAK50 A23-015 00	A23T A1SAK50 00AC
	3956.5 ENHR Change Serviceability Stat	234.5	103186 SERV S/I	XXXXXXxx
	Change Location of an Asse	54.9	MMIST A23-015	
04SEP13 06:02	Asset Removal	1857.3	103186 A23T A1SAK50 103186 00	A23T A1SAK50 00M
	4918.9 ENHR Change Serviceability Stat	161.9	A23T S/I U/S	XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01250  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 3Y877  
 PART NO : HDH/001/PT6A-62/0647 ~Z5514 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : SHROUD & DISC ASSY  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
04SEP13 06:03	Change Serviceability Stat	0.0	U/S SERV	
	4918.9 ENHR			XXXXXXxx
09SEP13 23:18	Change Part Number of an A	3664.6	HDH/001/PT6A-62 HDH/001/PT6A-62/0648 ~\$A23T ~Z5514	
	4918.9 ENHR		A1EXXX1305772	XXXXXXxx
13SEP13 01:43	Asset Installation	8.8	A23T A1SAK50 103186 103186 00	A23T A1SAK50 00MMI
	4918.9 ENHR			XXXXXXxx
	Change Serviceability Stat	8.8	SERV S/I 103186	
04JUN14 22:27	Asset Removal	264.8	A23T A1SAK50 A23-051 00	A23T A1SAK50 00A
	5043.7 ENHR			XXXXXXxx
	Change Serviceability Stat	41.7	S/I U/S A23-051	
	Change Location of an Asse	254.9	ENGINE A23-051	
04JUN14 23:55	Asset Installation	0.0	A23T A1SAK50 A23-051 00	A23T A1SAK50 00AC
	5043.7 ENHR			XXXXXXxx
	Change Serviceability Stat	0.0	U/S US/I	
	Change Location of an Asse	0.0	ENGINE A23-051	
16APR15 04:00	Change Serviceability Stat	315.1	US/I S/I	
	5043.7 ENHR			XXXXXXxx
29APR15 00:55	Change Part Number of an A	596.0	HDH/001/PT6A-62/0648 HDH/001/PT6A-62/0647 ~Z5514 ~Z5514	
	5043.7 ENHR		ARDUXX1501592	XXXXXXxx
	Maintenance Comment	0.0	PART# CONFIRMED ON REMOVAL REF A1EXXJ1403491	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01251  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 3Y877  
 PART NO : HDH/001/PT6A-62/0647 ~Z5514  
 ENGINEERING NAME : SHROUD & DISC ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

2FTSXJCA10552	C COMPLETED	30MAY98 00:00	XXxxXXxx		2FTS	0.0	
02 BAY SERVICE DUE							

Unserviceability Details:  
 Maintenance Comments:

A1PXXJY713793	C COMPLETED	17JUL07 06:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	18DEC07 08:20	17JUL07 06:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	3956.5	ENHR
13 REMOVED FOR ACCESS 99 NO FAILURE SHROUD AND DISC ASSY RFA							
01 NO FAULT 04 CHECK/TEST SERV							

Unserviceability Details:  
 Maintenance Comments: ITEM TIP WTL

A1PXXJY713794	C COMPLETED	17JUL07 06:21	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	13DEC07 08:20	17JUL07 06:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	3956.5	ENHR
01 UNSERVICEABLE 02 DURING OPERATION TIP CLEARANCE BEYOND LIMITS							
09 OUT OF LIMITS 06 OUT OF LIMITS 06 BAY SERVICE							

Unserviceability Details: TIP CLEARANCE OUT OF LIMITS  
 Maintenance Comments: B/S C/O IAW P&WC MANUAL 3034543/303542 REV 27/32

A1EXXJ1304552	C COMPLETED	04SEP13 06:02	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	04SEP13 06:03	04SEP13 06:03	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	4918.9	ENHR
13 REMOVED FOR ACCESS 99 NO FAILURE SHROUD AND CT DISK ASSY REMOVED FOR ACCESS							
01 NO FAULT 04 CHECK/TEST SERV							

Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

A1EXXJ1403491	C COMPLETED	04JUN14 22:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	NONC2CONT	
	16APR15 04:00	04JUN14 22:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	5043.7	ENHR
01 UNSERVICEABLE 09 R2 SERVICING EPSS: AE19 / RKOPFAA / 01 :COMPRESSOR TURBINE DISC HAS							
12 CORRODED 13 CORRODED SULPHADISATION EVIDENT IN A NUMBER OF POSITIONS TO GRADE 3							
06 BAY SERVICE LEVEL							

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01252  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 3Y877  
 PART NO : HDH/001/PT6A-62/0647 ~Z5514  
 ENGINEERING NAME : SHROUD & DISC ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

Unserviceability Details: COMPRESSOR TURBINE DISC HAS SULPHADISATION ON BLADES

Maintenance Comments: REPAIRED & BAY SERVICED IAW P&WC MANUAL P/N 3034543 REV 36 & AAP7113.022-2

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1500.0	ENHR	1087.2		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01253  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 3Y877  
 PART NO : HDH/001/PT6A-62/0647 ~Z5514  
 ENGINEERING NAME : SHROUD & DISC ASSY  
 VENUE : A23DISP LOCATION : A23-033

PERIOD: 01JAN90 TO 08JAN20

MOD NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
7113.022-249	N	13SEP05	NINC			
7113.022-249	Y	04OCT05 02:00	INC			
7113.022-250	N	13SEP05	NINC			
7113.022-250	Y	04OCT05 02:00	INC			
7113.022-251	N	13SEP05	NINC			
7113.022-251	Y	04OCT05 02:00	INC			
7113.022-252	N	13SEP05	NINC			
7113.022-252	Y	04OCT05 02:00	INC			
7113.022-254	N	13SEP05	NINC			
7113.022-254	Y	04OCT05 02:00	INC			
7113.022-255	N	13SEP05	NINC			
7113.022-255	Y	04OCT05 02:00	INC			
7113.022-258	N	14SEP05	NINC			
7113.022-258	Y	04OCT05 02:00	INC			
7113.022-259	N	14SEP05	NINC			
7113.022-259	Y	04OCT05 02:00	INC			
7113.022-261	N	14SEP05	NINC			
7113.022-261	Y	04OCT05 02:00	INC			
7113.022-265	N	14SEP05	NINC			
7113.022-265	Y	04OCT05 02:00	INC			
7113.022-266	N	14SEP05	NINC			
7113.022-266	Y	29JUL15 00:00	N/A			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01254  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 3Y877  
 PART NO : HDH/001/PT6A-62/0647 ~Z5514  
 ENGINEERING NAME : SHROUD & DISC ASSY  
 VENUE : A23DISP LOCATION : A23-033

PERIOD: 01JAN90 TO 08JAN20

STI STATUS CHANGE

STI NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
7113.022-253	N	13SEP05	NINC			
7113.022-253	Y	04OCT05 02:00	INC			
STI-PC9-0327	N	31MAR04	NINC			
STI-PC9-0327	Y	31MAR04	N/A			

MAINTENANCE POLICY HISTORY

POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	CHANGE DETAILS	USER ID
12MAY05 03:04	SM	OH	DLD Changed From: 28JUL1989	XXxxXXxx
12MAY05 03:05	SM	BS	DLD Changed From: 30MAY1998	XXxxXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 4000305 LITERAL SERIAL NO : 4000305 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 21000 ~6E3K0  
ENGINEERING NAME : GPS RECEIVER TN70  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 471.6 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		

05APR18 00:35	4000305	21000	~6E3K0	A23T	00
aip02188	AIP	HG122		ALUUD	
R. ORLOWSKI		27SEP17		A1PXXR1800398	
					N/A

0.0 AFHR

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

CAMM2  
 ASSET HISTORY

SERIAL/TAIL NO : 4000305 LITERAL SERIAL NO : 4000305 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 21000 ~6E3K0  
 ENGINEERING NAME : GPS RECEIVER TN70  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
05APR18 00:45	Maintenance Comment	0.0 AFHR	0.0	MMI ASSET PART OF MOD 7212.007-272 MOD INC A1PXXX1802962	XXXXXXxx
05APR18 00:45	Maintenance Comment	0.0 AFHR	0.0	REF NEXNAV ARC NO ATANC4000305 AUTH J PRATT A1PXXX1802963	27SEP17 XXXXXXxx
10MAY18 01:23	Asset Installation	0.0 AFHR	225.0	A23T A1UUD 00 533 A23-033	A23T A1UUD XXXXXXxx
	Change Serviceability Stat	0.0 AFHR	225.0	SERV S/I	
	Change Location of an Asse		225.0	HG122 A23-033	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01257  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 417  
 PART NO : A16AE0200 ~F6184  
 ENGINEERING NAME : VALVE ANTI-G  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 5738.4 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
01SEP03	10:12	Maintenance Comment		0.0 AFHR	3.0	02Jul03	A23-002	07.40 2836.8	0.0 AFHR IN AS A23T 1834-00-00-K Camm LOG00002 XXXXXXxx
01SEP03	10:15	Maintenance Comment		0.0 AFHR	3.0	29Aug03	A23-002	07.40 2931.2 AFHR	TX TO CAMM2 Camm LOG00004 XXXXXXxx
01SEP03	10:18	Maintenance Comment		0.0 AFHR	3.0	12Feb02	XLOC	00. 2836.8	0.0 AFHR RECEPTION (MIRE) Camm LOG00001 XXXXXXxx
01SEP03	10:22	Maintenance Comment		0.0 AFHR	3.0	24Oct89	NEW - 417	A16AE0200	1834-00-00-K Camm LOG00003 XXXXXXxx
16MAY06	05:52	Asset Removal		3614.2 AFHR	990.8	033	A23-002	A23T A1UIW 00	A23T A1UIW 00A XXXXXXxx
		Change Serviceability Stat		0.1		S/I			
		Change Location of an Asse		xxxx		U/S			
22MAY06	02:10	Change Location of an Asse		3614.2 AFHR	5.8	A23-002			
						EXTERNAL			
						EXTERNAL			
07JUL08	07:06	Change Venue of an Asset		3614.2 AFHR	1773.9	JANDAKOT			XXXXXXxx
						A1PXXXY603895			
						NONC2CONT			
		Change Location of an Asse		3614.2 AFHR	777.2	A1PXXXY806041			XXXXXXxx
						JANDAKOT			
10JAN11	12:00	Change Serviceability Stat		3614.2 AFHR	1700.2	HOLD			XXXXXXxx
						U/S			
						SERV			
23SEP11	03:08	Change Venue of an Asset		3614.2 AFHR	1172.8	NONC2CONT			XXXXXXxx
						AIP			
		Change Location of an Asse		3614.2 AFHR	1172.8	NONC2X1110013			XXXXXXxx
						HOLD			
						STORES		MMI	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01258  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 417  
 PART NO : A16AE0200 ~F6184  
 ENGINEERING NAME : VALVE ANTI-G  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
09FEB12 07:13	Asset Installation	2095.0	A23T A1UIW 533 A23-033	00 A23T A1UIW 00AC
	3614.2 AFHR Change Serviceability Stat	394.8	SERV S/I	XXxxXXxx
	Change Location of an Asse	139.1	STORES A23-033	MMI

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJY607455 C COMPLETED 16MAY06 05:52 XXxxXXxx XXxxXXxxXXxxXXxx AIP NONC2CONT  
 10JAN11 12:00 3614.2 AFHR  
 01 UNSERVICEABLE 01 IN FLIGHT VERY LOW PRESS OUTPUT FROM G SUIT CONNECTOR IN REAR COCKPIT  
 02 MECHANICAL FAILURE  
 09 OUT OF LIMITS 02 REPAIR  
 Unserviceability Details: LOW OUTPUT FROM ANTI-G VALVE  
 Maintenance Comments: FF 01 MA 07 OH IAW A16AE0200 AAP 7556.035-3M SERV IAW GOODRICH ACTUATION SYSTEMS ARC NO VH35490001 REF COFC AC0605091 @ GOODRICH

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 01259  
08JAN20  
23:16:15

SERIAL/TAIL NO : 417  
PART NO : A16AE0200 ~F6184  
ENGINEERING NAME : VALVE ANTI-G  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

STI STATUS CHANGE -----  
STI NUMBER CURRENT(Y/N) STATUS DATE/TIME STATUS JOB/SERV NO START DATE/TIME LIFE SINCE NEW  
=====

STI-PC9-0033	Y	12FEB02 00:00	N/A			
--------------	---	---------------	-----	--	--	--

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01260  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 448  
 PART NO : 360-938-002 ~26055  
 ENGINEERING NAME : INTERMED DEVICE FUE  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 9118.2 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
01SEP03	12:12	Maintenance	Comment	0.0 AFHR	3.1	2FTREP	WFD: 01-IN FLIGHT	US: 06-OUT TOL	XXxxXXxx
01SEP03	12:13	Maintenance	Comment	0.0 AFHR	3.1	CAMM LOG00003			XXxxXXxx
01SEP03	12:18	Maintenance	Comment	0.0 AFHR	3.1	03Aug00 PEAXCON	FF: 03-ELECFAIL	MA: 02-REPAIR	XXxxXXxx
01SEP03	12:19	Maintenance	Comment	0.0 AFHR	3.1	28Apr00 DISPATCHED TO PEAXCON			XXxxXXxx
01SEP03	12:20	Maintenance	Comment	0.0 AFHR	3.1	19Apr00 A23-024 07.1S	3435.3	0.0 AFHR 05-FUNC CHK LA09091	XXxxXXxx
01SEP03	12:20	Maintenance	Comment	0.0 AFHR	3.1	27Apr00 JOB CHANGE	RR: 01-FAILED		XXxxXXxx
01SEP03	12:20	Maintenance	Comment	0.0 AFHR	3.1	03Aug00 REPAIRED BY ANZES			XXxxXXxx
01SEP03	12:22	Maintenance	Comment	0.0 AFHR	3.1	29Aug03 A23-033 07.1P	4343.3 AFHR	TX TO CAMM2	XXxxXXxx
01SEP03	12:26	Maintenance	Comment	0.0 AFHR	3.1	09Aug00 2FTMMIST 00.	3435.3	0.0 AFHR UPDATED LIFE (JOBX)	XXxxXXxx
01SEP03	12:26	Maintenance	Comment	0.0 AFHR	3.1	01Oct88 NEW - 448	360-938-002	2150-00-00-J	XXxxXXxx
01SEP03	12:28	Maintenance	Comment	0.0 AFHR	3.1	16Nov00 A23-033 07.1P	3435.3	0.0 AFHR IN AS A23T 2150-00-00-J	XXxxXXxx
07JUN17	06:14	Position Change		8487.8 AFHR	5030.9	A23T A10	00		XXxxXXxx
		Maintenance Comment		0.0		A23T A10	00		XXxxXXxx
						A1PXXX1709021			XXxxXXxx
						POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01261  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 45  
 PART NO : M5922H-9A1/HED608279 ~18965  
 ENGINEERING NAME : BLOWER ASSY  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 4798.8 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
				LIFE SINCE NEW				
01SEP03	08:45	Maintenance	Comment	3.0	22Jan99	1834.1	AFHR LST OH 3034.1 AFHR	NXT OH XXXXXXxx
		0.0	AFHR					
01SEP03	08:47	Maintenance	Comment	3.0	27Feb01	A23-033 01.30	1885.9 51.8 AFHR	13-REMACCES LC11347 XXXXXXxx
		0.0	AFHR					
01SEP03	08:47	Maintenance	Comment	3.0	29Oct02	A23-033 01.30	2572.8 738.7 AFHR	UPDATED LIFE (MPMI) XXXXXXxx
		0.0	AFHR					
01SEP03	08:47	Maintenance	Comment	3.0	NEXT OH1 DUE:	OLD = 2969.1 AFHR	NEW = 3034.1 AFHR	XXXXXXxx
		0.0	AFHR					
01SEP03	08:48	Maintenance	Comment	3.0	15May02	A23-033 01.30	2384.8 550.7 AFHR	IN AS A23T 1831-00-00-J XXXXXXxx
		0.0	AFHR					
01SEP03	08:51	Maintenance	Comment	3.0	06Mar03	A23-033 01.30	2633.7 799.6 AFHR	13-REMACCES LF35141 XXXXXXxx
		0.0	AFHR					
01SEP03	08:51	Maintenance	Comment	3.0	13Mar03	A23-033 01.30	2633.7 799.6 AFHR	IN AS A23T 1831-00-00-J XXXXXXxx
		0.0	AFHR					
01SEP03	08:52	Maintenance	Comment	3.0	07May02	2FTINTMH	FF: 01-NIL	MA: 04-CHK/TST XXXXXXxx
		0.0	AFHR					
01SEP03	08:53	Maintenance	Comment	3.0	27Feb01	A23-033 01.30	1885.9 51.8 AFHR	IN AS A23T 1831-00-00-J XXXXXXxx
		0.0	AFHR					
01SEP03	08:54	Maintenance	Comment	3.0	27Feb01	2FTINTMH	FF: 01-NIL	MA: 04-CHK/TST XXXXXXxx
		0.0	AFHR					
01SEP03	08:55	Maintenance	Comment	3.0	07May02	A23-033 01.30	2384.8 550.7 AFHR	13-REMACCES LE22153 XXXXXXxx
		0.0	AFHR					
01SEP03	08:58	Maintenance	Comment	3.0	06Mar03	2FTINTMH	FF: 01-NIL	MA: 04-CHK/TST XXXXXXxx
		0.0	AFHR					
01SEP03	09:00	Maintenance	Comment	3.0	15Oct91	NEW - 45	M5922H-9A1	1831-00-00-J XXXXXXxx
		0.0	AFHR					
01SEP03	09:02	Maintenance	Comment	3.0	29Aug03	A23-033 01.30	2706.2 AFHR	TX TO CAMM2 XXXXXXxx
		0.0	AFHR					

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01262  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 45  
 PART NO : M5922H-9A1/HED608279 ~18965  
 ENGINEERING NAME : BLOWER ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
31MAY04 09:35	Asset Removal	276.0	A23-033 A23T AOE	A23T AOE 00A
	2931.1 AFHR			XXXXXXxx
	Change Serviceability Stat	17.3	S/I U/S	
	Change Location of an Asse	xxxx	A23-033 OPMH	
31MAY04 09:40	Change Serviceability Stat	0.0	U/S SERV	
	2931.1 AFHR			XXXXXXxx
04JUN04 02:10	Asset Installation	3.6	A23T A23-033	A23T AOE 0 A
	2931.1 AFHR			XXXXXXxx
	Change Serviceability Stat	3.6	SERV S/I	
	Change Location of an Asse	3.6	OPMH A23-033	
28JUN04 03:04	Asset Removal	24.0	A23-033 A23T AOE	A23T AOE 00A
	2931.1 AFHR			XXXXXXxx
	Change Serviceability Stat	24.0	S/I U/S	
	Change Location of an Asse	24.0	A23-033 INTMH	
28JUN04 03:09	Change Serviceability Stat	0.0	U/S SERV	
	2931.1 AFHR			XXXXXXxx
28JUN04 03:40	Asset Installation	0.0	A23T A23-033	A23T AOE 00AC
	2931.1 AFHR			XXXXXXxx
	Change Serviceability Stat	0.0	SERV S/I	
	Change Location of an Asse	0.0	INTMH A23-033	

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01263  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 45  
 PART NO : M5922H-9A1/HED608279 ~18965  
 ENGINEERING NAME : BLOWER ASSY  
 VENUE : A23DISP LOCATION : A23-033

PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
25AUG04 07:53	Change Serviceability Stat	0.0	S/I US/I	
	3019.2 AFHR		2FTSXJY314993	XXxxXXxx
25AUG04 11:46	Asset Removal	58.3	A23-033 A23T A0E	A23T A0E 00A
	3019.2 AFHR			XXxxXXxx
	Change Serviceability Stat	0.1	US/I	
	Change Location of an Asse	58.3	U/S A23-033	
21APR05 07:00	Change Venue of an Asset	600.9	EXTERNAL AIP	
	3019.2 AFHR		NONC2CONT A1PXXXY506226	XXxxXXxx
	Change Location of an Asse	238.8	EXTERNAL HOLD	
04MAY05 05:21	Change Venue of an Asset	12.9	NONC2CONT AIP	
	3019.2 AFHR		NONC2XY501808	XXxxXXxx
	Change Location of an Asse	12.9	HOLD JANDAKOT	
07JUL08 07:16	Change Venue of an Asset	1160.0	AIP	
	3019.2 AFHR		NONC2CONT A1PXXXY806041	XXxxXXxx
	Change Location of an Asse	1160.0	JANDAKOT HOLD	
05AUG10 14:00	Change Serviceability Stat	2171.0	U/S SERV	
	3019.2 AFHR			XXxxXXxx
01OCT10 06:52	Change Part Number of an A	2589.9	M5922H-9A1 ~18965 M5922H-9A1/HED608279 ~18965	
	3019.2 AFHR			XXxxXXxx
01OCT10 06:56	Change Venue of an Asset	815.9	NONC2CONT AIP	
	3019.2 AFHR		NONC2X1009593	XXxxXXxx
	Change Location of an Asse	815.9	HOLD MMIST	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01264  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 45  
 PART NO : M5922H-9A1/HED608279 ~18965  
 ENGINEERING NAME : BLOWER ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
22DEC10 01:28	Asset Installation	2309.5	A23T A0E A23-065	00 A23T A0E 00AC
	3019.2 AFHR			XXXXXX
	Change Serviceability Stat	138.4	SERV S/I	
	Change Location of an Asse	81.7	MMIST A23-065	
22JUL15 23:34	Asset Removal	1673.9	A23-065 A23T A0E	00 A23T A0E 00A
	4168.4 AFHR			XXXXXX
	Change Serviceability Stat	0.5	S/I U/S	
	Change Location of an Asse	1673.9	A23-065 STORES	
27JUL15 03:56	Change Venue of an Asset	1759.8	AIP NONC2CONT	
	4168.4 AFHR		A1PXXX1506886	XXXXXX
	Change Location of an Asse	4.1	STORES HOLD	
09AUG16 04:00	Change Serviceability Stat	383.1	U/S SERV	
	4168.4 AFHR			XXXXXX
30AUG16 02:00	Change Venue of an Asset	399.9	NONC2CONT AIP	
	4168.4 AFHR		NONC2X1609619	XXXXXX
	Maintenance Comment	0.0	OH AT HEDINGER ON 09AUG16. MOVED TO AIP PEA.	
	Change Location of an Asse	399.9	HOLD STORES	
09MAY17 23:21	Asset Installation	656.9	A23T A0E A23-033	00 A23T A0E 00AC
	4168.4 AFHR			XXXXXX
	Change Serviceability Stat	273.8	SERV S/I	
	Change Location of an Asse	252.8	STORES A23-033	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01265  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 45  
 PART NO : M5922H-9A1/HED608279 ~18965  
 ENGINEERING NAME : BLOWER ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
26MAR18 03:41	Asset Removal	320.1	A23-033 A23T AOE	A23T AOE 00A
	4327.2 AFHR			XXXXXX
	Change Serviceability Stat	144.0	S/I U/S	
	Change Location of an Asse	320.1	A23-033 HG122	
26MAR18 03:45	Change Serviceability Stat	0.0	U/S SERV	
	4327.2 AFHR			XXXXXX
23MAY18 00:08	Asset Installation	57.8	A23T A23-033 AOE	A23T AOE 00AC
	4327.2 AFHR			XXXXXX
	Change Serviceability Stat	57.8	SERV S/I	
	Change Location of an Asse	57.8	HG122 A23-033	
06JUN19 00:48	Asset Removal	379.0	A23-033 A23T AOE	A23T AOE 00A
	4654.2 AFHR			XXXXXX
	Change Serviceability Stat	30.4	S/I U/S	
	Change Location of an Asse	379.0	A23-033 HG122	
06JUN19 00:49	Change Serviceability Stat	0.0	U/S SERV	
	4654.2 AFHR			XXXXXX
12JUN19 02:04	Asset Installation	6.0	A23T A23-033 AOE	A23T AOE 00AC
	4654.2 AFHR			XXXXXX
	Change Serviceability Stat	6.0	SERV S/I	
	Change Location of an Asse	6.0	HG122 A23-033	

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : 45  
PART NO : M5922H-9A1/HED608279 ~18965  
ENGINEERING NAME : BLOWER ASSY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

2FTSXJCA10546	C COMPLETED	22JAN99 00:00	XXxxXXxx		2FTS		
03 OVERHAUL DUE		22JAN99 00:00				0.0	

Unserviceability Details:  
Maintenance Comments:

A1PXXJY410404	C COMPLETED	31MAY04 09:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS		31MAY04 09:40				2931.1	AFHR
01 NO FAULT		99 NO FAILURE		BLOWER MOTOR REMOVED FOR ACCESS			
		04 CHECK/TEST SERV					

Unserviceability Details:  
Maintenance Comments: REMOVED FOR ACCESS

A1PXXJY412343	C COMPLETED	28JUN04 03:04	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS		28JUN04 03:09				2931.1	AFHR
01 NO FAULT		99 NO FAILURE		R2 due on Serial A23-033			
		04 CHECK/TEST SERV		PC-9 at WAC 0000			

Unserviceability Details:  
Maintenance Comments: SERV

2FTSXJY314993	C COMPLETED	25AUG04 11:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	NONC2CONT	
08 MOD/STI/DVI REQUIRED		05AUG10 14:00				3019.2	AFHR
01 NO FAULT		08 MOD/STI/DVI INCORP		7431.153-102 due on Serial 45			
				BLOWER ASSY at WAC 0130			

Unserviceability Details:  
Maintenance Comments: MOD/STI C/O IAW INSTRUCTIONS

AIPXXJ308928X	C COMPLETED	25AUG04 11:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	NONC2CONT	
03 OVERHAUL DUE		05AUG10 14:00				3019.2	AFHR
01 NO FAULT		07 OVERHAUL		7431.153-102 due on Serial 45			
				BLOWER ASSY at WAC 0130			
				OH due on Serial 45			
				BLOWER ASSY at WAC 0130			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 01267  
08JAN20  
23:16:15

SERIAL/TAIL NO : 45  
PART NO : M5922H-9A1/HED608279 ~18965  
ENGINEERING NAME : BLOWER ASSY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

Unserviceability Details:

Maintenance Comments: OH C/O UNIT TESTED IAW 7431.153-3M

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	1200.0	AFHR	1185.1		
SM	OH	1200.0	AFHR	1185.1		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJ1511399 C COMPLETED 22JUL15 23:34 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP NONC2CONT  
09AUG16 04:00 22JUL15 23:34 XXxxXXxx XXxxXXxxXXxxXXxx AIP 4168.4 AFHR  
01 UNSERVICEABLE 03 DURING STANDBY GROUND COOLING FAN FOUND TO HAVE NIL OPS PRE EGR CHECKS  
03 ELECTRICAL COMPONENT FAIL 03 ELECTRICAL FAILURE  
07 OVERHAUL

Unserviceability Details:

NIL OP

Maintenance Comments: ITEM OVERHAULED IAW AAP 7431.153-3M ( AL0 ) REF HEDINGER  
COC 102699-1 AND AIRFLITE ARC ACS1507089

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	1200.0	AFHR	1149.2		

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : 45  
PART NO : M5922H-9A1/HED608279 ~18965  
ENGINEERING NAME : BLOWER ASSY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

```
-----  
JOB NUMBER      STATUS      RAISED DATE/TIME  RAISED USER ID  RAISED NAME      RAISED VENUE  CERT VENUE  EPSS  
DEFECT REF      STATUS DATE/TIME  ENTERED DATE/TIME ENTERED USER ID  ENTERED NAME      ENTERED VENUE  LIFE SINCE  NEW  
REASON FOR REPORT  WHEN FAILURE DISCOVERED  SYMPTOMS  
MAINT PROCESS     UNSERVICEABILITY        UNSERVICEABILITY DETAILS  
FAULT FOUND       MAINTENANCE ACTION TAKEN  MAINTENANCE COMMENT  
=====
```

```
A1PXXJ1805047  C  COMPLETED      26MAR18  03:41  XXxxXXxx      XXxxXXxxXXxxXXxxXXxx AIP      AIP  
                26MAR18  03:45      26MAR18  03:43  XXxxXXxx      XXxxXXxxXXxxXXxxXXxx AIP      4327.2  AFHR  
13 REMOVED FOR ACCESS      99 NO FAILURE      BLOWER FAN ASSY REMOVED NLG ACTUATOR REPLACEMENT
```

```
01 NO FAULT      04 CHECK/TEST SERV  
                Unserviceability Details:  
                Maintenance Comments: CHECK/TEST SERV
```

```
A1PXXJ1909540  C  COMPLETED      06JUN19  00:48  XXxxXXxx      XXxxXXxxXXxxXXxxXXxx AIP      AIP  
                06JUN19  00:49      06JUN19  00:48  XXxxXXxx      XXxxXXxxXXxxXXxxXXxx AIP      4654.2  AFHR  
13 REMOVED FOR ACCESS      99 NO FAILURE      BLOWER FAN REMOVED FOR ACCESS
```

```
01 NO FAULT      04 CHECK/TEST SERV  
                Unserviceability Details:  
                Maintenance Comments: CHECK/TEST SERV
```

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 45  
PART NO : M5922H-9A1/HED608279 ~18965  
ENGINEERING NAME : BLOWER ASSY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MODIFICATION ORDERS		INCORPORATION STATUS		CHANGE		-----		-----	
MOD NUMBER	CURRENT (Y/N)	STATUS	DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE	SINCE	NEW
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
7431.153-101	Y	22NOV00	00:00	N/A					
7431.153-102	N	18JUN02	00:00	NINC					
7431.153-102	Y	01OCT10		INC	2FTSXJY314993	25AUG04 11:46	3019.2		AFHR

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01270  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 46405  
 PART NO : 2204600-1  
 ENGINEERING NAME : TURBINE COOLING  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

~99193

PERIOD: 01JAN90 TO 08JAN20

LOCATION : A23-033  
 LIFE SINCE NEW : 5813.9 AFHR

ASSET TRANSACTIONS

TRANSACTION D/T CHANGE TYPE		LIFE SINCE NEW		SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
01SEP03	08:19	Maintenance Comment	0.0	2.9	10Feb97	NEW - 46405	2204600-1	1827-00-00-H
			AFHR					XXXXXXxx
01SEP03	08:20	Maintenance Comment	0.0	2.9	29Aug03	A23-033	01.30 1039.0	AFHR TX TO CAMM2
			AFHR					XXXXXXxx
01SEP03	08:22	Maintenance Comment	0.0	2.9	01May00	XLOC	00. 0.0	0.0 AFHR RECEPTION (MIRE)
			AFHR					XXXXXXxx
01SEP03	08:25	Maintenance Comment	0.0	2.9	01Aug00	A23-033	01.30 0.0	0.0 AFHR IN AS A23T 1827-00-00-H
			AFHR					XXXXXXxx
07JUN17	06:19	Position Change		5030.9	A23T	A0W		00
					A23T	A0W		00
			5183.5					A1PXXX1709032
		Maintenance Comment		0.0				POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01271  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 46414436  
 PART NO : 975.21.15.207 ~S4080  
 ENGINEERING NAME : TRANSDUCER OIL PRES  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 24656.6 ENHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW				TRAN REFERENCE				USER
30AUG03	06:47	Maintenance Comment	0.0 ENHR	0.9	08Nov02	AIEEN	FF: 01-NIL	MA: 04-CHK/TST XXXXXXxx
30AUG03	06:47	Maintenance Comment	0.0 ENHR	0.9	11Nov02	103157	01.30 21032.1	0.0 ENHR IN AS A23T 0011-14-00-D XXXXXXxx
30AUG03	06:49	Maintenance Comment	0.0 ENHR	0.9	24Oct96	103163	01.0 20000.0	0.0 ENHR IN AS A23T 0011-14-00-D XXXXXXxx
30AUG03	06:50	Maintenance Comment	0.0 ENHR	0.9	14Jan03	103157	01.30 21032.1	0.0 ENHR UPDATED LIFE (MPMI) XXXXXXxx
30AUG03	06:50	Maintenance Comment	0.0 ENHR	0.9	08Nov02	103163	01.30 21032.1	0.0 ENHR 13-REMACCES RY28175 XXXXXXxx
30AUG03	06:54	Maintenance Comment	0.0 ENHR	0.9	01Dec87	NEW - 46414436	975.21.15.207	0011-14-00-D XXXXXXxx
30AUG03	06:55	Maintenance Comment	0.0 ENHR	0.9	24Oct96	ARDACPC9	00. 20000.0	0.0 ENHR RECEPTION (MIRE) XXXXXXxx
30AUG03	06:55	Maintenance Comment	0.0 ENHR	0.9	29Aug03	103157	01.30 21142.2 ENHR	TX TO CAMM2 XXXXXXxx
08MAR06	00:45	Asset Removal	21553.8 ENHR	921.6	103157	A23-045	A23T	A1SAI16 00A XXXXXXxx
		Change Serviceability Stat	6.7		S/I			
		Change Location of an Asse	6.1		U/S			
					A23-045			
08MAR06	00:45	Change Serviceability Stat	0.0		ENGINE		RSERV	
					U/S			
					SERV			
13MAR06	22:20	Asset Installation	21553.8 ENHR	5.8	A23T	A1SAI16	00	XXXXXXxx
		Change Serviceability Stat	5.8		103156	A23-045	A23T	A1SAI16 00AC XXXXXXxx
		Change Location of an Asse	5.8		SERV			
					S/I			
					ENGINE		RSERV	
					A23-045			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01272  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 46414436  
 PART NO : 975.21.15.207 ~S4080  
 ENGINEERING NAME : TRANSDUCER OIL PRES  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
19MAY09 23:41	Asset Removal	1163.0	103156 A23T A1SAI16 A23-045 00	A23T A1SAI16 00A
	22245.1 ENHR Change Serviceability Stat	4.9	S/I U/S	XXXXXXxx
	Change Location of an Asse	117.9	A23-045 PC9-AIRCRAFT	
19MAY09 23:45	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
20MAY09 04:55	Asset Installation	0.2	A23T A1SAI16 103170 A23-045 00	A23T A1SAI16 00AC
	22245.1 ENHR Change Serviceability Stat	0.2	SERV S/I	XXXXXXxx
	Change Location of an Asse	0.2	PC9-AIRCRAFT A23-045	
16MAR11 23:53	Asset Removal	665.7	103170 A23T A1SAI16 103170 00	A23T A1SAI16 00M
	22583.8 ENHR Change Serviceability Stat	97.1	S/I U/S	XXXXXXxx
	Change Location of an Asse	0.0	EQUIP_STORE ENGINE REC	
16MAR11 23:54	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
06APR11 01:28	Asset Installation	20.0	A23T A1SAI16 103146 103146 00	A23T A1SAI16 00MMI
	22583.8 ENHR Change Serviceability Stat	20.0	SERV S/I	XXXXXXxx
	Change Location of an Asse	20.0	ENGINE MCS REC	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01273  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 46414436  
 PART NO : 975.21.15.207 ~S4080  
 ENGINEERING NAME : TRANSDUCER OIL PRES  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS		-----									
TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN(DYS)	FROM	TO (OPTIONAL)		TRANS REFERENCE		USER	
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
17FEB14 05:18	Position Change			1048.1	A23T	AlSAI16					
					A23T	AlSAI16					
		23220.0	ENHR		ARDUXX1400515					XXxxXXxx	
13OCT14 22:54	Asset Removal			1286.8	103146		A23-045			A23T	AlSAI16 00A
		23357.2	ENHR		A23T	AlSAI16					
	Change Serviceability Stat			0.9	S/I					XXxxXXxx	
	Change Location of an Asse			70.7	U/S						
					A23-045						
13OCT14 23:03	Change Serviceability Stat			0.0	PC9-AIRCRAFT						
		23357.2	ENHR		U/S						
					SERV					XXxxXXxx	
14OCT14 00:00	Asset Installation			0.0	A23T	AlSAI16					
		23357.2	ENHR		103143		A23-024			A23T	AlSAI16 00AC
	Change Serviceability Stat			0.0	SERV					XXxxXXxx	
	Change Location of an Asse			0.0	S/I						
					PC9-AIRCRAFT						
27APR15 01:54	Asset Removal			195.0	A23-024						
		23466.2	ENHR		103143		103143			A23T	AlSAI16 00M
	Change Serviceability Stat			12.8	A23T	AlSAI16					
					S/I					XXxxXXxx	
27APR15 01:55	Change Serviceability Stat			0.0	U/S						
					U/S						
					SERV						
30APR15 04:38	Asset Installation			3.1	A23T	AlSAI16					
		23466.2	ENHR		103186		103186			A23T	AlSAI16 00MMI
	Change Serviceability Stat			3.1	SERV					XXxxXXxx	
					S/I						

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 01274  
08JAN20  
23:16:15

SERIAL/TAIL NO : 46414436  
PART NO : 975.21.15.207 ~S4080  
ENGINEERING NAME : TRANSDUCER OIL PRES  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJY601282	C COMPLETED	08MAR06 00:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
13 REMOVED FOR ACCESS	99 NO FAILURE					21553.8	ENHR

01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments:

CHECK/TEST SERV

ARDUXJY902194	C COMPLETED	19MAY09 23:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU	ARDU	
13 REMOVED FOR ACCESS	99 NO FAILURE	19MAY09 23:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU	22245.1	ENHR

01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments:

CHECK/TEST SERV

A1EXXJ1101374	C COMPLETED	16MAR11 23:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
13 REMOVED FOR ACCESS	99 NO FAILURE	16MAR11 23:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	22583.8	ENHR

01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments:

CHECK/TEST SERV

ARDUXJ1402303	C COMPLETED	13OCT14 22:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU	ARDU	
09 CANNIBALISATION	99 NO FAILURE	13OCT14 22:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU	23357.2	ENHR

01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments:

CHECK/TEST SERV

ARDUXJ1501033	C COMPLETED	27APR15 01:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU	ARDU	
13 REMOVED FOR ACCESS	99 NO FAILURE	27APR15 01:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU	23466.2	ENHR

01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments:

CHECK/TEST SERV

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01275  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 4740  
 PART NO : 071-01334-0002 ~22373  
 ENGINEERING NAME : PANEL CONTROL EFIS  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 4628.3 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
01SEP03	15:05	Maintenance Comment		0.0 AFHR	3.2	29Aug03	A23-034	07.30 2023.0 AFHR	TX TO CAMM2 XXXXXXxx
01SEP03	15:10	Maintenance Comment		0.0 AFHR	3.2	23Apr98	AIEMMI	00. 0.0	0.0 AFHR UPDATED LIFE (MPMI)
01SEP03	15:11	Maintenance Comment		0.0 AFHR	3.2	13Aug97	AIEMMI	00. 0.0	0.0 AFHR RECEPTION (MIRE)
01SEP03	15:12	Maintenance Comment		0.0 AFHR	3.2	19May98	A23-034	07.3 0.0	0.0 AFHR IN AS A23T 2433-00-00-K
01SEP03	15:19	Maintenance Comment		0.0 AFHR	3.2	20May96	NEW - 4740	071-01334-0002	2433-00-00-K XXXXXXxx
12JUL12	05:44	Asset Removal		4224.6 AFHR	3239.8	534	A23-034	A23T	A1UDW 00 XXXXXXxx
		Change Serviceability Stat		0.0		S/I			
		Change Location of an Asse		xxxx		U/S	A23-034		
16JUL12	11:35	Change Venue of an Asset		4224.6 AFHR	3244.1	NONC2CONT	AIP		
		Change Location of an Asse		4.2		A1PXXX1206929	STORES		XXXXXXxx
11DEC17	02:00	Change Serviceability Stat		1977.8		HOLD	U/S		
		Change Venue of an Asset		2001.7		SERV			XXXXXXxx
08JAN18	04:49	Change Location of an Asse		2001.7		NONC2CONT	AIP		
		Change Location of an Asse		2001.7		NONC2X1800092	HOLD		XXXXXXxx
						STORES		MMI	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01276  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 4740  
 PART NO : 071-01334-0002 ~22373  
 ENGINEERING NAME : PANEL CONTROL EFIS  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS		-----		
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
25SEP18 13:36	Asset Installation	2266.3	A23T A1UDW 533 A23-033 00	A23T A1UIC 00AC XXxxXXxx
	4224.6 AFHR Change Serviceability Stat	288.4	SERV S/I	
	Change Location of an Asse	260.3	STORES A23-033 MMI	

MMI JOBS							
JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJ1210163 C COMPLETED 12JUL12 05:44 XXxxXXxx  
 11DEC17 02:00 12JUL12 05:45 XXxxXXxx  
 01 UNSERVICEABLE 01 IN FLIGHT CDI AND HDG KNOBS TOO SENSATIVE TO SET AIRBOURNE  
 02 MECHANICAL COMPONENT FAIL 03 ELECTRICAL FAILURE  
 02 REPAIR  
 Unserviceability Details: HDG BUG AND CDI BAR JITTERY IN MOVEMENT  
 Maintenance Comments: CRS AND HDG VARIABLE RESISTORS RENEWED , IAW CMM 31-10-01 REV 3 AT ANZ REF AIRFLITE ARC NO ACS1207090 REPAIRED IAW AUSTRALIAN DEFENCE DEPARTMENT CONTRACT CAPO V310148 USING PUBLICATION AAP 7532.067-2MB1 AL1 @ AIP AV SHOP

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 01277  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 4876  
 PART NO : 23081-026-D ~31435  
 ENGINEERING NAME : STARTER GENERATOR  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 6434.1 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
			LIFE SINCE NEW					
			=====					=====
29AUG03	13:47	Maintenance	Comment	0.2	19Apr99	2FTOPMH	FF: 01-NIL	MA: 04-CHK/TST
			0.0 AFHR			CAMM LOG00001		XXXXXXxx
29AUG03	13:47	Maintenance	Comment	0.2	04Nov99	OVERHAULED AND TESTED BY LAS		
			0.0 AFHR			CAMM LOG00006		XXXXXXxx
29AUG03	13:48	Maintenance	Comment	0.2	04Oct99	A23-038	01.30 2465.2 732.8 AFHR	03-OH DUE LA91184
			0.0 AFHR			CAMM LOG00003		XXXXXXxx
29AUG03	13:48	Maintenance	Comment	0.2	04Nov99	PEAXCON	FF: 01-NIL	MA: 07-OH
			0.0 AFHR			CAMM LOG00005		XXXXXXxx
29AUG03	13:48	Maintenance	Comment	0.2	28Oct02	A23-014	01.30 3085.4 620.2 AFHR	01-FAILED LE29635
			0.0 AFHR			CAMM LOG00018		XXXXXXxx
29AUG03	13:48	Maintenance	Comment	0.2	29Aug03	LE29635	00. 3085.4 AFHR	TX TO CMM2
			0.0 AFHR			CAMM LOG00026		XXXXXXxx
29AUG03	13:49	Maintenance	Comment	0.2	04Nov99	2465.2 AFHR	LST OH 3365.2 AFHR	NXT OH
			0.0 AFHR			CAMM LOG00025		XXXXXXxx
29AUG03	13:49	Maintenance	Comment	0.2	15Jun01	2FTINTMH	FF: 01-NIL	MA: 04-CHK/TST
			0.0 AFHR			CAMM LOG00013		XXXXXXxx
29AUG03	13:49	Maintenance	Comment	0.2	27Aug02	2FTOPMH	FF: 01-NIL	MA: 04-CHK/TST
			0.0 AFHR			CAMM LOG00016		XXXXXXxx
29AUG03	13:53	Maintenance	Comment	0.2	10May00	A23-014	01.30 2465.2 0.0 AFHR	IN AS A23T 1850-00-00-L
			0.0 AFHR			CAMM LOG00008		XXXXXXxx
29AUG03	13:54	Maintenance	Comment	0.2	NEXT OH1 DUE:	OLD = 3215.2 AFHR	NEW = 3365.2 AFHR	
			0.0 AFHR			CAMM LOG00023		XXXXXXxx
29AUG03	13:56	Maintenance	Comment	0.2	28Oct02	DISPATCHED TO PEAXCON		
			0.0 AFHR			CAMM LOG00021		XXXXXXxx
29AUG03	13:56	Maintenance	Comment	0.2	25Sep00	A23-014	01.30 2585.9 120.7 AFHR	13-REMACCES LB05214
			0.0 AFHR			CAMM LOG00009		XXXXXXxx
29AUG03	13:56	Maintenance	Comment	0.2	28Aug02	A23-014	01.30 2989.1 523.9 AFHR	IN AS A23T 1850-00-00-L
			0.0 AFHR			CAMM LOG00017		XXXXXXxx
29AUG03	13:56	Maintenance	Comment	0.2	30Apr90	NEW - 4876	23081-026	1850-00-00-L
			0.0 AFHR			CAMM LOG00024		XXXXXXxx
29AUG03	13:57	Maintenance	Comment	0.2	27Aug02	A23-014	01.30 2989.1 523.9 AFHR	13-REMACCES LE26992
			0.0 AFHR			CAMM LOG00015		XXXXXXxx
29AUG03	13:57	Maintenance	Comment	0.2	14Nov02	LE29635	00. 3085.4 620.2 AFHR	UPDATED LIFE (MPMI)
			0.0 AFHR			CAMM LOG00022		XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01278  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 4876  
 PART NO : 23081-026-D ~31435  
 ENGINEERING NAME : STARTER GENERATOR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS		-----									
TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)					USER	
				TO (OPTIONAL)	TRANS REFERENCE						
LIFE SINCE NEW											
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	
29AUG03	13:58	Maintenance Comment	0.2	25Sep00	2FTINTMH	FF: 01-NIL				MA: 04-CHK/TST	
		0.0 AFHR			CAMM LOG00010					XXXXXXXXXX	
29AUG03	13:58	Maintenance Comment	0.2	29Sep00	A23-014	01.30	2585.9	120.7	AFHR	IN AS A23T 1850-00-00-L	
		0.0 AFHR			CAMM LOG00011					XXXXXXXXXX	
29AUG03	14:02	Maintenance Comment	0.2	05May00	2FTMMIST	00.	2465.2	0.0	AFHR	UPDATED LIFE (JOBX)	
		0.0 AFHR			CAMM LOG00007					XXXXXXXXXX	
29AUG03	14:02	Maintenance Comment	0.2	11Jun01	A23-014	01.30	2835.5	370.3	AFHR	05-FUNC CHK LC16738	
		0.0 AFHR			CAMM LOG00012					XXXXXXXXXX	
29AUG03	14:03	Maintenance Comment	0.2	04Oct99	DISPATCHED TO PEAXCON						
		0.0 AFHR			CAMM LOG00004					XXXXXXXXXX	
29AUG03	14:04	Maintenance Comment	0.2	01May99	A23-038	01.30	2235.9	503.5	AFHR	IN AS A23T 1850-00-00-L	
		0.0 AFHR			CAMM LOG00002					XXXXXXXXXX	
29AUG03	14:04	Maintenance Comment	0.2	15Jun01	A23-014	01.30	2835.5	370.3	AFHR	IN AS A23T 1850-00-00-L	
		0.0 AFHR			CAMM LOG00014					XXXXXXXXXX	
29AUG03	14:04	Maintenance Comment	0.2	2FTREP	WFD: 09-R2				US: 16-WORN		
		0.0 AFHR			CAMM LOG00019					XXXXXXXXXX	
29AUG03	14:04	Maintenance Comment	0.2	BRUSH LEADS	FRAYED						
		0.0 AFHR			CAMM LOG00020					XXXXXXXXXX	
20APR04	08:00	Change Serviceability Stat	601.3	U/S							
		3085.4 AFHR		SERV						XXXXXXXXXX	
21JUN04	02:02	Change Location of an Asse	292.0	EXTERNAL							
		3085.4 AFHR		MMIST							
29JUN04	01:17	Change Location of an Asse	7.9	A1PXXXY414678						XXXXXXXXXX	
		3085.4 AFHR		MMIST							
11JUL04	23:57	Asset Installation	317.6	INTMH							
		3085.4 AFHR		A1PXXXY415368						XXXXXXXXXX	
		Change Serviceability Stat	82.6	A23T A1SAI14		00					
		Change Location of an Asse	12.9	103142		A23-044			A23T A1SAI14	00AC	
				SERV					XXXXXXXXXX		
				S/I							
				INTMH							
				A23-044							

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01279  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 4876  
 PART NO : 23081-026-D ~31435  
 ENGINEERING NAME : STARTER GENERATOR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
09SEP04 10:32	Asset Removal	59.4	103142 A23T A1SAI14 A23-044 00	A23T A1SAI14 00A
	3191.2 AFHR Change Serviceability Stat	2.3	S/I U/S	XXXXXXxx
	Change Location of an Asse	59.4	A23-044 OPMH	
09SEP04 10:58	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
	3191.2 AFHR Asset Installation	0.8	A23T A1SAI14 A23-044 00	A23T A1SAI14 00AC
	3191.2 AFHR Change Serviceability Stat	0.8	SERV S/I	XXXXXXxx
	Change Location of an Asse	0.8	OPMH A23-044	
21FEB05 03:25	Asset Removal	163.8	103142 A23T A1SAI14 A23-044 00	A23T A1SAI14 00A
	3384.4 AFHR Change Serviceability Stat	4.9	S/I U/S	XXXXXXxx
	Change Location of an Asse	163.8	A23-044 OPMH	
21FEB05 03:27	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
	3384.4 AFHR Asset Installation	7.8	A23T A1SAI14 A23-044 00	A23T A1SAI14 00AC
	3384.4 AFHR Change Serviceability Stat	7.8	SERV S/I	XXXXXXxx
	Change Location of an Asse	7.8	OPMH A23-044	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01280  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 4876  
 PART NO : 23081-026-D ~31435  
 ENGINEERING NAME : STARTER GENERATOR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
24OCT05 05:02	Asset Removal	237.1	103122 A23T A23-044	A23T A1SAI14 00A
	3534.2 AFHR Change Serviceability Stat	5.0	S/I U/S	XXXXXXxx
	Change Location of an Asse	237.1	A23-044 OPMH	
24OCT05 05:04	Change Serviceability Stat	0.0	U/S SERV	
	3534.2 AFHR			XXXXXXxx
26OCT05 01:51	Asset Installation	1.8	A23T A1SAI14 A23-044	A23T A1SAI14 00AC
	3534.2 AFHR Change Serviceability Stat	1.8	SERV S/I	XXXXXXxx
	Change Location of an Asse	1.8	OPMH A23-044	
18APR06 01:51	Asset Removal	173.9	103122 A23T A23-044	A23T A1SAI14 00A
	3683.9 AFHR Change Serviceability Stat	7.0	S/I U/S	XXXXXXxx
	Change Location of an Asse	173.9	A23-044 INTMH	
18APR06 01:52	Change Serviceability Stat	0.0	U/S SERV	
	3683.9 AFHR			XXXXXXxx
24APR06 03:43	Asset Installation	6.0	A23T A1SAI14 A23-044	A23T A1SAI14 00AC
	3683.9 AFHR Change Serviceability Stat	6.0	SERV S/I	XXXXXXxx
	Change Location of an Asse	6.0	INTMH A23-044	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01281  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 4876  
 PART NO : 23081-026-D ~31435  
 ENGINEERING NAME : STARTER GENERATOR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
18MAY06 04:43	Asset Removal	24.0	103122 A23T A23-044	A23T A1SAI14 00A
	3699.3 AFHR Change Serviceability Stat	1.7	S/I U/S	XXXXXXxx
	Change Location of an Asse	24.0	A23-044 OPMH	
18MAY06 04:45	Change Serviceability Stat	0.0	U/S SERV	
	3699.3 AFHR			XXXXXXxx
24JUL06 04:51	Asset Installation	67.0	A23T A1SAI14 A23-019	A23T A1SAI14 00AC
	3699.3 AFHR Change Serviceability Stat	67.0	SERV S/I	XXXXXXxx
	Change Location of an Asse	67.0	OPMH A23-019	
18SEP06 02:05	Asset Removal	55.8	103036 A23T A23-019	A23T A1SAI14 00A
	3753.3 AFHR Change Serviceability Stat	3.9	S/I U/S	XXXXXXxx
	Change Location of an Asse	55.8	A23-019 INTMH	
18SEP06 02:07	Change Serviceability Stat	0.0	U/S SERV	
	3753.3 AFHR			XXXXXXxx
26SEP06 01:17	Asset Installation	7.9	A23T A1SAI14 A23-019	A23T A1SAI14 00AC
	3753.3 AFHR Change Serviceability Stat	7.9	SERV S/I	XXXXXXxx
	Change Location of an Asse	7.9	INTMH A23-019	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01282  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 4876  
 PART NO : 23081-026-D ~31435  
 ENGINEERING NAME : STARTER GENERATOR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
17JAN07 02:01	Change Serviceability Stat	0.0	S/I US/I	
17JAN07 04:10	Asset Removal	113.1	3901.7 AFHR A1PXXJY411798 103036 A23T A1SAI14	XXxxXXxx A23T A1SAI14 00A
	Change Serviceability Stat	0.0	3901.7 AFHR US/I	XXxxXXxx
	Change Location of an Asse	113.1	U/S A23-019 EXTERNAL	
25JAN07 00:14	Change Venue of an Asset	1240.0	AIP NONC2CONT	
	Change Location of an Asse	7.8	3901.7 AFHR A1PXXXY700548 EXTERNAL	XXxxXXxx
27MAR07 11:30	Change Serviceability Stat	69.3	HOLD U/S SERV	
17APR07 02:36	Change Venue of an Asset	82.0	3901.7 AFHR NONC2CONT AIP	XXxxXXxx
	Change Location of an Asse	82.0	3901.7 AFHR NONC2XY703747 HOLD	XXxxXXxx
30APR07 03:14	Asset Installation	102.9	MMIST A23T A1SAI14	
	Change Serviceability Stat	33.6	103132 A23-049	A23T A1SAI14 XXxxXXxx 00AC
	Change Location of an Asse	13.0	SERV S/I MMIST A23-049	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01283  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 4876  
 PART NO : 23081-026-D ~31435  
 ENGINEERING NAME : STARTER GENERATOR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
11JUL07 03:25	Asset Removal	72.0	103132 A23T A23-049	A23T A1SAI14 00A
	4005.0 AFHR			XXXXXXxx
	Change Serviceability Stat	5.7	S/I	
	Change Location of an Asse	72.0	U/S A23-049	
11JUL07 04:44	Change Serviceability Stat	0.0	OPMH U/S SERV	
	4005.0 AFHR			XXXXXXxx
11JUL07 23:18	Asset Installation	0.8	A23T A1SAI14 A23-049	A23T A1SAI14 00AC
	4005.0 AFHR			XXXXXXxx
	Change Serviceability Stat	0.7	SERV	
	Change Location of an Asse	0.8	S/I OPMH A23-049	
02SEP07 23:38	Asset Removal	53.0	103132 A23T A23-049	A23T A1SAI14 00A
	4051.0 AFHR			XXXXXXxx
	Change Serviceability Stat	3.6	S/I	
	Change Location of an Asse	53.0	U/S A23-049	
02SEP07 23:39	Change Serviceability Stat	0.0	OPMH U/S SERV	
	4051.0 AFHR			XXXXXXxx
12SEP07 22:57	Asset Installation	9.9	A23T A1SAI14 A23-049	A23T A1SAI14 00AC
	4051.0 AFHR			XXXXXXxx
	Change Serviceability Stat	9.9	SERV	
	Change Location of an Asse	9.9	S/I OPMH A23-049	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01284  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 4876  
 PART NO : 23081-026-D ~31435  
 ENGINEERING NAME : STARTER GENERATOR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
14SEP07 01:03	Asset Removal	1.0	103132 A23T A1SAI14 A23-049 00	A23T A1SAI14 00A
	4051.0 AFHR Change Serviceability Stat	1.0	S/I U/S	XXXXXXxx
	Change Location of an Asse	1.0	A23-049 EXTERNAL	
18SEP07 07:08	Change Serviceability Stat	4.2	U/S SERV	XXXXXXxx
	4051.0 AFHR Asset Installation	13.1	A23T A1SAI14 A23-008 00	A23T A1SAI14 00AC
	4051.0 AFHR Change Serviceability Stat	8.9	SERV S/I	XXXXXXxx
	Change Location of an Asse	13.1	EXTERNAL A23-008	
07MAR08 00:18	Asset Removal	161.7	103146 A23T A1SAI14 A23-008 00	A23T A1SAI14 00A
	4200.9 AFHR Change Serviceability Stat	1.8	S/I U/S	XXXXXXxx
	Change Location of an Asse	161.7	A23-008 INTMH	
07MAR08 00:20	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
	4200.9 AFHR Asset Installation	0.0	A23T A1SAI14 A23-008 00	A23T A1SAI14 00AC
	4200.9 AFHR Change Serviceability Stat	0.0	SERV S/I	XXXXXXxx
	Change Location of an Asse	0.0	INTMH A23-008	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01285  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 4876  
 PART NO : 23081-026-D ~31435  
 ENGINEERING NAME : STARTER GENERATOR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
30JUN08 02:35	Asset Removal	115.0	103146 A23T A1SAI14 A23-008 00	A23T A1SAI14 00A
	4350.7 AFHR Change Serviceability Stat	3.9	S/I U/S	XXXXXXxx
	Change Location of an Asse	115.0	A23-008 INTMH	
30JUN08 02:36	Change Serviceability Stat	0.0	U/S SERV	
	4350.7 AFHR			XXXXXXxx
07JUL08 23:40	Asset Installation	7.8	A23T A1SAI14 A23-008 00	A23T A1SAI14 00AC
	4350.7 AFHR Change Serviceability Stat	7.8	SERV S/I	XXXXXXxx
	Change Location of an Asse	7.8	INTMH A23-008	
30SEP08 06:51	Asset Removal	84.2	103146 A23T A1SAI14 A23-008 00	A23T A1SAI14 00A
	4450.0 AFHR Change Serviceability Stat	0.1	S/I U/S	XXXXXXxx
	Change Location of an Asse	84.2	A23-008 INTMH	
30SEP08 06:52	Change Serviceability Stat	0.0	U/S SERV	
	4450.0 AFHR			XXXXXXxx
30SEP08 22:49	Asset Installation	0.6	A23T A1SAI14 A23-008 00	A23T A1SAI14 00AC
	4450.0 AFHR Change Serviceability Stat	0.6	SERV S/I	XXXXXXxx
	Change Location of an Asse	0.6	INTMH A23-008	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01286  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 4876  
 PART NO : 23081-026-D ~31435  
 ENGINEERING NAME : STARTER GENERATOR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
04MAR09 23:14	Asset Removal	155.0	103146 A23T A1SAI14 A23-008 00	A23T A1SAI14 00A
	4500.3 AFHR Change Serviceability Stat	0.7	S/I SERV A23T 103146 A23-008 00	XXXXXXxx
04MAR09 23:18	Asset Installation	0.0	A23T A1SAI14 A23-008 00	A23T A1SAI14 00AC
	4500.3 AFHR Change Serviceability Stat	0.0	SERV S/I US/I	XXXXXXxx
05MAR09 01:34	Change Serviceability Stat	0.0		
	4500.3 AFHR			XXXXXXxx
05MAR09 02:06	Asset Removal	0.1	103146 A23T A1SAI14 A23-008 00	A23T A1SAI14 00A
	4500.3 AFHR Change Serviceability Stat	0.0	US/I U/S A23-008 MMIST	XXXXXXxx
12MAR09 23:05	Change Venue of an Asset	695.8	AIP NONC2CONT A1PXXXY902575	XXXXXXxx
	4500.3 AFHR Change Location of an Asse	7.8	MMIST HOLD U/S SERV	
15OCT09 12:30	Change Serviceability Stat	224.4		
	4500.3 AFHR			XXXXXXxx
27OCT09 06:19	Change Venue of an Asset	228.3	NONC2CONT AIP NONC2XY913153	XXXXXXxx
	4500.3 AFHR Change Location of an Asse	228.3	HOLD MMIST	

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01287  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 4876  
 PART NO : 23081-026-D ~31435  
 ENGINEERING NAME : STARTER GENERATOR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
30NOV09 13:32	Asset Installation	270.4	A23T 103112 A1SAI14 A23-037	00 A23T A1SAI14 00AC XXXXXXXX
	4500.3 AFHR Change Serviceability Stat	46.0	SERV S/I	
	Change Location of an Asse	34.3	MMIST A23-037	
24MAR10 13:44	Asset Removal	114.0	103112 A23T A1SAI14 A23-037	00 A23T A1SAI14 00A XXXXXXXX
	4616.4 AFHR Change Serviceability Stat	0.2	S/I U/S	
	Change Location of an Asse	114.0	A23-037	
24MAR10 13:44	Change Serviceability Stat	0.0	INTMH U/S SERV	XXXXXXXX
30MAR10 05:40	Asset Installation	5.6	A23T 103112 A1SAI14 A23-037	00 A23T A1SAI14 00AC XXXXXXXX
	4616.4 AFHR Change Serviceability Stat	5.6	SERV S/I	
	Change Location of an Asse	5.6	INTMH A23-037	
18NOV10 02:22	Change Serviceability Stat	49.8	S/I US/I	
	4747.5 AFHR Asset Removal	233.2	A1PXXJY707637 103112 A23T A1SAI14 A23-037	00 A23T A1SAI14 00A XXXXXXXX
	4747.5 AFHR Change Serviceability Stat	0.4	US/I U/S	
	Change Location of an Asse	233.2	A23-037 MMIST	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01288  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 4876  
 PART NO : 23081-026-D ~31435  
 ENGINEERING NAME : STARTER GENERATOR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
22NOV10 01:26	Change Venue of an Asset	390.7	AIP NONC2CONT	
	4747.5 AFHR		A1PXXX1012975	XXxxXXxx
	Change Location of an Asse	3.5	MMIST	
13MAY11 11:30	Change Serviceability Stat	175.9	HOLD U/S SERV	
	4747.5 AFHR			XXxxXXxx
08JUN11 09:54	Change Venue of an Asset	198.3	NONC2CONT AIP	
	4747.5 AFHR		NONC2X1105556	XXxxXXxx
	Change Location of an Asse	198.3	HOLD STORES MMI	
12JUL11 08:38	Change Venue of an Asset	33.9	AIP AIE	
	4747.5 AFHR		A1PXXX1106047	XXxxXXxx
	Change Location of an Asse	33.9	STORES MMI	
17JUL11 23:23	Change Location of an Asse	5.6	HOLD EQUIP_STORE	
	4747.5 AFHR		A1EXXX1101588	XXxxXXxx
19JUL11 05:55	Asset Installation	242.7	A23T ALSAI14	
	4747.5 AFHR		103165 A23-050	A23T ALSAI14 00AC
	Change Serviceability Stat	66.7	SERV	
	Change Location of an Asse	1.2	S/I EQUIP_STORE	
26JUN12 00:43	Asset Removal	342.7	A23-050 103165 A23-050	
	5047.2 AFHR		A23T ALSAI14	A23T ALSAI14 00A
	Change Serviceability Stat	3.8	S/I	XXxxXXxx
	Change Location of an Asse	342.7	U/S A23-050 AVIONICS	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01289  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 4876  
 PART NO : 23081-026-D ~31435  
 ENGINEERING NAME : STARTER GENERATOR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
26JUN12 00:44	Change Serviceability Stat	0.0	U/S SERV	
	5047.2 AFHR			XXXXXXxx
17JUL12 03:32	Asset Installation	21.1	A23T 103139 A23-050	A23T A1SAI14 00AC
	5047.2 AFHR			XXXXXXxx
	Change Serviceability Stat	21.1	SERV S/I AVIONICS A23-050	
	Change Location of an Asse	21.1		
11DEC12 22:39	Asset Removal	147.7	103139 A23T A23-050	A23T A1SAI14 00A
	5196.0 AFHR			XXXXXXxx
	Change Serviceability Stat	5.8	S/I U/S A23-050	
	Change Location of an Asse	147.7	AVIONICS U/S SERV	
11DEC12 22:40	Change Serviceability Stat	0.0		
	5196.0 AFHR			XXXXXXxx
15JAN13 01:46	Asset Installation	34.1	A23T 103169 A23-050	A23T A1SAI14 00AC
	5196.0 AFHR			XXXXXXxx
	Change Serviceability Stat	34.1	SERV S/I AVIONICS A23-050	
	Change Location of an Asse	34.1		
04FEB13 21:50	Asset Removal	20.8	103169 A23T A23-050	A23T A1SAI14 00A
	5225.1 AFHR			XXXXXXxx
	Change Serviceability Stat	0.7	S/I U/S A23-050	
	Change Location of an Asse	20.8	EQUIP_STORE	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01290  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 4876  
 PART NO : 23081-026-D ~31435  
 ENGINEERING NAME : STARTER GENERATOR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
05FEB13 00:32	Change Venue of an Asset	573.6	AIE NONC2CONT	
	5225.1 AFHR Change Location of an Asse	0.1	A1EXXX1300186 EQUIP_STORE	XXxxXXxx
19MAR13 08:00	Change Serviceability Stat	42.4	HOLD U/S SERV	
	5225.1 AFHR Change Venue of an Asset	100.9	NONC2CONT ARDU	XXxxXXxx
16MAY13 23:11	Maintenance Comment Change Location of an Asse	0.0 100.9	NONC2X1304719 ASSET RECIEVED JOB NOT COMPLETED ON CAMM2 NOT ASSET TX'D HOLD	XXxxXXxx
05SEP13 05:13	Asset Installation	212.3	MSI A23T A1SAI14 00	
	5225.1 AFHR Change Serviceability Stat	169.8	A23-007	A23T A1SAI14 00AC XXxxXXxx
	Change Location of an Asse	111.2	SERV S/I MSI A23-007	
29OCT13 02:32	Asset Removal	53.8	103129 A23-007	A23T A1SAI14 00A
	5263.8 AFHR Change Serviceability Stat	6.9	A23T A1SAI14 00	XXxxXXxx
	Change Location of an Asse	5.9	S/I U/S A23-007	
29OCT13 02:32	Change Serviceability Stat	0.0	AVIONICS U/S SERV	
	5263.8 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01291  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 4876  
 PART NO : 23081-026-D ~31435  
 ENGINEERING NAME : STARTER GENERATOR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
19DEC13 20:26	Asset Installation	51.7	A23T A1SAI14 103177 A23-007	00 A23T A1SAI14 00AC XXxxXXxx
	5263.8 AFHR Change Serviceability Stat	51.7	SERV	
	Change Location of an Asse	51.7	S/I AVIONICS A23-007	
15SEP14 00:30	Change Serviceability Stat	9.8	S/I US/I	
	5398.5 AFHR		NONC2J1101380	XXxxXXxx
15SEP14 23:24	Asset Removal	270.1	103177 A23-007	A23T A1SAI14 00A
	5398.5 AFHR Change Serviceability Stat	0.9	A23T A1SAI14	00 XXxxXXxx
	Change Location of an Asse	210.7	US/I U/S A23-007	
10MAY15 00:00	Change Venue of an Asset	446.7	MSI ARDU NONC2CONT	REP
	5398.5 AFHR Change Location of an Asse	236.0	ARDUXX1502936	XXxxXXxx
26MAY15 03:45	Change Serviceability Stat	252.1	MSI HOLD U/S SERV	
	5398.5 AFHR Change Venue of an Asset	108.0	NONC2CONT	XXxxXXxx
26AUG15 01:12	Maintenance Comment	0.0	AIP NONC2X1509344	XXxxXXxx
	Change Location of an Asse	108.0	OH AT ANZ AND MOVED TO AIP HOLD STORES	
03NOV15 11:02	Position Change	413.4	A23T A1SAI14	00
	5398.5 AFHR Maintenance Comment	0.0	A23T A1SAI14 A1PXXX1510254 MPAN 036/2015 - AL.1 - OH CLAIMS NEW BS= 350	00 XXxxXXxx AFHR.

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01292  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 4876  
 PART NO : 23081-026-D ~31435  
 ENGINEERING NAME : STARTER GENERATOR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
09NOV15 03:53	Asset Installation	419.1	A23T A1SAI14 103209 A23-003	00 A23T A1SAI14 00AC
	5398.5 AFHR Change Serviceability Stat	167.0	SERV S/I	XXXXXXxx
	Change Location of an Asse	75.1	STORES A23-003	
25FEB16 22:10	Change Serviceability Stat	3.5	S/I US/I	
	5517.0 AFHR		A1PXXJ1517243	XXXXXXxx
29FEB16 00:33	Asset Removal	111.8	103209 A23-003	A23T A1SAI14 00A
	5517.0 AFHR Change Serviceability Stat	3.0	A23T A1SAI14	00 XXXXXXxx
	Change Location of an Asse	111.8	US/I U/S A23-003	
29FEB16 00:39	Change Serviceability Stat	0.0	INTMH U/S SERV	
	5517.0 AFHR			XXXXXXxx
02MAR16 04:50	Asset Installation	2.1	A23T A1SAI14 103209 A23-003	00 A23T A1SAI14 00AC
	5517.0 AFHR Change Serviceability Stat	2.1	SERV S/I	XXXXXXxx
	Change Location of an Asse	2.1	INTMH A23-003	
02MAR16 06:17	Asset Removal	0.0	103209 A23-003	A23T A1SAI14 00A
	5517.0 AFHR Change Serviceability Stat	0.0	A23T A1SAI14	00 XXXXXXxx
	Change Location of an Asse	0.0	S/I U/S A23-003	
			INTMH	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01293  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 4876  
 PART NO : 23081-026-D ~31435  
 ENGINEERING NAME : STARTER GENERATOR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
LIFE SINCE NEW				
02MAR16 06:17	Change Serviceability Stat	0.0	U/S SERV	
13APR16 03:07	Asset Installation	41.8	A23T 103209 A1SAI14 A23-003 00	XXxxXXxx
	Change Serviceability Stat	41.8	SERV S/I INTMH A23-003	XXxxXXxx
04JUL16 22:25	Change Part Number of an A	4693.5	23081-026 ~31435 23081-026-D ~31435 A1PXXX1606037	XXxxXXxx
04JUL16 22:47	Change Part Number of an A	0.0	23081-026 ~31435 23081-026 ~31435 A1PXXX1606038	XXxxXXxx
05JUL16 05:20	Maintenance Comment	0.0	INCORRECTLY CHANGED PART NUMBER NO PARENT TRANSACTION DETAILS	
11JUL16 05:09	Change Serviceability Stat	0.0	POLICY COPY FOR MPAN 022/2016; IRN: 924/2013-023 S/I US/I A1PXXJ1614216	XXxxXXxx
12JUL16 05:31	Asset Removal	90.1	103209 A23-003 00 A23T A1SAI14	XXxxXXxx
	Change Serviceability Stat	1.0	US/I U/S A23-003	
12JUL16 05:35	Change Serviceability Stat	0.0	OPMH U/S SERV	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01294  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 4876  
 PART NO : 23081-026-D ~31435  
 ENGINEERING NAME : STARTER GENERATOR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
12JUL16 06:40	Asset Installation	0.0	A23T A1SAI14 103209 A23-003 00	A23T A1SAI14 00AC
	5681.7 AFHR Change Serviceability Stat	0.0	SERV S/I OPMH A23-003	XXXXXXxx
	Change Location of an Asse	0.0	OPMH A23-003	
18AUG16 06:17	Asset Removal	36.9	103209 A23T A1SAI14 A23-003 00	A23T A1SAI14 00A
	5728.7 AFHR Change Serviceability Stat	0.1	S/I U/S A23-003	XXXXXXxx
	Change Location of an Asse	36.9	OPMH U/S SERV	
19AUG16 03:35	Change Serviceability Stat	0.8	5728.7 AFHR	XXXXXXxx
31OCT16 14:33	Position Change	74.3	A23T A1SAI14 A23T A1SAI14 00	XXXXXXxx
	5728.7 AFHR Maintenance Comment	0.0	A1PXXX1611058	XXXXXXxx
14NOV16 03:25	Asset Installation	87.8	MPAN 044/2016 POLICY UPDATE IRN: 924/2013-041 A23T A1SAI14 103157 A23-017 00	A23T A1SAI14 00AC
	5728.7 AFHR Change Serviceability Stat	86.9	SERV S/I OPMH A23-017	XXXXXXxx
	Change Location of an Asse	87.8	S/I US/I A1PXXJ1604839	
13DEC16 04:32	Change Serviceability Stat	29.0	5728.7 AFHR	XXXXXXxx



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01295  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 4876  
 PART NO : 23081-026-D ~31435  
 ENGINEERING NAME : STARTER GENERATOR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
13DEC16 04:33	Asset Removal	29.0	103157 A23T A1SAI14 A23-017 00	A23T A1SAI14 00A
	5728.7 AFHR Change Serviceability Stat	0.0	US/I	XXXXXXxx
	Change Location of an Asse	29.0	U/S A23-017	
13DEC16 06:00	Change Serviceability Stat	0.0	INTMH U/S	
	5728.7 AFHR		SERV	XXXXXXxx
13DEC16 06:38	Asset Installation	0.0	A23T A1SAI14 A23-017 00	A23T A1SAI14 00AC
	5728.7 AFHR Change Serviceability Stat	0.0	SERV	XXXXXXxx
	Change Location of an Asse	0.0	S/I INTMH	
11APR17 05:32	Change Serviceability Stat	0.1	A23-017 S/I	
	5893.5 AFHR		US/I A1PXXJ1626282	XXXXXXxx
11APR17 09:00	Asset Removal	119.0	103157 A23T A1SAI14 A23-017 00	A23T A1SAI14 00A
	5893.5 AFHR Change Serviceability Stat	0.1	US/I	XXXXXXxx
	Change Location of an Asse	119.0	U/S A23-017	
11APR17 09:53	Change Serviceability Stat	0.0	OPMH U/S	
	5893.5 AFHR		SERV	XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01296  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 4876  
 PART NO : 23081-026-D ~31435  
 ENGINEERING NAME : STARTER GENERATOR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
11APR17 10:53	Asset Installation	0.0	A23T A1SAI14 103157 A23-017	00 A23T A1SAI14 00AC
	5893.5 AFHR Change Serviceability Stat	0.0	SERV	XXXXXXxx
	Change Location of an Asse	0.0	S/I OPMH A23-017	
21SEP17 02:45	Change Serviceability Stat	0.0	S/I US/I A1PXXJ1707518	XXXXXXxx
11OCT17 23:28	Asset Removal	183.5	103157 A23-017 A23T A1SAI14	A23T A1SAI14 00A
	6058.3 AFHR Change Serviceability Stat	20.8	US/I	XXXXXXxx
	Change Location of an Asse	183.5	U/S A23-017	
13OCT17 03:12	Change Venue of an Asset	779.0	STORES AIP	
	6058.3 AFHR Change Location of an Asse	1.1	NONC2CONT A1PXXX1715072	XXXXXXxx
01MAR18 01:00	Change Serviceability Stat	140.0	STORES HOLD	
	6058.3 AFHR Change Part Number of an A	611.3	U/S SERV 23081-026 ~31435	XXXXXXxx
			23081-026-D ~31435	
08MAR18 07:37	Change Venue of an Asset	146.1	NONC2CONT AIP	XXXXXXxx
	6058.3 AFHR Change Location of an Asse	146.1	NONC2X1802128	XXXXXXxx
			HOLD STORES MMI	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01297  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 4876  
 PART NO : 23081-026-D ~31435  
 ENGINEERING NAME : STARTER GENERATOR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
LIFE SINCE NEW				
06APR18 03:15	Asset Installation	176.1	A23T A1SAI14 103212 A23-053	00 A23T A1SAI14 00AC
	6058.3 AFHR Change Serviceability Stat	36.0	SERV S/I	XXXXXXXX
	Change Location of an Asse	28.8	STORES A23-053 MMI	
17OCT18 00:52	Asset Removal	193.9	103212 A23T A1SAI14	00 A23T A1SAI14 00A
	6129.0 AFHR Change Serviceability Stat	138.7	S/I U/S A23-053	XXXXXXXX
	Change Location of an Asse	193.9	OPMH U/S SERV	
17OCT18 00:52	Change Serviceability Stat	0.0		XXXXXXXX
27NOV18 23:53	Change Serviceability Stat	41.9	SERV U/S NONC2J1800681	XXXXXXXX
28NOV18 05:02	Change Serviceability Stat	0.2	U/S SERV	XXXXXXXX
30NOV18 01:32	Asset Installation	44.0	A23T A1SAI14 103151 A23-003	00 A23T A1SAI14 00AC
	6129.0 AFHR Change Serviceability Stat	1.8	SERV S/I	XXXXXXXX
	Change Location of an Asse	44.0	OPMH A23-003	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01298  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 4876  
 PART NO : 23081-026-D ~31435  
 ENGINEERING NAME : STARTER GENERATOR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
06FEB19 01:00	Asset Removal	67.9	103151 A23T A1SAI14 A23-003 00	A23T A1SAI14 00A
	6204.7 AFHR Change Serviceability Stat	0.7	S/I	XXXXXXxx
	Change Location of an Asse	67.9	U/S A23-003	
06FEB19 01:00	Change Serviceability Stat	0.0	OPMH U/S SERV	
	6204.7 AFHR			XXXXXXxx
06FEB19 12:56	Asset Installation	0.4	A23T A1SAI14 A23-003 00	A23T A1SAI14 00AC
	6204.7 AFHR Change Serviceability Stat	0.4	SERV	XXXXXXxx
	Change Location of an Asse	0.4	S/I OPMH	
04JUN19 06:15	Asset Removal	117.7	A23-003 103151 A23T A1SAI14 A23-003 00	A23T A1SAI14 00A
	6289.5 AFHR Change Serviceability Stat	74.9	SERV	XXXXXXxx
	Change Location of an Asse	34.0	S/I U/S A23-003	
04JUN19 06:16	Change Venue of an Asset	55.8	HANGAR A23DISP AIP	
	6289.5 AFHR Change Location of an Asse	0.0	A23DSX1900304	XXXXXXxx
			HANGAR	
10JUN19 23:58	Change Serviceability Stat	6.7	HG122 U/S SERV	
	6289.5 AFHR			XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01299  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 4876  
 PART NO : 23081-026-D ~31435  
 ENGINEERING NAME : STARTER GENERATOR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
25JUN19 00:41	Asset Installation	20.7	A23T 103186 A1SAI14 A23-033	A23T A1SAI14 00AC
	6289.5 AFHR Change Serviceability Stat	14.0	SERV S/I HG122 A23-033	XXXXXXxx
	Change Location of an Asse	20.7		
19SEP19 00:44	Change Serviceability Stat	0.7	S/I US/I A1PXXJ1909680	XXXXXXxx
20SEP19 02:36	Asset Removal	87.0	103186 A23-033 A23T A1SAI14	A23T A1SAI14 00A
	6387.8 AFHR Change Serviceability Stat	1.0	US/I U/S	XXXXXXxx
	Change Location of an Asse	87.0	A23-033	
22SEP19 23:31	Change Serviceability Stat	2.8	INTMH U/S SERV	XXXXXXxx
02OCT19 00:48	Asset Installation	11.9	A23T 103186 A1SAI14 A23-033	A23T A1SAI14 00AC
	6387.8 AFHR Change Serviceability Stat	9.0	SERV S/I INTMH A23-033	XXXXXXxx
	Change Location of an Asse	11.9		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
PEAXXJCA00423	C COMPLETED	04NOV99 00:00	XXxxXXxx		PEA		0.0
03 OVERHAUL DUE							

Unserviceability Details:  
 Maintenance Comments:

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : 4876  
PART NO : 23081-026-D ~31435  
ENGINEERING NAME : STARTER GENERATOR  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

LE29635XXXXXX C COMPLETED 28OCT02 09:05 XXxxXXxx PEA AIP  
 20APR04 08:00 0.0  
 01 UNSERVICEABLE 09 R2 SERVICING BRUSH LEADS FRAYED AT ALL STATIONS  
 16 WORN/FRAYED  
 15 EXPECTED DETERIORATION 07 OVERHAUL  
 Unserviceability Details: BRUSH LEADS FRAYED  
 Maintenance Comments: O/H AT LRS 20APR04

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	900.0	AFHR	620.2		

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1PXXJY418158 C COMPLETED 09SEP04 10:32 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 09SEP04 10:58 3191.2 AFHR  
 13 REMOVED FOR ACCESS 99 NO FAILURE START/GEN REMOVED FOR ACCESS  
 01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: REMOVED FOR ACCESS  
 A1PXXJY502875 C COMPLETED 21FEB05 03:25 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 21FEB05 03:27 3384.4 AFHR  
 13 REMOVED FOR ACCESS 99 NO FAILURE R2 due on Serial A23-044  
 PC-9 at WAC 0000  
 01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01301  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 4876  
 PART NO : 23081-026-D ~31435  
 ENGINEERING NAME : STARTER GENERATOR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					
A1PXXJY526026	C COMPLETED	24OCT05 05:02	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	24OCT05 05:04	99 NO FAILURE		STARTER GEN REMOVED FOR ACCESS		3534.2	AFHR
01 NO FAULT	04 CHECK/TEST SERV	Unserviceability Details:		REMOVED FOR ACCESS			
		Maintenance Comments:					
A1PXXJY606053	C COMPLETED	18APR06 01:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	18APR06 01:52	99 NO FAILURE		STARTER GEN RFA		3683.9	AFHR
01 NO FAULT	04 CHECK/TEST SERV	Unserviceability Details:					
		Maintenance Comments:		CHECK/TEST SERV			
A1PXXJY607668	C COMPLETED	18MAY06 04:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	18MAY06 04:45	99 NO FAILURE		STARTER GEN TO BE REMOVED FOR FAULT FINDING		3699.3	AFHR
01 NO FAULT	04 CHECK/TEST SERV	Unserviceability Details:					
		Maintenance Comments:		CHECK/TEST SERV			
A1PXXJY614818	C COMPLETED	18SEP06 02:05	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	18SEP06 02:07	99 NO FAILURE		STARTER GEN RFA		3753.3	AFHR
01 NO FAULT	04 CHECK/TEST SERV	Unserviceability Details:					
		Maintenance Comments:		CHECK/TEST SERV			
A1PXXJY411798	C COMPLETED	17JAN07 04:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
03 OVERHAUL DUE	27MAR07 11:30	17JAN07 02:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	3901.7	AFHR
01 NO FAULT	07 OVERHAUL	Unserviceability Details:		OH due on Serial 4876			
		Maintenance Comments:		STARTER GENERATOR at WAC 0130			
				27MAR07 OH C/O REPLACED BRUSHES, BEARINGS, LOCKRING & ARMATURE & TESTED IAW AAP7411.061-2M			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01302  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 4876  
 PART NO : 23081-026-D ~31435  
 ENGINEERING NAME : STARTER GENERATOR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	900.0	AFHR	816.3		
SM	OH	900.0	AFHR	816.3		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJY713418	C COMPLETED	11JUL07 03:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	99 NO FAILURE	11JUL07 03:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	4005.0	AFHR
01 NO FAULT	04 CHECK/TEST SERV			STARTER GEN RFA			
Unserviceability Details:							
Maintenance Comments: STARTER GEN CHECK TEST SERV							
A1PXXJY716754	C COMPLETED	02SEP07 23:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	99 NO FAILURE	02SEP07 23:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	4051.0	AFHR
01 NO FAULT	04 CHECK/TEST SERV			STARTER GEN RFA			
Unserviceability Details:							
Maintenance Comments: CHECK/TEST SERV							
A1PXXJY804432	C COMPLETED	07MAR08 00:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	99 NO FAILURE	07MAR08 00:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	4200.9	AFHR
01 NO FAULT	04 CHECK/TEST SERV			STI-PC9-0466 due on Serial A23-008 PC-9 at WAC 0000			
Unserviceability Details:							
Maintenance Comments: CHECK/TEST SERV							
A1PXXJY810454	C COMPLETED	30JUN08 02:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	99 NO FAILURE	30JUN08 02:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	4350.7	AFHR
01 NO FAULT	04 CHECK/TEST SERV			STARTER GEN RFA			
Unserviceability Details:							
Maintenance Comments: CHECK/TEST SERV							



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 01303  
08JAN20  
23:16:15

SERIAL/TAIL NO : 4876  
PART NO : 23081-026-D ~31435  
ENGINEERING NAME : STARTER GENERATOR  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJY816404	C COMPLETED	30SEP08 06:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
	30SEP08 06:52	30SEP08 06:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		4450.0	AFHR
13 REMOVED FOR ACCESS	99 NO FAILURE			STARTER GEN RFA			

01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV

A1PXXJY904621	C COMPLETED	05MAR09 01:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	NONC2CONT		
	15OCT09 12:30	05MAR09 01:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		4500.3	AFHR
01 UNSERVICEABLE	08 R1 SERVICING			BRUSH SETS 2+4 SHOW SIGNS OF ARCING AND OVER HEATING			
03 ELECTRICAL COMPONENT FAIL	03 ELECTRICAL FAILURE						
	02 REPAIR						

Unserviceability Details: BRUSH SETS 2+4 SHOW SIGNS OF ARCING AND BURNING

Maintenance Comments: REPAIRED BRUSHES RENEWED DUE ARCING BEARINGS AND HARDWARE RENEWED DUE REMOVAL ARMATURE SKIMMED/BALANCED IAW AAP 7411.061-2M AL 7 AT ANZ

A1PXXJY904632	C COMPLETED	05MAR09 02:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	NONC2CONT		
	15OCT09 12:30	05MAR09 02:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		4500.3	AFHR
01 UNSERVICEABLE	08 R1 SERVICING			STARTER GEN BRUSH SETS 2+4 SHOW SIGNS ARCING			
	03 ELECTRICAL FAILURE						
03 ELECTRICAL COMPONENT FAIL	02 REPAIR						

Unserviceability Details: BRUSH SETS 2+4 SHOW SIGNS OF ACRING

Maintenance Comments: REPAIRED STATOR RENEWED DUE FAILED MIN SPEED TEST IAW AAP 7411.061-2M AL 7 AT ANZ

A1PXXJ1005459	C COMPLETED	24MAR10 13:44	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	24MAR10 13:44	24MAR10 13:44	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		4616.4	AFHR
13 REMOVED FOR ACCESS	99 NO FAILURE			STARTER GEN RFA			

01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 01304  
08JAN20  
23:16:15

SERIAL/TAIL NO : 4876  
PART NO : 23081-026-D ~31435  
ENGINEERING NAME : STARTER GENERATOR  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

1PXXJY707637	C COMPLETED	18NOV10 12:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		NONC2CONT	
03 OVERHAUL DUE	13MAY11 11:30	18NOV10 02:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		4747.5 AFHR	
01 NO FAULT		07 OVERHAUL		OH due on Serial 4876			
				STARTER GENERATOR at WAC 0130			
				Unserviceability Details:			
				Maintenance Comments:			
				BEARINGS , BRUSHES REPLACED AND SUPPLEMENTRY WORK C/O & OH C/O			
				IAW AAP 7411.061-2M AL 7 UNIT FOUND AT MOD C STATUS REF COFC			
				ACS1012018 @ ANZ			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	900.0	AFHR	845.8		
SM	OH	900.0	AFHR	845.8		

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

NONC2J1101377	C COMPLETED	01FEB11 12:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	NONC2CONT	NONC2CONT	
01 UNSERVICEABLE	13MAY11 11:30	08JUN11 09:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	NONC2CONT	4747.5 AFHR	
03 ELECTRICAL COMPONENT FAIL		25 OTHER SCHEDULED SERVICING		CAMM2 DOWN FAILED MINUM SPEED TEST	IAW OH MANUAL @ ANZ		
		03 ELECTRICAL FAILURE					
		02 REPAIR		Unserviceability Details:			
				FAILED MINUNUM SPEED TEST			
				Maintenance Comments:			
				REPAIRED STATOR REPLACED DUE UNABLE TO HOLD REGULATION UNDER			
				TEST REPAIR C/O IAW AAP 7411.061-2M AL 7 REF COFC ASC1012018 @			
				ANZ			

NONC2J1101379	C COMPLETED	01FEB11 12:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	NONC2CONT	NONC2CONT	
01 UNSERVICEABLE	13MAY11 11:30	08JUN11 09:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	NONC2CONT	4747.5 AFHR	
03 ELECTRICAL COMPONENT FAIL		25 OTHER SCHEDULED SERVICING		CAMM2 DOWN LOOSE ARMATURE BALANCE BAND			
		03 ELECTRICAL FAILURE					
		02 REPAIR					

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 01305  
08JAN20  
23:16:15

SERIAL/TAIL NO : 4876  
PART NO : 23081-026-D ~31435  
ENGINEERING NAME : STARTER GENERATOR  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

Unserviceability Details: LOOSE ARMATURE BALANCE BAND

Maintenance Comments: REPAIRED ARMATURE REPLACED IAW AAP 7411.061-2M AL 7 REF COFC ACS1012018 @ ANZ

NONC2J1101378	C COMPLETED	01FEB11 12:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	NONC2CONT	NONC2CONT	
	13MAY11 11:30	08JUN11 09:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	NONC2CONT	4747.5	AFHR
01 UNSERVICEABLE		25 OTHER SCHEDULED SERVICING		CAMM2 DOWN FAILED MINIMUM SPEED TEST DURING OH SERV			
		03 ELECTRICAL FAILURE					
03 ELECTRICAL COMPONENT FAIL		02 REPAIR					

Unserviceability Details: FAILED MINIMUM SPEED TEST

Maintenance Comments: REPAIRED STATOR REPLCED IAW AAP 7411.061-2M AL 7 REF COFC ACS 1012018 @ ANZ

A1EXXJ1203402	C COMPLETED	26JUN12 00:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	26JUN12 00:44	26JUN12 00:44	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	5047.2	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE		STARTER GEN REMOVED FOR ACCESS			

01 NO FAULT 04 CHECK/TEST SERV

Unserviceability Details:

Maintenance Comments: CHECK/TEST SERV

A1EXXJ1207148	C COMPLETED	11DEC12 22:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	11DEC12 22:40	11DEC12 22:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	5196.0	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE		STARTER GENERATOR REMOVED FOR ACCESS			

01 NO FAULT 04 CHECK/TEST SERV

Unserviceability Details:

Maintenance Comments: CHECK/TEST SERV

A1EXXJ1300478	C COMPLETED	04FEB13 21:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	NONC2CONT	
	19MAR13 08:00	04FEB13 21:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	5225.1	AFHR
01 UNSERVICEABLE		01 IN FLIGHT		MASTER CAUTION AND GEN CWS ON GROUND AFTER START, VOLTS			
		03 ELECTRICAL FAILURE		INDICATING 23.0 AND DECREASING. AMPS INDICATING -100 TO -30			
03 ELECTRICAL COMPONENT FAIL		02 REPAIR		DEPENDING ON ELEC SERVICES RUNNING. GEN WOULD NOT RESET			

Unserviceability Details: STARTER GENERATOR ARMATURE INSULATION READING LOW ( 0.2 MOHM)

Maintenance Comments: STATOR REPLACED FUE FAILED LOCKED ROTOR TEST - NIL INSULATION (Continued on next page.)

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 4876  
 PART NO : 23081-026-D ~31435 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : STARTER GENERATOR  
 VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

(Continued from previous page.)  
 ON WINDINGS C/O IAW 7411.061-2M (REISSUE 5/10/10)  
 SUPPLEMENTARY TASK C/O UNINT FORND AT MOD C STATUS

A1EXXJ1305999	C COMPLETED	29OCT13 02:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	29OCT13 02:32	29OCT13 02:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	5263.8	AFHR
13 REMOVED FOR ACCESS	99 NO FAILURE			STARTER GEN REMOVED FOR ACCESS			

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

NONC2J1101380	C COMPLETED	15SEP14 23:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU	AIP	
	26MAY15 03:45	15SEP14 00:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU	5398.5	AFHR
03 OVERHAUL DUE				OH due on Serial 4876			
				STARTER GENERATOR at WAC 0130			

01 NO FAULT 07 OVERHAUL  
 Unserviceability Details:  
 Maintenance Comments: REPLACED BEARINGS, BRUSHES, HARDWARE AS REQUIRED. SKIM ??( UNREADABLE ) BALANCE ARMATURE ASSY. MPI DRIVESHAFT ASSY. OVERHAULED IAW AAP 7411.061-2M REISSUE 05OCT10. UNIT FOUND AT MOD C STATUS

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	700.0	AFHR	651.0		
SM	OH	700.0	AFHR	651.0		

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : 4876  
PART NO : 23081-026-D ~31435  
ENGINEERING NAME : STARTER GENERATOR  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

1PXXJ1517243	C COMPLETED	29FEB16 00:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	29FEB16 00:39	25FEB16 22:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		5517.0	AFHR
02 BAY SERVICE DUE				BS due on Serial 4876			
				STARTER GENERATOR at WAC 0130			
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:		BAY SERVICE C/O IAW AAP 7212.007-2			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	350.0	AFHR	118.5		
SM	BS	350.0	AFHR	118.5		

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

1PXXJ1605026	C COMPLETED	02MAR16 06:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	02MAR16 06:17	02MAR16 06:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		5517.0	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE		STARTER GEN RFA			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		CHECK/TEST SERV			

1PXXJ1614216	C COMPLETED	12JUL16 05:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	12JUL16 05:35	11JUL16 05:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		5681.7	AFHR
08 MOD/STI/DVI REQUIRED				STI-PC9-0620 due on Serial 4876			
				STARTER GENERATOR at WAC 0130			
01 NO FAULT		08 MOD/STI/DVI INCORP					
		Unserviceability Details:					
		Maintenance Comments:		STI-PC9-0620 C/O			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 01308  
08JAN20  
23:16:15

SERIAL/TAIL NO : 4876  
PART NO : 23081-026-D ~31435  
ENGINEERING NAME : STARTER GENERATOR  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJ1617519	C COMPLETED	18AUG16 06:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	19AUG16 03:35	18AUG16 06:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	5728.7	AFHR	
15 FAULT FINDING		32 DURING FAULT FINDING		START GEN POSSIBLY CAUSING HOT STARTS			
01 NO FAULT		19 SYSTEM INVESTIGATION					
		04 CHECK/TEST SERV					
		Unserviceability Details:		START/ GEN POSSIBLY CAUSING HOT STARTS			
		Maintenance Comments:		ITEM DECLARED SERVICEABLE - ENGINE HOT STARTING CAUSED BY ENGINE / FUEL FAULT			

A1PXXJ1604839	C COMPLETED	13DEC16 04:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	13DEC16 06:00	13DEC16 04:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	5728.7	AFHR	
02 BAY SERVICE DUE				BS due on Serial 4876			
				STARTER GENERATOR at WAC 0130			
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:		BAY SERVICE CARRIED OUT IAW AAP 7212.007-2 REF 591832-1-5#1			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	165.0	AFHR	211.7		
SM	BS	165.0	AFHR	211.7		

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJ1626282	C COMPLETED	11APR17 09:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	11APR17 09:53	11APR17 05:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	5893.5	AFHR	
02 BAY SERVICE DUE				BS due on Serial 4876			
				STARTER GENERATOR at WAC 0130			
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:		BAY SERV C/O IAW AAP7212.007-2			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 01309  
08JAN20  
23:16:15

SERIAL/TAIL NO : 4876  
PART NO : 23081-026-D ~31435  
ENGINEERING NAME : STARTER GENERATOR  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	165.0	AFHR	164.8		
SM	BS	165.0	AFHR	164.8		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJ1707518 C COMPLETED 11OCT17 23:28 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP NONC2CONT  
01MAR18 01:00 21SEP17 02:45 XXxxXXxx XXxxXXxxXXxxXXxx AIP 6058.3 AFHR  
02 BAY SERVICE DUE BS due on Serial 4876  
STARTER GENERATOR at WAC 0130

01 NO FAULT

06 BAY SERVICE

Unserviceability Details:  
Maintenance Comments:

OVERHAUL CARRIED OUT , INSPECTION PROCEDURE CARRIED OUT PER  
TASPO FORMAL ADVICE 04/2016 AS REQUESTED , MODIFICATION NO  
7411.061-102 28APR16 CARRIED OUT IAW SB23081-026-24-02 FEB  
12/16 MOD D , NEW BRUSH TYPE AND MODIFY AIR INLET REF ANZ ARC  
NO 50026607 DATE 15FEB18 AND REF AIRFLITE ARC NO ACS1711026  
OVERHAULED IAW AUSTRALIAN DEFENCE DEPARTMENT CONTRACT CAPO  
V310148 USING PUBLICATION AAP 7411.061-2M AL3 @ ANZ/AIP

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	165.0	AFHR	164.8		
SM	BS	165.0	AFHR	164.8		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

NONC2J1501740 C COMPLETED 12OCT17 01:00 XXxxXXxx XXxxXXxxXXxxXXxxXXxx NONC2CONT NONC2CONT  
01MAR18 01:00 08MAR18 06:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx NONC2CONT 6058.3 AFHR  
03 OVERHAUL DUE OH due on Serial 4876  
STARTER GENERATOR at WAC 0130

01 NO FAULT

07 OVERHAUL

Unserviceability Details:

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 4876  
 PART NO : 23081-026-D ~31435  
 ENGINEERING NAME : STARTER GENERATOR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

Maintenance Comments: DUE O/H REPALCED BEARINGS , BRUSHES , STATOR , HARDWARE DUE OH , MPI CRACK TESTED DRIVE SHAFT AND DAMPER ASSY , REPLACED DAMPENER PLATE DUE WEAR , SKIMMED AND REPLACED ARMATUE ; OVERHAUL CARRIED OUT , INSPECTION PROCEDURE CARRIED OUT PER TASPO FORMAL ADVICE 04/2016 AS REQUESTED , MODIFICATION NO 7411.061-102 28APR16 CARRIED OUT IAW SB23081-026-24-02 FEB 12/16 MOD D , NEW BRUSH TYPE AND MODIFY AIR INLET REF ANZ ARC NO 50026607 DATE 15FEB18 AND REF AIRFLITE ARC NO ACS1711026 OVERHAULED IAW AUSTRALIAN DEFENCE DEPARTMENT CONTRACT CAPO V310148 USING PUBLICATION AAP 7411.061-2M AL3 @ ANZ/AIP

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	700.0	AFHR	659.8		
SM	OH	700.0	AFHR	659.8		

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJ1614367 C COMPLETED 12OCT17 01:00 XXxxXXxx XXxxXXxxXXxxXXxxXXxx NONC2CONT NONC2CONT  
 01MAR18 01:00 08MAR18 06:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx NONC2CONT 6058.3 AFHR  
 08 MOD/STI/DVI REQUIRED 7411.061-102 due on Serial 4876  
 STARTER GENERATOR at WAC 0130  
 01 NO FAULT 08 MOD/STI/DVI INCORP

Unserviceability Details:  
 Maintenance Comments:

MOD INC IAW AAP 7411.061-102 26APR16 C/O IAW SB23081-026-24-02 FEB 12/16 MOD D REF ANZ ARC NO 50026607 DATE 15FEB18 & AIP ARC NO ACS1711026 @ ANZ/AIP



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01311  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 4876  
 PART NO : 23081-026-D ~31435  
 ENGINEERING NAME : STARTER GENERATOR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

1PXXJ1817079 C COMPLETED 17OCT18 00:52 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 17OCT18 00:52 17OCT18 00:52 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 6129.0 AFHR  
 13 REMOVED FOR ACCESS 99 NO FAILURE STARTER GENERATOR RFA (ENGINE REMOVAL)

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

NONC2J1800681 C COMPLETED 27NOV18 23:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 28NOV18 05:02 27NOV18 23:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 6129.0 AFHR  
 02 BAY SERVICE DUE BS due on Serial 4876  
 STARTER GENERATOR at WAC 0130

01 NO FAULT 06 BAY SERVICE  
 Unserviceability Details:  
 Maintenance Comments: BAY SERV C/O IAW AAP7212.007-2 BRUSH LIFE 300+ HRS

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	165.0	AFHR	70.7		
SM	BS	165.0	AFHR	70.7		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

1PXXJ1901985 C COMPLETED 06FEB19 01:00 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 06FEB19 01:00 06FEB19 01:00 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 6204.7 AFHR  
 13 REMOVED FOR ACCESS 99 NO FAILURE STARTER GEN REMOVED FOR AE ACCESS

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01312  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 4876  
 PART NO : 23081-026-D ~31435  
 ENGINEERING NAME : STARTER GENERATOR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A23DSJ1900238 C COMPLETED 04JUN19 06:15 XXxxXXxx XXxxXXxxXXxxXXxxXXxx A23DISP AIP  
 10JUN19 23:58 04JUN19 06:15 XXxxXXxx XXxxXXxxXXxxXXxxXXxx A23DISP 6289.5 AFHR  
 13 REMOVED FOR ACCESS 99 NO FAILURE STARTER GENERATOR REMOVED FOR SPARE PARTS

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: BS CO IAW AAP 7212.007-2

A1PXXJ1820404 C COMPLETED 10JUN19 23:00 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 10JUN19 23:03 10JUN19 23:00 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 6289.5 AFHR  
 02 BAY SERVICE DUE BS due on Serial 4876  
 STARTER GENERATOR at WAC 0130

01 NO FAULT 06 BAY SERVICE  
 Unserviceability Details:  
 Maintenance Comments: BS C/O SERV IAW 7212-007-2

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	165.0	AFHR	160.5		
SM	BS	165.0	AFHR	160.5		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJ1909680 C COMPLETED 20SEP19 02:36 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 22SEP19 23:31 19SEP19 00:44 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 6387.8 AFHR  
 02 BAY SERVICE DUE BS due on Serial 4876  
 STARTER GENERATOR at WAC 0130

01 NO FAULT 06 BAY SERVICE  
 Unserviceability Details:  
 Maintenance Comments: BS C/O SERV IAW 7212-007-2

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 01313  
08JAN20  
23:16:15

SERIAL/TAIL NO : 4876  
PART NO : 23081-026-D  
ENGINEERING NAME : STARTER GENERATOR  
VENUE : A23DISP LOCATION : A23-033

~31435

PERIOD: 01JAN90 TO 08JAN20

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
=====	=====	=====	=====	=====	=====	=====
SM	BS	165.0	AFHR	98.3		
SM	BS	165.0	AFHR	98.3		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01314  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 4876  
 PART NO : 23081-026-D ~31435  
 ENGINEERING NAME : STARTER GENERATOR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MODIFICATION ORDERS INCORPORATION STATUS CHANGE									
MOD NUMBER	CURRENT(Y/N)	STATUS	DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW		
7411.061-101	N		18JUN02 00:00	NINC					
7411.061-101	Y		20APR04	INC	MANUAL				NOT REC.
7411.061-102	N		05JUL16 05:20	NINC					
7411.061-102	Y		08MAR18 06:56	INC	A1PXXJ1614367	12OCT17 01:00	6058.3		AFHR

STI STATUS CHANGE									
STI NUMBER	CURRENT(Y/N)	STATUS	DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW		
STI-PC9-0620	N		31MAY16 22:42	NINC					
STI-PC9-0620	Y		12JUL16 05:35	INC	A1PXXJ1614216	12JUL16 05:31	5681.7		AFHR

MAINTENANCE POLICY HISTORY										
POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	CHANGE DETAILS				USER ID			
03NOV15 13:22	SM	BS	DL D Changed From: 30APR1990 To:				XXxxXXxx			
08MAR18 07:34	SM	BS	Claimed By Activity: OH US/Job: N0NC2J1501740				XXxxXXxx	Serial: 4876	Part: 23081-026-D	~31435

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 01315  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 488  
 PART NO : A16AE0200 ~F6184  
 ENGINEERING NAME : VALVE ANTI-G  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 7362.8 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T CHANGE TYPE		LIFE SINCE NEW		SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
=====		=====		=====	=====	=====	=====	=====
01SEP03	10:01	Maintenance Comment	0.0	3.0	02Dec98	OVERHAULED AND TESTED BY LAS		
			AFHR			CMM LOG00001		XXXXXXxx
01SEP03	10:01	Maintenance Comment	0.0	3.0	19Oct00	XLOC 00. 1771.1	0.0	AFHR UPDATED LIFE (MIRE)
			AFHR			CMM LOG00003		XXXXXXxx
01SEP03	10:07	Maintenance Comment	0.0	3.0	27Nov90	NEW - 488 A16AE0200	1834-00-00-K	
			AFHR			CMM LOG00005		XXXXXXxx
01SEP03	10:07	Maintenance Comment	0.0	3.0	29Aug03	A23-033 07.30 2587.9	AFHR TX TO CMM2	
			AFHR			CMM LOG00006		XXXXXXxx
01SEP03	10:10	Maintenance Comment	0.0	3.0	19Oct00	XLOC 00. 1771.1	0.0	AFHR RECEPTION (MIRE)
			AFHR			CMM LOG00002		XXXXXXxx
01SEP03	10:16	Maintenance Comment	0.0	3.0	14Mar01	A23-033 07.30 1771.1	0.0	AFHR IN AS A23T 1834-00-00-K
			AFHR			CMM LOG00004		XXXXXXxx
07JUN17	06:17	Position Change		5030.9	A23T	A1UEW 00		
					A23T	A1UEW 00		
		6732.4	AFHR		A1PXXX1709028			XXXXXXxx
		Maintenance Comment		0.0		POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE		

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 01316  
08JAN20  
23:16:15

SERIAL/TAIL NO : 488  
PART NO : A16AE0200 ~F6184  
ENGINEERING NAME : VALVE ANTI-G  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

STI STATUS CHANGE -----

STI NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
=====	=====	=====	=====	=====	=====	=====
STI-PC9-0033	Y	19OCT00 00:00	N/A			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01317  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 505  
 PART NO : 532.10.09.076 ~S4080  
 ENGINEERING NAME : STRUT SHOCK MLG R/H  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 12821.0 LDG  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T CHANGE TYPE		LIFE SINCE NEW		SPAN(DYS) FROM		TO (OPTIONAL)		TRANS REFERENCE		USER	
=====		=====		=====		=====		=====		=====	
30AUG03	11:22	Maintenance Comment	0.0	LDG	1.1	29Nov99	A23-031	10.5	5186.0	5186.0	LDG 13-REMACCES PU99674
											XXXXXXxx
30AUG03	11:22	Maintenance Comment	0.0	LDG	1.1	INSPECTION AFTER GRINDING ACTION WAS					
											XXXXXXxx
30AUG03	11:22	Maintenance Comment	0.0	LDG	1.1	06May03	AIENDI		FF: 01-NIL		MA: 08-MOD/STI
											XXXXXXxx
30AUG03	11:22	Maintenance Comment	0.0	LDG	1.1	29Aug03	AIEMMI	00.	6962	LDG	TX TO CAMM2
											XXXXXXxx
30AUG03	11:23	Maintenance Comment	0.0	LDG	1.1	08Dec99	AIENDI		FF: 01-NIL		MA: 08-MOD/STI
											XXXXXXxx
30AUG03	11:23	Maintenance Comment	0.0	LDG	1.1	STI-PC9-238A INC.					
											XXXXXXxx
30AUG03	11:24	Maintenance Comment	0.0	LDG	1.1	21Dec99	A23-051	10.50	5186	5186	LDG IN AS A23T 1151-00-00-A
											XXXXXXxx
30AUG03	11:24	Maintenance Comment	0.0	LDG	1.1	CARRIED OUT.					
											XXXXXXxx
30AUG03	11:24	Maintenance Comment	0.0	LDG	1.1	NIL DISCONTINUITIES EVIDENT.					
											XXXXXXxx
30AUG03	11:24	Maintenance Comment	0.0	LDG	1.1	26May00	STI-PC9-238B				STI STATUS NOW NINC
											XXXXXXxx
30AUG03	11:24	Maintenance Comment	0.0	LDG	1.1	10Oct89	NEW - 505		532.10.09.046		1151-00-00-A
											XXXXXXxx
30AUG03	11:25	Maintenance Comment	0.0	LDG	1.1	STI-PC9-238B INC					
											XXXXXXxx
30AUG03	11:28	Maintenance Comment	0.0	LDG	1.1	29May00	A23-051	10.50	5423	5423	LDG IN AS A23T 1151-00-00-A
											XXXXXXxx
30AUG03	11:28	Maintenance Comment	0.0	LDG	1.1	10Oct89		0	LDG	LST OH	8000 LDG NXT OH
											XXXXXXxx
30AUG03	11:28	Maintenance Comment	0.0	LDG	1.1	21Aug00	STI-PC9-0246				STI STATUS NOW INC
											XXXXXXxx
30AUG03	11:28	Maintenance Comment	0.0	LDG	1.1	19Mar03	STI-PC9-238B				STI STATUS NOW RINC
											XXXXXXxx
30AUG03	11:29	Maintenance Comment	0.0	LDG	1.1	26May00	AIENDI		FF: 01-NIL		MA: 08-MOD/STI
											XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01318  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 505  
 PART NO : 532.10.09.076 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : STRUT SHOCK MLG R/H  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
					TO (OPTIONAL)	TRANS REFERENCE	
					LIFE SINCE NEW		
30AUG03	11:29	Maintenance	Comment	1.1	20Jan03	A23-051 10.50 6962 6962	LDG 08-MOD/STI RY39925
		0.0	LDG			CAMM LOG00024	XXXXXXxx
30AUG03	11:30	Maintenance	Comment	1.1	STI-PC9-238A	T.B.C.O.	
		0.0	LDG			CAMM LOG00005	XXXXXXxx
30AUG03	11:30	Maintenance	Comment	1.1	25May00	A23-051 10.50 5423 5423	LDG 08-MOD/STI RW04818
		0.0	LDG			CAMM LOG00015	XXXXXXxx
30AUG03	11:30	Maintenance	Comment	1.1	29Nov99	077PC9MI FF. 01-NIL MA. 04	-CHK/TST
		0.0	LDG			CAMM LOG00003	XXXXXXxx
30AUG03	11:31	Maintenance	Comment	1.1	08Dec99	STI-PC9-238A	STI STATUS NOW INC
		0.0	LDG			CAMM LOG00006	XXXXXXxx
30AUG03	11:31	Maintenance	Comment	1.1	20Apr01	STI-PC9-0252	STI STATUS NOW INC
		0.0	LDG			CAMM LOG00023	XXXXXXxx
30AUG03	11:31	Maintenance	Comment	1.1	08Dec99	STI-PC9-238B	STI STATUS NOW NA
		0.0	LDG			CAMM LOG00013	XXXXXXxx
30AUG03	11:32	Maintenance	Comment	1.1	STI-PC9-238C	C.O.	
		0.0	LDG			CAMM LOG00017	XXXXXXxx
30AUG03	11:33	Maintenance	Comment	1.1	03Dec99	XLOC 00. 5186 5186	LDG RECEPTION (MIRE)
		0.0	LDG			CAMM LOG00001	XXXXXXxx
30AUG03	11:36	Maintenance	Comment	1.1	08Dec99	NIL DISCONTINUITIES EVIDENT AT SECOND	
		0.0	LDG			CAMM LOG00007	XXXXXXxx
30AUG03	11:36	Maintenance	Comment	1.1	03Dec99	AIEMMI 00. 5186 5186	LDG 08-MOD/STI RW90623
		0.0	LDG			CAMM LOG00004	XXXXXXxx
30AUG03	11:36	Maintenance	Comment	1.1	08Dec99	AIRFLITE ASSESTS PREVIOUS WELDS CARRIED OUT	
		0.0	LDG			CAMM LOG00012	XXXXXXxx
30AUG03	11:39	Maintenance	Comment	1.1	26May00	STI-PC9-238C	STI STATUS NOW NA
		0.0	LDG			CAMM LOG00019	XXXXXXxx
18SEP03	03:15	Change	Location of an Asse	135.1	MMI		
		6962.0	LDG			EQUIP_STORE	
20JUL04	06:19	Change	Part Number of an A	325.9	532.10.09.046		XXXXXXxx
		6962.0	LDG			532.10.09.046	~\$\$\$\$
						532.10.09.046	~Z0034
						A1EXXXY405452	XXXXXXxx



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01319  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 505  
 PART NO : 532.10.09.076 ~S4080  
 ENGINEERING NAME : STRUT SHOCK MLG R/H  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
20JUL04 06:23	Asset Installation	325.9	A23T A2KEC 147 A23-027	00 A23T A2KEC 00AC XXXXXXXX
	6962.0 LDG Change Serviceability Stat	441.2	SERV S/I	
	Change Location of an Asse	306.1	EQUIP_STORE A23-027	
14SEP06 06:06	Change Serviceability Stat	3.2	S/I US/I	XXXXXXXX
	7872.0 LDG Asset Removal	785.9	A1EXXJY306128 147 A23-027	A23T A2KEC 00A
	7872.0 LDG Change Serviceability Stat	0.0	A23T A2KEC	XXXXXXXX
	Change Location of an Asse	785.9	US/I U/S A23-027	
21SEP06 05:48	Change Venue of an Asset	1118.8	EQUIP_STORE AIE NONC2CONT	
	7872.0 LDG Change Location of an Asse	6.9	A1EXXYY605692 EQUIP_STORE	XXXXXXXX
18OCT06 01:09	Change Venue of an Asset	26.8	HOLD NONC2CONT	
	7872.0 LDG Change Location of an Asse	26.8	AIP NONC2XY610068	XXXXXXXX
07JUL08 09:28	Change Venue of an Asset	628.3	HOLD JANDAKOT AIP NONC2CONT	
	7872.0 LDG Change Location of an Asse	628.3	A1PXXXY806041 JANDAKOT HOLD	XXXXXXXX

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01320  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 505  
 PART NO : 532.10.09.076 ~S4080  
 ENGINEERING NAME : STRUT SHOCK MLG R/H  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
12AUG08 01:35	Change Venue of an Asset	35.6	NONC2CONT ARDU	
	7872.0 LDG Change Location of an Asse	35.6	NONC2XY808649 HOLD	XXxxXXxx
13AUG08 01:10	Change Serviceability Stat	698.7	HOLD U/S	
	7872.0 LDG		SERV	XXxxXXxx
13AUG08 01:15	Asset Installation	698.7	A23T A2KEC	
	7872.0 LDG Change Serviceability Stat	0.0	055 A23-007	A23T A2KEC 00AC
	Change Location of an Asse	0.9	SERV S/I	
13AUG08 01:37	Change Part Number of an A	1484.8	HOLD A23-007	
	7872.0 LDG		532.10.09.046 532.10.09.076	~Z0034 ~S4080
03MAY10 06:15	Asset Removal	628.2	055 A23-007	XXxxXXxx
	8878.0 LDG Change Serviceability Stat	19.1	A23T A2KEC	A23T A2KEC 00A
	Change Location of an Asse	4.0	S/I U/S	XXxxXXxx
03MAY10 06:35	Change Serviceability Stat	0.0	A23-007 AIRFRAME	
	8878.0 LDG		U/S SERV	XXxxXXxx
05MAY10 02:36	Asset Installation	1.8	A23T A2KEC	
	8878.0 LDG Change Serviceability Stat	1.8	055 A23-007	A23T A2KEC 00AC
	Change Location of an Asse	1.8	SERV S/I	
			AIRFRAME A23-007	RSERV

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01321  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 505  
 PART NO : 532.10.09.076 ~S4080  
 ENGINEERING NAME : STRUT SHOCK MLG R/H  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW			TO (OPTIONAL)				USER
=====			=====				=====
01NOV13	00:33	Asset Removal	1275.9	055	A23T	A23-007	A23T A2KEC 00A
		10625.0 LDG					XXXXXXxx
		Change Serviceability Stat	9.8	S/I			
		Change Location of an Asse	8.8	U/S			
12NOV13	00:10	Change Serviceability Stat	10.9	A23-007	AIRFRAME	RSERV	
		10625.0 LDG		U/S			XXXXXXxx
08JAN14	23:57	Asset Installation	68.9	055	A23T	A23-007	A23T A2KEC 00AC
		10625.0 LDG					XXXXXXxx
		Change Serviceability Stat	57.9	SERV			
		Change Location of an Asse	68.9	S/I		RSERV	
09SEP15	06:07	Asset Removal	608.2	A23-007	AIRFRAME		
		10972.0 LDG		055	A23T	055	A23T A2KEC 00M
		Change Serviceability Stat	320.0	A23T	A2KEC	00	XXXXXXxx
09SEP15	06:08	Change Serviceability Stat	0.0	S/I			
		10972.0 LDG		U/S			XXXXXXxx
14SEP15	00:44	Asset Installation	4.7	087	A23T	087	A23T A2KEC 00MMI
		10972.0 LDG					XXXXXXxx
		Change Serviceability Stat	4.7	SERV			
				S/I			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01322  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 505  
 PART NO : 532.10.09.076 ~S4080  
 ENGINEERING NAME : STRUT SHOCK MLG R/H  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
05NOV15 06:01	Asset Removal	52.2	087 A23T A2KEC A23-007 00	A23T A2KEC 00A
	10972.0 LDG Change Serviceability Stat	52.2	S/I U/S	XXXXXXxx
	Change Location of an Asse	27.0	A23-007 STORES	
09NOV15 01:10	Change Venue of an Asset	375.9	AIP NONC2CONT	
	10972.0 LDG Change Location of an Asse	3.7	A1PXXX1510475 STORES	XXXXXXxx
04APR16 01:15	Change Serviceability Stat	150.8	HOLD U/S SERV	
	10972.0 LDG Change Venue of an Asset	156.9	NONC2CONT AIP	XXXXXXxx
13APR16 23:00	Maintenance Comment	0.0	NONC2X1604076	XXXXXXxx
	Change Location of an Asse	156.9	REPAIRED ON 04APR16. MOVED TO AIP	
15APR16 00:53	Asset Installation	161.7	HOLD STORES A23T A2KEC A23-033 00	A23T A2KEC 00AC
	10972.0 LDG Change Serviceability Stat	10.9	027 SERV S/I	XXXXXXxx
	Change Location of an Asse	1.0	STORES A23-033	
21SEP16 23:07	Change Part Number of an A		NO PARENT TRANSACTION DETAILS	
30MAR17 05:42	Maintenance Comment	0.0	MPAN 038/2016 INC'D AS PER OID: AK13171161	
	Change Serviceability Stat	125.0	S/I US/I	
	11624.0 LDG		A1PXXJ1619878	XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01323  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 505  
 PART NO : 532.10.09.076  
 ENGINEERING NAME : STRUT SHOCK MLG R/H  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
04MAY17 04:44	Asset Removal	384.1	027 A23T A2KEC A23-033	A23T A2KEC 00A
	11624.0 LDG Change Serviceability Stat	34.9	US/I U/S	XXXXXXxx
	Change Location of an Asse	384.1	A23-033 INTMH	
12MAY17 02:46	Change Serviceability Stat	7.9	U/S SERV	XXXXXXxx
12MAY17 02:50	Asset Installation	7.9	A23T A2KEC A23-033	A23T A2KEC 00AC
	11624.0 LDG Change Serviceability Stat	0.0	SERV S/I	XXXXXXxx
	Change Location of an Asse	7.9	INTMH A23-033	
22MAR18 03:20	Asset Removal	314.0	027 A23T A2KEC A23-033	A23T A2KEC 00A
	11957.0 LDG Change Serviceability Stat	140.0	S/I U/S	XXXXXXxx
	Change Location of an Asse	314.0	A23-033 HG122	
22MAR18 03:21	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
28MAR18 06:09	Asset Installation	6.1	A23T A2KEC A23-033	A23T A2KEC 00AC
	11957.0 LDG Change Serviceability Stat	6.1	SERV S/I	XXXXXXxx
	Change Location of an Asse	6.1	HG122 A23-033	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01324  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 505  
 PART NO : 532.10.09.076 ~S4080  
 ENGINEERING NAME : STRUT SHOCK MLG R/H  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

AIEXXJY306128 C COMPLETED 14SEP06 06:07 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE ARDU  
 13AUG08 01:30 7872.0 LDG  
 08 MOD/STI/DVI REQUIRED 7293.220-102 due on Serial 505  
 STRUT SHOCK MLG RH at WAC 1050  
 01 NO FAULT 08 MOD/STI/DVI INCORP  
 Unserviceability Details:  
 Maintenance Comments: MOD 7293.220-102 INCORPORATED  
 UNABLE TO CERIFY WITH CORRECT DTG DUE TO VENUE CHANGES  
 SERVICE CARRIED OUT BY AIRFLITE AT 220300ZFEB07

AIEXXJ311511X C COMPLETED 14SEP06 06:07 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE ARDU  
 13AUG08 01:30 7872.0 LDG  
 03 OVERHAUL DUE OH due on Serial 505  
 STRUT SHOCK MLG RH at WAC 1050  
 01 NO FAULT 07 OVERHAUL  
 Unserviceability Details:  
 Maintenance Comments: OVERHAUL C/O IAW AAP7293.220-3M REF COMM 33/06  
 UNABLE TO CERTIFY WITH CORRECT DTG DUE TO VENUW CHANGES  
 SERVICED BY AIRFLITE AT 252200ZFEB07

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	8000.0	LDG	7872.0		
SM	OH	8000.0	LDG	7872.0		

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 01325  
08JAN20  
23:16:15

SERIAL/TAIL NO : 505  
PART NO : 532.10.09.076 ~S4080  
ENGINEERING NAME : STRUT SHOCK MLG R/H  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1EXXJ1002479	C COMPLETED	03MAY10 06:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
13 REMOVED FOR ACCESS	03MAY10 06:35	03MAY10 06:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	8878.0	LDG
01 NO FAULT	99 NO FAILURE			S29	due on Serial A23-007		
	04 CHECK/TEST SERV			PC-9	at WAC 0000		
Unserviceability Details:							
Maintenance Comments: CHECK/TEST SERV							
A1EXXJ1306102	C COMPLETED	01NOV13 00:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
13 REMOVED FOR ACCESS	12NOV13 00:10	01NOV13 00:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	10625.0	LDG
01 NO FAULT	99 NO FAILURE			S29	due on Serial A23-007		
	04 CHECK/TEST SERV			PC-9	at WAC 0000		
Unserviceability Details:							
Maintenance Comments: S29 CARRIED OUT SERV REFER SNOW 466828-3-2-1-2-6							
A1PXXJ1513963	C COMPLETED	09SEP15 06:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	09SEP15 06:08	09SEP15 06:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	10972.0	LDG
01 NO FAULT	99 NO FAILURE				RH MLG SHOCK STRUT ASSY, INC ATTACHED BRAKE UNIT, BRAKE HOSE, OUTBOARD MLG DOOR ROD REMOVED TO SERV NEW WING ASSY S/N 087. X-REF WING REC'S PACK AIP MCS 357/15 SHT 13/03.		
Unserviceability Details:							
Maintenance Comments: CHECK/TEST SERV							
A1PXXJ1517433	C COMPLETED	05NOV15 06:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	NONC2CONT	
01 UNSERVICEABLE	04APR16 01:15	05NOV15 06:02	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	10972.0	LDG
15 EXPECTED DETERIORATION	09 R2 SERVICING				R/H MLG SHOCK STRUT HYD LEAKING.		
	09 LEAKING						
	02 REPAIR						
Unserviceability Details:							
Maintenance Comments: HYD LEAKING FROM THE PISTON.							
Maintenance Comments: SEAL UNIT REPLACED, TESTED AND FOUND SERV IAW AAP 7293.220-3M REF JSF/19/16							
A1PXXJ1619878	C COMPLETED	04MAY17 04:44	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
08 MOD/STI/DVI REQUIRED	12MAY17 02:46	30MAR17 05:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	11624.0	LDG
01 NO FAULT	08 MOD/STI/DVI INCORP			STI-PC9-632A	due on Serial 505		
				STRUT SHOCK MLG RH	at WAC 1050		
Unserviceability Details:							

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 505  
PART NO : 532.10.09.076 ~S4080  
ENGINEERING NAME : STRUT SHOCK MLG R/H  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

Maintenance Comments: STI-PC9-632A CARRIED OUT. REF AIP MCS 1047/16 FOR CERTIFICATION DETAILS. REF AIP/NDT/GENERAL/628 FOR NDT REPORT

A1PXXJ1804961	C COMPLETED	22MAR18 03:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	22MAR18 03:21	22MAR18 03:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	11957.0	LDG
13	REMOVED FOR ACCESS	99 NO FAILURE		RH MLG STRUT ASSY RFA (S29).			
01	NO FAULT	04 CHECK/TEST SERV					

Unserviceability Details:

Maintenance Comments: CHECK/TEST SERV



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01327  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 505  
 PART NO : 532.10.09.076 ~S4080  
 ENGINEERING NAME : STRUT SHOCK MLG R/H  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MOD NUMBER	CURRENT (Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
7293.220-101	Y	13NOV00 00:00	N/A			
7293.220-102	N	13NOV00 00:00	NINC			
7293.220-102	Y	25FEB07	INC	AIEXXJY306128	14SEP06 06:07	7872.0 LDG

STI NUMBER	CURRENT (Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
STI-PC9-0082	Y	03DEC99 00:00	N/A			
STI-PC9-0194	Y	02MAR99 00:00	INC			
STI-PC9-0246	Y	21AUG00 00:00	INC			
STI-PC9-0252	Y	20APR01 00:00	INC			
STI-PC9-0630	N	23AUG16 01:02	NINC			
STI-PC9-0630	Y	23SEP16 07:47	N/A			
STI-PC9-236A	Y	03DEC99 00:00	N/A			
STI-PC9-236B	Y	03DEC99 00:00	N/A			
STI-PC9-236C	Y	03DEC99 00:00	N/A			
STI-PC9-238A	Y	08DEC99 00:00	INC			
STI-PC9-238B	N	19MAR03 00:00	RINC			
STI-PC9-238B	Y	25SEP13 00:00	N/A			
STI-PC9-238B	N	25SEP13 00:00	NINC			
STI-PC9-238C	Y	26MAY00 00:00	N/A			
STI-PC9-632A	N	21SEP16 23:07	NINC			
STI-PC9-632A	Y	12MAY17 02:45	INC	AlPXXJ1619878	04MAY17 04:44	11624.0 LDG
STI-PC9-632B	N	21SEP16 23:07	NINC			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 01328  
08JAN20  
23:16:15

SERIAL/TAIL NO : 505  
PART NO : 532.10.09.076 ~S4080  
ENGINEERING NAME : STRUT SHOCK MLG R/H  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

STI STATUS CHANGE -----

STI NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
STI-PC9-632B	Y	22SEP16 00:00	N/A			

MAINTENANCE POLICY HISTORY -----

POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	USER ID
13AUG08 01:45	SM DLD Changed From:	OH 13AUG2008	XXxxXXxx
05OCT17 08:57	SM DLD Changed From:	NDT 10OCT1989	XXxxXXxx
05OCT17 08:57	SM LLD Changed From:	NDT 0.0 LDG	XXxxXXxx
		To: 04MAY2017	
		To: 11624.0 LDG	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01329  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 507  
 PART NO : 532.20.09.130 ~Z4208  
 ENGINEERING NAME : STRUT SHOCK NLG  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 13439.0 LDG  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
				LIFE SINCE NEW				
30AUG03	12:43	Maintenance Comment		1.1	17Jun03	7020 LDG	LST OH 15020 LDG	NXT OH XXXXXXxx
30AUG03	12:43	Maintenance Comment	LDG	1.1	29Aug03	A23-027 05.00	7099 LDG TX TO CAMM2	XXXXXXxx
30AUG03	12:44	Maintenance Comment	LDG	1.1	15Mar90	NEW - 507	532.20.09.130 1125-00-00-H	XXXXXXxx
30AUG03	12:50	Maintenance Comment	LDG	1.1		LAST OH DONE: OLD =	LDG NEW = 7020 LDG	XXXXXXxx
30AUG03	12:51	Maintenance Comment	LDG	1.1		OH IAW AAP 7293.221-3M		XXXXXXxx
30AUG03	12:52	Maintenance Comment	LDG	1.1	24Jun03	XLOC 00. 7020	0 LDG RECEPTION (MIRE)	XXXXXXxx
30AUG03	12:53	Maintenance Comment	LDG	1.1		NOSEWHEEL SHIMMY DOWN TO 50KTS		XXXXXXxx
30AUG03	12:58	Maintenance Comment	LDG	1.1		LAST OH DONE: OLD =	NEW = 17JUN03	XXXXXXxx
30AUG03	12:58	Maintenance Comment	LDG	1.1		NEXT OH1 DUE: OLD = 8000 LDG	NEW = 15020 LDG	XXXXXXxx
30AUG03	12:58	Maintenance Comment	LDG	1.1	17Jun03	DAB 00. 7020.0	0.0 LDG 07-OVERHAUL	XXXXXXxx
30AUG03	13:00	Maintenance Comment	LDG	1.1	20Jun01	A23-057 05.00	7020.0 7020.0 LDG 01-FAILED RX14792	XXXXXXxx
30AUG03	13:00	Maintenance Comment	LDG	1.1	07Aug03	A23-027 05.00	7020 0 LDG IN AS A23T 1125-00-00-H	XXXXXXxx
09JUN08	23:16	Change Part Number of an A		1746.6	532.20.09.130		~\$\$\$\$\$	
			LDG		532.20.09.130		~Z4208	
		9238.0	LDG		A1EXXXY802347			XXXXXXxx
31JAN10	23:52	Maintenance Comment		0.0		DATA INTEGRITY CORRECTION		
		Position Change		2347.6	A23T	A18	00	
			LDG		A23T	A18	00	
		10293.0	LDG		A1EXXX1000726			XXXXXXxx
14JUL14	21:19	Position Change		3972.5	A23T	A18	00	
			LDG		A23T	A18	00	
		11124.0	LDG		A1EXXX1402510			XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01330  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 507  
 PART NO : 532.20.09.130 ~Z4208  
 ENGINEERING NAME : STRUT SHOCK NLG  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
06FEB18 06:53	Change Serviceability Stat		0.2	S/I US/I	
12FEB18 07:38	Asset Removal	12575.0 LDG	5280.9	A1EXXJ1707259 A23-027 A23T A18	XXxxXXxx A23T A18
	Change Serviceability Stat	12575.0 LDG	6.0	US/I	XXxxXXxx
	Change Location of an Asse		11.4	U/S A23-027 HG122	
04APR18 23:00	Change Serviceability Stat		51.6	U/S SERV	
18MAY18 03:22	Asset Installation	12575.0 LDG	94.8	A23T A18 A23-033	XXxxXXxx
	Change Serviceability Stat	12575.0 LDG	43.1	SERV	XXxxXXxx
	Change Location of an Asse		94.8	S/I HG122 A23-033	

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS		UNSERVICEABILITY DETAILS			
MAINT PROCESS	UNSERVICEABILITY	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			
FAULT FOUND	MAINTENANCE ACTION TAKEN						
AIEXXJCA01752	C COMPLETED	17JUN03 00:00	XXxxXXxx		AIE		0.0
03 OVERHAUL DUE	17JUN03 00:00						

Unserviceability Details:  
 Maintenance Comments:

A1EXXJ1707259	C COMPLETED	12FEB18 07:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	12575.0 LDG
08 MOD/STI/DVI REQUIRED	04APR18 23:00	06FEB18 06:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		
				STI-PC9-0661	due on Serial 507		
01 NO FAULT		08 MOD/STI/DVI INCORP		STRUT SHOCK NLG	at WAC 0500		

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 507  
PART NO : 532.20.09.130 ~Z4208  
ENGINEERING NAME : STRUT SHOCK NLG  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

Unserviceability Details:

Maintenance Comments: STI-PC9-0661 INCORPORATED, MINOR CRACK DETECTED AND REPAIR CARRIED OUT IAW AAP 7293.221.3M. NIL CRACK DETECTED DURING FINAL NDT , REFER AIP/NDT/GENERAL/845, 846 AND 870. REF:AIP MCS 190/18

A1PXXJ1802618	C COMPLETED	12FEB18 07:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	12FEB18 07:38	12FEB18 07:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	12575.0	LDG
13	REMOVED FOR ACCESS	99 NO FAILURE			NLG SHOCK STRUT SN 507 REMOVED FOR STI-PC9-0661		

01 NO FAULT 04 CHECK/TEST SERV

Unserviceability Details:

Maintenance Comments: CHECK/TEST SERV

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01332  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 507  
 PART NO : 532.20.09.130 ~Z4208  
 ENGINEERING NAME : STRUT SHOCK NLG  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MODIFICATION ORDERS INCORPORATION STATUS CHANGE						
MOD NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
7293.221-101	Y	21FEB00 00:00	N/A			

STI STATUS CHANGE						
STI NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
STI-PC9-0155	Y	24JUN03 00:00	N/A			
STI-PC9-0194	Y	24JUN03 00:00	N/A			
STI-PC9-0294	Y	17JUN03 00:00	INC			
STI-PC9-0661	N	13DEC17 20:50	NINC			
STI-PC9-0661	Y	04APR18 22:56	INC	A1EXXJ1707259	12FEB18 07:38	12575.0 LDG
STI-PC9-0669	N	03APR18 08:45	NINC			
STI-PC9-0669	Y	05APR18 00:00	N/A			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01333  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 5101  
 PART NO : 066-3060-01 ~22373  
 ENGINEERING NAME : INDICATOR KNI 582  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 7001.3 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
01SEP03	19:29	Maintenance	Comment	0.0 AFHR	3.4			CLIP. REFITTED GLASS AND TESTED CAMM LOG00007	XXxxXXxx
01SEP03	19:29	Maintenance	Comment	0.0 AFHR	3.4	24Jun98	A23-042 07.3	2439.2 0.0 AFHR	IN AS A23T 2575-00-00-K XXxxXXxx
01SEP03	19:35	Maintenance	Comment	0.0 AFHR	3.4	23May97	REPAIR CARRIED OUT BY AIRNZ CAMM LOG00003		XXxxXXxx
01SEP03	19:35	Maintenance	Comment	0.0 AFHR	3.4	11Jun97	PEAX?CON FF: 08-DAMAGE CAMM LOG00005		MA: 02-REPAIR XXxxXXxx
01SEP03	19:35	Maintenance	Comment	0.0 AFHR	3.4	30Apr98	2FTMMIST 00. 2439.2	0.0 AFHR	UPDATED LIFE (MPMI) XXxxXXxx
01SEP03	19:36	Maintenance	Comment	0.0 AFHR	3.4		FRONT GLASS LENS LOOSE CAMM LOG00001		XXxxXXxx
01SEP03	19:36	Maintenance	Comment	0.0 AFHR	3.4	29Aug03	A23-042 07.30 4387.6 AFHR	TX TO CAMM2	XXxxXXxx
01SEP03	19:37	Maintenance	Comment	0.0 AFHR	3.4	30Apr97	DISPATCHED TO PEAX?CON CAMM LOG00002		XXxxXXxx
01SEP03	19:37	Maintenance	Comment	0.0 AFHR	3.4	24Apr98	2FTMMIST 00. 2439.2	0.0 AFHR	UPDATED LIFE (MILX) XXxxXXxx
01SEP03	19:37	Maintenance	Comment	0.0 AFHR	3.4	27Jun89	NEW - 5101 066-3060-01	2575-00-00-K	XXxxXXxx
01SEP03	19:37	Maintenance	Comment	0.0 AFHR	3.4	25Jun97	DISPATCHED TO PEAX?CON CAMM LOG00004		XXxxXXxx
01SEP03	19:44	Maintenance	Comment	0.0 AFHR	3.4		FOUND GLASS HAD BEEN PUSHED PAST RETAINING CAMM LOG00006		XXxxXXxx
05MAR08	22:19	Asset Removal		5911.0 AFHR	1650.5	542	A23-042	A23T A1UDU 00	A1UDU 00A XXxxXXxx
		Change Serviceability Stat			14.8	S/I			
		Change Location of an Asse			xxxx	U/S	A23-042		
10MAR08	22:22	Change Location of an Asse		5911.0 AFHR	5.0	EXTERNAL			
						JANDAKOT			
						A1PXXXY801838			XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01334  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 5101  
 PART NO : 066-3060-01 ~22373  
 ENGINEERING NAME : INDICATOR KNI 582  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
07JUL08 06:03	Change Venue of an Asset	1773.9	AIP NONC2CONT	
	5911.0 AFHR		A1PXXXY806041	XXxxXXxx
	Change Location of an Asse	118.3	JANDAKOT	
03FEB10 14:00	Change Serviceability Stat	699.6	HOLD U/S SERV	
	5911.0 AFHR			XXxxXXxx
09APR10 01:02	Change Venue of an Asset	640.7	NONC2CONT AIP	
	5911.0 AFHR		NONC2X1003399	XXxxXXxx
	Change Location of an Asse	640.7	HOLD MMIST	
24MAY10 02:54	Asset Installation	809.1	A23T A1UDU	
	5911.0 AFHR		536 A23-036 00	A23T A1UIA 00AC
	Change Serviceability Stat	109.5	SERV	XXxxXXxx
	Change Location of an Asse	45.0	S/I MMIST	
17MAY16 05:54	Asset Removal	2185.1	A23-036 536 A23T	
	6712.4 AFHR		A1UIA A23-036 00	A23T A1UIA 00A
	Change Serviceability Stat	1147.9	S/I	XXxxXXxx
	Change Location of an Asse	2185.1	U/S A23-036	
17MAY16 05:56	Change Serviceability Stat	0.0	OPMH U/S SERV	
	6712.4 AFHR			XXxxXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01335  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 5101  
 PART NO : 066-3060-01 ~22373  
 ENGINEERING NAME : INDICATOR KNI 582  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
17MAY16 06:52	Asset Installation	0.0	A23T A1UIA 523 A23-023	00 A23T A1UIA 00AC XXxxXXxx
	6718.6 AFHR Change Serviceability Stat	0.0	SERV S/I	
	Change Location of an Asse	0.0	OPMH A23-023	
30JUN16 04:08	Asset Removal	43.8	523 A23-023 A23T A1UIA	00 A23T A1UIA 00A XXxxXXxx
	6718.6 AFHR Change Serviceability Stat	0.1	S/I U/S	
	Change Location of an Asse	43.8	A23-023 STORES	
01JUL16 02:59	Change Venue of an Asset	2275.0	AIP NONC2CONT	XXxxXXxx
	6718.6 AFHR Change Location of an Asse	0.9	A1PXXX1605976 STORES	
02MAR18 03:00	Change Serviceability Stat	609.9	HOLD U/S SERV	XXxxXXxx
21MAY18 06:27	Change Venue of an Asset	689.1	NONC2CONT AIP	XXxxXXxx
	6718.6 AFHR Change Location of an Asse	689.1	NONC2X1805113 HOLD	
01FEB19 03:21	Asset Installation	945.9	STORES A23T A1UIA 533 A23-033	00 MMI A23T A1UDU 00AC XXxxXXxx
	6718.6 AFHR Change Serviceability Stat	336.0	SERV S/I	
	Change Location of an Asse	255.8	STORES A23-033	MMI

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 5101  
 PART NO : 066-3060-01 ~22373  
 ENGINEERING NAME : INDICATOR KNI 582  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

1PXXJY804305	C COMPLETED	05MAR08 22:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	NONC2CONT	
	03FEB10 14:00	05MAR08 22:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	5911.0	AFHR
12	DAMAGED	09 R2 SERVICING		FRONT RMI LENS GASKET BROKEN			
		02 MECHANICAL FAILURE					
03	ELECTRICAL COMPONENT FAIL	02 REPAIR					
		Unserviceability Details:		RMI LENS GASKET BROKEN			
		Maintenance Comments:		REPAIRED MULTIPLE COMPONENTS WERE REPLACED AND UNIT TESTED			
				SERV IAW AAP 7524.040-3M AT AIJ			

1PXXJ1611228	C COMPLETED	17MAY16 05:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	17MAY16 05:56	17MAY16 05:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	6712.4	AFHR
09	CANNIBALISATION	99 NO FAILURE		REAR RMI CANNABALISED TO MAINTAIN A23-023			
01	NO FAULT	04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		CHECK/TEST SERV			

1PXXJ1613915	C COMPLETED	30JUN16 04:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	NONC2CONT	
	02MAR18 03:00	30JUN16 04:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	6718.6	AFHR
01	UNSERVICEABLE	01 IN FLIGHT		REAR COCKPIT RMI HDG FLAG INTERMITTENT DURING FLIGHT			
		03 ELECTRICAL FAILURE					
03	ELECTRICAL COMPONENT FAIL	02 REPAIR					
		Unserviceability Details:		HDG FLAG INTERMITTENT IN FLIGHT			
		Maintenance Comments:		REPAIRED - MULTIPLE PARTS REPLACED , UNIT REPAIRED AND TESTED			
				SERVICEABLE IAW AAP 7524.040-3M ALO REF AIRFLITE ARC NO			
				PAVI2499 @ AIRFLITE AV SHOP			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01337  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 523  
 PART NO : 532.11.09.097 ~S4080  
 ENGINEERING NAME : DOOR MLG LH OUTBOAR  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 9572.4 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
				LIFE SINCE NEW				
31AUG03	21:26	Maintenance	Comment	2.5	29Aug03	A23-028	09.50 5033.6 AFHR	TX TO CAMM2 XXxxXXxx
		0.0	AFHR			CAMM LOG00002		
31AUG03	21:28	Maintenance	Comment	2.5	30Apr90	NEW - 523	532.11.09.097	1175-00-00-A XXxxXXxx
		0.0	AFHR			CAMM LOG00001		
23JAN07	23:51	Asset	Removal	1243.6	520		520	A23T A2KCO 00M
		6128.6	AFHR			A23T A2KCO		XXxxXXxx
		Change Serviceability Stat		61.9	S/I			
23JAN07	23:52	Change	Serviceability Stat	0.0	U/S			
		6128.6	AFHR		U/S			
		Change Serviceability Stat		0.0	SERV			XXxxXXxx
01MAY08	03:00	Asset	Installation	463.1	A23T	A2KCO	00	
		6128.6	AFHR		027	A23-033		A23T A2KCO 00AC
		Change Serviceability Stat		463.1	SERV			XXxxXXxx
		Change Location of an Asse		513.0	S/I			
		6128.6	AFHR		HG121			
26AUG08	00:56	Asset	Removal	116.9	A23-033			
		027			027	A23-033		A23T A2KCO 00A
		6219.4	AFHR		A23T	A2KCO	00	XXxxXXxx
		Change Serviceability Stat		4.7	S/I			
		Change Location of an Asse		116.9	U/S			
		6219.4	AFHR		A23-033			
26AUG08	06:46	Change	Serviceability Stat	0.2	INTMH			
		6219.4	AFHR		U/S			XXxxXXxx
		Change Serviceability Stat		0.2	SERV			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01338  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 523  
 PART NO : 532.11.09.097 ~S4080  
 ENGINEERING NAME : DOOR MLG LH OUTBOAR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
26AUG08 06:49	Asset Installation	0.2	A23T A2KCO A23-033	A23T A2KCO 00AC
	6219.4 AFHR Change Serviceability Stat	0.0	SERV S/I	XXXXXXxx
	Change Location of an Asse	0.2	INTMH A23-033	
21OCT10 07:31	Asset Removal	786.0	A23T A2KCO A23-033	A23T A2KCO 00A
	7110.0 AFHR Change Serviceability Stat	55.9	S/I U/S	XXXXXXxx
	Change Location of an Asse	786.0	A23-033 INTMH	
21OCT10 07:32	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
21OCT10 07:32	Asset Installation	0.0	A23T A2KCO A23-033	A23T A2KCO 00AC
	7110.0 AFHR Change Serviceability Stat	0.0	SERV S/I	XXXXXXxx
	Change Location of an Asse	0.0	INTMH A23-033	
25OCT11 22:29	Asset Removal	369.6	A23T A2KCO A23-033	A23T A2KCO 00A
	7406.5 AFHR Change Serviceability Stat	8.5	S/I U/S	XXXXXXxx
	Change Location of an Asse	369.6	A23-033 INTMH	
27OCT11 01:04	Change Serviceability Stat	1.1	U/S SERV	XXXXXXxx
	7406.5 AFHR			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01339  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 523  
 PART NO : 532.11.09.097 ~S4080  
 ENGINEERING NAME : DOOR MLG LH OUTBOAR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
02NOV11 01:51	Asset Installation	7.1	A23T A2KCO 027 A23-033	00 A23T A2KCO 00AC 7406.5 AFHR XXXXXXXXXX
	Change Serviceability Stat	6.0	SERV	
	Change Location of an Asse	7.1	S/I INTMH A23-033	
21MAY15 02:54	Asset Removal	1296.0	A23T A2KCO 027 A23-033	00 A23T A2KCO 00A 8297.9 AFHR XXXXXXXXXX
	Change Serviceability Stat	55.7	S/I	
	Change Location of an Asse	6.9	U/S A23-033	
21MAY15 03:16	Change Serviceability Stat	0.0	INTMH U/S SERV	XXXXXXXXXX
21MAY15 04:39	Asset Installation	0.0	A23T A2KCO 027 A23-033	00 A23T A2KCO 00AC 8297.9 AFHR XXXXXXXXXX
	Change Serviceability Stat	0.0	SERV	
	Change Location of an Asse	0.0	S/I INTMH A23-033	
12APR16 03:03	Asset Removal	326.9	A23T A2KCO 027 A23-033	00 A23T A2KCO 00A 8612.5 AFHR XXXXXXXXXX
	Change Serviceability Stat	19.7	S/I	
	Change Location of an Asse	326.9	U/S A23-033	
12APR16 03:04	Change Serviceability Stat	0.0	INTMH U/S SERV	XXXXXXXXXX
	8612.5 AFHR			XXXXXXXXXX

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 01340  
08JAN20  
23:16:15

SERIAL/TAIL NO : 523  
PART NO : 532.11.09.097 ~S4080  
ENGINEERING NAME : DOOR MLG LH OUTBOAR  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
12APR16 04:36	Asset Installation	0.0	A23T A2KCO 00 027 A23-033	A23T A2KCO 00AC XXXXXXXXXX
	8612.5 AFHR Change Serviceability Stat	0.0	SERV	
	Change Location of an Asse	0.0	S/I INTMH A23-033	

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJY701535	C COMPLETED	23JAN07 23:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
		23JAN07 23:52	23JAN07 23:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	6128.6 AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE			DOOR MLG LH OBD, SN 523, REMOVED FOR ACCESS.		
01	NO FAULT	04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		CHECK/TEST SERV			
A1PXXJY814246	C COMPLETED	26AUG08 00:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
		26AUG08 06:46	26AUG08 01:02	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	6219.4 AFHR
01	UNSERVICEABLE	09 R2 SERVICING			LH MLG DOOR OUTBOARD BUSHING FOUND WORN FWD AND AFT OF ARM.		
		16 WORN/FRAYED					
02	MECHANICAL COMPONENT FAIL	02 REPAIR					
		Unserviceability Details:		BUSH FWD ,AFT AND PIN FOUND WORN.			
		Maintenance Comments:		CHECK SERV			
A1PXXJ1019344	C COMPLETED	21OCT10 07:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
		21OCT10 07:32	21OCT10 07:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	7110.0 AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE			LH MLG OUTBOARD DOOR RFA		
01	NO FAULT	04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		CHECK/TEST SERV			

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 01341  
08JAN20  
23:16:15

SERIAL/TAIL NO : 523  
PART NO : 532.11.09.097 ~S4080  
ENGINEERING NAME : DOOR MLG LH OUTBOAR  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJ1115855	C COMPLETED	25OCT11 22:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	27OCT11 01:04	25OCT11 22:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	7406.5	AFHR
13 REMOVED FOR ACCESS		31 DURING ACCESS		EXCESSIVE PLAY IN LH OBD DOOR, SN 523.			
09 OUT OF LIMITS		06 OUT OF LIMITS					
		02 REPAIR					

Unserviceability Details: HINGE BUSHINGS WORN.

Maintenance Comments: BUSHINGS REPLACED.

A1PXXJ1115902	C COMPLETED	26OCT11 06:05	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	26OCT11 06:10	26OCT11 06:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	7406.5	AFHR
13 REMOVED FOR ACCESS		31 DURING ACCESS		HINGE BUSHINGS WORN.			
01 NO FAULT		04 CHECK/TEST SERV					

Unserviceability Details: HINGE BUSHINGS WORN.  
Maintenance Comments: BUSHINGS REPLACED.

A1PXXJ1507854	C COMPLETED	21MAY15 02:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	21MAY15 03:16	21MAY15 02:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	8297.9	AFHR
01 UNSERVICEABLE		32 DURING FAULT FINDING		L/H MLG O/B DOOR HAS EXCESSIVE PLAY.			
		06 OUT OF LIMITS					
01 NO FAULT		04 CHECK/TEST SERV					

Unserviceability Details: DOOR HAS EXCESSIVE PLAY

Maintenance Comments: DOOR HINGE BUSHING REPLACED,SERV IAW AAP 7212.007-2.

A1PXXJ1608253	C COMPLETED	12APR16 03:03	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	12APR16 03:04	12APR16 03:03	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	8612.5	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE		LH OUTBOARD DOOR FOUND WITH EXCESSIVE PLAY.			
01 NO FAULT		04 CHECK/TEST SERV					

Unserviceability Details: CHECK/TEST SERV  
Maintenance Comments: CHECK/TEST SERV

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01342  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 528  
 PART NO : 557.53.09.002 ~S4080  
 ENGINEERING NAME : BRAKE ASSY AIR  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 9545.2 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T		CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL)	TRANS REFERENCE	USER
01SEP03	05:24	Maintenance Comment	0.0 AFHR	2.8	19Jun90 NEW - 528	557.53.09.002	1400-00-00-K XXXXXXxx
01SEP03	05:33	Maintenance Comment	0.0 AFHR	2.8	29Aug03 A23-033	06.30 4770.4 AFHR	TX TO CAMM2 XXXXXXxx
18OCT04	04:52	Asset Removal	5145.2 AFHR	415.8	527 A23T	A2KBA A23-033	A23T A2KBA 00A
		Change Serviceability Stat	5145.2 AFHR	7.0	S/I U/S		XXXXXXxx
		Change Location of an Asse		xxxx	A23-033 INTMH		
19OCT04	02:09	Change Serviceability Stat	5145.2 AFHR	0.8	U/S SERV		XXXXXXxx
19OCT04	02:10	Asset Installation	5145.2 AFHR	0.8	A23T 527	A2KBA A23-033	A23T A2KBA 00AC
		Change Serviceability Stat	5145.2 AFHR	0.0	SERV S/I		XXXXXXxx
		Change Location of an Asse		0.8	INTMH A23-033		
03MAY06	03:34	Asset Removal	5594.9 AFHR	561.0	527 A23T	A2KBA 527	A23T A2KBA 00M
		Change Serviceability Stat	5594.9 AFHR	7.0	S/I U/S		XXXXXXxx
03MAY06	03:34	Change Serviceability Stat	5594.9 AFHR	0.0	U/S SERV		XXXXXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01343  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 528  
 PART NO : 557.53.09.002 ~S4080  
 ENGINEERING NAME : BRAKE ASSY AIR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
17MAY06 04:44	Asset Installation	14.0	A23T A2KBA 027 027 00	A23T A2KBA 00MMI
	5594.9 AFHR Change Serviceability Stat	14.0	SERV S/I	XXXXXXXX
	Change Location of an Asse	15.0	OPMH HG121	
27MAR07 23:14	Asset Removal	314.7	027 A23-033 A23T A2KBA 00	A23T A2KBA 00A
	5892.2 AFHR Change Serviceability Stat	5.9	S/I U/S	XXXXXXXX
	Change Location of an Asse	280.0	A23-033 INTMH	
27MAR07 23:14	Change Serviceability Stat	0.0	U/S SERV	XXXXXXXX
28MAR07 23:16	Asset Installation	1.0	A23T A2KBA A23-033 00	A23T A2KBA 00AC
	5892.2 AFHR Change Serviceability Stat	1.0	SERV S/I	XXXXXXXX
	Change Location of an Asse	1.0	INTMH A23-033	
24SEP07 00:31	Asset Removal	179.0	027 A23-033 A23T A2KBA 00	A23T A2KBA 00A
	6101.4 AFHR Change Serviceability Stat	13.4	S/I U/S	XXXXXXXX
	Change Location of an Asse	179.0	A23-033 HG121	
24SEP07 00:39	Change Serviceability Stat	0.0	U/S SERV	XXXXXXXX
	6101.4 AFHR			XXXXXXXX

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01344  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 528  
 PART NO : 557.53.09.002 ~S4080  
 ENGINEERING NAME : BRAKE ASSY AIR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
06MAY08 03:11	Asset Installation	225.1	A23T A2KBA 027 A23-033	00 A23T A2KBA 00AC XXxxXXxx
	6101.4 AFHR Change Serviceability Stat	225.1	SERV	
	Change Location of an Asse	225.1	S/I HG121 A23-033	
08DEC09 06:20	Asset Removal	581.1	027 A23-033 A23T A2KBA	00 A23T A2KBA 00A XXxxXXxx
	6786.7 AFHR Change Serviceability Stat	1.0	S/I	
	Change Location of an Asse	581.1	U/S A23-033	
08DEC09 06:20	Change Serviceability Stat	0.0	INTMH U/S SERV	XXxxXXxx
10DEC09 06:11	Asset Installation	1.9	A23T A2KBA 027 A23-033	00 A23T A2KBA 00AC XXxxXXxx
	6786.7 AFHR Change Serviceability Stat	1.9	SERV	
	Change Location of an Asse	1.9	S/I INTMH A23-033	
04APR16 04:49	Asset Removal	2306.9	027 A23-033 A23T A2KBA	00 A23T A2KBA 00A XXxxXXxx
	8585.3 AFHR Change Serviceability Stat	11.8	S/I	
	Change Location of an Asse	325.9	U/S A23-033	
04APR16 04:50	Change Serviceability Stat	0.0	INTMH U/S SERV	XXxxXXxx
	8585.3 AFHR			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01345  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 528  
 PART NO : 557.53.09.002 ~S4080  
 ENGINEERING NAME : BRAKE ASSY AIR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
21APR16 22:52	Asset Installation	17.7	A23T A2KBA A23-033 00	A23T A2KBA 00AC
	8585.3 AFHR Change Serviceability Stat	17.7	SERV S/I INTMH A23-033	XXXXXXXX
	Change Location of an Asse	17.7		
04APR17 05:02	Asset Removal	347.2	A23T A2KBA A23-033 00	A23T A2KBA 00A
	8914.8 AFHR Change Serviceability Stat	130.0	S/I U/S A23-033	XXXXXXXX
	Change Location of an Asse	347.2		
04APR17 05:03	Change Serviceability Stat	0.0	INTMH U/S SERV	XXXXXXXX
	8914.8 AFHR Asset Installation	36.0	A23T A2KBA A23-033 00	A23T A2KBA 00AC
	8914.8 AFHR Change Serviceability Stat	36.0	SERV S/I INTMH A23-033	XXXXXXXX
	Change Location of an Asse	36.0		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
11PXXJY420233	C COMPLETED	18OCT04 04:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	19OCT04 02:09					5145.2	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		R1 PC-9		due on Serial A23-033 at WAC 0000	
01	NO FAULT	04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		NO FAULT FOUND			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 01346  
08JAN20  
23:16:15

SERIAL/TAIL NO : 528  
PART NO : 557.53.09.002 ~S4080  
ENGINEERING NAME : BRAKE ASSY AIR  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			
=====							
A1PXXJY606743	C COMPLETED	03MAY06 03:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	03MAY06 03:34					5594.9	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE		AIRBRAKE ASSY REMOVED FOR ACCESS			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:		CHECK/TEST SERV			
		Maintenance Comments:					
A1PXXJY706180	C COMPLETED	27MAR07 23:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	27MAR07 23:14	27MAR07 23:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	5892.2	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE		AIRBRAKE ASSY RFA			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:		CHECK/TEST SERV			
		Maintenance Comments:					
A1PXXJY718018	C COMPLETED	24SEP07 00:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	24SEP07 00:39	24SEP07 00:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	6101.4	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE		S33 due on Serial A23-033			
				PC-9 at WAC 0000			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:		CHECK/TEST SERV			
		Maintenance Comments:					
A1PXXJY926053	C COMPLETED	08DEC09 06:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	08DEC09 06:20	08DEC09 06:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	6786.7	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE		LH AND RH INBOARD FLAPS AND AIRBRAKE RFA			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:		CHECK/TEST SERV			
		Maintenance Comments:					
A1PXXJ1607576	C COMPLETED	04APR16 04:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	04APR16 04:50	04APR16 04:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	8585.3	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE		BRAKE ASSEMBLY AIR RFA.			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:		CHECK/TEST SERV			
		Maintenance Comments:					

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 528  
PART NO : 557.53.09.002 ~S4080  
ENGINEERING NAME : BRAKE ASSY AIR  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

1PXXJ1707003	C COMPLETED	04APR17 05:02	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	04APR17 05:03	04APR17 05:03	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	8914.8	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		AIRBRAKE ASSY RFA.			
01	NO FAULT	04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		CHECK/TEST SERV			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01348  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 533  
 PART NO : 553.05.09.912 ~S4080  
 ENGINEERING NAME : FUSELAGE ASSEMBLY  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 9545.2 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
31AUG03	19:08	Maintenance Comment		0.0 AFHR	2.4	23Apr98	A23-033	08.0 2944.9	0.0 AFHR UPDATED LIFE (MPMI)
31AUG03	19:09	Maintenance Comment		0.0 AFHR	2.4	02Sep97	A23-033	08.0 2619.5	0.0 AFHR UPDATED LIFE (MIUP)
31AUG03	19:11	Maintenance Comment		0.0 AFHR	2.4	22Nov02	A23-033	08.00 4655.3	0.0 AFHR UPDATED LIFE (MPMI)
31AUG03	19:11	Maintenance Comment		0.0 AFHR	2.4	08Mar90	NEW - 533	553.05.09.912 1050-00-00-F	0.0 AFHR
31AUG03	19:12	Maintenance Comment		0.0 AFHR	2.4	28Sep92	A23-033	00.0 970.8	0.0 AFHR REM SVC TO A23-033
31AUG03	19:12	Maintenance Comment		0.0 AFHR	2.4	28Sep92	A23-033	08.0 970.8	0.0 AFHR IN AS A23T 1050-00-00-F
31AUG03	19:15	Maintenance Comment		0.0 AFHR	2.4	26Jul90	A23-033	00.0 0.0	0.0 AFHR ^^^^^RECEPTION
31AUG03	19:15	Maintenance Comment		0.0 AFHR	2.4	CURRENT LIFE:		OLD = 2618.5 AFHR NEW = 2619.5 AFHR	
31AUG03	19:16	Maintenance Comment		0.0 AFHR	2.4	29Aug03	A23-033	08.00 4770.4 AFHR	TX TO CAMM2
19OCT03	22:16	Change Part Number of an A		4785.6 AFHR	51.5	553.05.09.912		~\$\$\$\$	XXXXXXxx
		Maintenance Comment			0.0	553.05.09.912		~S4080	
07JAN13	22:24	Change Serviceability Stat		7672.0 AFHR	167.5	A1PXXXJ1300011			XXXXXXxx
08JAN13	23:10	Change Serviceability Stat		7672.0 AFHR	1.0	A1PXXXJ1300011			XXXXXXxx
05MAY16	10:29	Position Change		8585.3 AFHR	4633.0	A23T A1U		00	XXXXXXxx
05MAY16	11:43	Maintenance Comment		8585.3 AFHR	0.0	A23T A1U		00	XXXXXXxx
		Maintenance Comment			0.0	A1PXXX1604044			XXXXXXxx
		Maintenance Comment			0.0	MPAN 12/2016 NEW TA= 30,000 LDG IRN:150/2016-003. AK12387596			
		Maintenance Comment			0.0	LIF LDG CHANGED - OLD VALUE= 50000.0 NEW VALUE= 17995.0			XXXXXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 533  
PART NO : 553.05.09.912 ~S4080  
ENGINEERING NAME : FUSELAGE ASSEMBLY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS	UNSERVICEABILITY DETAILS				
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS	MAINTENANCE COMMENT				
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

1PXXJ1300011	C COMPLETED	08JAN13 23:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	08JAN13 23:10	07JAN13 22:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	7672.0	AFHR
08 MOD/STI/DVI REQUIRED				STI-PC9-559A	due on Serial 533		
01 NO FAULT	08 MOD/STI/DVI INCORP			FUSELAGE ASSEMBLY	at WAC 0800		
	Unserviceability Details:			LH UPPER = 2024-T351, RH UPPER = 2024-T351, LH LOWER =			
	Maintenance Comments:			2024-T351, RH LOWER = 2024-T351 NIL CRACKING EVIDENT			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 01350  
08JAN20  
23:16:15

SERIAL/TAIL NO : 533  
PART NO : 553.05.09.912 ~S4080  
ENGINEERING NAME : FUSELAGE ASSEMBLY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

STI STATUS CHANGE -----

STI NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
=====	=====	=====	=====	=====	=====	=====
STI-PC9-559A	N	06JAN13 23:02	NINC			
STI-PC9-559A	Y	08JAN13 23:09	INC	A1PXXJ1300011	08JAN13 23:08	7672.0 AFHR
STI-PC9-559B	Y	06JAN13 00:00	N/A			
STI-PC9-559B	N	06JAN13 23:02	NINC			



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 533 LITERAL SERIAL NO : FS: 533, A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 553.10.09.013 ~S4080  
ENGINEERING NAME : FRAME 3  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 9545.2 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
10MAR14 12:30	533	553.10.09.013	~S4080	A23T	00
aip04023	AIP	HOLD			
K. ARUMUGAM		08MAR90			
	7954.4 AFHR		08MAR90		

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 533 LITERAL SERIAL NO : FS: 533, A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 553.10.09.013 ~S4080  
ENGINEERING NAME : FRAME 3  
VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
08MAR90 00:10	Asset Installation	0.0	A23T	A1UKC	00	A23T A1UKC 00AC
	8501.2 AFHR		533		A23-033	XXXXXXxx
	Change Serviceability Stat	0.0	SERV			
	Change Location of an Asse	0.0	S/I			
10MAR14 12:30	Reception History Record	0.0	HOLD			
	7954.4 AFHR		A23-033		MMI	XXXXXXxx
10MAR14 13:19	Maintenance Comment	0.0	Reception			
	8501.2 AFHR		HOLD			
25JUN19 05:06	Position Change	xxxx	LIF AFHR	CHANGED - OLD VALUE=	8501.2	NEW VALUE= 7954.4
	9400.6 AFHR		A23T			XXXXXXxx
	Maintenance Comment	0.0	A23T			
			A1PXXX1906027			XXXXXXxx
			POST R2 COMPARE ASSET POLICY UPDATE TO DEFAULT POLICY			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 533 LITERAL SERIAL NO : 533, A23-033 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 553.10.09.021 ~S4080  
 ENGINEERING NAME : FRAME 11  
 VENUE : A23DISP LOCATION : A23-033  
 CURRENT CONDITION : S/I LIFE SINCE NEW : 9545.2 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
21JUL13 22:33	533	553.10.09.021	~S4080	A23T	00
aip04023	AIP	A23-033		ALUQS	
K. ARUMUGAM		10JUL13		A1PXXR1301149	
	7745.0 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01354  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 533 LITERAL SERIAL NO : 533, A23-033 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 553.10.09.021 ~S4080  
 ENGINEERING NAME : FRAME 11  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
11JUL13 00:00	Asset Installation	1.0	A23T A1UQS 533 A23-033 00	A23T A1UQS 00AC
	7753.8 AFHR Change Serviceability Stat	1.0	SERV S/I	XXXXXXxx
21JUL13 22:33	Reception History Record	0.0	Reception A23-033 MMI	
	7745.0 AFHR			XXXXXXxx
21JUL13 22:38	Maintenance Comment	0.0	LIF AFHR CHANGED - OLD VALUE= 50000.0 NEW VALUE= 7745.0	XXXXXXxx
31MAR16 23:05	Change Serviceability Stat	8.6	S/I US/I A1PXXJ1606609	XXXXXXxx
11APR16 05:10	Change Serviceability Stat	10.2	US/I S/I	XXXXXXxx
	8585.3 AFHR			XXXXXXxx

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJ1606609	C COMPLETED	11APR16 04:55	XXXXXXxx	XXXXXXXXXX	AIP	AIP	
	11APR16 05:10	31MAR16 23:05	XXXXXXxx	XXXXXXXXXX	AIP	8585.3 AFHR	
08 MOD/STI/DVI REQUIRED				STI-PC9-0613	due on Serial 533		
01 NO FAULT		08 MOD/STI/DVI INCORP		FRAME 11	at WAC		
		Unserviceability Details:					
		Maintenance Comments:		STI-PC9-0613 CARRIED OUT. LH FITTING 2124-T851. RH FITTING 2024-T351. NIL CRACKS EVIDENT. REFER TO NDT REPORT AIP/NDT/A23-033/056.			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : 533 LITERAL SERIAL NO : 533, A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 553.10.09.021 ~S4080  
ENGINEERING NAME : FRAME 11  
VENUE : A23DISP LOCATION : A23-033

STI STATUS CHANGE -----

STI NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
=====	=====	=====	=====	=====	=====	=====
STI-PC9-0613	N	29MAR16 01:30	NINC			
STI-PC9-0613	Y	11APR16 05:09	INC	A1PXXJ1606609	11APR16 04:55	8585.3 AFHR

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 01356  
08JAN20  
23:16:15

SERIAL/TAIL NO : 533  
PART NO : SBI-119 ~Z5514  
ENGINEERING NAME : FRM 10&11 SHEAR PLT  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 9545.2 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	DATE NEW	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	HA PART	DATE UNPACKED		
05OCT10 02:50	533	SBI-39A	~Z5514 A23T	ALUQR	00
aip01539	AIP	MMIST		A1PXXR1001966	
C. SHERIDAN		05OCT10			
	50000.0 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01357  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 533  
 PART NO : SBI-119 ~Z5514  
 ENGINEERING NAME : FRM 10&11 SHEAR PLT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS		-----									
TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN(DYS)	FROM	TO (OPTIONAL)			USER		
					TRANS REFERENCE						
=====											
05OCT10	02:50	Reception History Record		0.0	Reception						
		50000.0	AFHR		MMIST	MMI			XXxxXXxx		
05OCT10	02:51	Asset Installation		0.1	A23T	A1UQR	00				
		7082.8	AFHR		533	A23-033		A23T	A1UQR	00AC	
		Change Serviceability Stat		0.1	SERV				XXxxXXxx		
		Change Location of an Asse		0.1	S/I						
					MMIST						
					A23-033						
05OCT10	02:51	Maintenance Comment		0.0	LIF AFHR	CHANGED - OLD VALUE= 50000.0			NEW VALUE= 7082.8		
		50000.0	AFHR						XXxxXXxx		
07DEC16	09:07	Change Part Number of an A		2255.3	SBI-39A	~Z5514					
		8914.8	AFHR		SBI-119	~Z5514					
		Maintenance Comment		0.0	A1PXXX1612936				XXxxXXxx		
07DEC16	09:08	Position Change		2255.2	APPLIED MPAN 031/2016						
		8914.8	AFHR		A23T	A1UQR	00				
		Maintenance Comment		0.0	A23T	A1UQR	70		XXxxXXxx		
30MAR17	05:42	Change Serviceability Stat		125.0	A1PXXX1612937						
		8914.8	AFHR		APPLIED MPAN 031/2016						
		Position Change		2437.1	S/I						
		8914.8	AFHR		US/I						
07JUN17	06:22	Position Change		2437.1	A1PXXJ1625769				XXxxXXxx		
		8914.8	AFHR		A23T	A1UQR	70				
		Maintenance Comment		0.0	A23T	A1UQR	70				
08JUN17	00:53	Change Serviceability Stat		69.7	A1PXXX1709041				XXxxXXxx		
		8914.8	AFHR		POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE						
		Change Serviceability Stat		0.8	US/I						
		9498.9	AFHR		S/I				XXxxXXxx		
25SEP19	04:47	Change Serviceability Stat		6.1	A1PXXJ1711271						
		9498.9	AFHR		US/I						
		Change Serviceability Stat			S/I				XXxxXXxx		

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 01358  
08JAN20  
23:16:15

SERIAL/TAIL NO : 533  
PART NO : SBI-119 ~Z5514 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : FRM 10&11 SHEAR PLT  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

19 MMI SERVICING DUE	C COMPLETED	08JUN17 00:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
		08JUN17 00:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		8914.8	AFHR
01 NO FAULT				MS30 due on Serial 533			
				FRM 10&11 SHEAR PLT at WAC 0670			

12 MMI SERVICING  
Unserviceability Details:  
Maintenance Comments: MS30 CO REF AIP MCS 1037/16

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS30	660.0	AFHR			
SM	MS30	660.0	AFHR			

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

19 MMI SERVICING DUE	C COMPLETED	20SEP19 03:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
		25SEP19 04:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		9498.9	AFHR
01 NO FAULT				MS30 due on Serial 533			
				FRM 10&11 SHEAR PLT at WAC 0670			

12 MMI SERVICING  
Unserviceability Details:  
Maintenance Comments: MS30 SERV C/O IAW AAP 7212-007-7. NIL DEFECTS EVIDENT. REF AIP MCS 860/19 WC# 37.

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS30	660.0	AFHR	584.1		
SM	MS30	660.0	AFHR	584.1		

For-Official-Use-Only



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 01359  
08JAN20  
23:16:15

SERIAL/TAIL NO : 533  
PART NO : SBI-120 ~Z5514  
ENGINEERING NAME : HSTAB STRUT  
VENUE : A23DISP  
CURRENT CONDITION : S/I  
LOCATION : A23-033  
LIFE SINCE NEW : 9545.2 AFHR  
PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	DATE NEW	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	HA PART	DATE UNPACKED		
04OCT10 06:23	533	SBI-36A	~Z5514 A23T	ALUAB	00
aip01778	AIP	MMIST		ALPXXR1001876	
R. ORLOWSKI		04OCT10			
	7082.8 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01360  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 533  
 PART NO : SBI-120  
 ENGINEERING NAME : HSTAB STRUT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~Z5514

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
04OCT10 06:23	Reception History Record	0.0	Reception MMIST	
	7082.8 AFHR		MMI	XXXXXXxx
04OCT10 06:24	Asset Installation	0.2	A23T A1UAB 533 A23-033	00 A23T A1UAB 00AC
	7082.8 AFHR			XXXXXXxx
	Change Serviceability Stat	0.2	SERV S/I MMIST A23-033	
	Change Location of an Asse	0.2	A23T A1UAB 533 A23T	00 A23T A1UAB 00A
21OCT11 00:08	Asset Removal	381.7	A23T A1UAB 533 A23T	00 A23T A1UAB 00A
	7379.3 AFHR			XXXXXXxx
	Change Serviceability Stat	3.6	S/I U/S A23-033	
	Change Location of an Asse	381.7	INTMH U/S SERV	
21OCT11 00:10	Change Serviceability Stat	0.0		
	7379.3 AFHR			XXXXXXxx
01NOV11 01:04	Asset Installation	11.0	A23T A1UAB 533 A23-033	00 A23T A1UAB 00AC
	7379.3 AFHR			XXXXXXxx
	Change Serviceability Stat	11.0	SERV S/I INTMH A23-033	
	Change Location of an Asse	11.0	A23T A1UAB 533 A23T	00 A23T A1UAB 00A
18MAY15 07:51	Asset Removal	1294.2	A23T A1UAB 533 A23T	00 A23T A1UAB 00A
	8270.7 AFHR			XXXXXXxx
	Change Serviceability Stat	52.9	S/I U/S A23-033	
	Change Location of an Asse	1294.2	INTMH	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01361  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 533  
 PART NO : SBI-120 ~Z5514  
 ENGINEERING NAME : HSTAB STRUT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS		-----									
TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN(DYS)	FROM	TO (OPTIONAL)				USER	
						TRANS REFERENCE					
=====											
18MAY15	07:52	Change Serviceability Stat		0.0	U/S						
			8270.7		SERV					XXxxXXxx	
20MAY15	01:00	Change Serviceability Stat		1.7	SERV						
			8270.7		U/S					XXxxXXxx	
27MAY15	03:06	Change Serviceability Stat		7.0	U/S						
			8270.7		SERV					XXxxXXxx	
27MAY15	03:10	Asset Installation		8.8	A23T	AlUAB		00			
			8270.7		533		A23-033		A23T	AlUAB 00AC	
		Change Serviceability Stat		0.0	SERV					XXxxXXxx	
		Change Location of an Asse		8.8	S/I						
					INTMH						
07DEC16	07:54	Change Part Number of an A		2256.3	A23-033						
					SBI-36A					~Z5514	
					SBI-120					~Z5514	
		Maintenance Comment	8914.8	0.0	AlPXXX1612918					XXxxXXxx	
07DEC16	07:54	Position Change		560.1	APPLIED MPAN 031/2016						
					A23T	AlUAB		00			
			8914.8		A23T	AlUAB		70			
		Maintenance Comment		0.0	AlPXXX1612920					XXxxXXxx	
		Change Serviceability Stat		125.0	APPLIED MPAN 031/2016						
					S/I						
					US/I						
03APR17	22:41	Asset Removal	8914.8	677.8	AlPXXJ1625765					XXxxXXxx	
					533		A23-033		A23T	AlUAB 70A	
		Change Serviceability Stat	8914.8	4.7	A23T	AlUAB		70		XXxxXXxx	
		Change Location of an Asse		677.8	US/I						
					U/S						
					A23-033						
					INTMH						

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 01362  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 533  
 PART NO : SBI-120 ~Z5514  
 ENGINEERING NAME : HSTAB STRUT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS		LIFE SINCE NEW		SPAN(DYS) FROM		TO (OPTIONAL)		USER	
TRANSACTION D/T	CHANGE TYPE					TRANS REFERENCE			
25MAY17 23:24	Change Serviceability Stat	8914.8	AFHR	52.0		U/S SERV			XXxxXXxx
25MAY17 23:26	Asset Installation	8914.8	AFHR	52.0		A23T 533	AlUAB A23-033	70	A23T AlUAB 70AC XXxxXXxx
	Change Serviceability Stat			0.0		SERV S/I			
	Change Location of an Asse			52.0		INTMH A23-033			

MMI JOBS									
JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS		
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW			
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS						
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT					
A1PXXJ1115663	C COMPLETED	21OCT11 00:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP			
	21OCT11 00:10	21OCT11 00:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	7379.3	AFHR		
13	REMOVED FOR ACCESS	99 NO FAILURE		HSTAB STRUT, SN 533, REMOVED FOR PAINT STRIPPING AND NDI CHECK.					
01	NO FAULT	04 CHECK/TEST SERV		Unserviceability Details:					
				Maintenance Comments:			CHECK/TEST SERV		
A1PXXJ1507654	C COMPLETED	18MAY15 07:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP			
	18MAY15 07:52	18MAY15 07:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	8270.7	AFHR		
13	REMOVED FOR ACCESS	99 NO FAILURE		RUDDER, HORIZONTAL STAB AND HSTAB STRUT RFA					
01	NO FAULT	04 CHECK/TEST SERV		Unserviceability Details:					
				Maintenance Comments:			CHECK/TEST SERV		
A1PXXJ1507776	C COMPLETED	20MAY15 01:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP			
	27MAY15 03:02	20MAY15 01:03	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	8270.7	AFHR		
13	REMOVED FOR ACCESS	99 NO FAILURE		PAINT STRIPPING REQUIRED FOR NDT INSPECTION IAW STI-PC9-0593.					
01	NO FAULT	04 CHECK/TEST SERV		Unserviceability Details:					
				Maintenance Comments:			PAINT STRIPPED AS PER REQUIREMENT FOR NDT INSPECTION IAW (Continued on next page.)		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01363  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 533  
 PART NO : SBI-120 ~Z5514  
 ENGINEERING NAME : HSTAB STRUT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

(Continued from previous page.)  
 STI-PC9-0593.

A1PXXJ1507777	C COMPLETED	20MAY15 01:03	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	22MAY15 02:58	20MAY15 01:03	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	8270.7	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		NDT REQUIRED IAW STI-PC9-0593.			
01	NO FAULT	04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		NDT CARRIED OUT IAW STI-PC9-0593. NIL CRACKS EVIDENT. REFER TO			
				NDT REPORT AIP/NDT/A23-033/028.			
A1PXXJ1507778	C COMPLETED	20MAY15 01:04	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	27MAY15 03:06	20MAY15 01:04	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	8270.7	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		RESTORE SURFACE FINISH POST NDT INSPECTION IAW STI-PC9-0593.			
01	NO FAULT	04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		SURFACE FINISH RESTORED POST NDI INSPECTION AS PER			
				STI-PC9-0593 REQUIREMENT, REF AIP MCS 187/15-3-4.			
A1PXXJ1625765	C COMPLETED	03APR17 22:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	25MAY17 23:24	30MAR17 05:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	8914.8	AFHR
19	MMI SERVICING DUE			MS31 due on Serial 533			
				HSTAB STRUT at WAC 0670			
01	NO FAULT	12 MMI SERVICING					
		Unserviceability Details:					
		Maintenance Comments:		MS31 CARRIED OUT IAW INSTRUCTIONS REF AIP MCS 403/17 AND NDT			
				REPORT AIP/NDT/GENERAL/595			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS31	660.0	AFHR			
SM	MS31	660.0	AFHR			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 533  
PART NO : SBI-120 ~Z5514  
ENGINEERING NAME : HSTAB STRUT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS		UNSERVICEABILITY DETAILS			
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS		MAINTENANCE COMMENT			
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

A1PXXJ1706935	C COMPLETED	03APR17 22:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	03APR17 22:44	03APR17 22:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	8914.8	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		MS31	due on Serial 533		
				HSTAB STRUT	at WAC 0670		
01	NO FAULT	04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		CHECK/TEST SERV			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 533FL LITERAL SERIAL NO : A23-033; F/S 533 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 553.20.09.229 ~S4080  
ENGINEERING NAME : RUDDER PEDALS BEARING SUPPORT PLATES  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 9545.2 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
10MAR14 12:41	533FL	553.20.09.229	~S4080	A23T	00
aip04023	AIP	HOLD		ALUBT	
K. ARUMUGAM		08MAR90		A1PXXR1400455	
	7954.4 AFHR		08MAR90		

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 533FL LITERAL SERIAL NO : A23-033; F/S 533 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 533.20.09.229 ~S4080  
ENGINEERING NAME : RUDDER PEDALS BEARING SUPPORT PLATES  
VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW						
10MAR14 12:41	Reception History Record	0.0	Reception HOLD	MMI		
10MAR14 13:30	Asset Installation	8768.5	A23T 533	A1UBT A23-033	00	XXxxXXxx
	Change Serviceability Stat	8768.5	SERV S/I			XXxxXXxx
	Change Location of an Asse	8768.5	HOLD A23-033			
28APR14 01:58	Change Serviceability Stat	11.0	S/I US/I			
29APR14 06:48	Change Serviceability Stat	1.2	A1PXXJ1403836			XXxxXXxx
29APR14 11:02	Position Change	49.8	S/I			
	Maintenance Comment	0.0	A23T A1UBT	00		XXxxXXxx
29APR14 12:18	Change Serviceability Stat	0.2	A23T A1UBT	01		XXxxXXxx
	Maintenance Comment	0.0	A1PXXX1404241			XXxxXXxx
29APR14 13:02	Change Serviceability Stat	0.0	MS7 C/O REF; MCS 203/14. MATERIAL SPEC = 2024 T351			
	Maintenance Comment	0.0	S/I US/I			XXxxXXxx
31MAR16 22:59	Change Serviceability Stat	8.5	A1PXXJ1406911			XXxxXXxx
13APR16 22:46	Change Serviceability Stat	12.9	S/I US/I			
	Maintenance Comment	0.0	A1PXXJ1406946			XXxxXXxx
07JUN17 06:26	Position Change	1184.7	S/I US/I			
	Maintenance Comment	0.0	A23T A1UBT	01		XXxxXXxx
	Maintenance Comment	0.0	A23T A1UBT	01		XXxxXXxx
	Maintenance Comment	0.0	A1PXXX1709048			XXxxXXxx
	Maintenance Comment	0.0	POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE			



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 533FL LITERAL SERIAL NO : A23-033; F/S 533 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 553.20.09.229 ~S4080  
ENGINEERING NAME : RUDDER PEDALS BEARING SUPPORT PLATES  
VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
LIFE SINCE NEW		TRANS REFERENCE			
07JUN17 06:27	Position Change	1184.7	A23T A1UBT	01	
	8914.8 AFHR		A23T A1UBT	01	
01FEB18 23:55	Maintenance Comment	0.0	A1PXXX1709052		XXxxXXxx
	Change Serviceability Stat	91.8	POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE		
	9073.6 AFHR		S/I		
02FEB18 01:23	Change Serviceability Stat	0.0	A1PXXJ1608445		XXxxXXxx
	9073.6 AFHR		US/I		
			S/I		XXxxXXxx

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS		UNSERVICEABILITY DETAILS			
MAINT PROCESS	UNSERVICEABILITY	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			
FAULT FOUND	MAINTENANCE ACTION TAKEN						
A1PXXJ1403836	C COMPLETED	28APR14 01:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	29APR14 06:48	28APR14 01:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	7971.5	AFHR
19	MMI SERVICING DUE			MS7	due on Serial 533FL		
01	NO FAULT	12	MMI SERVICING	PEDAL BRG SPT FR LH at WAC 0730			
				Unserviceability Details:			
				Maintenance Comments: MS7 CARRIED OUT REF AIP/NDT/A23-033/001 MATERIAL SPEC 2024-T351			
A1PXXJ1406911	C COMPLETED	29APR14 12:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	29APR14 13:02	29APR14 12:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	7971.5	AFHR
19	MMI SERVICING DUE			MS13	due on Serial 533FL		
01	NO FAULT	12	MMI SERVICING	PEDAL BRG SPT FR LH at WAC 0730			
				Unserviceability Details:			
				Maintenance Comments: MS13 CARRIED OUT IAW MOD 264 INSTRUCTIONS REF AIP MCS 203/14-5-3			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS13	2.0	ELPYR			07MAR92
SM	MS13	2.0	ELPYR			07MAR92

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01368  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 533FL LITERAL SERIAL NO : A23-033; F/S 533 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 553.20.09.229 ~S4080  
 ENGINEERING NAME : RUDDER PEDALS BEARING SUPPORT PLATES  
 VENUE : A23DISP LOCATION : A23-033

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
=====	=====	=====	=====	=====	=====	=====

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJ1406946	C COMPLETED	13APR16 22:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	13APR16 22:46	31MAR16 22:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	8585.3	AFHR
19	MMI SERVICING DUE			MS13	due on Serial 533FL		
				PEDAL BRG SPT FR LH at WAC 0730			
01	NO FAULT	12	MMI SERVICING	Unserviceability Details:			
				Maintenance Comments: MS 13 SERVICING CARRIED OUT IAW AAP 7212.007-2, NIL CRACKING EVIDENT, REFER AIP MCS 090/16-13-03			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
=====	=====	=====	=====	=====	=====	=====
SM	MS13	2.0	ELPYR			28APR16
SM	MS13	2.0	ELPYR			28APR16

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJ1608445	C COMPLETED	02FEB18 00:03	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	02FEB18 01:23	01FEB18 23:55	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	9073.6	AFHR
19	MMI SERVICING DUE			MS13	due on Serial 533FL		
				PEDAL BRG SPT FR LH at WAC 0730			
01	NO FAULT	12	MMI SERVICING	Unserviceability Details:			
				Maintenance Comments: MS13 SERVICING CARRIED OUT IAW AAP 7212.007-2			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
=====	=====	=====	=====	=====	=====	=====
SM	MS13	2.0	ELPYR			13APR18
SM	MS13	2.0	ELPYR			13APR18

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

SERIAL/TAIL NO : 533FL LITERAL SERIAL NO : A23-033; F/S 533 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 553.20.09.229 ~S4080  
ENGINEERING NAME : RUDDER PEDALS BEARING SUPPORT PLATES  
VENUE : A23DISP LOCATION : A23-033

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
=====	=====	=====	=====	=====	=====	=====

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 533FL LITERAL SERIAL NO : A23-033; F/S 533 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 553.20.09.231 ~S4080  
ENGINEERING NAME : RUDDER PEDAL ATTACH BEARING  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 9545.2 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
10MAR14 12:43	533FL	553.20.09.231	A23T	ALUBX	00
aip04023	AIP	HOLD		A1PXXR1400456	
K. ARUMUGAM		08MAR90	08MAR90		
	7954.4 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01371  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 533FL LITERAL SERIAL NO : A23-033; F/S 533 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 533.20.09.231 ~S4080  
 ENGINEERING NAME : RUDDER PEDAL ATTACH BEARING  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW						
10MAR14 12:43	Reception History Record	0.0	Reception			
	7954.4 AFHR		HOLD	MMI		XXxxXXxx
10MAR14 13:31	Asset Installation	8768.5	A23T	A1UBX	00	
	7954.4 AFHR		533	A23-033		A23T A1UBX 00AC
	Change Serviceability Stat	8768.5	SERV			XXxxXXxx
	Change Location of an Asse	8768.5	S/I			
28APR14 01:58	Change Serviceability Stat	11.0	HOLD			
	7971.5 AFHR		A23-033			
29APR14 06:49	Change Serviceability Stat	1.2	S/I			
	7971.5 AFHR		US/I			XXxxXXxx
29APR14 11:02	Position Change	49.8	A1PXXJ1403837			
	7971.5 AFHR		S/I			XXxxXXxx
	Maintenance Comment	0.0	A23T A1UBX 00			
29APR14 12:18	Change Serviceability Stat	0.2	A23T A1UBX 01			
	7971.5 AFHR		A1PXXX1404242			XXxxXXxx
	Maintenance Comment	0.0	MS7 C/O REF; MCS 203/14. MATERIAL SPEC = 2024 T351			
29APR14 13:04	Change Serviceability Stat	0.0	S/I			
	7971.5 AFHR		US/I			XXxxXXxx
	Maintenance Comment	0.0	A1PXXJ1406913			
31MAR16 22:59	Change Serviceability Stat	8.5	S/I			
	8585.3 AFHR		US/I			XXxxXXxx
13APR16 22:48	Change Serviceability Stat	12.9	A1PXXJ1406948			
	8585.3 AFHR		US/I			XXxxXXxx
07JUN17 06:27	Position Change	1184.7	S/I			
	8914.8 AFHR		A23T A1UBX 01			
	Maintenance Comment	0.0	A23T A1UBX 01			
	Maintenance Comment	0.0	A1PXXX1709049			XXxxXXxx
	Maintenance Comment	0.0	POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 01372  
08JAN20  
23:16:15

SERIAL/TAIL NO : 533FL LITERAL SERIAL NO : A23-033; F/S 533 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 553.20.09.231 ~S4080  
ENGINEERING NAME : RUDDER PEDAL ATTACH BEARING  
VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
	LIFE SINCE NEW		TRANS REFERENCE		
07JUN17 06:28	Position Change	1184.7	A23T A1UBX	01	
	8914.8 AFHR		A23T A1UBX	01	
	Maintenance Comment	0.0	A1PXXX1709053		XXxxXXxx
01FEB18 23:57	Change Serviceability Stat	91.8	POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE		
	9073.6 AFHR		S/I		
02FEB18 01:21	Change Serviceability Stat	0.0	A1PXXJ1608446		XXxxXXxx
	9073.6 AFHR		US/I		
			S/I		XXxxXXxx

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			
A1PXXJ1403837	C COMPLETED	28APR14 01:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	29APR14 06:49	28APR14 01:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	7971.5	AFHR
19 MMI SERVICING DUE				MS7 due on Serial 533FL			
				PEDAL BRG FRONT LH at WAC 0730			
01 NO FAULT		12 MMI SERVICING					
		Unserviceability Details:					
		Maintenance Comments:	V				
A1PXXJ1406913	C COMPLETED	29APR14 12:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	29APR14 13:04	29APR14 12:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	7971.5	AFHR
19 MMI SERVICING DUE				MS13 due on Serial 533FL			
				PEDAL BRG FRONT LH at WAC 0730			
01 NO FAULT		12 MMI SERVICING					
		Unserviceability Details:					
		Maintenance Comments:		MS13 CARRIED OUT IAW MOD 264 INSTRUCTIONS REF AIP MCS 203/14-5-4			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS13	2.0	ELPYR			07MAR92
SM	MS13	2.0	ELPYR			07MAR92

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 533FL LITERAL SERIAL NO : A23-033; F/S 533 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 553.20.09.231 ~S4080  
 ENGINEERING NAME : RUDDER PEDAL ATTACH BEARING  
 VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			

A1PXXJ1406948 C COMPLETED 13APR16 22:42 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 13APR16 22:48 31MAR16 22:59 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 8585.3 AFHR  
 19 MMI SERVICING DUE MS13 due on Serial 533FL  
 PEDAL BRG FRONT LH at WAC 0730  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS 13 SERVICING CARRIED OUT IAW AAP 7212.007-2, NIL CRACKING  
 EVIDENT, REFER AIP MCS 090/16-13-03

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS13	2.0	ELPYR			28APR16
SM	MS13	2.0	ELPYR			28APR16

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			

A1PXXJ1608446 C COMPLETED 02FEB18 00:03 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 02FEB18 01:21 01FEB18 23:57 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 9073.6 AFHR  
 19 MMI SERVICING DUE MS13 due on Serial 533FL  
 PEDAL BRG FRONT LH at WAC 0730  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS13 SERVICING CARRIED OUT IAW AAP 7212.007-2

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS13	2.0	ELPYR			13APR18
SM	MS13	2.0	ELPYR			13APR18

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 533FR LITERAL SERIAL NO : A23-033; FS 533 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 553.20.09.229 ~S4080  
ENGINEERING NAME : RUDDER PEDALS BEARING SUPPORT PLATES  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 9545.2 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE UNPACKED			
10MAR14 12:45	533FR	553.20.09.229	~S4080	A23T	00
aip04023	AIP	HOLD		ALUBV	
K. ARUMUGAM		08MAR90		A1PXXR1400457	
	7954.4 AFHR		08MAR90		



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01375  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 533FR LITERAL SERIAL NO : A23-033; FS 533 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 533.20.09.229 ~S4080  
 ENGINEERING NAME : RUDDER PEDALS BEARING SUPPORT PLATES  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW						
10MAR14 12:45	Reception History Record	0.0	Reception			
	7954.4 AFHR		HOLD	MMI		XXxxXXxx
10MAR14 13:31	Asset Installation	8768.5	A23T	A1UBV	00	
	7954.4 AFHR		533	A23-033		A23T A1UBV 00AC
	Change Serviceability Stat	8768.5	SERV			XXxxXXxx
	Change Location of an Asse	8768.5	S/I			
28APR14 01:58	Change Serviceability Stat	11.0	HOLD			
	7971.5 AFHR		A23-033			
29APR14 06:50	Change Serviceability Stat	1.2	S/I			
	7971.5 AFHR		US/I			XXxxXXxx
29APR14 11:03	Position Change	49.8	A1PXXJ1403838			
	7971.5 AFHR		S/I			XXxxXXxx
	Maintenance Comment	0.0	A23T A1UBV	00		
29APR14 12:18	Change Serviceability Stat	0.2	A23T A1UBV	01		
	7971.5 AFHR		A1PXXX1404243			XXxxXXxx
	Change Serviceability Stat	0.0	MS7 C/O REF; MCS 203/14. MATERIAL SPEC = 2024 T351			
29APR14 13:03	Change Serviceability Stat	0.0	S/I			
	7971.5 AFHR		US/I			XXxxXXxx
	Change Serviceability Stat	8.5	A1PXXJ1406915			
31MAR16 22:59	Change Serviceability Stat	8.5	S/I			XXxxXXxx
	8585.3 AFHR		US/I			
13APR16 22:49	Change Serviceability Stat	12.9	A1PXXJ1406947			XXxxXXxx
	8585.3 AFHR		US/I			
07JUN17 06:27	Position Change	1184.7	S/I			XXxxXXxx
	8914.8 AFHR		A23T A1UBV	01		
	Maintenance Comment	0.0	A23T A1UBV	01		
			A1PXXX1709050			XXxxXXxx
			POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01376  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 533FR LITERAL SERIAL NO : A23-033; FS 533 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 553.20.09.229 ~S4080  
 ENGINEERING NAME : RUDDER PEDALS BEARING SUPPORT PLATES  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
01FEB18 23:57	Change Serviceability Stat	91.8	S/I US/I A1PXXJ1608447	XXxxXXxx
02FEB18 01:26	Change Serviceability Stat	0.0	US/I S/I	XXxxXXxx

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJ1403838	C COMPLETED	28APR14 01:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
19 MMI SERVICING DUE		29APR14 06:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		7971.5	AFHR
01 NO FAULT		12 MMI SERVICING		MS7 due on Serial 533FR			
		Unserviceability Details:		PEDAL BRG SPT FR RH at WAC 0730			
		Maintenance Comments:		MS7 CARRIED OUT REF AIP/NDT/A23-033/001 MATERIAL SPEC 2024-T351			
A1PXXJ1406915	C COMPLETED	29APR14 12:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
19 MMI SERVICING DUE		29APR14 12:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		7971.5	AFHR
01 NO FAULT		12 MMI SERVICING		MS13 due on Serial 533FR			
		Unserviceability Details:		PEDAL BRG SPT FR RH at WAC 0730			
		Maintenance Comments:		MS13 CARRIED OUT IAW MOD 264 INSTRUCTIONS REF AIP MCS 203/14-5-3			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS13	2.0	ELPYR			07MAR92
SM	MS13	2.0	ELPYR			07MAR92

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 533FR LITERAL SERIAL NO : A23-033; FS 533 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 553.20.09.229 ~S4080  
ENGINEERING NAME : RUDDER PEDALS BEARING SUPPORT PLATES  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			

A1PXXJ1406947	C COMPLETED	13APR16 22:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	13APR16 22:49	31MAR16 22:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	8585.3	AFHR	
19 MMI SERVICING DUE				MS13 due on Serial 533FR			
				PEDAL BRG SPT FR RH at WAC 0730			
01 NO FAULT		12 MMI SERVICING					
		Unserviceability Details:					
		Maintenance Comments:		MS 13 SERVICING CARRIED OUT IAW AAP 7212.007-2, NIL CRACKING			
				EVIDENT, REFER AIP MCS 090/16-13-03			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS13	2.0	ELPYR			28APR16
SM	MS13	2.0	ELPYR			28APR16

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			

A1PXXJ1608447	C COMPLETED	02FEB18 00:03	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	02FEB18 01:26	01FEB18 23:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	9073.6	AFHR	
19 MMI SERVICING DUE				MS13 due on Serial 533FR			
				PEDAL BRG SPT FR RH at WAC 0730			
01 NO FAULT		12 MMI SERVICING					
		Unserviceability Details:					
		Maintenance Comments:		MS13 SERVICING CARRIED OUT IAW AAP 7212.007-2			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS13	2.0	ELPYR			13APR18
SM	MS13	2.0	ELPYR			13APR18

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 533FR LITERAL SERIAL NO : A23-033; FS 533 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 553.20.09.231 ~S4080  
 ENGINEERING NAME : RUDDER PEDAL ATTACH BEARING  
 VENUE : A23DISP LOCATION : A23-033  
 CURRENT CONDITION : S/I LIFE SINCE NEW : 9545.2 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
10MAR14 12:46	533FR	553.20.09.231	~S4080	A23T	00
aip04023	AIP	HOLD		ALUBZ	
K. ARUMUGAM		08MAR90		A1PXXR1400458	
	7954.4 AFHR		08MAR90		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01379  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 533FR LITERAL SERIAL NO : A23-033; FS 533 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 533.20.09.231 ~S4080  
 ENGINEERING NAME : RUDDER PEDAL ATTACH BEARING  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
10MAR14 12:46	Reception History Record	0.0	Reception HOLD	
	7954.4 AFHR		MMI	XXxxXXxx
10MAR14 13:32	Asset Installation	8768.5	A23T A1UBZ 533 A23-033 00	A23T A1UBZ 00AC
	7954.4 AFHR			XXxxXXxx
	Change Serviceability Stat	8768.5	SERV S/I	
	Change Location of an Asse	8768.5	HOLD A23-033	
28APR14 01:58	Change Serviceability Stat	11.0	S/I US/I	
	7971.5 AFHR		A1PXXJ1403839	XXxxXXxx
29APR14 06:50	Change Serviceability Stat	1.2	US/I S/I	
	7971.5 AFHR			XXxxXXxx
29APR14 11:05	Position Change	49.8	A23T A1UBZ 00	
	7971.5 AFHR		A23T A1UBZ 01	
	Maintenance Comment	0.0	A1PXXX1404244	XXxxXXxx
29APR14 12:18	Change Serviceability Stat	0.2	MS7 C/O REF; MCS 203/14. MATERIAL SPEC = 2024 T351	
	7971.5 AFHR		S/I US/I	
29APR14 13:07	Change Serviceability Stat	0.0	A1PXXJ1406917	XXxxXXxx
	7971.5 AFHR		US/I S/I	
31MAR16 22:59	Change Serviceability Stat	8.5	S/I US/I	XXxxXXxx
	8585.3 AFHR		A1PXXJ1406949	XXxxXXxx
13APR16 22:52	Change Serviceability Stat	12.9	US/I S/I	
	8585.3 AFHR			XXxxXXxx
07JUN17 06:27	Position Change	1184.7	A23T A1UBZ 01	
	8914.8 AFHR		A23T A1UBZ 01	
	Maintenance Comment	0.0	A1PXXX1709051	XXxxXXxx
			POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01380  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 533FR LITERAL SERIAL NO : A23-033; FS 533 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 553.20.09.231 ~S4080  
 ENGINEERING NAME : RUDDER PEDAL ATTACH BEARING  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS		LIFE SINCE NEW		SPAN(DYS) FROM		TO (OPTIONAL)		USER	
TRANSACTION D/T	CHANGE TYPE					TRANS REFERENCE			
01FEB18 23:58	Change Serviceability Stat	91.8		S/I					
			9073.6	AFHR		A1PXXJ1608448		XXxxXXxx	
02FEB18 01:25	Change Serviceability Stat	0.0		US/I					
			9073.6	AFHR				XXxxXXxx	

MMI JOBS									
JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS		
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW			
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS						
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS						
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT						
A1PXXJ1403839	C COMPLETED	28APR14 01:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP			
19 MMI SERVICING DUE	29APR14 06:50	28APR14 01:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	7971.5	AFHR		
01 NO FAULT		12 MMI SERVICING	Unserviceability Details:		MS7 CARRIED OUT REF AIP/NDT/A23-033/001 MATERIAL SPEC 2024-T351				
			Maintenance Comments:						
A1PXXJ1406917	C COMPLETED	29APR14 12:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP			
19 MMI SERVICING DUE	29APR14 13:07	29APR14 12:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	7971.5	AFHR		
01 NO FAULT		12 MMI SERVICING	Unserviceability Details:		MS13 CARRIED OUT IAW MOD 264 INSTRUCTIONS REF AIP MCS 203/14-5-4				
			Maintenance Comments:						

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS13	2.0	ELPYR			07MAR92
SM	MS13	2.0	ELPYR			07MAR92

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 533FR LITERAL SERIAL NO : A23-033; FS 533 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 553.20.09.231 ~S4080  
 ENGINEERING NAME : RUDDER PEDAL ATTACH BEARING  
 VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			

A1PXXJ1406949 C COMPLETED 13APR16 22:42 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 13APR16 22:52 31MAR16 22:59 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 8585.3 AFHR  
 19 MMI SERVICING DUE MS13 due on Serial 533FR  
 PEDAL BRG FRONT RH at WAC 0730  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS 13 SERVICING CARRIED OUT IAW AAP 7212.007-2, NIL CRACKING  
 EVIDENT, REFER AIP MCS 090/16-13-03

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS13	2.0	ELPYR			28APR16
SM	MS13	2.0	ELPYR			28APR16

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			

A1PXXJ1608448 C COMPLETED 02FEB18 00:03 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 02FEB18 01:25 01FEB18 23:58 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 9073.6 AFHR  
 19 MMI SERVICING DUE MS13 due on Serial 533FR  
 PEDAL BRG FRONT RH at WAC 0730  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS13 SERVICING CARRIED OUT IAW AAP 7212.007-2

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS13	2.0	ELPYR			13APR18
SM	MS13	2.0	ELPYR			13APR18

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 01382  
08JAN20  
23:16:15

SERIAL/TAIL NO : 533L  
PART NO : 553.10.09.869 ~S4080  
ENGINEERING NAME : FRAME 11 FITTING LH  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 9545.2 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
09MAY16 06:06	533L	553.10.09.869	~S4080	A23T	02
aip02017	AIP	A23-033		ALUQS02	
J. MCLEAN		08MAR90		A1PXXR1600759	
	8585.3 AFHR				



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01383  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 533L  
 PART NO : 553.10.09.869 ~S4080  
 ENGINEERING NAME : FRAME 11 FITTING LH  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
11APR16 06:07	Asset Installation	9531.2	A23T A1UQS02 02 533 A23-033	A23T A1UQS02 02AC XXXXXXXXXX
	8585.3 AFHR Change Serviceability Stat	0.2	SERV S/I A23-033	
09MAY16 06:06	Reception History Record	0.0	Reception A23-033	MMI XXXXXXXXXX
09MAY16 06:07	Maintenance Comment	0.0	PARTNO: 553.10.09.870 - AIP/NDT/A23-033/056. A1PXXX1604244	STI-PC9-0613 XXXXXXXXXX
23AUG18 12:05	Position Change	864.2	A23T A1UQS02 02 A23T A1UQS02 02	
	9073.6 AFHR Maintenance Comment	0.0	A1PXXX1808352 POS CX TO CLEAR COMP DEFAULT POLICY ERROR	XXXXXXXXXX

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 533RL LITERAL SERIAL NO : A23-033; FS 533 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 553.20.09.229 ~S4080  
ENGINEERING NAME : RUDDER PEDALS BEARING SUPPORT PLATES  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 9545.2 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
10MAR14 12:48	533RL	553.20.09.229	~S4080	A23T	00
aip04023	AIP	HOLD		ALUFP	
K. ARUMUGAM		08MAR90		A1PXXR1400459	
	7954.4 AFHR		08MAR90		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01385  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 533RL LITERAL SERIAL NO : A23-033; FS 533 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 553.20.09.229 ~S4080  
 ENGINEERING NAME : RUDDER PEDALS BEARING SUPPORT PLATES  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW						
10MAR14 12:48	Reception History Record	0.0	Reception HOLD	MMI		
10MAR14 13:32	Asset Installation	8768.5	A23T 533	A1UFP A23-033	00	XXxxXXxx
	Change Serviceability Stat	8768.5	SERV S/I			XXxxXXxx
	Change Location of an Asse	8768.5	HOLD A23-033			
28APR14 01:58	Change Serviceability Stat	11.0	S/I US/I			
29APR14 06:51	Change Serviceability Stat	1.2	A1PXXJ1403840			XXxxXXxx
29APR14 11:05	Position Change	49.8	S/I			
	Maintenance Comment	0.0	A23T A1UFP	00		
29APR14 12:18	Change Serviceability Stat	0.2	A23T A1UFP	01		XXxxXXxx
	Maintenance Comment	0.0	A1PXXX1404245			
29APR14 13:10	Change Serviceability Stat	0.0	MS7 C/O REF; MCS 203/14. MATERIAL SPEC = 2024 T351			
	Maintenance Comment	0.0	S/I US/I			
31MAR16 22:59	Change Serviceability Stat	8.5	A1PXXJ1406919			XXxxXXxx
13APR16 22:54	Change Serviceability Stat	12.9	S/I US/I			
	Maintenance Comment	0.0	A1PXXJ1406951			XXxxXXxx
07JUN17 10:03	Position Change	1184.8	S/I US/I			
	Maintenance Comment	0.0	A23T A1UFP	01		XXxxXXxx
	Maintenance Comment	0.0	A23T A1UFP	01		XXxxXXxx
	Maintenance Comment	0.0	A1PXXX1709125			
	Maintenance Comment	0.0	POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01386  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 533RL LITERAL SERIAL NO : A23-033; FS 533 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 553.20.09.229 ~S4080  
 ENGINEERING NAME : RUDDER PEDALS BEARING SUPPORT PLATES  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS		-----			
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS) FROM		TO (OPTIONAL)	USER
		LIFE SINCE NEW	TRANS REFERENCE		
01FEB18 23:58	Change Serviceability Stat	91.8	S/I		
		9073.6 AFHR	US/I	A1PXXJ1608450	XXxxXXxx
02FEB18 01:25	Change Serviceability Stat	0.0	US/I		
		9073.6 AFHR	S/I		XXxxXXxx

MMI JOBS									
JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS		
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW			
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS						
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS						
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT						
A1PXXJ1403840	C COMPLETED	28APR14 01:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP				
19 MMI SERVICING DUE	29APR14 06:51	28APR14 01:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	7971.5	AFHR		
01 NO FAULT	12 MMI SERVICING		Unserviceability Details:		MS7 CARRIED OUT REF AIP/NDT/A23-033/001 MATERIAL SPEC 2024-T351				
			Maintenance Comments:		MS7 due on Serial 533RL PEDAL BRG SPT RE LH at WAC 0740				
A1PXXJ1406919	C COMPLETED	29APR14 12:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP				
19 MMI SERVICING DUE	29APR14 13:10	29APR14 12:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	7971.5	AFHR		
01 NO FAULT	12 MMI SERVICING		Unserviceability Details:		MS13 CARRIED OUT IAW MOD 264 INSTRUCTIONS REF AIP MCS 203/14-5-5				
			Maintenance Comments:		MS13 due on Serial 533RL PEDAL BRG SPT RE LH at WAC 0740				

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS13	2.0	ELPYR			07MAR92
SM	MS13	2.0	ELPYR			07MAR92

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 533RL LITERAL SERIAL NO : A23-033; FS 533 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 553.20.09.229 ~S4080  
ENGINEERING NAME : RUDDER PEDALS BEARING SUPPORT PLATES  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			

A1PXXJ1406951	C COMPLETED	13APR16 22:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	13APR16 22:54	31MAR16 22:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	8585.3	AFHR	
19 MMI SERVICING DUE				MS13 due on Serial 533RL			
				PEDAL BRG SPT RE LH at WAC 0740			
01 NO FAULT		12 MMI SERVICING					
		Unserviceability Details:					
		Maintenance Comments:		MS 13 SERVICING CARRIED OUT IAW AAP 7212.007-2, NIL CRACKING			
				EVIDENT, REFER AIP MCS 090/16-13-03			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS13	2.0	ELPYR			28APR16
SM	MS13	2.0	ELPYR			28APR16

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			

A1PXXJ1608450	C COMPLETED	02FEB18 00:03	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	02FEB18 01:25	01FEB18 23:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	9073.6	AFHR	
19 MMI SERVICING DUE				MS13 due on Serial 533RL			
				PEDAL BRG SPT RE LH at WAC 0740			
01 NO FAULT		12 MMI SERVICING					
		Unserviceability Details:					
		Maintenance Comments:		MS13 SERVICING CARRIED OUT IAW AAP 7212.007-2			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS13	2.0	ELPYR			13APR18
SM	MS13	2.0	ELPYR			13APR18

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

CAMM2  
 ASSET HISTORY

SERIAL/TAIL NO : 533RL LITERAL SERIAL NO : A23-033; FS 533 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 553.20.09.231 ~S4080  
 ENGINEERING NAME : RUDDER PEDAL ATTACH BEARING  
 VENUE : A23DISP LOCATION : A23-033  
 CURRENT CONDITION : S/I LIFE SINCE NEW : 9545.2 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
10MAR14 12:49	533RL	553.20.09.231	A23T	ALUFT	00
aip04023	AIP	HOLD		A1PXXR1400460	
K. ARUMUGAM		08MAR90	08MAR90		
	7954.4 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01389  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 533RL LITERAL SERIAL NO : A23-033; FS 533 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 553.20.09.231 ~S4080  
 ENGINEERING NAME : RUDDER PEDAL ATTACH BEARING  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW						
10MAR14 12:49	Reception History Record	0.0	Reception			
	7954.4 AFHR		HOLD	MMI		XXxxXXxx
10MAR14 13:33	Asset Installation	8768.5	A23T	A1UFT	00	
	7954.4 AFHR		533	A23-033		A23T A1UFT 00AC
	Change Serviceability Stat	8768.5	SERV			XXxxXXxx
	Change Location of an Asse	8768.5	S/I			
28APR14 01:58	Change Serviceability Stat	11.0	HOLD			
	7971.5 AFHR		A23-033			
29APR14 06:52	Change Serviceability Stat	1.2	S/I			
	7971.5 AFHR		US/I			XXxxXXxx
29APR14 11:05	Position Change	49.8	A1PXXJ1403841			
	7971.5 AFHR		S/I			XXxxXXxx
	Maintenance Comment	0.0	A23T A1UFT	00		
29APR14 12:18	Change Serviceability Stat	0.2	A23T A1UFT	01		
	7971.5 AFHR		A1PXXX1404246			XXxxXXxx
	Change Serviceability Stat	0.0	MS7 C/O REF; MCS 203/14. MATERIAL SPEC = 2024 T351			
29APR14 13:12	Change Serviceability Stat	0.0	S/I			
	7971.5 AFHR		US/I			XXxxXXxx
	Change Serviceability Stat	8.5	A1PXXJ1406921			
31MAR16 22:59	Change Serviceability Stat	8.5	S/I			XXxxXXxx
	8585.3 AFHR		US/I			
13APR16 22:56	Change Serviceability Stat	12.9	A1PXXJ1406952			XXxxXXxx
	8585.3 AFHR		US/I			
07JUN17 10:04	Position Change	1184.8	S/I			XXxxXXxx
	8914.8 AFHR		A23T A1UFT	01		
	Maintenance Comment	0.0	A23T A1UFT	01		
			A1PXXX1709126			XXxxXXxx
			POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01390  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 533RL LITERAL SERIAL NO : A23-033; FS 533 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 553.20.09.231 ~S4080  
 ENGINEERING NAME : RUDDER PEDAL ATTACH BEARING  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS		LIFE SINCE NEW		SPAN(DYS) FROM		TO (OPTIONAL)		USER	
TRANSACTION D/T	CHANGE TYPE					TRANS REFERENCE			
02FEB18 00:01	Change Serviceability Stat	91.8		S/I					
		9073.6	AFHR	US/I		A1PXXJ1608452		XXxxXXxx	
02FEB18 01:22	Change Serviceability Stat	0.0		US/I					
		9073.6	AFHR	S/I				XXxxXXxx	

MMI JOBS									
JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS		
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW			
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT					
A1PXXJ1403841	C COMPLETED	28APR14 01:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP			
	29APR14 06:52	28APR14 01:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	7971.5	AFHR		
19 MMI SERVICING DUE				MS7	due on Serial 533RL				
01 NO FAULT		12 MMI SERVICING		PEDAL BRG REAR LH	at WAC 0730				
		Unserviceability Details:		MS7 CARRIED OUT REF AIP/NDT/A23-033/001 MATERIAL SPEC 2024-T351					
		Maintenance Comments:							
A1PXXJ1406921	C COMPLETED	29APR14 12:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP			
	29APR14 13:12	29APR14 12:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	7971.5	AFHR		
19 MMI SERVICING DUE				MS13	due on Serial 533RL				
01 NO FAULT		12 MMI SERVICING		PEDAL BRG REAR LH	at WAC 0730				
		Unserviceability Details:		MS13 CARRIED OUT IAW MOD 264 INSTRUCTIONS REF AIP MCS 203/14-5-5					
		Maintenance Comments:							

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS13	2.0	ELPYR			07MAR92
SM	MS13	2.0	ELPYR			07MAR92



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 533RL LITERAL SERIAL NO : A23-033; FS 533 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 553.20.09.231 ~S4080  
 ENGINEERING NAME : RUDDER PEDAL ATTACH BEARING  
 VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			

A1PXXJ1406952	C COMPLETED	13APR16 22:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	13APR16 22:56	31MAR16 22:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	8585.3	AFHR	
19 MMI SERVICING DUE				MS13 due on Serial 533RL			
				PEDAL BRG REAR LH at WAC 0740			
01 NO FAULT		12 MMI SERVICING					
		Unserviceability Details:					
		Maintenance Comments:		MS 13 SERVICING CARRIED OUT IAW AAP 7212.007-2, NIL CRACKING			
				EVIDENT, REFER AIP MCS 090/16-13-03			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS13	2.0	ELPYR			28APR16
SM	MS13	2.0	ELPYR			28APR16

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			

A1PXXJ1608452	C COMPLETED	02FEB18 00:03	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	02FEB18 01:22	02FEB18 00:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	9073.6	AFHR	
19 MMI SERVICING DUE				MS13 due on Serial 533RL			
				PEDAL BRG REAR LH at WAC 0740			
01 NO FAULT		12 MMI SERVICING					
		Unserviceability Details:					
		Maintenance Comments:		MS13 SERVICING CARRIED OUT IAW AAP 7212.007-2			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS13	2.0	ELPYR			13APR18
SM	MS13	2.0	ELPYR			13APR18

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 533RR LITERAL SERIAL NO : A23-033; FS 533 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 553.20.09.229 ~S4080  
 ENGINEERING NAME : RUDDER PEDALS BEARING SUPPORT PLATES  
 VENUE : A23DISP LOCATION : A23-033  
 CURRENT CONDITION : S/I LIFE SINCE NEW : 9545.2 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
10MAR14 12:51	533RR	553.20.09.229	~S4080	A23T	00
aip04023	AIP	HOLD		ALUFR	
K. ARUMUGAM		08MAR90		A1PXXR1400461	
	7954.4 AFHR		08MAR90		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01393  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 533RR LITERAL SERIAL NO : A23-033; FS 533 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 553.20.09.229 ~S4080  
 ENGINEERING NAME : RUDDER PEDALS BEARING SUPPORT PLATES  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW						
10MAR14 12:51	Reception History Record	0.0	Reception HOLD	MMI		
10MAR14 13:33	Asset Installation	8768.5	A23T 533	A1UFR	00	XXxxXXxx
	Change Serviceability Stat	8768.5	SERV S/I			XXxxXXxx
	Change Location of an Asse	8768.5	HOLD A23-033			
28APR14 01:58	Change Serviceability Stat	11.0	S/I			
29APR14 06:52	Change Serviceability Stat	1.2	US/I A1PXXJ1403842			XXxxXXxx
29APR14 11:05	Position Change	49.8	S/I			
	Maintenance Comment	0.0	A23T A1UFR	00		XXxxXXxx
29APR14 12:18	Change Serviceability Stat	0.2	A23T A1UFR	01		XXxxXXxx
	Maintenance Comment	0.0	A1PXXX1404247			XXxxXXxx
29APR14 13:16	Change Serviceability Stat	0.0	MS7 C/O REF; MCS 203/14. MATERIAL SPEC = 2024 T351			
	Maintenance Comment	0.0	US/I A1PXXJ1406923			XXxxXXxx
31MAR16 22:59	Change Serviceability Stat	8.5	S/I			XXxxXXxx
13APR16 22:58	Change Serviceability Stat	12.9	US/I A1PXXJ1406954			XXxxXXxx
07JUN17 06:28	Position Change	1184.7	S/I			
	Maintenance Comment	0.0	A23T A1UFR	01		XXxxXXxx
	Maintenance Comment	0.0	A23T A1UFR	01		XXxxXXxx
	Maintenance Comment	0.0	A1PXXX1709054			XXxxXXxx
	Maintenance Comment	0.0	POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01394  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 533RR LITERAL SERIAL NO : A23-033; FS 533 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 553.20.09.229 ~S4080  
 ENGINEERING NAME : RUDDER PEDALS BEARING SUPPORT PLATES  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS		-----			
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS) FROM		TO (OPTIONAL)	USER
		LIFE SINCE NEW	TRANS REFERENCE		
02FEB18 00:01	Change Serviceability Stat	91.8	S/I		
		9073.6 AFHR	US/I		
02FEB18 01:23	Change Serviceability Stat	0.0	A1PXXJ1608453		XXxxXXxx
		9073.6 AFHR	US/I		
			S/I		XXxxXXxx

MMI JOBS								
JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS	
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW		
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT					
A1PXXJ1403842	C COMPLETED	28APR14 01:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP		
	29APR14 06:52	28APR14 01:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	7971.5	AFHR	
19 MMI SERVICING DUE				MS7	due on Serial 533RR			
01 NO FAULT		12 MMI SERVICING		PEDAL BRG SPT RE RH at WAC 0740				
		Unserviceability Details:		MS7 CARRIED OUT REF AIP/NDT/A23-033/001 MATERIAL SPEC 2024-T351				
		Maintenance Comments:						
A1PXXJ1406923	C COMPLETED	29APR14 12:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP		
	29APR14 13:16	29APR14 12:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	7971.5	AFHR	
19 MMI SERVICING DUE				MS13	due on Serial 533RR			
01 NO FAULT		12 MMI SERVICING		PEDAL BRG SPT RE RH at WAC 0740				
		Unserviceability Details:		MS13 CARRIED OUT IAW MOD 264 INSTRUCTIONS REF AIP MCS 203/14-5-5				
		Maintenance Comments:						

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS13	2.0	ELPYR			07MAR92
SM	MS13	2.0	ELPYR			07MAR92

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : 533RR LITERAL SERIAL NO : A23-033; FS 533 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 553.20.09.229 ~S4080  
ENGINEERING NAME : RUDDER PEDALS BEARING SUPPORT PLATES  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJ1406954	C COMPLETED	13APR16 22:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	13APR16 22:58	31MAR16 22:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	8585.3	AFHR	
19 MMI SERVICING DUE				MS13 due on Serial 533RR			
				PEDAL BRG SPT RE RH at WAC 0740			
01 NO FAULT		12 MMI SERVICING					
		Unserviceability Details:					
		Maintenance Comments:		MS 13 SERVICING CARRIED OUT IAW AAP 7212.007-2, NIL CRACKING			
				EVIDENT, REFER AIP MCS 090/16-13-03			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS13	2.0	ELPYR			28APR16
SM	MS13	2.0	ELPYR			28APR16

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJ1608453	C COMPLETED	02FEB18 00:03	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	02FEB18 01:23	02FEB18 00:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	9073.6	AFHR	
19 MMI SERVICING DUE				MS13 due on Serial 533RR			
				PEDAL BRG SPT RE RH at WAC 0740			
01 NO FAULT		12 MMI SERVICING					
		Unserviceability Details:					
		Maintenance Comments:		MS13 SERVICING CARRIED OUT IAW AAP 7212.007-2			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS13	2.0	ELPYR			13APR18
SM	MS13	2.0	ELPYR			13APR18

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 533RR LITERAL SERIAL NO : A23-033; FS 533 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 553.20.09.231 ~S4080  
ENGINEERING NAME : RUDDER PEDAL ATTACH BEARING  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 9545.2 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
10MAR14 12:52	533RR	553.20.09.231	A23T	ALUFV	00
aip04023	AIP	HOLD		ALPXXR1400462	
K. ARUMUGAM		08MAR90	08MAR90		
	7954.4 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01397  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 533RR LITERAL SERIAL NO : A23-033; FS 533 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 553.20.09.231 ~S4080  
 ENGINEERING NAME : RUDDER PEDAL ATTACH BEARING  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW						
10MAR14 12:52	Reception History Record	0.0	Reception			
	7954.4 AFHR		HOLD	MMI		XXxxXXxx
10MAR14 13:34	Asset Installation	8768.5	A23T	A1UFV	00	
	7954.4 AFHR		533	A23-033		A23T A1UFV 00AC
	Change Serviceability Stat	8768.5	SERV			XXxxXXxx
	Change Location of an Asse	8768.5	S/I			
28APR14 01:58	Change Serviceability Stat	11.0	HOLD			
	7971.5 AFHR		A23-033			
29APR14 06:53	Change Serviceability Stat	1.2	S/I			
	7971.5 AFHR		US/I			XXxxXXxx
29APR14 11:06	Position Change	49.8	A1PXXJ1403843			
	7971.5 AFHR		S/I			XXxxXXxx
	Maintenance Comment	0.0	A23T A1UFV	00		
29APR14 12:18	Change Serviceability Stat	0.2	A23T A1UFV	01		
	7971.5 AFHR		A1PXXX1404248			XXxxXXxx
29APR14 13:14	Change Serviceability Stat	0.0	MS7 C/O REF; MCS 203/14. MATERIAL SPEC = 2024 T351			
	7971.5 AFHR		S/I			
31MAR16 23:00	Change Serviceability Stat	8.5	US/I			XXxxXXxx
	8585.3 AFHR		A1PXXJ1406925			
13APR16 22:59	Change Serviceability Stat	12.9	S/I			XXxxXXxx
	8585.3 AFHR		US/I			
07JUN17 06:28	Position Change	1184.7	A23T A1UFV	01		
	8914.8 AFHR		A23T A1UFV	01		
	Maintenance Comment	0.0	A1PXXX1709055			XXxxXXxx
			POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01398  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 533RR LITERAL SERIAL NO : A23-033; FS 533 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 553.20.09.231 ~S4080  
 ENGINEERING NAME : RUDDER PEDAL ATTACH BEARING  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
02FEB18 00:02	Change Serviceability Stat	91.8	S/I US/I A1PXXJ1608455	XXxxXXxx
02FEB18 01:24	Change Serviceability Stat	0.0	US/I S/I	XXxxXXxx

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJ1403843	C COMPLETED	28APR14 01:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
19 MMI SERVICING DUE		29APR14 06:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	7971.5	AFHR
01 NO FAULT		12 MMI SERVICING		MS7 due on Serial 533RR			
		Unserviceability Details:		PEDAL BRG REAR RH at WAC 0730			
		Maintenance Comments:		MS7 CARRIED OUT REF AIP/NDT/A23-033/001 MATERIAL SPEC 2024-T351			
A1PXXJ1406925	C COMPLETED	29APR14 12:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
19 MMI SERVICING DUE		29APR14 12:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	7971.5	AFHR
01 NO FAULT		12 MMI SERVICING		MS13 due on Serial 533RR			
		Unserviceability Details:		PEDAL BRG REAR RH at WAC 0730			
		Maintenance Comments:		MS13 CARRIED OUT IAW MOD 264 INSTRUCTIONS REF AIP MCS 203/14-5-6			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS13	2.0	ELPYR			07MAR92
SM	MS13	2.0	ELPYR			07MAR92



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : 533RR LITERAL SERIAL NO : A23-033; FS 533 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 553.20.09.231 ~S4080  
ENGINEERING NAME : RUDDER PEDAL ATTACH BEARING  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJ1406953	C COMPLETED	13APR16 22:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	13APR16 22:59	31MAR16 23:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	8585.3	AFHR	
19 MMI SERVICING DUE				MS13 due on Serial 533RR			
				PEDAL BRG REAR RH at WAC 0740			
01 NO FAULT		12 MMI SERVICING					
		Unserviceability Details:					
		Maintenance Comments:		MS 13 SERVICING CARRIED OUT IAW AAP 7212.007-2, NIL CRACKING			
				EVIDENT, REFER AIP MCS 090/16-13-03			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS13	2.0	ELPYR			28APR16
SM	MS13	2.0	ELPYR			28APR16

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJ1608455	C COMPLETED	02FEB18 00:03	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	02FEB18 01:24	02FEB18 00:02	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	9073.6	AFHR	
19 MMI SERVICING DUE				MS13 due on Serial 533RR			
				PEDAL BRG REAR RH at WAC 0740			
01 NO FAULT		12 MMI SERVICING					
		Unserviceability Details:					
		Maintenance Comments:		MS13 SERVICING CARRIED OUT IAW AAP 7212.007-2			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS13	2.0	ELPYR			13APR18
SM	MS13	2.0	ELPYR			13APR18

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 536 LITERAL SERIAL NO : 536 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 557.52.09.009 ~S4080  
ENGINEERING NAME : FLAP ASSY INNER LH  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 7489.6 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		

17MAY07 06:16	536	557.52.09.009	~S4080	A23T	
aip001	AIP	JANDAKOT		A2KCW04	00
L. DOBSON		26MAR91		A1PXXRY701610	
	4045.8 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01401  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 536 LITERAL SERIAL NO : 536 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 557.52.09.009 ~S4080  
 ENGINEERING NAME : FLAP ASSY INNER LH  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
17MAY07 06:16	Reception History Record	0.0	Reception JANDAKOT MMI	
	4045.8 AFHR			XXxxXXxx
17MAY07 06:17	Change Serviceability Stat	0.2	SERV U/S	
	4045.8 AFHR			XXxxXXxx
10APR08 03:56	Change Location of an Asse	1059.1	JANDAKOT HG122 A1PXXXY802856	
	4045.8 AFHR			XXxxXXxx
10APR08 04:01	Change Serviceability Stat	328.9	U/S SERV	
	4045.8 AFHR			XXxxXXxx
06MAY08 03:06	Asset Installation	6251.1	A23T A2KCW04 XX02FTSXRY300179 A23-033	A23T A2KCW04 00AC
	4045.8 AFHR			XXxxXXxx
	Change Serviceability Stat	25.9	SERV S/I	
	Change Location of an Asse	25.9	HG122 A23-033	
08DEC09 06:18	Asset Removal	581.1	XX02FTSXRY300179 A23-033 A23T A2KCW04	A23T A2KCW04 00A
	4731.1 AFHR			XXxxXXxx
	Change Serviceability Stat	1.0	S/I U/S	
	Change Location of an Asse	581.1	A23-033 INTMH	
08DEC09 06:19	Change Serviceability Stat	0.0	U/S SERV	
	4731.1 AFHR			XXxxXXxx
10DEC09 06:15	Asset Installation	1.9	A23T A2KCW04 XX02FTSXRY300179 A23-033	A23T A2KCW04 00AC
	4731.1 AFHR			XXxxXXxx
	Change Serviceability Stat	1.9	SERV S/I	
	Change Location of an Asse	1.9	INTMH A23-033	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01402  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 536 LITERAL SERIAL NO : 536 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 557.52.09.009 ~S4080  
 ENGINEERING NAME : FLAP ASSY INNER LH  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
04APR16 04:45	Asset Removal	2306.9	XX02FTSXRY300179 A23-033 A23T A2KCW04	A23T A2KCW04 00A
	6529.7 AFHR Change Serviceability Stat	11.8	S/I	XXXXXXxx
	Change Location of an Asse	325.9	U/S A23-033	
04APR16 04:46	Change Serviceability Stat	0.0	INTMH U/S	
	6529.7 AFHR		SERV	XXXXXXxx
21APR16 22:49	Asset Installation	17.7	A23T A2KCW04 XX02FTSXRY300179 A23-033	A23T A2KCW04 00AC
	6529.7 AFHR Change Serviceability Stat	17.7	SERV	XXXXXXxx
	Change Location of an Asse	17.7	S/I INTMH	
04APR17 05:11	Asset Removal	347.2	A23-033 XX02FTSXRY300179 A23-033 A23T A2KCW04	A23T A2KCW04 00A
	6859.2 AFHR Change Serviceability Stat	130.0	S/I	XXXXXXxx
	Change Location of an Asse	347.2	U/S A23-033	
04APR17 05:11	Change Serviceability Stat	0.0	INTMH U/S	
	6859.2 AFHR		SERV	XXXXXXxx
10MAY17 02:49	Asset Installation	35.9	A23T A2KCW04 XX02FTSXRY300179 A23-033	A23T A2KCW04 00AC
	6859.2 AFHR Change Serviceability Stat	35.9	SERV	XXXXXXxx
	Change Location of an Asse	35.9	S/I INTMH A23-033	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 536 LITERAL SERIAL NO : 536 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 557.52.09.009 ~S4080  
ENGINEERING NAME : FLAP ASSY INNER LH  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
12	DAMAGED	09 R2 SERVICING	XXxxXXxx	EXCESSIVE STONE DENTS IN SKIN	AIP	4045.8	AFHR
08	DAMAGE	01 DAMAGED/CRACKED 02 REPAIR	XXxxXXxx	STONE DENTS	AIP	4045.8	AFHR
Unserviceability Details: STONE DENTS							
Maintenance Comments: SKIN AND JOURNALS REPLACED AT JANDAKOT IAW 7212.007-3. REF; LSN JSF 55/06 .							
13	REMOVED FOR ACCESS	99 NO FAILURE	XXxxXXxx	LH AND RH INBOARD FLAPS AND AIRBRAKE RFA	AIP	4731.1	AFHR
01	NO FAULT	04 CHECK/TEST SERV	XXxxXXxx	CHECK/TEST SERV	AIP	4731.1	AFHR
Unserviceability Details: CHECK/TEST SERV							
Maintenance Comments: CHECK/TEST SERV							
13	REMOVED FOR ACCESS	99 NO FAILURE	XXxxXXxx	LH AND RH INNER FLAP ASSEMBLY RFA	AIP	6529.7	AFHR
01	NO FAULT	04 CHECK/TEST SERV	XXxxXXxx	CHECK/TEST SERV	AIP	6529.7	AFHR
Unserviceability Details: CHECK/TEST SERV							
Maintenance Comments: CHECK/TEST SERV							
13	REMOVED FOR ACCESS	99 NO FAILURE	XXxxXXxx	LH AND RH INBOARD FLAPS RFA FOR NDT ACCESS.	AIP	6859.2	AFHR
01	NO FAULT	04 CHECK/TEST SERV	XXxxXXxx	CHECK/TEST SERV	AIP	6859.2	AFHR
Unserviceability Details: CHECK/TEST SERV							
Maintenance Comments: CHECK/TEST SERV							

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01404  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 538  
 PART NO : 555.10.09.130  
 ENGINEERING NAME : HORIZONTAL STAB ASS  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

~S4080

PERIOD: 01JAN90 TO 08JAN20

LOCATION : A23-033  
 LIFE SINCE NEW : 7246.0 AFHR

ASSET TRANSACTIONS

TRANSACTION D/T CHANGE TYPE		LIFE SINCE NEW		SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
31AUG03	14:59	Maintenance Comment	0.0 AFHR	2.2	28Sep92	A23-043 00.	611.7 0.0 AFHR	REM SVC TO A23-043
31AUG03	14:59	Maintenance Comment	0.0 AFHR	2.2	CAMM LOG00002			XXXXXXxx
31AUG03	15:05	Maintenance Comment	0.0 AFHR	2.2	24Apr01	STI-PC9-255C	STI STATUS NOW	NA
31AUG03	15:06	Maintenance Comment	0.0 AFHR	2.2	CAMM LOG00010			XXXXXXxx
31AUG03	15:07	Maintenance Comment	0.0 AFHR	2.2	29May01	STI-PC9-255B	STI STATUS NOW	RINC
31AUG03	15:07	Maintenance Comment	0.0 AFHR	2.2	CAMM LOG00011			XXXXXXxx
31AUG03	15:07	Maintenance Comment	0.0 AFHR	2.2	23Apr98	A23-043 16.0	3313.6 0.0 AFHR	UPDATED LIFE (MPMI)
31AUG03	15:07	Maintenance Comment	0.0 AFHR	2.2	CAMM LOG00005			XXXXXXxx
31AUG03	15:07	Maintenance Comment	0.0 AFHR	2.2	01Mar91	A23-043 00.	0.0 0.0 AFHR	^^^^^RECEPTION
31AUG03	15:07	Maintenance Comment	0.0 AFHR	2.2	CAMM LOG00001			XXXXXXxx
31AUG03	15:07	Maintenance Comment	0.0 AFHR	2.2	27Mar01	STI-PC9-251A	STI STATUS NOW	RINC
31AUG03	15:07	Maintenance Comment	0.0 AFHR	2.2	CAMM LOG00008			XXXXXXxx
31AUG03	15:07	Maintenance Comment	0.0 AFHR	2.2	24Sep01	STI-PC9-255A	STI STATUS NOW	RINC
31AUG03	15:07	Maintenance Comment	0.0 AFHR	2.2	CAMM LOG00013			XXXXXXxx
31AUG03	15:07	Maintenance Comment	0.0 AFHR	2.2	15Oct90	NEW - 538	555.10.09.130 1025-00-00-F	
31AUG03	15:08	Maintenance Comment	0.0 AFHR	2.2	CAMM LOG00020			XXXXXXxx
31AUG03	15:08	Maintenance Comment	0.0 AFHR	2.2	13May99	STI-PC9-228A	STI STATUS NOW	INC
31AUG03	15:08	Maintenance Comment	0.0 AFHR	2.2	CAMM LOG00007			XXXXXXxx
31AUG03	15:08	Maintenance Comment	0.0 AFHR	2.2	29May01	STI-PC9-255A	STI STATUS NOW	RINC
31AUG03	15:08	Maintenance Comment	0.0 AFHR	2.2	CAMM LOG00012			XXXXXXxx
31AUG03	15:08	Maintenance Comment	0.0 AFHR	2.2	09May02	STI-PC9-255B	STI STATUS NOW	RINC
31AUG03	15:08	Maintenance Comment	0.0 AFHR	2.2	CAMM LOG00016			XXXXXXxx
31AUG03	15:08	Maintenance Comment	0.0 AFHR	2.2	WORN BEYOND LIMITS			
31AUG03	15:08	Maintenance Comment	0.0 AFHR	2.2	CAMM LOG00019			XXXXXXxx
31AUG03	15:08	Maintenance Comment	0.0 AFHR	2.2	18Feb99	STI-PC9-228B	STI STATUS NOW	NA
31AUG03	15:08	Maintenance Comment	0.0 AFHR	2.2	CAMM LOG00006			XXXXXXxx
31AUG03	15:08	Maintenance Comment	0.0 AFHR	2.2	18Apr01	STI-PC9-251B	STI STATUS NOW	RINC
31AUG03	15:08	Maintenance Comment	0.0 AFHR	2.2	CAMM LOG00009			XXXXXXxx
31AUG03	15:08	Maintenance Comment	0.0 AFHR	2.2	29Aug03	LE26668 00.	4396.9 AFHR	TX TO CAMM2
31AUG03	15:09	Maintenance Comment	0.0 AFHR	2.2	CAMM LOG00021			XXXXXXxx
31AUG03	15:10	Maintenance Comment	0.0 AFHR	2.2	2FTREP	WFD: 09-R2	US: 16-WORN	
31AUG03	15:10	Maintenance Comment	0.0 AFHR	2.2	CAMM LOG00018			XXXXXXxx
31AUG03	15:10	Maintenance Comment	0.0 AFHR	2.2	28Sep92	A23-043 08.0	611.7 0.0 AFHR	IN AS A23T 1025-00-00-F
					CAMM LOG00003			XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01405  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 538  
 PART NO : 555.10.09.130 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : HORIZONTAL STAB ASS  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
		LIFE SINCE NEW					
31AUG03	15:13	Maintenance Comment 0.0 AFHR	2.2	09May02	STI-PC9-255A	STI STATUS NOW RINC	XXXXXXxx
31AUG03	15:13	Maintenance Comment 0.0 AFHR	2.2	20Aug02	A23-043 16.00 4396.9 0.0 AFHR	12-DAMAGED LE26668	XXXXXXxx
31AUG03	15:15	Maintenance Comment 0.0 AFHR	2.2	24Jun96	STI-PC9-0168	STI STATUS NOW NA	XXXXXXxx
31AUG03	15:16	Maintenance Comment 0.0 AFHR	2.2	24Sep01	STI-PC9-255B	STI STATUS NOW RINC	XXXXXXxx
07SEP03	22:57	Change Part Number of an A 4396.8 AFHR	9.6	555.10.09.130	~\$\$\$\$ ~S4080		XXXXXXxx
29JAN04	23:41	Position Change 4396.8 AFHR	153.6	A23T A2I	00		XXXXXXxx
14FEB06	06:44	Maintenance Comment Change Serviceability Stat 4396.9 AFHR	4887.2	A23T A2I	0		XXXXXXxx
07JUN06	23:05	Change Location of an Asse 4396.9 AFHR	1220.9	A1PXXXXY604435			XXXXXXxx
07JUN06	23:55	Change Serviceability Stat 4396.9 AFHR	113.7	SERV U/S			XXXXXXxx
08JUN06	00:05	Change Serviceability Stat 4396.9 AFHR	0.0	U/S SERV			XXXXXXxx
15JUN06	10:33	Asset Installation 4396.9 AFHR	1021.0	A23T A2I	00		XXXXXXxx
		Change Serviceability Stat 4396.9 AFHR	7.4	A23-016 A23-016		A23T A2I	XXXXXXxx
		Change Location of an Asse	7.4	SERV S/I HG122 A23-016			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01406  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 538  
 PART NO : 555.10.09.130 ~S4080  
 ENGINEERING NAME : HORIZONTAL STAB ASS  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
18JUN06 23:39	Change Serviceability Stat	4396.9 AFHR	3.5	S/I US/I A1PXXJY503898	XXxxXXxx
18JUN06 23:41	Change Serviceability Stat	4396.9 AFHR	0.0	US/I S/I	XXxxXXxx
20OCT06 03:51	Change Serviceability Stat	4546.9 AFHR	0.9	S/I US/I A1PXXJY419134	XXxxXXxx
01NOV06 02:35	Change Serviceability Stat	4546.9 AFHR	11.9	US/I S/I	XXxxXXxx
07FEB08 22:01	Change Serviceability Stat	4841.4 AFHR	197.8	S/I US/I A1PXXJY708433	XXxxXXxx
12FEB08 22:15	Asset Removal	4841.4 AFHR	607.4	A23-016 A23T A2I	A23T A2I 00A
	Change Serviceability Stat	4841.4 AFHR	5.0	US/I U/S	XXxxXXxx
	Change Location of an Asse		607.4	A23-016 INTMH	
18FEB08 21:12	Change Serviceability Stat	4841.4 AFHR	5.9	U/S SERV	XXxxXXxx
18FEB08 21:12	Asset Installation	4841.4 AFHR	5.9	A23T A2I A23-016	A23T A2I 00AC
	Change Serviceability Stat	4841.4 AFHR	0.0	SERV S/I	XXxxXXxx
	Change Location of an Asse		5.9	INTMH A23-016	
30OCT08 06:53	Change Serviceability Stat	5140.6 AFHR	0.9	S/I US/I A1PXXJY803017	XXxxXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01407  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 538  
 PART NO : 555.10.09.130 ~S4080  
 ENGINEERING NAME : HORIZONTAL STAB ASS  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
31OCT08 02:07	Asset Removal	255.2	A23-016 A23T A2I	A23T A2I 00A
	5140.6 AFHR Change Serviceability Stat	0.8	US/I U/S	XXXXXXxx
	Change Location of an Asse	255.2	A23-016 INTMH	
04NOV08 21:50	Change Serviceability Stat	4.8	U/S SERV	
	5140.6 AFHR			XXXXXXxx
04NOV08 21:54	Asset Installation	4.8	A23T A23-016 A2I	A23T A2I 00AC
	5140.6 AFHR Change Serviceability Stat	0.0	SERV S/I	XXXXXXxx
	Change Location of an Asse	4.8	INTMH A23-016	
14APR09 03:20	Asset Removal	160.2	A23-016 A23T A2I	A23T A2I 00A
	5338.4 AFHR Change Serviceability Stat	5.0	S/I U/S	XXXXXXxx
	Change Location of an Asse	160.2	A23-016 HG122	
14APR09 03:21	Change Serviceability Stat	0.0	U/S SERV	
	5338.4 AFHR			XXXXXXxx
21APR09 05:32	Asset Installation	7.0	A23T A23-016 A2I	A23T A2I 00AC
	5338.4 AFHR Change Serviceability Stat	7.0	SERV S/I	XXXXXXxx
	Change Location of an Asse	7.0	HG122 A23-016	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01408  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 538  
 PART NO : 555.10.09.130  
 ENGINEERING NAME : HORIZONTAL STAB ASS  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
19JUN09 01:43	Change Serviceability Stat	0.9	S/I US/I A1PXXJY912604	XXXXXXxx
30JUN09 14:10	Change Serviceability Stat	11.5	US/I S/I	XXXXXXxx
05MAY10 04:50	Change Serviceability Stat	147.8	S/I US/I A1PXXJY914022	XXXXXXxx
08NOV10 09:22	Asset Removal	566.1	A23-016 A23T A2I	A23T A2I 00A
	Change Serviceability Stat	187.1	US/I U/S A23-016	XXXXXXxx
	Change Location of an Asse	566.1	INTMH INTMH HG122	
11NOV10 13:06	Change Location of an Asse	3.1	INTMH HG122 A1PXXX1012429	XXXXXXxx
03APR12 05:58	Change Serviceability Stat	511.8	U/S SERV	XXXXXXxx
03APR12 05:59	Asset Installation	511.8	A23T A2I A23-015	A23T A2I 00AC
	Change Serviceability Stat	0.0	SERV S/I HG122	XXXXXXxx
	Change Location of an Asse	508.7	A23-015 A23-015 A23T A2I	
03APR12 22:30	Asset Removal	0.6	A23-015 A23T A2I	A23T A2I 00A
	Change Serviceability Stat	0.6	S/I U/S A23-015	XXXXXXxx
	Change Location of an Asse	0.6	INTMH	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01409  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 538  
 PART NO : 555.10.09.130 ~S4080  
 ENGINEERING NAME : HORIZONTAL STAB ASS  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
04APR12 06:08	Change Serviceability Stat	0.3	U/S SERV	
	5687.4 AFHR			XXxxXXxx
04APR12 06:16	Asset Installation	0.3	A23T A23-016 A2I A23-016 00	A23T A2I 00AC
	5687.4 AFHR			XXxxXXxx
	Change Serviceability Stat	0.0	SERV S/I	
	Change Location of an Asse	0.3	INTMH A23-016	
12APR12 05:56	Change Serviceability Stat	7.9	S/I US/I	
	5687.4 AFHR		A1PXXJ1204514	XXxxXXxx
18APR12 04:57	Change Serviceability Stat	5.9	US/I S/I	
	5687.4 AFHR			XXxxXXxx
14FEB13 05:02	Change Serviceability Stat	3.0	S/I US/I	
	5972.1 AFHR		A1PXXJ1205261	XXxxXXxx
18FEB13 02:19	Change Serviceability Stat	3.8	US/I S/I	
	5972.1 AFHR			XXxxXXxx
05FEB14 00:13	Change Serviceability Stat	0.6	S/I US/I	
	6271.2 AFHR		A1PXXJ1302303	XXxxXXxx
05FEB14 05:05	Asset Removal	671.9	A23-016 A23T A2I 00	A23T A2I 00A
	6271.2 AFHR			XXxxXXxx
	Change Serviceability Stat	0.2	US/I U/S	
	Change Location of an Asse	671.9	A23-016 INTMH	
05FEB14 05:06	Change Serviceability Stat	0.0	U/S SERV	
	6271.2 AFHR			XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01410  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 538  
 PART NO : 555.10.09.130 ~S4080  
 ENGINEERING NAME : HORIZONTAL STAB ASS  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
14FEB14 00:18	Asset Installation 6271.2 AFHR	8.8	A23T A2I A23-016 A23-016	00 A23T A2I XXXXXXXXXX 00AC
	Change Serviceability Stat	8.8	SERV	
	Change Location of an Asse	8.8	S/I INTMH A23-016	
09APR15 04:04	Change Part Number of an A Maintenance Comment	0.0	NO PARENT TRANSACTION DETAILS POLICY COPY FOR STI-PC9-0590 AUTH BY: MPAN 012/2015	
09FEB16 23:25	Asset Removal	725.9	A23-016 A23-016	A23T A2I 00A
	6869.8 AFHR			XXXXXXXXXX
	Change Serviceability Stat	90.6	S/I	
	Change Location of an Asse	725.9	U/S A23-016	
09FEB16 23:25	Change Serviceability Stat	0.0	OPMH U/S	
	6869.8 AFHR			XXXXXXXXXX
10FEB16 12:27	Change Serviceability Stat	0.5	SERV	
	6869.8 AFHR		U/S A1PXXJ1505439	XXXXXXXXXX
19FEB16 03:44	Change Serviceability Stat	8.6	U/S	
	6869.8 AFHR		SERV	XXXXXXXXXX
22FEB16 00:16	Asset Installation	12.0	A23T A2I A23-021 A23-021	00 A23T A2I XXXXXXXXXX 00AC
	6869.8 AFHR			XXXXXXXXXX
	Change Serviceability Stat	2.8	SERV	
	Change Location of an Asse	12.0	S/I OPMH A23-021	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01411  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 538  
 PART NO : 555.10.09.130 ~S4080  
 ENGINEERING NAME : HORIZONTAL STAB ASS  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
08APR16 01:04	Asset Removal 6928.5 AFHR Change Serviceability Stat	46.0 1.4	A23-021 A23T A2I S/I U/S	A23-021 00 XXxxXXxx
08APR16 01:05	Change Serviceability Stat 6928.5 AFHR	0.0	OPMH U/S SERV	XXxxXXxx
11APR16 11:40	Asset Installation 6928.5 AFHR Change Serviceability Stat	3.4 3.4	A23T A2I A23-021 SERV S/I	A23-021 00 A23T A2I XXxxXXxx
03NOV16 23:26	Change Location of an Asse 7199.7 AFHR Change Serviceability Stat	3.4 21.9	OPMH A23-021 A23-021 A23T A2I	A23-021 00 A23T A2I XXxxXXxx
07NOV16 02:14	Change Location of an Asse 7199.7 AFHR Change Serviceability Stat	206.4 3.1	A23-021 INTMH U/S SERV	XXxxXXxx
28NOV16 03:46	Change Venue of an Asset 7199.7 AFHR Change Location of an Asse	4839.8 24.1	AIP NONC2CONT A1PXXX1612513 INTMH HOLD	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01412  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 538  
 PART NO : 555.10.09.130 ~S4080  
 ENGINEERING NAME : HORIZONTAL STAB ASS  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
27SEP19 04:20	Change Venue of an Asset	1033.0	NONC2CONT AIP NONC2X1907170	XXxxXXxx
	7199.7 AFHR Maintenance Comment	0.0	ALOCATED FOR FITMENT TO A23-033	
	Change Location of an Asse	1033.0	HOLD STORES	
02OCT19 22:23	Asset Installation	1062.9	A23T A2I 00 A23-033 A23-033	A23T A2I XXxxXXxx
	7199.7 AFHR Change Serviceability Stat	1059.8	SERV S/I	
	Change Location of an Asse	5.7	STORES A23-033	

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1401459	COMPLETED	14FEB14 00:10	6271.2	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
05FEB14 05:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			14FEB14 00:10
05FEB14 05:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		NDT due on Serial 538				
		HSTAB RIB 1 AREA at WAC 1100				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-016				
	Maint Acts:	SBI-48 INSPECTION OF HORSTAB RIB 1 REGION C/O IAW PC-9/A ASIMP VOL 2 ANNEX A TO SECT 1 CHAP 4 ,AS PER INSTRUCTION REF AIP MCS 014/14-14-2 REC'S R2.				
A1PXXU1401460	COMPLETED	06FEB14 11:40	6271.2	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
05FEB14 05:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
05FEB14 05:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MS7 due on Serial 538				06FEB14 11:40
		ELEV BRG ASSY CTR at WAC 1100				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-016				
	Maint Acts:	MS7 C/O REF: NDI REPORT AIP/NDT/A23-016/001. MATERIAL SPEC = 2124 (Continued on next page.)				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 01413  
08JAN20  
23:16:15

SERIAL/TAIL NO : 538  
PART NO : 555.10.09.130 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : HORIZONTAL STAB ASS  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

(Continued from previous page.)

T851. POSITION & PART NUMBER CX IAW MOD-7212.007-264 REF: AIP MCS  
025/14

A1PXXU1613656	COMPLETED	16NOV16 04:00	7199.7	AFHR	T+TS	XXxxXXxxXXxxXXxxXXxx
03NOV16 23:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			16NOV16 04:00
03NOV16 23:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MS33 due on Serial PC1601430				16NOV16 04:00
		SBI HSTAB INT/EXT at WAC 1100				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-021				

Maint Acts: MS33 C/O MS33 TASK CARDS WK PK AIP MCS 928/19 WC # 163 TO 177 INCL  
ALSO REF TO DNT REPORT NUMBERS AIP/NDT/A23-021/058 AND  
AIP/NDT/A23-021/059 @ AIP ILM

A1PXXU1613657	COMPLETED	16NOV16 03:28	7199.7	AFHR	SCT	XXxxXXxxXXxxXXxxXXxx
03NOV16 23:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			16NOV16 03:28
03NOV16 23:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MS32 due on Serial PC1601429				
		SBI HSTAB FSPAR at WAC 1100				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-021				

Maint Acts: MS32 CARRIED OUT IAW INSTRUCTIONS. NO DEFECTS FOUND EITHER VISUALLY  
OR WITH NDT. REFER AIP MCS 928/16 WORK CARDS 159-162 AND NDT REPORT  
AIP/NDT/A23-021/057

A1PXXU1613694	COMPLETED	21MAY18 05:00	7199.7	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
07NOV16 02:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
07NOV16 02:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		H-STAB, ELEVATOR LH AND RH BRACKET ATTACHMENT REMOVED FOR NDT ACCESS				21MAY18 05:00
		aip02186 07NOV16 02:26:24				XXxxXXxxXXxxXXxxXXxx
		H-STAB, ELEVATOR CENTER BRACKET ATTACHMENT, CENTER BRACKET HARDWARE AND LH/RH BRACKET HARDWARE REMOVED FOR NDT ACCESS				

Maint Acts: BUILD STRUCTURE REPORT RUN , AE TO FIT MMI SUB ASSY DURING FITMENT  
TO A/C IAW AAP 7212.007-2 @ AIP ILM

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 01414  
 08JAN20  
 23:16:15

REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME			
001 538L 555.10.09.185	A23T	A2IAU 07NOV16 02:20	00 A1PXXJ1623107				
002 538R 555.10.09.185	A23T	A2IAV 07NOV16 02:23	00 A1PXXJ1623115				
003 538 555.10.09.144	A23T	A2IAW 07NOV16 02:31	02 A1PXXJ1623124				
004 PCY600601 932.19.60.445	A23T	A2IBE 07NOV16 02:33	00 A1PXXJ1623126				
005 PCY600598 555.10.09.101	A23T	A2IBG 07NOV16 02:35	00 A1PXXJ1623128				

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS	UNSERVICEABILITY DETAILS				
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					
LE26668XXXXXX	C COMPLETED 14FEB06 06:44	20AUG02 08:43	XXxxXXxx		AIP	AIP 0.0	
12 DAMAGED	09 R2 SERVICING 16 WORN/FRAYED	STAB WORN WHERE CONTACTS F/GLASS STRAKE					
09 OUT OF LIMITS	03 ADJUST/ALIGN	Unserviceability Details: WORN BEYOND LIMITS					
Maintenance Comments: .							



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 01415  
08JAN20  
23:16:15

SERIAL/TAIL NO : 538  
PART NO : 555.10.09.130 ~S4080  
ENGINEERING NAME : HORIZONTAL STAB ASS  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJY608713	C COMPLETED	07JUN06 23:55	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
12 DAMAGED	08JUN06 00:05	15 DEPOT LEVEL MAINTENANCE		FOR CAMM2 RECORDING PURPOSE ONLY X/REF	LSN 070/06	4396.9	AFHR
08 DAMAGE		16 WORN/FRAYED					
		02 REPAIR					

Unserviceability Details: SKIN FRETTING MARKS

Maintenance Comments: SKINREPLACEMENT C/O IAW 7212.007-3 . X-REF LSN 070/06

A1PXXJY503898	C COMPLETED	18JUN06 23:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
08 MOD/STI/DVI REQUIRED				STI-PC9-0362 due on Serial 538		4396.9	AFHR
				HORIZONTAL STAB ASS at WAC 1100			

01 NO FAULT 08 MOD/STI/DVI INCORP  
Unserviceability Details:  
Maintenance Comments: SERV

A1PXXJY419134	C COMPLETED	01NOV06 02:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
08 MOD/STI/DVI REQUIRED	01NOV06 02:35	20OCT06 03:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		4546.9	AFHR
				STI-PC9-255B due on Serial 538			
				HORIZONTAL STAB ASS at WAC 1100			

01 NO FAULT 08 MOD/STI/DVI INCORP  
Unserviceability Details:  
Maintenance Comments: ASSESSED SERV

A1PXXJY419133	C COMPLETED	01NOV06 02:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
08 MOD/STI/DVI REQUIRED	01NOV06 02:35	20OCT06 03:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		4546.9	AFHR
				STI-PC9-255A due on Serial 538			
				HORIZONTAL STAB ASS at WAC 1100			

01 NO FAULT 08 MOD/STI/DVI INCORP  
Unserviceability Details:  
Maintenance Comments: ASSESSED SERV

A1PXXJY801400	C COMPLETED	12FEB08 22:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
08 MOD/STI/DVI REQUIRED	18FEB08 21:11	07FEB08 22:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		4841.4	AFHR
				STI-PC9-0464 due on Serial 538			
				HORIZONTAL STAB ASS at WAC 1100			

01 NO FAULT 08 MOD/STI/DVI INCORP

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 01416  
08JAN20  
23:16:15

SERIAL/TAIL NO : 538  
PART NO : 555.10.09.130 ~S4080  
ENGINEERING NAME : HORIZONTAL STAB ASS  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

Unserviceability Details:  
Maintenance Comments: CO

A1PXXJY708433	C COMPLETED	12FEB08 22:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	18FEB08 21:12	07FEB08 22:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	4841.4	AFHR
08 MOD/STI/DVI REQUIRED				STI-PC9-442B	due on Serial 538		
				HORIZONTAL STAB ASS	at WAC 1100		
01 NO FAULT		08 MOD/STI/DVI INCORP					

Unserviceability Details:  
Maintenance Comments: CO

A1PXXJY802682	C COMPLETED	12FEB08 22:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	12FEB08 22:16	12FEB08 22:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	4841.4	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE		ELEVATOR,HORIZ STAB, RUDDER RFA			
01 NO FAULT		04 CHECK/TEST SERV					

Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV

A1PXXJY803017	C COMPLETED	31OCT08 02:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	04NOV08 21:33	30OCT08 06:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	5140.6	AFHR
08 MOD/STI/DVI REQUIRED				STI-PC9-442B	due on Serial 538		
				HORIZONTAL STAB ASS	at WAC 1100		
01 NO FAULT		08 MOD/STI/DVI INCORP					

Unserviceability Details:  
Maintenance Comments: STI DONE.

A1PXXJY819052	C COMPLETED	31OCT08 02:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	04NOV08 21:50	31OCT08 02:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	5140.6	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE		HORIZONTAL STAB RFA			
01 NO FAULT		04 CHECK/TEST SERV					

Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 01417  
08JAN20  
23:16:15

SERIAL/TAIL NO : 538  
PART NO : 555.10.09.130 ~S4080  
ENGINEERING NAME : HORIZONTAL STAB ASS  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			
=====							
A1PXXJY906933	C COMPLETED	14APR09 03:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	14APR09 03:21	14APR09 03:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		5338.4	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE		HORIZONTAL STAB ASSY RF STI491 (H STAB AND ELEVATOR REMOVED AS COMPLETE ASSY)			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:		CHECK/TEST SERV			
		Maintenance Comments:					
A1PXXJY912604	C COMPLETED	30JUN09 14:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	30JUN09 14:10	19JUN09 01:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		5439.6	AFHR
08 MOD/STI/DVI REQUIRED				STI-PC9-0506 due on Serial 538			
				HORIZONTAL STAB ASS at WAC 1100			
01 NO FAULT		08 MOD/STI/DVI INCORP					
		Unserviceability Details:		STI-506 CO REF LSN 575/09			
		Maintenance Comments:					
A1PXXJY914022	C COMPLETED	08NOV10 09:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	03APR12 05:54	05MAY10 04:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		5687.4	AFHR
08 MOD/STI/DVI REQUIRED				STI-PC9-0506 due on Serial 538			
				HORIZONTAL STAB ASS at WAC 1100			
01 NO FAULT		08 MOD/STI/DVI INCORP					
		Unserviceability Details:		STI-PC9-505 C.O.			
		Maintenance Comments:					
A1PXXJ1020676	C COMPLETED	08NOV10 09:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	03APR12 05:58	08NOV10 09:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		5687.4	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE		HORIZONTAL STAB REMOVED FOR PAINTING			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:		HSTAB ASSY REPAINTED IN TRIAL PAINT			
		Maintenance Comments:					
A1PXXJ1204580	C COMPLETED	03APR12 22:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	04APR12 06:08	04APR12 06:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		5687.4	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE		ELEVATOR AND HORI STAB ASSYS RFA			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:		CHECK/TEST SERV			
		Maintenance Comments:					

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 01418  
08JAN20  
23:16:15

SERIAL/TAIL NO : 538 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 555.10.09.130 ~S4080  
ENGINEERING NAME : HORIZONTAL STAB ASS  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJ1204514 C COMPLETED 18APR12 04:56 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
18APR12 04:57 12APR12 05:56 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 5687.4 AFHR  
08 MOD/STI/DVI REQUIRED STI-PC9-0506 due on Serial 538  
HORIZONTAL STAB ASS at WAC 1100

01 NO FAULT 08 MOD/STI/DVI INCORP  
Unserviceability Details:  
Maintenance Comments: STI-PC9-0506 RINC.

A1PXXJ1205261 C COMPLETED 18FEB13 02:17 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
18FEB13 02:19 14FEB13 05:02 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 5972.1 AFHR  
08 MOD/STI/DVI REQUIRED STI-PC9-0506 due on Serial 538  
HORIZONTAL STAB ASS at WAC 1100

01 NO FAULT 08 MOD/STI/DVI INCORP  
Unserviceability Details:  
Maintenance Comments: CARRIED OUT IAW STI-PC9-506 REF NDI REPORT 85/13 AND AIP MCS 193/13-8-5

A1PXXJ1302303 C COMPLETED 05FEB14 05:05 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
13FEB14 23:28 05FEB14 00:13 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 6271.2 AFHR  
08 MOD/STI/DVI REQUIRED STI-PC9-0506 due on Serial 538  
HORIZONTAL STAB ASS at WAC 1100

01 NO FAULT 08 MOD/STI/DVI INCORP  
Unserviceability Details:  
Maintenance Comments: STI-PC9-0506 C/O IAW INSTRUCTION, REF TO NDI REPORT NO. AIP NDT, A23-016/003, REF AIP MCS 014/14-8-5, REC'S R2.

A1PXXJ1401633 C COMPLETED 05FEB14 05:05 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
05FEB14 05:07 05FEB14 05:06 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 6271.2 AFHR  
13 REMOVED FOR ACCESS 99 NO FAILURE R2 due on Serial A23-016  
PC-9 at WAC 0000

01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 01419  
08JAN20  
23:16:15

SERIAL/TAIL NO : 538  
PART NO : 555.10.09.130 ~S4080  
ENGINEERING NAME : HORIZONTAL STAB ASS  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

ALPXXJ1603588	C COMPLETED	09FEB16 23:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
13 REMOVED FOR ACCESS	09FEB16 23:25	09FEB16 23:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	6869.8	AFHR	
01 NO FAULT	99 NO FAILURE			HORIZONTAL STAB RFA			

01 NO FAULT	04 CHECK/TEST SERV			Unserviceability Details:			
				Maintenance Comments:	CHECK/TEST SERV		
ALPXXJ1505439	C COMPLETED	10FEB16 12:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
08 MOD/STI/DVI REQUIRED	19FEB16 03:44	10FEB16 12:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	6869.8	AFHR	
01 NO FAULT	08 MOD/STI/DVI INCORP			STI-PC9-0590 due on Serial 538			
				HORIZONTAL STAB ASS at WAC 1100			
				Unserviceability Details:			
				Maintenance Comments:	STI-PC9-0590 C/O IAW STI INSTRUCTION REF AIP MCS 534-2/15		

ALPXXJ1607840	C COMPLETED	08APR16 01:04	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
13 REMOVED FOR ACCESS	08APR16 01:05	08APR16 01:04	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	6928.5	AFHR	
01 NO FAULT	99 NO FAILURE			STI-PC9-0613 due on Serial 521			
				FRAME 11 at WAC			
01 NO FAULT	04 CHECK/TEST SERV			Unserviceability Details:			
				Maintenance Comments:	CHECK/TEST SERV		

ALPXXJ1623030	C COMPLETED	03NOV16 23:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
13 REMOVED FOR ACCESS	03NOV16 23:32	03NOV16 23:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	7199.7	AFHR	
01 NO FAULT	99 NO FAILURE			HOZ.STAB REMOVED FOR ACCESS			
01 NO FAULT	04 CHECK/TEST SERV			Unserviceability Details:			
				Maintenance Comments:	CHECK/TEST SERV		

ALPXXJ1623687	C COMPLETED	14NOV16 03:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
01 UNSERVICEABLE	16NOV16 05:12	14NOV16 04:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	7199.7	AFHR	
11 FAULTY LUBRICATION	09 R2 SERVICING			DEFECT INDICATIONS PRESENT WITHIN BOLT HOLE BORES OF CENTRE			
	13 CORRODED			ELEVATOR BEARING BRACKET			
	02 REPAIR			Unserviceability Details:			
				Maintenance Comments:	DEFECT INDICATIONS PRESENT WITHIN BOLT HOLE BORES OF CENTRE		
					ELEVATOR BEARING BRACKET AND HSTAB MAIN SPAR UPPER AND LOWER		
					(Continued on next page.)		

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 01420  
08JAN20  
23:16:15

SERIAL/TAIL NO : 538  
PART NO : 555.10.09.130 ~S4080  
ENGINEERING NAME : HORIZONTAL STAB ASS  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

(Continued from previous page.)

FLANGE AND CTR ELEVATOR BEARING MOUNTING HOLES. INDICATION  
ATTRIBUTED TO CORROSION AND DAMAGE REF AIP/NDT/A23-021/058

Maintenance Comments:

REFER TO JOB NUMBER A1PXXJ1624022 FOR REPAIR. MS33 CARRIED OUT  
IAW INSTRUCTIONS. REFER AIP MCS 928/16 WORK CARDS 163-177 AND  
NDT REPORT AIP/NDT/A23-021/058. DEFECTS FOUND DURING NDT AND  
TRANSFERRED TO JOB A1PXXJ1624022

A1PXXJ1624022	C COMPLETED	16NOV16 05:03	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	21MAY18 07:50	16NOV16 05:05	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	7199.7 AFHR	
01 UNSERVICEABLE		25 OTHER SCHEDULED SERVICING					
		13 CORRODED					
12 CORRODED		02 REPAIR					

CORROSION FOUND IN ALL FOUR BOLT HOLES FOR CENTRE BEARING  
ATTACHMENT BRACKET DURING MS33 REFER NDT REPORT  
AIP/NDT/A23-021/058

Unserviceability Details:

CORROSION FOUND IN ALL FOUR BOLT HOLES FOR CENTRE BEARING  
ATTACHMENT BRACKET DURING MS33. REFER AIP/NDT/A23-021/058 NDT  
REPORT

Maintenance Comments:

CORROSION IN ALL FOUR BOLT HOLES FOR CENTRE BEARING BRACKET (   
SERVICEABLE BEARING BRACKET AND NEW MAINSPAR FITTED ) IAW  
7212.007-3 SURFACE FINISH RESTORED IAW AAP 7212.007-2 REF  
AIRFLITE ARC NO AIP22339 DATED03JUL18 AUTH J MERCER @ AIP

A1PXXJ1624910	C COMPLETED	25NOV16 00:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	21MAY19 07:40	25NOV16 00:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	7199.7 AFHR	
01 UNSERVICEABLE		09 R2 SERVICING					
		13 CORRODED					
12 CORRODED		02 REPAIR					

EROSION OF PAINT ON LEFT UNDERSIDE AT FORWARD SPAR. SURFACE  
CORROSION STARTED

Unserviceability Details:

SURFACE CORROSION ON UNDERSIDE LEFTSIDE AT SPAR WHERE EROSION  
OF PAINT IS. TRAILING EDGE AND SKIN RIVETS ON LEFT UNDERSIDE  
ALSO HAVE SURFACE CORROSION.

Maintenance Comments:

REPAIRED SURFACE CORROSION L/H SIDE AT SPAR ( NEW SPAR ASSY  
FITTED ) IAW AAP 7212.007-3 & SURFACE FINISH RESTORED IAW AAP  
7212.007-2 REF AIRFLITE ARC NO AIP22339 DATED 03JUL18 AUTH J  
MERCER @ AIP

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01421  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 538  
 PART NO : 555.10.09.130 ~S4080  
 ENGINEERING NAME : HORIZONTAL STAB ASS  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

STI NUMBER	CURRENT (Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
STI-PC9-0168	Y	24JUN96 00:00	N/A			
STI-PC9-0362	N	07MAR05	NINC			
STI-PC9-0362	Y	18JUN06	INC	A1PXXJY503898	18JUN06 23:39	4396.9 AFHR
STI-PC9-0464	N	21JAN08	NINC			
STI-PC9-0464	Y	18FEB08	INC	A1PXXJY801400	12FEB08 22:12	4841.4 AFHR
STI-PC9-0506	N	12JUN09	NINC			
STI-PC9-0506	N	30JUN09	INC	A1PXXJY912604	30JUN09 14:07	5439.6 AFHR
STI-PC9-0506	N	03APR12	RINC	A1PXXJY914022	08NOV10 09:22	5687.4 AFHR
STI-PC9-0506	N	18APR12	RINC	A1PXXJ1204514	18APR12 04:56	5687.4 AFHR
STI-PC9-0506	N	18FEB13 02:18	RINC	A1PXXJ1205261	18FEB13 02:17	5972.1 AFHR
STI-PC9-0506	N	13FEB14 23:23	RINC	A1PXXJ1302303	05FEB14 05:05	6271.2 AFHR
STI-PC9-0506	N	12SEP14 00:00	NINC			
STI-PC9-0506	Y	12SEP14 00:00	N/A			
STI-PC9-0590	N	09APR15 04:04	NINC			
STI-PC9-0590	Y	19FEB16 03:43	INC	A1PXXJ1505439	10FEB16 12:27	6869.8 AFHR
STI-PC9-228A	Y	13MAY99 00:00	INC			
STI-PC9-228B	Y	18FEB99 00:00	N/A			
STI-PC9-251A	Y	27MAR01 00:00	RINC			
STI-PC9-251B	Y	18APR01 00:00	RINC			
STI-PC9-251C	Y	08MAR01 00:00	N/A			
STI-PC9-255A	N	09MAY02 00:00	RINC			
STI-PC9-255A	Y	01NOV06	RINC	A1PXXJY419133	01NOV06 02:32	4546.9 AFHR

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01422  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 538  
 PART NO : 555.10.09.130 ~S4080  
 ENGINEERING NAME : HORIZONTAL STAB ASS  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

STI STATUS CHANGE

STI NUMBER	CURRENT (Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
STI-PC9-255B	N	09MAY02 00:00	RINC			
STI-PC9-255B	Y	01NOV06	RINC	A1PXXJY419134	01NOV06 02:32	4546.9 AFHR
STI-PC9-255C	Y	24APR01 00:00	N/A			
STI-PC9-442B	N	26APR07	NINC			
STI-PC9-442B	N	18FEB08	INC	A1PXXJY708433	12FEB08 22:12	4841.4 AFHR
STI-PC9-442B	Y	04NOV08	RINC	A1PXXJY803017	31OCT08 02:07	5140.6 AFHR
STI-PC9-471B	N	22AUG08	NINC			
STI-PC9-471B	Y	22AUG08	N/A			
STI-PC9-479B	Y	22AUG08	N/A			
STI-PC9-479B	N	22AUG08	NINC			

MAINTENANCE POLICY HISTORY

POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	USER ID
26APR07 05:08	STI DLD Changed From: 15OCT1990	STI-PC9-442B	XXxxXXxx



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 538 LITERAL SERIAL NO : HSTAB: 538 A23-016 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 555.10.09.144 ~S4080  
ENGINEERING NAME : ELEVATOR CENTER-ATTACH BEARING-BRACKET  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 7246.0 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
05FEB14 01:10	538	555.10.09.059	~S4080	A23T	00
aip02017	AIP	A23-016		A2IAW	
J. MCLEAN		15OCT90		A1PXXR1400123	
	6271.2 AFHR		05FEB14		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01424  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 538 LITERAL SERIAL NO : HSTAB: 538 A23-016 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 555.10.09.144 ~S4080  
 ENGINEERING NAME : ELEVATOR CENTER-ATTACH BEARING-BRACKET  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
			TRANS REFERENCE		
05FEB14 01:10	Asset Installation	8514.0	A23T 538	A2IAW A23-016	00 A23T A2IAW 00AC
	6271.2 AFHR Change Serviceability Stat	0.0	SERV S/I		XXXXXXxx
05FEB14 01:10	Reception History Record	0.0	Reception A23-016	MMI	
	6271.2 AFHR Change Serviceability Stat	0.0	S/I		XXXXXXxx
05FEB14 03:09	Change Serviceability Stat	0.0	US/I		
	6271.2 AFHR Change Serviceability Stat	1.2	A1PXXJ1401608		XXXXXXxx
06FEB14 08:39	Change Serviceability Stat	1.2	US/I		
	6271.2 AFHR Change Part Number of an A	1.3	S/I		XXXXXXxx
06FEB14 09:16	Change Part Number of an A	1.3	555.10.09.059 ~S4080 555.10.09.144 ~S4080		
	6271.2 AFHR Maintenance Comment	0.0	A1PXXX1401045		XXXXXXxx
06FEB14 09:17	Position Change	1.3	MS7 C/O REF; MCS 025/14. MATERIAL SPEC = 2124 T851		
	6271.2 AFHR Maintenance Comment	0.0	A23T A2IAW 00		XXXXXXxx
15APR15 01:37	Position Change	434.0	A23T A2IAW 02		
	6629.3 AFHR Maintenance Comment	0.0	A1PXXX1503207		XXXXXXxx
07NOV16 02:31	Asset Removal	1006.0	POLICY COPY; POSN. AUTH: MPAN 13/2015. TA= 10,000 AFHRS		
	7199.7 AFHR Change Serviceability Stat	25.0	538 538	A23T A2IAW 02	A23T A2IAW 02M
07NOV16 02:32	Change Serviceability Stat	0.0	S/I		XXXXXXxx
	7199.7 AFHR		U/S		
			U/S		
			SERV		XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 538 LITERAL SERIAL NO : HSTAB: 538 A23-016 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 555.10.09.144 ~S4080  
 ENGINEERING NAME : ELEVATOR CENTER-ATTACH BEARING-BRACKET  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
06JUN17 00:07	Change Venue of an Asset	1217.0	AIP NONC2CONT A1PXXX1708919 FOR HSTAB SNO 538	XXxxXXxx
	7199.7 AFHR Maintenance Comment	0.0	INTMH HOLD	
	Change Location of an Asse	214.0		
02OCT19 22:46	Change Venue of an Asset	848.9	NONC2CONT AIP NONC2X1907291	XXxxXXxx
	7199.7 AFHR Change Location of an Asse	848.9	HOLD STORES	
02OCT19 23:38	Asset Installation	1059.8	A23T A2IAW 02 538 A23-033	A23T A2IAW 02AC XXxxXXxx
	7199.7 AFHR Change Serviceability Stat	1059.8	SERV S/I	
	Change Location of an Asse	0.0	STORES A23-033	MMI

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJ1401608	C COMPLETED	05FEB14 03:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
19 MMI SERVICING DUE	06FEB14 08:39	05FEB14 03:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	6271.2	AFHR
01 NO FAULT	12 MMI SERVICING			MS7 due on Serial 538 ELEV BRG ASSY CTR at WAC 1100			
	Unserviceability Details:						
	Maintenance Comments:			MS7 CARRIED OUT REF AIP MCS 025/14 AND NDI REPORT AIP/NDI/A23-016/001 MATERIAL SPEC 2124-T851			
A1PXXJ1623124	C COMPLETED	07NOV16 02:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	07NOV16 02:32	07NOV16 02:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	7199.7	AFHR
01 NO FAULT	99 NO FAILURE			H-STAB, ELEVATOR LH AND RH BRACKET ATTACHMENT REMOVED FOR NDT ACCESS			
	04 CHECK/TEST SERV						

(Continued on next page.)

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 538 LITERAL SERIAL NO : HSTAB: 538 A23-016 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 555.10.09.144 ~S4080  
ENGINEERING NAME : ELEVATOR CENTER-ATTACH BEARING-BRACKET  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

(Continued from previous page.)  
aip02186 07NOV16 02:26:24  
H-STAB, ELEVATOR CENTER BRACKET ATTACHMENT, CENTER BRACKET  
HARDWARE AND LH/RH  
BRACKET HARDWARE REMOVED FOR NDT ACCESS

Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01427  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 539  
 PART NO : 557.52.09.007 ~Z0031  
 ENGINEERING NAME : FLAP ASSY OUTER LH  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 7867.4 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
				LIFE SINCE NEW				
30AUG03	15:34	Maintenance Comment		1.2	29Aug03	A23-060	09.40 4227.5 AFHR	TX TO CAMM2
		0.0 AFHR						XXXXXXxx
30AUG03	15:40	Maintenance Comment		1.3	31Aug91	NEW - 539	557.52.09.007	1376-00-00-J
		0.0 AFHR						XXXXXXxx
03NOV03	03:53	Change Part Number of an A		65.8			557.52.09.007 ~\$\$\$\$\$	
		4279.4 AFHR					557.52.09.007 ~Z0031	
							A1EXXXY301326	XXXXXXxx
22MAY08	05:02	Asset Removal		1727.8	XX0A1EXXRY302892	A23-060		A23T A2KCW08 00A
							A23T A2KCW08	
		5405.0 AFHR						XXXXXXxx
		Change Serviceability Stat		4.2	S/I			
					U/S			
		Change Location of an Asse		8.0	A23-060			
					HG121			
22MAY08	05:04	Change Serviceability Stat		0.0	U/S			
					SERV			
		5405.0 AFHR						XXXXXXxx
01JUL08	22:26	Asset Installation		40.7	A23T	A2KCW08		
							XX0A1EXXRY302892	A23-060 00 A23T A2KCW08 00AC
		5405.0 AFHR						XXXXXXxx
		Change Serviceability Stat		40.7	SERV			
					S/I			
		Change Location of an Asse		40.7	HG121			
					A23-060			
02JUL08	06:06	Asset Removal		0.3	XX0A1EXXRY302892	A23-060		A23T A2KCW08 00A
		5405.0 AFHR			A23T	A2KCW08		XXXXXXxx
		Change Serviceability Stat		0.3	S/I			
					U/S			
		Change Location of an Asse		0.3	A23-060			
					HG122			
02JUL08	06:07	Change Serviceability Stat		0.0	U/S			
					SERV			
		5405.0 AFHR						XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01428  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 539  
 PART NO : 557.52.09.007 ~Z0031  
 ENGINEERING NAME : FLAP ASSY OUTER LH  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
06NOV08 02:56	Change Serviceability Stat	126.8	SERV U/S	
	5405.0 AFHR			XXxxXXxx
07NOV08 02:27	Change Venue of an Asset	176.9	AIP NONC2CONT	
	5405.0 AFHR		A1PXXXY810965	XXxxXXxx
	Change Location of an Asse	127.8	HG122	
09AUG10 06:20	Change Venue of an Asset	640.1	HOLD NONC2CONT	
	5405.0 AFHR		AIP NONC2X1007306	XXxxXXxx
	Change Location of an Asse	640.1	HOLD	
10AUG10 02:00	Change Serviceability Stat	641.9	HG122 U/S	
	5405.0 AFHR		SERV	XXxxXXxx
09SEP10 22:38	Asset Installation	799.6	A23T A2KCW08	
	5405.0 AFHR		XX02FTSXRY300179 A23-033	A23T A2KCW08 00AC
	Change Serviceability Stat	30.8	SERV	XXxxXXxx
	Change Location of an Asse	31.6	S/I	
06APR16 06:06	Asset Removal	2035.3	HG122 A23-033	
	6907.5 AFHR		XX02FTSXRY300179 A23-033	A23T A2KCW08 00A
	Change Serviceability Stat	13.8	A23T A2KCW08	00
	Change Serviceability Stat	13.8	S/I	XXxxXXxx
	Change Location of an Asse	328.0	U/S	
06APR16 06:08	Change Serviceability Stat	0.0	A23-033	
	6907.5 AFHR		INTMH	
			U/S	
			SERV	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01429  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 539  
 PART NO : 557.52.09.007 ~Z0031  
 ENGINEERING NAME : FLAP ASSY OUTER LH  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
21APR16 22:45	Asset Installation	15.6	A23T A2KCW08 XX02FTSXRY300179 A23-033	A23T A2KCW08 00AC
	6907.5 AFHR Change Serviceability Stat	15.6	SERV	XXXXXXxx
	Change Location of an Asse	15.6	S/I INTMH A23-033	

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS	UNSERVICEABILITY DETAILS				
MAINT PROCESS	UNSERVICEABILITY	MAINTENANCE COMMENT	MAINTENANCE ACTION TAKEN				
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					
A1PXXJY808579	C COMPLETED	22MAY08 05:02	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	22MAY08 05:04	22MAY08 05:02	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	5405.0	AFHR
13 REMOVED FOR ACCESS	99 NO FAILURE			LH OBD FLAP, SN 539, RFA.			
01 NO FAULT	04 CHECK/TEST SERV						
	Unserviceability Details:						
	Maintenance Comments:			CHECK/TEST SERV			
A1PXXJY810615	C COMPLETED	02JUL08 06:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	02JUL08 06:07	02JUL08 06:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	5405.0	AFHR
13 REMOVED FOR ACCESS	99 NO FAILURE			FLAP ASSY OUTER LH RFA			
01 NO FAULT	04 CHECK/TEST SERV						
	Unserviceability Details:						
	Maintenance Comments:			CHECK/TEST SERV			
A1PXXJY819398	C COMPLETED	06NOV08 02:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	10AUG10 02:00	06NOV08 02:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	5405.0	AFHR
12 DAMAGED	13 SPECIAL SERVICING			SKIN CORRODED AND DENTED			
	13 CORRODED						
08 DAMAGE	02 REPAIR						
	Unserviceability Details:			SKIN CORRODED AND DENTED			
	Maintenance Comments:			ITEM REPAIRED IAW 7212.007-3 AND 7021.007-2. REPAINTED IAW 7021.004-1.REF LSN JSF/004/10			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 539  
PART NO : 557.52.09.007 ~Z0031 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : FLAP ASSY OUTER LH  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

1PXXJ1607742	C COMPLETED	06APR16 06:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	06APR16 06:08	06APR16 06:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	6907.5	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		LH AND RH OUTER FLAP ASSEMBLY RFA.			
01	NO FAULT	04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		CHECK/TEST SERV			



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 01431  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 5396  
 PART NO : 066-1077-00 ~22373  
 ENGINEERING NAME : RECEIVER KDF 806  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 28397.0 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T CHANGE TYPE		LIFE SINCE NEW		SPAN(DYS) FROM		TO (OPTIONAL)		TRANS REFERENCE		USER	
=====		=====		=====		=====		=====		=====	
01SEP03	18:48	Maintenance Comment	0.0	AFHR	3.4	08Apr02	A23-004	06.40	22912.6	0.0	AFHR 13-REMACCES LE20894
											XXXXXXxx
01SEP03	18:50	Maintenance Comment	0.0	AFHR	3.4	16Oct92	A23-004	06.4	20000.0	0.0	AFHR IN AS A23T 2626-00-00-A
											XXXXXXxx
01SEP03	18:50	Maintenance Comment	0.0	AFHR	3.4	08Apr02	2FTHG122		FF: 01-NIL		MA: 04-CHK/TST
											XXXXXXxx
01SEP03	18:50	Maintenance Comment	0.0	AFHR	3.4	30Apr02	A23-004	06.40	22912.6	0.0	AFHR IN AS A23T 2626-00-00-A
											XXXXXXxx
01SEP03	18:50	Maintenance Comment	0.0	AFHR	3.4	23Nov87	NEW - 5396	066-1077-00		2626-00-00-A	
											XXXXXXxx
01SEP03	18:52	Maintenance Comment	0.0	AFHR	3.4	15Apr92	A23-018	06.4	20000.0	0.0	AFHR IN AS A23T 2626-00-00-A
											XXXXXXxx
01SEP03	18:54	Maintenance Comment	0.0	AFHR	3.4	30Apr98	A23-004	06.4	22071.5	0.0	AFHR UPDATED LIFE (MPMI)
											XXXXXXxx
01SEP03	18:55	Maintenance Comment	0.0	AFHR	3.4	15Apr92	2FTMMIAV	00.	20000.0	0.0	AFHR ^^^^^^RECEPTION
											XXXXXXxx
01SEP03	18:55	Maintenance Comment	0.0	AFHR	3.4	16Oct92	2FTAVOP		FF: 01-NIL		MA: 04-CHK/TST
											XXXXXXxx
01SEP03	18:56	Maintenance Comment	0.0	AFHR	3.4	29Aug03	A23-004	06.40	23272.2	AFHR	TX TO CMM2
											XXXXXXxx
01SEP03	18:57	Maintenance Comment	0.0	AFHR	3.4	16Oct92	A23-018	06.4	20000.0	0.0	AFHR 09-CANNIBAL LV25976
											XXXXXXxx
25JUN13	00:40	Position Change			3587.6	A23T	ALUME			00	
						A23T	ALUME			00	
		26366.1		AFHR		A1PXXX1306760					XXXXXXxx
		Maintenance Comment			0.0	TO UPDATE POLICY					
18JUL18	05:36	Asset Removal			5436.8	039		A23-004			A23T ALUME 00A
						A23T	ALUME			00	
		28150.7		AFHR							XXXXXXxx
		Change Serviceability Stat			47.9	S/I					
						U/S					
		Change Location of an Asse			890.9	A23-004					
						HG122					

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01432  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 5396  
 PART NO : 066-1077-00 ~22373  
 ENGINEERING NAME : RECEIVER KDF 806  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
18JUL18 05:37	Change Serviceability Stat	0.0	U/S SERV	
02AUG18 00:40	Asset Installation	14.7	A23T 039 ALUME A23-004	00 A23T ALUME 00AC XXXXXXxx
	Change Serviceability Stat	14.7	SERV S/I HG122 A23-004	XXXXXXxx
	Change Location of an Asse	14.7		
12NOV18 01:14	Asset Removal	102.0	A23T 039 ALUME A23-004	00 A23T ALUME 00A
	Change Serviceability Stat	102.0	S/I U/S A23-004	XXXXXXxx
	Change Location of an Asse	102.0		
12NOV18 01:15	Change Serviceability Stat	0.0	U/S SERV	
26FEB19 13:41	Asset Installation	106.5	A23T 533 ALUME A23-033	00 A23T ALUME 00AC XXXXXXxx
	Change Serviceability Stat	106.5	SERV S/I STORES A23-033	XXXXXXxx
	Change Location of an Asse	106.5		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			
A1PXXJ1811756	C COMPLETED	18JUL18 05:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	18JUL18 05:37	18JUL18 05:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	28150.7 AFHR	
13 REMOVED FOR ACCESS	99 NO FAILURE			7212.007-272	due on Serial A23-004		
				PC-9	at WAC 0000		
01 NO FAULT	04 CHECK/TEST SERV						
				Unserviceability Details:			
				Maintenance Comments:	CHECK/TEST SERV		

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 5396 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 066-1077-00 ~22373  
ENGINEERING NAME : RECEIVER KDF 806  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

```

=====
A1PXXJ1819249  C  COMPLETED      12NOV18  01:14  XXxxXXxx      XXxxXXxxXXxxXXxxXXxx AIP      AIP
                12NOV18  01:15      12NOV18  01:15  XXxxXXxx      XXxxXXxxXXxxXXxxXXxx AIP      28150.7  AFHR
13 REMOVED FOR ACCESS      99 NO FAILURE
                04 CHECK/TEST SERV
                Unserviceability Details:
                Maintenance Comments:  CHECK/TEST SERV
=====

```

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 01434  
08JAN20  
23:16:15

SERIAL/TAIL NO : 542LH  
PART NO : 555.10.09.185 ~S4080  
ENGINEERING NAME : HSTAB OB HNG BRKT  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 9025.2 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	DATE NEW	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	HA PART	DATE UNPACKED		
25FEB08 04:02	542L	555.10.09.071	~S4080 A23T	A2IAU	00
aip01865	AIP	MMIST		A1PXXRY800306	
D. ULLMER		07FEB91			
	5626.7 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01435  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 542LH  
 PART NO : 555.10.09.185 ~S4080  
 ENGINEERING NAME : HSTAB OB HNG BRKT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
25FEB08 04:02	Reception History Record	0.0	Reception MMIST	
	5626.7 AFHR		MMI	XXXXXXxx
25FEB08 04:59	Asset Installation	6227.2	A23T A2IAU 542 A23-048	00 A23T A2IAU 00AC
	5626.7 AFHR			XXXXXXxx
	Change Serviceability Stat	0.2	SERV S/I MMIST A23-048	
	Change Location of an Asse	0.2		
18FEB14 14:34	Change Serial Number of an	2185.6	542L 542LH A1PXXX1401543	
08OCT15 12:52	Asset Removal	2782.3	542 A23T A2IAU A23-018	00 A23T A2IAU 00A
	7900.3 AFHR			XXXXXXxx
	Change Serviceability Stat	113.2	S/I U/S A23-018	
	Change Location of an Asse	787.4	HG122	
29OCT15 06:19	Change Part Number of an A	2803.2	555.10.09.071 ~S4080	
	7900.3 AFHR		555.10.09.185 ~S4080	
	Maintenance Comment	0.0	A1PXXX1510061	XXXXXXxx
29OCT15 06:24	Change Serviceability Stat	20.7	CX AGAINST STI-PC9-0386	
	7900.3 AFHR		U/S SERV	
29OCT15 12:31	Asset Installation	20.9	A23T A2IAU 542 A23-033	00 A23T A2IAU 00AC
	7900.3 AFHR			XXXXXXxx
	Change Serviceability Stat	0.2	SERV S/I HG122 A23-033	
	Change Location of an Asse	20.9		

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01436  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 542LH  
 PART NO : 555.10.09.185 ~S4080  
 ENGINEERING NAME : HSTAB OB HNG BRKT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
10AUG16 02:35	Asset Removal	285.5	542 A23T A2IAU A23-033 00	A23T A2IAU 00A
	8230.3 AFHR Change Serviceability Stat	1.7	S/I U/S	XXXXXXxx
	Change Location of an Asse	113.9	A23-033 OPMH	
10AUG16 02:35	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
11AUG16 04:59	Asset Installation	1.1	A23T 542 A2IAU A23-033 00	A23T A2IAU 00AC
	8230.3 AFHR Change Serviceability Stat	1.0	SERV S/I	XXXXXXxx
	Change Location of an Asse	1.1	OPMH A23-033	
22MAY18 10:41	Position Change	649.2	A23T A2IAU A23T A2IAU 00	
	8553.6 AFHR Maintenance Comment	0.0	A1PXXX1804868	XXXXXXxx
01OCT19 00:51	Asset Removal	1145.8	MPAN 021/2018 POLICY UPDATE REF. IRN: 22/2015-077 542 A23T 542 A2IAU 00	A23T A2IAU 00M
	8978.9 AFHR Change Serviceability Stat	12.7	S/I U/S	XXXXXXxx
01OCT19 00:51	Change Serviceability Stat	0.0	U/S SERV	
02OCT19 22:29	Asset Installation	1.9	A23T 538 A2IAU A23-033 00	A23T A2IAU 00AC
	8978.9 AFHR Change Serviceability Stat	1.9	SERV S/I	XXXXXXxx
	Change Location of an Asse	12.8	INTMH A23-033	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 542LH  
 PART NO : 555.10.09.185 ~S4080  
 ENGINEERING NAME : HSTAB OB HNG BRKT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			
=====							
A1PXXJ1515864	C COMPLETED	08OCT15 12:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	29OCT15 06:24	08OCT15 12:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		7900.3	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		HORIZONTAL STAB,LH HSTAB OB HNG BRKT AND RH HSTAB OB HNG BRKT REMOVED FOR FALKOR			
01	NO FAULT	04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		HORIZONTAL STAB O/B BRACKETS INSPECTED SERV IAW AAP7212.007-2			
A1PXXJ1616776	C COMPLETED	10AUG16 02:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	10AUG16 02:35	10AUG16 02:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		8230.3	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		LH AND RH H STAB O/B HINGE BRACKETS R.F.A			
01	NO FAULT	04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		CHECK/TEST SERV			
A1PXXJ1914661	C COMPLETED	01OCT19 00:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	01OCT19 00:51	01OCT19 00:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		8978.9	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		L/H,R/H AND CENTER ELEVATOR ATTACHMENT BRACKET RFA.			
01	NO FAULT	04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		CHECK/TEST SERV			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 01438  
08JAN20  
23:16:15

SERIAL/TAIL NO : 542RH  
PART NO : 555.10.09.185 ~S4080  
ENGINEERING NAME : HSTAB OB HNG BRKT  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 9025.2 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	DATE NEW	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	HA PART	DATE UNPACKED		
25FEB08 04:58	542R	555.10.09.071	~S4080 A23T	A2IAU	00
aip01865	AIP	MMIST		A1PXXRY800307	
D. ULLMER		07FEB91			
	5626.7 AFHR				



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01439  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 542RH  
 PART NO : 555.10.09.185 ~S4080  
 ENGINEERING NAME : HSTAB OB HNG BRKT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
25FEB08 04:58	Reception History Record	0.0	Reception MMIST	
	5626.7 AFHR		MMI	XXXXXXxx
25FEB08 04:59	Asset Installation	6227.2	A23T A2IAV 542 A23-048	00 A23T A2IAV XXXXXXxx 00AC
	5626.7 AFHR			
	Change Serviceability Stat	0.2	SERV S/I	
	Change Location of an Asse	0.2	MMIST A23-048	
18FEB14 14:34	Change Serial Number of an	2185.6	542R 542RH	
	7432.2 AFHR		A1PXXX1401546	XXXXXXxx
08OCT15 12:53	Asset Removal	2782.3	542 A23-018	A23T A2IAV 00A
	7900.3 AFHR		A23T A2IAV	00 XXXXXXxx
	Change Serviceability Stat	113.2	S/I U/S	
	Change Location of an Asse	787.4	A23-018	
29OCT15 06:19	Change Part Number of an A	2803.2	HG122 555.10.09.071	~S4080
	7900.3 AFHR		555.10.09.185	~S4080
	Maintenance Comment	0.0	A1PXXX1510060	XXXXXXxx
29OCT15 06:27	Change Serviceability Stat	20.7	CX AGAINST STI-PC9-0386	
	7900.3 AFHR		U/S SERV	
29OCT15 12:31	Asset Installation	20.9	A23T A2IAV	00 XXXXXXxx
	7900.3 AFHR		542 A23-033	A23T A2IAV 00AC
	Change Serviceability Stat	0.2	SERV S/I	XXXXXXxx
	Change Location of an Asse	20.9	HG122 A23-033	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01440  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 542RH  
 PART NO : 555.10.09.185 ~S4080  
 ENGINEERING NAME : HSTAB OB HNG BRKT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
10AUG16 02:36	Asset Removal	285.5	542 A23T A2IAV A23-033 00	A23T A2IAV 00A
	8230.3 AFHR Change Serviceability Stat	1.7	S/I U/S	XXXXXXxx
	Change Location of an Asse	113.9	A23-033 OPMH	
10AUG16 02:36	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
11AUG16 04:58	Asset Installation	1.0	A23T A2IAV A23-033 00	A23T A2IAV 00AC
	8230.3 AFHR Change Serviceability Stat	1.0	SERV S/I	XXXXXXxx
	Change Location of an Asse	1.0	OPMH A23-033	
22MAY18 10:41	Position Change	649.2	A23T A2IAV A23T A2IAV 00	
	8553.6 AFHR Maintenance Comment	0.0	A1PXXX1804868	XXXXXXxx
	Asset Removal	1145.8	MPAN 021/2018 POLICY UPDATE REF. IRN: 22/2015-077 542 A23T A2IAV 542	A23T A2IAV 00M
	8978.9 AFHR Change Serviceability Stat	12.7	S/I U/S	XXXXXXxx
01OCT19 00:52	Change Serviceability Stat	0.0	U/S SERV	
02OCT19 22:30	Asset Installation	1.9	A23T A2IAV A23-033 00	A23T A2IAV 00AC
	8978.9 AFHR Change Serviceability Stat	1.9	SERV S/I	XXXXXXxx
	Change Location of an Asse	12.8	INTMH A23-033	

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 01441  
08JAN20  
23:16:15

SERIAL/TAIL NO : 542RH  
PART NO : 555.10.09.185 ~S4080  
ENGINEERING NAME : HSTAB OB HNG BRKT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			
=====							
A1PXXJ1515865	C COMPLETED	08OCT15 12:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	29OCT15 06:27	08OCT15 12:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		7900.3	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		HORIZONTAL STAB,LH HSTAB OB HNG BRKT AND RH HSTAB OB HNG BRKT REMOVED FOR FALKOR			
01	NO FAULT	04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		HORIZONTAL STAB O/B BRACKETS INSPECTED SERV IAW AAP7212.007-2			
A1PXXJ1616777	C COMPLETED	10AUG16 02:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	10AUG16 02:36	10AUG16 02:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		8230.3	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		LH AND RH H STAB O/B HINGE BRACKETS R.F.A			
01	NO FAULT	04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		CHECK/TEST SERV			
A1PXXJ1914662	C COMPLETED	01OCT19 00:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	01OCT19 00:52	01OCT19 00:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		8978.9	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		L/H,R/H AND CENTER ELEVATOR ATTACHMENT BRACKET RFA.			
01	NO FAULT	04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		CHECK/TEST SERV			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01442  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 544  
 PART NO : 532.10.09.075  
 ENGINEERING NAME : STRUT SHOCK MLG L/H  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

~S4080

PERIOD: 01JAN90 TO 08JAN20

LOCATION : A23-033  
 LIFE SINCE NEW : 18188.0 LDG

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
				LIFE SINCE NEW				
31AUG03	21:43	Maintenance	Comment	2.5	20Nov00	DISPATCHED TO PEAXCON		
		0.0	LDG			CAMM LOG00016		XXxxXXxx
31AUG03	21:43	Maintenance	Comment	2.5	11Jun03	2FTINTMH	FF: 01-NIL	MA: 04-CBK/TST
		0.0	LDG			CAMM LOG00024		XXxxXXxx
31AUG03	21:43	Maintenance	Comment	2.5	11Jun03	A23-026 09.50	8122 1915 LDG	IN AS A23T 1150-00-00-H
		0.0	LDG			CAMM LOG00025		XXxxXXxx
31AUG03	21:44	Maintenance	Comment	2.5	28Sep99	STI-PC9-238C	STI STATUS NOW	NINC
		0.0	LDG			CAMM LOG00009		XXxxXXxx
31AUG03	21:45	Maintenance	Comment	2.5	04Oct99	XLOC 00.	6207 0 LDG	RECEPTION (MIRE)
		0.0	LDG			CAMM LOG00001		XXxxXXxx
31AUG03	21:45	Maintenance	Comment	2.5	NEXT OH1 DUE:	OLD = 8000 LDG	NEW = 14207 LDG	
		0.0	LDG			CAMM LOG00003		XXxxXXxx
31AUG03	21:45	Maintenance	Comment	2.5	LAST OH DONE:	OLD =	NEW = 28SEP99	
		0.0	LDG			CAMM LOG00006		XXxxXXxx
31AUG03	21:45	Maintenance	Comment	2.5	23Aug00	STI-PC9-0246	STI STATUS NOW	NA
		0.0	LDG			CAMM LOG00015		XXxxXXxx
31AUG03	21:46	Maintenance	Comment	2.5	05Oct99	2FTMMIST 00.	6207 0 LDG	UPDATED LIFE (MIUP)
		0.0	LDG			CAMM LOG00004		XXxxXXxx
31AUG03	21:46	Maintenance	Comment	2.5	05Jun01	PARTNO REIDENTIFIED FROM	532.10.09.045	
		0.0	LDG			CAMM LOG00017		XXxxXXxx
31AUG03	21:49	Maintenance	Comment	2.5	28Sep99	STI-PC9-238B	STI STATUS NOW	NA
		0.0	LDG			CAMM LOG00008		XXxxXXxx
31AUG03	21:49	Maintenance	Comment	2.5	05Jun01	2FTMMIST 00.	6707 500 LDG	UPDATED LIFE (JOBX)
		0.0	LDG			CAMM LOG00021		XXxxXXxx
31AUG03	21:50	Maintenance	Comment	2.5	28Sep99	STI-PC9-238A	STI STATUS NOW	INC
		0.0	LDG			CAMM LOG00007		XXxxXXxx
31AUG03	21:50	Maintenance	Comment	2.5	11Jun03	A23-026 09.50	8122 1915 LDG	13-REMACCES LF39767
		0.0	LDG			CAMM LOG00023		XXxxXXxx
31AUG03	21:51	Maintenance	Comment	2.5	LAST OH DONE:	OLD =	LDG NEW = 6207 LDG	
		0.0	LDG			CAMM LOG00002		XXxxXXxx
31AUG03	21:51	Maintenance	Comment	2.5	WELD PREVIOUSLY	GROUND BEYOND LIMITS		
		0.0	LDG			CAMM LOG00014		XXxxXXxx
31AUG03	21:51	Maintenance	Comment	2.5	02May01	REPAIRED AND TESTED BY HDH		
		0.0	LDG			CAMM LOG00020		XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01443  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 544  
 PART NO : 532.10.09.075  
 ENGINEERING NAME : STRUT SHOCK MLG L/H  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
				TRANS REFERENCE		
LIFE SINCE NEW						
31AUG03	21:51	Maintenance Comment	2.5	15Mar91 NEW - 544	532.10.09.075	1150-00-00-H
		0.0 LDG		CAMM LOG00026		XXXXXXxx
31AUG03	21:51	Maintenance Comment	2.5	29Aug03 A23-026 09.50	8264 LDG TX TO	CAMM2
		0.0 LDG		CAMM LOG00028		XXXXXXxx
31AUG03	21:52	Maintenance Comment	2.5	02May01 PEAXCON	FF: 02-MECHFAIL	MA: 02-REPAIR
		0.0 LDG		CAMM LOG00019		XXXXXXxx
31AUG03	21:53	Maintenance Comment	2.5	01Nov99 A23-042 09.50	6207 0 LDG	IN AS A23T 1150-00-00-H
		0.0 LDG		CAMM LOG00010		XXXXXXxx
31AUG03	21:53	Maintenance Comment	2.5	14Jun00 JOB CHANGE	RR: 01-FAILED	
		0.0 LDG		CAMM LOG00012		XXXXXXxx
31AUG03	21:53	Maintenance Comment	2.5	02May01 STI-PC9-0252	STI STATUS NOW	INC
		0.0 LDG		CAMM LOG00018		XXXXXXxx
31AUG03	21:54	Maintenance Comment	2.5	2FTREP	WFD: 29-MOD/STI	US: 06-OUT TOL
		0.0 LDG		CAMM LOG00013		XXXXXXxx
31AUG03	21:57	Maintenance Comment	2.5	OVERHAULED AND TESTED BY HDH COMPONENTS		
		0.0 LDG		CAMM LOG00005		XXXXXXxx
31AUG03	21:59	Maintenance Comment	2.5	07Jun00 A23-042 09.50	6707 500 LDG	08-MOD/STI LB01023
		0.0 LDG		CAMM LOG00011		XXXXXXxx
31AUG03	22:00	Maintenance Comment	2.5	05Jun01 A23-026 09.50	6707 500 LDG	IN AS A23T 1150-00-00-H
		0.0 LDG		CAMM LOG00022		XXXXXXxx
31AUG03	22:00	Maintenance Comment	2.5	28Sep99 6207 LDG	LST OH 14207 LDG	NXT OH
		0.0 LDG		CAMM LOG00027		XXXXXXxx
12SEP05	22:16	Asset Removal	745.5	522	A23-026	A23T A2KDG 00A
		8930.0 LDG		A23T A2KDG		XXXXXXxx
		Change Serviceability Stat	108.8	S/I		
		Change Location of an Asse	xxxx	U/S	A23-026	
				HG122		
12SEP05	22:17	Change Serviceability Stat	0.0	U/S		
		8930.0 LDG		SERV		XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01444  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 544  
 PART NO : 532.10.09.075 ~S4080  
 ENGINEERING NAME : STRUT SHOCK MLG L/H  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
29SEP05 23:02	Asset Installation	17.0	A23T A2KDG 145 A23-026	00 A23T A2KDG 00AC XXXXXXXX
	8930.0 LDG Change Serviceability Stat	17.0	SERV S/I	
	Change Location of an Asse	17.0	HG122 A23-026	
19JUL06 07:07	Asset Removal	292.3	145 A23-026 A23T A2KDG	00 A23T A2KDG 00A XXXXXXXX
	9562.0 LDG Change Serviceability Stat	5.1	S/I U/S	
	Change Location of an Asse	292.3	A23-026 INTMH	
19JUL06 07:08	Change Serviceability Stat	0.0	U/S SERV	XXXXXXXX
20JUL06 05:55	Asset Installation	0.9	A23T A2KDG 145 A23-026	00 A23T A2KDG 00AC XXXXXXXX
	9562.0 LDG Change Serviceability Stat	0.9	SERV S/I	
	Change Location of an Asse	0.9	INTMH A23-026	
01MAR11 02:44	Asset Removal	1684.8	145 A23-026 A23T A2KDG	00 A23T A2KDG 00A XXXXXXXX
	13548.0 LDG Change Serviceability Stat	21.5	S/I U/S	
	Change Location of an Asse	1684.8	A23-026 INTMH	
01MAR11 02:45	Change Serviceability Stat	0.0	U/S SERV	XXXXXXXX
	13548.0 LDG			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01445  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 544  
 PART NO : 532.10.09.075 ~S4080  
 ENGINEERING NAME : STRUT SHOCK MLG L/H  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
10MAR11	02:11	Asset Installation	8.9	A23T 145	A2KDG A23-026	00 A23T A2KDG 00AC XXXXXXXX
		13548.0 LDG Change Serviceability Stat	8.9	SERV S/I		
		Change Location of an Asse	8.9	INTMH A23-026		
30JAN12	11:12	Change Serviceability Stat	0.1	S/I US/I		XXXXXXXX
		14153.0 LDG Asset Removal	327.1	AIPXXJ311102X 145	A23-026	A23T A2KDG 00A
		14153.0 LDG Change Serviceability Stat	0.7	A23T A2KDG		XXXXXXXX
		Change Location of an Asse	327.1	US/I U/S A23-026		
09FEB12	22:56	Change Venue of an Asset	3086.6	HYD AIP NONC2CONT		XXXXXXXX
		14153.0 LDG Change Location of an Asse	9.6	AIPXXX1200969 HYD		
11DEC12	03:30	Change Serviceability Stat	314.8	HOLD U/S SERV		
		14153.0 LDG Change Venue of an Asset	307.9	NONC2CONT AIP		XXXXXXXX
13DEC12	22:40	Change Venue of an Asset	307.9	NONC2X1213341 HOLD		XXXXXXXX
		14153.0 LDG Change Location of an Asse	307.9	STORES	MMI	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01446  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 544  
 PART NO : 532.10.09.075 ~S4080  
 ENGINEERING NAME : STRUT SHOCK MLG L/H  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
09JAN13 23:21	Asset Installation	344.7	A23T A2KDG 136 A23-065	00 A23T A2KDG 00AC 14153.0 LDG XXXXXXXXXX
	Change Serviceability Stat	29.8	SERV	
	Change Location of an Asse	27.0	S/I STORES A23-065 MMI	
18FEB14 23:37	Asset Removal	405.0	136 A23-065 A23T A2KDG	00 A23T A2KDG 00A 14804.0 LDG XXXXXXXXXX
	Change Serviceability Stat	5.3	S/I	
	Change Location of an Asse	405.0	U/S A23-065	
18FEB14 23:38	Change Serviceability Stat	0.0	INTMH U/S SERV	XXXXXXXXXX
20FEB14 05:36	Asset Installation	1.2	A23T A2KDG 136 A23-065	00 A23T A2KDG 00AC 14804.0 LDG XXXXXXXXXX
	Change Serviceability Stat	1.2	SERV	
	Change Location of an Asse	1.2	S/I INTMH A23-065	
21SEP16 22:56	Change Part Number of an A Maintenance Comment	0.0	NO PARENT TRANSACTION DETAILS MPAN 038/2016 AS PER OID: AK13171161	
31OCT16 07:25	Asset Removal	984.0	136 A23-065 A23T A2KDG	00 A23T A2KDG 00A 16878.0 LDG XXXXXXXXXX
	Change Serviceability Stat	28.1	S/I	
	Change Location of an Asse	301.2	U/S A23-065 HG122	
31OCT16 07:27	Change Serviceability Stat	0.0	U/S SERV	XXXXXXXXXX
		16878.0 LDG		



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01447  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 544  
 PART NO : 532.10.09.075  
 ENGINEERING NAME : STRUT SHOCK MLG L/H  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
07NOV16 02:25	Change Serviceability Stat		6.7	SERV U/S A1PXXJ1619779	XXXXXXxx
30JAN17 23:03	Change Serviceability Stat	16878.0 LDG	84.8	SERV	XXXXXXxx
14FEB17 02:13	Asset Installation	16878.0 LDG	105.7	A23T 544 A2KDG A23-034	A23T A2KDG 00AC
	Change Serviceability Stat	16878.0 LDG	14.1	SERV S/I HG122 A23-034	XXXXXXxx
	Change Location of an Asse		105.7		
22MAR19 00:29	Asset Removal		765.9	544 A23T A2KDG A23-034	A23T A2KDG 00A
	Change Serviceability Stat	17963.0 LDG	344.6		XXXXXXxx
22MAR19 00:30	Change Venue of an Asset		3.7	SERV A23DISP AIP	
	Maintenance Comment	17963.0 LDG	0.0	A23DSX1900011	XXXXXXxx
	Change Location of an Asse		3.7	FOR A23-033 A23-034	
18JUN19 05:02	Asset Installation		88.1	OPMH A23T A2KDG A23-033	A23T A2KDG 00AC
	Change Serviceability Stat	17963.0 LDG	88.1		XXXXXXxx
	Change Location of an Asse		88.1	SERV S/I OPMH A23-033	

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 01448  
08JAN20  
23:16:15

SERIAL/TAIL NO : 544  
PART NO : 532.10.09.075 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : STRUT SHOCK MLG L/H  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

2FTSXJCA10591	C COMPLETED	28SEP99 00:00	XXxxXXxx		2FTS		
	28SEP99 00:00					0.0	

03 OVERHAUL DUE

Unserviceability Details:  
Maintenance Comments:

A1PXXJY522646	C COMPLETED	12SEP05 22:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	12SEP05 22:17					8930.0	LDG
13 REMOVED FOR ACCESS	99 NO FAILURE			LH UNDERCARRIAGE COMPONENTS REMOVED FOR WING CHANGE			
01 NO FAULT	04 CHECK/TEST SERV						

Unserviceability Details:  
Maintenance Comments:

CHECK/TEST SERV

A1PXXJY611050	C COMPLETED	19JUL06 07:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	19JUL06 07:08					9562.0	LDG
13 REMOVED FOR ACCESS	99 NO FAILURE			S28 due on Serial A23-026			
				PC-9 at WAC 0000			
01 NO FAULT	04 CHECK/TEST SERV						

Unserviceability Details:  
Maintenance Comments:

CHECK/TEST SERV

A1PXXJ1102585	C COMPLETED	01MAR11 02:44	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	01MAR11 02:45	01MAR11 02:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	13548.0	LDG
13 REMOVED FOR ACCESS	99 NO FAILURE			LH MLG RFA.			
01 NO FAULT	04 CHECK/TEST SERV						

Unserviceability Details:  
Maintenance Comments:

CHECK/TEST SERV

AIPXXJ311102X	C COMPLETED	31JAN12 06:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	11DEC12 03:30	30JAN12 11:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	14153.0	LDG
03 OVERHAUL DUE				OH due on Serial 544			
				STRUT SHOCK MLG LH at WAC 0950			
01 NO FAULT	07 OVERHAUL						

Unserviceability Details:  
Maintenance Comments:

OVERHAUL CARRIED OUT IAW CMM 7293.220-3M REF: COAM 8037/12.  
(Continued on next page.)

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 01449  
08JAN20  
23:16:15

SERIAL/TAIL NO : 544  
PART NO : 532.10.09.075 ~S4080  
ENGINEERING NAME : STRUT SHOCK MLG L/H  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

(Continued from previous page.)  
ALL WORK C/O @ AIP COFC REF: V310148 & TRACKING NO: AIP15587

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	8000.0	LDG	7946.0		
SM	OH	8000.0	LDG	7946.0		

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJ1402551 C COMPLETED 18FEB14 23:37 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
18FEB14 23:38 18FEB14 23:38 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 14804.0 LDG  
13 REMOVED FOR ACCESS 99 NO FAILURE S28 due on Serial A23-065  
PC-9 at WAC 0000

01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details: CHECK/TEST SERV  
Maintenance Comments:

A1PXXJ1622692 C COMPLETED 31OCT16 07:25 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
31OCT16 07:27 31OCT16 07:26 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 16878.0 LDG  
13 REMOVED FOR ACCESS 99 NO FAILURE LH AND RH MLG STRUT ASSY'S REMOVED FROM WING S/N 136 FOR  
STI-PC9-0632 NDI INSPECTIONS.

01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details: CHECK/TEST SERV  
Maintenance Comments:

A1PXXJ1619779 C COMPLETED 07NOV16 02:25 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
10NOV16 05:30 07NOV16 02:25 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 16878.0 LDG  
08 MOD/STI/DVI REQUIRED 29 DURING MOD/STI/DVI STI-PC9-632A due on Serial 544  
01 DAMAGED/CRACKED STRUT SHOCK MLG LH at WAC 0950

08 DAMAGE 08 MOD/STI/DVI INCORP  
Unserviceability Details: CRACK INDICATIONS ON FWD TRUNION WELD

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 544  
PART NO : 532.10.09.075 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : STRUT SHOCK MLG L/H  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

Maintenance Comments: STI INCORPORATED REF NDT REPORTS AIP/NDT/GENERAL/440, 447 & 463. AREA OF CONCERN BLENDED IAW AAP7212.220-3M SUP NO3

A1PXXJ1623125	C COMPLETED	07NOV16 02:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	30JAN17 23:03	07NOV16 02:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	16878.0	LDG
16	PRE-INSTALLATION MAINT	99 NO FAILURE			WORK PACKAGE AIP MCS 939/16	IN USE FOR	STI-PC9-0632.
01	NO FAULT	04 CHECK/TEST SERV					

Unserviceability Details:

Maintenance Comments: WORK PACK AIP MCS 939/16 CLEARED

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01451  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 544  
 PART NO : 532.10.09.075 ~S4080  
 ENGINEERING NAME : STRUT SHOCK MLG L/H  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MODIFICATION ORDERS INCORPORATION STATUS CHANGE						
MOD NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
7293.220-102	Y	05JUN01 00:00	INC			

STI STATUS CHANGE						
STI NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
STI-PC9-0252	Y	02MAY01 00:00	INC			
STI-PC9-0630	N	23AUG16 01:15	NINC			
STI-PC9-0630	Y	23SEP16 07:07	N/A			
STI-PC9-632A	N	21SEP16 22:56	NINC			
STI-PC9-632A	Y	21NOV16 00:00	INC	A1PXXJ1619779	07NOV16 02:25	16878.0 LDG
STI-PC9-632B	N	21SEP16 22:56	NINC			
STI-PC9-632B	Y	22SEP16 00:00	N/A			

MAINTENANCE POLICY HISTORY			
POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	USER ID
05OCT17 09:45	SM	NDT	XXxxXXxx
	DLD Changed From: 15MAR1991 To: 21NOV2016		
05OCT17 09:45	SM	NDT	XXxxXXxx
	LLD Changed From: 0.0 LDG To: 16878.0 LDG		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01452  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 5560  
 PART NO : 064-1023-02 ~22373  
 ENGINEERING NAME : TRANSCEIVER KTR 908  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 9140.4 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
01SEP03	18:08	Maintenance	Comment	0.0 AFHR	3.4	03Dec90	MMI TRANSFERRED FROM EASTSALE		XXxxXXxx
01SEP03	18:08	Maintenance	Comment	0.0 AFHR	3.4	30Apr98	A23-033 06.4 2541.1 0.0 AFHR	UPDATED LIFE (MPMI)	XXxxXXxx
01SEP03	18:08	Maintenance	Comment	0.0 AFHR	3.4	07Sep01	A23-033 06.40 3794.8 0.0 AFHR	13-REMACCES LD11489	XXxxXXxx
01SEP03	18:09	Maintenance	Comment	0.0 AFHR	3.4	13Sep01	A23-033 06.40 3794.8 0.0 AFHR	IN AS A23T 2452-00-00-A	XXxxXXxx
01SEP03	18:10	Maintenance	Comment	0.0 AFHR	3.4	09Nov90	DHEST 00. 0.0 0.0 AFHR	^^^^^RECEPTION	XXxxXXxx
01SEP03	18:10	Maintenance	Comment	0.0 AFHR	3.4	09Nov90	A23-016 06.4 0.0 0.0 AFHR	IN AS A23T 2452-00-00-A	XXxxXXxx
01SEP03	18:11	Maintenance	Comment	0.0 AFHR	3.4	02Nov91	A23-016 06.4 443.7 0.0 AFHR	MPMI CHANGE	XXxxXXxx
01SEP03	18:12	Maintenance	Comment	0.0 AFHR	3.4	16Oct96	2FTOPMH FF: 01-NIL	MA: 04-CHK/TST	XXxxXXxx
01SEP03	18:12	Maintenance	Comment	0.0 AFHR	3.4	29Aug03	A23-033 06.40 4365.5 AFHR	TX TO CAMM2	XXxxXXxx
01SEP03	18:14	Maintenance	Comment	0.0 AFHR	3.4	07Dec90	MMI RECEIVED AT PEARCE		XXxxXXxx
01SEP03	18:15	Maintenance	Comment	0.0 AFHR	3.4	07Sep01	2FTHG122 FF: 01-NIL	MA: 04-CHK/TST	XXxxXXxx
01SEP03	18:16	Maintenance	Comment	0.0 AFHR	3.4	16Oct96	A23-033 06.4 1814.0 0.0 AFHR	IN AS A23T 2452-00-00-A	XXxxXXxx
01SEP03	18:16	Maintenance	Comment	0.0 AFHR	3.4	27Sep88	NEW - 5560 064-1023-02 2452-00-00-A		XXxxXXxx
01SEP03	18:17	Maintenance	Comment	0.0 AFHR	3.4	03Feb93	STI-RADIOAIR-0325 STI STATUS NOW INC		XXxxXXxx
01SEP03	18:25	Maintenance	Comment	0.0 AFHR	3.4	16Oct96	A23-016 06.4 1814.0 0.0 AFHR	09-CANNIBAL LF67036	XXxxXXxx
07JUN17	06:10	Position	Change	8510.0 AFHR	5030.9	A23T	ALUMA 00		XXxxXXxx
		Maintenance	Comment	0.0 AFHR	0.0	A23T	ALUMA 00		XXxxXXxx
						A1PXXX1709012			XXxxXXxx
						POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01453  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 5560  
 PART NO : 064-1023-02 ~22373  
 ENGINEERING NAME : TRANSCEIVER KTR 908  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
23MAR18 00:30	Asset Removal	5319.6	533 A23T ALUMA A23-033 00	A23T ALUMA 00A
	8668.8 AFHR Change Serviceability Stat	140.9	S/I U/S A23-033 INTMH	XXXXXXxx
23MAR18 00:31	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
15MAY18 06:52	Asset Installation	53.2	A23T ALUMA 533 A23-033 00	A23T ALUMA 00AC
	8668.8 AFHR Change Serviceability Stat	53.2	SERV S/I INTMH A23-033	XXXXXXxx
	Change Location of an Asse	53.2		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJ1805001	C COMPLETED	23MAR18 00:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	99 NO FAILURE	23MAR18 00:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	8668.8 AFHR	
01 NO FAULT	04 CHECK/TEST SERV						

Unserviceability Details: CHECK/TEST SERV  
 Maintenance Comments: CHECK/TEST SERV

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 01454  
08JAN20  
23:16:15

SERIAL/TAIL NO : 5560  
PART NO : 064-1023-02 ~22373  
ENGINEERING NAME : TRANSCEIVER KTR 908  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

STI STATUS CHANGE -----

STI NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
=====	=====	=====	=====	=====	=====	=====
STI-RADIOAIR-0325	Y	03FEB93 00:00	INC			

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01455  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 6072  
 PART NO : 066-3060-01 ~22373  
 ENGINEERING NAME : INDICATOR KNI 582  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 8216.1 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
29AUG03	13:59	Maintenance	Comment	0.0 AFHR	0.2	2FTREP	WFD: 01-IN FLIGHT	US: 02-MECHFAIL	XXxxXXxx
29AUG03	14:00	Maintenance	Comment	0.0 AFHR	0.2	20Sep01	DISPATCHED TO PEAXCON		XXxxXXxx
29AUG03	14:00	Maintenance	Comment	0.0 AFHR	0.2	CR305 C310 ON	PWR SUPPLY BOARD RENWD		XXxxXXxx
29AUG03	14:00	Maintenance	Comment	0.0 AFHR	0.2	29Jan91 NEW - 6072	066-3060-01	2575-00-00-K	XXxxXXxx
29AUG03	14:01	Maintenance	Comment	0.0 AFHR	0.2	30Apr98 A23-049	07.4 2725.9	0.0 AFHR UPDATED LIFE (MPMI)	XXxxXXxx
29AUG03	14:05	Maintenance	Comment	0.0 AFHR	0.2	19Sep01 A23-049	07.40 4007.3	0.0 AFHR 01-FAILED LD12096	XXxxXXxx
29AUG03	14:05	Maintenance	Comment	0.0 AFHR	0.2	29Jan91 A23-049	05.3 0.0	0.0 AFHR IN AS A23T 2575-00-00-K	XXxxXXxx
29AUG03	14:05	Maintenance	Comment	0.0 AFHR	0.2	02Jul02 2FTMMIST	00. 4007.3	0.0 AFHR UPDATED LIFE (JOBX)	XXxxXXxx
29AUG03	14:06	Maintenance	Comment	0.0 AFHR	0.2	OFF FLAG WILL NOT DISAPPEAR			XXxxXXxx
29AUG03	14:08	Maintenance	Comment	0.0 AFHR	0.2	22Jul91 2FTMMIST	00. 0.0	0.0 AFHR ^^^^^^RECEPTION	XXxxXXxx
29AUG03	14:08	Maintenance	Comment	0.0 AFHR	0.2	29Aug03 PEASTORE	00. 4007.3 AFHR	TX TO CAMM2	XXxxXXxx
29AUG03	14:09	Maintenance	Comment	0.0 AFHR	0.2	25Mar02 PEAXCON		FF: 03-ELECFAIL MA: 02-REPAIR	XXxxXXxx
20APR04	06:01	Change	Location of an Asse	4007.3 AFHR	229.2	EXTERNAL			
28APR04	01:12	Change	Serviceability Stat	4007.3 AFHR	765.0	MMIST	SERVJOBS		XXxxXXxx
28APR04	01:18	Change	Location of an Asse	4007.3 AFHR	7.8	MMIST	SERVJOBS		XXxxXXxx
				4007.3 AFHR		QNF			XXxxXXxx
						A1PXXXY410007			XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01456  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 6072  
 PART NO : 066-3060-01 ~22373  
 ENGINEERING NAME : INDICATOR KNI 582  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
21MAY04 02:55	Change Location of an Asse	23.0	QNF EXTERNAL	
	4007.3 AFHR		A1PXXXY412152	XXxxXXxx
12OCT04 08:00	Change Serviceability Stat	167.2	U/S SERV	
	4007.3 AFHR			XXxxXXxx
24OCT04 23:05	Change Location of an Asse	156.8	EXTERNAL MMIST	
	4007.3 AFHR		A1PXXXY426411	XXxxXXxx
27OCT04 05:08	Asset Installation	424.8	A23T A1UDU	
	4007.3 AFHR		039 A23-004	A23T A1UDU 00AC
	Change Serviceability Stat	14.8	SERV S/I	XXxxXXxx
	Change Location of an Asse	2.2	MMIST A23-004	
24NOV15 09:48	Asset Removal	4045.1	039 A23T	A23T A1UDU 00A
	7585.7 AFHR		A1UDU	00
	Change Serviceability Stat	0.0	S/I U/S	XXxxXXxx
	Change Location of an Asse	378.3	A23-004 STORES	
26NOV15 06:54	Change Venue of an Asset	380.2	AIP NONC2CONT	
	7585.7 AFHR		A1PXXX1511101	XXxxXXxx
	Change Location of an Asse	1.8	STORES HOLD	
12APR17 04:00	Change Serviceability Stat	504.7	U/S SERV	
	7585.7 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01457  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 6072  
 PART NO : 066-3060-01 ~22373  
 ENGINEERING NAME : INDICATOR KNI 582  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
01MAY17 00:24	Change Venue of an Asset	521.7	NONC2CONT AIP	
	7585.7 AFHR Maintenance Comment	0.0	NONC2X1704775 REPAIRED ON 12APR17. MOVED TO AIP PEA.	XXxxXXxx
	Change Location of an Asse	521.7	HOLD STORES	
07MAY17 23:51	Asset Installation	530.5	A23T A1UDU 00	
	7585.7 AFHR Change Serviceability Stat	25.8	533 A23-033	A23T A1UIA XXxxXXxx
	Change Location of an Asse	6.9	SERV S/I STORES A23-033	

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJY407658	C COMPLETED	28APR04 01:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	12OCT04 08:00					4007.3 AFHR	
01	UNSERVICEABLE	27 FUNCTIONAL CHECK/TEST		NIL COMPASS CARD OR HDG FLAG OPERATION			
		03 ELECTRICAL FAILURE					
02	MECHANICAL COMPONENT FAIL	02 REPAIR					
		Unserviceability Details:		NO COMPASS CARD OR HDG FLAG OPERATION			
		Maintenance Comments:		12OCT04 MOTOR RESECURED AT AIR NZ			
A1PXXJ1518424	C COMPLETED	24NOV15 09:48	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	NONC2CONT	
	12APR17 04:00	24NOV15 09:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	7585.7 AFHR	
01	UNSERVICEABLE	01 IN FLIGHT		FRONT RMI HEADING FLAG APPEARING INTERMITTENTLY			
		03 ELECTRICAL FAILURE					
03	ELECTRICAL COMPONENT FAIL	02 REPAIR					
		Unserviceability Details:		PILOT REPORTED HEADING FLAG APPEARING AND DISAPPEARING QUICKLY INTERMITTENTLY DURING FLIGHT			
		Maintenance Comments:		MULTIPLE NEW PARTS FITTED. UNIT ALIGNED, REPAIRED AND TESTED IAW AAP 7524.040-3M ALO REF ARC PAV12202			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01458  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 6153  
 PART NO : 12P  
 ENGINEERING NAME : TRANSMITTER AOA  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

~04274

PERIOD: 01JAN90 TO 08JAN20

LOCATION : A23-033  
 LIFE SINCE NEW : 8438.8 AFHR

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
01SEP03	14:20	Maintenance	Comment	0.0 AFHR	3.2	22Jan98	PEAX?CON	FF: 03-ELECFAIL	MA: 02-REPAIR XXxxXXxx
01SEP03	14:21	Maintenance	Comment	0.0 AFHR	3.2	2FTREP	WFD: 01-IN FLIGHT	US: 06-OUT TOL	XXxxXXxx
01SEP03	14:21	Maintenance	Comment	0.0 AFHR	3.2	15Aug97	DISPATCHED TO PEAX?CON		XXxxXXxx
01SEP03	14:21	Maintenance	Comment	0.0 AFHR	3.2	11Feb98	A23-028 09.1 2493.2	0.0 AFHR	IN AS A23T 2300-00-00-J XXxxXXxx
01SEP03	14:21	Maintenance	Comment	0.0 AFHR	3.2	29Apr98	A23-028 09.1 2618.4	0.0 AFHR	UPDATED LIFE (MPMI) XXxxXXxx
01SEP03	14:24	Maintenance	Comment	0.0 AFHR	3.2	22Jan98	REPAIR CARRIED OUT BY NIM		XXxxXXxx
01SEP03	14:27	Maintenance	Comment	0.0 AFHR	3.2	AOA TEST	IND 4 UNITS OUT OF CAL INTERMIT		XXxxXXxx
01SEP03	14:28	Maintenance	Comment	0.0 AFHR	3.2	12Jun91	A23-047 08.0 0.0	0.0 AFHR	^^^^^RECEPTION XXxxXXxx
01SEP03	14:29	Maintenance	Comment	0.0 AFHR	3.2	14Aug97	A23-047 09.1 2493.2	0.0 AFHR	01-FAILED LU76692 XXxxXXxx
01SEP03	14:29	Maintenance	Comment	0.0 AFHR	3.2	06Feb98	2FTMMIST 00. 2493.2	0.0 AFHR	UPDATED LIFE (JOBX) XXxxXXxx
01SEP03	14:29	Maintenance	Comment	0.0 AFHR	3.2	20Nov90	NEW - 6153 12P	2300-00-00-J	XXxxXXxx
01SEP03	14:35	Maintenance	Comment	0.0 AFHR	3.2	29Aug03	A23-028 09.10 4583.1 AFHR	TX TO CAMM2	XXxxXXxx
23JAN06	00:36	Asset Removal		5379.4 AFHR	877.6	520	A23-028	A23T A2KGA	A2KGA 00A
		Change Serviceability Stat		5379.4 AFHR	3.6	S/I			XXxxXXxx
		Change Location of an Asse			286.9	U/S	A23-028		
23JAN06	00:36	Change Serviceability Stat		5379.4 AFHR	0.0	INTMH			
						U/S			
						SERV			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01459  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 6153  
 PART NO : 12P  
 ENGINEERING NAME : TRANSMITTER AOA  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~04274

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
23JAN06 05:28	Change Serviceability Stat	5379.4 AFHR	0.2	SERV U/S	
	Estimated Date/Time Servic		0.2	A1PXXUY600669 SERV STAT	XXxxXXxx
23JAN06 05:28	Change Serviceability Stat	5379.4 AFHR	0.0	SERV STAT U/S	
	Change Location of an Asse		1.1	SERV INTMH	XXxxXXxx
24JAN06 04:35	Change Location of an Asse	5379.4 AFHR	1.1	JANDAKOT	
	Change Location of an Asse		209.0	A1PXXXY600567 JANDAKOT	XXxxXXxx
21AUG06 05:53	Change Location of an Asse	5379.4 AFHR	209.0	HG122	
	Change Serviceability Stat		217.7	A1PXXXY606695 SERV	XXxxXXxx
29AUG06 00:00	Change Serviceability Stat	5379.4 AFHR	217.7	U/S	
	Change Location of an Asse		29.0	XXxxXXxx HG122	XXxxXXxx
19SEP06 06:00	Change Location of an Asse	5379.4 AFHR	29.0	JANDAKOT	
	Change Serviceability Stat		192.1	A1PXXXY607617 U/S	XXxxXXxx
09MAR07 02:28	Change Serviceability Stat	5379.4 AFHR	192.1	SERV	
	Change Venue of an Asset		1183.2	XXxxXXxx AIP	XXxxXXxx
07JUL08 06:46	Change Venue of an Asset	5379.4 AFHR	1183.2	NONC2CONT	
	Change Location of an Asse		657.0	A1PXXXY806041 JANDAKOT	XXxxXXxx
15JUL08 02:32	Change Venue of an Asset	5379.4 AFHR	7.8	HOLD	
	Change Location of an Asse		7.8	NONC2CONT AIP	
				XXxxXXxx NONC2XY807420	XXxxXXxx
				HOLD MMIST	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01460  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 6153  
 PART NO : 12P  
 ENGINEERING NAME : TRANSMITTER AOA  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~04274

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
02DEC08 06:41	Asset Installation	1044.2	A23T A2KGA 521 A23-038	00 A23T A2KGA 00AC XXXXXXXX
	5702.8 AFHR Change Serviceability Stat	634.1	SERV	
	Change Location of an Asse	140.1	S/I MMIST A23-038	
22SEP09 05:34	Asset Removal	293.9	521 A23-038 A23T A2KGA	00 A23T A2KGA 00A XXXXXXXX
	5702.8 AFHR Change Serviceability Stat	5.8	S/I	
	Change Location of an Asse	293.9	U/S A23-038	
20OCT09 01:56	Change Serviceability Stat	27.8	MMIST U/S SERV	XXXXXXXX
09FEB10 05:39	Asset Installation	140.0	A23T A2KGA 027 A23-033	00 A23T A2KGA 00AC XXXXXXXX
	5702.8 AFHR Change Serviceability Stat	112.1	SERV	
	Change Location of an Asse	140.0	S/I MMIST A23-033	
07JUN17 06:13	Position Change	2675.0	A23T A2KGA A23T A2KGA	00 00
	7808.4 AFHR Maintenance Comment	0.0	A1PXXX1709018 POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE	XXXXXXXX

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 6153  
 PART NO : 12P ~04274  
 ENGINEERING NAME : TRANSMITTER AOA  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY600669	COMPLETED	06APR06 08:00	5379.4	AFHR		
23JAN06 05:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
		CORROSION EVIDENT ON VANE AND BODY				XXxxXXxxXXxxXXxxXXxx 06APR06 08:00 XXxxXXxxXXxxXXxxXXxx

Maint Acts: ALIGN AND TEST AT AIRFLITE JANDAKOT

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					
A1PXXJY600728	C COMPLETED	23JAN06 00:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	23JAN06 00:36	99 NO FAILURE		AOA TRANSMITTER RFA		5379.4	AFHR
01 NO FAULT	04 CHECK/TEST SERV						
	Unserviceability Details:			CHECK/TEST SERV			
	Maintenance Comments:						
A1PXXJY600783	C COMPLETED	23JAN06 05:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
12 DAMAGED	06APR06 08:00	09 R2 SERVICING		CORROSION ON BODY AND VANE		5379.4	AFHR
06 MOISTURE		13 CORRODED					
		03 ADJUST/ALIGN					
	Unserviceability Details:			CORROSION ON BODY AND AOA VANE			
	Maintenance Comments:			06APR06 ALIGN AND TEST AT AIRFLITE JANDAKOT			
A1PXXJY614884	C COMPLETED	29AUG06 00:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
01 UNSERVICEABLE	09MAR07 02:28	31 DURING ACCESS		CORROSION ON BODY AS PER A1PXXJY600783		5379.4	AFHR
12 CORRODED		13 CORRODED					
		02 REPAIR					
	Unserviceability Details:			CORROSION ON BODY AND VANE			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 6153  
PART NO : 12P  
ENGINEERING NAME : TRANSMITTER AOA  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20  
~04274

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

Maintenance Comments: REPAIRED AND TESTED IAW CAPO USING APP 7537.033-3M

A1PXXJY920884	C COMPLETED	22SEP09 05:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	20OCT09 01:56	22SEP09 05:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	5702.8	AFHR
01 UNSERVICEABLE		32 DURING FAULT FINDING		AOA TRANSMITTER U/S			
		03 ELECTRICAL FAILURE					
09 OUT OF LIMITS		02 REPAIR					

Unserviceability Details: SUSPECT CAUSE OF INTERMITTENT FAULT DAMAGING AOA ELECTRONIC UNITS

Maintenance Comments: AOA FAULT TRACED TO AIRCRAFT, AOA TRANSMITTER ASSESSED AS SERVICEABLE (A23-038)



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01463  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 647  
 PART NO : 071-01334-0003 ~22373  
 ENGINEERING NAME : PANEL CONTROL EFIS  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 9782.4 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T CHANGE TYPE		SPAN(DYS) FROM		TO (OPTIONAL)		TRANS REFERENCE		USER	
LIFE SINCE NEW									
01SEP03	16:48	Maintenance Comment	3.3	01Jan87	NEW - 647	071-01334-0003	2433-00-00-K		
		0.0 AFHR			CAMM LOG00007		XXXXXXxx		
01SEP03	16:50	Maintenance Comment	3.3	02Nov91	A23-008 05.2	873.3	0.0 AFHR	MPMI CHANGE	
		0.0 AFHR			CAMM LOG00004		XXXXXXxx		
01SEP03	16:51	Maintenance Comment	3.3	27Sep88	A23-008 05.2	0.0	0.0 AFHR	^^^^^RECEPTION	
		0.0 AFHR			CAMM LOG00001		XXXXXXxx		
01SEP03	16:51	Maintenance Comment	3.3	09Aug89	MMI RECEIVED AT	PEARCE			
		0.0 AFHR			CAMM LOG00003		XXXXXXxx		
01SEP03	16:52	Maintenance Comment	3.3	29Aug03	A23-008 07.30	4990.3 AFHR	TX TO CAMM2		
		0.0 AFHR			CAMM LOG00008		XXXXXXxx		
01SEP03	16:57	Maintenance Comment	3.3	26Feb92	PARTNO REIDENTIFIED FROM	071-1334-03			
		0.0 AFHR			CAMM LOG00005		XXXXXXxx		
01SEP03	16:58	Maintenance Comment	3.3	07Aug89	MMI TRANSFERRED FROM	EASTSALE			
		0.0 AFHR			CAMM LOG00002		XXXXXXxx		
01SEP03	16:58	Maintenance Comment	3.3	30Apr98	A23-008 07.3	3234.4	0.0 AFHR	UPDATED LIFE (MPMI)	
		0.0 AFHR			CAMM LOG00006		XXXXXXxx		
28NOV07	02:48	Asset Removal	1551.7	058	A23-008		A23T	ALUDW	00A
		6430.2 AFHR		A23T	ALUDW	00		XXXXXXxx	
		Change Serviceability Stat	0.0	S/I					
				U/S					
		Change Location of an Asse	xxxx	A23-008					
				EXTERNAL					
29NOV07	01:13	Change Venue of an Asset	1552.7	AIP					
		6430.2 AFHR		NONC2CONT					
		Change Location of an Asse	0.9	A1PXXXXY711006				XXXXXXxx	
				EXTERNAL					
07OCT08	09:10	Change Serviceability Stat	314.2	HOLD					
				U/S					
		6430.2 AFHR		SERV				XXXXXXxx	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01464  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 647  
 PART NO : 071-01334-0003 ~22373  
 ENGINEERING NAME : PANEL CONTROL EFIS  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
08JUN09 02:35	Change Venue of an Asset	557.0	NONC2CONT AIP	
	6430.2 AFHR Change Location of an Asse	557.0	NONC2XY906969 HOLD MMIST	XXXXXXxx
15JUN09 07:45	Asset Installation	565.2	A23T A1UDW 039	A23T A1UDW 00AC
	6430.2 AFHR Change Serviceability Stat	250.9	A23-004 SERV S/I	XXXXXXxx
	Change Location of an Asse	7.2	MMIST A23-004	
25JUN13 00:58	Position Change	1470.7	A23T A1UDW A23T A1UDW	00 00
	7530.0 AFHR Maintenance Comment	0.0	A1PXXX1306773 TO UPDATE POLICY	XXXXXXxx
24JUL15 05:25	Asset Removal	2229.9	039 A23T A1UDW	A23T A1UDW 00A
	8179.4 AFHR Change Serviceability Stat	0.0	A23-004 S/I U/S	XXXXXXxx
	Change Location of an Asse	255.1	A23-004 OPMH	
24JUL15 05:26	Change Serviceability Stat	0.0	U/S SERV	
	8179.4 AFHR Asset Installation	5.0	A23T A1UDW 039	XXXXXXxx A23T A1UDW 00AC
	8179.4 AFHR Change Serviceability Stat	5.0	A23-004 SERV S/I	XXXXXXxx
	Change Location of an Asse	5.0	OPMH A23-004	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01465  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 647  
 PART NO : 071-01334-0003 ~22373  
 ENGINEERING NAME : PANEL CONTROL EFIS  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
02SEP18 22:33	Asset Removal	1131.6	039 A23T A1UDW A23-004 00	A23T A1UDW 00A
	9314.6 AFHR Change Serviceability Stat	94.6	S/I U/S	XXXXXXxx
	Change Location of an Asse	937.6	A23-004 OPMH	
02SEP18 22:35	Change Serviceability Stat	0.0	U/S SERV	
	9314.6 AFHR			XXXXXXxx
02SEP18 23:06	Asset Installation	0.0	A23T A1UDW A23-033 00	A23T A1UDW 00AC
	9314.6 AFHR Change Serviceability Stat	0.0	SERV S/I OPMH A23-033	XXXXXXxx
	Change Location of an Asse	0.0		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJY721399	C COMPLETED	28NOV07 02:48	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	NONC2CONT	
01 UNSERVICEABLE	07OCT08 09:10	28NOV07 02:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	6430.2 AFHR	
03 ELECTRICAL COMPONENT FAIL	01 IN FLIGHT 03 ELECTRICAL FAILURE 02 REPAIR			FRONT HGD BUG JITTER WHEN SETTING HDG			
	Unserviceability Details:			HDG BUG JITTERS			
	Maintenance Comments:			HEADING BUG UNSTABLE, REPLACED HDG & CRS POTENTIOMETERSAND 4 LAMPS AND TESTED. IAW AAP 7532.067-2M AL9			
A1PXXJ1511483	C COMPLETED	24JUL15 05:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	24JUL15 05:26	24JUL15 05:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	8179.4 AFHR	
01 NO FAULT	99 NO FAILURE 04 CHECK/TEST SERV			MULTIPLE FRONT C/P AV COMPONENTS RFA FOR AUDIO FAULT FINDING PURPOSES			
	Unserviceability Details:						
	Maintenance Comments:			CHECK/TEST SERV			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 647 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 071-01334-0003 ~22373  
ENGINEERING NAME : PANEL CONTROL EFIS  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

```

=====
A1PXXJ1814462  C  COMPLETED      02SEP18  22:33  XXxxXXxx      XXxxXXxxXXxxXXxxXXxx AIP      AIP
                02SEP18  22:35      02SEP18  22:34  XXxxXXxx      XXxxXXxxXXxxXXxxXXxx AIP      9314.6  AFHR
09 CANNIBALISATION      99 NO FAILURE      PANEL CONTROL (EFIS) CANNABALISED TO MAINTAIN A23-033

01 NO FAULT              04 CHECK/TEST SERV
                        Unserviceability Details:
                        Maintenance Comments:  CHECK/TEST SERV

```

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 01467  
08JAN20  
23:16:15

SERIAL/TAIL NO : 6616  
PART NO : PC-125-12B ~74025  
ENGINEERING NAME : INVERTER  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 2846.6 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	DATE NEW	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	HA PART	DATE UNPACKED		
05FEB07 01:17	6616	PC-125-12B	~74025 A23T	ALUOE	01
aip01711	AIP	MMIST		ALPXXRY700925	
L. HULL		23NOV05			

0.0 AFHR

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01468  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 6616  
 PART NO : PC-125-12B ~74025  
 ENGINEERING NAME : INVERTER  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
05FEB07 01:17	Reception History Record	0.0	Reception MMIST	
	0.0 AFHR		MMI	XXXXXXxx
19FEB07 23:29	Asset Installation	453.9	A23T 543	A23T A1UOE 01AC
	0.0 AFHR		A23-043	XXXXXXxx
	Change Serviceability Stat	14.9	SERV S/I	
	Change Location of an Asse	14.9	MMIST A23-043	
10JAN08 21:32	Asset Removal	324.9	543 A23T	A23T A1UOE 01A
	297.2 AFHR		A1UOE	XXXXXXxx
	Change Serviceability Stat	45.8	S/I U/S	
	Change Location of an Asse	324.9	A23-043	
10JAN08 21:34	Change Serviceability Stat	0.0	OPMH U/S	
	297.2 AFHR		SERV	XXXXXXxx
17JAN08 05:06	Asset Installation	6.3	A23T 543	A23T A1UOE 01AC
	297.2 AFHR		A23-043	XXXXXXxx
	Change Serviceability Stat	6.3	SERV S/I	
	Change Location of an Asse	6.3	OPMH A23-043	
15SEP08 00:45	Asset Removal	241.8	543 A23T	A23T A1UOE 01A
	596.1 AFHR		A1UOE	XXXXXXxx
	Change Serviceability Stat	3.9	S/I U/S	
	Change Location of an Asse	241.8	A23-043 INTMH	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01469  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 6616  
 PART NO : PC-125-12B ~74025  
 ENGINEERING NAME : INVERTER  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
15SEP08 00:45	Change Serviceability Stat	0.0	U/S SERV	
	596.1 AFHR			XXXXXXxx
24SEP08 03:48	Asset Installation	9.1	A23T 543 A23-043	A23T A1UOE 01AC
	596.1 AFHR			XXXXXXxx
	Change Serviceability Stat	9.1	SERV S/I	
	Change Location of an Asse	9.1	INTMH A23-043	
10FEB09 22:16	Asset Removal	139.7	543 A23T A23-043	A23T A1UOE 01A
	745.8 AFHR			XXXXXXxx
	Change Serviceability Stat	0.5	S/I U/S	
	Change Location of an Asse	139.7	A23-043	
10FEB09 22:17	Change Serviceability Stat	0.0	INTMH U/S SERV	
	745.8 AFHR			XXXXXXxx
12FEB09 23:47	Asset Installation	2.0	A23T 543 A23-043	A23T A1UOE 01AC
	745.8 AFHR			XXXXXXxx
	Change Serviceability Stat	2.0	SERV S/I	
	Change Location of an Asse	2.0	INTMH A23-043	
27MAR09 02:15	Asset Removal	42.1	543 A23T A23-043	A23T A1UOE 01A
	800.7 AFHR			XXXXXXxx
	Change Serviceability Stat	1.6	S/I U/S	
	Change Location of an Asse	42.1	A23-043 HG122	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01470  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 6616  
 PART NO : PC-125-12B ~74025  
 ENGINEERING NAME : INVERTER  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN (DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
27MAR09 02:15	Change Serviceability Stat		0.0	U/S SERV	
06APR09 07:30	Asset Installation	800.7 AFHR	10.2	A23T 543 A1UOE A23-043	01 A23T A1UOE 01AC XXXXXXxx
	Change Serviceability Stat	800.7 AFHR	10.2	SERV S/I HG122 A23-043	XXXXXXxx
	Change Location of an Asse		10.2		
28MAY09 05:30	Asset Removal		51.9	543 A23T A1UOE A23-043	01 A23T A1UOE 01A
	Change Serviceability Stat	881.2 AFHR	1.9	S/I U/S A23-043	XXXXXXxx
	Change Location of an Asse		51.9		
28MAY09 05:31	Change Serviceability Stat		0.0	HG122 U/S SERV	
01SEP09 00:19	Asset Installation	881.2 AFHR	95.7	A23T 543 A1UOE A23-043	01 A23T A1UOE 01AC XXXXXXxx
	Change Serviceability Stat	882.5 AFHR	95.7	SERV S/I HG122 A23-043	XXXXXXxx
	Change Location of an Asse		95.7		
22SEP09 21:52	Asset Removal		21.8	543 A23T A1UOE A23-043	01 A23T A1UOE 01A
	Change Serviceability Stat	895.4 AFHR	0.8	S/I U/S A23-043	XXXXXXxx
	Change Location of an Asse		21.8	INTMH	

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01471  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 6616  
 PART NO : PC-125-12B ~74025  
 ENGINEERING NAME : INVERTER  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
22SEP09 21:53	Change Serviceability Stat	0.0	U/S SERV	
25SEP09 01:42	Asset Installation	2.1	A23T 543 A1UOE A23-043	01 A23T A1UOE 01AC
	Change Serviceability Stat	2.1	SERV S/I INTMH A23-043	01 A23T A1UOE 01A
01OCT10 01:24	Asset Removal	370.9	A23T 543 A23T A1UOE	01 A23T A1UOE 01A
	Change Serviceability Stat	177.9	S/I U/S A23-043	
	Change Location of an Asse	370.9	OPMH U/S SERV	
01OCT10 01:25	Change Serviceability Stat	0.0		
15OCT10 03:24	Asset Installation	14.0	A23T 543 A1UOE A23-043	01 A23T A1UOE 01AC
	Change Serviceability Stat	14.0	SERV S/I OPMH A23-043	01 A23T A1UOE 01A
	Change Location of an Asse	14.0	OPMH U/S SERV	
09JUN11 03:55	Asset Removal	237.0	A23T 543 A23T A1UOE	01 A23T A1UOE 01A
	Change Serviceability Stat	21.9	S/I U/S A23-043	
	Change Location of an Asse	237.0	INTMH	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01472  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 6616  
 PART NO : PC-125-12B ~74025  
 ENGINEERING NAME : INVERTER  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
09JUN11 03:56	Change Serviceability Stat	0.0	U/S SERV	
	1176.7 AFHR			XXXXXXxx
15JUN11 13:22	Asset Installation	6.3	A23T 543 A23-043	A23T A1UOE 01AC
	1176.7 AFHR			XXXXXXxx
	Change Serviceability Stat	6.3	SERV S/I INTMH A23-043	
	Change Location of an Asse	6.3		
27SEP11 04:43	Asset Removal	103.6	543 A23T A1UOE A23-043	A23T A1UOE 01A
	1326.6 AFHR			XXXXXXxx
	Change Serviceability Stat	1.0	S/I U/S A23-043	
	Change Location of an Asse	103.6		
27SEP11 04:43	Change Serviceability Stat	0.0	INTMH U/S SERV	
	1326.6 AFHR			XXXXXXxx
03OCT11 00:11	Asset Installation	5.8	A23T 543 A23-043	A23T A1UOE 01AC
	1326.6 AFHR			XXXXXXxx
	Change Serviceability Stat	5.8	SERV S/I INTMH A23-043	
	Change Location of an Asse	5.8		
17JUL12 07:32	Asset Removal	288.3	543 A23T A1UOE A23-043	A23T A1UOE 01A
	1625.4 AFHR			XXXXXXxx
	Change Serviceability Stat	19.9	S/I U/S A23-043	
	Change Location of an Asse	288.3	OPMH	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01473  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 6616  
 PART NO : PC-125-12B ~74025  
 ENGINEERING NAME : INVERTER  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
17JUL12 07:32	Change Serviceability Stat	0.0	U/S SERV	
18JUL12 03:16	Asset Installation	0.8	A23T 543 A1UOE A23-043	01 A23T A1UOE 01AC
	Change Serviceability Stat	0.8	SERV S/I OPMH A23-043	XXxxXXxx
	Change Location of an Asse	0.8	A23T 543 A23-043	XXxxXXxx
23JUL12 23:22	Asset Removal	5.8	A23T A1UOE A23-043	01 A23T A1UOE 01A
	Change Serviceability Stat	5.8	S/I U/S A23-043	XXxxXXxx
	Change Location of an Asse	5.8	INTMH U/S SERV	
30JUL12 22:59	Asset Installation	6.9	A23T 543 A1UOE A23-043	01 A23T A1UOE 01AC
	Change Serviceability Stat	6.9	SERV S/I INTMH A23-043	XXxxXXxx
	Change Location of an Asse	6.9	A23T 543 A23-043	
18NOV15 06:35	Asset Removal	1205.3	A23T A1UOE A23-043	01 A23T A1UOE 01A
	Change Serviceability Stat	972.8	S/I U/S A23-043	XXxxXXxx
	Change Location of an Asse	1205.3	OPMH	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01474  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 6616  
 PART NO : PC-125-12B ~74025  
 ENGINEERING NAME : INVERTER  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
18NOV15 06:36	Change Serviceability Stat	0.0	U/S SERV	
	1752.0 AFHR			XXXXXXxx
18NOV15 09:51	Asset Installation	0.1	A23T 533 A23-033	A23T A1UOG 01AC
	1752.0 AFHR			XXXXXXxx
	Change Serviceability Stat	0.1	SERV S/I OPMH A23-033	
	Change Location of an Asse	0.1		
10MAR16 11:53	Asset Removal	113.0	533 A23T A23-033	A23T A1UOG 01A
	1870.9 AFHR			XXXXXXxx
	Change Serviceability Stat	0.1	S/I U/S A23-033	
	Change Location of an Asse	113.0		
10MAR16 11:55	Change Serviceability Stat	0.0	INTMH U/S SERV	
	1870.9 AFHR			XXXXXXxx
14MAR16 03:25	Asset Installation	3.6	A23T 533 A23-033	A23T A1UOG 01AC
	1870.9 AFHR			XXXXXXxx
	Change Serviceability Stat	3.6	SERV S/I INTMH A23-033	
	Change Location of an Asse	3.6		
31MAR16 23:06	Asset Removal	17.8	533 A23T A23-033	A23T A1UOG 01A
	1886.7 AFHR			XXXXXXxx
	Change Serviceability Stat	8.6	S/I U/S A23-033	
	Change Location of an Asse	17.8	INTMH	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01475  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 6616  
 PART NO : PC-125-12B ~74025  
 ENGINEERING NAME : INVERTER  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
31MAR16 23:06	Change Serviceability Stat	0.0	U/S SERV	
	1886.7 AFHR			XXXXXXxx
21APR16 00:43	Asset Installation	20.0	A23T 533 A1UOG A23-033	A23T A1UOG 01AC
	1886.7 AFHR			XXXXXXxx
	Change Serviceability Stat	20.0	SERV S/I	
	Change Location of an Asse	20.0	INTMH A23-033	
03APR17 23:53	Asset Removal	347.9	533 A23T A1UOG A23-033	A23T A1UOG 01A
	2216.2 AFHR			XXXXXXxx
	Change Serviceability Stat	129.7	S/I U/S	
	Change Location of an Asse	347.9	A23-033 HG122	
03APR17 23:54	Change Serviceability Stat	0.0	U/S SERV	
	2216.2 AFHR			XXXXXXxx
11MAY17 06:05	Asset Installation	37.2	A23T 533 A1UOG A23-033	A23T A1UOG 01AC
	2216.2 AFHR			XXXXXXxx
	Change Serviceability Stat	37.2	SERV S/I	
	Change Location of an Asse	37.2	HG122 A23-033	
22MAR18 03:10	Asset Removal	314.8	533 A23T A1UOG A23-033	A23T A1UOG 01A
	2375.0 AFHR			XXXXXXxx
	Change Serviceability Stat	140.0	S/I U/S	
	Change Location of an Asse	314.8	A23-033 HG122	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01476  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 6616  
 PART NO : PC-125-12B ~74025  
 ENGINEERING NAME : INVERTER  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
22MAR18 03:11	Change Serviceability Stat	0.0	U/S SERV	
	2375.0 AFHR			XXXXXXxx
23MAY18 01:06	Asset Installation	61.9	A23T 533 A23-033	A23T A1UOG 01AC
	2375.0 AFHR			XXXXXXxx
	Change Serviceability Stat	61.9	SERV S/I HG122 A23-033	
	Change Location of an Asse	61.9		
11DEC18 03:53	Asset Removal	202.1	533 A23T A23-033	A23T A1UOG 01A
	2540.0 AFHR			XXXXXXxx
	Change Serviceability Stat	40.5	S/I U/S A23-033	
	Change Location of an Asse	202.1		
11DEC18 03:53	Change Serviceability Stat	0.0	OPMH U/S SERV	
	2540.0 AFHR			XXXXXXxx
11DEC18 06:17	Asset Installation	0.1	A23T 533 A23-033	A23T A1UOG 01AC
	2540.0 AFHR			XXXXXXxx
	Change Serviceability Stat	0.0	SERV S/I OPMH A23-033	
	Change Location of an Asse	0.1		
08APR19 13:26	Asset Removal	118.2	533 A23T A23-033	A23T A1UOG 01A
	2656.4 AFHR			XXXXXXxx
	Change Serviceability Stat	0.3	S/I SERV	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01477  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 6616  
 PART NO : PC-125-12B ~74025  
 ENGINEERING NAME : INVERTER  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
08APR19 13:27	Asset Installation	0.0	A23T A1UOG 533 A23-033	A23T A1UOE 01AC
	2656.4 AFHR Change Serviceability Stat	0.0	SERV S/I 533 A23-033	XXXXXXXX
04JUN19 01:56	Asset Removal	56.5	A23T A1UOE 01	A23T A1UOE 01A
	2702.0 AFHR Change Serviceability Stat	28.4	S/I U/S A23-033	XXXXXXXX
	Change Location of an Asse	174.8	HG122 U/S SERV	
04JUN19 01:58	Change Serviceability Stat	0.0		XXXXXXXX
25JUN19 00:38	Asset Installation	20.9	A23T A1UOE 01	A23T A1UOE 01AC
	2702.0 AFHR Change Serviceability Stat	20.9	SERV S/I 533 A23-033	XXXXXXXX
	Change Location of an Asse	20.9	HG122 A23-033	
20SEP19 02:44	Asset Removal	87.0	A23T A1UOE 01	A23T A1UOE 01A
	2800.3 AFHR Change Serviceability Stat	1.8	S/I U/S A23-033	XXXXXXXX
	Change Location of an Asse	87.0	INTMH U/S SERV	
20SEP19 02:45	Change Serviceability Stat	0.0		XXXXXXXX
	2800.3 AFHR			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01478  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 6616  
 PART NO : PC-125-12B ~74025  
 ENGINEERING NAME : INVERTER  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
02OCT19 23:48	Asset Installation	12.8	A23T A1UOE 533 A23-033 01	A23T A1UOE 01AC XXXXXXXX
	2800.3 AFHR Change Serviceability Stat	12.8	SERV S/I	
	Change Location of an Asse	12.8	INTMH A23-033	

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS	UNSERVICEABILITY DETAILS	MAINTENANCE COMMENT			
MAINT PROCESS	UNSERVICEABILITY						
FAULT FOUND	MAINTENANCE ACTION TAKEN						
A1PXXJY800753	C COMPLETED	10JAN08 21:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	10JAN08 21:34	10JAN08 21:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	297.2	AFHR
13 REMOVED FOR ACCESS	99 NO FAILURE			BOTH INVS AND RACK RFA			
01 NO FAULT	04 CHECK/TEST SERV			Unserviceability Details: Maintenance Comments: CHECK/TEST SERV			
A1PXXJY815311	C COMPLETED	15SEP08 00:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	15SEP08 00:45	15SEP08 00:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	596.1	AFHR
13 REMOVED FOR ACCESS	99 NO FAILURE			INVERTER BATT AND INVERTER GEN REMOVED FOR ACCESS			
01 NO FAULT	04 CHECK/TEST SERV			Unserviceability Details: Maintenance Comments: CHECK/TEST SERV			
A1PXXJY902856	C COMPLETED	10FEB09 22:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	10FEB09 22:17	10FEB09 22:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	745.8	AFHR
13 REMOVED FOR ACCESS	99 NO FAILURE			BOTH INV'S AND RACK RFA			
01 NO FAULT	04 CHECK/TEST SERV			Unserviceability Details: Maintenance Comments: CHECK/TEST SERV			

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01479  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 6616  
 PART NO : PC-125-12B ~74025  
 ENGINEERING NAME : INVERTER  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			
A1PXXJY906077	C COMPLETED	27MAR09 02:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	27MAR09 02:15	27MAR09 02:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	800.7	AFHR
		99 NO FAILURE		INVERTERS - BATT AND GEN RFA			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		CHECK/TEST SERV			
A1PXXJY911418	C COMPLETED	28MAY09 05:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	28MAY09 05:31	28MAY09 05:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	881.2	AFHR
		99 NO FAILURE		LH & RH INVERTERS AND RACK RFA			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		CHECK/TEST SERV			
A1PXXJY920910	C COMPLETED	22SEP09 21:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	22SEP09 21:53	22SEP09 21:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	895.4	AFHR
		99 NO FAILURE		BOTH INVS AND RACK RFA			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		CHECK/TEST SERV			
A1PXXJ1017240	C COMPLETED	01OCT10 01:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	01OCT10 01:25	01OCT10 01:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	1050.6	AFHR
		99 NO FAILURE		BOTH INVERTERS RFA.			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		CHECK/TEST SERV			
A1PXXJ1108579	C COMPLETED	09JUN11 03:55	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	09JUN11 03:56	09JUN11 03:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	1176.7	AFHR
		99 NO FAILURE		BOTH INVERTERS RFA.			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		CHECK/TEST SERV			

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 01480  
08JAN20  
23:16:15

SERIAL/TAIL NO : 6616  
PART NO : PC-125-12B ~74025  
ENGINEERING NAME : INVERTER  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
------------	------------------	-------------------	-----------------	--------------	---------------	----------------	--

REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS					
-------------------	-------------------------	----------	--	--	--	--	--

MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS					
---------------	------------------	--------------------------	--	--	--	--	--

FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					
-------------	--------------------------	---------------------	--	--	--	--	--

=====

A1PXXJ1114307	C COMPLETED	27SEP11 04:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
---------------	-------------	---------------	----------	----------------------	-----	-----	--

13 REMOVED FOR ACCESS	99 NO FAILURE	27SEP11 04:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	1326.6	AFHR
-----------------------	---------------	---------------	----------	----------------------	-----	--------	------

01 NO FAULT	04 CHECK/TEST SERV			BOTH INVS AND RACK RFA			
-------------	--------------------	--	--	------------------------	--	--	--

Unserviceability Details:  
Maintenance Comments:

CHECK/TEST SERV

A1PXXJ1210309	C COMPLETED	17JUL12 07:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
---------------	-------------	---------------	----------	----------------------	-----	-----	--

13 REMOVED FOR ACCESS	99 NO FAILURE	17JUL12 07:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	1625.4	AFHR
-----------------------	---------------	---------------	----------	----------------------	-----	--------	------

01 NO FAULT	04 CHECK/TEST SERV			STATIC INVERTERS RFA			
-------------	--------------------	--	--	----------------------	--	--	--

Unserviceability Details:  
Maintenance Comments:

CHECK/TEST SERV

A1PXXJ1210678	C COMPLETED	23JUL12 23:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
---------------	-------------	---------------	----------	----------------------	-----	-----	--

13 REMOVED FOR ACCESS	99 NO FAILURE	23JUL12 23:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	1625.4	AFHR
-----------------------	---------------	---------------	----------	----------------------	-----	--------	------

01 NO FAULT	04 CHECK/TEST SERV			BATT/GEN INVERTERS REMOVED FOR ACCESS			
-------------	--------------------	--	--	---------------------------------------	--	--	--

Unserviceability Details:  
Maintenance Comments:

CHECK/TEST SERV

A1PXXJ1518077	C COMPLETED	18NOV15 06:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
---------------	-------------	---------------	----------	----------------------	-----	-----	--

09 CANNIBALISATION	99 NO FAILURE	18NOV15 06:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	1752.0	AFHR
--------------------	---------------	---------------	----------	----------------------	-----	--------	------

01 NO FAULT	04 CHECK/TEST SERV			BATT INVERTER CANNABALISED TO MAINTAIN A23-033			
-------------	--------------------	--	--	--	--	--	--

Unserviceability Details:  
Maintenance Comments:

CHECK/TEST SERV

A1PXXJ1605551	C COMPLETED	10MAR16 11:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
---------------	-------------	---------------	----------	----------------------	-----	-----	--

13 REMOVED FOR ACCESS	99 NO FAILURE	10MAR16 11:55	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	1870.9	AFHR
-----------------------	---------------	---------------	----------	----------------------	-----	--------	------

01 NO FAULT	04 CHECK/TEST SERV			BATT AND GEN INVERTERS REMOVED FOR ACCESS			
-------------	--------------------	--	--	---	--	--	--

Unserviceability Details:  
Maintenance Comments:

CHECK/TEST SERV

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 01481  
08JAN20  
23:16:15

SERIAL/TAIL NO : 6616  
PART NO : PC-125-12B ~74025  
ENGINEERING NAME : INVERTER  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			
=====							
A1PXXJ1607450	C COMPLETED	31MAR16 23:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	31MAR16 23:06	31MAR16 23:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	1886.7	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE		BOTH INVS AND RACK RFA			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:		CHECK/TEST SERV			
		Maintenance Comments:					
A1PXXJ1706960	C COMPLETED	03APR17 23:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	03APR17 23:54	03APR17 23:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	2216.2	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE		BOTH INVS AND RACK RFA			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:		CHECK/TEST SERV			
		Maintenance Comments:					
A1PXXJ1804958	C COMPLETED	22MAR18 03:11	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	22MAR18 03:11	22MAR18 03:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	2375.0	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE		BOTH INVS AND RACK RFA			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:		CHECK/TEST SERV			
		Maintenance Comments:					
A1PXXJ1821323	C COMPLETED	11DEC18 03:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	11DEC18 03:53	11DEC18 03:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	2540.0	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE		BOTH STATIC INVERTERS RFA			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:		CHECK/TEST SERV			
		Maintenance Comments:					
A1PXXJ1909334	C COMPLETED	04JUN19 01:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	04JUN19 01:58	04JUN19 01:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	2702.0	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE		BOTH INVERTERS AND RACK REMOVED FOR ACCESS			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:		CHECK/TEST SERV			
		Maintenance Comments:					

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 6616  
PART NO : PC-125-12B ~74025  
ENGINEERING NAME : INVERTER  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS		UNSERVICEABILITY DETAILS			
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS		MAINTENANCE COMMENT			
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

1PXXJ1914471	C COMPLETED	20SEP19 02:44	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	20SEP19 02:45	20SEP19 02:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	2800.3	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		BOTH STATIC INVERTERS & RACK RFA.			
01	NO FAULT	04 CHECK/TEST SERV		Unserviceability Details: CHECK/TEST SERV			
				Maintenance Comments: CHECK/TEST SERV			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 6623 LITERAL SERIAL NO : 6623 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC-125-12B ~74025  
ENGINEERING NAME : INVERTER  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 3661.2 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
14DEC06 01:18	6623	PC-125-12B	~74025	A23T	01
aip001	AIP	MMIST		ALUOE	
L. DOBSON		23NOV05		A1PXXRY603455	
	0.0 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01484  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 6623 LITERAL SERIAL NO : 6623 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : PC-125-12B ~74025  
 ENGINEERING NAME : INVERTER  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW						
14DEC06 01:18	Reception History Record	0.0	Reception			
	0.0 AFHR		MMIST	MMI		XXXXXXxx
10JAN07 22:22	Asset Installation	413.9	A23T	AlUOE	01	A23T AlUOE 01AC
	0.0 AFHR		528	A23-028		XXXXXXxx
	Change Serviceability Stat	27.9	SERV			
	Change Location of an Asse	27.9	S/I			
			MMIST			
29OCT07 04:36	Asset Removal	291.2	A23-028			
	297.9 AFHR		528	A23-028	01	A23T AlUOE 01A
	Change Serviceability Stat	4.1	A23T	AlUOE		XXXXXXxx
	Change Location of an Asse	284.9	S/I			
			U/S			
			A23-028			
29OCT07 04:37	Change Serviceability Stat	0.0	OPMH			
			U/S			
			SERV			
09NOV07 01:02	Asset Installation	10.8	A23T	AlUOE	01	A23T AlUOE 01AC
	297.9 AFHR		528	A23-028		XXXXXXxx
	Change Serviceability Stat	10.8	SERV			
	Change Location of an Asse	10.8	S/I			
			OPMH			
			A23-028			
15NOV07 23:17	Asset Removal	6.9	528	A23-028	01	A23T AlUOE 01A
	297.9 AFHR		A23T	AlUOE		XXXXXXxx
	Change Serviceability Stat	6.9	S/I			
	Change Location of an Asse	6.9	U/S			
			A23-028			
			INTMH			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01485  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 6623 LITERAL SERIAL NO : 6623 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : PC-125-12B ~74025  
 ENGINEERING NAME : INVERTER  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
15NOV07 23:18	Change Serviceability Stat	0.0	U/S SERV	
	297.9 AFHR			XXXXXXxx
16NOV07 02:01	Asset Installation	0.1	A23T 528 A1UOE A23-028	A23T A1UOE 01AC
	297.9 AFHR			XXXXXXxx
	Change Serviceability Stat	0.1	SERV S/I	
	Change Location of an Asse	0.1	INTMH A23-028	
06OCT08 05:33	Asset Removal	325.1	528 A23T A1UOE A23-028	A23T A1UOE 01A
	596.9 AFHR			XXXXXXxx
	Change Serviceability Stat	3.0	S/I U/S	
	Change Location of an Asse	325.1	A23-028 INTMH	
06OCT08 05:34	Change Serviceability Stat	0.0	U/S SERV	
	596.9 AFHR			XXXXXXxx
12OCT08 23:43	Asset Installation	6.7	A23T 528 A1UOE A23-028	A23T A1UOE 01AC
	596.9 AFHR			XXXXXXxx
	Change Serviceability Stat	6.7	SERV S/I	
	Change Location of an Asse	6.7	INTMH A23-028	
12JAN09 10:32	Asset Removal	91.4	528 A23T A1UOE A23-028	A23T A1UOE 01A
	678.0 AFHR			XXXXXXxx
	Change Serviceability Stat	28.4	S/I U/S	
	Change Location of an Asse	91.4	A23-028 OPMH	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 6623 LITERAL SERIAL NO : 6623 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : PC-125-12B ~74025  
 ENGINEERING NAME : INVERTER  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
12JAN09 10:32	Change Serviceability Stat		0.0	U/S SERV	
20JAN09 02:24	Asset Installation	678.0 AFHR	7.6	A23T 528 A1UOE A23-028	01 A23T A1UOG 01AC XXXXXXxx
	Change Serviceability Stat	678.0 AFHR	7.6	SERV S/I OPMH A23-028	XXXXXXxx
	Change Location of an Asse		7.6		
20JAN09 02:25	Asset Removal		0.0	A23T 528 A1UOG A23-028	01 A23T A1UOG 01A
	Change Serviceability Stat	678.0 AFHR	0.0	S/I U/S A23-028	XXXXXXxx
	Change Location of an Asse		0.0	INTMH U/S SERV	
20JAN09 02:25	Change Serviceability Stat		0.0		
20JAN09 02:26	Asset Installation	678.0 AFHR	0.0	A23T 528 A1UOG A23-028	01 A23T A1UOE 01AC XXXXXXxx
	Change Serviceability Stat	678.0 AFHR	0.0	SERV S/I INTMH A23-028	XXXXXXxx
	Change Location of an Asse		0.0	A23T 528 A1UOE A23-028	01 A23T A1UOE 01A
25MAR09 12:31	Asset Removal		64.4		
	Change Serviceability Stat	744.9 AFHR	0.2	S/I U/S A23-028	XXXXXXxx
	Change Location of an Asse		64.4	OPMH	



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01487  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 6623 LITERAL SERIAL NO : 6623 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : PC-125-12B ~74025  
 ENGINEERING NAME : INVERTER  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
25MAR09 12:32	Change Serviceability Stat		0.0	U/S SERV	
31MAR09 03:09	Asset Installation	744.9 AFHR	5.6	A23T 528 A1UOE A23-028	01 A23T A1UOE 01AC
	Change Serviceability Stat	744.9 AFHR	5.6	SERV S/I OPMH A23-028	XXxxXXxx
	Change Location of an Asse		5.6		
30JUL09 02:56	Asset Removal		120.9	528 A23T A1UOE A23-028	01 A23T A1UOE 01A
	Change Serviceability Stat	894.6 AFHR	1.9	S/I U/S A23-028	XXxxXXxx
	Change Location of an Asse		120.9	OPMH U/S SERV	
03AUG09 06:09	Asset Installation	894.6 AFHR	4.1	A23T 528 A1UOE A23-028	01 A23T A1UOE 01AC
	Change Serviceability Stat	894.6 AFHR	4.1	SERV S/I OPMH A23-028	XXxxXXxx
	Change Location of an Asse		4.1		
31MAY10 05:01	Asset Removal		300.9	528 A23T A1UOE A23-028	01 A23T A1UOE 01A
	Change Serviceability Stat	1194.0 AFHR	3.1	S/I U/S A23-028	XXxxXXxx
	Change Location of an Asse		300.9	INTMH	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 6623 LITERAL SERIAL NO : 6623 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : PC-125-12B ~74025  
 ENGINEERING NAME : INVERTER  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
31MAY10 05:02	Change Serviceability Stat	0.0	U/S SERV	
	1194.0 AFHR			XXXXXXxx
14JUN10 13:40	Asset Installation	14.3	A23T 528 A23-028	A23T A1UOE 01AC
	1194.0 AFHR			XXXXXXxx
	Change Serviceability Stat	14.3	SERV S/I	
	Change Location of an Asse	14.3	INTMH A23-028	
27OCT10 06:52	Asset Removal	134.7	528 A23T A23-028	A23T A1UOE 01A
	1194.0 AFHR			XXXXXXxx
	Change Serviceability Stat	134.7	S/I U/S	
	Change Location of an Asse	134.7	A23-028	
27OCT10 06:53	Change Serviceability Stat	0.0	OPMH U/S SERV	
	1194.0 AFHR			XXXXXXxx
24FEB12 03:15	Asset Installation	484.8	A23T 528 A23-028	A23T A1UOE 01AC
	1194.0 AFHR			XXXXXXxx
	Change Serviceability Stat	484.8	SERV S/I	
	Change Location of an Asse	484.8	OPMH A23-028	
06NOV12 13:37	Asset Removal	256.4	528 A23T A23-028	A23T A1UOE 01A
	1448.6 AFHR			XXXXXXxx
	Change Serviceability Stat	0.2	S/I U/S	
	Change Location of an Asse	256.4	A23-028 HG122	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01489  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 6623 LITERAL SERIAL NO : 6623 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : PC-125-12B ~74025  
 ENGINEERING NAME : INVERTER  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW						
06NOV12 13:40	Change Serviceability Stat	0.0	U/S			
	1448.6 AFHR		SERV			XXXXXXxx
23JAN13 23:18	Asset Installation	78.4	A23T	AlUOE	A23-028 01	A23T AlUOE 01AC
	1448.6 AFHR					XXXXXXxx
	Change Serviceability Stat	78.4	SERV			
	Change Location of an Asse	78.4	S/I			
			HG122			
03SEP13 03:09	Asset Removal	222.1	A23-028			
			528			
			A23T	AlUOE	A23-028 01	A23T AlUOE 01A
	1741.7 AFHR					XXXXXXxx
	Change Serviceability Stat	0.8	S/I			
	Change Location of an Asse	222.1	U/S			
			A23-028			
03SEP13 03:09	Change Serviceability Stat	0.0	INTMH			
			U/S			
			SERV			
	1741.7 AFHR					XXXXXXxx
09SEP13 00:21	Asset Installation	5.8	A23T	AlUOE	A23-028 01	A23T AlUOE 01AC
	1741.7 AFHR					XXXXXXxx
	Change Serviceability Stat	5.8	SERV			
	Change Location of an Asse	5.8	S/I			
			INTMH			
			A23-028			
27MAR14 00:30	Asset Removal	199.0	528			
			A23T	AlUOE	A23-028 01	A23T AlUOE 01A
	1886.5 AFHR					XXXXXXxx
	Change Serviceability Stat	1.6	S/I			
	Change Location of an Asse	199.0	U/S			
			A23-028			
			INTMH			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

CAMM2  
 ASSET HISTORY

SERIAL/TAIL NO : 6623 LITERAL SERIAL NO : 6623 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : PC-125-12B ~74025  
 ENGINEERING NAME : INVERTER  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN (DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
27MAR14 00:31	Change Serviceability Stat	0.0	U/S SERV	
	1886.5 AFHR			XXXXXXxx
02APR14 05:51	Asset Installation	6.2	A23T 528 A23-028	A23T A1UOE 01AC
	1886.5 AFHR			XXXXXXxx
	Change Serviceability Stat	6.2	SERV S/I	
	Change Location of an Asse	6.2	INTMH A23-028	
27AUG14 23:04	Asset Removal	147.7	528 A23T A23-028	A23T A1UOE 01A
	2036.2 AFHR			XXXXXXxx
	Change Serviceability Stat	2.5	S/I U/S	
	Change Location of an Asse	47.8	A23-028	
27AUG14 23:04	Change Serviceability Stat	0.0	INTMH U/S SERV	
	2036.2 AFHR			XXXXXXxx
11SEP14 00:12	Asset Installation	14.0	A23T 528 A23-028	A23T A1UOE 01AC
	2036.2 AFHR			XXXXXXxx
	Change Serviceability Stat	14.0	SERV S/I	
	Change Location of an Asse	14.0	INTMH A23-028	
02SEP15 23:38	Asset Removal	356.9	528 A23T A23-028	A23T A1UOE 01A
	2335.1 AFHR			XXXXXXxx
	Change Serviceability Stat	19.8	S/I U/S	
	Change Location of an Asse	356.9	A23-028 INTMH	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01491  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 6623 LITERAL SERIAL NO : 6623 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : PC-125-12B ~74025  
 ENGINEERING NAME : INVERTER  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW						
02SEP15 23:38	Change Serviceability Stat	0.0	U/S			
	2335.1 AFHR		SERV			XXXXXXxx
18SEP15 00:46	Asset Installation	15.0	A23T	A1UOE	A23-028 01	A23T A1UOE 01AC
	2335.1 AFHR					XXXXXXxx
	Change Serviceability Stat	15.0	SERV			
	Change Location of an Asse	15.0	S/I			
			INTMH			
10MAY16 05:44	Asset Removal	235.2	A23-028			
	2594.8 AFHR		528	A23-028	A23T A1UOE 01A	
	Change Serviceability Stat	39.8	A23T	A1UOE	01	XXXXXXxx
	Change Location of an Asse	235.2	S/I			
			U/S			
			A23-028			
10MAY16 05:45	Change Serviceability Stat	0.0	HG122			
	2594.8 AFHR		U/S			XXXXXXxx
10JUN16 02:02	Asset Installation	30.8	A23T	A1UOE	A23-028 01	A23T A1UOE 01AC
	2594.8 AFHR		528	A23-028		XXXXXXxx
	Change Serviceability Stat	30.8	SERV			
	Change Location of an Asse	30.8	S/I			
			HG122			
			A23-028			
11AUG16 02:49	Asset Removal	62.0	528	A23-028	A23T A1UOE 01A	
	2664.2 AFHR		A23T	A1UOE	01	XXXXXXxx
	Change Serviceability Stat	0.7	S/I			
	Change Location of an Asse	62.0	U/S			
			A23-028			
			INTMH			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 6623 LITERAL SERIAL NO : 6623 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : PC-125-12B ~74025  
 ENGINEERING NAME : INVERTER  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
11AUG16 02:49	Change Serviceability Stat	0.0	U/S SERV	
30SEP16 00:08	Asset Installation	49.8	A23T 528 A1UOE A23-028	01 XXxxXXxx
	Change Serviceability Stat	49.8	SERV S/I INTMH A23-028	A23T A1UOE 01AC XXxxXXxx
15MAY17 02:32	Asset Removal	227.0	A23T 528 A1UOE A23-028	01 A23T A1UOE 01A
	Change Serviceability Stat	12.9	S/I U/S A23-028	XXxxXXxx
15MAY17 02:33	Change Serviceability Stat	0.0	INTMH U/S SERV	
27JUN17 22:07	Asset Installation	43.8	A23T 528 A1UOE A23-028	01 XXxxXXxx
	Change Serviceability Stat	43.8	SERV S/I INTMH A23-028	A23T A1UOE 01AC XXxxXXxx
23MAY18 06:20	Asset Removal	329.3	A23T 528 A1UOE A23-028	01 A23T A1UOE 01A
	Change Serviceability Stat	6.0	S/I U/S A23-028	XXxxXXxx
	Change Location of an Asse	230.1	INTMH	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 6623 LITERAL SERIAL NO : 6623 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : PC-125-12B ~74025  
 ENGINEERING NAME : INVERTER  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN (DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
23MAY18 06:22	Change Serviceability Stat	0.0	U/S SERV	
	3306.0 AFHR			XXXXXXxx
27JUN18 23:13	Asset Installation	35.7	A23T 528 A1UOE A23-028	A23T A1UOE 01AC
	3306.0 AFHR			XXXXXXxx
	Change Serviceability Stat	35.7	SERV S/I	
	Change Location of an Asse	35.7	INTMH A23-028	
05FEB19 05:12	Asset Removal	222.2	528 A23T A1UOE A23-028	A23T A1UOE 01A
	3471.0 AFHR			XXXXXXxx
	Change Serviceability Stat	89.0	S/I U/S	
	Change Location of an Asse	222.2	A23-028 OPMH	
05FEB19 05:15	Change Serviceability Stat	0.0	U/S SERV	
	3471.0 AFHR			XXXXXXxx
08APR19 13:30	Asset Installation	62.3	A23T 533 A1UOE A23-033	A23T A1UOG 01AC
	3471.0 AFHR			XXXXXXxx
	Change Serviceability Stat	62.3	SERV S/I	
	Change Location of an Asse	62.3	OPMH A23-033	
04JUN19 02:00	Asset Removal	56.5	533 A23T A1UOG A23-033	A23T A1UOG 01A
	3516.6 AFHR			XXXXXXxx
	Change Serviceability Stat	28.4	S/I U/S	
	Change Location of an Asse	56.5	A23-033 HG122	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01494  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 6623 LITERAL SERIAL NO : 6623 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : PC-125-12B ~74025  
 ENGINEERING NAME : INVERTER  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
04JUN19 02:01	Change Serviceability Stat	0.0	U/S SERV	
	3516.6 AFHR			XXXXXXxx
25JUN19 00:38	Asset Installation	20.9	A23T 533 A23-033	A23T A1UOG 01AC
	3516.6 AFHR			XXXXXXxx
	Change Serviceability Stat	20.9	SERV S/I HG122 A23-033	
	Change Location of an Asse	20.9		
20SEP19 02:45	Asset Removal	87.0	533 A23T A23-033	A23T A1UOG 01A
	3614.9 AFHR			XXXXXXxx
	Change Serviceability Stat	1.8	S/I U/S A23-033	
	Change Location of an Asse	87.0	INTMH U/S SERV	
20SEP19 02:46	Change Serviceability Stat	0.0		
	3614.9 AFHR			XXXXXXxx
02OCT19 23:47	Asset Installation	12.8	A23T 533 A23-033	A23T A1UOG 01AC
	3614.9 AFHR			XXXXXXxx
	Change Serviceability Stat	12.8	SERV S/I INTMH A23-033	
	Change Location of an Asse	12.8		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS		UNSERVICEABILITY DETAILS			
MAINT PROCESS	UNSERVICEABILITY	MAINTENANCE COMMENT					
FAULT FOUND	MAINTENANCE ACTION TAKEN						

A1PXXJY719692 C COMPLETED 29OCT07 04:36 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 29OCT07 04:37 29OCT07 04:36 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 297.9 AFHR  
 13 REMOVED FOR ACCESS 99 NO FAILURE BOTH INV'S AND RACK RFA  
 01 NO FAULT 04 CHECK/TEST SERV

Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 6623 LITERAL SERIAL NO : 6623 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC-125-12B ~74025  
ENGINEERING NAME : INVERTER  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJY720803	C COMPLETED	15NOV07 23:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	15NOV07 23:18	15NOV07 23:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	297.9	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		INVERTER BATTERY RFA			

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

A1PXXJY816652	C COMPLETED	06OCT08 05:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	06OCT08 05:34	06OCT08 05:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	596.9	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		BOTH INVS AND RACK RFA			

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

A1PXXJY900735	C COMPLETED	12JAN09 10:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	12JAN09 10:32	12JAN09 10:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	678.0	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		BOTH STATIC INVERTERS RFA			

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

A1PXXJY901369	C COMPLETED	20JAN09 02:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	20JAN09 02:25	20JAN09 02:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	678.0	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		BOTH STATIC INVERTERS RFA			

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

A1PXXJY905923	C COMPLETED	25MAR09 12:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	25MAR09 12:32	25MAR09 12:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	744.9	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		PORT AND STARBOARD STATIC INVERTERS RFA			

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 6623 LITERAL SERIAL NO : 6623 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC-125-12B ~74025  
ENGINEERING NAME : INVERTER  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					
A1PXXJY916893	C COMPLETED	30JUL09 02:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	30JUL09 02:57	30JUL09 02:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	894.6	AFHR
01 NO FAULT	99 NO FAILURE	04 CHECK/TEST SERV	LH & RH STATIC INVERTERS RFA				
		Unserviceability Details:	CHECK/TEST SERV				
		Maintenance Comments:					
A1PXXJ1009817	C COMPLETED	31MAY10 05:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	31MAY10 05:02	31MAY10 05:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	1194.0	AFHR
01 NO FAULT	99 NO FAILURE	04 CHECK/TEST SERV	BOTH INVS AND RACK RFA				
		Unserviceability Details:	CHECK/TEST SERV				
		Maintenance Comments:					
A1PXXJ1019725	C COMPLETED	27OCT10 06:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	27OCT10 06:53	27OCT10 06:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	1194.0	AFHR
01 NO FAULT	99 NO FAILURE	04 CHECK/TEST SERV	BOTH INVERTERS RFA (ASTFITT)				
		Unserviceability Details:	CHECK/TEST SERV				
		Maintenance Comments:					
A1PXXJ1216991	C COMPLETED	06NOV12 13:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	06NOV12 13:40	06NOV12 13:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	1448.6	AFHR
01 NO FAULT	99 NO FAILURE	04 CHECK/TEST SERV	LEFT AND RIGHT STATIC INVERTERS RFA				
		Unserviceability Details:	CHECKED SERV				
		Maintenance Comments:					
A1PXXJ1311831	C COMPLETED	03SEP13 03:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	03SEP13 03:09	03SEP13 03:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	1741.7	AFHR
01 NO FAULT	99 NO FAILURE	04 CHECK/TEST SERV	BATT AND GEN STATIC INVERTERS REMOVED FOR ACCESS				
		Unserviceability Details:	CHECK/TEST SERV				
		Maintenance Comments:					

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 6623 LITERAL SERIAL NO : 6623 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC-125-12B ~74025  
ENGINEERING NAME : INVERTER  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					
A1PXXJ1405122	C COMPLETED	27MAR14 00:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	27MAR14 00:31	27MAR14 00:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	1886.5	AFHR
01 NO FAULT	99 NO FAILURE	04 CHECK/TEST SERV	BOTH INVS AND RACK RFA				
		Unserviceability Details:	CHECK/TEST SERV				
		Maintenance Comments:					
A1PXXJ1415037	C COMPLETED	27AUG14 23:04	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	27AUG14 23:04	27AUG14 23:04	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	2036.2	AFHR
01 NO FAULT	99 NO FAILURE	04 CHECK/TEST SERV	BOTH INVERTERS AND RACK REMOVED FOR ACCESS.				
		Unserviceability Details:	CHECK/TEST SERV				
		Maintenance Comments:					
A1PXXJ1513522	C COMPLETED	02SEP15 23:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	02SEP15 23:38	02SEP15 23:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	2335.1	AFHR
01 NO FAULT	99 NO FAILURE	04 CHECK/TEST SERV	BOTH INVS AND RACK RFA				
		Unserviceability Details:	CHECK/TEST SERV				
		Maintenance Comments:					
A1PXXJ1610718	C COMPLETED	10MAY16 05:44	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	10MAY16 05:45	10MAY16 05:44	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	2594.8	AFHR
01 NO FAULT	99 NO FAILURE	04 CHECK/TEST SERV	BATT AND GEN STATIC INVERTERS REMOVED AS AN ASSY ATTACHED TO RACK FROM REAR FUSELAGE FOR STI-PC9-0588 ACCESS. X-REF REC'S PACK AIP MCS 108/16 SHT9/04.				
		Unserviceability Details:	CHECK/TEST SERV				
		Maintenance Comments:					
A1PXXJ1616854	C COMPLETED	11AUG16 02:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	11AUG16 02:49	11AUG16 02:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	2664.2	AFHR
01 NO FAULT	99 NO FAILURE	04 CHECK/TEST SERV	BOTH INVS AND RACK RFA				
		Unserviceability Details:	CHECK/TEST SERV				
		Maintenance Comments:					

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 6623 LITERAL SERIAL NO : 6623 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC-125-12B ~74025  
ENGINEERING NAME : INVERTER  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					
A1PXXJ1709634	C COMPLETED	15MAY17 02:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	15MAY17 02:33	15MAY17 02:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	2993.9	AFHR
01 NO FAULT	99 NO FAILURE			BOTH INVS AND RACK RFA			
	04 CHECK/TEST SERV	Unserviceability Details:					
		Maintenance Comments: CHECK/TEST SERV					
A1PXXJ1808502	C COMPLETED	23MAY18 06:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	23MAY18 06:22	23MAY18 06:21	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	3306.0	AFHR
01 NO FAULT	99 NO FAILURE			BOTH INVS AND RACK RFA			
	04 CHECK/TEST SERV	Unserviceability Details:					
		Maintenance Comments: CHECK/TEST SERV					
A1PXXJ1901905	C COMPLETED	05FEB19 05:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
09 CANNIBALISATION	05FEB19 05:15	05FEB19 05:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	3471.0	AFHR
01 NO FAULT	99 NO FAILURE			INVERTER GENERATOR REMOVED TO SERVICE A23-049			
	04 CHECK/TEST SERV	Unserviceability Details:					
		Maintenance Comments: CHECK/TEST SERV					
A1PXXJ1909335	C COMPLETED	04JUN19 02:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	04JUN19 02:01	04JUN19 02:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	3516.6	AFHR
01 NO FAULT	99 NO FAILURE			BOTH INVERTERS AND RACK REMOVED FOR ACCESS			
	04 CHECK/TEST SERV	Unserviceability Details:					
		Maintenance Comments: CHECK/TEST SERV					
A1PXXJ1914472	C COMPLETED	20SEP19 02:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	20SEP19 02:46	20SEP19 02:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	3614.9	AFHR
01 NO FAULT	99 NO FAILURE			BOTH STATIC INVERTERS & RACK RFA.			
	04 CHECK/TEST SERV	Unserviceability Details:					
		Maintenance Comments: CHECK/TEST SERV					

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 676 LITERAL SERIAL NO : 676 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 195980-3 ~99193  
ENGINEERING NAME : HEAT EXCHANGER ASSY  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 1585.4 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
14FEB13 02:50	676	195980-3	~99193	A23T	A0M
aip02017	AIP	STORES			A1PXXR1300204
J. MCLEAN		12APR12			
	0.0 AFHR			08FEB13	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01500  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 676 LITERAL SERIAL NO : 676 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 195980-3 ~99193  
 ENGINEERING NAME : HEAT EXCHANGER ASSY  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
14FEB13	02:50	Reception History Record	0.0	Reception STORES	MCS	XXxxXXxx
		0.0 AFHR				
14FEB13	02:52	Maintenance Comment	0.0	NEW ITEM; REFER PACIFIC OIL COOLER SVCS CERT: 91925. 29JAN13		XXxxXXxx
		0.0 AFHR		A1PXXX1301395		
14FEB13	02:53	Maintenance Comment	0.0	ITEM RECVD @ AIP STORE, REFER ACS#1107088. DATED: 08FEB13		XXxxXXxx
		0.0 AFHR		A1PXXX1301396		
24MAR14	06:30	Asset Installation	419.2	A23T AOM	00	XXxxXXxx
		0.0 AFHR		A23-033	A23-033	A23T AOM 00AC
		Change Serviceability Stat	403.2	SERV		
		Change Location of an Asse	403.2	S/I STORES	MCS	
				A23-033		
13APR16	06:06	Asset Removal	750.9	A23-033	A23-033	A23T AOM 00A
		625.5 AFHR		A23T AOM	00	XXxxXXxx
		Change Serviceability Stat	20.8	S/I		
		Change Location of an Asse	750.9	U/S		
				A23-033		
13APR16	06:07	Change Serviceability Stat	0.0	INTMH		
		625.5 AFHR		U/S		
		Change Serviceability Stat	14.8	SERV		XXxxXXxx
28APR16	02:31	Asset Installation	14.8	A23T AOM	00	XXxxXXxx
		625.5 AFHR		A23-033	A23-033	A23T AOM 00AC
		Change Serviceability Stat	14.8	SERV		
		Change Location of an Asse	14.8	S/I		
				INTMH		
				A23-033		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01501  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 676 LITERAL SERIAL NO : 676 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 195980-3 ~99193  
 ENGINEERING NAME : HEAT EXCHANGER ASSY  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
=====	=====	=====	=====	=====	=====	=====
26MAR18 00:25	Asset Removal	696.9	A23-033	A23-033	00	A23T A0M 00A
	1113.8 AFHR		A23T	A0M	00	XXXXXXxx
	Change Serviceability Stat	143.9	S/I			
	Change Location of an Asse	696.9	U/S			
26MAR18 00:26	Change Serviceability Stat	0.0	A23-033			
	1113.8 AFHR		HG122			
	Change Serviceability Stat	57.0	U/S			
	Change Location of an Asse	57.0	SERV			XXXXXXxx
22MAY18 02:08	Asset Installation	57.0	A23T	A0M	00	A23T A0M 00AC
	1113.8 AFHR		A23-033	A23-033	00	XXXXXXxx
	Change Serviceability Stat	57.0	SERV			
	Change Location of an Asse	57.0	S/I			
	Change Serviceability Stat	0.0	HG122			
13FEB19 13:08	Asset Removal	267.4	A23-033	A23-033	00	A23T A0M 00A
	1326.2 AFHR		A23-033			
	Change Serviceability Stat	0.2	A23T	A0M	00	XXXXXXxx
	Change Location of an Asse	267.4	U/S			
	Change Serviceability Stat	0.0	A23-033			
	1326.2 AFHR		OPMH			
	Change Serviceability Stat	0.9	U/S			XXXXXXxx
	Change Location of an Asse	0.9	SERV			
14FEB19 12:59	Asset Installation	0.9	A23T	A0M	00	A23T A0M 00AC
	1326.2 AFHR		A23-033	A23-033	00	XXXXXXxx
	Change Serviceability Stat	0.9	SERV			
	Change Location of an Asse	0.9	S/I			
			OPMH			
			A23-033			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 676 LITERAL SERIAL NO : 676 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 195980-3 ~99193  
ENGINEERING NAME : HEAT EXCHANGER ASSY  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJ1608416	C COMPLETED	13APR16 06:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	13APR16 06:07	13APR16 06:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	625.5	AFHR	
13 REMOVED FOR ACCESS	99 NO FAILURE			HEAT EXCHANGER ASSEMBLY RFA.			

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details: CHECK/TEST SERV  
 Maintenance Comments:

A1PXXJ1805036	C COMPLETED	26MAR18 00:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	26MAR18 00:26	26MAR18 00:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	1113.8	AFHR	
13 REMOVED FOR ACCESS	99 NO FAILURE			HEAT EXCHANGER, COVER AND ASSOCIATED PIPES REMOVED FOR NLG ACTUATOR CHANGE			

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details: CHECK/TEST SERV  
 Maintenance Comments:

A1PXXJ1902474	C COMPLETED	13FEB19 13:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	13FEB19 13:09	13FEB19 13:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	1326.2	AFHR	
13 REMOVED FOR ACCESS	99 NO FAILURE			SUSPECT HYD LEAK AT NLG ACTUATOR.			

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details: CHECK/TEST SERV  
 Maintenance Comments:



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 01503  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 702021 LITERAL SERIAL NO : 702021 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 3260042-0201 ~99251  
 ENGINEERING NAME : REGULATOR OXY DEMAN  
 VENUE : A23DISP LOCATION : A23-033  
 CURRENT CONDITION : S/I LIFE SINCE NEW : 7026.9 AFHR

ASSET TRANSACTIONS

TRANSACTION D/T CHANGE TYPE		LIFE SINCE NEW		SPAN(DYS) FROM		TO (OPTIONAL)		TRANS REFERENCE		USER	
=====		=====		=====		=====		=====		=====	
01SEP03	12:17	Maintenance Comment	0.0	AFHR	3.1	10Jun99	ELPYR	LST OH 08JUN04	ELPYR	NXT OH	XXXXXXxx
01SEP03	12:24	Maintenance Comment	0.0	AFHR	3.1	27Jun03	2FTAVOX	FF: 01-NIL		MA: 06-BS	XXXXXXxx
01SEP03	12:24	Maintenance Comment	0.0	AFHR	3.1	CARRIED OUT.					XXXXXXxx
01SEP03	12:25	Maintenance Comment	0.0	AFHR	3.1	3601.4	0.0 AFHR				XXXXXXxx
01SEP03	12:27	Maintenance Comment	0.0	AFHR	3.1	27Jun03	INSYR	LST BS 30JUN04	INSYR	NXT BS	XXXXXXxx
01SEP03	12:27	Maintenance Comment	0.0	AFHR	3.1	3884.5	0.0 AFHR				XXXXXXxx
01SEP03	12:28	Maintenance Comment	0.0	AFHR	3.1	DILUTER TOGGLE REPLACED					XXXXXXxx
01SEP03	12:31	Maintenance Comment	0.0	AFHR	3.1	24Jun02	A23-042 07.30	5618	1109 DAYS	IN AS A23T 2226-00-00-D	XXXXXXxx
01SEP03	12:31	Maintenance Comment	0.0	AFHR	3.1	01Jul03	A23-028 07.30	5990	1481 DAYS	IN AS A23T 2226-00-00-D	XXXXXXxx
01SEP03	12:32	Maintenance Comment	0.0	AFHR	3.1	24Jun03	A23-042 07.30	5983	1474 DAYS	02-BS DUE LG30561	XXXXXXxx
01SEP03	12:33	Maintenance Comment	0.0	AFHR	3.1	01Feb87	NEW - 702021	3260042-0201	2226-00-00-D		XXXXXXxx
01SEP03	12:34	Maintenance Comment	0.0	AFHR	3.1	3884.5	0.0 AFHR				XXXXXXxx
01SEP03	12:34	Maintenance Comment	0.0	AFHR	3.1	BAY SERVICE AND STI-PC9-273					XXXXXXxx
01SEP03	12:34	Maintenance Comment	0.0	AFHR	3.1	20Jun02	STI-PC9-0273		STI STATUS NOW	INC	XXXXXXxx
01SEP03	12:40	Maintenance Comment	0.0	AFHR	3.1	29Aug03	A23-028 07.30	3962.9 AFHR	TX TO	CMM2	XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01504  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 702021 LITERAL SERIAL NO : 702021 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 3260042-0201 ~99251  
 ENGINEERING NAME : REGULATOR OXY DEMAN  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
23OCT03 09:19	Asset Removal	55.0	528 A23T A1UES A23-028 00	A23T A1UES 00A
	3969.8 AFHR Change Serviceability Stat	37.0	S/I U/S	XXXXXXxx
	Change Location of an Asse	xxxx	A23-028 OPMH	
23OCT03 09:24	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
26OCT03 03:37	Asset Installation	2.7	A23T A1UES 528 A23-028 00	A23T A1UES 00A
	3969.8 AFHR Change Serviceability Stat	2.7	SERV S/I	XXXXXXxx
	Change Location of an Asse	2.7	OPMH A23-028	
16JUN04 01:21	Change Serviceability Stat	29.9	S/I US/I	
16JUN04 01:47	Asset Removal	233.9	AIPXXJ308213 528 A23T A1UES A23-028 00	A23T A1UES 00A
	4159.5 AFHR Change Serviceability Stat	0.0	US/I U/S	XXXXXXxx
	Change Location of an Asse	233.9	A23-028 AVOX	
17JUN04 23:50	Change Location of an Asse	1.9	EXTERNAL	
09NOV04 12:00	Change Serviceability Stat	146.4	A1PXXXY414585 U/S SERV	XXXXXXxx
	4159.5 AFHR			XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01505  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 702021 LITERAL SERIAL NO : 702021 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 3260042-0201 ~99251  
 ENGINEERING NAME : REGULATOR OXY DEMAN  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
20JAN05 20:09	Change Venue of an Asset	510.4	AIP FACDU	
	4159.5 AFHR		A1PXXXY500419	XXxxXXxx
	Change Location of an Asse	216.8	EXTERNAL AVTECH	
20JAN05 20:59	Change Serviceability Stat	72.3	SERV U/S	
	4159.5 AFHR			XXxxXXxx
20JAN05 21:13	Change Venue of an Asset	0.0	FACDU 77SQN	
	4159.5 AFHR		FACDUXY500023	XXxxXXxx
	Change Location of an Asse	0.0	AVTECH AVMFOXY	
03FEB05 02:41	Change Serviceability Stat	13.2	U/S SERV	
	4159.5 AFHR			XXxxXXxx
03FEB05 03:01	Change Venue of an Asset	13.2	77SQN FACDU	
	4159.5 AFHR		77SQNXY500658	XXxxXXxx
	Change Location of an Asse	13.2	AVMFOXY MMI	
22FEB05 04:22	Asset Installation	251.1	A23T A1UES 00	
	4159.5 AFHR		A23-022	A23T A1UES 00AC
	Change Serviceability Stat	19.0	SERV S/I	
	Change Location of an Asse	19.0	MMI A23-022	
24MAY05 03:48	Asset Removal	90.9	522 A23-022 00	
	4205.7 AFHR		A23T A1UES	A23T A1UES 00A
	Change Serviceability Stat	5.9	S/I SERV	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01506  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 702021 LITERAL SERIAL NO : 702021 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 3260042-0201 ~99251  
 ENGINEERING NAME : REGULATOR OXY DEMAN  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
	LIFE SINCE NEW		TRANS REFERENCE		
24MAY05 03:51	Asset Installation	0.0	A23T 522	A1UES A23-022	00 A23T A1UES 00AC
	4205.7 AFHR Change Serviceability Stat	0.0	SERV S/I		XXXXXXxx
24MAY05 03:57	Position Change	0.0	A23T A23T	A1UES A1UES	00 00
	4205.7 AFHR		FACDUXY500550		XXXXXXxx
24MAY05 03:59	Asset Removal	0.0	522 A23T	A1UES A23-022	00 A23T A1UES 00A
	4205.7 AFHR Change Serviceability Stat	0.0	S/I SERV		XXXXXXxx
24MAY05 04:02	Maintenance Comment	0.0	INS CHANGE - OLD VALUE=0442		XXXXXXxx
24MAY05 04:03	Maintenance Comment	0.0	INS CHANGE - OLD VALUE=0091		XXXXXXxx
24MAY05 04:06	Maintenance Comment	0.0	INS CHANGE - OLD VALUE=0441		XXXXXXxx
24MAY05 04:07	Asset Installation	0.0	A23T 522	A1UES A23-022	00 A23T A1UES 00AC
	4205.7 AFHR Change Serviceability Stat	0.0	SERV S/I		XXXXXXxx
01FEB06 04:05	Change Serviceability Stat	1.9	S/I US/I		
	4435.9 AFHR		FACDUJY500064		XXXXXXxx
01FEB06 04:10	Asset Removal	253.0	522 A23T	A1UES A23-022	00 A23T A1UES 00A
	4435.9 AFHR Change Serviceability Stat	0.0	US/I U/S		XXXXXXxx
	Change Location of an Asse	343.9	A23-022		
	Change Venue of an Asset	363.0	AVMFBATT FACDU 77SQN		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

CAMM2  
 ASSET HISTORY

SERIAL/TAIL NO : 702021 LITERAL SERIAL NO : 702021 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 3260042-0201 ~99251  
 ENGINEERING NAME : REGULATOR OXY DEMAN  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
19APR06 01:04	Change Venue of an Asset	76.8	77SQN 81WG 77SQNXY603773	XXxxXXxx
	4435.9 AFHR Change Location of an Asse	76.8	AVMFBATT CRISREPCONTRACTOR	
24OCT06 12:00	Change Serviceability Stat	265.3	U/S SERV	
	4435.9 AFHR			XXxxXXxx
13FEB07 02:26	Change Venue of an Asset	300.0	81WG 77SQN 81WGXXY700937	XXxxXXxx
	4435.9 AFHR Change Location of an Asse	300.0	CRISREPCONTRACTOR AVMF OXY	
13FEB07 03:42	Change Serviceability Stat	111.6	SERV U/S	
	4435.9 AFHR			XXxxXXxx
25SEP07 03:42	Change Venue of an Asset	224.0	77SQN 77SQNAVMF 77SQNXY710550	XXxxXXxx
	4435.9 AFHR Change Location of an Asse	224.0	AVMF OXY	
23JUN08 22:41	Change Venue of an Asset	272.7	77SQNAVMF 81WG 77SAVXY802900	XXxxXXxx
	4435.9 AFHR Change Location of an Asse	272.7	OXY CRISREP	
23JUL08 04:21	Change Venue of an Asset	29.2	81WG 77SQNAVMF 81WGXXY804797	XXxxXXxx
	4435.9 AFHR Change Location of an Asse	29.2	CRISREP OXY	
11NOV08 23:47	Change Venue of an Asset	111.8	77SQNAVMF 81WG 77SAVXY806279	XXxxXXxx
	4435.9 AFHR Change Location of an Asse	111.8	OXY CRISREP	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01508  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 702021 LITERAL SERIAL NO : 702021 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 3260042-0201 ~99251  
 ENGINEERING NAME : REGULATOR OXY DEMAN  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
01DEC08 00:01	Change Venue of an Asset	19.0	81WG NONC2CONT	
	4435.9 AFHR		81WGXXY808138	XXxxXXxx
	Change Location of an Asse	19.0	CRISREP	
22JAN09 04:07	Change Venue of an Asset	52.1	HOLD NONC2CONT	
	4435.9 AFHR		AIP NONC2XY901046	XXxxXXxx
	Change Location of an Asse	52.1	HOLD	
22JAN09 22:14	Change Serviceability Stat	709.7	AVOX U/S SERV	
	4435.9 AFHR			XXxxXXxx
22JAN09 22:15	Change Location of an Asse	0.7	AVOX MMIST	
	4435.9 AFHR		A1PXXXY900623	XXxxXXxx
01APR09 06:09	Asset Installation	1155.0	A23T A1UES	
	4435.9 AFHR		540 A23-040 00	A23T A1UES 00AC
	Change Serviceability Stat	68.3	SERV	XXxxXXxx
	Change Location of an Asse	68.3	S/I MMIST	
22APR09 00:49	Change Serviceability Stat	0.4	A23-040	
	4448.2 AFHR		S/I 77SQNJY701366	XXxxXXxx
22APR09 01:19	Asset Removal	20.7	540 A23-040	A23T A1UES 00A
	4448.2 AFHR		A23T A1UES 00	XXxxXXxx
	Change Serviceability Stat	0.0	US/I	
	Change Location of an Asse	20.7	U/S A23-040	
23APR09 00:57	Change Location of an Asse	0.9	MMIST	
	4448.2 AFHR		MMIST AVOX A1PXXXY904199	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01509  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 702021 LITERAL SERIAL NO : 702021 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 3260042-0201 ~99251  
 ENGINEERING NAME : REGULATOR OXY DEMAN  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
27APR09 23:46	Change Serviceability Stat	5.9	U/S SERV	
	4448.2 AFHR			XXxxXXxx
27APR09 23:47	Change Location of an Asse	4.9	AVOX MMIST	
	4448.2 AFHR		A1PXXXY904307	XXxxXXxx
01MAY09 01:47	Asset Installation	9.0	A23T A1UES	
	4448.2 AFHR		A23-056	A23T A1UIS 00AC
	Change Serviceability Stat	3.0	SERV S/I	XXxxXXxx
	Change Location of an Asse	3.0	MMIST A23-056	
23MAR10 07:55	Change Serviceability Stat	0.0	S/I US/I	
	4778.3 AFHR		A1PXXJY908588	XXxxXXxx
23MAR10 08:52	Asset Removal	326.2	557 A23T A1UIS	
	4778.3 AFHR		A23-056	A23T A1UIS 00A
	Change Serviceability Stat	0.0	US/I U/S	XXxxXXxx
	Change Location of an Asse	326.2	A23-056 AVOX	
24MAR10 05:01	Change Serviceability Stat	0.8	U/S SERV	
	4778.3 AFHR			XXxxXXxx
24MAR10 05:02	Change Location of an Asse	0.8	AVOX MMIST	
	4778.3 AFHR		A1PXXX1003111	XXxxXXxx
07APR10 12:54	Asset Installation	15.1	A23T A1UIS	
	4778.3 AFHR		A23-021	A23T A1UIS 00AC
	Change Serviceability Stat	14.3	SERV S/I	XXxxXXxx
	Change Location of an Asse	14.3	MMIST A23-021	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01510  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 702021 LITERAL SERIAL NO : 702021 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 3260042-0201 ~99251  
 ENGINEERING NAME : REGULATOR OXY DEMAN  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
05APR11 10:54	Change Serviceability Stat	0.1	S/I US/I	
05APR11 10:55	Asset Removal	362.9	A1PXXJ1005434 521 A23T A1UIS	XXxxXXxx A23T A1UIS 00A
	Change Serviceability Stat	0.0	US/I	XXxxXXxx
	Change Location of an Asse	362.9	U/S A23-021	
10MAY11 01:17	Change Serviceability Stat	34.5	AVOX U/S SERV	
10MAY11 01:18	Change Location of an Asse	34.5	AVOX STORES	XXxxXXxx
31MAY11 05:38	Asset Installation	55.7	A1PXXX1104084 A23T A1UIS	XXxxXXxx
	Change Serviceability Stat	21.1	SERV S/I	XXxxXXxx
	Change Location of an Asse	21.1	STORES A23-024	
06OCT11 12:48	Change Serviceability Stat	0.1	S/I US/I	
06OCT11 12:50	Asset Removal	128.3	77SQNJY701365 524 A23T A1UIS	XXxxXXxx A23T A1UIS 00A
	Change Serviceability Stat	0.0	US/I	XXxxXXxx
	Change Location of an Asse	128.3	U/S A23-024	
06OCT11 13:00	Change Serviceability Stat	0.0	AVOX U/S SERV	
				XXxxXXxx



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01511  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 702021 LITERAL SERIAL NO : 702021 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 3260042-0201 ~99251  
 ENGINEERING NAME : REGULATOR OXY DEMAN  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
LIFE SINCE NEW		TRANS REFERENCE			
06OCT11 13:11	Asset Installation	0.0	A23T 524	A1UIS A23-024	00 A23T A1UES 00AC XXXXXXXX
	5212.1 AFHR Change Serviceability Stat	0.0	SERV S/I		
	Change Location of an Asse	0.0	AVOX A23-024		
20OCT11 08:12	Change Serviceability Stat	0.0	S/I US/I		
	5237.6 AFHR		A1PXXJ1114858		XXXXXX
20OCT11 08:13	Asset Removal	13.7	524 A23T	A23-024 A1UES	00 A23T A1UES 00A XXXXXX
	5237.6 AFHR Change Serviceability Stat	0.0	US/I U/S		
	Change Location of an Asse	13.7	A23-024 AVOX		
24OCT11 00:32	Change Location of an Asse	3.6	AVOX STORES		
	5237.6 AFHR		A1PXXX1109720		XXXXXX
25OCT11 04:47	Change Venue of an Asset	1006.0	AIP NONC2CONT		
	5237.6 AFHR Change Location of an Asse	1.1	A1PXXX1109797 STORES		XXXXXX
09MAY12 08:00	Change Serviceability Stat	201.9	HOLD U/S SERV		
	5237.6 AFHR				XXXXXX
09MAY12 08:00	Change Venue of an Asset	197.1	NONC2CONT AIE		
	5237.6 AFHR Change Location of an Asse	197.1	NONC2X1205116 HOLD		XXXXXX
06JUN12 00:39	Change Serviceability Stat	27.6	EQUIP_STORE SERV U/S		
	5237.6 AFHR				XXXXXX

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01512  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 702021 LITERAL SERIAL NO : 702021 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 3260042-0201 ~99251  
 ENGINEERING NAME : REGULATOR OXY DEMAN  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
06JUN12 00:54	Change Serviceability Stat	0.0	U/S SERV	
06JUN12 06:30	Asset Installation	229.9	A23T 545 A1UES A23-067	00 A23T A1UES 00AC
	Change Serviceability Stat	0.2	SERV S/I	XXXXXXxx
	Change Location of an Asse	27.9	EQUIP_STORE A23-067	
29APR13 00:43	Change Serviceability Stat	5.8	S/I US/I	
29APR13 06:33	Asset Removal	327.0	A1PXXJ1106532 545 A23T A1UES A23-067	00 A23T A1UES 00A
	Change Serviceability Stat	0.2	US/I	XXXXXXxx
	Change Location of an Asse	327.0	U/S A23-067 AVIONICS	
16MAY13 22:44	Change Serviceability Stat	17.6	U/S SERV	
16MAY13 22:48	Change Location of an Asse	17.6	AVIONICS EQUIP_STORE	XXXXXXxx
21MAY13 22:42	Asset Installation	22.6	A1EXXX1301326 A23T A1UES A23-051	00 A23T A1UIS 00AC
	Change Serviceability Stat	4.9	SERV S/I	XXXXXXxx
	Change Location of an Asse	4.9	EQUIP_STORE A23-051	
26APR14 22:40	Change Serviceability Stat	2.7	S/I US/I	
		5762.0	AFHR A1EXXJ1302441	XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01513  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 702021 LITERAL SERIAL NO : 702021 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 3260042-0201 ~99251  
 ENGINEERING NAME : REGULATOR OXY DEMAN  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
	LIFE SINCE NEW		TRANS REFERENCE		
03JUN14 01:09	Asset Removal	377.1	552 A23T	A23-051	A23T A1UIS 00A
	5762.0 AFHR Change Serviceability Stat	37.1	US/I		XXxxXXxx
	Change Location of an Asse	377.1	U/S A23-051		
16JUN14 22:26	Change Serviceability Stat	13.8	OXYGEN		
	5762.0 AFHR Change Location of an Asse	13.8	U/S SERV		XXxxXXxx
16JUN14 22:27	Change Location of an Asse	13.8	OXYGEN		
	5762.0 AFHR Asset Installation	15.1	EQUIP_STORE A1EXXX1401999		XXxxXXxx
18JUN14 04:58	Asset Installation	15.1	A23T A1UIS	A23-052	A23T A1UIS 00AC
	5762.0 AFHR Change Serviceability Stat	1.2	553		XXxxXXxx
	Change Location of an Asse	1.2	SERV S/I		
	Change Location of an Asse	1.2	EQUIP_STORE A23-052		
15SEP14 03:08	Asset Removal	88.9	553	A23-052	A23T A1UIS 00A
	5796.9 AFHR Change Serviceability Stat	0.8	A23T A1UIS		XXxxXXxx
	Change Location of an Asse	88.9	S/I U/S		
	Change Location of an Asse	88.9	A23-052		
16SEP14 00:41	Change Venue of an Asset	859.6	EQUIP_STORE AIE		
	5796.9 AFHR Change Location of an Asse	0.8	NONC2CONT A1EXXX1403869		XXxxXXxx
			EQUIP_STORE HOLD		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 702021 LITERAL SERIAL NO : 702021 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 3260042-0201 ~99251  
 ENGINEERING NAME : REGULATOR OXY DEMAN  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
09MAR15 08:00	Change Venue of an Asset	174.3	NONC2CONT AIE	
	5796.9 AFHR Change Location of an Asse	174.3	NONC2X1504051 HOLD EQUIP_STORE	XXxxXXxx
10MAR15 15:30	Change Serviceability Stat	176.5	U/S SERV	
	5796.9 AFHR Change Serviceability Stat	97.4	SERV U/S	XXxxXXxx
16JUN15 02:37	Change Location of an Asse	98.7	EQUIP_STORE OXYGEN	XXxxXXxx
	5796.9 AFHR Change Serviceability Stat	5.8	A1EXXX1501591 U/S SERV	XXxxXXxx
21JUN15 23:07	Change Location of an Asse	5.8	OXYGEN EQUIP_STORE	XXxxXXxx
	5796.9 AFHR Asset Installation	283.9	A1EXXX1501647 A23T A1UIS	XXxxXXxx
26JUN15 01:22	Change Serviceability Stat	4.0	560 A23-059	A23T A1UES 00AC XXxxXXxx
	5796.9 AFHR Change Location of an Asse	4.0	SERV S/I EQUIP_STORE	
12MAY16 01:10	Asset Removal	320.9	A23-059 560	A23T A1UES 00A
	6033.8 AFHR Change Serviceability Stat	0.0	A23T A1UES	XXxxXXxx
	Change Location of an Asse	320.9	S/I U/S A23-059 AVIONICS	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01515  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 702021 LITERAL SERIAL NO : 702021 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 3260042-0201 ~99251  
 ENGINEERING NAME : REGULATOR OXY DEMAN  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
16MAY16 22:13	Change Serviceability Stat	4.8	U/S SERV	
	6033.8 AFHR			XXxxXXxx
16MAY16 22:17	Change Location of an Asse	4.8	AVIONICS EQUIP_STORE	
	6033.8 AFHR		A1EXXX1601653	XXxxXXxx
17MAY16 00:50	Asset Installation	4.9	A23T A1UES	
	6033.8 AFHR		560 A23-059	A23T A1UIS 00AC
	Change Serviceability Stat	0.1	SERV S/I	XXxxXXxx
	Change Location of an Asse	0.1	EQUIP_STORE A23-059	
09MAY17 06:16	Change Serviceability Stat	5.0	S/I US/I	
	6337.4 AFHR		A1EXXJ1605283	XXxxXXxx
10MAY17 01:42	Asset Removal	358.0	560 A23-059	A23T A1UIS 00A
	6337.4 AFHR		A23T A1UIS	XXxxXXxx
	Change Serviceability Stat	0.8	US/I U/S	
	Change Location of an Asse	358.0	A23-059 AVIONICS	REC
01JUN17 05:01	Change Serviceability Stat	22.1	U/S SERV	
	6337.4 AFHR			XXxxXXxx
01JUN17 05:03	Change Location of an Asse	22.1	AVIONICS EQUIP_STORE	REC
	6337.4 AFHR		A1EXXX1702034	XXxxXXxx
14JUN17 00:46	Asset Installation	34.9	A23T A1UIS	
	6337.4 AFHR		546 A23-046	A23T A1UIS 00AC
	Change Serviceability Stat	12.8	SERV S/I	XXxxXXxx
	Change Location of an Asse	12.8	EQUIP_STORE A23-046	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01516  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 702021 LITERAL SERIAL NO : 702021 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 3260042-0201 ~99251  
 ENGINEERING NAME : REGULATOR OXY DEMAN  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
12JUN18 06:58	Change Serviceability Stat			0.0	S/I US/I	
13JUN18 00:34	Asset Removal	6615.9	AFHR	363.9	A1EXXJ1703517 546 A23T A1UIS	XXxxXXxx A23T A1UIS 00A
	Change Serviceability Stat	6615.9	AFHR	0.7	US/I	XXxxXXxx
	Change Location of an Asse			77.0	U/S A23-046	
20JUN18 00:31	Change Serviceability Stat			6.9	OXY U/S SERV	
20JUN18 00:33	Change Location of an Asse	6615.9	AFHR	6.9	OXY STORES	XXxxXXxx
03JUL18 07:27	Asset Installation	6615.9	AFHR	20.2	A1PXXX1805902 A23T A1UIS 544	XXxxXXxx A23-044 00 A23T A1UES 00AC
	Change Serviceability Stat	6615.9	AFHR	13.2	SERV	XXxxXXxx
	Change Location of an Asse			13.2	S/I STORES A23-044	
03JUL19 09:21	Change Serviceability Stat			0.0	S/I	
03JUL19 13:33	Asset Removal	6959.1	AFHR	365.2	US/I A1PXXJ1809960 544 A23T A1UES	XXxxXXxx A23T A1UES 00A
	Change Serviceability Stat	6959.1	AFHR	0.1	US/I	XXxxXXxx
	Change Location of an Asse			365.2	U/S A23-044	
24JUL19 05:08	Change Serviceability Stat			20.6	AVOX U/S SERV	
		6959.1	AFHR			XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01517  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 702021 LITERAL SERIAL NO : 702021 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 3260042-0201 ~99251  
 ENGINEERING NAME : REGULATOR OXY DEMAN  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
24JUL19 05:09	Change Location of an Asse	20.6	AVOX STORES MMI	
05SEP19 09:30	Asset Installation	63.8	A1PXXX1906963 A23T ALUES 533	XXxxXXxx
	Change Serviceability Stat	43.1	A23-033 00	A23T A1UIS 00AC
	Change Location of an Asse	43.1	SERV S/I STORES A23-033	XXxxXXxx

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
2FTSXJCA10436	C COMPLETED	10JUN99 00:00	XXxxXXxx		2FTS		0.0
03 OVERHAUL DUE							
2FTSXJCA04276	C COMPLETED	27JUN03 00:00	XXxxXXxx		2FTS		0.0
02 BAY SERVICE DUE							

Unserviceability Details:  
 Maintenance Comments:

Unserviceability Details:  
 Maintenance Comments:

A1PXXJY303770 C COMPLETED 23OCT03 09:19 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP 3969.8 AFHR  
 13 REMOVED FOR ACCESS 99 NO FAILURE REGS REMOVED FOR STI-PC9-309 FRONT AND REAR  
 01 NO FAULT 04 CHECK/TEST SERV

Unserviceability Details:

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 702021 LITERAL SERIAL NO : 702021 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 3260042-0201 ~99251  
ENGINEERING NAME : REGULATOR OXY DEMAN  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

Maintenance Comments: STI-PC9-309 CARRIED OUT

AIPXXJ308212X C COMPLETED 17JUN04 23:23 XXxxXXxx XXxxXXxxXXxxXXxx AIP CONTRACT 4159.5 AFHR  
09NOV04 12:00

03 OVERHAUL DUE OH due on Serial  
REG OXYGEN DEMAND at WAC 0730

01 NO FAULT 07 OVERHAUL

Unserviceability Details:  
Maintenance Comments: OH IAW 7553.027-3M AND TASPO/A23/4700/MGT PT10 (46)

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	5.0	ELPYR			08JUN04

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

FACDUJY500066 C COMPLETED 20JAN05 20:59 XXxxXXxx XXxxXXxxXXxxXXxx FACDU 77SQN 4159.5 AFHR  
03FEB05 02:40

16 PRE-INSTALLATION MAINT PRE INSTALLATION MAINTANCE 2BCO

01 NO FAULT 04 CHECK/TEST SERV

Unserviceability Details:  
Maintenance Comments: PRE INSTALLATION MAINTENCE CARRIED OUT IAW 7553.027-3M

77SQNJY500627 C COMPLETED 03FEB05 02:36 XXxxXXxx XXxxXXxxXXxxXXxx 77SQN 77SQN 4159.5 AFHR  
03FEB05 02:41

16 PRE-INSTALLATION MAINT ENTERED IN ERROR

01 NO FAULT 04 CHECK/TEST SERV

Unserviceability Details:  
Maintenance Comments: ENTERED IN ERROR



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : 702021 LITERAL SERIAL NO : 702021 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 3260042-0201 ~99251  
ENGINEERING NAME : REGULATOR OXY DEMAN  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

77SQNJY603245 C COMPLETED 18APR06 04:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 77SQN NONC2CONT  
 24OCT06 12:00 4435.9 AFHR  
 01 UNSERVICEABLE 25 OTHER SCHEDULED SERVICING REG FAILS SUPPLY VALVE LEAKAGE TEST, 5MM IN 3 SEC  
 06 OUT OF LIMITS  
 02 MECHANICAL COMPONENT FAIL 07 OVERHAUL  
 Unserviceability Details: REG FAILS SUPPLY VALVE LEAKAGE TEST, 5MM IN 3 SEC  
 Maintenance Comments: OVERHAULED IAW OEM DATA REFERENCE LETTER FROM ROSE GIBSON AT  
 TASSPO: TASPO/2002/38688 PT3 (28) 7TH JUNE REF WORKORDER NO  
 4NON42

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	5.0	ELPYR			08NOV09

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

77SQNJY701383 C COMPLETED 13FEB07 03:42 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 77SQN AIP  
 22JAN09 22:11 13FEB07 03:43 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 77SQN 4435.9 AFHR  
 16 PRE-INSTALLATION MAINT 26 PRE-INSTALLATION MAINTENANCE PIC TBCO  
 01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: PIC C/O IAW AAP 7553.027-3M  
 77SQNJY701425 C COMPLETED 14FEB07 03:47 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 77SQN AIP  
 22JAN09 22:14 14FEB07 03:58 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 77SQN 4435.9 AFHR  
 01 UNSERVICEABLE 26 PRE-INSTALLATION MAINTENANCE REG FAILS OXY RATIO TEST AT 10K FT 135 L/MIN OUTLET FLOW  
 06 OUT OF LIMITS  
 09 OUT OF LIMITS 02 REPAIR  
 Unserviceability Details: OXY RATIO TEST FAILS 10K FT 135 L/MIN (7.99 INCHES H2O) OUTPUT  
 FLOW, READS 4.88 INCHES H2O WITH TOLERANCE OF 5.01 TO 7.04

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 702021 LITERAL SERIAL NO : 702021 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 3260042-0201 ~99251  
ENGINEERING NAME : REGULATOR OXY DEMAN  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

Maintenance Comments: FULL FUNCTIONALS C/O. UNABLE TO REPLICATE FAULT. PIC C/O IAW AAP 7553.027-3M

77SQNJY701366	C COMPLETED	22APR09 01:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	27APR09 23:46	22APR09 00:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	4448.2	AFHR
02 BAY SERVICE DUE				BS	due on Serial 702021		
				REG OXYGEN DEMAND	at WAC 0730		

01 NO FAULT 06 BAY SERVICE

Unserviceability Details:

Maintenance Comments: B/S C/O IAW AAP 7553.027-3M

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	INSYR			21APR09

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

1PXXJY908588	C COMPLETED	23MAR10 08:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	24MAR10 05:01	23MAR10 07:55	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	4778.3	AFHR
02 BAY SERVICE DUE				BS	due on Serial 702021		
				REG OXYGEN DEMAND	at WAC 0740		

01 NO FAULT 06 BAY SERVICE

Unserviceability Details:

Maintenance Comments: B/S C/O IAW AAP 7553.027-3M

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	INSYR			30APR10

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 01521  
08JAN20  
23:16:15

SERIAL/TAIL NO : 702021 LITERAL SERIAL NO : 702021 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 3260042-0201 ~99251  
ENGINEERING NAME : REGULATOR OXY DEMAN  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJ1005434 C COMPLETED 05APR11 10:55 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
10MAY11 01:17 05APR11 10:54 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 5062.1 AFHR  
02 BAY SERVICE DUE BS due on Serial 702021  
REG OXYGEN DEMAND at WAC 0740  
01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: B/S C/O IAW AAP 7553.027-3M

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	INSYR			06APR11

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJ1114858 C COMPLETED 20OCT11 08:13 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP NONC2CONT  
09MAY12 08:00 20OCT11 08:12 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 5237.6 AFHR  
03 OVERHAUL DUE OH due on Serial 702021  
REG OXYGEN DEMAND at WAC 0730  
01 NO FAULT 07 OVERHAUL  
Unserviceability Details:  
Maintenance Comments: OVERHAULED IAW PD1637302

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	5.0	ELPYR			23OCT11

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 702021 LITERAL SERIAL NO : 702021 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 3260042-0201 ~99251  
ENGINEERING NAME : REGULATOR OXY DEMAN  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJ1203086	C COMPLETED	06JUN12 00:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	06JUN12 00:54	06JUN12 00:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	5237.6	AFHR
16	PRE-INSTALLATION MAINT	99 NO FAILURE		CHECK/TEST TO BE CARRIED OUT			

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details: CHECK/TEST CARRIED OUT SERV REF SNOW 1203086  
 Maintenance Comments:

A1PXXJ1106532	C COMPLETED	29APR13 06:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	16MAY13 22:44	29APR13 00:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	5612.0	AFHR
02	BAY SERVICE DUE			BS due on Serial 702021			
				REG OXYGEN DEMAND at WAC 0730			

01 NO FAULT 06 BAY SERVICE  
 Unserviceability Details: BAY SERVICE CARRIED OUT SERV REF SNOW 1106532  
 Maintenance Comments:

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	INSYR			
SM	BS	1.0	INSYR			05JUN13

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJ1302441	C COMPLETED	03JUN14 01:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	16JUN14 22:26	26APR14 22:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	5762.0	AFHR
02	BAY SERVICE DUE			BS due on Serial 702021			
				REG OXYGEN DEMAND at WAC 0740			

01 NO FAULT 06 BAY SERVICE  
 Unserviceability Details: BAY SERVICE CARRIED OUT SERV REF SNOW 1302441  
 Maintenance Comments:

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : 702021 LITERAL SERIAL NO : 702021 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 3260042-0201 ~99251  
ENGINEERING NAME : REGULATOR OXY DEMAN  
VENUE : A23DISP LOCATION : A23-033

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	INSYR			
SM	BS	1.0	INSYR			20MAY14

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJ1405827	C COMPLETED	15SEP14 03:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	NONC2CONT	
	10MAR15 15:30	15SEP14 03:11	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	5796.9	AFHR
01 UNSERVICEABLE	01 IN FLIGHT			FRONT SEAT OXY DOLLS EYE	INTERMITTENT INDICATION OF CONSTANT		
	10 INTERMITTENT			WHITE			
02 MECHANICAL COMPONENT FAIL	07 OVERHAUL			Unserviceability Details: FRONT OXY REG DOLLS EYE INTERMITTENT INDICATION OF CONSTANT WHITE.			
				Maintenance Comments: ITEM OVERHAULED IAW TEST PROCEDURE PD1637302.PC9/A AEO AUTHORISATION. 001/2007.			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	5.0	ELPYR			08MAY17

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJ1503376	C COMPLETED	16JUN15 02:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	21JUN15 23:07	16JUN15 02:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	5796.9	AFHR
16 PRE-INSTALLATION MAINT				CHECK/TEST REQUIRED			
01 NO FAULT	04 CHECK/TEST SERV			Unserviceability Details: CHECK/TEST CARRIED OUT SERV REF SNOW 1503376			
				Maintenance Comments: CHECK/TEST CARRIED OUT SERV REF SNOW 1503376			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 702021 LITERAL SERIAL NO : 702021 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 3260042-0201 ~99251  
ENGINEERING NAME : REGULATOR OXY DEMAN  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJ1605199	C COMPLETED	12MAY16 01:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	16MAY16 22:13	12MAY16 01:11	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	6033.8	AFHR
01 UNSERVICEABLE		01 IN FLIGHT		FRONT COCKPIT OXY REG U/S. INDICATING	1/2 BLACK	1/2 WHITE	ON
		03 ELECTRICAL FAILURE		DOLLS EYE WITH NORMAL OXYGEN SELECTED			
02 MECHANICAL COMPONENT FAIL		06 BAY SERVICE		Unserviceability Details: IN CORRECT DOLLS EYE INDICATION			
				Maintenance Comments: BAY SERVICE CARRIED OUT SERV REF SNOW 1605199			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	INSYR			

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJ1605283	C COMPLETED	10MAY17 01:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	01JUN17 05:01	09MAY17 06:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	6337.4	AFHR
02 BAY SERVICE DUE				BS due on Serial 702021			
				REG OXYGEN DEMAND at WAC 0740			
01 NO FAULT		06 BAY SERVICE		Unserviceability Details:			
				Maintenance Comments: BAY SERVICE CARRIED OUT SERV REF SNOW 1605283			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	INSYR			
SM	BS	1.0	INSYR			16MAY17

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 702021 LITERAL SERIAL NO : 702021 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 3260042-0201 ~99251  
ENGINEERING NAME : REGULATOR OXY DEMAN  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJ1703517 C COMPLETED 13JUN18 00:34 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 20JUN18 00:31 12JUN18 06:58 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 6615.9 AFHR  
 02 BAY SERVICE DUE BS due on Serial 702021  
 REG OXYGEN DEMAND at WAC 0740  
 01 NO FAULT 06 BAY SERVICE  
 Unserviceability Details:  
 Maintenance Comments: B/S C/O SERV IAW AAP 7553.027-3M REFER LSN: AIP MCS 774/18

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	INSYR			
SM	BS	1.0	INSYR			14JUN18

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1PXXJ1809960 C COMPLETED 03JUL19 09:21 XXxxXXxx XXxxXXxxXXxxXXxx AIP AIP  
 24JUL19 05:05 03JUL19 09:21 XXxxXXxx XXxxXXxxXXxxXXxx AIP 6959.1 AFHR  
 02 BAY SERVICE DUE BS due on Serial 702021  
 REG OXYGEN DEMAND at WAC 0730  
 01 NO FAULT 06 BAY SERVICE  
 Unserviceability Details:  
 Maintenance Comments: B/S C/O IAW AAP 7553.027-3M REFER LSN AIP MCS 664/19

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	INSYR			
SM	BS	1.0	INSYR			03JUL19

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 702021 LITERAL SERIAL NO : 702021 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 3260042-0201 ~99251  
ENGINEERING NAME : REGULATOR OXY DEMAN  
VENUE : A23DISP LOCATION : A23-033

STI NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
STI-PC9-0173	Y	18JUL96 00:00	INC			
STI-PC9-0273	Y	20JUN02 00:00	INC			
STI-PC9-126B	Y	08AUG94 00:00	N/A			

POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	USER ID
22FEB05 04:36	SM DLD Changed From:	BS 27JUN2003	XXxxXXxx
24MAY05 03:46	SM DLD Changed From:	BS 09NOV2004	XXxxXXxx
24MAY05 03:47	SM DLD Changed From:	BS 22FEB2005	XXxxXXxx
22APR15 05:56	SM Claimed	BS	



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 01527  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 703606  
 PART NO : Q17-941.22.052AB  
 ENGINEERING NAME : CLOCK ELP TIME  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

~S0535

PERIOD: 01JAN90 TO 08JAN20

LOCATION : A23-033  
 LIFE SINCE NEW : 9545.2 AFHR

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
01SEP03	15:27	Maintenance Comment		0.0 AFHR	3.2	13Aug03	A23-033	07.30 4749.0 4749.0 AFHR	13-REMACCES LG32781
01SEP03	15:28	Maintenance Comment		0.0 AFHR	3.2	04Mar03	A23-033	07.30 4697.9 4697.9 AFHR	13-REMACCES LF34953
01SEP03	15:29	Maintenance Comment		0.0 AFHR	3.2	13May02	2FTINTMH	FF: 01-NIL	MA: 04-CHK/TST
01SEP03	15:29	Maintenance Comment		0.0 AFHR	3.2	21May02	A23-033	07.30 4449.0 4449.0 AFHR	IN AS A23T 2350-00-00-B
01SEP03	15:34	Maintenance Comment		0.0 AFHR	3.2	26Sep01	A23-033	07.30 4199.7 4199.7 AFHR	IN AS A23T 2350-00-00-B
01SEP03	15:34	Maintenance Comment		0.0 AFHR	3.2	12Jun03	A23-033	07.30 4697.9 4697.9 AFHR	IN AS A23T 2350-00-00-B
01SEP03	15:34	Maintenance Comment		0.0 AFHR	3.2	12Jun90	NEW - 703606	*7-941.22.052AB	2350-00-00-B
01SEP03	15:36	Maintenance Comment		0.0 AFHR	3.2	13May02	A23-033	07.30 4449.0 4449.0 AFHR	13-REMACCES LE22389
01SEP03	15:36	Maintenance Comment		0.0 AFHR	3.2	13Aug03	2FTOPMH	FF: 01-NIL	MA: 04-CHK/TST
01SEP03	15:36	Maintenance Comment		0.0 AFHR	3.2	04Mar03	2FTINTMH	FF: 01-NIL	MA: 04-CHK/TST
01SEP03	15:36	Maintenance Comment		0.0 AFHR	3.2	15Aug03	A23-033	07.30 4749.0 4749.0 AFHR	IN AS A23T 2350-00-00-B
01SEP03	15:39	Maintenance Comment		0.0 AFHR	3.2	29Aug03	A23-033	07.30 4770.4 AFHR	TX TO CMM2
29JUN04	23:20	Asset Removal		4995.3 AFHR	305.6	533	A23-033		A23T A1UCC 00A
		Change Serviceability Stat			46.8	S/I			XXxxXXxx
		Change Location of an Asse			xxxx	U/S			
29JUN04	23:24	Change Serviceability Stat		4995.3 AFHR	0.0	A23-033			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01528  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 703606  
 PART NO : Q17-941.22.052AB  
 ENGINEERING NAME : CLOCK ELP TIME  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S0535

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
30JUN04 01:13	Asset Installation	0.0	A23T A1UCC 533 A23-033	A23T A1UCC 00AC
	4995.3 AFHR Change Serviceability Stat	0.0	SERV S/I INTMH A23-033	XXXXXXxx
	Change Location of an Asse	0.0		
15NOV04 06:37	Asset Removal	138.2	A23T A1UCC 533 A23-033	A23T A1UCC 00A
	5195.6 AFHR Change Serviceability Stat	4.0	SERV S/I U/S A23-033	XXXXXXxx
	Change Location of an Asse	138.2		
15NOV04 06:40	Change Serviceability Stat	0.0	INTMH U/S SERV	XXXXXXxx
15NOV04 10:25	Asset Installation	0.1	A23T A1UCC 533 A23-033	A23T A1UCC 00AC
	5195.6 AFHR Change Serviceability Stat	0.1	SERV S/I INTMH A23-033	XXXXXXxx
	Change Location of an Asse	0.1		
03NOV05 06:59	Asset Removal	352.8	A23T A1UCC 533 A23-033	A23T A1UCC 00A
	5445.0 AFHR Change Serviceability Stat	6.1	SERV S/I U/S A23-033	XXXXXXxx
	Change Location of an Asse	352.8		
03NOV05 06:59	Change Serviceability Stat	0.0	INTMH U/S SERV	XXXXXXxx
	5445.0 AFHR			XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01529  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 703606  
 PART NO : Q17-941.22.052AB  
 ENGINEERING NAME : CLOCK ELP TIME  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S0535

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
08NOV05 07:42	Asset Installation	5.0	A23T A1UCC 533 A23-033	00 A23T A1UGI 00AC XXXXXXXX
	5445.0 AFHR Change Serviceability Stat	5.0	SERV S/I	
	Change Location of an Asse	5.0	INTMH A23-033	
23FEB06 23:36	Asset Removal	107.6	533 A23-033 A23T A1UGI	00 A23T A1UGI 00A XXXXXXXX
	5531.6 AFHR Change Serviceability Stat	0.7	S/I U/S	
	Change Location of an Asse	107.6	A23-033 INTMH	
23FEB06 23:37	Change Serviceability Stat	0.0	U/S SERV	XXXXXXXX
27FEB06 10:15	Asset Installation	3.4	A23T A1UGI 533 A23-033	00 A23T A1UGI 00AC XXXXXXXX
	5531.6 AFHR Change Serviceability Stat	3.4	SERV S/I	
	Change Location of an Asse	3.4	INTMH A23-033	
03MAY06 23:44	Asset Removal	65.5	533 A23-033 A23T A1UGI	00 A23T A1UGI 00A XXXXXXXX
	5594.9 AFHR Change Serviceability Stat	7.8	S/I U/S	
	Change Location of an Asse	65.5	A23-033 INTMH	
03MAY06 23:45	Change Serviceability Stat	0.0	U/S SERV	XXXXXXXX
	5594.9 AFHR			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01530  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 703606  
 PART NO : Q17-941.22.052AB  
 ENGINEERING NAME : CLOCK ELP TIME  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S0535

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
02AUG06 23:50	Asset Installation	91.0	A23T A1UGI 533 A23-033	00 A23T A1UGI 00AC XXxxXXxx
	5594.9 AFHR Change Serviceability Stat	91.0	SERV S/I INTMH A23-033	
	Change Location of an Asse	91.0		
28MAR07 23:11	Asset Removal	237.9	533 A23T A1UGI A23-033	00 A23T A1UGI 00A XXxxXXxx
	5892.2 AFHR Change Serviceability Stat	6.9	S/I U/S A23-033	
	Change Location of an Asse	237.9		
28MAR07 23:11	Change Serviceability Stat	0.0	INTMH U/S SERV	XXxxXXxx
04APR07 04:41	Asset Installation	6.2	A23T A1UGI 533 A23-033	00 A23T A1UGI 00AC XXxxXXxx
	5892.2 AFHR Change Serviceability Stat	6.2	SERV S/I INTMH A23-033	
	Change Location of an Asse	6.2		
04APR08 00:42	Asset Removal	365.8	533 A23T A1UGI A23-033	00 A23T A1UGI 00A XXxxXXxx
	6101.4 AFHR Change Serviceability Stat	206.4	S/I U/S A23-033	
	Change Location of an Asse	365.8		
04APR08 00:43	Change Serviceability Stat	0.0	HG121 U/S SERV	XXxxXXxx
	6101.4 AFHR			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01531  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 703606  
 PART NO : Q17-941.22.052AB  
 ENGINEERING NAME : CLOCK ELP TIME  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S0535

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
13MAY08 01:49	Asset Installation	39.0	A23T A1UGI 533 A23-033	A23T A1UGI 00AC
	6101.4 AFHR Change Serviceability Stat	39.0	SERV S/I HG121 A23-033	XXXXXXXX
	Change Location of an Asse	39.0		
12MAY11 03:01	Asset Removal	1094.0	A23T A1UGI 533 A23-033	A23T A1UGI 00A
	7229.3 AFHR Change Serviceability Stat	0.7	A23T S/I U/S A23-033	XXXXXXXX
	Change Location of an Asse	1094.0		
12MAY11 03:02	Change Serviceability Stat	0.0	INTMH U/S SERV	XXXXXXXX
17MAY11 02:30	Asset Installation	4.9	A23T A1UGI 533 A23-033	A23T A1UGI 00AC
	7229.3 AFHR Change Serviceability Stat	4.9	SERV S/I INTMH A23-033	XXXXXXXX
	Change Location of an Asse	4.9		
05DEC11 23:42	Asset Removal	202.8	A23T A1UGI 533 A23-033	A23T A1UGI 00A
	7379.3 AFHR Change Serviceability Stat	49.6	A23T S/I U/S A23-033	XXXXXXXX
	Change Location of an Asse	202.8		
05DEC11 23:42	Change Serviceability Stat	0.0	INTMH U/S SERV	XXXXXXXX
	7379.3 AFHR			XXXXXXXX

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01532  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 703606  
 PART NO : Q17-941.22.052AB  
 ENGINEERING NAME : CLOCK ELP TIME  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S0535

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
05DEC11 23:43	Asset Installation	0.0	A23T A1UGI 533 A23-033	A23T A1UGI 00AC
	7379.3 AFHR Change Serviceability Stat	0.0	SERV S/I INTMH A23-033	XXXXXXXX
	Change Location of an Asse	0.0		
13MAR13 05:38	Asset Removal	463.2	A23T A1UGI 533 A23-033	A23T A1UGI 00A
	7672.0 AFHR Change Serviceability Stat	231.8	SERV S/I U/S A23-033	XXXXXXXX
	Change Location of an Asse	463.2		
28MAR13 05:40	Change Serviceability Stat	15.0	INTMH U/S SERV	XXXXXXXX
24APR13 01:50	Asset Installation	41.8	A23T A1UGI 533 A23-033	A23T A1UGI 00AC
	7672.0 AFHR Change Serviceability Stat	26.8	SERV S/I INTMH A23-033	XXXXXXXX
	Change Location of an Asse	41.8		
01OCT14 07:08	Asset Removal	525.2	A23T A1UGI 533 A23-033	A23T A1UGI 00A
	8075.8 AFHR Change Serviceability Stat	22.9	SERV S/I U/S A23-033	XXXXXXXX
	Change Location of an Asse	525.2		
01OCT14 07:09	Change Serviceability Stat	0.0	OPMH U/S SERV	XXXXXXXX
	8075.8 AFHR			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01533  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 703606  
 PART NO : Q17-941.22.052AB  
 ENGINEERING NAME : CLOCK ELP TIME  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S0535

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
01OCT14 07:09	Asset Installation	0.0	A23T 533 A23-033	A23T A1UGI 00AC
	8075.8 AFHR Change Serviceability Stat	0.0	SERV S/I	XXXXXXXX
	Change Location of an Asse	0.0	OPMH A23-033	
03JUN15 05:01	Asset Removal	244.9	A23T 533 A23T A1UGI	A23T A1UGI 00A
	8270.7 AFHR Change Serviceability Stat	68.8	S/I U/S	XXXXXXXX
	Change Location of an Asse	244.9	A23-033 INTMH	
03JUN15 05:01	Change Serviceability Stat	0.0	U/S SERV	XXXXXXXX
15JUL15 22:36	Asset Installation	42.7	A23T 533 A23-033	A23T A1UGI 00AC
	8270.7 AFHR Change Serviceability Stat	42.7	SERV S/I	XXXXXXXX
	Change Location of an Asse	42.7	INTMH A23-033	
02APR16 23:21	Asset Removal	262.0	A23T 533 A23T A1UGI	A23T A1UGI 00A
	8585.3 AFHR Change Serviceability Stat	10.6	S/I U/S	XXXXXXXX
	Change Location of an Asse	262.0	A23-033 INTMH	
20APR16 23:22	Change Serviceability Stat	18.0	U/S SERV	XXXXXXXX
	8585.3 AFHR			XXXXXXXX

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01534  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 703606  
 PART NO : Q17-941.22.052AB  
 ENGINEERING NAME : CLOCK ELP TIME  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S0535

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
05MAY16 03:47	Asset Installation	32.1	A23T A1UGI 533 A23-033	A23T A1UGI 00AC
	8585.3 AFHR Change Serviceability Stat	14.1	SERV S/I	XXXXXXXX
	Change Location of an Asse	32.1	INTMH A23-033	
03APR17 22:13	Asset Removal	333.7	A23T A1UGI 533 A23T A23-033	A23T A1UGI 00A
	8914.8 AFHR Change Serviceability Stat	129.7	S/I U/S	XXXXXXXX
	Change Location of an Asse	333.7	A23-033 INTMH	
03APR17 22:14	Change Serviceability Stat	0.0	U/S SERV	XXXXXXXX
31MAY17 23:02	Asset Installation	58.0	A23T A1UGI 533 A23-033	A23T A1UGI 00AC
	8914.8 AFHR Change Serviceability Stat	58.0	SERV S/I	XXXXXXXX
	Change Location of an Asse	58.0	INTMH A23-033	
12DEC18 05:38	Asset Removal	559.2	A23T A1UGI 533 A23T A23-033	A23T A1UGI 00A
	9238.6 AFHR Change Serviceability Stat	41.6	S/I U/S	XXXXXXXX
	Change Location of an Asse	559.2	A23-033 OPMH	
12DEC18 05:39	Change Serviceability Stat	0.0	U/S SERV	XXXXXXXX
	9238.6 AFHR			XXXXXXXX



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01535  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 703606  
 PART NO : Q17-941.22.052AB  
 ENGINEERING NAME : CLOCK ELP TIME  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S0535

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
18DEC18 23:09	Asset Installation	6.7	A23T 533 A1UGI A23-033	A23T A1UGI 00AC 9238.6 AFHR XXXXXXXXXX
	Change Serviceability Stat	6.7	SERV S/I OPMH A23-033	
	Change Location of an Asse	6.7		
21MAR19 23:04	Asset Removal	92.9	533 A23T A1UGI A23-033	A23T A1UGI 00A 9332.3 AFHR XXXXXXXXXX
	Change Serviceability Stat	0.6	S/I SERV A23T 533	
21MAR19 23:06	Asset Installation	0.0	A23T 533 A1UGI A23-033	A23T A1UCC 00AC 9332.3 AFHR XXXXXXXXXX
	Change Serviceability Stat	0.0	SERV S/I 533	
13NOV19 23:17	Asset Removal	237.0	A23T 533 A1UCC A23-033	A23T A1UCC 00A 9537.2 AFHR XXXXXXXXXX
	Change Serviceability Stat	0.7	S/I U/S A23-033	
	Change Location of an Asse	330.0		
13NOV19 23:17	Change Serviceability Stat	0.0	OPMH U/S SERV	XXXXXXXXXX
14NOV19 01:43	Asset Installation	0.1	A23T 533 A1UCC A23-033	A23T A1UCC 00AC 9537.2 AFHR XXXXXXXXXX
	Change Serviceability Stat	0.1	SERV S/I OPMH A23-033	
	Change Location of an Asse	0.1		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 703606  
 PART NO : Q17-941.22.052AB ~S0535  
 ENGINEERING NAME : CLOCK ELP TIME  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

2FTSXJCA11813	C COMPLETED	12JUN90 00:00	XXxxXXxx		2FTS	0.0	
03 OVERHAUL DUE	12JUN90 00:00						

Unserviceability Details:  
 Maintenance Comments:

A1PXXJY412567	C COMPLETED	29JUN04 23:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	AFHR
13 REMOVED FOR ACCESS	29JUN04 23:24	99 NO FAILURE				4995.3	
01 NO FAULT		04 CHECK/TEST SERV		R2 PC-9	due on Serial A23-033 at WAC 0000		

Unserviceability Details:  
 Maintenance Comments:

RFA.

A1PXXJY422324	C COMPLETED	15NOV04 06:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	AFHR
13 REMOVED FOR ACCESS	15NOV04 06:40	99 NO FAILURE			FWD C/P CLOCK PANEL RFA	5195.6	
01 NO FAULT		04 CHECK/TEST SERV					

Unserviceability Details:  
 Maintenance Comments:

FWD CLOCK PANEL RFA ONLY

A1PXXJY526773	C COMPLETED	03NOV05 06:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	AFHR
13 REMOVED FOR ACCESS	03NOV05 06:59	99 NO FAILURE			FRONT CLOCK PANEL RFA	5445.0	
01 NO FAULT		04 CHECK/TEST SERV					

Unserviceability Details:  
 Maintenance Comments:

CHECK/TEST SERV

A1PXXJY603231	C COMPLETED	23FEB06 23:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	AFHR
13 REMOVED FOR ACCESS	23FEB06 23:37	99 NO FAILURE			REAR COCKPIT CLOCK PANEL REMOVED FOR ACCESS	5531.6	
01 NO FAULT		04 CHECK/TEST SERV					

Unserviceability Details:  
 Maintenance Comments:

CHECK/TEST SERV

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 01537  
08JAN20  
23:16:15

SERIAL/TAIL NO : 703606  
PART NO : Q17-941.22.052AB ~S0535  
ENGINEERING NAME : CLOCK ELP TIME  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			
=====							
A1PXXJY606813	C COMPLETED	03MAY06 23:44	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	03MAY06 23:45					5594.9	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE		FRONT AND REAR CLOCK PANELS RFA			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:		CHECK/TEST SERV			
		Maintenance Comments:					
A1PXXJY706262	C COMPLETED	28MAR07 23:11	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	28MAR07 23:11	28MAR07 23:11	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	5892.2	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE		REAR CLOCK PANEL RFA			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:		CHECK/TEST SERV			
		Maintenance Comments:					
A1PXXJY805647	C COMPLETED	04APR08 00:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	04APR08 00:43	04APR08 00:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	6101.4	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE		FRONT C/P CLOCK PANEL RFA			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:		CHECK/TEST SERV			
		Maintenance Comments:					
A1PXXJ1106747	C COMPLETED	12MAY11 03:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	12MAY11 03:02	12MAY11 03:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	7229.3	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE		PANEL OF CLOCK ELP TIME, SN 703606, RFA.			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:		CHECK/TEST SERV			
		Maintenance Comments:					
A1PXXJ1117726	C COMPLETED	05DEC11 23:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	05DEC11 23:42	05DEC11 23:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	7379.3	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE		CLOCK PANEL RFA			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:		CHECK/TEST SERV			
		Maintenance Comments:					

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 01538  
08JAN20  
23:16:15

SERIAL/TAIL NO : 703606  
PART NO : Q17-941.22.052AB ~S0535  
ENGINEERING NAME : CLOCK ELP TIME  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJ1304250	C COMPLETED	13MAR13 05:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	28MAR13 05:40	28MAR13 05:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		7672.0	AFHR
13 REMOVED FOR ACCESS	99 NO FAILURE			R2 due on Serial A23-033			
				PC-9 at WAC 0000			
01 NO FAULT	04 CHECK/TEST SERV						
				Unserviceability Details:			
				Maintenance Comments:	CHECK/TEST SERV		

A1PXXJ1417111	C COMPLETED	01OCT14 07:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	01OCT14 07:09	01OCT14 07:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		8075.8	AFHR
13 REMOVED FOR ACCESS	99 NO FAILURE			CLOCK PANEL RFA			
01 NO FAULT	04 CHECK/TEST SERV						
				Unserviceability Details:			
				Maintenance Comments:	CHECK/TEST SERV		

A1PXXJ1508631	C COMPLETED	03JUN15 05:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	03JUN15 05:01	03JUN15 05:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		8270.7	AFHR
13 REMOVED FOR ACCESS	99 NO FAILURE			R2 due on Serial A23-033			
				PC-9 at WAC 0000			
01 NO FAULT	04 CHECK/TEST SERV						
				Unserviceability Details:			
				Maintenance Comments:	CHECK/TEST SERV		

A1PXXJ1609302	C COMPLETED	02APR16 23:21	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	20APR16 23:22	20APR16 23:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		8585.3	AFHR
13 REMOVED FOR ACCESS	99 NO FAILURE			R2 due on Serial A23-033			
				PC-9 at WAC 0000			
01 NO FAULT	04 CHECK/TEST SERV						
				Unserviceability Details:			
				Maintenance Comments:	CHECK/TEST SERV		

A1PXXJ1706932	C COMPLETED	03APR17 22:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	03APR17 22:14	03APR17 22:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		8914.8	AFHR
13 REMOVED FOR ACCESS	99 NO FAILURE			R2 due on Serial A23-033			
				PC-9 at WAC 0000			
01 NO FAULT	04 CHECK/TEST SERV						
				Unserviceability Details:			
				Maintenance Comments:	CHECK/TEST SERV		

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 703606  
PART NO : Q17-941.22.052AB ~S0535 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : CLOCK ELP TIME  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJ1821610	C COMPLETED	12DEC18 05:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	12DEC18 05:39	12DEC18 05:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	9238.6	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		FRONT COCKPIT PNL + CLOCK REMOVED FOR ACCESS ( LGCU REMOVAL )			

01 NO FAULT                   04 CHECK/TEST SERV  
                                   Unserviceability Details:  
                                   Maintenance Comments:    CHECK/TEST SERV

A1PXXJ1915797	C COMPLETED	13NOV19 23:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	13NOV19 23:17	13NOV19 23:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	9537.2	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		FRONT COCKPIT CLOCK PANEL AND CLOCK REMOVED FOR ACCESS			

01 NO FAULT                   04 CHECK/TEST SERV  
                                   Unserviceability Details:  
                                   Maintenance Comments:    CHECK/TEST SERV

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : 7124S00193      LITERAL SERIAL NO : 7124S00193      PERIOD: 01JAN90 TO 08JAN20  
PART NO : 025-338-0      ~0A1K8  
ENGINEERING NAME : TYRE MAIN WHEEL  
VENUE : A23DISP      LOCATION : A23-033  
CURRENT CONDITION : S/I      LIFE SINCE NEW : 67.8 AFHR

ASSET RECEPTION -----

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC	
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID		
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO		
	DEFAULT LIFS ENTERED AT RECEPTION		DATE UNPACKED			
14NOV18 07:46	7124S00193	025-338-0	~0A1K8	A23T	A2KDM00	01
aip02188	AIP	STORES		MMI	A1PXXR1801396	
R. ORLOWSKI		08MAY18		N/A		
	0.0 AFHR					

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 7124S00193 LITERAL SERIAL NO : 7124S00193 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 025-338-0 ~0A1K8  
 ENGINEERING NAME : TYRE MAIN WHEEL  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
14NOV18 07:51	Maintenance Comment 0.0 AFHR	0.0	DOM CHANGE: OLD VALUE=08MAY2018 NEW VALUE=08MAY2017 XXXXXXXXXX	
14NOV18 07:52	Maintenance Comment 0.0 AFHR	0.0	MICHELIN ARC NO 17/39957/NKE/N/B DATED 08MAY17 AUTH S MAKPUT A1PXXX1811485 XXXXXXXXXX	
06DEC18 00:29	Asset Installation 0.0 AFHR	577.0	A23T A2KDM00 01 0398 0398	A23T A2KEI00 01MMI XXXXXXXXXX
	Change Serviceability Stat	577.0	SERV S/I STORES MMI	
08OCT19 08:56	Position Change 21.5 AFHR	306.3	HYD A23T A2KDM00 01 A23T A2KDM00 01 A1PXXX1908992 XXXXXXXXXX	
	Maintenance Comment	0.0	POST R1 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 7125S00210 LITERAL SERIAL NO : 7125S00210 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 025-338-0 ~0A1K8  
ENGINEERING NAME : TYRE MAIN WHEEL  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 123.9 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
12SEP18 11:17	7125S00210	025-338-0	~0A1K8	A23T	A2KDM00
aip02188	AIP	STORES	MMI		01
R. ORLOWSKI		12MAY17	N/A	A1PXXR1801135	
	0.0 AFHR				



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 7125S00210 LITERAL SERIAL NO : 7125S00210 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 025-338-0 ~0A1K8  
ENGINEERING NAME : TYRE MAIN WHEEL  
VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
12SEP18 11:19	Maintenance Comment	0.0 AFHR	0.0	MICHELIN ARC NO 17/41420/NKE/N/B DATE 12MAY17 AUTH T TEWIT A1PXXX1809123	XXXXXXxx
12NOV18 23:44	Asset Installation	0.0 AFHR	549.9	A23T A2KDM00 0407 01	A23T A2KDM00 01MMI
	Change Serviceability Stat		549.9	SERV S/I	XXXXXXxx
	Change Location of an Asse		549.9	STORES MMI	
08OCT19 08:55	Position Change		329.3	HYD A23T A2KEI00 01 A23T A2KEI00 01	
	Maintenance Comment	77.6 AFHR	0.0	A1PXXX1908991 POST R1 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE	XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01544  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 713  
 PART NO : 2196T100-3  
 ENGINEERING NAME : ACTUATOR TRIM  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

LOCATION : A23-033  
 LIFE SINCE NEW : 8005.3 AFHR

PERIOD: 01JAN90 TO 08JAN20  
 ~C1572

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
01SEP03	03:39	Maintenance	Comment	0.0 AFHR	2.7	24Jan91 NEW - 713	2196T100-3	1302-00-00-E	XXXXXXxx
01SEP03	03:40	Maintenance	Comment	0.0 AFHR	2.8	14Apr00 OVERHAULED AND TESTED BY LAS			XXXXXXxx
01SEP03	03:40	Maintenance	Comment	0.0 AFHR	2.8	26Aug02 A23-003 09.20 3804.9	0.0 AFHR	UPDATED LIFE (MPMI)	XXXXXXxx
01SEP03	03:40	Maintenance	Comment	0.0 AFHR	2.8	29Aug03 A23-003 09.20 4055.0 AFHR	TX TO CAMM2		XXXXXXxx
01SEP03	03:47	Maintenance	Comment	0.0 AFHR	2.8	26Aug02 A23-003 09.20 3804.9	0.0 AFHR	UPDATED LIFE (MPMI)	XXXXXXxx
01SEP03	03:48	Maintenance	Comment	0.0 AFHR	2.8	10Sep99 DISPATCHED TO PEAXCON			XXXXXXxx
01SEP03	03:48	Maintenance	Comment	0.0 AFHR	2.8	NEXT OH1 DUE: OLD = 6934.7 AFHR	NEW =		XXXXXXxx
01SEP03	03:51	Maintenance	Comment	0.0 AFHR	2.8	07Jun00 2FTMMIST 00. 3434.7	0.0 AFHR	UPDATED LIFE (JOBX)	XXXXXXxx
01SEP03	03:51	Maintenance	Comment	0.0 AFHR	2.8	NEXT TAI DUE: OLD =	NEW =	OC	XXXXXXxx
01SEP03	03:53	Maintenance	Comment	0.0 AFHR	2.8	08Sep99 A23-048 09.2 3434.7	3434.7 AFHR	03-OH DUE LA90013	XXXXXXxx
01SEP03	03:54	Maintenance	Comment	0.0 AFHR	2.8	11Jul00 A23-003 09.20 3434.7	0.0 AFHR	IN AS A23T 1302-00-00-E	XXXXXXxx
01SEP03	03:55	Maintenance	Comment	0.0 AFHR	2.8	14Apr00 PEAXCON	FF: 01-NIL	MA: 07-OH	XXXXXXxx
01SEP03	03:56	Maintenance	Comment	0.0 AFHR	2.8	23Apr98 A23-048 09.2 2992.3	2992.3 AFHR	UPDATED LIFE (MPMI)	XXXXXXxx
01SEP03	03:56	Maintenance	Comment	0.0 AFHR	2.8	22Nov02 A23-003 09.20 3913.4	0.0 AFHR	UPDATED LIFE (MPMI)	XXXXXXxx
13JUN06	23:43	Change Serviceability	Stat	4055.0 AFHR	2163.9	S/I			
14JUN06	00:09	Change Serviceability	Stat	4055.0 AFHR	0.0	US/I	A1PXXJY418042		XXXXXXxx
						S/I			XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01545  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 713  
 PART NO : 2196T100-3 ~C1572  
 ENGINEERING NAME : ACTUATOR TRIM  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
13MAY10 03:28	Change Serviceability Stat	0.7	S/I US/I	
	5396.3 AFHR		A1PXXJ1003662	XXxxXXxx
18MAY10 02:48	Change Serviceability Stat	4.9	US/I S/I	
	5396.3 AFHR			XXxxXXxx
14APR15 05:23	Asset Removal	4245.8	027 A23T A2KAY	A23T A2KAY 00M
	6730.8 AFHR			XXxxXXxx
14APR15 05:23	Change Serviceability Stat	18.8	S/I U/S U/S SERV	
	6730.8 AFHR			XXxxXXxx
14MAY15 04:43	Asset Installation	29.9	A23T A2KAY	A23T A2KAY 00MMI
	6730.8 AFHR		027	XXxxXXxx
	Change Serviceability Stat	29.9	SERV S/I	

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJY418042	C COMPLETED	13JUN06 23:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	14JUN06 00:09					4055.0	AFHR
08 MOD/STI/DVI REQUIRED	99 NO FAILURE			STI-PC9-0346			
				ACT AILERON TRIM			due on Serial 713 at WAC 0920
01 NO FAULT	08 MOD/STI/DVI INCORP						
	Unserviceability Details:						
	Maintenance Comments:			STI-PC9-0346 INC P/N 2196T100-3			FITTED
A1PXXJ1003662	C COMPLETED	18MAY10 02:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	18MAY10 02:48	13MAY10 03:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	5396.3	AFHR
08 MOD/STI/DVI REQUIRED				STI-PC9-0521			due on Serial 713 at WAC 0920
				ACT AILERON TRIM			
01 NO FAULT	08 MOD/STI/DVI INCORP						
	Unserviceability Details:						

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 713  
PART NO : 2196T100-3 ~C1572  
ENGINEERING NAME : ACTUATOR TRIM  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

Maintenance Comments: STI C/I IAW INSTRUCTIONS REF MCS 320/10-9/1

A1PXXJ1505840	C COMPLETED	14APR15 05:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	14APR15 05:23	14APR15 05:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	6730.8	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE			AILERON TRIM ACT AND SPRING STRUT RFA		
01	NO FAULT	04 CHECK/TEST SERV					

Unserviceability Details:

Maintenance Comments: CHECK/TEST SERV

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 01547  
08JAN20  
23:16:15

SERIAL/TAIL NO : 713  
PART NO : 2196T100-3  
ENGINEERING NAME : ACTUATOR TRIM  
VENUE : A23DISP  
LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20  
~C1572

STI STATUS CHANGE -----

STI NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
=====	=====	=====	=====	=====	=====	=====
STI-PC9-0346	N	08SEP04	NINC			
STI-PC9-0346	Y	14JUN06	INC	A1PXXJY418042	13JUN06 23:45	4055.0 AFHR
STI-PC9-0521	N	01MAR10	NINC			
STI-PC9-0521	Y	18MAY10	INC	A1PXXJ1003662	18MAY10 02:47	5396.3 AFHR

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 01548  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 733462  
 PART NO : PDCR 350-0625  
 ENGINEERING NAME : TRANSDUCER HYD PRES  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

LOCATION : A23-033  
 LIFE SINCE NEW : 9493.2 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T CHANGE TYPE		LIFE SINCE NEW		SPAN(DYS) FROM		TO (OPTIONAL)		TRANS REFERENCE		USER	
=====		=====		=====		=====		=====		=====	
01SEP03	11:21	Maintenance Comment	0.0	3.1	24Nov99	2FTINTMH	FF: 01-NIL			MA: 04-CHK/TST	
			AFHR			CMM LOG00008				XXXXXXxx	
01SEP03	11:21	Maintenance Comment	0.0	3.1	24Nov98	A23-033 06.3	3148.5	0.0	AFHR	13-REMACCES LX86765	
			AFHR			CMM LOG00003				XXXXXXxx	
01SEP03	11:23	Maintenance Comment	0.0	3.1	24Apr91	NEW - 733462	PDCR 350-0625	2075-00-00-L			
			AFHR			CMM LOG00010				XXXXXXxx	
01SEP03	11:26	Maintenance Comment	0.0	3.1	29Aug03	A23-033 06.30	4718.4	AFHR	TX TO CMM2		
			AFHR			CMM LOG00011				XXXXXXxx	
01SEP03	11:27	Maintenance Comment	0.0	3.1	26Nov98	A23-033 06.3	3148.5	0.0	AFHR	IN AS A23T 2075-00-00-L	
			AFHR			CMM LOG00006				XXXXXXxx	
01SEP03	11:28	Maintenance Comment	0.0	3.1	24Nov98	SERNO REIDENTIFIED FROM	360887				
			AFHR			CMM LOG00005				XXXXXXxx	
01SEP03	11:28	Maintenance Comment	0.0	3.1	02Dec99	A23-033 06.30	3398.5	0.0	AFHR	IN AS A23T 2075-00-00-L	
			AFHR			CMM LOG00009				XXXXXXxx	
01SEP03	11:29	Maintenance Comment	0.0	3.1	24Nov98	2FTINTMH	FF: 01-NIL			MA: 04-CHK/TST	
			AFHR			CMM LOG00004				XXXXXXxx	
01SEP03	11:30	Maintenance Comment	0.0	3.1	02Sep98	A23-033 06.3	3034.1	0.0	AFHR	IN AS A23T 2075-00-00-L	
			AFHR			CMM LOG00002				XXXXXXxx	
01SEP03	11:35	Maintenance Comment	0.0	3.1	02Sep98	2FTHYD	FF: 01-NIL			MA: 04-CHK/TST	
			AFHR			CMM LOG00001				XXXXXXxx	
01SEP03	11:35	Maintenance Comment	0.0	3.1	24Nov99	A23-033 06.3	3398.5	0.0	AFHR	13-REMACCES LA93498	
			AFHR			CMM LOG00007				XXXXXXxx	

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 76A099 LITERAL SERIAL NO : 76A099 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 3054062-01 ~00198  
ENGINEERING NAME : PROP SHAFT ASSY  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 3732.2 ENHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
15JUN04 08:11	76A099	3054062-01	~00198	A23T	00
aip001	AIP	MCS		A1SA000	
L. DOBSON		29MAR04		A1PXXRY401252	
	0.0 ENHR				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 76A099 LITERAL SERIAL NO : 76A099 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 3054062-01 ~00198  
ENGINEERING NAME : PROP SHAFT ASSY  
VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
30MAR04 08:12	Asset Installation	1.3	A23T	A1SAO00	00	
	0.0 ENHR		103186		A23-015	A23T A1SAO00 0 A
	Change Serviceability Stat	1.3	SERV			XXXXXXXX
	Change Location of an Asse	1.3	S/I			
15JUN04 08:11	Reception History Record	0.0	MCS			
	0.0 ENHR		A23-015		MCS	XXXXXXXX
15JUN04 08:13	Maintenance Comment	0.0				
	0.0 ENHR		INSTALLED TO 103186 AT P&WC A/ASIA 30MAR04			XXXXXXXX
19APR17 22:22	Position Change	4768.5	A23T	A1SAM22AA	00	
	2785.9 ENHR		A23T	A1SAM22AA	00	
	Maintenance Comment	0.0	A1PXXX1706255			XXXXXXXX
			POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE			



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01551  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 772  
 PART NO : 3213876-9  
 ENGINEERING NAME : VLV PRESS REGULATIN  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

~99193

PERIOD: 01JAN90 TO 08JAN20

LOCATION : A23-033  
 LIFE SINCE NEW : 8551.5 AFHR

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
01SEP03	06:09	Maintenance	Comment	0.0 AFHR	2.9	10Jan02	2FTMMIST 00.	4194.6	0.0 AFHR UPDATED LIFE (MILX)
01SEP03	06:09	Maintenance	Comment	0.0 AFHR	2.9	01Jul87	NEW - 772	3213876-9	1825-00-00-L
01SEP03	06:09	Maintenance	Comment	0.0 AFHR	2.9	29Aug03	A23-047 01.30	4617.4 AFHR	TX TO CAMM2
01SEP03	06:11	Maintenance	Comment	0.0 AFHR	2.9	21Sep01	2FTOPMH	FF: 01-NIL	MA: 04-CHK/TST
01SEP03	06:11	Maintenance	Comment	0.0 AFHR	2.9	27Sep01	DISPATCHED TO PEAXCON		
01SEP03	06:11	Maintenance	Comment	0.0 AFHR	2.9	06Feb03	A23-047 01.30	4321.7	0.0 AFHR IN AS A23T 1825-00-00-L
01SEP03	06:12	Maintenance	Comment	0.0 AFHR	2.9	14Oct98	A23-013 01.3	3257.1	0.0 AFHR 13-REMACCES LX84529
01SEP03	06:13	Maintenance	Comment	0.0 AFHR	2.9	06Feb03	A23-006 01.30	4321.7	0.0 AFHR 09-CANNIBAL LF33794
01SEP03	06:13	Maintenance	Comment	0.0 AFHR	2.9	10Jan02	A23-006 01.30	4194.6	0.0 AFHR IN AS A23T 1825-00-00-L
01SEP03	06:16	Maintenance	Comment	0.0 AFHR	2.9	06Feb03	2FTINTMH	FF: 01-NIL	MA: 04-CHK/TST
01SEP03	06:17	Maintenance	Comment	0.0 AFHR	2.9	20Nov98	A23-013 01.3	3257.1	0.0 AFHR IN AS A23T 1825-00-00-L
01SEP03	06:18	Maintenance	Comment	0.0 AFHR	2.9	14Oct98	2FTOPMH	FF: 01-NIL	MA: 04-CHK/TST
01SEP03	06:18	Maintenance	Comment	0.0 AFHR	2.9	04Sep01	A23-013 01.30	4194.6	0.0 AFHR 05-FUNC CHK LD11281
24AUG08	23:37	Asset Removal		6366.8 AFHR	1822.6	A23-047	A23-047		A23T A0Q 00A
		Change Serviceability Stat		17.8		S/I			
		Change Location of an Asse		xxxx		U/S	A23-047		
						INTMH			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 01552  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 772  
 PART NO : 3213876-9  
 ENGINEERING NAME : VLV PRESS REGULATIN  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~99193

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
24AUG08 23:39	Change Serviceability Stat	0.0	U/S SERV	
	6366.8 AFHR			XXxxXXxx
07NOV08 01:27	Change Venue of an Asset	1896.7	AIP NONC2CONT	
	6366.8 AFHR		A1PXXXY810921	XXxxXXxx
	Change Location of an Asse	74.0	INTMH HOLD	
02FEB09 05:14	Change Venue of an Asset	87.1	NONC2CONT	
	6366.8 AFHR		AIP NONC2XY901396	XXxxXXxx
	Change Location of an Asse	87.1	HOLD	
02FEB09 05:17	Asset Installation	161.2	MMIST A23T A23-002	
	6366.8 AFHR		A0Q A23-002 00	A23T A0Q 00AC
	Change Serviceability Stat	161.2	SERV S/I	XXxxXXxx
	Change Location of an Asse	0.0	MMIST	
24FEB09 04:11	Asset Removal	21.9	A23-002 A23-002	
	6378.3 AFHR		A23T A0Q 00	A23T A0Q 00A
	Change Serviceability Stat	11.7	S/I	XXxxXXxx
	Change Location of an Asse	21.9	U/S A23-002	
24FEB09 04:12	Change Serviceability Stat	0.0	HG122 U/S	
	6378.3 AFHR		SERV	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01553  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 772  
 PART NO : 3213876-9  
 ENGINEERING NAME : VLV PRESS REGULATIN  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~99193

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
24FEB09 05:24	Asset Installation	0.0	A23T A0Q A23-002	00 A23T A0Q 00AC
	6378.6 AFHR Change Serviceability Stat	0.0	SERV	XXXXXX
	Change Location of an Asse	0.0	S/I HG122 A23-002	
15APR10 14:27	Asset Removal	415.3	A23-002 A23T A0Q	00 A23T A0Q 00A
	6785.6 AFHR Change Serviceability Stat	16.2	S/I	XXXXXX
	Change Location of an Asse	415.3	U/S A23-002	
27APR10 04:03	Change Serviceability Stat	11.5	INTMH U/S SERV	
	6785.6 AFHR Change Venue of an Asset	450.1	AIP	XXXXXX
	6785.6 AFHR Change Location of an Asse	12.7	NONC2CONT A1PXXX1004249 INTMH	XXXXXX
01AUG11 08:25	Change Venue of an Asset	459.9	HOLD NONC2CONT	
	6785.6 AFHR Change Location of an Asse	459.9	AIP NONC2X1107432	XXXXXX
26SEP11 05:43	Asset Installation	528.6	STORES A23T A0Q A23-006	00 A23T A0Q 00AC
	6785.6 AFHR Change Serviceability Stat	517.0	SERV	XXXXXX
	Change Location of an Asse	55.8	S/I STORES A23-006	MMI

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01554  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 772  
 PART NO : 3213876-9  
 ENGINEERING NAME : VLV PRESS REGULATIN  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~99193

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
04JUN13 13:47	Asset Removal	617.3	A23-006 A23T A0Q	A23T A0Q 00A
	7383.8 AFHR Change Serviceability Stat	20.4	S/I U/S	XXXXXXxx
	Change Location of an Asse	617.3	A23-006 STORES	
06JUN13 00:12	Change Venue of an Asset	674.6	AIP NONC2CONT A1PXXX1305821	XXXXXXxx
	7383.8 AFHR Change Location of an Asse	1.4	STORES HOLD U/S SERV	
04AUG14 07:30	Change Serviceability Stat	425.7		XXXXXXxx
	7383.8 AFHR Change Venue of an Asset	439.0	NONC2CONT AIP	
19AUG14 02:14	Maintenance Comment	0.0	NONC2X1408958	XXXXXXxx
	Change Location of an Asse	439.0	REPAIR AT HONEYWELL UK ON 23JUL14 AND MOVED TO AIP	
			HOLD STORES	
25AUG14 13:53	Asset Installation	447.0	A23T A0Q A23-009	A23T A0Q 00AC
	7383.8 AFHR Change Serviceability Stat	21.2	SERV S/I	XXXXXXxx
	Change Location of an Asse	6.4	STORES A23-009	
02SEP16 02:00	Asset Removal	738.5	A23-009 A23T A0Q	A23T A0Q 00A
	8050.3 AFHR Change Serviceability Stat	41.9	S/I U/S	XXXXXXxx
	Change Location of an Asse	267.0	A23-009 STORES	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01555  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 772  
 PART NO : 3213876-9  
 ENGINEERING NAME : VLV PRESS REGULATIN  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~99193

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
07SEP16 00:54	Change Venue of an Asset	749.9	AIP NONC2CONT	
	8050.3 AFHR		A1PXXX1608817	XXxxXXxx
	Change Location of an Asse	4.9	STORES	
15DEC16 04:00	Change Serviceability Stat	104.0	HOLD U/S	
	8050.3 AFHR		SERV	XXxxXXxx
02OCT17 00:17	Change Venue of an Asset	389.9	NONC2CONT	
	8050.3 AFHR		AIP	XXxxXXxx
	Maintenance Comment	0.0	NONC2X1710691	
	Change Location of an Asse	389.9	REPAIRED AT HONEYWELL USA ON 15DEC16. MOVED TO AIP PEA.	
03OCT17 01:34	Asset Installation	395.9	HOLD STORES	
	8050.3 AFHR		A23T A0Q A23-033 00	A23T A0Q 00AC
	Change Serviceability Stat	291.8	A23-033	XXxxXXxx
	Change Location of an Asse	1.0	SERV	
14AUG18 02:20	Asset Removal	315.0	S/I	
	8079.9 AFHR		STORES	
	Change Serviceability Stat	284.9	A23-033	A23T A0Q 00A
	Change Location of an Asse	315.0	A23-033	
14AUG18 02:31	Change Serviceability Stat	0.0	A23T A0Q	XXxxXXxx
	8079.9 AFHR		SERV	
			OPMH	
			U/S	
			SERV	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 01556  
08JAN20  
23:16:15

SERIAL/TAIL NO : 772  
PART NO : 3213876-9 ~99193 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : VLV PRESS REGULATIN  
VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
15AUG18 05:59	Asset Installation	1.1	A23T	A0Q	00	
	8079.9 AFHR		A23-033	A23-033		A23T A0Q 00AC
	Change Serviceability Stat	1.1	SERV			XXXXXXXX
	Change Location of an Asse	1.1	S/I			
			OPMH			
			A23-033			

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME
1PXXU1005608	COMPLETED	28JAN11 08:00	6785.6	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
27APR10 04:03	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			27JAN11 13:30
27APR10 04:05	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		ECS CHECK (3) FAILED DURIING POST R2 SERV ENGINE GROUND RUN.				28JAN11 08:00
		PRESSURE REG REPLACED SERV.				XXXXXXXXXXXXXXXXXXXX

Maint Acts: X-REF JOB NO A1PXXJ1006561 ITEM WAS REPAIR AND TEST SERV IAW  
7278.267-3M REV AL0 (12/09) C OF C REF ACS1005039 DATED 03FEB11

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			
1PXXJY814118	C COMPLETED	24AUG08 23:37	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP	AIP	
	24AUG08 23:39	24AUG08 23:38	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP	6366.8	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE		FAIL ENG RUN CHECK 7, LOW FLOW AND NO HEAT			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		CHECK/TEST SERV			

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 01557  
08JAN20  
23:16:15

SERIAL/TAIL NO : 772  
PART NO : 3213876-9 ~99193  
ENGINEERING NAME : VLV PRESS REGULATIN  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJY903978	C COMPLETED	24FEB09 04:11	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	24FEB09 04:12	24FEB09 04:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	6378.3	AFHR
01 NO FAULT	99 NO FAILURE			COMPONENTS RFA ON ENGINE R&I			
01 NO FAULT	04 CHECK/TEST SERV			Unserviceability Details:			
				Maintenance Comments:	CHECK/TEST SERV		
A1PXXJ1006561	C COMPLETED	15APR10 14:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	NONC2CONT	
13 REMOVED FOR ACCESS	28JAN11 08:00	15APR10 14:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	6785.6	AFHR
01 NO FAULT	99 NO FAILURE			PRESSURE REGULATOR TO BE REPLACED FOR FAULT FINDING			
01 NO FAULT	04 CHECK/TEST SERV			Unserviceability Details:			
				Maintenance Comments:	F/F CODE 02/12 MAINT ACTION 02 REPAIRED & TESTED SERVICEABLE IAW 7278.267-3M REV AL 0 (12/09) C OF C ACS1005039 DATED 03FEB11		
A1PXXJ1307300	C COMPLETED	04JUN13 13:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
01 UNSERVICEABLE	04AUG14 07:30	04JUN13 13:48	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	7383.8	AFHR
02 MECHANICAL COMPONENT FAIL	02 DURING OPERATION			AIRCRAFT FAILS CHECK 3 ON POST R2 EGR			
	02 MECHANICAL FAILURE						
	02 REPAIR			Unserviceability Details:	PRSOV FAILS LEAK CX ON EGR		
				Maintenance Comments:	ITEM REPAIRED IAW AAP7278.267-3M		
A1PXXJ1618636	C COMPLETED	02SEP16 02:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	NONC2CONT	
01 UNSERVICEABLE	15DEC16 04:00	04SEP16 23:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	8050.3	AFHR
02 MECHANICAL COMPONENT FAIL	09 R2 SERVICING			DURING EGR ECS CHECKS, ECS FOUND OUT OF LIMITS. OFF-LOW = 52C, ZONE C.			
	06 OUT OF LIMITS						
	02 REPAIR			Unserviceability Details:	FAILED ECS CHECKS DURING EGR, ZONE C.		
				Maintenance Comments:	ITEM REPAIRED IAW AAP 7278.067-3M ( AL0 ) REF ARC ACS1609034		
A1PXXJ1813239	C COMPLETED	14AUG18 02:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	14AUG18 02:31	14AUG18 02:21	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	8079.9	AFHR
01 NO FAULT	99 NO FAILURE			ENGINE SN 103169 TO BE REPLACED. TO BE SENT FOR LIGHT OVERHAUL (OVER 90 DAYS WITH NO ENGINE START)			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 772  
PART NO : 3213876-9 ~99193 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : VLV PRESS REGULATIN  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

SERIAL/TAIL NO : 7F981 LITERAL SERIAL NO : 7F981 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 3112748-01 ~00198  
ENGINEERING NAME : LINER COMB CHAMB IN  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 6277.5 ENHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
20MAY04 07:12	7F981	3112748-01	~00198 A23T	A1SAK44AC	00
aip001	AIP	MMIST		A1PXXRY401053	
L. DOBSON		26FEB91			
	2996.4 ENHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01560  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 7F981 LITERAL SERIAL NO : 7F981 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 3112748-01 ~00198  
 ENGINEERING NAME : LINER COMB CHAMB IN  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
20MAY04 07:12	Reception History Record	0.0	Reception MMIST MCS	
	2996.4 ENHR			XXxxXXxx
20MAY04 07:14	Maintenance Comment	0.0	REPAIRED AT QDB 21AUG01	
	2996.4 ENHR		A1PXXXY412060	XXxxXXxx
20MAY04 07:21	Asset Installation	0.3	A23T A1SAK44AC 8F177 A23-028	A23T A1SAK44AC 0 A
	2996.4 ENHR			XXxxXXxx
	Change Serviceability Stat	0.3	SERV S/I	
23MAY07 12:00	Change Serviceability Stat	2.4	S/I US/I	
	3999.9 ENHR		A1PXXJY409557	XXxxXXxx
14DEC07 10:30	Change Serviceability Stat	204.9	US/I S/I	
	3999.9 ENHR			XXxxXXxx
03JUN14 00:46	Asset Removal	3665.7	8F177 A23-051 A23T A1SAK44AC	A23T A1SAK44AC 00A
	5087.1 ENHR			XXxxXXxx
	Change Serviceability Stat	39.8	S/I U/S	
	Change Location of an Asse	253.0	A23-051 EQUIP_STORE	
04JUN14 23:53	Asset Installation	1.9	A23T A1SAK44AC 8F177 A23-051	A23T A1SAK44AC 00AC
	5087.1 ENHR			XXxxXXxx
	Change Serviceability Stat	1.9	U/S US/I	
	Change Location of an Asse	1.9	EQUIP_STORE A23-051	
17APR15 00:00	Change Serviceability Stat	316.0	US/I S/I	
	5087.1 ENHR			XXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 7F981 LITERAL SERIAL NO : 7F981 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 3112748-01 ~00198  
ENGINEERING NAME : LINER COMB CHAMB IN  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

1PXXJY409557	C COMPLETED	23MAY07 12:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	NONC2CONT	NONC2CONT	
	14DEC07 10:30	01JUL08 02:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	NONC2CONT	3999.9	ENHR
03 OVERHAUL DUE				OH	due on Serial 7F981		
				LINER COMB CHAMB IN at WAC 0120			
01 NO FAULT		07 OVERHAUL		Unserviceability Details:			
				Maintenance Comments: COMBUSTION LINER INNER OVERHAULED IAW PWC OVERHAUL MANUAL			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	4000.0	ENHR	3999.9		
SM	OH	4000.0	ENHR	3999.9		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

1EXXJ1403412	C COMPLETED	03JUN14 00:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	NONC2CONT	
	17APR15 00:00	03JUN14 00:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	5087.1	ENHR
01 UNSERVICEABLE		13 SPECIAL SERVICING		EPSS: AE09 / AKOFAAA / 01 :COMBUSTION CHAMBER INNER LINER HAS			
		01 DAMAGED/CRACKED		3 CIRCUMFERENTIAL CRACKS IN NON-LOUVRED COOLING RING SEAM WELD			
02 MECHANICAL COMPONENT FAIL		07 OVERHAUL		OF UNKNOWN LENGTH			
				Unserviceability Details: 3 CIRCUMFERENTIAL CRACKS IN NON-LOUVRED COOLING RING SEAM WELD			
				OF UNKNOWN LENGTH			
				Maintenance Comments: COMBUSTION CHAMBER OVERHAULED IAW P&WC MANULA P/N 3034543 R 36			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	4000.0	ENHR	1087.2		

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 7F981 LITERAL SERIAL NO : 7F981 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 3112748-01 ~00198  
ENGINEERING NAME : LINER COMB CHAMB IN  
VENUE : A23DISP LOCATION : A23-033

MOD NUMBER	CURRENT(Y/N)	STATUS	DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
7113.022-256	Y	04OCT05	02:00	INC			

POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	USER ID
20MAY04 07:18	SM DLD Changed From: 26FEB1991	BS	XXxxXXxx
15NOV05 06:02	SM DLD Changed From: 03DEC1999	BS	XXxxXXxx
28APR15 02:45	SM Claimed	BS	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 7P207  
PART NO : 3070262-01 ~00198  
ENGINEERING NAME : VALVE BLEED  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 4768.4 ENHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	DATE NEW	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	HA PART	DATE UNPACKED		

15JUL04 04:26	7P207	3103174-05	~00198	A23T	A1SAK54	00
8143771	FACDU	ENGINE			FACDURY400126	
S. COTTER		24JUN98				

2333.7 ENHR

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01564  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 7P207  
 PART NO : 3070262-01  
 ENGINEERING NAME : VALVE BLEED  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~00198

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
15JUL04 04:26	Reception History Record	0.0	Reception ENGINE MCS	
	2333.7 ENHR			XXxxXXxx
12OCT04 05:48	Asset Installation	89.2	A23T A1SAK54 103140 103140 00	A23T A1SAK54 00MMI
	2333.7 ENHR			XXxxXXxx
	Change Serviceability Stat	89.2	SERV S/I ENGINE ATECH	
	Change Location of an Asse	89.2		
02MAY07 02:21	Change Part Number of an A	1021.0	3103174-05 3070262-01 ~00198 ~00198	
	2636.7 ENHR		A1EXXXY703010	XXxxXXxx
02MAY07 02:24	Maintenance Comment	0.0	OVERHAUL AT PWA 02MAR07 IAW PUB. 3034543.	
	2636.7 ENHR		A1EXXXY703011	XXxxXXxx
03MAR10 22:19	Position Change	1968.6	A23T A1SAK54 00	
			A23T A1SAK54 00	
	3293.5 ENHR		A1EXXX1001708	XXxxXXxx
22AUG13 04:00	Position Change	3235.9	A23T A1SAK54 00	
			A23T A1SAK54 00	
	3572.6 ENHR		A1EXXX1305341	XXxxXXxx
23JAN19 02:34	Asset Removal	5215.8	103140 A23-034 A23T A1SAK54 00	A23T A1SAK54 00A
	4466.8 ENHR			XXxxXXxx
	Change Serviceability Stat	286.7	S/I U/S	
	Change Location of an Asse	644.9	A23-034 OPMH	
23JAN19 02:35	Change Serviceability Stat	0.0	U/S SERV	
	4466.8 ENHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 01565  
08JAN20  
23:16:15

SERIAL/TAIL NO : 7P207  
PART NO : 3070262-01 ~00198  
ENGINEERING NAME : VALVE BLEED  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
23JAN19 06:19	Asset Installation	0.1	A23T 103186 A1SAK54 A23-033 00	A23T A1SAK54 00AC
	4466.8 ENHR			XXxxXXxx
	Change Serviceability Stat	0.1	SERV S/I	
	Change Location of an Asse	0.1	OPMH A23-033	

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			
A1PXXJ1901222	C COMPLETED	23JAN19 02:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		AIP	
	23JAN19 02:35	23JAN19 02:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		4466.8 ENHR	
13 REMOVED FOR ACCESS	99 NO FAILURE			BOV ASSY REMOVED FROM ENG S/N: 103140 TO A23-033, ENG S/N: 103186 FOR TROUBLE SHOOTING.			
01 NO FAULT	04 CHECK/TEST SERV						
		Unserviceability Details:		CHECK/TEST SERV			
		Maintenance Comments:					

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 7P207  
PART NO : 3070262-01 ~00198  
ENGINEERING NAME : VALVE BLEED  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MOD NUMBER	CURRENT (Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
7198.020-108	N	14SEP05	NINC			
7198.020-108	Y	04OCT05 02:00	INC			
7198.020-111	Y	14SEP05	NINC			
7198.020-114	N	29JAN06	NINC			
7198.020-114	Y	02MAR07	INC	MANUAL		NOT REC.
7198.020-115	Y	02MAY07	NINC			

POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	USER ID
02MAY07 02:23	SM DL D Changed From:	OH 24JUN1998	XXxxXXxx



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 822  
 PART NO : F103D000-15 ~04577  
 ENGINEERING NAME : REG PRESS REDUCING  
 VENUE : A23DISP LOCATION : A23-033  
 CURRENT CONDITION : S/I LIFE SINCE NEW : 2162.6 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
26OCT10 01:47	822	F103D000-15	~04577	A23T	02
aip01539	AIP	MMIST		ALUNC	
C. SHERIDAN		26OCT10		A1PXXR1002462	
	0.0 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01568  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 822  
 PART NO : F103D000-15 ~04577  
 ENGINEERING NAME : REG PRESS REDUCING  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS		-----									
TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN(DYS)	FROM	TO (OPTIONAL)		TRANS REFERENCE		USER	
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
26OCT10	01:47	Reception	History Record	0.0	Reception						
		0.0	AFHR		MMIST		MCS				XXxxXXxx
21NOV10	23:49	Change	Serviceability Stat	26.9	SERV						
		0.0	AFHR		U/S						XXxxXXxx
21NOV10	23:50	Change	Location of an Asse	26.9	MMIST						
		0.0	AFHR		AVOX						XXxxXXxx
24NOV10	06:48	Change	Serviceability Stat	2.2	A1PXXX1012967						
		0.0	AFHR		U/S						XXxxXXxx
		0.0	AFHR		SERV						XXxxXXxx
24NOV10	06:48	Change	Location of an Asse	2.2	AVOX						
		0.0	AFHR		MMIST						XXxxXXxx
25NOV10	21:54	Asset	Installation	30.9	A1PXXX1013151						
		0.0	AFHR		A23T	A1UNC		02			
					537		A23-037		A23T	A1UNC	02AC
		0.0	AFHR								XXxxXXxx
		Change	Serviceability Stat	1.6	SERV						
		Change	Location of an Asse	1.6	S/I						
					MMIST						
17OCT11	03:31	Change	Serviceability Stat	0.0	A23-037						
					S/I						
					US/I						
		237.9	AFHR		A1PXXJ1019528						XXxxXXxx
18OCT11	04:42	Asset	Removal	326.2	537		A23-037		A23T	A1UNC	02A
		237.9	AFHR		A23T	A1UNC		02			
											XXxxXXxx
		Change	Serviceability Stat	1.0	US/I						
		Change	Location of an Asse	326.2	U/S						
					A23-037						
26OCT11	00:31	Change	Serviceability Stat	7.8	AVOX						
					U/S						
					SERV						
		237.9	AFHR								XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01569  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 822  
 PART NO : F103D000-15  
 ENGINEERING NAME : REG PRESS REDUCING  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~04577

ASSET TRANSACTIONS		-----										
TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER				
LIFE SINCE NEW				-----								
26OCT11	00:32	Change	Location of an Asse	7.8	AVOX							
					STORES	MMI						
		237.9	AFHR		A1PXXX1109835			XXXXXXxx				
11NOV11	00:00	Asset	Installation	23.8	A23T		02	A23T	A1UNC	02AC		
		237.9	AFHR		510	A23-009		XXXXXXxx				
		Change	Serviceability Stat	15.9	SERV							
		Change	Location of an Asse	15.9	S/I	MMI						
		Change	Serviceability Stat	0.0	STORES							
08OCT12	00:47	Change	Serviceability Stat	0.0	A23-009							
		Change	Serviceability Stat	0.0	S/I							
		Change	Serviceability Stat	0.0	US/I							
08OCT12	02:34	Asset	Removal	332.1	A1PXXJ1115879		02	A23T	A1UNC	02A		
		582.8	AFHR		510	A23-009		XXXXXXxx				
		Change	Serviceability Stat	0.0	A23T		02	XXXXXXxx				
		Change	Serviceability Stat	0.0	US/I							
		Change	Location of an Asse	332.1	U/S							
		Change	Location of an Asse	332.1	A23-009							
11OCT12	06:55	Change	Serviceability Stat	3.1	AVOX							
		Change	Serviceability Stat	3.1	U/S							
		Change	Serviceability Stat	3.1	SERV							
11OCT12	06:55	Change	Location of an Asse	3.1	AVOX							
		Change	Location of an Asse	3.1	STORES	MMI						
		Change	Location of an Asse	3.1	A1PXXX1210434			XXXXXXxx				
15OCT12	04:50	Asset	Installation	7.0	A23T		02	A23T	A1UNC	02AC		
		582.8	AFHR		549	A23-048		XXXXXXxx				
		Change	Serviceability Stat	3.9	SERV							
		Change	Serviceability Stat	3.9	S/I							
		Change	Location of an Asse	3.9	STORES	MMI						
		Change	Location of an Asse	3.9	A23-048							
10OCT13	22:02	Change	Serviceability Stat	0.6	S/I							
		Change	Serviceability Stat	0.6	US/I							
		Change	Serviceability Stat	0.6	A1PXXJ1215584			XXXXXXxx				

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01570  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 822  
 PART NO : F103D000-15  
 ENGINEERING NAME : REG PRESS REDUCING  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~04577

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
11OCT13 00:17	Asset Removal	360.8	549 A23T A1UNC A23-048 02	A23T A1UNC 02A
	933.0 AFHR Change Serviceability Stat	0.0	US/I U/S	XXXXXXxx
	Change Location of an Asse	360.8	A23-048 STORES	
15OCT13 23:29	Change Location of an Asse	4.9	STORES AVOX	
	933.0 AFHR Change Serviceability Stat	11.0	A1PXXX1311210 U/S SERV	XXXXXXxx
22OCT13 01:53	Change Serviceability Stat	11.0	U/S SERV	XXXXXXxx
30OCT13 12:53	Asset Installation	19.5	A23T A1UNC A23-001 02	A23T A1UNC 02AC
	933.0 AFHR Change Serviceability Stat	8.4	SERV S/I	XXXXXXxx
	Change Location of an Asse	14.5	AVOX A23-001	
21OCT14 10:21	Change Serviceability Stat	1.2	S/I US/I	
	1137.9 AFHR Asset Removal	355.8	A1PXXJ1314449 032 A23T A1UNC A23-001 02	XXXXXXxx A23T A1UNC 02A
	1137.9 AFHR Change Serviceability Stat	0.0	US/I U/S	XXXXXXxx
	Change Location of an Asse	355.8	A23-001 AVOX	
31OCT14 02:29	Change Serviceability Stat	9.6	U/S SERV	
	1137.9 AFHR Change Location of an Asse	9.6	AVOX STORES MMI	XXXXXXxx
31OCT14 02:29	Change Location of an Asse	9.6	A1PXXX1412039	XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01571  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 822  
 PART NO : F103D000-15  
 ENGINEERING NAME : REG PRESS REDUCING  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~04577

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
21NOV14 00:59	Asset Installation	30.6	A23T A1UNC 544	02 A23T A1UNC 02AC
	1137.9 AFHR Change Serviceability Stat	20.9	SERV S/I	XXxxXXxx
	Change Location of an Asse	20.9	STORES A23-044	MMI
22OCT15 09:24	Change Serviceability Stat	0.0	S/I US/I	
	1265.1 AFHR Asset Removal	335.4	A1PXXJ1418937 544	XXxxXXxx A23T A1UNC 02A
	1265.1 AFHR Change Serviceability Stat	0.0	A23T A1UNC	02 XXxxXXxx
	Change Location of an Asse	71.0	US/I U/S A23-044	
26NOV15 07:16	Change Venue of an Asset	1857.3	STORES AIP	
	1265.1 AFHR Change Location of an Asse	34.8	NONC2CONT A1PXXX1511105	XXxxXXxx
14JUL16 23:55	Change Serviceability Stat	266.5	HOLD U/S SERV	
	1265.1 AFHR Change Venue of an Asset	237.7	NONC2CONT AIP	XXxxXXxx
	1265.1 AFHR Maintenance Comment	0.0	NONC2X1608054	XXxxXXxx
	Change Location of an Asse	237.7	OH ON 14JUL16. MOVED TO AIP PEA.	
21JUL16 02:35	Change Serviceability Stat	6.1	HOLD STORES	
	1265.1 AFHR		SERV U/S	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01572  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 822  
 PART NO : F103D000-15  
 ENGINEERING NAME : REG PRESS REDUCING  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~04577

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
12AUG16 03:21	Change Serviceability Stat	22.0	U/S SERV	
	1265.1 AFHR			XXXXXXxx
12AUG16 03:22	Change Location of an Asse	22.0	STORES STORES MMI	
	1265.1 AFHR		A1PXXX1607589	XXXXXXxx
29AUG16 07:19	Asset Installation	311.8	A23T A1UNC 02	
	1265.1 AFHR		A23-004	A23T A1UNC 02AC
	Change Serviceability Stat	17.1	SERV S/I	XXXXXXxx
	Change Location of an Asse	17.1	STORES A23-004 MMI	
03JUL17 00:04	Change Serviceability Stat	12.6	S/I US/I	
	1595.6 AFHR		A1PXXJ1518445	XXXXXXxx
05JUL17 02:12	Asset Removal	309.7	A23T A1UNC 02	
	1595.6 AFHR			XXXXXXxx
	Change Serviceability Stat	2.0	US/I U/S	
	Change Location of an Asse	309.7	A23-004 STORES	
19JUL17 07:03	Change Serviceability Stat	14.2	U/S SERV	
	1595.6 AFHR			XXXXXXxx
19JUL17 07:04	Change Location of an Asse	14.2	STORES STORES MMI	
	1595.6 AFHR		A1PXXX1711404	XXXXXXxx
20JUL17 03:37	Asset Installation	15.0	A23T A1UNC 02	
	1595.6 AFHR		A23-049	A23T A1UNC 02AC
	Change Serviceability Stat	0.8	SERV S/I	XXXXXXxx
	Change Location of an Asse	0.8	STORES A23-049 MMI	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01573  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 822  
 PART NO : F103D000-15  
 ENGINEERING NAME : REG PRESS REDUCING  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~04577

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
06JUL18 06:29	Change Serviceability Stat	1.9	S/I US/I	
	1912.4 AFHR		A1PXXJ1714020	XXxxXXxx
24JUL18 23:48	Asset Removal	369.8	550 A23T A1UNC	A23T A1UNC 02A
	1912.4 AFHR			XXxxXXxx
	Change Serviceability Stat	18.7	US/I	
	Change Location of an Asse	369.8	U/S A23-049 STORES	
05SEP18 04:31	Change Serviceability Stat	42.1	U/S SERV	
	1912.4 AFHR			XXxxXXxx
05SEP18 04:32	Change Location of an Asse	42.1	STORES STORES	
	1912.4 AFHR		A1PXXX1808831 MMI	XXxxXXxx
06SEP18 01:00	Asset Installation	43.0	A23T A1UNC	A23T A1UNC 02AC
	1912.4 AFHR		524 A23-024	XXxxXXxx
	Change Serviceability Stat	0.8	SERV	
	Change Location of an Asse	0.8	S/I STORES A23-024	MMI
05SEP19 09:56	Change Serviceability Stat	0.0	S/I	
	2116.3 AFHR		US/I A1PXXJ1814709	XXxxXXxx
05SEP19 12:28	Asset Removal	364.4	524 A23T A1UNC	A23T A1UNC 02A
	2116.3 AFHR			XXxxXXxx
	Change Serviceability Stat	0.1	US/I	
	Change Location of an Asse	364.4	U/S A23-024	
18SEP19 04:30	Change Serviceability Stat	12.6	AVOX U/S SERV	
	2116.3 AFHR			XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01574  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 822  
 PART NO : F103D000-15 -04577  
 ENGINEERING NAME : REG PRESS REDUCING  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS		LIFE SINCE NEW		SPAN(DYS) FROM		TO (OPTIONAL)		USER	
TRANSACTION D/T	CHANGE TYPE					TRANS REFERENCE			
18SEP19 04:31	Change Location of an Asse	2116.3	AFHR	12.6		AVOX STORES	MMI		
24SEP19 06:00	Asset Installation	2116.3	AFHR	18.7		A1PXXX1908621		XXxxXXxx	
	Change Serviceability Stat			6.0		A23T A1UNC	02	A23T A1UNC	02AC
	Change Location of an Asse			6.0		533	A23-033	XXxxXXxx	
						SERV S/I			
						STORES	MMI		
						A23-033			

MMI JOBS									
JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS		
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW			
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS		UNSERVICEABILITY DETAILS					
MAINT PROCESS	UNSERVICEABILITY	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT					
FAULT FOUND	MAINTENANCE ACTION TAKEN								
A1PXXJ1021503	C COMPLETED	21NOV10 23:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP			
	24NOV10 06:48	21NOV10 23:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	0.0	AFHR		
16 PRE-INSTALLATION MAINT				PIC REQUIRED ON SERIAL 822					
01 NO FAULT	04 CHECK/TEST SERV	Unserviceability Details:		PIC C/O IAW AAP 7551.002-3M					
		Maintenance Comments:							
A1PXXJ1019528	C COMPLETED	18OCT11 04:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP			
	26OCT11 00:31	17OCT11 03:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	237.9	AFHR		
02 BAY SERVICE DUE				BS due on Serial 822					
				REG PRESS REDUCING at WAC 0640					
01 NO FAULT	06 BAY SERVICE	Unserviceability Details:		B/S C/O IAW AAP 7551.105-3M REFER LSN 6042/11					
		Maintenance Comments:							

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
=====	=====	=====	=====	=====	=====	=====
SM	BS	1.0	ELPYR			26OCT11



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 01575  
08JAN20  
23:16:15

SERIAL/TAIL NO : 822  
PART NO : F103D000-15 ~04577  
ENGINEERING NAME : REG PRESS REDUCING  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJ1115879 C COMPLETED 08OCT12 02:34 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
11OCT12 06:55 08OCT12 00:47 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 582.8 AFHR  
02 BAY SERVICE DUE BS due on Serial 822  
REG PRESS REDUCING at WAC 0640  
01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: B/S C/O IAW AAP 7551.105-3M(AM1) REFER LSN AIP OXY129/12

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			25OCT12

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJ1215584 C COMPLETED 11OCT13 00:17 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
22OCT13 01:53 10OCT13 22:02 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 933.0 AFHR  
02 BAY SERVICE DUE BS due on Serial 822  
REG PRESS REDUCING at WAC 0640  
01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: B/S C/O IAW AAP 7551.105-3M REFER LSN AIP OXY 179/13

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			11OCT13
SM	BS	1.0	ELPYR			11OCT13

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 01576  
08JAN20  
23:16:15

SERIAL/TAIL NO : 822  
PART NO : F103D000-15 ~04577  
ENGINEERING NAME : REG PRESS REDUCING  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

=====  
A1PXXJ1314449 C COMPLETED 21OCT14 10:21 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
31OCT14 02:29 21OCT14 10:21 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 1137.9 AFHR  
02 BAY SERVICE DUE BS due on Serial 822  
REG PRESS REDUCING at WAC 0640  
01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: B/S C/O IAW AAP 7551.105-3M REFER LSN AIP OXY 200/14

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			22OCT14
SM	BS	1.0	ELPYR			22OCT14

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

=====  
A1PXXJ1019529 C COMPLETED 25NOV15 00:51 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP NONC2CONT  
14JUL16 23:55 25NOV15 00:51 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 1265.1 AFHR  
03 OVERHAUL DUE OH due on Serial 822  
REG PRESS REDUCING at WAC 0640  
01 NO FAULT 07 OVERHAUL  
Unserviceability Details:  
Maintenance Comments: O/H C/O IAW AAP 7551.105-3M REFER LSN COAM 14250/16 ARC  
AIP19870

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	5.0	ELPYR			25OCT15
SM	OH	5.0	ELPYR			25OCT15

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 01577  
08JAN20  
23:16:15

SERIAL/TAIL NO : 822  
PART NO : F103D000-15 ~04577  
ENGINEERING NAME : REG PRESS REDUCING  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJ1615693	C COMPLETED	21JUL16 02:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
	12AUG16 03:21	21JUL16 02:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		1265.1	AFHR
16	PRE-INSTALLATION MAINT	26	PRE-INSTALLATION MAINTENANCE	PIC CHECKS REQ			
01	NO FAULT	06	CHECK/TEST SERV				

Unserviceability Details: PIC CHECKS  
Maintenance Comments: PIC C/O IAW AAP 7551.105-3M REFER LSN AIP MCS 779/16

A1PXXJ1518445	C COMPLETED	05JUL17 02:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
	19JUL17 07:03	03JUL17 00:04	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		1595.6	AFHR
02	BAY SERVICE DUE			BS due on Serial 822			
				REG PRESS REDUCING at WAC 0640			

01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: B/S C/O IAW AAP 7551.105-3M REFER LSN AIP MCS 929/17

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			14JUL17
SM	BS	1.0	ELPYR			14JUL17

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJ1714020	C COMPLETED	24JUL18 23:48	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
	05SEP18 04:31	06JUL18 06:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		1912.4	AFHR
02	BAY SERVICE DUE			BS due on Serial 822			
				REG PRESS REDUCING at WAC 0640			

01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: B/S C/O IAW AAP 7551.105-3M REFER LSN AIP MCS 1007/18

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01578  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 822  
 PART NO : F103D000-15 ~04577  
 ENGINEERING NAME : REG PRESS REDUCING  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			19JUL18
SM	BS	1.0	ELPYR			19JUL18

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJ1814709 C COMPLETED 05SEP19 12:28 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 18SEP19 04:30 05SEP19 09:56 XXxxXXxx XXxxXXxxXXxxXXxx AIP 2116.3 AFHR  
 02 BAY SERVICE DUE BS due on Serial 822  
 REG PRESS REDUCING at WAC 0640  
 01 NO FAULT 06 BAY SERVICE  
 Unserviceability Details:  
 Maintenance Comments: B/S C/O IAW AAP 7551.105-3M REFER LSN AIP MCS 855/19

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			05SEP19
SM	BS	1.0	ELPYR			05SEP19

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

SERIAL/TAIL NO : 822  
PART NO : F103D000-15 ~04577 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : REG PRESS REDUCING  
VENUE : A23DISP LOCATION : A23-033

MAINTENANCE POLICY HISTORY			
POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	USER ID
CHANGE DETAILS			
21JUL16 02:15	SM Claimed	BS	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01580  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 88602  
 PART NO : 85020-8  
 ENGINEERING NAME : SEPARATOR WATER  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

~99193

PERIOD: 01JAN90 TO 08JAN20

LOCATION : A23-033  
 LIFE SINCE NEW : 8745.3 AFHR

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
				LIFE SINCE NEW				
01SEP03	08:41	Maintenance	Comment	3.0	06Jun03	A23-025	01.30 5061.6 5061.6	AFHR UPDATED LIFE (MPMI)
		0.0	AFHR					XXXXXXxx
01SEP03	08:42	Maintenance	Comment	3.0	11Apr00	A23-025	01.30 3891.3 3891.3	AFHR 02-BS DUE LA08720
		0.0	AFHR					XXXXXXxx
01SEP03	08:42	Maintenance	Comment	3.0	30Oct89	NEW - 88602	85020-8 1830-00-00-E	
		0.0	AFHR					XXXXXXxx
01SEP03	08:43	Maintenance	Comment	3.0	26Jul01	A23-025	01.30 4389.6 4389.6	AFHR IN AS A23T 1830-00-00-E
		0.0	AFHR					XXXXXXxx
01SEP03	08:43	Maintenance	Comment	3.0	24Sep02	A23-025	01.30 4888.5 4888.5	AFHR IN AS A23T 1830-00-00-E
		0.0	AFHR					XXXXXXxx
01SEP03	08:43	Maintenance	Comment	3.0				
		0.0	AFHR					XXXXXXxx
01SEP03	08:44	Maintenance	Comment	3.0	29Aug03	A23-025	01.30 5138.4	AFHR TX TO CAMM2
		0.0	AFHR					XXXXXXxx
01SEP03	08:45	Maintenance	Comment	3.0	24Sep02	A23-025	01.30 4888.5 4888.5	AFHR 02-BS DUE LE28237
		0.0	AFHR					XXXXXXxx
01SEP03	08:46	Maintenance	Comment	3.0	11Apr00	A23-025	01.30 3891.3 3891.3	AFHR IN AS A23T 1830-00-00-E
		0.0	AFHR					XXXXXXxx
01SEP03	08:46	Maintenance	Comment	3.0	11Apr00	2FTINTMH		FF: 01-NIL MA: 06-BS
		0.0	AFHR					XXXXXXxx
01SEP03	08:46	Maintenance	Comment	3.0	24Sep02	2FTINTMH		FF: 01-NIL MA: 06-BS
		0.0	AFHR					XXXXXXxx
01SEP03	08:49	Maintenance	Comment	3.0	26Jul01	2FTINTMH		FF: 01-NIL MA: 06-BS
		0.0	AFHR					XXXXXXxx
01SEP03	08:50	Maintenance	Comment	3.0	26Jul01	A23-025	01.30 4389.6 4389.6	AFHR 02-BS DUE LC19365
		0.0	AFHR					XXXXXXxx
24MAY04	06:20	Asset Removal		268.9	A23-025			A23T A0Y 00 00A
		5438.4	AFHR					XXXXXXxx
		Change Serviceability Stat		10.0	S/I			
		Change Location of an Asse		xxxx	U/S	A23-025		
					INTMH			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01581  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 88602  
 PART NO : 85020-8  
 ENGINEERING NAME : SEPARATOR WATER  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~99193

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN (DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
25MAY04 02:01	Change Serviceability Stat	0.8	U/S SERV	
25MAY04 02:02	Asset Installation	0.8	A23T A23-025 A0Y	XXXXXXxx
	Change Serviceability Stat	0.0	SERV S/I INTMH A23-025 A23T A0Y	XXXXXXxx 0 A
01DEC04 04:39	Asset Removal	190.1	A23T A23-025 A0Y	00A
	Change Serviceability Stat	19.9	S/I U/S A23-025 HG122 U/S SERV	XXXXXXxx
01DEC04 04:59	Change Serviceability Stat	0.0	U/S SERV	
18JAN05 23:52	Asset Installation	48.8	A23T A23-025 A0Y	XXXXXXxx
	Change Serviceability Stat	48.7	SERV S/I HG122 A23-025 A23T A0Y	XXXXXXxx 00AC
21MAR07 10:40	Asset Removal	791.4	A23T A23-025 A0Y	00A
	Change Serviceability Stat	0.4	S/I U/S A23-025 INTMH	XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01582  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 88602  
 PART NO : 85020-8  
 ENGINEERING NAME : SEPARATOR WATER  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~99193

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN (DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
21MAR07 10:40	Change Serviceability Stat	0.0	U/S SERV	
	6237.6 AFHR			XXXXXXxx
21MAR07 22:18	Asset Installation	0.4	A23T A23-025	A0Y A23-025 00 A23T A0Y 00AC
	6237.6 AFHR			XXXXXXxx
	Change Serviceability Stat	0.4	SERV S/I	
	Change Location of an Asse	0.4	INTMH A23-025	
28AUG07 03:39	Asset Removal	159.2	A23-025 A23T	A0Y A23-025 00 A23T A0Y 00A
	6446.5 AFHR			XXXXXXxx
	Change Serviceability Stat	19.0	S/I U/S	
	Change Location of an Asse	159.2	A23-025 INTMH	
28AUG07 03:40	Change Serviceability Stat	0.0	U/S SERV	
	6446.5 AFHR			XXXXXXxx
10SEP07 11:52	Asset Installation	13.3	A23T A23-025	A0Y A23-025 00 A23T A0Y 00AC
	6446.5 AFHR			XXXXXXxx
	Change Serviceability Stat	13.3	SERV S/I	
	Change Location of an Asse	13.3	INTMH A23-025	
12NOV09 22:33	Asset Removal	794.4	A23-025 A23T	A0Y A23-025 00 A23T A0Y 00A
	7233.0 AFHR			XXXXXXxx
	Change Serviceability Stat	14.6	S/I U/S	
	Change Location of an Asse	794.4	A23-025 INTMH	



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01583  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 88602  
 PART NO : 85020-8  
 ENGINEERING NAME : SEPARATOR WATER  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~99193

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN (DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
12NOV09 22:33	Change Serviceability Stat	0.0	U/S SERV	
	7233.0 AFHR			XXxxXXxx
12NOV09 23:31	Asset Installation	0.0	A23T A23-025 A0Y A23-025	A23T A0Y 00AC
	7233.0 AFHR			XXxxXXxx
	Change Serviceability Stat	0.0	SERV S/I	
	Change Location of an Asse	0.0	INTMH A23-025	
26JUN12 13:45	Asset Removal	956.5	A23-025 A23T A0Y	A23T A0Y 00A
	7785.4 AFHR			XXxxXXxx
	Change Serviceability Stat	4.2	S/I U/S	
	Change Location of an Asse	956.5	A23-025 OPMH	
26JUN12 13:46	Change Serviceability Stat	0.0	U/S SERV	
	7785.4 AFHR			XXxxXXxx
28JUN12 05:06	Change Serviceability Stat	1.6	SERV U/S	
	7785.4 AFHR		A1PXXU1208232	XXxxXXxx
	Estimated Date/Time Servic	735047.7	SERV STAT	
28JUN12 05:06	Change Serviceability Stat	0.0	SERV STAT U/S	
	7785.4 AFHR		SERV	XXxxXXxx
28JUN12 23:34	Change Venue of an Asset	3226.6	AIP NONC2CONT	
	7785.4 AFHR		A1PXXX1206301	XXxxXXxx
	Change Location of an Asse	2.4	OPMH HOLD	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01584  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 88602  
 PART NO : 85020-8  
 ENGINEERING NAME : SEPARATOR WATER  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~99193

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
01SEP15 00:55	Change Venue of an Asset	1159.0	NONC2CONT AIP	
	7785.4 AFHR Maintenance Comment	0.0	NONC2X1509572	XXxxXXxx
	Change Location of an Asse	1159.0	REPAIRED AT HONEYWEKK UK ON 14JUL15 MOVED TO AIP	
13APR16 03:50	Asset Installation	1386.5	HOLD STORES A23T A0Y	
	7785.4 AFHR Change Serviceability Stat	1384.9	A23-033 A23-033	A23T A0Y XXxxXXxx
	Change Location of an Asse	225.1	SERV S/I STORES A23-033	
27MAR18 03:37	Asset Removal	712.9	A23-033 A23T A0Y	
	8273.7 AFHR Change Serviceability Stat	145.0	A23-033	00 A23T A0Y XXxxXXxx
	Change Location of an Asse	712.9	SERV S/I U/S A23-033 HG122	
27MAR18 03:40	Change Serviceability Stat	0.0	U/S SERV	
27MAR18 03:41	Asset Installation	0.0	8273.7 AFHR A23T A0Y	XXxxXXxx
	8273.7 AFHR Change Serviceability Stat	0.0	A23-033	A23T A0Y XXxxXXxx
	Change Location of an Asse	0.0	SERV S/I HG122 A23-033	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 88602  
 PART NO : 85020-8 ~99193 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : SEPARATOR WATER  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1208232	COMPLETED	14JUL15 04:00	7785.4	AFHR	SCM	XXXXXXXXXX
28JUN12 05:06	XXXXXXXX	XXXXXXXXXX	AIP			
28JUN12 05:07	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
		SPRING FOUND TO BE RUSTY ON WATER SEPERATOR				14JUL15 04:00
						XXXXXXXXXX

Maint Acts: ITEM REPAIRED IAW AAP 7278.265-3M AL0 REF HONEYWELL COC 8004561215

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					
A1PXXJY409800	C COMPLETED	24MAY04 06:20	XXXXXXXX	XXXXXXXXXX	AIP	AIP	
	25MAY04 02:01					5438.4	AFHR
13 REMOVED FOR ACCESS	99 NO FAILURE		S46		due on Serial A23-025		
			PC-9		at WAC 0000		
01 NO FAULT	04 CHECK/TEST SERV						
	Unserviceability Details:						
	Maintenance Comments:		S46	SERV C/O IAW 7212-007-02			
A1PXXJY423366	C COMPLETED	01DEC04 04:59	XXXXXXXX	XXXXXXXXXX	AIP	AIP	
	01DEC04 04:59					5670.5	AFHR
13 REMOVED FOR ACCESS	99 NO FAILURE		7212.007-219		due on Serial A23-025		
			PC-9		at WAC 0000		
01 NO FAULT	04 CHECK/TEST SERV						
	Unserviceability Details:						
	Maintenance Comments:			WATER SEP CHECK TEST SERV.			
A1PXXJY705771	C COMPLETED	21MAR07 10:40	XXXXXXXX	XXXXXXXXXX	AIP	AIP	
	21MAR07 10:40	21MAR07 10:40	XXXXXXXX	XXXXXXXXXX	AIP	6237.6	AFHR
13 REMOVED FOR ACCESS	99 NO FAILURE		S48		due on Serial A23-025		
			PC-9		at WAC 0000		
01 NO FAULT	04 CHECK/TEST SERV						
	Unserviceability Details:						
	Maintenance Comments:			CHECK/TEST SERV			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : 88602  
PART NO : 85020-8 ~99193 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : SEPARATOR WATER  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

-----  
JOB NUMBER STATUS RAISED DATE/TIME RAISED USER ID RAISED NAME RAISED VENUE CERT VENUE EPSS  
DEFECT REF STATUS DATE/TIME ENTERED DATE/TIME ENTERED USER ID ENTERED NAME ENTERED VENUE LIFE SINCE NEW  
REASON FOR REPORT WHEN FAILURE DISCOVERED SYMPTOMS  
MAINT PROCESS UNSERVICEABILITY UNSERVICEABILITY DETAILS  
FAULT FOUND MAINTENANCE ACTION TAKEN MAINTENANCE COMMENT  
=====

A1PXXJY716485 C COMPLETED 28AUG07 03:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
28AUG07 03:40 28AUG07 03:40 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 6446.5 AFHR  
13 REMOVED FOR ACCESS 99 NO FAILURE WATER SEPARATOR RFA

01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV

A1PXXJY924303 C COMPLETED 12NOV09 22:33 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
12NOV09 22:33 12NOV09 22:33 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 7233.0 AFHR  
13 REMOVED FOR ACCESS 99 NO FAILURE S46 due on Serial A23-025  
PC-9 at WAC 0000

01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV

A1PXXJ1209247 C COMPLETED 26JUN12 13:45 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
26JUN12 13:46 26JUN12 13:45 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 7785.4 AFHR  
13 REMOVED FOR ACCESS 99 NO FAILURE LOWER FIXED COWL RFA

01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV

A1PXXJ1805181 C COMPLETED 27MAR18 03:37 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
27MAR18 03:40 27MAR18 03:38 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 8273.7 AFHR  
13 REMOVED FOR ACCESS 99 NO FAILURE S46 due on Serial A23-033  
PC-9 at WAC 0000

01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01587  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 89100322  
 PART NO : 185.134-1 ~34830  
 ENGINEERING NAME : INDIC TRIPLE TRIM  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 9545.2 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T		CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
01SEP03	03:56	Maintenance Comment	0.0 AFHR	2.8	29Nov93 MNTPC9AV FF: 01-NIL Camm LOG00005	MA: 04-CHK/TST XXXXXXxx
01SEP03	03:56	Maintenance Comment	0.0 AFHR	2.8	05Apr94 MNTPC9AV FF: 01-NIL Camm LOG00008	MA: 04-CHK/TST XXXXXXxx
01SEP03	03:57	Maintenance Comment	0.0 AFHR	2.8	21May92 A23-033 05.3 795.2 Camm LOG00002	0.0 AFHR REM SVC TO A23-033 XXXXXXxx
01SEP03	03:57	Maintenance Comment	0.0 AFHR	2.8	29Nov93 A23-033 07.4 1398.6 Camm LOG00004	0.0 AFHR 13-REMACCES RP32914 XXXXXXxx
01SEP03	04:04	Maintenance Comment	0.0 AFHR	2.8	29Aug03 A23-033 07.40 4770.4 AFHR Camm LOG00014	TX TO CAMM2 XXXXXXxx
01SEP03	04:04	Maintenance Comment	0.0 AFHR	2.8	21May92 A23-033 07.4 795.2 Camm LOG00003	0.0 AFHR IN AS A23T 1275-00-00-C XXXXXXxx
01SEP03	04:05	Maintenance Comment	0.0 AFHR	2.8	08Mar94 A23-033 07.4 1398.6 Camm LOG00006	0.0 AFHR IN AS A23T 1275-00-00-C XXXXXXxx
01SEP03	04:06	Maintenance Comment	0.0 AFHR	2.8	13Apr94 A23-033 07.4 1429.1 Camm LOG00009	0.0 AFHR IN AS A23T 1275-00-00-C XXXXXXxx
01SEP03	04:07	Maintenance Comment	0.0 AFHR	2.8	26Jul90 A23-033 05.3 0.0 Camm LOG00001	0.0 AFHR ^^^^RECEPTION XXXXXXxx
01SEP03	04:07	Maintenance Comment	0.0 AFHR	2.8	01Oct89 NEW - 89100322 185.134-1 Camm LOG00013	1275-00-00-C XXXXXXxx
01SEP03	04:11	Maintenance Comment	0.0 AFHR	2.8	02Sep97 A23-033 07.4 2619.5 Camm LOG00010	0.0 AFHR UPDATED LIFE (MIUP) XXXXXXxx
01SEP03	04:11	Maintenance Comment	0.0 AFHR	2.8	CURRENT LIFE: OLD = 2618.5 AFHR Camm LOG00011	NEW = 2619.5 AFHR XXXXXXxx
01SEP03	04:11	Maintenance Comment	0.0 AFHR	2.8	23Apr98 A23-033 07.4 2946.0 Camm LOG00012	0.0 AFHR UPDATED LIFE (MPMI) XXXXXXxx
01SEP03	04:12	Maintenance Comment	0.0 AFHR	2.8	05Apr94 A23-033 07.4 1429.1 Camm LOG00007	0.0 AFHR 13-REMACCES RP45933 XXXXXXxx
29SEP10	06:34	Asset Removal	7082.8 AFHR	2587.9	533 A23-033 A23T ALUGM 00	A23T ALUGM 00A XXXXXXxx
		Change Serviceability Stat		33.9	S/I SERV	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01588  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 89100322  
 PART NO : 185.134-1 ~34830  
 ENGINEERING NAME : INDIC TRIPLE TRIM  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
29SEP10 06:36	Asset Installation	0.0	A23T A1UGM 533 A23-033	00 A23T A1UCE 00AC XXxxXXxx
	7082.8 AFHR Change Serviceability Stat	0.0	SERV S/I	
29SEP10 06:38	Maintenance Comment	0.0	S/NO R & I TO REFLECT PHYSICAL LOCATION	
	7082.8 AFHR		A1PXXX1010544	XXxxXXxx
19MAY15 02:44	Asset Removal	1692.8	533 A23-033	A23T A1UCE 00A XXxxXXxx
	8270.7 AFHR Change Serviceability Stat	53.7	A23T A1UCE	
	Change Location of an Asse	xxxx	S/I U/S A23-033	
19MAY15 02:45	Change Serviceability Stat	0.0	INTMH U/S SERV	
	8270.7 AFHR			XXxxXXxx
26JUN15 02:20	Asset Installation	37.9	A23T A1UCE 533 A23-033	00 A23T A1UCE 00AC XXxxXXxx
	8270.7 AFHR Change Serviceability Stat	37.9	SERV S/I	
	Change Location of an Asse	37.9	INTMH A23-033	

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS		UNSERVICEABILITY DETAILS			
MAINT PROCESS	UNSERVICEABILITY	MAINTENANCE COMMENT					
FAULT FOUND	MAINTENANCE ACTION TAKEN						
=====							
A1PXXJ1507704	C COMPLETED	19MAY15 02:44	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	19MAY15 02:45	19MAY15 02:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	8270.7 AFHR	
13 REMOVED FOR ACCESS	99 NO FAILURE	FRONT C/PT IND TRIPLE TRIM RFA					
01 NO FAULT	04 CHECK/TEST SERV	Unserviceability Details: CHECK/TEST SERV Maintenance Comments:					

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01589  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 895  
 PART NO : 51538-002 A ~31435  
 ENGINEERING NAME : REGULATOR VOLTAGE  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 7818.1 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
01SEP03	09:43	Maintenance Comment		0.0 AFHR	3.0	31Oct00	A23-026	01.30 3986.2	0.0 AFHR 13-REMACCES LB06869
01SEP03	09:44	Maintenance Comment		0.0 AFHR	3.0	22Jul98	2FTINTMH	FF: 01-NIL	XXXXXXxx MA: 04-CHK/TST
01SEP03	09:44	Maintenance Comment		0.0 AFHR	3.0	06Nov00	A23-026	01.30 3986.2	0.0 AFHR IN AS A23T 1851-00-00-D
01SEP03	09:49	Maintenance Comment		0.0 AFHR	3.0	01Dec97	A23-026	01.3 2737.7	0.0 AFHR IN AS A23T 1851-00-00-D
01SEP03	09:51	Maintenance Comment		0.0 AFHR	3.0	21Nov97	2FTINTMH	FF: 01-NIL	XXXXXXxx MA: 04-CHK/TST
01SEP03	09:51	Maintenance Comment		0.0 AFHR	3.0	30Jul98	A23-026	01.3 2987.6	0.0 AFHR IN AS A23T 1851-00-00-D
01SEP03	09:53	Maintenance Comment		0.0 AFHR	3.0	29Apr98	A23-026	01.3 2888.9	0.0 AFHR UPDATED LIFE (MPMI)
01SEP03	09:53	Maintenance Comment		0.0 AFHR	3.0	15Mar90	NEW - 895	51538-002 A	1851-00-00-D
01SEP03	09:53	Maintenance Comment		0.0 AFHR	3.0	22Jul98	A23-026	01.3 2987.6	0.0 AFHR 13-REMACCES LW88803
01SEP03	09:53	Maintenance Comment		0.0 AFHR	3.0	31Oct00	2FTINTMH	FF: 01-NIL	XXXXXXxx MA: 04-CHK/TST
01SEP03	09:53	Maintenance Comment		0.0 AFHR	3.0	29Aug03	A23-026	01.30 4970.6 AFHR	TX TO CAMM2
25JAN06	06:06	Asset Removal		5401.9 AFHR	879.9	A23-026	A23-026	00	A23T A14 00A
		Change Serviceability Stat		0.1		S/I			XXXXXXxx
		Change Location of an Asse		xxxx		U/S			
26JAN06	22:11	Change Location of an Asse		1.6		A23-026			
		Maintenance Comment		0.0		EXTERNAL			
						QNF			
						A1PXXXY600659			XXXXXXxx
						QNF PENDING ASOR RELEASE			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01590  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 895  
 PART NO : 51538-002 A ~31435  
 ENGINEERING NAME : REGULATOR VOLTAGE  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
28FEB06 05:03	Change Venue of an Asset	913.8	AIP NONC2CONT	
	5401.9 AFHR Change Location of an Asse	32.2	A1PXXXY601532 QNF HOLD	XXxxXXxx
09MAY06 06:45	Change Serviceability Stat	104.0	U/S SERV	
	5401.9 AFHR Change Venue of an Asset	197.7	NONC2CONT AIP	XXxxXXxx
14SEP06 00:00	Change Location of an Asse	197.7	NONC2XY608877 HOLD MMIST	XXxxXXxx
22AUG07 05:27	Asset Installation	573.9	A23T A14 A23-001 A23-001 00	A23T A14 XXxxXXxx 00AC
	5401.9 AFHR Change Serviceability Stat	469.9	SERV S/I	
	Change Location of an Asse	342.2	MMIST A23-001	
04OCT07 02:55	Asset Removal	42.8	A23-001 A23T A14 A23-001 00	A23T A14 XXxxXXxx 00A
	5483.5 AFHR Change Serviceability Stat	0.0	S/I U/S	
	Change Location of an Asse	42.8	A23-001 OPMH	
04OCT07 02:58	Change Serviceability Stat	0.0	U/S SERV	
	5483.5 AFHR Change Location of an Asse	53.9	OPMH MMIST	XXxxXXxx
27NOV07 02:16	Change Location of an Asse	53.9	A1PXXXY710656	XXxxXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01591  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 895  
 PART NO : 51538-002 A ~31435  
 ENGINEERING NAME : REGULATOR VOLTAGE  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
11JUN08 01:03	Asset Installation	250.9	A23T A14 A23-018	00 A23T A14 XXXXXXxx
	5483.5 AFHR Change Serviceability Stat	250.9	SERV S/I	
	Change Location of an Asse	196.9	MMIST A23-018	
11JUN08 01:20	Asset Removal	0.0	A23-018 A23T A14	00 A23T A14 XXXXXXxx
	5483.5 AFHR Change Serviceability Stat	0.0	S/I	
11JUN08 01:21	Asset Installation	0.0	A23T A14 A23-018	00 A23T A14 XXXXXXxx
	5483.5 AFHR Change Serviceability Stat	0.0	SERV S/I	
11JUN08 01:22	Asset Removal	0.0	A23-018 A23T A14	00 A23T A14 XXXXXXxx
	5483.5 AFHR Change Serviceability Stat	0.0	S/I	
11JUN08 01:23	Change Location of an Asse	0.0	SERV A23-018	
	5483.5 AFHR		OPMH A1PXXXY805120	XXXXXXxx
11JUN08 01:25	Asset Installation	0.0	A23T A14 A23-018	00 A23T A14 XXXXXXxx
	5483.5 AFHR Change Serviceability Stat	0.0	SERV S/I	
	Change Location of an Asse	0.0	OPMH A23-018	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01592  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 895  
 PART NO : 51538-002 A ~31435  
 ENGINEERING NAME : REGULATOR VOLTAGE  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
28JUL08 23:58	Asset Removal	47.9	A23-018 A23T A14	A23T A14 00A
	5543.7 AFHR Change Serviceability Stat	0.5	S/I U/S	XXXXXXxx
	Change Location of an Asse	47.9	A23-018	
04AUG08 02:08	Change Location of an Asse	6.0	MMIST MMIST	QUARANTINE
	5543.7 AFHR Change Serviceability Stat	59.1	A1PXXXY807085 U/S SERV	XXXXXXxx
26SEP08 03:43	Change Location of an Asse	53.0	MMIST MMIST	QUARANTINE
	5543.7 AFHR Asset Installation	217.2	A1PXXXY808979 A23T A14 A23-024	XXXXXXxx 00 A23T A14 00AC
	5543.7 AFHR Change Serviceability Stat	158.0	SERV S/I	XXXXXXxx
	Change Location of an Asse	158.0	MMIST A23-024	
26FEB10 02:31	Asset Removal	359.8	A23-024 A23T A14	A23T A14 00A
	5945.2 AFHR Change Serviceability Stat	9.0	S/I U/S	XXXXXXxx
	Change Location of an Asse	120.1	A23-024	
03MAR10 02:07	Change Venue of an Asset	125.0	MMIST AIP NONC2CONT	
	5945.2 AFHR Change Location of an Asse	4.9	A1PXXX1002374 MMIST HOLD	XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01593  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 895  
 PART NO : 51538-002 A ~31435  
 ENGINEERING NAME : REGULATOR VOLTAGE  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
22SEP11 02:38	Change Serviceability Stat	573.0	U/S SERV	
	5945.2 AFHR			XXxxXXxx
10APR12 02:40	Change Venue of an Asset	769.0	NONC2CONT 4SQN	
	5945.2 AFHR		NONC2X1203809	XXxxXXxx
	Change Location of an Asse	769.0	HOLD HANGAR_RACKS	
10APR12 03:17	Change Serviceability Stat	201.0	SERV U/S	
	5945.2 AFHR			XXxxXXxx
18JUN12 03:24	Change Venue of an Asset	69.0	4SQN AIE	
	5945.2 AFHR		4SQNXX1201368	XXxxXXxx
	Change Location of an Asse	69.0	HANGAR_RACKS	
			HOLD	
20SEP12 06:22	Change Venue of an Asset	94.1	AIE NONC2CONT	
	5945.2 AFHR		A1EXXX1301140	XXxxXXxx
	Change Location of an Asse	94.1	HOLD	
			HOLD	
25SEP12 05:10	Change Serviceability Stat	168.0	U/S SERV	
	5945.2 AFHR			XXxxXXxx
01MAY13 06:29	Change Venue of an Asset	223.0	NONC2CONT AIP	
	5945.2 AFHR		NONC2X1304104	XXxxXXxx
	Maintenance Comment	0.0	REPAIRED AT ANZ ON 25SEP12 AND MOVED TO AIP	
	Change Location of an Asse	223.0	HOLD STORES	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01594  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 895  
 PART NO : 51538-002 A ~31435  
 ENGINEERING NAME : REGULATOR VOLTAGE  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS		-----									
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)		FROM	TO (OPTIONAL)		USER				
		LIFE SINCE NEW		TRANS REFERENCE							
01MAY13 09:58	Asset Installation	1160.3	A23T	A14	00						
	5945.2 AFHR		A23-033	A23-033		A23T	A14	00AC			
	Change Serviceability Stat	218.2	SERV			XXXXXX					
	Change Location of an Asse	0.1	S/I								
			STORES								
			A23-033								

MMI JOBS-----									
JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS		
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW			
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS		UNSERVICEABILITY DETAILS					
MAINT PROCESS	UNSERVICEABILITY	MAINTENANCE COMMENT							
FAULT FOUND	MAINTENANCE ACTION TAKEN	=====							
A1PXXJY600901	C COMPLETED	25JAN06 06:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP			
	09MAY06 06:45					5401.9	AFHR		
01 UNSERVICEABLE	01 IN FLIGHT			GEN LIGHT ON TEMPORARILY DURING FLIGHT					
	03 ELECTRICAL FAILURE								
03 ELECTRICAL COMPONENT FAIL	02 REPAIR			Unserviceability Details:		GEN LIGHT ON FOR 5 MINS BEFORE RESET SUCCESSFULL			
				Maintenance Comments:		09MAY06 NO FAULT, INSPECT AND TEST AT ANZ			
A1PXXJY718530	C COMPLETED	04OCT07 02:55	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP			
	04OCT07 02:58	04OCT07 02:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	5483.5	AFHR		
13 REMOVED FOR ACCESS	99 NO FAILURE			VOLTAGE REG RFA					
01 NO FAULT	04 CHECK/TEST SERV			Unserviceability Details:		CHECK/TEST SERV			
				Maintenance Comments:					
A1PXXJ1003635	C COMPLETED	26FEB10 02:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	NONC2CONT			
	22SEP11 02:38	26FEB10 02:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	5945.2	AFHR		
01 UNSERVICEABLE	09 R2 SERVICING			GEN FAILS TO COME ON LINE AFTER RESET					
	03 ELECTRICAL FAILURE								
03 ELECTRICAL COMPONENT FAIL	02 REPAIR			Unserviceability Details:		GEN FAILED TO COME ON LINE AFTER RESET			
				Maintenance Comments:		REPLACED RELAY, REWORKED SUSPECT SOLDERS, TESTED SATIS IAW-AAP 7416.074-2M AL 0, DONE BY AIRFLITE PTY LTD UNDER (Continued on next page.)			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : 895  
PART NO : 51538-002 A ~31435  
ENGINEERING NAME : REGULATOR VOLTAGE  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

(Continued from previous page.)  
AUTHORISED RELEASE CERTIFICATE # ACS1003031, PO # GA08ND

4SQNXJ1200512	C COMPLETED	10APR12 03:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	AIP	
	25SEP12 05:10	10APR12 03:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	5945.2	AFHR
12 DAMAGED		26 PRE-INSTALLATION MAINTENANCE		VOLTAGE REGULATOR SUSTAINED DAMAGE TO TOP LEFT HANDED EDGE (ON			
		01 DAMAGED/CRACKED		ELECTRICAL CONNECTOR END) AS A RESULT FROM 1M DROP			
08 DAMAGE		02 REPAIR		SERVICEABILITY UNKNOWN			

Unserviceability Details: AIRCRAFT COMPONENT UNKNOWN SERVICEABILITY DUE TO 1M DROP

Maintenance Comments: STRAIGHTENED DAMAGE TO CASE INSPECTED PCB3 NO DAMAGE FOUND ALL FUNCTIONAL TEST SATIS. TESTED IAW AAP7416.074-2M

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 8F177 LITERAL SERIAL NO : 8F177 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 01R3115834-01 ~00198  
ENGINEERING NAME : LINER COMBUSTION CHAMBER OUTER  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 6277.5 ENHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
20MAY04 07:10	8F177	3115834-01	~00198	A23T	00
aip001	AIP	MMIST		A1SAK44AA	
L. DOBSON		26FEB91		A1PXXRY401052	
	2996.4 ENHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01597  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 8F177 LITERAL SERIAL NO : 8F177 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 01R3115834-01 ~00198  
 ENGINEERING NAME : LINER COMBUSTION CHAMBER OUTER  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
20MAY04 07:10	Reception History Record	0.0	Reception MMIST MCS	
	2996.4 ENHR			XXxxXXxx
20MAY04 07:14	Maintenance Comment	0.0	REPAIRED AT QDB 21AUG01	
	2996.4 ENHR		A1PXXXY412059	XXxxXXxx
20MAY04 07:21	Asset Installation	0.3	A23T A1SAK44AA 00	
	2996.4 ENHR		8F177 A23-028	A23T A1SAK44AA 0 A
	Change Serviceability Stat	0.3	SERV S/I	XXxxXXxx
23MAY07 12:00	Change Serviceability Stat	2.4	S/I US/I	
	3999.9 ENHR		A1PXXJY409551	XXxxXXxx
14DEC07 10:30	Change Serviceability Stat	204.9	US/I S/I	
	3999.9 ENHR			XXxxXXxx
01JUL08 02:07	Change Part Number of an A	1503.0	3115834-01 ~00198	
	3999.9 ENHR		01R3115834-01 ~00198	XXxxXXxx
06JUN14 00:00	Change Serviceability Stat	42.8	S/I US/I	
	5087.1 ENHR			XXxxXXxx
16APR15 03:15	Change Serviceability Stat	314.1	US/I S/I	
	5087.1 ENHR			XXxxXXxx
19APR17 22:22	Position Change	4717.6	A23T A1SAK44AA 00	
	5331.2 ENHR		A23T A1SAK44AA 00	
	Maintenance Comment	0.0	A1PXXX1706254	XXxxXXxx
			POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE	

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	UNSERVICEABILITY	SYMPTOMS	UNSERVICEABILITY DETAILS	MAINTENANCE COMMENT		
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY	UNSERVICEABILITY	UNSERVICEABILITY	UNSERVICEABILITY	UNSERVICEABILITY	UNSERVICEABILITY
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE ACTION TAKEN	MAINTENANCE ACTION TAKEN	MAINTENANCE ACTION TAKEN	MAINTENANCE ACTION TAKEN	MAINTENANCE ACTION TAKEN	MAINTENANCE ACTION TAKEN
A1PXXJY523922	C COMPLETED	23MAY07 12:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	NONC2CONT	NONC2CONT	
	14DEC07 10:30	01JUL08 01:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	NONC2CONT	3999.9 ENHR	
08 MOD/STI/DVI REQUIRED				7113.022-263	due on Serial 8F177		
01 NO FAULT	08 MOD/STI/DVI INCORP			LINER COMB CHAMB OU at WAC 0120			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 8F177 LITERAL SERIAL NO : 8F177 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 01R3115834-01 ~00198  
ENGINEERING NAME : LINER COMBUSTION CHAMBER OUTER  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			

Unserviceability Details:

Maintenance Comments: "SERVICE BULLETINS COMPLIED WITH THIS VISIT: 13352 REV 1" PWC OVERHAUL

1PXXJY409551	C COMPLETED	23MAY07 12:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	NONC2CONT	NONC2CONT	
	14DEC07 10:30	01JUL08 01:55	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	NONC2CONT	3999.9	ENHR
03 OVERHAUL DUE				OH	due on Serial 8F177		
				LINER COMB CHAMB OU at WAC 0120			
01 NO FAULT		07 OVERHAUL					

Unserviceability Details:

Maintenance Comments: COMBUSTION LINER OUTER OVERHAULED IAW PWC OVERHAUL MANUAL

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	4000.0	ENHR	3999.9		
SM	OH	4000.0	ENHR	3999.9		

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			

ARDUXJ1501065	C COMPLETED	06JUN14 00:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU	NONC2CONT	
	16APR15 03:15	28APR15 06:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU	5087.1	ENHR
13 REMOVED FOR ACCESS		31 DURING ACCESS		CAMM2 DOWN:			
		01 DAMAGED/CRACKED					
08 DAMAGE		07 OVERHAUL					

Unserviceability Details:

Maintenance Comments: OVERHAULED IAW P&WC MANUAL P/N 3034543 REV 36

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	4000.0	ENHR	1087.2		



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

CAMM2  
 ASSET HISTORY

PAGE 01599  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 8F177 LITERAL SERIAL NO : 8F177 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 01R3115834-01 ~00198  
 ENGINEERING NAME : LINER COMBUSTION CHAMBER OUTER  
 VENUE : A23DISP LOCATION : A23-033

MOD NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
7113.022-248	Y	04OCT05 02:00	NINC			
7113.022-256	Y	04OCT05 02:00	INC			
7113.022-257	Y	04OCT05 02:00	INC			
7113.022-262	Y	14SEP05	NINC			
7113.022-263	N	14SEP05	NINC			
7113.022-263	Y	14DEC07	INC	A1PXXJY523922	23MAY07 12:00	3999.9 ENHR
7113.022-264	Y	04OCT05 02:00	NINC			
7113.022-269	Y	04OCT05 02:00	NINC			

POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	USER ID
20MAY04 07:18	SM DLD Changed From: 26FEB1991	BS	XXxxXXxx
15NOV05 06:02	SM DLD Changed From: 03DEC1999	BS	XXxxXXxx
28APR15 06:25	SM Claimed	BS	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 8F177 LITERAL SERIAL NO : 8F177 PERIOD: 01JAN90 TO 08JAN20  
PART NO : IN/OUTASSY ~00198  
ENGINEERING NAME : LNER COMB CHAMB ASS  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 6277.5 ENHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		

20MAY04 07:08	8F177	IN/OUTASSY	~00198	A23T	00
aip001	AIP	MMIST		A1SAK44	
L. DOBSON		26FEB91		A1PXXRY401051	
	2996.4 ENHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01601  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 8F177 LITERAL SERIAL NO : 8F177 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : IN/OUTASSY ~00198  
 ENGINEERING NAME : LNER COMB CHAMB ASS  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
20MAY04 07:08	Reception History Record	0.0	Reception MMIST MCS	
	2996.4 ENHR			XXxxXXxx
20MAY04 07:14	Maintenance Comment	0.0	REPAIRED AT QDB 21AUG01	
	2996.4 ENHR		A1PXXXY412058	XXxxXXxx
27MAY04 00:40	Asset Installation	7.0	A23T ALSAK44 103212 A23-028 00	A23T ALSAK44 0 A
	2996.4 ENHR			XXxxXXxx
	Change Serviceability Stat	7.0	SERV S/I	
	Change Location of an Asse	7.0	MMIST A23-028	
21MAY07 08:49	Change Serviceability Stat	0.3	S/I US/I	
	3999.9 ENHR		A1PXXJY409548	XXxxXXxx
23MAY07 03:02	Asset Removal	1091.0	103212 A23-028 A23T ALSAK44 00	A23T ALSAK44 00A
	3999.9 ENHR			XXxxXXxx
	Change Serviceability Stat	1.7	US/I U/S	
	Change Location of an Asse	125.9	A23-028 INTMH	
23MAY07 12:00	Change Serviceability Stat	0.0	U/S U/S	
	3999.9 ENHR		NONC2UY800336	XXxxXXxx
	Estimated Date/Time Servic	733184.5	SERV STAT	
23MAY07 12:00	Change Serviceability Stat	0.0	SERV STAT U/S U/S	
	3999.9 ENHR		NONC2UY800337	XXxxXXxx
	Estimated Date/Time Servic	733185.0	SERV STAT	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01602  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 8F177 LITERAL SERIAL NO : 8F177 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : IN/OUTASSY ~00198  
 ENGINEERING NAME : LNER COMB CHAMB ASS  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
28MAY07 02:09	Change Venue of an Asset	3999.9 ENHR	777.0	AIP NONC2CONT A1PXXXY704550	XXXXXXxx
	Change Location of an Asse		4.9	INTMH HOLD	
14DEC07 10:30	Change Serviceability Stat	3999.9 ENHR	205.3	U/S SERV	XXXXXXxx
01JUL08 02:37	Change Venue of an Asset	3999.9 ENHR	400.0	NONC2CONT AIP NONC2XY806818	XXXXXXxx
	Change Location of an Asse		400.0	HOLD MMIST	
03AUG08 22:34	Asset Installation		438.8	A23T A1SAK44 103186 A23-015	A23T A1SAK44 00AC XXXXXXxx
	Change Serviceability Stat	3999.9 ENHR	233.5	SERV S/I	
	Change Location of an Asse		33.8	MMIST A23-015	
04JUN14 23:00	Asset Removal		2131.0	A23-015 103186 A23T A1SAK44	A23T A1SAK44 00A XXXXXXxx
	Change Serviceability Stat	5087.1 ENHR	41.8	S/I U/S	
	Change Location of an Asse		254.9	A23-051 ENGINE	
04JUN14 23:52	Asset Installation		0.0	A23T A1SAK44 103186 A23-051	A23T A1SAK44 00AC XXXXXXxx
	Change Serviceability Stat	5087.1 ENHR	0.0	U/S US/I	
	Change Location of an Asse		0.0	ENGINE A23-051	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 8F177 LITERAL SERIAL NO : 8F177 PERIOD: 01JAN90 TO 08JAN20  
PART NO : IN/OUTASSY ~00198  
ENGINEERING NAME : LNER COMB CHAMB ASS  
VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
16APR15 03:30	Change Serviceability Stat	315.1	US/I S/I	XXxxXXxx
	5087.1 ENHR			

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
01JUL08 12:00	COMPLETED	03JUL08 01:00	3999.9	ENHR		
01JUL08 02:20	COMPLETED	01JUL08 22:11	3999.9	ENHR	CMO	
	Maint Acts:	OH C/O BY PWC				
	Maint Acts:	OH AND MOD 263 C/O. REF A1PXXJY409551 AND A1PXXJY523922				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 8F177 LITERAL SERIAL NO : 8F177 PERIOD: 01JAN90 TO 08JAN20  
PART NO : IN/OUTASSY ~00198  
ENGINEERING NAME : LNER COMB CHAMB ASS  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			

A1PXXJY710208	C COMPLETED	23MAY07 03:02	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		NONC2CONT	
	14DEC07 10:30	23MAY07 03:02	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		3999.9	ENHR
13	REMOVED FOR ACCESS	99 NO FAILURE		ENGINE COMPONENTS REMOVED FOR HOT SECTION LINER CHANGE (DUE OVERHAUL)			
01	NO FAULT	04 CHECK/TEST SERV		Unserviceability Details: OH C/O BY PWC			
				Maintenance Comments:			

A1PXXJY409548	C COMPLETED	23MAY07 03:02	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		NONC2CONT	
	14DEC07 10:30	21MAY07 08:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		3999.9	ENHR
03	OVERHAUL DUE			OH due on Serial 8F177 LINER COMB CHAMB AS at WAC 0120			
01	NO FAULT	07 OVERHAUL		Unserviceability Details: COMBUSTION LINER ASSY OVERHAULED IAW PWC OVERHAUL MANUAL			
				Maintenance Comments:			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	4000.0	ENHR	3999.9		
SM	OH	4000.0	ENHR	3999.9		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			

A1EXXJ1403492	C COMPLETED	04JUN14 23:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIE		NONC2CONT	
	16APR15 03:30	04JUN14 23:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIE		5087.1	ENHR
12	DAMAGED	13 SPECIAL SERVICING		EPSS: AE09 / AKOPAAA / 01 :COMBUSTION CHAMBER INNER LINER HAS 3 CIRCUMFERENTIAL CRACKS IN NON-LOUVRED COOLING RING SEAM WELD			
		01 DAMAGED/CRACKED		OF UNKNOWN LENGTH			
08	DAMAGE	07 OVERHAUL		Unserviceability Details: COMBUSTION CHAMBER INNER LINER HAS 3 CIRCUMFERENTIAL CRACKS IN NON LOUVRED COOLING RING SEAM WELDS			
				Maintenance Comments: OVERHAULED IAW P&W MANUAL P/N 3034543 REV 36			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 8F177 LITERAL SERIAL NO : 8F177 PERIOD: 01JAN90 TO 08JAN20  
PART NO : IN/OUTASSY ~00198  
ENGINEERING NAME : LNER COMB CHAMB ASS  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	4000.0	ENHR			

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

ARDUXJ1501071 C COMPLETED 06JUN14 00:00 XXxxXXxx XXxxXXxxXXxxXXxxXXxx ARDU NONC2CONT  
 16APR15 02:00 28APR15 06:34 XXxxXXxx XXxxXXxxXXxxXXxxXXxx ARDU 5087.1 ENHR  
 13 REMOVED FOR ACCESS 31 DURING ACCESS CAMM2 DOWN:  
 01 DAMAGED/CRACKED  
 08 DAMAGE 07 OVERHAUL

Unserviceability Details: DAMAGE

Maintenance Comments: OVERHAULED IAW P&WC MANUAL P/N 3034543 REV 36

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	4000.0	ENHR	1087.2		

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 8F177 LITERAL SERIAL NO : 8F177 PERIOD: 01JAN90 TO 08JAN20  
PART NO : IN/OUTASSY ~00198  
ENGINEERING NAME : LNER COMB CHAMB ASS  
VENUE : A23DISP LOCATION : A23-033

MAINTENANCE POLICY HISTORY

POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	CHANGE DETAILS	USER ID
20MAY04 07:16	SM	BS	DLD Changed From: 26FEB1991 To:	XXxxXXxx
15NOV05 06:01	SM	BS	DLD Changed From: 03DEC1999 To:	XXxxXXxx
28APR15 06:36	SM	BS	Claimed	
29APR15 01:27	SM	BS	Claimed	



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 01607  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 90070091  
 PART NO : 150.0001-2  
 ENGINEERING NAME : ESDP  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

~34830

LOCATION : A23-033  
 LIFE SINCE NEW : 6725.3 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
30AUG03	16:28	Maintenance	Comment	0.0 AFHR	1.3	FUEL DIGIT DIFFICULT TO READ			XXxxXXxx
30AUG03	16:29	Maintenance	Comment	0.0 AFHR	1.3	21Feb02 AIEAV	FF: 03-ELECFAIL		MA: 02-REPAIR
30AUG03	16:30	Maintenance	Comment	0.0 AFHR	1.3	OPTO DISPLAY REPLACED			XXxxXXxx
30AUG03	16:31	Maintenance	Comment	0.0 AFHR	1.3	AIEAV	WFD: 01-IN FLIGHT	US: 17-ERODED	XXxxXXxx
30AUG03	16:31	Maintenance	Comment	0.0 AFHR	1.3	12Feb03 AIEAV	FF: 03-ELECFAIL		MA: 02-REPAIR
30AUG03	16:34	Maintenance	Comment	0.0 AFHR	1.3	12Feb03 A23-061	07.30 3483.4	0.0 AFHR	12-DAMAGED RC30571
30AUG03	16:34	Maintenance	Comment	0.0 AFHR	1.3	12Feb03 A23-061	07.30 3483.4	0.0 AFHR	IN AS A23T 1601-00-00-G
30AUG03	16:34	Maintenance	Comment	0.0 AFHR	1.3	27Sep90 NEW - 90070091	150.0001-2	1601-00-00-G	XXxxXXxx
30AUG03	16:35	Maintenance	Comment	0.0 AFHR	1.3	27Mar02 A23-061	07.30 3349.3	0.0 AFHR	IN AS A23T 1601-00-00-G
30AUG03	16:35	Maintenance	Comment	0.0 AFHR	1.3	29Aug03 A23-061	07.30 3597.8 AFHR	TX TO CMM2	XXxxXXxx
30AUG03	16:44	Maintenance	Comment	0.0 AFHR	1.3	AIEAV	WFD: 08-R1	US: 17-ERODED	XXxxXXxx
30AUG03	16:44	Maintenance	Comment	0.0 AFHR	1.3	ENGINE OIL MODULE DELAMINATING			XXxxXXxx
15AUG04	22:17	Asset Removal		3936.7 AFHR	352.5	562	A23-061	A23T	AlUDI 00A
		Change Serviceability Stat			2.7	S/I			XXxxXXxx
		Change Location of an Asse			xxxx	U/S	A23-061		
18AUG04	06:42	Change Serviceability Stat		3936.7 AFHR	2.3	EQUIP_STORE			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01608  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 90070091  
 PART NO : 150.0001-2 ~34830  
 ENGINEERING NAME : ESDP  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
23SEP04 22:48	Asset Installation	39.0	A23T A1UDI 566 A23-064	00 A23T A1UHO 00AC XXXXXXXX
	3936.7 AFHR Change Serviceability Stat	36.6	SERV S/I	
	Change Location of an Asse	39.0	EQUIP_STORE A23-064	
05DEC04 23:51	Asset Removal	73.0	566 A23-064 A23T A1UHO	00 A23T A1UHO 00A XXXXXXXX
	3987.5 AFHR Change Serviceability Stat	11.0	S/I U/S	
	Change Location of an Asse	73.0	A23-064 AVIONICS	
05DEC04 23:59	Change Serviceability Stat	0.0	U/S SERV	XXXXXXXX
06DEC04 00:00	Asset Installation	0.0	A23T A1UHO 566 A23-064	00 A23T A1UHO 00AC XXXXXXXX
	3987.5 AFHR Change Serviceability Stat	0.0	SERV S/I	
	Change Location of an Asse	0.0	AVIONICS A23-064	
30AUG07 03:27	Asset Removal	997.1	566 A23-064 A23T A1UHO	00 A23T A1UHO 00A XXXXXXXX
	4574.8 AFHR Change Serviceability Stat	0.1	S/I U/S	
	Change Location of an Asse	997.1	A23-064 AVIONICS	
31AUG07 01:09	Change Serviceability Stat	0.9	U/S SERV	XXXXXXXX
	4574.8 AFHR			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01609  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 90070091  
 PART NO : 150.0001-2 ~34830  
 ENGINEERING NAME : ESDP  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS		-----									
TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER				
		LIFE SINCE NEW									
=====											
27NOV07	21:14	Asset Installation	89.7	A23T	ALUHO	A23-007	00	A23T	ALUDI	00AC	
		4574.8 AFHR		051				XXXXXXxx			
		Change Serviceability Stat	88.8	SERV							
		Change Location of an Asse	89.7	S/I							
				AVIONICS							
15MAY08	13:00	Asset Removal	169.6	A23-007		A23-007	00	A23T	ALUDI	00A	
		4657.9 AFHR		051				XXXXXXxx			
		Change Serviceability Stat	15.3	A23T	ALUDI						
		Change Location of an Asse	107.6	S/I							
				U/S							
				A23-007							
15MAY08	13:05	Change Serviceability Stat	0.0	PC9-AVIONICS							
		4657.9 AFHR		U/S				XXXXXXxx			
11JUL08	10:00	Asset Installation	56.8	A23T	ALUDI	A23-007	00	A23T	ALUHO	00AC	
		4657.9 AFHR		051				XXXXXXxx			
		Change Serviceability Stat	56.8	SERV							
		Change Location of an Asse	56.8	S/I							
				PC9-AVIONICS							
				A23-007							
16DEC09	22:09	Asset Removal	523.5	051		A23-007	00	A23T	ALUHO	00A	
		4962.9 AFHR		A23T	ALUHO			XXXXXXxx			
		Change Serviceability Stat	6.7	S/I							
		Change Location of an Asse	36.7	U/S							
				A23-007							
				MSI		REP					

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01610  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 90070091  
 PART NO : 150.0001-2 ~34830  
 ENGINEERING NAME : ESDP  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
28JAN10 00:08	Change Venue of an Asset	78.7	ARDU NONC2CONT ARDUXX1000214	XXXXXXxx
	4962.9 AFHR Maintenance Comment	0.0	JKOT	
	Change Location of an Asse	42.0	MSI REP	
09JUN10 06:33	Change Serviceability Stat	174.3	HOLD U/S SERV	
	4962.9 AFHR			XXXXXXxx
05AUG10 01:03	Change Venue of an Asset	189.0	NONC2CONT 4SQN	
	4962.9 AFHR Change Location of an Asse	189.0	NONC2X1007207 HOLD	XXXXXXxx
08AUG10 22:41	Asset Installation	235.0	MMI A23T A1UHO 531 A23-031 00	A23T A1UHO 00AC
	4962.9 AFHR Change Serviceability Stat	60.6	SERV	XXXXXXxx
	Change Location of an Asse	3.9	S/I MMI A23-031	
29NOV10 02:45	Asset Removal	112.1	531 A23-031 A23T A1UHO 00	A23T A1UHO 00A
	5036.9 AFHR Change Serviceability Stat	0.0	S/I	XXXXXXxx
	Change Location of an Asse	17.1	U/S A23-031	
29NOV10 02:51	Change Serviceability Stat	0.0	MMI U/S SERV	
	5036.9 AFHR			XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01611  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 90070091  
 PART NO : 150.0001-2 ~34830  
 ENGINEERING NAME : ESDP  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
29NOV10 02:51	Asset Installation	0.0	A23T A1UHO 531 A23-031	00 A23T A1UDI 00AC XXxxXXxx
	5036.9 AFHR Change Serviceability Stat	0.0	SERV S/I MMI	
	Change Location of an Asse	0.0	A23-031	
06MAR12 01:30	Asset Removal	462.9	531 A23-031 A23T A1UDI	00 A23T A1UDI 00A XXxxXXxx
	5265.9 AFHR Change Serviceability Stat	0.6	S/I U/S	
	Change Location of an Asse	21.8	A23-031	
18JUN12 03:21	Change Venue of an Asset	125.8	RETURNS 4SQN AIP	
	5265.9 AFHR Change Location of an Asse	104.0	4SQNXX1201366	XXxxXXxx
18SEP12 16:30	Change Serviceability Stat	196.6	HOLD U/S SERV	
	5265.9 AFHR Change Location of an Asse	108.3	HOLD STORES A1PXXX1210168	XXxxXXxx
04OCT12 14:22	Asset Installation	212.5	A23T A1UDI 519 A23-019	00 A23T A1UHO 00AC XXxxXXxx
	5265.9 AFHR Change Serviceability Stat	15.9	SERV S/I	
	Change Location of an Asse	0.1	STORES A23-019	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01612  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 90070091  
 PART NO : 150.0001-2 ~34830  
 ENGINEERING NAME : ESDP  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
30APR13 12:31	Asset Removal	207.9	519 A23T A1UHO A23-019 00	A23T A1UHO 00A
	5442.3 AFHR Change Serviceability Stat	12.1	S/I U/S	XXXXXXxx
	Change Location of an Asse	207.9	A23-019 OPMH	
30APR13 13:32	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
30APR13 13:33	Asset Installation	0.0	A23T A1UHO A23-019 00	A23T A1UHO 00AC
	5442.3 AFHR Change Serviceability Stat	0.0	SERV S/I	XXXXXXxx
	Change Location of an Asse	0.0	OPMH A23-019	
15MAY13 06:41	Asset Removal	14.7	519 A23T A1UHO A23-019 00	A23T A1UHO 00A
	5454.4 AFHR Change Serviceability Stat	1.9	S/I U/S	XXXXXXxx
	Change Location of an Asse	14.7	A23-019 INTMH	
15MAY13 06:45	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
15MAY13 22:32	Change Serviceability Stat	0.6	SERV U/S	XXXXXXxx
	5454.4 AFHR Estimated Date/Time Servic	735368.0	A1PXXU1306090 SERV STAT	XXXXXXxx
15MAY13 23:59	Change Serviceability Stat	0.0	SERV STAT U/S SERV	XXXXXXxx
	5454.4 AFHR			XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01613  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 90070091  
 PART NO : 150.0001-2 ~34830  
 ENGINEERING NAME : ESDP  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
16MAY13 04:23	Asset Installation	0.9	A23T A1UHO 512 A23-011	00 A23T A1UDI 00AC 5454.4 AFHR XXXXXXXXXX
	Change Serviceability Stat	0.1	SERV S/I	
	Change Location of an Asse	0.9	INTMH A23-011	
18SEP13 02:38	Asset Removal	124.9	512 A23-011 A23T A1UDI	00 A23T A1UDI 00A 5600.4 AFHR XXXXXX
	Change Serviceability Stat	4.8	S/I U/S	
	Change Location of an Asse	124.9	A23-011	
19SEP13 23:52	Change Venue of an Asset	458.8	INTMH AIP	
	Change Location of an Asse	1.8	NONC2CONT A1PXXX1310344	XXXXXX
22JUN15 22:35	Change Serviceability Stat	642.8	HOLD U/S	
	Change Venue of an Asset	651.1	SERV NONC2CONT	XXXXXX
03JUL15 03:12	Maintenance Comment	0.0	ARDU NONC2X1507257	XXXXXX
	Change Location of an Asse	651.1	ASSET RECEIVED BUT NOT JOB COMPLETED OR VENUE TRANSFERED. HOLD PC9-AVIONICS	
07JUL15 03:17	Change Serviceability Stat	14.1	SERV U/S	
	Estimated Date/Time Servic	735369.8	ARDUXU1503435	XXXXXX
07JUL15 03:17	Change Serviceability Stat	0.0	SERV STAT SERV STAT U/S SERV	
			5600.4 AFHR	XXXXXX

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01614  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 90070091  
 PART NO : 150.0001-2 ~34830 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : ESDP  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
08JUL15 04:29	Change Location of an Asse	5600.4 AFHR	5.0	PC9-AVIONICS MSI ARDUXX1502554	QUARANTINE XXxxXXxx
13JUL15 00:27	Change Venue of an Asset	5600.4 AFHR	9.8	ARDU NONC2CONT ARDUXX1502579	XXxxXXxx
	Change Location of an Asse		4.8	MSI HOLD NONC2CONT	QUARANTINE
30OCT15 00:42	Change Venue of an Asset	5600.4 AFHR	109.0	AIP NONC2X1512484	XXxxXXxx
	Change Location of an Asse		109.0	HOLD STORES	
30OCT15 01:12	Asset Installation		771.9	A23T A1UDI 533	MMI A23-033 00 A23T A1UHO 00AC XXxxXXxx
	Change Serviceability Stat	5600.4 AFHR	114.9	SERV S/I	
	Change Location of an Asse		0.0	STORES A23-033	MMI

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1306090	CANCELLED	15MAY13 23:02	5454.4	AFHR	SST	
15MAY13 22:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
15MAY13 22:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			15MAY13 23:02 XXxxXXxxXXxxXXxxXXxx
		FUEL QTY GAUGE DELAMINATIG				

Maint Acts: ENTERED IN ERROR:ENTERED IN ERROR



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 01615  
08JAN20  
23:16:15

SERIAL/TAIL NO : 90070091  
PART NO : 150.0001-2 ~34830 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : ESDP  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1EXXUY403499	COMPLETED	18AUG04 06:38	3936.7	AFHR		XXxxXXxxXXxxXXxxXXxx
18AUG04 06:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		INTERMITTENT LIGHTING ON ITT MODULE				18AUG04 06:38
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV. ITT MODULE FITTED

REMOVALS/INSTALLATIONS FOR A1EXXUY403499

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	H300939	A23T	A1UDI06	00	L219940	A23T	A1UDI06	00
	0356-0938		18AUG04 06:35	A1EXXJY406147	0356-0938		18AUG04 06:36	

N0NC2U1000147	COMPLETED	09JUN10 06:24	4962.9	AFHR	T+TS	XXxxXXxxXXxxXXxxXXxx
09JUN10 04:21	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			09JUN10 06:24
03AUG10 04:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	NONC2CONT			
		CAMM2 DOWN, LCD MODULE FUEL USE S/N R113366 REMOVED FOR REPAIR				XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERVICEABLE LCD MODULE FUEL USE S/N R113366 FITTED IAW AAP  
7516.078-3M

REMOVALS/INSTALLATIONS FOR N0NC2U1000147

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	R113366	A23T	A1UH004	00	R113366	A23T	A1UH004	00
	0356-0933		09JUN10 06:16	N0NC2J1001663	0356-0933		09JUN10 06:22	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 90070091 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 150.0001-2 ~34830  
 ENGINEERING NAME : ESDP  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
ARDUXU1503435	COMPLETED	07OCT15 09:30	5600.4	AFHR	T+TS	XXXXXXXXXXXXXXXXXXXX
07JUL15 03:17	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	ARDU			07OCT15 09:30
07JUL15 03:18	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	ARDU			XXXXXXXXXXXXXXXXXXXX
		ESDP FUEL QTY GAUGE MISSING 2 SEGMENTS				07OCT15 09:30
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: CARRIED OUT REPAIRS ON ESDP IAW AAP7516.078-3M AL0 @ PERTH AIRFLITE  
 COFC TRACKING NO: PAVI2070. UNIT TESTED SERVICEABLE

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					
A1EXXJY405949	C COMPLETED	15AUG04 22:17	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE	AIE	
	18AUG04 06:42					3936.7	AFHR
01 UNSERVICEABLE	01 IN FLIGHT			FRONT ITT LIGHTING INTERMITTENT			
	10 INTERMITTENT						
03 ELECTRICAL COMPONENT FAIL	02 REPAIR						
	Unserviceability Details:	ITT LIGHTING INTERMITTENT					
	Maintenance Comments:	SERV ITT MODULE FITTED					
A1EXXJY409348	C COMPLETED	05DEC04 23:51	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE	AIE	
	05DEC04 23:59					3987.5	AFHR
13 REMOVED FOR ACCESS	31 DURING ACCESS			REAR ESDP FUEL QTY DELAMINATED			
	03 ELECTRICAL FAILURE						
09 OUT OF LIMITS	01 REPAIR IN SITU						
	Unserviceability Details:	FUEL QTY DELAMINATED					
	Maintenance Comments:	OPTO DISPLAY REPLACED					

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 01617  
08JAN20  
23:16:15

SERIAL/TAIL NO : 90070091  
PART NO : 150.0001-2 ~34830  
ENGINEERING NAME : ESDP  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJY706548	C COMPLETED	30AUG07 03:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	31AUG07 01:09	30AUG07 03:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	4574.8	AFHR
01 UNSERVICEABLE		01 IN FLIGHT		REAR ESDP NG UNREADABLE			
15 EXPECTED DETERIORATION		14 DETERIORATED					
		02 REPAIR					

Unserviceability Details: NG MODULE DELAMINATED

Maintenance Comments: REPLACED NG MODULE OPTO DISPLAY UNIT

ARDUXJY801930	C COMPLETED	15MAY08 13:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU	ARDU	
	15MAY08 13:05	13JUN08 01:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU	4657.9	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE		FRONT ESDP REMOVED FOR ACCESS			

01 NO FAULT 04 CHECK/TEST SERV

Unserviceability Details:

Maintenance Comments: CHECK/TEST SERV

ARDUXJY904809	C COMPLETED	16DEC09 22:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU	AIP	
	09JUN10 06:33	16DEC09 22:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU	4962.9	AFHR
01 UNSERVICEABLE		02 DURING OPERATION		REAR SEAT ESDP FUEL FLOW INDICATOR BOTTOM SEGMENT OF FIRST			
03 ELECTRICAL COMPONENT FAIL		03 ELECTRICAL FAILURE		DIGIT INOPERABLE			
		02 REPAIR					

Unserviceability Details: FUEL FLOW INDICATOR FIRST SEGMENT INCOMPLETE

Maintenance Comments: UNIT WAS REPLACED AND TESTED IAW AAP 7516.078-3M

4SQNXJ1001810	C COMPLETED	29NOV10 02:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	4SQN	
	29NOV10 02:51	29NOV10 02:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	5036.9	AFHR
15 FAULT FINDING		99 NO FAILURE		REAR ESDP REMOVED FOR FAULT FINDING			

01 NO FAULT 04 CHECK/TEST SERV  
8185878 29NOV10 02:44:26  
FRONT AND REAR ESDPS SWAPPED FOR FAULT FINDING

Unserviceability Details:

Maintenance Comments: CHECK TEST SERV

4SQNXJ1200339	C COMPLETED	06MAR12 01:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	NONC2CONT	
	18SEP12 16:30	06MAR12 01:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	5265.9	AFHR
01 UNSERVICEABLE		01 IN FLIGHT		FRONT ESDP TORQUE GAUGE BACK LIGHT NOT WORKING.			
03 ELECTRICAL COMPONENT FAIL		03 ELECTRICAL FAILURE					
		02 REPAIR					

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 01618  
08JAN20  
23:16:15

SERIAL/TAIL NO : 90070091  
PART NO : 150.0001-2 ~34830  
ENGINEERING NAME : ESDP  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

Unserviceability Details: TORQUE GAUGE BACKLIGHT NIL OP

Maintenance Comments: TORQUE,NG,ENG OIL & VOLT/AMP NIL BACKLIGHT. NEW BACKLIGHT  
INSTALLED. UNIT TESTED IAW AAP7516.078-3M AL 1 @ AIJ COFC REF:  
CAPO V310148 & TRACKING NO: ACS1205066

A1PXXJ1305603	C COMPLETED	30APR13 12:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	30APR13 13:32	30APR13 12:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	5442.3	AFHR
01 UNSERVICEABLE		05 TECHNICAL B/F		REAR C/P ESDP TQ MODULE DELAMINATED			
15 EXPECTED DETERIORATION		17 DELAMINATED/ERODED					
		02 REPAIR					

Unserviceability Details: TQ MODULE DELAMINATED

Maintenance Comments: TQ MODULE REPLACED IAW AAP 7516.078.3M

A1PXXJ1306393	C COMPLETED	15MAY13 06:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	15MAY13 06:45	15MAY13 06:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	5454.4	AFHR
09 CANNIBALISATION		99 NO FAILURE		REAR ESDP REMOVED TO SERVICE A23-011			

01 NO FAULT 04 CHECK/TEST SERV

Unserviceability Details:

Maintenance Comments: CHECK/TEST SERV

A1PXXJ1306406	C COMPLETED	15MAY13 23:03	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	15MAY13 23:59	15MAY13 23:04	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	5454.4	AFHR
01 UNSERVICEABLE		09 R2 SERVICING		FUEL QTY GAUGE DELAMINATING			
03 ELECTRICAL COMPONENT FAIL		17 DELAMINATED/ERODED					
		02 REPAIR					

Unserviceability Details: FUEL QTY GAUGE DELAMINATING

Maintenance Comments: FUEL QTY MODULEREPLACED,TESTEDSERV IAW 7516-078-3M

A1PXXJ1312553	C COMPLETED	18SEP13 02:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	NONC2CONT	
	22JUN15 22:35	18SEP13 02:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	5600.4	AFHR
01 UNSERVICEABLE		08 R1 SERVICING		FRONT ESDP FUEEL QTY GAUGE MISSING TWO BARS			
03 ELECTRICAL COMPONENT FAIL		03 ELECTRICAL FAILURE					
		02 REPAIR					

Unserviceability Details: FUEL QTY GAUGE MISSING TWO BARS

Maintenance Comments: CARRIED OUT REPAIRS OF EDSP I.A.W AAP 7516.078-3M ACO

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 01619  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 90100104  
 PART NO : 150.0001-2 ~34830 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : ESDP  
 VENUE : A23DISP LOCATION : A23-033  
 CURRENT CONDITION : S/I LIFE SINCE NEW : 6736.9 AFHR

ASSET TRANSACTIONS

TRANSACTION D/T CHANGE TYPE		LIFE SINCE NEW		SPAN(DYS) FROM		TO (OPTIONAL)		TRANS REFERENCE		USER	
=====		=====		=====		=====		=====		=====	
01SEP03	06:38	Maintenance Comment	0.0	AFHR	2.9	REPLACED ITT MODULE					
						CAMM LOG00006				XXxxXXxx	
01SEP03	06:38	Maintenance Comment	0.0	AFHR	2.9	07Feb03 2FTAVOP	FF: 03-ELECFAIL			MA: 01-REPINSI	
						CAMM LOG00011				XXxxXXxx	
01SEP03	06:40	Maintenance Comment	0.0	AFHR	2.9	CXD N2 HYD MODULE					
						CAMM LOG00012				XXxxXXxx	
01SEP03	06:40	Maintenance Comment	0.0	AFHR	2.9	N2 LITE US					
						CAMM LOG00010				XXxxXXxx	
01SEP03	06:42	Maintenance Comment	0.0	AFHR	2.9	2FTREP	WFD: 01-IN FLIGHT		US: 03-ELECFAIL		
						CAMM LOG00003				XXxxXXxx	
01SEP03	06:42	Maintenance Comment	0.0	AFHR	2.9	04Feb03 A23-065	07.40 3864.4	0.0 AFHR		01-FAILED LF33558	
						CAMM LOG00002				XXxxXXxx	
01SEP03	06:45	Maintenance Comment	0.0	AFHR	2.9	04Feb03 A23-026	07.30 3864.4	0.0 AFHR		IN AS A23T 1601-00-00-G	
						CAMM LOG00007				XXxxXXxx	
01SEP03	06:45	Maintenance Comment	0.0	AFHR	2.9	07Feb03 A23-026	07.30 3866.6	0.0 AFHR		01-FAILED LF33873	
						CAMM LOG00008				XXxxXXxx	
01SEP03	06:46	Maintenance Comment	0.0	AFHR	2.9	18Sep02 A23-065	07.40 3775.9	0.0 AFHR		IN AS A23T 1601-00-00-G	
						CAMM LOG00001				XXxxXXxx	
01SEP03	06:46	Maintenance Comment	0.0	AFHR	2.9	28Feb03 A23-040	07.30 3866.6	0.0 AFHR		IN AS A23T 1601-00-00-G	
						CAMM LOG00013				XXxxXXxx	
01SEP03	06:47	Maintenance Comment	0.0	AFHR	2.9	29Aug03 A23-040	07.30 4046.8 AFHR		TX TO CAMM2		
						CAMM LOG00015				XXxxXXxx	
01SEP03	06:48	Maintenance Comment	0.0	AFHR	2.9	NIL ITT BACK LITE					
						CAMM LOG00004				XXxxXXxx	
01SEP03	06:49	Maintenance Comment	0.0	AFHR	2.9	18Nov91 NEW - 90100104	150.0001-2		1601-00-00-G		
						CAMM LOG00014				XXxxXXxx	
01SEP03	06:54	Maintenance Comment	0.0	AFHR	2.9	2FTAVOP	WFD: 01-IN FLIGHT		US: 03-ELECFAIL		
						CAMM LOG00009				XXxxXXxx	
01SEP03	06:55	Maintenance Comment	0.0	AFHR	2.9	04Feb03 2FTAVOP	FF: 03-ELECFAIL			MA: 02-REPAIR	
						CAMM LOG00005				XXxxXXxx	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01620  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 90100104  
 PART NO : 150.0001-2 ~34830  
 ENGINEERING NAME : ESDP  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
17OCT03 05:17	Asset Removal	48.8	540 A23T A1UDI A23-040 00	A23T A1UDI 00A
	4053.7 AFHR Change Serviceability Stat	14.0	S/I U/S	XXXXXXxx
	Change Location of an Asse	xxxx	A23-040 AVOP	
20OCT03 06:34	Change Location of an Asse	3.0	AVOP JANDAKOT	
	4053.7 AFHR Change Serviceability Stat	30.7	A1PXXXY302176 U/S SERV	XXXXXXxx
17NOV03 00:05	Asset Installation	30.8	A23T A1UDI 537 A23-037 00	A23T A1UDI 00A
	4053.7 AFHR Change Serviceability Stat	0.0	SERV S/I	XXXXXXxx
	Change Location of an Asse	27.7	JANDAKOT A23-037	
21JUN04 05:12	Asset Removal	217.1	537 A23T A1UDI A23-037 00	A23T A1UDI 00A
	4203.7 AFHR Change Serviceability Stat	41.0	S/I U/S	XXXXXXxx
	Change Location of an Asse	217.1	A23-037 JANDAKOT	
23JUN04 14:00	Change Serviceability Stat	2.3	U/S SERV	
	4203.7 AFHR Change Location of an Asse	14.0	JANDAKOT MMIST	XXXXXXxx
05JUL04 06:24			A1PXXXY415808	XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01621  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 90100104  
 PART NO : 150.0001-2 ~34830  
 ENGINEERING NAME : ESDP  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
07JUL04 10:40	Asset Installation	16.2	A23T A1UDI 514 A23-013	00 A23T A1UDI 00AC XXXXXXXX
	4203.7 AFHR Change Serviceability Stat	13.8	SERV S/I	
	Change Location of an Asse	2.1	MMIST A23-013	
17NOV04 11:34	Asset Removal	133.0	514 A23-013 A23T A1UDI	00 A23T A1UDI 00A XXXXXXXX
	4331.3 AFHR Change Serviceability Stat	28.3	S/I U/S	
	Change Location of an Asse	133.0	A23-013 JANDAKOT	
29NOV04 08:00	Change Serviceability Stat	11.8	U/S SERV	XXXXXXXX
	4331.3 AFHR Change Location of an Asse	14.6	JANDAKOT MMIST	XXXXXXXX
02DEC04 03:55	Change Location of an Asse	14.6	A1PXXXY429733	XXXXXXXX
27JAN05 09:55	Asset Installation	70.9	A23T A1UDI 058 A23-008	00 A23T A1UDI 00AC XXXXXXXX
	4331.3 AFHR Change Serviceability Stat	59.0	SERV S/I	
	Change Location of an Asse	56.2	MMIST A23-008	
04FEB05 07:51	Asset Removal	7.9	058 A23-008 A23T A1UDI	00 A23T A1UDI 00A XXXXXXXX
	4347.1 AFHR Change Serviceability Stat	0.2	S/I U/S	
	Change Location of an Asse	7.9	A23-008 EXTERNAL	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01622  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 90100104  
 PART NO : 150.0001-2 ~34830  
 ENGINEERING NAME : ESDP  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
09FEB05 08:00	Change Serviceability Stat	5.0	U/S SERV	
	4347.1 AFHR			XXxxXXxx
10FEB05 05:30	Change Location of an Asse	5.9	EXTERNAL MMIST	
	4347.1 AFHR		A1PXXXY501991	XXxxXXxx
10FEB05 06:31	Asset Installation	5.9	A23T A1UDI	
	4347.1 AFHR		A23-003 00	A23T A1UDI 00AC
	Change Serviceability Stat	0.9	SERV S/I	XXxxXXxx
	Change Location of an Asse	0.0	MMIST A23-003	
20FEB05 23:30	Asset Removal	10.7	031 A23T A1UDI	
	4353.7 AFHR		A23-003 00	A23T A1UDI 00A
	Change Serviceability Stat	10.7	S/I U/S	XXxxXXxx
	Change Location of an Asse	10.7	A23-003 EXTERNAL	
23FEB05 08:00	Change Serviceability Stat	2.3	U/S SERV	
	4353.7 AFHR			XXxxXXxx
24FEB05 04:55	Change Location of an Asse	3.2	EXTERNAL MMIST	
	4353.7 AFHR		A1PXXXY502865	XXxxXXxx
02MAR05 03:14	Asset Installation	9.1	A23T A1UDI	
	4353.7 AFHR		557 A23-056	A23T A1UHO 00AC
	Change Serviceability Stat	6.8	SERV S/I	XXxxXXxx
	Change Location of an Asse	5.9	MMIST A23-056	

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01623  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 90100104  
 PART NO : 150.0001-2 ~34830  
 ENGINEERING NAME : ESDP  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
02MAR05 06:17	Asset Removal	0.1	557 A23T A1UHO A23-056 00	A23T A1UHO 00A
	4358.0 AFHR Change Serviceability Stat	0.1	S/I U/S	XXXXXXxx
	Change Location of an Asse	0.1	A23-056	
02MAR05 06:22	Change Location of an Asse	0.0	JANDAKOT JANDAKOT QNF A1PXXXY503245	XXXXXXxx
12SEP06 12:00	Change Serviceability Stat	559.2	U/S SERV	XXXXXXxx
05DEC06 03:57	Change Location of an Asse	642.8	QNF MMIST A1PXXXY610207	XXXXXXxx
13DEC06 08:54	Maintenance Comment Asset Installation	0.0 651.1	RTN FM SVC AIJ 12SEP06 A23T A1UHO 565 A23-065 00	A23T A1UDI 00AC
	4358.0 AFHR Change Serviceability Stat	91.8	SERV S/I	XXXXXXxx
	Change Location of an Asse	8.2	MMIST A23-065	
16OCT08 12:13	Asset Removal	673.1	565 A23T A1UDI A23-065 00	A23T A1UDI 00A
	5077.8 AFHR Change Serviceability Stat	0.0	S/I U/S	XXXXXXxx
	Change Location of an Asse	673.1	A23-065 MMIST	
21OCT08 02:36	Change Venue of an Asset	1879.7	AIP NONC2CONT A1PXXXY809998	XXXXXXxx
	5077.8 AFHR Change Location of an Asse	4.5	MMIST HOLD	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01624  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 90100104  
 PART NO : 150.0001-2 ~34830  
 ENGINEERING NAME : ESDP  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
05DEC08 14:00	Change Serviceability Stat	50.0	U/S SERV	
	5077.8 AFHR			XXxxXXxx
16DEC08 23:46	Change Venue of an Asset	56.8	NONC2CONT AIP	
	5077.8 AFHR		NONC2XY814336	XXxxXXxx
	Change Location of an Asse	56.8	HOLD MMIST	
17DEC08 01:46	Asset Installation	61.5	A23T A1UDI	
	5077.8 AFHR		A23-015	A23T A1UHO 00AC
	Change Serviceability Stat	11.4	SERV S/I	XXxxXXxx
	Change Location of an Asse	0.0	MMIST A23-015	
05APR09 23:52	Asset Removal	109.9	A23T A1UHO	
	5143.6 AFHR		A23-015	A23T A1UHO 00A
	Change Serviceability Stat	20.7	S/I U/S	XXxxXXxx
	Change Location of an Asse	109.9	A23-015 OPMH	
05APR09 23:55	Change Serviceability Stat	0.0	U/S SERV	
	5143.6 AFHR			XXxxXXxx
06APR09 00:20	Asset Installation	0.0	A23T A1UHO	
	5143.6 AFHR		A23-015	A23T A1UHO 00AC
	Change Serviceability Stat	0.0	SERV S/I	XXxxXXxx
	Change Location of an Asse	0.0	OPMH A23-015	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01625  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 90100104  
 PART NO : 150.0001-2 ~34830  
 ENGINEERING NAME : ESDP  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
14DEC09 05:35	Asset Removal	252.2	513 A23T A1UHO A23-015 00	A23T A1UHO 00A
	5143.6 AFHR			XXXXXXxx
	Change Serviceability Stat	252.2	S/I U/S	
	Change Location of an Asse	252.2	A23-015 MMIST	
01FEB10 03:19	Change Venue of an Asset	411.1	AIP NONC2CONT	
	5143.6 AFHR		A1PXXX1000926	XXXXXXxx
	Change Location of an Asse	48.9	MMIST HOLD	
06MAY10 11:00	Change Serviceability Stat	143.2	U/S SERV	
	5143.6 AFHR			XXXXXXxx
11MAY10 08:54	Change Venue of an Asset	99.2	NONC2CONT AIP	
	5143.6 AFHR		NONC2X1004443	XXXXXXxx
	Change Location of an Asse	99.2	HOLD HOLD	
16SEP10 23:00	Position Change	276.7	A23T A1UHO A23T A1UHO 00	
	5143.6 AFHR		A1PXXX1009503	XXXXXXxx
03FEB11 02:54	Asset Installation	415.8	A23T A1UHO 538 A23-038 00	A23T A1UDI 00AC
	5143.6 AFHR			XXXXXXxx
	Change Serviceability Stat	272.6	SERV S/I	
	Change Location of an Asse	267.7	HOLD A23-038	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01626  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 90100104  
 PART NO : 150.0001-2 ~34830  
 ENGINEERING NAME : ESDP  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
04APR11 02:44	Asset Removal	59.9	538 A23T A1UDI A23-038	A23T A1UDI 00A
	5143.6 AFHR			XXXXXXxx
	Change Serviceability Stat	59.9	S/I U/S	
	Change Location of an Asse	59.9	A23-038 HG122	
04APR11 02:45	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
01JUN11 12:42	Asset Installation	58.4	A23T A1UDI 538 A23-038	A23T A1UDI 00AC
	5143.6 AFHR			XXXXXXxx
	Change Serviceability Stat	58.4	SERV S/I	
	Change Location of an Asse	58.4	HG122 A23-038	
01FEB12 05:10	Asset Removal	244.6	538 A23T A1UDI A23-038	A23T A1UDI 00A
	5340.5 AFHR			XXXXXXxx
	Change Serviceability Stat	0.0	S/I U/S	
	Change Location of an Asse	244.6	A23-038 AVTB	
02FEB12 22:43	Change Venue of an Asset	632.5	AIP NONC2CONT	
	5340.5 AFHR		A1PXXX1200667	XXXXXXxx
	Change Location of an Asse	1.7	AVTB HOLD	
14MAY12 11:00	Change Serviceability Stat	103.2	U/S SERV	XXXXXXxx
	5340.5 AFHR			XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01627  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 90100104  
 PART NO : 150.0001-2 ~34830  
 ENGINEERING NAME : ESDP  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
22MAY12 00:48	Change Venue of an Asset	109.0	NONC2CONT AIP	
	5340.5 AFHR Change Location of an Asse	109.0	NONC2X1205471 HOLD	XXxxXXxx
11SEP12 11:04	Asset Installation	223.2	STORES A23T ALUDI	MMI
	5340.5 AFHR Change Serviceability Stat	120.0	525 A23-025	A23T ALUHO XXxxXXxx
	Change Location of an Asse	112.4	STORES A23-025	MMI
24SEP12 06:02	Asset Removal	12.7	525 A23-025	A23T ALUHO
	5349.2 AFHR Change Serviceability Stat	0.0	A23T ALUHO	00 XXxxXXxx
	Change Location of an Asse	12.7	S/I U/S A23-025	
27SEP12 09:51	Change Venue of an Asset	128.3	STORES AIP	
	5349.2 AFHR Change Location of an Asse	3.1	NONC2CONT A1PXXX1209940	XXxxXXxx
27FEB13 08:30	Change Serviceability Stat	156.1	STORES HOLD U/S SERV	
	5349.2 AFHR Change Venue of an Asset	171.7	NONC2CONT AIE	XXxxXXxx
18MAR13 03:17	Change Location of an Asse	171.7	NONC2X1302780 HOLD EQUIP_STORE	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01628  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 90100104  
 PART NO : 150.0001-2 ~34830  
 ENGINEERING NAME : ESDP  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
25MAR13 00:03	Asset Installation	181.7	A23T A1UHO 552 A23-051	00 A23T A1UHO 00AC XXxxXXxx
	5349.2 AFHR Change Serviceability Stat	25.6	SERV S/I EQUIP_STORE A23-051	
	Change Location of an Asse	6.8		
10JUL13 22:44	Asset Removal	107.9	552 A23T A1UHO A23-051	00 A23T A1UHO 00A XXxxXXxx
	5354.2 AFHR Change Serviceability Stat	0.7	S/I U/S A23-051	
	Change Location of an Asse	107.9		
10JUL13 22:49	Change Serviceability Stat	0.0	AVIONICS U/S SERV	XXxxXXxx
10JUL13 22:49	Asset Installation	0.0	A23T A1UHO 552 A23-051	00 A23T A1UHO 00AC XXxxXXxx
	5354.2 AFHR Change Serviceability Stat	0.0	SERV S/I AVIONICS A23-051	
	Change Location of an Asse	0.0		
13NOV14 03:25	Asset Removal	490.1	552 A23T A1UHO A23-051	00 A23T A1UHO 00A XXxxXXxx
	5592.7 AFHR Change Serviceability Stat	0.0	S/I U/S A23-051	
	Change Location of an Asse	490.1		
27NOV14 00:17	Change Serviceability Stat	13.8	AVIONICS U/S SERV	XXxxXXxx
	5592.7 AFHR			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01629  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 90100104  
 PART NO : 150.0001-2 ~34830  
 ENGINEERING NAME : ESDP  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
14JAN15 23:55	Change Location of an Asse	62.8	AVIONICS EQUIP_STORE	
19JAN15 22:10	Change Serviceability Stat	53.9	5592.7 AFHR A1EXXX1500095 SERV U/S	XXxxXXxx
29JAN15 03:11	Change Serviceability Stat	9.2	5592.7 AFHR U/S SERV	XXxxXXxx
29MAR15 22:47	Asset Installation	136.8	5592.7 AFHR A23T A1UHO 562 A23-061 00	XXxxXXxx
	Change Serviceability Stat	59.8	5592.7 AFHR SERV S/I	XXxxXXxx
	Change Location of an Asse	73.9	5592.7 AFHR EQUIP_STORE A23-061 562	
14NOV17 11:24	Asset Removal	960.5	A23T A1UDI A23-061 00	A23T A1UDI 00A
	Change Serviceability Stat	0.0	6329.6 AFHR S/I U/S	XXxxXXxx
	Change Location of an Asse	376.0	6329.6 AFHR A23-061 STORES	
16NOV17 03:16	Change Venue of an Asset	724.2	AIP NONC2CONT A1PXXX1716120	XXxxXXxx
	Change Location of an Asse	1.6	6329.6 AFHR STORES HOLD	
06FEB18 03:00	Change Serviceability Stat	83.6	6329.6 AFHR U/S SERV	XXxxXXxx
20SEP18 02:28	Change Venue of an Asset	307.9	6329.6 AFHR NONC2CONT AIP	XXxxXXxx
	Change Location of an Asse	307.9	6329.6 AFHR NONC2X1809301 HOLD STORES MMI	XXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 01630  
08JAN20  
23:16:15

SERIAL/TAIL NO : 90100104  
PART NO : 150.0001-2 ~34830  
ENGINEERING NAME : ESDP  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW	TRANS REFERENCE		
25SEP18 00:18	Asset Installation	314.5	A23T A1UDI	00	
	6329.6 AFHR		533 A23-033		A23T A1UDI 00AC
	Change Serviceability Stat	230.8	SERV S/I		XXXXXXXX
	Change Location of an Asse	4.9	STORES A23-033	MMI	

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME
16NOV03 23:51	COMPLETED	17NOV03 00:02	4053.7	AFHR		XXXXXXXXXX
	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX
		NG SEGMENTS MISSING WHEN ENGINE RUNNING.				17NOV03 00:02
						XXXXXXXXXX

Maint Acts: SERVICEABLE NG MODULE FITTED.

REMOVALS/INSTALLATIONS FOR 16NOV03 23:51

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	R113369	A23T	A1UDI10	00	R113365	A23T	A1UDI10	00
	0356-0937		16NOV03 23:54	APXXJY306522	0356-0937		16NOV03 23:58	

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
NONC2U1000079						INSPECTOR
11MAY10 08:44						DATE/TIME
11MAY10 08:46						
11MAY10 08:44	COMPLETED	11MAY10 10:26	5143.6	AFHR	SST	XXXXXXXXXX
	XXXXXXXX	XXXXXXXXXXXXXXXX	NONC2CONT			11MAY10 10:26
	XXXXXXXX	XXXXXXXXXXXXXXXX	NONC2CONT			XXXXXXXXXX
		LCD MODULE NR HYD S/NO 274890 REMOVED FOR REPAIR AT CONTRACTOR				11MAY10 10:26
						XXXXXXXXXX

Maint Acts: SERV LCD MODULE N2 HYD S/NO R113319 FITTED IAW AAP 7516.078-3M @ AIJ



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 01631  
08JAN20  
23:16:15

SERIAL/TAIL NO : 90100104  
PART NO : 150.0001-2 ~34830  
ENGINEERING NAME : ESDP  
VENUE : A23DISP LOCATION : A23-033  
REMOVALS/INSTALLATIONS FOR NONC2U1000079  
SEQ REMOVED SERIAL NO EIAC LCN ALC INSTALLED SERIAL NO EIAC LCN ALC  
REMOVED PART NO DATE/TIME JOB NUMBER INSTALLED PART NO DATE/TIME  
=====  
001 274890 A23T A1UHO08 00 R113319 A23T A1UHO08 00  
0356-1001 11MAY10 08:46 NONC2J1000864 0356-1001 11MAY10 10:23

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJY303346	C COMPLETED	17OCT03 05:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	17NOV03 00:05					4053.7	AFHR
01 UNSERVICEABLE		02 DURING OPERATION		FRONT ESDP SEGMENTS MISSNG DURING OPERATION			
		03 ELECTRICAL FAILURE					
03 ELECTRICAL COMPONENT FAIL		02 REPAIR					
		Unserviceability Details:		NG SEGMENTS MISSING WHEN ENG RUNNING			
		Maintenance Comments:		NG MODULE REPLACED .			
A1PXXJY411822	C COMPLETED	21JUN04 05:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	23JUN04 14:00					4203.7	AFHR
01 UNSERVICEABLE		09 R2 SERVICING	R2	due on Serial A23-037			
		17 DELAMINATED/ERODED	PC-9	at WAC 0000			
03 ELECTRICAL COMPONENT FAIL		02 REPAIR					
		Unserviceability Details:		NP/OAT/VOLTAGE MODULE DELAMINATING.			
		Maintenance Comments:		REPLACED VOLT/AMP LCD MODULE, CHECK TEST AERV AT AIJ			
A1PXXJY422492	C COMPLETED	17NOV04 11:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	29NOV04 08:00					4331.3	AFHR
01 UNSERVICEABLE		04 AIRCREW B/F		FRONT ESDP DELAMINATING			
		17 DELAMINATED/ERODED					
03 ELECTRICAL COMPONENT FAIL		02 REPAIR					
		Unserviceability Details:		N2 HYD GAUGE DELAMINATING			
		Maintenance Comments:		29NOV04 N2 HYD MODULE REPLACED AT AIRFLITE JANDAKOT			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 01632  
08JAN20  
23:16:15

SERIAL/TAIL NO : 90100104  
PART NO : 150.0001-2 ~34830  
ENGINEERING NAME : ESDP  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJY502049	C COMPLETED	04FEB05 07:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	09FEB05 08:00					4347.1	AFHR

01 UNSERVICEABLE 01 IN FLIGHT ESDP YELLOW CAUTION CODE 101  
03 ELECTRICAL COMPONENT FAIL 03 ELECTRICAL FAILURE  
02 REPAIR

Unserviceability Details: CODE 101

Maintenance Comments: 09FEB05 CHECKED AT AIRFLITE JANDAKOT

A1PXXJY502841	C COMPLETED	20FEB05 23:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	23FEB05 08:00					4353.7	AFHR

01 UNSERVICEABLE 01 IN FLIGHT ESDP DISPALED CODE '101' ON SHUTDOWN INTERMITTENT  
10 INTERMITTENT  
01 NO FAULT 04 CHECK/TEST SERV

Unserviceability Details: DISPLAYED CODE '101' ON SHUTDOWN- INTERMITTENT

Maintenance Comments: 23FEB05 TESTED SERVICABLE AT JANDAKOT

A1PXXJY503631	C COMPLETED	02MAR05 06:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	12SEP06 12:00					4358.0	AFHR

01 UNSERVICEABLE 07 AFTER FLIGHT CODE 201 PRESENT ON SHUTDOWN  
03 ELECTRICAL FAILURE  
03 ELECTRICAL COMPONENT FAIL 02 REPAIR

Unserviceability Details: CODE 201 ON SHUTDOWN

Maintenance Comments: UNIT REPAIRED AND TESTED IAW AAP7516 078-3M AIJ 12SEP06

A1PXXJY817805	C COMPLETED	16OCT08 12:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	NONC2CONT	
	05DEC08 14:00	16OCT08 12:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	5077.8	AFHR

01 UNSERVICEABLE 01 IN FLIGHT FRONT SEAT DIGITAL FUEL READING UNREADABLE  
03 ELECTRICAL FAILURE  
03 ELECTRICAL COMPONENT FAIL 02 REPAIR

Unserviceability Details: DIGITAL FUEL GAUGE UNREADABLE

Maintenance Comments: UNIT WAS REPAIRED AND TESTED IAW AAP 7516.078-3M

A1PXXJY906525	C COMPLETED	05APR09 23:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	05APR09 23:55	05APR09 23:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	5143.6	AFHR

13 REMOVED FOR ACCESS 99 NO FAILURE AFT CPT ESDP RFA  
01 NO FAULT 04 CHECK/TEST SERV

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 01633  
08JAN20  
23:16:15

SERIAL/TAIL NO : 90100104  
PART NO : 150.0001-2 ~34830  
ENGINEERING NAME : ESDP  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

Unserviceability Details:

Maintenance Comments:

CHECK/TEST SERV

A1PXXJY926288 C COMPLETED 14DEC09 05:35 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP NONC2CONT  
06MAY10 11:00 14DEC09 05:36 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 5143.6 AFHR  
01 UNSERVICEABLE 09 R2 SERVICING RCP ESDP N2/HYD IND HAS 4 MISSING SEGMENTS  
06 OUT OF LIMITS  
03 ELECTRICAL COMPONENT FAIL 02 REPAIR

Unserviceability Details:

N2/HYD 4 MISSING SEGMENTS

Maintenance Comments:

REAPIARED LCD MODULE N2 HYD SREEN DELAMINATED REPLACED WITH  
SERV MODULE TESTED SERV ALL WORK C/O IAW AAP 7516.078-3M AL1 @  
AIJ

A1PXXJ1104577 C COMPLETED 04APR11 02:44 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
04APR11 02:45 04APR11 02:45 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 5143.6 AFHR  
13 REMOVED FOR ACCESS 99 NO FAILURE ESDP RFA  
01 NO FAULT 04 CHECK/TEST SERV

Unserviceability Details:

Maintenance Comments:

CHECK/TEST SERV

A1PXXJ1201307 C COMPLETED 01FEB12 05:10 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP NONC2CONT  
14MAY12 11:00 01FEB12 05:11 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 5340.5 AFHR  
01 UNSERVICEABLE 01 IN FLIGHT ENGINE TEMP MOD MISSING SEGMENTS  
03 ELECTRICAL FAILURE  
03 ELECTRICAL FAILURE  
03 ELECTRICAL FAILURE  
02 REPAIR

Unserviceability Details:

SEGMENTS MISSING OIL TEMP

Maintenance Comments:

UNIT WAS REPAIRED AND TESTED IAW AAP7516.078-3M @ AIJ COFC  
REF: CAPO V310148 & TRACKING NO: ACS1202026

A1PXXJ1214703 C COMPLETED 24SEP12 06:02 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP NONC2CONT  
27FEB13 08:30 24SEP12 06:05 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 5349.2 AFHR  
01 UNSERVICEABLE 01 IN FLIGHT REAR C/P ESDP TQ GAUGE NIL DISPLAY  
03 ELECTRICAL FAILURE  
03 ELECTRICAL FAILURE  
02 REPAIR

Unserviceability Details:

TQ GAUGE NIL DISPLAY - APPEARS INTERMITTENTLY IF SCREEN TAPPED

Maintenance Comments:

CONTAMINATED MODULE TQ, THOROUGHLY CLEANED. UNIT REPAIRED &  
(Continued on next page.)

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 01634  
08JAN20  
23:16:15

SERIAL/TAIL NO : 90100104  
PART NO : 150.0001-2 ~34830 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : ESDP  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

(Continued from previous page.)  
TESTED IAW AAP 7516.078-3M

A1EXXJ1303353 C COMPLETED 10JUL13 22:44 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
10JUL13 22:49 10JUL13 22:44 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 5354.2 AFHR  
01 UNSERVICEABLE 01 IN FLIGHT REAR SEAT TQ GUAGE U/S  
03 ELECTRICAL COMPONENT FAIL 03 ELECTRICAL FAILURE  
02 REPAIR  
Unserviceability Details: REAR ESDP TQ MODULE NIL OP  
Maintenance Comments: ESDP TQ MODULE REPLACED SERV IAW 7516.078-3M

A1EXXJ1407350 C COMPLETED 13NOV14 03:25 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
27NOV14 00:17 13NOV14 03:26 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 5592.7 AFHR  
01 UNSERVICEABLE 01 IN FLIGHT REAR NG GAUGE DELAMINATED CANT SEE FIRST NUMBER  
01 DAMAGED/CRACKED  
03 ELECTRICAL COMPONENT FAIL 02 REPAIR  
Unserviceability Details: NG GAUGE DELAMINATED  
Maintenance Comments: REPLACED MODULE

A1EXXJ1500319 C COMPLETED 19JAN15 22:10 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
29JAN15 03:11 19JAN15 22:13 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 5592.7 AFHR  
01 UNSERVICEABLE 27 FUNCTIONAL CHECK/TEST FIRST SEGMENT ABOVE 7 ON TORQUE GAUGE NIL OP  
03 ELECTRICAL COMPONENT FAIL 03 ELECTRICAL FAILURE  
02 REPAIR  
Unserviceability Details: FIRST SEGMENT ABOVE 7 ON TORQUE GAUGE NIL OP  
Maintenance Comments: TORQUE MODULE REPLACED SERV IAW 7516.078-3M

A1PXXJ1721260 C COMPLETED 14NOV17 11:24 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP NONC2CONT  
06FEB18 03:00 14NOV17 11:26 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 6329.6 AFHR  
01 UNSERVICEABLE 05 TECHNICAL B/F FRONT COCKPIT ESDP N2 HAS SEGMENT MISSING  
16 WORN/FRAYED  
03 ELECTRICAL COMPONENT FAIL 02 REPAIR  
Unserviceability Details: FRONT COCKPIT ESDP N2 MODULE SEGMENTS MISSING  
Maintenance Comments: REPAIRED - MULTIPLE NEW COMPONENTS FITTED , UNIT REPAIRED AND TESTED SERVICEABLE IAW AAP 7516.078-3M AL1 REF AIRFLITE ARC NO PAVI3232 @ AIP AV SHOP

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 01635  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 901061  
 PART NO : 3260042-0201  
 ENGINEERING NAME : REGULATOR OXY DEMAN  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

~99251

PERIOD: 01JAN90 TO 08JAN20

LOCATION : A23-033  
 LIFE SINCE NEW : 7455.6 AFHR

ASSET TRANSACTIONS

TRANSACTION D/T CHANGE TYPE		LIFE SINCE NEW		SPAN(DYS) FROM		TO (OPTIONAL)		TRANS REFERENCE		USER	
=====		=====		=====		=====		=====		=====	
01SEP03	12:23	Maintenance Comment	0.0	AFHR	3.1	16May03	A23-030	07.40	5245	1456 DAYS	02-BS DUE LF38560
											XXxxXXxx
01SEP03	12:23	Maintenance Comment	0.0	AFHR	3.1	4147.4	0.0	AFHR			XXxxXXxx
											XXxxXXxx
01SEP03	12:23	Maintenance Comment	0.0	AFHR	3.1	29Jul03	A23-024	07.30	5319	1530 DAYS	IN AS A23T 2226-00-00-D
											XXxxXXxx
01SEP03	12:24	Maintenance Comment	0.0	AFHR	3.1	01Jan89	NEW - 901061	3260042-0201		2226-00-00-D	XXxxXXxx
											XXxxXXxx
01SEP03	12:26	Maintenance Comment	0.0	AFHR	3.1	14Jun02	STI-PC9-0273			STI STATUS NOW	INC
											XXxxXXxx
01SEP03	12:27	Maintenance Comment	0.0	AFHR	3.1	29Aug03	A23-024	07.30	4147.8	AFHR	TX TO CMM2
											XXxxXXxx
01SEP03	12:29	Maintenance Comment	0.0	AFHR	3.1	04Jun03	2FTAVOX		FF: 01-NIL		MA: 06-BS
											XXxxXXxx
01SEP03	12:29	Maintenance Comment	0.0	AFHR	3.1	4147.4	0.0	AFHR			XXxxXXxx
											XXxxXXxx
01SEP03	12:30	Maintenance Comment	0.0	AFHR	3.1	3801.3	0.0	AFHR			XXxxXXxx
											XXxxXXxx
01SEP03	12:30	Maintenance Comment	0.0	AFHR	3.1	04Jun03		INSYR	LST BS 28JUL04	INSYR	NXT BS
											XXxxXXxx
01SEP03	12:31	Maintenance Comment	0.0	AFHR	3.1						XXxxXXxx
											XXxxXXxx
01SEP03	12:31	Maintenance Comment	0.0	AFHR	3.1	04Jun02	2FTAVOX		FF: 01-NIL		MA: 06-BS
											XXxxXXxx
01SEP03	12:33	Maintenance Comment	0.0	AFHR	3.1	05Jun02	A23-030	07.40	4900	1111 DAYS	IN AS A23T 2226-00-00-D
											XXxxXXxx
01SEP03	12:34	Maintenance Comment	0.0	AFHR	3.1	20May99		ELPYR	LST OH 18MAY04	ELPYR	NXT OH
											XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01636  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 901061  
 PART NO : 3260042-0201  
 ENGINEERING NAME : REGULATOR OXY DEMAN  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~99251

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
29OCT03 23:31	Asset Removal	61.6	524 A23T A1UES A23-024 00	A23T A1UES 00A
	4178.2 AFHR Change Serviceability Stat	14.9	S/I U/S A23-024 OPMH	XXXXXXxx
	Change Location of an Asse	xxxx	U/S SERV	
30OCT03 11:05	Change Serviceability Stat	0.4		XXXXXXxx
	4178.2 AFHR Asset Installation	0.4	A23T A1UES 524 A23-024 00	A23T A1UES 00A
	4178.2 AFHR Change Serviceability Stat	0.0	SERV S/I OPMH A23-024	XXXXXXxx
	Change Location of an Asse	0.4	S/I US/I AIPXXJ308196	
11MAY04 01:48	Change Serviceability Stat	25.9		XXXXXXxx
	4339.8 AFHR Asset Removal	193.6	524 A23T A1UES A23-024 00	A23T A1UES 00A
	4339.8 AFHR Change Serviceability Stat	0.0	US/I U/S A23-024 EXTERNAL	XXXXXXxx
	Change Location of an Asse	193.6	U/S SERV	
09NOV04 12:00	Change Serviceability Stat	182.4		XXXXXXxx
	4339.8 AFHR Change Venue of an Asset	510.4	AIP FACDU A1PXXXY500418	XXXXXXxx
	4339.8 AFHR Change Location of an Asse	254.7	EXTERNAL AVTECH	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01637  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 901061  
 PART NO : 3260042-0201  
 ENGINEERING NAME : REGULATOR OXY DEMAN  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~99251

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
20JAN05 20:58	Change Serviceability Stat	72.3	SERV U/S	
	4339.8 AFHR			XXxxXXxx
20JAN05 21:12	Change Venue of an Asset	0.0	FACDU 77SQN	
	4339.8 AFHR		FACDUXY500022	XXxxXXxx
	Change Location of an Asse	0.0	AVTECH	
02FEB05 21:00	Change Serviceability Stat	13.0	U/S SERV	
	4339.8 AFHR			XXxxXXxx
02FEB05 23:24	Change Venue of an Asset	13.0	77SQN FACDU	
	4339.8 AFHR		77SQNX Y500633	XXxxXXxx
	Change Location of an Asse	13.0	AVMFOXY	
09FEB05 03:19	Asset Installation	274.0	MMI A23T 532	
	4339.8 AFHR		A1UES A23-032 00	A23T A1UES 00AC
	Change Serviceability Stat	6.2	SERV S/I	XXxxXXxx
	Change Location of an Asse	6.1	MMI A23-032	
14DEC05 00:07	Change Serviceability Stat	4.8	S/I US/I	
	4608.9 AFHR		AIPXXJ308195	XXxxXXxx
18DEC05 21:19	Asset Removal	312.7	532 A23T	
	4608.9 AFHR		A1UES A23-032 00	A23T A1UES 00A
	Change Serviceability Stat	4.8	US/I U/S	XXxxXXxx
	Change Location of an Asse	119.8	A23-032 AVTECH	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01638  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 901061  
 PART NO : 3260042-0201  
 ENGINEERING NAME : REGULATOR OXY DEMAN  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~99251

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
19DEC05 02:54	Change Venue of an Asset	120.1	FACDU 77SQN	
	4608.9 AFHR		FACDUXY501662	XXxxXXxx
	Change Location of an Asse	0.2	AVTECH	
25JAN06 01:52	Change Serviceability Stat	37.1	AVMFOXY U/S SERV	
	4608.9 AFHR			XXxxXXxx
25JAN06 02:08	Change Venue of an Asset	36.9	77SQN FACDU	
	4608.9 AFHR		77SQNXY600749	XXxxXXxx
	Change Location of an Asse	36.9	AVMFOXY	
13MAR06 03:57	Asset Installation	84.2	ATECH A23T A1UES	
	4608.9 AFHR		532 A23-032	A23T A1UIS 00AC
	Change Serviceability Stat	47.0	SERV	XXxxXXxx
	Change Location of an Asse	47.0	S/I ATECH A23-032	
15MAR07 02:32	Change Serviceability Stat	6.0	S/I US/I	
	4701.0 AFHR		77SQNJY600616	XXxxXXxx
16MAR07 02:26	Asset Removal	367.9	532 A23-032	A23T A1UIS 00A
	4701.0 AFHR		A23T A1UIS	00
	Change Serviceability Stat	0.9	US/I	XXxxXXxx
	Change Location of an Asse	367.9	U/S A23-032	
26MAR07 21:50	Change Venue of an Asset	425.8	AVTECH FACDU 77SQN	
	4701.0 AFHR		FACDUXY700238	XXxxXXxx
	Change Location of an Asse	10.8	AVTECH AVMF	OXY

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01639  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 901061  
 PART NO : 3260042-0201  
 ENGINEERING NAME : REGULATOR OXY DEMAN  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~99251

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
10MAY07 02:54	Change Venue of an Asset	44.2	77SQN 81WG 77SQNXY704825	XXxxXXxx
	4701.0 AFHR Change Location of an Asse	44.2	AVMF OXY CRISREP	
05JUN07 21:53	Change Venue of an Asset	26.7	81WG NONC2CONT 81WGXXY703941	XXxxXXxx
	4701.0 AFHR Change Location of an Asse	26.7	CRISREP HOLD	
23OCT07 06:07	Change Venue of an Asset	139.3	NONC2CONT 77SQNAVMF NONC2XY711510	XXxxXXxx
	4701.0 AFHR Change Location of an Asse	139.3	HOLD OXY	
25OCT07 23:07	Change Serviceability Stat	223.8	U/S SERV	
	4701.0 AFHR			XXxxXXxx
25OCT07 23:08	Change Serviceability Stat	0.0	SERV U/S	
	4701.0 AFHR			XXxxXXxx
25OCT07 23:10	Change Serviceability Stat	0.0	U/S SERV	
	4701.0 AFHR			XXxxXXxx
26OCT07 00:27	Change Venue of an Asset	2.7	77SQNAVMF FACDU 77SAVXY700476	XXxxXXxx
	4701.0 AFHR Change Location of an Asse	2.7	OXY HOLD	
30OCT07 23:37	Asset Installation	228.8	A23T A1UIS A23-020 00	A23T A1UIS 00AC
	4701.0 AFHR Change Serviceability Stat	5.0	520 SERV	XXxxXXxx
	Change Location of an Asse	4.9	S/I HOLD A23-020	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01640  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 901061  
 PART NO : 3260042-0201  
 ENGINEERING NAME : REGULATOR OXY DEMAN  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~99251

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
28AUG08 03:27	Asset Removal	302.1	520 A23T A1UIS A23-020 00	A23T A1UIS 00A
	4916.3 AFHR Change Serviceability Stat	0.9	S/I U/S	XXXXXXxx
	Change Location of an Asse	83.9	A23-020 RSERV	
28AUG08 03:27	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
	4916.3 AFHR Change Venue of an Asset	143.7	FACDU 77SQNAV MF	XXXXXXxx
	4916.3 AFHR Change Location of an Asse	59.8	FACDUXY800928 RSERV	XXXXXXxx
27OCT08 20:33	Change Serviceability Stat	60.7	OXY SERV U/S	XXXXXXxx
	4916.3 AFHR Change Serviceability Stat	8.0	77SAVJY700186 U/S	XXXXXXxx
	4916.3 AFHR Change Venue of an Asset	15.1	77SQNAV MF FACDU	XXXXXXxx
	4916.3 AFHR Change Location of an Asse	15.1	77SAVXY806206 OXY	XXXXXXxx
26FEB09 23:25	Asset Installation	182.8	RSERV A23T A1UIS A23-032 00	A23T A1UIS 00AC
	4916.3 AFHR Change Serviceability Stat	114.0	532 SERV S/I	XXXXXXxx
	Change Location of an Asse	107.8	RSERV A23-032	
10FEB10 22:17	Change Serviceability Stat	20.6	S/I US/I	XXXXXXxx
	5196.9 AFHR		77SAVJY802441	XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01641  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 901061  
 PART NO : 3260042-0201  
 ENGINEERING NAME : REGULATOR OXY DEMAN  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~99251

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
11FEB10 01:45	Asset Removal	349.0	532 A23T A1UIS A23-032 00	A23T A1UIS 00A
	5196.9 AFHR Change Serviceability Stat	0.1	US/I U/S	XXXXXXxx
	Change Location of an Asse	308.6	A23-032	
25FEB10 02:08	Change Venue of an Asset	159.8	RSERV 4SQN 77SQNAVMF 4SQNXX1000391	XXXXXXxx
	5196.9 AFHR Change Location of an Asse	14.0	RSERV OXY	
01MAR10 02:55	Change Serviceability Stat	18.0	U/S SERV	
	5196.9 AFHR Change Venue of an Asset	4.0	77SQNAVMF FACDU	XXXXXXxx
	5196.9 AFHR Change Location of an Asse	4.0	77SAVX1000845 OXY	XXXXXXxx
23MAR10 00:10	Change Venue of an Asset	21.8	HOLD FACDU 4SQN FACDUX1000010	XXXXXXxx
	5196.9 AFHR Change Location of an Asse	21.8	HOLD RSERV	
23MAR10 00:10	Asset Installation	39.9	A23T A1UIS A23-022 00	A23T A1UIS 00AC
	5196.9 AFHR Change Serviceability Stat	21.8	SERV S/I	XXXXXXxx
	Change Location of an Asse	0.0	RSERV A23-022	
11FEB11 01:41	Change Serviceability Stat	3.9	S/I US/I 77SAVJ1000428	XXXXXXxx
	5544.8 AFHR			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01642  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 901061  
 PART NO : 3260042-0201  
 ENGINEERING NAME : REGULATOR OXY DEMAN  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~99251

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
20FEB11 23:19	Change Serviceability Stat	9.9	US/I S/I	
	5544.8 AFHR			XXxxXXxx
22MAR11 23:17	Change Serviceability Stat	29.9	S/I US/I	
	5544.8 AFHR		4SQNXJ1100263	XXxxXXxx
23MAR11 04:22	Asset Removal	365.1	522 A23T A1UIS	A23T A1UIS 00A
	5544.8 AFHR			XXxxXXxx
	Change Serviceability Stat	0.2	US/I U/S	
	Change Location of an Asse	216.1	A23-022 RSERV	
18AUG11 21:38	Change Venue of an Asset	364.8	4SQN NONC2CONT	
	5544.8 AFHR		4SQNXX1101568	XXxxXXxx
	Change Location of an Asse	148.7	RSERV HOLD	
31AUG11 12:00	Change Serviceability Stat	161.3	U/S SERV	
	5544.8 AFHR			XXxxXXxx
10OCT11 04:02	Change Venue of an Asset	52.2	NONC2CONT AIP	
	5544.8 AFHR		NONC2X1110547	XXxxXXxx
	Change Location of an Asse	52.2	HOLD STORES	MMI
11OCT11 03:48	Change Serviceability Stat	40.6	SERV U/S	
	5544.8 AFHR			XXxxXXxx
12OCT11 00:44	Change Location of an Asse	1.8	STORES AVOX	MMI
	5544.8 AFHR		A1PXXX1109300	XXxxXXxx
13OCT11 04:56	Change Serviceability Stat	2.0	U/S SERV	
	5544.8 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01643  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 901061  
 PART NO : 3260042-0201  
 ENGINEERING NAME : REGULATOR OXY DEMAN  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~99251

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
13OCT11 04:56	Change Location of an Asse	1.1	AVOX STORES MMI	
25OCT11 00:49	Asset Installation	215.8	A1PXXX1109364 A23T A1UIS	XXXXXXxx
	Change Serviceability Stat	11.8	SERV S/I	
	Change Location of an Asse	11.8	STORES A23-017 MMI	
08MAR12 12:09	Asset Removal	135.4	517 A23T A1UES	XXXXXXxx
	Change Serviceability Stat	1.0	S/I U/S	
	Change Location of an Asse	135.4	A23-017 AVOX AIP	
28MAR12 02:53	Change Venue of an Asset	169.9	NONC2CONT A1PXXX1202720	XXXXXXxx
	Change Location of an Asse	19.6	AVOX HOLD	
11APR12 01:05	Change Serviceability Stat	33.5	U/S SERV	
	Change Venue of an Asset	15.0	NONC2CONT AIP	XXXXXXxx
	Change Location of an Asse	15.0	NONC2X1203936 HOLD STORES	XXXXXXxx
			OXY	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01644  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 901061  
 PART NO : 3260042-0201  
 ENGINEERING NAME : REGULATOR OXY DEMAN  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~99251

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
08MAY12 02:53	Asset Installation	5593.1 AFHR	60.6	A23T 516 A1UES A23-016	00 A23T A1UIS 00AC XXXXXXXX
	Change Serviceability Stat		27.0	SERV S/I	
	Change Location of an Asse		25.9	STORES A23-016 OXY	
10DEC12 00:44	Asset Removal	5843.5 AFHR	215.9	A23T 516 A1UIS A23-016	00 A23T A1UIS 00A XXXXXXXX
	Change Serviceability Stat		3.8	S/I U/S	
	Change Location of an Asse		215.9	A23-016 INTMH U/S	
10DEC12 00:45	Change Serviceability Stat	5843.5 AFHR	0.0	SERV	XXXXXXXX
09JAN13 22:55	Asset Installation	5843.5 AFHR	30.9	A23T 516 A1UIS A23-016	00 A23T A1UIS 00AC XXXXXXXX
	Change Serviceability Stat		30.9	SERV S/I	
	Change Location of an Asse		30.9	INTMH A23-016	
04JUN13 11:47	Change Serviceability Stat	5944.5 AFHR	0.1	S/I US/I	XXXXXXXX
04JUN13 13:04	Asset Removal	5944.5 AFHR	145.5	NONC2J1201137 516 A23T A1UIS A23-016	00 A23T A1UIS 00A XXXXXXXX
	Change Serviceability Stat		0.0	US/I U/S	
	Change Location of an Asse		145.5	A23-016 STORES	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01645  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 901061  
 PART NO : 3260042-0201  
 ENGINEERING NAME : REGULATOR OXY DEMAN  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~99251

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
06JUN13 06:22	Change Location of an Asse	1.7	STORES AVOX A1PXXX1305854	XXxxXXxx
06JUN13 06:24	Change Serviceability Stat	1.7	U/S SERV	XXxxXXxx
06JUN13 06:25	Change Location of an Asse	0.0	AVOX STORES MMI	XXxxXXxx
10JUN13 23:39	Asset Installation	6.4	A1PXXX1305855 A23T A1UIS	XXxxXXxx
	Change Serviceability Stat	4.7	SERV S/I	XXxxXXxx
	Change Location of an Asse	4.7	STORES A23-008 MMI	
09JUN14 09:21	Change Serviceability Stat	0.0	S/I US/I	
09JUN14 09:24	Asset Removal	363.4	A1PXXJ1307451 058 A23T A1UIS	XXxxXXxx
	Change Serviceability Stat	0.0	US/I U/S	XXxxXXxx
	Change Location of an Asse	363.4	A23-008 AVOX	
23JUN14 06:08	Change Serviceability Stat	13.8	U/S SERV	XXxxXXxx
23JUN14 06:08	Change Location of an Asse	13.8	AVOX STORES MMI	XXxxXXxx
			A1PXXX1406362	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01646  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 901061  
 PART NO : 3260042-0201  
 ENGINEERING NAME : REGULATOR OXY DEMAN  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~99251

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW						
11JUL14 03:33	Asset Installation	31.7	A23T	A1UIS	00	
	6302.3 AFHR		519		A23-019	A23T A1UIS 00AC
	Change Serviceability Stat	17.8	SERV			XXXXXXxx
	Change Location of an Asse	17.8	S/I		MMI	
25JUN15 09:03	Change Serviceability Stat	14.9	STORES			
	6597.3 AFHR		A23-019			
02JUL15 05:57	Asset Removal	356.0	S/I			XXXXXXxx
	6597.3 AFHR		US/I		A23-019	A23T A1UIS 00A
	Change Serviceability Stat	6.8	A1PXXJ1410500			XXXXXXxx
	Change Location of an Asse	356.0	519			
10AUG15 03:42	Change Serviceability Stat	38.9	A23T	A1UIS	00	
	6597.3 AFHR					
10AUG15 03:42	Change Location of an Asse	38.9	US/I			XXXXXXxx
	6597.3 AFHR		U/S			
13SEP15 23:25	Asset Installation	73.7	A23-019			
	6597.3 AFHR		STORES		MMI	
	Change Serviceability Stat	34.8	A1PXXX1507307			XXXXXXxx
	Change Location of an Asse	34.8	A23T	A1UIS	00	A23T A1UIS 00AC
22AUG16 07:32	Change Serviceability Stat	10.0	534			XXXXXXxx
	6846.7 AFHR		SERV			
	Change Location of an Asse	34.8	S/I		MMI	
	Change Serviceability Stat	10.0	STORES			
	6846.7 AFHR		A23-034			
	Change Location of an Asse	34.8	S/I			
	Change Serviceability Stat	10.0	US/I			XXXXXXxx
	6846.7 AFHR		N0NC2J1102956			

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01647  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 901061  
 PART NO : 3260042-0201  
 ENGINEERING NAME : REGULATOR OXY DEMAN  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~99251

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
22AUG16 11:19	Asset Removal	343.4	534 A23T A1UIS A23-034 00	A23T A1UIS 00A
	6846.7 AFHR Change Serviceability Stat	0.1	US/I U/S	XXXXXXxx
	Change Location of an Asse	103.2	A23-034 STORES	
16SEP16 00:43	Change Venue of an Asset	1617.8	AIP NONC2CONT A1PXXX1609151	XXXXXXxx
	6846.7 AFHR Change Location of an Asse	24.5	STORES HOLD U/S SERV	
05JAN17 04:00	Change Serviceability Stat	135.6		XXXXXXxx
	6846.7 AFHR Change Venue of an Asset	276.9	NONC2CONT AIP NONC2X1706844	XXXXXXxx
19JUN17 23:55	Maintenance Comment	0.0	OH CHARLETON L.S.S USA ON 05JAN17. MOVED TO AIP PEA.	
	Change Location of an Asse	276.9	HOLD STORES SERV U/S	
20JUN17 04:37	Change Serviceability Stat	166.0		XXXXXXxx
	6846.7 AFHR Change Serviceability Stat	6.0	U/S SERV	
26JUN17 06:17	Change Serviceability Stat	6.0		XXXXXXxx
	6846.7 AFHR Change Location of an Asse	6.2	STORES STORES MMI	XXXXXXxx
26JUN17 06:17	Change Location of an Asse	6.2	A1PXXX1710048	XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01648  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 901061  
 PART NO : 3260042-0201  
 ENGINEERING NAME : REGULATOR OXY DEMAN  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~99251

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
03JUL17 06:15	Asset Installation	314.7	A23T A1UIS 544	00 A23T A1UES 00AC XXXXXXXX
	6846.7 AFHR Change Serviceability Stat	6.9	SERV S/I	
	Change Location of an Asse	6.9	STORES A23-044	MMI
03JUL18 06:22	Change Serviceability Stat	0.0	S/I US/I	
	7030.4 AFHR Asset Removal	365.0	A1PXXJ1512352 544	00 A23T A1UES 00A XXXXXXXX
	7030.4 AFHR Change Serviceability Stat	0.0	US/I U/S	
	Change Location of an Asse	365.0	A23-044	
06JUL18 03:37	Change Serviceability Stat	2.8	OXY U/S SERV	
	7030.4 AFHR Change Location of an Asse	2.8	STORES A1PXXX1806514	MMI XXXXXXXX
06JUL18 06:59	Asset Installation	2.9	A23T A1UES 519	00 A23T A1UES 00AC XXXXXXXX
	7030.4 AFHR Change Serviceability Stat	0.1	SERV S/I	
	Change Location of an Asse	0.1	STORES A23-019	MMI
05JUL19 01:10	Change Serviceability Stat	0.8	S/I US/I	
	7409.3 AFHR		A1PXXJ1811075	XXXXXXXX

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01649  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 901061  
 PART NO : 3260042-0201 ~99251  
 ENGINEERING NAME : REGULATOR OXY DEMAN  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
05JUL19 03:15	Asset Removal	7409.3 AFHR	363.8	519 A23T A1UES A23-019 00	A23T A1UES 00A
	Change Serviceability Stat		0.0	US/I U/S	XXXXXXxx
	Change Location of an Asse		363.8	A23-019 AVOX U/S SERV	
28AUG19 06:04	Change Serviceability Stat	7409.3 AFHR	54.1		XXXXXXxx
28AUG19 06:05	Change Location of an Asse	7409.3 AFHR	54.1	AVOX STORES MMI	
24SEP19 05:56	Asset Installation	7409.3 AFHR	81.1	A1PXXX1908055 A23T A1UES 533 A23-033 00	A23T A1UES 00AC
	Change Serviceability Stat	7409.3 AFHR	26.9	SERV S/I	XXXXXXxx
	Change Location of an Asse		26.9	STORES A23-033 MMI	

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS		UNSERVICEABILITY DETAILS			
MAINT PROCESS	UNSERVICEABILITY	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			
FAULT FOUND	MAINTENANCE ACTION TAKEN						

2FTSXJCA10300 C COMPLETED 20MAY99 00:00 XXXXXxx 2FTS 0.0  
 03 OVERHAUL DUE

Unserviceability Details:  
 Maintenance Comments:

2FTSXJCA04697 C COMPLETED 04JUN03 00:00 XXXXXxx 2FTS 0.0  
 02 BAY SERVICE DUE

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 01650  
08JAN20  
23:16:15

SERIAL/TAIL NO : 901061  
PART NO : 3260042-0201 ~99251 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : REGULATOR OXY DEMAN  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			

Unserviceability Details:  
Maintenance Comments:

A1PXXJY304826 C COMPLETED 29OCT03 23:31 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
30OCT03 11:05 4178.2 AFHR  
15 FAULT FINDING 99 NO FAILURE FRONT AND REAR REG OXY DEMAND REMOVED FOR STI-PC9-0309A  
01 NO FAULT 04 CHECK/TEST SERV

Unserviceability Details:  
Maintenance Comments:

SERV IAW STI 309

AIPXXJ308196X C COMPLETED 11MAY04 01:58 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIE  
09NOV04 12:00 4339.8 AFHR  
03 OVERHAUL DUE OH due on Serial 901061  
REG OXYGEN DEMAND at WAC 0730  
01 NO FAULT 07 OVERHAUL

Unserviceability Details:  
Maintenance Comments:

OH IAW 7553.027-3M AND TASPO/A23/4700/MGT PT 10 (46)

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	5.0	ELPYR			18MAY04

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			

FACDUJY500065 C COMPLETED 20JAN05 20:58 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU 77SQN  
02FEB05 21:00 4339.8 AFHR  
16 PRE-INSTALLATION MAINT PIC REQUIRED  
01 NO FAULT 04 CHECK/TEST SERV

Unserviceability Details:  
Maintenance Comments:

PIC CARRIED OUT IAW 7553.027-3M

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 01651  
08JAN20  
23:16:15

SERIAL/TAIL NO : 901061 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 3260042-0201 ~99251  
ENGINEERING NAME : REGULATOR OXY DEMAN  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

AIPXXJ308195X C COMPLETED 18DEC05 21:19 XXxxXXxx XXxxXXxxXXxxXXxx FACDU 77SQN  
25JAN06 01:52 4608.9 AFHR  
02 BAY SERVICE DUE BS due on Serial 901061  
REG OXYGEN DEMAND at WAC 0730  
01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: B/S C/O IAW 7553.027-3M TOPIC -6 SECT 4

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	INSYR			08FEB06

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

77SQNJY704204 C COMPLETED 09MAY07 04:55 XXxxXXxx XXxxXXxxXXxxXXxx 77SQN 77SQNAVMF  
25OCT07 23:07 09MAY07 04:56 XXxxXXxx XXxxXXxxXXxxXXxx 77SQN 4701.0 AFHR  
01 UNSERVICEABLE 25 OTHER SCHEDULED SERVICING REG FAILS OXYGEN SUPPLY VALVE LEAKAGE TEST, AT 500 PSI EXCEEDS  
09 OUT OF LIMITS 09 LEAKING 3MM IN 3 SECONDS  
07 OVERHAUL  
Unserviceability Details: REG FAILS OXYGEN SUPPLY VALVE LEAKAGE TEST, AT 500 PSI EXCEEDS  
3MM IN 3 SECONDS  
Maintenance Comments: O/H C/O SERV REFER JOB# AIEXXJO8836X

FACDUJY500061 C COMPLETED 04OCT07 05:00 XXxxXXxx XXxxXXxxXXxxXXxx 77SQNAVMF 77SQNAVMF  
05OCT07 10:00 25OCT07 03:42 XXxxXXxx XXxxXXxxXXxxXXxx 77SQNAVMF 4701.0 AFHR  
03 OVERHAUL DUE OH due on Serial 901061  
REG OXYGEN DEMAND at WAC 0740  
01 NO FAULT 07 OVERHAUL  
Unserviceability Details:  
Maintenance Comments: OH COMPLETED SERV BY AIRFLITE IAW: OEM DRAWINGS & SPECS

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 01652  
08JAN20  
23:16:15

SERIAL/TAIL NO : 901061  
PART NO : 3260042-0201 ~99251 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : REGULATOR OXY DEMAN  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	5.0	ELPYR			24OCT07

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

77SAVJY700190	C COMPLETED	25OCT07 23:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	77SQNAVVF	77SQNAVVF	
16 PRE-INSTALLATION MAINT	25OCT07 23:10	25OCT07 23:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	77SQNAVVF	4701.0	AFHR
01 NO FAULT	04 CHECK/TEST SERV						
	Unserviceability Details:						
	Maintenance Comments:			PIC C/O SERVIAM AAP 7055.001-99		INSTRUCTION 18	
FACDUJY801506	C COMPLETED	28AUG08 03:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU	FACDU	
13 REMOVED FOR ACCESS	28AUG08 03:27	28AUG08 03:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU	4916.3	AFHR
01 NO FAULT	04 CHECK/TEST SERV						
	Unserviceability Details:						
	Maintenance Comments:			CHECK/TEST SERV			
77SAVJY700186	C COMPLETED	27OCT08 20:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	77SQNAVVF	77SQNAVVF	
02 BAY SERVICE DUE	04NOV08 21:20	27OCT08 20:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	77SQNAVVF	4916.3	AFHR
01 NO FAULT	06 BAY SERVICE						
	Unserviceability Details:			BS		due on Serial 901061	
	Maintenance Comments:			REG OXYGEN DEMAND at WAC 0740			
				BAY SERVICE C/O SERV IAW AAP 7553.027-3M.			

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 01653  
08JAN20  
23:16:15

SERIAL/TAIL NO : 901061 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 3260042-0201 ~99251  
ENGINEERING NAME : REGULATOR OXY DEMAN  
VENUE : A23DISP LOCATION : A23-033

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	INSYR			

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
77SAVJY802441	C COMPLETED	11FEB10 01:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	77SQNAVMF	
02 BAY SERVICE DUE	01MAR10 02:55	10FEB10 22:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	5196.9 AFHR	
01 NO FAULT		06 BAY SERVICE		BS	due on Serial 901061		
				REG OXYGEN DEMAND	at WAC 0740		

Unserviceability Details:  
Maintenance Comments: BAY SERVICE CARRIED OUT IAW 7553.027-3M

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	INSYR			
SM	BS	1.0	INSYR			25FEB10

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
4SQNXJ1100263	C COMPLETED	23MAR11 04:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	NONC2CONT	
02 BAY SERVICE DUE	31AUG11 12:00	22MAR11 23:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	5544.8 AFHR	
01 NO FAULT		06 BAY SERVICE		BS	due on Serial 901061		
				REG OXYGEN DEMAND	at WAC 0740		

Unserviceability Details:  
Maintenance Comments: OH C/O IAW PD1637302 SERV IAW COBHAM COFC NO 87712 2.1 PC9/A  
AEO AUTH 001/2007 REF COFC ACS1105133 @ COBHAM

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	INSYR			22MAR11

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 01654  
08JAN20  
23:16:15

SERIAL/TAIL NO : 901061 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 3260042-0201 ~99251  
ENGINEERING NAME : REGULATOR OXY DEMAN  
VENUE : A23DISP LOCATION : A23-033

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
---------------	---------------	----------	---------------	--------------	----------------	----------

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

77SAVJY700188	C COMPLETED	01JUL11 12:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	NONC2CONT	NONC2CONT	
03 OVERHAUL DUE	31AUG11 12:00	10OCT11 03:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	NONC2CONT	5544.8 AFHR	
01 NO FAULT	07 OVERHAUL				due on Serial 901061		

Unserviceability Details:  
Maintenance Comments: OH C/O IAW PD1637302 SERV IAW COBHAM COFC NO 87712 2.1 PC9/A AEO AUTHORISATION 001/2007 REF COFC ACS1105133 @ COBHAM

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	5.0	ELPYR			23OCT12
SM	OH	5.0	ELPYR			23OCT12

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

16 PRE-INSTALLATION MAINT	C COMPLETED	11OCT11 03:48	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
09 OUT OF LIMITS	13OCT11 04:56	11OCT11 03:48	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	5544.8 AFHR	
	26 PRE-INSTALLATION MAINTENANCE				PIC CHECK REQUIRED POST SERV AT CONTRACTOR		
	06 OUT OF LIMITS						
	02 REPAIR						

Unserviceability Details: BLINKER STUCK IN VIEW. PRESSURE BREATHING OUT OF TOLERANCE @ 40000 @ 50000 FT  
Maintenance Comments: BLINKER MECH REPLACED. PRESS ANEROID ADJ. PIC C/O IAW AAP 7553.027-3M REFER LSN OXY 5977/11

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : 901061  
 PART NO : 3260042-0201 ~99251 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : REGULATOR OXY DEMAN  
 VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJ1203204	C COMPLETED	08MAR12 12:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	11APR12 01:05	08MAR12 12:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	5593.1	AFHR
01 UNSERVICEABLE		01 IN FLIGHT		FRONT REG OXY DEMAND STUCK AT 100%			
02 MECHANICAL COMPONENT FAIL		02 MECHANICAL FAILURE					
		06 BAY SERVICE					
		Unserviceability Details:		OXY REG STUCK AT 100% FLOW ON NORMAL SELECTION			
		Maintenance Comments:		INLET TOGGLE & DILUTER X-FEED SHAFT REPLACED. B/S & FUNCTIONALS C/O IAW AAP7553.027-3M REF AIP OXY 017/12			

A1PXXJ1218748	C COMPLETED	10DEC12 00:44	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	10DEC12 00:45	10DEC12 00:44	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	5843.5	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE		S58 due on Serial A23-016			
				PC-9 at WAC 0000			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:		CHECK/TEST SERV			
		Maintenance Comments:					

NONC2J1201137	C COMPLETED	04JUN13 13:04	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	06JUN13 06:24	04JUN13 11:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	5944.5	AFHR
02 BAY SERVICE DUE				BS due on Serial 901061			
				REG OXYGEN DEMAND at WAC 0740			
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:		B/S C/O IAW AAP 7553.027-3M REFER LSN AIP OXY 094/13			
		Maintenance Comments:					

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	INSYR			
SM	BS	1.0	INSYR			05JUN13

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 901061  
PART NO : 3260042-0201 ~99251 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : REGULATOR OXY DEMAN  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

1PXXJ1307451 C COMPLETED 09JUN14 09:24 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 23JUN14 06:08 09JUN14 09:21 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 6302.3 AFHR  
 02 BAY SERVICE DUE BS due on Serial 901061  
 REG OXYGEN DEMAND at WAC 0740  
 01 NO FAULT 06 BAY SERVICE  
 Unserviceability Details:  
 Maintenance Comments: B/S C/O IAW AAP 7553.027-3M REFER LSN AIP OXY 125/14

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	INSYR			
SM	BS	1.0	INSYR			09JUN14

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

1PXXJ1410500 C COMPLETED 02JUL15 05:57 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 10AUG15 03:42 25JUN15 09:03 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 6597.3 AFHR  
 02 BAY SERVICE DUE BS due on Serial 901061  
 REG OXYGEN DEMAND at WAC 0740  
 01 NO FAULT 06 BAY SERVICE  
 Unserviceability Details:  
 Maintenance Comments: B/S C/O IAW AAP 7553.027-3M REFER LSN AIP OXY 132/15

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	INSYR			
SM	BS	1.0	INSYR			10JUL15

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 01657  
08JAN20  
23:16:15

SERIAL/TAIL NO : 901061  
PART NO : 3260042-0201 ~99251 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : REGULATOR OXY DEMAN  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

NONC2J1102956 C COMPLETED 22AUG16 11:19 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP NONC2CONT  
05JAN17 04:00 22AUG16 07:32 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 6846.7 AFHR  
03 OVERHAUL DUE OH due on Serial 901061  
REG OXYGEN DEMAND at WAC 0740  
01 NO FAULT 07 OVERHAUL

Unserviceability Details:  
Maintenance Comments:

OVERHAULED IAW OEM TEST PROCEDURE PD1637302. REFER TO PC9/A  
AEO AUTHORISATION 001/2007 REF ARC1610028

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	5.0	ELPYR			29AUG16
SM	OH	5.0	ELPYR			29AUG16

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJ1712274 C COMPLETED 20JUN17 04:37 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
26JUN17 06:17 20JUN17 04:37 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 6846.7 AFHR  
16 PRE-INSTALLATION MAINT 26 PRE-INSTALLATION MAINTENANCE PIC REQ  
06 OUT OF LIMITS  
01 NO FAULT 04 CHECK/TEST SERV

Unserviceability Details: PIC REQ  
Maintenance Comments: PIC C/O IAW AAP 7553.027-3M REFER LSN AIP MCS 791/17

A1PXXJ1512352 C COMPLETED 03JUL18 07:26 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
06JUL18 03:37 03JUL18 06:22 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 7030.4 AFHR  
02 BAY SERVICE DUE BS due on Serial 901061  
REG OXYGEN DEMAND at WAC 0730  
01 NO FAULT 06 BAY SERVICE

Unserviceability Details:  
Maintenance Comments:

B/S C/O SERV IAW AAP 7553.027-3M REFER LSN: AIP MCS 874/18

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01658  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 901061 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 3260042-0201 ~99251  
 ENGINEERING NAME : REGULATOR OXY DEMAN  
 VENUE : A23DISP LOCATION : A23-033

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	INSYR			
SM	BS	1.0	INSYR			03JUL18

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1PXXJ1811075 C COMPLETED 05JUL19 03:15 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 28AUG19 06:04 05JUL19 01:10 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 7409.3 AFHR  
 02 BAY SERVICE DUE BS due on Serial 901061  
 REG OXYGEN DEMAND at WAC 0730  
 01 NO FAULT 06 BAY SERVICE  
 Unserviceability Details:  
 Maintenance Comments: B/S C/O IAW AAP 7553.027-3M REFER LSN AIP MCS 673/19

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	INSYR			
SM	BS	1.0	INSYR			06JUL19

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 901061 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 3260042-0201 ~99251  
ENGINEERING NAME : REGULATOR OXY DEMAN  
VENUE : A23DISP LOCATION : A23-033

STI STATUS CHANGE -----

STI NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
STI-PC9-0173	Y	15MAY01 00:00	N/A			
STI-PC9-0273	Y	14JUN02 00:00	INC			
STI-PC9-126B	Y	15MAY01 00:00	N/A			

MAINTENANCE POLICY HISTORY -----

POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	USER ID
25OCT07 03:40	SM	OH	XXxxXXxx
	DLD Changed From: 09NOV2004 To:		
19JUN17 23:46	SM	BS	XXxxXXxx
	Claimed By Activity: OH		
	US/Job: N0NC2J1102956	Serial: 901061	
		Part: 3260042-0201	~99251

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01660  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 90120168  
 PART NO : 124.1153  
 ENGINEERING NAME : GAUGE PRES EMERG HY  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

~34830

PERIOD: 01JAN90 TO 08JAN20

LOCATION : A23-033  
 LIFE SINCE NEW : 8029.7 AFHR

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
				LIFE SINCE NEW				
01SEP03	10:48	Maintenance	Comment	3.0	28Jul95	A23-056	05.2 1599.5	0.0 AFHR 01-FAILED LC59066
		0.0	AFHR		CAMM LOG00002			XXXXXXxx
01SEP03	10:48	Maintenance	Comment	3.0	2FTREP	WFD: 01-IN FLIGHT		US: 10-INTERMIT
		0.0	AFHR		CAMM LOG00003			XXXXXXxx
01SEP03	10:52	Maintenance	Comment	3.1	HYD E	INTERMITENT		
		0.0	AFHR		CAMM LOG00004			XXXXXXxx
01SEP03	10:52	Maintenance	Comment	3.1	01Aug95	DISPATCHED TO PEAX?CON		
		0.0	AFHR		CAMM LOG00005			XXXXXXxx
01SEP03	10:52	Maintenance	Comment	3.1	29Aug03	A23-033 06.20 3254.8	AFHR	TX TO CAMM2
		0.0	AFHR		CAMM LOG00011			XXXXXXxx
01SEP03	10:54	Maintenance	Comment	3.1	15Sep98	A23-033 06.2 1599.5		0.0 AFHR IN AS A23T 2076-00-00-D
		0.0	AFHR		CAMM LOG00008			XXXXXXxx
01SEP03	10:55	Maintenance	Comment	3.1	17Apr98	2FTMMIST 00. 1599.5		0.0 AFHR UPDATED LIFE (MPMI)
		0.0	AFHR		CAMM LOG00007			XXXXXXxx
01SEP03	10:55	Maintenance	Comment	3.1	24Apr91	NEW - 90120168 124.1153		2076-00-00-D
		0.0	AFHR		CAMM LOG00010			XXXXXXxx
01SEP03	10:56	Maintenance	Comment	3.1	28Nov02	A23-033 06.20 3151.1		0.0 AFHR UPDATED LIFE (MPMI)
		0.0	AFHR		CAMM LOG00009			XXXXXXxx
01SEP03	11:02	Maintenance	Comment	3.1	14Nov91	A23-056 05.2 0.0		0.0 AFHR ^^^^^^RECEPTION
		0.0	AFHR		CAMM LOG00001			XXXXXXxx
01SEP03	11:03	Maintenance	Comment	3.1	01Sep95	PEAX?CON FF: 09-OUT TOL		MA: 03-ADJUST
		0.0	AFHR		CAMM LOG00006			XXXXXXxx
07JUN17	06:17	Position	Change	5030.9	A23T	ALUJY	00	
		7399.3	AFHR		A23T	ALUJY	00	
		Maintenance	Comment	0.0	A1PXXX1709027			XXXXXXxx
					POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01661  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 91110405  
 PART NO : 185.134-1 ~34830  
 ENGINEERING NAME : INDIC TRIPLE TRIM  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 5835.2 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T CHANGE TYPE		LIFE SINCE NEW		SPAN(DYS) FROM		TO (OPTIONAL)		TRANS REFERENCE		USER	
=====		=====		=====		=====		=====		=====	
29AUG03	14:27	Maintenance Comment	0.0	AFHR	0.2	16Nov00	A23-034	07.30	2308.9	0.0	AFHR 13-REMACCES LB07560
											XXXXXXxx
29AUG03	14:27	Maintenance Comment	0.0	AFHR	0.2	22Nov91	NEW - 91110405	185.134-1		1275-00-00-C	
											XXXXXXxx
29AUG03	14:29	Maintenance Comment	0.0	AFHR	0.2	16Oct02	A23-034	07.30	3058.8	0.0	AFHR 13-REMACCES LE29146
											XXXXXXxx
29AUG03	14:29	Maintenance Comment	0.0	AFHR	0.2						STICKY
											CAMM LOG00012
29AUG03	14:31	Maintenance Comment	0.0	AFHR	0.2	08Aug03	DISPATCHED TO	PEAXCON			XXXXXXxx
											CAMM LOG00013
29AUG03	14:31	Maintenance Comment	0.0	AFHR	0.2	29Aug03	LG32236	00.	3372.8	AFHR	TX TO CAMM2
											XXXXXXxx
29AUG03	14:31	Maintenance Comment	0.0	AFHR	0.2	01Aug03	A23-034	07.30	3372.8	0.0	AFHR 01-FAILED LG32236
											XXXXXXxx
29AUG03	14:35	Maintenance Comment	0.0	AFHR	0.2	16Nov00	2FTINTMH			FF: 01-NIL	MA: 04-CHK/TST
											XXXXXXxx
29AUG03	14:35	Maintenance Comment	0.0	AFHR	0.2	21Apr98	A23-034	07.3	1326.4	0.0	AFHR UPDATED LIFE (MPMI)
											XXXXXXxx
29AUG03	14:35	Maintenance Comment	0.0	AFHR	0.2	23Nov00	A23-034	07.30	2308.9	0.0	AFHR IN AS A23T 1275-00-00-C
											XXXXXXxx
29AUG03	14:36	Maintenance Comment	0.0	AFHR	0.2	17Oct96	AIEAV			FF: 01-NIL	MA: 04-CHK/TST
											XXXXXXxx
29AUG03	14:36	Maintenance Comment	0.0	AFHR	0.2	2FTREP				WFD: 01-IN FLIGHT	US: 03-ELECFAIL
											XXXXXXxx
29AUG03	14:44	Maintenance Comment	0.0	AFHR	0.2	03Dec96	A23-034	07.3	809.2	0.0	AFHR IN AS A23T 1275-00-00-C
											XXXXXXxx
29AUG03	14:44	Maintenance Comment	0.0	AFHR	0.2	17Oct02	A23-034	07.30	3058.8	0.0	AFHR IN AS A23T 1275-00-00-C
											XXXXXXxx
29AUG03	14:44	Maintenance Comment	0.0	AFHR	0.2	16Oct02	2FTINTMH			FF: 01-NIL	MA: 04-CHK/TST
											XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01662  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 91110405  
 PART NO : 185.134-1 ~34830  
 ENGINEERING NAME : INDIC TRIPLE TRIM  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
19APR05 07:01	Change Venue of an Asset	3372.8 AFHR	594.3	AIP NONC2CONT A1PXXXY505972	XXxxXXxx
	Change Location of an Asse		594.3	EXTERNAL HOLD	
02JUN10 16:00	Change Serviceability Stat	3372.8 AFHR	2785.6	U/S SERV	XXxxXXxx
23AUG10 05:36	Change Venue of an Asset	3372.8 AFHR	1951.9	NONC2CONT AIP NONC2X1007839	XXxxXXxx
	Change Location of an Asse		1951.9	HOLD MMIST	
29SEP10 06:44	Asset Installation	3372.8 AFHR	2587.9	A23T A1UCE A23-033 00	A23T A1UGM 00AC XXxxXXxx
	Change Serviceability Stat		118.6	SERV S/I	
	Change Location of an Asse		37.0	MMIST A23-033	

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			
LG32236XXXXXX	C COMPLETED	01AUG03 12:22	XXxxXXxx		PEA	NONC2CONT	
	02JUN10 16:00					0.0	
01 UNSERVICEABLE		01 IN FLIGHT		STICKY RUDD AND AIL INDS			
		03 ELECTRICAL FAILURE					
09 OUT OF LIMITS		03 ADJUST/ALIGN					
		Unserviceability Details:		STICKY			
		Maintenance Comments:		CALIBRATION & TEST PROCEDURES C/O IAW 7A.FSD.A23.003			



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01663  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 9272  
 PART NO : 501-1131-01 ~25583 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : IND ATTITUDE STBY  
 VENUE : A23DISP LOCATION : A23-033  
 CURRENT CONDITION : S/I LIFE SINCE NEW : 8566.8 AFHR

ASSET TRANSACTIONS

TRANSACTION D/T		CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
01SEP03	04:14	Maintenance Comment	0.0 AFHR	2.8	26Nov90	A23-039	05.3 0.0	0.0 AFHR ^^^^^^RECEPTION XXxxXXxx
01SEP03	04:15	Maintenance Comment	0.0 AFHR	2.8	28May92	A23-039	05.3 709.6	0.0 AFHR REM SVC TO A23-039 XXxxXXxx
01SEP03	04:16	Maintenance Comment	0.0 AFHR	2.8	09May94	A23-044	07.4 1574.2	0.0 AFHR LIFE UPDATED XXxxXXxx
01SEP03	04:19	Maintenance Comment	0.0 AFHR	2.8	09Jul93	A23-039	07.4 1197.3	0.0 AFHR 09-CANNIBAL RN38849 XXxxXXxx
01SEP03	04:19	Maintenance Comment	0.0 AFHR	2.8	09Aug90	NEW - 9272	501-1131-01	2352-00-00-K XXxxXXxx
01SEP03	04:21	Maintenance Comment	0.0 AFHR	2.8	28May92	A23-039	07.4 709.6	0.0 AFHR IN AS A23T 2352-00-00-K XXxxXXxx
01SEP03	04:21	Maintenance Comment	0.0 AFHR	2.8	29Aug03	A23-044	07.40 4704.3	AFHR TX TO CAMM2 XXxxXXxx
01SEP03	04:21	Maintenance Comment	0.0 AFHR	2.8	09Jul93	A23-044	07.4 1197.3	0.0 AFHR IN AS A23T 2352-00-00-K XXxxXXxx
01SEP03	04:23	Maintenance Comment	0.0 AFHR	2.8	09Jul93	MNTPC9AV	FF: 01-NIL	MA: 04-CHK/TST XXxxXXxx
01SEP03	04:30	Maintenance Comment	0.0 AFHR	2.8	29Apr98	A23-044	07.4 3147.5	0.0 AFHR UPDATED LIFE (MPMI) XXxxXXxx
23MAR16	03:46	Asset Removal	7931.7 AFHR	4589.8	544	A23-044	00	A23T ALUHS 00A XXxxXXxx
		Change Serviceability Stat		0.0	S/I			
		Change Location of an Asse		223.7	U/S	A23-044		
28MAR16	23:53	Change Venue of an Asset	7931.7 AFHR	4595.6	STORES			
		Change Location of an Asse		5.8	AIP	NONC2CONT		
					A1PXXX1602758			XXxxXXxx
					STORES			
					HOLD			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01664  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 9272  
 PART NO : 501-1131-01 ~25583  
 ENGINEERING NAME : IND ATTITUDE STBY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
19AUG16 03:00	Change Serviceability Stat	148.9	U/S SERV	
	7931.7 AFHR			XXxxXXxx
13OCT16 00:18	Change Venue of an Asset	198.0	NONC2CONT AIP	
	7931.7 AFHR		NONC2X1611442	XXxxXXxx
	Maintenance Comment	0.0	REPAIRED AT ANZ ON 19AUG16. MOVED TO AIP PEA.	
	Change Location of an Asse	198.0	HOLD STORES	
17NOV16 07:12	Asset Installation	239.1	A23T A1UHS 00	
	7931.7 AFHR		533 A23-033	A23T A1UDM 00AC XXxxXXxx
	Change Serviceability Stat	90.1	SERV S/I	
	Change Location of an Asse	35.2	STORES A23-033	

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJ1606437	C COMPLETED	23MAR16 03:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		NONC2CONT	
	19AUG16 03:00	23MAR16 03:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		7931.7 AFHR	
01 UNSERVICEABLE	01 IN FLIGHT			REAR STANDBY ATTITUDE INDICATOR NOT HOLDING CORRECT ATTITUDE (SLOW DRIFT OF UP TO 5 DEG)			
02 MECHANICAL COMPONENT FAIL	02 REPAIR						
	Unserviceability Details:			SLOW DRIFT APPEARS TO HAVE LOOSE OBJECT INSIDE			
	Maintenance Comments:			STRIPPED AND CLEANED STICKING ERCETION SYSTEM, TESTED, NO LOOSE OBJECTS. CARRIED OUT IAW AAP 7532.053-3M AL3 REF ARC ACS1604028			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 01665  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 96120087  
 PART NO : 140.0001-2 ~34830  
 ENGINEERING NAME : SICU  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 5203.0 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
30AUG03	00:43	Maintenance	Comment	0.0 AFHR	0.6	29Aug03	RC32722	00. 1098.0 AFHR	TX TO CMM2 CMM LOG00013 XXXXXXxx
30AUG03	00:49	Maintenance	Comment	0.0 AFHR	0.6	02May03	A23-066	07.10 1096.8	0.0 AFHR IN AS A23T 1600-00-00-C CMM LOG00007 XXXXXXxx
30AUG03	00:50	Maintenance	Comment	0.0 AFHR	0.6	19Nov02	ESLXANZ	FF: 04-OPENCCT	MA: 02-REPAIR CMM LOG00003 XXXXXXxx
30AUG03	00:50	Maintenance	Comment	0.0 AFHR	0.6	05May03	A23-066	07.10 1098.0	0.0 AFHR 01-FAILED RC32722 CMM LOG00008 XXXXXXxx
30AUG03	00:53	Maintenance	Comment	0.0 AFHR	0.6	02Aug02	DISPATCHED TO ESLXANZ		CMM LOG00001 XXXXXXxx
30AUG03	00:54	Maintenance	Comment	0.0 AFHR	0.6	31Jan97	NEW - 96120087 140.0001-2		1600-00-00-C CMM LOG00012 XXXXXXxx
30AUG03	00:54	Maintenance	Comment	0.0 AFHR	0.6	10Feb03	ESLXANZ	00. 1096.8	0.0 AFHR UPDATED LIFE (MIRE) CMM LOG00006 XXXXXXxx
30AUG03	00:55	Maintenance	Comment	0.0 AFHR	0.6		DEFECT CONFIRMED. RESOLDERED INTERMITTENT		CMM LOG00004 XXXXXXxx
30AUG03	00:57	Maintenance	Comment	0.0 AFHR	0.6		JOINT AT IC U18 ON SEC. CPU CIRCUIT BOARD.		CMM LOG00005 XXXXXXxx
30AUG03	00:57	Maintenance	Comment	0.0 AFHR	0.6		AIEMMI WFD: 01-IN FLIGHT		US: 11-INOPER CMM LOG00009 XXXXXXxx
30AUG03	00:57	Maintenance	Comment	0.0 AFHR	0.6		DIGITAL FUEL QTY DOES NOT DEBIT		CMM LOG00010 XXXXXXxx
30AUG03	00:58	Maintenance	Comment	0.0 AFHR	0.6	06May03	DISPATCHED TO ESLXANZ		CMM LOG00011 XXXXXXxx
30AUG03	01:00	Maintenance	Comment	0.0 AFHR	0.6	14Jan03	DISPATCHED TO ESLXANZ		CMM LOG00002 XXXXXXxx
02DEC03	05:14	Change Serviceability	Stat	1098.0 AFHR	214.2		U/S		SERV XXXXXXxx
08DEC03	04:32	Change Venue of an Asset		1098.0 AFHR	93.9		AIP		AIE A1PXXXY306406 XXXXXXxx
		Change Location of an Asse		1098.0 AFHR	93.9		EXTERNAL		MCS

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01666  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 96120087  
 PART NO : 140.0001-2 ~34830  
 ENGINEERING NAME : SICU  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
08DEC03 05:16	Change Location of an Asse	1098.0 AFHR	0.0	MCS EQUIP_STORE A1EXXXY302507	XXXXXXxx
09DEC03 21:58	Change Location of an Asse	1098.0 AFHR	1.6	EQUIP_STORE HOLD A1EXXXY302562	XXXXXXxx
15DEC03 04:54	Change Venue of an Asset	1098.0 AFHR	7.0	AIE AIP A1EXXXY302649	XXXXXXxx
	Maintenance Comment		0.0	TX TO AIP	
	Change Location of an Asse		5.2	HOLD	
28JAN04 07:02	Asset Installation		151.9	MMIST A23T A1UEE 48	SERVJOBS 00 A23-006 A23T A1UEE 00A
	Change Serviceability Stat	1098.0 AFHR	57.0	SERV S/I	XXXXXXxx
	Change Location of an Asse		44.0	MMIST A23-006	
29JAN04 02:06	Asset Removal		0.7	48 A23T A1UEE	A23-006 A23T A1UEE 00A
	Change Serviceability Stat	1098.0 AFHR	0.7	S/I	XXXXXXxx
	Change Location of an Asse		0.7	U/S A23-006	
17JUN04 12:00	Change Serviceability Stat		140.4	QNF U/S SERV	
18AUG04 03:33	Change Location of an Asse	1098.0 AFHR	202.0	QNF	XXXXXXxx
				EXTERNAL A1PXXXY421022	XXXXXXxx
02SEP04 00:36	Change Location of an Asse	1098.0 AFHR	14.8	EXTERNAL MMIST A1PXXXY422273	XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01667  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 96120087  
 PART NO : 140.0001-2 ~34830  
 ENGINEERING NAME : SICU  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
30SEP04 03:32	Asset Installation	245.0	A23T A1UEE 536 A23-036	00 A23T A1UEE 00AC XXXXXXXXXX
	1098.0 AFHR Change Serviceability Stat	104.6	SERV S/I	
	Change Location of an Asse	28.1	MMIST A23-036	
30SEP04 09:25	Asset Removal	0.2	536 A23T A1UEE A23-036	00 A23T A1UEE 00A XXXXXXXXXX
	1103.3 AFHR Change Serviceability Stat	0.2	S/I U/S	
	Change Location of an Asse	0.2	A23-036	
01OCT04 03:22	Change Serviceability Stat	0.7	JANDAKOT U/S SERV	XXXXXXXXXX
11APR05 07:13	Asset Installation	192.9	A23T A1UEE 543 A23-043	00 A23T A1UEE 00AC XXXXXXXXXX
	1103.3 AFHR Change Serviceability Stat	192.1	SERV S/I	
	Change Location of an Asse	192.9	JANDAKOT A23-043	
02JUN05 23:50	Asset Removal	52.6	543 A23T A1UEE A23-043	00 A23T A1UEE 00A XXXXXXXXXX
	1178.1 AFHR Change Serviceability Stat	6.8	S/I U/S	
	Change Location of an Asse	52.6	A23-043	
02JUN05 23:51	Change Serviceability Stat	0.0	OPMH U/S SERV	XXXXXXXXXX
	1178.1 AFHR			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01668  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 96120087  
 PART NO : 140.0001-2 ~34830  
 ENGINEERING NAME : SICU  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
03JUN05 03:41	Asset Installation	0.1	A23T A1UEE 543 A23-043	A23T A1UEE 00AC
	1178.1 AFHR Change Serviceability Stat	0.1	SERV S/I	XXXXXXxx
	Change Location of an Asse	0.1	OPMH A23-043	
14JUN05 01:08	Asset Removal	10.8	543 A23T A1UEE A23-043	A23T A1UEE 00A
	1178.1 AFHR Change Serviceability Stat	10.8	S/I U/S	XXXXXXxx
	Change Location of an Asse	10.8	A23-043	
14JUN05 01:10	Change Serviceability Stat	0.0	INTMH U/S SERV	XXXXXXxx
14JUN05 03:14	Asset Installation	0.0	A23T A1UEE 543 A23-043	A23T A1UEE 00AC
	1178.1 AFHR Change Serviceability Stat	0.0	SERV S/I	XXXXXXxx
	Change Location of an Asse	0.0	INTMH A23-043	
07OCT09 05:49	Asset Removal	1576.1	543 A23T A1UEE A23-043	A23T A1UEE 00A
	2724.7 AFHR Change Serviceability Stat	0.0	S/I U/S	XXXXXXxx
	Change Location of an Asse	1576.1	A23-043 A23-021	
07OCT09 05:50	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
	2724.7 AFHR			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01669  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 96120087  
 PART NO : 140.0001-2 ~34830  
 ENGINEERING NAME : SICU  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
07OCT09 06:35	Asset Installation	0.0	A23T A1UEE 521 A23-021	00 A23T A1UEE 00AC
	2724.7 AFHR Change Serviceability Stat	0.0	SERV S/I 521 A23-021	00 A23T A1UEE 00A
24MAR11 22:56	Asset Removal	533.6	A23T A1UEE	00 A23T A1UEE 00A
	3203.8 AFHR Change Serviceability Stat	0.3	S/I U/S A23-021	00 A23T A1UEE 00A
	Change Location of an Asse	533.7	STORES AIP	00 A23T A1UEE 00A
28MAR11 11:23	Change Venue of an Asset	2660.2	NONC2CONT A1PXXX1102296	00 A23T A1UEE 00AC
	3203.8 AFHR Change Location of an Asse	3.5	STORES HOLD	00 A23T A1UEE 00AC
30MAY11 10:00	Change Serviceability Stat	66.4	U/S SERV	00 A23T A1UEE 00AC
	3203.8 AFHR Change Venue of an Asset	125.8	NONC2CONT AIP	00 A23T A1UEE 00AC
	3203.8 AFHR Change Location of an Asse	125.8	NONC2X1107424 HOLD	00 A23T A1UEE 00AC
03AUG11 11:44	Asset Installation	131.5	STORES A23T 511 A23-010	00 A23T A1UEE 00AC
	3203.8 AFHR Change Serviceability Stat	65.0	SERV S/I	00 A23T A1UEE 00AC
	Change Location of an Asse	2.1	STORES A23-010	00 A23T A1UEE 00AC

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01670  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 96120087  
 PART NO : 140.0001-2 ~34830  
 ENGINEERING NAME : SICU  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
22OCT12 05:56	Asset Removal 3512.5 AFHR Change Serviceability Stat	445.7 116.0	511 A23T ALUEE S/I U/S A23-010 OPMH	A23T A1UEE 00 XXXXXXxx
22OCT12 05:58	Change Serviceability Stat 3512.5 AFHR	0.0	U/S SERV	XXXXXXxx
22OCT12 06:39	Asset Installation 3512.5 AFHR Change Serviceability Stat	0.0 0.0	A23T 518 SERV S/I OPMH	A23T A1UEE 00 A23-018 A23T A1UEE 00AC XXXXXXxx
17JAN13 06:07	Change Location of an Asse 3554.2 AFHR Change Serviceability Stat	0.0 0.9	A23-018 518 A23T ALUEE	A23T A1UEE 00 XXXXXXxx
22JAN13 05:21	Change Venue of an Asset 3554.2 AFHR Change Location of an Asse	539.9 4.9	A23-018 STORES AIP NONC2CONT A1PXXX1300457 STORES	XXXXXXxx
15JAN14 05:00	Change Serviceability Stat 3554.2 AFHR	362.9	HOLD U/S SERV	XXXXXXxx



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01671  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : 96120087 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 140.0001-2 ~34830  
 ENGINEERING NAME : SICU  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
22JAN14 05:51	Change Venue of an Asset	365.0	NONC2CONT AIP NONC2X1400557	XXxxXXxx
	3554.2 AFHR Maintenance Comment	0.0	REPAIRED AT JNDKT ON 15JAN14 AND MOVED TO AIP	
	Change Location of an Asse	365.0	HOLD STORES	
22JAN14 09:10	Asset Installation	370.1	A23T A1UEE A23-033 00	A23T A1UEE 00AC
	3554.2 AFHR Change Serviceability Stat	7.1	533	XXxxXXxx
	Change Location of an Asse	0.1	SERV S/I STORES A23-033	

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
RC32722XXXXXX	C COMPLETED	05MAY03 16:04	XXxxXXxx		ESL	AIE	
	02DEC03 05:14					0.0	
01 UNSERVICEABLE	01 IN FLIGHT			DIGITAL FUEL QTY DOES NOT DEBIT			
	11 INOPERATIVE						
03 ELECTRICAL COMPONENT FAIL	02 REPAIR						
	Unserviceability Details:			DIGITAL FUEL QTY DOES NOT DEBIT			
	Maintenance Comments:			RENEWED R5 ON SEC. POWER SUPPLY CCT BOARD AT ANZ			
A1PXXJY401627	C COMPLETED	29JAN04 02:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		AIP	
	17JUN04 12:00					1098.0	AFHR
01 UNSERVICEABLE	02 DURING OPERATION			FUEL INDICATION WILL NOT DEBIT			
	03 ELECTRICAL FAILURE						
03 ELECTRICAL COMPONENT FAIL	02 REPAIR						
	Unserviceability Details:			DIGITAL FUEL QTY WILL NOT DEBIT			
	Maintenance Comments:			RENEWED IC U15 ON PRIMARY AND SECONDARY SENSOR INTERFACE CCT BOARDS			

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 01672  
08JAN20  
23:16:15

SERIAL/TAIL NO : 96120087  
PART NO : 140.0001-2 ~34830  
ENGINEERING NAME : SICU  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJY419281	C COMPLETED	30SEP04 09:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
---------------	-------------	---------------	----------	----------------------	-----	-----	--

01 UNSERVICEABLE	01 IN FLIGHT	03 ELECTRICAL FAILURE		CODE 100 ON SHUT DOWN.		1103.3	AFHR
03 ELECTRICAL COMPONENT FAIL	02 REPAIR						

Unserviceability Details: CODE 100 ON SHUT DOWN

Maintenance Comments: CX TEST SERV/ AC STILL US

A1PXXJY510288	C COMPLETED	02JUN05 23:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
---------------	-------------	---------------	----------	----------------------	-----	-----	--

13 REMOVED FOR ACCESS	99 NO FAILURE			SICU REMOVED FOR ACCESS		1178.1	AFHR
01 NO FAULT	04 CHECK/TEST SERV						

Unserviceability Details: CHECK/TEST SERV  
Maintenance Comments: CHECK/TEST SERV

A1PXXJY511291	C COMPLETED	14JUN05 01:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
---------------	-------------	---------------	----------	----------------------	-----	-----	--

13 REMOVED FOR ACCESS	99 NO FAILURE			SICU RFA		1178.1	AFHR
01 NO FAULT	04 CHECK/TEST SERV						

Unserviceability Details: CHECK/TEST SERV  
Maintenance Comments: CHECK/TEST SERV

A1PXXJY921655	C COMPLETED	07OCT09 05:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
---------------	-------------	---------------	----------	----------------------	-----	-----	--

09 CANNIBALISATION	99 NO FAILURE	07OCT09 05:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	2724.7	AFHR
01 NO FAULT	04 CHECK/TEST SERV			SICU CANNIBALISED FOR A23-021			

Unserviceability Details: CHECK/TEST SERV  
Maintenance Comments: CHECK/TEST SERV

A1PXXJ1104075	C COMPLETED	24MAR11 22:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	NONC2CONT	
---------------	-------------	---------------	----------	----------------------	-----	-----------	--

01 UNSERVICEABLE	01 IN FLIGHT	24MAR11 22:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	3203.8	AFHR
03 ELECTRICAL COMPONENT FAIL	03 ELECTRICAL FAILURE			FUEL FLOW FLUCTUATING BETWEEN 115 AND 161 LB/HR			
	02 REPAIR						

Unserviceability Details: FLUEL FLOW FLUCTUATION

Maintenance Comments: REPAIRED IAW A.D.C CAPO V310148 AAP 7516.078-3M (A1) C OF C  
(Continued on next page.)

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 01673  
08JAN20  
23:16:15

SERIAL/TAIL NO : 96120087  
PART NO : 140.0001-2 ~34830  
ENGINEERING NAME : SICU  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

(Continued from previous page.)  
ACS1104005 DATED 30MAY11

A1PXXJ1216163	C COMPLETED	22OCT12 05:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	22OCT12 05:58	22OCT12 05:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		3512.5	AFHR
09 CANNIBALISATION		99 NO FAILURE		SICU CANNABALISED TO SERVICE A23-010			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:		CHECK/TEST SERV			
		Maintenance Comments:					
A1PXXJ1300709	C COMPLETED	17JAN13 06:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	15JAN14 05:00	17JAN13 06:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		3554.2	AFHR
01 UNSERVICEABLE		01 IN FLIGHT		A/C SHUT DOWN WITH 3/4 INDICATED ON ANALOGUE FUEL GAUGE AND			
		03 ELECTRICAL FAILURE		638 ON DIGITAL FUEL USED ESDP GAUGE			
07 BAD ADJUST/ALIGN		03 ADJUST/ALIGN					
		Unserviceability Details:		SPURIOUS FUEL FLOW, FUEL USED AND N2 INDICATIONS ON ESDP			
		Maintenance Comments:		REPORTED FAULT NOT CONFIRMED. UNIT INSPECTED & TESTED IAW			
				AAP7516.078-3M			

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 964 LITERAL SERIAL NO : 964 PERIOD: 01JAN90 TO 08JAN20  
PART NO : OC-001-06 ~Z05R0  
ENGINEERING NAME : VALVE HIGH PRESSURE  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 144.6 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
27MAY19 01:03	964	OC-001-06	~Z05R0	A1UMU	03
aip02188	AIP	STORES	MMI	A1PXXR1900886	
R. ORLOWSKI		22JAN19	W28556		
	0.0 AFHR				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : 964 LITERAL SERIAL NO : 964 PERIOD: 01JAN90 TO 08JAN20  
PART NO : OC-001-06 ~Z05R0  
ENGINEERING NAME : VALVE HIGH PRESSURE  
VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
27MAY19 02:10	Change Serviceability Stat	125.0	SERV U/S	
	0.0 AFHR			XXxxXXxx
27MAY19 02:19	Maintenance Comment	0.0	USE BY DATE 22SEP2020	
	0.0 AFHR		A1PXXX1904948	XXxxXXxx
29MAY19 07:17	Change Serviceability Stat	2.2	U/S SERV	
	0.0 AFHR			XXxxXXxx
11JUN19 06:53	Asset Installation	140.2	A23T A1UMU 03	
	0.0 AFHR		533 A23-033	A23T A1UMU 03AC XXxxXXxx
	Change Serviceability Stat	12.9	SERV S/I	
	Change Location of an Asse	140.2	STORES MMI A23-033	

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJ1908763	C COMPLETED	27MAY19 02:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
16 PRE-INSTALLATION MAINT	29MAY19 07:17	27MAY19 02:11	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	0.0 AFHR	
01 NO FAULT	04 CHECK/TEST SERV						
	Unserviceability Details:						
	Maintenance Comments:			PIC C/O IAW AAP 7551.029-2			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A001EWBP LITERAL SERIAL NO : A001EWBP PERIOD: 01JAN90 TO 08JAN20  
PART NO : 3029312 ~00198  
ENGINEERING NAME : DSC PWR TURB 1ST ST  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 3732.2 ENHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
15JUN04 22:52	A001EWBP	3029312	~00198	A23T	A1SAM04
aip001	AIP	MCS			A1PXXRY401253
L. DOBSON		29MAR04			
	0.0 ENHR	0.0 LDG			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01677  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A001EWBP LITERAL SERIAL NO : A001EWBP PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 3029312 ~00198  
 ENGINEERING NAME : DSC PWR TURB 1ST ST  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
			TRANS REFERENCE		
LIFE SINCE NEW					
30MAR04 22:53	Asset Installation	1.9	A23T 103186	AlSAM04 A23-015	00 0 A
	0.0 ENHR				XXXXXX
	Change Serviceability Stat	1.9	SERV S/I		
	Change Location of an Asse	1.9	MCS A23-015		
15JUN04 22:52	Reception History Record	0.0	Reception	MCS	
	0.0 ENHR				XXXXXX
15JUN04 22:55	Maintenance Comment	0.0	INSTALLED TO 103186 AT P&WC A/ASIA 30MAR04		
	0.0 ENHR		A1PXXXXY414266		XXXXXX
02NOV04 00:28	Maintenance Comment	0.0	LIF LDG	CHANGED - OLD VALUE= 207.0	NEW VALUE= 0.0
	108.9 ENHR				XXXXXX
02NOV04 00:33	Maintenance Comment	0.0	02NOV04 CURRENT CYCLE COUNT 257		
	108.9 ENHR		A1PXXXXY427211		XXXXXX
02SEP05 02:04	Maintenance Comment	0.0	LIF LDG	CHANGED - OLD VALUE= 778.0	NEW VALUE= 0.0
	408.1 ENHR				XXXXXX
02SEP05 02:08	Maintenance Comment	0.0	CURRENT CYCLE COUNT IS 1026		
	408.1 ENHR		A1PXXXXY513653		XXXXXX
16OCT06 02:34	Maintenance Comment	0.0	CURRENT CYCLE COUNT IS 1770		
	707.8 ENHR		A1PXXXXY608409		XXXXXX
16OCT06 02:40	Maintenance Comment	0.0	LIF LDG	CHANGED - OLD VALUE= 688.0	NEW VALUE= 0.0
	707.8 ENHR				XXXXXX
08JUN07 02:07	Maintenance Comment	0.0	CURRENT CYCLE COUNT IS 2516		
	1006.6 ENHR		A1PXXXXY704940		XXXXXX
08JUN07 02:12	Maintenance Comment	0.0	LIF LDG	CHANGED - OLD VALUE= 695.0	NEW VALUE= 0.0
	1006.6 ENHR				XXXXXX
02APR08 07:30	Maintenance Comment	0.0	02APR08 CURRENT CYCLE COUNT 3267		
	1305.0 ENHR		A1PXXXXY802592		XXXXXX
02APR08 08:03	Maintenance Comment	0.0	LIF LDG	CHANGED - OLD VALUE= 697.0	NEW VALUE= 0.0
	1305.0 ENHR				XXXXXX
28NOV08 02:30	Maintenance Comment	0.0	CURRENT CYCLE COUNT 3945		
	1603.7 ENHR		A1PXXXXY812342		XXXXXX
28NOV08 02:38	Maintenance Comment	0.0	LIF LDG	CHANGED - OLD VALUE= 507.0	NEW VALUE= 0.0
	1603.7 ENHR				XXXXXX

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A001EWBP LITERAL SERIAL NO : A001EWBP PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 3029312 ~00198  
 ENGINEERING NAME : DSC PWR TURB 1ST ST  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
29JAN09 06:59	Maintenance Comment	1610.7 ENHR	0.0	LIF LDG CHANGED - OLD VALUE= 19.0 NEW VALUE= 0.0	XXXXXXxx
29JAN09 06:59	Maintenance Comment	1610.7 ENHR	0.0	LIF LDG CHANGED - OLD VALUE= 19.0 NEW VALUE= 0.0	XXXXXXxx
05FEB09 12:02	Maintenance Comment	1625.5 ENHR	0.0	29JAN09 CYCLE COUNT = 3970	
03JUN14 00:00	Change Serviceability Stat	2541.8 ENHR	39.8	A1PXXX1706256 S/I US/I	XXXXXXxx
16APR15 22:15	Change Serviceability Stat	2541.8 ENHR	317.9	US/I S/I	XXXXXXxx
19APR17 22:22	Position Change	2785.9 ENHR	4767.9	A23T A1SAM04 00 A23T A1SAM04 00	XXXXXXxx
21AUG18 11:43	Maintenance Comment	3260.6 ENHR	0.0	A1PXXX1706256 POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE	
	Position Change		5256.5	A23T A1SAM04 00 A23T A1SAM04 00	
	Maintenance Comment		0.0	A1PXXX1808212 POLICY COPY IAW MPAN 032/2018 INC'D	XXXXXXxx

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			

ARDUXJ1501051 C COMPLETED 03JUN14 00:00 XXxxXXxx XXXxxXXxxXXxxXXxxXXxx ARDU NONC2CONT  
 16APR15 22:15 28APR15 03:08 XXxxXXxx XXxxXXxxXXxxXXxxXXxx ARDU 2541.8 ENHR  
 01 UNSERVICEABLE 31 DURING ACCESS CAMM2 DOWN: SULPHATED  
 12 CORRODED 12 CONTAMINATED  
 02 REPAIR  
 Unserviceability Details: SUPHADISATION EVIDENT  
 Maintenance Comments: REPAIRED IAW P&WC MANUAL P/N 3034543 REV 367 & AAP7113.022-2



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A001F3Y4 LITERAL SERIAL NO : A001F3Y4 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 3034313 ~00198  
ENGINEERING NAME : DISC COMP 3RD STAGE  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 3732.2 ENHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE UNPACKED			
15JUN04 23:37	A001F3Y4	3034313	~00198	A23T	00
aip001	AIP	MCS		A1SAK32	
L. DOBSON		29MAR04		A1PXXRY401258	
	0.0 ENHR	0.0 LDG			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01680  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A001F3Y4 LITERAL SERIAL NO : A001F3Y4 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 3034313 ~00198  
 ENGINEERING NAME : DISC COMP 3RD STAGE  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
				TRANS REFERENCE		
LIFE SINCE NEW						
15JUN04	23:37	Reception History Record	0.0	Reception		
		0.0 ENHR		MCS	MCS	XXxxXXxx
15JUN04	23:48	Asset Installation	78.9	A23T	ALSAK32	00
		0.0 ENHR		103186	A23-015	A23T ALSAK32 0 A
		Change Serviceability Stat	78.9	SERV		XXxxXXxx
		Change Location of an Asse	78.9	S/I		
				MCS		
				A23-015		
15JUN04	23:52	Maintenance Comment	0.0	FITTED TO 103186 DURING O/H AT P&WC A/ASIA 30MAR04		
		0.0 ENHR		A1PXXXY414277		XXxxXXxx
02NOV04	00:24	Maintenance Comment	0.0	LIF LDG	CHANGED - OLD VALUE=	207.0 NEW VALUE= 0.0
		108.9 ENHR				XXxxXXxx
02NOV04	00:31	Maintenance Comment	0.0	02NOV04 CURRENT CYCLE COUNT 130		
		108.9 ENHR		A1PXXXY427207		XXxxXXxx
02SEP05	02:00	Maintenance Comment	0.0	LIF LDG	CHANGED - OLD VALUE=	778.0 NEW VALUE= 0.0
		408.1 ENHR				XXxxXXxx
02SEP05	02:07	Maintenance Comment	0.0	CURRENT CYCLE COUNT IS 560		
		408.1 ENHR		A1PXXXY513648		XXxxXXxx
16OCT06	02:32	Maintenance Comment	0.0	CURRENT CYCLE COUNT IS 959		
		707.8 ENHR		A1PXXXY608405		XXxxXXxx
16OCT06	02:36	Maintenance Comment	0.0	LIF LDG	CHANGED - OLD VALUE=	688.0 NEW VALUE= 0.0
		707.8 ENHR				XXxxXXxx
08JUN07	02:06	Maintenance Comment	0.0	CURRENT CYCLE COUNT IS 1360		
		1006.6 ENHR		A1PXXXY704936		XXxxXXxx
08JUN07	02:09	Maintenance Comment	0.0	LIF LDG	CHANGED - OLD VALUE=	695.0 NEW VALUE= 0.0
		1006.6 ENHR				XXxxXXxx
02APR08	07:28	Maintenance Comment	0.0	02APR08 CURRENT CYCLE COUNT 1763		
		1305.0 ENHR		A1PXXXY802587		XXxxXXxx
02APR08	08:00	Maintenance Comment	0.0	LIF LDG	CHANGED - OLD VALUE=	697.0 NEW VALUE= 0.0
		1305.0 ENHR				XXxxXXxx
28NOV08	02:29	Maintenance Comment	0.0	CURRENT CYCLE COUNT 2096		
		1603.7 ENHR		A1PXXXY812338		XXxxXXxx
28NOV08	02:34	Maintenance Comment	0.0	LIF LDG	CHANGED - OLD VALUE=	507.0 NEW VALUE= 0.0
		1603.7 ENHR				XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01681  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A001F3Y4 LITERAL SERIAL NO : A001F3Y4 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 3034313 ~00198  
 ENGINEERING NAME : DISC COMP 3RD STAGE  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
29JAN09 06:54	Maintenance Comment	1610.7 ENHR	0.0	LIF LDG CHANGED - OLD VALUE= 19.0 NEW VALUE= 0.0	XXXXXXxx
29JAN09 06:54	Maintenance Comment	1610.7 ENHR	0.0	LIF LDG CHANGED - OLD VALUE= 19.0 NEW VALUE= 0.0	XXXXXXxx
05FEB09 12:00	Maintenance Comment	1625.5 ENHR	0.0	29JAN09 CYCLE COUNT = 2109	
19APR17 22:23	Position Change	2785.9 ENHR	4690.9	A1PXXX1706257	XXXXXXxx
21AUG18 11:15	Maintenance Comment	3260.6 ENHR	0.0	POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE	
	Position Change		5179.4	A23T A1SAK32 00	
	Maintenance Comment		0.0	A23T A1SAK32 00	XXXXXXxx
				A1PXXX1808209	
				POLICY COPY IAW MPAN 032/2018 INC'D	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A001F7P1 LITERAL SERIAL NO : A001F7P1 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 3034312 ~00198  
ENGINEERING NAME : DISC COMP 2ND STAGE  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 3732.2 ENHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
15JUN04 23:34	A001F7P1	3034312	~00198	A23T	00
aip001	AIP	MCS		A1SAK30	
L. DOBSON		29MAR04		A1PXXRY401256	
	0.0 ENHR	0.0 LDG			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01683  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A001F7P1 LITERAL SERIAL NO : A001F7P1 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 3034312 ~00198  
 ENGINEERING NAME : DISC COMP 2ND STAGE  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
15JUN04 23:34	Reception History Record	0.0	Reception MCS	
	0.0 ENHR		MCS	XXxxXXxx
15JUN04 23:47	Asset Installation	78.9	A23T ALSAK30 00	
	0.0 ENHR		103186 A23-015	A23T ALSAK30 0 A XXxxXXxx
	Change Serviceability Stat	78.9	SERV S/I	
	Change Location of an Asse	78.9	MCS A23-015	
15JUN04 23:52	Maintenance Comment	0.0	FITTED TO 103186 DURING O/H AT P&WC A/ASIA 30MAR04	
	0.0 ENHR		A1PXXXY414276	XXxxXXxx
02NOV04 00:22	Maintenance Comment	0.0	LIF LDG CHANGED - OLD VALUE= 207.0	NEW VALUE= 0.0
	108.9 ENHR			XXxxXXxx
02NOV04 00:31	Maintenance Comment	0.0	02NOV04 CURRENT CYCLE COUNT 130	
	108.9 ENHR		A1PXXXY427206	XXxxXXxx
02SEP05 01:58	Maintenance Comment	0.0	LIF LDG CHANGED - OLD VALUE= 778.0	NEW VALUE= 0.0
	408.1 ENHR			XXxxXXxx
02SEP05 02:06	Maintenance Comment	0.0	CURRENT CYCLE COUNT 560	
	408.1 ENHR		A1PXXXY513646	XXxxXXxx
16OCT06 02:30	Maintenance Comment	0.0	CURRENT CYCLE COUNT IS 959	
	707.8 ENHR		A1PXXXY608403	XXxxXXxx
16OCT06 02:35	Maintenance Comment	0.0	LIF LDG CHANGED - OLD VALUE= 688.0	NEW VALUE= 0.0
	707.8 ENHR			XXxxXXxx
08JUN07 02:05	Maintenance Comment	0.0	CURRENT CYCLE COUNT IS 1360	
	1006.6 ENHR		A1PXXXY704935	XXxxXXxx
08JUN07 02:08	Maintenance Comment	0.0	LIF LDG CHANGED - OLD VALUE= 695.0	NEW VALUE= 0.0
	1006.6 ENHR			XXxxXXxx
02APR08 07:28	Maintenance Comment	0.0	02APR08 CURRENT CYCLE COUNT 1763	
	1305.0 ENHR		A1PXXXY802586	XXxxXXxx
02APR08 08:00	Maintenance Comment	0.0	LIF LDG CHANGED - OLD VALUE= 697.0	NEW VALUE= 0.0
	1305.0 ENHR			XXxxXXxx
28NOV08 02:28	Maintenance Comment	0.0	CURRENT CYCLE COUNT 2096	
	1603.7 ENHR		A1PXXXY812337	XXxxXXxx
28NOV08 02:33	Maintenance Comment	0.0	LIF LDG CHANGED - OLD VALUE= 507.0	NEW VALUE= 0.0
	1603.7 ENHR			XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01684  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A001F7P1 LITERAL SERIAL NO : A001F7P1 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 3034312 ~00198  
 ENGINEERING NAME : DISC COMP 2ND STAGE  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T CHANGE TYPE		LIFE SINCE NEW		SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
29JAN09	06:54	Maintenance Comment	1610.7	0.0	LIF LDG	CHANGED - OLD VALUE=	19.0	NEW VALUE= 0.0
			ENHR					XXXXXXxx
29JAN09	06:54	Maintenance Comment	1610.7	0.0	LIF PTELCF	CHANGED - OLD VALUE=	50000.0	NEW VALUE= 2109.0
			ENHR					XXXXXXxx
05FEB09	11:59	Maintenance Comment	1625.5	0.0	29JAN09	CYCLE COUNT =	2109	
			ENHR		A1PXXXY901176			XXXXXXxx
11JAN17	03:31	Position Change	2601.3	4592.1	A23T	A1SAK30	00	
			ENHR		A23T	A1SAK30	00	
		Maintenance Comment		0.0	A1PXXX1700199			XXXXXXxx
21AUG18	11:01	Position Change	3260.6	5179.4	POSITION CX	TO RESET COMPARE ASSET POLICY	ERROR	
			ENHR		A23T	A1SAK30	00	
		Maintenance Comment		0.0	A23T	A1SAK30	00	
					A1PXXX1808208			XXXXXXxx
					POLICY COPY IAW MPAN 032/2018	INC'D		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01685  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 CURRENT CONDITION : U/S

LOCATION : A23-033  
 LIFE SINCE NEW : 9545.2 AFHR

~S4080

PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
				LIFE SINCE NEW				
29AUG03	07:40	Change Venue of an Asset		0.0	2FTS			
					AIP			
29AUG03	08:02	Maintenance Comment		0.0	28AUG03	1.2	4770.4 10119	XXxxXXxx 341724 (ACOP
					CAMM LOG00001			
29AUG03	08:02	Maintenance Comment		0.0	29AUG03	TRANSFERRED FROM 2FT TO 2FT AUTH: CAMM2		(MOVE
					CAMM LOG00002			
29AUG03	08:03	Maintenance Comment		0.0	27AUG03	1.1	4766.7 10116	XXxxXXxx 341721 (ACOP
					CAMM LOG00003			
29AUG03	08:03	Maintenance Comment		0.0	27AUG03	1.2	4767.9 10117	XXxxXXxx 341722 (ACOP
					CAMM LOG00004			
29AUG03	08:03	Maintenance Comment		0.0	28AUG03	1.3	4769.2 10118	XXxxXXxx 341723 (ACOP
					CAMM LOG00005			
29AUG03	08:03	Maintenance Comment		0.0	26AUG03	1.2	4764.0 10111	XXxxXXxx 341719 (ACOP
					CAMM LOG00006			
29AUG03	08:03	Maintenance Comment		0.0	27AUG03	S40 SERVICING COMPLETED AT 4764.0 AFHRS		
					CAMM LOG00007			
29AUG03	08:03	Maintenance Comment		0.0	27AUG03	1.6	4765.6 10115	XXxxXXxx 341720 (ACOP
					CAMM LOG00008			
29AUG03	08:03	Maintenance Comment		0.0	25AUG03	1.1	4760.3 10108	XXxxXXxx 341716 (ACOP
					CAMM LOG00009			
29AUG03	08:03	Maintenance Comment		0.0	26AUG03	1.4	4761.7 10109	XXxxXXxx 341717 (ACOP
					CAMM LOG00010			
29AUG03	08:03	Maintenance Comment		0.0	26AUG03	1.1	4762.8 10110	XXxxXXxx 341718 (ACOP
					CAMM LOG00011			
29AUG03	08:03	Maintenance Comment		0.0	24AUG03	1.1	4756.8 10105	XXxxXXxx 341713 (ACOP
					CAMM LOG00012			
29AUG03	08:03	Maintenance Comment		0.0	25AUG03	1.2	4758.0 10106	XXxxXXxx 341714 (ACOP
					CAMM LOG00013			
29AUG03	08:03	Maintenance Comment		0.0	25AUG03	1.2	4759.2 10107	XXxxXXxx 341715 (ACOP
					CAMM LOG00014			
29AUG03	08:03	Maintenance Comment		0.0	21AUG03	1.8	4753.3 10102	XXxxXXxx 341710 (ACOP
					CAMM LOG00015			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01686  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP

~S4080

PERIOD: 01JAN90 TO 08JAN20

LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
=====	=====	=====	=====	=====	=====	=====	=====
29AUG03 08:03	Maintenance	Comment	0.0	24AUG03 1.2	4754.5	10103	341711 (ACOP)
	0.0	AFHR		CAMM LOG00016			XXXXXXxx
29AUG03 08:03	Maintenance	Comment	0.0	24AUG03 1.2	4755.7	10104	341712 (ACOP)
	0.0	AFHR		CAMM LOG00017			XXXXXXxx
29AUG03 08:03	Maintenance	Comment	0.0	20AUG03 .7	4749.7	10100	341708 (ACOP)
	0.0	AFHR		CAMM LOG00018			XXXXXXxx
29AUG03 08:03	Maintenance	Comment	0.0	20AUG03 TEST FLIGHT			XXXXXXxx
	0.0	AFHR		CAMM LOG00019			XXXXXXxx
29AUG03 08:03	Maintenance	Comment	0.0	20AUG03 1.8	4751.5	10101	341709 (ACOP)
	0.0	AFHR		CAMM LOG00020			XXXXXXxx
29AUG03 08:03	Maintenance	Comment	0.0	17AUG03 .0	4749.0	10099	341706 (ACOP)
	0.0	AFHR		CAMM LOG00021			XXXXXXxx
29AUG03 08:03	Maintenance	Comment	0.0	19AUG03 .0	4749.0	10099	341707 (ACOP)
	0.0	AFHR		CAMM LOG00022			XXXXXXxx
29AUG03 08:03	Maintenance	Comment	0.0	20AUG03 S40 SERVICING COMPLETED AT	4749.0	AFHRS	XXXXXXxx
	0.0	AFHR		CAMM LOG00023			XXXXXXxx
29AUG03 08:03	Maintenance	Comment	0.0	08AUG03 .0	4749.0	10099	341705 (ACOP)
	0.0	AFHR		CAMM LOG00024			XXXXXXxx
29AUG03 08:03	Maintenance	Comment	0.0	13AUG03 S40 SERVICING COMPLETED AT	4749.0	AFHRS	XXXXXXxx
	0.0	AFHR		CAMM LOG00025			XXXXXXxx
29AUG03 08:03	Maintenance	Comment	0.0	14AUG03 STI-PC9-0302		STI STATUS CHANGED TO	INC
	0.0	AFHR		CAMM LOG00026			XXXXXXxx
29AUG03 08:03	Maintenance	Comment	0.0	06AUG03 .0	4749.0	10099	341703 (ACOP)
	0.0	AFHR		CAMM LOG00027			XXXXXXxx
29AUG03 08:03	Maintenance	Comment	0.0	07AUG03 .0	4749.0	10099	341704 (ACOP)
	0.0	AFHR		CAMM LOG00028			XXXXXXxx
29AUG03 08:03	Maintenance	Comment	0.0	08AUG03 STI-PC9-0301		STI STATUS CHANGED TO	INC
	0.0	AFHR		CAMM LOG00029			XXXXXXxx
29AUG03 08:03	Maintenance	Comment	0.0	05AUG03 .0	4749.0	10099	341701 (ACOP)
	0.0	AFHR		CAMM LOG00030			XXXXXXxx
29AUG03 08:03	Maintenance	Comment	0.0	06AUG03 S40 SERVICING COMPLETED AT	4749.0	AFHRS	XXXXXXxx
	0.0	AFHR		CAMM LOG00031			XXXXXXxx
29AUG03 08:03	Maintenance	Comment	0.0	06AUG03 .0	4749.0	10099	341702 (ACOP)
	0.0	AFHR		CAMM LOG00032			XXXXXXxx
29AUG03 08:03	Maintenance	Comment	0.0	29JUL03 1.6	4748.6	10097	343499 (ACOP)
	0.0	AFHR		CAMM LOG00033			XXXXXXxx



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01687  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
29AUG03	08:03	Maintenance Comment	0.0	0.0	29JUL03 .4 4749.0 10099	343500 (ACOP)
			AFHR		CAMM LOG00034	XXXXXXxx
29AUG03	08:03	Maintenance Comment	0.0	0.0	30JUL03 S40 SERVICING COMPLETED AT 4749.0	AFHRS
			AFHR		CAMM LOG00035	XXXXXXxx
29AUG03	08:03	Maintenance Comment	0.0	0.0	28JUL03 1.3 4744.2 10093	343496 (ACOP)
			AFHR		CAMM LOG00036	XXXXXXxx
29AUG03	08:03	Maintenance Comment	0.0	0.0	28JUL03 .9 4745.1 10094	343497 (ACOP)
			AFHR		CAMM LOG00037	XXXXXXxx
29AUG03	08:03	Maintenance Comment	0.0	0.0	29JUL03 1.9 4747.0 10095	343498 (ACOP)
			AFHR		CAMM LOG00038	XXXXXXxx
29AUG03	08:03	Maintenance Comment	0.0	0.0	25JUL03 1.2 4740.8 10079	343493 (ACOP)
			AFHR		CAMM LOG00039	XXXXXXxx
29AUG03	08:03	Maintenance Comment	0.0	0.0	25JUL03 1.2 4742.0 10083	343494 (ACOP)
			AFHR		CAMM LOG00040	XXXXXXxx
29AUG03	08:03	Maintenance Comment	0.0	0.0	28JUL03 .9 4742.9 10088	343495 (ACOP)
			AFHR		CAMM LOG00041	XXXXXXxx
29AUG03	08:03	Maintenance Comment	0.0	0.0	25JUL03 1.2 4739.6 10075	343492 (ACOP)
			AFHR		CAMM LOG00042	XXXXXXxx
29AUG03	08:03	Maintenance Comment	0.0	0.0	24JUL03 1.2 4737.1 10066	343490 (ACOP)
			AFHR		CAMM LOG00043	XXXXXXxx
29AUG03	08:03	Maintenance Comment	0.0	0.0	25JUL03 1.3 4738.4 10069	343491 (ACOP)
			AFHR		CAMM LOG00044	XXXXXXxx
29AUG03	08:03	Maintenance Comment	0.0	0.0	25JUL03 4738.4 10069	BROUGHT FORWA
			AFHR		CAMM LOG00045	XXXXXXxx
29AUG03	08:03	Maintenance Comment	0.0	0.0	23JUL03 1.1 4733.4 10048	343487 (ACOP)
			AFHR		CAMM LOG00046	XXXXXXxx
29AUG03	08:03	Maintenance Comment	0.0	0.0	24JUL03 1.3 4734.7 10053	343488 (ACOP)
			AFHR		CAMM LOG00047	XXXXXXxx
29AUG03	08:03	Maintenance Comment	0.0	0.0	24JUL03 1.2 4735.9 10060	343489 (ACOP)
			AFHR		CAMM LOG00048	XXXXXXxx
31AUG03	07:35	Role Change		1.9		
					DISPLAY	
31AUG03	22:24	Initiate Toolboard	4770.3	xxxx	AIPXXXXY300013	XXXXXXxx
			AFHR		14 B/F	
			AFHR			XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01688  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
01SEP03	00:58	Clear Toolboard		xxxx	14	
		4770.3	AFHR			XXxxXXxx
01SEP03	03:16	Operator Release		0.0	P. GREEN	
		4770.3	AFHR		AIPXXXY300076	XXxxXXxx
01SEP03	03:18	Operator Release		0.0	P. GREEN	
		4771.4	AFHR		AIPXXXY300077	XXxxXXxx
01SEP03	03:19	Operator Release		0.0	P. GREEN	
		4772.2	AFHR		AIPXXXY300078	XXxxXXxx
01SEP03	03:21	Operator Release		0.0	P. GREEN	
		4773.6	AFHR		AIPXXXY300079	XXxxXXxx
01SEP03	03:22	Armed		0.0	N	
		4774.8	AFHR		AIPXXXY300080	XXxxXXxx
01SEP03	09:13	Operator Release		0.0	P. GREEN	
		4774.8	AFHR		AIPXXXY300133	XXxxXXxx
01SEP03	09:15	Operator Release		0.0	P. GREEN	
		4776.0	AFHR		AIPXXXY300134	XXxxXXxx
01SEP03	09:16	Asset Comments		0.0	341730 LAST ACOP 341730	
		4777.2	AFHR		AIPXXXY300135	XXxxXXxx
01SEP03	11:05	Operator Release		0.0	P. ELDREDGE	
		4777.2	AFHR		AIPXXXY300153	XXxxXXxx
01SEP03	11:17	Asset Comments		0.0	341731 LAST ACOP 341731	
		4777.8	AFHR		AIPXXXY300154	XXxxXXxx
01SEP03	12:31	Initiate Toolboard		xxxx	14 A/F	
		4777.8	AFHR			XXxxXXxx
01SEP03	12:32	Initiate Toolboard		xxxx	14 B/F	
		4777.8	AFHR			XXxxXXxx
02SEP03	00:29	Clear Toolboard		xxxx	14	
		4777.8	AFHR			XXxxXXxx
02SEP03	00:30	Maintenance Release - Over		3.7	M PEA	
		4777.8	AFHR		A	
				0.0	AIPXXXY300201	XXxxXXxx
02SEP03	06:15	Maintenance Comment Into Maintenance		0.0	KNOWN BUILD ANOMALIES MRO C/O	
		4777.8	AFHR	0.2	A	
				0.0	AIPXXOY300128	XXxxXXxx
02SEP03	07:54	Asset Comments		0.0	341732 LAST ACOP 341732	
		4779.1	AFHR		AIPXXXY300256	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01689  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS				-----		
TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
				TRANS REFERENCE		
LIFE SINCE NEW						
=====	=====	=====	=====	=====	=====	=====
02SEP03	09:34	Asset Comments	0.0	341733	LAST ACOP 341733	
		4779.1 AFHR		AIPXXXY300272		XXxxXXxx
02SEP03	09:37	Operator Release	0.0	P. ELDRUDGE		
		4779.1 AFHR		AIPXXXY300275		XXxxXXxx
02SEP03	09:48	Initiate Toolboard	xxxx	14 A/F		
		4780.3 AFHR				XXxxXXxx
02SEP03	09:48	Initiate Toolboard	xxxx	14 B/F		
		4780.3 AFHR				XXxxXXxx
02SEP03	12:34	Change Serviceability Stat	0.2	SERV		
		4780.3 AFHR		U/S		
				AIPXXUY300110		XXxxXXxx
03SEP03	00:32	Clear Toolboard	xxxx	14		
		4780.3 AFHR				XXxxXXxx
03SEP03	00:34	Change Serviceability Stat	0.5	U/S		
		4780.3 AFHR		SERV		
				AIPXXXY300337		XXxxXXxx
03SEP03	02:29	Maintenance Comment	0.0	SERV		
		Maintenance Release - Over	0.0	M PEA		
		4780.3 AFHR		A		
				AIPXXXY300348		XXxxXXxx
03SEP03	08:10	Maintenance Comment	0.0	KNOWN BUILD ANOMALIES MRO C/O		
		Into Maintenance	0.2	A		
		4780.3 AFHR		AIPXXOY300201		XXxxXXxx
03SEP03	09:02	Asset Comments	0.0	341734	LAST ACOP 341733	
		4781.3 AFHR		AIPXXXY300392		XXxxXXxx
03SEP03	09:03	Asset Comments	0.0	341734	LAST ACOP 341734	
		4781.3 AFHR		AIPXXXY300393		XXxxXXxx
03SEP03	09:13	Initiate Toolboard	xxxx	14 A/F		
		4781.3 AFHR				XXxxXXxx
03SEP03	09:13	Initiate Toolboard	xxxx	14 B/F		
		4781.3 AFHR				XXxxXXxx
03SEP03	10:27	Change Serviceability Stat	0.0	SERV		
		4781.3 AFHR		U/S		
				AIPXXUY300236		XXxxXXxx
04SEP03	05:42	Asset Comments	0.0	341735	LAST ACOP 341735	
		4781.3 AFHR		AIPXXXY300481		XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01690  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
04SEP03	06:29	Operator Release	4781.3 AFHR	0.0	P. ELDREDGE AIPXXXXY300503	XXXXXXxx
04SEP03	06:31	Asset Comments	4782.5 AFHR	0.0	341736 LAST ACOP 341736 AIPXXXXY300504	XXXXXXxx
04SEP03	06:35	Operator Release	4782.5 AFHR	0.0	P. ELDREDGE AIPXXXXY300507	XXXXXXxx
04SEP03	06:36	Asset Comments	4783.7 AFHR	0.0	341737 LAST ACOP 341737 AIPXXXXY300508	XXXXXXxx
04SEP03	07:52	Operator Release	4783.7 AFHR	0.0	P. ELDREDGE AIPXXXXY300525	XXXXXXxx
04SEP03	09:09	Initiate Toolboard	4784.8 AFHR	xxxx	14 B/F	XXXXXXxx
05SEP03	03:10	Operator Release	4784.8 AFHR	0.0	P. ELDREDGE AIPXXXXY300588	XXXXXXxx
05SEP03	03:16	Armed	4785.1 AFHR	0.0	Y AIPXXXXY300591	XXXXXXxx
05SEP03	03:16	Asset Comments	4785.1 AFHR	0.0	341738 LAST ACOP 341738 AIPXXXXY300591	XXXXXXxx
05SEP03	05:00	Initiate Toolboard	4785.1 AFHR	xxxx	14 A/F	XXXXXXxx
07SEP03	22:18	Armed	4785.1 AFHR	0.0	N AIPXXXXY300636	XXXXXXxx
09SEP03	08:46	Initiate Toolboard	4785.1 AFHR	xxxx	14 B/F	XXXXXXxx
10SEP03	00:11	Operator Release	4785.1 AFHR	0.0	P. GREEN AIPXXXXY300890	XXXXXXxx
10SEP03	00:12	Asset Comments	4785.1 AFHR	0.0	341739 LAST ACOP 341739 AIPXXXXY300892	XXXXXXxx
10SEP03	04:51	Create/Amend Basic Weight	4785.1 AFHR	11.8	0.00 0.00 1734.75 4275.7 0.00 0.00 AIPXXXXY300953	XXXXXXxx
11SEP03	00:36	Maintenance Comment Initiate Toolboard	4785.1 AFHR	0.0 xxxx	LAST WEIGH 26SEP01 14 B/F	XXXXXXxx
11SEP03	09:24	Initiate Toolboard	4785.1 AFHR	xxxx	14 B/F	XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01691  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
11SEP03	09:33	Asset Comments	4785.1 AFHR	0.0	341740 LAST ACOP 341740	
14SEP03	22:42	Role Change	4785.1 AFHR	14.6	A1PXXXY300080 DISPLAY	XXxxXXxx
14SEP03	23:08	Maintenance Comment	4785.1 AFHR	0.0	A1PXXXY300231 LIF ENHR CHANGED - OLD VALUE= 50000.0 NEW VALUE= 4785.1	XXxxXXxx
14SEP03	23:34	Initiate Toolboard	4785.1 AFHR	xxxx	14 B/F	XXxxXXxx
15SEP03	01:25	Change Serviceability Stat	4785.1 AFHR	11.6	U/S SERV A1PXXXY300272	XXxxXXxx
15SEP03	01:25	Clear Toolboard	4785.1 AFHR	xxxx	14	XXxxXXxx
15SEP03	01:39	Maintenance Release - Over	4785.1 AFHR	0.0	M PEA A A1PXXXY300273	XXxxXXxx
15SEP03	02:23	Maintenance Comment Into Maintenance	4785.1 AFHR	0.0	KNOWN BUILD ANOMALIES A A1PXXOY300097	XXxxXXxx
15SEP03	03:03	Asset Comments	4785.1 AFHR	0.0	341741 LAST ACOP 341741	XXxxXXxx
15SEP03	03:13	Asset Comments	4785.1 AFHR	0.0	A1PXXXY300280 341742 LAST ACOP 341742	XXxxXXxx
15SEP03	03:15	Operator Release	4785.6 AFHR	0.0	A1PXXXY300281 T. PARRY	XXxxXXxx
15SEP03	09:41	Initiate Toolboard	4785.6 AFHR	xxxx	A1PXXXY300282 14 A/F	XXxxXXxx
16SEP03	12:01	Change Serviceability Stat	4785.6 AFHR	1.4	SERV U/S A1PXXUY300337	XXxxXXxx
30SEP03	02:34	Position Change	4785.6 AFHR	31.7	A23T A 00 A23T A 00	
		Maintenance Comment	4785.6 AFHR	0.0	A1PXXXY301076 CX SERV POLICY	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01692  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
01OCT03	03:42	Operator	Release	4785.6 AFHR	0.0	D. PETERSSON		A1PXXXY301260	XXxxXXxx
16OCT03	00:08	Position	Change	4785.6 AFHR	47.6	A23T A	00	A23T A	00
		Maintenance	Comment		0.0	CHANGES S3, S12 AND S18 SERVS		A1PXXXY302135	XXxxXXxx
21OCT03	01:02	Position	Change	4785.6 AFHR	52.7	A23T A	00	A23T A	00
		Maintenance	Comment		0.0	CHANGES THE INITIATING CIRCUMSTANCE OF THE S3 SERV		A1PXXXY302185	XXxxXXxx
24OCT03	04:44	Position	Change	4785.6 AFHR	55.8	A23T A	00	A23T A	00
		Maintenance	Comment		0.0	STI-PC9-309 A & B		A1PXXXY302300	XXxxXXxx
02NOV03	22:46	Initiate	Toolboard	4785.6 AFHR	xxxx	14 B/F			
03NOV03	11:14	Armed		4785.6 AFHR	0.0	Y		A1PXXXY302651	XXxxXXxx
03NOV03	11:14	Asset	Comments	4785.6 AFHR	0.0	341745	LAST ACOP 341745	A1PXXXY302651	XXxxXXxx
03NOV03	11:15	Operator	Release	4785.6 AFHR	0.0	P. MOSCHER		A1PXXXY302652	XXxxXXxx
03NOV03	11:16	Armed		4786.2 AFHR	0.0	N		A1PXXXY302653	XXxxXXxx
03NOV03	11:16	Operator	Release	4786.2 AFHR	0.0	P. MOSCHER		A1PXXXY302655	XXxxXXxx
03NOV03	11:18	Operator	Release	4787.7 AFHR	0.0	P. MOSCHER		A1PXXXY302657	XXxxXXxx
03NOV03	11:48	Initiate	Toolboard	4788.9 AFHR	xxxx	14 B/F			XXxxXXxx
03NOV03	11:51	Clear	Toolboard	4788.9 AFHR	xxxx	14			XXxxXXxx
03NOV03	11:58	Change	Serviceability Stat	4788.9 AFHR	47.9	U/S		SERV	XXxxXXxx
						A1PXXXY302677			XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01693  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----		-----		-----	
TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
			LIFE SINCE NEW	TRANS REFERENCE			
=====							
03NOV03	13:11	Maintenance	Release	0.0	M PEA		
		4788.9	AFHR		A		
04NOV03	03:17	Into Maintenance		0.5	A1PXXXY302681		XXxxXXxx
		4788.9	AFHR		A		
04NOV03	04:23	Asset Comments		0.0	M PEA		
		4788.9	AFHR		A1PXXOY300835		XXxxXXxx
04NOV03	08:36	Asset Comments		0.0	341746	LAST ACOP 341745	
		4790.3	AFHR		A1PXXXY302727		XXxxXXxx
04NOV03	08:37	Operator Release		0.0	341747	LAST ACOP 341747	
		4790.3	AFHR		A1PXXXY302800		XXxxXXxx
04NOV03	08:39	Asset Comments		0.0	P. MOSCHER		
		4791.5	AFHR		A1PXXXY302801		XXxxXXxx
04NOV03	08:39	Operator Release		0.0	341748	LAST ACOP 341748	
		4791.5	AFHR		A1PXXXY302802		XXxxXXxx
04NOV03	09:48	Initiate Toolboard		xxxx	P. MOSCHER		
		4792.7	AFHR		A1PXXXY302803		XXxxXXxx
04NOV03	09:49	Clear Toolboard		xxxx	14 B/F		
		4792.7	AFHR		14		XXxxXXxx
04NOV03	22:53	Operator Release		0.0	P. GREEN		
		4792.7	AFHR		A1PXXXY302827		XXxxXXxx
05NOV03	04:02	Into Maintenance		0.0	M		
		4793.8	AFHR		A1PXXOY300910		XXxxXXxx
05NOV03	04:28	Maintenance Release		1.0	M PEA		
		4793.8	AFHR		A		
05NOV03	06:13	Asset Comments		0.0	A1PXXXY302887		XXxxXXxx
		4795.0	AFHR		341750	LAST ACOP 341750	
05NOV03	07:05	Into Maintenance		0.1	A1PXXXY302910		XXxxXXxx
		4795.0	AFHR		A		
05NOV03	08:09	Asset Comments		0.0	M PEA		
		4795.0	AFHR		A1PXXOY300931		XXxxXXxx
05NOV03	09:34	Asset Comments		0.0	341751	LAST ACOP 341751	
		4796.3	AFHR		A1PXXXY302937		XXxxXXxx
					341752	LAST ACOP 341752	
					A1PXXXY302967		XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01694  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----				
TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
				TO (OPTIONAL)	TRANS REFERENCE	
LIFE SINCE NEW			-----			
05NOV03	09:35	Operator Release	0.0	P. MOSCHER		
		4796.3 AFHR		A1PXXXY302968		XXxxXXxx
05NOV03	10:36	Initiate Toolboard	xxxx	14 B/F		
		4797.4 AFHR				XXxxXXxx
05NOV03	10:37	Clear Toolboard	xxxx	14		
		4797.4 AFHR				XXxxXXxx
06NOV03	00:45	Maintenance Release	0.7	M PEA		
		4797.4 AFHR		A1PXXXY302987		XXxxXXxx
06NOV03	04:22	Into Maintenance	0.1	A		
		4797.4 AFHR		A1PXXOY300970		XXxxXXxx
06NOV03	06:00	Asset Comments	0.0	326153	LAST ACOP 326153	
		4797.4 AFHR		A1PXXXY303023		XXxxXXxx
06NOV03	09:33	Asset Comments	0.0	326154	LAST ACOP 326154	
		4798.8 AFHR		A1PXXXY303089		XXxxXXxx
06NOV03	09:33	Operator Release	0.0	P. MOSCHER		
		4798.8 AFHR		A1PXXXY303090		XXxxXXxx
06NOV03	11:05	Initiate Toolboard	xxxx	14 A/F		
		4800.5 AFHR				XXxxXXxx
06NOV03	11:06	Initiate Toolboard	xxxx	14 B/F		
		4800.5 AFHR				XXxxXXxx
06NOV03	11:07	Clear Toolboard	xxxx	14		
		4800.5 AFHR				XXxxXXxx
06NOV03	22:17	Change Serviceability Stat	0.7	SERV		
		4800.5 AFHR		U/S		
				A1PXXUY303236		XXxxXXxx
07NOV03	00:25	Asset Comments	0.0	326155	LAST ACOP 326155	
		4800.5 AFHR		A1PXXXY303134		XXxxXXxx
07NOV03	00:27	Operator Release	0.0	C. RIDLEY		
		4800.5 AFHR		A1PXXXY303135		XXxxXXxx
07NOV03	08:14	Asset Comments	0.0	326156	LAST ACOP 326156	
		4800.5 AFHR		A1PXXXY303235		XXxxXXxx
07NOV03	08:14	Operator Release	0.0	P. MOSCHER		
		4800.5 AFHR		A1PXXXY303236		XXxxXXxx
09NOV03	22:47	Initiate Toolboard	xxxx	14 B/F		
		4802.0 AFHR				XXxxXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01695  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS				-----		
TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
				TRANS REFERENCE		
LIFE SINCE NEW			=====			
10NOV03	03:46	Asset Comments	0.0	326157	LAST ACOP 326157	
		4802.0 AFHR		A1PXXXY303324		XXxxXXxx
10NOV03	03:48	Operator Release	0.0	C. RIDLEY		
		4802.0 AFHR		A1PXXXY303325		XXxxXXxx
10NOV03	05:39	Asset Comments	0.0	326158	LAST ACOP 326158	
		4802.8 AFHR		A1PXXXY303339		XXxxXXxx
10NOV03	05:41	Operator Release	0.0	C. RIDLEY		
		4802.8 AFHR		A1PXXXY303341		XXxxXXxx
10NOV03	09:07	Asset Comments	0.0	326159	LAST ACOP 326159	
		4804.5 AFHR		A1PXXXY303410		XXxxXXxx
10NOV03	09:07	Operator Release	0.0	P. ELDREDGE		
		4804.5 AFHR		A1PXXXY303411		XXxxXXxx
10NOV03	09:31	Initiate Toolboard	xxxx	14 B/F		
		4805.7 AFHR				XXxxXXxx
10NOV03	23:11	Clear Toolboard	xxxx	14		
		4805.7 AFHR				XXxxXXxx
10NOV03	23:11	Maintenance Release	4.0	M PEA		
		4805.7 AFHR		A		
		Change Serviceability Stat	4.0	A1PXXXY303438		XXxxXXxx
				U/S		
				SERV		
11NOV03	06:05	Asset Comments	0.0	326160	LAST ACOP 326160	
		4805.7 AFHR		A1PXXXY303521		XXxxXXxx
11NOV03	06:05	Into Maintenance	0.2	A		
		4805.7 AFHR		A1PXXOY301156		XXxxXXxx
13NOV03	04:01	Change Serviceability Stat	1.9	SERV		
		4805.7 AFHR		U/S		
				A1PXXUY303641		XXxxXXxx
13NOV03	07:19	Asset Comments	0.0	326161	LAST ACOP 326161	
		4805.7 AFHR		A1PXXXY303879		XXxxXXxx
13NOV03	08:43	Asset Comments	0.0	326162	LAST ACOP 326162	
		4805.7 AFHR		A1PXXXY303891		XXxxXXxx
13NOV03	08:44	Operator Release	0.0	C. RIDLEY		
		4805.7 AFHR		A1PXXXY303892		XXxxXXxx
13NOV03	08:45	Asset Comments	0.0	326163	LAST ACOP 326163	
		4806.3 AFHR		A1PXXXY303893		XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01696  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----				
TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====	=====	=====
13NOV03 08:46	Operator Release	4806.3	AFHR	0.0	C. RIDLEY A1PXXXXY303894	XXxxXXxx
17NOV03 11:55	Operator Release	4809.4	AFHR	0.0	M. WEST A1PXXXXY304215	XXxxXXxx
17NOV03 11:55	Asset Comments	4809.4	AFHR	0.0	326164 LAST ACOP 326164 A1PXXXXY304216	XXxxXXxx
20NOV03 01:25	Initiate Toolboard	4809.4	AFHR	xxxx	14 B/F	XXxxXXxx
20NOV03 01:26	Clear Toolboard	4809.4	AFHR	xxxx	14	XXxxXXxx
22NOV03 00:22	Position Change			84.6	A23T A 00 A23T A 00 A1PXXXXY304752	XXxxXXxx
24NOV03 03:54	Maintenance Comment Operator Release	4809.4	AFHR	0.0	INCLUDES STI-PC9-0318 G. KERSHAW	
24NOV03 03:56	Asset Comments	4810.3	AFHR	0.0	326165 LAST ACOP 326165 A1PXXXXY304822	XXxxXXxx
28NOV03 02:47	Initiate Toolboard	4810.3	AFHR	xxxx	14 B/F	XXxxXXxx
28NOV03 02:49	Clear Toolboard	4810.3	AFHR	xxxx	14	XXxxXXxx
28NOV03 03:03	Change Serviceability Stat			14.9	U/S SERV	
28NOV03 04:48	Operator Release	4810.3	AFHR	0.0	A1PXXXXY305476 P. ELDREDGE	XXxxXXxx
28NOV03 04:49	Asset Comments	4811.0	AFHR	0.0	A1PXXXXY305485 326166 LAST ACOP 326166	XXxxXXxx
28NOV03 07:37	Asset Comments	4811.0	AFHR	0.0	A1PXXXXY305486 326167 LAST ACOP 326167	XXxxXXxx
28NOV03 07:38	Operator Release	4811.0	AFHR	0.0	A1PXXXXY305535 P. ELDREDGE	XXxxXXxx
30NOV03 22:43	Initiate Toolboard	4812.4	AFHR	xxxx	A1PXXXXY305536 14 B/F	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01697  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
30NOV03	23:21	Clear Toolboard		xxxx	14	
		4812.4	AFHR			XXxxXXxx
30NOV03	23:22	Maintenance Release		2.8	M PEA	
		4812.4	AFHR		A	
01DEC03	04:20	Into Maintenance		0.2	A1PXXXY305555	XXxxXXxx
		4812.4	AFHR		A	
01DEC03	08:21	Asset Comments		0.0	M PEA	
		4814.0	AFHR		A1PXXOY302023	XXxxXXxx
01DEC03	08:23	Asset Comments		0.0	326168 LAST ACOP 326168	
		4814.0	AFHR		A1PXXXY305625	XXxxXXxx
01DEC03	10:30	Initiate Toolboard		xxxx	326169 LAST ACOP 326169	
		4814.0	AFHR		A1PXXXY305626	XXxxXXxx
01DEC03	10:45	Operator Release		0.0	14 B/F	
		4814.0	AFHR		S. WILD	XXxxXXxx
01DEC03	10:46	Asset Comments		0.0	A1PXXXY305673	
		4815.2	AFHR		326170 LAST ACOP 326170	XXxxXXxx
01DEC03	10:47	Operator Release		0.0	A1PXXXY305674	
		4815.2	AFHR		S. WILD	XXxxXXxx
01DEC03	12:37	Clear Toolboard		xxxx	A1PXXXY305675	
		4816.2	AFHR		14	XXxxXXxx
01DEC03	12:38	Maintenance Release		0.3	M PEA	
		4816.2	AFHR		A	XXxxXXxx
02DEC03	01:30	Into Maintenance		0.5	A1PXXXY305698	
		4816.2	AFHR		A	XXxxXXxx
02DEC03	02:22	Asset Comments		0.0	A1PXXOY302077	
		4816.2	AFHR		326171 LAST ACOP 326171	XXxxXXxx
02DEC03	05:14	Maintenance Comment		0.0	A1PXXXY305723	
		4817.4	AFHR		DOM CHANGE - OLD VALUE=01-jan-1975 00:00:00	XXxxXXxx
02DEC03	06:02	Asset Comments		0.0	326172 LAST ACOP 326172	
		4817.4	AFHR		A1PXXXY305779	XXxxXXxx
02DEC03	06:04	Operator Release		0.0	C. RIDLEY	
		4817.4	AFHR		A1PXXXY305784	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01698  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
02DEC03	08:16	Asset Comments		0.0	326173 LAST ACOP 326173	
		4818.8 AFHR			A1PXXXY305809	XXxxXXxx
02DEC03	08:46	Operator Release		0.0	S. WILD	
		4818.8 AFHR			A1PXXXY305818	XXxxXXxx
02DEC03	09:00	Into Maintenance		0.0	M	
		4820.0 AFHR			A1PXXOY302131	XXxxXXxx
02DEC03	10:34	Initiate Toolboard		xxxx	14 B/F	
		4820.0 AFHR				XXxxXXxx
02DEC03	10:39	Change Serviceability Stat		0.3	SERV	
		4820.0 AFHR			U/S	
					A1PXXUY304874	XXxxXXxx
02DEC03	11:10	Clear Toolboard		xxxx	14	
		4820.0 AFHR				XXxxXXxx
02DEC03	11:50	Maintenance Release		0.0	M PEA	
		4820.0 AFHR			A	
		Change Serviceability Stat		0.0	A1PXXXY305850	XXxxXXxx
					U/S	
					SERV	
02DEC03	21:57	Asset Comments		0.0	326174 LAST ACOP 326174	
		4821.4 AFHR			A1PXXXY305858	XXxxXXxx
03DEC03	01:45	Into Maintenance		0.5	A	
		4821.4 AFHR			A1PXXOY302137	XXxxXXxx
03DEC03	03:12	Asset Comments		0.0	326175 LAST ACOP 326175	
		4822.5 AFHR			A1PXXXY305887	XXxxXXxx
03DEC03	03:59	Asset Comments		0.0	326176 LAST ACOP 326176	
		4822.5 AFHR			A1PXXXY305919	XXxxXXxx
03DEC03	04:09	Operator Release		0.0	P. ELDREDGE	
		4822.5 AFHR			A1PXXXY305927	XXxxXXxx
03DEC03	04:55	Role Change		79.2		
		4823.4 AFHR			STANDARD	
					A1PXXXY305946	XXxxXXxx
03DEC03	07:45	Change Serviceability Stat		0.2	SERV	
		4823.4 AFHR			U/S	
					A1PXXUY304948	XXxxXXxx
03DEC03	09:45	Initiate Toolboard		xxxx	14 B/F	
		4823.4 AFHR				XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01699  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
03DEC03	22:09	Operator Release	4823.4 AFHR	0.0	P. GREEN A1PXXXY306055	XXxxXXxx
03DEC03	22:15	Asset Comments	4823.4 AFHR	0.0	326177 LAST ACOP 326177 A1PXXXY306062	XXxxXXxx
04DEC03	09:17	Initiate Toolboard	4823.4 AFHR	xxxx	14 B/F	XXxxXXxx
04DEC03	09:18	Clear Toolboard	4823.4 AFHR	xxxx	14	XXxxXXxx
04DEC03	21:55	Operator Release	4823.4 AFHR	0.0	P. GREEN A1PXXXY306238	XXxxXXxx
04DEC03	22:27	Operator Release	4824.4 AFHR	0.0	D. PETERSSON A1PXXXY306247	XXxxXXxx
04DEC03	22:29	Operator Release	4825.6 AFHR	0.0	D. PETERSSON A1PXXXY306248	XXxxXXxx
05DEC03	04:53	Asset Comments	4826.7 AFHR	0.0	326181 LAST ACOP 326181 A1PXXXY306296	XXxxXXxx
05DEC03	04:54	Operator Release	4826.7 AFHR	0.0	C. SHERIDAN A1PXXXY306297	XXxxXXxx
05DEC03	04:55	Asset Comments	4827.8 AFHR	0.0	326182 LAST ACOP 326182 A1PXXXY306298	XXxxXXxx
05DEC03	04:55	Operator Release	4827.8 AFHR	0.0	C. SHERIDAN A1PXXXY306299	XXxxXXxx
05DEC03	06:03	Asset Comments	4828.9 AFHR	0.0	326183 LAST ACOP 326183 A1PXXXY306312	XXxxXXxx
05DEC03	06:05	Operator Release	4828.9 AFHR	0.0	S. WILD A1PXXXY306313	XXxxXXxx
05DEC03	07:30	Initiate Toolboard	4830.4 AFHR	xxxx	14 A/F	XXxxXXxx
07DEC03	22:28	Initiate Toolboard	4830.4 AFHR	xxxx	14 B/F	XXxxXXxx
07DEC03	22:29	Clear Toolboard	4830.4 AFHR	xxxx	14	XXxxXXxx
08DEC03	09:09	Initiate Toolboard	4830.4 AFHR	xxxx	14 B/F	XXxxXXxx
09DEC03	05:37	Operator Release	4830.4 AFHR	0.0	G. KERSHAW A1PXXXY306571	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01700  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
09DEC03	05:39	Asset Comments	4830.4 AFHR	0.0	326184 LAST ACOP 326184 A1PXXXY306572	XXxxXXxx
10DEC03	05:56	Initiate Toolboard	4830.4 AFHR	xxxx	14 B/F	XXxxXXxx
10DEC03	07:51	Asset Comments	4830.4 AFHR	0.0	326185 LAST ACOP 326185 A1PXXXY306738	XXxxXXxx
10DEC03	07:52	Operator Release	4830.4 AFHR	0.0	P. ELDREDGE A1PXXXY306739	XXxxXXxx
10DEC03	09:33	Initiate Toolboard	4831.3 AFHR	xxxx	14 B/F	XXxxXXxx
10DEC03	11:16	Clear Toolboard	4831.3 AFHR	xxxx	14	XXxxXXxx
10DEC03	11:16	Maintenance Release	4831.3 AFHR	7.1	M PEA A A1PXXXY306773	XXxxXXxx
		Change Serviceability Stat		7.1	U/S SERV	
11DEC03	00:12	Into Maintenance	4831.3 AFHR	0.5	A A1PXXOY302566	XXxxXXxx
11DEC03	00:15	Change Serviceability Stat		0.0	SERV U/S	
11DEC03	00:18	Maintenance Release	4831.3 AFHR	0.0	A1PXXUY305333 M PEA A	XXxxXXxx
		Change Serviceability Stat		0.0	A1PXXXY306790 U/S SERV	XXxxXXxx
11DEC03	01:25	Into Maintenance	4831.3 AFHR	0.0	A M PEA A1PXXOY302596	XXxxXXxx
11DEC03	02:59	Asset Comments	4832.5 AFHR	0.0	326186 LAST ACOP 326186	XXxxXXxx
11DEC03	07:24	Operator Release	4832.5 AFHR	0.0	A1PXXXY306816 P. GREEN	XXxxXXxx
11DEC03	09:39	Asset Comments	4833.8 AFHR	0.0	A1PXXXY306886 326188 LAST ACOP 326188	XXxxXXxx
					A1PXXXY306906	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01701  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
11DEC03	09:40	Operator Release	4833.8 AFHR	0.0	P. ELDREDGE A1PXXXY306907	XXxxXXxx
11DEC03	09:42	Initiate Toolboard	4835.3 AFHR	xxxx	14 B/F	XXxxXXxx
11DEC03	11:44	Clear Toolboard	4835.3 AFHR	xxxx	14	XXxxXXxx
11DEC03	11:44	Maintenance Release	4835.3 AFHR	0.4	M PEA A A1PXXXY306932	XXxxXXxx
12DEC03	06:52	Asset Comments	4835.3 AFHR	0.0	326189 LAST ACOP 326189 A1PXXXY307007	XXxxXXxx
12DEC03	07:49	Into Maintenance	4836.5 AFHR	0.8	A M PEA A1PXXOY302696	XXxxXXxx
12DEC03	07:51	Initiate Toolboard	4836.5 AFHR	xxxx	14 B/F	XXxxXXxx
12DEC03	07:52	Clear Toolboard	4836.5 AFHR	xxxx	14	XXxxXXxx
12DEC03	07:54	Maintenance Release	4836.5 AFHR	0.0	M PEA A A1PXXXY307008	XXxxXXxx
14DEC03	22:36	Into Maintenance	4836.5 AFHR	2.6	A M PEA A1PXXOY302697	XXxxXXxx
14DEC03	22:39	Initiate Toolboard	4836.5 AFHR	xxxx	14 B/F	XXxxXXxx
14DEC03	23:19	Clear Toolboard	4836.5 AFHR	xxxx	14	XXxxXXxx
14DEC03	23:19	Maintenance Release	4836.5 AFHR	0.0	M PEA A A1PXXXY307017	XXxxXXxx
15DEC03	02:20	Into Maintenance	4836.5 AFHR	0.1	A M PEA A1PXXOY302710	XXxxXXxx
15DEC03	03:38	Asset Comments	4837.7 AFHR	0.0	326190 LAST ACOP 326190 A1PXXXY307050	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01702  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
15DEC03	04:38	Maintenance Release	0.0	M PEA A		
		4837.7 AFHR		A1PXXXY307058		XXxxXXxx
15DEC03	05:30	Into Maintenance	0.0	M PEA A		
		4837.7 AFHR		A1PXXOY302736		XXxxXXxx
15DEC03	07:38	Asset Comments	0.0	326191	LAST ACOP 326191	
		4837.7 AFHR		A1PXXXY307107		XXxxXXxx
15DEC03	10:00	Asset Comments	0.0	326192	LAST ACOP 326192	
		4839.0 AFHR		A1PXXXY307150		XXxxXXxx
15DEC03	10:01	Operator Release	0.0	P. MOSCHER A1PXXXY307151		XXxxXXxx
		4839.0 AFHR		14 B/F		XXxxXXxx
15DEC03	10:49	Initiate Toolboard	xxxx	14		XXxxXXxx
		4840.4 AFHR				XXxxXXxx
15DEC03	22:42	Clear Toolboard	xxxx	14		XXxxXXxx
		4840.4 AFHR				XXxxXXxx
15DEC03	22:43	Maintenance Release	0.7	M PEA A		
		4840.4 AFHR		A1PXXXY307173		XXxxXXxx
16DEC03	12:17	Into Maintenance	0.5	M PEA A		
		4840.4 AFHR		A1PXXOY302831		XXxxXXxx
16DEC03	12:19	Initiate Toolboard	xxxx	14 B/F		XXxxXXxx
		4840.4 AFHR				XXxxXXxx
16DEC03	12:23	Clear Toolboard	xxxx	14		XXxxXXxx
		4840.4 AFHR				XXxxXXxx
16DEC03	12:23	Maintenance Release	0.0	M PEA A		
		4840.4 AFHR		A1PXXXY307343		XXxxXXxx
17DEC03	02:20	Into Maintenance	0.5	M PEA A		
		4840.4 AFHR		A1PXXOY302845		XXxxXXxx
17DEC03	04:36	Asset Comments	0.0	326193	LAST ACOP 326193	
		4840.4 AFHR		A1PXXXY307375		XXxxXXxx
17DEC03	04:37	Asset Comments	0.0	326194	LAST ACOP 326194	
		4841.6 AFHR		A1PXXXY307376		XXxxXXxx



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01703  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----				
TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN(DYS) FROM	TO (OPTIONAL)	USER
=====	=====	=====	=====	=====	=====	=====
					TRANS REFERENCE	
17DEC03 04:38	Operator Release	4841.6	AFHR	0.0	C. SHERIDAN	
17DEC03 05:05	Change Serviceability Stat	4841.6	AFHR	0.1	A1PXXXY307377	XXxxXXxx
17DEC03 09:44	Initiate Toolboard	4841.6	AFHR	xxxx	SERV	
17DEC03 23:35	Clear Toolboard	4841.6	AFHR	xxxx	U/S	
17DEC03 23:35	Maintenance Release	4841.6	AFHR	0.7	A1PXXUY305614	XXxxXXxx
18DEC03 03:00	Into Maintenance	4841.6	AFHR	0.1	14 B/F	XXxxXXxx
18DEC03 04:02	Asset Comments	4842.7	AFHR	0.0	14	XXxxXXxx
18DEC03 04:45	Operator Release	4842.7	AFHR	0.0	M PEA	
18DEC03 04:46	Asset Comments	4842.7	AFHR	0.0	A	
18DEC03 05:03	Change Serviceability Stat	4842.7	AFHR	0.0	A1PXXXY307432	XXxxXXxx
18DEC03 08:31	Asset Comments	4842.7	AFHR	0.0	U/S	
18DEC03 08:31	Operator Release	4842.7	AFHR	0.0	SERV	
18DEC03 08:59	Initiate Toolboard	4843.7	AFHR	xxxx	A	
18DEC03 09:01	Change Serviceability Stat	4843.7	AFHR	0.1	A1PXXOY302875	XXxxXXxx
18DEC03 09:58	Clear Toolboard	4843.7	AFHR	xxxx	326195 LAST ACOP 326195	XXxxXXxx
					A1PXXXY307472	XXxxXXxx
					P. SANDON	
					A1PXXXY307477	XXxxXXxx
					326196 LAST ACOP 326196	XXxxXXxx
					A1PXXXY307478	XXxxXXxx
					SERV	
					U/S	
					A1PXXUY305681	XXxxXXxx
					326197 LAST ACOP 326197	XXxxXXxx
					A1PXXXY307512	XXxxXXxx
					P. MOSCHER	
					A1PXXXY307513	XXxxXXxx
					14 B/F	XXxxXXxx
					U/S	
					SERV	
					A1PXXXY307516	XXxxXXxx
					14	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01704  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
LIFE SINCE NEW		TRANS REFERENCE			
18DEC03 09:58	Maintenance Release - Over	0.0	M PEA		
	4843.7 AFHR		A		
	Maintenance Comment	0.0	A1PXXXY307522		XXxxXXxx
21DEC03 23:19	Into Maintenance	3.5	EAT ME		
	4843.7 AFHR		A		
21DEC03 23:28	Change Serviceability Stat	0.0	A1PXXOY302900		XXxxXXxx
			SERV		
			U/S		
22DEC03 03:38	Asset Comments	0.0	A1PXXUY305753		XXxxXXxx
	4843.7 AFHR		326198	LAST ACOP 326198	
22DEC03 05:43	Operator Release	0.0	A1PXXXY307536		XXxxXXxx
	4843.7 AFHR		S. WILD		
11JAN04 23:05	Operator Release	0.0	A1PXXXY307539		XXxxXXxx
	4845.3 AFHR		P. GREEN		
15JAN04 22:40	Initiate Toolboard	xxxx	A1PXXXY400151		XXxxXXxx
	4845.3 AFHR		14 B/F		
15JAN04 22:41	Clear Toolboard	xxxx	14		XXxxXXxx
	4845.3 AFHR				
15JAN04 23:02	Maintenance Release	24.9	M PEA		
			A		
	4845.3 AFHR		A1PXXXY400260		XXxxXXxx
	Change Serviceability Stat	24.9	U/S		
			SERV		
16JAN04 01:52	Into Maintenance	0.1	A		
			M PEA		
	4845.3 AFHR		A1PXXOY400034		XXxxXXxx
16JAN04 01:55	Operator Release	0.0	P. MOSCHER		
	4845.9 AFHR		A1PXXXY400279		XXxxXXxx
16JAN04 01:55	Asset Comments	0.0	367853	LAST ACOP 367853	
	4845.9 AFHR		A1PXXXY400280		XXxxXXxx
18JAN04 22:41	Initiate Toolboard	xxxx	14 B/F		
	4845.9 AFHR				XXxxXXxx
18JAN04 22:44	Operator Release	0.0	P. GREEN		
	4845.9 AFHR		A1PXXXY400300		XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01705  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
18JAN04	22:46	Operator Release	4845.9 AFHR	0.0	P. GREEN A1PXXXY400301	XXxxXXxx
18JAN04	23:30	Clear Toolboard	4845.9 AFHR	xxxx	14	XXxxXXxx
18JAN04	23:31	Maintenance Release	4845.9 AFHR	2.9	M PEA A A1PXXXY400307	XXxxXXxx
19JAN04	07:36	Into Maintenance	4845.9 AFHR	0.3	A M PEA A1PXXOY400070	XXxxXXxx
19JAN04	09:09	Initiate Toolboard	4845.9 AFHR	xxxx	14 B/F	XXxxXXxx
19JAN04	09:10	Clear Toolboard	4845.9 AFHR	xxxx	14	XXxxXXxx
19JAN04	10:21	Maintenance Release	4845.9 AFHR	0.1	M PEA A A1PXXXY400360	XXxxXXxx
20JAN04	06:48	Into Maintenance	4845.9 AFHR	0.8	A A1PXXOY400091	XXxxXXxx
20JAN04	07:28	Asset Comments	4847.0 AFHR	0.0	367854 LAST ACOP 367854 A1PXXXY400423	XXxxXXxx
20JAN04	08:53	Initiate Toolboard	4847.0 AFHR	xxxx	14 B/F	XXxxXXxx
20JAN04	09:29	Asset Comments	4847.0 AFHR	0.0	367855 LAST ACOP 367855 A1PXXXY400433	XXxxXXxx
20JAN04	09:29	Operator Release	4847.0 AFHR	0.0	P. ELDREDGE A1PXXXY400434	XXxxXXxx
20JAN04	09:34	Change Serviceability Stat	4847.0 AFHR	0.1	SERV U/S A1PXXUY400861	XXxxXXxx
20JAN04	22:15	Role Change	4847.0 AFHR	48.7	STANDARD STANDARD 2FTS/ARD A1PXXXY400467	XXxxXXxx
21JAN04	07:17	Operator Release	4847.0 AFHR	0.0	P. ELDREDGE A1PXXXY400562	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01706  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS				-----		
TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
				TRANS REFERENCE		
LIFE SINCE NEW						
=====	=====	=====	=====	=====	=====	=====
21JAN04	07:18	Asset Comments	0.0	367856	LAST ACOP 367856	
		4848.3 AFHR		A1PXXXY400563		XXxxXXxx
21JAN04	09:12	Initiate Toolboard	xxxx	14 B/F		
		4848.3 AFHR				XXxxXXxx
22JAN04	08:32	Asset Comments	0.0	367857	LAST ACOP 367857	
		4848.3 AFHR		A1PXXXY400751		XXxxXXxx
22JAN04	08:33	Operator Release	0.0	P. ELDREDGE		
		4848.3 AFHR		A1PXXXY400752		XXxxXXxx
22JAN04	08:43	Initiate Toolboard	xxxx	14 B/F		
		4849.6 AFHR				XXxxXXxx
22JAN04	10:27	Clear Toolboard	xxxx	14		
		4849.6 AFHR				XXxxXXxx
22JAN04	10:27	Maintenance Release	2.0	M PEA		
		4849.6 AFHR		A		
		Change Serviceability Stat	2.0	A1PXXXY400760		XXxxXXxx
				U/S		
				SERV		
23JAN04	06:55	Into Maintenance	0.8	A		
		4849.6 AFHR		A1PXXOY400248		XXxxXXxx
23JAN04	08:32	Asset Comments	0.0	367858	LAST ACOP 367858	
		4849.6 AFHR		A1PXXXY400836		XXxxXXxx
26JAN04	22:27	Asset Comments	0.0	367859	LAST ACOP 367859	
		4850.6 AFHR		A1PXXXY400849		XXxxXXxx
26JAN04	22:28	Operator Release	0.0	R. GARNER		
		4850.6 AFHR		A1PXXXY400850		XXxxXXxx
26JAN04	22:40	Initiate Toolboard	xxxx	14 A/F		
		4851.6 AFHR				XXxxXXxx
26JAN04	22:41	Initiate Toolboard	xxxx	14 B/F		
		4851.6 AFHR				XXxxXXxx
27JAN04	09:47	Initiate Toolboard	xxxx	14 B/F		
		4851.6 AFHR				XXxxXXxx
27JAN04	09:49	Clear Toolboard	xxxx	14		
		4851.6 AFHR				XXxxXXxx
27JAN04	13:45	Change Serviceability Stat	4.2	SERV		
		4851.6 AFHR		U/S		
				A1PXXUY401149		XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01707  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----			
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
=====	=====	=====	=====	=====	=====
	LIFE SINCE NEW		TRANS REFERENCE		
27JAN04 23:36	Maintenance Release	0.4	M PEA A		
	4851.6 AFHR Change Serviceability Stat	0.4	A1PXXXY401016 U/S SERV		XXxxXXxx
28JAN04 03:25	Asset Comments	0.0	367860	LAST ACOP 367860	
	4851.6 AFHR		A1PXXXY401042		XXxxXXxx
28JAN04 03:25	Into Maintenance	0.1	A		
	4851.6 AFHR		M PEA A1PXXOY400341		XXxxXXxx
28JAN04 03:27	Maintenance Release	0.0	M PEA A		
	4852.5 AFHR	0.1	A1PXXXY401043 A		XXxxXXxx
28JAN04 07:44	Into Maintenance	0.1	A		
	4852.5 AFHR	0.0	A1PXXOY400366 367861	LAST ACOP 367861	XXxxXXxx
28JAN04 07:45	Asset Comments	0.0	367861	LAST ACOP 367861	
	4853.7 AFHR		A1PXXXY401090		XXxxXXxx
28JAN04 09:31	Asset Comments	0.0	367862	LAST ACOP 367862	
	4853.7 AFHR	0.0	A1PXXXY401110 P. MOSCHER		XXxxXXxx
28JAN04 09:32	Operator Release	0.0	A1PXXXY401111		XXxxXXxx
	4853.7 AFHR		14 B/F		
28JAN04 10:31	Initiate Toolboard	xxxx	14 B/F		XXxxXXxx
	4854.9 AFHR	0.0	367863	LAST ACOP 367863	XXxxXXxx
29JAN04 05:42	Asset Comments	0.0	A1PXXXY401246		XXxxXXxx
	4854.9 AFHR	0.0	C. RIDLEY A1PXXXY401247		XXxxXXxx
29JAN04 05:43	Operator Release	0.0	367864	LAST ACOP 367864	
	4854.9 AFHR	0.0	A1PXXXY401291 P. MOSCHER		XXxxXXxx
29JAN04 08:50	Asset Comments	0.0	367864	LAST ACOP 367864	
	4856.1 AFHR	0.0	A1PXXXY401292		XXxxXXxx
29JAN04 08:50	Operator Release	0.0	P. MOSCHER A1PXXXY401292		XXxxXXxx
	4856.1 AFHR	xxxx	14 B/F		XXxxXXxx
29JAN04 10:35	Initiate Toolboard	xxxx	14 B/F		XXxxXXxx
	4856.4 AFHR	xxxx	14		XXxxXXxx
29JAN04 10:38	Clear Toolboard	xxxx	14		XXxxXXxx
	4856.4 AFHR				XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01708  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
29JAN04	13:18	Asset Comments		0.0	367865 LAST ACOP 367865	
			4856.4 AFHR		A1PXXXY401318	XXxxXXxx
29JAN04	13:18	Operator Release		0.0	P. MOSCHER	
			4856.4 AFHR		A1PXXXY401319	XXxxXXxx
29JAN04	13:25	Change Serviceability Stat		1.2	SERV	
			4856.7 AFHR		U/S	
			4856.7 AFHR		A1PXXUY401357	XXxxXXxx
01FEB04	23:08	Initiate Toolboard		xxxx	14 A/F	
			4856.7 AFHR			XXxxXXxx
01FEB04	23:10	Initiate Toolboard		xxxx	14 B/F	
			4856.7 AFHR			XXxxXXxx
02FEB04	03:29	Operator Release		0.0	P. ELDREDGE	
			4856.7 AFHR		A1PXXXY401500	XXxxXXxx
02FEB04	03:30	Asset Comments		0.0	367866 LAST ACOP 367866	
			4857.9 AFHR		A1PXXXY401501	XXxxXXxx
02FEB04	06:27	Asset Comments		0.0	367867 LAST ACOP 367867	
			4857.9 AFHR		A1PXXXY401560	XXxxXXxx
02FEB04	06:29	Operator Release		0.0	P. ELDREDGE	
			4857.9 AFHR		A1PXXXY401562	XXxxXXxx
02FEB04	08:06	Asset Comments		0.0	367868 LAST ACOP 367868	
			4859.2 AFHR		A1PXXXY401600	XXxxXXxx
02FEB04	08:07	Operator Release		0.0	P. ELDREDGE	
			4859.2 AFHR		A1PXXXY401601	XXxxXXxx
02FEB04	10:34	Initiate Toolboard		xxxx	14 B/F	
			4860.6 AFHR			XXxxXXxx
02FEB04	23:02	Clear Toolboard		xxxx	14	
			4860.6 AFHR			XXxxXXxx
02FEB04	23:04	Maintenance Release		4.4	M PEA	
			4860.6 AFHR		A	
			4860.6 AFHR		A1PXXXY401645	XXxxXXxx
		Change Serviceability Stat		4.4	U/S	
					SERV	
03FEB04	02:56	Asset Comments		0.0	367869 LAST ACOP 367869	
			4860.6 AFHR		A1PXXXY401692	XXxxXXxx
03FEB04	02:56	Into Maintenance		0.1	A	
			4860.6 AFHR		A1PXXOY400575	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01709  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
03FEB04	05:29	Operator Release	4861.8 AFHR	0.0	P. MOSCHER A1PXXXY401717	XXxxXXxx
03FEB04	09:01	Initiate Toolboard	4862.9 AFHR	xxxx	14 B/F	XXxxXXxx
03FEB04	09:01	Clear Toolboard	4862.9 AFHR	xxxx	14	XXxxXXxx
03FEB04	10:37	Change Serviceability Stat	4862.9 AFHR	0.3	SERV U/S A1PXXUY401599	XXxxXXxx
03FEB04	23:23	Maintenance Release	4862.9 AFHR	0.5	M PEA A A1PXXXY401768	XXxxXXxx
		Change Serviceability Stat	4862.9 AFHR	0.5	U/S SERV A	
04FEB04	01:45	Into Maintenance	4862.9 AFHR	0.0	A1PXXOY400608	XXxxXXxx
04FEB04	06:41	Asset Comments	4864.1 AFHR	0.0	367872 LAST ACOP 367872	XXxxXXxx
04FEB04	06:43	Operator Release	4864.1 AFHR	0.0	A1PXXXY401840 M. WEST	XXxxXXxx
04FEB04	09:25	Asset Comments	4864.1 AFHR	0.0	A1PXXXY401842 367873 LAST ACOP 367873	XXxxXXxx
04FEB04	09:26	Operator Release	4865.4 AFHR	0.0	A1PXXXY401894 P. ELDREDGE	XXxxXXxx
05FEB04	00:41	Initiate Toolboard	4866.5 AFHR	xxxx	A1PXXXY401896 14 B/F	XXxxXXxx
05FEB04	06:54	Operator Release	4866.5 AFHR	0.0	T. PARRY A1PXXXY402032	XXxxXXxx
05FEB04	07:02	Operator Release	4867.8 AFHR	0.0	T. PARRY A1PXXXY402036	XXxxXXxx
05FEB04	07:31	Asset Comments	4869.0 AFHR	0.0	367875 LAST ACOP 367875	XXxxXXxx
06FEB04	03:53	Asset Comments	4869.0 AFHR	0.0	A1PXXXY402037 367876 LAST ACOP 367875	XXxxXXxx
06FEB04	03:53	Asset Comments	4869.0 AFHR	0.0	A1PXXXY402155 367876 LAST ACOP 367876	XXxxXXxx
			4869.0 AFHR		A1PXXXY402156	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01710  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----				
TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====	=====	=====
06FEB04	03:54	Operator Release		0.0	M. WEST	
		4869.0	AFHR		A1PXXXY402158	XXxxXXxx
06FEB04	03:55	Asset Comments		0.0	367877	LAST ACOP 367877
		4870.5	AFHR		A1PXXXY402159	XXxxXXxx
06FEB04	03:56	Operator Release		0.0	M. WEST	
		4870.5	AFHR		A1PXXXY402161	XXxxXXxx
06FEB04	06:24	Asset Comments		0.0	367878	LAST ACOP 367878
		4871.6	AFHR		A1PXXXY402221	XXxxXXxx
06FEB04	06:25	Operator Release		0.0	P. ELDRIDGE	
		4871.6	AFHR		A1PXXXY402222	XXxxXXxx
06FEB04	07:03	Asset Comments		0.0	367879	LAST ACOP 367878
		4872.9	AFHR		A1PXXXY402242	XXxxXXxx
06FEB04	07:08	Operator Release		0.0	P. ELDRIDGE	
		4872.9	AFHR		A1PXXXY402243	XXxxXXxx
08FEB04	22:20	Change Serviceability Stat		4.8	SERV	
					U/S	
		4873.9	AFHR		A1PXXUY401766	XXxxXXxx
08FEB04	22:48	Initiate Toolboard		xxxx	14 B/F	
		4873.9	AFHR			XXxxXXxx
09FEB04	10:45	Asset Comments		0.0	367882	LAST ACOP 367882
		4873.9	AFHR		A1PXXXY402378	XXxxXXxx
09FEB04	10:48	Operator Release		0.0	T. PARRY	
		4873.9	AFHR		A1PXXXY402383	XXxxXXxx
09FEB04	10:50	Operator Release		0.0	T. PARRY	
		4876.5	AFHR		A1PXXXY402385	XXxxXXxx
09FEB04	10:52	Operator Release		0.0	T. PARRY	
		4877.7	AFHR		A1PXXXY402388	XXxxXXxx
10FEB04	11:12	Operator Release		0.0	T. PARRY	
		4878.7	AFHR		A1PXXXY402578	XXxxXXxx
10FEB04	11:15	Operator Release		0.0	T. PARRY	
		4881.1	AFHR		A1PXXXY402579	XXxxXXxx
10FEB04	11:17	Operator Release		0.0	T. PARRY	
		4882.1	AFHR		A1PXXXY402580	XXxxXXxx
10FEB04	11:20	Asset Comments		0.0	367885	LAST ACOP 367885
		4883.0	AFHR		A1PXXXY402581	XXxxXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01711  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP

~S4080

PERIOD: 01JAN90 TO 08JAN20

LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
					TRANS REFERENCE		
11FEB04	11:11	Asset Comments	4883.0 AFHR	0.0	367886	LAST ACOP 367886	
					A1PXXXXY402721		XXxxXXxx
11FEB04	11:11	Operator Release	4883.0 AFHR	0.0	P. MOSCHER		
					A1PXXXXY402722		XXxxXXxx
11FEB04	11:16	Asset Comments	4884.0 AFHR	0.0	367887	LAST ACOP 367887	
					A1PXXXXY402727		XXxxXXxx
11FEB04	11:17	Operator Release	4884.0 AFHR	0.0	P. MOSCHER		
					A1PXXXXY402728		XXxxXXxx
11FEB04	11:19	Asset Comments	4885.0 AFHR	0.0	367888	LAST ACOP 367888	
					A1PXXXXY402731		XXxxXXxx
11FEB04	11:20	Operator Release	4885.0 AFHR	0.0	P. MOSCHER		
					A1PXXXXY402732		XXxxXXxx
12FEB04	10:29	Asset Comments	4885.0 AFHR	0.0	367892	LAST ACOP 367892	
					A1PXXXXY402879		XXxxXXxx
12FEB04	10:30	Operator Release	4885.0 AFHR	0.0	P. MOSCHER		
					A1PXXXXY402880		XXxxXXxx
12FEB04	10:33	Operator Release	4886.2 AFHR	0.0	P. MOSCHER		
					A1PXXXXY402883		XXxxXXxx
12FEB04	10:35	Operator Release	4887.2 AFHR	0.0	P. MOSCHER		
					A1PXXXXY402885		XXxxXXxx
12FEB04	10:39	Operator Release	4888.4 AFHR	0.0	P. MOSCHER		
					A1PXXXXY402886		XXxxXXxx
13FEB04	06:12	Asset Comments	4889.7 AFHR	0.0	367893	LAST ACOP 367893	
					A1PXXXXY402955		XXxxXXxx
13FEB04	06:12	Operator Release	4889.7 AFHR	0.0	T. PARRY		
					A1PXXXXY402957		XXxxXXxx
13FEB04	06:27	Asset Comments	4890.8 AFHR	0.0	367894	LAST ACOP 367894	
					A1PXXXXY402967		XXxxXXxx
13FEB04	06:30	Operator Release	4890.8 AFHR	0.0	T. PARRY		
					A1PXXXXY402970		XXxxXXxx
13FEB04	07:27	Asset Comments	4891.8 AFHR	0.0	367895	LAST ACOP 367895	
					A1PXXXXY403000		XXxxXXxx
13FEB04	07:28	Operator Release	4891.8 AFHR	0.0	P. MOSCHER		
					A1PXXXXY403001		XXxxXXxx
15FEB04	23:06	Initiate Toolboard	4893.1 AFHR	xxxx	14 B/F		XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01712  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN (DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
15FEB04	23:25	Clear Toolboard		xxxx	14	
		4893.1 AFHR				XXxxXXxx
15FEB04	23:29	Maintenance Release		7.0	M PEA	
		4893.1 AFHR			A	
		Change Serviceability Stat		7.0	A1PXXXY403012	XXxxXXxx
					U/S	
					SERV	
16FEB04	01:50	Into Maintenance		0.0	A	
		4893.1 AFHR			A1PXXOY401159	XXxxXXxx
16FEB04	06:34	Asset Comments		0.0	367896	LAST ACOP 367896
		4893.1 AFHR			A1PXXXY403048	XXxxXXxx
16FEB04	06:46	Asset Comments		0.0	367897	LAST ACOP 367897
		4894.3 AFHR			A1PXXXY403060	XXxxXXxx
16FEB04	06:46	Operator Release		0.0	P. MOSCHER	
		4894.3 AFHR			A1PXXXY403061	XXxxXXxx
16FEB04	07:15	Operator Release		0.0	P. ELDREDGE	
		4895.6 AFHR			A1PXXXY403099	XXxxXXxx
16FEB04	07:16	Asset Comments		0.0	367898	LAST ACOP 367898
		4896.9 AFHR			A1PXXXY403100	XXxxXXxx
16FEB04	10:30	Initiate Toolboard		xxxx	14 B/F	
		4896.9 AFHR				XXxxXXxx
16FEB04	11:41	Change Serviceability Stat		0.4	SERV	
		4896.9 AFHR			U/S	
					A1PXXUY402172	XXxxXXxx
16FEB04	23:15	Clear Toolboard		xxxx	14	
		4896.9 AFHR				XXxxXXxx
16FEB04	23:16	Maintenance Release		0.4	M PEA	
		4896.9 AFHR			A	
		Change Serviceability Stat		0.4	A1PXXXY403138	XXxxXXxx
					U/S	
					SERV	
17FEB04	04:40	Into Maintenance		0.2	A	
		4896.9 AFHR			A1PXXOY401220	XXxxXXxx
17FEB04	06:21	Asset Comments		0.0	367899	LAST ACOP 367899
		4897.9 AFHR			A1PXXXY403222	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01713  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
17FEB04 10:20	Initiate Toolboard 4897.9 AFHR	xxxx	14 B/F	XXxxXXxx
17FEB04 12:00	Change Serviceability Stat 4897.9 AFHR	0.3	SERV U/S A1PXXUY402226	XXxxXXxx
17FEB04 23:39	Change Serviceability Stat 4897.9 AFHR	0.4	SERV U/S A1PXXXXY403277	XXxxXXxx
18FEB04 04:57	Asset Comments 4897.9 AFHR	0.0	367900 LAST ACOP 367900	XXxxXXxx
18FEB04 04:57	Operator Release 4897.9 AFHR	0.0	A1PXXXXY403340 P. ELDREDGE	XXxxXXxx
18FEB04 07:03	Initiate Toolboard 4899.0 AFHR	xxxx	14 B/F	XXxxXXxx
18FEB04 22:32	Clear Toolboard 4899.0 AFHR	xxxx	14	XXxxXXxx
18FEB04 22:32	Maintenance Release 4899.0 AFHR	0.9	M PEA A A1PXXXXY403355	XXxxXXxx
18FEB04 23:09	Into Maintenance 4899.0 AFHR	0.0	A A1PXXOY401285	XXxxXXxx
18FEB04 23:14	Change Serviceability Stat 4899.0 AFHR	0.0	SERV U/S A1PXXUY402260	XXxxXXxx
19FEB04 00:12	Maintenance Release 4899.0 AFHR	0.0	M PEA A A1PXXXXY403363	XXxxXXxx
19FEB04 01:05	Change Serviceability Stat 4899.0 AFHR	0.0	U/S SERV A M PEA	XXxxXXxx
19FEB04 06:59	Asset Comments 4900.0 AFHR	0.0	A1PXXOY401290 358851 LAST ACOP 358851	XXxxXXxx
19FEB04 09:54	Into Maintenance 4900.0 AFHR	0.0	A1PXXXXY403383 M A1PXXOY401322	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01714  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS				-----		
TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
				TRANS REFERENCE		
=====	=====	=====	=====	=====	=====	=====
	LIFE SINCE	NEW				
20FEB04 03:09	Into Maintenance		0.0	M		
	4901.0	AFHR		A1PXXOY401323		XXxxXXxx
20FEB04 07:10	Into Maintenance		0.0	M		
	4902.1	AFHR		A1PXXOY401324		XXxxXXxx
22FEB04 22:58	Initiate Toolboard		xxxx	14 B/F		
	4900.0	AFHR				XXxxXXxx
22FEB04 22:59	Clear Toolboard		xxxx	14		
	4900.0	AFHR				XXxxXXxx
22FEB04 22:59	Maintenance Release		3.9	M PEA		
				A		
	4900.0	AFHR		A1PXXXY403399		XXxxXXxx
23FEB04 09:24	Asset Comments		0.0	358855	LAST ACOP 358855	
	4903.6	AFHR		A1PXXXY403536		XXxxXXxx
23FEB04 09:24	Into Maintenance		0.4	A		
				M PEA		
	4903.6	AFHR		A1PXXOY401389		XXxxXXxx
23FEB04 09:29	Asset Comments		0.0	358856	LAST ACOP 358856	
	4905.0	AFHR		A1PXXXY403543		XXxxXXxx
23FEB04 09:29	Operator Release		0.0	P. MOSCHER		
	4905.0	AFHR		A1PXXXY403544		XXxxXXxx
23FEB04 10:21	Initiate Toolboard		xxxx	14 B/F		
	4906.2	AFHR				XXxxXXxx
23FEB04 10:22	Clear Toolboard		xxxx	14		
	4906.2	AFHR				XXxxXXxx
23FEB04 11:53	Maintenance Release		0.1	M PEA		
				A		
	4906.2	AFHR		A1PXXXY403561		XXxxXXxx
23FEB04 23:21	Into Maintenance		0.4	A		
	4906.2	AFHR		A1PXXOY401399		XXxxXXxx
24FEB04 06:42	Operator Release		0.0	P. ELDREDGE		
	4906.2	AFHR		A1PXXXY403747		XXxxXXxx
24FEB04 06:47	Asset Comments		0.0	358857	LAST ACOP 358857	
	4907.5	AFHR		A1PXXXY403748		XXxxXXxx
24FEB04 06:51	Change Serviceability Stat		0.3	SERV		
				U/S		
	4907.5	AFHR		A1PXXUY402539		XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01715  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
24FEB04	13:23	Initiate	Toolboard 4907.5 AFHR	xxxx	14 B/F	XXxxXXxx
24FEB04	13:26	Clear	Toolboard 4907.5 AFHR	xxxx	14	XXxxXXxx
25FEB04	08:48	Initiate	Toolboard 4907.5 AFHR	xxxx	14 B/F	XXxxXXxx
25FEB04	08:50	Clear	Toolboard 4907.5 AFHR	xxxx	14	XXxxXXxx
27FEB04	07:30	Initiate	Toolboard 4907.5 AFHR	xxxx	14 B/F	XXxxXXxx
27FEB04	07:31	Clear	Toolboard 4907.5 AFHR	xxxx	14	XXxxXXxx
27FEB04	09:02	Asset Comments	4907.5 AFHR	0.0	358860 LAST ACOP 358860	XXxxXXxx
27FEB04	09:02	Operator Release	4907.5 AFHR	0.0	P. MOSCHER A1PXXXY404286	XXxxXXxx
27FEB04	09:03	Operator Release	4909.0 AFHR	0.0	P. MOSCHER A1PXXXY404288	XXxxXXxx
27FEB04	09:04	Operator Release	4910.3 AFHR	0.0	P. MOSCHER A1PXXXY404289	XXxxXXxx
01MAR04	22:29	Initiate	Toolboard 4911.7 AFHR	xxxx	14 B/F	XXxxXXxx
02MAR04	02:55	Asset Comments	4911.7 AFHR	0.0	358861 LAST ACOP 358861	XXxxXXxx
02MAR04	02:56	Operator Release	4911.7 AFHR	0.0	R. GARNER A1PXXXY404311	XXxxXXxx
02MAR04	06:41	Asset Comments	4912.8 AFHR	0.0	358862 LAST ACOP 358862	XXxxXXxx
02MAR04	06:41	Operator Release	4912.8 AFHR	0.0	P. MOSCHER A1PXXXY404361	XXxxXXxx
02MAR04	08:54	Asset Comments	4914.1 AFHR	0.0	358863 LAST ACOP 358863	XXxxXXxx
02MAR04	08:55	Operator Release	4914.1 AFHR	0.0	P. ELDREDGE A1PXXXY404397	XXxxXXxx
02MAR04	10:28	Initiate	Toolboard 4915.0 AFHR	xxxx	14 B/F	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01716  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----		-----		-----	
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER	
=====	=====	=====	=====	=====	=====	=====	=====
	LIFE SINCE NEW						
02MAR04 23:11	Clear Toolboard 4915.0 AFHR	xxxx	14			XXxxXXxx	
03MAR04 00:02	Maintenance Release 4915.0 AFHR	7.7	M PEA A				
	Change Serviceability Stat	7.7	A1PXXXY404447 U/S SERV			XXxxXXxx	
03MAR04 03:47	Into Maintenance 4915.0 AFHR	0.1	A A1PXXOY401728			XXxxXXxx	
03MAR04 04:30	Asset Comments 4916.3 AFHR	0.0	358864 A1PXXXY404504	LAST ACOP 358864		XXxxXXxx	
03MAR04 06:47	Asset Comments 4916.3 AFHR	0.0	358865 A1PXXXY404541	LAST ACOP 358865		XXxxXXxx	
03MAR04 06:48	Operator Release 4916.3 AFHR	0.0	C. SHERIDAN A1PXXXY404542			XXxxXXxx	
03MAR04 08:37	Asset Comments 4917.6 AFHR	0.0	358866 A1PXXXY404570	LAST ACOP 358866		XXxxXXxx	
03MAR04 08:38	Operator Release 4917.6 AFHR	0.0	P. ELDREDGE A1PXXXY404571			XXxxXXxx	
03MAR04 09:32	Initiate Toolboard 4918.8 AFHR	xxxx	14 B/F			XXxxXXxx	
03MAR04 09:32	Clear Toolboard 4918.8 AFHR	xxxx	14			XXxxXXxx	
03MAR04 11:53	Change Serviceability Stat 4918.8 AFHR	0.3	SERV U/S A1PXXUY402919			XXxxXXxx	
03MAR04 11:58	Change Serviceability Stat 4918.8 AFHR	0.0	U/S SERV A1PXXXY404605			XXxxXXxx	
03MAR04 23:03	Maintenance Release 4918.8 AFHR	0.4	M PEA A A1PXXXY404612			XXxxXXxx	
04MAR04 02:24	Into Maintenance 4918.8 AFHR	0.1	A M PEA A1PXXOY401789			XXxxXXxx	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01717  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
04MAR04	05:42	Asset Comments		0.0	358867 LAST ACOP 358867	
			4918.8 AFHR		A1PXXXY404642	XXxxXXxx
04MAR04	06:37	Operator Release		0.0	T. PARRY	
			4920.1 AFHR		A1PXXXY404672	XXxxXXxx
04MAR04	06:38	Asset Comments		0.0	358868 LAST ACOP 358868	
			4921.5 AFHR		A1PXXXY404674	XXxxXXxx
04MAR04	08:30	Asset Comments		0.0	358869 LAST ACOP 358869	
			4921.5 AFHR		A1PXXXY404722	XXxxXXxx
04MAR04	08:31	Operator Release		0.0	S. WILD	
			4921.5 AFHR		A1PXXXY404723	XXxxXXxx
04MAR04	09:21	Initiate Toolboard		xxxx	14 B/F	
			4922.9 AFHR			XXxxXXxx
04MAR04	09:21	Clear Toolboard		xxxx	14	
			4922.9 AFHR			XXxxXXxx
04MAR04	09:22	Maintenance Release		0.2	M PEA	
			4922.9 AFHR		A	
05MAR04	03:16	Into Maintenance		0.7	A1PXXXY404744	XXxxXXxx
			4922.9 AFHR		A	
05MAR04	03:19	Asset Comments		0.0	M PEA	
			4924.2 AFHR		A1PXXOY401836	XXxxXXxx
05MAR04	05:48	Asset Comments		0.0	358870 LAST ACOP 358870	
			4924.2 AFHR		A1PXXXY404785	XXxxXXxx
05MAR04	05:48	Asset Comments		0.0	358871 LAST ACOP 358871	
			4924.2 AFHR		A1PXXXY404815	XXxxXXxx
05MAR04	05:48	Operator Release		0.0	S. WILD	
			4924.2 AFHR		A1PXXXY404816	XXxxXXxx
05MAR04	07:23	Asset Comments		0.0	358872 LAST ACOP 358872	
			4925.5 AFHR		A1PXXXY404856	XXxxXXxx
05MAR04	07:24	Operator Release		0.0	S. WILD	
			4925.5 AFHR		A1PXXXY404857	XXxxXXxx
07MAR04	22:34	Initiate Toolboard		xxxx	14 B/F	
			4926.6 AFHR			XXxxXXxx
08MAR04	08:22	Asset Comments		0.0	358873 LAST ACOP 358873	
			4926.6 AFHR		A1PXXXY404972	XXxxXXxx
08MAR04	08:22	Operator Release		0.0	P. MOSCHER	
			4926.6 AFHR		A1PXXXY404973	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01718  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
08MAR04	09:17	Initiate Toolboard 4927.8	AFHR	xxxx	14 B/F	XXxxXXxx
08MAR04	22:20	Clear Toolboard 4927.8	AFHR	xxxx	14	XXxxXXxx
08MAR04	22:20	Maintenance Release		3.7	M PEA	
		4927.8	AFHR		A	
09MAR04	08:28	Asset Comments		0.0	A1PXXXY405012	XXxxXXxx
		4927.8	AFHR		358874	
09MAR04	13:27	Into Maintenance		0.6	LAST ACOP 358874	XXxxXXxx
		4929.1	AFHR		A1PXXXY405163	
09MAR04	13:31	Asset Comments		0.0	A	XXxxXXxx
		4929.1	AFHR		A1PXXOY401994	
09MAR04	13:34	Change Serviceability Stat		0.0	358875	XXxxXXxx
		4930.2	AFHR		LAST ACOP 358875	
10MAR04	05:03	Operator Release		0.0	A1PXXXY405211	XXxxXXxx
		4930.2	AFHR		SERV	
10MAR04	05:04	Asset Comments		0.0	U/S	XXxxXXxx
		4931.6	AFHR		A1PXXUY403174	
10MAR04	07:33	Operator Release		0.0	T. PARRY	XXxxXXxx
		4931.6	AFHR		A1PXXXY405314	
10MAR04	07:34	Asset Comments		0.0	358876	XXxxXXxx
		4932.8	AFHR		LAST ACOP 358876	
10MAR04	09:38	Initiate Toolboard		0.0	A1PXXXY405315	XXxxXXxx
		4932.8	AFHR		P. GREEN	
10MAR04	13:08	Asset Comments		0.0	A1PXXXY405361	XXxxXXxx
		4932.8	AFHR		358877	
10MAR04	13:13	Operator Release		0.0	LAST ACOP 358877	XXxxXXxx
		4932.8	AFHR		A1PXXXY405363	
10MAR04	22:15	Clear Toolboard		xxxx	14 B/F	XXxxXXxx
		4933.8	AFHR		358878	
					LAST ACOP 358878	
					A1PXXXY405406	XXxxXXxx
					P. MOSCHER	
					A1PXXXY405409	XXxxXXxx
					14	
						XXxxXXxx



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01719  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
10MAR04 22:16	Maintenance Release	1.3	M PEA A	
	4933.8 AFHR Change Serviceability Stat	1.3	A1PXXXY405426 U/S SERV	XXxxXXxx
11MAR04 02:03	Into Maintenance	0.1	A M PEA	
	4933.8 AFHR	0.0	A1PXXOY402071	XXxxXXxx
11MAR04 02:07	Asset Comments	0.0	358879	
	4935.0 AFHR	0.0	A1PXXXY405440	XXxxXXxx
11MAR04 07:56	Asset Comments	0.0	358880	
	4935.0 AFHR	0.0	A1PXXXY405494	XXxxXXxx
11MAR04 07:56	Operator Release	0.0	M. WEST	
	4935.0 AFHR	0.0	A1PXXXY405495	XXxxXXxx
11MAR04 09:11	Asset Comments	0.0	358881	
	4936.1 AFHR	0.0	A1PXXXY405545	XXxxXXxx
11MAR04 09:11	Operator Release	0.0	P. MOSCHER	
	4936.1 AFHR	0.0	A1PXXXY405546	XXxxXXxx
11MAR04 09:38	Initiate Toolboard	xxxx	14 B/F	
	4937.6 AFHR	xxxx	14	XXxxXXxx
11MAR04 09:39	Clear Toolboard	xxxx		
	4937.6 AFHR	0.3	M PEA	
11MAR04 09:39	Maintenance Release	0.3	A	
	4937.6 AFHR	0.0	A1PXXXY405551	XXxxXXxx
12MAR04 05:25	Asset Comments	0.0	358882	
	4937.6 AFHR	0.0	A1PXXXY405695	XXxxXXxx
12MAR04 05:26	Into Maintenance	0.8	A	
	4937.6 AFHR	0.0	M PEA A1PXXOY402161	XXxxXXxx
12MAR04 05:27	Asset Comments	0.0	358883	
	4938.9 AFHR	0.0	A1PXXXY405696	XXxxXXxx
12MAR04 05:28	Operator Release	0.0	S. WILD	
	4938.9 AFHR	0.0	A1PXXXY405697	XXxxXXxx
14MAR04 23:27	Initiate Toolboard	xxxx	14 B/F	
	4940.1 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01720  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----		-----		-----	
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER	
=====	=====	=====	=====	=====	=====	=====	=====
	LIFE SINCE NEW						
15MAR04 01:19	Clear Toolboard 4940.1 AFHR	xxxx	14			XXxxXXxx	
15MAR04 01:20	Maintenance Release 4940.1 AFHR	2.8	M PEA A			XXxxXXxx	
16MAR04 04:35	Asset Comments 4940.1 AFHR	0.0	A1PXXXY405774 358884	LAST ACOP 358884		XXxxXXxx	
16MAR04 04:35	Into Maintenance 4940.1 AFHR	1.1	A A1PXXOY402265			XXxxXXxx	
16MAR04 04:38	Asset Comments 4941.7 AFHR	0.0	358885 A1PXXXY405961	LAST ACOP 358885		XXxxXXxx	
16MAR04 04:39	Operator Release 4941.7 AFHR	0.0	P. MOSCHER A1PXXXY405963			XXxxXXxx	
16MAR04 09:41	Initiate Toolboard 4943.1 AFHR	xxxx	14 B/F			XXxxXXxx	
16MAR04 09:42	Clear Toolboard 4943.1 AFHR	xxxx	14			XXxxXXxx	
16MAR04 10:48	Change Serviceability Stat 4943.1 AFHR	0.2	SERV U/S A1PXXUY403450			XXxxXXxx	
16MAR04 12:45	Asset Comments 4943.1 AFHR	0.0	358886 A1PXXXY406023	LAST ACOP 358886		XXxxXXxx	
16MAR04 12:46	Operator Release 4943.1 AFHR	0.0	P. MCCLARENCE A1PXXXY406024			XXxxXXxx	
16MAR04 23:33	Maintenance Release 4944.3 AFHR	0.5	M PEA A A1PXXXY406070			XXxxXXxx	
	Change Serviceability Stat 4944.3 AFHR	0.5	U/S SERV A				
17MAR04 02:52	Into Maintenance 4944.3 AFHR	0.1	M PEA A1PXXOY402316			XXxxXXxx	
17MAR04 03:41	Asset Comments 4944.3 AFHR	0.0	358887 A1PXXXY406099	LAST ACOP 358887		XXxxXXxx	
17MAR04 06:46	Asset Comments 4945.3 AFHR	0.0	358888 A1PXXXY406159	LAST ACOP 358888		XXxxXXxx	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01721  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
17MAR04	06:47	Operator Release	4945.3 AFHR	0.0	P. MCCLARENCE A1PXXXY406161	XXxxXXxx
18MAR04	07:11	Asset Comments	4946.6 AFHR	0.0	358889 LAST ACOP 358889 A1PXXXY406317	XXxxXXxx
18MAR04	07:13	Operator Release	4946.6 AFHR	0.0	M. BEECK A1PXXXY406320	XXxxXXxx
18MAR04	07:14	Asset Comments	4948.3 AFHR	0.0	358890 LAST ACOP 358890 A1PXXXY406322	XXxxXXxx
18MAR04	07:16	Operator Release	4948.3 AFHR	0.0	M. BEECK A1PXXXY406324	XXxxXXxx
18MAR04	07:33	Asset Comments	4949.9 AFHR	0.0	358891 LAST ACOP 358891 A1PXXXY406334	XXxxXXxx
18MAR04	07:34	Operator Release	4949.9 AFHR	0.0	P. MCCLARENCE A1PXXXY406336	XXxxXXxx
18MAR04	09:21	Initiate Toolboard	4951.1 AFHR	xxxx	14 B/F	XXxxXXxx
18MAR04	09:22	Clear Toolboard	4951.1 AFHR	xxxx	14	XXxxXXxx
18MAR04	23:32	Maintenance Release	4951.1 AFHR	1.8	M PEA A A1PXXXY406425	XXxxXXxx
19MAR04	04:40	Into Maintenance	4951.1 AFHR	0.2	A M PEA A1PXXOY402473	XXxxXXxx
19MAR04	04:42	Asset Comments	4952.5 AFHR	0.0	358892 LAST ACOP 358892 A1PXXXY406491	XXxxXXxx
19MAR04	04:43	Operator Release	4952.5 AFHR	0.0	M. BEECK A1PXXXY406492	XXxxXXxx
21MAR04	21:56	Operator Release	4953.7 AFHR	0.0	P. GREEN A1PXXXY406519	XXxxXXxx
21MAR04	22:31	Initiate Toolboard	4952.5 AFHR	xxxx	14 B/F	XXxxXXxx
22MAR04	00:04	Clear Toolboard	4952.5 AFHR	xxxx	14	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01722  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
22MAR04	00:06	Maintenance Release	2.8	M PEA A		
		4952.5 AFHR		A1PXXXY406561		XXxxXXxx
22MAR04	05:19	Asset Comments	0.0	358893	LAST ACOP 358893	
		4952.5 AFHR		A1PXXXY406591		XXxxXXxx
22MAR04	05:19	Into Maintenance	0.2	A		
		4952.5 AFHR		M PEA A1PXXOY402515		XXxxXXxx
22MAR04	05:53	Operator Release	0.0	P. SANDON		
		4953.7 AFHR		A1PXXXY406618		XXxxXXxx
22MAR04	05:55	Asset Comments	0.0	358894	LAST ACOP 358894	
		4955.2 AFHR		A1PXXXY406619		XXxxXXxx
22MAR04	09:13	Initiate Toolboard	xxxx	14 B/F		
		4955.2 AFHR				XXxxXXxx
22MAR04	09:15	Clear Toolboard	xxxx	14		
		4955.2 AFHR				XXxxXXxx
22MAR04	22:56	Maintenance Release	0.7	M PEA A		
		4955.2 AFHR		A1PXXXY406656		XXxxXXxx
23MAR04	01:50	Into Maintenance	0.1	A		
		4955.2 AFHR		A1PXXOY402545		XXxxXXxx
23MAR04	02:49	Asset Comments	0.0	358895	LAST ACOP 358895	
		4955.2 AFHR		A1PXXXY406728		XXxxXXxx
23MAR04	05:20	Asset Comments	0.0	358896	LAST ACOP 358896	
		4956.3 AFHR		A1PXXXY406749		XXxxXXxx
23MAR04	05:21	Operator Release	0.0	P. SANDON		
		4956.3 AFHR		A1PXXXY406750		XXxxXXxx
23MAR04	07:03	Asset Comments	0.0	358897	LAST ACOP 358897	
		4957.5 AFHR		A1PXXXY406773		XXxxXXxx
23MAR04	07:05	Operator Release	0.0	P. SANDON		
		4957.5 AFHR		A1PXXXY406774		XXxxXXxx
23MAR04	08:58	Change Serviceability Stat	0.2	SERV U/S		
		4958.9 AFHR		A1PXXUY403862		XXxxXXxx
23MAR04	09:05	Initiate Toolboard	xxxx	14 B/F		
		4958.9 AFHR				XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01723  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
24MAR04	01:46	Clear Toolboard		xxxx	14	
		4958.9 AFHR				XXxxXXxx
24MAR04	01:48	Maintenance Release		0.7	M PEA	
		4958.9 AFHR			A	
		Change Serviceability Stat		0.7	A1PXXXY406830	XXxxXXxx
					U/S	
24MAR04	01:55	Into Maintenance		0.0	SERV	
		4958.9 AFHR			A	
					M PEA	
24MAR04	03:27	Asset Comments		0.0	A1PXXOY402631	XXxxXXxx
		4958.9 AFHR			358898	
					LAST ACOP 358898	
24MAR04	06:24	Asset Comments		0.0	A1PXXXY406849	XXxxXXxx
		4960.1 AFHR			358899	
					LAST ACOP 358899	
24MAR04	06:26	Operator Release		0.0	A1PXXXY406929	XXxxXXxx
		4960.1 AFHR			P. SANDON	
24MAR04	09:13	Initiate Toolboard		xxxx	A1PXXXY406931	XXxxXXxx
		4961.3 AFHR			14 B/F	
24MAR04	09:14	Clear Toolboard		xxxx	14	XXxxXXxx
		4961.3 AFHR				XXxxXXxx
24MAR04	22:05	Operator Release		0.0	P. GREEN	
		4961.3 AFHR			A1PXXXY406950	XXxxXXxx
24MAR04	22:13	Asset Comments		0.0	358900	
		4962.4 AFHR			LAST ACOP 358900	
24MAR04	22:44	Maintenance Release		0.8	A1PXXXY406957	XXxxXXxx
		4962.4 AFHR			M PEA	
					A	
					A1PXXXY406963	XXxxXXxx
25MAR04	01:40	Into Maintenance		0.1	A	
		4962.4 AFHR			A1PXXOY402742	XXxxXXxx
25MAR04	04:24	Asset Comments		0.0	379301	
		4962.4 AFHR			LAST ACOP 379301	
25MAR04	05:24	Asset Comments		0.0	A1PXXXY407086	XXxxXXxx
		4963.7 AFHR			379302	
					LAST ACOP 379302	
25MAR04	05:26	Operator Release		0.0	A1PXXXY407098	XXxxXXxx
		4963.7 AFHR			P. SANDON	
					A1PXXXY407100	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01724  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----			
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
=====	=====	=====	=====	=====	=====
	LIFE SINCE NEW		TRANS REFERENCE		
25MAR04 06:59	Change Serviceability Stat	0.2	SERV		
	4965.1 AFHR		U/S		
25MAR04 09:02	Initiate Toolboard	xxxx	A1PXXUY403936		XXxxXXxx
	4965.1 AFHR		14 B/F		
25MAR04 09:03	Clear Toolboard	xxxx	14		XXxxXXxx
	4965.1 AFHR				
25MAR04 22:23	Operator Release	0.0	P. GREEN		
	4965.1 AFHR		A1PXXXY407151		XXxxXXxx
25MAR04 22:31	Asset Comments	0.0	379303	LAST ACOP 37930	
	4966.3 AFHR		A1PXXXY407158		XXxxXXxx
25MAR04 22:32	Asset Comments	0.0	379303	LAST ACOP 379303	
	4966.3 AFHR		A1PXXXY407159		XXxxXXxx
26MAR04 04:14	Operator Release	0.0	P. MCCLARENCE		
	4966.3 AFHR		A1PXXXY407260		XXxxXXxx
26MAR04 04:15	Asset Comments	0.0	379304	LAST ACOP 379304	
	4967.6 AFHR		A1PXXXY407261		XXxxXXxx
26MAR04 05:52	Operator Release	0.0	M. BEECK		
	4967.6 AFHR		A1PXXXY407282		XXxxXXxx
26MAR04 05:54	Asset Comments	0.0	379305	LAST ACOP 379305	
	4968.9 AFHR		A1PXXXY407283		XXxxXXxx
26MAR04 07:50	Change Serviceability Stat	1.0	U/S		
	4968.9 AFHR		SERV		
	4968.9 AFHR		A1PXXXY407296		XXxxXXxx
28MAR04 22:48	Initiate Toolboard	xxxx	14 B/F		
	4968.9 AFHR				XXxxXXxx
29MAR04 06:13	Asset Comments	0.0	379306	LAST ACOP 379306	
	4968.9 AFHR		A1PXXXY407376		XXxxXXxx
29MAR04 06:14	Operator Release	0.0	P. SANDON		
	4968.9 AFHR		A1PXXXY407377		XXxxXXxx
29MAR04 07:17	Asset Comments	0.0	379307	LAST ACOP 379307	
	4970.5 AFHR		A1PXXXY407406		XXxxXXxx
29MAR04 07:19	Operator Release	0.0	P. SANDON		
	4970.5 AFHR		A1PXXXY407407		XXxxXXxx
29MAR04 09:46	Initiate Toolboard	xxxx	14 B/F		
	4971.7 AFHR				XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01725  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP

~S4080

PERIOD: 01JAN90 TO 08JAN20

LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
29MAR04	09:50	Clear Toolboard		xxxx	14	
		4971.7 AFHR				XXxxXXxx
29MAR04	09:50	Maintenance Release		3.0	M PEA	
		4971.7 AFHR			A	
					A1PXXXY407457	XXxxXXxx
29MAR04	12:24	Into Maintenance		0.1	A	
		4971.7 AFHR			M PEA	
					A1PXXOY402936	XXxxXXxx
29MAR04	22:20	Asset Comments		0.0	379308	LAST ACOP 379308
		4972.8 AFHR			A1PXXXY407465	XXxxXXxx
30MAR04	09:09	Initiate Toolboard		xxxx	14 B/F	
		4972.8 AFHR				XXxxXXxx
30MAR04	10:24	Clear Toolboard		xxxx	14	
		4972.8 AFHR				XXxxXXxx
30MAR04	10:25	Maintenance Release		0.9	M PEA	
		4972.8 AFHR			A	
					A1PXXXY407590	XXxxXXxx
30MAR04	23:31	Into Maintenance		0.5	A	
		4972.8 AFHR			A1PXXOY403026	XXxxXXxx
30MAR04	23:33	Change Serviceability Stat		0.0	SERV	
		4972.8 AFHR			U/S	
					A1PXXUY404106	XXxxXXxx
31MAR04	06:13	Asset Comments		0.0	379309	LAST ACOP 379309
		4972.8 AFHR			A1PXXXY407681	XXxxXXxx
31MAR04	06:14	Operator Release		0.0	P. SANDON	
		4972.8 AFHR			A1PXXXY407682	XXxxXXxx
31MAR04	09:29	Initiate Toolboard		xxxx	14 B/F	
		4974.1 AFHR				XXxxXXxx
31MAR04	09:30	Clear Toolboard		xxxx	14	
		4974.1 AFHR				XXxxXXxx
01APR04	09:52	Change Serviceability Stat		1.4	U/S	
		4974.1 AFHR			SERV	
					A1PXXXY407856	XXxxXXxx
01APR04	23:45	Initiate Toolboard		xxxx	14 B/F	
		4974.1 AFHR				XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01726  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
01APR04	23:47	Clear Toolboard		xxxx	14	
		4974.1	AFHR			XXxxXXxx
01APR04	23:48	Maintenance Release		0.5	M PEA	
		4974.1	AFHR		A	
		4974.1	AFHR		A1PXXXY407876	XXxxXXxx
02APR04	02:02	Into Maintenance		0.0	A	
		4974.1	AFHR		A1PXXOY403232	XXxxXXxx
02APR04	02:39	Asset Comments		0.0	379310	LAST ACOP 379310
		4974.1	AFHR		A1PXXXY407938	XXxxXXxx
02APR04	04:41	Asset Comments		0.0	379311	LAST ACOP 379311
		4975.3	AFHR		A1PXXXY407953	XXxxXXxx
02APR04	04:41	Operator Release		0.0	M. WEST	
		4975.3	AFHR		A1PXXXY407954	XXxxXXxx
04APR04	22:49	Initiate Toolboard		xxxx	14 B/F	
		4976.2	AFHR			XXxxXXxx
05APR04	09:19	Initiate Toolboard		xxxx	14 B/F	
		4976.2	AFHR			XXxxXXxx
05APR04	09:32	Asset Comments		0.0	379312	LAST ACOP 379312
		4976.2	AFHR		A1PXXXY408086	XXxxXXxx
05APR04	09:32	Operator Release		0.0	M. WEST	
		4976.2	AFHR		A1PXXXY408087	XXxxXXxx
05APR04	12:55	Change Serviceability Stat		3.4	SERV	
		4977.4	AFHR		U/S	
		4977.4	AFHR		A1PXXUY404379	XXxxXXxx
05APR04	13:22	Change Serviceability Stat		0.0	U/S	
		4977.4	AFHR		SERV	
		4977.4	AFHR		A1PXXXY408098	XXxxXXxx
05APR04	13:22	Clear Toolboard		xxxx	14	
		4977.4	AFHR			XXxxXXxx
06APR04	09:28	Initiate Toolboard		xxxx	14 B/F	
		4977.4	AFHR			XXxxXXxx
06APR04	09:29	Clear Toolboard		xxxx	14	
		4977.4	AFHR			XXxxXXxx
06APR04	12:44	Change Serviceability Stat		0.9	SERV	
		4977.4	AFHR		U/S	
		4977.4	AFHR		A1PXXUY404440	XXxxXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01727  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
07APR04	05:59	Asset Comments		0.0	379313 LAST ACOP 379313	
		4977.4 AFHR			A1PXXXY408334	XXxxXXxx
07APR04	06:01	Operator Release		0.0	P. SANDON	
		4977.4 AFHR			A1PXXXY408335	XXxxXXxx
07APR04	09:03	Initiate Toolboard		xxxx	14 B/F	
		4978.9 AFHR				XXxxXXxx
07APR04	09:05	Initiate Toolboard		xxxx	14 B/F	
		4978.9 AFHR				XXxxXXxx
07APR04	09:06	Clear Toolboard		xxxx	14	
		4978.9 AFHR				XXxxXXxx
08APR04	00:33	Maintenance Release		1.4	M PEA	
		4978.9 AFHR			A	
		Change Serviceability Stat		1.4	A1PXXXY408437	XXxxXXxx
					U/S	
					SERV	
08APR04	03:40	Asset Comments		0.0	379314 LAST ACOP 379314	
		4978.9 AFHR			A1PXXXY408475	XXxxXXxx
08APR04	03:40	Into Maintenance		0.1	A	
		4978.9 AFHR			A1PXXOY403509	XXxxXXxx
13APR04	09:58	Initiate Toolboard		xxxx	14 B/F	
		4980.2 AFHR				XXxxXXxx
13APR04	12:32	Change Serviceability Stat		5.3	SERV	
		4980.2 AFHR			U/S	
					A1PXXUY404608	XXxxXXxx
14APR04	07:13	Operator Release		0.0	P. MOSCHER	
		4980.2 AFHR			A1PXXXY408716	XXxxXXxx
14APR04	07:15	Asset Comments		0.0	379315 LAST ACOP 379315	
		4980.2 AFHR			A1PXXXY408718	XXxxXXxx
14APR04	09:21	Initiate Toolboard		xxxx	14 B/F	
		4980.2 AFHR				XXxxXXxx
14APR04	09:23	Clear Toolboard		xxxx	14	
		4980.2 AFHR				XXxxXXxx
15APR04	07:48	Operator Release		0.0	P. MOSCHER	
		4980.2 AFHR			A1PXXXY408833	XXxxXXxx
15APR04	07:50	Asset Comments		0.0	379316 LAST ACOP 379316	
		4981.3 AFHR			A1PXXXY408835	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01728  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
15APR04	10:52	Initiate Toolboard	4981.3 AFHR	xxxx	14 B/F	XXxxXXxx
15APR04	10:57	Clear Toolboard	4981.3 AFHR	xxxx	14	XXxxXXxx
15APR04	10:57	Change Serviceability Stat	4981.3 AFHR	1.9	U/S SERV A1PXXXY408878	XXxxXXxx
15APR04	22:41	Maintenance Release	4981.3 AFHR	0.4	M PEA A A1PXXXY408902	XXxxXXxx
16APR04	05:05	Asset Comments	4981.3 AFHR	0.0	379317 LAST ACOP 379317	XXxxXXxx
16APR04	05:08	Into Maintenance	4981.3 AFHR	0.2	A1PXXXY408965 A M PEA	XXxxXXxx
18APR04	23:00	Initiate Toolboard	4982.6 AFHR	xxxx	14 B/F	XXxxXXxx
19APR04	03:03	Clear Toolboard	4982.6 AFHR	xxxx	14	XXxxXXxx
19APR04	03:03	Maintenance Release	4982.6 AFHR	2.9	M PEA A A1PXXXY409084	XXxxXXxx
19APR04	09:11	Into Maintenance	4982.6 AFHR	0.2	A A1PXXOY403780	XXxxXXxx
19APR04	09:12	Initiate Toolboard	4982.6 AFHR	xxxx	14 B/F	XXxxXXxx
19APR04	09:13	Clear Toolboard	4982.6 AFHR	xxxx	14	XXxxXXxx
19APR04	09:42	Change Serviceability Stat	4982.6 AFHR	0.0	SERV U/S A1PXXUY404952	XXxxXXxx
20APR04	08:56	Initiate Toolboard	4982.6 AFHR	xxxx	14 B/F	XXxxXXxx
20APR04	08:57	Clear Toolboard	4982.6 AFHR	xxxx	14	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01729  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS				-----		
TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
				TRANS REFERENCE		
LIFE SINCE NEW			=====			
21APR04	03:47	Asset Comments	0.0	379318	LAST ACOP 379318	
		4982.6 AFHR		A1PXXXY409398		XXxxXXxx
21APR04	03:47	Operator Release	0.0	C. SHERIDAN		
		4982.6 AFHR		A1PXXXY409400		XXxxXXxx
21APR04	03:48	Asset Comments	0.0	379319	LAST ACOP 379319	
		4982.6 AFHR		A1PXXXY409404		XXxxXXxx
21APR04	03:49	Operator Release	0.0	C. SHERIDAN		
		4982.6 AFHR		A1PXXXY409407		XXxxXXxx
26APR04	22:47	Operator Release	0.0	P. GREEN		
		4982.6 AFHR		A1PXXXY409815		XXxxXXxx
26APR04	22:48	Asset Comments	0.0	379320	LAST ACOP 379320	
		4984.6 AFHR		A1PXXXY409816		XXxxXXxx
26APR04	22:53	Initiate Toolboard	xxxx	14 B/F		
		4984.6 AFHR				XXxxXXxx
27APR04	01:47	Clear Toolboard	xxxx	14		
		4984.6 AFHR				XXxxXXxx
27APR04	01:48	Maintenance Release	7.6	M PEA		
				A		
		4984.6 AFHR		A1PXXXY409881		XXxxXXxx
		Change Serviceability Stat	7.6	U/S		
				SERV		
27APR04	09:23	Into Maintenance	0.3	A		
		4984.6 AFHR		A1PXXOY404114		XXxxXXxx
27APR04	10:45	Initiate Toolboard	xxxx	14 B/F		
		4984.6 AFHR				XXxxXXxx
27APR04	10:46	Clear Toolboard	xxxx	14		
		4984.6 AFHR				XXxxXXxx
27APR04	13:33	Change Serviceability Stat	0.1	SERV		
				U/S		
		4984.6 AFHR		A1PXXUY405372		XXxxXXxx
05MAY04	10:29	Operator Release	0.0	B. CLEAR		
		4984.6 AFHR		A1PXXXY410715		XXxxXXxx
05MAY04	10:30	Asset Comments	0.0	379321	LAST ACOP 379321	
		4984.6 AFHR		A1PXXXY410716		XXxxXXxx
06MAY04	09:23	Initiate Toolboard	xxxx	14 B/F		
		4984.6 AFHR				XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01730  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
06MAY04	23:29	Clear Toolboard	4984.6 AFHR	xxxx	14	XXxxXXxx
06MAY04	23:30	Maintenance Release	4984.6 AFHR	9.4	M PEA A A1PXXXY410864	XXxxXXxx
		Change Serviceability Stat		9.4	U/S SERV	
07MAY04	03:25	Into Maintenance	4984.6 AFHR	0.1	A M PEA A1PXXOY404559	XXxxXXxx
07MAY04	06:09	Asset Comments	4984.6 AFHR	0.0	379322 LAST ACOP 379322 A1PXXXY410915	XXxxXXxx
09MAY04	22:23	Initiate Toolboard	4984.6 AFHR	xxxx	14 B/F	XXxxXXxx
10MAY04	00:03	Clear Toolboard	4984.6 AFHR	xxxx	14	XXxxXXxx
10MAY04	00:04	Initiate Toolboard	4984.6 AFHR	xxxx	14 B/F	XXxxXXxx
10MAY04	00:05	Clear Toolboard	4984.6 AFHR	xxxx	14	XXxxXXxx
10MAY04	00:05	Maintenance Release	4984.6 AFHR	2.8	M PEA A A1PXXXY410943	XXxxXXxx
10MAY04	06:41	Into Maintenance	4984.6 AFHR	0.2	A M PEA A1PXXOY404618	XXxxXXxx
10MAY04	09:00	Initiate Toolboard	4984.6 AFHR	xxxx	14 B/F	XXxxXXxx
10MAY04	09:02	Clear Toolboard	4984.6 AFHR	xxxx	14	XXxxXXxx
10MAY04	22:37	Maintenance Release	4984.6 AFHR	0.6	M PEA A A1PXXXY411010	XXxxXXxx
11MAY04	02:35	Into Maintenance	4984.6 AFHR	0.1	A A1PXXOY404658	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01731  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
11MAY04	03:57	Asset Comments	4985.6 AFHR	0.0	379323 LAST ACOP 379323	
					A1PXXXY411060	XXxxXXxx
11MAY04	09:14	Initiate Toolboard	4985.6 AFHR	xxxx	14 B/F	
						XXxxXXxx
11MAY04	09:18	Change Serviceability Stat		0.2	SERV U/S	
			4985.6 AFHR		A1PXXUY406115	XXxxXXxx
11MAY04	11:41	Asset Comments	4985.6 AFHR	0.0	379325 LAST ACOP 379325	
					A1PXXXY411095	XXxxXXxx
11MAY04	11:43	Operator Release	4985.6 AFHR	0.0	R. GARNER	
					A1PXXXY411096	XXxxXXxx
11MAY04	11:46	Operator Release	4987.1 AFHR	0.0	R. GARNER	
					A1PXXXY411097	XXxxXXxx
12MAY04	03:44	Asset Comments	4988.3 AFHR	0.0	379326 LAST ACOP 379326	
					A1PXXXY411162	XXxxXXxx
12MAY04	03:45	Operator Release	4988.3 AFHR	0.0	C. SHERIDAN	
					A1PXXXY411163	XXxxXXxx
12MAY04	09:38	Initiate Toolboard	4988.6 AFHR	xxxx	14 B/F	
						XXxxXXxx
12MAY04	23:05	Operator Release	4988.6 AFHR	0.0	D. PETERSSON	
					A1PXXXY411214	XXxxXXxx
12MAY04	23:15	Asset Comments	4990.2 AFHR	0.0	379327 LAST ACOP 379327	
					A1PXXXY411230	XXxxXXxx
13MAY04	03:03	Clear Toolboard	4990.2 AFHR	xxxx	14	
						XXxxXXxx
13MAY04	03:03	Maintenance Release		1.7	M PEA	
			4990.2 AFHR		A	
					A1PXXXY411258	XXxxXXxx
		Change Serviceability Stat		1.7	U/S	
					SERV	
13MAY04	03:41	Asset Comments	4990.2 AFHR	0.0	379328 LAST ACOP 379328	
					A1PXXXY411276	XXxxXXxx
13MAY04	03:41	Into Maintenance		0.0	A	
			4990.2 AFHR		M PEA	
					A1PXXOY404774	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01732  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS				-----		
TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
				TRANS REFERENCE		
LIFE SINCE NEW			=====			
13MAY04	05:18	Asset Comments	0.0	379329	LAST ACOP 379329	
		4991.4 AFHR		A1PXXXY411294		XXxxXXxx
13MAY04	05:19	Operator Release	0.0	C. SHERIDAN		
		4991.4 AFHR		A1PXXXY411295		XXxxXXxx
13MAY04	06:55	Asset Comments	0.0	379330	LAST ACOP 379330	
		4993.1 AFHR		A1PXXXY411320		XXxxXXxx
13MAY04	06:56	Operator Release	0.0	C. SHERIDAN		
		4993.1 AFHR		A1PXXXY411321		XXxxXXxx
13MAY04	09:59	Initiate Toolboard	xxxx	14 B/F		
		4994.5 AFHR				XXxxXXxx
13MAY04	11:33	Clear Toolboard	xxxx	14		
		4994.5 AFHR				XXxxXXxx
13MAY04	11:34	Maintenance Release	0.3	M PEA		
		4994.5 AFHR		A		
				A1PXXXY411375		XXxxXXxx
14MAY04	02:18	Asset Comments	0.0	379331	LAST ACOP 379331	
		4994.5 AFHR		A1PXXXY411434		XXxxXXxx
14MAY04	02:18	Into Maintenance	0.6	A		
		4994.5 AFHR		A1PXXOY404850		XXxxXXxx
24MAY04	00:42	Operator Release	0.0	C2DOWN		
		4995.3 AFHR		A1PXXXY415584		XXxxXXxx
24MAY04	00:43	Operator Release	0.0	C2DOWN		
		4995.3 AFHR		A1PXXXY415585		XXxxXXxx
24MAY04	00:44	Operator Release	0.0	C2DOWN		
		4995.3 AFHR		A1PXXXY415586		XXxxXXxx
24MAY04	22:58	Change Serviceability Stat	10.8	SERV		
		4995.3 AFHR		U/S		
				A1PXXUY406872		XXxxXXxx
17JUN04	04:04	Position Change	292.8	A23T A	00	
		4995.3 AFHR		A23T A	0	
				A1PXXXY414433		XXxxXXxx
		Maintenance Comment	0.0	CHANGES THE S26 POLICY		
30JUN04	00:45	Operator Release	0.0	C2DOWN		
		4995.3 AFHR		A1PXXXY415587		XXxxXXxx
04JUL04	23:02	Initiate Toolboard	xxxx	14 B/F		
		4995.3 AFHR				XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01733  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
05JUL04	05:08	Clear Toolboard		xxxx	14	
		4995.3 AFHR				XXxxXXxx
05JUL04	05:10	Change Serviceability Stat		41.2	U/S SERV	
		4995.3 AFHR			A1PXXXY415799	XXxxXXxx
05JUL04	09:48	Initiate Toolboard		xxxx	14 B/F	
		4995.3 AFHR				XXxxXXxx
05JUL04	21:46	Operator Release		0.0	P. GREEN	
		4995.3 AFHR			A1PXXXY415910	XXxxXXxx
05JUL04	21:47	Operator Release		0.0	P. GREEN	
		4996.5 AFHR			A1PXXXY415911	XXxxXXxx
05JUL04	21:52	Asset Comments		0.0	379337	LAST ACOP 379337
		4996.5 AFHR			A1PXXXY415912	XXxxXXxx
06JUL04	03:08	Change Serviceability Stat		0.9	SERV	
		4996.5 AFHR			U/S	
		4996.5 AFHR			A1PXXUY408837	XXxxXXxx
06JUL04	03:44	Asset Comments		0.0	379338	LAST ACOP 379338
		4996.5 AFHR			A1PXXXY415936	XXxxXXxx
06JUL04	03:44	Operator Release		0.0	C. RIDLEY	
		4996.5 AFHR			A1PXXXY415937	XXxxXXxx
07JUL04	23:17	Clear Toolboard		xxxx	14	
		4996.7 AFHR				XXxxXXxx
08JUL04	03:22	Initiate Toolboard		xxxx	14 B/F	
		4996.7 AFHR				XXxxXXxx
08JUL04	03:23	Clear Toolboard		xxxx	14	
		4996.7 AFHR				XXxxXXxx
08JUL04	05:49	Armed		0.0	Y	
		4996.7 AFHR			A1PXXXY416235	XXxxXXxx
08JUL04	05:49	Asset Comments		0.0	379339	LAST ACOP 379339
		4996.7 AFHR			A1PXXXY416235	XXxxXXxx
08JUL04	05:50	Operator Release		0.0	S. WILD	
		4996.7 AFHR			A1PXXXY416236	XXxxXXxx
08JUL04	06:33	Armed		0.0	N	
		4998.1 AFHR			A1PXXXY416255	XXxxXXxx
08JUL04	07:34	Asset Comments		0.0	379340	LAST ACOP 379340
		4998.1 AFHR			A1PXXXY416266	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01734  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
08JUL04 07:35	Operator Release 4998.1 AFHR	0.0	P. ELDREDGE A1PXXXY416267	XXxxXXxx
08JUL04 08:55	Initiate Toolboard 4999.1 AFHR	xxxx	14 B/F	XXxxXXxx
08JUL04 08:56	Clear Toolboard 4999.1 AFHR	xxxx	14	XXxxXXxx
15JUL04 09:42	Initiate Toolboard 4999.1 AFHR	xxxx	14 B/F	XXxxXXxx
16JUL04 00:07	Clear Toolboard 4999.1 AFHR	xxxx	14	XXxxXXxx
16JUL04 00:08	Change Serviceability Stat 4999.1 AFHR	9.8	U/S SERV A1PXXXY416997	XXxxXXxx
16JUL04 00:08	Maintenance Release 4999.1 AFHR	0.0	M PEA A A1PXXXY416998	XXxxXXxx
16JUL04 05:42	Into Maintenance 4999.1 AFHR	0.2	A A1PXXOY406974	XXxxXXxx
16JUL04 05:43	Asset Comments 4999.1 AFHR	0.0	379341 LAST ACOP 379341 A1PXXXY417046	XXxxXXxx
16JUL04 05:44	Operator Release 4999.1 AFHR	0.0	C. HOLLAND A1PXXXY417047	XXxxXXxx
16JUL04 08:02	Change Serviceability Stat 5000.3 AFHR	0.0	SERV U/S A1PXXUY409415	XXxxXXxx
18JUL04 22:37	Initiate Toolboard 5000.3 AFHR	xxxx	14 B/F	XXxxXXxx
19JUL04 00:05	Change Serviceability Stat 5000.3 AFHR	2.6	U/S SERV A1PXXXY417135	XXxxXXxx
19JUL04 00:05	Clear Toolboard 5000.3 AFHR	xxxx	14	XXxxXXxx
19JUL04 00:05	Maintenance Release 5000.3 AFHR	0.0	M PEA A A1PXXXY417136	XXxxXXxx



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01735  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP

~S4080

PERIOD: 01JAN90 TO 08JAN20

LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
19JUL04	05:58	Asset Comments		0.0	379342 LAST ACOP 379342	
		5000.3	AFHR		A1PXXXY417203	XXxxXXxx
19JUL04	05:58	Into Maintenance		0.2	A	
		5000.3	AFHR		A1PXXOY407033	XXxxXXxx
19JUL04	06:06	Asset Comments		0.0	379343 LAST ACOP 379343	
		5001.5	AFHR		A1PXXXY417215	XXxxXXxx
19JUL04	06:06	Operator Release		0.0	P. MOSCHER	
		5001.5	AFHR		A1PXXXY417216	XXxxXXxx
19JUL04	08:27	Asset Comments		0.0	379344 LAST ACOP 379344	
		5002.7	AFHR		A1PXXXY417253	XXxxXXxx
19JUL04	08:28	Operator Release		0.0	P. ELDREDGE	
		5002.7	AFHR		A1PXXXY417254	XXxxXXxx
19JUL04	09:08	Initiate Toolboard		xxxx	14 B/F	
		5003.9	AFHR			XXxxXXxx
19JUL04	09:08	Clear Toolboard		xxxx	14	
		5003.9	AFHR			XXxxXXxx
19JUL04	09:39	Change Serviceability Stat		0.1	SERV	
		5003.9	AFHR		U/S	
					A1PXXUY409503	XXxxXXxx
20JUL04	09:15	Initiate Toolboard		xxxx	14 B/F	
		5003.9	AFHR			XXxxXXxx
20JUL04	12:29	Clear Toolboard		xxxx	14	
		5003.9	AFHR			XXxxXXxx
20JUL04	12:29	Maintenance Release		1.1	M PEA	
					A	
		5003.9	AFHR		A1PXXXY417387	XXxxXXxx
		Change Serviceability Stat		1.1	U/S	
					SERV	
21JUL04	07:15	Into Maintenance		0.7	A	
					M PEA	
		5003.9	AFHR		A1PXXOY407137	XXxxXXxx
21JUL04	08:26	Operator Release		0.0	P. ELDREDGE	
		5003.9	AFHR		A1PXXXY417434	XXxxXXxx
21JUL04	08:30	Asset Comments		0.0	379345 LAST ACOP 379345	
		5003.9	AFHR		A1PXXXY417438	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01736  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
21JUL04 09:34	Initiate	Toolboard	5003.9 AFHR	xxxx	14 B/F	XXxxXXxx
21JUL04 11:25	Clear	Toolboard	5003.9 AFHR	xxxx	14	XXxxXXxx
21JUL04 11:25	Maintenance	Release	5003.9 AFHR	0.1	M PEA A A1PXXXY417444	XXxxXXxx
22JUL04 02:05	Into	Maintenance	5003.9 AFHR	0.6	A M PEA A1PXXOY407151	XXxxXXxx
22JUL04 02:23	Asset	Comments	5003.9 AFHR	0.0	379346 LAST ACOP 379346 A1PXXXY417484	XXxxXXxx
22JUL04 06:53	Asset	Comments	5005.2 AFHR	0.0	379347 LAST ACOP 379347 A1PXXXY417529	XXxxXXxx
22JUL04 06:53	Operator	Release	5005.2 AFHR	0.0	B. SNYMAN A1PXXXY417530	XXxxXXxx
22JUL04 07:35	Asset	Comments	5006.9 AFHR	0.0	379348 LAST ACOP 379348 A1PXXXY417557	XXxxXXxx
22JUL04 07:38	Operator	Release	5006.9 AFHR	0.0	B. SNYMAN A1PXXXY417558	XXxxXXxx
22JUL04 09:26	Initiate	Toolboard	5008.1 AFHR	xxxx	14 B/F	XXxxXXxx
22JUL04 09:27	Clear	Toolboard	5008.1 AFHR	xxxx	14	XXxxXXxx
22JUL04 11:56	Asset	Comments	5008.1 AFHR	0.0	379349 LAST ACOP 379349 A1PXXXY417567	XXxxXXxx
22JUL04 11:57	Operator	Release	5008.1 AFHR	0.0	T. PARRY A1PXXXY417568	XXxxXXxx
22JUL04 22:18	Operator	Release	5009.1 AFHR	0.0	P. GREEN A1PXXXY417610	XXxxXXxx
22JUL04 23:05	Maintenance	Release	5010.3 AFHR	0.8	M PEA A A1PXXXY417625	XXxxXXxx
23JUL04 02:42	Asset	Comments	5010.3 AFHR	0.0	365301 LAST ACOP 365301 A1PXXXY417660	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01737  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
23JUL04	02:42	Into Maintenance 5010.3 AFHR	0.1	A A1PXXOY407235		XXxxXXxx
23JUL04	03:23	Change Serviceability Stat 5010.3 AFHR	0.0	SERV U/S A1PXXUY409886		XXxxXXxx
25JUL04	22:24	Initiate Toolboard 5010.3 AFHR	xxxx	14 B/F		XXxxXXxx
26JUL04	00:37	Clear Toolboard 5010.3 AFHR	xxxx	14		XXxxXXxx
26JUL04	00:37	Maintenance Release 5010.3 AFHR	2.8	M PEA A A1PXXXY417775		XXxxXXxx
		Change Serviceability Stat 5010.3 AFHR	2.8	U/S SERV		
26JUL04	01:49	Asset Comments 5010.3 AFHR	0.0	365302	LAST ACOP 365302	XXxxXXxx
26JUL04	01:49	Into Maintenance 5010.3 AFHR	0.0	A M PEA A1PXXOY407291		XXxxXXxx
26JUL04	05:08	Asset Comments 5010.3 AFHR	0.0	365303	LAST ACOP 365303	XXxxXXxx
26JUL04	05:09	Operator Release 5010.3 AFHR	0.0	A1PXXXY417791 C. SHERIDAN		XXxxXXxx
26JUL04	08:42	Asset Comments 5010.3 AFHR	0.0	A1PXXXY417792 365304	LAST ACOP 365304	XXxxXXxx
26JUL04	08:42	Operator Release 5010.3 AFHR	0.0	A1PXXXY417868 P. MOSCHER		XXxxXXxx
26JUL04	09:47	Initiate Toolboard 5011.7 AFHR	xxxx	A1PXXXY417869 14 B/F		XXxxXXxx
27JUL04	06:11	Operator Release 5011.7 AFHR	0.0	S. PITTARD A1PXXXY417998		XXxxXXxx
27JUL04	06:39	Asset Comments 5013.0 AFHR	0.0	365305	LAST ACOP 365305	XXxxXXxx
27JUL04	08:45	Initiate Toolboard 5013.0 AFHR	xxxx	A1PXXXY418034 14 B/F		XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01738  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS				-----		
TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
				TRANS REFERENCE		
LIFE SINCE NEW			=====			
27JUL04	08:46	Clear Toolboard	xxxx	14		
		5013.0 AFHR				XXxxXXxx
27JUL04	09:28	Asset Comments	0.0	365306	LAST ACOP 365306	
		5013.0 AFHR		A1PXXXY418077		XXxxXXxx
27JUL04	09:29	Operator Release	0.0	B. SNYMAN		
		5013.0 AFHR		A1PXXXY418079		XXxxXXxx
27JUL04	12:56	Asset Comments	0.0	365307	LAST ACOP 365307	
		5014.3 AFHR		A1PXXXY418092		XXxxXXxx
27JUL04	12:58	Operator Release	0.0	B. SNYMAN		
		5014.3 AFHR		A1PXXXY418093		XXxxXXxx
27JUL04	23:57	Operator Release	0.0	D. PETERSSON		
		5015.3 AFHR		A1PXXXY418160		XXxxXXxx
28JUL04	06:29	Asset Comments	0.0	365308	LAST ACOP 365308	
		5015.3 AFHR		A1PXXXY418276		XXxxXXxx
28JUL04	06:30	Operator Release	0.0	M. BEECK		
		5015.3 AFHR		A1PXXXY418277		XXxxXXxx
28JUL04	09:06	Operator Release	0.0	P. MOSCHER		
		5016.8 AFHR		A1PXXXY418340		XXxxXXxx
28JUL04	09:07	Asset Comments	0.0	365309	LAST ACOP 365309	
		5018.0 AFHR		A1PXXXY418341		XXxxXXxx
28JUL04	09:39	Initiate Toolboard	xxxx	14 B/F		
		5018.0 AFHR				XXxxXXxx
28JUL04	09:40	Clear Toolboard	xxxx	14		
		5018.0 AFHR				XXxxXXxx
28JUL04	23:33	Maintenance Release	2.9	M PEA		
		5018.0 AFHR		A		
		5018.0 AFHR		A1PXXXY418436		XXxxXXxx
29JUL04	04:35	Into Maintenance	0.2	A		
		5018.0 AFHR		M PEA		
		5018.0 AFHR		A1PXXOY407491		XXxxXXxx
29JUL04	04:37	Asset Comments	0.0	365310	LAST ACOP 365310	
		5019.3 AFHR		A1PXXXY418569		XXxxXXxx
29JUL04	07:04	Asset Comments	0.0	365311	LAST ACOP 365311	
		5019.3 AFHR		A1PXXXY418673		XXxxXXxx
29JUL04	07:04	Operator Release	0.0	C. SHERIDAN		
		5019.3 AFHR		A1PXXXY418675		XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01739  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
29JUL04	08:57	Initiate Toolboard	5020.6 AFHR	xxxx	14 B/F	XXxxXXxx
29JUL04	08:58	Clear Toolboard	5020.6 AFHR	xxxx	14	XXxxXXxx
29JUL04	12:52	Maintenance Release	5020.6 AFHR	0.3	M PEA	
30JUL04	07:41	Into Maintenance	5020.6 AFHR	0.7	A1PXXXY418767	XXxxXXxx
30JUL04	07:42	Change Serviceability Stat	5020.6 AFHR	0.0	A1PXXOY407568	XXxxXXxx
30JUL04	07:46	Change Serviceability Stat	5020.6 AFHR	0.0	SERV U/S A1PXXUY410182	XXxxXXxx
30JUL04	08:31	Asset Comments	5020.6 AFHR	0.0	A1PXXXY418910 365312	XXxxXXxx
30JUL04	08:32	Operator Release	5020.6 AFHR	0.0	A1PXXXY418914 B. SNYMAN	XXxxXXxx
30JUL04	08:33	Asset Comments	5020.6 AFHR	0.0	A1PXXXY418915 365313	XXxxXXxx
30JUL04	08:34	Operator Release	5021.7 AFHR	0.0	A1PXXXY418916 B. SNYMAN	XXxxXXxx
01AUG04	00:40	Initiate Toolboard	5022.8 AFHR	xxxx	14 B/F	XXxxXXxx
01AUG04	01:27	Initiate Toolboard	5022.8 AFHR	xxxx	14 B/F	XXxxXXxx
03AUG04	00:02	Operator Release	5022.8 AFHR	0.0	G. KERSHAW A1PXXXY419214	XXxxXXxx
03AUG04	01:11	Operator Release	5026.1 AFHR	0.0	G. KERSHAW A1PXXXY419237	XXxxXXxx
03AUG04	01:15	Operator Release	5027.3 AFHR	0.0	G. KERSHAW A1PXXXY419238	XXxxXXxx
03AUG04	01:17	Operator Release	5028.5 AFHR	0.0	G. KERSHAW A1PXXXY419239	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 01740  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS					-----			
TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER	
					TO (OPTIONAL)	TRANS REFERENCE		
					LIFE SINCE NEW			
=====								
03AUG04	01:21	Operator	Release	0.0	5029.8	AFHR	G. KERSHAW A1PXXXY419240	XXxxXXxx
04AUG04	03:24	Operator	Release	0.0	5031.0	AFHR	T. RUSSIE A1PXXXY419539	XXxxXXxx
04AUG04	03:28	Operator	Release	0.0	5032.0	AFHR	T. RUSSIE A1PXXXY419540	XXxxXXxx
05AUG04	02:35	Operator	Release	0.0	5033.3	AFHR	P. GREEN A1PXXXY419757	XXxxXXxx
05AUG04	02:36	Operator	Release	0.0	5034.5	AFHR	P. GREEN A1PXXXY419758	XXxxXXxx
05AUG04	02:37	Operator	Release	0.0	5035.8	AFHR	P. GREEN A1PXXXY419761	XXxxXXxx
05AUG04	02:38	Operator	Release	0.0	5037.0	AFHR	P. GREEN A1PXXXY419763	XXxxXXxx
05AUG04	03:54	Asset	Comments	0.0	5038.2	AFHR	DEPLOYED A1PXXXY419801	XXxxXXxx
06AUG04	00:00	Change	Serviceability Stat	6.6			SERV U/S	
06AUG04	01:12	Operator	Release	0.0	5043.1	AFHR	A1PXXUY410562 P. GREEN	XXxxXXxx
06AUG04	01:13	Operator	Release	0.0	5038.2	AFHR	A1PXXXY419925 P. GREEN	XXxxXXxx
06AUG04	01:14	Operator	Release	0.0	5039.4	AFHR	A1PXXXY419928 P. GREEN	XXxxXXxx
06AUG04	01:15	Operator	Release	0.0	5040.6	AFHR	A1PXXXY419929 P. GREEN	XXxxXXxx
06AUG04	02:50	Asset	Comments	0.0	5041.8	AFHR	A1PXXXY419930 DEPLOYED	XXxxXXxx
09AUG04	02:02	Operator	Release	0.0	5043.1	AFHR	A1PXXXY419969 D. PETERSSON	XXxxXXxx
09AUG04	02:03	Operator	Release	0.0	5044.7	AFHR	A1PXXXY420047 D. PETERSSON	XXxxXXxx
09AUG04	02:04	Operator	Release	0.0	5046.0	AFHR	A1PXXXY420048 D. PETERSSON	XXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 01741  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP

~S4080

PERIOD: 01JAN90 TO 08JAN20

LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
09AUG04	02:07	Operator	Release	5047.2 AFHR	0.0	D. PETERSSON		A1PXXXY420049	XXxxXXxx
09AUG04	05:44	Operator	Release	5048.4 AFHR	0.0	D. PETERSSON		A1PXXXY420101	XXxxXXxx
10AUG04	02:24	Operator	Release	5051.3 AFHR	0.0	D. PETERSSON		A1PXXXY420203	XXxxXXxx
10AUG04	02:31	Operator	Release	5052.6 AFHR	0.0	D. PETERSSON		A1PXXXY420206	XXxxXXxx
10AUG04	02:32	Operator	Release	5053.8 AFHR	0.0	D. PETERSSON		A1PXXXY420207	XXxxXXxx
10AUG04	02:35	Operator	Release	5055.0 AFHR	0.0	D. PETERSSON		A1PXXXY420209	XXxxXXxx
11AUG04	03:12	Operator	Release	5056.1 AFHR	0.0	D. PETERSSON		A1PXXXY420375	XXxxXXxx
11AUG04	03:13	Operator	Release	5057.2 AFHR	0.0	D. PETERSSON		A1PXXXY420376	XXxxXXxx
11AUG04	03:15	Operator	Release	5058.4 AFHR	0.0	D. PETERSSON		A1PXXXY420379	XXxxXXxx
11AUG04	03:16	Operator	Release	5059.4 AFHR	0.0	D. PETERSSON		A1PXXXY420382	XXxxXXxx
12AUG04	06:11	Operator	Release	5060.6 AFHR	0.0	P. GREEN		A1PXXXY420521	XXxxXXxx
12AUG04	06:12	Operator	Release	5061.8 AFHR	0.0	P. GREEN		A1PXXXY420522	XXxxXXxx
12AUG04	06:13	Operator	Release	5063.0 AFHR	0.0	P. GREEN		A1PXXXY420523	XXxxXXxx
13AUG04	01:37	Operator	Release	5064.1 AFHR	0.0	L. DOBSON		A1PXXXY420607	XXxxXXxx
13AUG04	01:39	Operator	Release	5064.1 AFHR	0.0	L. DOBSON		A1PXXXY420608	XXxxXXxx
13AUG04	01:41	Operator	Release	5065.0 AFHR	0.0	L. DOBSON		A1PXXXY420609	XXxxXXxx
13AUG04	01:42	Operator	Release	5066.2 AFHR	0.0	L. DOBSON		A1PXXXY420610	XXxxXXxx
15AUG04	22:52	Operator	Release	5067.5 AFHR	0.0	D. PETERSSON		A1PXXXY420690	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01742  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
15AUG04	23:19	Asset Comments		0.0	365349	LAST ACOP	365349	
		5070.1	AFHR		A1PXXXY420715			XXxxXXxx
16AUG04	07:04	Asset Comments		0.0	365350	LAST ACOP	365350	
		5070.1	AFHR		A1PXXXY420811			XXxxXXxx
16AUG04	07:06	Operator Release		0.0	C. SHERIDAN			
		5070.1	AFHR		A1PXXXY420813			XXxxXXxx
16AUG04	09:04	Asset Comments		0.0	365351	LAST ACOP	365351	
		5071.3	AFHR		A1PXXXY420846			XXxxXXxx
16AUG04	09:04	Operator Release		0.0	P. ELDREDGE			
		5071.3	AFHR		A1PXXXY420847			XXxxXXxx
16AUG04	09:20	Initiate Toolboard		xxxx	14 B/F			
		5072.7	AFHR					XXxxXXxx
16AUG04	09:44	Change Serviceability Stat		10.4	U/S			
		5072.7	AFHR		SERV			
					A1PXXXY420850			XXxxXXxx
16AUG04	11:23	Change Serviceability Stat		0.0	SERV			
		5072.7	AFHR		U/S			
					A1PXXUY410908			XXxxXXxx
16AUG04	11:37	Asset Comments		0.0	365702	LAST ACOP	365702	
		5072.7	AFHR		A1PXXXY420852			XXxxXXxx
16AUG04	11:38	Operator Release		0.0	J. COUSINS			
		5072.7	AFHR		A1PXXXY420853			XXxxXXxx
17AUG04	08:58	Initiate Toolboard		xxxx	14 B/F			
		5072.7	AFHR					XXxxXXxx
17AUG04	23:44	Clear Toolboard		xxxx	14			
		5072.7	AFHR					XXxxXXxx
17AUG04	23:45	Change Serviceability Stat		1.5	U/S			
		5072.7	AFHR		SERV			
					A1PXXXY420991			XXxxXXxx
17AUG04	23:45	Maintenance Release		0.0	M PEA			
		5072.7	AFHR		A			
					A1PXXXY420992			XXxxXXxx
18AUG04	03:17	Into Maintenance		0.1	A			
		5072.7	AFHR		M PEA			
					A1PXXOY408474			XXxxXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01743  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP

~S4080

PERIOD: 01JAN90 TO 08JAN20

LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
18AUG04	04:52	Asset Comments	5072.7 AFHR	0.0	365703 LAST ACOP 365703	
					A1PXXXY421057	XXxxXXxx
18AUG04	09:16	Initiate Toolboard	5073.9 AFHR	xxxx	14 B/F	
						XXxxXXxx
18AUG04	09:17	Clear Toolboard	5073.9 AFHR	xxxx	14	
						XXxxXXxx
18AUG04	22:26	Maintenance Release	5073.9 AFHR	0.7	M PEA	
					A	
19AUG04	06:10	Into Maintenance	5073.9 AFHR	0.3	A1PXXXY421086	XXxxXXxx
					A	
19AUG04	06:36	Asset Comments	5073.9 AFHR	0.0	A1PXXOY408511	XXxxXXxx
					365704 LAST ACOP 365704	
19AUG04	06:38	Operator Release	5073.9 AFHR	0.0	A1PXXXY421186	XXxxXXxx
					C. SHERIDAN	
19AUG04	09:20	Change Serviceability Stat	5073.9 AFHR	0.1	A1PXXXY421191	XXxxXXxx
					SERV	
					U/S	
19AUG04	09:30	Initiate Toolboard	5076.7 AFHR	xxxx	A1PXXUY411100	XXxxXXxx
					14 B/F	
19AUG04	23:55	Clear Toolboard	5076.7 AFHR	xxxx	14	
						XXxxXXxx
19AUG04	23:55	Change Serviceability Stat	5076.7 AFHR	0.6	U/S	
					SERV	
19AUG04	23:55	Maintenance Release	5076.7 AFHR	0.0	A1PXXXY421277	XXxxXXxx
					M PEA	
					A	
20AUG04	05:48	Asset Comments	5076.7 AFHR	0.0	A1PXXXY421278	XXxxXXxx
					365705 LAST ACOP 365705	
20AUG04	05:48	Into Maintenance	5076.7 AFHR	0.2	A1PXXXY421317	XXxxXXxx
					A	
					M PEA	
22AUG04	23:10	Initiate Toolboard	5076.7 AFHR	xxxx	A1PXXOY408556	XXxxXXxx
					14 B/F	
			5077.9 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01744  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN (DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
22AUG04	23:15	Clear Toolboard		xxxx	14	
		5077.9	AFHR			XXxxXXxx
23AUG04	02:03	Maintenance Release		2.8	M PEA	
		5077.9	AFHR		A	
23AUG04	03:50	Into Maintenance		0.0	A1PXXXY421352	XXxxXXxx
		5077.9	AFHR		A	
23AUG04	06:30	Asset Comments		0.0	A1PXXOY408580	XXxxXXxx
		5077.9	AFHR		365706	
23AUG04	07:16	Asset Comments		0.0	A1PXXXY421403	XXxxXXxx
		5079.0	AFHR		365707	
23AUG04	07:16	Operator Release		0.0	A1PXXXY421428	XXxxXXxx
		5079.0	AFHR		B. SNYMAN	
23AUG04	08:40	Into Maintenance		0.0	A1PXXXY421431	XXxxXXxx
		5080.4	AFHR		M	
23AUG04	09:44	Initiate Toolboard		xxxx	A1PXXOY408615	XXxxXXxx
		5080.4	AFHR		14 B/F	
23AUG04	11:24	Change Serviceability Stat		0.3	SERV	XXxxXXxx
		5080.4	AFHR		U/S	
23AUG04	22:27	Change Serviceability Stat		0.4	A1PXXUY411266	XXxxXXxx
		5080.4	AFHR		U/S	
23AUG04	22:27	Clear Toolboard		xxxx	SERV	XXxxXXxx
		5080.4	AFHR		A1PXXXY421455	
23AUG04	22:30	Maintenance Release		0.0	14	XXxxXXxx
		5080.4	AFHR		M PEA	
23AUG04	22:59	Asset Comments		0.0	A	XXxxXXxx
		5081.9	AFHR		A1PXXXY421459	
24AUG04	06:00	Into Maintenance		0.3	365708	XXxxXXxx
		5081.9	AFHR		A1PXXXY421480	
24AUG04	07:01	Asset Comments		0.0	A	XXxxXXxx
		5081.9	AFHR		M PEA	
		5081.9	AFHR		A1PXXOY408645	XXxxXXxx
		5081.9	AFHR		365709	
		5081.9	AFHR		A1PXXXY421544	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01745  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----				
TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN(DYS) FROM	TO (OPTIONAL)	USER
=====	=====	=====	=====	=====	=====	=====
					TRANS REFERENCE	
24AUG04 09:21	Initiate Toolboard			xxxx	14 B/F	
	5083.4 AFHR					XXxxXXxx
24AUG04 12:39	Clear Toolboard			xxxx	14	
	5083.4 AFHR					XXxxXXxx
24AUG04 12:40	Maintenance Release - Over			0.2	M PEA	
	5083.4 AFHR				A	
	Maintenance Comment			0.0	A1PXXXY421558	XXxxXXxx
25AUG04 06:12	Into Maintenance			0.7	KNOWN BUILD ANOMALIES	
	5083.4 AFHR				A	
25AUG04 06:13	Change Serviceability Stat			0.0	A1PXXOY408673	XXxxXXxx
	5083.4 AFHR				SERV	
25AUG04 08:40	Initiate Toolboard			xxxx	U/S	
	5083.4 AFHR				A1PXXUY411427	XXxxXXxx
25AUG04 11:50	Change Serviceability Stat			0.2	14 B/F	
	5083.4 AFHR				U/S	XXxxXXxx
26AUG04 06:48	Initiate Toolboard			xxxx	SERV	
	5083.4 AFHR				A1PXXXY421644	XXxxXXxx
26AUG04 07:36	Operator Release			0.0	14 B/F	
	5083.4 AFHR				W. SIMPSON	XXxxXXxx
26AUG04 07:37	Asset Comments			0.0	A1PXXXY421701	XXxxXXxx
	5083.4 AFHR				365710	
26AUG04 10:37	Change Serviceability Stat			0.9	A1PXXXY421702	XXxxXXxx
	5083.4 AFHR				SERV	
	Asset Comments			0.0	U/S	
	5083.4 AFHR				A1PXXUY411540	XXxxXXxx
27AUG04 05:49	Operator Release			0.0	365711	
	5083.4 AFHR				A1PXXXY421823	XXxxXXxx
27AUG04 05:50	Initiate Toolboard			xxxx	M. BEECK	
	5083.4 AFHR				A1PXXXY421824	XXxxXXxx
29AUG04 22:42	Clear Toolboard			xxxx	14 B/F	
	5083.4 AFHR					XXxxXXxx
30AUG04 00:01	Initiate Toolboard			xxxx	14	
	5083.4 AFHR					XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01746  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----			
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
LIFE SINCE NEW		TRANS REFERENCE			
=====					
30AUG04	00:01	Change Serviceability Stat	3.5	U/S	
		5083.4 AFHR		SERV	
30AUG04	00:01	Maintenance Release	0.0	A1PXXXY421841	XXxxXXxx
		5083.4 AFHR		M PEA	
30AUG04	05:31	Asset Comments	0.0	A	
		5083.4 AFHR		A1PXXXY421842	XXxxXXxx
30AUG04	05:32	Into Maintenance	0.2	365712	LAST ACOP 365712
		5083.4 AFHR		A1PXXXY421903	XXxxXXxx
		5083.4 AFHR		A	
31AUG04	04:39	Asset Comments	0.0	M PEA	
		5083.4 AFHR		A1PXXOY408763	XXxxXXxx
31AUG04	04:40	Operator Release	0.0	365713	LAST ACOP 365713
		5083.4 AFHR		A1PXXXY422031	XXxxXXxx
31AUG04	04:43	Asset Comments	0.0	B. SNYMAN	
		5084.7 AFHR		A1PXXXY422032	XXxxXXxx
31AUG04	04:44	Operator Release	0.0	365714	LAST ACOP 365714
		5084.7 AFHR		A1PXXXY422033	XXxxXXxx
31AUG04	06:44	Asset Comments	0.0	B. SNYMAN	
		5086.2 AFHR		A1PXXXY422034	XXxxXXxx
31AUG04	06:45	Operator Release	0.0	365715	LAST ACOP 365715
		5086.2 AFHR		A1PXXXY422070	XXxxXXxx
31AUG04	08:40	Asset Comments	0.0	S. PITTARD	
		5087.1 AFHR		A1PXXXY422072	XXxxXXxx
31AUG04	08:41	Operator Release	0.0	365716	LAST ACOP 365716
		5087.1 AFHR		A1PXXXY422103	XXxxXXxx
31AUG04	09:06	Initiate Toolboard	xxxx	P. ELDREDGE	
		5088.3 AFHR		A1PXXXY422104	XXxxXXxx
31AUG04	09:07	Clear Toolboard	xxxx	14 B/F	
		5088.3 AFHR		14	
31AUG04	13:17	Asset Comments	0.0	365717	LAST ACOP 365717
		5088.3 AFHR		A1PXXXY422128	XXxxXXxx
31AUG04	13:18	Operator Release	0.0	P. ELDREDGE	
		5088.3 AFHR		A1PXXXY422129	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01747  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
31AUG04	22:27	Maintenance Release	1.7	M PEA A		
01SEP04	06:28	Asset Comments	0.0	A1PXXXY422140 365718	LAST ACOP 365718	XXxxXXxx
01SEP04	06:28	Into Maintenance	0.3	A1PXXXY422217 A		XXxxXXxx
01SEP04	08:31	Asset Comments	0.0	A1PXXOY408904 365719	LAST ACOP 365719	XXxxXXxx
01SEP04	08:31	Operator Release	0.0	A1PXXXY422240 P. ELDRIDGE		XXxxXXxx
01SEP04	09:25	Initiate Toolboard	xxxx	A1PXXXY422241 14 B/F		XXxxXXxx
01SEP04	09:55	Change Serviceability Stat	0.1	SERV U/S		XXxxXXxx
01SEP04	11:21	Change Serviceability Stat	0.0	A1PXXUY411842 U/S		XXxxXXxx
01SEP04	11:22	Clear Toolboard	xxxx	SERV A1PXXXY422254 14		XXxxXXxx
01SEP04	22:19	Maintenance Release	0.4	M PEA A		XXxxXXxx
02SEP04	03:30	Asset Comments	0.0	A1PXXXY422265 365720	LAST ACOP 365720	XXxxXXxx
02SEP04	03:30	Into Maintenance	0.2	A1PXXXY422291 A		XXxxXXxx
02SEP04	06:22	Asset Comments	0.0	M PEA A1PXXOY408929 365721	LAST ACOP 365721	XXxxXXxx
02SEP04	06:23	Operator Release	0.0	A1PXXXY422351 R. GARNER		XXxxXXxx
02SEP04	09:07	Asset Comments	0.0	A1PXXXY422352 365722	LAST ACOP 365722	XXxxXXxx
				A1PXXXY422379		XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01748  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
02SEP04	09:08	Operator Release	5094.2 AFHR	0.0	R. GARNER A1PXXXY422380	XXxxXXxx
02SEP04	09:25	Initiate Toolboard	5095.2 AFHR	xxxx	14 B/F	XXxxXXxx
02SEP04	09:25	Clear Toolboard	5095.2 AFHR	xxxx	14	XXxxXXxx
02SEP04	23:15	Maintenance Release - Over	5095.2 AFHR	0.8	M PEA A A1PXXXY422432	XXxxXXxx
03SEP04	02:26	Maintenance Comment	5095.2 AFHR	0.0	A/C RELEASED WITH KNOWN ANOMALIES	
03SEP04	02:26	Asset Comments	5095.2 AFHR	0.0	365723 LAST ACOP 365723	
03SEP04	02:26	Into Maintenance	5095.2 AFHR	0.1	A1PXXXY422478 A M PEA	XXxxXXxx
03SEP04	06:42	Asset Comments	5096.4 AFHR	0.0	A1PXXOY408990 365724 LAST ACOP 365724	XXxxXXxx
03SEP04	06:42	Operator Release	5096.4 AFHR	0.0	A1PXXXY422512 A. DEWHURST	XXxxXXxx
03SEP04	06:58	Asset Comments	5097.7 AFHR	0.0	A1PXXXY422513 365725 LAST ACOP 365725	XXxxXXxx
03SEP04	06:58	Operator Release	5097.7 AFHR	0.0	A1PXXXY422538 A. DEWHURST	XXxxXXxx
05SEP04	23:04	Initiate Toolboard	5098.9 AFHR	xxxx	A1PXXXY422539 14 B/F	XXxxXXxx
06SEP04	05:07	Operator Release	5098.9 AFHR	0.0	P. GREEN A1PXXXY422593	XXxxXXxx
06SEP04	05:08	Asset Comments	5100.2 AFHR	0.0	365726 LAST ACOP 365726	XXxxXXxx
06SEP04	08:00	Asset Comments	5100.2 AFHR	0.0	A1PXXXY422594 365727 LAST ACOP 365727	XXxxXXxx
06SEP04	08:01	Operator Release	5100.2 AFHR	0.0	A1PXXXY422619 R. GARNER	XXxxXXxx
06SEP04	08:54	Initiate Toolboard	5101.5 AFHR	xxxx	A1PXXXY422620 14 B/F	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01749  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS				-----		
TRANSACTION D/T	CHANGE	TYPE		SPAN(DYS)	FROM	
			LIFE SINCE NEW		TO (OPTIONAL)	USER
					TRANS REFERENCE	
=====						
06SEP04	12:39	Clear Toolboard		xxxx	14	
		5101.5	AFHR			XXxxXXxx
06SEP04	12:39	Maintenance Release		3.4	M PEA	
		5101.5	AFHR		A	
		5101.5	AFHR		A1PXXXY422648	XXxxXXxx
07SEP04	03:51	Asset Comments		0.0	365728	LAST ACOP 365728
		5101.5	AFHR		A1PXXXY422694	XXxxXXxx
07SEP04	03:51	Into Maintenance		0.6	A	
		5101.5	AFHR		A1PXXOY409091	XXxxXXxx
07SEP04	05:36	Asset Comments		0.0	365729	LAST ACOP 365729
		5102.6	AFHR		A1PXXXY422718	XXxxXXxx
07SEP04	05:37	Operator Release		0.0	G. KERSHAW	
		5102.6	AFHR		A1PXXXY422719	XXxxXXxx
07SEP04	09:16	Initiate Toolboard		xxxx	14 B/F	
		5103.7	AFHR			XXxxXXxx
07SEP04	09:17	Clear Toolboard		xxxx	14	
		5103.7	AFHR			XXxxXXxx
07SEP04	10:32	Change Serviceability Stat		0.2	SERV	
		5103.7	AFHR		U/S	
		5103.7	AFHR		A1PXXUY412076	XXxxXXxx
07SEP04	11:59	Change Serviceability Stat		0.0	U/S	
		5103.7	AFHR		SERV	
		5103.7	AFHR		A1PXXXY422737	XXxxXXxx
07SEP04	12:43	Asset Comments		0.0	365730	LAST ACOP 365730
		5103.7	AFHR		A1PXXXY422773	XXxxXXxx
07SEP04	12:44	Operator Release		0.0	R. GARNER	
		5103.7	AFHR		A1PXXXY422777	XXxxXXxx
07SEP04	12:58	Maintenance Release		0.0	M PEA	
		5104.8	AFHR		A	
		5104.8	AFHR		A1PXXXY422800	XXxxXXxx
08SEP04	00:45	Asset Comments		0.0	365731	LAST ACOP 365731
		5104.8	AFHR		A1PXXXY422818	XXxxXXxx
08SEP04	00:45	Into Maintenance		0.4	A	
		5104.8	AFHR		M PEA	
		5104.8	AFHR		A1PXXOY409139	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01750  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
08SEP04	03:34	Asset Comments		0.0	365732 LAST ACOP 365732	
		5104.8 AFHR			A1PXXXY422861	XXxxXXxx
08SEP04	03:34	Operator Release		0.0	C. SHERIDAN	
		5104.8 AFHR			A1PXXXY422862	XXxxXXxx
08SEP04	08:36	Initiate Toolboard		xxxx	14 B/F	
		5105.8 AFHR				XXxxXXxx
08SEP04	10:45	Asset Comments		0.0	365733 LAST ACOP 365733	
		5105.8 AFHR			A1PXXXY422928	XXxxXXxx
08SEP04	10:46	Operator Release		0.0	S. PITTARD	
		5105.8 AFHR			A1PXXXY422929	XXxxXXxx
08SEP04	11:10	Clear Toolboard		xxxx	14	
		5106.8 AFHR				XXxxXXxx
08SEP04	11:11	Maintenance Release		0.4	M PEA	
		5106.8 AFHR			A	
		5106.8 AFHR			A1PXXXY422941	XXxxXXxx
09SEP04	06:06	Asset Comments		0.0	365734 LAST ACOP 365734	
		5106.8 AFHR			A1PXXXY422990	XXxxXXxx
09SEP04	06:06	Into Maintenance		0.7	A	
		5106.8 AFHR			A1PXXOY409205	XXxxXXxx
09SEP04	09:34	Initiate Toolboard		xxxx	14 B/F	
		5108.0 AFHR				XXxxXXxx
09SEP04	09:50	Asset Comments		0.0	365735 LAST ACOP 365735	
		5108.0 AFHR			A1PXXXY423046	XXxxXXxx
09SEP04	09:51	Operator Release		0.0	A. DEWHURST	
		5108.0 AFHR			A1PXXXY423048	XXxxXXxx
09SEP04	11:28	Change Serviceability Stat		0.2	SERV	
		5109.1 AFHR			U/S	
		5109.1 AFHR			A1PXXUY412176	XXxxXXxx
09SEP04	22:55	Change Serviceability Stat		0.4	U/S	
		5109.1 AFHR			SERV	
		5109.1 AFHR			A1PXXXY423086	XXxxXXxx
10SEP04	03:39	Asset Comments		0.0	365736 LAST ACOP 365736	
		5109.1 AFHR			A1PXXXY423109	XXxxXXxx
10SEP04	03:40	Operator Release		0.0	C. SHERIDAN	
		5109.1 AFHR			A1PXXXY423110	XXxxXXxx



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01751  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS				-----		
TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
				TRANS REFERENCE		
LIFE SINCE NEW			=====			
10SEP04	07:21	Asset Comments	0.0	365737	LAST ACOP 365737	
		5110.3 AFHR		A1PXXXY423122		XXxxXXxx
10SEP04	07:21	Operator Release	0.0	A. DEWHURST		
		5110.3 AFHR		A1PXXXY423123		XXxxXXxx
12SEP04	22:41	Initiate Toolboard	xxxx	14 B/F		
		5111.7 AFHR				XXxxXXxx
13SEP04	06:50	Asset Comments	0.0	365738	LAST ACOP 365738	
		5111.7 AFHR		A1PXXXY423234		XXxxXXxx
13SEP04	06:50	Operator Release	0.0	P. ELDRIDGE		
		5111.7 AFHR		A1PXXXY423235		XXxxXXxx
13SEP04	07:38	Asset Comments	0.0	365739	LAST ACOP 365739	
		5112.9 AFHR		A1PXXXY423247		XXxxXXxx
13SEP04	07:39	Operator Release	0.0	P. ELDRIDGE		
		5112.9 AFHR		A1PXXXY423248		XXxxXXxx
13SEP04	09:09	Initiate Toolboard	xxxx	14 B/F		
		5114.2 AFHR				XXxxXXxx
13SEP04	09:11	Clear Toolboard	xxxx	14		
		5114.2 AFHR				XXxxXXxx
13SEP04	10:23	Maintenance Release - Over	3.4	M PEA		
		5114.2 AFHR		A		
		Maintenance Comment	0.0	A1PXXXY423267		XXxxXXxx
			0.0	AC RELEASED WITH KNOWN ANOMALIES		
13SEP04	13:49	Asset Comments	0.0	365740	LAST ACOP 365740	
		5114.2 AFHR		A1PXXXY423281		XXxxXXxx
13SEP04	13:49	Into Maintenance	0.1	A		
		5114.2 AFHR		M PEA		
			0.0	A1PXXOY409324		XXxxXXxx
14SEP04	05:11	Asset Comments	0.0	365741	LAST ACOP 365741	
		5115.3 AFHR		A1PXXXY423350		XXxxXXxx
14SEP04	05:12	Operator Release	0.0	C. SHERIDAN		
		5115.3 AFHR		A1PXXXY423351		XXxxXXxx
14SEP04	08:08	Asset Comments	0.0	365742	LAST ACOP 365742	
		5116.9 AFHR		A1PXXXY423390		XXxxXXxx
14SEP04	08:09	Operator Release	0.0	P. ELDRIDGE		
		5116.9 AFHR		A1PXXXY423391		XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01752  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
14SEP04	09:25	Initiate Toolboard	5118.1 AFHR	xxxx	14 B/F	XXxxXXxx
14SEP04	09:27	Clear Toolboard	5118.1 AFHR	xxxx	14	XXxxXXxx
14SEP04	09:54	Maintenance Release	5118.1 AFHR	0.8	M PEA A A1PXXXY423419	XXxxXXxx
14SEP04	12:32	Into Maintenance	5118.1 AFHR	0.1	A M PEA A1PXXOY409384	XXxxXXxx
15SEP04	04:17	Asset Comments	5118.1 AFHR	0.0	365743 LAST ACOP 365743	XXxxXXxx
15SEP04	04:19	Asset Comments	5119.4 AFHR	0.0	365744 LAST ACOP 365744	XXxxXXxx
15SEP04	04:20	Operator Release	5119.4 AFHR	0.0	C. SHERIDAN A1PXXXY423488	XXxxXXxx
15SEP04	07:05	Asset Comments	5120.7 AFHR	0.0	365745 LAST ACOP 365745	XXxxXXxx
15SEP04	07:06	Operator Release	5120.7 AFHR	0.0	C. SHERIDAN A1PXXXY423538	XXxxXXxx
15SEP04	08:45	Asset Comments	5122.1 AFHR	0.0	365746 LAST ACOP 365746	XXxxXXxx
15SEP04	08:46	Operator Release	5122.1 AFHR	0.0	P. ELDREDGE A1PXXXY423579	XXxxXXxx
15SEP04	09:02	Initiate Toolboard	5123.3 AFHR	xxxx	14 B/F	XXxxXXxx
15SEP04	09:02	Clear Toolboard	5123.3 AFHR	xxxx	14	XXxxXXxx
15SEP04	22:22	Maintenance Release	5123.3 AFHR	1.4	M PEA A A1PXXXY423621	XXxxXXxx
16SEP04	06:28	Asset Comments	5123.3 AFHR	0.0	365747 LAST ACOP 365747	XXxxXXxx
16SEP04	06:28	Into Maintenance	5123.3 AFHR	0.3	A M PEA A1PXXOY409476	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01753  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS				-----		
TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
				TRANS REFERENCE		
LIFE SINCE NEW						
=====	=====	=====	=====	=====	=====	=====
16SEP04	07:49	Asset Comments	0.0	365748	LAST ACOP 365748	
		5124.3 AFHR		A1PXXXY423706		XXxxXXxx
16SEP04	07:49	Operator Release	0.0	P. ELDREDGE		
		5124.3 AFHR		A1PXXXY423707		XXxxXXxx
16SEP04	08:38	Initiate Toolboard	xxxx	14 B/F		
		5124.7 AFHR				XXxxXXxx
16SEP04	09:06	Clear Toolboard	xxxx	14		
		5124.7 AFHR				XXxxXXxx
16SEP04	09:07	Maintenance Release - Over	0.1	M PEA		
		5124.7 AFHR		A		
		Maintenance Comment	0.0	AC RELEASED WITH KNOWN ANOMALIES		
16SEP04	11:49	Asset Comments	0.0	365749	LAST ACOP 365749	
		5124.7 AFHR		A1PXXXY423736		XXxxXXxx
16SEP04	11:49	Into Maintenance	0.1	A		
		5124.7 AFHR		A1PXXOY409501		XXxxXXxx
16SEP04	12:23	Change Serviceability Stat	0.0	SERV		
		5126.0 AFHR		U/S		
17SEP04	02:45	Asset Comments	0.0	A1PXXUY412467		XXxxXXxx
		5126.0 AFHR		365750	LAST ACOP 365750	
17SEP04	02:45	Operator Release	0.0	A1PXXXY423785		XXxxXXxx
		5126.0 AFHR		P. ELDREDGE		
17SEP04	04:42	Asset Comments	0.0	A1PXXXY423786		XXxxXXxx
		5127.2 AFHR		372901	LAST ACOP 372901	
17SEP04	04:44	Operator Release	0.0	A1PXXXY423825		XXxxXXxx
		5127.2 AFHR		P. ELDREDGE		
19SEP04	23:15	Initiate Toolboard	xxxx	A1PXXXY423826		XXxxXXxx
		5128.4 AFHR		14 B/F		
20SEP04	00:44	Operator Release	0.0	P. GREEN		
		5128.4 AFHR		A1PXXXY423878		XXxxXXxx
20SEP04	00:46	Asset Comments	0.0	372902	LAST ACOP 372902	
		5129.4 AFHR		A1PXXXY423880		XXxxXXxx
21SEP04	04:17	Asset Comments	0.0	372904	LAST ACOP 372904	
		5129.4 AFHR		A1PXXXY423990		XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01754  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
21SEP04	04:18	Operator Release	5129.4 AFHR	0.0	C. SHERIDAN A1PXXXY423991	XXxxXXxx
21SEP04	04:19	Operator Release	5130.8 AFHR	0.0	C. SHERIDAN A1PXXXY423992	XXxxXXxx
21SEP04	08:12	Asset Comments	5132.1 AFHR	0.0	372905 LAST ACOP 372905 A1PXXXY424025	XXxxXXxx
21SEP04	08:13	Operator Release	5132.1 AFHR	0.0	D. WYNHOVEN A1PXXXY424026	XXxxXXxx
21SEP04	09:03	Initiate Toolboard	5133.9 AFHR	xxxx	14 B/F	XXxxXXxx
21SEP04	09:04	Clear Toolboard	5133.9 AFHR	xxxx	14	XXxxXXxx
21SEP04	22:58	Change Serviceability Stat	5133.9 AFHR	5.4	U/S SERV A1PXXXY424057	XXxxXXxx
21SEP04	22:58	Maintenance Release	5133.9 AFHR	0.0	M PEA A A1PXXXY424058	XXxxXXxx
22SEP04	00:47	Into Maintenance	5133.9 AFHR	0.0	A A1PXXOY409633	XXxxXXxx
22SEP04	00:48	Change Serviceability Stat	5133.9 AFHR	0.0	SERV U/S A1PXXUY412695	XXxxXXxx
22SEP04	01:06	Change Serviceability Stat	5133.9 AFHR	0.0	SERV A1PXXXY424066	XXxxXXxx
22SEP04	06:58	Asset Comments	5133.9 AFHR	0.0	372906 LAST ACOP 372906 A1PXXXY424137	XXxxXXxx
22SEP04	07:00	Operator Release	5133.9 AFHR	0.0	B. SNYMAN A1PXXXY424138	XXxxXXxx
22SEP04	08:46	Change Serviceability Stat	5135.8 AFHR	0.3	SERV U/S A1PXXUY412745	XXxxXXxx
22SEP04	11:18	Initiate Toolboard	5135.8 AFHR	xxxx	14 B/F	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01755  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
22SEP04 22:18	Change Serviceability Stat	0.5	U/S SERV	
	5135.8 AFHR		A1PXXXY424166	XXxxXXxx
22SEP04 22:18	Clear Toolboard	xxxx	14	
	5135.8 AFHR			XXxxXXxx
22SEP04 22:19	Maintenance Release	0.0	M PEA	
	5135.8 AFHR		A A1PXXXY424167	XXxxXXxx
23SEP04 01:40	Into Maintenance	0.1	A	
	5135.8 AFHR		A1PXXOY409682	XXxxXXxx
23SEP04 02:20	Asset Comments	0.0	372907	LAST ACOP 372907
	5135.8 AFHR		A1PXXXY424176	XXxxXXxx
23SEP04 05:31	Change Serviceability Stat	0.1	SERV	
	5136.7 AFHR		U/S A1PXXUY412780	XXxxXXxx
23SEP04 09:28	Initiate Toolboard	xxxx	14 B/F	
	5136.7 AFHR			XXxxXXxx
24SEP04 03:07	Clear Toolboard	xxxx	14	
	5136.7 AFHR			XXxxXXxx
24SEP04 03:11	Maintenance Release	0.9	M PEA	
	5136.7 AFHR		A A1PXXXY424315	XXxxXXxx
	Change Serviceability Stat	0.9	U/S SERV	
26SEP04 23:57	Into Maintenance	2.8	A	
	5136.7 AFHR		A1PXXOY409760	XXxxXXxx
27SEP04 00:01	Initiate Toolboard	xxxx	14 B/F	
	5136.7 AFHR			XXxxXXxx
27SEP04 03:16	Operator Release	0.0	P. GREEN	
	5136.7 AFHR		A1PXXXY424401	XXxxXXxx
27SEP04 03:17	Asset Comments	0.0	372908	LAST ACOP 372908
	5137.3 AFHR		A1PXXXY424402	XXxxXXxx
27SEP04 08:47	Initiate Toolboard	xxxx	14 B/F	
	5137.3 AFHR			XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01756  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----				
TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN(DYS) FROM	TO (OPTIONAL)	USER
				TRANS REFERENCE		
=====						
28SEP04	06:39	Change Serviceability Stat		1.2	SERV	
					U/S	
			5137.3 AFHR		A1PXXUY412935	XXxxXXxx
04OCT04	22:49	Initiate Toolboard		xxxx	14 B/F	
			5137.3 AFHR			XXxxXXxx
05OCT04	09:27	Initiate Toolboard		xxxx	14 B/F	
			5137.3 AFHR			XXxxXXxx
05OCT04	10:45	Clear Toolboard		xxxx	14	
			5137.3 AFHR			XXxxXXxx
05OCT04	10:47	Maintenance Release		7.1	M PEA	
					A	
			5137.3 AFHR		A1PXXXY425054	XXxxXXxx
		Change Serviceability Stat		7.1	U/S	
05OCT04	10:54	Into Maintenance		0.0	SERV	
					A	
			5137.3 AFHR		M PEA	
05OCT04	10:55	Maintenance Release		0.0	A1PXXOY410039	XXxxXXxx
					M PEA	
					A	
			5137.3 AFHR		A1PXXXY425057	XXxxXXxx
07OCT04	06:30	Into Maintenance		1.8	A	
			5137.3 AFHR		A1PXXOY410096	XXxxXXxx
07OCT04	06:31	Asset Comments		0.0	372910	LAST ACOP 372910
			5138.5 AFHR		A1PXXXY425175	XXxxXXxx
07OCT04	09:19	Asset Comments		0.0	372911	LAST ACOP 372911
			5138.5 AFHR		A1PXXXY425230	XXxxXXxx
07OCT04	09:20	Operator Release		0.0	J. O'NEILL	
			5138.5 AFHR		A1PXXXY425233	XXxxXXxx
07OCT04	09:55	Change Serviceability Stat		0.1	SERV	
					U/S	
			5140.0 AFHR		A1PXXUY413387	XXxxXXxx
08OCT04	07:33	Asset Comments		0.0	372912	LAST ACOP 372912
			5140.0 AFHR		A1PXXXY425331	XXxxXXxx
08OCT04	07:34	Operator Release		0.0	C. HOLLAND	
			5140.0 AFHR		A1PXXXY425332	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01757  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
08OCT04	07:39	Asset Comments		0.0	372913 LAST ACOP 372913	
		5141.7 AFHR			A1PXXXY425339	XXxxXXxx
08OCT04	07:39	Operator Release		0.0	C. HOLLAND	
		5141.7 AFHR			A1PXXXY425340	XXxxXXxx
10OCT04	22:12	Operator Release		0.0	P. GREEN	
		5142.9 AFHR			A1PXXXY425343	XXxxXXxx
10OCT04	22:13	Asset Comments		0.0	372914 LAST ACOP 372914	
		5143.9 AFHR			A1PXXXY425344	XXxxXXxx
10OCT04	22:58	Initiate Toolboard		xxxx	14 B/F	
		5143.9 AFHR				XXxxXXxx
10OCT04	22:59	Clear Toolboard		xxxx	14	
		5143.9 AFHR				XXxxXXxx
10OCT04	23:56	Maintenance Release		3.5	M PEA	
		5143.9 AFHR			A	
		Change Serviceability Stat		3.5	A1PXXXY425356	XXxxXXxx
					U/S	
					SERV	
11OCT04	02:45	Into Maintenance		0.1	A	
		5143.9 AFHR			A1PXXOY410172	XXxxXXxx
11OCT04	04:12	Asset Comments		0.0	372915 LAST ACOP 372915	
		5145.2 AFHR			A1PXXXY425382	XXxxXXxx
14OCT04	01:45	Change Serviceability Stat		2.9	SERV	
		5145.2 AFHR			U/S	
					A1PXXUY413708	XXxxXXxx
19OCT04	09:52	Initiate Toolboard		xxxx	14 B/F	
		5145.2 AFHR				XXxxXXxx
19OCT04	09:53	Clear Toolboard		xxxx	14	
		5145.2 AFHR				XXxxXXxx
19OCT04	11:11	Maintenance Release		5.3	M PEA	
		5145.2 AFHR			A	
		Change Serviceability Stat		5.3	A1PXXXY426091	XXxxXXxx
					U/S	
					SERV	
20OCT04	01:41	Asset Comments		0.0	372916 LAST ACOP 372916	
		5145.2 AFHR			A1PXXXY426100	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01758  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----		-----		-----	
TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE	NEW	TRANS REFERENCE			
=====		=====	=====	=====		=====	
20OCT04	01:41	Into Maintenance		0.6	A		
		5145.2	AFHR		M PEA		
20OCT04	05:11	Asset Comments		0.0	A1PXXOY410499		XXxxXXxx
		5145.7	AFHR		372917	LAST ACOP 372917	
20OCT04	05:12	Operator Release		0.0	A1PXXXY426122		XXxxXXxx
		5145.7	AFHR		A. DEWHURST		
20OCT04	07:39	Asset Comments		0.0	A1PXXXY426123		XXxxXXxx
		5146.9	AFHR		372918	LAST ACOP 372918	
20OCT04	07:40	Operator Release		0.0	A1PXXXY426178		XXxxXXxx
		5146.9	AFHR		A. COOK		
20OCT04	08:44	Asset Comments		0.0	A1PXXXY426179		XXxxXXxx
		5148.2	AFHR		372919	LAST ACOP 372919	
20OCT04	08:45	Operator Release		0.0	A1PXXXY426197		XXxxXXxx
		5148.2	AFHR		A. COOK		
20OCT04	09:44	Initiate Toolboard		xxxx	A1PXXXY426198		XXxxXXxx
		5149.4	AFHR		14 B/F		
20OCT04	10:45	Clear Toolboard		xxxx	14		XXxxXXxx
		5149.4	AFHR				
20OCT04	10:46	Maintenance Release		0.3	M PEA		
		5149.4	AFHR		A		
20OCT04	12:07	Into Maintenance		0.0	A1PXXXY426213		XXxxXXxx
		5149.4	AFHR		A		
20OCT04	12:07	Change Serviceability Stat		0.0	A1PXXOY410573		XXxxXXxx
		5149.4	AFHR		SERV		
20OCT04	12:15	Maintenance Release		0.0	U/S		
		5149.4	AFHR		A1PXXUY414011		XXxxXXxx
		5149.4	AFHR		M PEA		
		Change Serviceability Stat		0.0	A		
					A1PXXXY426217		XXxxXXxx
					U/S		
21OCT04	04:18	Asset Comments		0.0	SERV		
		5149.4	AFHR		372920	LAST ACOP 372920	
21OCT04	04:18	Into Maintenance		0.6	A1PXXXY426272		XXxxXXxx
		5149.4	AFHR		A		
					A1PXXOY410609		XXxxXXxx



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01759  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
21OCT04	04:42	Asset Comments	5150.6 AFHR	0.0	372921 LAST ACOP 372921	
21OCT04	04:43	Operator Release	5150.6 AFHR	0.0	A1PXXXY426275 C. RIDLEY	XXxxXXxx
21OCT04	08:58	Change Serviceability Stat	5151.9 AFHR	0.1	A1PXXXY426276 SERV U/S	XXxxXXxx
21OCT04	22:08	Operator Release	5151.9 AFHR	0.0	A1PXXUY414094 P. GREEN	XXxxXXxx
21OCT04	22:15	Asset Comments	5153.6 AFHR	0.0	A1PXXXY426305 372922 LAST ACOP 372922	XXxxXXxx
21OCT04	22:33	Operator Release	5153.6 AFHR	0.0	A1PXXXY426316 P. GREEN	XXxxXXxx
22OCT04	00:50	Change Serviceability Stat	5153.7 AFHR	0.6	A1PXXXY426324 SERV U/S	XXxxXXxx
24OCT04	23:05	Initiate Toolboard	5153.7 AFHR	xxxx	A1PXXXY426339 14 B/F	XXxxXXxx
24OCT04	23:13	Clear Toolboard	5153.7 AFHR	xxxx	14	XXxxXXxx
24OCT04	23:14	Maintenance Release	5153.7 AFHR	2.9	M PEA A	
25OCT04	02:00	Into Maintenance	5153.7 AFHR	0.1	A1PXXXY426413 A	XXxxXXxx
25OCT04	03:24	Asset Comments	5153.7 AFHR	0.0	A1PXXXY426464 M PEA	XXxxXXxx
25OCT04	06:47	Asset Comments	5154.9 AFHR	0.0	A1PXXXY410691 372923 LAST ACOP 372923	XXxxXXxx
25OCT04	06:47	Operator Release	5154.9 AFHR	0.0	A1PXXXY426487 372924 LAST ACOP 372924	XXxxXXxx
25OCT04	07:43	Asset Comments	5156.1 AFHR	0.0	A1PXXXY426488 P. ELDRIDGE	XXxxXXxx
25OCT04	07:44	Operator Release	5156.1 AFHR	0.0	A1PXXXY426503 372925 LAST ACOP 372925	XXxxXXxx
					A1PXXXY426504 P. ELDRIDGE	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01760  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
25OCT04	09:22	Initiate Toolboard	5157.6 AFHR	xxxx	14 B/F	XXxxXXxx
25OCT04	09:23	Clear Toolboard	5157.6 AFHR	xxxx	14	XXxxXXxx
25OCT04	11:11	Maintenance Release	5157.6 AFHR	0.3	M PEA A A1PXXXY426520	XXxxXXxx
26OCT04	03:10	Into Maintenance	5157.6 AFHR	0.6	A M PEA A1PXXOY410755	XXxxXXxx
26OCT04	04:01	Asset Comments	5157.6 AFHR	0.0	372926 LAST ACOP 372926	XXxxXXxx
26OCT04	07:12	Asset Comments	5158.8 AFHR	0.0	372927 LAST ACOP 372926	XXxxXXxx
26OCT04	07:13	Operator Release	5158.8 AFHR	0.0	A1PXXXY426595 C. HOLLAND	XXxxXXxx
26OCT04	08:48	Asset Comments	5160.4 AFHR	0.0	372928 LAST ACOP 372928	XXxxXXxx
26OCT04	08:48	Operator Release	5160.4 AFHR	0.0	A1PXXXY426634 P. ELDREDGE	XXxxXXxx
26OCT04	11:49	Initiate Toolboard	5162.0 AFHR	xxxx	14 B/F	XXxxXXxx
26OCT04	11:50	Clear Toolboard	5162.0 AFHR	xxxx	14	XXxxXXxx
26OCT04	11:50	Maintenance Release	5162.0 AFHR	0.3	M PEA A A1PXXXY426653	XXxxXXxx
27OCT04	05:45	Into Maintenance	5162.0 AFHR	0.7	A M PEA A1PXXOY410820	XXxxXXxx
27OCT04	05:46	Asset Comments	5162.0 AFHR	0.0	372929 LAST ACOP 372929	XXxxXXxx
27OCT04	05:47	Operator Release	5162.0 AFHR	0.0	A1PXXXY426705 C. HOLLAND	XXxxXXxx
27OCT04	08:47	Asset Comments	5163.2 AFHR	0.0	A1PXXXY426706 372930 LAST ACOP 372930	XXxxXXxx
					A1PXXXY426745	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01761  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
27OCT04	08:48	Operator Release	5163.2 AFHR	0.0	P. ELDREDGE A1PXXXY426746	XXxxXXxx
27OCT04	09:45	Initiate Toolboard	5164.9 AFHR	xxxx	14 B/F	XXxxXXxx
27OCT04	12:58	Clear Toolboard	5164.9 AFHR	xxxx	14	XXxxXXxx
27OCT04	13:09	Maintenance Release	5164.9 AFHR	0.3	M PEA A A1PXXXY426757	XXxxXXxx
28OCT04	04:01	Into Maintenance	5164.9 AFHR	0.6	A M PEA A1PXXOY410890	XXxxXXxx
28OCT04	04:02	Asset Comments	5164.9 AFHR	0.0	372931 LAST ACOP 372931	XXxxXXxx
28OCT04	04:02	Operator Release	5164.9 AFHR	0.0	A1PXXXY426827 C. HOLLAND	XXxxXXxx
28OCT04	06:48	Asset Comments	5166.1 AFHR	0.0	372932 LAST ACOP 372932	XXxxXXxx
28OCT04	06:48	Operator Release	5166.1 AFHR	0.0	A1PXXXY426846 C. HOLLAND	XXxxXXxx
28OCT04	08:48	Asset Comments	5167.1 AFHR	0.0	A1PXXXY426847 372933 LAST ACOP 372933	XXxxXXxx
28OCT04	08:49	Operator Release	5167.1 AFHR	0.0	A1PXXXY426878 P. ELDREDGE	XXxxXXxx
28OCT04	09:09	Initiate Toolboard	5168.3 AFHR	xxxx	A1PXXXY426879 14 B/F	XXxxXXxx
28OCT04	09:09	Clear Toolboard	5168.3 AFHR	xxxx	14	XXxxXXxx
28OCT04	09:09	Maintenance Release	5168.3 AFHR	0.2	M PEA A A1PXXXY426898	XXxxXXxx
28OCT04	11:45	Into Maintenance	5168.3 AFHR	0.1	A A1PXXOY410917	XXxxXXxx
28OCT04	11:45	Change Serviceability Stat	5168.3 AFHR	0.0	SERV U/S A1PXXUY414377	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01762  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
28OCT04	23:47	Maintenance Release	0.5	M PEA A A1PXXXY426976		XXxxXXxx
		5168.3 AFHR Change Serviceability Stat	0.5	U/S SERV 372934	LAST ACOP 372934	
29OCT04	03:18	Asset Comments	0.0	A1PXXXY427016		XXxxXXxx
29OCT04	03:18	Into Maintenance	0.1	A M PEA A1PXXOY410974		XXxxXXxx
29OCT04	05:50	Asset Comments	0.0	372935	LAST ACOP 372935	
		5169.5 AFHR		A1PXXXY427039		XXxxXXxx
29OCT04	05:51	Operator Release	0.0	P. ELDRIDGE A1PXXXY427040		XXxxXXxx
		5169.5 AFHR		P. GREEN A1PXXXY427066		XXxxXXxx
31OCT04	22:18	Operator Release	0.0	14 B/F		XXxxXXxx
31OCT04	22:24	Initiate Toolboard	xxxx	14		XXxxXXxx
		5171.9 AFHR				XXxxXXxx
31OCT04	22:25	Clear Toolboard	xxxx			XXxxXXxx
		5171.9 AFHR				XXxxXXxx
31OCT04	22:28	Asset Comments	0.0	372936	LAST ACOP 372936	
		5171.9 AFHR		A1PXXXY427077		XXxxXXxx
01NOV04	02:46	Maintenance Release	2.9	M PEA A A1PXXXY427100		XXxxXXxx
01NOV04	03:41	Into Maintenance	0.0	A M PEA A1PXXOY411025		XXxxXXxx
01NOV04	04:31	Asset Comments	0.0	372937	LAST ACOP 372937	
		5171.9 AFHR		A1PXXXY427129		XXxxXXxx
01NOV04	07:47	Asset Comments	0.0	372938	LAST ACOP 372937	
		5173.1 AFHR		A1PXXXY427152		XXxxXXxx
01NOV04	07:47	Operator Release	0.0	G. HINDER A1PXXXY427153		XXxxXXxx
		5173.1 AFHR		14 B/F		XXxxXXxx
01NOV04	11:03	Initiate Toolboard	xxxx			XXxxXXxx
		5174.3 AFHR				XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01763  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
01NOV04	11:04	Clear Toolboard		xxxx	14	
		5174.3	AFHR			XXxxXXxx
01NOV04	11:10	Maintenance Release		0.3	M PEA	
		5174.3	AFHR		A	
		5174.3	AFHR		A1PXXXY427179	XXxxXXxx
02NOV04	08:40	Asset Comments		0.0	372939	LAST ACOP 372939
		5174.3	AFHR		A1PXXXY427282	XXxxXXxx
02NOV04	08:40	Into Maintenance		0.8	A	
		5174.3	AFHR		M PEA	
02NOV04	09:39	Initiate Toolboard		xxxx	A1PXXOY411083	XXxxXXxx
		5175.6	AFHR		14 B/F	XXxxXXxx
02NOV04	09:40	Clear Toolboard		xxxx	14	
		5175.6	AFHR			XXxxXXxx
02NOV04	12:08	Maintenance Release		0.1	M PEA	
		5175.6	AFHR		A	
03NOV04	05:38	Into Maintenance		0.7	A1PXXXY427341	XXxxXXxx
		5175.6	AFHR		A	
		5175.6	AFHR		M PEA	
03NOV04	06:34	Asset Comments		0.0	A1PXXOY411127	XXxxXXxx
		5175.6	AFHR		372940	LAST ACOP 372940
03NOV04	10:48	Asset Comments		0.0	A1PXXXY427442	XXxxXXxx
		5176.8	AFHR		372941	LAST ACOP 372941
03NOV04	10:49	Operator Release		0.0	A1PXXXY427491	XXxxXXxx
		5176.8	AFHR		P. MOSCHER	
03NOV04	11:40	Initiate Toolboard		xxxx	A1PXXXY427492	XXxxXXxx
		5178.3	AFHR		14 B/F	XXxxXXxx
03NOV04	11:41	Clear Toolboard		xxxx	14	
		5178.3	AFHR			XXxxXXxx
03NOV04	11:41	Maintenance Release		0.2	M PEA	
		5178.3	AFHR		A	
03NOV04	12:35	Into Maintenance		0.0	A1PXXXY427501	XXxxXXxx
		5178.3	AFHR		A	
					A1PXXOY411154	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01764  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
LIFE SINCE NEW				
03NOV04 12:38	Change Serviceability Stat	0.0	SERV U/S A1PXXUY414689	XXxxXXxx
03NOV04 14:00	Change Serviceability Stat	0.0	SERV U/S A1PXXXY427506	XXxxXXxx
03NOV04 14:10	Maintenance Release	0.0	M PEA A A1PXXXY427511	XXxxXXxx
04NOV04 02:04	Into Maintenance	0.4	A A1PXXOY411184	XXxxXXxx
04NOV04 05:22	Asset Comments	0.0	372942 LAST ACOP 372942	XXxxXXxx
04NOV04 09:22	Asset Comments	0.0	A1PXXXY427572 372943 LAST ACOP 372943	XXxxXXxx
04NOV04 09:23	Operator Release	0.0	A1PXXXY427582 P. MOSCHER	XXxxXXxx
04NOV04 09:37	Asset Comments	0.0	A1PXXXY427583 372944 LAST ACOP 372944	XXxxXXxx
04NOV04 09:37	Operator Release	0.0	A1PXXXY427592 P. MOSCHER	XXxxXXxx
04NOV04 09:51	Asset Comments	0.0	A1PXXXY427593 372945 LAST ACOP 372945	XXxxXXxx
04NOV04 09:52	Operator Release	0.0	A1PXXXY427617 P. MOSCHER	XXxxXXxx
04NOV04 10:03	Initiate Toolboard	xxxx	A1PXXXY427618 14 B/F	XXxxXXxx
04NOV04 10:03	Clear Toolboard	xxxx	14	XXxxXXxx
04NOV04 14:18	Change Serviceability Stat	0.5	SERV U/S A1PXXUY414740	XXxxXXxx
04NOV04 22:47	Operator Release	0.0	P. GREEN A1PXXXY427671	XXxxXXxx
04NOV04 22:50	Asset Comments	0.0	372946 LAST ACOP 372946	XXxxXXxx
			A1PXXXY427677	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01765  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
05NOV04	01:01	Maintenance Release	0.4	M PEA A		
		5184.1 AFHR		A1PXXXY427689		XXxxXXxx
		Change Serviceability Stat	0.4	U/S SERV		
05NOV04	06:37	Into Maintenance	0.2	A M PEA		
		5184.1 AFHR		A1PXXOY411253		XXxxXXxx
05NOV04	09:36	Asset Comments	0.0	372947	LAST ACOP 372947	
		5184.1 AFHR		A1PXXXY427729		XXxxXXxx
07NOV04	22:51	Initiate Toolboard	xxxx	14 B/F		
		5187.1 AFHR				XXxxXXxx
08NOV04	00:14	Clear Toolboard	xxxx	14		
		5187.1 AFHR				XXxxXXxx
08NOV04	00:14	Maintenance Release	2.7	M PEA A		
		5187.1 AFHR		A1PXXXY427766		XXxxXXxx
08NOV04	04:10	Asset Comments	0.0	372948	LAST ACOP 372948	
		5187.1 AFHR		A1PXXXY427806		XXxxXXxx
08NOV04	04:11	Into Maintenance	0.1	A M PEA		
		5187.1 AFHR		A1PXXOY411268		XXxxXXxx
08NOV04	08:50	Initiate Toolboard	xxxx	14 B/F		
		5188.4 AFHR				XXxxXXxx
08NOV04	13:03	Operator Release	0.0	W. SIMPSON		
		5188.4 AFHR		A1PXXXY427857		XXxxXXxx
08NOV04	13:04	Asset Comments	0.0	372949	LAST ACOP 372949	
		5189.3 AFHR		A1PXXXY427858		XXxxXXxx
08NOV04	23:34	Clear Toolboard	xxxx	14		
		5189.3 AFHR				XXxxXXxx
08NOV04	23:35	Maintenance Release	0.8	M PEA A		
		5189.3 AFHR		A1PXXXY427886		XXxxXXxx
09NOV04	05:07	Asset Comments	0.0	372950	LAST ACOP 372950	
		5189.3 AFHR		A1PXXXY427926		XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01766  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----				
TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN(DYS) FROM	TO (OPTIONAL)	USER
=====	=====	=====	=====	=====	=====	=====
09NOV04	05:07	Into Maintenance		0.2	A	
					M PEA	
					A1PXXOY411327	XXxxXXxx
09NOV04	07:14	Operator Release	5189.3 AFHR	0.0	W. SIMPSON	
			5190.7 AFHR		A1PXXXY427938	XXxxXXxx
09NOV04	07:15	Asset Comments		0.0	364101	LAST ACOP 364101
			5191.5 AFHR		A1PXXXY427939	XXxxXXxx
09NOV04	08:09	Initiate Toolboard		xxxx	14 B/F	
			5191.5 AFHR			XXxxXXxx
09NOV04	22:45	Clear Toolboard		xxxx	14	
			5191.5 AFHR			XXxxXXxx
09NOV04	22:45	Maintenance Release		0.7	M PEA	
			5191.5 AFHR		A	
					A1PXXXY427966	XXxxXXxx
09NOV04	23:19	Into Maintenance		0.0	A	
			5191.5 AFHR		M PEA	
					A1PXXOY411356	XXxxXXxx
10NOV04	03:01	Asset Comments		0.0	364102	LAST ACOP 364102
			5191.5 AFHR		A1PXXXY427986	XXxxXXxx
10NOV04	03:02	Operator Release		0.0	D. WYNHOVEN	
			5191.5 AFHR		A1PXXXY427987	XXxxXXxx
10NOV04	04:59	Asset Comments		0.0	364103	LAST ACOP 364103
			5192.8 AFHR		A1PXXXY428010	XXxxXXxx
10NOV04	05:00	Operator Release		0.0	C. SHERIDAN	
			5192.8 AFHR		A1PXXXY428011	XXxxXXxx
11NOV04	00:28	Initiate Toolboard		xxxx	14 B/F	
			5193.6 AFHR			XXxxXXxx
11NOV04	00:29	Clear Toolboard		xxxx	14	
			5193.6 AFHR			XXxxXXxx
11NOV04	00:29	Maintenance Release		1.0	M PEA	
					A	
			5193.6 AFHR		A1PXXXY428092	XXxxXXxx
11NOV04	06:09	Into Maintenance		0.2	A	
			5193.6 AFHR		A1PXXOY411413	XXxxXXxx
11NOV04	06:11	Operator Release		0.0	W. SIMPSON	
			5193.6 AFHR		A1PXXXY428105	XXxxXXxx



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01767  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
11NOV04 06:11	Asset Comments		5194.6 AFHR	0.0	364105 LAST ACOP 364105 A1PXXXY428106	XXxxXXxx
11NOV04 07:15	Operator Release		5194.6 AFHR	0.0	W. SIMPSON A1PXXXY428150	XXxxXXxx
11NOV04 07:16	Asset Comments		5195.6 AFHR	0.0	364106 LAST ACOP 364106 A1PXXXY428151	XXxxXXxx
11NOV04 10:53	Change Serviceability Stat			0.1	SERV U/S	
11NOV04 21:59	Operator Release		5195.6 AFHR	0.0	A1PXXUY415182 P. GREEN	XXxxXXxx
16NOV04 08:43	Initiate Toolboard		5195.6 AFHR	xxxx	A1PXXXY428170 14 B/F	XXxxXXxx
17NOV04 00:25	Clear Toolboard		5195.6 AFHR	xxxx	14	XXxxXXxx
17NOV04 00:26	Maintenance Release			5.5	M PEA A	
	Change Serviceability Stat		5195.6 AFHR	5.5	A1PXXXY428207 U/S	XXxxXXxx
17NOV04 02:30	Into Maintenance			0.0	SERV A	
17NOV04 03:38	Asset Comments		5195.6 AFHR	0.0	A1PXXOY411474 364107 LAST ACOP 364107	XXxxXXxx
17NOV04 23:58	Asset Comments		5195.6 AFHR	0.0	A1PXXXY428225 JKOT LAST ACOP 364107	XXxxXXxx
23NOV04 05:47	Change Serviceability Stat		5196.9 AFHR	6.1	A1PXXXY428283 SERV U/S	XXxxXXxx
08APR05 05:05	Asset Comments		5196.9 AFHR	0.0	A1PXXUY415820 364110 LAST ACOP 364110	XXxxXXxx
08APR05 06:12	Asset Comments		5197.9 AFHR	0.0	A1PXXXY505438 364111 LAST ACOP 364111	XXxxXXxx
11APR05 00:47	Maintenance Comment		5197.9 AFHR	0.0	A1PXXXY505444 MAR50 DESIGN DEVIATION A23/06/2005 INC AT AIRFLITE JANDAKOT A1PXXXY505473	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01768  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
					TRANS REFERENCE		
11APR05	04:53	Initiate Toolboard	5197.9 AFHR	xxxx	14 B/F		XXxxXXxx
11APR05	04:53	Clear Toolboard	5197.9 AFHR	xxxx	14		XXxxXXxx
11APR05	06:09	Create/Amend Basic Weight	5197.9 AFHR	579.0	1734.75 4275.7 0.00 0.00	1732.50 4267.2 7393.03 0.00	XXxxXXxx
		Maintenance Comment		0.0	A1PXXXY505507	LAST WEIGH 07APR05	
11APR05	08:06	Asset Comments	5197.9 AFHR	0.0	364112	LAST ACOP 364112	XXxxXXxx
11APR05	09:18	Initiate Toolboard	5198.5 AFHR	xxxx	14 B/F		XXxxXXxx
12APR05	05:13	Asset Comments	5198.5 AFHR	0.0	364113	LAST ACOP 364113	XXxxXXxx
12APR05	06:04	Asset Comments	5199.8 AFHR	0.0	364114	LAST ACOP 364114	XXxxXXxx
12APR05	09:35	Initiate Toolboard	5199.8 AFHR	xxxx	14 B/F		XXxxXXxx
12APR05	09:36	Clear Toolboard	5199.8 AFHR	xxxx	14		XXxxXXxx
13APR05	05:02	Maintenance Comment	5199.8 AFHR	0.0	LIF START CHANGED - OLD VALUE= 50000.0	NEW VALUE= 2261.0	XXxxXXxx
13APR05	09:07	Initiate Toolboard	5199.8 AFHR	xxxx	14 B/F		XXxxXXxx
13APR05	09:09	Clear Toolboard	5199.8 AFHR	xxxx	14		XXxxXXxx
13APR05	09:33	Asset Comments	5199.8 AFHR	0.0	364115	LAST ACOP 364115	XXxxXXxx
22APR05	03:06	Asset Comments	5201.2 AFHR	0.0	364116	LAST ACOP 364116	XXxxXXxx
25APR05	01:26	Initiate Toolboard	5201.2 AFHR	xxxx	14 B/F		XXxxXXxx
25APR05	01:27	Clear Toolboard	5201.2 AFHR	xxxx	14		XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01769  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
25APR05 01:31	Maintenance Release	152.8	M PEA A A1PXXXY506340	XXxxXXxx
	5201.2 AFHR Change Serviceability Stat	152.8	U/S SERV	
25APR05 03:50	Maintenance Comment Into Maintenance	0.0	KNOWN BUILD ANOMOLIES A A1PXXOY503021	XXxxXXxx
25APR05 05:04	Asset Comments	0.0	364117 LAST ACOP 364117	
25APR05 07:47	Initiate Toolboard	xxxx	A1PXXXY506343 14 B/F	XXxxXXxx
25APR05 07:48	Clear Toolboard	xxxx	14	XXxxXXxx
25APR05 22:33	Change Serviceability Stat	0.7	SERV U/S A1PXXUY508584	XXxxXXxx
26APR05 00:12	Maintenance Release	0.0	M PEA A A1PXXXY506372	XXxxXXxx
	5202.5 AFHR Change Serviceability Stat	0.0	U/S SERV A	
26APR05 01:40	Into Maintenance	0.0	M PEA A1PXXOY503049	XXxxXXxx
26APR05 03:01	Asset Comments	0.0	364118 LAST ACOP 364118	
26APR05 03:55	Create/Amend Basic Weight	14.9	A1PXXXY506386 1732.50 4267.2 7393.03 0.00 1727.00 4270.9 7375.86 0.00	XXxxXXxx
	5203.3 AFHR Maintenance Comment	0.0	A1PXXXY506390 LAST WEIGH 20 APRIL 05	XXxxXXxx
26APR05 08:23	Asset Comments	0.0	364120 LAST ACOP 364120	
26APR05 09:06	Initiate Toolboard	xxxx	A1PXXXY506403 14 B/F	XXxxXXxx
	5205.8 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01770  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
26APR05	09:07	Clear Toolboard		xxxx	14	
		5205.8	AFHR			XXxxXXxx
26APR05	09:56	Maintenance Release		0.3	M PEA	
		5205.8	AFHR		A	
					A1PXXXY506412	XXxxXXxx
27APR05	04:25	Into Maintenance		0.7	A	
		5205.8	AFHR		M PEA	
					A1PXXOY503147	XXxxXXxx
27APR05	05:33	Asset Comments		0.0	364121	LAST ACOP 364121
		5207.1	AFHR		A1PXXXY506453	XXxxXXxx
27APR05	08:14	Asset Comments		0.0	364122	LAST ACOP 3641221
		5207.1	AFHR		A1PXXXY506466	XXxxXXxx
27APR05	09:45	Initiate Toolboard		xxxx	14 B/F	
		5208.5	AFHR			XXxxXXxx
27APR05	09:46	Clear Toolboard		xxxx	14	
		5208.5	AFHR			XXxxXXxx
27APR05	23:15	Maintenance Release		0.7	M PEA	
		5208.5	AFHR		A	
					A1PXXXY506478	XXxxXXxx
28APR05	05:56	Into Maintenance		0.2	A	
		5208.5	AFHR		A1PXXOY503213	XXxxXXxx
28APR05	07:00	Asset Comments		0.0	364122	LAST ACOP 364123
		5209.6	AFHR		A1PXXXY506549	XXxxXXxx
28APR05	07:11	Change Serviceability Stat		0.0	SERV	
		5209.6	AFHR		U/S	
					A1PXXUY508514	XXxxXXxx
28APR05	09:06	Initiate Toolboard		xxxx	14 B/F	
		5209.6	AFHR			XXxxXXxx
28APR05	09:07	Clear Toolboard		xxxx	14	
		5209.6	AFHR			XXxxXXxx
28APR05	23:30	Maintenance Release		0.6	M PEA	
		5209.6	AFHR		A	
					A1PXXXY506582	XXxxXXxx
		Change Serviceability Stat		0.6	U/S	
					SERV	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01771  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
29APR05	02:00	Into Maintenance	0.1	A		
		5209.6 AFHR		M PEA		
29APR05	03:02	Asset Comments	0.0	A1PXXOY503227		XXxxXXxx
		5210.8 AFHR		364124	LAST ACOP 364124	
29APR05	05:19	Asset Comments	0.0	A1PXXXY506598		XXxxXXxx
		5210.8 AFHR		364125	LAST ACOP 364125	
01MAY05	22:36	Initiate Toolboard	xxxx	A1PXXXY506620		XXxxXXxx
		5212.0 AFHR		14 B/F		
01MAY05	23:31	Clear Toolboard	xxxx	14		XXxxXXxx
		5212.0 AFHR				
01MAY05	23:31	Maintenance Release	2.8	M PEA		
		5212.0 AFHR		A		
02MAY05	09:12	Into Maintenance	0.4	A1PXXXY506644		XXxxXXxx
		5212.0 AFHR		A		
02MAY05	09:13	Initiate Toolboard	xxxx	A1PXXOY503323		XXxxXXxx
		5212.0 AFHR		14 B/F		
02MAY05	09:18	Clear Toolboard	xxxx	14		XXxxXXxx
		5212.0 AFHR				
03MAY05	11:52	Initiate Toolboard	xxxx	14 B/F		XXxxXXxx
		5212.0 AFHR				
03MAY05	22:24	Asset Comments	0.0	364126	LAST ACOP 364126	
		5212.0 AFHR		A1PXXXY506764		XXxxXXxx
03MAY05	23:10	Change Serviceability Stat	1.5	SERV		
		5212.0 AFHR		U/S		
03MAY05	23:29	Clear Toolboard	xxxx	A1PXXUY508751		XXxxXXxx
		5212.0 AFHR		14		
03MAY05	23:29	Maintenance Release	0.0	M PEA		
		5212.0 AFHR		A		
		Change Serviceability Stat	0.0	A1PXXXY506773		XXxxXXxx
				U/S		
				SERV		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01772  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
04MAY05	02:15	Into Maintenance	0.1	A		
		5212.0 AFHR		M PEA		
04MAY05	03:57	Asset Comments	0.0	A1PXXOY503397		XXxxXXxx
		5212.3 AFHR		364127	LAST ACOP 364127	
04MAY05	05:21	Asset Comments	0.0	A1PXXXY506804		XXxxXXxx
		5212.3 AFHR		364128	LAST ACOP 364128	
04MAY05	07:22	Asset Comments	0.0	A1PXXXY506809		XXxxXXxx
		5213.5 AFHR		364130	LAST ACOP 364130	
04MAY05	10:30	Initiate Toolboard	xxxx	A1PXXXY506814		XXxxXXxx
		5214.7 AFHR		14 B/F		
04MAY05	22:28	Clear Toolboard	xxxx	14		XXxxXXxx
		5214.7 AFHR				
04MAY05	22:29	Maintenance Release	0.8	M PEA		
		5214.7 AFHR		A		
05MAY05	01:30	Into Maintenance	0.1	A1PXXXY506836		XXxxXXxx
		5214.7 AFHR		A		
05MAY05	03:40	Asset Comments	0.0	M PEA		
		5215.8 AFHR		A1PXXOY503445		XXxxXXxx
05MAY05	07:00	Asset Comments	0.0	364129	LAST ACOP 364129	
		5215.8 AFHR		A1PXXXY506881		XXxxXXxx
05MAY05	09:42	Asset Comments	0.0	364131	LAST ACOP 364131	
		5217.1 AFHR		A1PXXXY506903		XXxxXXxx
05MAY05	23:13	Initiate Toolboard	xxxx	364132	LAST ACOP 364132	
		5218.4 AFHR		A1PXXXY506912		XXxxXXxx
05MAY05	23:13	Clear Toolboard	xxxx	14 B/F		XXxxXXxx
		5218.4 AFHR		14		
05MAY05	23:14	Maintenance Release	0.9	M PEA		XXxxXXxx
		5218.4 AFHR		A		
06MAY05	02:29	Into Maintenance	0.1	A1PXXXY506926		XXxxXXxx
		5218.4 AFHR		A		
				M PEA		
				A1PXXOY503503		XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01773  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS				-----			
TRANSACTION D/T	CHANGE	TYPE		SPAN(DYS)	FROM	TO (OPTIONAL)	USER
			LIFE SINCE NEW		TRANS REFERENCE		
=====							
06MAY05	03:31	Asset Comments		0.0	364133	LAST ACOP 364133	
		5219.7	AFHR		A1PXXXY506969		XXxxXXxx
06MAY05	06:28	Asset Comments		0.0	364134	LAST ACOP 364134	
		5219.7	AFHR		A1PXXXY506991		XXxxXXxx
08MAY05	22:35	Initiate Toolboard		xxxx	14 B/F		
		5220.7	AFHR				XXxxXXxx
08MAY05	23:23	Clear Toolboard		xxxx	14		
		5220.7	AFHR				XXxxXXxx
08MAY05	23:24	Maintenance Release		2.8	M PEA		
					A		
		5220.7	AFHR		A1PXXXY507007		XXxxXXxx
09MAY05	01:00	Into Maintenance		0.0	A		
		5220.7	AFHR		A1PXXOY503536		XXxxXXxx
09MAY05	06:48	Change Serviceability Stat		0.2	SERV		
					U/S		
		5223.0	AFHR		A1PXXUY509271		XXxxXXxx
09MAY05	09:35	Initiate Toolboard		xxxx	14 B/F		
		5223.0	AFHR				XXxxXXxx
10MAY05	10:40	Initiate Toolboard		xxxx	14 B/F		
		5223.0	AFHR				XXxxXXxx
10MAY05	12:16	Asset Comments		0.0	364137	LAST ACOP 364137	
		5223.0	AFHR		A1PXXXY507153		XXxxXXxx
10MAY05	23:37	Clear Toolboard		xxxx	14		
		5223.9	AFHR				XXxxXXxx
10MAY05	23:38	Maintenance Release		1.7	M PEA		
					A		
		5223.9	AFHR		A1PXXXY507179		XXxxXXxx
		Change Serviceability Stat		1.7	U/S		
					SERV		
11MAY05	02:26	Into Maintenance		0.1	A		
		5223.9	AFHR		A1PXXOY503655		XXxxXXxx
11MAY05	03:23	Asset Comments		0.0	364137	LAST ACOP 364138	
		5225.2	AFHR		A1PXXXY507194		XXxxXXxx
11MAY05	07:37	Asset Comments		0.0	364139	LAST ACOP 364138	
		5225.2	AFHR		A1PXXXY507211		XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01774  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
LIFE SINCE NEW				
11MAY05 08:04	Change Serviceability Stat	0.2	SERV U/S	
	5226.5 AFHR		A1PXXUY505297	XXxxXXxx
11MAY05 09:01	Initiate Toolboard	xxxx	14 B/F	
	5226.5 AFHR			XXxxXXxx
11MAY05 09:02	Clear Toolboard	xxxx	14	
	5226.5 AFHR			XXxxXXxx
11MAY05 09:30	Change Serviceability Stat	0.0	U/S	
	5226.5 AFHR		SERV	
11MAY05 13:23	Asset Comments	0.0	A1PXXXY507214	XXxxXXxx
	5226.5 AFHR		364140 LAST ACOP 364140	
12MAY05 00:58	Maintenance Release	0.6	A1PXXXY507227	XXxxXXxx
	5227.5 AFHR		M PEA	
12MAY05 09:35	Into Maintenance	0.3	A	
	5227.5 AFHR		A1PXXXY507270	XXxxXXxx
12MAY05 09:39	Asset Comments	0.0	M PEA	
	5227.5 AFHR		A1PXXOY503741	XXxxXXxx
12MAY05 11:40	Asset Comments	0.0	364141 LAST ACOP 364141	
	5228.7 AFHR		A1PXXXY507307	XXxxXXxx
12MAY05 13:47	Asset Comments	0.0	364142 LAST ACOP 364142	
	5229.3 AFHR		A1PXXXY507324	XXxxXXxx
12MAY05 23:54	Initiate Toolboard	xxxx	364143 LAST ACOP 364143	
	5230.3 AFHR		A1PXXXY507329	XXxxXXxx
12MAY05 23:54	Clear Toolboard	xxxx	14 B/F	
	5230.3 AFHR			XXxxXXxx
12MAY05 23:55	Maintenance Release	0.5	M PEA	
	5230.3 AFHR		A	
13MAY05 04:32	Into Maintenance	0.1	A1PXXXY507337	XXxxXXxx
	5230.3 AFHR		A	
15MAY05 22:18	Asset Comments	0.0	M PEA	
	5231.4 AFHR		A1PXXOY503784	XXxxXXxx
			364144 LAST ACOP 364144	
			A1PXXXY507380	XXxxXXxx



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01775  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN (DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
LIFE SINCE NEW					
15MAY05	22:21	Initiate Toolboard 5231.4	AFHR	xxxx 14 B/F	XXxxXXxx
16MAY05	01:32	Clear Toolboard 5231.4	AFHR	xxxx 14	XXxxXXxx
16MAY05	01:32	Maintenance Release 5231.4	AFHR	2.8 M PEA A	XXxxXXxx
16MAY05	08:49	Into Maintenance 5231.4	AFHR	0.3 A A1PXXXY507408	XXxxXXxx
16MAY05	09:32	Initiate Toolboard 5231.4	AFHR	xxxx M PEA A1PXXOY503809	XXxxXXxx
16MAY05	09:33	Clear Toolboard 5231.4	AFHR	xxxx 14	XXxxXXxx
16MAY05	10:30	Asset Comments 5231.4	AFHR	0.0 364145 LAST ACOP 364145 A1PXXXY507456	XXxxXXxx
16MAY05	23:45	Maintenance Release 5232.7	AFHR	0.6 M PEA A	XXxxXXxx
17MAY05	10:39	Into Maintenance 5232.7	AFHR	0.4 A A1PXXOY503876	XXxxXXxx
17MAY05	10:43	Initiate Toolboard 5232.7	AFHR	xxxx 14 B/F	XXxxXXxx
17MAY05	10:43	Clear Toolboard 5232.7	AFHR	xxxx 14	XXxxXXxx
17MAY05	13:24	Change Serviceability Stat 5232.7	AFHR	0.1 SERV U/S	XXxxXXxx
17MAY05	13:35	Asset Comments 5232.7	AFHR	0.0 364146 LAST ACOP 364146 A1PXXXY507545	XXxxXXxx
17MAY05	23:05	Asset Comments 5235.4	AFHR	0.0 364147 LAST ACOP 364147 A1PXXXY507564	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01776  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
18MAY05 00:22	Maintenance Release	0.4	M PEA A A1PXXXY507577	XXxxXXxx
	5235.4 AFHR Change Serviceability Stat	0.4	U/S SERV	
18MAY05 02:33	Into Maintenance	0.0	A M PEA A1PXXOY503925	XXxxXXxx
18MAY05 03:33	Asset Comments	0.0	364148 LAST ACOP 364148	
18MAY05 09:34	Asset Comments	0.0	5236.8 AFHR A1PXXXY507621 364150 LAST ACOP 364150	XXxxXXxx
18MAY05 23:38	Initiate Toolboard	xxxx	5238.3 AFHR A1PXXXY507657 14 B/F	XXxxXXxx
18MAY05 23:39	Clear Toolboard	xxxx	5238.6 AFHR 14	XXxxXXxx
18MAY05 23:39	Maintenance Release	0.8	M PEA A A1PXXXY507674	XXxxXXxx
19MAY05 02:48	Into Maintenance	0.1	A M PEA A1PXXOY503987	XXxxXXxx
19MAY05 05:56	Asset Comments	0.0	364150 LAST ACOP 361151	
19MAY05 05:59	Asset Comments	0.0	5241.1 AFHR A1PXXXY507709 361152 LAST ACOP 361152	XXxxXXxx
19MAY05 09:35	Initiate Toolboard	xxxx	A1PXXXY507710 14 B/F	XXxxXXxx
19MAY05 09:36	Clear Toolboard	xxxx	5241.1 AFHR 14	XXxxXXxx
19MAY05 12:07	Asset Comments	0.0	361153 LAST ACOP 361153	
20MAY05 00:39	Maintenance Release	0.9	A1PXXXY507758 M PEA A A1PXXXY507780	XXxxXXxx
	5242.3 AFHR			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01777  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
20MAY05	06:22	Into Maintenance 5242.3 AFHR	0.2	A A1PXXOY504055		XXxxXXxx
23MAY05	07:37	Change Serviceability Stat 5242.3 AFHR	3.0	SERV U/S A1PXXUY508587		XXxxXXxx
23MAY05	08:04	Asset Comments 5242.3 AFHR	0.0	361154 A1PXXXY507927	LAST ACOP 361154	XXxxXXxx
23MAY05	09:20	Initiate Toolboard 5243.5 AFHR	xxxx	14 B/F		XXxxXXxx
23MAY05	09:46	Asset Comments 5243.5 AFHR	0.0	361155 A1PXXXY507944	LAST ACOP 361155	XXxxXXxx
23MAY05	23:23	Clear Toolboard 5244.7 AFHR	xxxx	14		XXxxXXxx
23MAY05	23:23	Maintenance Release 5244.7 AFHR	0.6	M PEA A A1PXXXY507973		XXxxXXxx
		Change Serviceability Stat	0.6	U/S SERV		
24MAY05	04:58	Into Maintenance 5244.7 AFHR	0.2	A M PEA A1PXXOY504166		XXxxXXxx
24MAY05	06:52	Asset Comments 5246.0 AFHR	0.0	361156 A1PXXXY508027	LAST ACOP 361156	XXxxXXxx
24MAY05	08:01	Asset Comments 5246.0 AFHR	0.0	361157 A1PXXXY508041	LAST ACOP 361157	XXxxXXxx
24MAY05	09:20	Initiate Toolboard 5247.3 AFHR	xxxx	14 B/F		XXxxXXxx
24MAY05	09:21	Clear Toolboard 5247.3 AFHR	xxxx	14		XXxxXXxx
24MAY05	09:22	Maintenance Release - Over 5247.3 AFHR	0.1	M PEA A A1PXXXY508053		XXxxXXxx
24MAY05	11:49	Maintenance Comment Asset Comments 5247.3 AFHR	0.0 0.0	AIRCRAFT RELEASED WITH KNOWN ANOMALIES 361158 A1PXXXY508065	LAST ACOP 361158	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01778  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
24MAY05 11:49	Into Maintenance 5247.3 AFHR	0.1	A A1PXXOY504190	XXxxXXxx
24MAY05 11:51	Change Serviceability Stat 5248.3 AFHR	0.0	SERV U/S A1PXXUY509677	XXxxXXxx
24MAY05 23:45	Maintenance Release 5248.3 AFHR	0.4	M PEA A A1PXXXY508074	XXxxXXxx
	Change Serviceability Stat 5248.3 AFHR	0.4	U/S SERV	
25MAY05 03:54	Into Maintenance 5248.3 AFHR	0.1	A M PEA A1PXXOY504205	XXxxXXxx
25MAY05 08:19	Asset Comments 5249.5 AFHR	0.0	361160 LAST ACOP 361160 A1PXXXY508095	XXxxXXxx
25MAY05 08:49	Initiate Toolboard 5250.6 AFHR	xxxx	14 B/F	XXxxXXxx
25MAY05 08:50	Clear Toolboard 5250.6 AFHR	xxxx	14	XXxxXXxx
25MAY05 08:52	Maintenance Release - Over 5250.6 AFHR	0.2	M PEA A A1PXXXY508104	XXxxXXxx
26MAY05 02:10	Maintenance Comment Into Maintenance 5250.6 AFHR	0.0 0.7	AIRCRAFT RELEASED WITH KNOWN ANOMALIES A A1PXXOY504253	XXxxXXxx
26MAY05 05:24	Asset Comments 5251.8 AFHR	0.0	361161 LAST ACOP 361161 A1PXXXY508150	XXxxXXxx
26MAY05 07:15	Asset Comments 5253.5 AFHR	0.0	361162 LAST ACOP 361162 A1PXXXY508167	XXxxXXxx
26MAY05 08:26	Asset Comments 5253.5 AFHR	0.0	361163 LAST ACOP 361163 A1PXXXY508178	XXxxXXxx
26MAY05 08:59	Initiate Toolboard 5254.3 AFHR	xxxx	14 B/F	XXxxXXxx
26MAY05 09:00	Clear Toolboard 5254.3 AFHR	xxxx	14	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01779  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
26MAY05 09:24	Change Serviceability Stat	5254.3 AFHR	0.3	SERV U/S A1PXXUY505338	XXxxXXxx
26MAY05 22:26	Change Serviceability Stat	5254.3 AFHR	0.5	SERV U/S A1PXXXY508202	XXxxXXxx
26MAY05 23:28	Maintenance Release	5254.3 AFHR	0.0	M PEA A A1PXXXY508206	XXxxXXxx
27MAY05 02:10	Into Maintenance	5254.3 AFHR	0.1	A M PEA A1PXXOY504294	XXxxXXxx
27MAY05 02:57	Asset Comments	5255.5 AFHR	0.0	361164 LAST ACOP 361164	XXxxXXxx
30MAY05 02:43	Asset Comments	5256.8 AFHR	0.0	361165 LAST ACOP 361165	XXxxXXxx
30MAY05 06:14	Asset Comments	5258.3 AFHR	0.0	361167 LAST ACOP 361167	XXxxXXxx
30MAY05 09:07	Initiate Toolboard	5258.3 AFHR	xxxx	14 B/F	XXxxXXxx
30MAY05 09:08	Clear Toolboard	5258.3 AFHR	xxxx	14	XXxxXXxx
30MAY05 10:37	Asset Comments	5258.3 AFHR	0.0	361168 LAST ACOP 361168	XXxxXXxx
30MAY05 10:53	Maintenance Release	5259.5 AFHR	3.3	A1PXXXY508324 M PEA A	XXxxXXxx
31MAY05 02:19	Into Maintenance	5259.5 AFHR	0.6	A1PXXXY508334 A	XXxxXXxx
31MAY05 05:39	Asset Comments	5260.8 AFHR	0.0	361169 LAST ACOP 361169	XXxxXXxx
31MAY05 08:51	Initiate Toolboard	5262.3 AFHR	xxxx	14 B/F	XXxxXXxx
31MAY05 08:52	Clear Toolboard	5262.3 AFHR	xxxx	14	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01780  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----		-----		-----	
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER	
=====	=====	=====	=====	=====	=====	=====	=====
	LIFE SINCE NEW						
31MAY05 09:10	Asset Comments 5262.3 AFHR	0.0	361171	LAST ACOP	361171		
31MAY05 10:30	Change Serviceability Stat 5263.9 AFHR	0.3	A1PXXXY508443			XXxxXXxx	
01JUN05 01:18	Maintenance Release 5263.9 AFHR	0.6	A1PXXUY510052			XXxxXXxx	
	Change Serviceability Stat 5263.9 AFHR	0.6	A1PXXXY508463			XXxxXXxx	
01JUN05 02:33	Into Maintenance 5263.9 AFHR	0.0	A1PXXOY504466			XXxxXXxx	
01JUN05 05:39	Asset Comments 5265.1 AFHR	0.0	361172	LAST ACOP	361172		
01JUN05 06:55	Asset Comments 5266.0 AFHR	0.0	A1PXXXY508492			XXxxXXxx	
01JUN05 06:59	Change Serviceability Stat 5266.0 AFHR	0.1	361173	LAST ACOP	361173		
	Change Serviceability Stat 5266.0 AFHR	0.1	A1PXXXY508520			XXxxXXxx	
01JUN05 07:14	Asset Comments 5266.0 AFHR	0.0	SERV U/S A1PXXUY509916			XXxxXXxx	
	Asset Comments 5266.0 AFHR	0.0	361174	LAST ACOP	361174		
01JUN05 09:33	Initiate Toolboard 5266.0 AFHR	xxxx	A1PXXXY508524			XXxxXXxx	
01JUN05 09:33	Clear Toolboard 5266.0 AFHR	xxxx	14 B/F			XXxxXXxx	
02JUN05 04:54	Asset Comments 5266.4 AFHR	0.0	14			XXxxXXxx	
02JUN05 06:48	Asset Comments 5269.0 AFHR	0.0	361175	LAST ACOP	361175		
02JUN05 08:00	Asset Comments 5269.0 AFHR	0.0	A1PXXXY508583			XXxxXXxx	
	Asset Comments 5269.0 AFHR	0.0	361176	LAST ACOP	361176		
02JUN05 09:09	Initiate Toolboard 5270.5 AFHR	xxxx	A1PXXXY508623			XXxxXXxx	
	Clear Toolboard 5270.5 AFHR	xxxx	361177	LAST ACOP	361177		
02JUN05 09:10	Clear Toolboard 5270.5 AFHR	xxxx	A1PXXXY508631			XXxxXXxx	
	Clear Toolboard 5270.5 AFHR	xxxx	14 B/F			XXxxXXxx	
	Clear Toolboard 5270.5 AFHR	xxxx	14			XXxxXXxx	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01781  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----			
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
LIFE SINCE NEW		TRANS REFERENCE			
=====					
02JUN05	09:11	Maintenance Release - Over	1.0	M PEA	
		5270.5 AFHR		A	
		Change Serviceability Stat	1.0	A1PXXXY508645	XXxxXXxx
				U/S	
				SERV	
02JUN05	22:34	Maintenance Comment	0.0	AIRCRAFT RELEASED WITH KNOWN ANOMALIES	
		Into Maintenance	0.5	A	
		5270.5 AFHR		M PEA	
02JUN05	22:38	Maintenance Release	0.0	A1PXXOY504570	XXxxXXxx
				M PEA	
				A	
		5270.5 AFHR		A1PXXXY508659	XXxxXXxx
03JUN05	05:59	Asset Comments	0.0	361178	LAST ACOP 361178
		5270.5 AFHR		A1PXXXY508733	XXxxXXxx
03JUN05	05:59	Into Maintenance	0.3	A	
				M PEA	
		5270.5 AFHR		A1PXXOY504596	XXxxXXxx
06JUN05	22:47	Initiate Toolboard	xxxx	14 B/F	
		5272.9 AFHR			XXxxXXxx
07JUN05	00:02	Clear Toolboard	xxxx	14	
		5272.9 AFHR			XXxxXXxx
07JUN05	00:05	Maintenance Release	3.7	M PEA	
				A	
		5272.9 AFHR		A1PXXXY508749	XXxxXXxx
07JUN05	06:08	Into Maintenance	0.2	A	
		5272.9 AFHR		A1PXXOY504611	XXxxXXxx
07JUN05	06:55	Asset Comments	0.0	361179	LAST ACOP 361179
		5274.1 AFHR		A1PXXXY508782	XXxxXXxx
07JUN05	09:06	Asset Comments	0.0	361180	LAST ACOP 361180
		5274.1 AFHR		A1PXXXY508804	XXxxXXxx
07JUN05	09:36	Change Serviceability Stat	0.1	SERV	
				U/S	
		5275.3 AFHR		A1PXXUY510389	XXxxXXxx
07JUN05	10:04	Initiate Toolboard	xxxx	14 B/F	
		5275.3 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01782  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP

~S4080

PERIOD: 01JAN90 TO 08JAN20

LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
07JUN05	10:05	Clear Toolboard		xxxx	14	
		5275.3	AFHR			XXxxXXxx
08JUN05	05:16	Asset Comments		0.0	361181 LAST ACOP 361181	
		5276.5	AFHR		A1PXXXY508851	XXxxXXxx
08JUN05	06:09	Asset Comments		0.0	361182 LAST ACOP 361182	
		5278.2	AFHR		A1PXXXY508860	XXxxXXxx
12JUN05	23:53	Initiate Toolboard		xxxx	14 B/F	
		5278.2	AFHR			XXxxXXxx
12JUN05	23:54	Clear Toolboard		xxxx	14	
		5278.2	AFHR			XXxxXXxx
13JUN05	02:40	Asset Comments		0.0	361183 LAST ACOP 361183	
		5278.7	AFHR		A1PXXXY508962	XXxxXXxx
13JUN05	06:56	Asset Comments		0.0	361184 LAST ACOP 361184	
		5279.9	AFHR		A1PXXXY508998	XXxxXXxx
13JUN05	11:52	Initiate Toolboard		xxxx	14 B/F	
		5279.9	AFHR			XXxxXXxx
13JUN05	11:52	Clear Toolboard		xxxx	14	
		5279.9	AFHR			XXxxXXxx
13JUN05	22:50	Asset Comments		0.0	361185 LAST ACOP 361184	
		5281.1	AFHR		A1PXXXY509016	XXxxXXxx
13JUN05	23:40	Maintenance Release		6.5	M PEA	
		5281.1	AFHR		A	
		Change Serviceability Stat		6.5	A1PXXXY509043	XXxxXXxx
					U/S	
					SERV	
					A	
14JUN05	02:15	Into Maintenance		0.1	A1PXXOY504748	XXxxXXxx
		5281.1	AFHR			
14JUN05	03:30	Asset Comments		0.0	361186 LAST ACOP 361186	
		5282.6	AFHR		A1PXXXY509070	XXxxXXxx
14JUN05	06:16	Asset Comments		0.0	361187 LAST ACOP 361187	
		5284.2	AFHR		A1PXXXY509090	XXxxXXxx
14JUN05	09:34	Initiate Toolboard		xxxx	14 B/F	
		5284.2	AFHR			XXxxXXxx
14JUN05	09:35	Clear Toolboard		xxxx	14	
		5284.2	AFHR			XXxxXXxx



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01783  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		LIFE SINCE NEW		SPAN(DYS)	FROM	TO (OPTIONAL)	USER
TRANSACTION D/T	CHANGE TYPE				TRANS REFERENCE		
14JUN05 09:38	Change Serviceability Stat			0.3	SERV		
		5284.2	AFHR		U/S		
14JUN05 22:51	Asset Comments			0.0	A1PXXUY510456	LAST ACOP 361188	XXxxXXxx
		5285.7	AFHR		361188		
14JUN05 23:49	Maintenance Release			0.5	A1PXXXY509120		XXxxXXxx
		5285.7	AFHR		M PEA		
	Change Serviceability Stat			0.5	A		
15JUN05 03:25	Into Maintenance			0.1	A1PXXXY509133		XXxxXXxx
		5285.7	AFHR		U/S		
15JUN05 05:21	Asset Comments			0.0	SERV		
		5287.3	AFHR		A		
15JUN05 07:03	Asset Comments			0.0	M PEA	LAST ACOP 361189	XXxxXXxx
		5289.0	AFHR		A1PXXOY504816		
15JUN05 08:57	Initiate Toolboard			xxxx	361189	LAST ACOP 361190	XXxxXXxx
		5289.0	AFHR		A1PXXXY509160		
15JUN05 08:58	Clear Toolboard			xxxx	361190	LAST ACOP 361190	XXxxXXxx
		5289.0	AFHR		A1PXXXY509203		
15JUN05 23:05	Maintenance Release			0.8	14 B/F		XXxxXXxx
		5289.0	AFHR		M PEA		
16JUN05 02:27	Into Maintenance			0.1	A		
		5289.0	AFHR		A1PXXXY509255		XXxxXXxx
16JUN05 03:35	Asset Comments			0.0	A		
		5290.3	AFHR		A1PXXOY504855	LAST ACOP 361191	XXxxXXxx
16JUN05 06:11	Asset Comments			0.0	361191	LAST ACOP 361192	XXxxXXxx
		5291.2	AFHR		A1PXXXY509297		
16JUN05 07:05	Change Serviceability Stat			0.1	361192	LAST ACOP 361192	XXxxXXxx
		5291.2	AFHR		A1PXXXY509313		
19JUN05 22:24	Initiate Toolboard			xxxx	SERV		
		5291.2	AFHR		U/S		
		5291.2	AFHR		A1PXXUY511349		XXxxXXxx
					14 B/F		
							XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01784  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----					
TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER	
=====	=====	=====	=====	=====	=====	=====	
20JUN05 01:00	Clear Toolboard			xxxx	14		
	5293.6 AFHR					XXxxXXxx	
20JUN05 01:01	Maintenance Release			3.7	M PEA		
	5293.6 AFHR				A		
	Change Serviceability Stat			3.7	A1PXXXY509339	XXxxXXxx	
					U/S		
20JUN05 02:57	Asset Comments			0.0	361194	LAST ACOP 361194	
	5293.6 AFHR				A1PXXXY509377	XXxxXXxx	
20JUN05 03:46	Into Maintenance			0.1	A		
	5293.6 AFHR				A1PXXOY504942	XXxxXXxx	
20JUN05 05:13	Asset Comments			0.0	361195	LAST ACOP 361195	
	5295.2 AFHR				A1PXXXY509405	XXxxXXxx	
20JUN05 05:35	Change Serviceability Stat			0.0	SERV		
					U/S		
	5295.2 AFHR				A1PXXUY505303	XXxxXXxx	
06JUL05 23:33	Change Serviceability Stat			16.7	U/S		
					SERV		
	5295.2 AFHR				A1PXXXY510678	XXxxXXxx	
18JUL05 08:11	Change Serviceability Stat			11.3	SERV		
					U/S		
	5295.2 AFHR				A1PXXUY512677	XXxxXXxx	
28JUL05 02:30	Into Maintenance			0.0	M		
	5295.2 AFHR				A1PXXOY506418	XXxxXXxx	
28JUL05 05:25	Initiate Toolboard			xxxx	14 B/F		
	5295.2 AFHR					XXxxXXxx	
28JUL05 05:26	Clear Toolboard			xxxx	14		
	5295.2 AFHR					XXxxXXxx	
28JUL05 05:26	Maintenance Release			9.8	M PEA		
					A		
	5295.2 AFHR				A1PXXXY512044	XXxxXXxx	
	Change Serviceability Stat			9.8	U/S		
					SERV		
28JUL05 09:05	Into Maintenance			0.1	A		
					M PEA		
	5296.2 AFHR				A1PXXOY506422	XXxxXXxx	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01785  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----		-----		-----	
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER	
=====	=====	=====	=====	=====	=====	=====	=====
28JUL05 09:06	Initiate Toolboard	xxxx	14	B/F			
	5296.2 AFHR					XXxxXXxx	
28JUL05 09:07	Clear Toolboard	xxxx	14				
	5296.2 AFHR					XXxxXXxx	
28JUL05 23:15	Maintenance Release	0.5	M	PEA			
	5296.2 AFHR						
29JUL05 00:12	Into Maintenance	0.0	A		A1PXXXY512081	XXxxXXxx	
	5296.2 AFHR						
29JUL05 03:46	Asset Comments	0.0	M	PEA	A1PXXOY506430	XXxxXXxx	
	5297.4 AFHR				361198		LAST ACOP 361198
31JUL05 22:59	Initiate Toolboard	xxxx	A		A1PXXXY512110	XXxxXXxx	
	5297.4 AFHR						
31JUL05 23:00	Clear Toolboard	xxxx	14	B/F			
	5297.4 AFHR					XXxxXXxx	
01AUG05 00:12	Maintenance Release	2.9	M	PEA			
	5297.4 AFHR						
01AUG05 04:27	Into Maintenance	0.1	A		A1PXXXY512150	XXxxXXxx	
	5297.4 AFHR						
01AUG05 04:28	Change Serviceability Stat	0.0	A		A1PXXOY506531	XXxxXXxx	
	5297.4 AFHR				SERV		
01AUG05 06:44	Asset Comments	0.0	U/S		A1PXXUY508586	XXxxXXxx	
	5297.4 AFHR				361199		LAST ACOP 361199
01AUG05 08:42	Initiate Toolboard	xxxx	A		A1PXXXY512192	XXxxXXxx	
	5297.4 AFHR						
01AUG05 08:42	Clear Toolboard	xxxx	14	B/F			
	5297.4 AFHR					XXxxXXxx	
01AUG05 22:33	Asset Comments	0.0	M	PEA	361200	XXxxXXxx	
	5298.5 AFHR				A1PXXXY512205		LAST ACOP 361200

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01786  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
01AUG05 23:22	Maintenance Release	0.7	M PEA A A1PXXXY512235	XXxxXXxx
	5298.5 AFHR Change Serviceability Stat	0.7	U/S SERV	
02AUG05 01:56	Into Maintenance	0.1	A M PEA A1PXXOY506638	XXxxXXxx
02AUG05 05:33	Asset Comments	0.0	370901 LAST ACOP 370901	XXxxXXxx
02AUG05 09:16	Initiate Toolboard	xxxx	A1PXXXY512273 14 B/F	XXxxXXxx
02AUG05 09:16	Clear Toolboard	xxxx	14	XXxxXXxx
02AUG05 22:24	Asset Comments	0.0	370902 LAST ACOP 370902	XXxxXXxx
02AUG05 23:17	Maintenance Release	0.8	A1PXXXY512286 M PEA A	XXxxXXxx
03AUG05 03:00	Into Maintenance	0.1	A1PXXXY512296 A	XXxxXXxx
03AUG05 05:19	Asset Comments	0.0	A1PXXOY506717 370903 LAST ACOP 370903	XXxxXXxx
03AUG05 07:41	Asset Comments	0.0	A1PXXXY512344 370904 LAST ACOP 370904	XXxxXXxx
03AUG05 08:07	Initiate Toolboard	xxxx	A1PXXXY512365 14 B/F	XXxxXXxx
03AUG05 08:08	Clear Toolboard	xxxx	14	XXxxXXxx
03AUG05 10:28	Change Serviceability Stat	0.3	SERV U/S	XXxxXXxx
03AUG05 22:20	Change Serviceability Stat	0.4	A1PXXUY513173 U/S SERV	XXxxXXxx
	5303.1 AFHR		A1PXXXY512375	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01787  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN (DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
03AUG05	22:59	Maintenance Release	0.0	M PEA A		
04AUG05	04:35	Into Maintenance	0.2	A1PXXXY512385 A		XXxxXXxx
04AUG05	05:48	Asset Comments	0.0	M PEA A1PXXOY506784		XXxxXXxx
04AUG05	08:51	Asset Comments	0.0	370905 A1PXXXY512427	LAST ACOP 370905	XXxxXXxx
04AUG05	09:08	Initiate Toolboard	xxxx	370906 A1PXXXY512444	LAST ACOP 370906	XXxxXXxx
04AUG05	09:09	Clear Toolboard	xxxx	14 B/F		XXxxXXxx
04AUG05	22:56	Maintenance Release	0.7	M PEA A		XXxxXXxx
05AUG05	03:43	Into Maintenance	0.1	A1PXXXY512455 A		XXxxXXxx
07AUG05	22:51	Initiate Toolboard	xxxx	M PEA A1PXXOY506823		XXxxXXxx
07AUG05	23:29	Clear Toolboard	xxxx	14 B/F		XXxxXXxx
07AUG05	23:30	Maintenance Release	2.8	M PEA A		XXxxXXxx
07AUG05	23:39	Asset Comments	0.0	A1PXXXY512500 370908	LAST ACOP 370908	XXxxXXxx
08AUG05	09:36	Into Maintenance	0.4	A1PXXXY512507 A		XXxxXXxx
08AUG05	09:38	Initiate Toolboard	xxxx	A1PXXOY506885		XXxxXXxx
08AUG05	09:38	Clear Toolboard	xxxx	14 B/F		XXxxXXxx
						XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01788  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
08AUG05	23:08	Asset Comments	0.0	370912	LAST ACOP 370912	
		5312.8 AFHR		A1PXXXY512572		XXxxXXxx
08AUG05	23:55	Change Serviceability Stat	0.5	SERV		
		5312.8 AFHR		U/S		
		A1PXXUY512049		14 B/F		XXxxXXxx
09AUG05	07:53	Initiate Toolboard	xxxx			
		5312.8 AFHR				XXxxXXxx
09AUG05	07:53	Clear Toolboard	xxxx	14		
		5312.8 AFHR				XXxxXXxx
10AUG05	00:00	Maintenance Release	1.0	M PEA		
		5312.8 AFHR		A		
		Change Serviceability Stat	1.0	A1PXXXY512685		XXxxXXxx
				U/S		
				SERV		
10AUG05	09:01	Into Maintenance	0.3	A		
		5312.8 AFHR		A1PXXOY507018		XXxxXXxx
10AUG05	09:02	Initiate Toolboard	xxxx	14 B/F		
		5312.8 AFHR				XXxxXXxx
10AUG05	09:02	Change Serviceability Stat	0.0	SERV		
		5312.8 AFHR		U/S		
				A1PXXUY513688		XXxxXXxx
10AUG05	09:02	Clear Toolboard	xxxx	14		
		5312.8 AFHR				XXxxXXxx
10AUG05	09:31	Asset Comments	0.0	370914	LAST ACOP 370914	
		5312.8 AFHR		A1PXXXY512780		XXxxXXxx
10AUG05	09:35	Armed	0.0	Y		
		5314.1 AFHR		A1PXXXY512786		XXxxXXxx
10AUG05	09:35	Asset Comments	0.0	370915	LAST ACOP 370915	
		5314.1 AFHR		A1PXXXY512786		XXxxXXxx
10AUG05	09:36	Asset Comments	0.0	370916	LAST ACOP 370916	
		5314.6 AFHR		A1PXXXY512787		XXxxXXxx
10AUG05	09:38	Asset Comments	0.0	370917	LAST ACOP 370917	
		5315.8 AFHR		A1PXXXY512788		XXxxXXxx
10AUG05	23:05	Armed	0.0	N		
		5317.1 AFHR		A1PXXXY512813		XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01789  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
10AUG05 23:37	Maintenance Release	0.6	M PEA A	
	5317.1 AFHR Change Serviceability Stat	0.6	A1PXXXY512817 U/S SERV	XXxxXXxx
11AUG05 01:24	Into Maintenance	0.0	A M PEA	
	5317.1 AFHR	0.0	A1PXXOY507106	XXxxXXxx
14AUG05 23:29	Asset Comments	0.0		
	5324.0 AFHR		A1PXXXY512915	XXxxXXxx
15AUG05 09:39	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	5326.5 AFHR			XXxxXXxx
15AUG05 09:40	Clear Toolboard	xxxx	14	XXxxXXxx
	5326.5 AFHR			XXxxXXxx
15AUG05 23:41	Maintenance Release	4.9	M PEA A	
	5326.5 AFHR		A1PXXXY512967	XXxxXXxx
16AUG05 02:02	Into Maintenance	0.0	A	
	5326.5 AFHR		A1PXXOY507197	XXxxXXxx
16AUG05 02:05	Change Serviceability Stat	0.0	SERV U/S	
	5326.5 AFHR		A1PXXUY513829	XXxxXXxx
16AUG05 09:17	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	5326.5 AFHR			XXxxXXxx
16AUG05 09:17	Clear Toolboard	xxxx	14	XXxxXXxx
	5326.5 AFHR			XXxxXXxx
16AUG05 23:02	Change Serviceability Stat	0.8	U/S SERV	
	5326.5 AFHR		A1PXXXY513011	XXxxXXxx
17AUG05 02:32	Change Serviceability Stat	0.1	SERV U/S	
	5326.5 AFHR		A1PXXUY513707	XXxxXXxx
17AUG05 08:30	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	5327.8 AFHR			XXxxXXxx
17AUG05 08:30	Clear Toolboard	xxxx	14	XXxxXXxx
	5327.8 AFHR			XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01790  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----			
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER	
=====	=====	=====	=====	=====	
	LIFE SINCE NEW				
17AUG05 23:38	Maintenance Release	0.8	M PEA A		
	5327.8 AFHR Change Serviceability Stat	0.8	A1PXXXY513044 U/S SERV	XXxxXXxx	
18AUG05 02:15	Into Maintenance	0.1	A M PEA		
	5327.8 AFHR		A1PXXOY507258	XXxxXXxx	
18AUG05 09:03	Initiate Toolboard	xxxx	14 B/F		
	5329.0 AFHR			XXxxXXxx	
18AUG05 22:45	Clear Toolboard	xxxx	14		
	5330.0 AFHR			XXxxXXxx	
18AUG05 22:46	Maintenance Release	0.8	M PEA A		
	5330.0 AFHR		A1PXXXY513111	XXxxXXxx	
19AUG05 03:47	Into Maintenance	0.2	A M PEA		
	5330.0 AFHR		A1PXXOY507320	XXxxXXxx	
21AUG05 00:40	Into Maintenance	0.0	M A1PXXOY507328	XXxxXXxx	
21AUG05 22:25	Initiate Toolboard	xxxx	14 B/F		
	5330.0 AFHR			XXxxXXxx	
22AUG05 00:28	Clear Toolboard	xxxx	14		
	5330.0 AFHR			XXxxXXxx	
22AUG05 00:29	Maintenance Release	2.8	M PEA A		
	5330.0 AFHR		A1PXXXY513151	XXxxXXxx	
22AUG05 07:09	Into Maintenance	0.2	A A1PXXOY507371	XXxxXXxx	
22AUG05 07:16	Change Serviceability Stat	0.0	SERV U/S		
	5333.5 AFHR		A1PXXUY514291	XXxxXXxx	
22AUG05 08:53	Initiate Toolboard	xxxx	14 B/F		
	5333.5 AFHR			XXxxXXxx	
22AUG05 23:17	Clear Toolboard	xxxx	14		
	5333.5 AFHR			XXxxXXxx	



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01791  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----		
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
22AUG05 23:19	Maintenance Release	0.6	M PEA A	
	5333.5 AFHR Change Serviceability Stat	0.6	A1PXXXY513188 U/S SERV	XXxxXXxx
23AUG05 04:41	Into Maintenance	0.2	A M PEA	
	5333.5 AFHR		A1PXXOY507417	XXxxXXxx
23AUG05 09:19	Initiate Toolboard	xxxx	14 B/F	
	5335.2 AFHR			XXxxXXxx
23AUG05 09:19	Clear Toolboard	xxxx	14	
	5335.2 AFHR			XXxxXXxx
23AUG05 23:54	Maintenance Release	0.8	M PEA A	
	5336.2 AFHR		A1PXXXY513253	XXxxXXxx
24AUG05 02:24	Into Maintenance	0.1	A A1PXXOY507449	
	5336.2 AFHR		14 B/F	XXxxXXxx
24AUG05 09:07	Initiate Toolboard	xxxx		
	5338.6 AFHR			XXxxXXxx
24AUG05 09:09	Clear Toolboard	xxxx	14	
	5338.6 AFHR			XXxxXXxx
24AUG05 09:35	Change Serviceability Stat	0.2	SERV U/S	
	5338.6 AFHR		A1PXXUY514143	XXxxXXxx
24AUG05 23:18	Maintenance Release	0.5	M PEA A	
	5340.0 AFHR Change Serviceability Stat	0.5	A1PXXXY513308 U/S SERV	
25AUG05 04:06	Into Maintenance	0.1	A A1PXXOY507496	
	5340.0 AFHR			XXxxXXxx
25AUG05 04:08	Change Serviceability Stat	0.0	SERV U/S	
	5340.0 AFHR		A1PXXUY514436	XXxxXXxx
28AUG05 23:11	Initiate Toolboard	xxxx	14 B/F	
	5340.7 AFHR			XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01792  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
28AUG05	23:15	Clear Toolboard	5340.7 AFHR	xxxx	14	XXxxXXxx
29AUG05	00:05	Maintenance Release	5340.7 AFHR	3.8	M PEA A A1PXXXY513406	XXxxXXxx
		Change Serviceability Stat		3.8	U/S SERV	
29AUG05	02:14	Into Maintenance	5340.7 AFHR	0.0	A M PEA A1PXXOY507545	XXxxXXxx
29AUG05	09:21	Initiate Toolboard	5343.1 AFHR	xxxx	14 B/F	XXxxXXxx
29AUG05	09:22	Clear Toolboard	5343.1 AFHR	xxxx	14	XXxxXXxx
29AUG05	23:45	Maintenance Release	5344.7 AFHR	0.8	M PEA A A1PXXXY513478	XXxxXXxx
30AUG05	03:09	Into Maintenance	5344.7 AFHR	0.1	A A1PXXOY507593	XXxxXXxx
30AUG05	03:25	Change Serviceability Stat		0.0	SERV U/S A1PXXUY514650	XXxxXXxx
30AUG05	10:00	Initiate Toolboard	5346.9 AFHR	xxxx	14 B/F	XXxxXXxx
30AUG05	10:01	Clear Toolboard	5346.9 AFHR	xxxx	14	XXxxXXxx
31AUG05	01:05	Maintenance Release	5346.9 AFHR	0.9	M PEA A A1PXXXY513539	XXxxXXxx
		Change Serviceability Stat		0.9	U/S SERV	
31AUG05	02:14	Into Maintenance	5346.9 AFHR	0.0	A A1PXXOY507655	XXxxXXxx
31AUG05	09:40	Initiate Toolboard	5349.6 AFHR	xxxx	14 B/F	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01793  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----				
TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN (DYS) FROM	TO (OPTIONAL)	USER
				TRANS REFERENCE		
=====						
31AUG05	09:40	Clear Toolboard		xxxx	14	
		5349.6	AFHR			XXxxXXxx
31AUG05	10:34	Change Serviceability Stat		0.3	SERV	
		5349.6	AFHR		U/S	
31AUG05	23:40	Maintenance Release		0.5	A1PXXUY514411	XXxxXXxx
		5349.6	AFHR		M PEA	
		5349.6	AFHR	0.5	A	XXxxXXxx
		Change Serviceability Stat			A1PXXXY513592	
					U/S	
01SEP05	02:00	Into Maintenance		0.0	SERV	
					A	
		5349.6	AFHR		M PEA	
01SEP05	23:35	Initiate Toolboard		xxxx	A1PXXOY507706	XXxxXXxx
		5352.1	AFHR		14 B/F	
01SEP05	23:36	Clear Toolboard		xxxx		XXxxXXxx
		5352.1	AFHR			XXxxXXxx
01SEP05	23:37	Maintenance Release		0.9	M PEA	
		5352.1	AFHR		A	
02SEP05	02:30	Into Maintenance		0.1	A1PXXXY513618	XXxxXXxx
					A	
		5352.1	AFHR		M PEA	
04SEP05	22:42	Initiate Toolboard		xxxx	A1PXXOY507759	XXxxXXxx
		5354.6	AFHR		14 B/F	
04SEP05	23:34	Clear Toolboard		xxxx		XXxxXXxx
		5354.6	AFHR			XXxxXXxx
04SEP05	23:35	Maintenance Release		2.8	M PEA	
		5354.6	AFHR		A	
05SEP05	02:55	Into Maintenance		0.1	A1PXXXY513669	XXxxXXxx
		5354.6	AFHR		A	
06SEP05	09:18	Initiate Toolboard		xxxx	A1PXXOY507797	XXxxXXxx
		5357.5	AFHR		14 B/F	
06SEP05	09:20	Clear Toolboard		xxxx		XXxxXXxx
		5357.5	AFHR			XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01794  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN (DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====	=====
07SEP05	08:54	Initiate Toolboard 5357.5 AFHR	xxxx	14 B/F	XXxxXXxx
07SEP05	08:55	Clear Toolboard 5357.5 AFHR	xxxx	14	XXxxXXxx
07SEP05	09:53	Change Serviceability Stat 5357.5 AFHR	2.2	SERV U/S A1PXXUY514767	XXxxXXxx
08SEP05	09:07	Initiate Toolboard 5358.8 AFHR	xxxx	14 B/F	XXxxXXxx
08SEP05	09:07	Clear Toolboard 5358.8 AFHR	xxxx	14	XXxxXXxx
08SEP05	23:24	Maintenance Release 5359.9 AFHR	1.5	M PEA A A1PXXXY513820	XXxxXXxx
		Change Serviceability Stat	1.5	U/S	
09SEP05	04:52	Into Maintenance	0.2	SERV A M PEA	
		5361.1 AFHR		A1PXXOY507950	XXxxXXxx
11SEP05	22:57	Initiate Toolboard 5362.3 AFHR	xxxx	14 B/F	XXxxXXxx
11SEP05	22:58	Clear Toolboard 5362.3 AFHR	xxxx	14	XXxxXXxx
11SEP05	23:13	Maintenance Release	2.7	M PEA A	
		5362.3 AFHR		A1PXXXY513852	XXxxXXxx
12SEP05	02:37	Into Maintenance	0.1	A	
		5362.3 AFHR		M PEA	
12SEP05	09:50	Initiate Toolboard 5366.1 AFHR	xxxx	A1PXXOY507979 14 B/F	XXxxXXxx
12SEP05	09:51	Clear Toolboard 5366.1 AFHR	xxxx	14	XXxxXXxx
12SEP05	10:29	Maintenance Release	0.3	M PEA A	
		5366.1 AFHR		A1PXXXY513904	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01795  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----				
TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN(DYS) FROM	TO (OPTIONAL)	USER
=====	=====	=====	=====	=====	=====	=====
					TRANS REFERENCE	
12SEP05	13:04	Into Maintenance		0.1	A	
			5366.1 AFHR		M PEA	
12SEP05	23:12	Maintenance Release		0.4	A1PXXOY508028	XXxxXXxx
					M PEA	
			5367.1 AFHR		A	
13SEP05	03:31	Into Maintenance		0.1	A1PXXXY513916	XXxxXXxx
			5367.1 AFHR		A	
13SEP05	07:10	Change Serviceability Stat		0.1	A1PXXOY508044	XXxxXXxx
					SERV	
			5368.4 AFHR		U/S	
13SEP05	10:41	Initiate Toolboard		xxxx	A1PXXUY515288	XXxxXXxx
			5370.1 AFHR		14 B/F	
13SEP05	10:42	Clear Toolboard		xxxx	14	XXxxXXxx
			5370.1 AFHR			
13SEP05	22:56	Change Serviceability Stat		0.6	U/S	XXxxXXxx
			5370.1 AFHR		SERV	
14SEP05	09:20	Initiate Toolboard		xxxx	A1PXXXY513953	XXxxXXxx
			5372.5 AFHR		14 B/F	
14SEP05	11:26	Change Serviceability Stat		0.5	SERV	XXxxXXxx
					U/S	
			5372.5 AFHR		A1PXXUY515020	XXxxXXxx
18SEP05	04:58	Initiate Toolboard		xxxx	14 B/F	XXxxXXxx
			5376.3 AFHR			
18SEP05	05:00	Clear Toolboard		xxxx	14	XXxxXXxx
			5376.3 AFHR			
19SEP05	07:51	Initiate Toolboard		xxxx	14 B/F	XXxxXXxx
			5379.9 AFHR			
19SEP05	23:54	Clear Toolboard		xxxx	14	XXxxXXxx
			5379.9 AFHR			
19SEP05	23:55	Maintenance Release		5.5	M PEA	XXxxXXxx
			5379.9 AFHR		A	
		Change Serviceability Stat		5.5	A1PXXXY514063	XXxxXXxx
					U/S	
					SERV	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01796  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
20SEP05 03:27	Into Maintenance	5379.9	AFHR	0.1	A A1PXXOY508249	XXxxXXxx
20SEP05 08:18	Initiate Toolboard	5381.0	AFHR	xxxx	14 B/F	XXxxXXxx
20SEP05 08:19	Clear Toolboard	5381.0	AFHR	xxxx	14	XXxxXXxx
20SEP05 10:54	Change Serviceability Stat	5381.5	AFHR	0.3	SERV U/S A1PXXUY515570	XXxxXXxx
20SEP05 11:10	Maintenance Release	5381.5	AFHR	0.0	M PEA A A1PXXXY514124	XXxxXXxx
	Change Serviceability Stat			0.0	U/S SERV	
21SEP05 02:57	Into Maintenance	5381.5	AFHR	0.6	A A1PXXOY508283	XXxxXXxx
21SEP05 09:02	Initiate Toolboard	5383.9	AFHR	xxxx	14 B/F	XXxxXXxx
21SEP05 09:03	Clear Toolboard	5383.9	AFHR	xxxx	14	XXxxXXxx
21SEP05 09:03	Change Serviceability Stat	5383.9	AFHR	0.2	SERV U/S A1PXXUY515392	XXxxXXxx
21SEP05 23:13	Maintenance Release	5383.9	AFHR	0.5	M PEA A A1PXXXY514173	XXxxXXxx
	Change Serviceability Stat			0.5	U/S SERV	
22SEP05 02:12	Into Maintenance	5383.9	AFHR	0.1	A A1PXXOY508343	XXxxXXxx
23SEP05 03:07	Change Serviceability Stat			1.0	SERV U/S	
26SEP05 22:32	Initiate Toolboard	5386.3	AFHR	xxxx	A1PXXUY515725	XXxxXXxx
		5386.3	AFHR		14 B/F	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01797  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----		-----		-----	
TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE	NEW	TRANS REFERENCE			
=====		=====	=====	=====		=====	
26SEP05	23:54	Clear Toolboard		xxxx	14		
		5386.3	AFHR				XXxxXXxx
26SEP05	23:55	Maintenance Release		3.8	M PEA		
		5386.3	AFHR		A		
		Change Serviceability Stat		3.8	A1PXXXY514216		XXxxXXxx
					U/S		
					SERV		
27SEP05	02:56	Into Maintenance		0.1	A		
		5386.3	AFHR		A1PXXOY508406		XXxxXXxx
27SEP05	06:21	Change Serviceability Stat		0.1	SERV		
		5386.3	AFHR		U/S		
		Initiate Toolboard		xxxx	A1PXXUY515309		XXxxXXxx
		5386.3	AFHR		14 B/F		XXxxXXxx
27SEP05	10:23	Clear Toolboard		xxxx	14		
		5386.3	AFHR				XXxxXXxx
27SEP05	10:40	Maintenance Release		0.1	M PEA		
		5386.3	AFHR		A		
		Change Serviceability Stat		0.1	A1PXXXY514274		XXxxXXxx
					U/S		
					SERV		
28SEP05	02:40	Into Maintenance		0.6	A		
		5386.3	AFHR		M PEA		
28SEP05	09:52	Initiate Toolboard		xxxx	A1PXXOY508438		XXxxXXxx
		5390.3	AFHR		14 B/F		XXxxXXxx
28SEP05	09:53	Clear Toolboard		xxxx	14		
		5390.3	AFHR				XXxxXXxx
28SEP05	10:54	Maintenance Release		0.3	M PEA		
		5390.3	AFHR		A		
		Into Maintenance		0.0	A1PXXXY514305		XXxxXXxx
		5390.3	AFHR		A		
28SEP05	11:59	Change Serviceability Stat		0.0	A1PXXOY508481		XXxxXXxx
					SERV		
					U/S		
					A1PXXUY515640		XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01798  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----				
TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN(DYS) FROM	TO (OPTIONAL)	USER
				TRANS REFERENCE		
=====						
29SEP05	09:39	Initiate	Toolboard	xxxx	14 B/F	
			5391.3 AFHR			XXxxXXxx
29SEP05	22:58	Clear	Toolboard	xxxx	14	
			5391.3 AFHR			XXxxXXxx
29SEP05	22:58	Maintenance	Release	1.4	M PEA	
			5391.3 AFHR		A	
		Change	Serviceability Stat	1.4	A1PXXXY514362	XXxxXXxx
					U/S	
					SERV	
30SEP05	22:05	Into	Maintenance	0.9	A	
			5391.3 AFHR		M PEA	
					A1PXXOY508540	XXxxXXxx
02OCT05	22:52	Initiate	Toolboard	xxxx	14 B/F	
			5391.3 AFHR			XXxxXXxx
02OCT05	23:42	Clear	Toolboard	xxxx	14	
			5391.3 AFHR			XXxxXXxx
02OCT05	23:43	Maintenance	Release	2.0	M PEA	
			5391.3 AFHR		A	
03OCT05	10:25	Into	Maintenance	0.4	A1PXXXY514408	XXxxXXxx
					A	
			5391.3 AFHR		M PEA	
03OCT05	10:26	Initiate	Toolboard	xxxx	A1PXXOY508591	XXxxXXxx
			5391.3 AFHR		14 B/F	
03OCT05	10:27	Clear	Toolboard	xxxx	14	
			5391.3 AFHR			XXxxXXxx
04OCT05	00:06	Maintenance	Release	0.5	M PEA	
			5392.5 AFHR		A	
04OCT05	03:25	Into	Maintenance	0.1	A1PXXXY514436	XXxxXXxx
			5392.5 AFHR		A	
					A1PXXOY508635	XXxxXXxx
04OCT05	08:19	Initiate	Toolboard	xxxx	14 B/F	
			5393.5 AFHR			XXxxXXxx
04OCT05	11:08	Change	Serviceability Stat	0.3	SERV	
			5393.5 AFHR		U/S	
					A1PXXUY516105	XXxxXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01799  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
			LIFE SINCE NEW		TRANS REFERENCE		
04OCT05	22:47	Clear	Toolboard	xxxx	14		
			5393.5 AFHR				XXxxXXxx
04OCT05	22:47	Maintenance	Release	0.4	M PEA		
			5393.5 AFHR		A1PXXXY514457		XXxxXXxx
		Change	Serviceability Stat	0.4	U/S		
					SERV		
05OCT05	02:32	Into	Maintenance	0.1	A		
			5393.5 AFHR		A1PXXOY508726		XXxxXXxx
05OCT05	09:47	Initiate	Toolboard	xxxx	14 B/F		
			5394.4 AFHR				XXxxXXxx
05OCT05	09:47	Clear	Toolboard	xxxx	14		
			5394.4 AFHR				XXxxXXxx
05OCT05	11:32	Change	Serviceability Stat	0.3	SERV		
					U/S		
			5394.4 AFHR		A1PXXUY515860		XXxxXXxx
06OCT05	00:14	Maintenance	Release	0.5	M PEA		
			5395.5 AFHR		A1PXXXY514489		XXxxXXxx
		Change	Serviceability Stat	0.5	U/S		
					SERV		
06OCT05	02:20	Into	Maintenance	0.0	A		
			5395.5 AFHR		M PEAQ		
			5397.7 AFHR		A1PXXOY508778		XXxxXXxx
06OCT05	09:22	Initiate	Toolboard	xxxx	14 B/F		
			5397.7 AFHR				XXxxXXxx
06OCT05	09:22	Clear	Toolboard	xxxx	14		
			5397.7 AFHR				XXxxXXxx
06OCT05	23:05	Maintenance	Comment	0.0	LIF FLT SER CHANGED - OLD VALUE= 50002.0	NEW VALUE= 50000.0	
			5401.9 AFHR				XXxxXXxx
07OCT05	00:32	Maintenance	Release	0.9	M PEAQ		
			5401.9 AFHR		A		
					A1PXXXY514565		XXxxXXxx
07OCT05	05:00	Into	Maintenance	0.1	A		
			5401.9 AFHR		M PEA		
					A1PXXOY508864		XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01800  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----			
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER	
=====	=====	=====	=====	=====	
09OCT05 22:21	Initiate Toolboard 5403.1 AFHR	xxxx	14 B/F	XXxxXXxx	
09OCT05 22:23	Clear Toolboard 5403.1 AFHR	xxxx	14	XXxxXXxx	
10OCT05 00:21	Maintenance Release 5403.1 AFHR	2.8	M PEA A A1PXXXY514608	XXxxXXxx	
10OCT05 05:00	Into Maintenance 5403.1 AFHR	0.1	A A1PXXOY508909	XXxxXXxx	
10OCT05 08:57	Change Serviceability Stat 5405.4 AFHR	0.1	SERV U/S A1PXXUY515782	XXxxXXxx	
10OCT05 10:07	Initiate Toolboard 5405.4 AFHR	xxxx	14 B/F	XXxxXXxx	
10OCT05 10:41	Clear Toolboard 5405.4 AFHR	xxxx	14	XXxxXXxx	
10OCT05 10:42	Maintenance Release 5405.4 AFHR	0.0	M PEA A A1PXXXY514635	XXxxXXxx	
	Change Serviceability Stat 5406.9 AFHR	0.0	U/S SERV A A1PXXOY508935	XXxxXXxx	
10OCT05 15:25	Into Maintenance 5407.9 AFHR	0.1	A A1PXXUY516340	XXxxXXxx	
10OCT05 23:24	Change Serviceability Stat 5407.9 AFHR	0.3	SERV U/S M PEA A A1PXXXY514655	XXxxXXxx	
11OCT05 00:14	Maintenance Release 5407.9 AFHR	0.0	U/S SERV A A1PXXOY508961	XXxxXXxx	
11OCT05 06:57	Into Maintenance 5407.9 AFHR	0.2	A A1PXXOY508961	XXxxXXxx	
11OCT05 09:51	Initiate Toolboard 5407.9 AFHR	xxxx	14 B/F	XXxxXXxx	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01801  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
11OCT05 09:51	Clear Toolboard	5407.9 AFHR	xxxx	14	XXxxXXxx
11OCT05 11:10	Change Serviceability Stat	5407.9 AFHR	0.1	SERV U/S A1PXXUY516400	XXxxXXxx
12OCT05 00:22	Maintenance Release	5407.9 AFHR	0.5	M PEA A A1PXXXY514704	XXxxXXxx
12OCT05 03:05	Change Serviceability Stat	5407.9 AFHR	0.5	U/S SERV A	XXxxXXxx
12OCT05 09:20	Initiate Toolboard	5407.9 AFHR	xxxx	A1PXXOY509002 14 B/F	XXxxXXxx
12OCT05 09:20	Clear Toolboard	5410.2 AFHR	xxxx	14	XXxxXXxx
12OCT05 14:24	Change Serviceability Stat	5410.2 AFHR	0.4	SERV U/S A1PXXUY516174	XXxxXXxx
13OCT05 09:20	Initiate Toolboard	5413.6 AFHR	xxxx	14 B/F	XXxxXXxx
13OCT05 09:21	Clear Toolboard	5413.6 AFHR	xxxx	14	XXxxXXxx
13OCT05 23:51	Maintenance Release	5413.6 AFHR	1.3	M PEA A A1PXXXY514820	XXxxXXxx
14OCT05 04:19	Change Serviceability Stat	5413.6 AFHR	1.3	U/S SERV A	XXxxXXxx
14OCT05 04:19	Into Maintenance	5413.6 AFHR	0.1	M PEA A1PXXOY509124	XXxxXXxx
16OCT05 22:54	Initiate Toolboard	5416.5 AFHR	xxxx	14 B/F	XXxxXXxx
17OCT05 02:53	Clear Toolboard	5416.5 AFHR	xxxx	14	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01802  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----		-----		-----	
TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER	
=====	=====	=====	=====	=====	=====	=====	=====
17OCT05 02:54	Maintenance Release			2.9	M PEA A A1PXXXY514901		XXxxXXxx
17OCT05 05:35	Into Maintenance	5416.5	AFHR	0.1	A A1PXXOY509167		XXxxXXxx
17OCT05 05:36	Change Serviceability Stat	5416.5	AFHR	0.0	SERV U/S A1PXXUY516629		XXxxXXxx
17OCT05 09:19	Initiate Toolboard	5418.0	AFHR	xxxx	14 B/F		XXxxXXxx
17OCT05 09:20	Clear Toolboard	5418.0	AFHR	xxxx	14		XXxxXXxx
17OCT05 23:54	Maintenance Release			0.7	M PEA A A1PXXXY514943		XXxxXXxx
	Change Serviceability Stat	5419.1	AFHR	0.7	U/S SERV		XXxxXXxx
18OCT05 01:45	Into Maintenance	5419.1	AFHR	0.0	A A1PXXOY509234		XXxxXXxx
18OCT05 07:52	Change Serviceability Stat			0.2	SERV U/S A1PXXUY516328		XXxxXXxx
18OCT05 09:40	Initiate Toolboard	5421.5	AFHR	xxxx	14 B/F		XXxxXXxx
18OCT05 23:41	Clear Toolboard	5421.5	AFHR	xxxx	14		XXxxXXxx
18OCT05 23:41	Maintenance Release	5424.8	AFHR	0.6	M PEA A A1PXXXY514996		XXxxXXxx
	Change Serviceability Stat	5424.8	AFHR	0.6	U/S SERV		XXxxXXxx
19OCT05 03:00	Into Maintenance	5424.8	AFHR	0.1	A A1PXXOY509306		XXxxXXxx
19OCT05 09:33	Initiate Toolboard	5426.3	AFHR	xxxx	14 B/F		XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01803  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
19OCT05 13:46	Change Serviceability Stat			0.4	SERV U/S A1PXXUY516481	XXxxXXxx
19OCT05 23:15	Clear Toolboard	5426.3	AFHR	xxxx	14	XXxxXXxx
20OCT05 00:05	Maintenance Release	5427.5	AFHR	0.4	M PEA A A1PXXXY515037	XXxxXXxx
20OCT05 01:45	Into Maintenance	5427.5	AFHR	0.4	U/S SERV A A1PXXOY509367	XXxxXXxx
21OCT05 04:35	Change Serviceability Stat	5430.1	AFHR	1.1	SERV U/S A1PXXUY516915	XXxxXXxx
21OCT05 05:35	Initiate Toolboard	5430.1	AFHR	xxxx	14 B/F	XXxxXXxx
23OCT05 22:38	Initiate Toolboard	5433.0	AFHR	xxxx	14 B/F	XXxxXXxx
23OCT05 22:38	Clear Toolboard	5433.0	AFHR	xxxx	14	XXxxXXxx
23OCT05 23:55	Maintenance Release	5433.0	AFHR	2.8	M PEA A A1PXXXY515119	XXxxXXxx
24OCT05 04:20	Change Serviceability Stat			2.8	U/S SERV A A1PXXOY509487	XXxxXXxx
24OCT05 09:02	Into Maintenance	5433.0	AFHR	0.1	SERV U/S A1PXXUY516690	XXxxXXxx
24OCT05 09:36	Change Serviceability Stat	5434.2	AFHR	xxxx	14 B/F	XXxxXXxx
24OCT05 09:36	Initiate Toolboard	5434.2	AFHR	xxxx	14	XXxxXXxx
24OCT05 09:36	Clear Toolboard	5434.2	AFHR	xxxx	14	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01804  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
24OCT05 10:52	Maintenance Release	0.0	M PEA A	
	5434.2 AFHR Change Serviceability Stat	0.0	A1PXXXY515144 U/S SERV	XXxxXXxx
25OCT05 02:05	Into Maintenance	0.6	A	
	5434.2 AFHR		A1PXXOY509513	XXxxXXxx
25OCT05 09:24	Initiate Toolboard	xxxx	14 B/F	
	5436.3 AFHR			XXxxXXxx
25OCT05 09:25	Clear Toolboard	xxxx	14	
	5436.3 AFHR			XXxxXXxx
26OCT05 10:35	Change Serviceability Stat	1.3	SERV U/S	
	5440.0 AFHR		A1PXXUY516784	XXxxXXxx
26OCT05 10:39	Initiate Toolboard	xxxx	14 B/F	
	5440.0 AFHR			XXxxXXxx
26OCT05 10:40	Clear Toolboard	xxxx	14	
	5440.0 AFHR			XXxxXXxx
27OCT05 02:23	Maintenance Release	0.6	M PEA A	
	5440.0 AFHR Change Serviceability Stat	0.6	A1PXXXY515236 U/S SERV	XXxxXXxx
27OCT05 03:20	Into Maintenance	0.0	A	
	5440.0 AFHR		M PEA A1PXXOY509670	XXxxXXxx
27OCT05 09:34	Initiate Toolboard	xxxx	14 B/F	
	5443.6 AFHR			XXxxXXxx
27OCT05 09:34	Clear Toolboard	xxxx	14	
	5443.6 AFHR			XXxxXXxx
27OCT05 23:33	Maintenance Release	0.8	M PEA A	
	5443.6 AFHR		A1PXXXY515260	XXxxXXxx
28OCT05 02:25	Into Maintenance	0.1	A	
	5443.6 AFHR		A1PXXOY509737	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01805  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
LIFE SINCE NEW				
28OCT05 05:50	Change Serviceability Stat	0.1	SERV U/S	
	5445.0 AFHR		A1PXXUY517108	XXxxXXxx
31OCT05 02:11	Asset Comments	0.0	R1 SERV	
	5445.0 AFHR		A1PXXXY515299	XXxxXXxx
09NOV05 11:35	Initiate Toolboard	xxxx	14 B/F	
	5445.0 AFHR			XXxxXXxx
09NOV05 23:32	Asset Comments	0.0	UTP UTP	
	5445.0 AFHR		A1PXXXY515644	XXxxXXxx
10NOV05 00:40	Clear Toolboard	xxxx	14	
	5445.0 AFHR			XXxxXXxx
10NOV05 00:46	Maintenance Release	12.7	M PEA	
	5445.0 AFHR		A	
	Change Serviceability Stat	12.7	A1PXXXY515673	XXxxXXxx
			U/S	
10NOV05 02:00	Into Maintenance	0.0	SERV	
	5445.0 AFHR		A	
	Initiate Toolboard	xxxx	M PEA	
	5445.8 AFHR		A1PXXOY510265	XXxxXXxx
10NOV05 23:16	Clear Toolboard	xxxx	14 B/F	
	5446.8 AFHR		14	XXxxXXxx
10NOV05 23:16	Maintenance Release	0.8	M PEA	
	5446.8 AFHR		A	
11NOV05 04:10	Into Maintenance	0.2	A1PXXXY515703	XXxxXXxx
	5446.8 AFHR		A	
	Initiate Toolboard	xxxx	M PEA	
	5448.3 AFHR		A1PXXOY510322	XXxxXXxx
14NOV05 00:14	Clear Toolboard	xxxx	14 B/F	
	5448.3 AFHR		14	XXxxXXxx
14NOV05 00:14	Maintenance Release	2.8	M PEA	
	5448.3 AFHR		A	
			A1PXXXY515752	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01806  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----				
TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN(DYS) FROM	TO (OPTIONAL)	USER
=====	=====	=====	=====	=====	=====	=====
					TRANS REFERENCE	
14NOV05	03:52	Into Maintenance		0.1	A	
					M PEA	
					A1PXXOY510344	XXxxXXxx
14NOV05	09:17	Initiate Toolboard	5448.3 AFHR	xxxx	14 B/F	
			5449.7 AFHR			XXxxXXxx
14NOV05	09:18	Clear Toolboard		xxxx	14	
			5449.7 AFHR			XXxxXXxx
14NOV05	23:03	Asset Comments		0.0		
			5450.9 AFHR		A1PXXXY515798	XXxxXXxx
15NOV05	00:27	Maintenance Release		0.8	M PEA	
			5450.9 AFHR		A	
					A1PXXXY515803	XXxxXXxx
15NOV05	02:15	Into Maintenance		0.0	A	
			5450.9 AFHR		A1PXXOY510383	XXxxXXxx
15NOV05	09:43	Change Serviceability Stat		0.3	SERV	
					U/S	
			5453.3 AFHR		A1PXXUY517752	XXxxXXxx
15NOV05	10:28	Initiate Toolboard		xxxx	14 B/F	
			5453.3 AFHR			XXxxXXxx
15NOV05	23:42	Clear Toolboard		xxxx	14	
			5454.7 AFHR			XXxxXXxx
15NOV05	23:43	Maintenance Release		0.5	M PEA	
					A	
			5454.7 AFHR		A1PXXXY515855	XXxxXXxx
		Change Serviceability Stat		0.5	U/S	
					SERV	
16NOV05	02:20	Into Maintenance		0.1	A	
					M PEA	
			5454.7 AFHR		A1PXXOY510449	XXxxXXxx
16NOV05	11:11	Initiate Toolboard		xxxx	14 B/F	
			5457.2 AFHR			XXxxXXxx
16NOV05	11:12	Clear Toolboard		xxxx	14	
			5457.2 AFHR			XXxxXXxx
17NOV05	00:00	Maintenance Release		0.9	M PEA	
					A	
			5458.4 AFHR		A1PXXXY515887	XXxxXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01807  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----				
TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN(DYS) FROM	TO (OPTIONAL)	USER
=====	=====	=====	=====	=====	=====	=====
17NOV05 03:15	Into Maintenance			0.1	A	
		5458.4	AFHR		M PEA	
17NOV05 11:41	Initiate Toolboard			xxxx	A1PXXOY510504	XXxxXXxx
		5459.6	AFHR		14 B/F	
18NOV05 00:13	Clear Toolboard			xxxx	14	XXxxXXxx
		5461.0	AFHR			
18NOV05 00:13	Maintenance Release			0.8	M PEA	
		5461.0	AFHR		A	
18NOV05 08:00	Into Maintenance			0.3	A1PXXXY515907	XXxxXXxx
		5461.0	AFHR		A	
18NOV05 08:00	Initiate Toolboard			xxxx	A1PXXOY510542	XXxxXXxx
		5461.0	AFHR		14 B/F	
18NOV05 08:01	Clear Toolboard			xxxx	14	XXxxXXxx
		5461.0	AFHR			
19NOV05 08:58	Initiate Toolboard			xxxx	14 B/F	XXxxXXxx
		5461.0	AFHR			
19NOV05 08:59	Clear Toolboard			xxxx	14	XXxxXXxx
		5461.0	AFHR			
22NOV05 07:00	Change Serviceability Stat			3.9	SERV	
		5463.6	AFHR		U/S	
22NOV05 08:25	Initiate Toolboard			xxxx	A1PXXUY518051	XXxxXXxx
		5463.6	AFHR		14 B/F	
22NOV05 23:02	Clear Toolboard			xxxx	14	XXxxXXxx
		5463.6	AFHR			
22NOV05 23:03	Maintenance Release			0.6	M PEA	
		5463.6	AFHR		A	
	Change Serviceability Stat			0.6	A1PXXXY516009	XXxxXXxx
					U/S	
23NOV05 02:20	Into Maintenance			0.1	SERV	
		5463.6	AFHR		A	
24NOV05 09:21	Initiate Toolboard			xxxx	A1PXXOY510633	XXxxXXxx
		5471.6	AFHR		14 B/F	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01808  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
24NOV05	09:22	Clear Toolboard		xxxx	14	
		5471.6 AFHR				XXxxXXxx
25NOV05	03:32	Change Serviceability Stat		2.0	SERV	
		5471.6 AFHR			U/S	
		5471.6 AFHR			A1PXXUY517543	XXxxXXxx
27NOV05	05:40	Initiate Toolboard		xxxx	14 B/F	
		5471.6 AFHR				XXxxXXxx
27NOV05	23:26	Asset Comments		0.0	ALBANY ALBANY	
		5471.6 AFHR			A1PXXXY516141	XXxxXXxx
04DEC05	22:44	Initiate Toolboard		xxxx	14 B/F	
		5485.1 AFHR				XXxxXXxx
04DEC05	22:45	Clear Toolboard		xxxx	14	
		5485.1 AFHR				XXxxXXxx
05DEC05	00:01	Asset Comments		0.0		
		5486.2 AFHR			A1PXXXY516461	XXxxXXxx
05DEC05	09:22	Initiate Toolboard		xxxx	14 B/F	
		5488.5 AFHR				XXxxXXxx
05DEC05	09:23	Clear Toolboard		xxxx	14	
		5488.5 AFHR				XXxxXXxx
05DEC05	23:11	Maintenance Release		10.8	M PEA	
		5488.5 AFHR			A	
		Change Serviceability Stat		10.8	A1PXXXY516493	XXxxXXxx
					U/S	
06DEC05	02:09	Into Maintenance		0.1	SERV	
		5488.5 AFHR			M PEA	
		5492.4 AFHR			A1PXXOY511101	XXxxXXxx
06DEC05	09:46	Initiate Toolboard		xxxx	14 B/F	
		5492.4 AFHR				XXxxXXxx
06DEC05	09:47	Clear Toolboard		xxxx	14	
		5492.4 AFHR				XXxxXXxx
06DEC05	22:56	Maintenance Release		0.8	M PEA	
		5492.4 AFHR			A	
					A1PXXXY516560	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01809  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS	REFERENCE	
07DEC05	02:35	Into Maintenance	0.1	A		
		5492.4 AFHR		M PEA	A1PXXOY511128	XXxxXXxx
08DEC05	09:42	Initiate Toolboard	xxxx	14 B/F		
		5498.8 AFHR				XXxxXXxx
08DEC05	09:44	Clear Toolboard	xxxx	14		
		5498.8 AFHR				XXxxXXxx
08DEC05	09:44	Maintenance Release	1.2	M PEA		
		5498.8 AFHR		A	A1PXXXY516649	XXxxXXxx
08DEC05	10:50	Into Maintenance	0.0	A		
		5498.8 AFHR		A1PXXOY511188		XXxxXXxx
08DEC05	10:51	Change Serviceability Stat	0.0	SERV		
		5498.8 AFHR		U/S	A1PXXUY518922	XXxxXXxx
08DEC05	23:41	Maintenance Release	0.5	M PEA		
		5498.8 AFHR		A	A1PXXXY516663	XXxxXXxx
		Change Serviceability Stat	0.5	U/S		
				SERV		
09DEC05	04:25	Into Maintenance	0.1	A		
		5498.8 AFHR		M PEA	A1PXXOY511201	XXxxXXxx
11DEC05	22:58	Initiate Toolboard	xxxx	14 B/F		
		5501.2 AFHR				XXxxXXxx
11DEC05	22:59	Clear Toolboard	xxxx	14		
		5501.2 AFHR				XXxxXXxx
11DEC05	23:00	Maintenance Release	2.7	M PEA		
		5501.2 AFHR		A	A1PXXXY516720	XXxxXXxx
12DEC05	02:10	Into Maintenance	0.1	A		
		5501.2 AFHR		A1PXXOY511235		XXxxXXxx
12DEC05	04:40	Change Serviceability Stat	0.1	SERV		
		5502.4 AFHR		U/S	A1PXXUY519021	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01810  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS				-----		
TRANSACTION D/T	CHANGE	TYPE		SPAN(DYS)	FROM	
			LIFE SINCE NEW		TO (OPTIONAL)	USER
					TRANS REFERENCE	
=====						
12DEC05	23:23	Asset Comments		0.0	ENG CX	ENG CX
		5502.4	AFHR		A1PXXXY516807	XXxxXXxx
11JAN06	05:40	Asset Comments		0.0	ENG CX	M.F. PAGE 5
		5502.4	AFHR		A1PXXXY600051	XXxxXXxx
11JAN06	05:41	Asset Comments		0.0	M.F.	M.F.
		5502.4	AFHR		A1PXXXY600052	XXxxXXxx
11JAN06	05:41	Asset Comments		0.0	BEAR SMELLS	BEAR SMELLS
		5502.4	AFHR		A1PXXXY600054	XXxxXXxx
11JAN06	05:42	Asset Comments		0.0	441682	441682
		5502.4	AFHR		A1PXXXY600055	XXxxXXxx
11JAN06	23:45	Asset Comments		0.0		
		5502.4	AFHR		A1PXXXY600063	XXxxXXxx
11JAN06	23:46	Asset Comments		0.0	UTP	UTP
		5502.4	AFHR		A1PXXXY600065	XXxxXXxx
13JAN06	02:54	Change Serviceability Stat		31.9	U/S	
		5502.4	AFHR		SERV	
		5502.4	AFHR		A1PXXXY600124	XXxxXXxx
15JAN06	22:49	Initiate Toolboard		xxxx	14 B/F	
		5502.4	AFHR			XXxxXXxx
15JAN06	22:50	Clear Toolboard		xxxx	14	
		5502.4	AFHR			XXxxXXxx
16JAN06	01:12	Maintenance Release		2.9	M PEA	
		5502.4	AFHR		A	
		5502.4	AFHR		A1PXXXY600145	XXxxXXxx
16JAN06	09:39	Into Maintenance		0.3	A	
		5502.4	AFHR		A1PXXXY600017	XXxxXXxx
16JAN06	09:40	Initiate Toolboard		xxxx	14 B/F	
		5502.4	AFHR			XXxxXXxx
16JAN06	09:40	Clear Toolboard		xxxx	14	
		5502.4	AFHR			XXxxXXxx
17JAN06	09:01	Initiate Toolboard		xxxx	14 B/F	
		5503.0	AFHR			XXxxXXxx
17JAN06	09:01	Clear Toolboard		xxxx	14	
		5503.0	AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01811  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
17JAN06 09:07	Change Serviceability Stat			0.9	SERV U/S	
		5503.0	AFHR		A1PXXUY600209	XXxxXXxx
19JAN06 05:26	Asset Comments	5503.0	AFHR	0.0	AOG AOG	
		5503.0	AFHR		A1PXXXY600431	XXxxXXxx
24JAN06 23:17	Asset Comments	5503.0	AFHR	0.0	UTP UTP	
		5503.0	AFHR		A1PXXXY600610	XXxxXXxx
25JAN06 00:29	Initiate Toolboard	5503.0	AFHR	xxxx	14 B/F	
		5503.0	AFHR		14	XXxxXXxx
25JAN06 00:31	Clear Toolboard	5503.0	AFHR	xxxx	14	
		5503.0	AFHR		14 B/F	XXxxXXxx
30JAN06 08:25	Initiate Toolboard	5503.6	AFHR	xxxx	14	
		5503.6	AFHR		14	XXxxXXxx
30JAN06 08:26	Clear Toolboard	5503.6	AFHR	xxxx	14	
		5503.6	AFHR		14	XXxxXXxx
31JAN06 00:16	Maintenance Release			13.6	M PEA	
		5503.6	AFHR		A	
	Change Serviceability Stat			13.6	A1PXXXY600752	XXxxXXxx
					U/S	
31JAN06 01:45	Into Maintenance			0.0	SERV	
		5503.6	AFHR		A	
31JAN06 06:07	Change Serviceability Stat			0.1	A1PXXOY600280	XXxxXXxx
					SERV	
		5504.4	AFHR		U/S	
31JAN06 09:06	Initiate Toolboard	5504.4	AFHR	xxxx	A1PXXUY600955	XXxxXXxx
		5504.4	AFHR		14 B/F	XXxxXXxx
31JAN06 09:06	Clear Toolboard	5504.4	AFHR	xxxx	14	
		5504.4	AFHR		14	XXxxXXxx
02FEB06 00:58	Asset Comments	5504.8	AFHR	0.0	A1PXXXY600809	XXxxXXxx
		5504.8	AFHR		14 B/F	XXxxXXxx
05FEB06 22:23	Initiate Toolboard	5504.8	AFHR	xxxx	14	
		5504.8	AFHR		14	XXxxXXxx
05FEB06 22:24	Clear Toolboard	5504.8	AFHR	xxxx	14	
		5504.8	AFHR		14	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01812  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
06FEB06 03:33	Maintenance Release	5.8	M PEA A	
	5504.8 AFHR Change Serviceability Stat	5.8	A1PXXXY600866 U/S SERV	XXxxXXxx
06FEB06 08:52	Into Maintenance	0.2	A M PEA	
	5504.8 AFHR		A1PXXOY600306	XXxxXXxx
06FEB06 22:53	Initiate Toolboard	xxxx	14 B/F	
	5507.0 AFHR			XXxxXXxx
06FEB06 22:53	Clear Toolboard	xxxx	14	
	5507.0 AFHR			XXxxXXxx
07FEB06 02:46	Maintenance Release	0.7	M PEA A	
	5507.0 AFHR		A1PXXXY600906	XXxxXXxx
07FEB06 07:32	Into Maintenance	0.1	A A1PXXOY600340	
	5507.0 AFHR		SERV	XXxxXXxx
07FEB06 07:33	Change Serviceability Stat	0.0	U/S A1PXXUY518439	
	5507.0 AFHR		14 B/F	XXxxXXxx
07FEB06 22:48	Initiate Toolboard	xxxx		
	5507.0 AFHR			XXxxXXxx
07FEB06 22:48	Clear Toolboard	xxxx	14	
	5507.0 AFHR			XXxxXXxx
08FEB06 09:31	Initiate Toolboard	xxxx	14 B/F	
	5509.0 AFHR			XXxxXXxx
08FEB06 09:31	Clear Toolboard	xxxx	14	
	5509.0 AFHR			XXxxXXxx
09FEB06 00:56	Maintenance Release	1.7	M PEA A	
	5509.6 AFHR		A1PXXXY600987	XXxxXXxx
	Change Serviceability Stat	1.7	U/S SERV	
09FEB06 09:21	Into Maintenance	0.3	A M PEA	
	5509.6 AFHR		A1PXXOY600470	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01813  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----			
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
LIFE SINCE NEW		TRANS REFERENCE			
=====					
09FEB06 09:22	Initiate Toolboard	xxxx	14	B/F	
	5509.6 AFHR				XXxxXXxx
09FEB06 09:22	Clear Toolboard	xxxx	14		
	5509.6 AFHR				XXxxXXxx
12FEB06 22:33	Initiate Toolboard	xxxx	14	B/F	
	5510.6 AFHR				XXxxXXxx
12FEB06 22:33	Clear Toolboard	xxxx	14		
	5510.6 AFHR				XXxxXXxx
12FEB06 23:15	Maintenance Release	3.5	M	PEA	
	5510.6 AFHR		A	A1PXXXY601053	XXxxXXxx
13FEB06 03:25	Into Maintenance	0.1	A		
	5510.6 AFHR		A	A1PXXOY600583	XXxxXXxx
13FEB06 10:20	Initiate Toolboard	xxxx	14	B/F	
	5513.1 AFHR				XXxxXXxx
13FEB06 10:21	Clear Toolboard	xxxx	14		
	5513.1 AFHR				XXxxXXxx
14FEB06 09:23	Initiate Toolboard	xxxx	14	B/F	
	5513.1 AFHR				XXxxXXxx
14FEB06 09:24	Clear Toolboard	xxxx	14		
	5513.1 AFHR				XXxxXXxx
14FEB06 09:47	Change Serviceability Stat	1.2	SERV		
	5514.3 AFHR		U/S	A1PXXUY601318	XXxxXXxx
15FEB06 00:13	Maintenance Release	0.6	M	PEA	
	5514.3 AFHR		A	A1PXXXY601169	XXxxXXxx
	Change Serviceability Stat	0.6	U/S		
15FEB06 02:03	Into Maintenance	0.0	SERV		
	5514.3 AFHR		A	M PEA	
	5514.3 AFHR		A	A1PXXOY600710	XXxxXXxx
15FEB06 08:39	Initiate Toolboard	xxxx	14	B/F	
	5518.2 AFHR				XXxxXXxx
15FEB06 08:40	Clear Toolboard	xxxx	14		
	5518.2 AFHR				XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01814  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----				
TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
=====						
15FEB06	23:37	Maintenance Release	0.8	M PEA A		
		5518.2 AFHR		A1PXXXY601232		XXxxXXxx
18FEB06	03:47	Into Maintenance	2.1	A M PEA		
		5518.2 AFHR		A1PXXOY600919		XXxxXXxx
18FEB06	04:58	Initiate Toolboard	xxxx	14 B/F		
		5521.3 AFHR				XXxxXXxx
18FEB06	04:59	Clear Toolboard	xxxx	14		
		5521.3 AFHR				XXxxXXxx
19FEB06	22:18	Initiate Toolboard	xxxx	14 B/F		
		5521.3 AFHR				XXxxXXxx
19FEB06	22:19	Clear Toolboard	xxxx	14		
		5521.3 AFHR				XXxxXXxx
19FEB06	23:23	Maintenance Release	1.8	M PEA A		
		5521.3 AFHR		A1PXXXY601325		XXxxXXxx
20FEB06	03:10	Into Maintenance	0.1	A A1PXXOY600964		
		5521.3 AFHR		14 B/F		XXxxXXxx
20FEB06	09:02	Initiate Toolboard	xxxx	14 B/F		
		5522.5 AFHR				XXxxXXxx
20FEB06	09:02	Clear Toolboard	xxxx	14		
		5522.5 AFHR				XXxxXXxx
20FEB06	11:25	Change Serviceability Stat	0.3	SERV U/S		
		5522.5 AFHR		A1PXXUY517555		XXxxXXxx
21FEB06	00:02	Maintenance Release	0.5	M PEA A		
		5524.2 AFHR		A1PXXXY601374		XXxxXXxx
		Change Serviceability Stat	0.5	U/S SERV		
21FEB06	09:10	Into Maintenance	0.3	A A1PXXOY601026		
		5524.2 AFHR		14 B/F		XXxxXXxx
21FEB06	09:10	Initiate Toolboard	xxxx	14 B/F		
		5524.2 AFHR				XXxxXXxx



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01815  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----				
TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====	=====	=====
21FEB06 09:10	Clear Toolboard			xxxx	14	
	5524.2 AFHR					XXxxXXxx
21FEB06 10:30	Change Serviceability Stat			0.0	SERV	
	5524.2 AFHR				U/S	
22FEB06 01:14	Maintenance Release			0.6	A1PXXUY601588	XXxxXXxx
	5527.1 AFHR				M PEA	
	Change Serviceability Stat			0.6	A	
22FEB06 04:50	Into Maintenance			0.1	A1PXXXY601419	XXxxXXxx
	5527.1 AFHR				U/S	
22FEB06 09:06	Initiate Toolboard			xxxx	SERV	
	5528.7 AFHR				A	
22FEB06 09:07	Clear Toolboard			xxxx	M PEA	
	5528.7 AFHR				A1PXXOY601049	XXxxXXxx
22FEB06 23:43	Maintenance Release			0.7	14 B/F	XXxxXXxx
	5530.1 AFHR					
23FEB06 06:00	Into Maintenance			0.2	M PEA	
	5530.1 AFHR				A	
23FEB06 22:06	Change Serviceability Stat			0.6	A1PXXXY601458	XXxxXXxx
	5531.6 AFHR				A	
27FEB06 10:30	Asset Comments			0.0	A1PXXOY601117	XXxxXXxx
	5531.6 AFHR				SERV	
28FEB06 08:44	Initiate Toolboard			xxxx	U/S	
	5531.6 AFHR				A1PXXUY505361	XXxxXXxx
28FEB06 08:45	Clear Toolboard			xxxx	UTP	
	5531.6 AFHR				A1PXXXY601510	XXxxXXxx
01MAR06 07:40	Initiate Toolboard			xxxx	14 B/F	XXxxXXxx
	5531.6 AFHR					
01MAR06 07:41	Clear Toolboard			xxxx	14	XXxxXXxx
	5531.6 AFHR					XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01816  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----		
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
01MAR06 23:33	Maintenance Release	6.0	M PEA A A1PXXXY601579	XXxxXXxx
	5531.6 AFHR Change Serviceability Stat	6.0	U/S SERV	
02MAR06 07:55	Into Maintenance	0.3	A M PEA A1PXXOY601197	XXxxXXxx
	5531.6 AFHR Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
02MAR06 08:40	Clear Toolboard	xxxx	14	XXxxXXxx
	5532.2 AFHR Initiate Toolboard			XXxxXXxx
02MAR06 10:06	Maintenance Release	0.0	M PEA A A1PXXXY601585	XXxxXXxx
	5532.2 AFHR Asset Comments	0.0	A1PXXXY601593	XXxxXXxx
03MAR06 05:29	Into Maintenance	0.8	A M PEA A1PXXOY601232	XXxxXXxx
	5532.2 AFHR Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
06MAR06 22:36	Clear Toolboard	xxxx	14	XXxxXXxx
	5535.3 AFHR Initiate Toolboard			XXxxXXxx
06MAR06 23:30	Maintenance Release	3.7	M PEA A A1PXXXY601633	XXxxXXxx
	5535.3 AFHR Into Maintenance	0.1	A A1PXXOY601266	XXxxXXxx
07MAR06 09:26	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	5536.7 AFHR Initiate Toolboard			XXxxXXxx
07MAR06 09:27	Clear Toolboard	xxxx	14	XXxxXXxx
	5536.7 AFHR Initiate Toolboard			XXxxXXxx
08MAR06 09:56	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	5540.5 AFHR			XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01817  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----				
TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN(DYS) FROM	TO (OPTIONAL)	USER
=====	=====	=====	=====	=====	=====	=====
08MAR06	23:42	Change Serviceability Stat		1.8	SERV	
					U/S	
			5540.5		A1PXXUY602207	XXxxXXxx
09MAR06	07:35	Initiate Toolboard	AFHR	xxxx	14 B/F	
			5541.8			XXxxXXxx
09MAR06	07:35	Clear Toolboard	AFHR	xxxx	14	
			5541.8			XXxxXXxx
09MAR06	23:47	Maintenance Release - Over		1.0	M PEA	
					A	
			5541.8		A1PXXXY601754	XXxxXXxx
		Change Serviceability Stat		1.0	U/S	
					SERV	
		Maintenance Comment		0.0	A/C RELEASED WITH KNOWN ACCELEROMETER ANOMALIES	
10MAR06	02:58	Into Maintenance		0.1	A	
			5541.8		A1PXXOY601405	XXxxXXxx
10MAR06	07:56	Change Serviceability Stat		0.2	SERV	
					U/S	
			5541.8		A1PXXUY602475	XXxxXXxx
12MAR06	22:32	Initiate Toolboard	AFHR	xxxx	14 B/F	
			5541.8			XXxxXXxx
12MAR06	22:32	Clear Toolboard	AFHR	xxxx	14	
			5541.8			XXxxXXxx
12MAR06	23:46	Maintenance Release - Over		2.6	M PEA	
					A	
			5543.0		A1PXXXY601824	XXxxXXxx
		Change Serviceability Stat		2.6	U/S	
					SERV	
		Maintenance Comment		0.0	A/C RELEASED WITH KNOWN ANOMALIES	
13MAR06	02:20	Into Maintenance		0.1	A	
			5543.0		M PEA	
					A1PXXOY601460	XXxxXXxx
13MAR06	09:35	Initiate Toolboard	AFHR	xxxx	14 B/F	
			5545.2			XXxxXXxx
13MAR06	09:35	Clear Toolboard	AFHR	xxxx	14	
			5545.2			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01818  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN (DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
LIFE SINCE NEW					
13MAR06	22:44	Maintenance Release - Over	0.8	M PEA A A1PXXXY601855	XXxxXXxx
		5545.2 AFHR Maintenance Comment	0.0	KNOWN ANOMALIES	
14MAR06	01:52	Into Maintenance	0.1	A A1PXXOY601505	XXxxXXxx
		5545.2 AFHR Change Serviceability Stat	0.2	SERV U/S	
14MAR06	09:30	Initiate Toolboard	xxxx	A1PXXUY601796 14 B/F	XXxxXXxx
		5548.5 AFHR			XXxxXXxx
14MAR06	09:31	Clear Toolboard	xxxx	14	XXxxXXxx
		5548.5 AFHR			XXxxXXxx
15MAR06	10:22	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
		5551.0 AFHR			XXxxXXxx
15MAR06	23:10	Clear Toolboard	xxxx	14	XXxxXXxx
		5551.0 AFHR			XXxxXXxx
15MAR06	23:11	Maintenance Release	1.6	M PEA A A1PXXXY601914	XXxxXXxx
		5551.0 AFHR Change Serviceability Stat	1.6	U/S SERV	
16MAR06	08:15	Into Maintenance	0.3	A M PEA A1PXXOY601628	XXxxXXxx
		5551.0 AFHR		14 B/F	
16MAR06	09:30	Initiate Toolboard	xxxx		XXxxXXxx
		5552.3 AFHR			XXxxXXxx
16MAR06	09:30	Clear Toolboard	xxxx	14	XXxxXXxx
		5552.3 AFHR			XXxxXXxx
16MAR06	22:49	Maintenance Release	0.6	M PEA A A1PXXXY601939	XXxxXXxx
		5552.3 AFHR			XXxxXXxx
17MAR06	05:53	Into Maintenance	0.2	A A1PXXOY601700	XXxxXXxx
		5552.3 AFHR			XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01819  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----				
TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN(DYS) FROM	TO (OPTIONAL)	USER
=====	=====	=====	=====	=====	=====	=====
17MAR06 06:41	Change Serviceability Stat			0.0	SERV	
					U/S	
		5554.0	AFHR		A1PXXUY602598	XXxxXXxx
19MAR06 22:31	Initiate Toolboard			xxxx	14 B/F	
		5554.0	AFHR			XXxxXXxx
19MAR06 22:31	Clear Toolboard			xxxx	14	
		5554.0	AFHR			XXxxXXxx
19MAR06 23:30	Maintenance Release			2.7	M PEA	
					A	
		5554.0	AFHR		A1PXXXY601981	XXxxXXxx
	Change Serviceability Stat			2.7	U/S	
20MAR06 03:00	Into Maintenance			0.1	SERV	
					A	
		5554.0	AFHR		M PEA	
20MAR06 09:44	Initiate Toolboard			xxxx	A1PXXOY601736	XXxxXXxx
		5555.1	AFHR		14 B/F	
20MAR06 09:46	Clear Toolboard			xxxx	14	
		5555.1	AFHR			XXxxXXxx
20MAR06 23:21	Maintenance Release			0.8	M PEA	
					A	
		5556.6	AFHR		A1PXXXY602057	XXxxXXxx
21MAR06 09:16	Into Maintenance			0.4	A	
		5556.6	AFHR		A1PXXOY601802	XXxxXXxx
21MAR06 09:17	Initiate Toolboard			xxxx	14 B/F	
		5556.6	AFHR			XXxxXXxx
21MAR06 09:17	Clear Toolboard			xxxx	14	
		5556.6	AFHR			XXxxXXxx
22MAR06 07:30	Into Maintenance			0.0	M	
		5558.2	AFHR		A1PXXOY601867	XXxxXXxx
22MAR06 08:41	Initiate Toolboard			xxxx	14 B/F	
		5558.2	AFHR			XXxxXXxx
22MAR06 08:50	Change Serviceability Stat			0.9	SERV	
					U/S	
		5558.2	AFHR		A1PXXUY603073	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01820  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
22MAR06	22:47	Clear Toolboard		xxxx	14	
		5558.2 AFHR				XXxxXXxx
22MAR06	22:48	Maintenance Release		0.5	M PEA	
		5558.2 AFHR			A	
		Change Serviceability Stat		0.5	A1PXXXY602102	XXxxXXxx
					U/S	
					SERV	
23MAR06	22:50	Into Maintenance		1.0	A	
		5558.8 AFHR			A1PXXOY601937	XXxxXXxx
24MAR06	00:34	Asset Comments		0.0	HOLD	
		5558.8 AFHR			A1PXXXY602205	XXxxXXxx
24MAR06	06:14	Change Serviceability Stat		0.3	SERV	
					U/S	
					A1PXXUY602948	XXxxXXxx
26MAR06	22:59	Initiate Toolboard		xxxx	14 B/F	
		5558.8 AFHR				XXxxXXxx
26MAR06	23:00	Clear Toolboard		xxxx	14	
		5558.8 AFHR				XXxxXXxx
27MAR06	09:17	Initiate Toolboard		xxxx	14 B/F	
		5558.8 AFHR				XXxxXXxx
27MAR06	09:18	Clear Toolboard		xxxx	14	
		5558.8 AFHR				XXxxXXxx
27MAR06	10:48	Asset Comments		0.0		
		5558.8 AFHR			A1PXXXY602274	XXxxXXxx
27MAR06	10:48	Maintenance Release		3.1	M PEA	
					A	
		5558.8 AFHR			A1PXXXY602275	XXxxXXxx
		Change Serviceability Stat		3.1	U/S	
					SERV	
28MAR06	05:30	Into Maintenance		0.7	A	
					M PEA	
		5558.8 AFHR			A1PXXOY602022	XXxxXXxx
28MAR06	09:25	Initiate Toolboard		xxxx	14 B/F	
		5561.2 AFHR				XXxxXXxx
28MAR06	09:26	Clear Toolboard		xxxx	14	
		5561.2 AFHR				XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01821  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
28MAR06	10:52	Maintenance Release	0.2	M PEA A		
		5561.2 AFHR		A1PXXXY602304		XXxxXXxx
29MAR06	05:40	Into Maintenance	0.7	M PEA A		
		5561.2 AFHR		A1PXXOY602074		XXxxXXxx
29MAR06	09:42	Initiate Toolboard	xxxx	14 B/F		
		5563.6 AFHR				XXxxXXxx
29MAR06	09:42	Clear Toolboard	xxxx	14		
		5563.6 AFHR				XXxxXXxx
29MAR06	10:37	Maintenance Release	0.2	M PEA A		
		5563.6 AFHR		A1PXXXY602342		XXxxXXxx
30MAR06	04:56	Into Maintenance	0.7	A		
		5563.6 AFHR		A1PXXOY602118		XXxxXXxx
30MAR06	22:00	Change Serviceability Stat	0.7	SERV U/S		
		5566.2 AFHR		A1PXXUY505354		XXxxXXxx
02APR06	23:19	Initiate Toolboard	xxxx	14 B/F		
		5566.2 AFHR				XXxxXXxx
02APR06	23:19	Clear Toolboard	xxxx	14		
		5566.2 AFHR				XXxxXXxx
02APR06	23:52	Maintenance Release	3.0	M PEA A		
		5566.2 AFHR		A1PXXXY602416		XXxxXXxx
		Change Serviceability Stat	3.0	U/S SERV		
03APR06	02:45	Into Maintenance	0.1	A		
		5566.2 AFHR		M PEA A1PXXOY602160		XXxxXXxx
03APR06	10:25	Initiate Toolboard	xxxx	14 B/F		
		5567.4 AFHR				XXxxXXxx
03APR06	10:25	Clear Toolboard	xxxx	14		
		5567.4 AFHR				XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01822  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
03APR06	23:20	Maintenance Release	0.8	M PEA A A1PXXXY602454		XXxxXXxx
04APR06	03:20	Into Maintenance	0.1	A A1PXXOY602221		XXxxXXxx
04APR06	08:58	Initiate Toolboard	xxxx	14 B/F		XXxxXXxx
04APR06	08:58	Clear Toolboard	xxxx	14		XXxxXXxx
04APR06	09:35	Change Serviceability Stat	0.2	SERV U/S A1PXXUY602749		XXxxXXxx
04APR06	23:27	Maintenance Release	0.5	M PEA A A1PXXXY602492		XXxxXXxx
		Change Serviceability Stat	0.5	U/S SERV A		
05APR06	09:09	Into Maintenance	0.4	M PEA A1PXXOY602296		XXxxXXxx
05APR06	09:09	Initiate Toolboard	xxxx	14 B/F		XXxxXXxx
05APR06	09:09	Clear Toolboard	xxxx	14		XXxxXXxx
05APR06	23:46	Maintenance Release	0.6	M PEA A A1PXXXY602549		XXxxXXxx
06APR06	08:23	Into Maintenance	0.3	A M PEA A1PXXOY602360		XXxxXXxx
06APR06	23:03	Initiate Toolboard	xxxx	14 B/F		XXxxXXxx
06APR06	23:03	Clear Toolboard	xxxx	14		XXxxXXxx



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01823  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----				
TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
=====						
06APR06	23:04	Maintenance Release	0.6	M PEA A		
		5573.1 AFHR		A1PXXXY602561		XXxxXXxx
09APR06	22:46	Into Maintenance	2.9	A		
		5573.1 AFHR		A1PXXOY602415		XXxxXXxx
09APR06	22:54	Initiate Toolboard	xxxx	14 B/F		
		5573.1 AFHR				XXxxXXxx
09APR06	23:21	Change Serviceability Stat	0.0	SERV U/S		
		5573.1 AFHR		A1PXXUY603451		XXxxXXxx
10APR06	00:05	Clear Toolboard	xxxx	14		
		5573.1 AFHR				XXxxXXxx
10APR06	00:05	Maintenance Release	0.0	M PEA A		
		5573.1 AFHR		A1PXXXY602626		XXxxXXxx
		Change Serviceability Stat	0.0	U/S		
10APR06	05:27	Into Maintenance	0.2	SERV A		
		5573.1 AFHR		M PEA		
		5573.1 AFHR		A1PXXOY602430		XXxxXXxx
10APR06	09:53	Initiate Toolboard	xxxx	14 B/F		
		5576.2 AFHR				XXxxXXxx
10APR06	09:53	Clear Toolboard	xxxx	14		
		5576.2 AFHR				XXxxXXxx
10APR06	10:23	Maintenance Release	0.2	M PEA A		
		5576.2 AFHR		A1PXXXY602660		XXxxXXxx
11APR06	05:40	Into Maintenance	0.8	A		
		5576.2 AFHR		A1PXXOY602486		XXxxXXxx
11APR06	09:12	Initiate Toolboard	xxxx	14 B/F		
		5578.6 AFHR				XXxxXXxx
11APR06	09:13	Clear Toolboard	xxxx	14		
		5578.6 AFHR				XXxxXXxx
11APR06	22:52	Change Serviceability Stat	0.7	SERV U/S		
		5578.6 AFHR		A1PXXUY508589		XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01824  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
11APR06 23:29	Maintenance Release	0.0	M PEA A A1PXXXY602717	XXxxXXxx
	5578.6 AFHR Change Serviceability Stat	0.0	U/S SERV	
12APR06 23:03	Asset Comments	0.0	HOLD HOLD	
	5578.6 AFHR		A1PXXXY602748	XXxxXXxx
12APR06 23:03	Into Maintenance	0.9	A	
	5578.6 AFHR		A1PXXOY602567	XXxxXXxx
13APR06 08:10	Change Serviceability Stat	0.3	SERV U/S A1PXXUY604006	XXxxXXxx
18APR06 09:10	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	5578.6 AFHR			XXxxXXxx
18APR06 09:11	Clear Toolboard	xxxx	14	XXxxXXxx
	5578.6 AFHR			XXxxXXxx
18APR06 23:04	Asset Comments	0.0		
	5578.6 AFHR		A1PXXXY602832	XXxxXXxx
18APR06 23:04	Maintenance Release	5.6	M PEA A	
	5578.6 AFHR		A1PXXXY602833	XXxxXXxx
	Change Serviceability Stat	5.6	U/S SERV	
19APR06 03:08	Into Maintenance	0.1	A M PEA	
	5578.6 AFHR		A1PXXOY602622	XXxxXXxx
19APR06 09:30	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	5581.3 AFHR			XXxxXXxx
19APR06 09:30	Clear Toolboard	xxxx	14	XXxxXXxx
	5581.3 AFHR			XXxxXXxx
19APR06 23:26	Maintenance Release	0.8	M PEA A	
	5582.5 AFHR		A1PXXXY602856	XXxxXXxx
20APR06 01:45	Into Maintenance	0.0	A M PEA	
	5582.5 AFHR		A1PXXOY602650	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01825  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----			
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER	
=====	=====	=====	=====	=====	
20APR06 08:57	Initiate Toolboard 5584.8 AFHR	xxxx	14 B/F	XXxxXXxx	
20APR06 08:57	Clear Toolboard 5584.8 AFHR	xxxx	14	XXxxXXxx	
20APR06 22:26	Maintenance Release 5586.4 AFHR	0.8	M PEA A A1PXXXY602881	XXxxXXxx	
21APR06 03:00	Into Maintenance 5586.4 AFHR	0.1	A A1PXXOY602665	XXxxXXxx	
21APR06 07:24	Change Serviceability Stat 5587.6 AFHR	0.1	SERV U/S A1PXXUY604060	XXxxXXxx	
23APR06 22:30	Initiate Toolboard 5587.6 AFHR	xxxx	14 B/F	XXxxXXxx	
23APR06 22:30	Clear Toolboard 5587.6 AFHR	xxxx	14	XXxxXXxx	
24APR06 01:23	Maintenance Release 5588.9 AFHR	2.7	M PEA A A1PXXXY602934	XXxxXXxx	
	Change Serviceability Stat	2.7	U/S SERV		
24APR06 02:24	Into Maintenance 5590.2 AFHR	0.0	M A1PXXOY602720	XXxxXXxx	
24APR06 06:20	Into Maintenance	0.2	A M PEA A1PXXOY602682	XXxxXXxx	
24APR06 09:36	Maintenance Release 5588.9 AFHR	0.1	M PEA A A1PXXXY602953	XXxxXXxx	
25APR06 03:16	Into Maintenance 5590.2 AFHR	0.7	A M PEA A1PXXOY602721	XXxxXXxx	
26APR06 00:50	Initiate Toolboard 5591.6 AFHR	xxxx	14 B/F	XXxxXXxx	
26APR06 00:52	Clear Toolboard 5591.6 AFHR	xxxx	14	XXxxXXxx	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01826  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
26APR06	00:52	Maintenance Release	0.9	M PEA A A1PXXXY602977		XXxxXXxx
26APR06	02:15	Into Maintenance	0.0	A A1PXXOY602734		XXxxXXxx
30APR06	23:42	Change Serviceability Stat	4.8	SERV U/S A1PXXUY604419		XXxxXXxx
		Estimated Date/Time Servic	732796.0	SERV STAT 31DEC25		
01MAY06	00:31	Asset Comments	0.0	R2 SERV R2 SERV		
		5594.9 AFHR		A1PXXXY603073		XXxxXXxx
01MAY06	01:20	Estimated Date/Time Servic	0.0	01MAY06 23:45 12MAY06 23:45 A1PXXXY603085		XXxxXXxx
05MAY06	02:00	Estimated Date/Time Servic	11.0	12MAY06 00:00 12MAY06 00:00 C		
		5594.9 AFHR		A1PXXXY603269		XXxxXXxx
15MAY06	02:44	Estimated Date/Time Servic	7.0	12MAY06 00:00 C 26MAY06 00:00 C		
		5594.9 AFHR		A1PXXXY603534		XXxxXXxx
19MAY06	02:34	Estimated Date/Time Servic	10.9	26MAY06 00:00 C 26MAY06 00:00 C		
		5594.9 AFHR		A1PXXXY603869		XXxxXXxx
24MAY06	23:43	Asset Comments	0.0	WING CX WING CX		
		5594.9 AFHR		A1PXXXY604067		XXxxXXxx
29MAY06	02:24	Estimated Date/Time Servic	6.9	26MAY06 00:00 C 26JUN06 00:00 C		
		5594.9 AFHR		A1PXXXY604177		XXxxXXxx
06JUN06	01:25	Estimated Date/Time Servic	27.9	26JUN06 00:00 C 30JUN06 00:00 C		
		5594.9 AFHR		A1PXXXY604354		XXxxXXxx
16JUN06	03:11	Estimated Date/Time Servic	24.0	30JUN06 00:00 C 30JUN06 00:00 C		
		5594.9 AFHR		A1PXXXY604675		XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01827  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
23JUN06	03:43	Estimated Date/Time	Servic	14.0	30JUN06 00:00 C 07JUL06 00:00 C	
14AUG06	10:27	Asset Comments	5594.9 AFHR	0.0	A1PXXXY604869 WING CX MTF WING CX MTF	XXxxXXxx
14AUG06	11:11	Initiate Toolboard	5594.9 AFHR	xxxx	A1PXXXY606532 14 B/F	XXxxXXxx
14AUG06	11:12	Clear Toolboard	5594.9 AFHR	xxxx	14	XXxxXXxx
16AUG06	06:05	Initiate Toolboard	5594.9 AFHR	xxxx	14 B/F	XXxxXXxx
16AUG06	06:06	Clear Toolboard	5594.9 AFHR	xxxx	14	XXxxXXxx
16AUG06	06:06	Maintenance Release		107.2	M PEA A A1PXXXY606578	XXxxXXxx
		Change Serviceability Stat	5594.9 AFHR	107.2	U/S SERV	
		Estimated Date/Time	Servic	14.0	07JUL06 00:00 C SERV STAT	
16AUG06	08:49	Into Maintenance	5594.9 AFHR	0.1	A A1PXXOY606831	XXxxXXxx
16AUG06	09:27	Initiate Toolboard	5596.2 AFHR	xxxx	14 B/F	XXxxXXxx
16AUG06	09:27	Clear Toolboard	5596.2 AFHR	xxxx	14	XXxxXXxx
16AUG06	11:21	Change Serviceability Stat	5596.2 AFHR	0.1	SERV U/S A1PXXUY609674	XXxxXXxx
		Estimated Date/Time	Servic	732904.7	SERV STAT 17AUG06	
16AUG06	11:23	Asset Comments	5596.2 AFHR	0.0	MTF A1PXXXY606585	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01828  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----			
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
=====	=====	=====	=====	=====	=====
	LIFE SINCE NEW		TRANS REFERENCE		
17AUG06 00:15	Maintenance Release	0.5	M PEA		
	5596.2 AFHR		A		
	Change Serviceability Stat	0.5	A1PXXXY606601		XXxxXXxx
	Estimated Date/Time Servic	0.5	U/S		
			SERV		
			17AUG06 11:22		
			SERV STAT		
17AUG06 01:59	Into Maintenance	0.0	A		
	5596.2 AFHR		A1PXXOY606848		XXxxXXxx
17AUG06 01:59	Asset Comments	0.0			
	5596.2 AFHR		A1PXXXY606605		XXxxXXxx
17AUG06 01:59	Change Serviceability Stat	0.0	SERV		
	5596.2 AFHR		U/S		
	Estimated Date/Time Servic	732905.9	A1PXXUY609674		XXxxXXxx
			SERV STAT		
			18AUG06		
17AUG06 09:47	Initiate Toolboard	xxxx	14 B/F		
	5598.6 AFHR				XXxxXXxx
17AUG06 09:47	Clear Toolboard	xxxx	14		
	5598.6 AFHR				XXxxXXxx
17AUG06 09:49	Change Serviceability Stat	0.3	U/S		
	5598.6 AFHR		SERV		
	Estimated Date/Time Servic	1.3	A1PXXXY606618		XXxxXXxx
			18AUG06 01:59		
			SERV STAT		
17AUG06 23:21	Maintenance Release	0.5	M PEA		
	5600.3 AFHR		A		
18AUG06 06:35	Into Maintenance	0.3	A1PXXXY606629		XXxxXXxx
	5600.3 AFHR		A		
18AUG06 06:37	Initiate Toolboard	xxxx	A1PXXOY606952		XXxxXXxx
	5600.3 AFHR		14 B/F		
18AUG06 06:37	Clear Toolboard	xxxx	14		XXxxXXxx
	5600.3 AFHR				XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01829  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
18AUG06 07:27	Change Serviceability Stat	0.0	SERV U/S	
	5600.3 AFHR Estimated Date/Time Servic	732906.0	A1PXXUY609491 SERV STAT 19AUG06	XXxxXXxx
21AUG06 00:13	Initiate Toolboard	xxxx	14 B/F	
	5603.8 AFHR			XXxxXXxx
21AUG06 00:41	Clear Toolboard	xxxx	14	
	5603.8 AFHR			XXxxXXxx
21AUG06 03:06	Create/Amend Basic Weight	481.9	1727.00 4270.9 7375.86 0.00 1726.50 4269.7 7371.62 0.00	
	5603.8 AFHR		A1PXXXY606693	XXxxXXxx
21AUG06 10:52	Maintenance Comment Initiate Toolboard	0.0	POST WING CHANGE 01AUG06 14 B/F	
	5606.0 AFHR	xxxx		XXxxXXxx
22AUG06 00:05	Clear Toolboard	xxxx	14	
	5606.0 AFHR			XXxxXXxx
22AUG06 00:06	Maintenance Release	3.6	M PEA	
	5606.0 AFHR		A A1PXXXY606737	XXxxXXxx
	Change Serviceability Stat	3.6	U/S	
	Estimated Date/Time Servic	0.6	SERV 19AUG06 07:27 SERV STAT	
22AUG06 03:21	Into Maintenance	0.1	A	
	5606.0 AFHR		A1PXXOY607052	XXxxXXxx
22AUG06 03:23	Change Serviceability Stat	0.0	SERV U/S	
	5606.0 AFHR		A1PXXUY609874	XXxxXXxx
	Estimated Date/Time Servic	732910.8	SERV STAT 23AUG06	
22AUG06 08:17	Initiate Toolboard	xxxx	14 B/F	
	5607.4 AFHR			XXxxXXxx
22AUG06 08:17	Clear Toolboard	xxxx	14	
	5607.4 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01830  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
22AUG06 12:07	Into Maintenance		5607.4 AFHR	0.0	M A1PXXOY607090	XXxxXXxx
22AUG06 23:02	Maintenance Release		5607.4 AFHR	0.8	M PEA A A1PXXXY606792	XXxxXXxx
	Change Serviceability Stat			0.8	U/S SERV	
	Estimated Date/Time Servic			1.8	23AUG06 03:23 SERV STAT	
23AUG06 03:20	Into Maintenance			0.1	A M PEA A1PXXOY607091	XXxxXXxx
23AUG06 09:14	Initiate Toolboard		5608.7 AFHR	xxxx	14 B/F	XXxxXXxx
23AUG06 23:06	Clear Toolboard		5611.2 AFHR	xxxx	14	XXxxXXxx
23AUG06 23:41	Maintenance Release		5611.6 AFHR	0.8	M PEA A A1PXXXY606842	XXxxXXxx
24AUG06 09:29	Into Maintenance		5611.6 AFHR	0.4	A M PEA A1PXXOY607206	XXxxXXxx
24AUG06 09:30	Initiate Toolboard		5611.6 AFHR	xxxx	14 B/F	XXxxXXxx
24AUG06 09:31	Clear Toolboard		5611.6 AFHR	xxxx	14	XXxxXXxx
24AUG06 22:59	Maintenance Release		5611.6 AFHR	0.5	M PEA A A1PXXXY606899	XXxxXXxx
25AUG06 06:19	Into Maintenance		5613.0 AFHR	0.3	A A1PXXOY607293	XXxxXXxx
26AUG06 03:59	Change Serviceability Stat		5613.0 AFHR	0.9	SERV U/S A1PXXUY609826	XXxxXXxx
	Estimated Date/Time Servic			732911.7	SERV STAT 27AUG06	

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01831  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
27AUG06	22:42	Initiate Toolboard 5615.7 AFHR	xxxx	14 B/F		XXxxXXxx
27AUG06	22:42	Clear Toolboard 5615.7 AFHR	xxxx	14		XXxxXXxx
28AUG06	00:24	Maintenance Release 5615.7 AFHR	1.8	M PEA A A1PXXXY606993		XXxxXXxx
		Change Serviceability Stat Estimated Date/Time Servic	1.8	U/S SERV 27AUG06 03:59 SERV STAT		
28AUG06	01:35	Into Maintenance 5615.7 AFHR	0.0	A M PEA A1PXXOY607326		XXxxXXxx
28AUG06	09:55	Initiate Toolboard 5620.3 AFHR	xxxx	14 B/F		XXxxXXxx
28AUG06	09:56	Clear Toolboard 5620.3 AFHR	xxxx	14		XXxxXXxx
28AUG06	22:47	Maintenance Release 5620.3 AFHR	0.8	M PEA A A1PXXXY607026		XXxxXXxx
29AUG06	09:25	Into Maintenance 5620.3 AFHR	0.4	A M PEA A1PXXOY607430		XXxxXXxx
29AUG06	09:48	Initiate Toolboard 5623.0 AFHR	xxxx	14 B/F		XXxxXXxx
29AUG06	23:15	Clear Toolboard 5623.0 AFHR	xxxx	14		XXxxXXxx
29AUG06	23:16	Maintenance Release 5623.0 AFHR	0.5	M PEA A A1PXXXY607056		XXxxXXxx
30AUG06	02:47	Into Maintenance 5623.0 AFHR	0.1	A M PEA A1PXXOY607447		XXxxXXxx
31AUG06	09:31	Initiate Toolboard 5628.5 AFHR	xxxx	14 B/F		XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01832  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
31AUG06	09:31	Clear Toolboard	5628.5 AFHR	xxxx	14	XXxxXXxx
31AUG06	23:03	Maintenance Release	5628.5 AFHR	1.8	M PEA A A1PXXXY607135	XXxxXXxx
01SEP06	00:02	Into Maintenance	5628.5 AFHR	0.0	A A1PXXOY607531	XXxxXXxx
01SEP06	06:19	Change Serviceability Stat	5629.8 AFHR	0.2	SERV U/S A1PXXUY610167	XXxxXXxx
		Estimated Date/Time Servic		732916.7	SERV STAT 02SEP06	
03SEP06	22:49	Initiate Toolboard	5631.0 AFHR	xxxx	14 B/F	XXxxXXxx
04SEP06	00:17	Clear Toolboard	5631.0 AFHR	xxxx	14	XXxxXXxx
04SEP06	02:44	Maintenance Release	5631.0 AFHR	2.8	M PEA A A1PXXXY607210	XXxxXXxx
		Change Serviceability Stat		2.8	U/S SERV	
		Estimated Date/Time Servic		0.8	02SEP06 06:19 SERV STAT	
04SEP06	03:15	Into Maintenance	5631.0 AFHR	0.0	A M PEA A1PXXOY607591	XXxxXXxx
04SEP06	08:52	Initiate Toolboard	5632.3 AFHR	xxxx	14 B/F	XXxxXXxx
04SEP06	08:53	Clear Toolboard	5632.3 AFHR	xxxx	14	XXxxXXxx
04SEP06	23:05	Maintenance Release	5635.0 AFHR	0.8	M PEA A A1PXXXY607256	XXxxXXxx
05SEP06	01:54	Into Maintenance	5635.0 AFHR	0.1	A A1PXXOY607642	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01833  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
05SEP06 08:25	Initiate Toolboard 5637.5 AFHR	xxxx	14 B/F	XXxxXXxx
05SEP06 08:26	Clear Toolboard 5637.5 AFHR	xxxx	14	XXxxXXxx
05SEP06 08:49	Change Serviceability Stat 5637.5 AFHR Estimated Date/Time Servic	0.2	SERV U/S A1PXXUY610712 SERV STAT 06SEP06	XXxxXXxx
05SEP06 08:54	Change Serviceability Stat 5637.5 AFHR Estimated Date/Time Servic	0.0	U/S SERV A1PXXXY607288 06SEP06 08:50 SERV STAT	XXxxXXxx
06SEP06 01:32	Maintenance Release 5638.8 AFHR	0.6	M PEA A A1PXXXY607302	XXxxXXxx
06SEP06 04:25	Into Maintenance 5638.8 AFHR	0.1	A A1PXXOY607720	XXxxXXxx
06SEP06 11:01	Change Serviceability Stat 5640.0 AFHR Estimated Date/Time Servic	0.2	SERV U/S A1PXXUY610752 SERV STAT 07SEP06	XXxxXXxx
09SEP06 23:40	Initiate Toolboard 5640.8 AFHR	xxxx	14 B/F	XXxxXXxx
09SEP06 23:40	Clear Toolboard 5640.8 AFHR	xxxx	14	XXxxXXxx
09SEP06 23:59	Maintenance Release 5640.8 AFHR Change Serviceability Stat Estimated Date/Time Servic	3.5	M PEA A A1PXXXY607383 U/S SERV 07SEP06 11:02 SERV STAT	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01834  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
10SEP06	22:41	Asset Comments	5640.8 AFHR	0.0	LMO LMO A1PXXXY607398	XXxxXXxx
10SEP06	23:04	Into Maintenance	5640.8 AFHR	0.9	A A1PXXOY607756	XXxxXXxx
10SEP06	23:05	Change Serviceability Stat	5640.8 AFHR	0.0	SERV U/S A1PXXUY610593	XXxxXXxx
		Estimated Date/Time Servic		732929.0	SERV STAT 11SEP06	
24SEP06	22:18	Initiate Toolboard	5675.0 AFHR	xxxx	14 B/F	XXxxXXxx
24SEP06	22:20	Clear Toolboard	5675.0 AFHR	xxxx	14	XXxxXXxx
24SEP06	23:10	Asset Comments	5676.2 AFHR	0.0	A1PXXXY607677	XXxxXXxx
25SEP06	08:51	Initiate Toolboard	5682.8 AFHR	xxxx	14 B/F	XXxxXXxx
25SEP06	08:51	Clear Toolboard	5682.8 AFHR	xxxx	14	XXxxXXxx
26SEP06	00:37	Maintenance Release	5682.8 AFHR	15.0	M PEA A A1PXXXY607754	XXxxXXxx
		Change Serviceability Stat		15.0	U/S SERV	
		Estimated Date/Time Servic		0.0	11SEP06 23:05 SERV STAT	
26SEP06	03:51	Into Maintenance		0.1	A M PEA A1PXXOY608413	XXxxXXxx
26SEP06	08:33	Initiate Toolboard	5685.4 AFHR	xxxx	14 B/F	XXxxXXxx
26SEP06	08:34	Clear Toolboard	5685.4 AFHR	xxxx	14	XXxxXXxx
26SEP06	22:45	Maintenance Release	5685.4 AFHR	0.7	M PEA A A1PXXXY607796	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01835  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
27SEP06	01:20	Into Maintenance 5685.4 AFHR	0.1	A	A1PXXOY608456	XXxxXXxx
27SEP06	04:48	Change Serviceability Stat 5686.6 AFHR	0.1	SERV U/S	A1PXXUY611571	XXxxXXxx
		Estimated Date/Time Servic	732945.8	SERV STAT		
27SEP06	08:52	Initiate Toolboard 5689.3 AFHR	xxxx	14 B/F		XXxxXXxx
27SEP06	08:52	Clear Toolboard 5689.3 AFHR	xxxx	14		XXxxXXxx
27SEP06	22:51	Maintenance Release 5689.3 AFHR	0.7	M PEA A	A1PXXXY607846	XXxxXXxx
		Change Serviceability Stat	0.7	U/S		
		Estimated Date/Time Servic	1.7	SERV 28SEP06 04:49 SERV STAT		
28SEP06	02:52	Into Maintenance 5689.3 AFHR	0.1	A	A1PXXOY608513	XXxxXXxx
28SEP06	10:56	Initiate Toolboard 5689.3 AFHR	xxxx	14 B/F		XXxxXXxx
28SEP06	11:30	Change Serviceability Stat 5689.3 AFHR	0.3	SERV U/S	A1PXXUY611409	XXxxXXxx
		Estimated Date/Time Servic	732947.4	SERV STAT		
03OCT06	23:45	Asset Comments 5689.3 AFHR	0.0	UTP	UTP	XXxxXXxx
06OCT06	05:05	Initiate Toolboard 5689.3 AFHR	xxxx	14 B/F		XXxxXXxx
06OCT06	05:06	Clear Toolboard 5689.3 AFHR	xxxx	14		XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01836  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
06OCT06	05:08	Maintenance Release	7.7	M PEA		
		5689.3 AFHR		A		
		Change Serviceability Stat	7.7	A1PXXXY608109		XXxxXXxx
		Estimated Date/Time Servic	0.7	U/S		
				SERV		
				29SEP06 11:30		
				SERV STAT		
08OCT06	22:38	Into Maintenance	2.7	A		
		5689.3 AFHR		A1PXXOY608806		XXxxXXxx
08OCT06	22:39	Initiate Toolboard	xxxx	14 B/F		
		5689.3 AFHR				XXxxXXxx
08OCT06	22:39	Clear Toolboard	xxxx	14		
		5689.3 AFHR				XXxxXXxx
08OCT06	23:18	Asset Comments	0.0			
		5689.8 AFHR		A1PXXXY608115		XXxxXXxx
08OCT06	23:51	Change Serviceability Stat	0.0	SERV		
		5689.8 AFHR		U/S		
		Estimated Date/Time Servic	732955.2	A1PXXUY611850		XXxxXXxx
				SERV STAT		
				09OCT06		
08OCT06	23:52	Maintenance Release	0.0	M PEA		
		5689.8 AFHR		A		
		Change Serviceability Stat	0.0	A1PXXXY608121		XXxxXXxx
				U/S		
		Estimated Date/Time Servic	1.0	SERV		
				09OCT06 23:51		
				SERV STAT		
09OCT06	02:00	Into Maintenance	0.0	A		
		5689.8 AFHR		M PEA		
09OCT06	09:14	Initiate Toolboard	xxxx	A1PXXOY608837		XXxxXXxx
		5694.8 AFHR		14 B/F		
09OCT06	09:15	Clear Toolboard	xxxx	14		
		5694.8 AFHR				XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01837  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
09OCT06	22:47	Maintenance Release	0.8	M PEA A		
		5694.8 AFHR		A1PXXXY608159		XXxxXXxx
10OCT06	01:03	Into Maintenance	0.0	A M PEA		
		5694.8 AFHR		A1PXXOY608885		XXxxXXxx
10OCT06	09:43	Initiate Toolboard	xxxx	14 B/F		
		5700.1 AFHR				XXxxXXxx
10OCT06	09:44	Clear Toolboard	xxxx	14		
		5700.1 AFHR				XXxxXXxx
10OCT06	23:32	Maintenance Release	0.9	M PEA A		
		5700.1 AFHR		A1PXXXY608202		XXxxXXxx
11OCT06	01:55	Into Maintenance	0.0	A M PEA		
		5700.1 AFHR		A1PXXOY608933		XXxxXXxx
11OCT06	09:22	Initiate Toolboard	xxxx	14 B/F		
		5704.7 AFHR				XXxxXXxx
11OCT06	09:26	Clear Toolboard	xxxx	14		
		5704.7 AFHR				XXxxXXxx
11OCT06	23:46	Maintenance Release	0.9	M PEA A		
		5704.7 AFHR		A1PXXXY608241		XXxxXXxx
12OCT06	01:15	Into Maintenance	0.0	A A1PXXOY608977		XXxxXXxx
12OCT06	06:47	Change Serviceability Stat	0.2	SERV U/S		
		5708.3 AFHR		A1PXXUY612256		XXxxXXxx
		Estimated Date/Time Servic	732958.7	SERV STAT 13OCT06		
12OCT06	09:10	Initiate Toolboard	xxxx	14 B/F		
		5708.3 AFHR				XXxxXXxx
12OCT06	09:11	Clear Toolboard	xxxx	14		
		5708.3 AFHR				XXxxXXxx
12OCT06	09:48	Asset Comments	0.0	AIRTEST AIRTEST		
		5708.3 AFHR		A1PXXXY608307		XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01838  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
12OCT06 23:34	Maintenance Release	0.6	M PEA A	
	5708.3 AFHR Change Serviceability Stat	0.6	A1PXXXY608324 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.6	SERV 13OCT06 06:48 SERV STAT	
13OCT06 02:45	Into Maintenance	0.1	A	
	5708.3 AFHR		A1PXXOY609029	XXxxXXxx
15OCT06 22:54	Initiate Toolboard	xxxx	14 B/F	
	5711.0 AFHR			XXxxXXxx
16OCT06 00:57	Clear Toolboard	xxxx	14	
	5711.0 AFHR			XXxxXXxx
16OCT06 00:57	Asset Comments	0.0		
	5711.0 AFHR		A1PXXXY608379	XXxxXXxx
16OCT06 01:02	Change Serviceability Stat	2.9	SERV U/S	
	5711.0 AFHR		A1PXXUY612258	XXxxXXxx
	Estimated Date/Time Servic	732962.9	SERV STAT 17OCT06	
16OCT06 01:04	Maintenance Release	0.0	M PEA A	
	5711.0 AFHR		A1PXXXY608385	XXxxXXxx
	Change Serviceability Stat	0.0	U/S	
	Estimated Date/Time Servic	1.0	SERV 17OCT06 01:02 SERV STAT	
16OCT06 03:29	Into Maintenance	0.1	A	
	5711.0 AFHR		M PEA A1PXXOY609084	XXxxXXxx
16OCT06 08:13	Into Maintenance	0.0	M	
	5713.8 AFHR		A1PXXOY609126	XXxxXXxx
16OCT06 09:47	Initiate Toolboard	xxxx	14 B/F	
	5713.8 AFHR			XXxxXXxx
16OCT06 09:47	Clear Toolboard	xxxx	14	
	5713.8 AFHR			XXxxXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01839  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
16OCT06	22:34	Maintenance Release	0.7	M PEA A A1PXXXY608427		XXxxXXxx
17OCT06	01:36	Into Maintenance	0.1	A A1PXXOY609132		XXxxXXxx
17OCT06	23:17	Initiate Toolboard	xxxx	14 B/F		XXxxXXxx
17OCT06	23:17	Clear Toolboard	xxxx	14		XXxxXXxx
17OCT06	23:51	Change Serviceability Stat	0.9	SERV U/S A1PXXUY612499		XXxxXXxx
		Estimated Date/Time Servic	732965.0	SERV STAT 18OCT06		
18OCT06	09:41	Initiate Toolboard	xxxx	14 A/F		XXxxXXxx
18OCT06	09:41	Initiate Toolboard	xxxx	14 B/F		XXxxXXxx
18OCT06	09:42	Clear Toolboard	xxxx	14		XXxxXXxx
19OCT06	00:29	Maintenance Release	1.0	M PEA A A1PXXXY608512		XXxxXXxx
		Change Serviceability Stat	1.0	U/S SERV		
		Estimated Date/Time Servic	0.0	18OCT06 23:51 SERV STAT		
19OCT06	01:20	Into Maintenance	0.0	A A1PXXOY609271		XXxxXXxx
19OCT06	11:35	Initiate Toolboard	xxxx	14 B/F		XXxxXXxx
19OCT06	13:11	Change Serviceability Stat	0.4	SERV U/S A1PXXUY612267		XXxxXXxx
		Estimated Date/Time Servic	732968.4	SERV STAT 20OCT06		

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01840  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
19OCT06	23:14	Clear Toolboard		xxxx	14	
		5731.0 AFHR				XXxxXXxx
19OCT06	23:59	Maintenance Release		0.4	M PEA A	
		5731.0 AFHR			A1PXXXY608569	XXxxXXxx
		Change Serviceability Stat		0.4	U/S SERV	
		Estimated Date/Time Servic		1.4	20OCT06 13:11 SERV STAT	
20OCT06	03:37	Into Maintenance		0.1	A M PEA	
		5731.0 AFHR			A1PXXOY609325	XXxxXXxx
20OCT06	06:14	Into Maintenance		0.0	M	
		5732.2 AFHR			A1PXXOY609353	XXxxXXxx
22OCT06	22:28	Initiate Toolboard		xxxx	14 B/F	
		5732.2 AFHR				XXxxXXxx
22OCT06	22:29	Clear Toolboard		xxxx	14	
		5732.2 AFHR				XXxxXXxx
22OCT06	22:29	Maintenance Release		2.7	M PEA A	
		5732.2 AFHR			A1PXXXY608590	XXxxXXxx
23OCT06	02:09	Into Maintenance		0.1	A M PEA	
		5733.8 AFHR			A1PXXOY609373	XXxxXXxx
23OCT06	09:29	Initiate Toolboard		xxxx	14 B/F	
		5737.5 AFHR				XXxxXXxx
23OCT06	09:30	Clear Toolboard		xxxx	14	
		5737.5 AFHR				XXxxXXxx
23OCT06	23:10	Maintenance Release		0.8	M PEA A	
		5737.5 AFHR			A1PXXXY608636	XXxxXXxx
25OCT06	06:17	Into Maintenance		1.2	A A1PXXOY609528	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01841  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
25OCT06 09:30	Change Serviceability Stat	0.1	SERV U/S	
	5737.5 AFHR		A1PXXUY612621	XXxxXXxx
	Estimated Date/Time Servic	732969.6	SERV STAT 26OCT06	
26OCT06 00:19	Asset Comments	0.0	HOLD HOLD	
	5737.5 AFHR		A1PXXXY608770	XXxxXXxx
29OCT06 22:43	Initiate Toolboard	xxxx	14 B/F	
	5737.5 AFHR			XXxxXXxx
29OCT06 23:12	Asset Comments	0.0		
	5737.5 AFHR		A1PXXXY608838	XXxxXXxx
29OCT06 23:12	Clear Toolboard	xxxx	14	
	5737.5 AFHR			XXxxXXxx
29OCT06 23:19	Maintenance Release	4.5	M PEA A	
	5737.5 AFHR		A1PXXXY608851	XXxxXXxx
	Change Serviceability Stat	4.5	U/S	
	Estimated Date/Time Servic	1.5	SERV 26OCT06 09:30	
			SERV STAT	
30OCT06 03:45	Into Maintenance	0.1	A	
	5737.5 AFHR		M PEA A1PXXOY609658	XXxxXXxx
30OCT06 09:16	Initiate Toolboard	xxxx	14 B/F	
	5738.8 AFHR			XXxxXXxx
30OCT06 09:16	Clear Toolboard	xxxx	14	
	5738.8 AFHR			XXxxXXxx
30OCT06 22:58	Maintenance Release	0.8	M PEA A	
	5739.9 AFHR		A1PXXXY608889	XXxxXXxx
31OCT06 08:52	Into Maintenance	0.4	A	
	5739.9 AFHR		M PEA A1PXXOY609730	XXxxXXxx
31OCT06 08:53	Initiate Toolboard	xxxx	14 B/F	
	5739.9 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01842  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
31OCT06 08:53	Clear	Toolboard	5739.9 AFHR	xxxx 14		XXxxXXxx
31OCT06 23:46	Maintenance	Release	5739.9 AFHR	0.6	M PEA A A1PXXXY608971	XXxxXXxx
01NOV06 09:02	Into	Maintenance	5739.9 AFHR	0.3	A A1PXXOY609785	XXxxXXxx
01NOV06 09:03	Initiate	Toolboard	5739.9 AFHR	xxxx	14 B/F	XXxxXXxx
01NOV06 09:03	Clear	Toolboard	5739.9 AFHR	xxxx	14	XXxxXXxx
01NOV06 23:16	Change	Serviceability Stat	5739.9 AFHR Estimated Date/Time Servic	0.5 732979.0	SERV U/S A1PXXUY612853 SERV STAT 02NOV06	XXxxXXxx
02NOV06 01:40	Maintenance	Release	5739.9 AFHR	0.1	M PEA A A1PXXXY609020	XXxxXXxx
	Change	Serviceability Stat	5739.9 AFHR Estimated Date/Time Servic	0.1	U/S SERV 02NOV06 23:16 SERV STAT	
02NOV06 09:09	Into	Maintenance	5739.9 AFHR	0.3	A A1PXXOY609858	XXxxXXxx
02NOV06 09:10	Initiate	Toolboard	5739.9 AFHR	xxxx	14 B/F	XXxxXXxx
02NOV06 09:12	Clear	Toolboard	5739.9 AFHR	xxxx	14	XXxxXXxx
05NOV06 23:09	Asset	Comments	5740.7 AFHR	0.0	G2 G2 A1PXXXY609113	XXxxXXxx
06NOV06 10:29	Initiate	Toolboard	5740.7 AFHR	xxxx	14 B/F	XXxxXXxx
06NOV06 10:29	Clear	Toolboard	5740.7 AFHR	xxxx	14	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01843  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
07NOV06 00:35	Change Serviceability Stat	4.6	SERV U/S A1PXXUY613387	XXxxXXxx
	5740.7 AFHR Estimated Date/Time Servic	732983.0	SERV STAT 08NOV06	
07NOV06 00:39	Maintenance Release	0.0	M PEA A A1PXXY609179	XXxxXXxx
	5740.7 AFHR Change Serviceability Stat	0.0	U/S SERV 08NOV06 00:36	
07NOV06 02:33	Into Maintenance	0.0	SERV STAT A A1PXXOY610000	XXxxXXxx
07NOV06 02:35	Change Serviceability Stat	0.0	SERV U/S A1PXXUY613387	XXxxXXxx
	5740.7 AFHR Estimated Date/Time Servic	732987.9	SERV STAT 08NOV06	
07NOV06 04:04	Asset Comments	0.0	A1PXXY609206	XXxxXXxx
07NOV06 09:44	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
07NOV06 09:45	Clear Toolboard	xxxx	14	XXxxXXxx
08NOV06 00:17	Maintenance Release	0.9	M PEA A A1PXXY609232	XXxxXXxx
	5741.1 AFHR Change Serviceability Stat	0.9	U/S SERV 08NOV06 02:35	
08NOV06 08:33	Into Maintenance	0.3	SERV STAT A A1PXXOY610087	XXxxXXxx
	5741.1 AFHR			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01844  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
08NOV06 08:33	Change Serviceability Stat	0.0	SERV U/S	
	5741.1 AFHR		A1PXXUY613194	XXxxXXxx
	Estimated Date/Time Servic	732988.6	SERV STAT	
08NOV06 08:44	Initiate Toolboard	xxxx	09NOV06 14 B/F	
	5741.1 AFHR			XXxxXXxx
08NOV06 08:44	Clear Toolboard	xxxx	14	
	5741.1 AFHR			XXxxXXxx
08NOV06 22:48	Maintenance Release	0.5	M PEA	
	5741.1 AFHR		A	
	Change Serviceability Stat	0.5	A1PXXXY609282	XXxxXXxx
	Estimated Date/Time Servic	1.5	SERV	
09NOV06 02:05	Into Maintenance	0.1	09NOV06 08:33	
	5741.1 AFHR		SERV STAT	
09NOV06 02:06	Change Serviceability Stat	0.0	A	
	5741.1 AFHR		A1PXXOY610105	XXxxXXxx
	Estimated Date/Time Servic	732989.8	SERV	
09NOV06 02:31	Change Serviceability Stat	0.0	U/S	
	5741.1 AFHR		SERV	
	Estimated Date/Time Servic	1.0	A1PXXXY609289	XXxxXXxx
09NOV06 08:52	Initiate Toolboard	xxxx	10NOV06 02:06	
	5741.1 AFHR		SERV STAT	
09NOV06 08:53	Clear Toolboard	xxxx	14 B/F	
	5741.1 AFHR			XXxxXXxx
10NOV06 00:14	Maintenance Release	0.9	M PEA	
	5741.1 AFHR		A	
			A1PXXXY609321	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01845  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
13NOV06	00:25	Into Maintenance	3.0	A		
		5741.1 AFHR		M PEA		
13NOV06	00:26	Initiate Toolboard	xxxx	A1PXXOY610228		XXxxXXxx
		5741.1 AFHR		14 B/F		
13NOV06	08:42	Initiate Toolboard	xxxx	14 B/F		XXxxXXxx
		5741.1 AFHR				
14NOV06	00:19	Clear Toolboard	xxxx	14		XXxxXXxx
		5741.1 AFHR				
14NOV06	00:23	Maintenance Release	0.9	M PEA		
		5741.1 AFHR		A		
14NOV06	04:36	Into Maintenance	0.1	A1PXXXY609429		XXxxXXxx
		5741.1 AFHR		A		
14NOV06	04:41	Change Serviceability Stat	0.0	A1PXXOY610302		XXxxXXxx
		5741.1 AFHR		SERV		
		Estimated Date/Time Servic	732989.9	U/S		
				A1PXXUY613557		XXxxXXxx
14NOV06	23:01	Asset Comments	0.0	SERV STAT		
		5742.4 AFHR		15NOV06		
17NOV06	00:34	Asset Comments	0.0	R1 SERV	R1 SERV	
		5742.4 AFHR		A1PXXXY609464		XXxxXXxx
19NOV06	22:30	Initiate Toolboard	xxxx	MTF	MTF	XXxxXXxx
		5742.4 AFHR		A1PXXXY609628		
19NOV06	22:30	Clear Toolboard	xxxx	14 B/F		XXxxXXxx
		5742.4 AFHR				
20NOV06	08:46	Initiate Toolboard	xxxx	14		XXxxXXxx
		5742.8 AFHR				
20NOV06	08:47	Clear Toolboard	xxxx	14 B/F		XXxxXXxx
		5742.8 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01846  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
21NOV06 00:23	Maintenance Release	6.8	M PEA A A1PXXXY609725	XXxxXXxx
	5742.8 AFHR Change Serviceability Stat	6.8	U/S SERV	
	Estimated Date/Time Servic	0.8	15NOV06 04:41 SERV STAT	
21NOV06 01:28	Into Maintenance	0.0	A A1PXXOY610594	XXxxXXxx
21NOV06 01:28	5742.8 AFHR Change Serviceability Stat	0.0	SERV U/S A1PXXUY614078	XXxxXXxx
	Estimated Date/Time Servic	733001.9	SERV STAT 22NOV06	
21NOV06 01:51	Asset Comments	0.0	A1PXXXY609729	XXxxXXxx
22NOV06 09:00	5742.8 AFHR Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
22NOV06 09:00	5750.1 AFHR Clear Toolboard	xxxx	14	XXxxXXxx
23NOV06 08:54	5750.1 AFHR Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
23NOV06 08:54	5750.1 AFHR Clear Toolboard	xxxx	14	XXxxXXxx
23NOV06 23:08	5750.1 AFHR Maintenance Release	2.9	M PEA A A1PXXXY609871	XXxxXXxx
	Change Serviceability Stat	2.9	U/S SERV	
	Estimated Date/Time Servic	1.9	22NOV06 01:28 SERV STAT	
24NOV06 03:18	Into Maintenance	0.1	A M PEA A1PXXOY610809	XXxxXXxx
26NOV06 22:18	5750.1 AFHR Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	5752.5 AFHR			XXxxXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01847  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
26NOV06	22:19	Clear Toolboard		xxxx	14	
		5752.5	AFHR			XXxxXXxx
26NOV06	23:30	Maintenance Release		2.8	M PEA	
		5752.5	AFHR		A	
27NOV06	03:26	Into Maintenance		0.1	A1PXXXY609899	XXxxXXxx
		5752.5	AFHR		A	
27NOV06	09:31	Initiate Toolboard		xxxx	M PEA	XXxxXXxx
		5754.9	AFHR		A1PXXOY610850	
27NOV06	09:32	Clear Toolboard		xxxx	14 B/F	XXxxXXxx
		5754.9	AFHR			XXxxXXxx
28NOV06	00:41	Maintenance Release		0.8	M PEA	
		5756.2	AFHR		A	XXxxXXxx
28NOV06	01:25	Into Maintenance		0.0	A1PXXXY609961	XXxxXXxx
		5756.2	AFHR		A	
28NOV06	08:52	Initiate Toolboard		xxxx	M PEA	XXxxXXxx
		5758.6	AFHR		A1PXXOY610899	
28NOV06	08:53	Clear Toolboard		xxxx	14 B/F	XXxxXXxx
		5758.6	AFHR			XXxxXXxx
28NOV06	23:16	Maintenance Release		0.9	M PEA	
		5760.1	AFHR		A	XXxxXXxx
29NOV06	02:15	Into Maintenance		0.1	A1PXXXY609999	XXxxXXxx
		5760.1	AFHR		A	
29NOV06	09:04	Initiate Toolboard		xxxx	A1PXXOY610954	XXxxXXxx
		5762.5	AFHR		14 B/F	XXxxXXxx
29NOV06	09:05	Clear Toolboard		xxxx	14	XXxxXXxx
		5762.5	AFHR			XXxxXXxx
29NOV06	11:32	Change Serviceability Stat		0.3	SERV	
		5762.5	AFHR		U/S	XXxxXXxx
		Estimated Date/Time Servic		733004.4	A1PXXUY614290	
					SERV STAT	
					30NOV06	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01848  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
LIFE SINCE NEW					
29NOV06	23:31	Maintenance Release	0.4	M PEA A A1PXXXY610068	XXxxXXxx
		5763.5 AFHR Change Serviceability Stat	0.4	U/S SERV	
		Estimated Date/Time Servic	1.4	30NOV06 11:32 SERV STAT	
30NOV06	04:00	Into Maintenance	0.1	A M PEA A1PXXOY611021	XXxxXXxx
30NOV06	09:20	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
		5765.0 AFHR			XXxxXXxx
30NOV06	22:49	Clear Toolboard	xxxx	14	XXxxXXxx
		5766.5 AFHR			XXxxXXxx
30NOV06	23:01	Maintenance Release	0.7	M PEA A A1PXXXY610102	XXxxXXxx
		5766.5 AFHR			XXxxXXxx
01DEC06	01:14	Into Maintenance	0.0	A M PEA A1PXXOY611062	XXxxXXxx
		5766.5 AFHR			XXxxXXxx
01DEC06	01:24	Maintenance Release	0.0	M PEA A A1PXXXY610123	XXxxXXxx
		5766.5 AFHR			XXxxXXxx
01DEC06	02:14	Into Maintenance	0.0	A M PEA A1PXXOY611072	XXxxXXxx
		5766.5 AFHR			XXxxXXxx
01DEC06	06:49	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
		5767.7 AFHR			XXxxXXxx
01DEC06	06:49	Clear Toolboard	xxxx	14	XXxxXXxx
		5767.7 AFHR			XXxxXXxx
04DEC06	08:33	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
		5772.7 AFHR			XXxxXXxx
04DEC06	08:34	Clear Toolboard	xxxx	14	XXxxXXxx
		5772.7 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01849  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
04DEC06 21:39	Maintenance Release	3.8	M PEA A A1PXXXY610180	XXxxXXxx
05DEC06 02:54	Into Maintenance	0.2	A A1PXXOY611186	XXxxXXxx
05DEC06 02:55	Change Serviceability Stat	0.0	SERV U/S A1PXXUY614845	XXxxXXxx
	Estimated Date/Time Servic	733010.8	SERV STAT 06DEC06	
05DEC06 08:15	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
05DEC06 08:16	Clear Toolboard	xxxx	14	XXxxXXxx
05DEC06 09:55	Maintenance Release	0.2	M PEA A A1PXXXY610220	XXxxXXxx
	Change Serviceability Stat	0.2	U/S SERV	
	Estimated Date/Time Servic	1.2	06DEC06 02:55 SERV STAT	
06DEC06 01:36	Into Maintenance	0.6	A A1PXXOY611245	XXxxXXxx
06DEC06 01:37	Change Serviceability Stat	0.0	SERV U/S A1PXXUY614936	XXxxXXxx
	Estimated Date/Time Servic	733016.3	SERV STAT 07DEC06	
06DEC06 01:45	Change Serviceability Stat	0.0	U/S SERV A1PXXXY610368	XXxxXXxx
	Estimated Date/Time Servic	1.0	07DEC06 01:38 SERV STAT	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01850  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
06DEC06 09:35	Change Serviceability Stat 5782.4 AFHR Estimated Date/Time Servic	0.3	SERV U/S A1PXXUY614639 SERV STAT 07DEC06	XXxxXXxx
06DEC06 10:35	Initiate Toolboard 5782.4 AFHR	xxxx	14 B/F	XXxxXXxx
06DEC06 10:36	Clear Toolboard 5782.4 AFHR	xxxx	14	XXxxXXxx
12DEC06 08:32	Initiate Toolboard 5785.0 AFHR	xxxx	14 B/F	XXxxXXxx
12DEC06 21:44	Clear Toolboard 5785.0 AFHR	xxxx	14	XXxxXXxx
12DEC06 21:44	Maintenance Release 5785.0 AFHR Change Serviceability Stat	6.5	M PEA A A1PXXXY610595 U/S SERV	XXxxXXxx
	Estimated Date/Time Servic	1.5	07DEC06 09:35 SERV STAT	
13DEC06 08:19	Into Maintenance 5785.0 AFHR	0.4	A A1PXXOY611527	XXxxXXxx
13DEC06 08:19	Initiate Toolboard 5785.0 AFHR	xxxx	14 B/F	XXxxXXxx
13DEC06 08:20	Clear Toolboard 5785.0 AFHR	xxxx	14	XXxxXXxx
13DEC06 09:54	Change Serviceability Stat 5787.5 AFHR Estimated Date/Time Servic	0.0	SERV U/S A1PXXUY614981 SERV STAT 14DEC06	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01851  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
LIFE SINCE NEW				
13DEC06 22:07	Maintenance Release	0.5	M PEA A	
	5787.5 AFHR Change Serviceability Stat	0.5	A1PXXXY610630 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.5	SERV 14DEC06 09:54 SERV STAT	
14DEC06 03:30	Into Maintenance	0.2	A	
	5787.5 AFHR Initiate Toolboard	xxxx	A1PXXOY611586 14 B/F	XXxxXXxx
	5789.2 AFHR Clear Toolboard	xxxx	14	XXxxXXxx
	5789.2 AFHR Change Serviceability Stat	3.8	SERV U/S	XXxxXXxx
	5791.9 AFHR Estimated Date/Time Servic	733023.9	A1PXXUY615446 SERV STAT 18DEC06	XXxxXXxx
14JAN07 22:07	Initiate Toolboard	xxxx	14 B/F	
	5791.9 AFHR Clear Toolboard	xxxx	14	XXxxXXxx
	5791.9 AFHR Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	5791.9 AFHR Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	5791.9 AFHR Clear Toolboard	xxxx	14	XXxxXXxx
	5791.9 AFHR Maintenance Release	29.9	M PEA A	
	5793.1 AFHR Change Serviceability Stat	29.9	A1PXXXY700216 U/S	XXxxXXxx
	Estimated Date/Time Servic	0.9	SERV 18DEC06 23:10 SERV STAT	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01852  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
17JAN07	00:25	Into Maintenance	0.0	A		
		5793.1 AFHR		M PEA		
17JAN07	08:30	Initiate Toolboard	xxxx	A1PXXOY700070		XXxxXXxx
		5794.3 AFHR		14 B/F		
17JAN07	08:30	Clear Toolboard	xxxx	14		XXxxXXxx
		5794.3 AFHR				
17JAN07	22:25	Maintenance Release	0.9	M PEA		XXxxXXxx
		5794.3 AFHR		A		
18JAN07	08:37	Into Maintenance	0.4	A1PXXXY700256		XXxxXXxx
		5794.3 AFHR		A		
18JAN07	08:42	Initiate Toolboard	xxxx	M PEA		XXxxXXxx
		5796.7 AFHR		A1PXXOY700177		
18JAN07	08:42	Clear Toolboard	xxxx	14 B/F		XXxxXXxx
		5796.7 AFHR				
18JAN07	22:16	Maintenance Release	0.5	M PEA		XXxxXXxx
		5796.7 AFHR		A		
19JAN07	01:25	Into Maintenance	0.1	A1PXXXY700312		XXxxXXxx
		5796.7 AFHR		A		
19JAN07	06:15	Change Serviceability Stat	0.2	A1PXXOY700194		XXxxXXxx
		5797.9 AFHR		SERV		
		Estimated Date/Time Servic	733058.6	U/S		
				A1PXXUY700348		XXxxXXxx
				SERV STAT		
21JAN07	21:26	Initiate Toolboard	xxxx	20JAN07		
		5797.9 AFHR		14 B/F		XXxxXXxx
21JAN07	21:27	Clear Toolboard	xxxx	14		XXxxXXxx
		5797.9 AFHR				

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01853  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----			
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
LIFE SINCE NEW		TRANS REFERENCE			
=====					
21JAN07 22:58	Maintenance Release	2.6	M PEA		
	5799.2 AFHR		A		
	Change Serviceability Stat	2.6	A1PXXXY700359		XXxxXXxx
	Estimated Date/Time Servic	1.6	U/S		
			SERV		
			20JAN07 06:15		
			SERV STAT		
22JAN07 04:21	Into Maintenance	0.2	A		
	5799.2 AFHR		A1PXXOY700235		XXxxXXxx
22JAN07 04:22	Change Serviceability Stat	0.0	SERV		
	5799.2 AFHR		U/S		
	Estimated Date/Time Servic	733063.7	A1PXXUY700696		XXxxXXxx
			SERV STAT		
			23JAN07		
22JAN07 09:03	Initiate Toolboard	xxxx	14 B/F		
	5800.4 AFHR				XXxxXXxx
22JAN07 09:04	Clear Toolboard	xxxx	14		
	5800.4 AFHR				XXxxXXxx
23JAN07 08:53	Initiate Toolboard	xxxx	14 B/F		
	5801.6 AFHR				XXxxXXxx
23JAN07 08:53	Clear Toolboard	xxxx	14		
	5801.6 AFHR				XXxxXXxx
24JAN07 08:20	Initiate Toolboard	xxxx	14 B/F		
	5804.6 AFHR				XXxxXXxx
24JAN07 08:20	Clear Toolboard	xxxx	14		
	5804.6 AFHR				XXxxXXxx
28JAN07 01:58	Initiate Toolboard	xxxx	14 B/F		
	5805.6 AFHR				XXxxXXxx
28JAN07 21:16	Asset Comments	0.0	ALBANY	ALABANY	
	5805.6 AFHR		A1PXXXY700622		XXxxXXxx
28JAN07 21:16	Asset Comments	0.0	ALBANY	ALBANY	
	5805.6 AFHR		A1PXXXY700624		XXxxXXxx
28JAN07 21:23	Clear Toolboard	xxxx	14		
	5805.6 AFHR				XXxxXXxx
11FEB07 21:49	Initiate Toolboard	xxxx	14 B/F		
	5848.5 AFHR				XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01854  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
11FEB07 21:51	Clear	Toolboard	5848.5 AFHR	xxxx 14		XXxxXXxx
11FEB07 22:17	Asset	Comments	5853.0 AFHR	0.0	A1PXXXY701160	XXxxXXxx
12FEB07 08:55	Initiate	Toolboard	5854.3 AFHR	xxxx 14	14 B/F	XXxxXXxx
12FEB07 08:55	Clear	Toolboard	5854.3 AFHR	xxxx 14		XXxxXXxx
12FEB07 23:25	Maintenance	Release	5854.3 AFHR	21.7	M PEA A A1PXXXY701233	XXxxXXxx
	Change	Serviceability Stat		21.7	U/S SERV	
	Estimated	Date/Time Servic		1.7	23JAN07 04:23 SERV STAT	
13FEB07 00:56	Into	Maintenance	5854.3 AFHR	0.0	A M PEA A1PXXOY701222	XXxxXXxx
13FEB07 08:55	Initiate	Toolboard	5858.2 AFHR	xxxx 14	14 B/F	XXxxXXxx
13FEB07 08:55	Clear	Toolboard	5858.2 AFHR	xxxx 14		XXxxXXxx
13FEB07 23:13	Maintenance	Release	5858.2 AFHR	0.9	M PEA A A1PXXXY701277	XXxxXXxx
14FEB07 06:55	Into	Maintenance	5858.2 AFHR	0.3	A A1PXXOY701325	XXxxXXxx
15FEB07 09:37	Change	Serviceability Stat	5863.2 AFHR	1.1	SERV U/S A1PXXUY701788	XXxxXXxx
	Estimated	Date/Time Servic		733085.5	SERV STAT 16FEB07	
18FEB07 21:59	Initiate	Toolboard	5864.3 AFHR	xxxx 14	14 B/F	XXxxXXxx
18FEB07 22:00	Clear	Toolboard	5864.3 AFHR	xxxx 14		XXxxXXxx



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01855  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
19FEB07 01:05		Into Maintenance	5864.3 AFHR	0.0	M A1PXXOY701465	XXxxXXxx
19FEB07 01:37		Maintenance Release	5864.3 AFHR	3.6	M PEA A A1PXXXY701460	XXxxXXxx
		Change Serviceability Stat		3.6	U/S SERV	
		Estimated Date/Time Servic		0.6	16FEB07 09:37 SERV STAT	
19FEB07 03:35		Into Maintenance	5865.5 AFHR	0.0	A A1PXXOY701486	XXxxXXxx
19FEB07 10:00		Initiate Toolboard	5869.1 AFHR	xxxx	14 B/F	XXxxXXxx
19FEB07 10:00		Clear Toolboard	5869.1 AFHR	xxxx	14	XXxxXXxx
19FEB07 10:32		Change Serviceability Stat	5869.1 AFHR	0.2	SERV U/S A1PXXUY701384	XXxxXXxx
		Estimated Date/Time Servic		733091.6	SERV STAT 20FEB07	
19FEB07 22:00		Maintenance Release	5869.1 AFHR	0.4	M PEA A A1PXXXY701485	XXxxXXxx
		Change Serviceability Stat		0.4	U/S SERV	
		Estimated Date/Time Servic		1.4	20FEB07 10:32 SERV STAT	
20FEB07 00:23		Into Maintenance	5869.1 AFHR	0.0	A M PEA A1PXXOY701532	XXxxXXxx
21FEB07 11:00		Initiate Toolboard	5873.2 AFHR	xxxx	14 B/F	XXxxXXxx
21FEB07 11:00		Clear Toolboard	5873.2 AFHR	xxxx	14	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01856  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
21FEB07	22:58	Maintenance Release	1.9	M PEA A		
		5873.2 AFHR		A1PXXXY701565		XXxxXXxx
22FEB07	09:02	Into Maintenance	0.4	A M PEA		
		5873.2 AFHR		A1PXXOY701741		XXxxXXxx
22FEB07	09:03	Initiate Toolboard	xxxx	14 B/F		
		5873.2 AFHR				XXxxXXxx
22FEB07	22:27	Clear Toolboard	xxxx	14		
		5873.2 AFHR				XXxxXXxx
22FEB07	22:27	Maintenance Release	0.5	M PEA A		
		5873.2 AFHR		A1PXXXY701616		XXxxXXxx
23FEB07	01:40	Into Maintenance	0.1	A A1PXXOY701765		
		5873.2 AFHR				XXxxXXxx
23FEB07	02:38	Change Serviceability Stat	0.0	SERV U/S		
		5874.6 AFHR		A1PXXUY702674		XXxxXXxx
		Estimated Date/Time Servic	733092.8	SERV STAT 24FEB07		
25FEB07	21:49	Initiate Toolboard	xxxx	14 B/F		
		5875.8 AFHR				XXxxXXxx
26FEB07	09:01	Initiate Toolboard	xxxx	14 B/F		
		5875.8 AFHR				XXxxXXxx
26FEB07	09:01	Clear Toolboard	xxxx	14		
		5875.8 AFHR				XXxxXXxx
27FEB07	09:04	Initiate Toolboard	xxxx	14 B/F		
		5877.4 AFHR				XXxxXXxx
27FEB07	09:04	Clear Toolboard	xxxx	14		
		5877.4 AFHR				XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01857  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----			
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
=====		=====			
	LIFE SINCE NEW		TRANS REFERENCE		
28FEB07 00:27	Maintenance Release	4.9	M PEA		
	5877.4 AFHR		A		
	Change Serviceability Stat	4.9	A1PXXXY701787		XXxxXXxx
	Estimated Date/Time Servic	0.9	U/S		
			SERV		
			24FEB07 02:39		
			SERV STAT		
28FEB07 08:23	Into Maintenance	0.3	A		
	5877.4 AFHR		A1PXXOY701992		XXxxXXxx
02MAR07 04:02	Change Serviceability Stat	1.8	SERV		
	5877.4 AFHR		U/S		
	Estimated Date/Time Servic	733100.8	A1PXXUY702700		XXxxXXxx
			SERV STAT		
			03MAR07		
11MAR07 21:46	Initiate Toolboard	xxxx	14 B/F		
	5877.4 AFHR				XXxxXXxx
11MAR07 21:47	Clear Toolboard	xxxx	14		
	5877.4 AFHR				XXxxXXxx
12MAR07 08:41	Initiate Toolboard	xxxx	14 B/F		
	5878.0 AFHR				XXxxXXxx
12MAR07 08:42	Clear Toolboard	xxxx	14		
	5878.0 AFHR				XXxxXXxx
13MAR07 08:04	Initiate Toolboard	xxxx	14 B/F		
	5880.4 AFHR				XXxxXXxx
13MAR07 08:05	Clear Toolboard	xxxx	14		
	5880.4 AFHR				XXxxXXxx
14MAR07 08:09	Initiate Toolboard	xxxx	14 B/F		
	5880.4 AFHR				XXxxXXxx
14MAR07 08:09	Clear Toolboard	xxxx	14		
	5880.4 AFHR				XXxxXXxx
15MAR07 02:07	Change Serviceability Stat	12.9	U/S		
	5881.5 AFHR		SERV		
	Estimated Date/Time Servic	0.9	A1PXXXY702130		XXxxXXxx
			03MAR07 04:02		
			SERV STAT		

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01858  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
15MAR07 08:38	Initiate Toolboard 5881.5 AFHR	xxxx	14 B/F	XXxxXXxx
15MAR07 08:40	Clear Toolboard 5881.5 AFHR	xxxx	14	XXxxXXxx
16MAR07 04:33	Change Serviceability Stat 5881.5 AFHR Estimated Date/Time Servic	1.1	SERV U/S A1PXXUY703490 SERV STAT 17MAR07	XXxxXXxx
18MAR07 22:10	Initiate Toolboard 5881.5 AFHR	xxxx	14 B/F	XXxxXXxx
18MAR07 22:11	Clear Toolboard 5881.5 AFHR	xxxx	14	XXxxXXxx
18MAR07 23:29	Maintenance Release 5881.5 AFHR Change Serviceability Stat Estimated Date/Time Servic	2.7	M PEA A A1PXXXY702250 U/S SERV 17MAR07 04:33 SERV STAT	XXxxXXxx
19MAR07 01:42	Into Maintenance 5881.5 AFHR	0.0	A M PEA A1PXXOY702582	XXxxXXxx
19MAR07 08:05	Initiate Toolboard 5884.1 AFHR	xxxx	14 B/F	XXxxXXxx
19MAR07 08:06	Clear Toolboard 5884.1 AFHR	xxxx	14	XXxxXXxx
20MAR07 01:11	Into Maintenance 5884.1 AFHR	0.0	M A1PXXOY702635	XXxxXXxx
20MAR07 02:23	Maintenance Release 5884.1 AFHR	1.0	M PEA A A1PXXXY702323	XXxxXXxx
20MAR07 07:54	Into Maintenance 5885.2 AFHR	0.2	A M PEA A1PXXOY702682	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01859  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
20MAR07 08:45	Initiate	Toolboard	5886.5 AFHR	xxxx	14 B/F	XXxxXXxx
20MAR07 08:45	Clear	Toolboard	5886.5 AFHR	xxxx	14	XXxxXXxx
20MAR07 21:30	Maintenance	Release	5886.5 AFHR	0.5	M PEA A A1PXXXY702357	XXxxXXxx
21MAR07 00:33	Into	Maintenance	5886.5 AFHR	0.1	A M PEA A1PXXOY702708	XXxxXXxx
21MAR07 21:29	Initiate	Toolboard	5889.0 AFHR	xxxx	14 B/F	XXxxXXxx
21MAR07 21:29	Clear	Toolboard	5889.0 AFHR	xxxx	14	XXxxXXxx
21MAR07 21:32	Maintenance	Release	5889.0 AFHR	0.8	M PEA A A1PXXXY702401	XXxxXXxx
22MAR07 00:30	Into	Maintenance	5889.0 AFHR	0.1	A A1PXXOY702771	XXxxXXxx
22MAR07 06:07	Change	Serviceability Stat	5891.4 AFHR	0.2	SERV U/S A1PXXUY702772	XXxxXXxx
22MAR07 06:57	Asset	Comments	5891.4 AFHR	0.0	R2 A1PXXXY702434	XXxxXXxx
09APR07 23:08	Initiate	Toolboard	5892.2 AFHR	xxxx	14 B/F	XXxxXXxx
09APR07 23:08	Clear	Toolboard	5892.2 AFHR	xxxx	14	XXxxXXxx
10APR07 04:10	Asset	Comments	5892.2 AFHR	0.0	MTF A1PXXXY703139	XXxxXXxx
		Estimated Date/Time	Estimated Date/Time	733119.7	SERV STAT 23MAR07	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01860  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
10APR07 06:20	Maintenance Release	19.0	M PEA A A1PXXXY703142	XXxxXXxx
	5892.2 AFHR Change Serviceability Stat	19.0	U/S SERV	
	Estimated Date/Time Servic	1.0	23MAR07 06:07 SERV STAT	
10APR07 07:56	Into Maintenance	0.0	A A1PXXOY703340	XXxxXXxx
10APR07 07:58	Change Serviceability Stat	0.0	SERV U/S A1PXXUY704835	XXxxXXxx
	5893.0 AFHR Estimated Date/Time Servic	733141.9	SERV STAT 11APR07	
10APR07 09:09	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	5893.0 AFHR Clear Toolboard	xxxx	14	XXxxXXxx
10APR07 23:28	Maintenance Release	0.6	M PEA A A1PXXXY703144	XXxxXXxx
	5893.0 AFHR Change Serviceability Stat	0.6	U/S SERV	
	Estimated Date/Time Servic	1.6	11APR07 07:58 SERV STAT	
11APR07 00:50	Into Maintenance	0.0	A A1PXXOY703382	XXxxXXxx
11APR07 23:17	Change Serviceability Stat	0.9	SERV U/S A1PXXUY705019	XXxxXXxx
	5894.4 AFHR Estimated Date/Time Servic	733142.0	SERV STAT 12APR07	
11APR07 23:26	Asset Comments	0.0		
	5894.4 AFHR Initiate Toolboard	xxxx	A1PXXXY703157 14 B/F	XXxxXXxx
12APR07 09:22	Change Serviceability Stat	0.3		XXxxXXxx
	5899.3 AFHR			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01861  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
12APR07 09:23	Clear Toolboard	5899.3 AFHR	xxxx	14	XXXXXXxx
12APR07 22:56	Maintenance Release	5899.3 AFHR	0.9	M PEA A A1PXXXY703207	XXXXXXxx
	Change Serviceability Stat		0.9	U/S SERV	
	Estimated Date/Time Servic		0.9	12APR07 23:17 SERV STAT	
13APR07 05:40	Into Maintenance	5899.3 AFHR	0.2	A A1PXXOY703486	XXXXXXxx
15APR07 23:02	Initiate Toolboard	5900.6 AFHR	xxxx	14 B/F	XXXXXXxx
16APR07 02:38	Change Serviceability Stat	5900.6 AFHR	2.8	SERV U/S A1PXXUY705280	XXXXXXxx
	Estimated Date/Time Servic		733144.8	SERV STAT 17APR07	
16APR07 08:44	Initiate Toolboard	5901.8 AFHR	xxxx	14 B/F	XXXXXXxx
16APR07 08:44	Clear Toolboard	5901.8 AFHR	xxxx	14	XXXXXXxx
16APR07 23:05	Maintenance Release	5903.2 AFHR	0.8	M PEA A A1PXXXY703301	XXXXXXxx
	Change Serviceability Stat		0.8	U/S SERV	
	Estimated Date/Time Servic		1.8	17APR07 02:39 SERV STAT	
17APR07 01:18	Into Maintenance	5903.2 AFHR	0.0	A A1PXXOY703567	XXXXXXxx
17APR07 08:48	Initiate Toolboard	5903.2 AFHR	xxxx	14 B/F	XXXXXXxx
17APR07 08:49	Clear Toolboard	5903.2 AFHR	xxxx	14	XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01862  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
17APR07 10:58	Change Serviceability Stat	0.4	SERV U/S	
	5903.2 AFHR Estimated Date/Time Servic	733148.5	A1PXXUY705027 SERV STAT 18APR07	XXxxXXxx
17APR07 23:33	Maintenance Release	0.5	M PEA A	
	5903.2 AFHR Change Serviceability Stat	0.5	A1PXXXY703361 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.5	SERV 18APR07 10:58 SERV STAT	
18APR07 04:05	Into Maintenance	0.1	A M PEA	
	5903.2 AFHR Initiate Toolboard	xxxx	A1PXXOY703634 14 B/F	XXxxXXxx
18APR07 08:47	Clear Toolboard	xxxx	14	XXxxXXxx
	5904.4 AFHR			XXxxXXxx
18APR07 08:47	Clear Toolboard	xxxx	14 B/F	XXxxXXxx
	5904.4 AFHR			XXxxXXxx
19APR07 09:21	Initiate Toolboard	xxxx	14	XXxxXXxx
	5907.9 AFHR			XXxxXXxx
19APR07 09:22	Clear Toolboard	xxxx	14	XXxxXXxx
	5907.9 AFHR			XXxxXXxx
22APR07 01:01	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	5909.5 AFHR			XXxxXXxx
22APR07 01:02	Clear Toolboard	xxxx	14	XXxxXXxx
	5909.5 AFHR			XXxxXXxx
22APR07 01:30	Maintenance Release	3.8	M PEA A	
	5909.5 AFHR Asset Comments	0.0	A1PXXXY703479 LMO LMO	XXxxXXxx
	5909.5 AFHR		A1PXXXY703501	XXxxXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01863  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
24APR07 00:05	Change Serviceability Stat	0.0	U/S U/S A1PXXUY705390	XXxxXXxx
	5915.9 AFHR Estimated Date/Time Servic	733149.9	SERV STAT 25APR07	
24APR07 00:44	Into Maintenance	1.9	A A1PXXOY703817	XXxxXXxx
01MAY07 00:01	Change Serviceability Stat	6.9	SERV U/S A1PXXUY705813	XXxxXXxx
	5935.4 AFHR Estimated Date/Time Servic	0.9	25APR07 00:05 02MAY07 00:05	
06MAY07 22:56	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
06MAY07 22:57	Clear Toolboard	xxxx	14	XXxxXXxx
07MAY07 04:03	Asset Comments	0.0	A1PXXXY703912	XXxxXXxx
07MAY07 09:24	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
07MAY07 11:31	Clear Toolboard	xxxx	14	XXxxXXxx
08MAY07 00:05	Maintenance Release	7.0	M PEA A A1PXXXY703943	XXxxXXxx
	5949.0 AFHR Change Serviceability Stat	7.0	U/S SERV 02MAY07 00:01	
	Estimated Date/Time Servic	1.0	SERV STAT	
08MAY07 08:55	Into Maintenance	0.3	A A1PXXOY704502	XXxxXXxx
08MAY07 08:57	Change Serviceability Stat	0.0	SERV U/S A1PXXUY706139	XXxxXXxx
	5949.0 AFHR Estimated Date/Time Servic	733169.6	SERV STAT 09MAY07	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01864  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
23MAY07 09:30	Initiate Toolboard 5949.0 AFHR	xxxx	14 B/F	XXxxXXxx
23MAY07 09:30	Clear Toolboard 5949.0 AFHR	xxxx	14	XXxxXXxx
23MAY07 23:06	Maintenance Release 5949.0 AFHR	15.5	M PEA A A1PXXXY704444	XXxxXXxx
	Change Serviceability Stat	15.5	U/S SERV	
	Estimated Date/Time Servic	1.5	09MAY07 08:57 SERV STAT	
24MAY07 04:38	Into Maintenance 5949.0 AFHR	0.2	A A1PXXOY705174	XXxxXXxx
24MAY07 04:38	Change Serviceability Stat 5949.0 AFHR	0.0	SERV U/S A1PXXUY706821	XXxxXXxx
	Estimated Date/Time Servic	733185.7	SERV STAT 25MAY07	
24MAY07 09:43	Initiate Toolboard 5951.5 AFHR	xxxx	14 B/F	XXxxXXxx
24MAY07 09:44	Clear Toolboard 5951.5 AFHR	xxxx	14	XXxxXXxx
24MAY07 23:19	Maintenance Release 5951.5 AFHR	0.7	M PEA A A1PXXXY704490	XXxxXXxx
	Change Serviceability Stat	0.7	U/S SERV	
	Estimated Date/Time Servic	1.7	25MAY07 04:38 SERV STAT	
25MAY07 01:30	Into Maintenance 5951.5 AFHR	0.0	A A1PXXOY705222	XXxxXXxx
26MAY07 22:52	Change Serviceability Stat 5955.1 AFHR	1.8	SERV U/S A1PXXUY707431	XXxxXXxx
	Estimated Date/Time Servic	733186.0	SERV STAT 27MAY07	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01865  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
27MAY07 22:43	Initiate Toolboard	5955.1 AFHR	xxxx	14 B/F	XXxxXXxx
28MAY07 09:31	Initiate Toolboard	5959.1 AFHR	xxxx	14 B/F	XXxxXXxx
28MAY07 09:32	Clear Toolboard	5959.1 AFHR	xxxx	14	XXxxXXxx
29MAY07 00:11	Maintenance Release		2.0	M PEA A	
	Change Serviceability Stat	5960.3 AFHR	2.0	A1PXXXY704593 U/S	XXxxXXxx
	Estimated Date/Time Servic		0.0	SERV 27MAY07 22:52 SERV STAT	
29MAY07 04:39	Into Maintenance	5960.3 AFHR	0.1	A A1PXXOY705339	XXxxXXxx
29MAY07 09:34	Initiate Toolboard	5962.9 AFHR	xxxx	14 B/F	XXxxXXxx
29MAY07 09:35	Clear Toolboard	5962.9 AFHR	xxxx	14	XXxxXXxx
29MAY07 11:12	Change Serviceability Stat	5962.9 AFHR	0.2	SERV U/S A1PXXUY707194	XXxxXXxx
	Estimated Date/Time Servic		733190.5	SERV STAT 30MAY07	
29MAY07 23:04	Initiate Toolboard	5963.9 AFHR	xxxx	14 B/F	XXxxXXxx
29MAY07 23:33	Clear Toolboard	5963.9 AFHR	xxxx	14	XXxxXXxx
29MAY07 23:33	Maintenance Release		0.5	M PEA A	
	Change Serviceability Stat	5963.9 AFHR	0.5	A1PXXXY704644 U/S	XXxxXXxx
	Estimated Date/Time Servic		1.5	SERV 30MAY07 11:12 SERV STAT	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01866  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
30MAY07 02:00	Into Maintenance			0.1	A M PEA	
30MAY07 09:24	Initiate Toolboard	5963.9	AFHR	xxxx	A1PXXOY705375	XXxxXXxx
30MAY07 09:24	Clear Toolboard	5966.9	AFHR	xxxx	14 B/F	XXxxXXxx
30MAY07 23:35	Maintenance Release	5966.9	AFHR		14	XXxxXXxx
31MAY07 09:41	Into Maintenance	5968.3	AFHR	0.4	M PEA A A1PXXXY704670	XXxxXXxx
31MAY07 09:42	Change Serviceability Stat	5968.3	AFHR	0.0	A A1PXXOY705483	XXxxXXxx
	Estimated Date/Time Servic	5968.3	AFHR	733191.5	SERV U/S A1PXXUY704841	XXxxXXxx
31MAY07 11:36	Initiate Toolboard			xxxx	SERV STAT 01JUN07 14 B/F	
31MAY07 11:36	Clear Toolboard	5968.3	AFHR	xxxx	14	XXxxXXxx
31MAY07 23:27	Maintenance Release	5968.3	AFHR	0.5	M PEA A A1PXXXY704758	XXxxXXxx
	Change Serviceability Stat			0.5	U/S SERV	
	Estimated Date/Time Servic			1.5	01JUN07 09:42 SERV STAT	
01JUN07 02:00	Into Maintenance	5968.3	AFHR	0.1	A A1PXXOY705496	XXxxXXxx
05JUN07 02:22	Initiate Toolboard	5971.9	AFHR	xxxx	14 B/F	
05JUN07 02:23	Clear Toolboard	5971.9	AFHR	xxxx	14	XXxxXXxx
05JUN07 10:50	Initiate Toolboard	5971.9	AFHR	xxxx	14 B/F	XXxxXXxx
		5971.9	AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01867  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
05JUN07	10:50	Clear Toolboard 5971.9 AFHR	xxxx	14		XXxxXXxx
05JUN07	11:08	Change Serviceability Stat 5971.9 AFHR Estimated Date/Time Servic	4.3	SERV U/S A1PXXUY707605		XXxxXXxx
06JUN07	09:48	Initiate Toolboard 5973.1 AFHR	xxxx	14 B/F		XXxxXXxx
06JUN07	09:49	Clear Toolboard 5973.1 AFHR	xxxx	14		XXxxXXxx
07JUN07	00:24	Maintenance Release 5975.8 AFHR Change Serviceability Stat	1.5	M PEA A A1PXXXY704883		XXxxXXxx
		Estimated Date/Time Servic	0.5	U/S SERV 06JUN07 11:08 SERV STAT		
07JUN07	08:10	Into Maintenance 5975.8 AFHR	0.3	A M PEA A1PXXOY705700		XXxxXXxx
07JUN07	08:11	Initiate Toolboard 5975.8 AFHR	xxxx	14 B/F		XXxxXXxx
07JUN07	08:11	Clear Toolboard 5975.8 AFHR	xxxx	14		XXxxXXxx
07JUN07	09:40	Maintenance Release 5975.8 AFHR	0.0	M PEA A A1PXXXY704925		XXxxXXxx
07JUN07	13:15	Into Maintenance 5975.8 AFHR	0.1	A M PEA A1PXXOY705715		XXxxXXxx
10JUN07	22:55	Initiate Toolboard 5979.4 AFHR	xxxx	14 B/F		XXxxXXxx
10JUN07	22:55	Clear Toolboard 5979.4 AFHR	xxxx	14		XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01868  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
11JUN07 00:04	Maintenance Release	3.4	M PEA A A1PXXXY704962	XXxxXXxx
11JUN07 02:15	Into Maintenance	0.0	A A1PXXOY705777	XXxxXXxx
11JUN07 02:16	Change Serviceability Stat	0.0	SERV U/S A1PXXUY708152	XXxxXXxx
	Estimated Date/Time Servic	733199.9	SERV STAT 12JUN07	
11JUN07 09:42	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
11JUN07 23:52	Clear Toolboard	xxxx	14	XXxxXXxx
12JUN07 00:04	Maintenance Release	0.9	M PEA A A1PXXXY705039	XXxxXXxx
	Change Serviceability Stat	0.9	U/S SERV 12JUN07 02:16	
	Estimated Date/Time Servic	0.9	SERV STAT	
12JUN07 01:20	Into Maintenance	0.0	A A1PXXOY705842	XXxxXXxx
12JUN07 09:36	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
12JUN07 09:36	Clear Toolboard	xxxx	14	XXxxXXxx
12JUN07 13:19	Change Serviceability Stat	0.4	SERV U/S A1PXXUY707904	XXxxXXxx
	Estimated Date/Time Servic	733204.4	SERV STAT 13JUN07	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01869  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
12JUN07	23:57	Maintenance Release	0.4	M PEA A		
		5984.0 AFHR		A1PXXXY705078		XXxxXXxx
		Change Serviceability Stat	0.4	U/S		
		Estimated Date/Time Servic	1.4	SERV 13JUN07 13:19		
13JUN07	00:15	Into Maintenance	0.0	A		
		5984.0 AFHR		A1PXXOY705909		XXxxXXxx
13JUN07	00:17	Change Serviceability Stat	0.0	SERV		
		5984.0 AFHR		A1PXXUY708289		XXxxXXxx
		Estimated Date/Time Servic	733205.9	SERV STAT 14JUN07		
13JUN07	23:46	Initiate Toolboard	xxxx	14 B/F		
		5987.7 AFHR				XXxxXXxx
13JUN07	23:47	Clear Toolboard	xxxx	14		
		5987.7 AFHR				XXxxXXxx
13JUN07	23:57	Maintenance Release	0.9	M PEA A		
		5987.7 AFHR		A1PXXXY705130		XXxxXXxx
		Change Serviceability Stat	0.9	U/S		
		Estimated Date/Time Servic	1.9	SERV 14JUN07 00:17		
14JUN07	04:53	Into Maintenance	0.2	A		
		5987.7 AFHR		M PEA A1PXXOY706001		XXxxXXxx
18JUN07	00:56	Into Maintenance	0.0	M		
		5990.7 AFHR		A1PXXOY706048		XXxxXXxx
18JUN07	02:30	Initiate Toolboard	xxxx	14 B/F		
		5990.7 AFHR				XXxxXXxx
18JUN07	02:31	Clear Toolboard	xxxx	14		
		5990.7 AFHR				XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01870  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN (DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
		LIFE SINCE NEW			
18JUN07	02:31	Maintenance Release	3.9	M PEA A A1PXXXY705182	XXxxXXxx
18JUN07	04:00	Into Maintenance	0.0	A M PEA A1PXXOY706060	XXxxXXxx
18JUN07	08:40	Into Maintenance	0.0	M A1PXXOY706167	XXxxXXxx
19JUN07	01:29	Maintenance Release	0.8	M PEA A A1PXXXY705228	XXxxXXxx
19JUN07	03:20	Into Maintenance	0.0	A A1PXXOY706168	XXxxXXxx
19JUN07	09:55	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
19JUN07	09:55	Clear Toolboard	xxxx	14	XXxxXXxx
19JUN07	10:40	Change Serviceability Stat	0.3	SERV U/S A1PXXUY708637	XXxxXXxx
		5998.7 AFHR Estimated Date/Time Servic	733206.5	SERV STAT 20JUN07 14 B/F	
25JUN07	06:15	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
25JUN07	09:03	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
25JUN07	09:03	Clear Toolboard	xxxx	14	XXxxXXxx
26JUN07	05:40	Asset Comments	0.0	AWAY AWAY A1PXXXY705453	XXxxXXxx
27JUN07	08:46	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
27JUN07	08:46	Clear Toolboard	xxxx	14	XXxxXXxx
28JUN07	03:53	Asset Comments	0.0	A1PXXXY705623	XXxxXXxx
		6003.8 AFHR 6004.4 AFHR			

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01871  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
28JUN07 08:44	Initiate Toolboard	6006.9 AFHR	xxxx	14 B/F	XXxxXXxx
28JUN07 08:44	Clear Toolboard	6006.9 AFHR	xxxx	14	XXxxXXxx
01JUL07 22:52	Initiate Toolboard	6009.3 AFHR	xxxx	14 B/F	XXxxXXxx
01JUL07 23:06	Clear Toolboard	6009.3 AFHR	xxxx	14	XXxxXXxx
02JUL07 08:41	Asset Comments	6009.3 AFHR	0.0	AWAY AWAY A1PXXXY705739	XXxxXXxx
03JUL07 08:24	Asset Comments	6012.2 AFHR	0.0	A1PXXXY705757	XXxxXXxx
03JUL07 09:42	Initiate Toolboard	6012.2 AFHR	xxxx	14 B/F	XXxxXXxx
03JUL07 09:43	Clear Toolboard	6012.2 AFHR	xxxx	14	XXxxXXxx
03JUL07 23:37	Maintenance Release	6013.5 AFHR	14.5	M PEA A A1PXXXY705775	XXxxXXxx
	Change Serviceability Stat		14.5	U/S SERV	
	Estimated Date/Time Servic		1.5	20JUN07 10:41 SERV STAT	
04JUL07 08:36	Into Maintenance	6013.5 AFHR	0.3	A A1PXXOY706817	XXxxXXxx
04JUL07 08:37	Initiate Toolboard	6013.5 AFHR	xxxx	14 B/F	XXxxXXxx
04JUL07 08:37	Clear Toolboard	6013.5 AFHR	xxxx	14	XXxxXXxx
04JUL07 09:05	Change Serviceability Stat	6013.5 AFHR	0.0	SERV U/S A1PXXUY709101	XXxxXXxx
	Estimated Date/Time Servic		733226.6	SERV STAT 05JUL07	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01872  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
05JUL07 00:14	Maintenance Release	0.6	M PEA A	
	6014.7 AFHR Change Serviceability Stat	0.6	A1PXXXY705813 U/S	XXxxXXxx
	Estimated Date/Time Servic	0.6	SERV 05JUL07 09:05 SERV STAT	
05JUL07 05:07	Into Maintenance	0.2	A	
	6014.7 AFHR		A1PXXOY706888	XXxxXXxx
05JUL07 09:01	Initiate Toolboard	xxxx	14 B/F	
	6015.9 AFHR			XXxxXXxx
05JUL07 09:02	Clear Toolboard	xxxx	14	
	6015.9 AFHR			XXxxXXxx
05JUL07 10:24	Change Serviceability Stat	0.2	SERV U/S	
	6017.1 AFHR Estimated Date/Time Servic	733227.5	A1PXXUY709101 SERV STAT 06JUL07	XXxxXXxx
08JUL07 22:42	Initiate Toolboard	xxxx	14 B/F	
	6020.6 AFHR			XXxxXXxx
08JUL07 22:43	Clear Toolboard	xxxx	14	
	6020.6 AFHR			XXxxXXxx
09JUL07 09:20	Initiate Toolboard	xxxx	14 B/F	
	6023.0 AFHR			XXxxXXxx
09JUL07 09:21	Clear Toolboard	xxxx	14	
	6023.0 AFHR			XXxxXXxx
10JUL07 01:22	Maintenance Release	4.6	M PEA A	
	6024.2 AFHR Change Serviceability Stat	4.6	A1PXXXY705937 U/S	XXxxXXxx
	Estimated Date/Time Servic	0.6	SERV 06JUL07 10:24 SERV STAT	
10JUL07 02:00	Into Maintenance	0.0	A	
	6024.2 AFHR		A1PXXOY707096	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01873  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
10JUL07 05:51	Change Serviceability Stat 6025.3 AFHR Estimated Date/Time Serv	0.1	SERV U/S A1PXXUY709627 SERV STAT 11JUL07	XXxxXXxx
10JUL07 07:56	Initiate Toolboard 6025.3 AFHR	xxxx	14 B/F	XXxxXXxx
11JUL07 08:54	Initiate Toolboard 6025.8 AFHR	xxxx	14 B/F	XXxxXXxx
11JUL07 08:55	Clear Toolboard 6025.8 AFHR	xxxx	14	XXxxXXxx
11JUL07 23:53	Maintenance Release 6025.8 AFHR Change Serviceability Stat	1.7	M PEA A A1PXXXY706039 U/S SERV	XXxxXXxx
12JUL07 01:18	Into Maintenance 6025.8 AFHR	0.0	11JUL07 05:55 SERV STAT A	
12JUL07 01:19	Change Serviceability Stat 6025.8 AFHR Estimated Date/Time Serv	0.0	A1PXXOY707220 SERV U/S A1PXXUY709679 SERV STAT 13JUL07	XXxxXXxx
12JUL07 09:29	Initiate Toolboard 6030.1 AFHR	xxxx	14 B/F	XXxxXXxx
12JUL07 09:29	Clear Toolboard 6030.1 AFHR	xxxx	14	XXxxXXxx
15JUL07 22:39	Initiate Toolboard 6033.7 AFHR	xxxx	14 B/F	XXxxXXxx
16JUL07 09:20	Initiate Toolboard 6036.0 AFHR	xxxx	14 B/F	XXxxXXxx
16JUL07 09:21	Clear Toolboard 6036.0 AFHR	xxxx	14	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01874  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----			
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
=====	=====	=====	=====	=====	=====
	LIFE SINCE NEW		TRANS REFERENCE		
16JUL07 23:58	Maintenance Release	4.9	M PEA A		
	6036.0 AFHR		A1PXXXY706143		XXxxXXxx
	Change Serviceability Stat	4.9	U/S		
	Estimated Date/Time Servic	1.9	SERV 13JUL07 01:19		
17JUL07 22:11	Into Maintenance	0.9	SERV STAT A		
	6036.0 AFHR		A1PXXOY707498		XXxxXXxx
17JUL07 22:13	Change Serviceability Stat	0.0	SERV		
	6036.0 AFHR		A1PXXUY709966		XXxxXXxx
	Estimated Date/Time Servic	733239.0	SERV STAT 18JUL07		
23JUL07 08:31	Initiate Toolboard	xxxx	14 B/F		
	6036.0 AFHR				XXxxXXxx
23JUL07 08:33	Clear Toolboard	xxxx	14		
	6036.0 AFHR				XXxxXXxx
24JUL07 09:20	Initiate Toolboard	xxxx	14 B/F		
	6037.3 AFHR				XXxxXXxx
24JUL07 09:20	Clear Toolboard	xxxx	14		
	6037.3 AFHR				XXxxXXxx
25JUL07 00:16	Maintenance Release	7.0	M PEA A		
	6038.5 AFHR		A1PXXXY706420		XXxxXXxx
	Change Serviceability Stat	7.0	U/S		
	Estimated Date/Time Servic	0.0	SERV 18JUL07 22:13		
25JUL07 02:15	Into Maintenance	0.0	SERV STAT A		
	6038.5 AFHR		A1PXXOY707868		XXxxXXxx
25JUL07 08:46	Initiate Toolboard	xxxx	14 B/F		
	6040.9 AFHR				XXxxXXxx
25JUL07 08:46	Clear Toolboard	xxxx	14		
	6040.9 AFHR				XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01875  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
29JUL07 05:17	Change Serviceability Stat	4.1	SERV U/S A1PXXUY710540	XXxxXXxx
	6042.2 AFHR Estimated Date/Time Servic	733247.7	SERV STAT 30JUL07	
31JUL07 07:47	Asset Comments	0.0	R1 MTF A1PXXXY706633	XXxxXXxx
01AUG07 07:28	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
02AUG07 02:19	Clear Toolboard	xxxx	14	XXxxXXxx
02AUG07 03:48	Change Serviceability Stat	3.9	U/S SERV A1PXXXY706720	XXxxXXxx
	6042.2 AFHR Estimated Date/Time Servic	0.9	30JUL07 05:17 SERV STAT	
02AUG07 03:48	Asset Comments	0.0	A1PXXXY706721	XXxxXXxx
02AUG07 09:26	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
02AUG07 09:26	Clear Toolboard	xxxx	14	XXxxXXxx
02AUG07 23:29	Maintenance Release	0.8	M PEA A A1PXXXY706738	XXxxXXxx
03AUG07 01:03	Into Maintenance	0.0	A M PEA A1PXXOY708331	XXxxXXxx
06AUG07 04:25	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
06AUG07 04:27	Clear Toolboard	xxxx	14	XXxxXXxx
06AUG07 04:27	Maintenance Release	3.1	M PEA A A1PXXXY706822	XXxxXXxx
	6048.6 AFHR			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01876  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW	TRANS REFERENCE			
06AUG07	10:35	Into Maintenance 6048.6 AFHR	0.2	A	A1PXXOY708416	XXxxXXxx
06AUG07	10:36	Change Serviceability Stat 6048.6 AFHR	0.0	SERV U/S	A1PXXUY710781	XXxxXXxx
		Estimated Date/Time Servic	733255.7	SERV STAT 07AUG07		
06AUG07	10:37	Initiate Toolboard 6048.6 AFHR	xxxx	14 B/F		XXxxXXxx
06AUG07	23:24	Clear Toolboard 6048.6 AFHR	xxxx	14		XXxxXXxx
06AUG07	23:25	Maintenance Release 6048.6 AFHR	0.5	M PEA A	A1PXXXY706866	XXxxXXxx
		Change Serviceability Stat Estimated Date/Time Servic	0.5 1.5	U/S SERV 07AUG07 10:36 SERV STAT		
07AUG07	03:21	Into Maintenance 6048.6 AFHR	0.1	A M PEA	A1PXXOY708438	XXxxXXxx
07AUG07	10:05	Initiate Toolboard 6052.2 AFHR	xxxx	14 B/F		XXxxXXxx
07AUG07	10:06	Clear Toolboard 6052.2 AFHR	xxxx	14		XXxxXXxx
08AUG07	00:08	Maintenance Release 6052.2 AFHR	0.8	M PEA A	A1PXXXY706928	XXxxXXxx
08AUG07	03:55	Into Maintenance 6052.2 AFHR	0.1	A M PEA	A1PXXOY708506	XXxxXXxx
08AUG07	09:36	Initiate Toolboard 6054.7 AFHR	xxxx	14 B/F		XXxxXXxx
08AUG07	09:37	Clear Toolboard 6054.7 AFHR	xxxx	14		XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01877  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
09AUG07	00:07	Maintenance Release	0.8	M PEA A		
		6054.7 AFHR		A1PXXXY706968		XXxxXXxx
09AUG07	04:20	Into Maintenance	0.1	A M PEA		
		6054.7 AFHR		A1PXXOY708557		XXxxXXxx
09AUG07	09:02	Initiate Toolboard	xxxx	14 B/F		
		6055.9 AFHR				XXxxXXxx
09AUG07	09:03	Clear Toolboard	xxxx	14		
		6055.9 AFHR				XXxxXXxx
12AUG07	23:51	Initiate Toolboard	xxxx	14 B/F		
		6057.1 AFHR				XXxxXXxx
12AUG07	23:53	Clear Toolboard	xxxx	14		
		6057.1 AFHR				XXxxXXxx
12AUG07	23:54	Maintenance Release	3.8	M PEA A		
		6057.1 AFHR		A1PXXXY707055		XXxxXXxx
13AUG07	02:10	Into Maintenance	0.0	A		
		6057.1 AFHR		A1PXXOY708609		XXxxXXxx
13AUG07	10:48	Initiate Toolboard	xxxx	14 B/F		
		6060.8 AFHR				XXxxXXxx
13AUG07	11:07	Change Serviceability Stat	0.3	SERV U/S		
		6060.8 AFHR		A1PXXUY711066		XXxxXXxx
		Estimated Date/Time Servic	733260.5	SERV STAT 14AUG07		
13AUG07	23:24	Clear Toolboard	xxxx	14		
		6060.8 AFHR				XXxxXXxx
13AUG07	23:25	Maintenance Release	0.5	M PEA A		
		6060.8 AFHR		A1PXXXY707109		XXxxXXxx
		Change Serviceability Stat	0.5	U/S		
		Estimated Date/Time Servic	1.5	SERV 14AUG07 11:07 SERV STAT		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01878  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN (DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
14AUG07	02:00	Into Maintenance	0.1	A		
		6060.8 AFHR		M PEA		XXxxXXxx
15AUG07	00:43	Initiate Toolboard	xxxx	A1PXXOY708669	14 B/F	
		6064.7 AFHR				XXxxXXxx
15AUG07	00:44	Clear Toolboard	xxxx	14		
		6064.7 AFHR				XXxxXXxx
15AUG07	00:44	Maintenance Release	0.9	M PEA		
		6064.7 AFHR		A		XXxxXXxx
15AUG07	01:40	Into Maintenance	0.0	A		
		6064.7 AFHR		M PEA		XXxxXXxx
15AUG07	10:38	Initiate Toolboard	xxxx	A1PXXOY708738	14 B/F	
		6069.6 AFHR				XXxxXXxx
15AUG07	10:38	Clear Toolboard	xxxx	14		
		6069.6 AFHR				XXxxXXxx
16AUG07	00:33	Maintenance Release	0.9	M PEA		
		6069.6 AFHR		A		XXxxXXxx
16AUG07	02:48	Into Maintenance	0.0	A		
		6069.6 AFHR		M PEA		XXxxXXxx
16AUG07	09:09	Initiate Toolboard	xxxx	A1PXXOY708813	14 B/F	
		6071.8 AFHR				XXxxXXxx
16AUG07	22:17	Clear Toolboard	xxxx	14		
		6071.8 AFHR				XXxxXXxx
16AUG07	22:18	Maintenance Release	0.8	M PEA		
		6071.8 AFHR		A		XXxxXXxx
17AUG07	00:09	Into Maintenance	0.0	A		
		6071.8 AFHR		M PEA		XXxxXXxx
19AUG07	22:25	Initiate Toolboard	xxxx	A1PXXOY708862	14 B/F	
		6072.6 AFHR				XXxxXXxx



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01879  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
19AUG07 22:25	Clear Toolboard	6072.6 AFHR	xxxx	14	XXxxXXxx
19AUG07 23:37	Maintenance Release	6074.1 AFHR	2.9	M PEA A A1PXXXY707269	XXxxXXxx
20AUG07 02:50	Into Maintenance	6074.1 AFHR	0.1	A A1PXXOY708896	XXxxXXxx
20AUG07 09:01	Initiate Toolboard	6076.7 AFHR	xxxx	14 B/F	XXxxXXxx
20AUG07 09:02	Clear Toolboard	6076.7 AFHR	xxxx	14	XXxxXXxx
20AUG07 10:30	Change Serviceability Stat	6076.7 AFHR	0.3	SERV U/S A1PXXUY711496	XXxxXXxx
20AUG07 23:31	Maintenance Release	Estimated Date/Time Servic	733267.5	SERV STAT 21AUG07 M PEA A A1PXXXY707327	XXxxXXxx
	Change Serviceability Stat	6076.7 AFHR	0.5	U/S SERV 21AUG07 10:30 SERV STAT	
	Estimated Date/Time Servic		1.5	A M PEA A1PXXOY708943	XXxxXXxx
21AUG07 01:45	Into Maintenance	6076.7 AFHR	0.0	14 B/F	XXxxXXxx
21AUG07 09:14	Initiate Toolboard	6079.1 AFHR	xxxx	14	XXxxXXxx
21AUG07 09:14	Clear Toolboard	6079.1 AFHR	xxxx	14	XXxxXXxx
21AUG07 22:55	Maintenance Release	6080.1 AFHR	0.8	M PEA A A1PXXXY707370	XXxxXXxx
22AUG07 00:05	Into Maintenance	6080.1 AFHR	0.0	A A1PXXOY709005	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01880  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
22AUG07 00:56	Change Serviceability Stat 6080.1 AFHR Estimated Date/Time Servic	0.0	SERV U/S A1PXXUY711931 SERV STAT 23AUG07	XXxxXXxx
22AUG07 08:43	Initiate Toolboard 6082.6 AFHR	xxxx	14 B/F	XXxxXXxx
22AUG07 08:43	Clear Toolboard 6082.6 AFHR	xxxx	14	XXxxXXxx
23AUG07 05:13	Into Maintenance 6083.8 AFHR	0.0	M A1PXXOY709118	XXxxXXxx
23AUG07 05:14	Maintenance Release 6083.8 AFHR Change Serviceability Stat	1.1	M PEA A A1PXXXY707491	XXxxXXxx
	Estimated Date/Time Servic	1.1	U/S SERV 23AUG07 00:56 SERV STAT	
23AUG07 09:29	Into Maintenance 6085.1 AFHR	0.1	A M PEA A1PXXOY709127	XXxxXXxx
23AUG07 09:30	Initiate Toolboard 6085.1 AFHR	xxxx	14 B/F	XXxxXXxx
23AUG07 09:30	Clear Toolboard 6085.1 AFHR	xxxx	14	XXxxXXxx
23AUG07 23:18	Maintenance Release 6085.1 AFHR	0.5	M PEA A A1PXXXY707510	XXxxXXxx
24AUG07 02:16	Into Maintenance 6085.1 AFHR	0.1	A M PEA A1PXXOY709148	XXxxXXxx
26AUG07 22:25	Initiate Toolboard 6087.6 AFHR	xxxx	14 B/F	XXxxXXxx
26AUG07 22:25	Clear Toolboard 6087.6 AFHR	xxxx	14	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01881  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
26AUG07 23:40	Maintenance Release	2.8	M PEA A A1PXXXY707545	XXxxXXxx
27AUG07 02:50	Into Maintenance	0.1	A A1PXXOY709184	XXxxXXxx
27AUG07 09:41	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
27AUG07 09:41	Clear Toolboard	xxxx	14	XXxxXXxx
27AUG07 12:34	Into Maintenance	0.0	M A1PXXOY709225	XXxxXXxx
27AUG07 12:48	Change Serviceability Stat	0.4	SERV U/S A1PXXUY711841	XXxxXXxx
	Estimated Date/Time Servic	733276.6	SERV STAT 28AUG07	
27AUG07 22:52	Maintenance Release	0.4	M PEA A A1PXXXY707601	XXxxXXxx
	Change Serviceability Stat	0.4	U/S SERV	
	Estimated Date/Time Servic	1.4	28AUG07 12:48 SERV STAT	
28AUG07 03:58	Into Maintenance	0.2	A A1PXXOY709239	XXxxXXxx
28AUG07 09:24	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
28AUG07 09:24	Clear Toolboard	xxxx	14	XXxxXXxx
28AUG07 09:54	Change Serviceability Stat	0.2	SERV U/S A1PXXUY712311	XXxxXXxx
	Estimated Date/Time Servic	733281.5	SERV STAT 29AUG07	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01882  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
28AUG07 23:57	Maintenance Release	0.5	M PEA A A1PXXXY707642	XXxxXXxx
	6094.7 AFHR Change Serviceability Stat	0.5	U/S SERV	
	Estimated Date/Time Servic	1.5	29AUG07 09:54 SERV STAT	
29AUG07 06:44	Into Maintenance	0.2	A M PEA A1PXXOY709325	XXxxXXxx
29AUG07 08:50	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	6094.7 AFHR			XXxxXXxx
29AUG07 08:50	Clear Toolboard	xxxx	14	XXxxXXxx
	6094.7 AFHR			XXxxXXxx
30AUG07 09:40	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	6094.7 AFHR			XXxxXXxx
30AUG07 09:41	Clear Toolboard	xxxx	14	XXxxXXxx
	6094.7 AFHR			XXxxXXxx
30AUG07 09:51	Maintenance Release	1.1	M PEA A A1PXXXY707762	XXxxXXxx
	6094.7 AFHR	0.0	A M PEA A1PXXOY709391	XXxxXXxx
30AUG07 12:12	Into Maintenance	0.0	A M PEA A1PXXOY709391	XXxxXXxx
	6094.7 AFHR		14 B/F	XXxxXXxx
02SEP07 22:49	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	6097.6 AFHR			XXxxXXxx
02SEP07 22:50	Clear Toolboard	xxxx	14	XXxxXXxx
	6097.6 AFHR			XXxxXXxx
03SEP07 05:47	Maintenance Release	3.7	M PEA A A1PXXXY707879	XXxxXXxx
	6097.6 AFHR	0.0	A A1PXXOY709497	XXxxXXxx
03SEP07 06:28	Into Maintenance	0.0	A A1PXXOY709497	XXxxXXxx
	6097.6 AFHR		14 B/F	XXxxXXxx
03SEP07 10:03	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	6097.6 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01883  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
03SEP07	10:04	Clear Toolboard 6097.6 AFHR	xxxx	14		XXxxXXxx
03SEP07	12:37	Change Serviceability Stat 6097.6 AFHR Estimated Date/Time Servic	0.2	SERV U/S A1PXXUY712228		XXxxXXxx
04SEP07	02:53	Asset Comments 6097.6 AFHR	0.0	SERV STAT 04SEP07 MTF	MTF	XXxxXXxx
04SEP07	02:53	Maintenance Release 6097.6 AFHR Change Serviceability Stat	0.5	A1PXXXY707903 M PEA A		XXxxXXxx
		Estimated Date/Time Servic	0.5	SERV 04SEP07 12:37 SERV STAT		
04SEP07	09:49	Into Maintenance 6097.6 AFHR	0.2	A A1PXXOY709576		XXxxXXxx
04SEP07	09:50	Initiate Toolboard 6097.6 AFHR	xxxx	14 B/F		XXxxXXxx
04SEP07	09:51	Clear Toolboard 6097.6 AFHR	xxxx	14		XXxxXXxx
05SEP07	02:47	Change Serviceability Stat 6097.6 AFHR Estimated Date/Time Servic	0.7	SERV U/S A1PXXUY712563		XXxxXXxx
05SEP07	02:54	Asset Comments 6097.6 AFHR	0.0	SERV STAT 06SEP07		
05SEP07	02:55	Change Serviceability Stat 6097.6 AFHR Estimated Date/Time Servic	0.0	A1PXXXY707974 U/S SERV		XXxxXXxx
		Estimated Date/Time Servic	1.0	A1PXXXY707975 06SEP07 02:47 SERV STAT		XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01884  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
05SEP07	05:33	Maintenance Release	0.1	M PEA A		
		6098.3 AFHR		A1PXXXY708009		XXxxXXxx
05SEP07	06:43	Into Maintenance	0.0	M PEA A		
		6098.3 AFHR		A1PXXOY709644		XXxxXXxx
05SEP07	09:50	Initiate Toolboard	xxxx	14 B/F		
		6099.5 AFHR				XXxxXXxx
05SEP07	09:50	Clear Toolboard	xxxx	14		
		6099.5 AFHR				XXxxXXxx
06SEP07	02:17	Maintenance Release	0.8	M PEA A		
		6100.7 AFHR		A1PXXXY708076		XXxxXXxx
06SEP07	09:27	Into Maintenance	0.2	M PEA A		
		6100.7 AFHR		A1PXXOY709708		XXxxXXxx
06SEP07	09:28	Initiate Toolboard	xxxx	14 B/F		
		6100.7 AFHR				XXxxXXxx
06SEP07	09:28	Clear Toolboard	xxxx	14		
		6100.7 AFHR				XXxxXXxx
06SEP07	23:08	Maintenance Release	0.5	M PEA A		
		6101.4 AFHR		A1PXXXY708109		XXxxXXxx
09SEP07	22:37	Into Maintenance	2.9	M PEA A		
		6101.4 AFHR		A1PXXOY709772		XXxxXXxx
09SEP07	22:49	Initiate Toolboard	xxxx	14 B/F		
		6101.4 AFHR				XXxxXXxx
10SEP07	01:29	Clear Toolboard	xxxx	14		
		6101.4 AFHR				XXxxXXxx
10SEP07	01:30	Maintenance Release	0.1	M PEA A		
		6101.4 AFHR		A1PXXXY708151		XXxxXXxx
10SEP07	13:22	Into Maintenance	0.4	A A1PXXOY709833		XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01885  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
10SEP07 13:23	Change Serviceability Stat	0.0	SERV U/S A1PXXUY712550	XXxxXXxx
	6101.4 AFHR Estimated Date/Time Servic	733289.5	SERV STAT 11SEP07	
16OCT07 11:27	Asset Comments	0.0	MODS MODS A1PXXXY709226	XXxxXXxx
21NOV07 00:06	Maintenance Comment	0.0	DESIGN DEVIATION A23/111/2007 INCORPORATED A1PXXXY710380	XXxxXXxx
28NOV07 03:45	Maintenance Comment	0.0	DESIGN DEVIATION A23/107/2007 INCORPORATED A1PXXXY710929	XXxxXXxx
10DEC07 22:56	Maintenance Comment	0.0	DESIGN DEVIATION A23/118/2007 INCORPORATED A1PXXXY711367	XXxxXXxx
03MAR08 21:38	Position Change	1648.5	A23T A 00 A23T A 00 A1PXXXY801572	XXxxXXxx
	6101.4 AFHR Estimated Date/Time Servic	1.3	11SEP07 13:23 SERV STAT	
26MAY08 04:50	Asset Comments	0.0	MTF6104.4 MTF6104.4 A1PXXXY804638	XXxxXXxx
26MAY08 05:03	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
26MAY08 05:04	Clear Toolboard	xxxx	14	XXxxXXxx
26MAY08 05:44	Maintenance Release	258.6	M PEA A A1PXXXY804647	XXxxXXxx
	6101.4 AFHR Change Serviceability Stat	258.6	U/S SERV	
26MAY08 06:49	Into Maintenance	0.0	A A1PXXOY805253	XXxxXXxx
26MAY08 06:49	Change Serviceability Stat	0.0	SERV U/S A1PXXUY806881	XXxxXXxx
	6101.4 AFHR Estimated Date/Time Servic	733470.6	SERV STAT 27MAY08	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01886  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
26MAY08	06:54	Asset Comments		0.0		
		6101.4	AFHR		A1PXXXY804658	XXxxXXxx
26MAY08	06:55	Asset Comments		0.0	MTF 6104.9 MTF 6104.9	
		6101.4	AFHR		A1PXXXY804659	XXxxXXxx
26MAY08	11:15	Asset Comments		0.0	MTF 6105.2 MTF 6104.9	
		6101.4	AFHR		A1PXXXY804670	XXxxXXxx
27MAY08	01:01	Maintenance Comment		0.0	DESIGN DEVIATION ADP-09-DD-08-019 INCORPORATED	
		6102.2	AFHR		A1PXXXY804686	XXxxXXxx
27MAY08	04:23	Initiate Toolboard		xxxx	14 B/F	
		6102.2	AFHR			XXxxXXxx
27MAY08	04:29	Clear Toolboard		xxxx	14	
		6102.2	AFHR			XXxxXXxx
27MAY08	04:31	Maintenance Release		0.9	M PEA	
		6102.2	AFHR		A	
		Change Serviceability Stat		0.9	A1PXXXY804688	XXxxXXxx
		Estimated Date/Time Servic		0.9	U/S	
					SERV	
					27MAY08 06:51	
					SERV STAT	
28MAY08	10:44	Into Maintenance		1.2	A	
		6102.2	AFHR		M PEA	
28MAY08	10:45	Initiate Toolboard		xxxx	A1PXXOY805400	XXxxXXxx
		6102.2	AFHR		14 B/F	
28MAY08	10:45	Clear Toolboard		xxxx		XXxxXXxx
		6102.2	AFHR			XXxxXXxx
29MAY08	02:56	Maintenance Release		0.6	M PEA	
		6102.2	AFHR		A	
29MAY08	04:15	Into Maintenance		0.0	A1PXXXY804762	XXxxXXxx
		6102.2	AFHR		A	
29MAY08	08:28	Change Serviceability Stat		0.1	A1PXXOY805455	XXxxXXxx
		6102.7	AFHR		SERV	
		Estimated Date/Time Servic		733554.8	U/S	
					A1PXXUY806683	XXxxXXxx
					SERV STAT	
					30MAY08	

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01887  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
29MAY08	09:54	Initiate	Toolboard 6102.7 AFHR	xxxx	14 B/F	XXxxXXxx
29MAY08	09:54	Initiate	Toolboard 6102.7 AFHR	xxxx	14 B/F	XXxxXXxx
29MAY08	09:54	Clear	Toolboard 6102.7 AFHR	xxxx	14	XXxxXXxx
02JUN08	23:01	Initiate	Toolboard 6102.7 AFHR	xxxx	14 B/F	XXxxXXxx
03JUN08	11:43	Initiate	Toolboard 6102.7 AFHR	xxxx	14 B/F	XXxxXXxx
03JUN08	11:43	Clear	Toolboard 6102.7 AFHR	xxxx	14	XXxxXXxx
04JUN08	09:52	Initiate	Toolboard 6102.7 AFHR	xxxx	14 B/F	XXxxXXxx
04JUN08	09:52	Clear	Toolboard 6102.7 AFHR	xxxx	14	XXxxXXxx
04JUN08	23:08	Asset Comments	6102.7 AFHR	0.0	MTF 6105.7 MTF 6105.7 A1PXXXY804903	XXxxXXxx
04JUN08	23:10	Maintenance Release	6102.7 AFHR	6.6	M PEA A A1PXXXY804904	XXxxXXxx
		Change Serviceability Stat		6.6	U/S SERV	
		Estimated Date/Time Servic		1.6	30MAY08 08:28 SERV STAT	
05JUN08	05:42	Into Maintenance	6102.7 AFHR	0.2	A A1PXXOY805730	XXxxXXxx
05JUN08	05:43	Asset Comments	6102.7 AFHR	0.0	A1PXXXY804950	XXxxXXxx
05JUN08	05:43	Change Serviceability Stat		0.0	SERV U/S	
		Estimated Date/Time Servic	6102.7 AFHR	733563.7	A1PXXUY807281 SERV STAT	XXxxXXxx
05JUN08	11:20	Initiate	Toolboard 6103.4 AFHR	xxxx	14 B/F	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01888  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
05JUN08 11:21	Clear Toolboard	6103.4 AFHR	xxxx	14	XXxxXXxx
05JUN08 23:15	Maintenance Release	6104.6 AFHR	0.7	M PEA A A1PXXXY804968	XXxxXXxx
	Change Serviceability Stat		0.7	U/S SERV	
	Estimated Date/Time Servic		1.7	06JUN08 05:43 SERV STAT A	
06JUN08 02:09	Into Maintenance		0.1	M PEA A1PXXOY805792	XXxxXXxx
08JUN08 22:43	Initiate Toolboard	6107.0 AFHR	xxxx	14 B/F	XXxxXXxx
08JUN08 22:56	Clear Toolboard	6107.0 AFHR	xxxx	14	XXxxXXxx
08JUN08 23:05	Maintenance Release		2.8	M PEA A A1PXXXY805015	XXxxXXxx
09JUN08 02:06	Into Maintenance	6107.0 AFHR	0.1	A A1PXXOY805830	XXxxXXxx
09JUN08 02:07	Change Serviceability Stat		0.0	SERV U/S A1PXXUY807497	XXxxXXxx
	Estimated Date/Time Servic		733564.8	SERV STAT 10JUN08	
09JUN08 02:22	Asset Comments	6107.0 AFHR	0.0	A/T 6107.0 A/T 6107.0 A1PXXXY805021	XXxxXXxx
09JUN08 09:37	Initiate Toolboard	6107.0 AFHR	xxxx	14 B/F	XXxxXXxx
09JUN08 09:37	Clear Toolboard	6107.0 AFHR	xxxx	14	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01889  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
10JUN08 00:19	Maintenance Release	0.9	M PEA A A1PXXXY805068	XXxxXXxx
	6107.0 AFHR Change Serviceability Stat	0.9	U/S SERV	
	Estimated Date/Time Servic	0.9	10JUN08 02:08 SERV STAT	
10JUN08 05:18	Into Maintenance	0.2	A A1PXXOY805924	XXxxXXxx
10JUN08 09:31	Initiate Toolboard	xxxx	14 B/F	
10JUN08 09:31	Clear Toolboard	xxxx	14	XXxxXXxx
10JUN08 11:27	Change Serviceability Stat	0.2	SERV U/S A1PXXUY807514	XXxxXXxx
	6108.2 AFHR Estimated Date/Time Servic	733568.5	SERV STAT 11JUN08	
10JUN08 23:05	Asset Comments	0.0	A1PXXXY805101	XXxxXXxx
10JUN08 23:06	Maintenance Release	0.4	M PEA A A1PXXXY805102	XXxxXXxx
	6108.2 AFHR Change Serviceability Stat	0.4	U/S SERV	
	Estimated Date/Time Servic	1.4	11JUN08 11:27 SERV STAT	
11JUN08 01:30	Into Maintenance	0.0	A M PEA A1PXXOY805966	XXxxXXxx
11JUN08 09:37	Initiate Toolboard	xxxx	14 B/F	
11JUN08 09:37	Clear Toolboard	xxxx	14	XXxxXXxx
	6110.6 AFHR 6110.6 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01890  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
11JUN08 23:57	Maintenance Release	0.9	M PEA A A1PXXXY805150	XXxxXXxx
12JUN08 01:35	Into Maintenance	0.0	A A1PXXOY806026	XXxxXXxx
12JUN08 04:16	Change Serviceability Stat	0.1	SERV U/S A1PXXUY807749	XXxxXXxx
	Estimated Date/Time Servic	733569.7	SERV STAT 13JUN08	
12JUN08 09:35	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
12JUN08 09:35	Clear Toolboard	xxxx	14	XXxxXXxx
12JUN08 23:35	Maintenance Release	0.8	M PEA A A1PXXXY805233	XXxxXXxx
	Change Serviceability Stat	0.8	U/S SERV	
	Estimated Date/Time Servic	1.8	13JUN08 04:18 SERV STAT	
13JUN08 02:12	Into Maintenance	0.1	A A1PXXOY806091	XXxxXXxx
13JUN08 02:13	Change Serviceability Stat	0.0	SERV U/S A1PXXUY807756	XXxxXXxx
	Estimated Date/Time Servic	733571.8	SERV STAT 14JUN08	
16JUN08 09:57	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
16JUN08 09:57	Clear Toolboard	xxxx	14	XXxxXXxx
16JUN08 23:33	Asset Comments	0.0	AIRTEST AIRTEST A1PXXXY805291	XXxxXXxx
	6116.9 AFHR			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01891  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
16JUN08 23:54	Maintenance Release	3.9	M PEA A A1PXXXY805292	XXxxXXxx
	6116.9 AFHR Change Serviceability Stat	3.9	U/S SERV	
	Estimated Date/Time Servic	1.9	14JUN08 02:13 SERV STAT	
17JUN08 01:25	Into Maintenance	0.0	A A1PXXOY806196	XXxxXXxx
17JUN08 09:58	Initiate Toolboard	xxxx	14 B/F	
17JUN08 09:58	6118.0 AFHR Clear Toolboard	xxxx	14	XXxxXXxx
17JUN08 10:56	6118.0 AFHR Change Serviceability Stat	0.3	SERV U/S A1PXXUY807915	XXxxXXxx
	Estimated Date/Time Servic	733575.5	SERV STAT 18JUN08	
18JUN08 00:05	Maintenance Release	0.5	M PEA A A1PXXXY805340	XXxxXXxx
	6118.0 AFHR Change Serviceability Stat	0.5	U/S SERV	
	Estimated Date/Time Servic	0.5	18JUN08 10:56 SERV STAT	
18JUN08 03:35	Into Maintenance	0.1	A A1PXXOY806267	XXxxXXxx
18JUN08 05:37	6118.0 AFHR Change Serviceability Stat	0.0	SERV U/S A1PXXUY808057	XXxxXXxx
	Estimated Date/Time Servic	733576.7	SERV STAT 19JUN08	
18JUN08 06:16	Asset Comments	0.0	A/T 6119.4 A/T 6119.4	
	6119.4 AFHR		A1PXXXY805358	XXxxXXxx
18JUN08 10:51	Initiate Toolboard	xxxx	14 B/F	
	6119.4 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01892  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
18JUN08 10:51	Clear	Toolboard	6119.4 AFHR	xxxx	14	XXXXXXxx
19JUN08 11:09	Initiate	Toolboard	6120.6 AFHR	xxxx	14 B/F	XXXXXXxx
19JUN08 11:10	Clear	Toolboard	6120.6 AFHR	xxxx	14	XXXXXXxx
19JUN08 23:16	Asset	Comments	6121.9 AFHR	0.0	A1PXXXY805426	XXXXXXxx
19JUN08 23:16	Maintenance	Release	6121.9 AFHR	1.7	M PEA A	XXXXXXxx
	Change	Serviceability Stat	6121.9 AFHR	1.7	A1PXXXY805427	XXXXXXxx
	Estimated	Date/Time Servic		1.7	U/S SERV	
				1.7	19JUN08 05:39 SERV STAT	
20JUN08 01:20	Into	Maintenance	6121.9 AFHR	0.0	A M PEA	XXXXXXxx
22JUN08 22:47	Initiate	Toolboard	6123.1 AFHR	xxxx	A1PXXOY806383 14 B/F	XXXXXXxx
22JUN08 22:48	Clear	Toolboard	6123.1 AFHR	xxxx	14	XXXXXXxx
23JUN08 09:56	Initiate	Toolboard	6124.7 AFHR	xxxx	14 B/F	XXXXXXxx
23JUN08 11:59	Clear	Toolboard	6124.7 AFHR	xxxx	14	XXXXXXxx
24JUN08 00:26	Maintenance	Release		3.9	M PEA A	XXXXXXxx
24JUN08 01:54	Into	Maintenance	6127.3 AFHR	0.0	A1PXXXY805496 A	XXXXXXxx
24JUN08 10:10	Initiate	Toolboard	6127.3 AFHR	xxxx	M PEA A1PXXOY806521 14 B/F	XXXXXXxx
24JUN08 10:10	Clear	Toolboard	6129.8 AFHR	xxxx	14	XXXXXXxx
24JUN08 10:10	Clear	Toolboard	6129.8 AFHR	xxxx	14	XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01893  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
25JUN08	02:26	Maintenance Release	1.0	M PEA A		
		6131.1 AFHR		A1PXXXY805559		XXxxXXxx
25JUN08	10:39	Into Maintenance	0.3	A M PEA		
		6131.1 AFHR		A1PXXOY806619		XXxxXXxx
25JUN08	10:42	Initiate Toolboard	xxxx	14 B/F		
		6131.1 AFHR				XXxxXXxx
25JUN08	10:43	Clear Toolboard	xxxx	14		
		6131.1 AFHR				XXxxXXxx
26JUN08	01:49	Maintenance Release	0.6	M PEA A		
		6134.1 AFHR		A1PXXXY805608		XXxxXXxx
26JUN08	09:29	Into Maintenance	0.3	A		
		6134.1 AFHR		A1PXXOY806682		XXxxXXxx
26JUN08	09:32	Change Serviceability Stat	0.0	SERV U/S		
		6134.1 AFHR		A1PXXUY808174		XXxxXXxx
		Estimated Date/Time Servic	733578.5	SERV STAT 27JUN08		
29JUN08	22:54	Initiate Toolboard	xxxx	14 B/F		
		6134.1 AFHR				XXxxXXxx
29JUN08	22:55	Clear Toolboard	xxxx	14		
		6134.1 AFHR				XXxxXXxx
30JUN08	00:50	Maintenance Release	3.6	M PEA A		
		6134.1 AFHR		A1PXXXY805704		XXxxXXxx
		Change Serviceability Stat	3.6	U/S		
		Estimated Date/Time Servic	0.6	SERV 27JUN08 09:32		
				SERV STAT		
30JUN08	09:46	Into Maintenance	0.3	A M PEA		
		6134.1 AFHR		A1PXXOY806753		XXxxXXxx
30JUN08	09:48	Initiate Toolboard	xxxx	14 B/F		
		6134.1 AFHR				XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01894  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
30JUN08 09:49	Clear	Toolboard	6134.1 AFHR	xxxx	14	XXxxXXxx
30JUN08 09:49	Maintenance	Release	6134.1 AFHR	0.0	M PEA A A1PXXXY805747	XXxxXXxx
30JUN08 09:53	Into	Maintenance	6134.1 AFHR	0.0	A M PEA A1PXXOY806754	XXxxXXxx
01JUL08 07:29	Initiate	Toolboard	6138.1 AFHR	xxxx	14 B/F	XXxxXXxx
01JUL08 07:30	Clear	Toolboard	6138.1 AFHR	xxxx	14	XXxxXXxx
01JUL08 08:27	Maintenance	Release	6138.1 AFHR	0.9	M PEA A A1PXXXY805805	XXxxXXxx
01JUL08 11:50	Into	Maintenance	6138.1 AFHR	0.1	A M PEA A1PXXOY806828	XXxxXXxx
01JUL08 23:14	Maintenance	Release	6138.1 AFHR	0.4	M PEA A A1PXXXY805817	XXxxXXxx
02JUL08 01:31	Into	Maintenance	6140.7 AFHR	0.0	A A1PXXOY806842	XXxxXXxx
03JUL08 09:39	Change	Serviceability Stat	6144.2 AFHR	1.3	SERV U/S A1PXXUY808381	XXxxXXxx
	Estimated	Date/Time Servic		733588.6	SERV STAT 04JUL08	
07JUL08 09:43	Initiate	Toolboard	6144.2 AFHR	xxxx	14 B/F	XXxxXXxx
07JUL08 09:43	Clear	Toolboard	6144.2 AFHR	xxxx	14	XXxxXXxx



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01895  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
08JUL08	01:16	Maintenance Release	4.6	M PEA A		
		6147.2 AFHR		A1PXXXY806074		XXxxXXxx
		Change Serviceability Stat	4.6	U/S		
		Estimated Date/Time Servic	0.6	SERV 04JUL08 09:39		
				SERV STAT		
08JUL08	06:55	Into Maintenance	0.2	A		
		6147.2 AFHR		M PEA A1PXXOY807105		XXxxXXxx
08JUL08	10:56	Initiate Toolboard	xxxx	14 B/F		
		6148.5 AFHR				XXxxXXxx
08JUL08	10:56	Clear Toolboard	xxxx	14		
		6148.5 AFHR				XXxxXXxx
09JUL08	00:06	Maintenance Release	0.7	M PEA A		
		6149.4 AFHR		A1PXXXY806121		XXxxXXxx
09JUL08	02:05	Into Maintenance	0.0	A		
		6149.4 AFHR		A1PXXOY807144		XXxxXXxx
09JUL08	06:46	Change Serviceability Stat	0.1	SERV		
		6150.4 AFHR		U/S A1PXXUY809152		XXxxXXxx
		Estimated Date/Time Servic	733596.7	SERV STAT		
				10JUL08		
09JUL08	06:49	Asset Comments	0.0	A/T 6150.4 A/T 6150.4		
		6150.4 AFHR		A1PXXXY806145		XXxxXXxx
09JUL08	09:51	Initiate Toolboard	xxxx	14 B/F		
		6150.4 AFHR				XXxxXXxx
09JUL08	09:51	Clear Toolboard	xxxx	14		
		6150.4 AFHR				XXxxXXxx
10JUL08	10:32	Initiate Toolboard	xxxx	14 B/F		
		6150.4 AFHR				XXxxXXxx
10JUL08	10:32	Clear Toolboard	xxxx	14		
		6150.4 AFHR				XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01896  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
11JUL08 01:04	Maintenance Release	1.7	M PEA A A1PXXXY806211	XXxxXXxx
	6150.4 AFHR Change Serviceability Stat	1.7	U/S SERV	
	Estimated Date/Time Servic	0.7	10JUL08 06:47 SERV STAT	
13JUL08 22:47	Into Maintenance	2.9	A A1PXXOY807282	XXxxXXxx
13JUL08 22:48	6150.4 AFHR Change Serviceability Stat	0.0	SERV U/S A1PXXUY809249	XXxxXXxx
	Estimated Date/Time Servic	733599.0	SERV STAT 14JUL08	
13JUL08 23:08	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
13JUL08 23:08	6150.4 AFHR Clear Toolboard	xxxx	14	XXxxXXxx
14JUL08 01:01	6150.4 AFHR Maintenance Release	0.0	M PEA A A1PXXXY806260	XXxxXXxx
	Change Serviceability Stat	0.0	U/S SERV	
	Estimated Date/Time Servic	0.0	14JUL08 22:48 SERV STAT	
14JUL08 04:46	Into Maintenance	0.1	A A1PXXOY807323	XXxxXXxx
14JUL08 04:47	6150.4 AFHR Change Serviceability Stat	0.0	SERV U/S A1PXXUY809249	XXxxXXxx
	Estimated Date/Time Servic	733602.8	SERV STAT 15JUL08	
14JUL08 11:23	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
14JUL08 11:23	6150.4 AFHR Clear Toolboard	xxxx	14	XXxxXXxx
	6150.4 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01897  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
14JUL08	11:33	Asset Comments		0.0		
		6150.4	AFHR		A1PXXXY806296	XXxxXXxx
15JUL08	09:49	Initiate Toolboard		xxxx	14 B/F	
		6151.7	AFHR			XXxxXXxx
15JUL08	09:50	Clear Toolboard		xxxx	14	
		6151.7	AFHR			XXxxXXxx
17JUL08	09:34	Initiate Toolboard		xxxx	14 B/F	
		6159.1	AFHR			XXxxXXxx
17JUL08	09:35	Clear Toolboard		xxxx	14	
		6159.1	AFHR			XXxxXXxx
20JUL08	22:54	Initiate Toolboard		xxxx	14 B/F	
		6159.1	AFHR			XXxxXXxx
20JUL08	22:55	Clear Toolboard		xxxx	14	
		6159.1	AFHR			XXxxXXxx
21JUL08	01:09	Maintenance Release		6.8	M PEA	
		6159.1	AFHR		A	
		Change Serviceability Stat		6.8	A1PXXXY806442	XXxxXXxx
		Estimated Date/Time Servic		0.8	U/S	
					SERV	
					15JUL08 04:47	
					SERV STAT	
21JUL08	08:40	Into Maintenance		0.3	A	
		6159.1	AFHR		M PEA	
		Initiate Toolboard		xxxx	A1PXXOY807653	XXxxXXxx
		6163.7	AFHR		14 B/F	
22JUL08	11:23	Clear Toolboard		xxxx	14	
		6163.7	AFHR			XXxxXXxx
23JUL08	01:02	Maintenance Release		1.6	M PEA	
		6165.0	AFHR		A	
		Into Maintenance		0.9	A1PXXXY806549	XXxxXXxx
		6165.0	AFHR		A	
		Initiate Toolboard		xxxx	A1PXXOY807754	XXxxXXxx
		6165.0	AFHR		14 B/F	
						XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01898  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW	TRANS REFERENCE			
23JUL08	23:47	Clear Toolboard 6165.0 AFHR	xxxx	14		XXxxXXxx
24JUL08	11:42	Change Serviceability Stat 6165.0 AFHR	0.4	SERV U/S A1PXXUY809696		XXxxXXxx
		Estimated Date/Time Servic	733609.5	SERV STAT 25JUL08		
24JUL08	11:51	Initiate Toolboard 6165.0 AFHR	xxxx	14 B/F		XXxxXXxx
24JUL08	11:51	Clear Toolboard 6165.0 AFHR	xxxx	14		XXxxXXxx
25JUL08	01:21	Maintenance Release 6169.6 AFHR	0.5	M PEA A A1PXXXY806705		XXxxXXxx
		Change Serviceability Stat	0.5	U/S SERV		
		Estimated Date/Time Servic	0.5	25JUL08 11:42 SERV STAT		
28JUL08	09:49	Into Maintenance 6169.6 AFHR	3.3	A M PEA A1PXXOY807931		XXxxXXxx
28JUL08	09:55	Initiate Toolboard 6169.6 AFHR	xxxx	14 B/F		XXxxXXxx
28JUL08	09:55	Clear Toolboard 6169.6 AFHR	xxxx	14		XXxxXXxx
29JUL08	00:35	Maintenance Release 6169.6 AFHR	0.6	M PEA A A1PXXXY806795		XXxxXXxx
29JUL08	04:54	Into Maintenance 6169.6 AFHR	0.1	A A1PXXOY807973		XXxxXXxx
29JUL08	08:16	Change Serviceability Stat 6170.8 AFHR	0.1	SERV U/S A1PXXUY710713		XXxxXXxx
		Estimated Date/Time Servic	733613.7	SERV STAT 30JUL08		

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01899  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP

~S4080

PERIOD: 01JAN90 TO 08JAN20

LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
29JUL08	12:28	Initiate Toolboard	6170.8 AFHR	xxxx	14 B/F	XXxxXXxx
29JUL08	12:28	Clear Toolboard	6170.8 AFHR	xxxx	14	XXxxXXxx
30JUL08	09:26	Initiate Toolboard	6173.7 AFHR	xxxx	14 B/F	XXxxXXxx
30JUL08	09:26	Clear Toolboard	6173.7 AFHR	xxxx	14	XXxxXXxx
31JUL08	10:47	Initiate Toolboard	6173.7 AFHR	xxxx	14 B/F	XXxxXXxx
31JUL08	10:48	Clear Toolboard	6173.7 AFHR	xxxx	14	XXxxXXxx
31JUL08	23:35	Maintenance Release	6175.0 AFHR	2.6	M PEA A A1PXXXY807029	XXxxXXxx
		Change Serviceability Stat		2.6	U/S SERV	
		Estimated Date/Time Servic		1.6	30JUL08 08:16 SERV STAT	
01AUG08	01:47	Into Maintenance		0.0	A M PEA A1PXXOY808220	XXxxXXxx
03AUG08	22:54	Initiate Toolboard	6177.8 AFHR	xxxx	14 B/F	XXxxXXxx
03AUG08	22:55	Clear Toolboard	6177.8 AFHR	xxxx	14	XXxxXXxx
03AUG08	23:42	Maintenance Release		2.9	M PEA A A1PXXXY807065	XXxxXXxx
04AUG08	04:30	Into Maintenance	6177.8 AFHR	0.1	A A1PXXOY808259	XXxxXXxx
04AUG08	09:41	Initiate Toolboard	6179.0 AFHR	xxxx	14 B/F	XXxxXXxx
04AUG08	09:42	Clear Toolboard	6179.0 AFHR	xxxx	14	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01900  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
04AUG08 11:09	Change Serviceability Stat	0.2	SERV U/S A1PXXUY806686	XXxxXXxx
	6179.0 AFHR Estimated Date/Time Servic	733620.5	SERV STAT 05AUG08	
04AUG08 23:09	Maintenance Release	0.5	M PEA A A1PXXXY807132	XXxxXXxx
	6180.3 AFHR Change Serviceability Stat	0.5	U/S SERV	
	Estimated Date/Time Servic	1.5	05AUG08 11:09 SERV STAT	
05AUG08 03:20	Into Maintenance	0.1	A M PEA A1PXXOY808328	XXxxXXxx
05AUG08 09:22	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	6181.5 AFHR			XXxxXXxx
05AUG08 09:22	Clear Toolboard	xxxx	14	XXxxXXxx
	6181.5 AFHR			XXxxXXxx
05AUG08 22:45	Maintenance Release	0.8	M PEA A A1PXXXY807210	XXxxXXxx
06AUG08 05:07	Into Maintenance	0.2	A M PEA A1PXXOY808419	XXxxXXxx
	6182.8 AFHR		14 B/F	XXxxXXxx
06AUG08 09:56	Initiate Toolboard	xxxx		XXxxXXxx
	6184.0 AFHR			XXxxXXxx
06AUG08 09:57	Clear Toolboard	xxxx	14	XXxxXXxx
	6184.0 AFHR			XXxxXXxx
07AUG08 00:19	Maintenance Release	0.8	M PEA A A1PXXXY807276	XXxxXXxx
	6185.2 AFHR			XXxxXXxx
07AUG08 08:49	Into Maintenance	0.3	A A1PXXOY808500	XXxxXXxx
	6185.2 AFHR			XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01901  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----				
TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN(DYS) FROM	TO (OPTIONAL)	USER
=====	=====	=====	=====	=====	=====	=====
07AUG08 08:50	Change Serviceability Stat	6185.2	AFHR	0.0	SERV U/S	
	Estimated Date/Time Servic			733624.5	A1PXXUY810285	XXxxXXxx
07AUG08 11:03	Initiate Toolboard	6185.2	AFHR	xxxx	14 B/F	XXxxXXxx
07AUG08 11:04	Clear Toolboard	6185.2	AFHR	xxxx	14	XXxxXXxx
08AUG08 00:21	Maintenance Release	6185.2	AFHR	0.6	M PEA	
	Change Serviceability Stat			0.6	A1PXXXY807332	XXxxXXxx
	Estimated Date/Time Servic			0.6	U/S	
10AUG08 23:06	Into Maintenance			2.9	SERV STAT	
					A	
10AUG08 23:07	Initiate Toolboard	6185.2	AFHR	xxxx	M PEA	XXxxXXxx
					A1PXXOY808602	
11AUG08 05:03	Clear Toolboard	6185.2	AFHR	xxxx	14 B/F	XXxxXXxx
11AUG08 05:04	Maintenance Release	6185.2	AFHR	0.2	14	XXxxXXxx
					M PEA	
11AUG08 11:15	Into Maintenance	6185.2	AFHR	0.2	A	XXxxXXxx
					A1PXXXY807433	
11AUG08 11:16	Initiate Toolboard	6185.2	AFHR	xxxx	A	XXxxXXxx
					A1PXXOY808625	
11AUG08 22:20	Change Serviceability Stat	6185.2	AFHR	0.4	14 B/F	XXxxXXxx
					SERV	
	Estimated Date/Time Servic	6186.5	AFHR	733627.0	U/S	XXxxXXxx
					A1PXXUY810835	
					SERV STAT	
					12AUG08	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01902  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS -----

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
13AUG08	09:19	Initiate Toolboard 6186.5 AFHR	xxxx	14 B/F		XXxxXXxx
13AUG08	09:19	Clear Toolboard 6186.5 AFHR	xxxx	14		XXxxXXxx
18AUG08	00:03	Initiate Toolboard 6186.5 AFHR	xxxx	14 B/F		XXxxXXxx
18AUG08	00:04	Clear Toolboard 6186.5 AFHR	xxxx	14		XXxxXXxx
18AUG08	00:04	Maintenance Release 6186.5 AFHR	6.0	M PEA A A1PXXXY807601		XXxxXXxx
		Change Serviceability Stat	6.0	U/S SERV		
		Estimated Date/Time Servic	0.0	12AUG08 22:20 SERV STAT		
18AUG08	00:14	Into Maintenance 6186.5 AFHR	0.0	A M PEA A1PXXOY808944		XXxxXXxx
18AUG08	23:06	Maintenance Release 6188.2 AFHR	0.9	M PEA A A1PXXXY807626		XXxxXXxx
19AUG08	02:05	Into Maintenance 6188.2 AFHR	0.1	A A1PXXOY809032		XXxxXXxx
19AUG08	05:07	Change Serviceability Stat 6189.4 AFHR	0.1	SERV U/S A1PXXUY811219		XXxxXXxx
		Estimated Date/Time Servic	733637.7	SERV STAT 20AUG08		
19AUG08	08:14	Initiate Toolboard 6189.4 AFHR	xxxx	14 B/F		XXxxXXxx
19AUG08	08:14	Clear Toolboard 6189.4 AFHR	xxxx	14		XXxxXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01903  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
19AUG08 23:34	Maintenance Release	0.7	M PEA A A1PXXXY807699	XXxxXXxx
	6189.4 AFHR Change Serviceability Stat	0.7	U/S SERV	
	Estimated Date/Time Servic	1.7	20AUG08 05:10 SERV STAT	
20AUG08 05:49	Into Maintenance	0.2	A A1PXXOY809144	XXxxXXxx
20AUG08 05:52	6189.4 AFHR Change Serviceability Stat	0.0	SERV U/S A1PXXUY811219	XXxxXXxx
	Estimated Date/Time Servic	733639.7	SERV STAT 21AUG08	
20AUG08 06:33	Asset Comments	0.0	A/T 6191.1 A/T 6191.1 A1PXXXY807755	XXxxXXxx
20AUG08 08:15	6191.1 AFHR Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
20AUG08 08:15	6191.1 AFHR Clear Toolboard	xxxx	14	XXxxXXxx
20AUG08 22:44	6191.1 AFHR Maintenance Release	0.7	M PEA A A1PXXXY807767	XXxxXXxx
	Change Serviceability Stat	0.7	U/S SERV	
	Estimated Date/Time Servic	1.7	21AUG08 05:52 SERV STAT	
21AUG08 07:01	Asset Comments	0.0	A1PXXXY807786	XXxxXXxx
21AUG08 07:01	6191.1 AFHR Into Maintenance	0.3	A A1PXXOY809233	XXxxXXxx
21AUG08 07:02	6191.1 AFHR Change Serviceability Stat	0.0	SERV U/S A1PXXUY811282	XXxxXXxx
	Estimated Date/Time Servic	733640.6	SERV STAT 22AUG08	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01904  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
15SEP08 11:59	Create/Amend Basic Weight	756.3	1726.50 4269.7 7371.62 0.00 1744.00 4274.5 0.00 0.00	
	6192.2 AFHR		A1PXXXY808590	XXxxXXxx
15SEP08 22:29	Maintenance Comment	0.0	DD ADP-09-DD-08-046 INC	
	6192.2 AFHR		A1PXXXY808591	XXxxXXxx
23SEP08 05:39	Initiate Toolboard	xxxx	14 B/F	
	6192.2 AFHR			XXxxXXxx
23SEP08 05:40	Clear Toolboard	xxxx	14	
	6192.2 AFHR			XXxxXXxx
23SEP08 05:40	Maintenance Release	32.9	M PEA	
	6192.2 AFHR		A A1PXXXY808858	XXxxXXxx
	Change Serviceability Stat	32.9	U/S	
	Estimated Date/Time Servic	0.9	SERV 22AUG08 07:02 SERV STAT	
23SEP08 08:38	Into Maintenance	0.1	A	
	6192.2 AFHR		A1PXXOY810622	XXxxXXxx
23SEP08 08:41	Change Serviceability Stat	0.0	SERV	
	6192.2 AFHR		U/S A1PXXUY812837	XXxxXXxx
	Estimated Date/Time Servic	733673.8	SERV STAT 24SEP08	
24SEP08 00:35	Maintenance Release	0.6	M PEA	
	6193.6 AFHR		A A1PXXXY808897	XXxxXXxx
	Change Serviceability Stat	0.6	U/S	
	Estimated Date/Time Servic	0.6	SERV 24SEP08 08:41 SERV STAT	
24SEP08 02:04	Into Maintenance	0.0	A	
	6194.2 AFHR		A1PXXOY810671	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01905  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
24SEP08 02:05	Change Serviceability Stat	6194.2	AFHR	0.0	SERV U/S A1PXXUY812946	XXxxXXxx
	Estimated Date/Time Servic			733674.9	SERV STAT 25SEP08	
24SEP08 10:56	Initiate Toolboard	6196.6	AFHR	xxxx	14 B/F	XXxxXXxx
24SEP08 22:18	Clear Toolboard	6196.6	AFHR	xxxx	14	XXxxXXxx
29SEP08 22:57	Initiate Toolboard	6196.6	AFHR	xxxx	14 B/F	XXxxXXxx
29SEP08 22:58	Clear Toolboard	6196.6	AFHR	xxxx	14	XXxxXXxx
30SEP08 09:28	Initiate Toolboard	6196.6	AFHR	xxxx	14 B/F	XXxxXXxx
30SEP08 09:28	Clear Toolboard	6196.6	AFHR	xxxx	14	XXxxXXxx
30SEP08 23:01	Maintenance Release	6198.2	AFHR	6.8	M PEA A A1PXXXY809066	XXxxXXxx
	Change Serviceability Stat			6.8	U/S SERV 25SEP08 02:05	
	Estimated Date/Time Servic			1.8	SERV STAT	
01OCT08 09:37	Into Maintenance	6198.2	AFHR	0.4	A A1PXXOY810872	XXxxXXxx
01OCT08 09:37	Initiate Toolboard	6198.2	AFHR	xxxx	14 B/F	XXxxXXxx
01OCT08 09:37	Clear Toolboard	6198.2	AFHR	xxxx	14	XXxxXXxx
01OCT08 13:11	Change Serviceability Stat	6201.0	AFHR	0.1	SERV U/S A1PXXUY813331	XXxxXXxx
	Estimated Date/Time Servic			733681.4	SERV STAT 02OCT08	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01906  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
01OCT08 23:22	Maintenance Release	0.4	M PEA A	
	6201.0 AFHR Change Serviceability Stat	0.4	A1PXXXY809129 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.4	SERV 02OCT08 13:12 SERV STAT	
02OCT08 02:39	Into Maintenance	0.1	A	
	6201.0 AFHR Change Serviceability Stat	0.0	A1PXXOY810915 SERV	XXxxXXxx
	Estimated Date/Time Servic	733682.8	U/S A1PXXUY813331 SERV STAT	XXxxXXxx
05OCT08 22:52	Initiate Toolboard	xxxx	03OCT08 14 B/F	
	6207.5 AFHR			XXxxXXxx
05OCT08 22:52	Clear Toolboard	xxxx	14	
	6207.5 AFHR			XXxxXXxx
06OCT08 00:44	Maintenance Release	3.9	M PEA A	
	6207.5 AFHR Change Serviceability Stat	3.9	A1PXXXY809234 U/S	XXxxXXxx
	Estimated Date/Time Servic	0.9	SERV 03OCT08 02:40 SERV STAT	
06OCT08 08:16	Into Maintenance	0.3	A	
	6207.5 AFHR		A1PXXOY811157	XXxxXXxx
07OCT08 07:45	Into Maintenance	0.0	M	
	6212.3 AFHR		A1PXXOY811262	XXxxXXxx
08OCT08 06:55	Into Maintenance	0.0	M	
	6213.3 AFHR		A1PXXOY811263	XXxxXXxx
08OCT08 09:37	Change Serviceability Stat	2.0	SERV	
	6212.3 AFHR Estimated Date/Time Servic	733686.6	U/S A1PXXUY813602 SERV STAT	XXxxXXxx
			09OCT08	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01907  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
08OCT08 09:44	Initiate Toolboard	6212.3 AFHR	xxxx	14 B/F	XXxxXXxx
08OCT08 09:45	Clear Toolboard	6212.3 AFHR	xxxx	14	XXxxXXxx
08OCT08 09:57	Maintenance Release	6212.3 AFHR	0.0	M PEA A A1PXXXY809393	XXxxXXxx
	Change Serviceability Stat	Estimated Date/Time Servic	0.0	U/S SERV 09OCT08 09:37 SERV STAT	
08OCT08 12:17	Into Maintenance	6216.3 AFHR	0.0	A M PEA A1PXXOY811264	XXxxXXxx
08OCT08 23:25	Maintenance Release	6218.4 AFHR	0.4	M PEA A A1PXXXY809403	XXxxXXxx
09OCT08 08:09	Into Maintenance	6221.0 AFHR	0.0	M A1PXXOY811357	XXxxXXxx
09OCT08 09:50	Into Maintenance	6221.0 AFHR	0.4	A M PEA A1PXXOY811336	XXxxXXxx
09OCT08 09:50	Initiate Toolboard	6221.0 AFHR	xxxx	14 B/F	XXxxXXxx
09OCT08 09:51	Clear Toolboard	6221.0 AFHR	xxxx	14	XXxxXXxx
09OCT08 09:51	Maintenance Release	6221.0 AFHR	0.0	M PEA A A1PXXXY809470	XXxxXXxx
10OCT08 04:09	Into Maintenance	6223.3 AFHR	0.7	A A1PXXOY811396	XXxxXXxx
10OCT08 09:23	Change Serviceability Stat	6224.5 AFHR	0.2	SERV U/S A1PXXUY813430	XXxxXXxx
	Estimated Date/Time Servic		733689.0	SERV STAT 11OCT08	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01908  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
12OCT08 22:48	Initiate Toolboard 6224.5 AFHR	xxxx	14 B/F	XXxxXXxx
12OCT08 22:49	Clear Toolboard 6224.5 AFHR	xxxx	14	XXxxXXxx
12OCT08 23:23	Maintenance Release 6225.8 AFHR	2.5	M PEA A A1PXXXY809546	XXxxXXxx
	Change Serviceability Stat Estimated Date/Time Servic	2.5 1.5	U/S SERV 11OCT08 09:23 SERV STAT	
13OCT08 07:50	Into Maintenance 6228.2 AFHR	0.3	A M PEA A1PXXOY811488	XXxxXXxx
13OCT08 09:26	Initiate Toolboard 6229.4 AFHR	xxxx	14 B/F	XXxxXXxx
13OCT08 09:26	Clear Toolboard 6229.4 AFHR	xxxx	14	XXxxXXxx
13OCT08 09:26	Maintenance Release 6229.4 AFHR	0.0	M PEA A A1PXXXY809605	XXxxXXxx
13OCT08 13:09	Into Maintenance 6229.4 AFHR	0.1	A M PEA A1PXXOY811511	XXxxXXxx
13OCT08 23:39	Maintenance Release 6230.9 AFHR	0.4	M PEA A A1PXXXY809621	XXxxXXxx
15OCT08 22:03	Into Maintenance 6230.9 AFHR	1.9	A A1PXXOY811655	XXxxXXxx
17OCT08 06:50	Change Serviceability Stat 6242.4 AFHR	1.3	SERV U/S A1PXXUY813825	XXxxXXxx
	Estimated Date/Time Servic	733693.6	SERV STAT 18OCT08	
19OCT08 22:23	Initiate Toolboard 6242.4 AFHR	xxxx	14 B/F	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01909  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
19OCT08 22:24	Clear	Toolboard	6242.4 AFHR	xxxx	14	XXxxXXxx
20OCT08 02:00	Maintenance	Release	6243.6 AFHR	2.7	M PEA A A1PXXXY809888	XXxxXXxx
	Change	Serviceability Stat		2.7	U/S SERV	
	Estimated	Date/Time Servic		0.7	18OCT08 06:50 SERV STAT	
20OCT08 05:30	Into	Maintenance	6243.6 AFHR	0.1	A A1PXXOY811803	XXxxXXxx
20OCT08 05:31	Change	Serviceability Stat	6243.6 AFHR	0.0	SERV U/S A1PXXUY814351	XXxxXXxx
	Estimated	Date/Time Servic		733700.8	SERV STAT 21OCT08	
20OCT08 05:33	Asset	Comments	6243.6 AFHR	0.0	A/T 6244.3 A/T 6244.3 A1PXXXY809942	XXxxXXxx
20OCT08 09:20	Initiate	Toolboard	6243.9 AFHR	xxxx	14 B/F	XXxxXXxx
20OCT08 09:20	Clear	Toolboard	6243.9 AFHR	xxxx	14	XXxxXXxx
20OCT08 12:48	Asset	Comments	6243.9 AFHR	0.0	A/T 6244.6 A/T 6244.6 A1PXXXY809955	XXxxXXxx
21OCT08 06:52	Asset	Comments	6245.1 AFHR	0.0	A1PXXXY810010	XXxxXXxx
21OCT08 10:14	Initiate	Toolboard	6247.3 AFHR	xxxx	14 B/F	XXxxXXxx
21OCT08 23:15	Clear	Toolboard	6247.3 AFHR	xxxx	14	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01910  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----			
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
=====	=====	=====	=====	=====	=====
	LIFE SINCE NEW		TRANS REFERENCE		
21OCT08 23:15	Maintenance Release	1.7	M PEA A		
	6247.3 AFHR		A1PXXXY810025		XXxxXXxx
	Change Serviceability Stat	1.7	U/S		
	Estimated Date/Time Servic	1.7	SERV 21OCT08 05:32		
			SERV STAT		
22OCT08 01:50	Into Maintenance	0.1	A		
	6247.3 AFHR		M PEA		XXxxXXxx
22OCT08 11:18	Initiate Toolboard	xxxx	A1PXXOY811951		
	6251.5 AFHR		14 B/F		XXxxXXxx
22OCT08 23:14	Clear Toolboard	xxxx	14		
	6251.5 AFHR				XXxxXXxx
22OCT08 23:15	Maintenance Release	0.8	M PEA A		
	6251.5 AFHR		A1PXXXY810066		XXxxXXxx
23OCT08 01:33	Into Maintenance	0.0	A		
	6251.5 AFHR		M PEA		XXxxXXxx
23OCT08 11:42	Initiate Toolboard	xxxx	A1PXXOY812095		
	6256.2 AFHR		14 B/F		XXxxXXxx
23OCT08 23:39	Clear Toolboard	xxxx	14		
	6256.2 AFHR				XXxxXXxx
23OCT08 23:39	Maintenance Release	0.9	M PEA A		
	6256.2 AFHR		A1PXXXY810138		XXxxXXxx
24OCT08 05:33	Into Maintenance	0.2	A		
	6256.2 AFHR		A1PXXOY812117		XXxxXXxx
24OCT08 05:34	Change Serviceability Stat	0.0	SERV		
	Estimated Date/Time Servic	733702.7	U/S A1PXXUY814289		XXxxXXxx
			SERV STAT		
			25OCT08		
26OCT08 23:09	Initiate Toolboard	xxxx	14 B/F		
	6256.2 AFHR				XXxxXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01911  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
26OCT08 23:10	Clear	Toolboard	6256.2 AFHR	xxxx	14	XXxxXXxx
26OCT08 23:11	Maintenance	Release	6256.2 AFHR	2.7	M PEA A A1PXXXY810195	XXxxXXxx
	Change	Serviceability Stat		2.7	U/S SERV	
	Estimated	Date/Time Servic		1.7	25OCT08 05:34 SERV STAT	
27OCT08 10:02	Into	Maintenance		0.4	A M PEA	
27OCT08 10:03	Initiate	Toolboard	6258.6 AFHR	xxxx	A1PXXOY812224	XXxxXXxx
27OCT08 10:03	Clear	Toolboard	6258.6 AFHR	xxxx	14 B/F	XXxxXXxx
27OCT08 23:24	Maintenance	Release	6258.6 AFHR	0.5	M PEA A A1PXXXY810242	XXxxXXxx
28OCT08 01:30	Into	Maintenance		0.0	A M PEA	
28OCT08 09:32	Initiate	Toolboard	6258.6 AFHR	xxxx	A1PXXOY812242	XXxxXXxx
28OCT08 09:33	Clear	Toolboard	6262.4 AFHR	xxxx	14 B/F	XXxxXXxx
28OCT08 22:46	Maintenance	Release	6262.4 AFHR	0.8	M PEA A A1PXXXY810290	XXxxXXxx
29OCT08 01:41	Into	Maintenance		0.1	A A1PXXOY812285	XXxxXXxx
29OCT08 04:25	Change	Serviceability Stat		0.1	SERV U/S A1PXXUY814857	XXxxXXxx
	Estimated	Date/Time Servic		733707.7	SERV STAT 30OCT08	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01912  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
29OCT08 09:08	Initiate Toolboard 6265.0 AFHR	xxxx	14 B/F	XXxxXXxx
29OCT08 09:08	Clear Toolboard 6265.0 AFHR	xxxx	14	XXxxXXxx
29OCT08 22:55	Maintenance Release 6265.0 AFHR	0.7	M PEA A A1PXXXY810388	XXxxXXxx
	Change Serviceability Stat Estimated Date/Time Servic	0.7 1.7	U/S SERV 30OCT08 04:28 SERV STAT	
30OCT08 01:36	Into Maintenance 6265.0 AFHR	0.1	A M PEA A1PXXOY812371	XXxxXXxx
30OCT08 09:48	Initiate Toolboard 6267.9 AFHR	xxxx	14 B/F	XXxxXXxx
30OCT08 09:48	Clear Toolboard 6267.9 AFHR	xxxx	14	XXxxXXxx
30OCT08 23:41	Maintenance Release 6267.9 AFHR	0.9	M PEA A A1PXXXY810469	XXxxXXxx
31OCT08 01:26	Into Maintenance 6267.9 AFHR	0.0	A A1PXXOY812451	XXxxXXxx
31OCT08 04:43	Change Serviceability Stat 6269.1 AFHR	0.1 733710.7	SERV U/S A1PXXUY814682	XXxxXXxx
	Estimated Date/Time Servic		SERV STAT 01NOV08	
02NOV08 21:53	Initiate Toolboard 6270.1 AFHR	xxxx	14 B/F	XXxxXXxx
02NOV08 23:03	Clear Toolboard 6270.1 AFHR	xxxx	14	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01913  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
02NOV08 23:03	Maintenance Release	2.7	M PEA A A1PXXXY810527	XXxxXXxx
	6270.1 AFHR Change Serviceability Stat	2.7	U/S SERV	
	Estimated Date/Time Servic	1.7	01NOV08 04:43 SERV STAT	
03NOV08 02:45	Into Maintenance	0.1	A A1PXXOY812495	XXxxXXxx
03NOV08 02:46	6270.1 AFHR Change Serviceability Stat	0.0	SERV U/S A1PXXUY815108	XXxxXXxx
	Estimated Date/Time Servic	733714.8	SERV STAT 04NOV08	
03NOV08 09:54	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	6271.5 AFHR			
03NOV08 09:54	Clear Toolboard	xxxx	14	XXxxXXxx
	6271.5 AFHR			
03NOV08 22:43	Maintenance Release	0.8	M PEA A A1PXXXY810587	XXxxXXxx
	6271.5 AFHR Change Serviceability Stat	0.8	U/S SERV	
	Estimated Date/Time Servic	1.8	04NOV08 02:49 SERV STAT	
04NOV08 01:24	Into Maintenance	0.1	A A1PXXOY812593	XXxxXXxx
	6271.5 AFHR			
04NOV08 01:25	Change Serviceability Stat	0.0	SERV U/S A1PXXUY815111	XXxxXXxx
	6271.5 AFHR Estimated Date/Time Servic	733715.8	SERV STAT 05NOV08	
04NOV08 09:29	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	6275.1 AFHR			
04NOV08 09:30	Clear Toolboard	xxxx	14	XXxxXXxx
	6275.1 AFHR			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01914  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
04NOV08 22:22	Maintenance Release	0.8	M PEA A	
	6275.1 AFHR Change Serviceability Stat	0.8	A1PXXXY810639 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.8	SERV 05NOV08 01:25 SERV STAT	
05NOV08 02:02	Into Maintenance	0.1	A	
	6275.1 AFHR Change Serviceability Stat	0.3	A1PXXOY812671 SERV	XXxxXXxx
	Estimated Date/Time Servic	733716.5	U/S A1PXXUY815281 SERV STAT	XXxxXXxx
05NOV08 10:00	Initiate Toolboard	xxxx	06NOV08 14 B/F	
	6276.4 AFHR			XXxxXXxx
05NOV08 10:01	Clear Toolboard	xxxx	14	
	6276.4 AFHR			XXxxXXxx
05NOV08 22:19	Maintenance Release	0.5	M PEA A	
	6276.4 AFHR Change Serviceability Stat	0.5	A1PXXXY810693 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.5	SERV 06NOV08 09:43 SERV STAT	
06NOV08 01:55	Into Maintenance	0.1	A	
	6276.4 AFHR Initiate Toolboard	xxxx	A1PXXOY812736 14 B/F	XXxxXXxx
06NOV08 08:12	Clear Toolboard	xxxx	14	
	6280.0 AFHR			XXxxXXxx
06NOV08 08:13	Change Serviceability Stat	0.3	SERV	
	6280.0 AFHR Estimated Date/Time Servic	733717.4	U/S A1PXXUY815354 SERV STAT	XXxxXXxx
			07NOV08	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01915  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
06NOV08 10:31	Asset Comments		6280.0 AFHR	0.0	A/T 6279.0 A/T 6279.0 A1PXXXY810894	XXxxXXxx
09NOV08 23:45	Asset Comments		6280.0 AFHR	0.0	LMO LMO A1PXXXY811213	XXxxXXxx
14NOV08 00:36	Into Maintenance		6298.5 AFHR	0.0	M A1PXXOY813113	XXxxXXxx
14NOV08 03:10	Into Maintenance		6299.8 AFHR	0.0	M A1PXXOY813114	XXxxXXxx
14NOV08 04:27	Into Maintenance		6301.1 AFHR	0.0	M A1PXXOY813115	XXxxXXxx
16NOV08 06:40	Into Maintenance		6301.1 AFHR	0.0	M A1PXXOY813116	XXxxXXxx
16NOV08 23:27	Asset Comments		6298.5 AFHR	0.0	A1PXXXY811775	XXxxXXxx
16NOV08 23:27	Initiate Toolboard		6298.5 AFHR	xxxx	14 B/F	XXxxXXxx
16NOV08 23:28	Clear Toolboard		6298.5 AFHR	xxxx	14	XXxxXXxx
17NOV08 00:03	Maintenance Release		6298.5 AFHR	10.5	M PEA A A1PXXXY811785	XXxxXXxx
	Change Serviceability Stat			10.5	U/S SERV	
	Estimated Date/Time Servic			0.5	07NOV08 10:25 SERV STAT	
17NOV08 04:55	Into Maintenance		6303.9 AFHR	0.2	A A1PXXOY813154	XXxxXXxx
17NOV08 11:14	Initiate Toolboard		6305.1 AFHR	xxxx	14 B/F	XXxxXXxx
17NOV08 11:14	Clear Toolboard		6305.1 AFHR	xxxx	14	XXxxXXxx
17NOV08 11:57	Change Serviceability Stat		6305.1 AFHR	0.2	SERV U/S A1PXXUY815878	XXxxXXxx
	Estimated Date/Time Servic			733728.5	SERV STAT 18NOV08	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01916  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
18NOV08 08:07	Initiate Toolboard 6305.1 AFHR	xxxx	14 B/F	XXxxXXxx
18NOV08 08:07	Clear Toolboard 6305.1 AFHR	xxxx	14	XXxxXXxx
18NOV08 21:55	Maintenance Release 6305.1 AFHR	1.4	M PEA A A1PXXXY811906	XXxxXXxx
	Change Serviceability Stat	1.4	U/S SERV	
	Estimated Date/Time Servic	1.4	18NOV08 11:59 SERV STAT	
19NOV08 08:17	Into Maintenance 6305.1 AFHR	0.4	A M PEA A1PXXOY813300	XXxxXXxx
19NOV08 08:19	Initiate Toolboard 6305.1 AFHR	xxxx	14 B/F	XXxxXXxx
19NOV08 08:19	Clear Toolboard 6305.1 AFHR	xxxx	14	XXxxXXxx
19NOV08 21:59	Maintenance Release 6305.1 AFHR	0.5	M PEA A A1PXXXY811959	XXxxXXxx
20NOV08 03:07	Into Maintenance 6305.1 AFHR	0.2	A A1PXXOY813341	XXxxXXxx
20NOV08 03:16	Change Serviceability Stat	0.0	SERV U/S A1PXXUY815878	XXxxXXxx
	Estimated Date/Time Servic	733730.7	SERV STAT 21NOV08	
20NOV08 09:45	Initiate Toolboard 6307.7 AFHR	xxxx	14 B/F	XXxxXXxx
20NOV08 09:45	Clear Toolboard 6307.7 AFHR	xxxx	14	XXxxXXxx
23NOV08 21:22	Initiate Toolboard 6307.7 AFHR	xxxx	14 B/F	XXxxXXxx
23NOV08 21:23	Clear Toolboard 6307.7 AFHR	xxxx	14	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01917  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
24NOV08 03:00	Maintenance Release	3.9	M PEA A A1PXXXY812095	XXxxXXxx
	6307.7 AFHR Change Serviceability Stat	3.9	U/S SERV	
	Estimated Date/Time Servic	0.9	21NOV08 03:16 SERV STAT	
24NOV08 06:19	Into Maintenance	0.1	A A1PXXOY813457	XXxxXXxx
24NOV08 06:20	6307.7 AFHR Change Serviceability Stat	0.0	SERV U/S A1PXXUY816156	XXxxXXxx
	Estimated Date/Time Servic	733735.8	SERV STAT 25NOV08	
24NOV08 09:31	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
24NOV08 09:32	6309.2 AFHR Clear Toolboard	xxxx	14	XXxxXXxx
24NOV08 10:57	6309.2 AFHR Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
24NOV08 10:57	6309.2 AFHR Clear Toolboard	xxxx	14	XXxxXXxx
25NOV08 00:52	6309.2 AFHR Maintenance Release	0.7	M PEA A A1PXXXY812176	XXxxXXxx
	Change Serviceability Stat	0.7	U/S SERV	
	Estimated Date/Time Servic	0.7	25NOV08 06:20 SERV STAT	
25NOV08 02:31	Into Maintenance	0.0	A M PEA A1PXXOY813502	XXxxXXxx
25NOV08 09:15	6309.2 AFHR Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
25NOV08 09:15	6313.1 AFHR Clear Toolboard	xxxx	14	XXxxXXxx
	6313.1 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01918  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====	=====
25NOV08	21:45	Maintenance Release	0.8	M PEA A A1PXXXY812208	XXxxXXxx
26NOV08	08:24	Into Maintenance	0.4	A M PEA A1PXXOY813591	XXxxXXxx
26NOV08	08:27	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
26NOV08	08:27	Clear Toolboard	xxxx	14	XXxxXXxx
27NOV08	09:17	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
27NOV08	09:17	Clear Toolboard	xxxx	14	XXxxXXxx
27NOV08	22:40	Maintenance Release	1.5	M PEA A A1PXXXY812293	XXxxXXxx
28NOV08	00:20	Into Maintenance	0.0	A M PEA A1PXXOY813654	XXxxXXxx
30NOV08	22:46	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
30NOV08	23:01	Clear Toolboard	xxxx	14	XXxxXXxx
30NOV08	23:01	Maintenance Release	2.9	M PEA A A1PXXXY812375	XXxxXXxx
01DEC08	01:41	Into Maintenance	0.1	A A1PXXOY813714	XXxxXXxx
01DEC08	07:39	Change Serviceability Stat	0.2	SERV U/S A1PXXUY816272	XXxxXXxx
01DEC08	09:24	Initiate Toolboard	xxxx	SERV STAT 02DEC08 14 B/F	XXxxXXxx
		Estimated Date/Time Servic	733736.7		
		6320.0 AFHR			
		6313.1 AFHR			
		6314.4 AFHR			
		6314.4 AFHR			
		6315.4 AFHR			
		6315.4 AFHR			
		6316.5 AFHR			
		6316.5 AFHR			
		6320.0 AFHR			



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01919  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
02DEC08 00:57		Into Maintenance		0.0	M	
		6320.0 AFHR			A1PXXOY813779	XXxxXXxx
02DEC08 03:11		Into Maintenance		0.0	M	
		6321.2 AFHR			A1PXXOY813792	XXxxXXxx
02DEC08 03:20		Clear Toolboard		xxxx	14	
		6320.0 AFHR				XXxxXXxx
02DEC08 03:20		Maintenance Release		0.8	M PEA	
		6320.0 AFHR			A	
		Change Serviceability Stat		0.8	A1PXXXY812504	XXxxXXxx
		Estimated Date/Time Servic		0.8	U/S	
					SERV	
					02DEC08 07:39	
					SERV STAT	
02DEC08 04:24		Into Maintenance		0.0	A	
		6322.5 AFHR			A1PXXOY813796	XXxxXXxx
02DEC08 04:25		Change Serviceability Stat		0.0	SERV	
		6322.5 AFHR			U/S	
		Estimated Date/Time Servic		733743.9	A1PXXUY816697	XXxxXXxx
					SERV STAT	
					03DEC08	
02DEC08 10:52		Initiate Toolboard		xxxx	14 B/F	
		6323.8 AFHR				XXxxXXxx
02DEC08 22:28		Clear Toolboard		xxxx	14	
		6323.8 AFHR				XXxxXXxx
02DEC08 22:28		Maintenance Release		0.7	M PEA	
		6323.8 AFHR			A	
		Change Serviceability Stat		0.7	A1PXXXY812534	XXxxXXxx
		Estimated Date/Time Servic		1.7	U/S	
					SERV	
					03DEC08 04:27	
					SERV STAT	
03DEC08 01:14		Into Maintenance		0.1	A	
		6323.8 AFHR			M PEA	
					A1PXXOY813862	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01920  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
03DEC08	04:16	Maintenance Release	0.1	M PEA A		
		6325.1 AFHR		A1PXXXY812565		XXxxXXxx
03DEC08	05:12	Into Maintenance	0.0	M PEA A		
		6325.1 AFHR		A1PXXOY813897		XXxxXXxx
03DEC08	10:16	Initiate Toolboard	xxxx	14 B/F		
		6327.4 AFHR				XXxxXXxx
04DEC08	02:31	Clear Toolboard	xxxx	14		
		6327.4 AFHR				XXxxXXxx
04DEC08	02:31	Maintenance Release	0.8	M PEA A		
		6327.4 AFHR		A1PXXXY812618		XXxxXXxx
04DEC08	07:15	Into Maintenance	0.1	M PEA A		
		6328.7 AFHR		A1PXXOY813986		XXxxXXxx
04DEC08	09:54	Initiate Toolboard	xxxx	14 B/F		
		6330.2 AFHR				XXxxXXxx
04DEC08	22:01	Clear Toolboard	xxxx	14		
		6330.2 AFHR				XXxxXXxx
04DEC08	22:03	Maintenance Release	0.6	M PEA A		
		6330.2 AFHR		A1PXXXY812630		XXxxXXxx
05DEC08	00:52	Maintenance Comment	0.0	ANNUAL REVIEW OF A/C LOG BOOK C/OUT IAW AAP 7001.059		
		6330.2 AFHR		A1PXXXY812652		XXxxXXxx
05DEC08	04:11	Into Maintenance	0.2	M PEA A		
		6330.2 AFHR		A1PXXOY814019		XXxxXXxx
07DEC08	22:46	Initiate Toolboard	xxxx	14 B/F		
		6331.1 AFHR				XXxxXXxx
07DEC08	22:47	Clear Toolboard	xxxx	14		
		6331.1 AFHR				XXxxXXxx
07DEC08	22:52	Maintenance Release	2.7	M PEA A		
		6331.1 AFHR		A1PXXXY812691		XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01921  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
08DEC08 04:50	Into Maintenance	6332.3 AFHR	0.2	A A1PXXOY814065	XXxxXXxx
08DEC08 12:29	Change Serviceability Stat	6333.5 AFHR	0.3	SERV U/S A1PXXUY816602	XXxxXXxx
	Estimated Date/Time Servic		733744.4	SERV STAT 09DEC08	
08DEC08 13:25	Initiate Toolboard	6333.5 AFHR	xxxx	14 B/F	XXxxXXxx
09DEC08 01:43	Clear Toolboard	6336.0 AFHR	xxxx	14	XXxxXXxx
09DEC08 01:43	Maintenance Release		0.5	M PEA A A1PXXXY812748	XXxxXXxx
	Change Serviceability Stat		0.5	U/S SERV	
	Estimated Date/Time Servic		0.5	09DEC08 12:29 SERV STAT	
09DEC08 04:30	Into Maintenance	6336.0 AFHR	0.1	A A1PXXOY814109	XXxxXXxx
09DEC08 04:32	Change Serviceability Stat		0.0	SERV U/S A1PXXUY817029	XXxxXXxx
	Estimated Date/Time Servic		733750.8	SERV STAT 10DEC08	
09DEC08 08:09	Initiate Toolboard	6337.3 AFHR	xxxx	14 B/F	XXxxXXxx
09DEC08 08:09	Clear Toolboard	6337.3 AFHR	xxxx	14	XXxxXXxx
10DEC08 00:24	Maintenance Release		0.8	M PEA A A1PXXXY812817	XXxxXXxx
	Change Serviceability Stat		0.8	U/S SERV	
	Estimated Date/Time Servic		0.8	10DEC08 04:32 SERV STAT	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01922  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN (DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
10DEC08 10:04	Into Maintenance	0.4	A M PEA	
10DEC08 10:05	Initiate Toolboard 6337.3 AFHR	xxxx	A1PXXOY814188 14 B/F	XXxxXXxx
10DEC08 10:05	Clear Toolboard 6337.3 AFHR	xxxx	14	XXxxXXxx
10DEC08 22:39	Maintenance Release	0.5	M PEA A	
11DEC08 22:31	Into Maintenance 6337.3 AFHR	0.9	A1PXXXY812871 A	XXxxXXxx
11DEC08 23:27	Initiate Toolboard 6337.3 AFHR	xxxx	M PEA A1PXXOY814285 14 B/F	XXxxXXxx
12DEC08 00:10	Clear Toolboard 6337.3 AFHR	xxxx	14	XXxxXXxx
12DEC08 00:10	Maintenance Release	0.0	M PEA A	
14DEC08 23:13	Into Maintenance 6337.3 AFHR	2.9	A1PXXXY812927 A	XXxxXXxx
14DEC08 23:17	Change Serviceability Stat 6338.3 AFHR	0.0	A1PXXOY814325 SERV U/S	XXxxXXxx
	Estimated Date/Time Servic	733751.0	A1PXXUY817014 SERV STAT 31DEC25	XXxxXXxx
15JAN09 08:24	Initiate Toolboard 6338.3 AFHR	xxxx	14 B/F	
15JAN09 08:24	Clear Toolboard 6338.3 AFHR	xxxx	14	XXxxXXxx
28JAN09 04:56	Change Part Number of an A Maintenance Comment	0.0	NO PARENT TRANSACTION DETAILS MPAN 03/2009 FOR STI-PC9-0493	
28JAN09 04:56	Change Part Number of an A Estimated Date/Time Servic	43.7-	NO PARENT TRANSACTION DETAILS 15DEC08 23:17 15DEC08 23:17	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01923  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
03FEB09 00:16	Initiate Toolboard 6338.3 AFHR	xxxx	14 B/F	XXxxXXxx
03FEB09 00:16	Clear Toolboard 6338.3 AFHR	xxxx	14	XXxxXXxx
03FEB09 01:47	Maintenance Release 6338.3 AFHR	50.1	M PEA A A1PXXXY900919	XXxxXXxx
	Change Serviceability Stat	50.1	U/S SERV	
	Estimated Date/Time Servic	44.1-	15DEC08 23:17 SERV STAT	
03FEB09 05:03	Into Maintenance 6338.3 AFHR	0.1	A A1PXXOY900783	XXxxXXxx
03FEB09 05:04	Change Serviceability Stat 6338.3 AFHR	0.0	SERV U/S A1PXXUY901779	XXxxXXxx
	Estimated Date/Time Servic	733806.8	SERV STAT 04FEB09	
03FEB09 21:09	Maintenance Release 6339.2 AFHR	0.6	M PEA A A1PXXXY900938	XXxxXXxx
	Change Serviceability Stat	0.6	U/S SERV	
	Estimated Date/Time Servic	1.6	04FEB09 05:05 SERV STAT	
04FEB09 01:37	Into Maintenance 6339.2 AFHR	0.1	A A1PXXOY900855	XXxxXXxx
04FEB09 01:38	Initiate Toolboard 6339.2 AFHR	xxxx	14 B/F	XXxxXXxx
04FEB09 01:39	Change Serviceability Stat 6339.2 AFHR	0.0	SERV U/S A1PXXUY901779	XXxxXXxx
	Estimated Date/Time Servic	733807.8	SERV STAT 05FEB09	
04FEB09 10:55	Initiate Toolboard 6339.5 AFHR	xxxx	14 B/F	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01924  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
05FEB09 10:54	Initiate	Toolboard	6339.5 AFHR	xxxx	14 B/F	XXxxXXxx
09FEB09 05:37	Initiate	Toolboard	6339.5 AFHR	xxxx	14 B/F	XXxxXXxx
09FEB09 05:37	Clear	Toolboard	6339.5 AFHR	xxxx	14	XXxxXXxx
09FEB09 05:38	Maintenance Release			5.1	M PEA A	
	Change Serviceability Stat		6339.5 AFHR	5.1	A1PXXXY901434 U/S SERV	XXxxXXxx
	Estimated Date/Time	Servic		1.1	05FEB09 01:39 SERV STAT	
09FEB09 08:24	Into Maintenance		6340.6 AFHR	0.1	A A1PXXOY901162	XXxxXXxx
09FEB09 08:26	Change Serviceability Stat		6340.6 AFHR	0.0	SERV U/S A1PXXUY901722	XXxxXXxx
	Estimated Date/Time	Servic		733812.8	SERV STAT 10FEB09	
09FEB09 10:05	Initiate	Toolboard	6341.7 AFHR	xxxx	14 B/F	XXxxXXxx
09FEB09 23:00	Clear	Toolboard	6341.7 AFHR	xxxx	14	XXxxXXxx
09FEB09 23:00	Maintenance Release			0.6	M PEA A	
	Change Serviceability Stat		6341.7 AFHR	0.6	A1PXXXY901513 U/S SERV	XXxxXXxx
	Estimated Date/Time	Servic		1.6	10FEB09 08:26 SERV STAT	
10FEB09 08:35	Into Maintenance			0.3	A M AIP	
10FEB09 08:36	Initiate	Toolboard	6344.6 AFHR	xxxx	A1PXXOY901270 14 B/F	XXxxXXxx
			6344.6 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01925  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
10FEB09 08:36	Clear Toolboard	6344.6 AFHR	xxxx	14	XXxxXXxx
10FEB09 08:37	Maintenance Release	6344.6 AFHR	0.0	M AIP A A1PXXXY901551	XXxxXXxx
10FEB09 08:45	Into Maintenance	6344.6 AFHR	0.0	A M PEA A1PXXOY901274	XXxxXXxx
10FEB09 08:45	Maintenance Release	6344.6 AFHR	0.0	M PEA A A1PXXXY901555	XXxxXXxx
11FEB09 00:19	Into Maintenance	6347.5 AFHR	0.6	A A1PXXOY901311	XXxxXXxx
11FEB09 00:20	Change Serviceability Stat	6347.5 AFHR	0.0	SERV U/S A1PXXUY902288	XXxxXXxx
	Estimated Date/Time Servic		733813.9	SERV STAT 12FEB09	
12FEB09 09:58	Initiate Toolboard	6351.7 AFHR	xxxx	14 B/F	XXxxXXxx
12FEB09 22:38	Clear Toolboard	6351.7 AFHR	xxxx	14	XXxxXXxx
12FEB09 22:38	Maintenance Release	6351.7 AFHR	1.9	M PEA A A1PXXXY901687	XXxxXXxx
	Change Serviceability Stat		1.9	U/S SERV 12FEB09 00:21	
	Estimated Date/Time Servic		1.9	SERV STAT	
15FEB09 21:28	Into Maintenance		2.9	A M PEA A1PXXOY901579	XXxxXXxx
15FEB09 22:40	Initiate Toolboard	6353.1 AFHR	xxxx	14 B/F	XXxxXXxx
		6360.6 AFHR			XXxxXXxx
15FEB09 22:40	Clear Toolboard	6360.6 AFHR	xxxx	14	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01926  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
15FEB09 23:11	Maintenance Release	0.0	M PEA A A1PXXXY901733	XXxxXXxx
16FEB09 08:47	Into Maintenance	0.3	A A1PXXOY901670	XXxxXXxx
16FEB09 08:48	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
16FEB09 08:48	Clear Toolboard	xxxx	14	XXxxXXxx
16FEB09 09:32	Change Serviceability Stat	0.0	SERV U/S A1PXXUY902147	XXxxXXxx
16FEB09 22:57	Maintenance Release	0.5	17FEB09 M PEA A A1PXXXY901812	XXxxXXxx
	Change Serviceability Stat	0.5	U/S	
	Estimated Date/Time Servic	1.5	SERV 17FEB09 09:32 SERV STAT	
19FEB09 09:09	Into Maintenance	2.4	A M PEA A1PXXOY901924	XXxxXXxx
19FEB09 09:10	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
19FEB09 09:11	Clear Toolboard	xxxx	14	XXxxXXxx
19FEB09 22:18	Maintenance Release	0.5	M PEA A A1PXXXY901939	XXxxXXxx
20FEB09 03:37	Into Maintenance	0.2	A A1PXXOY902020	XXxxXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01927  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----			
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
=====	=====	=====	=====	=====	=====
	LIFE SINCE NEW		TRANS REFERENCE		
20FEB09 05:02	Change Serviceability Stat	0.0	SERV U/S		
	6376.8 AFHR		A1PXXUY902982		XXxxXXxx
	Estimated Date/Time Servic	733820.7	SERV STAT		
			21FEB09		
22FEB09 23:14	Initiate Toolboard	xxxx	14 B/F		
	6384.5 AFHR				XXxxXXxx
22FEB09 23:14	Clear Toolboard	xxxx	14		
	6384.5 AFHR				XXxxXXxx
22FEB09 23:30	Maintenance Release	2.7	M PEA		
	6384.5 AFHR		A1PXXXY902014		XXxxXXxx
	Change Serviceability Stat	2.7	U/S		
	Estimated Date/Time Servic	1.7	SERV		
			21FEB09 05:04		
			SERV STAT		
23FEB09 10:41	Into Maintenance	0.4	A		
	6386.2 AFHR		A1PXXOY902129		XXxxXXxx
23FEB09 10:42	Initiate Toolboard	xxxx	14 B/F		
	6386.2 AFHR				XXxxXXxx
23FEB09 12:31	Change Serviceability Stat	0.0	SERV U/S		
	6386.2 AFHR		A1PXXUY903040		XXxxXXxx
	Estimated Date/Time Servic	733826.4	SERV STAT		
			24FEB09		
			14 B/F		
02MAR09 22:43	Initiate Toolboard	xxxx			
	6386.2 AFHR				XXxxXXxx
02MAR09 22:44	Clear Toolboard	xxxx	14		
	6386.2 AFHR				XXxxXXxx
03MAR09 01:25	Maintenance Release	7.5	M PEA		
	6386.2 AFHR		A1PXXXY902195		XXxxXXxx
	Change Serviceability Stat	7.5	U/S		
	Estimated Date/Time Servic	0.5	SERV		
			24FEB09 12:31		
			SERV STAT		

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01928  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
03MAR09 08:52	Into Maintenance 6386.2 AFHR	0.3	A M PEA A1PXXOY902211	XXxxXXxx
05MAR09 04:11	Change Part Number of an A Maintenance Comment	0.0	NO PARENT TRANSACTION DETAILS MPAN 10/2009	
05MAR09 10:00	Initiate Toolboard 6387.5 AFHR	xxxx	14 B/F	XXxxXXxx
05MAR09 23:39	Clear Toolboard 6395.4 AFHR	xxxx	14	XXxxXXxx
05MAR09 23:40	Maintenance Release 6395.4 AFHR	2.6	M PEA A A1PXXXY902336	XXxxXXxx
06MAR09 05:06	Into Maintenance 6396.4 AFHR	0.2	A A1PXXOY902363	XXxxXXxx
06MAR09 05:07	Change Serviceability Stat 6396.4 AFHR	0.0	SERV U/S A1PXXUY903900	XXxxXXxx
06MAR09 05:11	Estimated Date/Time Service Maintenance Release	733834.8	SERV STAT 07MAR09 M PEA A	
06MAR09 07:39	Change Serviceability Stat 6396.4 AFHR	0.0	A1PXXXY902361 U/S SERV	XXxxXXxx
06MAR09 07:39	Estimated Date/Time Service Into Maintenance	1.0	07MAR09 05:07 SERV STAT	
06MAR09 07:39	Change Serviceability Stat 6396.4 AFHR	0.0	A A1PXXOY902368	XXxxXXxx
06MAR09 07:39	Change Serviceability Stat 6396.4 AFHR	0.0	SERV U/S A1PXXUY904078	XXxxXXxx
06MAR09 07:39	Estimated Date/Time Service	733837.8	SERV STAT 07MAR09	
08MAR09 23:11	Initiate Toolboard 6401.2 AFHR	xxxx	14 B/F	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01929  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
08MAR09 23:11	Clear Toolboard	6401.2 AFHR	xxxx	14	
08MAR09 23:12	Maintenance Release	6401.2 AFHR	2.6	M PEA A A1PXXXY902369	XXxxXXxx
	Change Serviceability Stat		2.6	U/S SERV	XXxxXXxx
	Estimated Date/Time Servic		1.6	07MAR09 07:40 SERV STAT A	
09MAR09 09:16	Into Maintenance	6403.6 AFHR	0.4	M PEA A1PXXOY902458	XXxxXXxx
09MAR09 09:16	Initiate Toolboard	6403.6 AFHR	xxxx	14 B/F	XXxxXXxx
09MAR09 09:16	Clear Toolboard	6403.6 AFHR	xxxx	14	XXxxXXxx
09MAR09 22:43	Maintenance Release		0.5	M PEA A A1PXXXY902415	XXxxXXxx
10MAR09 09:23	Into Maintenance	6408.3 AFHR	0.4	A A1PXXOY902530	XXxxXXxx
10MAR09 09:33	Initiate Toolboard	6408.3 AFHR	xxxx	14 B/F	XXxxXXxx
10MAR09 09:34	Clear Toolboard	6408.3 AFHR	xxxx	14	XXxxXXxx
10MAR09 12:23	Change Serviceability Stat	6408.3 AFHR	0.1	SERV U/S A1PXXUY904263	XXxxXXxx
	Estimated Date/Time Servic		733840.4	SERV STAT 11MAR09	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01930  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
10MAR09 22:28	Maintenance Release	0.4	M PEA A A1PXXXY902484	XXxxXXxx
	6410.6 AFHR Change Serviceability Stat	0.4	U/S SERV	
	Estimated Date/Time Servic	1.4	11MAR09 12:24 SERV STAT	
11MAR09 07:36	Into Maintenance	0.3	A M PEA A1PXXOY902686	XXxxXXxx
11MAR09 10:37	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	6413.1 AFHR			XXxxXXxx
11MAR09 10:39	Clear Toolboard	xxxx	14	XXxxXXxx
	6413.1 AFHR			XXxxXXxx
11MAR09 22:54	Maintenance Release	0.6	M PEA A A1PXXXY902538	XXxxXXxx
	6414.4 AFHR			XXxxXXxx
12MAR09 08:45	Into Maintenance	0.4	A A1PXXOY902781	XXxxXXxx
	6415.7 AFHR		14 B/F	XXxxXXxx
12MAR09 08:45	Initiate Toolboard	xxxx	14	XXxxXXxx
	6415.7 AFHR			XXxxXXxx
12MAR09 08:46	Clear Toolboard	xxxx	14	XXxxXXxx
	6415.7 AFHR			XXxxXXxx
12MAR09 09:21	Change Serviceability Stat	0.0	SERV U/S A1PXXUY904049	XXxxXXxx
	6415.7 AFHR			XXxxXXxx
	Estimated Date/Time Servic	733842.5	SERV STAT 13MAR09	
15MAR09 23:08	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	6416.9 AFHR			XXxxXXxx
15MAR09 23:08	Clear Toolboard	xxxx	14	XXxxXXxx
	6416.9 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01931  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----			
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
=====	=====	=====	=====	=====	=====
	LIFE SINCE NEW		TRANS REFERENCE		
16MAR09 01:15	Maintenance Release	3.6	M PEA A		
	6416.9 AFHR		A1PXXXY902642		XXxxXXxx
	Change Serviceability Stat	3.6	U/S		
	Estimated Date/Time Servic	0.6	SERV 13MAR09 09:21		
16MAR09 04:14	Into Maintenance	0.1	SERV STAT A		
	6416.9 AFHR		M PEA A1PXXOY902915		XXxxXXxx
16MAR09 22:08	Maintenance Release	0.7	M PEA A		
	6419.4 AFHR		A1PXXXY902672		XXxxXXxx
17MAR09 11:29	Into Maintenance	0.5	A M PEA		
	6422.1 AFHR		A1PXXOY903012		XXxxXXxx
17MAR09 11:34	Initiate Toolboard	xxxx	14 B/F		
	6422.1 AFHR				XXxxXXxx
17MAR09 21:54	Clear Toolboard	xxxx	14		
	6423.5 AFHR				XXxxXXxx
17MAR09 21:54	Maintenance Release	0.4	M PEA A		
	6423.5 AFHR		A1PXXXY902705		XXxxXXxx
18MAR09 00:49	Into Maintenance	0.1	A A1PXXOY903054		XXxxXXxx
18MAR09 00:50	Change Serviceability Stat	0.0	SERV		
	6423.5 AFHR		U/S A1PXXUY904716		XXxxXXxx
	Estimated Date/Time Servic	733848.0	SERV STAT 19MAR09		
18MAR09 11:40	Initiate Toolboard	xxxx	14 B/F		
	6424.1 AFHR				XXxxXXxx
19MAR09 11:20	Initiate Toolboard	xxxx	14 B/F		
	6424.1 AFHR				XXxxXXxx
19MAR09 23:05	Clear Toolboard	xxxx	14		
	6424.8 AFHR				XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01932  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
					TRANS REFERENCE		
LIFE SINCE NEW							
19MAR09	23:06	Maintenance Release		1.9	M PEA		
		6424.8 AFHR			A		
		Change Serviceability Stat		1.9	A1PXXXY902869		XXxxXXxx
		Estimated Date/Time Servic		1.9	U/S		
					SERV		
					19MAR09 00:52		
					SERV STAT		
20MAR09	04:20	Into Maintenance		0.2	A		
		6426.0 AFHR			A1PXXOY903282		XXxxXXxx
21MAR09	22:57	Change Serviceability Stat		1.7	SERV		
		6427.2 AFHR			U/S		
		Estimated Date/Time Servic		733851.0	A1PXXUY904547		XXxxXXxx
					SERV STAT		
					22MAR09		
22MAR09	01:31	Initiate Toolboard		xxxx	14 B/F		
		6427.2 AFHR					XXxxXXxx
22MAR09	01:32	Clear Toolboard		xxxx	14		
		6427.2 AFHR					XXxxXXxx
22MAR09	02:25	Maintenance Release		0.1	M PEA		
		6427.2 AFHR			A		
		Change Serviceability Stat		0.1	A1PXXXY902903		XXxxXXxx
		Estimated Date/Time Servic		0.1	U/S		
					SERV		
					22MAR09 22:57		
					SERV STAT		
22MAR09	21:43	Into Maintenance		0.8	A		
		6427.2 AFHR			M PEA		
		Initiate Toolboard		xxxx	A1PXXOY903308		XXxxXXxx
		6428.4 AFHR			14 B/F		
22MAR09	23:32	Clear Toolboard		xxxx			XXxxXXxx
		6428.4 AFHR			14		
22MAR09	23:32	Maintenance Release		0.0	M PEA		
		6428.4 AFHR			A		
					A1PXXXY902937		XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01933  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
23MAR09 07:58	Into Maintenance 6430.8 AFHR	0.3	A A1PXXOY903394	XXxxXXxx
23MAR09 10:00	Initiate Toolboard 6432.0 AFHR	xxxx	14 B/F	XXxxXXxx
23MAR09 10:54	Change Serviceability Stat 6432.0 AFHR Estimated Date/Time Servic	0.1 733853.6	SERV U/S A1PXXUY905003 SERV STAT 24MAR09	XXxxXXxx
24MAR09 08:55	Initiate Toolboard 6434.6 AFHR	xxxx	14 B/F	XXxxXXxx
24MAR09 08:56	Clear Toolboard 6434.6 AFHR	xxxx	14	XXxxXXxx
25MAR09 03:18	Maintenance Release 6434.6 AFHR Change Serviceability Stat Estimated Date/Time Servic	1.6 1.6 0.6	M PEA A A1PXXXY903105 U/S SERV 24MAR09 10:56 SERV STAT	XXxxXXxx
25MAR09 07:42	Into Maintenance 6435.7 AFHR	0.1	A M PEA A1PXXOY903534	XXxxXXxx
25MAR09 10:50	Initiate Toolboard 6436.7 AFHR	xxxx	14 B/F	XXxxXXxx
25MAR09 21:44	Clear Toolboard 6436.7 AFHR	xxxx	14	XXxxXXxx
25MAR09 21:44	Maintenance Release 6436.7 AFHR	0.5	M PEA A A1PXXXY903135	XXxxXXxx
26MAR09 07:29	Into Maintenance 6438.0 AFHR	0.4	A M PEA A1PXXOY903597	XXxxXXxx
26MAR09 09:56	Initiate Toolboard 6439.1 AFHR	xxxx	14 B/F	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01934  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
26MAR09 23:25	Clear Toolboard 6439.1 AFHR	xxxx	14	XXxxXXxx
26MAR09 23:25	Maintenance Release 6439.1 AFHR	0.6	M PEA A A1PXXXY903190	XXxxXXxx
27MAR09 05:51	Into Maintenance 6440.4 AFHR	0.2	A A1PXXOY903661	XXxxXXxx
27MAR09 06:06	Change Serviceability Stat 6440.4 AFHR	0.0	SERV U/S A1PXXUY905371	XXxxXXxx
	Estimated Date/Time Servic	733856.8	SERV STAT 28MAR09	
30MAR09 00:19	Initiate Toolboard 6440.4 AFHR	xxxx	14 B/F	XXxxXXxx
30MAR09 00:19	Clear Toolboard 6440.4 AFHR	xxxx	14	XXxxXXxx
30MAR09 01:00	Maintenance Release 6440.4 AFHR	2.7	M PEA A A1PXXXY903221	XXxxXXxx
	Change Serviceability Stat	2.7	U/S SERV	
	Estimated Date/Time Servic	0.7	28MAR09 06:07 SERV STAT	
30MAR09 07:44	Into Maintenance 6441.0 AFHR	0.2	A A1PXXOY903744	XXxxXXxx
30MAR09 09:16	Initiate Toolboard 6441.0 AFHR	xxxx	14 B/F	XXxxXXxx
30MAR09 09:16	Clear Toolboard 6441.0 AFHR	xxxx	14	XXxxXXxx
30MAR09 23:32	Change Serviceability Stat 6441.0 AFHR	0.6	SERV U/S A1PXXUY905371	XXxxXXxx
	Estimated Date/Time Servic	733861.0	SERV STAT 31MAR09	

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01935  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
30MAR09 23:59	Maintenance Release	0.0	M PEA A	
	6441.0 AFHR Change Serviceability Stat	0.0	A1PXXXY903268 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.0	SERV 31MAR09 23:32 SERV STAT	
31MAR09 02:30	Into Maintenance	0.1	A	
	6441.0 AFHR		A1PXXOY903802	XXxxXXxx
31MAR09 09:33	Initiate Toolboard	xxxx	14 B/F	
	6443.6 AFHR			XXxxXXxx
31MAR09 09:34	Clear Toolboard	xxxx	14	
	6443.6 AFHR			XXxxXXxx
01APR09 00:50	Change Serviceability Stat	0.9	SERV U/S	
	6444.8 AFHR Estimated Date/Time Servic	733862.9	A1PXXUY904444 SERV STAT	XXxxXXxx
			02APR09	
01APR09 01:29	Maintenance Release	0.0	M PEA A	
	6444.8 AFHR Change Serviceability Stat	0.0	A1PXXXY903387 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.0	SERV 02APR09 00:50 SERV STAT	
01APR09 03:25	Into Maintenance	0.0	A	
	6444.8 AFHR		A1PXXOY903890	XXxxXXxx
01APR09 09:40	Initiate Toolboard	xxxx	14 B/F	
	6446.1 AFHR			XXxxXXxx
01APR09 09:40	Clear Toolboard	xxxx	14	
	6446.1 AFHR			XXxxXXxx
03APR09 06:14	Change Serviceability Stat	2.1	SERV U/S	
	6448.5 AFHR Estimated Date/Time Servic	733863.8	A1PXXUY905382 SERV STAT	XXxxXXxx
			04APR09	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01936  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN (DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====	=====
06APR09 00:36	Initiate	Toolboard	xxxx	14 B/F	
	6448.5	AFHR			XXxxXXxx
06APR09 00:58	Clear	Toolboard	xxxx	14	
	6448.5	AFHR			XXxxXXxx
06APR09 00:59	Maintenance Release		2.7	M PEA	
	6448.5	AFHR		A	
	Change Serviceability Stat		2.7	A1PXXXY903515	XXxxXXxx
	Estimated Date/Time Servic		0.7	U/S	
				SERV	
				04APR09 06:14	
				SERV STAT	
06APR09 02:53	Into Maintenance		0.0	A	
	6448.5	AFHR		A1PXXOY904003	XXxxXXxx
06APR09 09:24	Initiate	Toolboard	xxxx	14 B/F	
	6449.6	AFHR			XXxxXXxx
06APR09 09:25	Clear	Toolboard	xxxx	14	
	6449.6	AFHR			XXxxXXxx
06APR09 22:39	Change Serviceability Stat		0.8	SERV	
	6451.6	AFHR		U/S	
	Estimated Date/Time Servic		733868.0	A1PXXUY905568	XXxxXXxx
				SERV STAT	
				07APR09	
06APR09 23:19	Maintenance Release		0.0	M PEA	
	6451.6	AFHR		A	
	Change Serviceability Stat		0.0	A1PXXXY903572	XXxxXXxx
	Estimated Date/Time Servic		1.0	U/S	
				SERV	
				07APR09 22:39	
				SERV STAT	
07APR09 01:33	Into Maintenance		0.0	A	
	6451.6	AFHR		M PEA	
	Change Serviceability Stat		0.0	A1PXXOY904057	XXxxXXxx
	Estimated Date/Time Servic		1.0	U/S	
				SERV	
				07APR09 22:39	
				SERV STAT	
07APR09 10:30	Initiate	Toolboard	xxxx	14 B/F	
	6454.2	AFHR			XXxxXXxx
07APR09 10:30	Clear	Toolboard	xxxx	14	
	6454.2	AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01937  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
07APR09	22:55	Maintenance Release	0.8	M PEA A		
		6455.1 AFHR		A1PXXXY903657		XXxxXXxx
08APR09	02:58	Into Maintenance	0.1	M PEA A		
		6455.1 AFHR		A1PXXOY904144		XXxxXXxx
08APR09	09:22	Initiate Toolboard	xxxx	14 B/F		
		6457.7 AFHR				XXxxXXxx
08APR09	09:23	Clear Toolboard	xxxx	14		
		6457.7 AFHR				XXxxXXxx
08APR09	23:40	Maintenance Release	0.8	M PEA A		
		6458.9 AFHR		A1PXXXY903723		XXxxXXxx
09APR09	01:48	Into Maintenance	0.0	A		
		6458.9 AFHR		A1PXXOY904213		XXxxXXxx
13APR09	22:07	Change Serviceability Stat	4.8	SERV U/S		
		6462.5 AFHR		A1PXXUY905756		XXxxXXxx
		Estimated Date/Time Servic	733869.0	SERV STAT 14APR09		
14APR09	03:23	Initiate Toolboard	xxxx	14 B/F		
		6462.5 AFHR				XXxxXXxx
14APR09	03:23	Clear Toolboard	xxxx	14		
		6462.5 AFHR				XXxxXXxx
14APR09	03:25	Maintenance Release	0.2	M PEA A		
		6462.5 AFHR		A1PXXXY903792		XXxxXXxx
		Change Serviceability Stat	0.2	U/S		
		Estimated Date/Time Servic	0.2	SERV 14APR09 22:07		
				SERV STAT		
14APR09	05:47	Into Maintenance	0.0	A		
		6462.5 AFHR		A1PXXOY904309		XXxxXXxx
14APR09	10:30	Initiate Toolboard	xxxx	14 B/F		
		6465.0 AFHR				XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01938  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
14APR09 11:11	Change Serviceability Stat 6465.0 AFHR Estimated Date/Time Servic	0.2 733876.6	SERV U/S A1PXXUY906251 SERV STAT 15APR09	XXxxXXxx
14APR09 11:20	Asset Comments 6465.0 AFHR	0.0	A/T 6465.0 A/T A1PXXXY903810	XXxxXXxx
14APR09 22:45	Clear Toolboard 6465.0 AFHR	xxxx	14	XXxxXXxx
14APR09 22:59	Maintenance Release 6465.0 AFHR Change Serviceability Stat	0.4 0.4	M PEA A A1PXXXY903826 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.4	SERV 15APR09 11:11 SERV STAT	
15APR09 04:13	Into Maintenance 6465.0 AFHR	0.2	A A1PXXOY904353	XXxxXXxx
15APR09 04:15	Change Serviceability Stat 6465.0 AFHR Estimated Date/Time Servic	0.0 733877.7	SERV U/S A1PXXUY906252 SERV STAT 16APR09	XXxxXXxx
15APR09 04:16	Asset Comments 6465.0 AFHR	0.0	A1PXXXY903848	XXxxXXxx
15APR09 10:43	Asset Comments 6466.3 AFHR	0.0	A/T 6466.3 A/T 6466.3 A1PXXXY903861	XXxxXXxx
15APR09 11:07	Initiate Toolboard 6466.3 AFHR	xxxx	14 B/F	XXxxXXxx
15APR09 23:18	Clear Toolboard 6466.3 AFHR	xxxx	14	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01939  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
15APR09 23:19	Maintenance Release	0.7	M PEA A A1PXXXY903875	XXxxXXxx
	6466.3 AFHR Change Serviceability Stat	0.7	U/S SERV	
	Estimated Date/Time Servic	1.7	16APR09 04:15 SERV STAT	
16APR09 06:56	Into Maintenance	0.3	A A1PXXOY904437	XXxxXXxx
16APR09 06:58	Asset Comments	0.0	A1PXXXY903923	XXxxXXxx
16APR09 06:58	Change Serviceability Stat	0.0	SERV U/S A1PXXUY906314	XXxxXXxx
	6466.3 AFHR Estimated Date/Time Servic	733878.6	SERV STAT 17APR09	
16APR09 10:32	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	6468.8 AFHR			
16APR09 22:53	Clear Toolboard	xxxx	14	XXxxXXxx
	6468.8 AFHR			
16APR09 22:54	Maintenance Release	0.6	M PEA A A1PXXXY903938	XXxxXXxx
	6468.8 AFHR Change Serviceability Stat	0.6	U/S SERV	
	Estimated Date/Time Servic	1.6	17APR09 06:58 SERV STAT	
17APR09 01:49	Into Maintenance	0.1	A A1PXXOY904483	XXxxXXxx
17APR09 01:52	Change Serviceability Stat	0.0	SERV U/S A1PXXUY905557	XXxxXXxx
	6468.8 AFHR Estimated Date/Time Servic	733879.8	SERV STAT 18APR09	
20APR09 03:48	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	6471.9 AFHR			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01940  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
20APR09 03:48	Clear	Toolboard	6471.9 AFHR	xxxx	14	XXXXXXxx
20APR09 03:49	Maintenance Release		6471.9 AFHR	3.0	M PEA A A1PXXXY904032	XXXXXXxx
	Change Serviceability Stat			3.0	U/S SERV	
	Estimated Date/Time	Servic		1.0	18APR09 01:52 SERV STAT	
20APR09 06:30	Into Maintenance		6473.1 AFHR	0.1	A A1PXXOY904564	XXXXXXxx
20APR09 06:33	Change Serviceability Stat		6473.1 AFHR	0.0	SERV U/S A1PXXUY906530	XXXXXXxx
	Estimated Date/Time	Servic		733882.8	SERV STAT 21APR09	
20APR09 09:35	Initiate	Toolboard	6473.1 AFHR	xxxx	14 B/F	XXXXXXxx
20APR09 09:35	Clear	Toolboard	6473.1 AFHR	xxxx	14	XXXXXXxx
20APR09 23:32	Maintenance Release		6474.4 AFHR	0.7	M PEA A A1PXXXY904093	XXXXXXxx
	Change Serviceability Stat			0.7	U/S SERV	
	Estimated Date/Time	Servic		1.7	21APR09 06:33 SERV STAT	
21APR09 11:37	Into Maintenance		6474.4 AFHR	0.5	A M PEA A1PXXOY904643	XXXXXXxx
21APR09 11:41	Initiate	Toolboard	6474.4 AFHR	xxxx	14 B/F	XXXXXXxx
21APR09 11:41	Clear	Toolboard	6474.4 AFHR	xxxx	14	XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01941  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
21APR09	23:44	Maintenance Release	0.5	M PEA A A1PXXXY904139		XXxxXXxx
22APR09	09:16	Into Maintenance	0.3	A A1PXXOY904732		XXxxXXxx
22APR09	09:18	Initiate Toolboard	xxxx	14 B/F		XXxxXXxx
22APR09	09:19	Clear Toolboard	xxxx	14		XXxxXXxx
23APR09	10:42	Change Serviceability Stat	1.0	SERV U/S A1PXXUY906792		XXxxXXxx
		Estimated Date/Time Servic	733883.5	SERV STAT 24APR09		
23APR09	13:07	Initiate Toolboard	xxxx	14 B/F		XXxxXXxx
24APR09	02:35	Clear Toolboard	xxxx	14		XXxxXXxx
24APR09	02:35	Maintenance Release	0.6	M PEA A A1PXXXY904267		XXxxXXxx
		Change Serviceability Stat	0.6	U/S SERV		
		Estimated Date/Time Servic	0.6	24APR09 10:42 SERV STAT		
24APR09	03:45	Into Maintenance	0.0	A M PEA A1PXXOY904868		XXxxXXxx
24APR09	07:36	Initiate Toolboard	xxxx	14 B/F		XXxxXXxx
24APR09	07:36	Clear Toolboard	xxxx	14		XXxxXXxx
24APR09	08:36	Maintenance Release	0.2	M PEA A A1PXXXY904289		XXxxXXxx
		6479.9 AFHR				

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01942  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
25APR09 07:49	Into Maintenance	6479.9 AFHR	0.9	A A1PXXOY904904	XXxxXXxx
25APR09 08:05	Initiate Toolboard	6479.9 AFHR	xxxx	14 B/F	XXxxXXxx
25APR09 08:06	Clear Toolboard	6479.9 AFHR	xxxx	14	XXxxXXxx
26APR09 02:22	Change Serviceability Stat	6479.9 AFHR	0.7	SERV U/S A1PXXUY906487	XXxxXXxx
	Estimated Date/Time Servic		733887.0	SERV STAT 27APR09	
27APR09 23:04	Initiate Toolboard	6482.8 AFHR	xxxx	14 B/F	XXxxXXxx
27APR09 23:04	Clear Toolboard	6482.8 AFHR	xxxx	14	XXxxXXxx
28APR09 09:35	Initiate Toolboard	6482.8 AFHR	xxxx	14 B/F	XXxxXXxx
28APR09 09:36	Clear Toolboard	6482.8 AFHR	xxxx	14	XXxxXXxx
03MAY09 23:25	Initiate Toolboard	6482.8 AFHR	xxxx	14 B/F	XXxxXXxx
03MAY09 23:26	Clear Toolboard	6482.8 AFHR	xxxx	14	XXxxXXxx
05MAY09 02:02	Initiate Toolboard	6484.0 AFHR	xxxx	14 B/F	XXxxXXxx
05MAY09 02:02	Clear Toolboard	6484.0 AFHR	xxxx	14	XXxxXXxx
05MAY09 02:05	Maintenance Release		8.9	M PEA A A1PXXXY904612	XXxxXXxx
	Change Serviceability Stat		8.9	U/S SERV	
	Estimated Date/Time Servic		0.9	27APR09 02:22 SERV STAT	
05MAY09 11:36	Into Maintenance	6484.8 AFHR	0.3	A A1PXXOY905424	XXxxXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01943  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
05MAY09 11:37	Initiate Toolboard 6484.8 AFHR	xxxx	14 B/F	XXxxXXxx
05MAY09 13:04	Change Serviceability Stat 6484.8 AFHR Estimated Date/Time Servic	0.0	SERV U/S A1PXXUY907392 SERV STAT 06MAY09	XXxxXXxx
05MAY09 23:49	Asset Comments 6484.8 AFHR	0.0	A/T 6484.8 A/T A1PXXXY904645	XXxxXXxx
06MAY09 00:10	Clear Toolboard 6484.8 AFHR	xxxx	14	XXxxXXxx
06MAY09 00:10	Maintenance Release 6484.8 AFHR Change Serviceability Stat	0.4	M PEA A A1PXXXY904670 U/S SERV	XXxxXXxx
06MAY09 01:56	Into Maintenance 6484.8 AFHR	0.0	06MAY09 13:04 SERV STAT A A1PXXOY905471	XXxxXXxx
06MAY09 01:58	Asset Comments 6484.8 AFHR	0.0	A1PXXXY904678	XXxxXXxx
06MAY09 01:58	Change Serviceability Stat 6484.8 AFHR Estimated Date/Time Servic	0.0	SERV U/S A1PXXUY907425 SERV STAT 07MAY09	XXxxXXxx
06MAY09 13:24	Initiate Toolboard 6487.5 AFHR	xxxx	14 B/F	XXxxXXxx
25MAY09 04:10	Initiate Toolboard 6487.5 AFHR	xxxx	14 B/F	XXxxXXxx
25MAY09 04:10	Clear Toolboard 6487.5 AFHR	xxxx	14	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01944  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----			
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
LIFE SINCE NEW		TRANS REFERENCE			
=====					
25MAY09 04:11	Maintenance Release	19.0	M PEA		
	6487.5 AFHR		A		
	Change Serviceability Stat	19.0	A1PXXXY905383		XXxxXXxx
	Estimated Date/Time Servic	1.0	U/S		
			SERV		
			07MAY09 01:58		
			SERV STAT		
25MAY09 07:43	Into Maintenance	0.1	A		
	6487.5 AFHR		A1PXXOY906483		XXxxXXxx
25MAY09 07:44	Change Serviceability Stat	0.0	SERV		
	6487.5 AFHR		U/S		
	Estimated Date/Time Servic	733917.8	A1PXXUY908412		XXxxXXxx
			SERV STAT		
			26MAY09		
25MAY09 09:42	Initiate Toolboard	xxxx	14 B/F		
	6488.6 AFHR				XXxxXXxx
25MAY09 10:57	Asset Comments	0.0	A/T 6488.6 A/T		
	6488.6 AFHR		A1PXXXY905398		XXxxXXxx
25MAY09 22:57	Clear Toolboard	xxxx	14		
	6488.6 AFHR				XXxxXXxx
25MAY09 22:57	Maintenance Release	0.6	M PEA		
	6488.6 AFHR		A		
	Change Serviceability Stat	0.6	A1PXXXY905407		XXxxXXxx
	Estimated Date/Time Servic	1.6	U/S		
			SERV		
			26MAY09 07:44		
			SERV STAT		
26MAY09 01:55	Into Maintenance	0.1	A		
	6488.6 AFHR		A1PXXOY906539		XXxxXXxx
26MAY09 01:56	Change Serviceability Stat	0.0	SERV		
	6488.6 AFHR		U/S		
	Estimated Date/Time Servic	733918.8	A1PXXUY908631		XXxxXXxx
			SERV STAT		
			27MAY09		
27MAY09 11:00	Initiate Toolboard	xxxx	14 B/F		
	6496.6 AFHR				XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01945  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
28MAY09 11:20	Initiate Toolboard	6501.1 AFHR	xxxx	14 B/F	XXxxXXxx
28MAY09 23:33	Clear Toolboard	6501.1 AFHR	xxxx	14	XXxxXXxx
28MAY09 23:35	Maintenance Release	6501.1 AFHR	2.9	M PEA A A1PXXXY905569	XXxxXXxx
	Change Serviceability Stat	6501.1 AFHR	2.9	U/S SERV 27MAY09 01:56 SERV STAT	
28MAY09 23:35	Asset Comments	6501.1 AFHR	0.0	A1PXXXY905570	XXxxXXxx
29MAY09 02:25	Into Maintenance	6501.1 AFHR	0.1	A A1PXXOY906803	XXxxXXxx
29MAY09 02:26	Change Serviceability Stat	6501.1 AFHR	0.0	SERV U/S A1PXXUY908993	XXxxXXxx
	Estimated Date/Time Servic	6501.1 AFHR	733921.8	SERV STAT 30MAY09	
01JUN09 22:30	Initiate Toolboard	6503.6 AFHR	xxxx	14 B/F	XXxxXXxx
01JUN09 22:31	Clear Toolboard	6503.6 AFHR	xxxx	14	XXxxXXxx
02JUN09 00:53	Maintenance Release	6503.6 AFHR	3.9	M PEA A A1PXXXY905624	XXxxXXxx
	Change Serviceability Stat	6503.6 AFHR	3.9	U/S SERV 30MAY09 02:27 SERV STAT	
02JUN09 04:29	Into Maintenance	6503.6 AFHR	0.1	A A1PXXOY906881	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01946  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----				
TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN(DYS) FROM	TO (OPTIONAL)	USER
=====	=====	=====	=====	=====	=====	=====
					TRANS REFERENCE	
02JUN09 04:30	Change Serviceability Stat	6503.6	AFHR	0.0	SERV U/S A1PXXUY908999	XXxxXXxx
	Estimated Date/Time Servic			733925.8	SERV STAT 03JUN09	
03JUN09 00:07	Initiate Toolboard	6507.2	AFHR	xxxx	14 B/F	XXxxXXxx
03JUN09 00:08	Clear Toolboard	6507.2	AFHR	xxxx	14	XXxxXXxx
03JUN09 00:08	Maintenance Release			0.8	M PEA A	
	Change Serviceability Stat	6507.2	AFHR	0.8	A1PXXXY905697 U/S	XXxxXXxx
	Estimated Date/Time Servic			0.8	SERV 03JUN09 04:30	
03JUN09 12:46	Into Maintenance			0.5	SERV STAT A	
	Initiate Toolboard	6510.7	AFHR	xxxx	M PEA A1PXXOY907004	XXxxXXxx
	Clear Toolboard	6510.7	AFHR	xxxx	14 B/F	XXxxXXxx
04JUN09 00:04	Clear Toolboard	6510.7	AFHR	xxxx	14	XXxxXXxx
04JUN09 00:04	Maintenance Release			0.4	M PEA A	
	Into Maintenance	6510.7	AFHR	0.3	A1PXXXY905762 A	XXxxXXxx
04JUN09 08:19	Change Serviceability Stat	6511.9	AFHR	0.0	A1PXXOY907045	XXxxXXxx
	Estimated Date/Time Servic	6511.9	AFHR	733926.6	SERV U/S A1PXXUY908966	XXxxXXxx
04JUN09 10:37	Initiate Toolboard	6511.9	AFHR	xxxx	SERV STAT 05JUN09	
					14 B/F	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01947  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
04JUN09 10:37		Clear Toolboard		xxxx	14	
		6511.9 AFHR				XXxxXXxx
05JUN09 03:00		Asset Comments		0.0	A/T A/T	
		6514.4 AFHR			A1PXXXY905853	XXxxXXxx
05JUN09 03:00		Maintenance Release		0.7	M PEA	
		6514.4 AFHR			A	
		Change Serviceability Stat		0.7	A1PXXXY905854	XXxxXXxx
		Estimated Date/Time Servic		0.7	U/S SERV	
					05JUN09 08:21	
					SERV STAT	
05JUN09 05:42		Into Maintenance		0.1	A	
		6514.4 AFHR			A1PXXOY907107	XXxxXXxx
05JUN09 05:44		Change Serviceability Stat		0.0	SERV	
		6514.4 AFHR			U/S	
		Estimated Date/Time Servic		733928.8	A1PXXUY909342	XXxxXXxx
					SERV STAT	
					06JUN09	
07JUN09 22:35		Initiate Toolboard		xxxx	14 B/F	
		6514.4 AFHR				XXxxXXxx
07JUN09 22:35		Asset Comments		0.0	A/T MTF	
		6514.4 AFHR			A1PXXXY905856	XXxxXXxx
07JUN09 22:35		Clear Toolboard		xxxx	14	
		6514.4 AFHR				XXxxXXxx
07JUN09 22:36		Asset Comments		0.0	MTF MTF	
		6514.4 AFHR			A1PXXXY905857	XXxxXXxx
07JUN09 22:36		Maintenance Release		2.7	M PEA	
		6514.4 AFHR			A	
		Change Serviceability Stat		2.7	A1PXXXY905858	XXxxXXxx
		Estimated Date/Time Servic		1.7	U/S SERV	
					06JUN09 05:44	
					SERV STAT	
08JUN09 02:30		Into Maintenance		0.1	A	
		6514.4 AFHR			M PEA	
					A1PXXOY907174	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01948  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
08JUN09 05:21	Maintenance Release	0.1	M PEA A A1PXXXY905896	XXxxXXxx
08JUN09 08:16	Into Maintenance	0.1	A A1PXXOY907218	XXxxXXxx
08JUN09 10:31	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
08JUN09 23:20	Clear Toolboard	xxxx	14	XXxxXXxx
09JUN09 05:29	Change Serviceability Stat	0.8	SERV U/S A1PXXUY909532	XXxxXXxx
09JUN09 06:22	Maintenance Release	0.0	SERV STAT 10JUN09 M PEA A A1PXXXY905976	XXxxXXxx
	Change Serviceability Stat	0.0	U/S SERV 10JUN09 05:29 SERV STAT	
	Estimated Date/Time Servic	1.0		
09JUN09 06:25	Into Maintenance	0.0	A A1PXXOY907289	XXxxXXxx
09JUN09 07:41	Change Serviceability Stat	0.0	SERV U/S A1PXXUY909533	XXxxXXxx
	Estimated Date/Time Servic	733932.9	SERV STAT 10JUN09	
09JUN09 07:44	Asset Comments	0.0	A1PXXXY905977	XXxxXXxx
09JUN09 10:18	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
09JUN09 10:19	Clear Toolboard	xxxx	14	XXxxXXxx
	Estimated Date/Time Servic			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01949  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----			
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER	
=====	=====	=====	=====	=====	
09JUN09 10:22	Maintenance Release	0.1	M PEA A		
	6514.8 AFHR Change Serviceability Stat	0.1	A1PXXXY905985 U/S SERV	XXxxXXxx	
	Estimated Date/Time Servic	1.1	10JUN09 07:41 SERV STAT		
09JUN09 12:44	Into Maintenance	0.0	A M PEA		
	6514.8 AFHR		A1PXXOY907322	XXxxXXxx	
09JUN09 23:38	Maintenance Release	0.4	M PEA A		
	6516.0 AFHR		A1PXXXY905997	XXxxXXxx	
10JUN09 01:50	Into Maintenance	0.0	A A1PXXOY907345	XXxxXXxx	
10JUN09 10:47	Initiate Toolboard	xxxx	14 B/F		
	6519.8 AFHR			XXxxXXxx	
10JUN09 13:02	Change Serviceability Stat	0.4	SERV U/S		
	6519.8 AFHR Estimated Date/Time Servic	733932.8	A1PXXUY909648 SERV STAT	XXxxXXxx	
10JUN09 23:33	Clear Toolboard	xxxx	11JUN09 14		
	6519.8 AFHR			XXxxXXxx	
11JUN09 10:52	Initiate Toolboard	xxxx	14 B/F		
	6522.2 AFHR			XXxxXXxx	
11JUN09 23:51	Clear Toolboard	xxxx	14		
	6522.2 AFHR			XXxxXXxx	
11JUN09 23:54	Maintenance Release	1.4	M PEA A		
	6522.2 AFHR Change Serviceability Stat	1.4	A1PXXXY906138 U/S SERV	XXxxXXxx	
	Estimated Date/Time Servic	1.4	11JUN09 13:04 SERV STAT		

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01950  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW	TRANS REFERENCE			
12JUN09	03:09	Into Maintenance 6522.2 AFHR	0.1	A	A1PXXOY907505	XXxxXXxx
12JUN09	04:55	Change Serviceability Stat 6523.4 AFHR	0.0	SERV U/S	A1PXXUY909813	XXxxXXxx
		Estimated Date/Time Servic	733935.7	SERV STAT 13JUN09		
14JUN09	22:59	Initiate Toolboard 6524.2 AFHR	xxxx	14 B/F		XXxxXXxx
14JUN09	23:00	Clear Toolboard 6524.2 AFHR	xxxx	14		XXxxXXxx
15JUN09	00:49	Maintenance Release 6524.2 AFHR	2.8	M PEA A	A1PXXXY906185	XXxxXXxx
		Change Serviceability Stat	2.8	U/S SERV		
		Estimated Date/Time Servic	0.8	13JUN09 04:59 SERV STAT		
15JUN09	01:04	Into Maintenance 6524.2 AFHR	0.0	A M PEA	A1PXXOY907544	XXxxXXxx
15JUN09	13:11	Initiate Toolboard 6529.2 AFHR	xxxx	14 B/F		XXxxXXxx
15JUN09	13:44	Clear Toolboard 6529.2 AFHR	xxxx	14		XXxxXXxx
16JUN09	00:32	Maintenance Release 6529.2 AFHR	0.9	M PEA A	A1PXXXY906230	XXxxXXxx
16JUN09	02:00	Into Maintenance 6529.2 AFHR	0.0	A M PEA	A1PXXOY907621	XXxxXXxx
16JUN09	09:43	Initiate Toolboard 6531.8 AFHR	xxxx	14 B/F		XXxxXXxx
16JUN09	09:44	Clear Toolboard 6531.8 AFHR	xxxx	14		XXxxXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01951  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
16JUN09	10:09	Maintenance Release	0.3	M PEA A		
		6533.2 AFHR		A1PXXXY906254		XXxxXXxx
16JUN09	13:26	Into Maintenance	0.1	A		
		6533.2 AFHR		A1PXXOY907670		XXxxXXxx
16JUN09	13:27	Change Serviceability Stat	0.0	SERV U/S		
		6533.2 AFHR		A1PXXUY908435		XXxxXXxx
		Estimated Date/Time Servic	733938.4	SERV STAT 17JUN09		
16JUN09	23:23	Maintenance Release	0.4	M PEA A		
		6533.2 AFHR		A1PXXXY906257		XXxxXXxx
		Change Serviceability Stat	0.4	U/S		
		Estimated Date/Time Servic	1.4	SERV 17JUN09 13:27		
				SERV STAT		
17JUN09	01:41	Into Maintenance	0.0	A		
		6533.2 AFHR		M PEA A1PXXOY907679		XXxxXXxx
17JUN09	08:43	Into Maintenance	0.0	M		
		6536.8 AFHR		A1PXXOY907731		XXxxXXxx
17JUN09	09:46	Initiate Toolboard	xxxx	14 B/F		
		6536.8 AFHR				XXxxXXxx
17JUN09	09:48	Clear Toolboard	xxxx	14		
		6536.8 AFHR				XXxxXXxx
17JUN09	09:48	Maintenance Release	0.3	M PEA A		
		6536.8 AFHR		A1PXXXY906311		XXxxXXxx
17JUN09	11:47	Into Maintenance	0.0	A		
		6538.3 AFHR		A1PXXOY907738		XXxxXXxx
17JUN09	22:46	Change Serviceability Stat	0.4	SERV U/S		
		6539.4 AFHR		A1PXXUY910043		XXxxXXxx
		Estimated Date/Time Servic	733940.0	SERV STAT 18JUN09		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01952  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----			
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
LIFE SINCE NEW		TRANS REFERENCE			
=====					
17JUN09 23:32	Maintenance Release	0.0	M PEA		
	6539.4 AFHR		A		
	Change Serviceability Stat	0.0	A1PXXXY906326		XXxxXXxx
	Estimated Date/Time Servic	1.0	U/S		
			SERV		
			18JUN09 22:47		
			SERV STAT		
18JUN09 03:08	Into Maintenance	0.1	A		
	6539.4 AFHR		A1PXXOY907753		XXxxXXxx
18JUN09 03:09	Change Serviceability Stat	0.0	SERV		
	6539.4 AFHR		U/S		
	Estimated Date/Time Servic	733941.8	A1PXXUY910043		XXxxXXxx
			SERV STAT		
			19JUN09		
18JUN09 11:42	Initiate Toolboard	xxxx	14 B/F		
	6542.5 AFHR				XXxxXXxx
18JUN09 22:55	Clear Toolboard	xxxx	14		
	6542.5 AFHR				XXxxXXxx
22JUN09 01:33	Initiate Toolboard	xxxx	14 A/F		
	6542.5 AFHR				XXxxXXxx
22JUN09 01:33	Initiate Toolboard	xxxx	14 B/F		
	6542.5 AFHR				XXxxXXxx
22JUN09 01:35	Clear Toolboard	xxxx	14		
	6542.5 AFHR				XXxxXXxx
22JUN09 01:35	Maintenance Release	3.9	M PEA		
	6542.5 AFHR		A		
	Change Serviceability Stat	3.9	A1PXXXY906415		XXxxXXxx
	Estimated Date/Time Servic	0.9	U/S		
			SERV		
			19JUN09 03:09		
			SERV STAT		
22JUN09 08:00	Into Maintenance	0.2	A		
	6543.9 AFHR		A1PXXOY907883		XXxxXXxx
22JUN09 10:32	Initiate Toolboard	xxxx	14 B/F		
	6545.0 AFHR				XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01953  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW	TRANS REFERENCE			
22JUN09	10:32	Clear Toolboard 6545.0 AFHR	xxxx	14		
22JUN09	10:41	Change Serviceability Stat 6545.0 AFHR	0.1	SERV U/S		XXxxXXxx
		Estimated Date/Time Servic	733945.6	A1PXXUY910217 SERV STAT		XXxxXXxx
22JUN09	23:23	Maintenance Release 6545.0 AFHR	0.5	23JUN09 M PEA		
		Change Serviceability Stat 6545.0 AFHR	0.5	A A1PXXXY906461		XXxxXXxx
		Estimated Date/Time Servic	1.5	U/S SERV		
23JUN09	01:01	Into Maintenance 6545.0 AFHR	0.0	23JUN09 10:41 SERV STAT		
23JUN09	01:47	Change Serviceability Stat 6546.0 AFHR	0.0	A A1PXXOY907929		XXxxXXxx
		Estimated Date/Time Servic	733946.8	SERV U/S		XXxxXXxx
23JUN09	08:49	Initiate Toolboard 6547.5 AFHR	xxxx	A1PXXUY910218 SERV STAT		
23JUN09	08:49	Clear Toolboard 6547.5 AFHR	xxxx	24JUN09 14 B/F		XXxxXXxx
24JUN09	06:34	Maintenance Release 6547.5 AFHR	1.1	M PEA		XXxxXXxx
		Change Serviceability Stat 6547.5 AFHR	1.1	A A1PXXXY906555		XXxxXXxx
		Estimated Date/Time Servic	1.1	U/S SERV		
24JUN09	08:43	Into Maintenance 6547.5 AFHR	0.0	24JUN09 01:47 SERV STAT		
				A A1PXXOY908017		XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01954  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
24JUN09 09:45	Change Serviceability Stat	0.0	SERV U/S A1PXXUY910420	XXxxXXxx
	6548.1 AFHR Estimated Date/Time Serv	733947.8	SERV STAT 25JUN09	
24JUN09 10:05	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	6548.1 AFHR			
24JUN09 10:05	Clear Toolboard	xxxx	14	XXxxXXxx
	6548.1 AFHR			
24JUN09 23:22	Maintenance Release	0.5	M PEA A	
	6548.1 AFHR		A1PXXXY906582	XXxxXXxx
	Change Serviceability Stat	0.5	U/S	
	Estimated Date/Time Serv	1.5	SERV 25JUN09 09:45	
25JUN09 04:05	Into Maintenance	0.1	SERV STAT A	
	6548.1 AFHR		A1PXXOY908056	XXxxXXxx
25JUN09 10:10	Change Serviceability Stat	0.2	SERV U/S	
	6550.2 AFHR		A1PXXUY910185	XXxxXXxx
	Estimated Date/Time Serv	733948.5	SERV STAT 26JUN09	
25JUN09 10:36	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	6550.2 AFHR			
25JUN09 10:36	Clear Toolboard	xxxx	14	XXxxXXxx
	6550.2 AFHR			
28JUN09 22:56	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	6552.3 AFHR			
28JUN09 22:57	Clear Toolboard	xxxx	14	XXxxXXxx
	6552.3 AFHR			
29JUN09 08:44	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	6552.3 AFHR			
29JUN09 08:44	Clear Toolboard	xxxx	14	XXxxXXxx
	6552.3 AFHR			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01955  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
29JUN09	23:10	Maintenance Release	4.5	M PEA A		
		6552.3 AFHR		A1PXXXY906744		XXxxXXxx
		Change Serviceability Stat	4.5	U/S		
		Estimated Date/Time Servic	1.5	SERV 26JUN09 10:10		
				SERV STAT		
30JUN09	01:45	Into Maintenance	0.1	A		
		6552.3 AFHR		M PEA		XXxxXXxx
30JUN09	11:33	Initiate Toolboard	xxxx	A1PXXOY908176		
		6555.4 AFHR		14 B/F		XXxxXXxx
30JUN09	22:55	Clear Toolboard	xxxx	14		
		6555.4 AFHR				XXxxXXxx
30JUN09	22:55	Maintenance Release	0.8	M PEA		
		6555.4 AFHR		A		XXxxXXxx
01JUL09	01:07	Into Maintenance	0.0	A1PXXXY906824		
		6555.4 AFHR		A		XXxxXXxx
01JUL09	01:34	Change Serviceability Stat	0.0	A1PXXOY908236		
		6555.4 AFHR		SERV		XXxxXXxx
		Estimated Date/Time Servic	733953.8	U/S A1PXXUY910785		
				SERV STAT		
01JUL09	01:36	Asset Comments	0.0	02JUL09		
		6555.4 AFHR		A/T 6555.4 A/T		XXxxXXxx
01JUL09	08:49	Initiate Toolboard	xxxx	A1PXXXY906854		
		6555.4 AFHR		14 B/F		XXxxXXxx
01JUL09	08:50	Clear Toolboard	xxxx	14		
		6555.4 AFHR				XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01956  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
01JUL09 08:50	Maintenance Release	0.3	M PEA A	
	6555.4 AFHR Change Serviceability Stat	0.3	A1PXXXY906895 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.3	SERV 02JUL09 01:35 SERV STAT	
01JUL09 13:48	Into Maintenance	0.2	A	
	6555.4 AFHR		A1PXXOY908306	XXxxXXxx
01JUL09 13:49	Asset Comments	0.0		
	6555.4 AFHR		A1PXXXY906903	XXxxXXxx
01JUL09 13:49	Change Serviceability Stat	0.0	SERV U/S	
	6555.4 AFHR Estimated Date/Time Servic	733954.7	A1PXXUY910785 SERV STAT 02JUL09	XXxxXXxx
02JUL09 04:17	Asset Comments	0.0	A/T 6557.8 A/T	
	6557.8 AFHR		A1PXXXY907000	XXxxXXxx
02JUL09 05:51	Maintenance Release	0.6	M PEA A	
	6557.8 AFHR Change Serviceability Stat	0.6	A1PXXXY907036 U/S	XXxxXXxx
	Estimated Date/Time Servic	0.6	SERV 02JUL09 13:49 SERV STAT	
02JUL09 06:52	Into Maintenance	0.0	A	
	6557.8 AFHR		A1PXXOY908374	XXxxXXxx
02JUL09 06:55	Change Serviceability Stat	0.0	SERV U/S	
	6557.8 AFHR Estimated Date/Time Servic	733955.9	A1PXXUY910868 SERV STAT 03JUL09	XXxxXXxx
02JUL09 06:56	Asset Comments	0.0		
	6557.8 AFHR		A1PXXXY907046	XXxxXXxx
02JUL09 11:59	Initiate Toolboard	xxxx	14 B/F	
	6559.2 AFHR			XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01957  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
02JUL09 22:59	Clear	Toolboard	6559.2 AFHR	xxxx	14	XXXXXXxx
02JUL09 23:20	Maintenance	Release	6559.2 AFHR	0.6	M PEA A A1PXXXY907066	XXXXXXxx
	Change	Serviceability Stat	Estimated Date/Time Servic	0.6	U/S SERV 03JUL09 06:55	
03JUL09 02:52	Into	Maintenance	6559.2 AFHR	0.1	SERV STAT A A1PXXOY908443	XXXXXXxx
03JUL09 07:19	Change	Serviceability Stat	6560.5 AFHR	0.1	SERV U/S A1PXXUY910938	XXXXXXxx
	Estimated	Date/Time Servic	733956.6		SERV STAT 04JUL09	
05JUL09 22:30	Initiate	Toolboard	6561.7 AFHR	xxxx	14 B/F	XXXXXXxx
05JUL09 22:30	Clear	Toolboard	6561.7 AFHR	xxxx	14	XXXXXXxx
05JUL09 23:10	Maintenance	Release	6561.7 AFHR	2.6	M PEA A A1PXXXY907106	XXXXXXxx
	Change	Serviceability Stat	Estimated Date/Time Servic	2.6	U/S SERV 04JUL09 07:19	
06JUL09 01:30	Into	Maintenance	6561.7 AFHR	0.0	SERV STAT A M PEA	
06JUL09 09:12	Initiate	Toolboard	6562.4 AFHR	xxxx	A1PXXOY908496 14 B/F	XXXXXXxx
06JUL09 09:13	Clear	Toolboard	6563.4 AFHR	xxxx	14	XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01958  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
06JUL09	11:32	Maintenance Release	0.4	M PEA A		
		6563.4 AFHR		A1PXXXY907181		XXxxXXxx
06JUL09	12:22	Into Maintenance	0.0	A		
		6563.4 AFHR		A1PXXOY908527		XXxxXXxx
06JUL09	22:36	Change Serviceability Stat	0.4	SERV U/S		
		6565.6 AFHR		A1PXXUY907999		XXxxXXxx
		Estimated Date/Time Servic	733959.0	SERV STAT 07JUL09		
06JUL09	23:31	Maintenance Release	0.0	M PEA A		
		6565.6 AFHR		A1PXXXY907217		XXxxXXxx
		Change Serviceability Stat	0.0	U/S SERV		
		Estimated Date/Time Servic	1.0	07JUL09 22:36 SERV STAT		
07JUL09	02:36	Into Maintenance	0.1	A M PEA		
		6565.6 AFHR		A1PXXOY908553		XXxxXXxx
07JUL09	10:28	Initiate Toolboard	xxxx	14 B/F		
		6569.7 AFHR				XXxxXXxx
07JUL09	10:28	Clear Toolboard	xxxx	14		
		6569.7 AFHR				XXxxXXxx
07JUL09	10:28	Maintenance Release	0.3	M PEA A		
		6569.7 AFHR		A1PXXXY907275		XXxxXXxx
08JUL09	01:24	Into Maintenance	0.6	A		
		6570.7 AFHR		A1PXXOY908630		XXxxXXxx
08JUL09	01:51	Change Serviceability Stat	0.0	SERV U/S		
		6570.7 AFHR		A1PXXUY911194		XXxxXXxx
		Estimated Date/Time Servic	733960.9	SERV STAT 09JUL09		
15JUL09	09:38	Initiate Toolboard	xxxx	14 B/F		
		6570.7 AFHR				XXxxXXxx



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01959  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
15JUL09 09:38	Clear	Toolboard	6570.7 AFHR	xxxx	14	XXxxXXxx
15JUL09 22:24	Asset	Comments	6570.7 AFHR	0.0	MTF6570.7 MTF A1PXXXY907606	XXxxXXxx
15JUL09 22:24	Maintenance	Release	6570.7 AFHR	7.8	M PEA A A1PXXXY907607	XXxxXXxx
	Change	Serviceability Stat	6570.7 AFHR	7.8	U/S SERV	
	Estimated	Date/Time Servic		1.8	09JUL09 01:52 SERV STAT	
16JUL09 03:03	Into	Maintenance	6570.7 AFHR	0.1	A A1PXXOY909040	XXxxXXxx
16JUL09 03:04	Asset	Comments	6570.7 AFHR	0.0	A1PXXXY907656	XXxxXXxx
16JUL09 03:04	Change	Serviceability Stat	6570.7 AFHR	0.0	SERV U/S A1PXXUY911609	XXxxXXxx
	Estimated	Date/Time Servic		733969.8	SERV STAT 17JUL09	
16JUL09 03:31	Maintenance	Release	6571.4 AFHR	0.0	M PEA A A1PXXXY907658	XXxxXXxx
	Change	Serviceability Stat	6571.4 AFHR	0.0	U/S SERV	
	Estimated	Date/Time Servic		1.0	17JUL09 03:04 SERV STAT	
16JUL09 06:30	Into	Maintenance	6571.4 AFHR	0.1	A M PEA A1PXXOY909084	XXxxXXxx
16JUL09 09:55	Initiate	Toolboard	6572.9 AFHR	xxxx	14 B/F	XXxxXXxx
16JUL09 09:56	Clear	Toolboard	6572.9 AFHR	xxxx	14	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01960  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN (DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
LIFE SINCE NEW					
16JUL09	23:20	Maintenance Release	0.7	M PEA A A1PXXXY907685	XXxxXXxx
17JUL09	04:20	Into Maintenance	0.2	A M PEA A1PXXOY909156	XXxxXXxx
19JUL09	23:12	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
19JUL09	23:12	Clear Toolboard	xxxx	14	XXxxXXxx
20JUL09	10:23	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
20JUL09	22:58	Clear Toolboard	xxxx	14	XXxxXXxx
20JUL09	22:58	Maintenance Release	3.7	M PEA A A1PXXXY907732	XXxxXXxx
21JUL09	01:35	Into Maintenance	0.1	A M PEA A1PXXOY909204	XXxxXXxx
21JUL09	09:30	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
21JUL09	09:31	Clear Toolboard	xxxx	14	XXxxXXxx
21JUL09	23:49	Maintenance Release	0.9	M PEA A A1PXXXY907786	XXxxXXxx
22JUL09	01:45	Into Maintenance	0.0	A A1PXXOY909285	XXxxXXxx
22JUL09	10:19	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
22JUL09	11:06	Change Serviceability Stat	0.3	SERV U/S A1PXXUY911610	XXxxXXxx
		Estimated Date/Time Servic	733969.6	SERV STAT 23JUL09	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01961  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
23JUL09 08:23	Asset Comments		0.0	A/T 6582.1 A/T	
	6582.1 AFHR			A1PXXXY907848	XXxxXXxx
26JUL09 22:32	Initiate Toolboard		xxxx	14 B/F	
	6582.1 AFHR				XXxxXXxx
26JUL09 22:33	Clear Toolboard		xxxx	14	
	6582.1 AFHR				XXxxXXxx
26JUL09 23:30	Maintenance Release		4.5	M PEA	
	6582.1 AFHR			A	
	Change Serviceability Stat		4.5	A1PXXXY907882	XXxxXXxx
	Estimated Date/Time Servic		1.5	U/S	
				SERV	
				23JUL09 11:06	
				SERV STAT	
27JUL09 01:22	Into Maintenance		0.0	A	
	6582.1 AFHR			A1PXXOY909319	XXxxXXxx
27JUL09 01:22	Change Serviceability Stat		0.0	SERV	
	6582.1 AFHR			U/S	
	Estimated Date/Time Servic		733980.9	A1PXXUY912204	XXxxXXxx
				SERV STAT	
				28JUL09	
27JUL09 01:25	Asset Comments		0.0		
	6582.1 AFHR			A1PXXXY907890	XXxxXXxx
27JUL09 09:49	Initiate Toolboard		xxxx	14 B/F	
	6585.9 AFHR				XXxxXXxx
27JUL09 09:49	Clear Toolboard		xxxx	14	
	6585.9 AFHR				XXxxXXxx
27JUL09 09:51	Maintenance Release		0.3	M PEA	
	6585.9 AFHR			A	
	Change Serviceability Stat		0.3	A1PXXXY907931	XXxxXXxx
	Estimated Date/Time Servic		1.3	U/S	
				SERV	
				28JUL09 01:22	
				SERV STAT	
27JUL09 12:21	Into Maintenance		0.1	A	
	6585.9 AFHR			M PEA	
				A1PXXOY909395	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01962  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
27JUL09	23:24	Maintenance Release	0.4	M PEA A		
		6587.9 AFHR		A1PXXXY907940		XXxxXXxx
28JUL09	01:31	Into Maintenance	0.0	M		
		6587.9 AFHR		A1PXXOY909453		XXxxXXxx
28JUL09	03:45	Into Maintenance	0.0	M		
		6589.1 AFHR		A1PXXOY909463		XXxxXXxx
28JUL09	05:19	Into Maintenance	0.0	M		
		6590.1 AFHR		A1PXXOY909465		XXxxXXxx
28JUL09	07:39	Into Maintenance	0.0	M		
		6591.9 AFHR		A1PXXOY909487		XXxxXXxx
28JUL09	07:40	Into Maintenance	0.0	M		
		6590.9 AFHR		A1PXXOY909467		XXxxXXxx
28JUL09	08:31	Into Maintenance	0.3	A		
		6587.9 AFHR		M PEA A1PXXOY909448		XXxxXXxx
28JUL09	08:32	Initiate Toolboard	xxxx	14 B/F		
		6587.9 AFHR				XXxxXXxx
28JUL09	08:32	Clear Toolboard	xxxx	14		
		6587.9 AFHR				XXxxXXxx
28JUL09	08:33	Maintenance Release	0.0	M PEA A		
		6587.9 AFHR		A1PXXXY907981		XXxxXXxx
28JUL09	12:26	Into Maintenance	0.1	A		
		6592.2 AFHR		A1PXXOY909497		XXxxXXxx
28JUL09	23:10	Change Serviceability Stat	0.4	SERV U/S		
		6593.8 AFHR		A1PXXUY810135		XXxxXXxx
		Estimated Date/Time Servic	733980.4	SERV STAT 29JUL09		

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01963  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
29JUL09 07:05	Maintenance Release	0.3	M PEA A	
	6595.1 AFHR Change Serviceability Stat	0.3	A1PXXXY908059 U/S	XXxxXXxx
	Estimated Date/Time Servic	0.3	SERV 29JUL09 23:10 SERV STAT	
29JUL09 08:22	Into Maintenance	0.0	A M PEA	
	6595.1 AFHR		A1PXXOY909550	XXxxXXxx
29JUL09 09:07	Initiate Toolboard	xxxx	14 B/F	
	6596.1 AFHR			XXxxXXxx
29JUL09 09:07	Clear Toolboard	xxxx	14	
	6596.1 AFHR			XXxxXXxx
29JUL09 09:08	Maintenance Release	0.0	M PEA A	
	6596.1 AFHR		A1PXXXY908066	XXxxXXxx
29JUL09 12:29	Into Maintenance	0.1	A	
	6596.1 AFHR		A1PXXOY909588	XXxxXXxx
29JUL09 15:50	Change Serviceability Stat	0.1	SERV U/S	
	6597.1 AFHR		A1PXXUY912109	XXxxXXxx
	Estimated Date/Time Servic	733982.6	SERV STAT 30JUL09	
30JUL09 00:04	Maintenance Release	0.3	M PEA A	
	6598.2 AFHR		A1PXXXY908084	XXxxXXxx
	Change Serviceability Stat	0.3	U/S	
	Estimated Date/Time Servic	0.3	SERV 30JUL09 15:50 SERV STAT	
30JUL09 02:05	Into Maintenance	0.0	A M PEA	
	6598.2 AFHR		A1PXXOY909606	XXxxXXxx
30JUL09 23:54	Asset Comments	0.0	AWAY	
	6599.5 AFHR		A1PXXXY908131	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01964  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
02AUG09 22:36	Initiate Toolboard	6603.2 AFHR	xxxx	14 B/F	XXxxXXxx
02AUG09 22:36	Clear Toolboard	6603.2 AFHR	xxxx	14	XXxxXXxx
03AUG09 00:01	Asset Comments	6603.2 AFHR	0.0	A1PXXXY908188	XXxxXXxx
03AUG09 00:01	Maintenance Release	6603.2 AFHR	3.9	M PEA A	XXxxXXxx
03AUG09 08:58	Into Maintenance	6604.4 AFHR	0.3	A1PXXXY908189 A	XXxxXXxx
03AUG09 09:03	Change Serviceability Stat	6604.4 AFHR	0.0	A1PXXOY909800 SERV U/S	XXxxXXxx
	Estimated Date/Time Servic	6604.4 AFHR	733983.6	A1PXXUY912143 SERV STAT 04AUG09	XXxxXXxx
03AUG09 09:41	Initiate Toolboard	6604.4 AFHR	xxxx	14 B/F	XXxxXXxx
03AUG09 09:41	Clear Toolboard	6604.4 AFHR	xxxx	14	XXxxXXxx
04AUG09 00:19	Maintenance Release	6604.4 AFHR	0.6	M PEA A	XXxxXXxx
	Change Serviceability Stat	6604.4 AFHR	0.6	A1PXXXY908265 U/S	XXxxXXxx
	Estimated Date/Time Servic	6604.4 AFHR	0.6	SERV 04AUG09 09:03 SERV STAT	XXxxXXxx
04AUG09 05:15	Into Maintenance	6604.4 AFHR	0.2	A M PEA	XXxxXXxx
04AUG09 09:31	Initiate Toolboard	6606.9 AFHR	xxxx	A1PXXOY909873 14 B/F	XXxxXXxx
04AUG09 09:32	Clear Toolboard	6606.9 AFHR	xxxx	14	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01965  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
04AUG09	23:25	Maintenance Release	0.7	M PEA A		
		6606.9 AFHR		A1PXXXY908326		XXxxXXxx
05AUG09	00:52	Into Maintenance	0.0	A		
		6606.9 AFHR		A1PXXOY909922		XXxxXXxx
05AUG09	09:30	Change Serviceability Stat	0.3	SERV U/S		
		6609.7 AFHR		A1PXXUY912522		XXxxXXxx
		Estimated Date/Time Servic	733988.6	SERV STAT 06AUG09		
05AUG09	10:30	Initiate Toolboard	xxxx	14 B/F		
		6611.0 AFHR				XXxxXXxx
05AUG09	10:31	Clear Toolboard	xxxx	14		
		6611.0 AFHR				XXxxXXxx
05AUG09	23:36	Maintenance Release	0.5	M PEA A		
		6611.0 AFHR		A1PXXXY908367		XXxxXXxx
		Change Serviceability Stat	0.5	U/S SERV		
		Estimated Date/Time Servic	1.5	06AUG09 09:30 SERV STAT		
06AUG09	06:26	Into Maintenance	0.2	A		
		6611.0 AFHR		M PEA A1PXXOY910015		XXxxXXxx
06AUG09	11:15	Initiate Toolboard	xxxx	14 B/F		
		6612.1 AFHR				XXxxXXxx
06AUG09	11:16	Clear Toolboard	xxxx	14		
		6612.1 AFHR				XXxxXXxx
06AUG09	23:43	Maintenance Release	0.7	M PEA A		
		6612.1 AFHR		A1PXXXY908423		XXxxXXxx
07AUG09	01:20	Into Maintenance	0.0	A		
		6612.1 AFHR		M PEA A1PXXOY910067		XXxxXXxx
09AUG09	23:04	Initiate Toolboard	xxxx	14 B/F		
		6615.5 AFHR				XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01966  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
09AUG09 23:51	Clear Toolboard	6615.5 AFHR	xxxx	14	
10AUG09 00:09	Maintenance Release	6615.5 AFHR	2.9	M PEA A A1PXXXY908484	XXxxXXxx
10AUG09 02:15	Into Maintenance	6615.5 AFHR	0.0	A A1PXXOY910138	XXxxXXxx
10AUG09 09:38	Change Serviceability Stat	6616.8 AFHR	0.3	SERV U/S A1PXXUY913165	XXxxXXxx
	Estimated Date/Time Servic		733990.5	SERV STAT 31DEC25	
10AUG09 10:09	Initiate Toolboard	6616.8 AFHR	xxxx	14 B/F	XXxxXXxx
10AUG09 10:10	Clear Toolboard	6616.8 AFHR	xxxx	14	XXxxXXxx
10AUG09 21:45	Change Part Number of an A Estimated Date/Time Servic		1.9	NO PARENT TRANSACTION DETAILS 11AUG09 09:38 11AUG09 09:38	
10AUG09 23:28	Maintenance Release	6616.8 AFHR	0.5	M PEA A A1PXXXY908542	XXxxXXxx
	Change Serviceability Stat		0.5	U/S SERV 11AUG09 09:38	
	Estimated Date/Time Servic		1.0	SERV STAT	
11AUG09 01:23	Into Maintenance	6616.8 AFHR	0.0	A A1PXXOY910201	XXxxXXxx
11AUG09 01:24	Change Serviceability Stat	6616.8 AFHR	0.0	SERV U/S A1PXXUY913167	XXxxXXxx
	Estimated Date/Time Servic		733995.9	SERV STAT 12AUG09	
11AUG09 09:33	Initiate Toolboard	6621.7 AFHR	xxxx	14 B/F	XXxxXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01967  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
11AUG09 09:34	Clear Toolboard	6621.7 AFHR	xxxx	14	XXxxXXxx
11AUG09 09:51	Maintenance Release	6621.7 AFHR	0.3	M PEA A A1PXXXY908593	XXxxXXxx
	Change Serviceability Stat		0.3	U/S SERV	
	Estimated Date/Time Servic		1.3	12AUG09 01:24 SERV STAT	
12AUG09 01:21	Into Maintenance	6623.8 AFHR	0.6	A A1PXXOY910291	XXxxXXxx
12AUG09 09:28	Initiate Toolboard	6629.1 AFHR	xxxx	14 B/F	XXxxXXxx
12AUG09 09:28	Clear Toolboard	6629.1 AFHR	xxxx	14	XXxxXXxx
12AUG09 10:37	Change Serviceability Stat	6629.1 AFHR	0.3	SERV U/S A1PXXUY912944	XXxxXXxx
	Estimated Date/Time Servic		733995.9	SERV STAT 13AUG09	
12AUG09 23:44	Maintenance Release	6629.1 AFHR	0.5	M PEA A A1PXXXY908686	XXxxXXxx
	Change Serviceability Stat		0.5	U/S SERV	
	Estimated Date/Time Servic		1.5	13AUG09 10:37 SERV STAT	
13AUG09 06:41	Into Maintenance	6630.4 AFHR	0.2	A M PEA A1PXXOY910394	XXxxXXxx
13AUG09 09:47	Initiate Toolboard	6631.5 AFHR	xxxx	14 B/F	XXxxXXxx
13AUG09 09:47	Clear Toolboard	6631.5 AFHR	xxxx	14	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01968  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
13AUG09	23:35	Maintenance Release	0.7	M PEA A		
		6631.5 AFHR		A1PXXXY908744		XXxxXXxx
14AUG09	02:00	Into Maintenance	0.1	A		
		6631.5 AFHR		A1PXXOY910428		XXxxXXxx
14AUG09	02:02	Change Serviceability Stat	0.0	SERV U/S		
		6631.5 AFHR		A1PXXUY913513		XXxxXXxx
		Estimated Date/Time Servic	733997.9	SERV STAT 15AUG09		
16AUG09	22:40	Initiate Toolboard	xxxx	14 B/F		
		6631.5 AFHR				XXxxXXxx
16AUG09	22:41	Clear Toolboard	xxxx	14		
		6631.5 AFHR				XXxxXXxx
17AUG09	00:18	Maintenance Release	2.9	M PEA A		
		6631.5 AFHR		A1PXXXY908777		XXxxXXxx
		Change Serviceability Stat	2.9	U/S SERV		
		Estimated Date/Time Servic	0.9	15AUG09 02:02 SERV STAT		
17AUG09	08:55	Into Maintenance	0.3	A		
		6634.9 AFHR		M PEA A1PXXOY910498		XXxxXXxx
17AUG09	09:48	Initiate Toolboard	xxxx	14 B/F		
		6634.9 AFHR				XXxxXXxx
17AUG09	23:14	Clear Toolboard	xxxx	14		
		6634.9 AFHR				XXxxXXxx
17AUG09	23:15	Maintenance Release	0.5	M PEA A		
		6634.9 AFHR		A1PXXXY908812		XXxxXXxx
18AUG09	05:50	Into Maintenance	0.2	A		
		6636.7 AFHR		A1PXXOY910537		XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01969  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
18AUG09 05:51	Change Serviceability Stat 6636.7 AFHR Estimated Date/Time Servic	0.0 734001.7	SERV U/S A1PXXUY913651 SERV STAT 19AUG09	XXxxXXxx
25AUG09 06:50	Asset Comments 6636.7 AFHR	0.0	MTF MTF A1PXXXY909034	XXxxXXxx
25AUG09 10:19	Initiate Toolboard 6636.7 AFHR	xxxx	14 B/F	XXxxXXxx
26AUG09 10:52	Initiate Toolboard 6636.7 AFHR	xxxx	14 B/F	XXxxXXxx
27AUG09 02:57	Asset Comments 6637.5 AFHR	0.0	A/T 6637.5 AT A1PXXXY909108	XXxxXXxx
27AUG09 04:11	Clear Toolboard 6637.5 AFHR	xxxx	14	XXxxXXxx
27AUG09 10:40	Initiate Toolboard 6637.5 AFHR	xxxx	14 B/F	XXxxXXxx
27AUG09 23:38	Clear Toolboard 6637.5 AFHR	xxxx	14	XXxxXXxx
27AUG09 23:38	Maintenance Release 6637.5 AFHR Change Serviceability Stat	9.7 9.7	M PEA A A1PXXXY909125 U/S SERV	XXxxXXxx
	Estimated Date/Time Servic	1.7	19AUG09 05:51 SERV STAT	
28AUG09 01:40	Into Maintenance 6637.5 AFHR	0.0	A A1PXXOY911083	XXxxXXxx
28AUG09 02:23	Change Serviceability Stat 6638.8 AFHR Estimated Date/Time Servic	0.0 734012.8	SERV U/S A1PXXUY914146 SERV STAT 29AUG09	XXxxXXxx
30AUG09 22:45	Initiate Toolboard 6640.0 AFHR	xxxx	14 B/F	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01970  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
30AUG09 22:45		Clear Toolboard	6640.0 AFHR	xxxx	14	XXxxXXxx
30AUG09 23:42		Maintenance Release	6640.0 AFHR	2.8	M PEA A A1PXXXY909162	XXxxXXxx
		Change Serviceability Stat		2.8	U/S SERV	
		Estimated Date/Time Servic		1.8	29AUG09 02:23 SERV STAT	
30AUG09 23:42		Asset Comments	6640.0 AFHR	0.0	A1PXXXY909163	XXxxXXxx
31AUG09 08:22		Into Maintenance		0.3	A M PEA	
		Initiate Toolboard	6640.8 AFHR	xxxx	A1PXXOY911177	XXxxXXxx
31AUG09 10:46		Clear Toolboard	6641.9 AFHR	xxxx	14 B/F	XXxxXXxx
31AUG09 10:47		Clear Toolboard	6641.9 AFHR	xxxx	14	XXxxXXxx
31AUG09 23:26		Maintenance Release		0.6	M PEA A A1PXXXY909239	XXxxXXxx
01SEP09 02:28		Into Maintenance	6641.9 AFHR	0.1	A A1PXXOY911197	XXxxXXxx
01SEP09 09:26		Initiate Toolboard	6644.5 AFHR	xxxx	14 B/F	XXxxXXxx
01SEP09 09:27		Clear Toolboard	6644.5 AFHR	xxxx	14	XXxxXXxx
01SEP09 11:02		Change Serviceability Stat	6645.4 AFHR	0.3	SERV U/S A1PXXUY914030	XXxxXXxx
		Estimated Date/Time Servic		734015.5	SERV STAT 02SEP09	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01971  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
02SEP09 00:20	Maintenance Release	0.5	M PEA A	
	6645.4 AFHR Change Serviceability Stat	0.5	A1PXXXY909290 U/S	XXxxXXxx
	Estimated Date/Time Servic	0.5	SERV 02SEP09 11:02 SERV STAT	
02SEP09 02:42	Into Maintenance	0.0	A	
	6645.4 AFHR Change Serviceability Stat	0.0	A1PXXOY911250 SERV	XXxxXXxx
	Estimated Date/Time Servic	734017.9	U/S A1PXXUY914411 SERV STAT	XXxxXXxx
02SEP09 09:44	Initiate Toolboard	xxxx	03SEP09 14 B/F	
	6647.6 AFHR			XXxxXXxx
02SEP09 09:44	Clear Toolboard	xxxx	14	
	6647.6 AFHR			XXxxXXxx
02SEP09 22:51	Maintenance Release	0.8	M PEA A	
	6647.6 AFHR Change Serviceability Stat	0.8	A1PXXXY909319 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.8	SERV 03SEP09 02:44 SERV STAT	
03SEP09 00:38	Into Maintenance	0.0	A	
	6647.6 AFHR		M PEA A1PXXOY911306	XXxxXXxx
03SEP09 09:10	Initiate Toolboard	xxxx	14 B/F	
	6649.9 AFHR			XXxxXXxx
03SEP09 09:11	Clear Toolboard	xxxx	14	
	6649.9 AFHR			XXxxXXxx
03SEP09 23:31	Maintenance Release	0.9	M PEA A	
	6649.9 AFHR		A1PXXXY909372	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01972  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN (DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
04SEP09	01:25	Into Maintenance		0.0	A M PEA	
06SEP09	23:17	Initiate Toolboard	6649.9 AFHR	xxxx	A1PXXOY911341 14 B/F	XXxxXXxx
06SEP09	23:18	Clear Toolboard	6653.6 AFHR	xxxx	14	XXxxXXxx
06SEP09	23:35	Maintenance Release	6653.6 AFHR	2.9	M PEA A	XXxxXXxx
07SEP09	02:00	Into Maintenance	6653.6 AFHR	0.1	A1PXXXY909417 A	XXxxXXxx
07SEP09	09:30	Initiate Toolboard	6653.6 AFHR	xxxx	M PEA A1PXXOY911401 14 B/F	XXxxXXxx
07SEP09	09:30	Clear Toolboard	6657.3 AFHR	xxxx	14	XXxxXXxx
07SEP09	09:44	Maintenance Release	6657.3 AFHR	0.3	M PEA A	XXxxXXxx
07SEP09	09:54	Into Maintenance	6657.3 AFHR	0.0	A1PXXXY909456 A	XXxxXXxx
07SEP09	10:04	Maintenance Release	6657.3 AFHR	0.0	M PEA A1PXXOY911447 M PEA A	XXxxXXxx
07SEP09	13:46	Into Maintenance	6657.3 AFHR	0.1	A1PXXXY909462 A	XXxxXXxx
08SEP09	01:04	Maintenance Release	6658.2 AFHR	0.4	M PEA A1PXXOY911461 M PEA A	XXxxXXxx
08SEP09	01:43	Into Maintenance	6659.2 AFHR	0.0	A1PXXXY909490 A	XXxxXXxx
			6659.2 AFHR		A1PXXOY911474	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01973  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
08SEP09 09:29	Change Serviceability Stat	6660.7 AFHR Estimated Date/Time Serv	0.3	SERV U/S A1PXXUY914417	XXxxXXxx
08SEP09 11:12	Initiate Toolboard	6660.7 AFHR	xxxx	14 B/F	XXxxXXxx
09SEP09 11:48	Initiate Toolboard	6660.7 AFHR	xxxx	14 B/F	XXxxXXxx
10SEP09 11:10	Initiate Toolboard	6660.7 AFHR	xxxx	14 B/F	XXxxXXxx
15SEP09 11:06	Initiate Toolboard	6660.7 AFHR	xxxx	14 B/F	XXxxXXxx
15SEP09 11:06	Clear Toolboard	6660.7 AFHR	xxxx	14	XXxxXXxx
16SEP09 00:09	Maintenance Release	6660.7 AFHR	7.6	M PEA A A1PXXXY909854	XXxxXXxx
16SEP09 03:19	Into Maintenance	6660.7 AFHR	0.1	SERV U/S SERV STAT A A1PXXOY911837	XXxxXXxx
16SEP09 03:32	Change Serviceability Stat	6662.0 AFHR Estimated Date/Time Serv	0.0	SERV U/S A1PXXUY915191	XXxxXXxx
16SEP09 09:38	Initiate Toolboard	6664.3 AFHR	xxxx	14 B/F	XXxxXXxx
16SEP09 09:39	Clear Toolboard	6664.3 AFHR	xxxx	14	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01974  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
16SEP09	09:40	Maintenance Release	0.2	M PEA A		
		6664.3 AFHR		A1PXXXY909914		XXxxXXxx
		Change Serviceability Stat	0.2	U/S		
		Estimated Date/Time Servic	1.2	SERV 17SEP09 03:32		
				SERV STAT		
17SEP09	09:57	Into Maintenance	1.0	A		
		6666.5 AFHR		M PEA A1PXXOY911958		XXxxXXxx
17SEP09	09:58	Initiate Toolboard	xxxx	14 B/F		
		6666.5 AFHR				XXxxXXxx
17SEP09	09:59	Clear Toolboard	xxxx	14		
		6666.5 AFHR				XXxxXXxx
17SEP09	09:59	Maintenance Release	0.0	M PEA A		
		6666.5 AFHR		A1PXXXY909975		XXxxXXxx
17SEP09	12:29	Into Maintenance	0.1	A		
		6666.5 AFHR		M PEA A1PXXOY911961		XXxxXXxx
18SEP09	00:04	Maintenance Release	0.4	M PEA A		
		6667.2 AFHR		A1PXXXY909988		XXxxXXxx
18SEP09	04:15	Into Maintenance	0.1	A		
		6667.2 AFHR		M PEA A1PXXOY911998		XXxxXXxx
20SEP09	23:02	Initiate Toolboard	xxxx	14 B/F		
		6669.4 AFHR				XXxxXXxx
20SEP09	23:03	Clear Toolboard	xxxx	14		
		6669.4 AFHR				XXxxXXxx
21SEP09	00:08	Maintenance Release	2.8	M PEA A		
		6669.4 AFHR		A1PXXXY910045		XXxxXXxx
21SEP09	09:57	Into Maintenance	0.4	A		
		6669.4 AFHR		M PEA A1PXXOY912041		XXxxXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01975  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
21SEP09 10:52	Initiate	Toolboard	6669.4 AFHR	xxxx	14 B/F	XXxxXXxx
21SEP09 23:17	Clear	Toolboard	6669.4 AFHR	xxxx	14	XXxxXXxx
21SEP09 23:17	Maintenance	Release	6669.4 AFHR	0.5	M PEA A A1PXXXY910084	XXxxXXxx
22SEP09 01:32	Into	Maintenance	6669.4 AFHR	0.0	A A1PXXOY912050	XXxxXXxx
22SEP09 09:35	Initiate	Toolboard	6672.0 AFHR	xxxx	14 B/F	XXxxXXxx
22SEP09 10:58	Change	Serviceability Stat	6672.0 AFHR Estimated Date/Time Servic	0.3 734031.9	SERV U/S A1PXXUY915236 SERV STAT 23SEP09	XXxxXXxx
23SEP09 00:07	Clear	Toolboard	6672.0 AFHR	xxxx	14	XXxxXXxx
23SEP09 00:08	Maintenance	Release	6672.0 AFHR	0.5	M PEA A A1PXXXY910145	XXxxXXxx
	Change	Serviceability Stat	6672.0 AFHR Estimated Date/Time Servic	0.5 0.5	U/S SERV 23SEP09 10:58 SERV STAT	
24SEP09 09:50	Into	Maintenance	6677.7 AFHR	1.4	A M PEA A1PXXOY912229	XXxxXXxx
24SEP09 09:53	Initiate	Toolboard	6677.7 AFHR	xxxx	14 B/F	XXxxXXxx
24SEP09 09:55	Initiate	Toolboard	6677.7 AFHR	xxxx	14 B/F	XXxxXXxx
24SEP09 09:56	Clear	Toolboard	6677.7 AFHR	xxxx	14	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01976  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
24SEP09	09:58	Maintenance Release	0.0	M PEA A		
		6677.7 AFHR		A1PXXXY910246		XXxxXXxx
28SEP09	06:33	Into Maintenance	3.8	M PEA A		
		6680.0 AFHR		A1PXXOY912254		XXxxXXxx
28SEP09	06:36	Initiate Toolboard	xxxx	14 B/F		
		6680.0 AFHR				XXxxXXxx
28SEP09	06:37	Clear Toolboard	xxxx	14		
		6680.0 AFHR				XXxxXXxx
28SEP09	06:37	Maintenance Release	0.0	M PEA A		
		6680.0 AFHR		A1PXXXY910267		XXxxXXxx
28SEP09	09:28	Into Maintenance	0.1	M PEA A		
		6680.0 AFHR		A1PXXOY912259		XXxxXXxx
28SEP09	09:29	Initiate Toolboard	xxxx	14 B/F		
		6680.0 AFHR				XXxxXXxx
28SEP09	09:29	Clear Toolboard	xxxx	14		
		6680.0 AFHR				XXxxXXxx
28SEP09	22:49	Initiate Toolboard	xxxx	14 B/F		
		6681.2 AFHR				XXxxXXxx
28SEP09	22:50	Clear Toolboard	xxxx	14		
		6681.2 AFHR				XXxxXXxx
28SEP09	22:50	Maintenance Release	0.5	M PEA A		
		6681.2 AFHR		A1PXXXY910278		XXxxXXxx
29SEP09	09:16	Into Maintenance	0.4	M PEA A		
		6681.2 AFHR		A1PXXOY912288		XXxxXXxx
29SEP09	09:17	Initiate Toolboard	xxxx	14 B/F		
		6681.2 AFHR				XXxxXXxx
29SEP09	09:17	Clear Toolboard	xxxx	14		
		6681.2 AFHR				XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01977  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----				
TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN(DYS) FROM	TO (OPTIONAL)	USER
				TRANS REFERENCE		
=====						
29SEP09	09:17	Maintenance Release		0.0	M PEA A	
		6681.2	AFHR		A1PXXXY910319	XXxxXXxx
29SEP09	14:16	Into Maintenance		0.2	A	
		6682.2	AFHR		A1PXXOY912298	XXxxXXxx
29SEP09	14:16	Change Serviceability Stat		0.0	SERV U/S	
		6682.2	AFHR		A1PXXUY915597	XXxxXXxx
		Estimated Date/Time Servic		734038.4	SERV STAT 30SEP09	
30SEP09	00:13	Maintenance Release		0.4	M PEA A	
		6683.2	AFHR		A1PXXXY910330	XXxxXXxx
		Change Serviceability Stat		0.4	U/S SERV	
		Estimated Date/Time Servic		0.4	30SEP09 14:16 SERV STAT	
30SEP09	01:40	Into Maintenance		0.0	A M PEA	
		6683.2	AFHR		A1PXXOY912316	XXxxXXxx
30SEP09	09:36	Initiate Toolboard		xxxx	14 B/F	
		6686.6	AFHR			XXxxXXxx
30SEP09	09:37	Clear Toolboard		xxxx	14	
		6686.6	AFHR			XXxxXXxx
30SEP09	09:52	Maintenance Release		0.3	M PEA A	
		6686.6	AFHR		A1PXXXY910357	XXxxXXxx
30SEP09	13:17	Into Maintenance		0.1	A	
		6688.0	AFHR		A1PXXOY912374	XXxxXXxx
30SEP09	13:18	Change Serviceability Stat		0.0	SERV U/S	
		6688.0	AFHR		A1PXXUY915835	XXxxXXxx
		Estimated Date/Time Servic		734045.4	SERV STAT 01OCT09	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01978  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
30SEP09 22:35	Maintenance Release	0.3	M PEA A	
	6688.0 AFHR Change Serviceability Stat	0.3	A1PXXXY910363 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.3	SERV 01OCT09 13:20 SERV STAT	
01OCT09 06:54	Into Maintenance	0.3	A	
	6688.0 AFHR		A1PXXOY912409	XXxxXXxx
01OCT09 07:43	Change Serviceability Stat	0.0	SERV U/S	
	6688.9 AFHR Estimated Date/Time Servic	734046.6	A1PXXUY915894 SERV STAT	XXxxXXxx
			02OCT09	
01OCT09 10:37	Initiate Toolboard	xxxx	14 B/F	
	6688.9 AFHR			XXxxXXxx
01OCT09 10:37	Clear Toolboard	xxxx	14	
	6688.9 AFHR			XXxxXXxx
01OCT09 23:20	Maintenance Release	0.6	M PEA A	
	6688.9 AFHR Change Serviceability Stat	0.6	A1PXXXY910426 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.6	SERV 02OCT09 07:44 SERV STAT	
02OCT09 01:17	Into Maintenance	0.0	A	
	6688.9 AFHR		A1PXXOY912451	XXxxXXxx
02OCT09 02:36	Change Serviceability Stat	0.0	SERV U/S	
	6690.0 AFHR Estimated Date/Time Servic	734047.8	A1PXXUY915988 SERV STAT	XXxxXXxx
			03OCT09	
04OCT09 22:41	Initiate Toolboard	xxxx	14 B/F	
	6690.0 AFHR			XXxxXXxx
04OCT09 22:42	Clear Toolboard	xxxx	14	
	6690.0 AFHR			XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01979  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
04OCT09 23:28	Maintenance Release	2.8	M PEA A	
	6691.5 AFHR Change Serviceability Stat	2.8	A1PXXXY910470 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.8	SERV 03OCT09 02:37 SERV STAT	
05OCT09 02:00	Into Maintenance	0.1	A M PEA	
	6691.5 AFHR		A1PXXOY912519	XXxxXXxx
05OCT09 10:24	Initiate Toolboard	xxxx	14 B/F	
	6695.0 AFHR			XXxxXXxx
05OCT09 23:06	Clear Toolboard	xxxx	14	
	6695.0 AFHR			XXxxXXxx
05OCT09 23:06	Maintenance Release	0.8	M PEA A	
	6695.0 AFHR		A1PXXXY910558	XXxxXXxx
06OCT09 00:48	Into Maintenance	0.0	A	
	6695.0 AFHR		A1PXXOY912583	XXxxXXxx
06OCT09 10:02	Initiate Toolboard	xxxx	14 B/F	
	6697.6 AFHR			XXxxXXxx
06OCT09 11:10	Change Serviceability Stat	0.4	SERV U/S	
	6697.6 AFHR		A1PXXUY915799	XXxxXXxx
	Estimated Date/Time Servic	734050.5	SERV STAT 07OCT09	
07OCT09 10:05	Initiate Toolboard	xxxx	14 B/F	
	6697.6 AFHR			XXxxXXxx
07OCT09 23:24	Clear Toolboard	xxxx	14	
	6697.6 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01980  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW	TRANS REFERENCE			
07OCT09	23:25	Maintenance Release	1.5	M PEA A		
		6697.6 AFHR		A1PXXXY910660		XXxxXXxx
		Change Serviceability Stat	1.5	U/S		
		Estimated Date/Time Servic	1.5	SERV 07OCT09 11:10		
				SERV STAT		
08OCT09	08:49	Into Maintenance	0.3	A		
		6699.2 AFHR		M PEA		
08OCT09	08:50	Initiate Toolboard	xxxx	A1PXXOY912774		XXxxXXxx
		6699.2 AFHR		14 B/F		
08OCT09	08:51	Clear Toolboard	xxxx	14		XXxxXXxx
		6699.2 AFHR				
08OCT09	23:41	Maintenance Release	0.6	M PEA A		
		6699.2 AFHR		A1PXXXY910721		XXxxXXxx
09OCT09	05:09	Into Maintenance	0.2	A		
		6699.2 AFHR		M PEA		
11OCT09	22:42	Initiate Toolboard	xxxx	A1PXXOY912829		XXxxXXxx
		6701.6 AFHR		14 B/F		
11OCT09	22:43	Clear Toolboard	xxxx	14		XXxxXXxx
		6701.6 AFHR				
12OCT09	09:42	Initiate Toolboard	xxxx	14 B/F		XXxxXXxx
		6703.0 AFHR				
12OCT09	09:42	Clear Toolboard	xxxx	14		XXxxXXxx
		6703.0 AFHR				
12OCT09	09:54	Maintenance Release	3.1	M PEA A		
		6703.0 AFHR		A1PXXXY910821		XXxxXXxx
13OCT09	02:15	Into Maintenance	0.6	A		
		6704.8 AFHR		A1PXXOY912904		XXxxXXxx
13OCT09	11:30	Initiate Toolboard	xxxx	14 B/F		XXxxXXxx
		6707.3 AFHR				

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01981  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
13OCT09 13:01	Change Serviceability Stat 6707.3 AFHR Estimated Date/Time Servic	0.4	SERV U/S A1PXXUY916184 SERV STAT 14OCT09 14 B/F	XXxxXXxx
18OCT09 23:27	Initiate Toolboard 6707.3 AFHR	xxxx	14	XXxxXXxx
18OCT09 23:28	Clear Toolboard 6707.3 AFHR	xxxx	14	XXxxXXxx
18OCT09 23:32	Maintenance Release 6707.3 AFHR Change Serviceability Stat	5.4	M PEA A A1PXXXY911022 U/S SERV 14OCT09 13:01 SERV STAT	XXxxXXxx
19OCT09 09:22	Into Maintenance 6707.3 AFHR	0.4	A M PEA A1PXXOY913212 14 B/F	XXxxXXxx
19OCT09 10:41	Initiate Toolboard 6707.3 AFHR	xxxx	14	XXxxXXxx
19OCT09 23:52	Clear Toolboard 6707.3 AFHR	xxxx	14	XXxxXXxx
19OCT09 23:52	Maintenance Release 6707.3 AFHR	0.6	M PEA A A1PXXXY911082 A A1PXXOY913236	XXxxXXxx
20OCT09 03:34	Into Maintenance 6707.3 AFHR	0.1	A A1PXXOY913236	XXxxXXxx
20OCT09 03:35	Change Serviceability Stat 6707.3 AFHR Estimated Date/Time Servic	0.0	SERV U/S A1PXXUY916698 SERV STAT 21OCT09	XXxxXXxx
20OCT09 10:25	Initiate Toolboard 6711.1 AFHR	xxxx	14 B/F	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01982  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
20OCT09 12:09	Into Maintenance 6711.1 AFHR	0.0	M A1PXXOY913285	XXxxXXxx
20OCT09 12:29	Clear Toolboard 6711.1 AFHR	xxxx	14	XXxxXXxx
20OCT09 12:30	Maintenance Release 6711.1 AFHR	0.3	M PEA A A1PXXXY911106	XXxxXXxx
	Change Serviceability Stat Estimated Date/Time Servic	0.3 1.3	U/S SERV 21OCT09 03:35 SERV STAT	
20OCT09 23:23	Into Maintenance 6712.9 AFHR	0.4	A A1PXXOY913293	XXxxXXxx
20OCT09 23:24	Change Serviceability Stat 6712.9 AFHR	0.0	SERV U/S A1PXXUY916704	XXxxXXxx
	Estimated Date/Time Servic	734065.5	SERV STAT 21OCT09	
21OCT09 01:46	Maintenance Release 6712.9 AFHR	0.0	M PEA A A1PXXXY911127	XXxxXXxx
	Change Serviceability Stat Estimated Date/Time Servic	0.0 0.0	U/S SERV 21OCT09 23:24 SERV STAT	
21OCT09 08:35	Into Maintenance 6712.9 AFHR	0.0	M A1PXXOY913345	XXxxXXxx
21OCT09 09:50	Into Maintenance 6712.9 AFHR	0.3	A A1PXXOY913342	XXxxXXxx
21OCT09 09:51	Change Serviceability Stat 6712.9 AFHR	0.0	SERV U/S A1PXXUY916949	XXxxXXxx
	Estimated Date/Time Servic	734066.6	SERV STAT 22OCT09	
21OCT09 09:56	Initiate Toolboard 6712.9 AFHR	xxxx	14 B/F	XXxxXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01983  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
21OCT09 10:00	Clear Toolboard	6712.9 AFHR	xxxx	14	XXxxXXxx
21OCT09 10:01	Maintenance Release	6712.9 AFHR	0.0	M PEA A A1PXXXY911167	XXxxXXxx
	Change Serviceability Stat		0.0	U/S SERV	
	Estimated Date/Time Servic		1.0	22OCT09 09:52 SERV STAT	
21OCT09 23:37	Into Maintenance	6714.1 AFHR	0.5	A A1PXXOY913360	XXxxXXxx
21OCT09 23:39	Change Serviceability Stat	6714.1 AFHR	0.0	SERV U/S A1PXXUY914042	XXxxXXxx
	Estimated Date/Time Servic		734066.4	SERV STAT 22OCT09	
21OCT09 23:43	Maintenance Release		0.0	M PEA A A1PXXXY911178	XXxxXXxx
	Change Serviceability Stat		0.0	U/S SERV	
	Estimated Date/Time Servic		1.0	22OCT09 23:39 SERV STAT	
22OCT09 07:35	Into Maintenance	6714.1 AFHR	0.3	A M PEA A1PXXOY913414	XXxxXXxx
26OCT09 00:34	Initiate Toolboard	6721.8 AFHR	xxxx	14 B/F	XXxxXXxx
26OCT09 00:35	Clear Toolboard	6721.8 AFHR	xxxx	14	XXxxXXxx
26OCT09 00:35	Maintenance Release	6721.8 AFHR	3.7	M PEA A A1PXXXY911287	XXxxXXxx
26OCT09 06:11	Into Maintenance	6721.8 AFHR	0.2	A M PEA A1PXXOY913576	XXxxXXxx
		6723.0 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01984  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
26OCT09 11:23	Initiate	Toolboard 6725.4 AFHR	xxxx	14 B/F	XXxxXXxx
26OCT09 11:23	Clear	Toolboard 6725.4 AFHR	xxxx	14	XXxxXXxx
27OCT09 00:03	Maintenance	Release 6725.4 AFHR	0.7	M PEA A A1PXXXY911327	XXxxXXxx
27OCT09 06:26	Into	Maintenance 6726.6 AFHR	0.2	A A1PXXOY913646	XXxxXXxx
27OCT09 10:42	Initiate	Toolboard 6729.0 AFHR	xxxx	14 B/F	XXxxXXxx
27OCT09 10:42	Clear	Toolboard 6729.0 AFHR	xxxx	14	XXxxXXxx
27OCT09 10:57	Change	Serviceability Stat 6729.0 AFHR	0.1	SERV U/S A1PXXUY916902	XXxxXXxx
	Estimated	Date/Time Servic 734067.5		SERV STAT 28OCT09	
28OCT09 00:17	Maintenance	Release 6729.0 AFHR	0.5	M PEA A A1PXXXY911372	XXxxXXxx
	Change	Serviceability Stat 6729.0 AFHR	0.5	U/S SERV	
	Estimated	Date/Time Servic 0.5		28OCT09 10:57 SERV STAT	
28OCT09 02:07	Into	Maintenance 6729.0 AFHR	0.0	A M PEA A1PXXOY913698	XXxxXXxx
29OCT09 11:14	Initiate	Toolboard 6735.3 AFHR	xxxx	14 B/F	XXxxXXxx
29OCT09 11:14	Clear	Toolboard 6735.3 AFHR	xxxx	14	XXxxXXxx
29OCT09 23:06	Maintenance	Release 6735.3 AFHR	1.8	M PEA A A1PXXXY911466	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01985  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
30OCT09	02:09	Into Maintenance	0.1	A		
		6735.3 AFHR		M PEA		
01NOV09	23:09	Initiate Toolboard	xxxx	A1PXXOY913864		XXxxXXxx
		6736.5 AFHR		14 B/F		
01NOV09	23:10	Clear Toolboard	xxxx	14		XXxxXXxx
		6736.5 AFHR				
02NOV09	00:11	Maintenance Release	2.9	M PEA		XXxxXXxx
		6736.5 AFHR		A		
02NOV09	05:57	Into Maintenance	0.2	A1PXXXY911522		XXxxXXxx
		6737.8 AFHR		A		
02NOV09	05:59	Change Serviceability Stat	0.0	A1PXXOY913941		XXxxXXxx
		6737.8 AFHR		SERV		
		Estimated Date/Time Servic	734073.7	U/S		
				A1PXXUY917527		XXxxXXxx
02NOV09	23:27	Initiate Toolboard	xxxx	SERV STAT		
		6739.0 AFHR		03NOV09		
02NOV09	23:36	Asset Comments	0.0	14 B/F		XXxxXXxx
		6739.0 AFHR		MTF 6739.0 HP FUEL PUMP		
02NOV09	23:44	Clear Toolboard	xxxx	A1PXXXY911578		XXxxXXxx
		6739.0 AFHR		14		
02NOV09	23:44	Maintenance Release	0.7			XXxxXXxx
		6739.0 AFHR		M PEA		
		Change Serviceability Stat	0.7	A		
				A1PXXXY911579		XXxxXXxx
		Estimated Date/Time Servic	1.7	U/S		
				SERV		
03NOV09	03:23	Into Maintenance	0.1	03NOV09 05:59		
		6739.0 AFHR		SERV STAT		
03NOV09	03:25	Asset Comments	0.0	A		XXxxXXxx
		6739.0 AFHR		A1PXXOY914006		
				A1PXXXY911609		XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01986  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
03NOV09 03:25	Change Serviceability Stat 6739.0 AFHR Estimated Date/Time Servic	0.0	SERV U/S A1PXXUY917565	XXxxXXxx
03NOV09 09:47	Initiate Toolboard 6740.1 AFHR	xxxx	14 B/F	XXxxXXxx
03NOV09 09:47	Clear Toolboard 6740.1 AFHR	xxxx	14	XXxxXXxx
04NOV09 02:29	Maintenance Release 6740.1 AFHR	0.9	M PEA A A1PXXXY911668	XXxxXXxx
	Change Serviceability Stat Estimated Date/Time Servic	0.9	U/S SERV 04NOV09 03:25 SERV STAT	
04NOV09 06:20	Into Maintenance 6740.1 AFHR	0.1	A A1PXXOY914054	XXxxXXxx
04NOV09 06:21	Change Serviceability Stat 6740.1 AFHR	0.0	SERV U/S A1PXXUY917678	XXxxXXxx
	Estimated Date/Time Servic	734080.8	SERV STAT 05NOV09	
04NOV09 10:48	Initiate Toolboard 6742.3 AFHR	xxxx	14 B/F	XXxxXXxx
04NOV09 13:07	Asset Comments 6742.3 AFHR	0.0	A/T 6742.3 A/T A1PXXXY911695	XXxxXXxx
05NOV09 00:02	Clear Toolboard 6742.3 AFHR	xxxx	14	XXxxXXxx
05NOV09 00:03	Maintenance Release 6742.3 AFHR	0.7	M PEA A A1PXXXY911720	XXxxXXxx
	Change Serviceability Stat Estimated Date/Time Servic	0.7	U/S SERV 05NOV09 06:24 SERV STAT	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01987  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
05NOV09 06:16	Into Maintenance	6742.3 AFHR	0.2	A	
05NOV09 06:17	Change Serviceability Stat	6742.3 AFHR	0.0	A1PXXOY914130	XXxxXXxx
	Estimated Date/Time Servic		734081.7	U/S A1PXXUY917696 SERV STAT	XXxxXXxx
05NOV09 10:52	Initiate Toolboard	6744.5 AFHR	xxxx	06NOV09 14 B/F	
05NOV09 23:28	Clear Toolboard	6744.5 AFHR	xxxx	14	XXxxXXxx
05NOV09 23:29	Asset Comments	6744.5 AFHR	0.0		XXxxXXxx
05NOV09 23:29	Maintenance Release	6744.5 AFHR	0.7	A1PXXXY911779 M PEA	XXxxXXxx
	Change Serviceability Stat	6744.5 AFHR	0.7	A A1PXXXY911780 U/S	XXxxXXxx
	Estimated Date/Time Servic		1.7	SERV 06NOV09 06:17 SERV STAT	
06NOV09 01:42	Into Maintenance	6744.5 AFHR	0.0	A	
06NOV09 04:55	Change Serviceability Stat	6745.7 AFHR	0.1	A1PXXOY914178	XXxxXXxx
	Estimated Date/Time Servic		734082.7	SERV U/S A1PXXUY900684 SERV STAT	XXxxXXxx
08NOV09 23:19	Initiate Toolboard	6747.3 AFHR	xxxx	07NOV09 14 B/F	
08NOV09 23:20	Clear Toolboard	6747.3 AFHR	xxxx	14	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01988  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
09NOV09 06:57	Maintenance Release	3.0	M PEA A A1PXXXY911889	XXxxXXxx
	6748.5 AFHR Change Serviceability Stat	3.0	U/S SERV	
	Estimated Date/Time Servic	1.0	07NOV09 04:55 SERV STAT	
09NOV09 09:04	Into Maintenance	0.0	A M PEA A1PXXOY914316	XXxxXXxx
09NOV09 10:03	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	6749.8 AFHR			XXxxXXxx
09NOV09 22:51	Clear Toolboard	xxxx	14	XXxxXXxx
	6749.8 AFHR			XXxxXXxx
09NOV09 22:51	Maintenance Release	0.5	M PEA A A1PXXXY911913	XXxxXXxx
	6749.8 AFHR			XXxxXXxx
10NOV09 09:33	Into Maintenance	0.4	A A1PXXOY914396	XXxxXXxx
	6749.8 AFHR			XXxxXXxx
10NOV09 09:47	Change Serviceability Stat	0.0	SERV U/S A1PXXUY918097	XXxxXXxx
	6749.8 AFHR			XXxxXXxx
	Estimated Date/Time Servic	734085.8	SERV STAT 11NOV09	
10NOV09 09:56	Asset Comments	0.0	A/T 6749.8 A/T FOR L/H BRAKE OPS AND NG ADJUSTMENT	XXxxXXxx
	6749.8 AFHR			XXxxXXxx
10NOV09 10:48	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	6749.8 AFHR			XXxxXXxx
10NOV09 23:10	Clear Toolboard	xxxx	14	XXxxXXxx
	6749.8 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01989  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
10NOV09 23:12	Maintenance Release	0.5	M PEA A	
	6749.8 AFHR Change Serviceability Stat	0.5	A1PXXXY911995 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.5	SERV 11NOV09 09:48 SERV STAT	
11NOV09 07:41	Into Maintenance	0.3	A	
	6749.8 AFHR Change Serviceability Stat	0.0	A1PXXOY914461 SERV	XXxxXXxx
	Estimated Date/Time Servic	734087.6	U/S A1PXXUY918184 SERV STAT	XXxxXXxx
11NOV09 10:58	Initiate Toolboard	xxxx	12NOV09 14 B/F	
	6749.8 AFHR			XXxxXXxx
11NOV09 23:02	Clear Toolboard	xxxx	14	
	6749.8 AFHR			XXxxXXxx
11NOV09 23:03	Maintenance Release	0.6	M PEA A	
	6749.8 AFHR Change Serviceability Stat	0.6	A1PXXXY912053 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.6	SERV 12NOV09 07:42 SERV STAT	
12NOV09 01:44	Into Maintenance	0.1	A	
	6749.8 AFHR Change Serviceability Stat	0.0	A1PXXOY914509 SERV	XXxxXXxx
	Estimated Date/Time Servic	734088.8	U/S A1PXXUY918109 SERV STAT	XXxxXXxx
12NOV09 01:46	Asset Comments	0.0	13NOV09	
	6749.8 AFHR			XXxxXXxx
12NOV09 09:55	Initiate Toolboard	xxxx	A1PXXXY912075 14 B/F	
	6752.0 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01990  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
12NOV09 22:56	Clear Toolboard	6752.0 AFHR	xxxx	14	XXxxXXxx
12NOV09 22:57	Maintenance Release	6752.0 AFHR	0.8	M PEA A A1PXXXY912101	XXxxXXxx
	Change Serviceability Stat		0.8	U/S SERV	
	Estimated Date/Time Servic		1.8	13NOV09 01:45 SERV STAT	
13NOV09 01:43	Into Maintenance		0.1	A M PEA	
15NOV09 22:49	Initiate Toolboard	6752.0 AFHR	xxxx	A1PXXOY914589	XXxxXXxx
15NOV09 23:14	Clear Toolboard	6754.6 AFHR	xxxx	14 B/F	XXxxXXxx
15NOV09 23:15	Maintenance Release	6754.6 AFHR	2.8	M PEA A	XXxxXXxx
16NOV09 05:55	Into Maintenance		0.2	A1PXXXY912155 A	XXxxXXxx
16NOV09 09:22	Initiate Toolboard	6755.9 AFHR	xxxx	M PEA A1PXXOY914722	XXxxXXxx
16NOV09 09:23	Clear Toolboard	6757.1 AFHR	xxxx	14 B/F	XXxxXXxx
16NOV09 22:49	Maintenance Release	6757.1 AFHR	0.7	M PEA A	XXxxXXxx
17NOV09 09:47	Into Maintenance		0.4	A1PXXXY912318 A	XXxxXXxx
17NOV09 09:48	Initiate Toolboard	6757.1 AFHR	xxxx	A1PXXOY914827	XXxxXXxx
17NOV09 09:49	Clear Toolboard	6757.1 AFHR	xxxx	14 B/F	XXxxXXxx
	Maintenance Release		0.7	M PEA A	XXxxXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01991  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
17NOV09 10:40	Change Serviceability Stat 6757.1 AFHR Estimated Date/Time Servic	0.0	SERV U/S A1PXXUY918469	XXxxXXxx
18NOV09 08:52	Initiate Toolboard 6757.1 AFHR	xxxx	14 B/F	XXxxXXxx
18NOV09 08:53	Clear Toolboard 6757.1 AFHR	xxxx	14	XXxxXXxx
18NOV09 22:59	Maintenance Release 6757.1 AFHR Change Serviceability Stat	1.5	M PEA A A1PXXXY912466	XXxxXXxx
	Estimated Date/Time Servic	1.5	U/S SERV 18NOV09 10:42 SERV STAT	
19NOV09 03:11	Into Maintenance 6757.1 AFHR	0.1	A A1PXXOY914911	XXxxXXxx
19NOV09 10:34	Initiate Toolboard 6760.5 AFHR	xxxx	14 B/F	XXxxXXxx
19NOV09 10:34	Clear Toolboard 6760.5 AFHR	xxxx	14	XXxxXXxx
19NOV09 10:51	Change Serviceability Stat 6760.5 AFHR Estimated Date/Time Servic	0.3	SERV U/S A1PXXUY918255	XXxxXXxx
		734095.5	SERV STAT 20NOV09	
19NOV09 23:33	Maintenance Release 6760.5 AFHR Change Serviceability Stat	0.5	M PEA A A1PXXXY912530	XXxxXXxx
	Estimated Date/Time Servic	0.5	U/S SERV 20NOV09 10:51 SERV STAT	
20NOV09 01:37	Into Maintenance 6760.5 AFHR	0.0	A A1PXXOY914972	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01992  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
20NOV09 05:22	Change Serviceability Stat	0.1	SERV U/S	
	6761.9 AFHR		A1PXXUY918469	XXxxXXxx
	Estimated Date/Time Servic	734096.7	SERV STAT	
			21NOV09	
22NOV09 22:25	Initiate Toolboard	xxxx	14 B/F	
	6761.9 AFHR			XXxxXXxx
22NOV09 22:26	Clear Toolboard	xxxx	14	
	6761.9 AFHR			XXxxXXxx
23NOV09 08:26	Asset Comments	0.0	A/T 6761.9 A/T	
	6761.9 AFHR		A1PXXXY912642	XXxxXXxx
23NOV09 09:53	Initiate Toolboard	xxxx	14 B/F	
	6761.9 AFHR			XXxxXXxx
23NOV09 09:53	Clear Toolboard	xxxx	14	
	6761.9 AFHR			XXxxXXxx
23NOV09 09:54	Maintenance Release	3.1	M PEA	
	6761.9 AFHR		A1PXXXY912646	XXxxXXxx
	Change Serviceability Stat	3.1	U/S	
	Estimated Date/Time Servic	1.1	SERV	
			21NOV09 05:22	
			SERV STAT	
23NOV09 11:52	Into Maintenance	0.0	A	
	6761.9 AFHR		A1PXXOY915061	XXxxXXxx
23NOV09 11:54	Change Serviceability Stat	0.0	SERV	
	6761.9 AFHR		U/S	
	Estimated Date/Time Servic	734099.9	A1PXXUY918749	XXxxXXxx
			SERV STAT	
			24NOV09	
23NOV09 11:55	Asset Comments	0.0		
	6761.9 AFHR		A1PXXXY912656	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01993  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
23NOV09 22:53	Maintenance Release	0.4	M PEA A A1PXXXY912701	XXxxXXxx
	6763.8 AFHR Change Serviceability Stat	0.4	U/S SERV	
	Estimated Date/Time Servic	1.4	24NOV09 11:54 SERV STAT	
24NOV09 02:32	Into Maintenance	0.1	A A1PXXOY915082	XXxxXXxx
24NOV09 06:31	Asset Comments	0.0	A/T 6766.3 A/T A1PXXXY912732	XXxxXXxx
24NOV09 06:31	Change Serviceability Stat	0.1	SERV U/S A1PXXUY918830	XXxxXXxx
	6766.3 AFHR Estimated Date/Time Servic	734100.6	SERV STAT 25NOV09	
24NOV09 09:39	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	6766.3 AFHR			
24NOV09 09:40	Clear Toolboard	xxxx	14	XXxxXXxx
	6766.3 AFHR			
24NOV09 23:28	Maintenance Release	0.7	M PEA A A1PXXXY912752	XXxxXXxx
	6766.3 AFHR Change Serviceability Stat	0.7	U/S SERV	
	Estimated Date/Time Servic	1.7	25NOV09 06:32 SERV STAT	
25NOV09 02:23	Into Maintenance	0.1	A A1PXXOY915150	XXxxXXxx
25NOV09 02:23	Change Serviceability Stat	0.0	SERV U/S A1PXXUY918830	XXxxXXxx
	6766.3 AFHR Estimated Date/Time Servic	734101.8	SERV STAT 26NOV09	
25NOV09 02:59	Asset Comments	0.0	A1PXXXY912780	XXxxXXxx
	6767.5 AFHR			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01994  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
25NOV09 05:37	Maintenance Release	0.1	M PEA A	
	6767.5 AFHR Change Serviceability Stat	0.1	A1PXXXY912807 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.1	SERV 26NOV09 02:23 SERV STAT	
25NOV09 08:40	Into Maintenance	0.1	A M PEA	
	6767.5 AFHR		A1PXXOY915205	XXxxXXxx
25NOV09 10:26	Initiate Toolboard	xxxx	14 B/F	
	6768.5 AFHR			XXxxXXxx
26NOV09 01:40	Clear Toolboard	xxxx	14	
	6768.5 AFHR			XXxxXXxx
26NOV09 01:40	Maintenance Release	0.7	M PEA A	
	6768.5 AFHR		A1PXXXY912855	XXxxXXxx
26NOV09 08:05	Into Maintenance	0.2	A A1PXXOY915256	XXxxXXxx
26NOV09 10:53	Initiate Toolboard	xxxx	14 B/F	
	6770.0 AFHR			XXxxXXxx
26NOV09 11:18	Change Serviceability Stat	0.1	SERV U/S	
	6770.0 AFHR		A1PXXUY919000	XXxxXXxx
	Estimated Date/Time Servic	734101.7	SERV STAT 27NOV09	
26NOV09 22:36	Clear Toolboard	xxxx	14	
	6770.0 AFHR			XXxxXXxx
29NOV09 22:29	Initiate Toolboard	xxxx	14 B/F	
	6772.4 AFHR			XXxxXXxx
29NOV09 22:30	Clear Toolboard	xxxx	14	
	6772.4 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01995  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
29NOV09 22:53	Maintenance Release	3.4	M PEA A A1PXXXY912942	XXxxXXxx
	6772.4 AFHR Change Serviceability Stat	3.4	U/S SERV	
	Estimated Date/Time Servic	1.4	27NOV09 11:19 SERV STAT	
30NOV09 00:08	Into Maintenance	0.0	A A1PXXOY915309	XXxxXXxx
30NOV09 00:47	6772.4 AFHR Change Serviceability Stat	0.0	SERV U/S A1PXXUY919131	XXxxXXxx
	Estimated Date/Time Servic	734106.9	SERV STAT 01DEC09	
30NOV09 00:51	Asset Comments	0.0	A/T 6772.4 A/T FOR NG ADJUSTMENT CURRENT AFHR 6772.4	XXxxXXxx
30NOV09 00:51	6772.4 AFHR Armed	0.0	A1PXXXY912966 Y	XXxxXXxx
30NOV09 01:36	6772.4 AFHR Armed	0.0	A1PXXXY912967 N	XXxxXXxx
30NOV09 06:30	6772.4 AFHR Asset Comments	0.0	A1PXXXY912971	XXxxXXxx
30NOV09 11:11	6772.4 AFHR Initiate Toolboard	xxxx	A1PXXXY912984 14 B/F	XXxxXXxx
30NOV09 23:30	6774.8 AFHR Clear Toolboard	xxxx	14	XXxxXXxx
30NOV09 23:30	6774.8 AFHR Maintenance Release	0.9	M PEA A A1PXXXY912993	XXxxXXxx
	Change Serviceability Stat	0.9	U/S SERV	
	Estimated Date/Time Servic	1.9	01DEC09 00:49 SERV STAT	
01DEC09 01:20	6774.8 AFHR Into Maintenance	0.0	A M PEA A1PXXOY915392	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01996  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
01DEC09 10:45	Initiate Toolboard	6778.6 AFHR	xxxx	14 B/F	XXxxXXxx
01DEC09 22:58	Clear Toolboard	6779.7 AFHR	xxxx	14	XXxxXXxx
01DEC09 22:58	Maintenance Release	6779.7 AFHR	0.9	M PEA A A1PXXXY913065	XXxxXXxx
02DEC09 01:22	Into Maintenance	6779.7 AFHR	0.0	A M PEA A1PXXOY915456	XXxxXXxx
02DEC09 11:10	Initiate Toolboard	6783.3 AFHR	xxxx	14 B/F	XXxxXXxx
02DEC09 23:10	Clear Toolboard	6783.3 AFHR	xxxx	14	XXxxXXxx
02DEC09 23:10	Maintenance Release	6783.3 AFHR	0.9	M PEA A A1PXXXY913153	XXxxXXxx
03DEC09 05:55	Into Maintenance	6783.3 AFHR	0.2	A A1PXXOY915560	XXxxXXxx
03DEC09 10:38	Initiate Toolboard	6784.3 AFHR	xxxx	14 B/F	XXxxXXxx
03DEC09 12:40	Change Serviceability Stat	6784.3 AFHR	0.2	SERV U/S A1PXXUY919043	XXxxXXxx
	Estimated Date/Time Servic		734107.4	SERV STAT 04DEC09	
04DEC09 00:34	Clear Toolboard	6784.3 AFHR	xxxx	14	XXxxXXxx
04DEC09 00:34	Maintenance Release	6784.3 AFHR	0.4	M PEA A A1PXXXY913221	XXxxXXxx
	Change Serviceability Stat		0.4	U/S SERV	
	Estimated Date/Time Servic		0.4	04DEC09 12:40 SERV STAT	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01997  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
04DEC09	04:30	Into Maintenance	0.1	A		
		6784.3 AFHR		M PEA		
06DEC09	23:16	Initiate Toolboard	xxxx	A1PXXOY915621		XXxxXXxx
		6785.3 AFHR		14 B/F		
06DEC09	23:16	Clear Toolboard	xxxx	14		XXxxXXxx
		6785.3 AFHR				
07DEC09	02:02	Maintenance Release	2.8	M PEA		
		6785.3 AFHR		A		
07DEC09	06:04	Maintenance Comment	0.0	A1PXXXY913234		XXxxXXxx
		6785.3 AFHR		ANNUAL REVIEW AF AC LOG BOOK C/O IAW AAP 7001.059		
07DEC09	06:16	Into Maintenance	0.1	A1PXXXY913275		XXxxXXxx
		6785.3 AFHR		A		
07DEC09	21:47	Change Serviceability Stat	0.6	A1PXXOY915643		XXxxXXxx
		6786.7 AFHR		SERV		
		Estimated Date/Time Servic	734110.1	U/S		
				A1PXXUY919468		XXxxXXxx
09DEC09	00:56	Asset Comments	0.0	SERV STAT		
		6786.7 AFHR		08DEC09		
14DEC09	23:25	Maintenance Comment	0.0	R2 SERV	R2 SERV	
		6786.7 AFHR		A1PXXXY913354		XXxxXXxx
16DEC09	00:37	Asset Comments	0.0	DESIGN DEVIATION A23/031/2009 INC		
		6786.7 AFHR		A1PXXXY913518		XXxxXXxx
19JAN10	09:23	Initiate Toolboard	xxxx	MTF 6786.7 MTF		
		6786.7 AFHR		A1PXXXY913521		XXxxXXxx
19JAN10	09:23	Clear Toolboard	xxxx	14 B/F		XXxxXXxx
		6786.7 AFHR				
20JAN10	00:34	Initiate Toolboard	xxxx	14		XXxxXXxx
		6786.7 AFHR		14 B/F		
20JAN10	00:50	Clear Toolboard	xxxx	14		XXxxXXxx
		6786.7 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01998  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
20JAN10 00:50	Maintenance Release	43.1	M PEA A A1PXXX1000458	XXxxXXxx
	6786.7 AFHR Change Serviceability Stat	43.1	U/S SERV	
	Estimated Date/Time Servic	0.1	08DEC09 21:48 SERV STAT	
20JAN10 00:57	Into Maintenance	0.0	A M PEA A1PXXO1000194	XXxxXXxx
20JAN10 01:02	Maintenance Release	0.0	M PEA A A1PXXX1000459	XXxxXXxx
20JAN10 04:42	Into Maintenance	0.1	A A1PXXO1000215	XXxxXXxx
20JAN10 04:43	Asset Comments	0.0	A1PXXX1000470	XXxxXXxx
20JAN10 04:43	Change Serviceability Stat	0.0	SERV U/S A1PXXUY919936	XXxxXXxx
	6786.7 AFHR Estimated Date/Time Servic	734157.8	SERV STAT 21JAN10	
20JAN10 09:14	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
20JAN10 09:14	Clear Toolboard	xxxx	14	XXxxXXxx
21JAN10 04:30	Maintenance Release	0.9	M PEA A A1PXXX1000525	XXxxXXxx
	6787.7 AFHR Change Serviceability Stat	0.9	U/S SERV	
	Estimated Date/Time Servic	0.9	21JAN10 04:43 SERV STAT	
21JAN10 07:53	Into Maintenance	0.1	A A1PXXO1000262	XXxxXXxx
	6787.7 AFHR			

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 01999  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
21JAN10 07:53	Change Serviceability Stat	0.0	SERV U/S	
	6787.7 AFHR		A1PXXU1000802	XXxxXXxx
	Estimated Date/Time Servic	734158.8	SERV STAT	
			22JAN10	
21JAN10 09:48	Initiate Toolboard	xxxx	14 B/F	
	6787.7 AFHR			XXxxXXxx
21JAN10 09:48	Clear Toolboard	xxxx	14	
	6787.7 AFHR			XXxxXXxx
21JAN10 22:59	Maintenance Release	0.6	M PEA	
	6789.1 AFHR		A1PXXX1000573	XXxxXXxx
	Change Serviceability Stat	0.6	U/S	
	Estimated Date/Time Servic	1.6	22JAN10 07:56	
22JAN10 01:23	Into Maintenance	0.0	SERV STAT	
	6789.1 AFHR		A	
			M PEA	
24JAN10 23:13	Initiate Toolboard	xxxx	A1PXXO1000307	XXxxXXxx
	6793.0 AFHR		14 B/F	
24JAN10 23:14	Clear Toolboard	xxxx	14	
	6793.0 AFHR			XXxxXXxx
25JAN10 02:27	Maintenance Release	3.0	M PEA	
	6793.0 AFHR		A	
25JAN10 10:50	Into Maintenance	0.3	A1PXXX1000634	XXxxXXxx
			A	
			M PEA	
26JAN10 11:45	Initiate Toolboard	xxxx	A1PXXO1000403	XXxxXXxx
	6793.0 AFHR		14 B/F	
26JAN10 11:45	Clear Toolboard	xxxx	14	
	6793.0 AFHR			XXxxXXxx
26JAN10 23:28	Maintenance Release	1.5	M PEA	
	6793.0 AFHR		A	
			A1PXXX1000687	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02000  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
27JAN10 01:45		Into Maintenance	6793.0 AFHR	0.0	A A1PXXO1000455	XXxxXXxx
27JAN10 09:25		Initiate Toolboard	6795.4 AFHR	xxxx	14 B/F	XXxxXXxx
27JAN10 09:25		Clear Toolboard	6795.4 AFHR	xxxx	14	XXxxXXxx
27JAN10 14:01		Change Serviceability Stat	6795.4 AFHR	0.5	SERV U/S A1PXXU1000838	XXxxXXxx
		Estimated Date/Time Servic		734159.3	SERV STAT 28JAN10	
27JAN10 23:47		Maintenance Release	6795.4 AFHR	0.4	M PEA A A1PXXX1000800	XXxxXXxx
		Change Serviceability Stat		0.4	U/S SERV	
		Estimated Date/Time Servic		1.4	28JAN10 14:01 SERV STAT	
28JAN10 09:25		Into Maintenance	6795.4 AFHR	0.4	A M PEA A1PXXO1000581	XXxxXXxx
28JAN10 09:34		Initiate Toolboard	6795.4 AFHR	xxxx	14 B/F	XXxxXXxx
28JAN10 09:35		Clear Toolboard	6795.4 AFHR	xxxx	14	XXxxXXxx
28JAN10 10:13		Initiate Toolboard	6795.4 AFHR	xxxx	14 B/F	XXxxXXxx
28JAN10 10:13		Clear Toolboard	6795.4 AFHR	xxxx	14	XXxxXXxx
28JAN10 10:14		Maintenance Release		0.0	M PEA A	
		Estimated Date/Time Servic	6795.4 AFHR		A1PXXX1000829	XXxxXXxx
28JAN10 13:23		Into Maintenance	6795.4 AFHR	0.1	A A1PXXO1000621	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02001  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
29JAN10 07:55	Change Serviceability Stat	0.7	SERV U/S A1PXXU1001162	XXxxXXxx
	6798.1 AFHR Estimated Date/Time Serv	734165.6	SERV STAT 30JAN10 14 B/F	
31JAN10 22:22	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	6798.1 AFHR			
31JAN10 22:23	Clear Toolboard	xxxx	14	XXxxXXxx
	6798.1 AFHR			
31JAN10 23:42	Maintenance Release	2.6	M PEA A	
	6798.1 AFHR		A1PXXX1000885	XXxxXXxx
	Change Serviceability Stat	2.6	U/S	
	Estimated Date/Time Serv	1.6	SERV 30JAN10 07:57	
01FEB10 06:40	Into Maintenance	0.2	SERV STAT A	
	6798.1 AFHR		A1PXXO1000676	XXxxXXxx
01FEB10 07:09	Change Serviceability Stat	0.0	SERV U/S	
	6799.3 AFHR		A1PXXU1001163	XXxxXXxx
	Estimated Date/Time Serv	734169.6	SERV STAT 02FEB10	
01FEB10 23:07	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	6799.3 AFHR			
01FEB10 23:08	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	6799.3 AFHR			
01FEB10 23:08	Clear Toolboard	xxxx	14	XXxxXXxx
	6799.3 AFHR			
01FEB10 23:10	Maintenance Release	0.6	M PEA A	
	6799.3 AFHR		A1PXXX1000978	XXxxXXxx
	Change Serviceability Stat	0.6	U/S	
	Estimated Date/Time Serv	1.6	SERV 02FEB10 07:09	
			SERV STAT	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02002  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
02FEB10 06:27	Into Maintenance 6799.3 AFHR	0.3	A A1PXXO1000749	XXxxXXxx
02FEB10 06:28	Change Serviceability Stat 6799.3 AFHR Estimated Date/Time Servic	0.0 734170.6	SERV U/S A1PXXU1001325 SERV STAT 03FEB10	XXxxXXxx
02FEB10 11:35	Initiate Toolboard 6800.5 AFHR	xxxx	14 B/F	XXxxXXxx
02FEB10 22:42	Clear Toolboard 6800.5 AFHR	xxxx	14	XXxxXXxx
02FEB10 23:46	Maintenance Release 6800.5 AFHR Change Serviceability Stat	0.7 0.7	M PEA A A1PXXX1001047 U/S SERV	XXxxXXxx
02FEB10 23:46	Estimated Date/Time Servic	1.7	03FEB10 06:28 SERV STAT	
03FEB10 10:05	Into Maintenance 6800.5 AFHR	0.4	A A1PXXO1000846	XXxxXXxx
03FEB10 10:13	Initiate Toolboard 6800.5 AFHR	xxxx	14 B/F	XXxxXXxx
03FEB10 12:01	Change Serviceability Stat 6800.5 AFHR Estimated Date/Time Servic	0.0 734171.4	SERV U/S A1PXXU1001017 SERV STAT 04FEB10	XXxxXXxx
03FEB10 22:52	Clear Toolboard 6800.5 AFHR	xxxx	14	XXxxXXxx
03FEB10 23:38	Maintenance Release 6800.5 AFHR Change Serviceability Stat	0.4 0.4	M PEA A A1PXXX1001108 U/S SERV	XXxxXXxx
03FEB10 23:38	Estimated Date/Time Servic	1.4	04FEB10 12:01 SERV STAT	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02003  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
04FEB10 00:21	Into Maintenance	6800.5 AFHR	0.0	A A1PXXO1000850	XXxxXXxx
04FEB10 00:30	Change Serviceability Stat	6800.5 AFHR	0.0	SERV U/S A1PXXU1001509	XXxxXXxx
	Estimated Date/Time Servic		734172.9	SERV STAT	
04FEB10 00:53	Maintenance Release	6800.5 AFHR	0.0	05FEB10 M PEA A A1PXXX1001113	XXxxXXxx
	Change Serviceability Stat		0.0	U/S SERV	
	Estimated Date/Time Servic		1.0	05FEB10 00:30 SERV STAT	
05FEB10 05:29	Into Maintenance	6805.1 AFHR	1.1	A A1PXXO1000954	XXxxXXxx
05FEB10 05:31	Change Serviceability Stat	6805.1 AFHR	0.0	SERV U/S A1PXXU1001614	XXxxXXxx
	Estimated Date/Time Servic		734172.8	SERV STAT	
07FEB10 22:36	Initiate Toolboard	6805.1 AFHR	xxxx	06FEB10 14 B/F	
07FEB10 22:36	Clear Toolboard	6805.1 AFHR	xxxx	14	XXxxXXxx
07FEB10 23:44	Maintenance Release	6805.1 AFHR	2.7	M PEA A A1PXXX1001201	XXxxXXxx
	Change Serviceability Stat		2.7	U/S SERV	
	Estimated Date/Time Servic		1.7	06FEB10 05:33 SERV STAT	
08FEB10 02:05	Into Maintenance	6805.1 AFHR	0.0	A M PEA A1PXXO1001001	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02004  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
08FEB10 09:57	Initiate Toolboard	6807.4 AFHR	xxxx	14 B/F	XXxxXXxx
08FEB10 09:57	Clear Toolboard	6807.4 AFHR	xxxx	14	XXxxXXxx
08FEB10 09:57	Maintenance Release	6807.4 AFHR	0.3	M PEA A A1PXXX1001314	XXxxXXxx
08FEB10 11:38	Into Maintenance	6807.4 AFHR	0.0	M PEA A1PXXO1001067	XXxxXXxx
08FEB10 23:16	Maintenance Release	6807.4 AFHR	0.4	M PEA A A1PXXX1001429	XXxxXXxx
09FEB10 05:34	Into Maintenance	6807.4 AFHR	0.2	A1PXXO1001093	XXxxXXxx
09FEB10 05:34	Change Serviceability Stat	6807.4 AFHR	0.0	SERV U/S A1PXXU1001748	XXxxXXxx
09FEB10 08:42	Asset Comments	6809.2 AFHR	0.0	Estimated Date/Time Servic SERV STAT 10FEB10 MTF 6809.2 MTF A1PXXX1001500	XXxxXXxx
09FEB10 10:30	Initiate Toolboard	6809.2 AFHR	xxxx	14 B/F	XXxxXXxx
09FEB10 10:30	Clear Toolboard	6809.2 AFHR	xxxx	14	XXxxXXxx
09FEB10 23:27	Maintenance Release	6809.2 AFHR	0.7	M PEA A A1PXXX1001522	XXxxXXxx
09FEB10 23:27	Change Serviceability Stat	6809.2 AFHR	0.7	U/S SERV 10FEB10 05:36	XXxxXXxx
09FEB10 23:27	Estimated Date/Time Servic	6809.2 AFHR	1.7	SERV STAT	XXxxXXxx
10FEB10 10:35	Into Maintenance	6809.2 AFHR	0.4	A A1PXXO1001171	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02005  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
10FEB10 10:37	Change Serviceability Stat	0.0	SERV U/S A1PXXU1001484	XXxxXXxx
	6809.2 AFHR Estimated Date/Time Servic	734178.5	SERV STAT 11FEB10 14 B/F	
10FEB10 11:34	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	6809.2 AFHR			
10FEB10 11:35	Clear Toolboard	xxxx	14	XXxxXXxx
	6809.2 AFHR			
11FEB10 06:25	Maintenance Release	0.8	M PEA A	
	6809.2 AFHR		A1PXXX1001649	XXxxXXxx
	Change Serviceability Stat	0.8	U/S	
	Estimated Date/Time Servic	0.8	11FEB10 10:37	
11FEB10 07:48	Into Maintenance	0.0	SERV STAT A	
	6809.2 AFHR		A1PXXO1001218	XXxxXXxx
11FEB10 07:48	Change Serviceability Stat	0.0	SERV U/S	
	6809.2 AFHR		A1PXXU1001762	XXxxXXxx
	Estimated Date/Time Servic	734179.9	SERV STAT 12FEB10	
11FEB10 07:56	Asset Comments	0.0	MTF 6809.7 MTF	
	6809.2 AFHR		A1PXXX1001652	XXxxXXxx
11FEB10 10:11	Initiate Toolboard	xxxx	14 B/F	
	6809.7 AFHR			XXxxXXxx
11FEB10 10:11	Clear Toolboard	xxxx	14	
	6809.7 AFHR			XXxxXXxx
11FEB10 23:08	Maintenance Release	0.6	M PEA A	
	6809.7 AFHR		A1PXXX1001683	XXxxXXxx
	Change Serviceability Stat	0.6	U/S	
	Estimated Date/Time Servic	1.6	SERV 12FEB10 07:48	
			SERV STAT	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02006  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----				
TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN(DYS) FROM	TO (OPTIONAL)	USER
=====	=====	=====	=====	=====	=====	=====
12FEB10 02:09	Asset Comments	6809.7	AFHR	0.0	A1PXXX1001705	XXxxXXxx
12FEB10 02:09	Into Maintenance	6809.7	AFHR	0.1	A	XXxxXXxx
12FEB10 02:10	Change Serviceability Stat	6809.7	AFHR	0.0	A1PXXO1001252	XXxxXXxx
	Estimated Date/Time Servic				SERV	
					U/S	
					A1PXXU1001898	XXxxXXxx
				734180.8	SERV STAT	
					13FEB10	
16FEB10 02:12	Asset Comments	6810.8	AFHR	0.0	A/T	XXxxXXxx
16FEB10 02:16	Initiate Toolboard	6810.8	AFHR	xxxx	A1PXXX1001803	XXxxXXxx
16FEB10 02:25	Clear Toolboard	6810.8	AFHR	xxxx	14 B/F	XXxxXXxx
16FEB10 02:25	Maintenance Release - Over	6810.8	AFHR	4.0	14	XXxxXXxx
	Change Serviceability Stat			4.0	M PEA	
	Maintenance Comment			0.0	A	
	Estimated Date/Time Servic			1.0	A1PXXX1001804	XXxxXXxx
					U/S	
					SERV	
					MPAN 002/10	
					13FEB10 02:10	
					SERV STAT	
16FEB10 10:17	Into Maintenance	6810.8	AFHR	0.3	A	XXxxXXxx
					M PEA	
16FEB10 10:37	Initiate Toolboard	6810.8	AFHR	xxxx	A1PXXO1001444	XXxxXXxx
16FEB10 23:01	Clear Toolboard	6810.8	AFHR	xxxx	14 B/F	XXxxXXxx
16FEB10 23:01	Maintenance Release	6810.8	AFHR	0.5	14	XXxxXXxx
					M PEA	
					A	
					A1PXXX1001872	XXxxXXxx
17FEB10 05:00	Asset Comments	6810.8	AFHR	0.0	A1PXXX1001893	XXxxXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02007  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
17FEB10 05:00	Into Maintenance 6810.8 AFHR	0.2	A A1PXXO1001468	XXXXXXxx
17FEB10 05:01	Change Serviceability Stat 6810.8 AFHR Estimated Date/Time Servic	0.0 734184.8	SERV U/S A1PXXU1002100 SERV STAT 18FEB10	XXXXXXxx
17FEB10 09:16	Initiate Toolboard 6814.1 AFHR	xxxx	14 B/F	XXXXXXxx
17FEB10 10:29	Initiate Toolboard 6814.1 AFHR	xxxx	14 B/F	XXXXXXxx
17FEB10 10:51	Clear Toolboard 6814.1 AFHR	xxxx	14	XXXXXXxx
17FEB10 10:53	Maintenance Release 6814.1 AFHR Change Serviceability Stat	0.2 0.2	M PEA A A1PXXX1001912 U/S SERV	XXXXXXxx
	Maintenance Comment Estimated Date/Time Servic	0.0 1.2	NIGHT FLYING 18FEB10 05:01 SERV STAT	
17FEB10 13:42	Into Maintenance 6815.1 AFHR	0.1	A A1PXXO1001527	XXXXXXxx
17FEB10 13:43	Change Serviceability Stat 6815.1 AFHR Estimated Date/Time Servic	0.0 734185.8	SERV U/S A1PXXU1002192 SERV STAT 18FEB10	XXXXXXxx
17FEB10 14:57	Maintenance Release 6815.1 AFHR Change Serviceability Stat	0.0 0.0	M PEA A A1PXXX1001915 U/S SERV	XXXXXXxx
	Estimated Date/Time Servic	1.0	18FEB10 13:43 SERV STAT	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02008  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
17FEB10 17:25	Into Maintenance 6815.1 AFHR	0.1	A A1PXXO1001537	XXxxXXxx
17FEB10 17:26	Change Serviceability Stat 6815.1 AFHR Estimated Date/Time Servic	0.0 734185.8	SERV U/S A1PXXU1001871 SERV STAT 18FEB10	XXxxXXxx
17FEB10 23:40	Maintenance Release 6816.2 AFHR Change Serviceability Stat Estimated Date/Time Servic	0.2 0.2 1.2	M PEA A A1PXXX1001938 U/S SERV 18FEB10 17:26 SERV STAT	XXxxXXxx
18FEB10 08:26	Into Maintenance 6817.4 AFHR	0.3	A M PEA A1PXXO1001606	XXxxXXxx
18FEB10 10:29	Initiate Toolboard 6818.6 AFHR	xxxx	14 B/F	XXxxXXxx
18FEB10 10:29	Initiate Toolboard 6818.6 AFHR	xxxx	14 B/F	XXxxXXxx
18FEB10 23:18	Clear Toolboard 6818.6 AFHR	xxxx	14	XXxxXXxx
18FEB10 23:18	Maintenance Release 6818.6 AFHR	0.6	M PEA A A1PXXX1001983	XXxxXXxx
19FEB10 02:56	Into Maintenance 6818.6 AFHR	0.1	A M PEA A1PXXO1001631	XXxxXXxx
21FEB10 22:38	Initiate Toolboard 6821.2 AFHR	xxxx	14 B/F	XXxxXXxx
21FEB10 22:39	Clear Toolboard 6821.2 AFHR	xxxx	14	XXxxXXxx
22FEB10 00:08	Maintenance Release 6821.2 AFHR	2.8	M PEA A A1PXXX1002058	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02009  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
22FEB10 08:21	Into Maintenance			0.3	A M PEA	
22FEB10 10:48	Initiate Toolboard	6822.6	AFHR	xxxx	A1PXXO1001693	XXxxXXxx
22FEB10 23:12	Clear Toolboard	6823.9	AFHR	xxxx	14 B/F	XXxxXXxx
22FEB10 23:12	Maintenance Release	6823.9	AFHR	0.6	A M PEA	XXxxXXxx
24FEB10 02:49	Into Maintenance	6823.9	AFHR	1.1	A1PXXX1002139	XXxxXXxx
24FEB10 02:51	Change Serviceability Stat	6823.9	AFHR	0.0	A A1PXXO1001800	XXxxXXxx
24FEB10 09:25	Initiate Toolboard	6823.9	AFHR	xxxx	SERV U/S A1PXXU1002520	XXxxXXxx
25FEB10 09:15	Initiate Toolboard	6823.9	AFHR	xxxx	25FEB10 14 B/F	XXxxXXxx
25FEB10 09:15	Clear Toolboard	6823.9	AFHR	xxxx	14 B/F	XXxxXXxx
25FEB10 22:53	Maintenance Release	6823.9	AFHR	1.8	A M PEA	XXxxXXxx
25FEB10	Change Serviceability Stat	6823.9	AFHR	1.8	A1PXXX1002259	XXxxXXxx
25FEB10	Estimated Date/Time Servic	6823.9	AFHR	1.8	U/S SERV 25FEB10 02:56	
26FEB10 05:38	Into Maintenance			0.2	SERV STAT A	
01MAR10 22:39	Initiate Toolboard	6824.9	AFHR	xxxx	M PEA A1PXXO1001978	XXxxXXxx
		6826.2	AFHR		14 B/F	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02010  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
01MAR10 22:39		Clear Toolboard		xxxx	14	
		6826.2 AFHR				XXxxXXxx
01MAR10 22:55		Maintenance Release		3.7	M PEA	
		6826.2 AFHR			A	
02MAR10 06:16		Asset Comments		0.0	A1PXXX1002305 AWAY	XXxxXXxx
		6827.5 AFHR			A1PXXX1002342	XXxxXXxx
03MAR10 05:43		Asset Comments		0.0	A1PXXX1002384	XXxxXXxx
		6832.2 AFHR			A	
03MAR10 09:17		Into Maintenance		1.4	A1PXXO1002146	XXxxXXxx
		6832.2 AFHR			SERV	
03MAR10 09:18		Change Serviceability Stat		0.0	U/S	
		6832.2 AFHR			A1PXXU1002545	XXxxXXxx
		Estimated Date/Time Servic		734194.5	SERV STAT	
03MAR10 10:05		Initiate Toolboard		xxxx	14 B/F	
		6833.7 AFHR				XXxxXXxx
03MAR10 10:05		Clear Toolboard		xxxx	14	
		6833.7 AFHR				XXxxXXxx
03MAR10 10:46		Asset Comments		0.0	AIRTEST AIRTEST	
		6833.7 AFHR			A1PXXX1002389	XXxxXXxx
03MAR10 23:15		Maintenance Release		0.5	M PEA	
		6833.7 AFHR			A	
		Change Serviceability Stat		0.5	A1PXXX1002398	XXxxXXxx
		Estimated Date/Time Servic		1.5	U/S	
					SERV	
04MAR10 04:24		Into Maintenance		0.2	04MAR10 09:18	
		6833.7 AFHR			SERV STAT	
04MAR10 04:25		Change Serviceability Stat		0.0	A	
		6833.7 AFHR			A1PXXO1002192	XXxxXXxx
		Estimated Date/Time Servic		734200.7	SERV	
					U/S	
					A1PXXU1002860	XXxxXXxx
					SERV STAT	
					05MAR10	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02011  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
04MAR10 04:28	Asset Comments			0.0		
	6833.7	AFHR			A1PXXX1002417	XXxxXXxx
04MAR10 09:12	Initiate Toolboard			xxxx	14 B/F	
	6835.0	AFHR				XXxxXXxx
04MAR10 09:13	Clear Toolboard			xxxx	14	
	6835.0	AFHR				XXxxXXxx
04MAR10 22:44	Maintenance Release			0.7	M PEA	
	6835.0	AFHR			A	
	Change Serviceability Stat			0.7	A1PXXX1002425	XXxxXXxx
	Estimated Date/Time Servic			1.7	U/S	
					SERV	
					05MAR10 04:25	
					SERV STAT	
05MAR10 05:45	Into Maintenance			0.2	A	
	6835.0	AFHR			M PEA	
09MAR10 11:16	Initiate Toolboard			xxxx	A1PXXO1002259	XXxxXXxx
	6847.3	AFHR			14 B/F	
09MAR10 23:11	Clear Toolboard			xxxx	14	
	6847.3	AFHR				XXxxXXxx
09MAR10 23:12	Maintenance Release			4.7	M PEA	
	6847.3	AFHR			A	
10MAR10 03:05	Into Maintenance			0.1	A1PXXX1002556	XXxxXXxx
	6847.3	AFHR			A	
10MAR10 09:53	Change Serviceability Stat			0.2	A1PXXO1002426	XXxxXXxx
	6848.4	AFHR			SERV	
	Estimated Date/Time Servic			734201.5	U/S	
					A1PXXU1002877	XXxxXXxx
					SERV STAT	
					11MAR10	
10MAR10 10:39	Initiate Toolboard			xxxx	14 B/F	
	6848.4	AFHR				XXxxXXxx
10MAR10 23:26	Clear Toolboard			xxxx	14	
	6848.4	AFHR				XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02012  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
10MAR10	23:28	Maintenance Release	0.5	M PEA A		
		6848.4 AFHR		A1PXXX1002631		XXxxXXxx
		Change Serviceability Stat	0.5	U/S		
		Estimated Date/Time Servic	1.5	SERV 11MAR10 09:53		
				SERV STAT		
10MAR10	23:40	Into Maintenance	0.0	A		
		6848.4 AFHR		M PEA A1PXXO1002491		XXxxXXxx
10MAR10	23:44	Maintenance Release	0.0	M PEA		
		6848.4 AFHR		A A1PXXX1002639		XXxxXXxx
11MAR10	08:57	Into Maintenance	0.3	A		
		6850.9 AFHR		M PEA A1PXXO1002568		XXxxXXxx
11MAR10	10:26	Initiate Toolboard	xxxx	14 B/F		XXxxXXxx
		6852.1 AFHR				XXxxXXxx
11MAR10	22:56	Clear Toolboard	xxxx	14		XXxxXXxx
		6852.1 AFHR				XXxxXXxx
11MAR10	22:56	Maintenance Release	0.5	M PEA		
		6852.1 AFHR		A A1PXXX1002689		XXxxXXxx
14MAR10	22:21	Into Maintenance	2.9	A		
		6853.5 AFHR		M PEA A1PXXO1002633		XXxxXXxx
14MAR10	22:54	Initiate Toolboard	xxxx	14 B/F		XXxxXXxx
		6853.5 AFHR				XXxxXXxx
14MAR10	22:54	Clear Toolboard	xxxx	14		XXxxXXxx
		6853.5 AFHR				XXxxXXxx
14MAR10	23:36	Maintenance Release	0.0	M PEA		
		6853.5 AFHR		A A1PXXX1002733		XXxxXXxx
15MAR10	06:10	Into Maintenance	0.2	A		
		6854.8 AFHR		A1PXXO1002682		XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02013  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
15MAR10 10:22	Initiate Toolboard 6857.3 AFHR	xxxx	14 B/F	XXxxXXxx
15MAR10 10:22	Clear Toolboard 6857.3 AFHR	xxxx	14	XXxxXXxx
15MAR10 11:36	Change Serviceability Stat 6857.3 AFHR Estimated Date/Time Servic	0.2	SERV U/S A1PXXU1003462 SERV STAT 16MAR10	XXxxXXxx
15MAR10 23:35	Maintenance Release 6857.3 AFHR Change Serviceability Stat Estimated Date/Time Servic	0.4	M PEA A A1PXXX1002792 U/S SERV 16MAR10 11:36 SERV STAT	XXxxXXxx
16MAR10 01:40	Into Maintenance 6857.3 AFHR	0.0	A M PEA A1PXXO1002722	XXxxXXxx
16MAR10 22:26	Initiate Toolboard 6860.9 AFHR	xxxx	14 B/F	XXxxXXxx
16MAR10 23:16	Clear Toolboard 6860.9 AFHR	xxxx	14	XXxxXXxx
16MAR10 23:17	Maintenance Release 6860.9 AFHR	0.9	M PEA A A1PXXX1002827	XXxxXXxx
17MAR10 05:19	Into Maintenance 6862.1 AFHR	0.2	A A1PXXO1002815	XXxxXXxx
17MAR10 06:35	Change Serviceability Stat 6863.2 AFHR Estimated Date/Time Servic	0.0	SERV U/S A1PXXU1003644 SERV STAT 18MAR10	XXxxXXxx
17MAR10 10:01	Initiate Toolboard 6863.2 AFHR	xxxx	14 B/F	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02014  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----				
TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN(DYS) FROM	TO (OPTIONAL)	USER
=====	=====	=====	=====	=====	=====	=====
17MAR10 10:01	Clear Toolboard			xxxx	14	
	6863.2 AFHR					XXxxXXxx
18MAR10 00:34	Maintenance Release			0.7	M PEA	
	6863.2 AFHR				A	
	Change Serviceability Stat			0.7	A1PXXX1002888	XXxxXXxx
	Estimated Date/Time Servic			0.7	U/S	
					SERV	
					18MAR10 06:35	
18MAR10 05:22	Into Maintenance			0.1	SERV STAT	
	6863.2 AFHR				A	
18MAR10 09:21	Change Serviceability Stat			0.1	A1PXXO1002876	XXxxXXxx
	6864.4 AFHR				SERV	
	Estimated Date/Time Servic			734214.6	U/S	
					A1PXXU1003715	XXxxXXxx
					SERV STAT	
18MAR10 10:33	Initiate Toolboard			xxxx	19MAR10	
	6864.4 AFHR				14 B/F	XXxxXXxx
18MAR10 10:33	Clear Toolboard			xxxx	14	
	6864.4 AFHR					XXxxXXxx
18MAR10 22:35	Maintenance Release			0.5	M PEA	
	6864.4 AFHR				A	
	Change Serviceability Stat			0.5	A1PXXX1002922	XXxxXXxx
	Estimated Date/Time Servic			1.5	U/S	
					SERV	
					19MAR10 09:26	
19MAR10 01:33	Into Maintenance			0.1	SERV STAT	
	6864.4 AFHR				A	
19MAR10 08:09	Change Serviceability Stat			0.2	A1PXXO1002902	XXxxXXxx
	6866.8 AFHR				SERV	
	Estimated Date/Time Servic			734215.6	U/S	
					A1PXXU1003767	XXxxXXxx
					SERV STAT	
21MAR10 23:06	Initiate Toolboard			xxxx	20MAR10	
	6866.8 AFHR				14 B/F	XXxxXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02015  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
21MAR10 23:06	Clear	Toolboard	6866.8 AFHR	xxxx	14	XXxxXXxx
21MAR10 23:53	Maintenance	Release	6866.8 AFHR	2.6	M PEA A A1PXXX1002970	XXxxXXxx
	Change	Serviceability Stat		2.6	U/S SERV	
	Estimated	Date/Time Servic		1.6	20MAR10 08:12 SERV STAT	
22MAR10 05:50	Into	Maintenance		0.2	A M PEA	
22MAR10 11:08	Initiate	Toolboard	6868.1 AFHR	xxxx	A1PXXO1002971	XXxxXXxx
22MAR10 22:58	Clear	Toolboard	6869.5 AFHR	xxxx	14 B/F	XXxxXXxx
22MAR10 22:58	Maintenance	Release	6869.5 AFHR	0.7	M PEA A	XXxxXXxx
23MAR10 10:01	Into	Maintenance	6869.5 AFHR	0.4	A1PXXX1002998 A	XXxxXXxx
23MAR10 10:05	Initiate	Toolboard	6869.5 AFHR	xxxx	M PEA A1PXXO1003014	XXxxXXxx
23MAR10 11:48	Clear	Toolboard	6869.5 AFHR	xxxx	14 B/F	XXxxXXxx
23MAR10 22:45	Maintenance	Release	6869.5 AFHR	0.5	M PEA A	XXxxXXxx
24MAR10 02:23	Into	Maintenance	6869.5 AFHR	0.1	A1PXXX1003078 A	XXxxXXxx
24MAR10 02:23	Change	Serviceability Stat	6869.5 AFHR	0.0	A1PXXO1003035 SERV	XXxxXXxx
	Estimated	Date/Time Servic	6869.5 AFHR	734218.8	U/S A1PXXU1003905 SERV STAT	XXxxXXxx
					25MAR10	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02016  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
24MAR10 13:00	Initiate Toolboard 6870.5 AFHR	xxxx	14 B/F	XXxxXXxx
24MAR10 13:00	Clear Toolboard 6870.5 AFHR	xxxx	14	XXxxXXxx
24MAR10 23:37	Maintenance Release 6870.5 AFHR	0.8	M PEA A A1PXXX1003137	XXxxXXxx
	Change Serviceability Stat	0.8	U/S SERV	
	Estimated Date/Time Servic	1.8	25MAR10 02:24 SERV STAT	
25MAR10 11:47	Into Maintenance 6870.5 AFHR	0.5	A A1PXXO1003135	XXxxXXxx
25MAR10 22:29	Change Serviceability Stat 6870.5 AFHR	0.4	SERV U/S A1PXXU1004027	XXxxXXxx
	Estimated Date/Time Servic	734221.0	SERV STAT 26MAR10	
30MAR10 11:05	Initiate Toolboard 6870.5 AFHR	xxxx	14 B/F	XXxxXXxx
30MAR10 23:41	Clear Toolboard 6870.5 AFHR	xxxx	14	XXxxXXxx
30MAR10 23:46	Maintenance Release 6870.5 AFHR	5.0	M PEA A A1PXXX1003272	XXxxXXxx
	Change Serviceability Stat	5.0	U/S SERV	
	Estimated Date/Time Servic	1.0	26MAR10 22:34 SERV STAT	
31MAR10 08:25	Into Maintenance 6871.7 AFHR	0.3	A A1PXXO1003246	XXxxXXxx
31MAR10 10:21	Initiate Toolboard 6873.0 AFHR	xxxx	14 B/F	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02017  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
31MAR10 11:07	Change Serviceability Stat 6873.0 AFHR Estimated Date/Time Servic	0.1 734227.5	SERV U/S A1PXXU1003956 SERV STAT 01APR10 14	XXxxXXxx
31MAR10 23:35	Clear Toolboard 6873.0 AFHR	xxxx	14	XXxxXXxx
31MAR10 23:35	Maintenance Release 6873.0 AFHR Change Serviceability Stat	0.5 0.5	M PEA A A1PXXX1003382 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.5	SERV 01APR10 11:07 SERV STAT	
01APR10 02:55	Into Maintenance 6873.0 AFHR	0.1	A M PEA A1PXXO1003262	XXxxXXxx
05APR10 22:54	Initiate Toolboard 6874.3 AFHR	xxxx	14 B/F	XXxxXXxx
05APR10 23:17	Clear Toolboard 6874.3 AFHR	xxxx	14	XXxxXXxx
05APR10 23:17	Maintenance Release 6874.3 AFHR	4.8	M PEA A A1PXXX1003402	XXxxXXxx
06APR10 02:35	Into Maintenance 6874.3 AFHR	0.1	A M PEA A1PXXO1003282	XXxxXXxx
06APR10 10:54	Initiate Toolboard 6876.7 AFHR	xxxx	14 B/F	XXxxXXxx
06APR10 10:54	Clear Toolboard 6876.7 AFHR	xxxx	14	XXxxXXxx
06APR10 22:53	Maintenance Release 6876.7 AFHR	0.8	M PEA A A1PXXX1003446	XXxxXXxx
07APR10 07:39	Into Maintenance 6877.9 AFHR	0.3	A A1PXXO1003362	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02018  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
07APR10 08:59	Change Serviceability Stat 6879.7 AFHR Estimated Date/Time Serv	0.0 734228.6	SERV U/S A1PXXU1004494 SERV STAT 08APR10 14 B/F	XXxxXXxx
07APR10 11:25	Initiate Toolboard 6879.7 AFHR	xxxx	14	XXxxXXxx
07APR10 11:25	Clear Toolboard 6879.7 AFHR	xxxx	14	XXxxXXxx
08APR10 01:22	Maintenance Release 6879.7 AFHR Change Serviceability Stat Estimated Date/Time Serv	0.6 0.6	M PEA A A1PXXX1003547 U/S SERV 08APR10 09:01 SERV STAT	XXxxXXxx
08APR10 08:23	Into Maintenance 6879.7 AFHR	0.2	A A1PXXO1003421	XXxxXXxx
08APR10 09:41	Initiate Toolboard 6880.5 AFHR	xxxx	14 B/F	XXxxXXxx
08APR10 09:42	Clear Toolboard 6880.5 AFHR	xxxx	14	XXxxXXxx
08APR10 13:34	Change Serviceability Stat 6880.5 AFHR Estimated Date/Time Serv	0.2 734235.4	SERV U/S A1PXXU1004628 SERV STAT 09APR10	XXxxXXxx
08APR10 13:39	Asset Comments 6880.5 AFHR	0.0	A/T 6880.5 A/T A1PXXX1003575	XXxxXXxx
08APR10 23:37	Maintenance Release 6880.5 AFHR Change Serviceability Stat Estimated Date/Time Serv	0.4 0.4 1.4	M PEA A A1PXXX1003599 U/S SERV 09APR10 13:38 SERV STAT	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02019  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
09APR10	02:46	Into Maintenance 6880.5 AFHR	0.1	A A1PXXO1003446		XXxxXXxx
09APR10	02:47	Into Maintenance 6880.5 AFHR	0.0	M A1PXXO1003449		XXxxXXxx
09APR10	02:48	Asset Comments 6880.5 AFHR	0.0	A1PXXX1003613		XXxxXXxx
09APR10	02:49	Change Serviceability Stat 6880.5 AFHR	0.0	SERV U/S A1PXXU1004628		XXxxXXxx
		Estimated Date/Time Servic	734236.8	SERV STAT 10APR10		
09APR10	02:51	Maintenance Release 6880.5 AFHR	0.0	M PEA A A1PXXX1003615		XXxxXXxx
		Change Serviceability Stat	0.0	U/S SERV		
		Estimated Date/Time Servic	1.0	10APR10 02:49 SERV STAT		
09APR10	05:54	Into Maintenance 6881.7 AFHR	0.1	A M PEA A1PXXO1003463		XXxxXXxx
11APR10	22:26	Initiate Toolboard 6882.9 AFHR	xxxx	14 B/F		XXxxXXxx
11APR10	22:26	Clear Toolboard 6882.9 AFHR	xxxx	14		XXxxXXxx
11APR10	23:41	Maintenance Release 6882.9 AFHR	2.7	M PEA A A1PXXX1003640		XXxxXXxx
12APR10	11:11	Into Maintenance 6882.9 AFHR	0.4	A M PEA A1PXXO1003517		XXxxXXxx
12APR10	11:15	Initiate Toolboard 6882.9 AFHR	xxxx	14 B/F		XXxxXXxx
12APR10	23:02	Clear Toolboard 6882.9 AFHR	xxxx	14		XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02020  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
12APR10	23:04	Maintenance Release	0.4	M PEA A		
		6882.9 AFHR		A1PXXX1003680		XXxxXXxx
13APR10	07:55	Into Maintenance	0.3	A		
		6884.5 AFHR		A1PXXO1003548		XXxxXXxx
13APR10	09:39	Change Serviceability Stat	0.0	SERV U/S		
		6886.0 AFHR		A1PXXU1004804		XXxxXXxx
		Estimated Date/Time Servic	734236.7	SERV STAT 14APR10		
13APR10	10:03	Initiate Toolboard	xxxx	14 B/F		
		6886.0 AFHR				XXxxXXxx
14APR10	00:01	Clear Toolboard	xxxx	14		
		6886.0 AFHR				XXxxXXxx
14APR10	00:03	Maintenance Release	0.5	M PEA A		
		6886.0 AFHR		A1PXXX1003750		XXxxXXxx
		Change Serviceability Stat	0.5	U/S SERV		
		Estimated Date/Time Servic	0.5	14APR10 09:39 SERV STAT		
14APR10	08:10	Into Maintenance	0.3	A		
		6887.4 AFHR		M PEA A1PXXO1003585		XXxxXXxx
14APR10	09:21	Initiate Toolboard	xxxx	14 B/F		
		6887.7 AFHR				XXxxXXxx
14APR10	09:21	Clear Toolboard	xxxx	14		
		6887.7 AFHR				XXxxXXxx
14APR10	09:23	Maintenance Release	0.0	M PEA A		
		6887.7 AFHR		A1PXXX1003794		XXxxXXxx
14APR10	12:27	Into Maintenance	0.1	A		
		6887.7 AFHR		A1PXXO1003604		XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02021  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
14APR10 15:14	Change Serviceability Stat	0.1	SERV U/S A1PXXU1004531	XXxxXXxx
	6889.0 AFHR Estimated Date/Time Servic	734241.3	SERV STAT 15APR10	
15APR10 00:36	Maintenance Release	0.3	M PEA A A1PXXX1003825	XXxxXXxx
	6890.1 AFHR Change Serviceability Stat	0.3	U/S SERV 15APR10 15:14	
	Estimated Date/Time Servic	0.3	SERV STAT A	
15APR10 09:36	Into Maintenance	0.3	A1PXXO1003653	XXxxXXxx
15APR10 09:37	Change Serviceability Stat	0.0	SERV U/S A1PXXU1004965	XXxxXXxx
	6890.1 AFHR Estimated Date/Time Servic	734242.6	SERV STAT 16APR10	
15APR10 11:02	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	6890.1 AFHR Clear Toolboard	xxxx	14	XXxxXXxx
16APR10 00:07	Maintenance Release	0.6	M PEA A A1PXXX1003872	XXxxXXxx
	6890.1 AFHR Change Serviceability Stat	0.6	U/S SERV 16APR10 09:37	
	Estimated Date/Time Servic	0.6	SERV STAT A	
18APR10 22:18	Into Maintenance	2.9	M PEA A1PXXO1003703	XXxxXXxx
	6890.1 AFHR Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	6890.1 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02022  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
18APR10 22:46	Clear	Toolboard	6890.1 AFHR	xxxx	14	XXxxXXxx
19APR10 01:56	Maintenance	Release	6890.1 AFHR	0.1	M PEA A A1PXXX1003933	XXxxXXxx
20APR10 06:40	Into	Maintenance	6894.9 AFHR	1.1	M PEA A1PXXO1003786	XXxxXXxx
20APR10 10:31	Initiate	Toolboard	6897.3 AFHR	xxxx	14 B/F	XXxxXXxx
21APR10 09:07	Initiate	Toolboard	6897.3 AFHR	xxxx	14 B/F	XXxxXXxx
21APR10 09:07	Clear	Toolboard	6897.3 AFHR	xxxx	14	XXxxXXxx
21APR10 09:09	Maintenance	Release	6897.3 AFHR	1.1	M PEA A A1PXXX1004036	XXxxXXxx
21APR10 09:16	Into	Maintenance	6897.3 AFHR	0.0	A A1PXXO1003889	XXxxXXxx
21APR10 09:44	Change	Serviceability Stat	6897.3 AFHR	0.0	SERV U/S A1PXXU1005335	XXxxXXxx
21APR10 10:07	Maintenance	Release	6897.3 AFHR	0.0	SERV STAT 22APR10 M PEA A A1PXXX1004048	XXxxXXxx
21APR10 16:07	Into	Maintenance	6897.3 AFHR	0.2	U/S SERV 22APR10 09:45 SERV STAT A A1PXXO1003906	XXxxXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02023  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
21APR10 16:08	Change Serviceability Stat	0.0	SERV U/S A1PXXU1004920	XXxxXXxx
	6897.3 AFHR Estimated Date/Time Servic	734248.7	SERV STAT 22APR10	
22APR10 07:57	Maintenance Release	0.6	M PEA A A1PXXX1004087	XXxxXXxx
	6899.5 AFHR Change Serviceability Stat	0.6	U/S SERV 22APR10 16:08	
	Estimated Date/Time Servic	0.6	SERV STAT A	
22APR10 08:41	Into Maintenance	0.0	M PEA A1PXXO1003966	XXxxXXxx
	6899.5 AFHR Initiate Toolboard	xxxx	14 B/F	
	6900.8 AFHR Clear Toolboard	xxxx	14	XXxxXXxx
22APR10 09:35	Maintenance Release	0.0	M PEA A A1PXXX1004096	XXxxXXxx
	6900.8 AFHR Into Maintenance	0.6	A A1PXXO1003992	XXxxXXxx
	6900.8 AFHR Change Serviceability Stat	0.0	SERV U/S A1PXXU1005500	XXxxXXxx
	6901.5 AFHR Estimated Date/Time Servic	734250.2	SERV STAT 24APR10	
26APR10 22:42	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	6906.0 AFHR Clear Toolboard	xxxx	14	XXxxXXxx
26APR10 22:43				XXxxXXxx
	6906.0 AFHR			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02024  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
27APR10 00:20	Maintenance Release	3.9	M PEA A A1PXXX1004153	XXxxXXxx
	6906.0 AFHR Change Serviceability Stat	3.9	U/S SERV	
	Estimated Date/Time Servic	0.9	24APR10 02:18 SERV STAT	
27APR10 06:37	Into Maintenance	0.2	A A1PXXO1004081	XXxxXXxx
27APR10 10:58	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	6907.9 AFHR			
27APR10 12:30	Change Serviceability Stat	0.2	SERV U/S A1PXXU1005629	XXxxXXxx
	6907.9 AFHR Estimated Date/Time Servic	734254.4	SERV STAT 28APR10	
28APR10 05:51	Clear Toolboard	xxxx	14	XXxxXXxx
	6907.9 AFHR			
28APR10 10:53	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	6907.9 AFHR			
29APR10 01:25	Clear Toolboard	xxxx	14	XXxxXXxx
	6909.3 AFHR			
29APR10 01:26	Maintenance Release	1.5	M PEA A A1PXXX1004286	XXxxXXxx
	6909.3 AFHR Change Serviceability Stat	1.5	U/S SERV	
	Estimated Date/Time Servic	0.5	28APR10 12:31 SERV STAT	
29APR10 08:15	Into Maintenance	0.2	A M PEA A1PXXO1004194	XXxxXXxx
	6909.3 AFHR			
29APR10 09:56	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	6910.5 AFHR			
29APR10 09:57	Clear Toolboard	xxxx	14	XXxxXXxx
	6910.5 AFHR			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02025  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS	REFERENCE	
29APR10	09:57	Maintenance Release	0.0	M PEA		
		6910.5 AFHR		A	A1PXXX1004329	XXxxXXxx
29APR10	11:46	Into Maintenance	0.0	A		
		6910.5 AFHR		M PEA	A1PXXO1004211	XXxxXXxx
30APR10	00:03	Maintenance Release	0.5	M PEA		
		6910.9 AFHR		A	A1PXXX1004346	XXxxXXxx
30APR10	04:00	Into Maintenance	0.1	A		
		6910.9 AFHR		M PEA	A1PXXO1004235	XXxxXXxx
02MAY10	22:39	Initiate Toolboard	xxxx	14 B/F		
		6913.3 AFHR				XXxxXXxx
02MAY10	22:40	Clear Toolboard	xxxx	14		
		6913.3 AFHR				XXxxXXxx
02MAY10	23:37	Maintenance Release	2.8	M PEA		
		6913.3 AFHR		A	A1PXXX1004367	XXxxXXxx
03MAY10	08:45	Into Maintenance	0.3	A		
		6914.5 AFHR		M PEA	A1PXXO1004288	XXxxXXxx
03MAY10	08:45	Initiate Toolboard	xxxx	14 B/F		
		6914.5 AFHR				XXxxXXxx
03MAY10	08:45	Clear Toolboard	xxxx	14		
		6914.5 AFHR				XXxxXXxx
03MAY10	08:46	Maintenance Release	0.0	M PEA		
		6914.5 AFHR		A	A1PXXX1004425	XXxxXXxx
04MAY10	06:55	Into Maintenance	0.9	A		
		6917.3 AFHR		M PEA	A1PXXO1004319	XXxxXXxx
04MAY10	08:13	Initiate Toolboard	xxxx	14 B/F		
		6918.5 AFHR				XXxxXXxx
04MAY10	08:14	Clear Toolboard	xxxx	14		
		6918.5 AFHR				XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02026  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
04MAY10	08:14	Maintenance Release	0.0	M PEA A		
		6918.5 AFHR		A1PXXX1004466		XXxxXXxx
04MAY10	09:21	Into Maintenance	0.0	A		
		6918.5 AFHR		A1PXXO1004329		XXxxXXxx
04MAY10	09:22	Change Serviceability Stat	0.0	SERV U/S		
		6918.5 AFHR		A1PXXU1006011		XXxxXXxx
		Estimated Date/Time Servic	734256.6	SERV STAT 05MAY10		
04MAY10	09:47	Maintenance Release	0.0	M PEA A		
		6918.5 AFHR		A1PXXX1004470		XXxxXXxx
		Change Serviceability Stat	0.0	U/S SERV		
		Estimated Date/Time Servic	1.0	05MAY10 09:22 SERV STAT		
05MAY10	01:44	Into Maintenance	0.6	A M PEA		
		6921.1 AFHR		A1PXXO1004353		XXxxXXxx
05MAY10	09:20	Initiate Toolboard	xxxx	14 B/F		
		6924.8 AFHR				XXxxXXxx
05MAY10	09:20	Clear Toolboard	xxxx	14		
		6924.8 AFHR				XXxxXXxx
05MAY10	09:21	Maintenance Release	0.3	M PEA A		
		6924.8 AFHR		A1PXXX1004583		XXxxXXxx
05MAY10	15:08	Into Maintenance	0.2	A		
		6924.8 AFHR		A1PXXO1004396		XXxxXXxx
05MAY10	15:09	Change Serviceability Stat	0.0	SERV U/S		
		6924.8 AFHR		A1PXXU1005771		XXxxXXxx
		Estimated Date/Time Servic	734261.7	SERV STAT 06MAY10		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02027  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
06MAY10 00:21	Maintenance Release	0.3	M PEA A	
	6925.9 AFHR Change Serviceability Stat	0.3	A1PXXX1004600 U/S	XXxxXXxx
	Estimated Date/Time Servic	0.3	SERV 06MAY10 15:09 SERV STAT	
06MAY10 01:42	Into Maintenance	0.0	A	
	6925.9 AFHR		A1PXXO1004412	XXxxXXxx
06MAY10 06:26	Change Serviceability Stat	0.1	SERV U/S	
	6927.1 AFHR Estimated Date/Time Servic	734263.7	A1PXXU1006192 SERV STAT 07MAY10	XXxxXXxx
06MAY10 10:21	Initiate Toolboard	xxxx	14 B/F	
	6927.1 AFHR			XXxxXXxx
06MAY10 10:21	Clear Toolboard	xxxx	14	
	6927.1 AFHR			XXxxXXxx
06MAY10 11:10	Asset Comments	0.0	A/T 6927.0 A/T	
	6927.1 AFHR		A1PXXX1004651	XXxxXXxx
06MAY10 23:57	Maintenance Release	0.7	M PEA A	
	6927.1 AFHR Change Serviceability Stat	0.7	A1PXXX1004656 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.7	SERV 07MAY10 06:28 SERV STAT	
07MAY10 01:45	Into Maintenance	0.0	A	
	6927.1 AFHR		A1PXXO1004449	XXxxXXxx
07MAY10 01:47	Change Serviceability Stat	0.0	SERV U/S	
	6927.1 AFHR Estimated Date/Time Servic	734264.9	A1PXXU1006218 SERV STAT 08MAY10	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02028  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW		SPAN (DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
07MAY10	01:49	Armed			0.0	Y	
			6927.1	AFHR		A1PXXX1004678	XXxxXXxx
07MAY10	01:49	Asset Comments	6927.1	AFHR	0.0	A1PXXX1004678	XXxxXXxx
07MAY10	01:49	Armed			0.0	N	
			6927.1	AFHR		A1PXXX1004679	XXxxXXxx
09MAY10	22:20	Initiate Toolboard	6930.4	AFHR	xxxx	14 B/F	XXxxXXxx
09MAY10	22:20	Clear Toolboard	6930.4	AFHR	xxxx	14	XXxxXXxx
09MAY10	23:37	Maintenance Release			2.9	M PEA	
			6930.4	AFHR		A	
		Change Serviceability Stat			2.9	A1PXXX1004724	XXxxXXxx
		Estimated Date/Time Servic			1.9	U/S	
						SERV	
						08MAY10 01:47	
						SERV STAT	
10MAY10	08:33	Into Maintenance			0.3	A	
			6931.7	AFHR		M PEA	
10MAY10	10:24	Initiate Toolboard	6932.9	AFHR	xxxx	A1PXXO1004535	XXxxXXxx
10MAY10	22:34	Clear Toolboard	6932.9	AFHR	xxxx	14 B/F	XXxxXXxx
10MAY10	22:35	Maintenance Release			0.5	A	
			6932.9	AFHR		M PEA	
11MAY10	01:10	Into Maintenance			0.1	A1PXXX1004772	XXxxXXxx
			6932.9	AFHR		A	
11MAY10	09:27	Initiate Toolboard	6935.2	AFHR	xxxx	M PEA	XXxxXXxx
11MAY10	23:12	Clear Toolboard	6935.2	AFHR	xxxx	A1PXXO1004556	XXxxXXxx
						14 B/F	
						14	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02029  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
11MAY10	23:13	Maintenance Release	0.9	M PEA A		
		6935.2 AFHR		A1PXXX1004844		XXxxXXxx
12MAY10	08:24	Into Maintenance	0.3	A		
		6935.2 AFHR		A1PXXO1004662		XXxxXXxx
12MAY10	11:22	Initiate Toolboard	xxxx	14 A/F		
		6936.2 AFHR				XXxxXXxx
13MAY10	00:09	Asset Comments	0.0	R1 SERV R1 SERV		
		6936.2 AFHR		A1PXXX1004913		XXxxXXxx
13MAY10	03:28	Change Serviceability Stat	0.7	SERV U/S		
		6936.2 AFHR		A1PXXUY914043		XXxxXXxx
		Estimated Date/Time Servic	734267.8	SERV STAT 14MAY10		
20MAY10	02:35	Initiate Toolboard	xxxx	14 B/F		
		6936.2 AFHR				XXxxXXxx
20MAY10	02:36	Clear Toolboard	xxxx	14		
		6936.2 AFHR				XXxxXXxx
20MAY10	02:42	Maintenance Release	6.9	M PEA A		
		6936.2 AFHR		A1PXXX1005184		XXxxXXxx
		Change Serviceability Stat	6.9	U/S		
		Estimated Date/Time Servic	0.9	SERV 14MAY10 03:28		
20MAY10	02:42	Asset Comments	0.0	SERV STAT MTF	MTF	
		6936.2 AFHR		A1PXXX1005185		XXxxXXxx
20MAY10	07:30	Into Maintenance	0.1	A		
		6937.0 AFHR		A1PXXO1005051		XXxxXXxx
20MAY10	07:33	Change Serviceability Stat	0.0	SERV U/S		
		6937.0 AFHR		A1PXXU1006821		XXxxXXxx
		Estimated Date/Time Servic	734277.7	SERV STAT 21MAY10		
20MAY10	07:45	Asset Comments	0.0	MTF 6937.0 MTF		
		6937.0 AFHR		A1PXXX1005209		XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02030  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
23MAY10 22:40	Initiate Toolboard	6937.0 AFHR	xxxx	14 B/F	XXxxXXxx
23MAY10 22:41	Clear Toolboard	6937.0 AFHR	xxxx	14	XXxxXXxx
24MAY10 00:14	Maintenance Release	6937.0 AFHR	3.6	M PEA A	
	Change Serviceability Stat	6937.0 AFHR	3.6	A1PXXX1005290 U/S	XXxxXXxx
	Estimated Date/Time Servic		0.6	SERV 21MAY10 07:33 SERV STAT	
24MAY10 01:05	Into Maintenance	6937.0 AFHR	0.0	A	
24MAY10 09:19	Initiate Toolboard	6937.5 AFHR	xxxx	A1PXXO1005121 14 B/F	XXxxXXxx
24MAY10 09:19	Clear Toolboard	6937.5 AFHR	xxxx	14	XXxxXXxx
24MAY10 13:28	Change Serviceability Stat	6937.5 AFHR	0.5	SERV U/S	
	Estimated Date/Time Servic		734281.4	A1PXXU1006816 SERV STAT 25MAY10	XXxxXXxx
24MAY10 22:50	Asset Comments	6937.5 AFHR	0.0	MTF 6937.5 MTF A1PXXX1005312	XXxxXXxx
25MAY10 00:21	Maintenance Release	6937.5 AFHR	0.4	M PEA A	
	Change Serviceability Stat	6937.5 AFHR	0.4	A1PXXX1005341 U/S	XXxxXXxx
	Estimated Date/Time Servic		0.4	SERV 25MAY10 13:28 SERV STAT	
25MAY10 02:20	Into Maintenance	6937.5 AFHR	0.0	A	
25MAY10 02:53	Asset Comments	6938.1 AFHR	0.0	A1PXXO1005163 A1PXXX1005351	XXxxXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02031  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
25MAY10 02:53	Change Serviceability Stat	0.0	SERV U/S A1PXXU1007053	XXxxXXxx
	6938.1 AFHR Estimated Date/Time Servic	734282.8	SERV STAT 26MAY10	
25MAY10 03:00	Maintenance Release	0.0	M PEA A A1PXXX1005354	XXxxXXxx
	6938.1 AFHR Change Serviceability Stat	0.0	U/S SERV	
	Estimated Date/Time Servic	1.0	26MAY10 02:53 SERV STAT	
25MAY10 08:37	Into Maintenance	0.2	A M PEA A1PXXO1005200	XXxxXXxx
25MAY10 08:51	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
25MAY10 08:51	Clear Toolboard	xxxx	14	XXxxXXxx
25MAY10 23:34	Maintenance Release	0.6	M PEA A A1PXXX1005376	XXxxXXxx
26MAY10 08:45	Into Maintenance	0.3	A M PEA A1PXXO1005268	XXxxXXxx
26MAY10 09:05	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
26MAY10 09:05	Clear Toolboard	xxxx	14	XXxxXXxx
	6939.3 AFHR Change Part Number of an A		NO PARENT TRANSACTION DETAILS	
27MAY10 00:57	Maintenance Comment	0.0	MPAN 11/2010	
27MAY10 02:18	Maintenance Release	0.7	M PEA A A1PXXX1005431	XXxxXXxx
	6939.3 AFHR			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02032  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
27MAY10	05:51	Into Maintenance	0.1	A		
		6939.6 AFHR		M PEA		
				A1PXXO1005292		XXxxXXxx
27MAY10	09:59	Initiate Toolboard	xxxx	14 B/F		
		6939.6 AFHR				XXxxXXxx
27MAY10	09:59	Clear Toolboard	xxxx	14		
		6939.6 AFHR				XXxxXXxx
27MAY10	23:09	Maintenance Release	0.7	M PEA		
		6939.6 AFHR		A		
				A1PXXX1005474		XXxxXXxx
30MAY10	22:16	Into Maintenance	2.9	A		
		6942.2 AFHR		M PEA		
				A1PXXO1005358		XXxxXXxx
30MAY10	23:08	Initiate Toolboard	xxxx	14 B/F		
		6942.2 AFHR				XXxxXXxx
30MAY10	23:08	Clear Toolboard	xxxx	14		
		6942.2 AFHR				XXxxXXxx
30MAY10	23:23	Maintenance Release	0.0	M PEA		
		6942.2 AFHR		A		
				A1PXXX1005507		XXxxXXxx
31MAY10	09:50	Into Maintenance	0.4	A		
		6942.2 AFHR		A1PXXO1005406		XXxxXXxx
31MAY10	10:47	Change Serviceability Stat	0.0	SERV		
		6946.6 AFHR		U/S		
				A1PXXU1007057		XXxxXXxx
		Estimated Date/Time Servic	734282.6	SERV STAT		
				01JUN10		
31MAY10	10:55	Initiate Toolboard	xxxx	14 B/F		
		6946.6 AFHR				XXxxXXxx
31MAY10	10:55	Clear Toolboard	xxxx	14		
		6946.6 AFHR				XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02033  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
31MAY10 22:52	Maintenance Release	0.5	M PEA A	
	6946.6 AFHR Change Serviceability Stat	0.5	A1PXXX1005573 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.5	SERV 01JUN10 10:47 SERV STAT	
03JUN10 09:39	Into Maintenance	2.4	A M PEA	
	6954.8 AFHR Initiate Toolboard	xxxx	A1PXXO1005609 14 B/F	XXxxXXxx
	6954.8 AFHR Clear Toolboard	xxxx	14	XXxxXXxx
	6954.8 AFHR Maintenance Release	0.5	M PEA A	XXxxXXxx
	6954.8 AFHR Into Maintenance	0.2	A1PXXX1005736 A	XXxxXXxx
04JUN10 04:46	Change Serviceability Stat	0.0	A1PXXO1005641 SERV	XXxxXXxx
	6956.0 AFHR Estimated Date/Time Servic	734289.7	U/S A1PXXU1007357 SERV STAT	XXxxXXxx
	6956.0 AFHR Initiate Toolboard	xxxx	05JUN10 14 B/F	XXxxXXxx
07JUN10 22:57	Clear Toolboard	xxxx	14	XXxxXXxx
	6956.0 AFHR Maintenance Release	3.8	M PEA A	XXxxXXxx
	6956.0 AFHR Change Serviceability Stat	3.8	A1PXXX1005765 U/S	XXxxXXxx
	Estimated Date/Time Servic	0.8	SERV 05JUN10 04:48 SERV STAT	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02034  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
08JUN10 08:44	Into Maintenance			0.3	A	
	6957.4	AFHR			A1PXXO1005702	XXxxXXxx
08JUN10 09:48	Initiate Toolboard			xxxx	14 B/F	
	6958.6	AFHR				XXxxXXxx
08JUN10 09:49	Clear Toolboard			xxxx	14	
	6958.6	AFHR				XXxxXXxx
08JUN10 12:52	Initiate Toolboard			xxxx	14 B/F	
	6958.6	AFHR				XXxxXXxx
08JUN10 13:39	Change Serviceability Stat			0.2	SERV U/S	
	6958.6	AFHR			A1PXXU1007689	XXxxXXxx
	Estimated Date/Time Servic			734296.4	SERV STAT	
					09JUN10	
09JUN10 09:42	Initiate Toolboard			xxxx	14 B/F	
	6960.7	AFHR				XXxxXXxx
09JUN10 09:43	Clear Toolboard			xxxx	14	
	6960.7	AFHR				XXxxXXxx
09JUN10 22:55	Maintenance Release			1.3	M PEA	
	6960.7	AFHR			A	
	Change Serviceability Stat			1.3	A1PXXX1005857	XXxxXXxx
					U/S	
	Estimated Date/Time Servic			1.3	SERV	
					09JUN10 13:39	
					SERV STAT	
10JUN10 06:37	Into Maintenance			0.3	A	
	6962.1	AFHR			M PEA	
10JUN10 09:23	Initiate Toolboard			xxxx	A1PXXO1005801	XXxxXXxx
	6963.3	AFHR			14 B/F	
10JUN10 09:23	Clear Toolboard			xxxx	14	
	6963.3	AFHR				XXxxXXxx
10JUN10 23:19	Maintenance Release			0.6	M PEA	
	6963.3	AFHR			A	
					A1PXXX1005909	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02035  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
11JUN10	06:00	Into Maintenance	0.2	A		
		6964.5 AFHR		M PEA		
				A1PXXO1005852		XXxxXXxx
13JUN10	22:36	Initiate Toolboard	xxxx	14 B/F		
		6965.7 AFHR				XXxxXXxx
13JUN10	22:36	Clear Toolboard	xxxx	14		
		6965.7 AFHR				XXxxXXxx
13JUN10	23:39	Maintenance Release	2.7	M PEA		
		6965.7 AFHR		A		
				A1PXXX1005948		XXxxXXxx
14JUN10	08:40	Into Maintenance	0.3	A		
		6966.6 AFHR		M PEA		
				A1PXXO1005886		XXxxXXxx
14JUN10	09:37	Initiate Toolboard	xxxx	14 B/F		
		6968.0 AFHR				XXxxXXxx
14JUN10	09:47	Clear Toolboard	xxxx	14		
		6968.0 AFHR				XXxxXXxx
14JUN10	09:49	Maintenance Release	0.0	M PEA		
		6968.0 AFHR		A		
				A1PXXX1005992		XXxxXXxx
14JUN10	11:52	Into Maintenance	0.0	A		
		6968.0 AFHR		A1PXXO1005909		XXxxXXxx
14JUN10	11:53	Change Serviceability Stat	0.0	SERV		
		6968.0 AFHR		U/S		
				A1PXXU1007654		XXxxXXxx
		Estimated Date/Time Servic	734298.4	SERV STAT		
				15JUN10		
15JUN10	10:22	Initiate Toolboard	xxxx	14 B/F		
		6970.4 AFHR				XXxxXXxx
15JUN10	22:57	Clear Toolboard	xxxx	14		
		6970.4 AFHR				XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02036  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
15JUN10 22:57	Maintenance Release	1.4	M PEA A	
	6970.4 AFHR Change Serviceability Stat	1.4	A1PXXX1006032 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.4	SERV 15JUN10 11:53 SERV STAT	
16JUN10 02:29	Into Maintenance	0.1	A M PEA	
	6970.4 AFHR		A1PXXO1005953	XXxxXXxx
16JUN10 09:50	Initiate Toolboard	xxxx	14 B/F	
	6974.1 AFHR			XXxxXXxx
16JUN10 09:50	Clear Toolboard	xxxx	14	
	6974.1 AFHR			XXxxXXxx
16JUN10 09:52	Maintenance Release	0.3	M PEA A	
	6974.1 AFHR		A1PXXX1006078	XXxxXXxx
16JUN10 12:00	Into Maintenance	0.0	A M PEA	
	6974.1 AFHR		A1PXXO1006005	XXxxXXxx
16JUN10 12:53	Maintenance Release	0.0	M PEA A	
	6975.4 AFHR		A1PXXX1006090	XXxxXXxx
17JUN10 01:30	Into Maintenance	0.5	A M PEA	
	6975.4 AFHR		A1PXXO1006016	XXxxXXxx
17JUN10 10:28	Initiate Toolboard	xxxx	14 B/F	
	6977.9 AFHR			XXxxXXxx
17JUN10 22:02	Change Part Number of an A		NO PARENT TRANSACTION DETAILS	
17JUN10 23:24	Maintenance Comment	0.0	APPLICATION OF STI-PC9-0529	
	Clear Toolboard	xxxx	14	
	6977.9 AFHR			XXxxXXxx
17JUN10 23:24	Maintenance Release	0.9	M PEA A	
	6977.9 AFHR		A1PXXX1006156	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02037  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
20JUN10 22:24	Into Maintenance			2.9	A	
	6977.9	AFHR			A1PXXO1006113	XXxxXXxx
20JUN10 22:48	Initiate Toolboard			xxxx	14 B/F	
	6977.9	AFHR				XXxxXXxx
20JUN10 22:49	Initiate Toolboard			xxxx	14 B/F	
	6977.9	AFHR				XXxxXXxx
20JUN10 22:49	Clear Toolboard			xxxx	14	
	6977.9	AFHR				XXxxXXxx
21JUN10 09:36	Initiate Toolboard			xxxx	14 B/F	
	6977.9	AFHR				XXxxXXxx
21JUN10 09:36	Clear Toolboard			xxxx	14	
	6977.9	AFHR				XXxxXXxx
21JUN10 11:32	Change Serviceability Stat			0.5	SERV U/S	
	6977.9	AFHR			A1PXXU1008026	XXxxXXxx
	Estimated Date/Time Servic			734304.4	SERV STAT	
					22JUN10	
22JUN10 09:52	Initiate Toolboard			xxxx	14 B/F	
	6977.9	AFHR				XXxxXXxx
22JUN10 09:52	Clear Toolboard			xxxx	14	
	6977.9	AFHR				XXxxXXxx
22JUN10 23:30	Asset Comments			0.0	AIRTEST AIRTEST	
	6977.9	AFHR			A1PXXX1006333	XXxxXXxx
22JUN10 23:31	Maintenance Release			1.4	M PEA	
					A	
	6977.9	AFHR			A1PXXX1006334	XXxxXXxx
	Change Serviceability Stat			1.4	U/S	
	Estimated Date/Time Servic			1.4	SERV	
					22JUN10 11:32	
					SERV STAT	
23JUN10 03:17	Asset Comments			0.0		
	6977.9	AFHR			A1PXXX1006370	XXxxXXxx
23JUN10 03:17	Into Maintenance			0.1	A	
	6977.9	AFHR			A1PXXO1006232	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02038  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
23JUN10 03:19	Change Serviceability Stat 6977.9 AFHR Estimated Date/Time Serv	0.0	SERV U/S A1PXXU1008487	XXxxXXxx
23JUN10 09:35	Initiate Toolboard 6980.3 AFHR	xxxx	14 B/F	XXxxXXxx
23JUN10 09:35	Clear Toolboard 6980.3 AFHR	xxxx	14	XXxxXXxx
23JUN10 22:52	Maintenance Release 6980.3 AFHR	0.8	M PEA A A1PXXX1006390	XXxxXXxx
	Change Serviceability Stat Estimated Date/Time Serv	0.8 1.8	U/S SERV 24JUN10 03:19 SERV STAT	
24JUN10 00:45	Into Maintenance	0.0	A M PEA A1PXXO1006273	XXxxXXxx
24JUN10 09:43	Initiate Toolboard 6984.0 AFHR	xxxx	14 B/F	XXxxXXxx
24JUN10 09:44	Clear Toolboard 6984.0 AFHR	xxxx	14	XXxxXXxx
24JUN10 22:39	Maintenance Release 6984.0 AFHR	0.9	M PEA A A1PXXX1006442	XXxxXXxx
25JUN10 01:45	Into Maintenance 6984.0 AFHR	0.1	A A1PXXO1006307	XXxxXXxx
28JUN10 09:55	Change Serviceability Stat 6990.4 AFHR Estimated Date/Time Serv	3.3 734312.5	SERV U/S A1PXXU1008436	XXxxXXxx
28JUN10 10:43	Initiate Toolboard 6990.4 AFHR	xxxx	SERV STAT 29JUN10 14 B/F	XXxxXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02039  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
28JUN10	23:11	Clear Toolboard		xxxx	14	
		6990.4	AFHR			XXxxXXxx
28JUN10	23:11	Asset Comments		0.0	SOLO ONLY SOLO	
		6990.4	AFHR		A1PXXX1006541	XXxxXXxx
29JUN10	05:44	Asset Comments		0.0		
		6991.7	AFHR		A1PXXX1006603	XXxxXXxx
29JUN10	10:33	Initiate Toolboard		xxxx	14 B/F	
		6994.1	AFHR			XXxxXXxx
05JUL10	02:48	Asset Comments		0.0	S31 S31	
		6994.1	AFHR		A1PXXX1006762	XXxxXXxx
08JUL10	11:36	Asset Comments		0.0	MTF MTF`	
		6994.1	AFHR		A1PXXX1006894	XXxxXXxx
09JUL10	02:57	Initiate Toolboard		xxxx	14 B/F	
		6994.1	AFHR			XXxxXXxx
09JUL10	02:58	Clear Toolboard		xxxx	14	
		6994.1	AFHR			XXxxXXxx
09JUL10	02:58	Maintenance Release		10.7	M PEA	
		6994.1	AFHR		A	
		Change Serviceability Stat		10.7	A1PXXX1006909	XXxxXXxx
		Estimated Date/Time Servic		0.7	U/S	
					SERV	
					29JUN10 09:55	
					SERV STAT	
11JUL10	22:33	Into Maintenance		2.8	A	
		6994.1	AFHR		M PEA	
					A1PXXO1006786	XXxxXXxx
11JUL10	22:33	Initiate Toolboard		xxxx	14 B/F	
		6994.1	AFHR			XXxxXXxx
11JUL10	22:34	Clear Toolboard		xxxx	14	
		6994.1	AFHR			XXxxXXxx
12JUL10	08:02	Asset Comments		0.0	MTF 6994.1 MTF`	
		6994.1	AFHR		A1PXXX1006950	XXxxXXxx
12JUL10	22:25	Initiate Toolboard		xxxx	14 B/F	
		6994.1	AFHR			XXxxXXxx
12JUL10	22:26	Clear Toolboard		xxxx	14	
		6994.1	AFHR			XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02040  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
13JUL10	00:28	Maintenance Release	1.0	M PEA A		
		6994.1 AFHR		A1PXXX1006968		XXxxXXxx
13JUL10	02:00	Into Maintenance	0.0	A		
		6994.1 AFHR		A1PXXO1006809		XXxxXXxx
13JUL10	02:01	Change Serviceability Stat	0.0	SERV		
		6994.1 AFHR		A1PXXU1009261		XXxxXXxx
		Estimated Date/Time Servic	734328.0	SERV STAT 14JUL10		
13JUL10	05:56	Asset Comments	0.0			
		6996.1 AFHR		A1PXXX1007002		XXxxXXxx
13JUL10	05:56	Maintenance Release	0.1	M PEA A		
		6996.1 AFHR		A1PXXX1007003		XXxxXXxx
		Change Serviceability Stat	0.1	U/S		
		Estimated Date/Time Servic	1.1	SERV 14JUL10 02:01 SERV STAT		
14JUL10	07:22	Into Maintenance	0.0	M		
		6999.4 AFHR		A1PXXO1006909		XXxxXXxx
14JUL10	09:46	Into Maintenance	1.1	A		
		6999.4 AFHR		M PEA A1PXXO1006896		XXxxXXxx
14JUL10	09:49	Initiate Toolboard	xxxx	14 B/F		
		6999.4 AFHR				XXxxXXxx
14JUL10	09:50	Clear Toolboard	xxxx	14		
		6999.4 AFHR				XXxxXXxx
14JUL10	09:50	Maintenance Release	0.0	M PEA A		
		6999.4 AFHR		A1PXXX1007071		XXxxXXxx
14JUL10	10:31	Into Maintenance	0.0	A		
		7000.9 AFHR		M PEA A1PXXO1006910		XXxxXXxx
14JUL10	10:31	Initiate Toolboard	xxxx	14 B/F		
		7000.9 AFHR				XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02041  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
14JUL10 22:28	Clear Toolboard 7000.9 AFHR	xxxx	14	XXxxXXxx
14JUL10 22:29	Maintenance Release 7000.9 AFHR	0.4	M PEA A A1PXXX1007087	XXxxXXxx
15JUL10 03:44	Into Maintenance 7000.9 AFHR	0.2	A A1PXXO1006940	XXxxXXxx
15JUL10 11:27	Initiate Toolboard 7005.2 AFHR	xxxx	14 B/F	XXxxXXxx
15JUL10 11:27	Clear Toolboard 7005.2 AFHR	xxxx	14	XXxxXXxx
15JUL10 12:29	Change Serviceability Stat 7005.2 AFHR	0.3	SERV U/S A1PXXU1009269	XXxxXXxx
15JUL10 23:46	Estimated Date/Time Servic 734331.7	734331.7	SERV STAT 16JUL10	
15JUL10 23:46	Maintenance Release 7005.2 AFHR	0.4	M PEA A A1PXXX1007192	XXxxXXxx
	Change Serviceability Stat Estimated Date/Time Servic	0.4	U/S SERV 16JUL10 12:29	
16JUL10 02:34	Into Maintenance 7005.2 AFHR	0.1	SERV STAT A M PEA	
18JUL10 22:39	Initiate Toolboard 7008.2 AFHR	xxxx	A1PXXO1006987 14 B/F	XXxxXXxx
18JUL10 22:39	Clear Toolboard 7008.2 AFHR	xxxx	14	XXxxXXxx
18JUL10 23:09	Maintenance Release 7008.2 AFHR	2.8	M PEA A A1PXXX1007232	XXxxXXxx
19JUL10 06:30	Into Maintenance 7009.7 AFHR	0.3	A M PEA A1PXXO1007038	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02042  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
19JUL10	09:31	Initiate Toolboard 7012.9 AFHR	xxxx	14 B/F		XXxxXXxx
19JUL10	09:31	Clear Toolboard 7012.9 AFHR	xxxx	14		XXxxXXxx
19JUL10	09:31	Maintenance Release 7012.9 AFHR	0.1	M PEA A A1PXXX1007275		XXxxXXxx
19JUL10	13:36	Into Maintenance 7012.9 AFHR	0.1	A A1PXXO1007058		XXxxXXxx
19JUL10	13:36	Change Serviceability Stat 7012.9 AFHR	0.0	SERV U/S A1PXXU1006817		XXxxXXxx
		Estimated Date/Time Servic	734334.4	SERV STAT 20JUL10		
19JUL10	23:22	Maintenance Release 7012.9 AFHR	0.4	M PEA A A1PXXX1007293		XXxxXXxx
		Change Serviceability Stat Estimated Date/Time Servic	0.4	U/S SERV 20JUL10 13:36		
			1.4	SERV STAT		
20JUL10	08:55	Into Maintenance 7016.2 AFHR	0.3	A M PEA A1PXXO1007105		XXxxXXxx
20JUL10	08:57	Initiate Toolboard 7016.2 AFHR	xxxx	14 B/F		XXxxXXxx
20JUL10	08:58	Clear Toolboard 7016.2 AFHR	xxxx	14		XXxxXXxx
20JUL10	08:58	Maintenance Release 7016.2 AFHR	0.0	M PEA A A1PXXX1007319		XXxxXXxx
21JUL10	09:01	Into Maintenance 7020.1 AFHR	1.0	A M PEA A1PXXO1007167		XXxxXXxx
21JUL10	09:29	Initiate Toolboard 7021.4 AFHR	xxxx	14 B/F		XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02043  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
21JUL10 09:29	Clear	Toolboard		xxxx	14	
		7021.4 AFHR				XXxxXXxx
21JUL10 09:30	Maintenance	Release		0.0	M PEA	
		7021.4 AFHR			A	
					A1PXXX1007409	XXxxXXxx
21JUL10 11:28	Into	Maintenance		0.0	A	
		7021.4 AFHR			A1PXXO1007178	XXxxXXxx
21JUL10 11:29	Change	Serviceability Stat		0.0	SERV	
		7021.4 AFHR			U/S	
		Estimated Date/Time Servic		734338.4	A1PXXU1009861	XXxxXXxx
					SERV STAT	
					22JUL10	
22JUL10 00:05	Maintenance	Release		0.5	M PEA	
		7022.5 AFHR			A	
		Change Serviceability Stat		0.5	A1PXXX1007438	XXxxXXxx
		Estimated Date/Time Servic		0.5	U/S	
					SERV	
					22JUL10 11:29	
					SERV STAT	
22JUL10 08:42	Into	Maintenance		0.3	A	
		7025.0 AFHR			A1PXXO1007234	XXxxXXxx
22JUL10 08:50	Change	Serviceability Stat		0.0	SERV	
		7025.0 AFHR			U/S	
		Estimated Date/Time Servic		734340.6	A1PXXU1009617	XXxxXXxx
					SERV STAT	
					23JUL10	
22JUL10 09:10	Initiate	Toolboard		xxxx	14 B/F	
		7026.5 AFHR				XXxxXXxx
22JUL10 09:10	Clear	Toolboard		xxxx	14	
		7026.5 AFHR				XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02044  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
22JUL10 23:24	Maintenance Release	0.6	M PEA A A1PXXX1007551	XXxxXXxx
	7026.5 AFHR Change Serviceability Stat	0.6	U/S SERV	
	Estimated Date/Time Servic	1.6	23JUL10 08:50 SERV STAT	
25JUL10 22:48	Into Maintenance	2.9	A M PEA A1PXXO1007305	XXxxXXxx
25JUL10 22:49	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	7027.7 AFHR			XXxxXXxx
25JUL10 22:49	Clear Toolboard	xxxx	14	XXxxXXxx
	7027.7 AFHR			XXxxXXxx
25JUL10 23:20	Maintenance Release	0.0	M PEA A A1PXXX1007600	XXxxXXxx
	7027.7 AFHR Into Maintenance	0.3	A M PEA A1PXXO1007354	XXxxXXxx
26JUL10 08:50	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	7030.4 AFHR			XXxxXXxx
26JUL10 09:20	Clear Toolboard	xxxx	14	XXxxXXxx
	7030.4 AFHR			XXxxXXxx
26JUL10 09:21	Maintenance Release	0.0	M PEA A A1PXXX1007649	XXxxXXxx
	7030.4 AFHR Into Maintenance	0.9	A A1PXXO1007425	XXxxXXxx
27JUL10 09:10	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	7035.2 AFHR			XXxxXXxx
27JUL10 09:37	Clear Toolboard	xxxx	14	XXxxXXxx
	7035.2 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02045  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
27JUL10 10:44	Change Serviceability Stat	0.0	SERV U/S A1PXXUY912412	XXxxXXxx
	7035.2 AFHR Estimated Date/Time Servic	734341.5	SERV STAT 28JUL10	
27JUL10 22:46	Maintenance Release	0.5	M PEA A A1PXXX1007720	XXxxXXxx
	7035.2 AFHR Change Serviceability Stat	0.5	U/S SERV	
	Estimated Date/Time Servic	1.5	28JUL10 10:44 SERV STAT	
28JUL10 08:23	Into Maintenance	0.4	A M PEA A1PXXO1007487	XXxxXXxx
28JUL10 09:41	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
28JUL10 09:41	Clear Toolboard	xxxx	14	XXxxXXxx
28JUL10 22:39	Maintenance Release	0.5	M PEA A A1PXXX1007772	XXxxXXxx
	7037.8 AFHR Into Maintenance	0.3	A A1PXXO1007576	XXxxXXxx
29JUL10 10:07	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
29JUL10 10:07	Clear Toolboard	xxxx	14	XXxxXXxx
29JUL10 11:29	Change Serviceability Stat	0.1	SERV U/S A1PXXU1009942	XXxxXXxx
	7041.2 AFHR Estimated Date/Time Servic	734346.4	SERV STAT 30JUL10	
01AUG10 22:45	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	7042.2 AFHR			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02046  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
01AUG10 22:45	Clear	Toolboard	7042.2 AFHR	xxxx	14	XXxxXXxx
01AUG10 23:32	Maintenance	Release	7042.2 AFHR	3.5	M PEA A A1PXXX1007876	XXxxXXxx
	Change	Serviceability Stat		3.5	U/S SERV	
	Estimated	Date/Time Servic		1.5	30JUL10 11:29 SERV STAT	
02AUG10 07:36	Into	Maintenance		0.3	A M PEA	
02AUG10 09:33	Initiate	Toolboard	7044.7 AFHR	xxxx	A1PXXO1007686	XXxxXXxx
02AUG10 23:12	Clear	Toolboard	7045.8 AFHR	xxxx	14 B/F	XXxxXXxx
02AUG10 23:13	Maintenance	Release	7045.8 AFHR	0.6	M PEA A	XXxxXXxx
03AUG10 10:00	Into	Maintenance	7045.8 AFHR	0.4	A1PXXX1007949 A	XXxxXXxx
03AUG10 10:00	Initiate	Toolboard	7048.3 AFHR	xxxx	M PEA A1PXXO1007766	XXxxXXxx
03AUG10 23:48	Clear	Toolboard	7048.3 AFHR	xxxx	14 B/F	XXxxXXxx
03AUG10 23:48	Maintenance	Release	7048.3 AFHR	0.5	M PEA A	XXxxXXxx
04AUG10 09:58	Into	Maintenance	7048.3 AFHR	0.4	A1PXXX1008001 A	XXxxXXxx
05AUG10 10:37	Initiate	Toolboard	7050.7 AFHR	xxxx	A1PXXO1007820	XXxxXXxx
			7056.0 AFHR		14 B/F	XXxxXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02047  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
05AUG10 12:14	Change Serviceability Stat	7056.0 AFHR	1.0	SERV U/S A1PXXU1010308	XXxxXXxx
	Estimated Date/Time Servic		734351.4	SERV STAT 06AUG10 14	
06AUG10 00:04	Clear Toolboard	7056.0 AFHR	xxxx		XXxxXXxx
06AUG10 00:04	Maintenance Release	7056.0 AFHR	0.4	M PEA A A1PXXX1008082	XXxxXXxx
	Change Serviceability Stat		0.4	U/S SERV 06AUG10 12:14	
	Estimated Date/Time Servic		0.4	SERV STAT	
06AUG10 04:56	Into Maintenance	7057.2 AFHR	0.2	A M PEA A1PXXO1007898	XXxxXXxx
08AUG10 22:34	Initiate Toolboard	7058.2 AFHR	xxxx	14 B/F	XXxxXXxx
08AUG10 22:35	Clear Toolboard	7058.2 AFHR	xxxx	14	XXxxXXxx
08AUG10 23:43	Maintenance Release	7058.2 AFHR	2.7	M PEA A A1PXXX1008126	XXxxXXxx
10AUG10 02:46	Into Maintenance	7061.9 AFHR	1.1	A A1PXXO1007969	XXxxXXxx
11AUG10 05:57	Change Serviceability Stat	7067.3 AFHR	1.1	SERV U/S A1PXXU1010864	XXxxXXxx
	Estimated Date/Time Servic		734355.7	SERV STAT 12AUG10 14 B/F	
15AUG10 22:06	Initiate Toolboard	7067.3 AFHR	xxxx		XXxxXXxx
15AUG10 22:51	Clear Toolboard	7067.3 AFHR	xxxx	14	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02048  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
16AUG10 01:49	Maintenance Release	4.8	M PEA A A1PXXX1008432	XXxxXXxx
	7067.3 AFHR Change Serviceability Stat	4.8	U/S SERV	
	Estimated Date/Time Servic	0.8	12AUG10 05:58 SERV STAT	
16AUG10 09:14	Into Maintenance	0.3	A M PEA A1PXXO1008163	XXxxXXxx
16AUG10 09:17	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
16AUG10 09:18	Clear Toolboard	xxxx	14	XXxxXXxx
16AUG10 22:41	Maintenance Release	0.5	M PEA A A1PXXX1008443	XXxxXXxx
17AUG10 11:22	Into Maintenance	0.5	A A1PXXO1008234	XXxxXXxx
17AUG10 11:26	Change Serviceability Stat	0.0	SERV U/S A1PXXU1011104	XXxxXXxx
	7067.3 AFHR Estimated Date/Time Servic	734365.5	SERV STAT 18AUG10	
17AUG10 13:19	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
17AUG10 22:41	Clear Toolboard	xxxx	14	XXxxXXxx
17AUG10 22:41	Maintenance Release	0.4	M PEA A A1PXXX1008477	XXxxXXxx
	7071.7 AFHR Change Serviceability Stat	0.4	U/S SERV	
	Estimated Date/Time Servic	1.4	18AUG10 11:26 SERV STAT	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02049  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
18AUG10	08:53	Into Maintenance	0.4	A		
		7071.7 AFHR		M PEA		
18AUG10	09:42	Initiate Toolboard	xxxx	A1PXXO1008298		XXxxXXxx
		7071.7 AFHR		14 B/F		
18AUG10	09:42	Clear Toolboard	xxxx	14		XXxxXXxx
		7071.7 AFHR				
18AUG10	23:28	Maintenance Release	0.6	M PEA		XXxxXXxx
		7071.7 AFHR		A		
19AUG10	07:14	Into Maintenance	0.3	A1PXXX1008517		XXxxXXxx
		7071.7 AFHR		A		
19AUG10	07:16	Change Serviceability Stat	0.0	A1PXXO1008343		XXxxXXxx
		7071.7 AFHR		SERV		
		Estimated Date/Time Servic	734367.6	U/S		
				A1PXXU1010954		XXxxXXxx
				SERV STAT		
19AUG10	09:16	Initiate Toolboard	xxxx	20AUG10		
		7071.7 AFHR		14 B/F		XXxxXXxx
19AUG10	09:17	Clear Toolboard	xxxx	14		XXxxXXxx
		7071.7 AFHR				
19AUG10	23:13	Change Serviceability Stat	0.6	U/S		
		7071.7 AFHR		SERV		
		Estimated Date/Time Servic	1.6	A1PXXX1008558		XXxxXXxx
				20AUG10 07:16		
				SERV STAT		
19AUG10	23:24	Maintenance Release	0.0	M PEA		
		7071.7 AFHR		A		
22AUG10	22:55	Into Maintenance	2.9	A1PXXX1008568		XXxxXXxx
		7072.9 AFHR		A		
22AUG10	22:55	Initiate Toolboard	xxxx	A1PXXO1008423		XXxxXXxx
		7072.9 AFHR		14 B/F		
22AUG10	22:56	Clear Toolboard	xxxx	14		XXxxXXxx
		7072.9 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02050  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
LIFE SINCE NEW				
23AUG10 00:14	Change Serviceability Stat	0.0	SERV U/S A1PXXU1011298	XXxxXXxx
	7072.9 AFHR Estimated Date/Time Servic	734369.9	SERV STAT 24AUG10 14 B/F	
23AUG10 11:14	Initiate Toolboard	xxxx	14	XXxxXXxx
23AUG10 23:34	Clear Toolboard	xxxx	14	XXxxXXxx
23AUG10 23:34	Maintenance Release	0.9	M PEA A A1PXXX1008638	XXxxXXxx
	7072.9 AFHR Change Serviceability Stat	0.9	U/S SERV 24AUG10 00:15	
	Estimated Date/Time Servic	1.9	SERV STAT	
24AUG10 09:58	Into Maintenance	0.4	A M PEA A1PXXO1008535	XXxxXXxx
24AUG10 09:58	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
24AUG10 22:55	Clear Toolboard	xxxx	14	XXxxXXxx
24AUG10 22:55	Maintenance Release	0.5	M PEA A A1PXXX1008677	XXxxXXxx
25AUG10 06:04	Into Maintenance	0.2	A M PEA A1PXXO1008563	XXxxXXxx
25AUG10 08:30	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
25AUG10 23:02	Clear Toolboard	xxxx	14	XXxxXXxx
25AUG10 23:02	Maintenance Release	0.7	M PEA A A1PXXX1008737	XXxxXXxx
	7079.0 AFHR			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02051  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
26AUG10 08:29	Into Maintenance	7081.6 AFHR	0.3	A A1PXXO1008613	XXxxXXxx
26AUG10 08:30	Initiate Toolboard	7082.8 AFHR	xxxx	14 B/F	XXxxXXxx
26AUG10 08:30	Change Serviceability Stat	7081.6 AFHR	0.0	SERV U/S A1PXXU1011233	XXxxXXxx
	Estimated Date/Time Servic		734373.6	SERV STAT 31DEC25	
12SEP10 23:33	Change Part Number of an A Estimated Date/Time Servic		15.0-	NO PARENT TRANSACTION DETAILS 27AUG10 08:30 31DEC25 08:30	
29SEP10 21:40	Change Part Number of an A Estimated Date/Time Servic		32.0-	NO PARENT TRANSACTION DETAILS 27AUG10 08:30 31DEC25 08:30	
31OCT10 22:25	Change Part Number of an A Estimated Date/Time Servic		64.0-	NO PARENT TRANSACTION DETAILS 27AUG10 08:30 27AUG10 08:30	
01NOV10 08:30	Initiate Toolboard	7082.8 AFHR	xxxx	14 B/F	XXxxXXxx
01NOV10 08:31	Initiate Toolboard	7082.8 AFHR	xxxx	14 B/F	XXxxXXxx
02NOV10 08:00	Initiate Toolboard	7082.8 AFHR	xxxx	14 B/F	XXxxXXxx
03NOV10 03:44	Maintenance Comment	7082.8 AFHR	0.0	DESIGN DEVIATION ADP-09-DD-10-073 INCORPORATED A1PXXX1011950	XXxxXXxx
03NOV10 08:00	Initiate Toolboard	7082.8 AFHR	xxxx	14 B/F	XXxxXXxx
04NOV10 02:40	Asset Comments	7082.8 AFHR	0.0	MTF MTF A1PXXX1012027	XXxxXXxx
04NOV10 08:00	Initiate Toolboard	7082.8 AFHR	xxxx	14 B/F	XXxxXXxx
05NOV10 02:26	Clear Toolboard	7082.8 AFHR	xxxx	14	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02052  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
05NOV10 02:27	Maintenance Release	70.7	M PEA A A1PXXX1012100	XXxxXXxx
	7082.8 AFHR Change Serviceability Stat	70.7	U/S SERV	
	Estimated Date/Time Servic	65.8-	27AUG10 08:30 SERV STAT	
05NOV10 03:48	Into Maintenance	0.0	A A1PXXO1010887	XXxxXXxx
05NOV10 03:48	Asset Comments	0.0	A1PXXX1012116	XXxxXXxx
05NOV10 03:49	Change Serviceability Stat	0.0	SERV U/S A1PXXU1015079	XXxxXXxx
	7082.8 AFHR Estimated Date/Time Servic	734446.9	SERV STAT 06NOV10	
07NOV10 00:12	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	7083.6 AFHR	xxxx	14	XXxxXXxx
07NOV10 00:12	Clear Toolboard	xxxx	14 B/F	XXxxXXxx
	7083.6 AFHR			XXxxXXxx
07NOV10 22:00	Initiate Toolboard	xxxx	M PEA A A1PXXX1012146	XXxxXXxx
	7083.6 AFHR Change Serviceability Stat	2.7	U/S SERV	
	Estimated Date/Time Servic	1.7	06NOV10 03:49 SERV STAT	
07NOV10 23:06	Into Maintenance	0.0	A M PEA A1PXXO1010933	XXxxXXxx
	7083.6 AFHR	xxxx	14	XXxxXXxx
07NOV10 23:11	Clear Toolboard	xxxx		XXxxXXxx
	7083.6 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02053  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----				
TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN(DYS) FROM	TO (OPTIONAL)	USER
=====	=====	=====	=====	=====	=====	=====
08NOV10 00:12	Maintenance Release			0.0	M PEA A	
		7083.6	AFHR		A1PXXX1012160	XXxxXXxx
08NOV10 06:58	Into Maintenance			0.2	A M LMO	
		7083.6	AFHR		A1PXXO1010962	XXxxXXxx
08NOV10 08:28	Initiate Toolboard			xxxx	14 B/F	
		7086.4	AFHR			XXxxXXxx
08NOV10 08:28	Clear Toolboard			xxxx	14	
		7086.4	AFHR			XXxxXXxx
08NOV10 08:29	Maintenance Release			0.0	M LMO A	
		7086.4	AFHR		A1PXXX1012191	XXxxXXxx
08NOV10 09:10	Asset Comments			0.0	LMO A/C DEPLOYED AT LMO	
		7086.4	AFHR		A1PXXX1012197	XXxxXXxx
09NOV10 08:20	Into Maintenance			0.9	A	
		7088.8	AFHR		A1PXXO1011037	XXxxXXxx
09NOV10 08:21	Initiate Toolboard			xxxx	14 B/F	
		7090.1	AFHR			XXxxXXxx
09NOV10 08:29	Initiate Toolboard			xxxx	14 B/F	
		7090.1	AFHR			XXxxXXxx
09NOV10 08:29	Change Serviceability Stat			0.0	SERV U/S	
		7090.1	AFHR		A1PXXU1015028	XXxxXXxx
	Estimated Date/Time Servic			734449.6	SERV STAT 10NOV10	
10NOV10 00:12	Clear Toolboard			xxxx	14	
		7090.1	AFHR			XXxxXXxx
10NOV10 00:13	Maintenance Release			0.6	M LMO A	
		7090.1	AFHR		A1PXXX1012266	XXxxXXxx
	Change Serviceability Stat			0.6	U/S	
	Estimated Date/Time Servic			0.6	SERV 10NOV10 08:29 SERV STAT	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02054  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
10NOV10	06:38	Into Maintenance	0.2	A		
		7091.3 AFHR		M LMO		
				A1PXXO1011090		XXxxXXxx
10NOV10	23:38	Initiate Toolboard	xxxx	14 B/F		
		7092.5 AFHR				XXxxXXxx
10NOV10	23:39	Clear Toolboard	xxxx	14		
		7092.5 AFHR				XXxxXXxx
10NOV10	23:41	Maintenance Release	0.7	M LMO		
		7092.5 AFHR		A		
				A1PXXX1012329		XXxxXXxx
11NOV10	07:48	Into Maintenance	0.3	A		
		7095.1 AFHR		M LMO		
				A1PXXO1011177		XXxxXXxx
11NOV10	08:06	Initiate Toolboard	xxxx	14 B/F		
		7096.3 AFHR				XXxxXXxx
11NOV10	08:07	Clear Toolboard	xxxx	14		
		7096.3 AFHR				XXxxXXxx
11NOV10	08:08	Maintenance Release	0.0	M LMO		
		7096.3 AFHR		A		
				A1PXXX1012369		XXxxXXxx
12NOV10	07:53	Into Maintenance	0.9	A		
		7098.7 AFHR		A1PXXO1011259		XXxxXXxx
12NOV10	08:39	Change Serviceability Stat	0.0	SERV		
		7099.9 AFHR		U/S		
				A1PXXU1015428		XXxxXXxx
		Estimated Date/Time Servic	734451.6	SERV STAT		
				13NOV10		
15NOV10	00:35	Initiate Toolboard	xxxx	14 B/F		
		7099.9 AFHR				XXxxXXxx
15NOV10	00:36	Clear Toolboard	xxxx	14		
		7099.9 AFHR				XXxxXXxx



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02055  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
15NOV10 00:37	Maintenance Release	2.6	M LMO A A1PXXX1012536	XXxxXXxx
	7099.9 AFHR Change Serviceability Stat	2.6	U/S SERV	
	Estimated Date/Time Servic	0.6	13NOV10 08:41 SERV STAT	
15NOV10 01:59	Into Maintenance	0.0	A A1PXXO1011279	XXxxXXxx
	7099.9 AFHR Change Serviceability Stat	0.0	SERV U/S	
	7100.3 AFHR Estimated Date/Time Servic	734456.9	A1PXXU1015429 SERV STAT	XXxxXXxx
15NOV10 02:28	Maintenance Release	0.0	16NOV10 M LMO A	
	7100.3 AFHR Change Serviceability Stat	0.0	A1PXXX1012559 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.0	SERV 16NOV10 02:01 SERV STAT	
15NOV10 03:27	Into Maintenance	0.0	A A1PXXO1011283	XXxxXXxx
	7100.3 AFHR Change Serviceability Stat	0.0	SERV U/S	
	7100.6 AFHR Estimated Date/Time Servic	734456.9	A1PXXU1015470 SERV STAT	XXxxXXxx
15NOV10 03:29	Maintenance Release	0.0	16NOV10 M LMO A	
	7100.6 AFHR Change Serviceability Stat	0.0	A1PXXX1012567 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.0	SERV 16NOV10 03:28 SERV STAT	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02056  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
15NOV10	08:38	Into Maintenance	0.2	A		
		7100.6 AFHR		M LMO		
15NOV10	09:26	Initiate Toolboard	xxxx	A1PXXO1011308		XXxxXXxx
		7101.8 AFHR		14 B/F		
15NOV10	09:26	Clear Toolboard	xxxx	14		XXxxXXxx
		7101.8 AFHR				
15NOV10	09:26	Maintenance Release	0.0	M LMO		
		7101.8 AFHR		A		
16NOV10	07:38	Into Maintenance	0.9	A1PXXX1012653		XXxxXXxx
		7104.2 AFHR		A		
16NOV10	08:09	Initiate Toolboard	xxxx	A1PXXO1011368		XXxxXXxx
		7105.5 AFHR		14 B/F		
16NOV10	08:10	Clear Toolboard	xxxx	14		XXxxXXxx
		7105.5 AFHR				
16NOV10	08:15	Change Serviceability Stat	0.0	SERV		
		7105.5 AFHR		U/S		
		Estimated Date/Time Servic	734456.8	A1PXXU1015309		XXxxXXxx
				SERV STAT		
16NOV10	23:53	Maintenance Release	0.6	17NOV10		
		7105.5 AFHR		M LMO		
		Change Serviceability Stat	0.6	A		
				A1PXXX1012775		XXxxXXxx
		Estimated Date/Time Servic	1.6	U/S		
				SERV		
				17NOV10 08:15		
				SERV STAT		
17NOV10	07:48	Into Maintenance	0.3	A		
		7107.8 AFHR		M LMO		
17NOV10	08:18	Initiate Toolboard	xxxx	A1PXXO1011427		XXxxXXxx
		7108.9 AFHR		14 B/F		
17NOV10	08:19	Clear Toolboard	xxxx	14		XXxxXXxx
		7108.9 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02057  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
17NOV10	08:19	Maintenance Release	0.0	M LMO		
		7108.9 AFHR		A A1PXXX1012822		XXxxXXxx
18NOV10	08:14	Into Maintenance	0.9	A M LMO		
		7111.1 AFHR		A1PXXO1011495		XXxxXXxx
18NOV10	08:28	Initiate Toolboard	xxxx	14 B/F		
		7111.1 AFHR				XXxxXXxx
18NOV10	08:28	Clear Toolboard	xxxx	14		
		7111.1 AFHR				XXxxXXxx
18NOV10	08:29	Maintenance Release	0.0	M LMO		
		7111.1 AFHR		A A1PXXX1012895		XXxxXXxx
19NOV10	04:12	Into Maintenance	0.8	A A1PXXO1011521		XXxxXXxx
19NOV10	04:12	Asset Comments	0.0			
		7111.1 AFHR		A1PXXX1012939		XXxxXXxx
21NOV10	22:00	Initiate Toolboard	xxxx	14 B/F		
		7113.9 AFHR				XXxxXXxx
21NOV10	23:27	Change Serviceability Stat	2.8	SERV U/S		
		7113.9 AFHR		A1PXXU1015816		XXxxXXxx
		Estimated Date/Time Servic	734458.0	SERV STAT 22NOV10		
22NOV10	00:21	Clear Toolboard	xxxx	14		
		7113.9 AFHR				XXxxXXxx
22NOV10	00:21	Maintenance Release	0.0	M PEA		
		7113.9 AFHR		A A1PXXX1012973		XXxxXXxx
		Change Serviceability Stat	0.0	U/S SERV		
		Estimated Date/Time Servic	0.0	22NOV10 23:28 SERV STAT		
22NOV10	01:10	Into Maintenance	0.0	A A1PXXO1011552		XXxxXXxx
		7113.9 AFHR				

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02058  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----			
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
=====	=====	=====	=====	=====	=====
	LIFE SINCE NEW		TRANS REFERENCE		
22NOV10 01:11	Change Serviceability Stat	0.0	SERV		
	7113.9 AFHR		U/S		
	Estimated Date/Time Servic	734463.9	A1PXXU1015869		XXxxXXxx
22NOV10 09:47	Initiate Toolboard	xxxx	SERV STAT		
	7113.9 AFHR		23NOV10		
22NOV10 09:48	Clear Toolboard	xxxx	14 B/F		XXxxXXxx
	7113.9 AFHR		14		
22NOV10 22:46	Maintenance Release	0.8	M PEA		
	7113.9 AFHR		A		
	Change Serviceability Stat	0.8	A1PXXX1013057		XXxxXXxx
	Estimated Date/Time Servic	1.8	U/S		
22NOV10 22:46	Asset Comments	0.0	SERV		
	7113.9 AFHR		23NOV10 01:12		
23NOV10 04:07	Into Maintenance	0.2	SERV STAT	AIRTEST ESDP AIRTEST ESDP	
	7113.9 AFHR		A1PXXX1013058		XXxxXXxx
23NOV10 04:08	Change Serviceability Stat	0.0	A		
	7115.2 AFHR		A1PXXO1011619		XXxxXXxx
	Estimated Date/Time Servic	734464.7	SERV		
			U/S		
			A1PXXU1015888		XXxxXXxx
23NOV10 04:09	Asset Comments	0.0	SERV STAT		
	7115.2 AFHR		24NOV10		
23NOV10 04:10	Maintenance Release	0.0	A1PXXX1013094		XXxxXXxx
	7115.2 AFHR		M PEA		
	Change Serviceability Stat	0.0	A		
	Estimated Date/Time Servic	1.0	A1PXXX1013095		XXxxXXxx
			U/S		
			SERV		
23NOV10 08:30	Into Maintenance	0.1	24NOV10 04:08		
	7115.2 AFHR		SERV STAT		
			A		
			A1PXXO1011635		XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02059  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
23NOV10 08:37	Change Serviceability Stat	0.0	SERV U/S A1PXXU1015573	XXxxXXxx
	7115.2 AFHR Estimated Date/Time Servic	734464.8	SERV STAT 24NOV10 14 B/F	
23NOV10 09:59	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	7115.2 AFHR			
23NOV10 10:00	Clear Toolboard	xxxx	14	XXxxXXxx
	7115.2 AFHR			
23NOV10 23:06	Maintenance Release	0.6	M PEA A A1PXXX1013123	XXxxXXxx
	7116.5 AFHR Change Serviceability Stat	0.6	U/S SERV 24NOV10 08:37	
	Estimated Date/Time Servic	1.6	SERV STAT	
24NOV10 09:01	Into Maintenance	0.4	A M PEA A1PXXO1011742	XXxxXXxx
	7117.8 AFHR Initiate Toolboard	xxxx	14 B/F	
	7119.3 AFHR			
24NOV10 10:24	Clear Toolboard	xxxx	14	XXxxXXxx
	7119.3 AFHR			
24NOV10 22:39	Maintenance Release	0.5	M PEA A A1PXXX1013165	XXxxXXxx
	7119.3 AFHR Into Maintenance	0.4	A M PEA A1PXXO1011797	XXxxXXxx
	7121.6 AFHR Initiate Toolboard	xxxx	14 B/F	
	7123.1 AFHR			
25NOV10 09:58	Clear Toolboard	xxxx	14	XXxxXXxx
	7123.1 AFHR			
25NOV10 23:19	Maintenance Release	0.6	M PEA A A1PXXX1013233	XXxxXXxx
	7123.1 AFHR			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02060  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
28NOV10	21:39	Into Maintenance	2.9	A		
		7125.0 AFHR		M PEA		
				A1PXXO1011888		XXxxXXxx
28NOV10	22:00	Initiate Toolboard	xxxx	14 B/F		
		7125.0 AFHR				XXxxXXxx
28NOV10	22:49	Clear Toolboard	xxxx	14		
		7125.0 AFHR				XXxxXXxx
28NOV10	22:57	Maintenance Release	0.0	M PEA		
				A		
		7125.0 AFHR		A1PXXX1013300		XXxxXXxx
29NOV10	08:00	Initiate Toolboard	xxxx	14 B/F		
		7128.6 AFHR				XXxxXXxx
29NOV10	09:52	Into Maintenance	0.4	A		
				M PEA		
		7128.6 AFHR		A1PXXO1011951		XXxxXXxx
29NOV10	22:49	Clear Toolboard	xxxx	14		
		7128.6 AFHR				XXxxXXxx
29NOV10	22:49	Maintenance Release	0.5	M PEA		
				A		
		7128.6 AFHR		A1PXXX1013388		XXxxXXxx
30NOV10	06:24	Into Maintenance	0.3	A		
		7130.0 AFHR		A1PXXO1011998		XXxxXXxx
30NOV10	09:46	Initiate Toolboard	xxxx	14 B/F		
		7131.2 AFHR				XXxxXXxx
30NOV10	09:47	Clear Toolboard	xxxx	14		
		7131.2 AFHR				XXxxXXxx
30NOV10	11:44	Change Serviceability Stat	0.2	SERV		
				U/S		
		7131.2 AFHR		A1PXXU1015999		XXxxXXxx
		Estimated Date/Time Servic	734465.4	SERV STAT		
				01DEC10		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02061  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----			
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
LIFE SINCE NEW		TRANS REFERENCE			
=====					
30NOV10	23:24	Maintenance Release	0.4	M PEA A	
		7131.2 AFHR Change Serviceability Stat	0.4	A1PXXX1013473 U/S	XXxxXXxx
		Estimated Date/Time Servic	1.4	SERV 01DEC10 11:44 SERV STAT	
01DEC10	08:00	Initiate Toolboard	xxxx	14 B/F	
		7133.6 AFHR			XXxxXXxx
01DEC10	08:28	Into Maintenance	0.3	A	
		7132.4 AFHR		A1PXXO1012050	XXxxXXxx
01DEC10	10:43	Clear Toolboard	xxxx	14	
		7133.6 AFHR			XXxxXXxx
01DEC10	10:45	Maintenance Release	0.0	M PEA A	
		7133.6 AFHR		A1PXXX1013529	XXxxXXxx
01DEC10	13:57	Into Maintenance	0.1	A	
		7133.6 AFHR		M PEA A1PXXO1012076	XXxxXXxx
01DEC10	22:56	Maintenance Release	0.3	M PEA A	
		7133.6 AFHR		A1PXXX1013550	XXxxXXxx
02DEC10	08:00	Initiate Toolboard	xxxx	14 B/F	
		7136.2 AFHR			XXxxXXxx
02DEC10	11:21	Into Maintenance	0.5	A	
		7136.2 AFHR		M PEA A1PXXO1012139	XXxxXXxx
02DEC10	22:16	Clear Toolboard	xxxx	14	
		7136.2 AFHR			XXxxXXxx
02DEC10	22:47	Maintenance Release	0.4	M PEA A	
		7136.2 AFHR		A1PXXX1013604	XXxxXXxx
05DEC10	22:45	Into Maintenance	2.9	A	
		7138.1 AFHR		M PEA A1PXXO1012179	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02062  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====	=====
05DEC10 22:46	Initiate	Toolboard	xxxx	14 B/F	
		7138.1 AFHR			XXxxXXxx
05DEC10 22:47	Clear	Toolboard	xxxx	14	
		7138.1 AFHR			XXxxXXxx
05DEC10 23:46	Maintenance	Release	0.0	M PEA	
		7138.1 AFHR		A	
				A1PXXX1013648	XXxxXXxx
06DEC10 07:30	Initiate	Toolboard	xxxx	14 B/F	
		7138.1 AFHR			XXxxXXxx
06DEC10 09:01	Into	Maintenance	0.3	A	
		7138.1 AFHR		A1PXXO1012218	XXxxXXxx
06DEC10 11:32	Change	Serviceability Stat	0.1	SERV	
		7138.1 AFHR		U/S	
				A1PXXU1016568	XXxxXXxx
	Estimated Date/Time	Servic	734472.4	SERV STAT	
				07DEC10	
06DEC10 13:47	Clear	Toolboard	xxxx	14	
		7138.1 AFHR			XXxxXXxx
06DEC10 22:59	Maintenance	Release	0.4	M PEA	
		7138.1 AFHR		A	
				A1PXXX1013693	XXxxXXxx
	Change	Serviceability Stat	0.4	U/S	
	Estimated Date/Time	Servic	1.4	SERV	
				07DEC10 11:32	
				SERV STAT	
07DEC10 06:22	Into	Maintenance	0.3	A	
		7139.1 AFHR		A1PXXO1012249	XXxxXXxx
07DEC10 06:23	Change	Serviceability Stat	0.0	SERV	
		7139.1 AFHR		U/S	
				A1PXXU1014111	XXxxXXxx
	Estimated Date/Time	Servic	734478.6	SERV STAT	
				08DEC10	
07DEC10 08:30	Initiate	Toolboard	xxxx	14 B/F	
		7139.1 AFHR			XXxxXXxx
07DEC10 23:07	Clear	Toolboard	xxxx	14	
		7139.1 AFHR			XXxxXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02063  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
08DEC10 03:47	Maintenance Release	0.8	M PEA A	
	7139.1 AFHR Change Serviceability Stat	0.8	A1PXXX1013763 U/S	XXxxXXxx
	Estimated Date/Time Servic	0.8	SERV 08DEC10 06:23 SERV STAT	
08DEC10 08:36	Into Maintenance	0.2	A M PEA	
	7139.1 AFHR		A1PXXO1012311	XXxxXXxx
08DEC10 11:28	Initiate Toolboard	xxxx	14 B/F	
	7140.1 AFHR			XXxxXXxx
08DEC10 11:35	Clear Toolboard	xxxx	14	
	7140.1 AFHR			XXxxXXxx
08DEC10 23:23	Maintenance Release	0.6	M PEA A	
	7140.1 AFHR		A1PXXX1013782	XXxxXXxx
09DEC10 07:00	Initiate Toolboard	xxxx	14 B/F	
	7140.1 AFHR			XXxxXXxx
09DEC10 08:06	Into Maintenance	0.3	A M PEA	
	7140.1 AFHR		A1PXXO1012353	XXxxXXxx
09DEC10 10:00	Clear Toolboard	xxxx	14	
	7140.1 AFHR			XXxxXXxx
10DEC10 06:55	Initiate Toolboard	xxxx	14 B/F	
	7140.1 AFHR			XXxxXXxx
12DEC10 23:47	Clear Toolboard	xxxx	14	
	7140.1 AFHR			XXxxXXxx
12DEC10 23:47	Maintenance Release	3.6	M PEA A	
	7140.1 AFHR		A1PXXX1013876	XXxxXXxx
13DEC10 02:44	Maintenance Comment	0.0	ANNUAL REVIEW OF A/C LOG BOOK C/O IAW AAP7001-059	
	7140.1 AFHR		A1PXXX1013887	XXxxXXxx
13DEC10 08:30	Initiate Toolboard	xxxx	14 B/F	
	7143.8 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02064  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
13DEC10	08:31	Into Maintenance	0.3	A		
		7142.6 AFHR		M PEA		
13DEC10	22:03	Clear Toolboard	xxxx	A1PXXO1012422		XXxxXXxx
		7143.8 AFHR		14		
13DEC10	22:42	Maintenance Release	0.5	M PEA		XXxxXXxx
		7143.8 AFHR		A		
14DEC10	07:30	Initiate Toolboard	xxxx	A1PXXX1013920		XXxxXXxx
		7146.3 AFHR		14 B/F		
14DEC10	07:50	Into Maintenance	0.3	A		XXxxXXxx
		7146.3 AFHR		A1PXXO1012466		
14DEC10	07:51	Change Serviceability Stat	0.0	SERV		XXxxXXxx
		7146.3 AFHR		U/S		
		Estimated Date/Time Servic	734479.8	A1PXXU1016619		XXxxXXxx
				SERV STAT		
14DEC10	22:40	Clear Toolboard	xxxx	15DEC10		
		7146.3 AFHR		14		
14DEC10	23:45	Maintenance Release	0.6	M PEA		XXxxXXxx
		7146.3 AFHR		A		
		Change Serviceability Stat	0.6	A1PXXX1014001		XXxxXXxx
		Estimated Date/Time Servic	1.6	U/S		
				SERV		
				15DEC10 07:51		
				SERV STAT		
15DEC10	06:03	Into Maintenance	0.2	A		
		7147.5 AFHR		M PEA		
15DEC10	08:30	Initiate Toolboard	xxxx	A1PXXO1012521		XXxxXXxx
		7148.7 AFHR		14 B/F		
15DEC10	22:57	Clear Toolboard	xxxx	14		XXxxXXxx
		7148.7 AFHR				
15DEC10	23:26	Maintenance Release	0.7	M PEA		XXxxXXxx
		7148.7 AFHR		A		
				A1PXXX1014029		XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02065  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW	TRANS REFERENCE			
16DEC10	21:47	Into Maintenance	0.9	A		
		7148.7 AFHR		A1PXXO1012555		XXxxXXxx
11JAN11	07:25	Change Serviceability Stat	25.4	SERV		
		7148.7 AFHR		U/S		
		Estimated Date/Time Servic	734486.6	A1PXXU1016933		XXxxXXxx
				SERV STAT		
18JAN11	12:20	Initiate Toolboard	xxxx	12JAN11		
		7148.7 AFHR		14 B/F		XXxxXXxx
18JAN11	12:20	Clear Toolboard	xxxx	14		
		7148.7 AFHR				XXxxXXxx
18JAN11	23:33	Maintenance Release	7.6	M AIP		
		7148.7 AFHR		A		
		Change Serviceability Stat	7.6	A1PXXX1100153		XXxxXXxx
				U/S		
		Estimated Date/Time Servic	1.6	SERV		
				12JAN11 07:25		
19JAN11	10:35	Into Maintenance	0.4	SERV STAT		
		7148.7 AFHR		A		
				M PEA		
19JAN11	13:18	Initiate Toolboard	xxxx	A1PXXO1100048		XXxxXXxx
		7148.7 AFHR		14 B/F		
19JAN11	13:18	Clear Toolboard	xxxx	14		XXxxXXxx
		7148.7 AFHR				XXxxXXxx
19JAN11	22:27	Maintenance Release	0.4	M PEA		
		7148.7 AFHR		A		
				A1PXXX1100213		XXxxXXxx
20JAN11	04:25	Into Maintenance	0.2	A		
		7148.7 AFHR		A1PXXO1100071		XXxxXXxx
20JAN11	05:55	Change Serviceability Stat	0.0	SERV		
				U/S		
		Estimated Date/Time Servic	734521.7	A1PXXU1100739		XXxxXXxx
				SERV STAT		
				21JAN11		

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02066  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS				-----		
TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
				TRANS REFERENCE		
LIFE SINCE NEW			=====			
20JAN11	13:07	Asset Comments	0.0	A/T 7149.9	A/T	
		7149.9 AFHR		A1PXXX1100250		XXxxXXxx
20JAN11	13:16	Initiate Toolboard	xxxx	14 B/F		
		7149.9 AFHR				XXxxXXxx
20JAN11	23:14	Clear Toolboard	xxxx	14		
		7149.9 AFHR				XXxxXXxx
20JAN11	23:14	Change Serviceability Stat	0.7	U/S		
		7149.9 AFHR		SERV		
		Estimated Date/Time Servic	1.7	A1PXXX1100252		XXxxXXxx
				21JAN11 05:58		
21JAN11	00:50	Maintenance Release	0.0	SERV STAT		
		7149.9 AFHR		M PEA		
				A		
		7149.9 AFHR		A1PXXX1100271		XXxxXXxx
23JAN11	22:00	Initiate Toolboard	xxxx	14 B/F		
		7149.9 AFHR				XXxxXXxx
23JAN11	22:59	Into Maintenance	2.9	A		
		7149.9 AFHR		M PEA		
				A1PXXO1100150		XXxxXXxx
23JAN11	23:25	Clear Toolboard	xxxx	14		
		7149.9 AFHR				XXxxXXxx
23JAN11	23:51	Maintenance Release	0.0	M PEA		
		7149.9 AFHR		A		
				A1PXXX1100320		XXxxXXxx
24JAN11	09:41	Into Maintenance	0.4	A		
		7149.9 AFHR		A1PXXO1100186		XXxxXXxx
25JAN11	08:23	Change Serviceability Stat	0.9	SERV		
		7149.9 AFHR		U/S		
		Estimated Date/Time Servic	734523.6	A1PXXU1100633		XXxxXXxx
				SERV STAT		
				26JAN11		
01FEB11	08:00	Initiate Toolboard	xxxx	14 B/F		
		7149.9 AFHR				XXxxXXxx
01FEB11	10:36	Clear Toolboard	xxxx	14		
		7149.9 AFHR				XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02067  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
01FEB11	23:09	Maintenance Release	7.6	M PEA A		
		7149.9 AFHR Change Serviceability Stat	7.6	A1PXXX1100728 U/S		XXxxXXxx
		Estimated Date/Time Servic	1.6	SERV 26JAN11 08:23 SERV STAT		
02FEB11	03:39	Into Maintenance	0.1	A		
		7149.9 AFHR		A1PXXO1100490		XXxxXXxx
02FEB11	03:43	Asset Comments	0.0			
		7149.9 AFHR		A1PXXX1100753		XXxxXXxx
02FEB11	03:45	Change Serviceability Stat	0.0	SERV U/S		
		7151.1 AFHR Estimated Date/Time Servic	734535.8	A1PXXU1100751 SERV STAT		XXxxXXxx
02FEB11	03:50	Maintenance Release	0.0	M PEA A		
		7151.1 AFHR Change Serviceability Stat	0.0	A1PXXX1100758 U/S		XXxxXXxx
		Estimated Date/Time Servic	1.0	SERV 03FEB11 03:45 SERV STAT		
02FEB11	08:00	Initiate Toolboard	xxxx	14 B/F		
		7151.1 AFHR				XXxxXXxx
02FEB11	10:35	Into Maintenance	0.2	A		
		7151.1 AFHR		M PEA A1PXXO1100519		XXxxXXxx
02FEB11	12:21	Clear Toolboard	xxxx	14		
		7151.1 AFHR				XXxxXXxx
02FEB11	22:44	Maintenance Release	0.5	M PEA A		
		7151.1 AFHR		A1PXXX1100788		XXxxXXxx
03FEB11	08:00	Initiate Toolboard	xxxx	14 B/F		
		7151.1 AFHR				XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02068  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----		-----		-----	
TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER	
=====	=====	=====	=====	=====	=====	=====	=====
03FEB11 10:10	Into Maintenance			0.4	A M PEA		
		7151.1	AFHR		A1PXXO1100571		XXxxXXxx
03FEB11 10:25	Clear Toolboard			xxxx	14		
		7151.1	AFHR				XXxxXXxx
03FEB11 10:26	Maintenance Release			0.0	M PEA A		
		7151.1	AFHR		A1PXXX1100837		XXxxXXxx
03FEB11 13:38	Into Maintenance			0.1	A M PEA		
		7151.1	AFHR		A1PXXO1100614		XXxxXXxx
06FEB11 22:00	Initiate Toolboard			xxxx	14 B/F		
		7153.6	AFHR				XXxxXXxx
06FEB11 22:59	Clear Toolboard			xxxx	14		
		7153.6	AFHR				XXxxXXxx
07FEB11 08:01	Initiate Toolboard			xxxx	14 B/F		
		7153.6	AFHR				XXxxXXxx
07FEB11 09:54	Clear Toolboard			xxxx	14		
		7153.6	AFHR				XXxxXXxx
07FEB11 09:58	Maintenance Release			3.8	M PEA A		
		7153.6	AFHR		A1PXXX1100941		XXxxXXxx
09FEB11 22:59	Asset Comments			0.0	AWAY BASE	AWAY BASE	
		7155.0	AFHR		A1PXXX1100985		XXxxXXxx
09FEB11 23:01	Asset Comments			0.0	SEE MCS	AWAY BASE	
		7155.0	AFHR		A1PXXX1100990		XXxxXXxx
14FEB11 07:24	Into Maintenance			6.8	A		
		7155.0	AFHR		A1PXXO1100668		XXxxXXxx
25FEB11 00:00	Change Serviceability Stat			10.6	SERV U/S		
		7155.0	AFHR		A1PXXUY505318		XXxxXXxx
	Estimated Date/Time Servic			734536.1	SERV STAT		
					26FEB11		
25FEB11 01:38	Asset Comments			0.0	GERO	AWAY BASE - GERALDTON	
		7155.0	AFHR		A1PXXX1101372		XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02069  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
25MAR11 01:35	Asset Comments		7155.0 AFHR	0.0	MTF 7155.0 MTF A1PXXX1102201	XXxxXXxx
25MAR11 01:40	Initiate Toolboard		7155.0 AFHR	xxxx	14 B/F	XXxxXXxx
25MAR11 01:43	Clear Toolboard		7155.0 AFHR	xxxx	14	XXxxXXxx
25MAR11 01:43	Maintenance Release			28.0	M PEA A	
	Change Serviceability Stat		7155.0 AFHR	28.0	A1PXXX1102202 U/S SERV	XXxxXXxx
	Estimated Date/Time Servic			1.0	26FEB11 00:00 SERV STAT	
25MAR11 06:29	Into Maintenance		7155.0 AFHR	0.1	A A1PXXO1101330	XXxxXXxx
25MAR11 06:49	Asset Comments		7156.4 AFHR	0.0	A1PXXX1102209	XXxxXXxx
25MAR11 06:49	Change Serviceability Stat		7156.4 AFHR	0.0	SERV U/S A1PXXU1103732	XXxxXXxx
	Estimated Date/Time Servic			734586.7	SERV STAT 26MAR11	
27MAR11 22:40	Initiate Toolboard		7156.4 AFHR	xxxx	14 B/F	XXxxXXxx
27MAR11 23:09	Clear Toolboard		7156.4 AFHR	xxxx	14	XXxxXXxx
27MAR11 23:11	Maintenance Release			2.6	M PEA A	
	Change Serviceability Stat		7156.4 AFHR	2.6	A1PXXX1102220 U/S SERV	XXxxXXxx
	Estimated Date/Time Servic			1.6	26MAR11 06:49 SERV STAT	
28MAR11 00:44	Asset Comments		7156.4 AFHR	0.0	AT 7156.4 AT A1PXXX1102240	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02070  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
28MAR11	03:18	Into Maintenance 7156.4 AFHR	0.1	A		
28MAR11	03:23	Change Serviceability Stat 7158.0 AFHR	0.0	A1PXXO1101358		XXxxXXxx
		Estimated Date/Time Servic	734589.8	U/S A1PXXU1103733		XXxxXXxx
28MAR11	03:27	Maintenance Release 7158.0 AFHR	0.0	29MAR11 M PEA		
		Change Serviceability Stat	0.0	A A1PXXX1102272		XXxxXXxx
		Estimated Date/Time Servic	1.0	U/S SERV 29MAR11 03:23		
28MAR11	03:27	Asset Comments 7158.0 AFHR	0.0	SERV STAT AT 7158.0 AT		
28MAR11	07:31	Into Maintenance 7158.0 AFHR	0.1	A1PXXX1102273		XXxxXXxx
28MAR11	07:35	Asset Comments 7158.0 AFHR	0.0	A A1PXXO1101370		XXxxXXxx
28MAR11	07:36	Change Serviceability Stat 7158.0 AFHR	0.0	A1PXXX1102284		XXxxXXxx
		Estimated Date/Time Servic	734589.8	U/S A1PXXU1103733		XXxxXXxx
28MAR11	09:00	Initiate Toolboard 7159.6 AFHR	xxxx	29MAR11 14 B/F		XXxxXXxx
28MAR11	23:00	Clear Toolboard 7159.6 AFHR	xxxx	14		XXxxXXxx
29MAR11	11:40	Initiate Toolboard 7159.6 AFHR	xxxx	14 B/F		XXxxXXxx
29MAR11	11:40	Clear Toolboard 7159.6 AFHR	xxxx	14		XXxxXXxx
30MAR11	05:31	Asset Comments 7159.6 AFHR	0.0	A/T 7159.6 A/T A1PXXX1102448		XXxxXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02071  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
30MAR11 05:31		Asset Comments	7159.6 AFHR	0.0	MTF 7159.6 MTF A1PXXX1102449	XXxxXXxx
30MAR11 05:31		Maintenance Release	7159.6 AFHR	1.9	M PEA A A1PXXX1102450	XXxxXXxx
		Change Serviceability Stat		1.9	U/S SERV	
		Estimated Date/Time Servic		0.9	29MAR11 07:36 SERV STAT	
30MAR11 07:11		Into Maintenance	7159.6 AFHR	0.0	A A1PXXO1101501	XXxxXXxx
30MAR11 07:12		Asset Comments	7159.6 AFHR	0.0	A1PXXX1102460	XXxxXXxx
30MAR11 07:12		Change Serviceability Stat		0.0	SERV U/S A1PXXU1103927	XXxxXXxx
		Estimated Date/Time Servic		734591.9	SERV STAT 31MAR11	
30MAR11 08:30		Initiate Toolboard	7160.0 AFHR	xxxx	14 B/F	XXxxXXxx
30MAR11 22:46		Clear Toolboard	7160.0 AFHR	xxxx	14	XXxxXXxx
30MAR11 22:47		Maintenance Release		0.6	M PEA A A1PXXX1102491	XXxxXXxx
		Change Serviceability Stat	7160.0 AFHR	0.6	U/S SERV	
		Estimated Date/Time Servic		1.6	31MAR11 07:12 SERV STAT	
31MAR11 06:35		Into Maintenance		0.3	A M PEA A1PXXO1101567	XXxxXXxx
31MAR11 08:00		Initiate Toolboard	7161.2 AFHR	xxxx	14 B/F	XXxxXXxx
		Clear Toolboard	7162.4 AFHR	xxxx		XXxxXXxx
31MAR11 22:47		Clear Toolboard	7162.4 AFHR	xxxx	14	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02072  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
31MAR11	22:47	Maintenance Release	0.6	M PEA A		
01APR11	05:41	7162.4 AFHR Into Maintenance	0.2	A1PXXX1102555 A		XXxxXXxx
03APR11	22:36	7163.6 AFHR Initiate Toolboard	xxxx	M PEA A1PXXO1101620		XXxxXXxx
03APR11	22:36	7164.7 AFHR Clear Toolboard	xxxx	14 B/F		XXxxXXxx
03APR11	22:43	7164.7 AFHR Maintenance Release	2.7	14		XXxxXXxx
04APR11	09:39	7164.7 AFHR Into Maintenance	0.4	M PEA A1PXXX1102577		XXxxXXxx
04APR11	22:23	7164.7 AFHR Maintenance Release	0.5	A M PEA A1PXXO1101691		XXxxXXxx
05APR11	08:30	7164.7 AFHR Initiate Toolboard	xxxx	M PEA A1PXXX1102641		XXxxXXxx
05APR11	10:05	7170.1 AFHR Into Maintenance	0.4	14 B/F		XXxxXXxx
05APR11	13:12	7170.1 AFHR Change Serviceability Stat	0.1	A A1PXXO1101750		XXxxXXxx
05APR11	23:57	7170.1 AFHR Estimated Date/Time Servic	734592.3	SERV U/S A1PXXU1103941		XXxxXXxx
		7170.1 AFHR Clear Toolboard	xxxx	SERV STAT 06APR11		
		7170.1 AFHR		14		XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02073  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
05APR11 23:57		Maintenance Release	0.4	M PEA A A1PXXX1102719	XXxxXXxx
	7170.1	AFHR Change Serviceability Stat	0.4	U/S SERV	
		Estimated Date/Time Servic	1.4	06APR11 13:12 SERV STAT	
06APR11 08:30		Initiate Toolboard	xxxx	14 B/F	
	7170.1	AFHR			XXxxXXxx
06APR11 08:47		Into Maintenance	0.3	A M PEA A1PXXO1101797	XXxxXXxx
	7170.1	AFHR			
06APR11 23:00		Clear Toolboard	xxxx	14	XXxxXXxx
	7170.1	AFHR			XXxxXXxx
07APR11 04:44		Maintenance Release	0.8	M PEA A A1PXXX1102803	XXxxXXxx
	7170.1	AFHR			
07APR11 07:40		Into Maintenance	0.1	A M PEA A1PXXO1101844	XXxxXXxx
	7170.1	AFHR			
07APR11 08:30		Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	7171.2	AFHR			XXxxXXxx
07APR11 09:33		Clear Toolboard	xxxx	14	XXxxXXxx
	7171.2	AFHR			XXxxXXxx
07APR11 09:35		Maintenance Release	0.0	M PEA A A1PXXX1102814	XXxxXXxx
	7171.2	AFHR			
08APR11 05:12		Into Maintenance	0.8	A A1PXXO1101892	XXxxXXxx
	7172.4	AFHR			
11APR11 04:42		Change Serviceability Stat	2.9	SERV U/S A1PXXU1104553	XXxxXXxx
	7172.9	AFHR			
		Estimated Date/Time Servic	734598.8	SERV STAT 12APR11	
11APR11 08:30		Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	7172.9	AFHR			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02074  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
11APR11 22:58	Asset Comments	7172.9 AFHR	0.0	AT 7172.9 AIRTEST A1PXXX1102954	XXxxXXxx
11APR11 22:59	Clear Toolboard	7172.9 AFHR	xxxx	14	XXxxXXxx
11APR11 22:59	Maintenance Release	7172.9 AFHR	0.7	M PEA A A1PXXX1102955	XXxxXXxx
	Change Serviceability Stat		0.7	U/S SERV	
	Estimated Date/Time Servic		1.7	12APR11 04:42 SERV STAT	
12APR11 01:52	Into Maintenance	7172.9 AFHR	0.1	A A1PXXO1101988	XXxxXXxx
12APR11 02:00	Asset Comments	7174.1 AFHR	0.0	A1PXXX1102966	XXxxXXxx
12APR11 02:00	Change Serviceability Stat	7174.1 AFHR	0.0	SERV U/S A1PXXU1104561	XXxxXXxx
	Estimated Date/Time Servic		734604.8	SERV STAT 13APR11	
12APR11 02:19	Maintenance Release	7174.1 AFHR	0.0	M PEA A A1PXXX1102967	XXxxXXxx
	Change Serviceability Stat		0.0	U/S SERV	
	Estimated Date/Time Servic		1.0	13APR11 02:00 SERV STAT	
12APR11 09:00	Initiate Toolboard	7175.3 AFHR	xxxx	14 B/F	XXxxXXxx
12APR11 09:08	Into Maintenance	7175.3 AFHR	0.2	A A1PXXO1102032	XXxxXXxx
12APR11 12:00	Initiate Toolboard	7175.3 AFHR	xxxx	14 B/F	XXxxXXxx
12APR11 12:44	Initiate Toolboard	7175.3 AFHR	xxxx	14 B/F	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02075  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----			
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
=====	=====	=====	=====	=====	=====
	LIFE SINCE NEW		TRANS REFERENCE		
12APR11 12:46	Change Serviceability Stat	0.1	SERV		
	7175.3 AFHR		U/S		
	Estimated Date/Time Servic	734604.5	A1PXXU1104322		XXxxXXxx
12APR11 13:17	Initiate Toolboard	xxxx	SERV STAT		
	7175.3 AFHR		13APR11		
12APR11 23:00	Clear Toolboard	xxxx	14 B/F		XXxxXXxx
	7175.3 AFHR		14		XXxxXXxx
12APR11 23:00	Maintenance Release	0.4	M PEA		
	7175.3 AFHR		A		
	Change Serviceability Stat	0.4	A1PXXX1103017		XXxxXXxx
	Estimated Date/Time Servic	1.4	U/S		
13APR11 08:30	Initiate Toolboard	xxxx	SERV		
	7176.5 AFHR		13APR11 12:46		
13APR11 09:10	Into Maintenance	0.4	SERV STAT		
	7176.5 AFHR		14 B/F		XXxxXXxx
13APR11 22:56	Clear Toolboard	xxxx	A		
	7176.5 AFHR		M PEA		
13APR11 22:57	Maintenance Release	0.5	A1PXXO1102079		XXxxXXxx
	7176.5 AFHR		14		XXxxXXxx
14APR11 08:30	Initiate Toolboard	xxxx	M PEA		
	7178.9 AFHR		A		
14APR11 08:55	Into Maintenance	0.4	A1PXXX1103068		XXxxXXxx
	7177.8 AFHR		14 B/F		XXxxXXxx
14APR11 22:32	Clear Toolboard	xxxx	A		
	7178.9 AFHR		M PEA		
14APR11 22:34	Maintenance Release	0.5	A1PXXO1102130		XXxxXXxx
	7178.9 AFHR		14		XXxxXXxx
			M PEA		
			A		
			A1PXXX1103107		XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02076  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
15APR11 07:09	Into Maintenance		0.3	A M PEA A1PXXO1102177	XXxxXXxx
17APR11 22:00	Initiate Toolboard	7181.5 AFHR	xxxx	14 B/F	XXxxXXxx
18APR11 00:10	Clear Toolboard	7183.1 AFHR	xxxx	14	XXxxXXxx
18APR11 00:10	Maintenance Release	7183.1 AFHR	2.7	M PEA A A1PXXX1103167	XXxxXXxx
18APR11 08:50	Initiate Toolboard	7183.1 AFHR	xxxx	14 B/F	XXxxXXxx
18APR11 08:59	Into Maintenance	7184.5 AFHR	0.3	A A1PXXO1102230	XXxxXXxx
18APR11 22:07	Change Serviceability Stat	7184.5 AFHR	0.5	SERV U/S A1PXXU1104937	XXxxXXxx
	Estimated Date/Time Servic	7186.3 AFHR	734605.0	SERV STAT 19APR11	
18APR11 22:41	Clear Toolboard	7186.3 AFHR	xxxx	14	XXxxXXxx
19APR11 00:09	Maintenance Release	7186.3 AFHR	0.0	M PEA A A1PXXX1103239	XXxxXXxx
	Change Serviceability Stat	7186.3 AFHR	0.0	U/S SERV 19APR11 22:07	
	Estimated Date/Time Servic	7186.3 AFHR	0.0	SERV STAT 19APR11 22:07	
19APR11 08:00	Initiate Toolboard	7188.0 AFHR	xxxx	14 B/F	XXxxXXxx
19APR11 10:35	Into Maintenance	7188.0 AFHR	0.4	A A1PXXO1102261	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02077  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----			
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
LIFE SINCE NEW		TRANS REFERENCE			
=====					
19APR11 10:42	Change Serviceability Stat	0.0	SERV		
	7188.0 AFHR		U/S		
	Estimated Date/Time Servic	734611.5	A1PXXU1104639		XXxxXXxx
20APR11 03:14	Clear Toolboard	xxxx	SERV STAT		
	7188.0 AFHR		20APR11		
20APR11 03:15	Maintenance Release	0.6	14		XXxxXXxx
	7188.0 AFHR		M PEA		
	Change Serviceability Stat	0.6	A		
	Estimated Date/Time Servic	0.6	A1PXXX1103329		XXxxXXxx
20APR11 07:38	Into Maintenance	0.1	U/S		
	7188.0 AFHR		SERV		
20APR11 12:20	Initiate Toolboard	xxxx	20APR11 10:42		
	7189.8 AFHR		SERV STAT		
20APR11 12:21	Clear Toolboard	xxxx	A		
	7189.8 AFHR		M PEA		
20APR11 23:03	Maintenance Release	0.6	A1PXXO1102298		XXxxXXxx
	7189.8 AFHR		14 B/F		
21APR11 03:41	Into Maintenance	0.1	14		XXxxXXxx
	7190.3 AFHR		M PEA		
21APR11 03:42	Change Serviceability Stat	0.0	A		
	Estimated Date/Time Servic	734612.9	A1PXXX1103359		XXxxXXxx
			SERV		
			U/S		
			A1PXXU1105154		XXxxXXxx
			SERV STAT		
			22APR11		

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02078  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW	TRANS REFERENCE			
21APR11	05:24	Maintenance Release	0.0	M PEA		
		7190.3 AFHR		A		
		Change Serviceability Stat	0.0	A1PXXX1103405		XXxxXXxx
		Estimated Date/Time Servic	1.0	U/S		
				SERV		
				22APR11 03:43		
				SERV STAT		
26APR11	21:47	Into Maintenance	5.6	A		
		7190.3 AFHR		A1PXXO1102368		XXxxXXxx
26APR11	21:47	Change Serviceability Stat	0.0	SERV		
		7190.3 AFHR		U/S		
		Estimated Date/Time Servic	734613.3	A1PXXU1105041		XXxxXXxx
				SERV STAT		
				27APR11		
26APR11	22:00	Initiate Toolboard	xxxx	14 B/F		
		7190.3 AFHR				XXxxXXxx
27APR11	00:33	Clear Toolboard	xxxx	14		
		7190.3 AFHR				XXxxXXxx
27APR11	00:33	Maintenance Release	0.1	M PEA		
		7190.3 AFHR		A		
		Change Serviceability Stat	0.1	A1PXXX1103426		XXxxXXxx
		Estimated Date/Time Servic	0.1	U/S		
				SERV		
				27APR11 21:47		
				SERV STAT		
27APR11	08:50	Into Maintenance	0.3	A		
		7192.6 AFHR		M PEA		
		Initiate Toolboard	xxxx	A1PXXO1102422		XXxxXXxx
		7194.2 AFHR		14 B/F		
27APR11	22:57	Clear Toolboard	xxxx			XXxxXXxx
		7194.2 AFHR		14		
27APR11	22:57	Maintenance Release	0.5	M PEA		
		7194.2 AFHR		A		
				A1PXXX1103457		XXxxXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02079  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
28APR11	07:12	Into Maintenance	0.3	A		
		7196.8 AFHR		M PEA		
28APR11	08:55	Initiate Toolboard	xxxx	A1PXXO1102477		XXxxXXxx
		7198.0 AFHR		14 B/F		
28APR11	22:52	Clear Toolboard	xxxx	14		XXxxXXxx
		7198.0 AFHR				
28APR11	22:52	Maintenance Release	0.6	M PEA		XXxxXXxx
		7198.0 AFHR		A		
29APR11	04:33	Into Maintenance	0.2	A1PXXX1103508		XXxxXXxx
		7198.0 AFHR		A		
02MAY11	08:00	Initiate Toolboard	xxxx	A1PXXO1102499		XXxxXXxx
		7200.4 AFHR		14 B/F		
02MAY11	22:10	Change Serviceability Stat	3.7	SERV		XXxxXXxx
		7201.6 AFHR		U/S		
		Estimated Date/Time Servic	734619.0	A1PXXU1105628		XXxxXXxx
				SERV STAT		
02MAY11	22:58	Clear Toolboard	xxxx	03MAY11		
		7201.6 AFHR		14		XXxxXXxx
02MAY11	23:01	Maintenance Release	0.0	M PEA		
		7201.6 AFHR		A		
		Change Serviceability Stat	0.0	A1PXXX1103647		XXxxXXxx
				U/S		
		Estimated Date/Time Servic	1.0	SERV		
				03MAY11 22:10		
03MAY11	08:30	Initiate Toolboard	xxxx	SERV STAT		
		7204.2 AFHR		14 B/F		XXxxXXxx
03MAY11	09:27	Into Maintenance	0.4	A		
		7204.2 AFHR		A1PXXO1102606		XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02080  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
03MAY11 12:48	Change Serviceability Stat 7204.2 AFHR Estimated Date/Time Servic	0.1 734625.4	SERV U/S A1PXXU1105692 SERV STAT 04MAY11	XXxxXXxx
03MAY11 12:55	Asset Comments 7204.2 AFHR	0.0	A/T ESDP A/T ESDP A1PXXX1103704	XXxxXXxx
03MAY11 14:57	Asset Comments 7206.4 AFHR	0.0	A1PXXX1103706	XXxxXXxx
03MAY11 22:50	Clear Toolboard 7206.4 AFHR	xxxx	14	XXxxXXxx
03MAY11 23:44	Maintenance Release 7206.4 AFHR Change Serviceability Stat	0.4 0.4	M PEA A A1PXXX1103733 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.4	SERV 04MAY11 12:48 SERV STAT	
04MAY11 08:30	Initiate Toolboard 7210.5 AFHR	xxxx	14 B/F	XXxxXXxx
04MAY11 09:00	Into Maintenance 7209.3 AFHR	0.3	A A1PXXO1102686	XXxxXXxx
05MAY11 00:11	Change Serviceability Stat 7212.3 AFHR Estimated Date/Time Servic	0.6 734626.9	SERV U/S A1PXXU1105835 SERV STAT 06MAY11	XXxxXXxx
05MAY11 00:14	Asset Comments 7212.3 AFHR	0.0	A/T 7212.3 A/T A1PXXX1103832	XXxxXXxx
05MAY11 00:15	Clear Toolboard 7212.3 AFHR	xxxx	14	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02081  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
05MAY11 00:17	Maintenance Release	0.0	M PEA A A1PXXX1103833	XXxxXXxx
	7212.3 AFHR Change Serviceability Stat	0.0	U/S SERV	
	Estimated Date/Time Servic	1.0	06MAY11 00:12 SERV STAT	
05MAY11 07:13	Into Maintenance	0.2	A A1PXXO1102748	XXxxXXxx
	7213.5 AFHR Change Serviceability Stat	0.0	SERV U/S A1PXXU1105835	XXxxXXxx
	Estimated Date/Time Servic	734627.6	SERV STAT 06MAY11	
05MAY11 07:41	Asset Comments	0.0	A1PXXX1103869	XXxxXXxx
	7213.5 AFHR Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
05MAY11 08:30	Initiate Toolboard	xxxx	14	XXxxXXxx
	7213.5 AFHR Clear Toolboard	xxxx		XXxxXXxx
05MAY11 09:42	Clear Toolboard	xxxx		XXxxXXxx
	7213.5 AFHR Maintenance Release	0.0	M PEA A A1PXXX1103879	XXxxXXxx
	7213.5 AFHR Change Serviceability Stat	0.0	U/S SERV	
	Estimated Date/Time Servic	1.0	06MAY11 07:37 SERV STAT	
06MAY11 06:01	Into Maintenance	0.8	A M PEA A1PXXO1102824	XXxxXXxx
	7217.3 AFHR Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
08MAY11 22:15	Initiate Toolboard	xxxx	14	XXxxXXxx
	7218.5 AFHR Clear Toolboard	xxxx		XXxxXXxx
08MAY11 22:51	Clear Toolboard	xxxx		XXxxXXxx
	7218.5 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02082  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
08MAY11	23:41	Maintenance Release	2.7	M PEA A		
		7218.5 AFHR		A1PXXX1103975		XXxxXXxx
09MAY11	06:30	Into Maintenance	0.2	A		
		7219.9 AFHR		A1PXXO1102910		XXxxXXxx
09MAY11	08:00	Initiate Toolboard	xxxx	14 B/F		
		7222.7 AFHR				XXxxXXxx
09MAY11	09:58	Change Serviceability Stat	0.1	SERV U/S		
		7222.7 AFHR		A1PXXU1105719		XXxxXXxx
		Estimated Date/Time Servic	734627.9	SERV STAT 10MAY11		
09MAY11	22:05	Clear Toolboard	xxxx	14		
		7222.7 AFHR				XXxxXXxx
09MAY11	22:27	Maintenance Release	0.5	M PEA A		
		7222.7 AFHR		A1PXXX1104052		XXxxXXxx
		Change Serviceability Stat	0.5	U/S		
		Estimated Date/Time Servic	1.5	SERV 10MAY11 09:58		
10MAY11	08:00	Initiate Toolboard	xxxx	SERV STAT 14 B/F		
		7226.7 AFHR				XXxxXXxx
10MAY11	08:18	Into Maintenance	0.4	A		
		7225.4 AFHR		M PEA A1PXXO1102975		XXxxXXxx
10MAY11	22:46	Clear Toolboard	xxxx	14		
		7226.7 AFHR				XXxxXXxx
10MAY11	23:04	Maintenance Release	0.6	M PEA A		
		7226.7 AFHR		A1PXXX1104116		XXxxXXxx
11MAY11	00:12	Into Maintenance	0.0	A		
		7226.7 AFHR		A1PXXO1102992		XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02083  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----			
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
LIFE SINCE NEW		TRANS REFERENCE			
=====					
11MAY11 02:30	Change Serviceability Stat	0.0	SERV		
	7226.7 AFHR		U/S		
	Estimated Date/Time Servic	734632.8	A1PXXU1106156		XXxxXXxx
11MAY11 02:31	Asset Comments	0.0	SERV STAT	AIRTEST AIRTEST	
	7226.7 AFHR		12MAY11		
11MAY11 03:26	Maintenance Release	0.0	A1PXXX1104147		XXxxXXxx
	7226.7 AFHR		M PEA		
	Change Serviceability Stat	0.0	A		
	Estimated Date/Time Servic	1.0	A1PXXX1104150		XXxxXXxx
11MAY11 05:55	Into Maintenance	0.1	U/S		
	7226.7 AFHR		SERV		
11MAY11 06:01	Change Serviceability Stat	0.0	12MAY11 02:30		
	7227.9 AFHR		SERV STAT		
	Estimated Date/Time Servic	734633.8	A		XXxxXXxx
11MAY11 06:02	Asset Comments	0.0	A1PXXO1103025		
	7227.9 AFHR		SERV		
11MAY11 06:03	Maintenance Release	0.0	U/S		
	Change Serviceability Stat	0.0	A1PXXU1106156		XXxxXXxx
	Estimated Date/Time Servic	1.0	SERV STAT		
11MAY11 08:00	Initiate Toolboard	xxxx	12MAY11		
	7229.3 AFHR		14 B/F		
11MAY11 08:54	Into Maintenance	0.1	A		XXxxXXxx
	7227.9 AFHR		A1PXXO1103047		
11MAY11 22:24	Asset Comments	0.0	R1 SERV	R1	XXxxXXxx
	7229.3 AFHR		A1PXXX1104166		

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02084  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
11MAY11 23:00	Change Serviceability Stat	0.5	SERV U/S	
	7229.3 AFHR		A1PXXUY913988	XXxxXXxx
	Estimated Date/Time Servic	734633.2	SERV STAT	
20MAY11 03:01	Create/Amend Basic Weight	976.6	1744.00 4274.5	0.00 0.00
	7229.3 AFHR		1746.00 4274.0	0.00 0.00
	Maintenance Comment	0.0	A1PXXX1104609	XXxxXXxx
26MAY11 08:53	Asset Comments	0.0	S12 SERV	
	7229.3 AFHR		MTF 7229.3 MTF	
19JUN11 22:55	Initiate Toolboard	xxxx	A1PXXX1104797	XXxxXXxx
	7229.3 AFHR		14 B/F	
19JUN11 22:56	Clear Toolboard	xxxx	14	XXxxXXxx
	7229.3 AFHR			
19JUN11 22:57	Maintenance Release	38.9	M PEA	
	7229.3 AFHR		A	
	Change Serviceability Stat	38.9	A1PXXX1105120	XXxxXXxx
	Estimated Date/Time Servic	0.9	U/S	
20JUN11 06:55	Into Maintenance	0.3	SERV	
	7229.3 AFHR		12MAY11 23:00	
	Initiate Toolboard	xxxx	SERV STAT	
	7229.3 AFHR		A	
20JUN11 22:15	Clear Toolboard	xxxx	M PEA	
	7229.3 AFHR		A1PXXO1103439	XXxxXXxx
20JUN11 22:16	Maintenance Release	0.6	14 B/F	XXxxXXxx
	7229.3 AFHR		14	
21JUN11 09:28	Into Maintenance	0.4	M PEA	
	7229.3 AFHR		A	
	7229.3 AFHR		A1PXXX1105177	XXxxXXxx
			A	
			A1PXXO1103487	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02085  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----				
TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN(DYS) FROM	TO (OPTIONAL)	USER
=====	=====	=====	=====	=====	=====	=====
				TRANS REFERENCE		
22JUN11 08:42	Change Serviceability Stat	7229.3	AFHR	0.9	SERV U/S	
	Estimated Date/Time Servic			734673.5	A1PXXU1107837	XXxxXXxx
22JUN11 09:00	Initiate Toolboard	7229.3	AFHR	xxxx	14 B/F	
22JUN11 22:48	Clear Toolboard	7229.3	AFHR	xxxx	14	XXxxXXxx
22JUN11 22:48	Maintenance Release	7229.3	AFHR	0.5	M PEA	
	Change Serviceability Stat			0.5	A1PXXX1105297	XXxxXXxx
	Estimated Date/Time Servic			1.5	SERV	
23JUN11 08:11	Into Maintenance			0.3	23JUN11 08:42	
	Initiate Toolboard	7229.3	AFHR	xxxx	SERV STAT	
	Initiate Toolboard	7229.3	AFHR	xxxx	A	
	Initiate Toolboard	7229.3	AFHR	xxxx	M PEA	
	Clear Toolboard	7229.3	AFHR	xxxx	A1PXXO1103558	XXxxXXxx
	Maintenance Release	7229.3	AFHR	3.7	14 B/F	XXxxXXxx
	Change Serviceability Stat			0.0	14 B/F	XXxxXXxx
	Into Maintenance	7230.1	AFHR	0.1	14	XXxxXXxx
	Change Serviceability Stat			0.0	M PEA	
	Estimated Date/Time Servic			734676.7	A	XXxxXXxx
	Change Serviceability Stat			0.0	A1PXXX1105414	XXxxXXxx
	Estimated Date/Time Servic			734676.7	A	XXxxXXxx
	Change Serviceability Stat			0.0	A1PXXO1103624	XXxxXXxx
	Estimated Date/Time Servic			734676.7	SERV	
	Change Serviceability Stat			0.0	U/S	
	Estimated Date/Time Servic			734676.7	A1PXXU1108301	XXxxXXxx
	Change Serviceability Stat			0.0	SERV STAT	
	Estimated Date/Time Servic			734676.7	28JUN11	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02086  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
27JUN11 06:00	Initiate Toolboard	7230.1 AFHR	xxxx	14 B/F	XXxxXXxx
28JUN11 07:00	Initiate Toolboard	7230.1 AFHR	xxxx	14 B/F	XXxxXXxx
28JUN11 23:07	Clear Toolboard	7230.1 AFHR	xxxx	14	XXxxXXxx
28JUN11 23:43	Maintenance Release	7230.1 AFHR	1.7	M PEA A	XXxxXXxx
	Change Serviceability Stat	7230.1 AFHR	1.7	A1PXXX1105514 U/S SERV	XXxxXXxx
	Estimated Date/Time Servic		1.7	28JUN11 05:41 SERV STAT	
29JUN11 02:16	Into Maintenance	7230.4 AFHR	0.1	A	XXxxXXxx
29JUN11 02:16	Change Serviceability Stat	7230.4 AFHR	0.0	A1PXXO1103699 SERV U/S	XXxxXXxx
	Estimated Date/Time Servic		734682.8	A1PXXU1108301 SERV STAT	XXxxXXxx
29JUN11 02:25	Asset Comments	7230.4 AFHR	0.0	30JUN11 MTF 7230.4 MTF	XXxxXXxx
29JUN11 02:25	Maintenance Release	7230.4 AFHR	0.0	A1PXXX1105545 M PEA A	XXxxXXxx
	Change Serviceability Stat	7230.4 AFHR	0.0	A1PXXX1105546 U/S SERV	XXxxXXxx
	Estimated Date/Time Servic		1.0	30JUN11 02:16 SERV STAT	
29JUN11 03:14	Into Maintenance	7230.4 AFHR	0.0	A	XXxxXXxx
29JUN11 03:16	Change Serviceability Stat	7230.7 AFHR	0.0	A1PXXO1103712 SERV U/S	XXxxXXxx
	Estimated Date/Time Servic		734682.9	A1PXXU1108418 SERV STAT	XXxxXXxx
				30JUN11	

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02087  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
29JUN11 03:18	Maintenance Release	0.0	M PEA A	
	7230.7 AFHR Change Serviceability Stat	0.0	A1PXXX1105551 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.0	SERV 30JUN11 03:16 SERV STAT	
29JUN11 07:00	Initiate Toolboard	xxxx	14 B/F	
	7231.7 AFHR			XXxxXXxx
29JUN11 08:30	Into Maintenance	0.2	A	
	7230.7 AFHR Change Serviceability Stat	0.0	A1PXXO1103723 SERV	XXxxXXxx
	7231.7 AFHR Estimated Date/Time Servic	734682.7	U/S A1PXXU1108143 SERV STAT 30JUN11	XXxxXXxx
29JUN11 22:38	Asset Comments	0.0		
	7231.7 AFHR		A1PXXX1105569	XXxxXXxx
29JUN11 22:38	Clear Toolboard	xxxx	14	
	7231.7 AFHR			XXxxXXxx
29JUN11 23:24	Maintenance Release	0.5	M PEA A	
	7231.7 AFHR Change Serviceability Stat	0.5	A1PXXX1105584 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.5	SERV 30JUN11 09:08 SERV STAT	
30JUN11 03:15	Into Maintenance	0.1	A	
	7231.7 AFHR		A1PXXO1103744	XXxxXXxx
30JUN11 08:00	Initiate Toolboard	xxxx	14 B/F	
	7232.5 AFHR			XXxxXXxx
30JUN11 09:27	Change Serviceability Stat	0.2	SERV U/S	
	7232.5 AFHR Estimated Date/Time Servic	734683.5	A1PXXU1108511 SERV STAT 01JUL11	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02088  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
30JUN11 09:41	Asset Comments		7232.5 AFHR	0.0	AIRTEST AIRCRAFT REQUIRES AIRTEST FOR LGCU OPS	XXXXXXxx
30JUN11 22:28	Clear Toolboard		7232.5 AFHR	xxxx	14	XXXXXXxx
30JUN11 22:31	Armed		7232.5 AFHR	0.0	Y	XXXXXXxx
30JUN11 22:31	Asset Comments		7232.5 AFHR	0.0	AT 7232.5 AIRCRAFT REQUIRES AIRTEST FOR LGCU OPS	XXXXXXxx
30JUN11 22:31	Armed		7232.5 AFHR	0.0	N	XXXXXXxx
30JUN11 23:24	Maintenance Release		7232.5 AFHR	0.5	M PEA	XXXXXXxx
	Change Serviceability Stat		7232.5 AFHR	0.5	A A1PXXX1105627	XXXXXXxx
	Estimated Date/Time Servic			1.5	U/S SERV 01JUL11 09:27 SERV STAT	
01JUL11 02:21	Into Maintenance		7232.5 AFHR	0.1	A	XXXXXXxx
01JUL11 02:27	Change Serviceability Stat		7233.8 AFHR	0.0	A1PXXO1103773	XXXXXXxx
	Estimated Date/Time Servic			734684.8	U/S SERV A1PXXU1108512 SERV STAT 02JUL11	XXXXXXxx
01JUL11 02:28	Asset Comments		7233.8 AFHR	0.0	A1PXXX1105635	XXXXXXxx
01JUL11 03:09	Maintenance Release		7233.8 AFHR	0.0	M PEA	XXXXXXxx
	Change Serviceability Stat		7233.8 AFHR	0.0	A A1PXXX1105637	XXXXXXxx
	Estimated Date/Time Servic			1.0	U/S SERV 02JUL11 02:27 SERV STAT	
03JUL11 22:00	Initiate Toolboard		7235.0 AFHR	xxxx	14 B/F	XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02089  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
03JUL11 22:53	Into Maintenance		2.8	A M PEA A1PXXO1103798	XXxxXXxx
03JUL11 23:39	Clear Toolboard	7235.0 AFHR	xxxx	14	XXxxXXxx
03JUL11 23:39	Maintenance Release	7235.0 AFHR	0.0	M PEA A A1PXXX1105652	XXxxXXxx
04JUL11 09:18	Into Maintenance	7236.4 AFHR	0.4	A M PEA A1PXXO1103825	XXxxXXxx
04JUL11 09:19	Initiate Toolboard	7236.4 AFHR	xxxx	14 B/F	XXxxXXxx
04JUL11 09:19	Clear Toolboard	7236.4 AFHR	xxxx	14	XXxxXXxx
05JUL11 00:07	Maintenance Release	7236.4 AFHR	0.6	M PEA A A1PXXX1105723	XXxxXXxx
05JUL11 02:00	Into Maintenance	7236.4 AFHR	0.0	A A1PXXO1103850	XXxxXXxx
05JUL11 04:35	Change Serviceability Stat	7237.7 AFHR	0.1	U/S A1PXXU1108687	XXxxXXxx
	Estimated Date/Time Servic		734684.9	SERV STAT 06JUL11	
05JUL11 09:00	Initiate Toolboard	7237.7 AFHR	xxxx	14 B/F	XXxxXXxx
05JUL11 22:15	Clear Toolboard	7237.7 AFHR	xxxx	14	XXxxXXxx
05JUL11 22:15	Asset Comments	7237.7 AFHR	0.0	AT 7237.7 AT A1PXXX1105789	XXxxXXxx
05JUL11 22:17	Change Serviceability Stat	7237.7 AFHR	0.7	U/S SERV A1PXXX1105792	XXxxXXxx
	Estimated Date/Time Servic		1.7	06JUL11 04:37 SERV STAT	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02090  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
05JUL11	22:21	Maintenance Release	0.0	M PEA A A1PXXX1105799		XXxxXXxx
06JUL11	03:35	Into Maintenance	0.2	A A1PXXO1103905		XXxxXXxx
06JUL11	03:36	Change Serviceability Stat	0.0	SERV U/S A1PXXU1108695		XXxxXXxx
		Estimated Date/Time Servic	734689.7	SERV STAT 07JUL11		
06JUL11	03:41	Armed	0.0	Y A1PXXX1105830		XXxxXXxx
06JUL11	03:41	Asset Comments	0.0	A1PXXX1105830		XXxxXXxx
06JUL11	03:42	Armed	0.0	N A1PXXX1105831		XXxxXXxx
06JUL11	08:45	Initiate Toolboard	xxxx	14 B/F		XXxxXXxx
06JUL11	22:16	Clear Toolboard	xxxx	14		XXxxXXxx
07JUL11	01:44	Maintenance Release	0.9	M PEA A A1PXXX1105885		XXxxXXxx
		Change Serviceability Stat	0.9	U/S SERV 07JUL11 03:36		
		Estimated Date/Time Servic	0.9	SERV STAT		
07JUL11	08:12	Into Maintenance	0.2	A M PEA A1PXXO1103983		XXxxXXxx
07JUL11	08:30	Initiate Toolboard	xxxx	14 B/F		XXxxXXxx
07JUL11	22:33	Clear Toolboard	xxxx	14		XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02091  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----				
TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN(DYS) FROM	TO (OPTIONAL)	USER
				TRANS REFERENCE		
=====						
07JUL11	22:33	Maintenance Release		0.5	M PEA A	
		7241.8	AFHR		A1PXXX1105918	XXxxXXxx
08JUL11	06:30	Into Maintenance		0.3	A	
		7241.8	AFHR		A1PXXO1104024	XXxxXXxx
11JUL11	12:48	Change Serviceability Stat		3.2	SERV U/S	
		7244.6	AFHR		A1PXXU1108994	XXxxXXxx
		Estimated Date/Time Servic		734690.5	SERV STAT 12JUL11	
13JUL11	01:16	Asset Comments		0.0	MTF MTF 7244.6 AFHR	
		7244.6	AFHR		A1PXXX1106124	XXxxXXxx
13JUL11	01:17	Initiate Toolboard		xxxx	14 B/F	
		7244.6	AFHR			XXxxXXxx
13JUL11	01:17	Clear Toolboard		xxxx	14	
		7244.6	AFHR			XXxxXXxx
13JUL11	01:18	Maintenance Release		1.5	M PEA A	
		7244.6	AFHR		A1PXXX1106125	XXxxXXxx
		Change Serviceability Stat		1.5	U/S SERV	
		Estimated Date/Time Servic		0.5	12JUL11 12:48 SERV STAT	
13JUL11	04:41	Into Maintenance		0.1	A	
		7245.2	AFHR		A1PXXO1104108	XXxxXXxx
13JUL11	04:41	Change Serviceability Stat		0.0	SERV U/S	
		7245.2	AFHR		A1PXXU1109131	XXxxXXxx
		Estimated Date/Time Servic		734696.8	SERV STAT 14JUL11	
13JUL11	08:30	Initiate Toolboard		xxxx	14 B/F	
		7245.2	AFHR			XXxxXXxx
13JUL11	23:02	Asset Comments		0.0	MTF 7245.2 MTF	
		7245.2	AFHR		A1PXXX1106166	XXxxXXxx
14JUL11	00:38	Clear Toolboard		xxxx	14	
		7245.2	AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02092  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
14JUL11 00:38	Maintenance Release	0.8	M PEA A A1PXXX1106176	XXxxXXxx
	7245.2 AFHR Change Serviceability Stat	0.8	U/S SERV	
	Estimated Date/Time Servic	0.8	14JUL11 04:44 SERV STAT	
14JUL11 05:43	Into Maintenance	0.2	A A1PXXO1104165	XXxxXXxx
14JUL11 06:28	Asset Comments	0.0	MTF 7246.2 MTF A1PXXX1106214	XXxxXXxx
14JUL11 06:29	Change Serviceability Stat	0.0	SERV U/S A1PXXU1109157	XXxxXXxx
	7246.2 AFHR Estimated Date/Time Servic	734697.7	SERV STAT 15JUL11	
14JUL11 06:41	Asset Comments	0.0	A1PXXX1106216	XXxxXXxx
14JUL11 08:00	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
14JUL11 22:18	Clear Toolboard	xxxx	14	XXxxXXxx
14JUL11 22:18	Maintenance Release	0.6	M PEA A A1PXXX1106229	XXxxXXxx
	7246.2 AFHR Change Serviceability Stat	0.6	U/S SERV	
	Estimated Date/Time Servic	1.6	15JUL11 06:29 SERV STAT	
15JUL11 01:16	Into Maintenance	0.1	A M PEA A1PXXO1104186	XXxxXXxx
17JUL11 22:08	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
17JUL11 23:37	Clear Toolboard	xxxx	14	XXxxXXxx
	7247.2 AFHR			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02093  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
17JUL11	23:37	Maintenance Release	2.9	M PEA A		
18JUL11	07:00	Initiate Toolboard 7247.2 AFHR	xxxx	A1PXXX1106252		XXxxXXxx
18JUL11	09:22	Into Maintenance 7251.0 AFHR	0.4	A		XXxxXXxx
18JUL11	09:57	Clear Toolboard 7249.8 AFHR	xxxx	A1PXXO1104234		XXxxXXxx
18JUL11	09:57	Maintenance Release 7251.0 AFHR	0.0	M PEA A		XXxxXXxx
19JUL11	08:51	Into Maintenance 7251.0 AFHR	0.9	A1PXXX1106279		XXxxXXxx
19JUL11	08:55	Initiate Toolboard 7256.1 AFHR	xxxx	A1PXXO1104278		XXxxXXxx
19JUL11	09:34	Clear Toolboard 7257.3 AFHR	xxxx	14 B/F		XXxxXXxx
19JUL11	09:38	Maintenance Release 7257.3 AFHR	0.0	14		XXxxXXxx
19JUL11	12:35	Into Maintenance 7257.3 AFHR	0.1	M PEA A		XXxxXXxx
19JUL11	13:06	Change Serviceability Stat 7257.3 AFHR	0.0	A1PXXO1104284		XXxxXXxx
		Estimated Date/Time Servic 7259.0 AFHR	734698.3	SERV U/S		XXxxXXxx
				A1PXXU1109484		
				SERV STAT		
				20JUL11		

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02094  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
19JUL11 22:46	Maintenance Release	0.4	M PEA A	
	7259.0 AFHR Change Serviceability Stat	0.4	A1PXXX1106343 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.4	SERV 20JUL11 13:08 SERV STAT	
20JUL11 07:00	Initiate Toolboard	xxxx	14 B/F	
	7261.6 AFHR			XXxxXXxx
20JUL11 08:34	Into Maintenance	0.4	A	
	7261.6 AFHR		A1PXXO1104321	XXxxXXxx
20JUL11 08:36	Change Serviceability Stat	0.0	SERV	
	7261.6 AFHR		A1PXXU1109168	XXxxXXxx
	Estimated Date/Time Servic	734703.5	SERV STAT 21JUL11	
20JUL11 23:24	Clear Toolboard	xxxx	14	
	7261.6 AFHR			XXxxXXxx
20JUL11 23:24	Maintenance Release	0.6	M PEA A	
	7261.6 AFHR		A1PXXX1106384	XXxxXXxx
	Change Serviceability Stat	0.6	U/S	
	Estimated Date/Time Servic	1.6	SERV 21JUL11 08:36 SERV STAT	
21JUL11 08:40	Initiate Toolboard	xxxx	14 B/F	
	7265.2 AFHR			XXxxXXxx
21JUL11 09:07	Into Maintenance	0.4	A	
	7265.2 AFHR		M PEA A1PXXO1104377	XXxxXXxx
21JUL11 23:20	Clear Toolboard	xxxx	14	
	7265.2 AFHR			XXxxXXxx
21JUL11 23:20	Maintenance Release	0.5	M PEA A	
	7265.2 AFHR		A1PXXX1106420	XXxxXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02095  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS	REFERENCE	
22JUL11	07:20	Into Maintenance	0.3	A		
		7267.8 AFHR		M PEA	A1PXXO1104414	XXxxXXxx
22JUL11	07:31	Maintenance Release	0.0	M PEA		
		7267.8 AFHR		A	A1PXXX1106440	XXxxXXxx
24JUL11	01:55	Into Maintenance	1.7	A		
		7267.8 AFHR		M PEA	A1PXXO1104423	XXxxXXxx
24JUL11	02:01	Initiate Toolboard	xxxx	14 B/F		XXxxXXxx
		7267.8 AFHR				XXxxXXxx
24JUL11	02:01	Clear Toolboard	xxxx	14		XXxxXXxx
		7267.8 AFHR				XXxxXXxx
24JUL11	02:02	Maintenance Release	0.0	M PEA		
		7267.8 AFHR		A	A1PXXX1106445	XXxxXXxx
24JUL11	07:45	Into Maintenance	0.2	A		
		7267.8 AFHR		M PEA	A1PXXO1104428	XXxxXXxx
24JUL11	08:24	Change Serviceability Stat	0.0	SERV		
		7270.6 AFHR		U/S	A1PXXU1109646	XXxxXXxx
		Estimated Date/Time Servic	734704.6	SERV STAT		
24JUL11	22:06	Asset Comments	0.0	LMO	LMO	
		7270.6 AFHR		A	A1PXXX1106462	XXxxXXxx
25JUL11	00:07	Initiate Toolboard	xxxx	14 B/F		XXxxXXxx
		7270.6 AFHR				XXxxXXxx
25JUL11	00:08	Clear Toolboard	xxxx	14		XXxxXXxx
		7270.6 AFHR				XXxxXXxx
25JUL11	00:08	Maintenance Release	0.6	M LMO		
		7270.6 AFHR		A	A1PXXX1106474	XXxxXXxx
		Change Serviceability Stat	0.6	U/S		
		Estimated Date/Time Servic	0.6	SERV	25JUL11 08:25	
				SERV STAT		

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02096  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
26JUL11 00:14	Into Maintenance	1.0	A M LMO	
	7270.6 AFHR		A1PXXO1104459	XXxxXXxx
26JUL11 00:14	Initiate Toolboard	xxxx	14 B/F	
	7270.6 AFHR			XXxxXXxx
26JUL11 00:16	Clear Toolboard	xxxx	14	
	7270.6 AFHR			XXxxXXxx
26JUL11 00:16	Maintenance Release	0.0	M LMO A	
	7270.6 AFHR		A1PXXX1106502	XXxxXXxx
26JUL11 03:35	Into Maintenance	0.1	A	
	7275.6 AFHR		A1PXXO1104495	XXxxXXxx
26JUL11 04:30	Change Serviceability Stat	0.0	SERV U/S	
	7275.6 AFHR		A1PXXU1109722	XXxxXXxx
	Estimated Date/Time Servic	734708.8	SERV STAT 27JUL11	
26JUL11 05:08	Maintenance Release	0.0	M LMO A	
	7275.6 AFHR		A1PXXX1106541	XXxxXXxx
	Change Serviceability Stat	0.0	U/S SERV	
	Estimated Date/Time Servic	1.0	27JUL11 04:30 SERV STAT	
26JUL11 06:44	Into Maintenance	0.0	A	
	7275.6 AFHR		A1PXXO1104504	XXxxXXxx
26JUL11 06:44	Change Serviceability Stat	0.0	SERV U/S	
	7275.6 AFHR		A1PXXU1109722	XXxxXXxx
	Estimated Date/Time Servic	734709.9	SERV STAT 27JUL11	
26JUL11 08:36	Initiate Toolboard	xxxx	14 B/F	
	7276.8 AFHR			XXxxXXxx
27JUL11 00:02	Clear Toolboard	xxxx	14	
	7278.0 AFHR			XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02097  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
27JUL11 00:02	Maintenance Release	0.7	M LMO A	
	7278.0 AFHR Change Serviceability Stat	0.7	A1PXXX1106564 U/S	XXxxXXxx
	Estimated Date/Time Servic	0.7	SERV 27JUL11 06:44 SERV STAT	
27JUL11 00:51	Into Maintenance	0.0	A	
	7278.0 AFHR Change Serviceability Stat	0.0	A1PXXO1104531 SERV	XXxxXXxx
	Estimated Date/Time Servic	734710.9	U/S A1PXXU1109742 SERV STAT	XXxxXXxx
27JUL11 03:06	Maintenance Release	0.0	28JUL11 M LMO	
	7278.0 AFHR Change Serviceability Stat	0.0	A A1PXXX1106594 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.0	SERV 28JUL11 00:53 SERV STAT	
27JUL11 09:25	Into Maintenance	0.2	A	
	7281.8 AFHR Change Serviceability Stat	0.0	A1PXXO1104570 SERV	XXxxXXxx
	Estimated Date/Time Servic	734710.7	U/S A1PXXU1109562 SERV STAT	XXxxXXxx
28JUL11 00:06	Initiate Toolboard	xxxx	28JUL11 14 B/F	
	7281.8 AFHR Clear Toolboard	xxxx	14	XXxxXXxx
28JUL11 00:07	Clear Toolboard	xxxx		
	7281.8 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02098  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
LIFE SINCE NEW					
28JUL11	00:07	Maintenance Release	0.6	M LMO A	
	7281.8	AFHR		A1PXXX1106616	XXxxXXxx
	Change Serviceability Stat		0.6	U/S	
	Estimated Date/Time Servic		0.6	SERV 28JUL11 09:25 SERV STAT	
29JUL11	00:17	Into Maintenance	1.0	A M LMO	
	7284.3	AFHR		A1PXXO1104593	XXxxXXxx
29JUL11	00:18	Initiate Toolboard	xxxx	14 B/F	
	7284.3	AFHR			XXxxXXxx
29JUL11	00:18	Clear Toolboard	xxxx	14	
	7284.3	AFHR			XXxxXXxx
29JUL11	00:19	Maintenance Release	0.0	M LMO A	
	7284.3	AFHR		A1PXXX1106642	XXxxXXxx
29JUL11	02:31	Into Maintenance	0.0	A M LMO	
	7285.6	AFHR		A1PXXO1104612	XXxxXXxx
29JUL11	02:56	Maintenance Release	0.0	M LMO A	
	7286.8	AFHR		A1PXXX1106669	XXxxXXxx
29JUL11	08:05	Into Maintenance	0.2	A M LMO	
	7288.1	AFHR		A1PXXO1104633	XXxxXXxx
01AUG11	00:06	Initiate Toolboard	xxxx	14 B/F	
	7289.3	AFHR			XXxxXXxx
01AUG11	00:06	Clear Toolboard	xxxx	14	
	7289.3	AFHR			XXxxXXxx
01AUG11	00:06	Maintenance Release	2.6	M LMO A	
	7289.3	AFHR		A1PXXX1106707	XXxxXXxx
01AUG11	08:04	Into Maintenance	0.3	A A1PXXO1104673	
	7291.6	AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02099  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
01AUG11 08:06	Change Serviceability Stat	0.0	SERV U/S A1PXXU1106853	XXxxXXxx
	7291.6 AFHR Estimated Date/Time Servic	734711.6	SERV STAT 02AUG11	
02AUG11 00:04	Maintenance Release	0.6	M LMO A A1PXXX1106734	XXxxXXxx
	7292.8 AFHR Change Serviceability Stat	0.6	U/S SERV 02AUG11 08:06	
	Estimated Date/Time Servic	0.6	SERV STAT A	
02AUG11 00:05	Into Maintenance	0.0	M LMO A1PXXO1104690	XXxxXXxx
02AUG11 00:05	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	7292.8 AFHR			XXxxXXxx
02AUG11 00:06	Clear Toolboard	xxxx	14	XXxxXXxx
	7292.8 AFHR			XXxxXXxx
02AUG11 00:06	Maintenance Release	0.0	M LMO A A1PXXX1106736	XXxxXXxx
	7292.8 AFHR		A A1PXXO1104698	XXxxXXxx
02AUG11 03:33	Into Maintenance	0.1	SERV U/S A1PXXU1110012	XXxxXXxx
	7292.8 AFHR		SERV STAT 03AUG11	
	Estimated Date/Time Servic	734716.8	M LMO A A1PXXX1106761	XXxxXXxx
02AUG11 04:54	Maintenance Release	0.0	U/S SERV 03AUG11 03:34	
	7294.1 AFHR		SERV STAT	
	Change Serviceability Stat	0.0		
	Estimated Date/Time Servic	1.0		

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02100  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
02AUG11 08:42	Into Maintenance	0.1	A M LMO	
03AUG11 00:14	Initiate Toolboard 7294.1 AFHR	xxxx	A1PXXO1104733 14 B/F	XXxxXXxx
03AUG11 00:15	Clear Toolboard 7295.3 AFHR	xxxx	14	XXxxXXxx
03AUG11 00:15	Maintenance Release 7295.3 AFHR	0.6	M LMO A	XXxxXXxx
03AUG11 00:36	Operator Acceptance 7295.3 AFHR	0.0	A1PXXX1106780 aip01570	XXxxXXxx
03AUG11 02:30	Maintenance Comment Into Maintenance	0.0	A1PXXX1106786 LMO A	XXxxXXxx
03AUG11 03:06	Operator Release 7295.3 AFHR	0.0	M LMO A1PXXO1104743 P. BENNETT	XXxxXXxx
03AUG11 03:07	Maintenance Release 7295.3 AFHR	0.0	A1PXXX1106814 M LMO A	XXxxXXxx
03AUG11 04:48	Into Maintenance 7296.7 AFHR	0.0	A1PXXX1106815 A	XXxxXXxx
03AUG11 05:28	Change Serviceability Stat 7296.7 AFHR	0.0	A1PXXO1104748 SERV U/S	XXxxXXxx
03AUG11 05:36	Maintenance Release 7298.0 AFHR	0.0	A1PXXU1110098 SERV STAT 04AUG11	XXxxXXxx
	Estimated Date/Time Servic	734716.9		
	Change Serviceability Stat 7298.0 AFHR	0.0	M LMO A A1PXXX1106829	XXxxXXxx
	Estimated Date/Time Servic	1.0	U/S SERV 04AUG11 05:29 SERV STAT	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02101  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW	TRANS REFERENCE			
03AUG11	23:57	Into Maintenance 7299.1 AFHR	0.7	A	A1PXXO1104772	XXxxXXxx
03AUG11	23:58	Change Serviceability Stat 7299.1 AFHR	0.0	SERV U/S	A1PXXU1109798	XXxxXXxx
		Estimated Date/Time Servic	734717.2	SERV STAT		
04AUG11	00:47	Initiate Toolboard 7299.1 AFHR	xxxx	14 B/F		XXxxXXxx
04AUG11	00:48	Clear Toolboard 7299.1 AFHR	xxxx	14		XXxxXXxx
04AUG11	00:48	Maintenance Release 7299.1 AFHR	0.0	M LMO A	A1PXXX1106851	XXxxXXxx
		Change Serviceability Stat	0.0	U/S SERV		
		Estimated Date/Time Servic	0.0	04AUG11 23:58 SERV STAT		
04AUG11	08:07	Into Maintenance 7302.7 AFHR	0.3	A	A1PXXO1104807	XXxxXXxx
04AUG11	08:08	Initiate Toolboard 7302.7 AFHR	xxxx	14 B/F		XXxxXXxx
04AUG11	08:09	Clear Toolboard 7302.7 AFHR	xxxx	14		XXxxXXxx
04AUG11	08:10	Maintenance Release 7302.7 AFHR	0.0	M LMO A	A1PXXX1106874	XXxxXXxx
04AUG11	09:02	Into Maintenance 7304.1 AFHR	0.0	A	A1PXXO1104817	XXxxXXxx
04AUG11	23:32	Change Serviceability Stat 7304.8 AFHR	0.6	SERV U/S	A1PXXU1106253	XXxxXXxx
		Estimated Date/Time Servic	734718.0	SERV STAT		
				05AUG11		

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02102  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
04AUG11	23:39	Maintenance Release	0.0	M LMO		
		7304.8 AFHR		A		
		Change Serviceability Stat	0.0	A1PXXX1106888		XXxxXXxx
		Estimated Date/Time Servic	1.0	U/S		
				SERV		
				05AUG11 23:32		
				SERV STAT		
05AUG11	05:34	Into Maintenance	0.2	A		
		7304.8 AFHR		M PEA		
				A1PXXO1104841		XXxxXXxx
07AUG11	23:18	Asset Comments	0.0			
		7307.8 AFHR		A1PXXX1106923		XXxxXXxx
08AUG11	00:22	Initiate Toolboard	xxxx	14 B/F		
		7307.8 AFHR				XXxxXXxx
08AUG11	00:23	Clear Toolboard	xxxx	14		
		7307.8 AFHR				XXxxXXxx
08AUG11	00:23	Maintenance Release	2.7	M PEA		
		7307.8 AFHR		A		
08AUG11	02:31	Into Maintenance	0.0	A1PXXX1106934		XXxxXXxx
		7307.8 AFHR		A		
				A1PXXO1104854		XXxxXXxx
08AUG11	05:57	Change Serviceability Stat	0.1	SERV		
		7309.0 AFHR		U/S		
		Estimated Date/Time Servic	734719.7	A1PXXU1110364		XXxxXXxx
				SERV STAT		
				09AUG11		
08AUG11	07:54	Initiate Toolboard	xxxx	14 B/F		
		7309.0 AFHR				XXxxXXxx
08AUG11	07:57	Clear Toolboard	xxxx	14		
		7309.0 AFHR				XXxxXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02103  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
08AUG11	08:47	Maintenance Release	0.1	M PEA A		
		7309.0 AFHR		A1PXXX1106967		XXxxXXxx
		Change Serviceability Stat	0.1	U/S		
		Estimated Date/Time Servic	1.1	SERV 09AUG11 05:58		
08AUG11	12:13	Into Maintenance	0.1	A		
		7309.0 AFHR		A1PXXO1104882		XXxxXXxx
08AUG11	12:25	Change Serviceability Stat	0.0	SERV		
		7309.0 AFHR		A1PXXU1110365		XXxxXXxx
		Estimated Date/Time Servic	734722.8	SERV STAT 09AUG11		
08AUG11	23:28	Maintenance Release	0.4	M PEA A		
		7310.4 AFHR		A1PXXX1106985		XXxxXXxx
		Change Serviceability Stat	0.4	U/S		
		Estimated Date/Time Servic	1.4	SERV 09AUG11 12:25		
09AUG11	09:30	Into Maintenance	0.4	A		
		7310.4 AFHR		M PEA A1PXXO1104923		XXxxXXxx
09AUG11	09:30	Initiate Toolboard	xxxx	14 B/F		
		7310.4 AFHR				XXxxXXxx
09AUG11	09:31	Clear Toolboard	xxxx	14		
		7310.4 AFHR				XXxxXXxx
09AUG11	09:46	Maintenance Release	0.0	M PEA A		
		7311.6 AFHR		A1PXXX1107022		XXxxXXxx
09AUG11	11:31	Into Maintenance	0.0	A		
		7311.6 AFHR		A1PXXO1104928		XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02104  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----			
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
=====	=====	=====	=====	=====	=====
	LIFE SINCE NEW		TRANS REFERENCE		
09AUG11 11:31	Change Serviceability Stat	0.0	SERV U/S		
	7311.6 AFHR		A1PXXU1110434		XXxxXXxx
	Estimated Date/Time Servic	734723.4	SERV STAT		
			10AUG11		
09AUG11 23:02	Asset Comments	0.0	MTF 7311.6	MTF BLEED VALVE	
	7311.6 AFHR		A1PXXX1107033		XXxxXXxx
09AUG11 23:02	Maintenance Release	0.4	M PEA		
	7311.6 AFHR		A		
	Change Serviceability Stat	0.4	A1PXXX1107034		XXxxXXxx
			U/S		
	Estimated Date/Time Servic	1.4	SERV		
			10AUG11 11:35		
10AUG11 07:57	Into Maintenance	0.3	SERV STAT		
	7312.2 AFHR		A		
10AUG11 07:58	Change Serviceability Stat	0.0	A1PXXO1104973		XXxxXXxx
			SERV		
	7312.2 AFHR		U/S		
	Estimated Date/Time Servic	734724.6	A1PXXU1110507		XXxxXXxx
			SERV STAT		
			11AUG11		
10AUG11 08:00	Initiate Toolboard	xxxx	14 B/F		
	7312.2 AFHR				
10AUG11 08:03	Asset Comments	0.0	A/T 7312.2	MTF BLEED VALVE	
	7312.2 AFHR		A1PXXX1107054		XXxxXXxx
10AUG11 23:24	Clear Toolboard	xxxx	14		
	7312.2 AFHR				
10AUG11 23:24	Maintenance Release	0.6	M PEA		XXxxXXxx
			A		
	7312.2 AFHR		A1PXXX1107075		XXxxXXxx
	Change Serviceability Stat	0.6	U/S		
			SERV		
	Estimated Date/Time Servic	1.6	11AUG11 07:59		
			SERV STAT		
11AUG11 02:05	Into Maintenance	0.1	A		
	7312.2 AFHR		A1PXXO1105001		XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02105  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
11AUG11 07:18	Change Serviceability Stat 7312.2 AFHR Estimated Date/Time Servic	0.2 734725.6	SERV U/S A1PXXU1110577 SERV STAT 12AUG11 14 B/F	XXxxXXxx
11AUG11 08:00	Initiate Toolboard 7312.2 AFHR	xxxx	14	XXxxXXxx
11AUG11 22:59	Clear Toolboard 7312.2 AFHR	xxxx	14	XXxxXXxx
11AUG11 22:59	Maintenance Release 7312.2 AFHR Change Serviceability Stat	0.6 0.6	M PEA A A1PXXX1107137 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.6	SERV 12AUG11 07:20 SERV STAT	
12AUG11 01:33	Into Maintenance 7312.2 AFHR	0.1	A A1PXXO1105054	XXxxXXxx
12AUG11 01:45	Change Serviceability Stat 7313.2 AFHR Estimated Date/Time Servic	0.0 734726.8	SERV U/S A1PXXU1110577 SERV STAT 13AUG11	XXxxXXxx
12AUG11 01:50	Asset Comments 7313.2 AFHR	0.0	A1PXXX1107154	XXxxXXxx
14AUG11 23:00	Initiate Toolboard 7314.9 AFHR	xxxx	14 B/F	XXxxXXxx
14AUG11 23:00	Clear Toolboard 7314.9 AFHR	xxxx	14	XXxxXXxx
14AUG11 23:10	Maintenance Release 7314.9 AFHR Change Serviceability Stat	2.8 2.8	M PEA A A1PXXX1107175 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.8	SERV 13AUG11 01:45 SERV STAT	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02106  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN (DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
15AUG11	06:07	Into Maintenance	0.2	A		
		7317.7 AFHR		M PEA		
15AUG11	12:36	Initiate Toolboard	xxxx	A1PXXO1105134		XXxxXXxx
		7317.7 AFHR		14 B/F		
15AUG11	12:36	Clear Toolboard	xxxx	14		XXxxXXxx
		7317.7 AFHR				
15AUG11	22:42	Maintenance Release	0.6	M PEA		XXxxXXxx
		7317.7 AFHR		A		
16AUG11	08:44	Into Maintenance	0.4	A1PXXX1107237		XXxxXXxx
		7320.9 AFHR		A		
16AUG11	08:59	Initiate Toolboard	xxxx	M PEA		XXxxXXxx
		7322.0 AFHR		A1PXXO1105169		
16AUG11	23:12	Clear Toolboard	xxxx	14 B/F		XXxxXXxx
		7322.0 AFHR				
16AUG11	23:12	Maintenance Release	0.6	M PEA		XXxxXXxx
		7322.0 AFHR		A		
17AUG11	08:54	Into Maintenance	0.4	A1PXXX1107338		XXxxXXxx
		7324.7 AFHR		A		
17AUG11	08:59	Initiate Toolboard	xxxx	A1PXXO1105221		XXxxXXxx
		7326.0 AFHR		14 B/F		
17AUG11	11:10	Asset Comments	0.0	AIR TEST	ALTIMETER OPS	XXxxXXxx
		7326.0 AFHR		A1PXXX1107365		
17AUG11	11:10	Change Serviceability Stat	0.0	SERV		XXxxXXxx
		7326.0 AFHR		U/S		
		Estimated Date/Time Servic	734729.4	A1PXXU1110819		XXxxXXxx
				SERV STAT		
17AUG11	23:19	Clear Toolboard	xxxx	18AUG11		
		7326.0 AFHR		14		XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02107  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
17AUG11 23:20	Maintenance Release		0.5	M PEA A	
	Change Serviceability Stat	7326.0 AFHR	0.5	A1PXXX1107378 U/S	XXxxXXxx
	Estimated Date/Time Serv		1.5	SERV 18AUG11 11:15 SERV STAT	
18AUG11 02:05	Into Maintenance		0.1	A	
18AUG11 06:19	Change Serviceability Stat	7326.0 AFHR	0.1	A1PXXO1105236 SERV	XXxxXXxx
	Estimated Date/Time Serv	7327.2 AFHR	734732.7	U/S A1PXXU1110881 SERV STAT	XXxxXXxx
18AUG11 08:59	Initiate Toolboard	7327.2 AFHR	xxxx	19AUG11 14 B/F	XXxxXXxx
18AUG11 10:40	Clear Toolboard	7327.2 AFHR	xxxx	14	XXxxXXxx
19AUG11 00:35	Maintenance Release		0.7	M PEA A	
	Change Serviceability Stat	7327.2 AFHR	0.7	A1PXXX1107422 U/S	XXxxXXxx
	Estimated Date/Time Serv		0.7	SERV 19AUG11 06:19 SERV STAT	
19AUG11 04:28	Into Maintenance	7327.2 AFHR	0.1	A	
19AUG11 04:35	Asset Comments	7328.4 AFHR	0.0	A1PXXO1105285	XXxxXXxx
19AUG11 04:35	Change Serviceability Stat	7328.4 AFHR	0.0	A1PXXX1107445 SERV	XXxxXXxx
	Estimated Date/Time Serv		734733.8	U/S A1PXXU1110885 SERV STAT	XXxxXXxx
21AUG11 01:02	Initiate Toolboard	7329.6 AFHR	xxxx	20AUG11 14 B/F	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02108  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----		-----		-----	
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER	
=====	=====	=====	=====	=====	=====	=====	=====
	LIFE SINCE NEW						
21AUG11 01:02	Clear Toolboard 7329.6 AFHR	xxxx	14			XXxxXXxx	
21AUG11 01:02	Maintenance Release 7329.6 AFHR	1.8	M PEA A			XXxxXXxx	
	Change Serviceability Stat Estimated Date/Time Servic	1.8	U/S SERV				
		0.8	20AUG11 04:35 SERV STAT				
23AUG11 08:30	Initiate Toolboard 7332.9 AFHR	xxxx	14 B/F			XXxxXXxx	
23AUG11 09:17	Into Maintenance 7332.9 AFHR	2.3	A M PEA			XXxxXXxx	
23AUG11 22:58	Clear Toolboard 7332.9 AFHR	xxxx	A1PXXO1105412 14			XXxxXXxx	
23AUG11 22:59	Maintenance Release 7332.9 AFHR	0.5	M PEA A			XXxxXXxx	
24AUG11 07:25	Into Maintenance 7335.3 AFHR	0.3	A1PXXX1107557 A			XXxxXXxx	
24AUG11 07:25	Change Serviceability Stat 7335.3 AFHR	0.0	A1PXXO1105464 SERV			XXxxXXxx	
	Estimated Date/Time Servic	734735.7	U/S A1PXXU1111131 SERV STAT			XXxxXXxx	
24AUG11 07:42	Asset Comments 7335.3 AFHR	0.0	25AUG11 AIR TEST BOTH ALTIMETER OPS			XXxxXXxx	
24AUG11 08:30	Initiate Toolboard 7335.3 AFHR	xxxx	A1PXXX1107589 14 B/F			XXxxXXxx	
24AUG11 23:05	Clear Toolboard 7335.3 AFHR	xxxx	14			XXxxXXxx	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02109  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
24AUG11 23:07	Maintenance Release	0.6	M PEA A	
	7335.3 AFHR Change Serviceability Stat	0.6	A1PXXX1107603 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.6	SERV 25AUG11 07:27 SERV STAT	
25AUG11 07:58	Into Maintenance	0.3	A	
	7335.3 AFHR		A1PXXO1105519	XXxxXXxx
25AUG11 08:00	Initiate Toolboard	xxxx	14 B/F	
	7336.3 AFHR			XXxxXXxx
25AUG11 08:21	Change Serviceability Stat	0.0	SERV U/S	
	7336.3 AFHR		A1PXXU1111132	XXxxXXxx
	Estimated Date/Time Servic	734739.6	SERV STAT 26AUG11	
25AUG11 22:34	Asset Comments	0.0		
	7336.3 AFHR		A1PXXX1107636	XXxxXXxx
25AUG11 22:34	Clear Toolboard	xxxx	14	
	7336.3 AFHR			XXxxXXxx
25AUG11 22:36	Maintenance Release	0.5	M PEA A	
	7336.3 AFHR		A1PXXX1107637	XXxxXXxx
	Change Serviceability Stat	0.5	U/S	
	Estimated Date/Time Servic	1.5	SERV 26AUG11 08:21 SERV STAT	
26AUG11 04:57	Into Maintenance	0.2	A	
	7337.6 AFHR		A1PXXO1105555	XXxxXXxx
26AUG11 05:54	Change Serviceability Stat	0.0	SERV U/S	
	7339.0 AFHR		A1PXXU1111236	XXxxXXxx
	Estimated Date/Time Servic	734740.6	SERV STAT 27AUG11	
28AUG11 22:34	Initiate Toolboard	xxxx	14 B/F	
	7339.0 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02110  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
28AUG11 22:35		Clear Toolboard		xxxx	14	
		7339.0 AFHR				XXxxXXxx
28AUG11 22:36		Maintenance Release		2.6	M PEA	
		7339.0 AFHR			A1PXXX1107678	XXxxXXxx
		Change Serviceability Stat		2.6	U/S	
		Estimated Date/Time Servic		1.6	SERV	
					27AUG11 05:56	
29AUG11 01:59		Into Maintenance		0.1	SERV STAT	
		7339.0 AFHR			A	XXxxXXxx
29AUG11 01:59		Change Serviceability Stat		0.0	A1PXXO1105583	
		7339.0 AFHR			SERV	XXxxXXxx
		Estimated Date/Time Servic		734743.8	U/S	
					A1PXXU1111236	
29AUG11 02:01		Maintenance Release		0.0	SERV STAT	
		7339.0 AFHR			30AUG11	
		Change Serviceability Stat		0.0	M PEA	XXxxXXxx
		7339.0 AFHR			A	
		Estimated Date/Time Servic		1.0	A1PXXX1107704	
					U/S	
					SERV	
29AUG11 06:58		Into Maintenance		0.2	30AUG11 01:59	
		7341.4 AFHR			SERV STAT	
29AUG11 08:59		Initiate Toolboard		xxxx	A	XXxxXXxx
		7342.8 AFHR			A1PXXO1105618	
29AUG11 09:57		Change Serviceability Stat		0.1	14 B/F	XXxxXXxx
		7342.8 AFHR			SERV	
		Estimated Date/Time Servic		734743.6	U/S	XXxxXXxx
					A1PXXU1111448	
29AUG11 10:01		Asset Comments		0.0	SERV STAT	
		7342.8 AFHR			30AUG11	
29AUG11 22:22		Clear Toolboard		xxxx	AIRTEST SICU OPS	XXxxXXxx
		7342.8 AFHR			A1PXXX1107723	
					14	XXxxXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02111  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
29AUG11 22:23	Maintenance Release	0.5	M PEA A A1PXXX1107735	XXxxXXxx
	7342.8 AFHR Change Serviceability Stat	0.5	U/S SERV	
	Estimated Date/Time Servic	1.5	30AUG11 09:58 SERV STAT	
30AUG11 01:38	Into Maintenance	0.1	A A1PXXO1105632	XXxxXXxx
30AUG11 01:38	Asset Comments	0.0	A1PXXX1107755	XXxxXXxx
30AUG11 01:39	Change Serviceability Stat	0.0	SERV U/S A1PXXU1111450	XXxxXXxx
	7342.8 AFHR Estimated Date/Time Servic	734744.8	SERV STAT 31AUG11	
30AUG11 01:46	Maintenance Release	0.0	M PEA A A1PXXX1107756	XXxxXXxx
	7342.8 AFHR Change Serviceability Stat	0.0	U/S SERV	
	Estimated Date/Time Servic	1.0	31AUG11 01:39 SERV STAT	
30AUG11 07:35	Into Maintenance	0.2	A M PEA A1PXXO1105678	XXxxXXxx
30AUG11 08:59	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
30AUG11 22:14	Clear Toolboard	xxxx	14	XXxxXXxx
30AUG11 22:15	Maintenance Release	0.6	M PEA A A1PXXX1107776	XXxxXXxx
	7346.9 AFHR Estimated Date/Time Servic	0.4	A A1PXXO1105735	XXxxXXxx
31AUG11 08:03	Into Maintenance	0.4	A A1PXXO1105735	XXxxXXxx
	7349.4 AFHR			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02112  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
31AUG11 08:59	Initiate Toolboard 7351.1 AFHR	xxxx	14 B/F	
31AUG11 11:07	Change Serviceability Stat 7351.1 AFHR	0.1	SERV U/S A1PXXU1111142	XXxxXXxx
	Estimated Date/Time Servic	734744.6	SERV STAT 01SEP11	
01SEP11 03:43	Clear Toolboard 7351.1 AFHR	xxxx	14	
01SEP11 03:43	Maintenance Release 7351.1 AFHR	0.6	M PEA A A1PXXX1107854	XXxxXXxx
	Change Serviceability Stat	0.6	U/S SERV	
	Estimated Date/Time Servic	0.6	01SEP11 11:07 SERV STAT	
01SEP11 06:11	Into Maintenance 7352.4 AFHR	0.1	A A1PXXO1105778	XXxxXXxx
01SEP11 09:18	Change Serviceability Stat 7353.7 AFHR	0.1	SERV U/S A1PXXU1111659	XXxxXXxx
	Estimated Date/Time Servic	734746.7	SERV STAT 02SEP11	
01SEP11 22:08	Initiate Toolboard 7353.7 AFHR	xxxx	14 B/F	
01SEP11 22:09	Clear Toolboard 7353.7 AFHR	xxxx	14	XXxxXXxx
01SEP11 22:16	Maintenance Release 7353.7 AFHR	0.5	M PEA A A1PXXX1107867	XXxxXXxx
	Change Serviceability Stat	0.5	U/S SERV	
	Estimated Date/Time Servic	1.5	02SEP11 09:21 SERV STAT	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02113  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----				
TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN(DYS) FROM	TO (OPTIONAL)	USER
				TRANS REFERENCE		
=====						
02SEP11	03:32	Into Maintenance		0.2	A	
					M PEA	
			7353.7 AFHR		A1PXXO1105812	XXxxXXxx
04SEP11	22:42	Initiate Toolboard		xxxx	14 B/F	
			7355.0 AFHR			XXxxXXxx
04SEP11	22:43	Clear Toolboard		xxxx	14	
			7355.0 AFHR			XXxxXXxx
04SEP11	22:45	Maintenance Release		2.8	M PEA	
					A	
			7355.0 AFHR		A1PXXX1107906	XXxxXXxx
05SEP11	08:04	Operator Acceptance		0.0	aip01778	
			7357.3 AFHR		A1PXXX1107952	XXxxXXxx
05SEP11	09:20	Maintenance Comment Into Maintenance		0.0 0.4	AWAY AIRCRAFT A	
					M PEA	
			7357.3 AFHR		A1PXXO1105910	XXxxXXxx
06SEP11	09:25	Operator Release		0.0	R. ORLOWSKI	
			7357.3 AFHR		A1PXXX1108016	XXxxXXxx
06SEP11	13:26	Initiate Toolboard		xxxx	14 B/F	
			7360.6 AFHR			XXxxXXxx
06SEP11	13:26	Clear Toolboard		xxxx	14	
			7360.6 AFHR			XXxxXXxx
06SEP11	22:20	Maintenance Release		1.5	M PEA	
					A	
			7360.6 AFHR		A1PXXX1108028	XXxxXXxx
07SEP11	08:44	Into Maintenance		0.4	A	
			7364.4 AFHR		A1PXXO1105988	XXxxXXxx
07SEP11	09:31	Change Serviceability Stat		0.0	SERV	
					U/S	
			7365.5 AFHR		A1PXXU1106221	XXxxXXxx
		Estimated Date/Time Servic		734747.5	SERV STAT	
					08SEP11	
07SEP11	13:09	Initiate Toolboard		xxxx	14 B/F	
			7365.5 AFHR			XXxxXXxx
07SEP11	13:10	Clear Toolboard		xxxx	14	
			7365.5 AFHR			XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02114  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----			
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
=====	=====	=====	=====	=====	=====
	LIFE SINCE NEW		TRANS REFERENCE		
08SEP11 09:54	Initiate Toolboard 7368.1 AFHR	xxxx	14 B/F		XXxxXXxx
08SEP11 09:54	Clear Toolboard 7368.1 AFHR	xxxx	14		XXxxXXxx
08SEP11 22:21	Maintenance Release 7368.1 AFHR	1.5	M PEA A		
	Change Serviceability Stat	1.5	A1PXXX1108117 U/S		XXxxXXxx
	Estimated Date/Time Servic	1.5	SERV 08SEP11 09:31		
09SEP11 06:30	Into Maintenance 7368.1 AFHR	0.3	SERV STAT A		
			M PEA A1PXXO1106062		XXxxXXxx
12SEP11 00:01	Initiate Toolboard 7369.4 AFHR	xxxx	14 B/F		XXxxXXxx
12SEP11 00:02	Clear Toolboard 7369.4 AFHR	xxxx	14		XXxxXXxx
12SEP11 00:02	Maintenance Release 7369.4 AFHR	2.7	M PEA A		
			A1PXXX1108146		XXxxXXxx
12SEP11 08:59	Initiate Toolboard 7369.4 AFHR	xxxx	14 B/F		XXxxXXxx
12SEP11 09:49	Into Maintenance 7369.4 AFHR	0.4	A		
			M PEA A1PXXO1106132		XXxxXXxx
12SEP11 22:44	Clear Toolboard 7369.4 AFHR	xxxx	14		XXxxXXxx
12SEP11 22:45	Maintenance Release 7369.4 AFHR	0.5	M PEA A		
			A1PXXX1108212		XXxxXXxx
13SEP11 08:59	Initiate Toolboard 7370.6 AFHR	xxxx	14 B/F		XXxxXXxx
13SEP11 09:35	Into Maintenance 7370.6 AFHR	0.4	A		
			M PEA A1PXXO1106199		XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02115  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
13SEP11 23:11	Clear Toolboard	7370.6 AFHR	xxxx	14	XXxxXXxx
13SEP11 23:11	Maintenance Release	7370.6 AFHR	0.5	M PEA A A1PXXX1108239	XXxxXXxx
14SEP11 08:53	Into Maintenance	7370.6 AFHR	0.4	A A1PXXO1106238	XXxxXXxx
14SEP11 08:57	Change Serviceability Stat	7370.6 AFHR	0.0	SERV U/S A1PXXU1111962	XXxxXXxx
	Estimated Date/Time Servic		734754.5	SERV STAT 15SEP11	
14SEP11 08:59	Initiate Toolboard	7371.6 AFHR	xxxx	14 B/F	XXxxXXxx
14SEP11 23:44	Clear Toolboard	7371.6 AFHR	xxxx	14	XXxxXXxx
14SEP11 23:44	Maintenance Release	7371.6 AFHR	0.6	M PEA A A1PXXX1108303	XXxxXXxx
	Change Serviceability Stat		0.6	U/S SERV	
	Estimated Date/Time Servic		1.6	15SEP11 08:57 SERV STAT	
15SEP11 10:25	Into Maintenance	7371.6 AFHR	0.4	A A1PXXO1106305	XXxxXXxx
19SEP11 10:37	Change Serviceability Stat	7371.6 AFHR	4.0	SERV U/S A1PXXU1103726	XXxxXXxx
	Estimated Date/Time Servic		734760.5	SERV STAT 20SEP11	
26SEP11 10:36	Initiate Toolboard	7371.6 AFHR	xxxx	14 MANUAL	XXxxXXxx
27SEP11 08:59	Initiate Toolboard	7371.6 AFHR	xxxx	14 B/F	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02116  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
29SEP11 07:00	Estimated Date/Time	Servic	0.8	20SEP11 10:37	
				03OCT11 10:37	
05OCT11 22:55	Clear Toolboard	AFHR	xxxx	A1PXXX1108851	XXxxXXxx
				14	
05OCT11 22:56	Maintenance Release	AFHR	16.5	M PEA	XXxxXXxx
				A	
				A1PXXX1109059	XXxxXXxx
	Change Serviceability Stat		16.5	U/S	
				SERV	
	Estimated Date/Time	Servic	4.6	03OCT11 10:37	
				SERV STAT	
06OCT11 08:07	Into Maintenance	AFHR	0.3	A	
				A1PXXO1106843	XXxxXXxx
06OCT11 11:16	Initiate Toolboard	AFHR	xxxx	14 B/F	
					XXxxXXxx
06OCT11 11:16	Clear Toolboard	AFHR	xxxx	14	
					XXxxXXxx
06OCT11 12:16	Change Serviceability Stat		0.1	SERV	
				U/S	
				A1PXXU1113226	XXxxXXxx
	Estimated Date/Time	Servic	734781.4	SERV STAT	
				07OCT11	
06OCT11 23:35	Maintenance Release	AFHR	0.4	M PEA	
				A	
				A1PXXX1109118	XXxxXXxx
	Change Serviceability Stat		0.4	U/S	
				SERV	
	Estimated Date/Time	Servic	1.4	07OCT11 12:16	
				SERV STAT	
07OCT11 02:25	Into Maintenance	AFHR	0.1	A	
				M PEA	
				A1PXXO1106871	XXxxXXxx
09OCT11 22:47	Initiate Toolboard	AFHR	xxxx	14 B/F	
					XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02117  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
09OCT11 22:53	Clear Toolboard 7376.9 AFHR	xxxx	14	XXxxXXxx
09OCT11 22:53	Maintenance Release 7376.9 AFHR	2.8	M PEA A A1PXXX1109158	XXxxXXxx
10OCT11 09:02	Into Maintenance 7376.9 AFHR	0.4	A A1PXXO1106934	XXxxXXxx
10OCT11 09:48	Initiate Toolboard 7376.9 AFHR	xxxx	14 B/F	XXxxXXxx
10OCT11 09:48	Clear Toolboard 7376.9 AFHR	xxxx	14	XXxxXXxx
10OCT11 14:30	Change Serviceability Stat 7376.9 AFHR	0.2	SERV U/S A1PXXU1113373	XXxxXXxx
11OCT11 01:37	Estimated Date/Time Servic Maintenance Release 7376.9 AFHR	734782.3 0.4	SERV STAT 11OCT11 M PEA A A1PXXX1109243	XXxxXXxx
11OCT11 10:05	Change Serviceability Stat Estimated Date/Time Servic	0.4	U/S SERV 11OCT11 14:30 SERV STAT	
11OCT11 10:05	Into Maintenance 7376.9 AFHR	0.3	A M PEA A1PXXO1106976	XXxxXXxx
11OCT11 10:09	Initiate Toolboard 7376.9 AFHR	xxxx	14 B/F	XXxxXXxx
11OCT11 10:09	Clear Toolboard 7376.9 AFHR	xxxx	14	XXxxXXxx
11OCT11 23:10	Asset Comments 7378.1 AFHR	0.0	HOLD HOLD A1PXXX1109291	XXxxXXxx
14OCT11 00:35	Asset Comments 7378.1 AFHR	0.0	A1PXXX1109394	XXxxXXxx
16OCT11 22:53	Initiate Toolboard 7378.1 AFHR	xxxx	14 B/F	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02118  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
16OCT11 22:53	Clear	Toolboard	7378.1 AFHR	xxxx	14	XXxxXXxx
16OCT11 22:53	Maintenance	Release	7378.1 AFHR	5.5	M PEA A A1PXXX1109406	XXxxXXxx
17OCT11 09:01	Into	Maintenance	7378.1 AFHR	0.4	A A1PXXO1107135	XXxxXXxx
17OCT11 22:50	Asset	Comments	7379.3 AFHR	0.0	HOLD R2 R2 & PROP CX A1PXXX1109448	XXxxXXxx
20OCT11 02:55	Change	Serviceability Stat	7379.3 AFHR	2.7	SERV U/S	XXxxXXxx
	Estimated Date/Time	Service	734786.9		SERV STAT 21OCT11	
21OCT11 00:04	Asset	Comments	7379.3 AFHR	0.0	R2 SERV R2 & PROP CX A1PXXX1109690	XXxxXXxx
05DEC11 11:01	Initiate	Toolboard	7379.3 AFHR	xxxx	14 B/F	XXxxXXxx
06DEC11 00:06	Clear	Toolboard	7379.3 AFHR	xxxx	14	XXxxXXxx
06DEC11 12:42	Initiate	Toolboard	7379.3 AFHR	xxxx	14 B/F	XXxxXXxx
06DEC11 12:42	Clear	Toolboard	7379.3 AFHR	xxxx	14	XXxxXXxx
06DEC11 21:48	Asset	Comments	7379.3 AFHR	0.0	MTF 7379.3 MTF A1PXXX1111378	XXxxXXxx
06DEC11 21:51	Maintenance	Release	7379.3 AFHR	47.7	M PEA A A1PXXX1111379	XXxxXXxx
	Change	Serviceability Stat	47.7		U/S SERV	
	Estimated Date/Time	Service	1.7		21OCT11 02:55 SERV STAT	
07DEC11 08:52	Into	Maintenance	7379.3 AFHR	0.4	A M PEA A1PXXO1109056	XXxxXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02119  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
07DEC11 09:31	Initiate	Toolboard 7379.3 AFHR	xxxx	14 B/F	XXxxXXxx
07DEC11 22:10	Clear	Toolboard 7379.3 AFHR	xxxx	14	XXxxXXxx
07DEC11 22:10	Maintenance Release		0.5	M PEA A A1PXXX1111427	XXxxXXxx
08DEC11 09:18	Into Maintenance		0.4	A A1PXXO1109106	XXxxXXxx
08DEC11 12:25	Change Serviceability Stat		0.1	SERV U/S A1PXXU1116108	XXxxXXxx
	Estimated Date/Time	Servic	734843.3	SERV STAT 09DEC11	
08DEC11 12:39	Initiate	Toolboard 7379.3 AFHR	xxxx	14 B/F	XXxxXXxx
08DEC11 12:39	Clear	Toolboard 7379.3 AFHR	xxxx	14	XXxxXXxx
08DEC11 21:45	Maintenance Release		0.3	M PEA A A1PXXX1111485	XXxxXXxx
	Change Serviceability Stat		0.3	U/S SERV 09DEC11 12:25	
	Estimated Date/Time	Servic	1.3	SERV STAT	
09DEC11 04:26	Into Maintenance		0.2	A A1PXXO1109129	XXxxXXxx
12DEC11 02:26	Change Serviceability Stat		2.9	SERV U/S A1PXXU1115014	XXxxXXxx
	Estimated Date/Time	Servic	734845.8	SERV STAT 13DEC11	
12DEC11 03:42	Initiate	Toolboard 7380.3 AFHR	xxxx	14 B/F	XXxxXXxx
12DEC11 03:43	Clear	Toolboard 7380.3 AFHR	xxxx	14	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02120  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
12DEC11	03:44	Maintenance Release	0.0	M G2		
		7380.3 AFHR		A		
		Change Serviceability Stat	0.0	A1PXXX1111543		XXxxXXxx
		Estimated Date/Time Servic	1.0	U/S		
				SERV		
				13DEC11 02:26		
				SERV STAT		
12DEC11	03:54	Maintenance Comment	0.0	ANNUAL REVIEW OF AIRCRAFT LOG BOOK C/O IAW AAP7001.059		
		7380.3 AFHR		A1PXXX1111544		XXxxXXxx
12DEC11	09:37	Into Maintenance	0.2	A		
		7381.0 AFHR		A1PXXO1109183		XXxxXXxx
12DEC11	11:41	Asset Comments	0.0	MTF 7381.0 MTF		
		7381.0 AFHR		A1PXXX1111554		XXxxXXxx
12DEC11	11:41	Change Serviceability Stat	0.0	SERV		
		7381.0 AFHR		U/S		
		Estimated Date/Time Servic	734848.6	A1PXXU1116482		XXxxXXxx
				SERV STAT		
				13DEC11		
12DEC11	11:54	Initiate Toolboard	xxxx	14 B/F		
		7381.0 AFHR				XXxxXXxx
12DEC11	11:54	Clear Toolboard	xxxx	14		
		7381.0 AFHR				XXxxXXxx
13DEC11	01:32	Maintenance Release	0.5	M PEA		
		7381.0 AFHR		A		
		Change Serviceability Stat	0.5	A1PXXX1111586		XXxxXXxx
		Estimated Date/Time Servic	0.5	U/S		
				SERV		
				13DEC11 11:41		
				SERV STAT		
13DEC11	01:44	Into Maintenance	0.0	A		
		7381.0 AFHR		A1PXXO1109195		XXxxXXxx
13DEC11	02:07	Change Serviceability Stat	0.0	SERV		
		7381.6 AFHR		U/S		
		Estimated Date/Time Servic	734849.9	A1PXXU1116492		XXxxXXxx
				SERV STAT		
				14DEC11		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02121  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
13DEC11 04:57		Asset Comments		0.0		
		7381.6 AFHR			A1PXXX1111605	XXxxXXxx
13DEC11 05:00		Maintenance Release		0.1	M PEA	
		7381.6 AFHR			A	
		Change Serviceability Stat		0.1	A1PXXX1111606	XXxxXXxx
		Estimated Date/Time Servic		1.1	U/S	
					SERV	
13DEC11 08:30		Initiate Toolboard		xxxx	14DEC11 02:07	
		7384.0 AFHR			SERV STAT	
13DEC11 08:33		Into Maintenance		0.1	14 B/F	XXxxXXxx
		7382.8 AFHR			A	
13DEC11 22:25		Clear Toolboard		xxxx	M PEA	XXxxXXxx
		7384.0 AFHR			A1PXXO1109222	
13DEC11 22:30		Maintenance Release		0.5	14	XXxxXXxx
		7384.0 AFHR			M PEA	
14DEC11 00:14		Into Maintenance		0.0	A	XXxxXXxx
		7384.0 AFHR			A1PXXX1111626	
14DEC11 00:55		Maintenance Release		0.0	A	XXxxXXxx
		7384.0 AFHR			M PEA	
14DEC11 06:10		Into Maintenance		0.2	A1PXXO1109234	XXxxXXxx
		7385.2 AFHR			M PEA	
14DEC11 06:23		Change Serviceability Stat		0.0	A	XXxxXXxx
		7386.3 AFHR			A1PXXX1111659	
		Estimated Date/Time Servic		734849.9	A	XXxxXXxx
					SERV STAT	
14DEC11 08:00		Initiate Toolboard		xxxx	15DEC11	
		7386.3 AFHR			14 B/F	XXxxXXxx
14DEC11 22:29		Clear Toolboard		xxxx	14	XXxxXXxx
		7386.3 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02122  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
14DEC11 22:29	Maintenance Release	0.6	M PEA A	
	7386.3 AFHR Change Serviceability Stat	0.6	A1PXXX1111695 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.6	SERV 15DEC11 06:23 SERV STAT	
15DEC11 04:00	Initiate Toolboard	xxxx	14 B/F	
	7389.0 AFHR			XXxxXXxx
15DEC11 05:44	Into Maintenance	0.3	A	
	7387.7 AFHR		M PEA A1PXXO1109304	XXxxXXxx
15DEC11 22:45	Clear Toolboard	xxxx	14	
	7389.0 AFHR			XXxxXXxx
15DEC11 22:48	Maintenance Release	0.7	M PEA A	
	7389.0 AFHR		A1PXXX1111732	XXxxXXxx
16DEC11 03:10	Into Maintenance	0.1	A	
	7389.0 AFHR		A1PXXO1109323	XXxxXXxx
10JAN12 22:46	Change Serviceability Stat	25.8	SERV U/S	
	7390.2 AFHR		A1PXXU1116701	XXxxXXxx
	Estimated Date/Time Servic	734850.9	SERV STAT 11JAN12	
17JAN12 09:49	Initiate Toolboard	xxxx	14 B/F	
	7390.2 AFHR			XXxxXXxx
17JAN12 09:49	Clear Toolboard	xxxx	14	
	7390.2 AFHR			XXxxXXxx
17JAN12 23:06	Maintenance Release	7.0	M PEA A	
	7390.2 AFHR		A1PXXX1200147	XXxxXXxx
	Change Serviceability Stat	7.0	U/S	
	Estimated Date/Time Servic	1.0	SERV 11JAN12 22:46 SERV STAT	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02123  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
18JAN12	03:13	Into Maintenance 7390.2 AFHR	0.1	A	A1PXXO1200027	XXxxXXxx
18JAN12	05:04	Change Serviceability Stat 7391.2 AFHR	0.0	SERV U/S	A1PXXU1200716	XXxxXXxx
		Estimated Date/Time Servic	734885.7	SERV STAT		
18JAN12	09:37	Initiate Toolboard 7391.2 AFHR	xxxx	14 B/F		XXxxXXxx
18JAN12	09:38	Clear Toolboard 7391.2 AFHR	xxxx	14		XXxxXXxx
18JAN12	23:01	Maintenance Release 7391.2 AFHR	0.7	M PEA A	A1PXXX1200209	XXxxXXxx
		Change Serviceability Stat	0.7	U/S		
		Estimated Date/Time Servic	1.7	SERV	19JAN12 05:04	
19JAN12	11:33	Into Maintenance 7391.2 AFHR	0.5	A	A1PXXO1200079	XXxxXXxx
19JAN12	11:33	Initiate Toolboard 7391.2 AFHR	xxxx	14 B/F		XXxxXXxx
19JAN12	11:34	Clear Toolboard 7391.2 AFHR	xxxx	14		XXxxXXxx
19JAN12	23:01	Maintenance Release 7391.2 AFHR	0.4	M PEA A	A1PXXX1200267	XXxxXXxx
20JAN12	05:42	Into Maintenance 7391.5 AFHR	0.2	A	A1PXXO1200106	XXxxXXxx
22JAN12	23:02	Initiate Toolboard 7392.7 AFHR	xxxx	14 B/F		XXxxXXxx
22JAN12	23:03	Clear Toolboard 7392.7 AFHR	xxxx	14		XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02124  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
22JAN12 23:03	Maintenance Release	2.7	M PEA A	
23JAN12 08:30	Initiate Toolboard 7392.7 AFHR	xxxx	A1PXXX1200329	XXxxXXxx
23JAN12 08:33	Into Maintenance 7396.0 AFHR	0.3	A	XXxxXXxx
23JAN12 22:44	Clear Toolboard 7394.8 AFHR	xxxx	A1PXXO1200141	XXxxXXxx
23JAN12 22:55	Maintenance Release 7396.0 AFHR	0.5	M PEA A	XXxxXXxx
24JAN12 07:53	Into Maintenance 7396.0 AFHR	0.3	A1PXXX1200378	XXxxXXxx
25JAN12 06:11	Change Serviceability Stat 7397.2 AFHR	0.9	A1PXXO1200202	XXxxXXxx
	Estimated Date/Time Servic 7398.4 AFHR	734886.7	U/S SERV STAT	XXxxXXxx
26JAN12 23:23	Initiate Toolboard 7398.4 AFHR	xxxx	26JAN12 14 B/F	XXxxXXxx
26JAN12 23:23	Clear Toolboard 7398.4 AFHR	xxxx	14	XXxxXXxx
26JAN12 23:23	Maintenance Release 7398.4 AFHR	1.7	M PEA A	XXxxXXxx
	Change Serviceability Stat 7398.4 AFHR	1.7	A1PXXX1200465	XXxxXXxx
	Estimated Date/Time Servic 7398.4 AFHR	1.7	U/S SERV	
27JAN12 05:35	Into Maintenance 26JAN12 06:11	0.2	SERV STAT	
29JAN12 22:49	Initiate Toolboard 7399.6 AFHR	xxxx	A M PEA	XXxxXXxx
	7400.8 AFHR		A1PXXO1200271	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02125  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN (DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
29JAN12	22:50	Clear Toolboard		xxxx	14	
		7400.8 AFHR				XXxxXXxx
29JAN12	22:50	Maintenance Release		2.7	M PEA	
		7400.8 AFHR			A	
					A1PXXX1200496	XXxxXXxx
30JAN12	09:12	Into Maintenance		0.4	A	
		7402.0 AFHR			M PEA	
					A1PXXO1200308	XXxxXXxx
30JAN12	13:41	Initiate Toolboard		xxxx	14 B/F	
		7403.2 AFHR				XXxxXXxx
30JAN12	13:42	Clear Toolboard		xxxx	14	
		7403.2 AFHR				XXxxXXxx
30JAN12	22:33	Maintenance Release		0.5	M PEA	
		7403.2 AFHR			A	
					A1PXXX1200527	XXxxXXxx
30JAN12	22:46	Into Maintenance		0.0	A	
		7403.2 AFHR			A1PXXO1200312	XXxxXXxx
30JAN12	23:30	Change Serviceability Stat		0.0	SERV	
		7403.2 AFHR			U/S	
		Estimated Date/Time Servic		734893.9	A1PXXU1201270	XXxxXXxx
					SERV STAT	
31JAN12	02:09	Maintenance Release		0.1	31JAN12	
		7403.2 AFHR			M PEA	
					A	
		Change Serviceability Stat		0.1	A1PXXX1200537	XXxxXXxx
		Estimated Date/Time Servic		0.1	U/S	
					SERV	
					31JAN12 23:30	
31JAN12	02:25	Into Maintenance		0.0	SERV STAT	
		7403.2 AFHR			A	
					M PEA	
					A1PXXO1200318	XXxxXXxx
31JAN12	09:40	Maintenance Release		0.3	M PEA	
		7405.5 AFHR			A	
					A1PXXX1200560	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02126  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
31JAN12 09:40	Operator Acceptance 7405.5 AFHR	0.0	aip01963 A1PXXX1200561	XXxxXXxx
01FEB12 02:53	Maintenance Comment Operator Release 7405.5 AFHR	0.0	AWAY BASE M. COX A1PXXX1200589	XXxxXXxx
01FEB12 09:08	Into Maintenance 7408.4 AFHR	0.9	A A1PXXO1200425	XXxxXXxx
01FEB12 10:35	Change Serviceability Stat 7408.4 AFHR	0.0	SERV U/S A1PXXU1201370	XXxxXXxx
	Estimated Date/Time Servic	734898.6	SERV STAT 02FEB12	
01FEB12 12:56	Initiate Toolboard 7408.4 AFHR	xxxx	14 B/F	XXxxXXxx
01FEB12 12:56	Clear Toolboard 7408.4 AFHR	xxxx	14	XXxxXXxx
01FEB12 23:24	Maintenance Release 7408.4 AFHR	0.5	M PEA A A1PXXX1200617	XXxxXXxx
	Change Serviceability Stat	0.5	U/S SERV	
	Estimated Date/Time Servic	1.5	02FEB12 10:36 SERV STAT	
02FEB12 03:37	Into Maintenance 7408.4 AFHR	0.1	A A1PXXO1200440	XXxxXXxx
02FEB12 03:40	Change Serviceability Stat 7408.4 AFHR	0.0	SERV U/S A1PXXU1201370	XXxxXXxx
	Estimated Date/Time Servic	734900.8	SERV STAT 03FEB12	
02FEB12 09:09	Initiate Toolboard 7409.9 AFHR	xxxx	14 B/F	XXxxXXxx
02FEB12 09:09	Clear Toolboard 7409.9 AFHR	xxxx	14	XXxxXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02127  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----			
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
=====	=====	=====	=====	=====	=====
	LIFE SINCE NEW		TRANS REFERENCE		
02FEB12 23:13	Maintenance Release	0.8	M PEA A		
	7409.9 AFHR Change Serviceability Stat	0.8	A1PXXX1200675 U/S		XXxxXXxx
	Estimated Date/Time Servic	1.8	SERV 03FEB12 03:40 SERV STAT		
03FEB12 02:38	Into Maintenance	0.1	A		
	7409.9 AFHR		A1PXXO1200486		XXxxXXxx
03FEB12 02:39	Change Serviceability Stat	0.0	SERV U/S		
	7409.9 AFHR		A1PXXU1201564		XXxxXXxx
	Estimated Date/Time Servic	734901.8	SERV STAT 04FEB12		
05FEB12 22:20	Initiate Toolboard	xxxx	14 B/F		
	7411.0 AFHR				XXxxXXxx
05FEB12 22:23	Clear Toolboard	xxxx	14		
	7411.0 AFHR				XXxxXXxx
05FEB12 22:28	Maintenance Release	2.8	M PEA A		
	7411.0 AFHR		A1PXXX1200692		XXxxXXxx
	Change Serviceability Stat	2.8	U/S		
	Estimated Date/Time Servic	1.8	SERV 04FEB12 02:40 SERV STAT		
06FEB12 07:46	Operator Acceptance	0.0	aip01778		
	7413.7 AFHR		A1PXXX1200759		XXxxXXxx
	Maintenance Comment	0.0	AWAY BASE		
07FEB12 03:36	Operator Release	0.0	P. GREEN		
	7413.7 AFHR		A1PXXX1200834		XXxxXXxx
07FEB12 08:25	Into Maintenance	1.4	A		
	7417.7 AFHR		A1PXXO1200618		XXxxXXxx
07FEB12 09:21	Initiate Toolboard	xxxx	14 B/F		
	7418.7 AFHR				XXxxXXxx
07FEB12 09:21	Clear Toolboard	xxxx	14		
	7418.7 AFHR				XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02128  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
07FEB12 10:56	Change Serviceability Stat 7418.7 AFHR Estimated Date/Time Servic	0.1 734904.4	SERV U/S A1PXXU1201662 SERV STAT 08FEB12	XXxxXXxx
07FEB12 10:58	Asset Comments 7418.7 AFHR	0.0	A/T 7418.7 A/T A1PXXX1200847	XXxxXXxx
08FEB12 00:09	Maintenance Release 7418.7 AFHR Change Serviceability Stat	0.5 0.5	M PEA A A1PXXX1200876 U/S	XXxxXXxx
08FEB12 03:10	Into Maintenance 7418.7 AFHR	0.1	SERV 08FEB12 10:57 SERV STAT A	XXxxXXxx
08FEB12 03:18	Change Serviceability Stat 7419.8 AFHR Estimated Date/Time Servic	0.0 734906.8	SERV U/S A1PXXU1201662 SERV STAT 09FEB12	XXxxXXxx
08FEB12 03:19	Asset Comments 7419.8 AFHR	0.0	A1PXXX1200882	XXxxXXxx
08FEB12 03:19	Maintenance Release 7419.8 AFHR Change Serviceability Stat	0.0 0.0	M PEA A A1PXXX1200883 U/S	XXxxXXxx
08FEB12 06:23	Into Maintenance 7419.8 AFHR	0.1	SERV 09FEB12 03:18 SERV STAT A	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02129  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
08FEB12 06:27	Change Serviceability Stat	0.0	SERV U/S	
	7419.8 AFHR		A1PXXU1201715	XXxxXXxx
	Estimated Date/Time Servic	734906.8	SERV STAT 09FEB12	
08FEB12 06:33	Asset Comments	0.0	A/T 7419.8 A/T	
	7419.8 AFHR		A1PXXX1200894	XXxxXXxx
08FEB12 09:19	Initiate Toolboard	xxxx	14 B/F	
	7419.8 AFHR			XXxxXXxx
08FEB12 09:19	Clear Toolboard	xxxx	14	
	7419.8 AFHR			XXxxXXxx
08FEB12 23:15	Maintenance Release	0.7	M PEA A	
	7419.8 AFHR		A1PXXX1200921	XXxxXXxx
	Change Serviceability Stat	0.7	U/S	
	Estimated Date/Time Servic	1.7	SERV 09FEB12 06:29	
09FEB12 03:58	Into Maintenance	0.1	SERV STAT A	
	7419.8 AFHR		A1PXXO1200707	XXxxXXxx
09FEB12 07:09	Change Serviceability Stat	0.1	SERV U/S	
	7421.0 AFHR		A1PXXU1201804	XXxxXXxx
	Estimated Date/Time Servic	734907.6	SERV STAT 10FEB12	
09FEB12 09:16	Initiate Toolboard	xxxx	14 B/F	
	7421.0 AFHR			XXxxXXxx
09FEB12 09:17	Clear Toolboard	xxxx	14	
	7421.0 AFHR			XXxxXXxx
09FEB12 09:54	Asset Comments	0.0	A/T 7421.0 A/T	
	7421.0 AFHR		A1PXXX1200946	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02130  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----			
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
LIFE SINCE NEW		TRANS REFERENCE			
=====					
09FEB12 22:45	Maintenance Release	0.6	M PEA		
	7421.0 AFHR		A		
	Change Serviceability Stat	0.6	A1PXXX1200960		XXxxXXxx
	Estimated Date/Time Servic	1.6	U/S		
			SERV		
			10FEB12 07:12		
			SERV STAT		
10FEB12 02:28	Into Maintenance	0.1	A		
	7422.2 AFHR		A1PXXO1200752		XXxxXXxx
10FEB12 02:28	Change Serviceability Stat	0.0	SERV		
	7422.2 AFHR		U/S		
	Estimated Date/Time Servic	734908.8	A1PXXU1201814		XXxxXXxx
			SERV STAT		
			11FEB12		
10FEB12 04:50	Asset Comments	0.0	A/T 7422.2	A/T	
	7422.2 AFHR		A1PXXX1201011		XXxxXXxx
12FEB12 22:35	Initiate Toolboard	xxxx	14 B/F		
	7422.2 AFHR				XXxxXXxx
12FEB12 22:35	Clear Toolboard	xxxx	14		
	7422.2 AFHR				XXxxXXxx
12FEB12 22:36	Maintenance Release	2.8	M PEA		
	7422.2 AFHR		A		
	Change Serviceability Stat	2.8	A1PXXX1201020		XXxxXXxx
	Estimated Date/Time Servic	1.8	U/S		
			SERV		
			11FEB12 02:28		
			SERV STAT		
13FEB12 06:42	Into Maintenance	0.3	A		
	7422.2 AFHR		A1PXXO1200815		XXxxXXxx
13FEB12 06:44	Change Serviceability Stat	0.0	SERV		
	7422.2 AFHR		U/S		
	Estimated Date/Time Servic	734911.6	A1PXXU1201936		XXxxXXxx
			SERV STAT		
			14FEB12		
13FEB12 06:45	Asset Comments	0.0	A1PXXX1201056		XXxxXXxx
	7422.2 AFHR				

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02131  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
13FEB12 09:16	Initiate Toolboard 7423.4 AFHR	xxxx	14 B/F	XXxxXXxx
13FEB12 09:17	Clear Toolboard 7423.4 AFHR	xxxx	14	XXxxXXxx
13FEB12 10:35	Maintenance Release 7423.4 AFHR	0.1	M PEA A A1PXXX1201062	XXxxXXxx
	Change Serviceability Stat	0.1	U/S SERV	
	Estimated Date/Time Servic	1.1	14FEB12 06:44 SERV STAT	
13FEB12 13:01	Into Maintenance 7423.4 AFHR	0.1	A M PEA A1PXXO1200836	XXxxXXxx
13FEB12 22:58	Maintenance Release 7424.4 AFHR	0.4	M PEA A A1PXXX1201078	XXxxXXxx
14FEB12 08:50	Initiate Toolboard 7426.8 AFHR	xxxx	14 B/F	XXxxXXxx
14FEB12 09:04	Into Maintenance 7425.6 AFHR	0.4	A M PEA A1PXXO1200885	XXxxXXxx
14FEB12 10:38	Clear Toolboard 7426.8 AFHR	xxxx	14	XXxxXXxx
14FEB12 10:40	Maintenance Release 7426.8 AFHR	0.0	M PEA A A1PXXX1201130	XXxxXXxx
14FEB12 12:28	Into Maintenance 7426.8 AFHR	0.0	A A1PXXO1200898	XXxxXXxx
14FEB12 12:31	Change Serviceability Stat 7426.8 AFHR	0.0	SERV U/S A1PXXU1201728	XXxxXXxx
	Estimated Date/Time Servic	734911.9	SERV STAT 15FEB12	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02132  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
15FEB12 00:36	Maintenance Release	0.5	M PEA A	
	7426.8 AFHR Change Serviceability Stat	0.5	A1PXXX1201177 U/S	XXxxXXxx
	Estimated Date/Time Servic	0.5	SERV 15FEB12 12:31 SERV STAT	
15FEB12 07:56	Into Maintenance	0.3	A M PEA	
	7428.1 AFHR		A1PXXO1200948	XXxxXXxx
15FEB12 10:51	Initiate Toolboard	xxxx	14 B/F	
	7429.3 AFHR			XXxxXXxx
15FEB12 10:51	Clear Toolboard	xxxx	14	
	7429.3 AFHR			XXxxXXxx
15FEB12 11:07	Maintenance Release	0.1	M PEA A	
	7429.3 AFHR		A1PXXX1201214	XXxxXXxx
15FEB12 13:09	Into Maintenance	0.0	A M PEA	
	7429.3 AFHR		A1PXXO1200965	XXxxXXxx
15FEB12 22:52	Maintenance Release	0.4	M PEA A	
	7431.3 AFHR		A1PXXX1201228	XXxxXXxx
16FEB12 09:24	Into Maintenance	0.4	A A1PXXO1201023	XXxxXXxx
	7431.6 AFHR		14 B/F	
16FEB12 10:14	Initiate Toolboard	xxxx		XXxxXXxx
	7431.6 AFHR			XXxxXXxx
16FEB12 10:14	Clear Toolboard	xxxx	14	
	7431.6 AFHR			XXxxXXxx
17FEB12 03:48	Change Serviceability Stat	0.7	SERV U/S	
	7431.6 AFHR		A1PXXU1202215	XXxxXXxx
	Estimated Date/Time Servic	734913.8	SERV STAT 18FEB12	
27FEB12 09:19	Initiate Toolboard	xxxx	14 B/F	
	7431.6 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02133  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
27FEB12 09:19		Clear Toolboard		xxxx	14	
		7431.6 AFHR				XXxxXXxx
28FEB12 02:42		Asset Comments		0.0	A/T 7431.6 A/T	
		7431.6 AFHR			A1PXXX1201747	XXxxXXxx
28FEB12 03:11		Maintenance Release		10.9	M PEA	
		7431.6 AFHR			A	
		Change Serviceability Stat		10.9	A1PXXX1201748	XXxxXXxx
		Estimated Date/Time Servic		0.9	U/S	
					SERV	
					18FEB12 03:49	
					SERV STAT	
28FEB12 06:26		Into Maintenance		0.1	A	
		7431.6 AFHR			A1PXXO1201468	XXxxXXxx
28FEB12 06:30		Change Serviceability Stat		0.0	SERV	
		7432.7 AFHR			U/S	
		Estimated Date/Time Servic		734926.8	A1PXXU1202633	XXxxXXxx
					SERV STAT	
					29FEB12	
28FEB12 06:31		Asset Comments		0.0		
		7432.7 AFHR			A1PXXX1201761	XXxxXXxx
28FEB12 10:00		Initiate Toolboard		xxxx	14 B/F	
		7434.4 AFHR				XXxxXXxx
28FEB12 22:59		Clear Toolboard		xxxx	14	
		7434.4 AFHR				XXxxXXxx
28FEB12 23:02		Maintenance Release		0.6	M PEA	
		7434.4 AFHR			A	
		Change Serviceability Stat		0.6	A1PXXX1201792	XXxxXXxx
		Estimated Date/Time Servic		1.6	U/S	
					SERV	
					29FEB12 06:30	
					SERV STAT	
29FEB12 07:41		Into Maintenance		0.3	A	
		7435.7 AFHR			A1PXXO1201557	XXxxXXxx
29FEB12 09:00		Initiate Toolboard		xxxx	14 B/F	
		7437.3 AFHR				XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02134  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
29FEB12 11:23	Clear Toolboard 7437.3 AFHR	xxxx	14	XXxxXXxx
29FEB12 11:36	Change Serviceability Stat 7437.3 AFHR Estimated Date/Time Servic	0.1	SERV U/S A1PXXU1202662 SERV STAT 01MAR12	XXxxXXxx
29FEB12 23:03	Maintenance Release 7437.3 AFHR Change Serviceability Stat	0.4	M PEA A A1PXXX1201837 U/S	XXxxXXxx
01MAR12 07:22	Into Maintenance 7440.4 AFHR	0.3	SERV 01MAR12 11:36 SERV STAT A	
01MAR12 09:30	Initiate Toolboard 7441.1 AFHR	xxxx	M PEA A1PXXO1201636 14 B/F	XXxxXXxx
01MAR12 10:08	Clear Toolboard 7441.1 AFHR	xxxx	14	XXxxXXxx
01MAR12 22:24	Maintenance Release 7441.1 AFHR	0.6	M PEA A A1PXXX1201879	XXxxXXxx
02MAR12 03:39	Into Maintenance 7441.1 AFHR	0.2	A A1PXXO1201660	XXxxXXxx
02MAR12 06:12	Change Serviceability Stat 7442.8 AFHR Estimated Date/Time Servic	0.1	SERV U/S A1PXXU1114539 SERV STAT 03MAR12	XXxxXXxx
05MAR12 23:03	Initiate Toolboard 7442.8 AFHR	xxxx	14 B/F	XXxxXXxx
05MAR12 23:03	Clear Toolboard 7442.8 AFHR	xxxx	14	XXxxXXxx



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02135  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
05MAR12 23:05	Maintenance Release	3.7	M PEA A	
	7442.8 AFHR Change Serviceability Stat	3.7	A1PXXX1201912 U/S	XXxxXXxx
	Estimated Date/Time Serv	1.7	SERV 03MAR12 06:12 SERV STAT	
06MAR12 04:45	Into Maintenance	0.2	A	
	7444.5 AFHR Change Serviceability Stat	0.0	A1PXXO1201710 SERV	XXxxXXxx
	Estimated Date/Time Serv	734933.7	U/S A1PXXU1202967 SERV STAT	XXxxXXxx
06MAR12 04:54	Asset Comments	0.0	07MAR12 A/T NG ADJUST A/T REQUIRED FOR NG ADJUSTMENTQ	
	7444.5 AFHR Initiate Toolboard	xxxx	A1PXXX1201934 14 B/F	XXxxXXxx
06MAR12 09:50	Initiate Toolboard	xxxx	14	XXxxXXxx
06MAR12 12:16	Clear Toolboard	xxxx	14	XXxxXXxx
06MAR12 22:43	Maintenance Release	0.7	M PEA A	
	7444.5 AFHR Change Serviceability Stat	0.7	A1PXXX1201953 U/S	XXxxXXxx
	Estimated Date/Time Serv	1.7	SERV 07MAR12 04:46 SERV STAT	
07MAR12 06:31	Into Maintenance	0.3	A	
	7444.5 AFHR Change Serviceability Stat	0.0	A1PXXO1201770 SERV	XXxxXXxx
	Estimated Date/Time Serv	734934.6	U/S A1PXXU1202760 SERV STAT	XXxxXXxx
07MAR12 10:41	Initiate Toolboard	xxxx	08MAR12 14 B/F	XXxxXXxx
	7444.5 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02136  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
07MAR12 10:42		Clear Toolboard	7444.5 AFHR	xxxx	14	
07MAR12 22:43		Maintenance Release	7444.5 AFHR	0.6	M PEA A	XXxxXXxx
		Change Serviceability Stat	7444.5 AFHR	0.6	A1PXXX1201987 U/S SERV	XXxxXXxx
		Estimated Date/Time Servic		1.6	08MAR12 06:33 SERV STAT	
08MAR12 04:08		Into Maintenance	7444.5 AFHR	0.2	A A1PXXO1201829	XXxxXXxx
08MAR12 04:08		Asset Comments	7444.5 AFHR	0.0	A1PXXX1202009	XXxxXXxx
08MAR12 04:08		Change Serviceability Stat	7444.5 AFHR	0.0	SERV U/S A1PXXU1202967	XXxxXXxx
		Estimated Date/Time Servic		734935.7	SERV STAT 09MAR12	
08MAR12 04:10		Maintenance Release	7444.5 AFHR	0.0	M PEA A A1PXXX1202010	XXxxXXxx
		Change Serviceability Stat	7444.5 AFHR	0.0	U/S SERV	
		Estimated Date/Time Servic		1.0	09MAR12 04:08 SERV STAT	
08MAR12 06:08		Into Maintenance	7445.9 AFHR	0.0	A M PEA A1PXXO1201863	XXxxXXxx
08MAR12 11:18		Initiate Toolboard	7448.2 AFHR	xxxx	14 B/F	XXxxXXxx
08MAR12 11:19		Clear Toolboard	7448.2 AFHR	xxxx	14	XXxxXXxx
08MAR12 22:01		Maintenance Release	7448.2 AFHR	0.6	M PEA A A1PXXX1202017	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02137  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
09MAR12 02:02	Into Maintenance	7448.2 AFHR	0.1	A	
11MAR12 23:01	Change Serviceability Stat	7450.8 AFHR	2.8	A1PXXO1201878	XXxxXXxx
	Estimated Date/Time Servic		734935.2	SERV U/S A1PXXU1203170	XXxxXXxx
11MAR12 23:13	Initiate Toolboard	7450.8 AFHR	xxxx	SERV STAT 12MAR12 14 B/F	
11MAR12 23:14	Clear Toolboard	7450.8 AFHR	xxxx	14	XXxxXXxx
11MAR12 23:26	Asset Comments	7450.8 AFHR	0.0	AIRTEST AIRTEST	XXxxXXxx
11MAR12 23:28	Maintenance Release		0.0	A1PXXX1202082	XXxxXXxx
	Change Serviceability Stat	7450.8 AFHR	0.0	M PEA A A1PXXX1202083	XXxxXXxx
	Estimated Date/Time Servic		1.0	U/S SERV 12MAR12 23:02	
12MAR12 04:03	Into Maintenance	7450.8 AFHR	0.1	SERV STAT A	
12MAR12 04:05	Asset Comments	7452.1 AFHR	0.0	A1PXXO1201912	XXxxXXxx
12MAR12 04:05	Change Serviceability Stat	7452.1 AFHR	0.0	A1PXXX1202112	XXxxXXxx
	Estimated Date/Time Servic		734939.8	SERV U/S A1PXXU1203171	XXxxXXxx
12MAR12 04:07	Maintenance Release		0.0	SERV STAT 13MAR12	
	Change Serviceability Stat	7452.1 AFHR	0.0	M PEA A A1PXXX1202113	XXxxXXxx
	Estimated Date/Time Servic		1.0	U/S SERV 13MAR12 04:05	
				SERV STAT	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02138  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
12MAR12	07:45	Into Maintenance	0.1	A		
		7452.6 AFHR		M PEA		
12MAR12	09:00	Initiate Toolboard	xxxx	A1PXXO1201932		XXxxXXxx
		7453.1 AFHR		14 B/F		
12MAR12	10:14	Clear Toolboard	xxxx	14		XXxxXXxx
		7453.1 AFHR				
12MAR12	10:31	Maintenance Release	0.1	M PEA		XXxxXXxx
		7453.1 AFHR		A		
12MAR12	13:42	Into Maintenance	0.1	A1PXXX1202134		XXxxXXxx
		7453.1 AFHR		A		
12MAR12	22:37	Maintenance Release	0.3	M PEA		XXxxXXxx
		7453.1 AFHR		A1PXXO1201950		
13MAR12	09:00	Initiate Toolboard	xxxx	M PEA		XXxxXXxx
		7454.7 AFHR		A		
13MAR12	09:08	Into Maintenance	0.4	A1PXXX1202147		XXxxXXxx
		7458.5 AFHR		14 B/F		
13MAR12	13:17	Change Serviceability Stat	0.1	A		XXxxXXxx
		7457.2 AFHR		A1PXXO1201994		
		7458.5 AFHR		U/S		
		Estimated Date/Time Servic	734939.6	A1PXXU1203014		XXxxXXxx
				SERV STAT		
14MAR12	01:20	Clear Toolboard	xxxx	14MAR12		
		7458.5 AFHR		14		
14MAR12	01:20	Maintenance Release	0.5	M PEA		XXxxXXxx
		7458.5 AFHR		A		
		Change Serviceability Stat	0.5	A1PXXX1202214		XXxxXXxx
		Estimated Date/Time Servic	0.5	U/S		
				SERV		
				14MAR12 13:17		
				SERV STAT		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02139  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----			
TRANSACTION D/T	CHANGE TYPE	SPAN (DYS)	FROM	TO (OPTIONAL)	USER
=====	=====	=====	=====	=====	=====
	LIFE SINCE NEW		TRANS REFERENCE		
14MAR12 07:45	Into Maintenance	0.2	A		
	7459.8 AFHR		M PEA	A1PXXO1202045	XXxxXXxx
14MAR12 08:30	Initiate Toolboard	xxxx	14 B/F		
	7461.2 AFHR				XXxxXXxx
14MAR12 10:11	Clear Toolboard	xxxx	14		
	7461.2 AFHR				XXxxXXxx
15MAR12 09:00	Initiate Toolboard	xxxx	14 B/F		
	7463.6 AFHR				XXxxXXxx
15MAR12 09:43	Clear Toolboard	xxxx	14		
	7463.6 AFHR				XXxxXXxx
15MAR12 09:50	Maintenance Release	1.0	M PEA		
	7463.6 AFHR		A	A1PXXX1202301	XXxxXXxx
15MAR12 14:38	Into Maintenance	0.1	A		
	7463.6 AFHR		M PEA	A1PXXO1202125	XXxxXXxx
15MAR12 23:04	Maintenance Release	0.3	M PEA		
	7463.6 AFHR		A	A1PXXX1202323	XXxxXXxx
16MAR12 05:13	Into Maintenance	0.2	A		
	7464.8 AFHR		M PEA	A1PXXO1202157	XXxxXXxx
18MAR12 23:38	Initiate Toolboard	xxxx	14 B/F		
	7466.0 AFHR				XXxxXXxx
18MAR12 23:39	Clear Toolboard	xxxx	14		
	7466.0 AFHR				XXxxXXxx
18MAR12 23:39	Maintenance Release	2.7	M PEA		
	7466.0 AFHR		A	A1PXXX1202391	XXxxXXxx
19MAR12 09:00	Initiate Toolboard	xxxx	14 B/F		
	7471.4 AFHR				XXxxXXxx
19MAR12 09:11	Into Maintenance	0.3	A		
	7470.2 AFHR		M PEA	A1PXXO1202203	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02140  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
19MAR12 09:59	Clear Toolboard	7471.4 AFHR	xxxx	14	XXxxXXxx
19MAR12 22:58	Maintenance Release	7471.4 AFHR	0.5	M PEA A A1PXXX1202418	XXxxXXxx
20MAR12 08:49	Into Maintenance	7474.0 AFHR	0.4	A A1PXXO1202231	XXxxXXxx
20MAR12 09:00	Initiate Toolboard	7475.2 AFHR	xxxx	14 B/F	XXxxXXxx
20MAR12 23:59	Change Serviceability Stat	7475.2 AFHR	0.6	SERV U/S A1PXXU1203300	XXxxXXxx
	Estimated Date/Time Servic		734941.0	SERV STAT 21MAR12	
21MAR12 00:23	Clear Toolboard	7475.2 AFHR	xxxx	14	XXxxXXxx
21MAR12 00:23	Maintenance Release	7475.2 AFHR	0.0	M PEA A A1PXXX1202472	XXxxXXxx
	Change Serviceability Stat		0.0	U/S SERV	
	Estimated Date/Time Servic		0.0	21MAR12 23:59 SERV STAT	
21MAR12 07:44	Into Maintenance	7477.7 AFHR	0.3	A M PEA A1PXXO1202301	XXxxXXxx
21MAR12 09:00	Initiate Toolboard	7478.9 AFHR	xxxx	14 B/F	XXxxXXxx
21MAR12 09:31	Clear Toolboard	7478.9 AFHR	xxxx	14	XXxxXXxx
21MAR12 11:43	Maintenance Release	7478.9 AFHR	0.1	M PEA A A1PXXX1202500	XXxxXXxx
21MAR12 13:54	Into Maintenance	7479.9 AFHR	0.0	A M PEA A1PXXO1202318	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02141  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
21MAR12	22:48	Maintenance Release	0.3	M PEA A		
22MAR12	09:55	Operator Acceptance	0.0	A1PXXX1202517 aip04023		XXxxXXxx
		7479.9 AFHR				
		7483.7 AFHR		A1PXXX1202552		XXxxXXxx
23MAR12	01:20	Maintenance Comment Initiate Toolboard	0.0	AWAY		
		7485.4 AFHR	xxxx	14 B/F		XXxxXXxx
23MAR12	04:41	Operator Release	0.0	K. ARUMUGAM		
		7483.7 AFHR		A1PXXX1202590		XXxxXXxx
23MAR12	04:43	Into Maintenance	1.2	A		
		7485.4 AFHR		M PEA		
23MAR12	04:47	Clear Toolboard	xxxx	A1PXXO1202368		XXxxXXxx
		7485.4 AFHR		14		XXxxXXxx
23MAR12	04:49	Maintenance Release	0.0	M PEA		
		7487.1 AFHR		A		
23MAR12	06:31	Into Maintenance	0.0	A1PXXX1202591		XXxxXXxx
		7487.1 AFHR		A		
23MAR12	07:10	Change Serviceability Stat	0.0	A1PXXO1202386		XXxxXXxx
		7488.3 AFHR		SERV		
		Estimated Date/Time Servic	734948.7	U/S		
				A1PXXU1203828		XXxxXXxx
25MAR12	22:32	Initiate Toolboard	xxxx	SERV STAT		
		7488.3 AFHR		24MAR12		
25MAR12	22:32	Clear Toolboard	xxxx	14 B/F		XXxxXXxx
		7488.3 AFHR		14		
25MAR12	22:34	Maintenance Release	2.6	M PEA		XXxxXXxx
		7488.3 AFHR		A		
		Change Serviceability Stat	2.6	A1PXXX1202611		XXxxXXxx
		Estimated Date/Time Servic	1.6	U/S		
				SERV		
				24MAR12 07:11		
				SERV STAT		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02142  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
26MAR12 09:55	Initiate	Toolboard	7490.8 AFHR	xxxx	14 B/F	XXxxXXxx
26MAR12 09:59	Into Maintenance		7490.8 AFHR	0.4	A	
26MAR12 09:59	Initiate	Toolboard	7490.8 AFHR	xxxx	14 B/F	XXxxXXxx
26MAR12 10:00	Clear	Toolboard	7490.8 AFHR	xxxx	14	XXxxXXxx
26MAR12 22:54	Initiate	Toolboard	7492.5 AFHR	xxxx	14 B/F	XXxxXXxx
26MAR12 22:54	Clear	Toolboard	7492.5 AFHR	xxxx	14	XXxxXXxx
26MAR12 22:55	Maintenance Release		7492.5 AFHR	0.5	M PEA	
27MAR12 08:00	Into Maintenance		7496.6 AFHR	0.3	A	
27MAR12 09:00	Initiate	Toolboard	7497.8 AFHR	xxxx	14 B/F	XXxxXXxx
27MAR12 09:18	Change Serviceability Stat		7497.8 AFHR	0.0	SERV	
	Estimated Date/Time	Service		734953.5	U/S	
					A1PXXU1203927	XXxxXXxx
27MAR12 22:22	Clear	Toolboard	7497.8 AFHR	xxxx	14	XXxxXXxx
28MAR12 01:45	Asset Comments		7497.8 AFHR	0.0	MTF	MTF
28MAR12 01:51	Maintenance Release		7497.8 AFHR	0.6	A	
	Change Serviceability Stat		7497.8 AFHR	0.6	A1PXXX1202716	XXxxXXxx
	Estimated Date/Time	Service		0.6	U/S	
					SERV	
					28MAR12 09:18	
					SERV STAT	



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02143  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
28MAR12	01:57	Into Maintenance	0.0	A		
		7497.8 AFHR		A1PXXO1202538		XXxxXXxx
28MAR12	01:58	Change Serviceability Stat	0.0	SERV		
		7497.8 AFHR		A1PXXU1203975		XXxxXXxx
		Estimated Date/Time Servic	734955.9	SERV STAT		
28MAR12	02:00	Maintenance Release	0.0	29MAR12		
		7497.8 AFHR		M PEA		
		Change Serviceability Stat	0.0	A		
		Estimated Date/Time Servic	1.0	A1PXXX1202717		XXxxXXxx
28MAR12	03:33	Into Maintenance	0.0	U/S		
		7497.8 AFHR		SERV		
28MAR12	03:46	Change Serviceability Stat	0.0	29MAR12 01:59		
		7498.5 AFHR		SERV STAT		
		Estimated Date/Time Servic	734955.9	A		
28MAR12	03:50	Armed	0.0	A1PXXO1202541		XXxxXXxx
		7498.5 AFHR		SERV		
28MAR12	03:50	Asset Comments	0.0	U/S		
		7498.5 AFHR		A1PXXU1203975		XXxxXXxx
		Estimated Date/Time Servic	734955.9	SERV STAT		
28MAR12	03:50	Armed	0.0	29MAR12		
		7498.5 AFHR		Y		
28MAR12	03:50	Asset Comments	0.0	A1PXXX1202721		XXxxXXxx
		7498.5 AFHR		A1PXXX1202721		XXxxXXxx
28MAR12	03:50	Asset Comments	0.0	AIRTEST	AIRTEST	
		7498.5 AFHR		A1PXXX1202722		XXxxXXxx
28MAR12	03:50	Armed	0.0	N		
		7498.5 AFHR		A1PXXX1202723		XXxxXXxx
28MAR12	05:52	Maintenance Release	0.0	M PEA		
		7498.5 AFHR		A		
		Change Serviceability Stat	0.0	A1PXXX1202724		XXxxXXxx
		Estimated Date/Time Servic	1.0	U/S		
				SERV		
				29MAR12 03:46		
				SERV STAT		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02144  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
28MAR12 08:30	Into Maintenance		7498.5 AFHR	0.1	A A1PXXO1202569	XXxxXXxx
28MAR12 08:32	Asset Comments		7498.5 AFHR	0.0	A1PXXX1202725	XXxxXXxx
28MAR12 08:32	Change Serviceability Stat		7498.5 AFHR Estimated Date/Time Servic	0.0 734955.8	SERV U/S A1PXXU1203985 SERV STAT 29MAR12	XXxxXXxx
28MAR12 10:00	Initiate Toolboard		7499.8 AFHR	xxxx	14 B/F	XXxxXXxx
28MAR12 12:38	Clear Toolboard		7499.8 AFHR	xxxx	14	XXxxXXxx
28MAR12 22:45	Maintenance Release		7499.8 AFHR Change Serviceability Stat	0.5 0.5	M PEA A A1PXXX1202734 U/S SERV	XXxxXXxx
	Estimated Date/Time Servic			1.5	29MAR12 08:32 SERV STAT	
29MAR12 07:55	Into Maintenance		7502.7 AFHR	0.3	A M PEA A1PXXO1202623	XXxxXXxx
29MAR12 07:55	Initiate Toolboard		7502.7 AFHR	xxxx	14 B/F	XXxxXXxx
29MAR12 07:56	Clear Toolboard		7502.7 AFHR	xxxx	14	XXxxXXxx
29MAR12 13:05	Initiate Toolboard		7502.7 AFHR	xxxx	14 B/F	XXxxXXxx
29MAR12 13:05	Clear Toolboard		7502.7 AFHR	xxxx	14	XXxxXXxx
29MAR12 22:34	Maintenance Release		7502.7 AFHR	0.6	M PEA A A1PXXX1202777	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02145  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN (DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
30MAR12	04:20	Into Maintenance	0.2	A		
		7504.3 AFHR		M PEA		
30MAR12	08:43	Initiate Toolboard	xxxx	A1PXXO1202670		XXxxXXxx
		7506.9 AFHR		14 B/F		
30MAR12	08:43	Clear Toolboard	xxxx	14		XXxxXXxx
		7506.9 AFHR				
01APR12	22:46	Initiate Toolboard	xxxx	14 B/F		XXxxXXxx
		7506.9 AFHR				
01APR12	22:46	Clear Toolboard	xxxx	14		XXxxXXxx
		7506.9 AFHR				
01APR12	23:21	Maintenance Release	2.7	M PEA		
		7506.9 AFHR		A		
02APR12	02:01	Into Maintenance	0.1	A1PXXX1202804		XXxxXXxx
		7506.9 AFHR		A		
02APR12	05:01	Maintenance Release	0.1	M PEA		
		7508.1 AFHR		A1PXXO1202720		XXxxXXxx
02APR12	05:01	Operator Acceptance	0.0	M PEA		
		7508.1 AFHR		A		
02APR12	05:01	Maintenance Comment	0.0	A1PXXX1202846		XXxxXXxx
		7508.1 AFHR		aip01570		
03APR12	04:18	Operator Release	0.0	A1PXXX1202847		XXxxXXxx
		7508.1 AFHR		ALB		
03APR12	09:07	Into Maintenance	1.1	A. COOK		
		7514.1 AFHR		A1PXXX1202925		XXxxXXxx
03APR12	09:07	Initiate Toolboard	xxxx	A		
		7514.1 AFHR		A1PXXO1202806		XXxxXXxx
03APR12	09:08	Clear Toolboard	xxxx	14 B/F		XXxxXXxx
		7514.1 AFHR		14		
03APR12	12:37	Change Serviceability Stat	0.1	SERV		
		7514.1 AFHR		U/S		
		Estimated Date/Time Servic	734956.4	A1PXXU1204021		XXxxXXxx
				SERV STAT		
				04APR12		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02146  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
04APR12	00:35	Maintenance Release	0.4	M PEA A		
		7515.1 AFHR		A1PXXX1202981		XXxxXXxx
		Change Serviceability Stat	0.4	U/S		
		Estimated Date/Time Servic	0.4	SERV 04APR12 12:37		
				SERV STAT		
04APR12	04:37	Into Maintenance	0.1	A		
		7516.3 AFHR		M PEA A1PXXO1202868		XXxxXXxx
04APR12	09:00	Initiate Toolboard	xxxx	14 B/F		
		7517.5 AFHR				XXxxXXxx
04APR12	09:42	Clear Toolboard	xxxx	14		
		7517.5 AFHR				XXxxXXxx
04APR12	23:12	Maintenance Release	0.7	M PEA A		
		7518.7 AFHR		A1PXXX1203022		XXxxXXxx
05APR12	03:28	Into Maintenance	0.1	A		
		7518.7 AFHR		M PEA A1PXXO1202925		XXxxXXxx
05APR12	06:09	Maintenance Release	0.1	M PEA A		
		7519.9 AFHR		A1PXXX1203054		XXxxXXxx
05APR12	07:33	Into Maintenance	0.0	A		
		7519.9 AFHR		M PEA A1PXXO1202951		XXxxXXxx
09APR12	23:34	Initiate Toolboard	xxxx	14 B/F		
		7521.1 AFHR				XXxxXXxx
09APR12	23:35	Clear Toolboard	xxxx	14		
		7521.1 AFHR				XXxxXXxx
09APR12	23:35	Maintenance Release	4.6	M PEA A		
		7521.1 AFHR		A1PXXX1203093		XXxxXXxx
10APR12	06:48	Into Maintenance	0.3	A		
		7521.4 AFHR		A1PXXO1203006		XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02147  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
10APR12 06:50	Change Serviceability Stat	0.0	SERV U/S	
	7521.4 AFHR		A1PXXU1204443	XXxxXXxx
	Estimated Date/Time Servic	734962.7	SERV STAT	
			11APR12	
10APR12 12:24	Initiate Toolboard	xxxx	14 B/F	
	7521.4 AFHR			XXxxXXxx
10APR12 12:24	Clear Toolboard	xxxx	14	
	7521.4 AFHR			XXxxXXxx
10APR12 12:37	Asset Comments	0.0	MTF 7521.4 MTF	
	7521.4 AFHR		A1PXXX1203122	XXxxXXxx
10APR12 23:15	Maintenance Release	0.6	M PEA	
	7521.4 AFHR		A	
	Change Serviceability Stat	0.6	A1PXXX1203155	XXxxXXxx
			U/S	
	Estimated Date/Time Servic	1.6	SERV	
			11APR12 06:50	
			SERV STAT	
11APR12 02:52	Into Maintenance	0.1	A	
	7521.4 AFHR		A1PXXO1203033	XXxxXXxx
11APR12 02:54	Change Serviceability Stat	0.0	SERV	
	7521.4 AFHR		U/S	
	Estimated Date/Time Servic	734969.8	A1PXXU1204454	XXxxXXxx
			SERV STAT	
			12APR12	
11APR12 09:11	Initiate Toolboard	xxxx	14 B/F	
	7522.1 AFHR			XXxxXXxx
20APR12 03:22	Initiate Toolboard	xxxx	14 B/F	
	7522.1 AFHR			XXxxXXxx
20APR12 03:23	Initiate Toolboard	xxxx	14 B/F	
	7522.1 AFHR			XXxxXXxx
20APR12 03:24	Clear Toolboard	xxxx	14	
	7522.1 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02148  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
20APR12 03:27	Maintenance Release	9.0	M PEA A A1PXXX1203560	XXxxXXxx
	7522.1 AFHR Change Serviceability Stat	9.0	U/S SERV	
	Estimated Date/Time Servic	1.0	12APR12 02:54 SERV STAT	
20APR12 06:43	Into Maintenance	0.1	A A1PXXO1203426	XXxxXXxx
	7522.1 AFHR Change Serviceability Stat	2.6	SERV U/S A1PXXU1205065	XXxxXXxx
	Estimated Date/Time Servic	734978.2	SERV STAT 23APR12	
23APR12 11:41	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	7522.1 AFHR Clear Toolboard	xxxx	14	XXxxXXxx
	7522.1 AFHR Maintenance Release	1.0	M PEA A A1PXXX1203691	XXxxXXxx
	7522.1 AFHR Change Serviceability Stat	1.0	U/S SERV	
	Estimated Date/Time Servic	1.0	23APR12 22:25 SERV STAT	
24APR12 02:38	Into Maintenance	0.1	A A1PXXO1203518	XXxxXXxx
	7522.1 AFHR Change Serviceability Stat	0.0	SERV U/S A1PXXU1205009	XXxxXXxx
	7523.1 AFHR Estimated Date/Time Servic	734982.8	SERV STAT 25APR12	
24APR12 09:00	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	7523.1 AFHR Clear Toolboard	xxxx	14	XXxxXXxx
	7523.1 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02149  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
24APR12 10:35	Change Serviceability Stat	0.3	U/S SERV	
	7523.1 AFHR		A1PXXX1203720	XXxxXXxx
	Estimated Date/Time Servic	1.3	25APR12 03:14	
24APR12 13:10	Change Serviceability Stat	0.1	SERV STAT	
	7523.1 AFHR		U/S A1PXXU1205211	XXxxXXxx
	Estimated Date/Time Servic	734982.8	SERV STAT	
30APR12 00:52	Initiate Toolboard	xxxx	25APR12 14 B/F	
	7523.1 AFHR			XXxxXXxx
30APR12 00:55	Clear Toolboard	xxxx	14	
	7523.1 AFHR			XXxxXXxx
30APR12 00:57	Maintenance Release	5.4	M PEA	
	7523.1 AFHR		A A1PXXX1203810	XXxxXXxx
	Change Serviceability Stat	5.4	U/S	
	Estimated Date/Time Servic	0.4	SERV	
30APR12 08:57	Into Maintenance	0.3	25APR12 13:12	
	7523.1 AFHR		SERV STAT	
30APR12 09:35	Initiate Toolboard	xxxx	A A1PXXO1203627	XXxxXXxx
	7524.3 AFHR		14 B/F	XXxxXXxx
30APR12 09:37	Clear Toolboard	xxxx	14	
	7524.3 AFHR			XXxxXXxx
30APR12 23:24	Asset Comments	0.0		
	7524.3 AFHR		A1PXXX1203854	XXxxXXxx
30APR12 23:24	Change Serviceability Stat	0.6	SERV	
	7524.3 AFHR		U/S A1PXXU1205389	XXxxXXxx
	Estimated Date/Time Servic	734988.0	SERV STAT	
			01MAY12	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02150  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
30APR12 23:26	Maintenance Release	0.0	M PEA A	
	7524.3 AFHR Change Serviceability Stat	0.0	A1PXXX1203855 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.0	SERV 01MAY12 23:24 SERV STAT	
01MAY12 06:25	Into Maintenance	0.2	A M PEA	
	7524.3 AFHR		A1PXXO1203676	XXxxXXxx
01MAY12 09:00	Initiate Toolboard	xxxx	14 B/F	
	7525.5 AFHR			XXxxXXxx
01MAY12 09:51	Clear Toolboard	xxxx	14	
	7526.8 AFHR			XXxxXXxx
01MAY12 09:55	Maintenance Release	0.1	M PEA A	
	7526.8 AFHR		A1PXXX1203879	XXxxXXxx
01MAY12 11:18	Into Maintenance	0.0	A M PEA	
	7526.8 AFHR		A1PXXO1203701	XXxxXXxx
01MAY12 22:41	Maintenance Release	0.4	M PEA A	
	7526.8 AFHR		A1PXXX1203898	XXxxXXxx
02MAY12 08:16	Into Maintenance	0.3	A M PEA	
	7529.3 AFHR		A1PXXO1203761	XXxxXXxx
02MAY12 09:00	Initiate Toolboard	xxxx	14 B/F	
	7530.5 AFHR			XXxxXXxx
02MAY12 09:44	Clear Toolboard	xxxx	14	
	7530.5 AFHR			XXxxXXxx
02MAY12 09:50	Maintenance Release	0.0	M PEA A	
	7530.5 AFHR		A1PXXX1203973	XXxxXXxx
02MAY12 22:06	Into Maintenance	0.5	A A1PXXO1203801	
	7532.6 AFHR			XXxxXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02151  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
02MAY12 22:06	Change Serviceability Stat	0.0	SERV U/S A1PXXU1205388	XXxxXXxx
	7532.6 AFHR Estimated Date/Time Servic	734989.0	SERV STAT 03MAY12	
03MAY12 01:38	Maintenance Release	0.1	M PEA A A1PXXX1204011	XXxxXXxx
	7532.6 AFHR Change Serviceability Stat	0.1	U/S SERV 03MAY12 22:06	
03MAY12 07:40	Into Maintenance	0.2	SERV STAT A M PEA A1PXXO1203842	XXxxXXxx
03MAY12 09:05	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
03MAY12 10:07	Clear Toolboard	xxxx	14	XXxxXXxx
03MAY12 22:52	Maintenance Release	0.6	M PEA A A1PXXX1204043	XXxxXXxx
04MAY12 04:04	Into Maintenance	0.2	A M PEA A1PXXO1203865	XXxxXXxx
06MAY12 22:32	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
06MAY12 22:32	Clear Toolboard	xxxx	14	XXxxXXxx
06MAY12 23:36	Maintenance Release	2.8	M PEA A A1PXXX1204087	XXxxXXxx
07MAY12 09:35	Into Maintenance	0.4	A A1PXXO1203931	XXxxXXxx
	7537.1 AFHR			
	7538.3 AFHR			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02152  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
LIFE SINCE NEW				
07MAY12 09:36	Change Serviceability Stat 7538.3 AFHR Estimated Date/Time Servic	0.0 734991.6	SERV U/S A1PXXU1205815 SERV STAT 08MAY12 AIRTEST AIRTEST A1PXXX1204113	XXxxXXxx
07MAY12 09:40	Asset Comments 7538.3 AFHR	0.0	AIRTEST AIRTEST A1PXXX1204113	XXxxXXxx
07MAY12 09:52	Initiate Toolboard 7538.3 AFHR	xxxx	14 B/F	XXxxXXxx
07MAY12 09:52	Clear Toolboard 7538.3 AFHR	xxxx	14	XXxxXXxx
08MAY12 04:56	Asset Comments 7538.3 AFHR	0.0	MTF 7538.3 MTF A1PXXX1204140	XXxxXXxx
08MAY12 05:05	Maintenance Release 7538.3 AFHR Change Serviceability Stat	0.8 0.8	M PEA A A1PXXX1204141 U/S SERV	XXxxXXxx
08MAY12 08:35	Into Maintenance 7538.3 AFHR	0.1	MTF 08MAY12 09:36 SERV STAT A M PEA A1PXXO1203972	XXxxXXxx
08MAY12 09:33	Initiate Toolboard 7538.3 AFHR	xxxx	14 B/F	XXxxXXxx
08MAY12 09:33	Clear Toolboard 7538.3 AFHR	xxxx	14	XXxxXXxx
08MAY12 23:44	Maintenance Release 7538.3 AFHR	0.6	M PEA A A1PXXX1204180	XXxxXXxx
09MAY12 05:44	Into Maintenance 7538.3 AFHR	0.2	A A1PXXO1203992	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02153  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
09MAY12 05:47	Change Serviceability Stat	0.0	SERV U/S A1PXXU1205892	XXxxXXxx
	7538.3 AFHR Estimated Date/Time Servic	734996.9	SERV STAT 10MAY12 14 B/F	
09MAY12 10:03	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	7538.3 AFHR			
09MAY12 13:09	Clear Toolboard	xxxx	14	XXxxXXxx
	7538.3 AFHR			
10MAY12 00:32	Maintenance Release	0.7	M PEA A	
	7538.3 AFHR		A1PXXX1204238	XXxxXXxx
	Change Serviceability Stat	0.7	U/S	
	Estimated Date/Time Servic	0.7	SERV 10MAY12 05:47	
10MAY12 07:32	Into Maintenance	0.2	SERV STAT A	
	7538.3 AFHR		A1PXXO1204055	XXxxXXxx
10MAY12 09:00	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	7538.3 AFHR			
10MAY12 10:56	Clear Toolboard	xxxx	14	XXxxXXxx
	7538.3 AFHR			
11MAY12 01:59	Change Serviceability Stat	0.7	SERV U/S A1PXXU1206068	XXxxXXxx
	7538.3 AFHR Estimated Date/Time Servic	734998.9	SERV STAT 12MAY12	
11MAY12 02:11	Maintenance Release	0.0	M PEA A	
	7538.3 AFHR		A1PXXX1204323	XXxxXXxx
	Change Serviceability Stat	0.0	U/S	
	Estimated Date/Time Servic	1.0	SERV 12MAY12 01:59	
11MAY12 04:22	Into Maintenance	0.0	SERV STAT A	
	7538.3 AFHR		A1PXXO1204086	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02154  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
11MAY12 04:23	Change Serviceability Stat	0.0	SERV U/S	
	7538.3 AFHR		A1PXXU1205902	XXxxXXxx
	Estimated Date/Time Servic	734999.9	SERV STAT 12MAY12	
11MAY12 04:25	Asset Comments	0.0		
	7538.3 AFHR		A1PXXX1204338	XXxxXXxx
11MAY12 04:26	Maintenance Release	0.0	M PEA	
	7538.3 AFHR		A1PXXX1204339	XXxxXXxx
	Change Serviceability Stat	0.0	U/S	
	Estimated Date/Time Servic	1.0	SERV 12MAY12 04:23	
11MAY12 06:38	Into Maintenance	0.0	SERV STAT	
	7539.1 AFHR		A1PXXO1204112	XXxxXXxx
13MAY12 22:47	Initiate Toolboard	xxxx	14 B/F	
	7540.5 AFHR			XXxxXXxx
13MAY12 22:47	Clear Toolboard	xxxx	14	
	7540.5 AFHR			XXxxXXxx
14MAY12 01:02	Maintenance Release	2.7	M PEA	
	7540.5 AFHR		A1PXXX1204385	XXxxXXxx
14MAY12 08:54	Operator Acceptance	0.0	aip04023	
	7541.6 AFHR		A1PXXX1204427	XXxxXXxx
	Maintenance Comment	0.0	AIRCRAFT AWAY	
15MAY12 02:51	Operator Release	0.0	A. COOK	
	7541.6 AFHR		A1PXXX1204455	XXxxXXxx
15MAY12 09:00	Initiate Toolboard	xxxx	14 B/F	
	7546.1 AFHR			XXxxXXxx
15MAY12 09:25	Into Maintenance	1.3	A	
	7546.1 AFHR		M PEA	
	7546.1 AFHR		A1PXXO1204205	XXxxXXxx
15MAY12 09:38	Clear Toolboard	xxxx	14	
	7546.1 AFHR			XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02155  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
15MAY12	09:49	Maintenance Release	0.0	M PEA A A1PXXX1204471		XXxxXXxx
15MAY12	12:22	Into Maintenance	0.1	M PEA A A1PXXO1204206		XXxxXXxx
15MAY12	22:13	Maintenance Release	0.4	M PEA A A1PXXX1204490		XXxxXXxx
16MAY12	06:07	Into Maintenance	0.3	M PEA A A1PXXO1204234		XXxxXXxx
16MAY12	06:10	Change Serviceability Stat	0.0	SERV U/S A1PXXU1205899		XXxxXXxx
		Estimated Date/Time Servic	734999.9	SERV STAT 17MAY12		
16MAY12	09:00	Initiate Toolboard	xxxx	14 B/F		XXxxXXxx
16MAY12	10:28	Clear Toolboard	xxxx	14		XXxxXXxx
16MAY12	22:17	Maintenance Release	0.6	M PEA A A1PXXX1204553		XXxxXXxx
		Change Serviceability Stat	0.6	U/S SERV 17MAY12 06:10		
		Estimated Date/Time Servic	1.6	SERV STAT		
17MAY12	08:29	Into Maintenance	0.4	A A1PXXO1204309		XXxxXXxx
17MAY12	09:00	Initiate Toolboard	xxxx	14 B/F		XXxxXXxx
18MAY12	00:05	Change Serviceability Stat	0.6	SERV U/S A1PXXU1206367		XXxxXXxx
		Estimated Date/Time Servic	735005.9	SERV STAT 19MAY12		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02156  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
18MAY12 00:06	Initiate	Toolboard	7551.5 AFHR	xxxx	14 B/F	XXxxXXxx
18MAY12 06:39	Clear	Toolboard	7551.5 AFHR	xxxx	14	XXxxXXxx
21MAY12 09:09	Initiate	Toolboard	7554.2 AFHR	xxxx	14 B/F	XXxxXXxx
21MAY12 09:09	Clear	Toolboard	7554.2 AFHR	xxxx	14	XXxxXXxx
21MAY12 22:30	Maintenance	Release	7554.2 AFHR	3.9	M PEA A A1PXXX1204677	XXxxXXxx
	Change	Serviceability Stat		3.9	U/S SERV	
	Estimated	Date/Time Servic		1.9	19MAY12 00:05 SERV STAT	
22MAY12 02:08	Into	Maintenance	7554.2 AFHR	0.1	A M PEA A1PXXO1204372	XXxxXXxx
22MAY12 09:00	Initiate	Toolboard	7558.4 AFHR	xxxx	14 B/F	XXxxXXxx
22MAY12 10:13	Clear	Toolboard	7558.4 AFHR	xxxx	14	XXxxXXxx
22MAY12 22:40	Maintenance	Release	7558.4 AFHR	0.8	M PEA A A1PXXX1204731	XXxxXXxx
23MAY12 07:58	Into	Maintenance	7561.1 AFHR	0.3	A A1PXXO1204457	XXxxXXxx
23MAY12 08:13	Change	Serviceability Stat	7562.4 AFHR	0.0	U/S A1PXXU1206593	XXxxXXxx
	Estimated	Date/Time Servic		735010.5	SERV STAT 24MAY12	
23MAY12 09:00	Initiate	Toolboard	7562.4 AFHR	xxxx	14 B/F	XXxxXXxx
23MAY12 10:39	Clear	Toolboard	7562.4 AFHR	xxxx	14	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02157  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE		SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
LIFE SINCE NEW					
23MAY12 10:39	Change Serviceability Stat		0.1	U/S SERV	
	7562.4 AFHR			A1PXXX1204772	XXxxXXxx
	Estimated Date/Time Servic		1.1	24MAY12 08:13 SERV STAT	
23MAY12 23:12	Maintenance Release		0.5	M PEA A	
	7562.4 AFHR			A1PXXX1204787	XXxxXXxx
24MAY12 09:00	Initiate Toolboard		xxxx	14 B/F	
	7565.4 AFHR				XXxxXXxx
24MAY12 09:24	Into Maintenance		0.4	A M PEA	
	7565.4 AFHR			A1PXXO1204525	XXxxXXxx
24MAY12 09:28	Clear Toolboard		xxxx	14	
	7565.4 AFHR				XXxxXXxx
25MAY12 07:11	Initiate Toolboard		xxxx	14 B/F	
	7567.9 AFHR				XXxxXXxx
25MAY12 07:14	Clear Toolboard		xxxx	14	
	7567.9 AFHR				XXxxXXxx
25MAY12 07:27	Asset Comments		0.0	LEAR LEARMONTH DEPLOYMENT	
	7567.9 AFHR			A1PXXX1204888	XXxxXXxx
25MAY12 07:27	Maintenance Release		0.9	M PEA A	
	7567.9 AFHR			A1PXXX1204889	XXxxXXxx
27MAY12 09:00	Initiate Toolboard		xxxx	14 B/F	
	7571.0 AFHR				XXxxXXxx
28MAY12 00:21	Into Maintenance		2.7	A M LMO	
	7571.0 AFHR			A1PXXO1204590	XXxxXXxx
28MAY12 00:29	Clear Toolboard		xxxx	14	
	7571.0 AFHR				XXxxXXxx
28MAY12 00:30	Maintenance Release		0.0	M LMO A	
	7571.0 AFHR			A1PXXX1204925	XXxxXXxx
28MAY12 02:11	Maintenance Comment		0.0	S65 POLICY ALIGNED WITH S48 IAW MPAN 10/2012	
	7571.0 AFHR			A1PXXX1204957	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02158  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
28MAY12 07:36	Into Maintenance	0.2	A M LMO	
28MAY12 23:23	Initiate Toolboard 7573.4 AFHR	xxxx	A1PXXO1204630 14 B/F	XXxxXXxx
28MAY12 23:24	Clear Toolboard 7574.6 AFHR	xxxx	14	XXxxXXxx
28MAY12 23:24	Maintenance Release	0.6	M LMO A	
29MAY12 07:39	Into Maintenance 7574.6 AFHR	0.3	A1PXXX1205018 A	XXxxXXxx
29MAY12 08:07	Change Serviceability Stat 7577.1 AFHR	0.0	A1PXXO1204688 SERV U/S	XXxxXXxx
	Estimated Date/Time Servic	735012.1	A1PXXU1206905 SERV STAT 30MAY12	XXxxXXxx
29MAY12 23:23	Initiate Toolboard 7578.3 AFHR	xxxx	14 B/F	XXxxXXxx
29MAY12 23:24	Clear Toolboard 7578.3 AFHR	xxxx	14	XXxxXXxx
29MAY12 23:25	Maintenance Release	0.6	M LMO A	
	Change Serviceability Stat 7578.3 AFHR	0.6	A1PXXX1205093 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.6	SERV 30MAY12 08:12 SERV STAT	
30MAY12 03:37	Into Maintenance 7579.5 AFHR	0.1	A A1PXXO1204733	XXxxXXxx
30MAY12 03:37	Change Serviceability Stat 7579.5 AFHR	0.0	SERV U/S	
	Estimated Date/Time Servic	735018.8	A1PXXU1205154 SERV STAT 31MAY12	XXxxXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02159  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
30MAY12 08:08	Maintenance Release	0.1	M LMO A	
	7579.5 AFHR Change Serviceability Stat	0.1	A1PXXX1205117 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.1	SERV 31MAY12 03:37 SERV STAT	
30MAY12 09:00	Into Maintenance	0.0	A M LMO	
	7580.7 AFHR		A1PXXO1204779	XXxxXXxx
30MAY12 23:27	Initiate Toolboard	xxxx	14 B/F	
	7581.9 AFHR			XXxxXXxx
30MAY12 23:27	Clear Toolboard	xxxx	14	
	7581.9 AFHR			XXxxXXxx
30MAY12 23:27	Maintenance Release	0.6	M LMO A	
	7581.9 AFHR		A1PXXX1205152	XXxxXXxx
31MAY12 09:40	Into Maintenance	0.4	A	
	7586.8 AFHR		A1PXXO1204834	XXxxXXxx
31MAY12 23:44	Change Serviceability Stat	0.5	SERV U/S	
	7586.8 AFHR		A1PXXU1207062	XXxxXXxx
	Estimated Date/Time Servic	735018.3	SERV STAT 01JUN12	
01JUN12 00:39	Initiate Toolboard	xxxx	14 B/F	
	7586.8 AFHR			XXxxXXxx
01JUN12 00:40	Clear Toolboard	xxxx	14	
	7586.8 AFHR			XXxxXXxx
01JUN12 00:40	Maintenance Release	0.0	M LMO A	
	7586.8 AFHR		A1PXXX1205204	XXxxXXxx
	Change Serviceability Stat	0.0	U/S	
	Estimated Date/Time Servic	0.0	SERV 01JUN12 23:44 SERV STAT	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02160  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN (DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
01JUN12 08:15	Into Maintenance		0.3	A M LMO	
03JUN12 23:20	Initiate Toolboard	7589.2 AFHR	xxxx	A1PXXO1204875 14 B/F	XXxxXXxx
03JUN12 23:20	Clear Toolboard	7590.4 AFHR	xxxx	14	XXxxXXxx
03JUN12 23:20	Maintenance Release	7590.4 AFHR	2.6	M LMO A	XXxxXXxx
04JUN12 08:28	Into Maintenance	7590.4 AFHR	0.3	A1PXXX1205224 A	XXxxXXxx
04JUN12 23:30	Initiate Toolboard	7593.6 AFHR	xxxx	M LMO A1PXXO1204907 14 B/F	XXxxXXxx
04JUN12 23:30	Clear Toolboard	7594.8 AFHR	xxxx	14	XXxxXXxx
04JUN12 23:31	Maintenance Release	7594.8 AFHR	0.6	M LMO A	XXxxXXxx
05JUN12 02:05	Into Maintenance	7594.8 AFHR	0.1	A1PXXX1205244 A	XXxxXXxx
05JUN12 02:22	Change Serviceability Stat	7594.8 AFHR	0.0	A1PXXO1204932 SERV U/S	XXxxXXxx
05JUN12 02:24	Maintenance Release	7596.1 AFHR	0.0	A1PXXU1204935 SERV STAT 06JUN12 M LMO A	XXxxXXxx
	Change Serviceability Stat	7596.1 AFHR	0.0	A1PXXX1205261 U/S	XXxxXXxx
	Estimated Date/Time Servic		1.0	SERV 06JUN12 02:22 SERV STAT	
05JUN12 05:22	Into Maintenance	7596.1 AFHR	0.1	A A1PXXO1204948	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02161  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----			
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
LIFE SINCE NEW		TRANS REFERENCE			
=====					
05JUN12 05:47	Change Serviceability Stat	0.0	SERV		
	7597.4 AFHR		U/S		
	Estimated Date/Time Servic	735024.8	A1PXXU1207170		XXxxXXxx
05JUN12 05:54	Maintenance Release	0.0	SERV STAT		
	7597.4 AFHR		06JUN12		
	Change Serviceability Stat	0.0	M LMO		
	Estimated Date/Time Servic	1.0	A		XXxxXXxx
05JUN12 08:30	Into Maintenance	0.1	A1PXXX1205271		
	7597.4 AFHR		U/S		
05JUN12 09:15	Change Serviceability Stat	0.0	SERV		
	7598.1 AFHR		U/S		
	Estimated Date/Time Servic	735024.8	A1PXXO1204974		XXxxXXxx
06JUN12 00:02	Initiate Toolboard	xxxx	SERV STAT		
	7598.1 AFHR		06JUN12		
06JUN12 00:02	Clear Toolboard	xxxx	14 B/F		XXxxXXxx
	7598.1 AFHR		14		XXxxXXxx
06JUN12 00:02	Maintenance Release	0.6	M LMO		
	7598.1 AFHR		A		
	Change Serviceability Stat	0.6	A1PXXX1205279		XXxxXXxx
	Estimated Date/Time Servic	0.6	U/S		
06JUN12 07:25	Into Maintenance	0.3	SERV		
	7600.5 AFHR		06JUN12 09:15		
06JUN12 23:31	Initiate Toolboard	xxxx	SERV STAT		
	7601.9 AFHR		A		
			M LMO		
			A1PXXO1205025		XXxxXXxx
			14 B/F		XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02162  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----		-----		-----	
TRANSACTION D/T	CHANGE TYPE	SPAN (DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER	
=====	=====	=====	=====	=====	=====	=====	=====
	LIFE SINCE NEW						
06JUN12 23:31	Clear Toolboard 7601.9 AFHR	xxxx	14			XXxxXXxx	
06JUN12 23:32	Maintenance Release 7601.9 AFHR	0.6	M LMO A A1PXXX1205323			XXxxXXxx	
07JUN12 08:04	Into Maintenance 7604.3 AFHR	0.3	M LMO A1PXXO1205080			XXxxXXxx	
07JUN12 23:30	Initiate Toolboard 7605.9 AFHR	xxxx	14 B/F			XXxxXXxx	
07JUN12 23:30	Clear Toolboard 7605.9 AFHR	xxxx	14			XXxxXXxx	
07JUN12 23:30	Maintenance Release 7605.9 AFHR	0.6	M LMO A A1PXXX1205367			XXxxXXxx	
07JUN12 23:38	Maintenance Comment 7605.9 AFHR	0.0	POLICY COPY; POSN. AUTH: TAPSO MPAN 11/2012 = S66, S67 ADDED A1PXXX1205388			XXxxXXxx	
08JUN12 05:35	Into Maintenance 7605.9 AFHR	0.2	M PEA A1PXXO1205123			XXxxXXxx	
10JUN12 22:38	Initiate Toolboard 7609.2 AFHR	xxxx	14 B/F			XXxxXXxx	
10JUN12 22:38	Clear Toolboard 7609.2 AFHR	xxxx	14			XXxxXXxx	
10JUN12 22:44	Asset Comments 7609.2 AFHR	0.0	A1PXXX1205421			XXxxXXxx	
10JUN12 22:59	Maintenance Release 7609.2 AFHR	2.7	M PEA A A1PXXX1205432			XXxxXXxx	
11JUN12 00:09	Initiate Toolboard 7609.2 AFHR	xxxx	14 B/F			XXxxXXxx	
11JUN12 05:23	Into Maintenance 7609.2 AFHR	0.2	A A1PXXO1205136			XXxxXXxx	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02163  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
11JUN12 05:24	Change Serviceability Stat 7609.2 AFHR Estimated Date/Time Servic	0.0 735025.7	SERV U/S A1PXXU1207464 SERV STAT 12JUN12	XXxxXXxx
11JUN12 09:15	Clear Toolboard 7609.2 AFHR	xxxx	14	XXxxXXxx
11JUN12 09:23	Maintenance Release 7609.2 AFHR Change Serviceability Stat	0.1 0.1	M PEA A A1PXXX1205481 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.1	SERV 12JUN12 05:24 SERV STAT	
11JUN12 14:33	Into Maintenance 7609.2 AFHR	0.2	A A1PXXO1205159	XXxxXXxx
11JUN12 22:43	Change Serviceability Stat 7610.3 AFHR Estimated Date/Time Servic	0.3 735030.4	SERV U/S A1PXXU1207190 SERV STAT 12JUN12	XXxxXXxx
12JUN12 00:03	Maintenance Release 7610.3 AFHR Change Serviceability Stat	0.0 0.0	M PEA A A1PXXX1205524 U/S	XXxxXXxx
	Estimated Date/Time Servic	0.0	SERV 12JUN12 22:43 SERV STAT	
12JUN12 09:00	Initiate Toolboard 7614.0 AFHR	xxxx	14 B/F	XXxxXXxx
12JUN12 09:00	Into Maintenance 7612.8 AFHR	0.3	A M PEA A1PXXO1205210	XXxxXXxx
12JUN12 10:34	Clear Toolboard 7614.0 AFHR	xxxx	14	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02164  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
12JUN12	22:48	Maintenance Release	0.5	M PEA A		
		7614.0 AFHR		A1PXXX1205576		XXxxXXxx
13JUN12	08:10	Into Maintenance	0.3	M PEA A		
		7616.4 AFHR		A1PXXO1205257		XXxxXXxx
13JUN12	09:00	Initiate Toolboard	xxxx	14 B/F		
		7617.6 AFHR				XXxxXXxx
13JUN12	10:30	Clear Toolboard	xxxx	14		
		7617.6 AFHR				XXxxXXxx
13JUN12	22:58	Maintenance Release	0.6	M PEA A		
		7617.6 AFHR		A1PXXX1205651		XXxxXXxx
14JUN12	08:26	Into Maintenance	0.3	M PEA A		
		7618.8 AFHR		A1PXXO1205313		XXxxXXxx
14JUN12	09:03	Initiate Toolboard	xxxx	14 B/F		
		7620.1 AFHR				XXxxXXxx
14JUN12	09:03	Clear Toolboard	xxxx	14		
		7620.1 AFHR				XXxxXXxx
14JUN12	22:16	Change Serviceability Stat	0.5	SERV U/S		
		7620.1 AFHR		A1PXXU1107819		XXxxXXxx
		Estimated Date/Time Servic	735031.0	SERV STAT		
				15JUN12		
14JUN12	23:30	Change Serviceability Stat	0.0	SERV U/S		
		7620.1 AFHR		A1PXXX1205710		XXxxXXxx
		Estimated Date/Time Servic	1.0	15JUN12 22:16		
				SERV STAT		
14JUN12	23:40	Maintenance Release	0.0	M PEA A		
		7620.1 AFHR		A1PXXX1205711		XXxxXXxx
15JUN12	07:15	Into Maintenance	0.3	M PEA A		
		7621.2 AFHR		A1PXXO1205359		XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02165  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW	TRANS REFERENCE			
17JUN12	22:50	Initiate Toolboard 7621.2 AFHR	xxxx	14 B/F		XXxxXXxx
17JUN12	22:50	Clear Toolboard 7621.2 AFHR	xxxx	14		XXxxXXxx
18JUN12	00:01	Maintenance Release 7621.2 AFHR	2.6	M PEA A A1PXXX1205752		XXxxXXxx
18JUN12	05:56	Into Maintenance 7621.2 AFHR	0.2	A M PEA A1PXXO1205390		XXxxXXxx
18JUN12	07:46	Maintenance Release 7622.9 AFHR	0.0	M PEA A A1PXXX1205787		XXxxXXxx
18JUN12	21:56	Operator Acceptance 7622.9 AFHR	0.0	aip01963 A1PXXX1205799		XXxxXXxx
19JUN12	06:29	Maintenance Comment Operator Release 7622.9 AFHR	0.0	GERO M. COX A1PXXX1205829		XXxxXXxx
19JUN12	08:56	Into Maintenance 7626.4 AFHR	1.0	A A1PXXO1205435		XXxxXXxx
19JUN12	08:59	Change Serviceability Stat 7626.4 AFHR	0.0	SERV U/S A1PXXU1207486		XXxxXXxx
		Estimated Date/Time Servic	735034.6	SERV STAT 20JUN12		
19JUN12	09:05	Initiate Toolboard 7626.4 AFHR	xxxx	14 B/F		XXxxXXxx
19JUN12	09:22	Clear Toolboard 7626.4 AFHR	xxxx	14		XXxxXXxx
19JUN12	22:30	Maintenance Release 7626.4 AFHR	0.5	M PEA A A1PXXX1205855		XXxxXXxx
		Change Serviceability Stat 7626.4 AFHR	0.5	U/S SERV 20JUN12 08:59		
		Estimated Date/Time Servic	1.5	SERV STAT		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02166  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
20JUN12 21:47	Operator Acceptance 7628.9 AFHR	0.0	aip01963 A1PXXX1205925	XXxxXXxx
21JUN12 07:10	Maintenance Comment Into Maintenance 7630.6 AFHR	0.0 1.3	AWAY BASE A A1PXXO1205518	XXxxXXxx
21JUN12 09:00	Initiate Toolboard 7633.7 AFHR	xxxx	14 B/F	XXxxXXxx
21JUN12 09:01	Operator Release 7628.9 AFHR	0.0	J. MCLEAN A1PXXX1205977	XXxxXXxx
21JUN12 10:00	Clear Toolboard 7633.7 AFHR	xxxx	14	XXxxXXxx
21JUN12 10:56	Change Serviceability Stat 7633.7 AFHR	0.1	SERV U/S A1PXXU1207915	XXxxXXxx
21JUN12 22:55	Estimated Date/Time Servic Maintenance Release 7633.7 AFHR	735039.4 0.4	SERV STAT 22JUN12 M PEA A A1PXXX1205993	XXxxXXxx
22JUN12 06:09	Change Serviceability Stat Estimated Date/Time Servic Into Maintenance 7636.2 AFHR	0.4 1.4 0.3	U/S SERV 22JUN12 10:56 SERV STAT A M PEA A1PXXO1205557	XXxxXXxx
24JUN12 22:55	Initiate Toolboard 7637.5 AFHR	xxxx	14 B/F	XXxxXXxx
24JUN12 22:56	Clear Toolboard 7637.5 AFHR	xxxx	14	XXxxXXxx
24JUN12 23:25	Maintenance Release 7637.5 AFHR	2.7	M PEA A A1PXXX1206028	XXxxXXxx
25JUN12 05:44	Into Maintenance 7638.8 AFHR	0.2	A A1PXXO1205599	XXxxXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02167  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----			
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
LIFE SINCE NEW		TRANS REFERENCE			
=====					
25JUN12 05:44	Change Serviceability Stat	0.0	SERV		
	7638.8 AFHR		U/S		
	Estimated Date/Time Servic	735041.7	A1PXXU1208039		XXxxXXxx
25JUN12 05:56	Asset Comments	0.0	SERV STAT		
	7638.8 AFHR		26JUN12		
25JUN12 05:56	Maintenance Release	0.0	A/T 7638.8 A/T		
	7638.8 AFHR		A1PXXX1206052		XXxxXXxx
	Change Serviceability Stat	0.0	M PEA		
	7638.8 AFHR		A		
	Estimated Date/Time Servic	1.0	A1PXXX1206053		XXxxXXxx
25JUN12 09:01	Into Maintenance	0.1	U/S		
	7638.8 AFHR		SERV		
25JUN12 09:05	Initiate Toolboard	xxxx	26JUN12 05:52		
	7640.0 AFHR		SERV STAT		
25JUN12 09:09	Change Serviceability Stat	0.0	A		
	7640.0 AFHR		A1PXXO1205626		XXxxXXxx
	Estimated Date/Time Servic	735044.8	14 B/F		XXxxXXxx
25JUN12 10:00	Clear Toolboard	xxxx	SERV		
	7640.0 AFHR		U/S		
25JUN12 22:47	Asset Comments	0.0	A1PXXU1208039		XXxxXXxx
	7640.0 AFHR		SERV STAT		
25JUN12 22:47	Maintenance Release	0.5	26JUN12		
	7640.0 AFHR		14		
	Change Serviceability Stat	0.5	A1PXXX1206072		XXxxXXxx
	7640.0 AFHR		M PEA		
	Estimated Date/Time Servic	1.5	A		
26JUN12 09:00	Initiate Toolboard	xxxx	A1PXXX1206073		XXxxXXxx
	7643.9 AFHR		U/S		
			SERV		
			26JUN12 09:09		
			SERV STAT		
			14 B/F		
					XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02168  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
26JUN12 09:05	Into Maintenance		7642.5 AFHR	0.4	A A1PXXO1205671	XXxxXXxx
26JUN12 09:21	Change Serviceability Stat		7643.9 AFHR	0.0	SERV U/S A1PXXU1207841	XXxxXXxx
	Estimated Date/Time Servic			735045.5	SERV STAT 27JUN12	
26JUN12 10:11	Clear Toolboard		7643.9 AFHR	xxxx	14	XXxxXXxx
26JUN12 10:16	Change Serviceability Stat		7643.9 AFHR	0.0	U/S SERV A1PXXX1206132	XXxxXXxx
	Estimated Date/Time Servic			1.0	27JUN12 09:21 SERV STAT	
26JUN12 22:32	Maintenance Release		7643.9 AFHR	0.5	M PEA A A1PXXX1206150	XXxxXXxx
27JUN12 04:33	Into Maintenance		7645.2 AFHR	0.2	A M PEA A1PXXO1205699	XXxxXXxx
27JUN12 05:20	Maintenance Release		7646.5 AFHR	0.0	M PEA A A1PXXX1206190	XXxxXXxx
27JUN12 08:54	Into Maintenance		7646.5 AFHR	0.1	A M PEA A1PXXO1205722	XXxxXXxx
27JUN12 11:22	Initiate Toolboard		7647.3 AFHR	xxxx	14 B/F	XXxxXXxx
27JUN12 11:23	Clear Toolboard		7647.3 AFHR	xxxx	14	XXxxXXxx
28JUN12 02:28	Maintenance Release		7647.3 AFHR	0.7	M PEA A A1PXXX1206236	XXxxXXxx
28JUN12 08:51	Into Maintenance		7648.3 AFHR	0.2	A M PEA A1PXXO1205773	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02169  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
28JUN12 09:08	Operator	Acceptance	7648.3 AFHR	0.0	aip02017 A1PXXX1206266	XXxxXXxx
29JUN12 03:38	Operator	Release	7648.3 AFHR	0.0	D. PETERSSON A1PXXX1206316	XXxxXXxx
01JUL12 22:42	Initiate	Toolboard	7652.7 AFHR	xxxx	14 B/F	XXxxXXxx
01JUL12 22:42	Clear	Toolboard	7652.7 AFHR	xxxx	14	XXxxXXxx
01JUL12 23:44	Maintenance	Release	7652.7 AFHR	3.6	M PEA A A1PXXX1206341	XXxxXXxx
02JUL12 07:27	Into Maintenance		7655.0 AFHR	0.3	A A1PXXO1205832	XXxxXXxx
02JUL12 08:53	Change	Serviceability Stat	7656.2 AFHR	0.0	SERV U/S A1PXXU1208397	XXxxXXxx
		Estimated Date/Time Servic		735046.0	SERV STAT 03JUL12	
02JUL12 09:00	Initiate	Toolboard	7656.2 AFHR	xxxx	14 B/F	XXxxXXxx
02JUL12 09:47	Clear	Toolboard	7656.2 AFHR	xxxx	14	XXxxXXxx
02JUL12 22:42	Maintenance	Release	7656.2 AFHR	0.5	M PEA A A1PXXX1206402	XXxxXXxx
		Change Serviceability Stat		0.5	U/S SERV	
		Estimated Date/Time Servic		1.5	03JUL12 08:53 SERV STAT	
03JUL12 08:46	Into Maintenance		7658.9 AFHR	0.4	A A1PXXO1205898	XXxxXXxx
03JUL12 08:48	Change	Serviceability Stat	7658.9 AFHR	0.0	SERV U/S A1PXXU1208115	XXxxXXxx
		Estimated Date/Time Servic		735052.5	SERV STAT 04JUL12	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02170  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
03JUL12 09:00	Initiate Toolboard	7658.9 AFHR	xxxx	14 B/F	XXxxXXxx
03JUL12 11:04	Asset Comments	7659.9 AFHR	0.0	AIRTEST 7659.9AIRTEST 7659.9	XXxxXXxx
03JUL12 11:04	Asset Comments	7659.9 AFHR	0.0	A/T 7659.9 A/T 7659.9	XXxxXXxx
03JUL12 22:47	Clear Toolboard	7659.9 AFHR	xxxx	14	XXxxXXxx
03JUL12 23:34	Maintenance Release	7659.9 AFHR	0.6	M PEA A	XXxxXXxx
	Change Serviceability Stat		0.6	A1PXXX1206447 U/S	XXxxXXxx
	Estimated Date/Time Servic		1.6	SERV 04JUL12 08:48	
04JUL12 03:05	Into Maintenance	7659.9 AFHR	0.1	SERV STAT A	XXxxXXxx
04JUL12 03:25	Change Serviceability Stat		0.0	A1PXXO1205910 SERV	XXxxXXxx
	Estimated Date/Time Servic	7661.5 AFHR	735053.8	U/S A1PXXU1208448	XXxxXXxx
04JUL12 03:26	Asset Comments	7661.5 AFHR	0.0	SERV STAT 05JUL12	
04JUL12 03:29	Maintenance Release		0.0	A1PXXX1206457 M PEA	XXxxXXxx
	Change Serviceability Stat	7661.5 AFHR	0.0	A	XXxxXXxx
	Estimated Date/Time Servic		1.0	A1PXXX1206458 U/S	
04JUL12 09:20	Into Maintenance		0.2	SERV 05JUL12 03:25	
	Initiate Toolboard	7663.1 AFHR	xxxx	SERV STAT A	XXxxXXxx
04JUL12 09:20	Initiate Toolboard	7663.1 AFHR	xxxx	M PEA A1PXXO1205943	XXxxXXxx
				14 B/F	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02171  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN (DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
04JUL12 09:21	Clear	Toolboard	7663.1 AFHR	xxxx	14	XXxxXXxx
04JUL12 23:18	Maintenance	Release	7664.7 AFHR	0.5	M PEA A	XXxxXXxx
04JUL12 23:23	Asset	Comments	7664.7 AFHR	0.0	A1PXXX1206504 7.4 HRS	XXxxXXxx
05JUL12 03:34	Asset	Comments	7666.1 AFHR	0.0	A1PXXX1206517 6.0 HRS	XXxxXXxx
05JUL12 05:17	Into	Maintenance	7666.1 AFHR	0.2	A1PXXX1206547 A	XXxxXXxx
05JUL12 09:00	Initiate	Toolboard	7668.4 AFHR	xxxx	A1PXXO1205979 14 B/F	XXxxXXxx
05JUL12 10:31	Clear	Toolboard	7668.4 AFHR	xxxx	14	XXxxXXxx
05JUL12 21:54	Asset	Comments	7668.4 AFHR	0.0	3.7 HRS A1PXXX1206563	XXxxXXxx
09JUL12 22:11	Change	Serviceability Stat	7668.4 AFHR Estimated Date/Time Servic	4.7	SERV U/S A1PXXU1208450	XXxxXXxx
11JUL12 09:10	Initiate	Toolboard	7668.4 AFHR	xxxx	14 B/F	XXxxXXxx
11JUL12 22:36	Clear	Toolboard	7668.4 AFHR	xxxx	14	XXxxXXxx
11JUL12 22:37	Maintenance	Release	7668.4 AFHR	2.0	M PEA A	XXxxXXxx
	Change	Serviceability Stat	7668.4 AFHR Estimated Date/Time Servic	2.0	A1PXXX1206776 U/S SERV	XXxxXXxx
12JUL12 09:00	Initiate	Toolboard	7669.6 AFHR	xxxx	10JUL12 22:11 SERV STAT 14 B/F	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02172  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
12JUL12 09:03	Into Maintenance	7669.6 AFHR	0.4	A A1PXXO1206274	XXxxXXxx
12JUL12 10:26	Clear Toolboard	7669.6 AFHR	xxxx	14	XXxxXXxx
12JUL12 22:33	Asset Comments	7669.6 AFHR	0.0	2.5 HRS A1PXXX1206843	XXxxXXxx
16JUL12 09:39	Change Serviceability Stat	7669.6 AFHR	4.0	SERV U/S A1PXXU1209011	XXxxXXxx
	Estimated Date/Time Servic		735061.5	SERV STAT 17JUL12	
23JUL12 09:00	Initiate Toolboard	7669.6 AFHR	xxxx	14 B/F	XXxxXXxx
23JUL12 09:44	Clear Toolboard	7669.6 AFHR	xxxx	14	XXxxXXxx
23JUL12 09:57	Change Serviceability Stat	7669.6 AFHR	7.0	U/S SERV A1PXXX1207146	XXxxXXxx
	Estimated Date/Time Servic		1.0	17JUL12 09:39 SERV STAT	
23JUL12 22:38	Maintenance Release	7669.6 AFHR	0.5	M PEA A A1PXXX1207156	XXxxXXxx
24JUL12 03:44	Asset Comments	7670.8 AFHR	0.0	1.3 HRS A1PXXX1207190	XXxxXXxx
24JUL12 08:55	Into Maintenance	7672.0 AFHR	0.4	A A1PXXO1206628	XXxxXXxx
24JUL12 22:20	Asset Comments	7672.0 AFHR	0.0	AW R2 SERV HRS A1PXXX1207238	XXxxXXxx
24JUL12 22:21	Change Serviceability Stat	7672.0 AFHR	0.5	SERV U/S A1PXXX1207239	XXxxXXxx
	Estimated Date/Time Servic		735072.4	SERV STAT 22OCT12	
16SEP12 22:46	Asset Comments	7672.0 AFHR	0.0	MODS HRS A1PXXX1209396	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02173  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----			
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
=====	=====	=====	=====	=====	=====
	LIFE SINCE NEW		TRANS REFERENCE		
08NOV12 10:05	Maintenance Comment 7672.0 AFHR	0.0	POLICY COPY, AUTH: MPAN 27/2012. STI-PC9-0558	ADDED	
			A1PXXX1211798		XXxxXXxx
06DEC12 05:42	Maintenance Comment 7672.0 AFHR	0.0	ANNUAL REVIEW OF A/C C/O IAW AAP7001-059 'SATIS'		
			A1PXXX1212955		XXxxXXxx
31JAN13 11:02	Estimated Date/Time Servic 7672.0 AFHR	89.5	22OCT12 00:00		
			31MAR13 00:00	C	
			A1PXXX1300794		XXxxXXxx
	Maintenance Comment	0.0	MODS		
13MAR13 06:44	Maintenance Comment 7672.0 AFHR	0.0	DESIGN DEVIATION ADP-09-DD-12-082	INC	
			A1PXXX1302519		XXxxXXxx
13MAR13 06:45	Maintenance Comment 7672.0 AFHR	0.0	DESIGN DEVIATION ADP-09-DD-12-076	INC	
			A1PXXX1302520		XXxxXXxx
13MAR13 06:46	Maintenance Comment 7672.0 AFHR	0.0	DESIGN DEVIATION ADP-09-DD-12-086	INC	
			A1PXXX1302521		XXxxXXxx
20MAR13 12:06	Asset Comments 7672.0 AFHR	0.0	R2	R2 SERV	
			A1PXXX1302811		XXxxXXxx
30APR13 03:53	Initiate Toolboard 7672.0 AFHR	xxxx	14 B/F		
					XXxxXXxx
30APR13 03:54	Clear Toolboard 7672.0 AFHR	xxxx	14		
					XXxxXXxx
30APR13 10:56	Initiate Toolboard 7672.0 AFHR	xxxx	14 B/F		
					XXxxXXxx
30APR13 10:57	Clear Toolboard 7672.0 AFHR	xxxx	14		
					XXxxXXxx
30APR13 10:57	Asset Comments 7672.0 AFHR	0.0	A1PXXX1304406		XXxxXXxx
30APR13 22:53	Asset Comments 7672.0 AFHR	0.0	A/T 7672.0	A/T	
			A1PXXX1304433		XXxxXXxx
30APR13 23:01	Maintenance Release 7672.0 AFHR	280.0	M PEA		
			A		
			A1PXXX1304435		XXxxXXxx
	Change Serviceability Stat	280.0	U/S		
			SERV		
	Estimated Date/Time Servic	59.4	31MAR13 00:00	C	
			SERV STAT		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02174  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
01MAY13	04:08	Into Maintenance 7672.0 AFHR	0.2	A		
				A1PXXO1303565		XXxxXXxx
01MAY13	09:24	Change Serviceability Stat 7672.3 AFHR	0.2	SERV		
		Estimated Date/Time Servic	735354.5	U/S A1PXXU1305444		XXxxXXxx
01MAY13	10:56	Initiate Toolboard 7672.3 AFHR	xxxx	SERV STAT 02MAY13		
				14 B/F		XXxxXXxx
01MAY13	10:56	Clear Toolboard 7672.3 AFHR	xxxx	14		XXxxXXxx
01MAY13	13:01	Asset Comments 7672.3 AFHR	0.0	MTF 7674.3 MTF		
				A1PXXX1304483		XXxxXXxx
02MAY13	09:30	Initiate Toolboard 7672.3 AFHR	xxxx	14 B/F		XXxxXXxx
02MAY13	10:42	Clear Toolboard 7672.3 AFHR	xxxx	14		XXxxXXxx
03MAY13	00:42	Maintenance Release 7672.3 AFHR	1.6	M PEA		
		Change Serviceability Stat	1.6	A A1PXXX1304590		XXxxXXxx
		Estimated Date/Time Servic	0.6	U/S SERV		
				02MAY13 09:25 SERV STAT		
03MAY13	01:25	Into Maintenance 7672.3 AFHR	0.0	A		
				A1PXXO1303659		XXxxXXxx
05MAY13	23:47	Change Serviceability Stat 7672.3 AFHR	2.9	SERV		
		Estimated Date/Time Servic	735356.0	U/S A1PXXU1305660		XXxxXXxx
				SERV STAT 06MAY13		
06MAY13	02:20	Initiate Toolboard 7672.3 AFHR	xxxx	14 B/F		
						XXxxXXxx
06MAY13	02:21	Clear Toolboard 7672.3 AFHR	xxxx	14		XXxxXXxx



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02175  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
06MAY13 02:28	Maintenance Release 7672.3 AFHR Change Serviceability Stat	0.1	M PEA A A1PXXX1304640	XXxxXXxx
	Estimated Date/Time Serv	0.1	U/S SERV 06MAY13 23:48 SERV STAT	
06MAY13 03:05	Into Maintenance 7672.3 AFHR	0.0	A A1PXXO1303707	XXxxXXxx
06MAY13 07:12	Change Serviceability Stat 7672.3 AFHR Estimated Date/Time Serv	0.1	SERV U/S A1PXXU1305708	XXxxXXxx
		735359.8	SERV STAT 07MAY13	
06MAY13 13:57	Initiate Toolboard 7672.3 AFHR	xxxx	14 B/F	XXxxXXxx
06MAY13 13:57	Clear Toolboard 7672.3 AFHR	xxxx	14	XXxxXXxx
07MAY13 01:32	Maintenance Release 7672.3 AFHR Change Serviceability Stat	0.7	M PEA A A1PXXX1304702	XXxxXXxx
	Estimated Date/Time Serv	0.7	U/S SERV 07MAY13 07:14 SERV STAT	
07MAY13 03:31	Into Maintenance 7672.3 AFHR	0.0	A A1PXXO1303753	XXxxXXxx
07MAY13 03:35	Change Serviceability Stat 7673.2 AFHR Estimated Date/Time Serv	0.0	SERV U/S A1PXXU1305449	XXxxXXxx
		735360.9	SERV STAT 08MAY13	
07MAY13 03:48	Asset Comments 7673.2 AFHR	0.0	MTF 7675.2 MTF A1PXXX1304706	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02176  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
07MAY13 03:48	Maintenance Release	0.0	M PEA A	
	7673.2 AFHR Change Serviceability Stat	0.0	A1PXXX1304707 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.0	SERV 08MAY13 03:35 SERV STAT	
07MAY13 05:21	Into Maintenance	0.0	A	
	7673.2 AFHR		A1PXXO1303772	XXxxXXxx
07MAY13 07:10	Change Serviceability Stat	0.0	SERV U/S	
	7674.0 AFHR Estimated Date/Time Servic	735360.8	A1PXXU1305183 SERV STAT 08MAY13	XXxxXXxx
08MAY13 09:00	Initiate Toolboard	xxxx	14 B/F	
	7674.0 AFHR			XXxxXXxx
08MAY13 10:14	Estimated Date/Time Servic	1.1	08MAY13 07:10 08MAY13 07:10 A1PXXX1304767	
12MAY13 23:06	Clear Toolboard	xxxx	14	XXxxXXxx
	7674.0 AFHR			XXxxXXxx
13MAY13 00:38	Asset Comments	0.0		
	7674.0 AFHR		A1PXXX1304841	XXxxXXxx
13MAY13 00:39	Maintenance Release	5.7	M PEA A	
	7674.0 AFHR Change Serviceability Stat	5.7	A1PXXX1304842 U/S	XXxxXXxx
	Estimated Date/Time Servic	0.3-	SERV 08MAY13 23:10 SERV STAT	
13MAY13 03:04	Into Maintenance	0.1	A	
	7674.0 AFHR		A1PXXO1303841	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02177  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
13MAY13 03:06	Change Serviceability Stat	0.0	SERV U/S A1PXXU1305838	XXxxXXxx
	7675.3 AFHR Estimated Date/Time Servic	735366.8	SERV STAT 14MAY13	
13MAY13 03:08	Maintenance Release	0.0	M PEA A A1PXXX1304872	XXxxXXxx
	7675.3 AFHR Change Serviceability Stat	0.0	U/S SERV 14MAY13 03:06	
13MAY13 06:35	Into Maintenance	0.1	SERV STAT A A1PXXO1303878	XXxxXXxx
13MAY13 09:00	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
13MAY13 10:29	Clear Toolboard	xxxx	14	XXxxXXxx
	7677.0 AFHR Change Serviceability Stat	0.2	SERV U/S A1PXXU1305729	XXxxXXxx
	7677.0 AFHR Estimated Date/Time Servic	735366.6	SERV STAT 14MAY13	
13MAY13 23:48	Maintenance Release	0.4	M PEA A A1PXXX1304937	XXxxXXxx
	7677.0 AFHR Change Serviceability Stat	0.4	U/S SERV 14MAY13 12:01	
14MAY13 09:01	Into Maintenance	0.3	SERV STAT A M PEA A1PXXO1303945	XXxxXXxx
14MAY13 09:10	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	7679.4 AFHR 7681.1 AFHR			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02178  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
14MAY13 10:40		Clear Toolboard		xxxx	14	
		7681.1 AFHR				XXxxXXxx
14MAY13 22:34		Maintenance Release		0.5	M PEA	
		7681.1 AFHR			A	
					A1PXXX1304978	XXxxXXxx
15MAY13 08:29		Into Maintenance		0.4	A	
		7683.6 AFHR			A1PXXO1303997	XXxxXXxx
15MAY13 09:05		Initiate Toolboard		xxxx	14 B/F	
		7683.6 AFHR				XXxxXXxx
15MAY13 10:30		Clear Toolboard		xxxx	14	
		7683.6 AFHR				XXxxXXxx
16MAY13 01:18		Change Serviceability Stat		0.7	SERV	
		7683.6 AFHR			U/S	
		Estimated Date/Time Servic		735367.9	A1PXXU1306140	XXxxXXxx
					SERV STAT	
					17MAY13	
16MAY13 04:16		Asset Comments		0.0	AIRTEST U/C OPS	
		7683.6 AFHR			A1PXXX1305057	XXxxXXxx
16MAY13 08:44		Asset Comments		0.0		
		7684.9 AFHR			A1PXXX1305085	XXxxXXxx
16MAY13 09:00		Initiate Toolboard		xxxx	14 B/F	
		7684.9 AFHR				XXxxXXxx
16MAY13 10:37		Clear Toolboard		xxxx	14	
		7684.9 AFHR				XXxxXXxx
16MAY13 22:26		Maintenance Release		0.8	M PEA	
		7684.9 AFHR			A	
		Change Serviceability Stat		0.8	A1PXXX1305101	XXxxXXxx
					U/S	
		Estimated Date/Time Servic		1.8	SERV	
					17MAY13 01:22	
					SERV STAT	
17MAY13 06:59		Into Maintenance		0.3	A	
		7684.9 AFHR			M PEA	
					A1PXXO1304091	XXxxXXxx
19MAY13 22:44		Initiate Toolboard		xxxx	14 B/F	
		7686.7 AFHR				XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02179  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
19MAY13 22:45	Clear Toolboard	7686.7 AFHR	xxxx	14	XXxxXXxx
19MAY13 23:18	Maintenance Release	7686.7 AFHR	2.6	M PEA A A1PXXX1305139	XXxxXXxx
20MAY13 07:18	Into Maintenance	7689.1 AFHR	0.3	A A1PXXO1304159	XXxxXXxx
20MAY13 09:00	Initiate Toolboard	7690.4 AFHR	xxxx	14 B/F	XXxxXXxx
20MAY13 10:42	Clear Toolboard	7690.4 AFHR	xxxx	14	XXxxXXxx
20MAY13 13:01	Change Serviceability Stat	7690.4 AFHR	0.2	SERV U/S A1PXXU1305978	XXxxXXxx
	Estimated Date/Time Servic		735370.3	SERV STAT 21MAY13	
21MAY13 00:05	Maintenance Release	7690.4 AFHR	0.4	M PEA A A1PXXX1305208	XXxxXXxx
	Change Serviceability Stat		0.4	U/S SERV	
	Estimated Date/Time Servic		0.4	21MAY13 13:01 SERV STAT	
21MAY13 08:46	Into Maintenance	7693.0 AFHR	0.3	A M PEA A1PXXO1304238	XXxxXXxx
21MAY13 09:00	Initiate Toolboard	7694.5 AFHR	xxxx	14 B/F	XXxxXXxx
21MAY13 11:44	Clear Toolboard	7694.5 AFHR	xxxx	14	XXxxXXxx
21MAY13 22:22	Maintenance Release	7694.5 AFHR	0.5	M PEA A A1PXXX1305241	XXxxXXxx
22MAY13 07:53	Into Maintenance	7696.9 AFHR	0.3	A M PEA A1PXXO1304306	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02180  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
22MAY13	09:00	Initiate Toolboard 7698.2 AFHR	xxxx	14 B/F		XXxxXXxx
22MAY13	11:02	Clear Toolboard 7698.2 AFHR	xxxx	14		XXxxXXxx
22MAY13	22:27	Maintenance Release 7698.2 AFHR	0.6	M PEA A		XXxxXXxx
23MAY13	07:32	Into Maintenance 7700.4 AFHR	0.3	A1PXXX1305315 A		XXxxXXxx
23MAY13	09:00	Initiate Toolboard 7701.7 AFHR	xxxx	14 B/F		XXxxXXxx
23MAY13	10:05	Clear Toolboard 7701.7 AFHR	xxxx	14		XXxxXXxx
27MAY13	06:25	Change Serviceability Stat 7701.7 AFHR	3.9	SERV U/S A1PXXU1306686		XXxxXXxx
		Estimated Date/Time Servic	735374.7	SERV STAT 28MAY13		
11JUN13	13:12	Asset Comments 7701.7 AFHR	0.0	A/T 7701.4 A/T A1PXXX1306015		XXxxXXxx
11JUN13	13:13	Initiate Toolboard 7701.7 AFHR	xxxx	14 B/F		XXxxXXxx
12JUN13	00:37	Clear Toolboard 7701.7 AFHR	xxxx	14		XXxxXXxx
12JUN13	00:37	Maintenance Release 7701.7 AFHR	15.7	M PEA A A1PXXX1306052		XXxxXXxx
		Change Serviceability Stat	15.7	U/S SERV		
		Estimated Date/Time Servic	0.7	28MAY13 06:26 SERV STAT		
12JUN13	04:40	Into Maintenance 7701.7 AFHR	0.1	A A1PXXO1305093		XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02181  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----			
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
LIFE SINCE NEW		TRANS REFERENCE			
=====					
12JUN13 04:55	Change Serviceability Stat	0.0	SERV		
	7703.1 AFHR		U/S		
	Estimated Date/Time Servic	735396.8	A1PXXU1307297		XXxxXXxx
12JUN13 04:56	Asset Comments	0.0			
	7703.1 AFHR		A1PXXX1306076		XXxxXXxx
12JUN13 04:56	Maintenance Release	0.0	M PEA		
	7703.1 AFHR		A		
	Change Serviceability Stat	0.0	A1PXXX1306077		XXxxXXxx
	Estimated Date/Time Servic	1.0	U/S		
12JUN13 08:44	Into Maintenance	0.1	SERV		
	7703.1 AFHR		13JUN13 04:55		
12JUN13 08:50	Initiate Toolboard	xxxx	SERV STAT		
	7704.1 AFHR		A		
12JUN13 10:41	Clear Toolboard	xxxx	M PEA		
	7704.1 AFHR		A1PXXO1305135		XXxxXXxx
12JUN13 22:28	Maintenance Release	0.5	14 B/F		
	7704.1 AFHR		A		
13JUN13 04:13	Into Maintenance	0.2	A1PXXX1306115		XXxxXXxx
	7704.1 AFHR		A		
13JUN13 05:17	Change Serviceability Stat	0.0	A1PXXO1305151		XXxxXXxx
	7705.5 AFHR		SERV		
	Estimated Date/Time Servic	735396.9	U/S		
13JUN13 09:00	Initiate Toolboard	xxxx	A1PXXU1207694		XXxxXXxx
	7706.7 AFHR		SERV STAT		
13JUN13 22:28	Clear Toolboard	xxxx	14JUN13		
	7706.7 AFHR		14 B/F		
			A		
			A1PXXO1305151		XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02182  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
13JUN13 22:29	Maintenance Release	0.7	M PEA A	
	7706.7 AFHR Change Serviceability Stat	0.7	A1PXXX1306166 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.7	SERV 14JUN13 05:17 SERV STAT	
14JUN13 07:55	Into Maintenance	0.3	A	
	7708.1 AFHR		A1PXXO1305221	XXxxXXxx
17JUN13 00:25	Change Serviceability Stat	2.6	SERV U/S	
	7708.1 AFHR Estimated Date/Time Servic	735398.9	A1PXXU1307520 SERV STAT	XXxxXXxx
17JUN13 02:48	Asset Comments	0.0	18JUN13 AIR TEST REAR ESDP OPS	
	7708.1 AFHR		A1PXXX1306223	XXxxXXxx
17JUN13 03:02	Initiate Toolboard	xxxx	14 B/F	
	7708.1 AFHR			XXxxXXxx
17JUN13 03:02	Clear Toolboard	xxxx	14	
	7708.1 AFHR			XXxxXXxx
17JUN13 03:03	Maintenance Release	0.1	M PEA A	
	7708.1 AFHR Change Serviceability Stat	0.1	A1PXXX1306224 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.1	SERV 18JUN13 00:26 SERV STAT	
17JUN13 07:06	Into Maintenance	0.1	A	
	7708.1 AFHR		A1PXXO1305257	XXxxXXxx
17JUN13 07:11	Asset Comments	0.0		
	7709.6 AFHR		A1PXXX1306236	XXxxXXxx
17JUN13 07:12	Change Serviceability Stat	0.0	SERV U/S	
	7709.6 AFHR Estimated Date/Time Servic	735401.8	A1PXXU1307525 SERV STAT	XXxxXXxx
			18JUN13	

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02183  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----			
TRANSACTION D/T	CHANGE TYPE	SPAN (DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER	
=====	=====	=====	=====	=====	
17JUN13 09:00	Initiate Toolboard 7709.6 AFHR	xxxx	14 B/F	XXxxXXxx	
17JUN13 10:37	Clear Toolboard 7709.6 AFHR	xxxx	14	XXxxXXxx	
18JUN13 05:55	Maintenance Release 7712.0 AFHR	0.9	M PEA A A1PXXX1306297	XXxxXXxx	
	Change Serviceability Stat	0.9	U/S SERV		
	Estimated Date/Time Servic	0.9	18JUN13 07:12 SERV STAT		
18JUN13 08:37	Into Maintenance 7712.0 AFHR	0.1	A A1PXXO1305320	XXxxXXxx	
18JUN13 09:00	Initiate Toolboard 7713.4 AFHR	xxxx	14 B/F	XXxxXXxx	
18JUN13 10:41	Clear Toolboard 7713.4 AFHR	xxxx	14	XXxxXXxx	
18JUN13 22:07	Change Serviceability Stat 7713.4 AFHR	0.5	SERV U/S A1PXXU1305162	XXxxXXxx	
	Estimated Date/Time Servic	735402.3	SERV STAT 19JUN13		
19JUN13 03:26	Asset Comments 7713.4 AFHR	0.0	AIRTEST	XXxxXXxx	
19JUN13 05:15	Maintenance Release 7713.4 AFHR	0.2	M PEA A A1PXXX1306367	XXxxXXxx	
	Change Serviceability Stat	0.2	U/S SERV		
	Estimated Date/Time Servic	0.2	19JUN13 22:07 SERV STAT		
19JUN13 06:33	Into Maintenance 7713.4 AFHR	0.0	A A1PXXO1305360	XXxxXXxx	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02184  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
19JUN13 06:36	Change Serviceability Stat 7714.6 AFHR Estimated Date/Time Servic	0.0 735403.9	SERV U/S A1PXXU1307716 SERV STAT 20JUN13	XXxxXXxx
19JUN13 06:39	Asset Comments 7714.6 AFHR	0.0	A1PXXX1306372	XXxxXXxx
19JUN13 06:39	Maintenance Release 7714.6 AFHR Change Serviceability Stat Estimated Date/Time Servic	0.0 0.0 1.0	M PEA A A1PXXX1306373 U/S SERV 20JUN13 06:36 SERV STAT	XXxxXXxx
19JUN13 09:00	Initiate Toolboard 7715.9 AFHR	xxxx	14 B/F	XXxxXXxx
19JUN13 09:00	Into Maintenance 7714.6 AFHR	0.0	A M PEA A1PXXO1305375	XXxxXXxx
19JUN13 11:32	Clear Toolboard 7715.9 AFHR	xxxx	14	XXxxXXxx
19JUN13 22:12	Maintenance Release 7715.9 AFHR	0.5	M PEA A A1PXXX1306394	XXxxXXxx
20JUN13 08:46	Operator Acceptance 7718.5 AFHR	0.0	aip04023 A1PXXX1306452	XXxxXXxx
24JUN13 05:13	Maintenance Comment Operator Release 7718.5 AFHR	0.0 0.0	OVERNITE DEPLOYMENT A. COOK A1PXXX1306707	XXxxXXxx
24JUN13 08:45	Into Maintenance 7721.0 AFHR	4.4	A A1PXXO1305509	XXxxXXxx
24JUN13 08:46	Change Serviceability Stat 7721.0 AFHR Estimated Date/Time Servic	0.0 735403.9	SERV U/S A1PXXU1307907 SERV STAT 25JUN13	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02185  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----			
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
=====	=====	=====	=====	=====	=====
	LIFE SINCE NEW		TRANS REFERENCE		
24JUN13 09:00	Initiate Toolboard 7722.3 AFHR	xxxx	14 B/F		XXxxXXxx
24JUN13 22:17	Clear Toolboard 7722.3 AFHR	xxxx	14		XXxxXXxx
25JUN13 00:47	Maintenance Release 7722.3 AFHR	0.6	M PEA A		
	Change Serviceability Stat	0.6	A1PXXX1306767 U/S		XXxxXXxx
	Estimated Date/Time Servic	0.6	SERV 25JUN13 08:47		
25JUN13 07:59	Into Maintenance	0.2	SERV STAT A		
	7722.3 AFHR		M PEA A1PXXO1305555		XXxxXXxx
25JUN13 08:59	Initiate Toolboard 7723.7 AFHR	xxxx	14 B/F		XXxxXXxx
25JUN13 09:22	Clear Toolboard 7723.7 AFHR	xxxx	14		XXxxXXxx
26JUN13 02:30	Maintenance Release 7723.7 AFHR	0.7	M PEA A		
	Into Maintenance	0.1	A1PXXX1306898 A		XXxxXXxx
26JUN13 05:33	Maintenance Release 7723.7 AFHR	0.0	M PEA A1PXXO1305598		XXxxXXxx
26JUN13 05:35	Into Maintenance 7723.7 AFHR	0.0	M PEA A1PXXX1306917		XXxxXXxx
26JUN13 07:40	Initiate Toolboard 7725.0 AFHR	xxxx	14 B/F		XXxxXXxx
26JUN13 09:00	Clear Toolboard 7726.3 AFHR	xxxx	14		XXxxXXxx
26JUN13 22:19	Maintenance Release 7726.3 AFHR	xxxx	14		XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02186  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
26JUN13	22:19	Maintenance Release	0.6	M PEA A		
		7726.3 AFHR		A1PXXX1306963		XXxxXXxx
27JUN13	05:53	Into Maintenance	0.3	M PEA A		
		7727.7 AFHR		A1PXXO1305681		XXxxXXxx
27JUN13	09:07	Initiate Toolboard	xxxx	14 B/F		
		7730.0 AFHR				XXxxXXxx
27JUN13	11:15	Clear Toolboard	xxxx	14		
		7730.0 AFHR				XXxxXXxx
27JUN13	22:35	Maintenance Release	0.6	M PEA A		
		7730.0 AFHR		A1PXXX1307019		XXxxXXxx
28JUN13	06:10	Into Maintenance	0.3	A		
		7731.2 AFHR		A1PXXO1305717		XXxxXXxx
28JUN13	06:11	Change Serviceability Stat	0.0	SERV U/S		
		7731.2 AFHR		A1PXXU1308146		XXxxXXxx
		Estimated Date/Time Servic	735409.7	SERV STAT 29JUN13		
30JUN13	22:52	Initiate Toolboard	xxxx	14 B/F		
		7732.5 AFHR				XXxxXXxx
30JUN13	22:53	Clear Toolboard	xxxx	14		
		7732.5 AFHR				XXxxXXxx
01JUL13	00:18	Maintenance Release	2.7	M PEA A		
		7732.5 AFHR		A1PXXX1307097		XXxxXXxx
		Change Serviceability Stat	2.7	U/S SERV		
		Estimated Date/Time Servic	0.7	29JUN13 06:12 SERV STAT		
01JUL13	08:50	Into Maintenance	0.3	A		
		7734.8 AFHR		A1PXXO1305779		XXxxXXxx
01JUL13	09:00	Initiate Toolboard	xxxx	14 B/F		
		7736.2 AFHR				XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02187  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
01JUL13 09:14	Change Serviceability Stat	0.0	SERV U/S A1PXXU1307923	XXxxXXxx
	7736.2 AFHR Estimated Date/Time Servic	735415.6	SERV STAT 02JUL13 14	
01JUL13 22:31	Clear Toolboard	xxxx		XXxxXXxx
	7736.2 AFHR			
02JUL13 00:18	Maintenance Release	0.6	M PEA A A1PXXX1307159	XXxxXXxx
	7736.2 AFHR Change Serviceability Stat	0.6	U/S SERV 02JUL13 09:14	
	Estimated Date/Time Servic	0.6	SERV STAT A	
02JUL13 07:25	Into Maintenance	0.2	M PEA A1PXXO1305847	XXxxXXxx
	7737.5 AFHR Initiate Toolboard	xxxx	14 B/F	
02JUL13 22:20	Clear Toolboard	xxxx		XXxxXXxx
	7738.8 AFHR			
02JUL13 22:22	Maintenance Release	0.6	M PEA A A1PXXX1307206	XXxxXXxx
	7738.8 AFHR Into Maintenance	0.1	A M PEA A1PXXO1305863	XXxxXXxx
03JUL13 02:51	Maintenance Release	0.0	M PEA A A1PXXX1307240	XXxxXXxx
	7739.8 AFHR Into Maintenance	0.1	A M PEA A1PXXO1305896	XXxxXXxx
03JUL13 03:31	Maintenance Release	0.0	M PEA A A1PXXO1305896	XXxxXXxx
	7739.8 AFHR Into Maintenance	0.1	A M PEA A1PXXO1305896	XXxxXXxx
03JUL13 08:01	Maintenance Release	0.0	M PEA A A1PXXO1305896	XXxxXXxx
	7741.2 AFHR Initiate Toolboard	xxxx	14 B/F	
03JUL13 09:00	Maintenance Release	0.0	M PEA A A1PXXO1305896	XXxxXXxx
	7742.6 AFHR			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02188  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
03JUL13 22:28	Clear	Toolboard		xxxx	14	
		7742.6 AFHR				XXxxXXxx
03JUL13 22:33	Maintenance	Release		0.6	M PEA A	
		7742.6 AFHR			A1PXXX1307276	XXxxXXxx
04JUL13 03:42	Into	Maintenance		0.2	A	
		7742.6 AFHR			A1PXXO1305927	XXxxXXxx
04JUL13 09:00	Initiate	Toolboard		xxxx	14 B/F	
		7744.0 AFHR				XXxxXXxx
05JUL13 07:36	Change	Serviceability Stat		1.1	SERV U/S	
		7744.0 AFHR			A1PXXU1308478	XXxxXXxx
	Estimated Date/Time	Service		735416.6	SERV STAT 06JUL13	
07JUL13 23:28	Initiate	Toolboard		xxxx	14 B/F	
		7744.0 AFHR				XXxxXXxx
07JUL13 23:29	Clear	Toolboard		xxxx	14	
		7744.0 AFHR				XXxxXXxx
08JUL13 00:41	Maintenance	Release		2.7	M PEA A	
		7744.0 AFHR			A1PXXX1307424	XXxxXXxx
	Change	Serviceability Stat		2.7	U/S	
	Estimated Date/Time	Service		0.7	SERV 06JUL13 07:36	
08JUL13 09:00	Initiate	Toolboard		xxxx	SERV STAT 14 B/F	
		7744.0 AFHR				XXxxXXxx
08JUL13 09:14	Into	Maintenance		0.3	A	
		7744.0 AFHR			A1PXXO1306058	XXxxXXxx
08JUL13 09:34	Clear	Toolboard		xxxx	14	
		7744.0 AFHR				XXxxXXxx
08JUL13 13:38	Change	Serviceability Stat		0.1	SERV U/S	
		7744.0 AFHR			A1PXXU1308216	XXxxXXxx
	Estimated Date/Time	Service		735422.4	SERV STAT 09JUL13	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02189  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
09JUL13 00:08	Maintenance Release	0.4	M PEA A	
	7744.0 AFHR Change Serviceability Stat	0.4	A1PXXX1307548 U/S	XXxxXXxx
	Estimated Date/Time Servic	0.4	SERV 09JUL13 13:38 SERV STAT	
09JUL13 09:00	Initiate Toolboard	xxxx	14 B/F	
	7744.0 AFHR			XXxxXXxx
09JUL13 09:23	Into Maintenance	0.3	A	
	7744.0 AFHR		A1PXXO1306114	XXxxXXxx
09JUL13 10:40	Clear Toolboard	xxxx	14	
	7744.0 AFHR			XXxxXXxx
09JUL13 13:19	Change Serviceability Stat	0.1	SERV U/S	
	7744.0 AFHR Estimated Date/Time Servic	735423.4	A1PXXU1304162 SERV STAT 10JUL13	XXxxXXxx
09JUL13 22:29	Asset Comments	0.0	AIRTEST AT	
	7744.0 AFHR		A1PXXX1307597	XXxxXXxx
09JUL13 22:29	Maintenance Release	0.3	M PEA A	
	7744.0 AFHR Change Serviceability Stat	0.3	A1PXXX1307598 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.3	SERV 10JUL13 13:19 SERV STAT	
10JUL13 04:19	Into Maintenance	0.2	A	
	7744.0 AFHR		A1PXXO1306135	XXxxXXxx
10JUL13 04:51	Change Serviceability Stat	0.0	SERV U/S	
	7745.0 AFHR Estimated Date/Time Servic	735424.7	A1PXXU1308489 SERV STAT 11JUL13	XXxxXXxx
10JUL13 04:56	Asset Comments	0.0		
	7745.0 AFHR		A1PXXX1307633	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02190  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
10JUL13 09:00	Initiate Toolboard	7745.0 AFHR	xxxx	14 B/F	XXxxXXxx
10JUL13 10:29	Clear Toolboard	7745.0 AFHR	xxxx	14	XXxxXXxx
10JUL13 23:17	Maintenance Release	7745.0 AFHR	0.7	M PEA A A1PXXX1307691	XXxxXXxx
	Change Serviceability Stat		0.7	U/S SERV	
	Estimated Date/Time Servic		1.7	11JUL13 04:51 SERV STAT	
11JUL13 01:30	Into Maintenance	7745.0 AFHR	0.0	A M PEA A1PXXO1306184	XXxxXXxx
11JUL13 04:25	Maintenance Release	7746.5 AFHR	0.1	M PEA A A1PXXX1307733	XXxxXXxx
11JUL13 04:34	Into Maintenance	7746.5 AFHR	0.0	A A1PXXO1306193	XXxxXXxx
11JUL13 09:00	Initiate Toolboard	7747.3 AFHR	xxxx	14 B/F	XXxxXXxx
11JUL13 23:50	Clear Toolboard	7747.3 AFHR	xxxx	14	XXxxXXxx
12JUL13 00:40	Maintenance Comment	7747.3 AFHR	0.0	MPAN 17/2013. LOAD: STI-PC9-0565 @ 16373 LDGS A1PXXX1307783	XXxxXXxx
12JUL13 00:46	Change Serviceability Stat	7747.3 AFHR	0.8	SERV U/S A1PXXU1308831	XXxxXXxx
	Estimated Date/Time Servic		735425.9	SERV STAT 13JUL13	

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02191  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
12JUL13 01:28	Maintenance Release	0.0	M PEA A A1PXXX1307793	XXxxXXxx
	7747.3 AFHR Change Serviceability Stat	0.0	U/S SERV	
	Estimated Date/Time Servic	1.0	13JUL13 00:46 SERV STAT	
12JUL13 04:23	Into Maintenance	0.1	A A1PXXO1306216	XXxxXXxx
	7747.3 AFHR Change Serviceability Stat	2.7	SERV U/S A1PXXU1308884	XXxxXXxx
	Estimated Date/Time Servic	735426.0	SERV STAT 15JUL13	
15JUL13 00:24	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	7750.1 AFHR Clear Toolboard	xxxx	14	XXxxXXxx
	7750.1 AFHR Maintenance Release	0.0	M PEA A A1PXXX1307848	XXxxXXxx
	Change Serviceability Stat	0.0	U/S SERV	
	Estimated Date/Time Servic	0.0	15JUL13 23:35 SERV STAT	
15JUL13 02:53	Into Maintenance	0.0	A M PEA A1PXXO1306247	XXxxXXxx
	7750.1 AFHR Maintenance Release	0.0	M PEA A A1PXXX1307858	XXxxXXxx
	7751.1 AFHR Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	7751.5 AFHR Into Maintenance	0.2	A A1PXXO1306299	XXxxXXxx
	7751.5 AFHR			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02192  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW	TRANS REFERENCE			
15JUL13	10:24	Clear Toolboard 7751.5 AFHR	xxxx	14		XXxxXXxx
15JUL13	11:10	Change Serviceability Stat 7751.5 AFHR Estimated Date/Time Servic	0.0	SERV U/S A1PXXU1308566		XXxxXXxx
16JUL13	08:00	Initiate Toolboard 7751.5 AFHR	xxxx	14 B/F		XXxxXXxx
16JUL13	09:14	Clear Toolboard 7751.5 AFHR	xxxx	14		XXxxXXxx
16JUL13	22:21	Maintenance Release 7751.5 AFHR Change Serviceability Stat	1.4	M PEA A A1PXXX1307950		XXxxXXxx
		Estimated Date/Time Servic	1.4	U/S SERV 16JUL13 11:10 SERV STAT		
17JUL13	05:06	Into Maintenance 7751.5 AFHR	0.2	A A1PXXO1306362		XXxxXXxx
17JUL13	05:06	Change Serviceability Stat 7751.5 AFHR Estimated Date/Time Servic	0.0	SERV U/S A1PXXU1309019		XXxxXXxx
			735431.7	SERV STAT 18JUL13 14 B/F		
17JUL13	09:00	Initiate Toolboard 7752.7 AFHR	xxxx	14		XXxxXXxx
17JUL13	10:28	Clear Toolboard 7752.7 AFHR	xxxx	14		XXxxXXxx
17JUL13	22:53	Asset Comments 7752.7 AFHR	0.0	AIRTEST EFIS OPS A1PXXX1308029		XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02193  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
17JUL13 22:54	Maintenance Release	0.7	M PEA A	
	7752.7 AFHR Change Serviceability Stat	0.7	A1PXXX1308030 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.7	SERV 18JUL13 05:08 SERV STAT	
18JUL13 09:00	Initiate Toolboard	xxxx	14 B/F	
	7753.8 AFHR			XXxxXXxx
18JUL13 10:24	Into Maintenance	0.4	A	
	7753.8 AFHR		A1PXXO1306496	XXxxXXxx
18JUL13 10:38	Clear Toolboard	xxxx	14	
	7753.8 AFHR			XXxxXXxx
18JUL13 12:52	Change Serviceability Stat	0.1	SERV U/S	
	7753.8 AFHR Estimated Date/Time Servic	735432.4	A1PXXU1309146 SERV STAT 19JUL13	XXxxXXxx
19JUL13 07:51	Asset Comments	0.0	MTF ELEVATOR + TRIM OPS	
	7753.8 AFHR		A1PXXX1308141	XXxxXXxx
22JUL13 03:09	Initiate Toolboard	xxxx	14 B/F	
	7753.8 AFHR			XXxxXXxx
22JUL13 03:10	Initiate Toolboard	xxxx	14 B/F	
	7753.8 AFHR			XXxxXXxx
22JUL13 03:11	Clear Toolboard	xxxx	14	
	7753.8 AFHR			XXxxXXxx
22JUL13 03:13	Maintenance Release	3.5	M PEA A	
	7753.8 AFHR Change Serviceability Stat	3.5	A1PXXX1308196 U/S	XXxxXXxx
	Estimated Date/Time Servic	0.5	SERV 19JUL13 12:53 SERV STAT	
22JUL13 03:51	Into Maintenance	0.0	A	
	7753.8 AFHR		M PEA A1PXXO1306661	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02194  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
22JUL13	03:53	Maintenance Release	0.0	M PEA		
		7753.8 AFHR		A		
		Maintenance Comment	0.0	A1PXXX1308221		XXxxXXxx
22JUL13	04:36	Into Maintenance	0.0	MPAN 20-2013		
		7753.8 AFHR		A		
22JUL13	04:52	Asset Comments	0.0	A1PXXO1306667		XXxxXXxx
		7754.4 AFHR		A1PXXX1308227		XXxxXXxx
22JUL13	04:53	Change Serviceability Stat	0.0	SERV		
		7754.4 AFHR		U/S		
		Estimated Date/Time Servic	735436.9	A1PXXU1309197		XXxxXXxx
				SERV STAT		
22JUL13	04:56	Maintenance Release	0.0	23JUL13		
		7754.4 AFHR		M PEA		
		Change Serviceability Stat	0.0	A		
		Estimated Date/Time Servic	1.0	A1PXXX1308228		XXxxXXxx
				U/S		
22JUL13	08:09	Into Maintenance	0.1	SERV		
		7754.4 AFHR		23JUL13 04:53		
22JUL13	09:00	Initiate Toolboard	xxxx	SERV STAT		
		7756.2 AFHR		A		
22JUL13	11:53	Change Serviceability Stat	0.1	A1PXXO1306702		XXxxXXxx
		7756.2 AFHR		14 B/F		XXxxXXxx
		Estimated Date/Time Servic	735436.7	SERV		
				U/S		
				A1PXXU1308921		XXxxXXxx
				SERV STAT		
22JUL13	23:28	Clear Toolboard	xxxx	23JUL13		
		7756.2 AFHR		14		
						XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02195  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----		
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
	LIFE SINCE NEW			
22JUL13 23:51	Maintenance Release	0.4	M PEA A	
	7756.2 AFHR		A1PXXX1308334	XXxxXXxx
	Change Serviceability Stat	0.4	U/S	
	Estimated Date/Time Servic	1.4	SERV 23JUL13 11:53	
23JUL13 09:00	Initiate Toolboard	xxxx	SERV STAT 14 B/F	
	7759.1 AFHR			XXxxXXxx
23JUL13 09:00	Into Maintenance	0.3	A	
	7757.7 AFHR		A1PXXO1306772	XXxxXXxx
23JUL13 10:56	Change Serviceability Stat	0.0	SERV	
	7759.1 AFHR		U/S	
	Estimated Date/Time Servic	735437.5	A1PXXU1309303	XXxxXXxx
			SERV STAT 24JUL13	
23JUL13 22:16	Clear Toolboard	xxxx	14	
	7759.1 AFHR			XXxxXXxx
23JUL13 23:06	Maintenance Release	0.5	M PEA A	
	7759.1 AFHR		A1PXXX1308418	XXxxXXxx
	Change Serviceability Stat	0.5	U/S	
	Estimated Date/Time Servic	1.5	SERV 24JUL13 10:56	
24JUL13 07:45	Into Maintenance	0.3	SERV STAT A	
	7760.2 AFHR		M PEA	
24JUL13 09:00	Initiate Toolboard	xxxx	A1PXXO1306795	XXxxXXxx
	7761.6 AFHR		14 B/F	XXxxXXxx
24JUL13 22:29	Clear Toolboard	xxxx	14	
	7761.6 AFHR			XXxxXXxx
24JUL13 22:29	Maintenance Release	0.6	M PEA A	
	7761.6 AFHR		A1PXXX1308464	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02196  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS	REFERENCE	
25JUL13	09:00	Initiate Toolboard 7763.1	xxxx	14	B/F	XXxxXXxx
25JUL13	09:07	Into Maintenance 7761.6	0.4	A		
25JUL13	11:43	Clear Toolboard 7763.1	xxxx	14		XXxxXXxx
25JUL13	22:08	Maintenance Release 7763.1	0.5	M PEA		XXxxXXxx
26JUL13	04:05	Into Maintenance 7763.1	0.2	A		
28JUL13	22:56	Initiate Toolboard 7763.1	xxxx	14	B/F	XXxxXXxx
28JUL13	22:57	Clear Toolboard 7763.1	xxxx	14		XXxxXXxx
28JUL13	22:57	Maintenance Release 7763.1	2.7	M PEA		XXxxXXxx
29JUL13	02:01	Into Maintenance 7763.1	0.1	A		
29JUL13	02:59	Maintenance Release 7763.1	0.0	M PEA		XXxxXXxx
29JUL13	07:05	Into Maintenance 7764.5	0.1	A		
29JUL13	09:47	Initiate Toolboard 7764.5	xxxx	14	B/F	XXxxXXxx
29JUL13	09:48	Clear Toolboard 7766.2	xxxx	14		XXxxXXxx
29JUL13	09:48	Maintenance Release 7766.2				XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02197  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
29JUL13 11:16	Change Serviceability Stat	0.1	SERV U/S A1PXXU1309535	XXxxXXxx
	7766.2 AFHR Estimated Date/Time Servic	735438.4	SERV STAT 30JUL13	
29JUL13 23:14	Maintenance Release	0.4	M PEA A A1PXXX1308604	XXxxXXxx
	7766.2 AFHR Change Serviceability Stat	0.4	U/S SERV	
	Estimated Date/Time Servic	1.4	30JUL13 11:18 SERV STAT	
30JUL13 03:33	Into Maintenance	0.1	A A1PXXO1306940	XXxxXXxx
30JUL13 03:34	Change Serviceability Stat	0.0	SERV U/S A1PXXU1309571	XXxxXXxx
	7766.2 AFHR Estimated Date/Time Servic	735444.8	SERV STAT 31JUL13	
30JUL13 05:46	Maintenance Release	0.0	M PEA A A1PXXX1308624	XXxxXXxx
	7767.7 AFHR Change Serviceability Stat	0.0	U/S SERV	
	Estimated Date/Time Servic	1.0	31JUL13 03:35 SERV STAT	
30JUL13 09:00	Into Maintenance	0.1	A A1PXXO1306984	XXxxXXxx
30JUL13 09:01	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	7769.2 AFHR Change Serviceability Stat	0.2	SERV U/S A1PXXU1309586	XXxxXXxx
	7769.2 AFHR Estimated Date/Time Servic	735444.6	SERV STAT 31JUL13	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02198  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS				-----		
TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
=====						
30JUL13	13:55	Asset Comments	0.0	AIRTEST	AIRTEST FOR EFIS OPS	
		7769.2 AFHR		A1PXXX1308659		XXxxXXxx
30JUL13	22:24	Clear Toolboard	xxxx	14		
		7769.2 AFHR				XXxxXXxx
30JUL13	22:24	Maintenance Release	0.3	M PEA		
		7769.2 AFHR		A		
		Change Serviceability Stat	0.3	A1PXXX1308671		XXxxXXxx
		Estimated Date/Time Servic	1.3	U/S		
				SERV		
				31JUL13 13:49		
				SERV STAT		
31JUL13	08:30	Initiate Toolboard	xxxx	14 B/F		
		7769.2 AFHR				XXxxXXxx
31JUL13	08:35	Into Maintenance	0.4	A		
		7769.2 AFHR		M PEA		
31JUL13	22:58	Clear Toolboard	xxxx	A1PXXO1307027		XXxxXXxx
		7769.2 AFHR		14		XXxxXXxx
01AUG13	00:17	Maintenance Release	0.6	M PEA		
		7769.2 AFHR		A		
01AUG13	03:07	Into Maintenance	0.1	A1PXXX1308745		XXxxXXxx
		7769.2 AFHR		A		
01AUG13	03:09	Change Serviceability Stat	0.0	A1PXXO1307055		XXxxXXxx
				SERV		
				U/S		
		7770.3 AFHR		A1PXXU1309587		XXxxXXxx
		Estimated Date/Time Servic	735445.8	SERV STAT		
				02AUG13		
01AUG13	03:13	Asset Comments	0.0			
		7770.3 AFHR		A1PXXX1308754		XXxxXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02199  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
01AUG13 03:13	Maintenance Release	0.0	M PEA A	
	7770.3 AFHR Change Serviceability Stat	0.0	A1PXXX1308755 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.0	SERV 02AUG13 03:09 SERV STAT	
01AUG13 08:15	Initiate Toolboard	xxxx	14 B/F	
	7771.9 AFHR			XXxxXXxx
01AUG13 08:17	Into Maintenance	0.2	A	
	7770.3 AFHR		M PEA A1PXXO1307099	XXxxXXxx
01AUG13 22:05	Clear Toolboard	xxxx	14	
	7771.9 AFHR			XXxxXXxx
01AUG13 22:06	Maintenance Release	0.5	M PEA A	
	7771.9 AFHR		A1PXXX1308784	XXxxXXxx
02AUG13 05:44	Into Maintenance	0.3	A	
	7773.4 AFHR		A1PXXO1307143	XXxxXXxx
02AUG13 06:08	Change Serviceability Stat	0.0	SERV U/S	
	7774.5 AFHR		A1PXXU1309540	XXxxXXxx
	Estimated Date/Time Servic	735446.8	SERV STAT 03AUG13	
04AUG13 22:51	Initiate Toolboard	xxxx	14 B/F	
	7774.5 AFHR			XXxxXXxx
04AUG13 22:52	Clear Toolboard	xxxx	14	
	7774.5 AFHR			XXxxXXxx
05AUG13 00:08	Maintenance Release	2.7	M PEA A	
	7774.5 AFHR		A1PXXX1308859	XXxxXXxx
	Change Serviceability Stat	2.7	U/S	
	Estimated Date/Time Servic	0.7	SERV 03AUG13 06:08 SERV STAT	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02200  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
05AUG13	06:53	Into Maintenance 7775.8 AFHR	0.2	A	A1PXXO1307180	XXxxXXxx
05AUG13	08:58	Change Serviceability Stat 7776.9 AFHR	0.0	SERV U/S	A1PXXU1309857	XXxxXXxx
		Estimated Date/Time Servic	735450.6	SERV STAT 06AUG13		
05AUG13	09:00	Initiate Toolboard 7776.9 AFHR	xxxx	14 B/F		XXxxXXxx
05AUG13	10:16	Clear Toolboard 7776.9 AFHR	xxxx	14		XXxxXXxx
05AUG13	22:06	Maintenance Release 7776.9 AFHR	0.5	M PEA A	A1PXXX1308908	XXxxXXxx
		Change Serviceability Stat	0.5	U/S SERV		
		Estimated Date/Time Servic	1.5	06AUG13 08:58 SERV STAT		
06AUG13	06:42	Into Maintenance 7778.4 AFHR	0.3	A	A1PXXO1307205	XXxxXXxx
06AUG13	09:00	Initiate Toolboard 7779.5 AFHR	xxxx	14 B/F		XXxxXXxx
06AUG13	10:19	Clear Toolboard 7779.5 AFHR	xxxx	14		XXxxXXxx
06AUG13	22:29	Maintenance Release 7779.5 AFHR	0.6	M PEA A	A1PXXX1308945	XXxxXXxx
07AUG13	08:31	Into Maintenance 7782.3 AFHR	0.4	A	A1PXXO1307259	XXxxXXxx
07AUG13	09:00	Initiate Toolboard 7783.4 AFHR	xxxx	14 B/F		XXxxXXxx
07AUG13	10:39	Clear Toolboard 7783.4 AFHR	xxxx	14		XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02201  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS -----

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
07AUG13	22:20	Maintenance Release	0.5	M PEA A		
		7783.4 AFHR		A1PXXX1308989		XXxxXXxx
08AUG13	08:28	Into Maintenance	0.4	A		
		7783.4 AFHR		A1PXXO1307278		XXxxXXxx
08AUG13	09:00	Initiate Toolboard	xxxx	14 B/F		
		7784.8 AFHR				XXxxXXxx
08AUG13	10:49	Clear Toolboard	xxxx	14		
		7784.8 AFHR				XXxxXXxx
08AUG13	11:24	Change Serviceability Stat	0.1	SERV U/S		
		7784.8 AFHR		A1PXXU1310072		XXxxXXxx
		Estimated Date/Time Servic	735451.4	SERV STAT 09AUG13		
08AUG13	11:55	Asset Comments	0.0	A/T 7784.8 A/T BRAKE OPS		
		7784.8 AFHR		A1PXXX1309022		XXxxXXxx
08AUG13	22:37	Maintenance Release	0.4	M PEA A		
		7784.8 AFHR		A1PXXX1309033		XXxxXXxx
		Change Serviceability Stat	0.4	U/S		
		Estimated Date/Time Servic	1.4	SERV 09AUG13 11:26		
				SERV STAT		
09AUG13	03:48	Into Maintenance	0.2	A		
		7784.8 AFHR		A1PXXO1307304		XXxxXXxx
09AUG13	03:50	Change Serviceability Stat	0.0	SERV U/S		
		7786.2 AFHR		A1PXXU1310073		XXxxXXxx
		Estimated Date/Time Servic	735454.7	SERV STAT 10AUG13		
09AUG13	03:51	Asset Comments	0.0			
		7786.2 AFHR		A1PXXX1309061		XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02202  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
09AUG13 03:51	Maintenance Release	0.0	M PEA A A1PXXX1309062	XXxxXXxx
	7786.2 AFHR Change Serviceability Stat	0.0	U/S SERV	
	Estimated Date/Time Servic	1.0	10AUG13 03:50 SERV STAT	
09AUG13 06:19	Into Maintenance	0.1	A A1PXXO1307331	XXxxXXxx
	7786.2 AFHR Change Serviceability Stat	0.0	SERV U/S A1PXXU1309780	XXxxXXxx
	Estimated Date/Time Servic	735454.8	SERV STAT 10AUG13	
11AUG13 23:47	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	7787.6 AFHR Clear Toolboard	xxxx	14	XXxxXXxx
	7787.6 AFHR Maintenance Release	2.6	M PEA A A1PXXX1309083	XXxxXXxx
	7787.6 AFHR Change Serviceability Stat	2.6	U/S SERV	
	Estimated Date/Time Servic	1.6	10AUG13 07:49 SERV STAT	
12AUG13 08:19	Into Maintenance	0.3	A M PEA A1PXXO1307394	XXxxXXxx
	7790.4 AFHR Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	7791.7 AFHR Clear Toolboard	xxxx	14	XXxxXXxx
	7791.7 AFHR Maintenance Release	0.5	M PEA A A1PXXX1309134	XXxxXXxx
	7791.7 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02203  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN (DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
LIFE SINCE NEW					
13AUG13	09:54	Operator Acceptance 7793.0 AFHR	0.0	aip04023 A1PXXX1309167	XXxxXXxx
14AUG13	08:48	Maintenance Comment Into Maintenance	0.0 1.4	O/N DEPLOYMENT A M PEA A1PXXO1307513	XXxxXXxx
14AUG13	09:00	Initiate Toolboard 7798.1 AFHR	xxxx	14 B/F	XXxxXXxx
14AUG13	09:12	Operator Release 7793.0 AFHR	0.0	K. ARUMUGAM A1PXXX1309208	XXxxXXxx
14AUG13	10:29	Clear Toolboard 7798.1 AFHR	xxxx	14	XXxxXXxx
14AUG13	22:35	Maintenance Release 7798.1 AFHR	0.5	M PEA A A1PXXX1309213	XXxxXXxx
15AUG13	09:00	Initiate Toolboard 7800.3 AFHR	xxxx	14 B/F	XXxxXXxx
15AUG13	10:25	Into Maintenance 7800.3 AFHR	0.4	A M PEA A1PXXO1307574	XXxxXXxx
15AUG13	10:36	Clear Toolboard 7800.3 AFHR	xxxx	14	XXxxXXxx
15AUG13	22:15	Maintenance Release 7800.3 AFHR	0.4	M PEA A A1PXXX1309246	XXxxXXxx
16AUG13	06:05	Into Maintenance 7802.8 AFHR	0.3	A A1PXXO1307618	XXxxXXxx
18AUG13	22:45	Initiate Toolboard 7803.7 AFHR	xxxx	14 B/F	XXxxXXxx
18AUG13	22:46	Clear Toolboard 7803.7 AFHR	xxxx	14	XXxxXXxx
18AUG13	22:48	Change Serviceability Stat 7803.7 AFHR	2.6	SERV U/S A1PXXU1310147	XXxxXXxx
		Estimated Date/Time Servic	735457.0	SERV STAT 19AUG13	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02204  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
19AUG13 05:05		Maintenance Release	0.2	M PEA A	
	7803.7	AFHR Change Serviceability Stat	0.2	A1PXXX1309319 U/S	XXxxXXxx
		Estimated Date/Time Servic	0.2	SERV 19AUG13 22:48	
19AUG13 09:00		Initiate Toolboard	xxxx	SERV STAT 14 B/F	
	7804.7	AFHR			XXxxXXxx
19AUG13 10:00		Into Maintenance	0.2	A	
	7804.7	AFHR		M PEA	
20AUG13 00:56		Clear Toolboard	xxxx	A1PXXO1307701	XXxxXXxx
	7804.7	AFHR		14	XXxxXXxx
20AUG13 00:57		Maintenance Release	0.6	M PEA	
	7804.7	AFHR		A	
20AUG13 02:18		Into Maintenance	0.0	A1PXXX1309358	XXxxXXxx
	7804.7	AFHR		A	
20AUG13 05:17		Maintenance Release	0.1	M PEA	
	7804.7	AFHR		A1PXXO1307706	XXxxXXxx
20AUG13 05:50		Into Maintenance	0.0	M PEA	
	7805.7	AFHR		A	
20AUG13 09:00		Initiate Toolboard	xxxx	A1PXXX1309376	XXxxXXxx
	7806.9	AFHR		A	
20AUG13 10:12		Initiate Toolboard	xxxx	A1PXXO1307730	XXxxXXxx
	7806.9	AFHR		14 B/F	XXxxXXxx
20AUG13 10:12		Clear Toolboard	xxxx	14	XXxxXXxx
	7806.9	AFHR			XXxxXXxx
20AUG13 23:06		Clear Toolboard	xxxx	14	XXxxXXxx
	7806.9	AFHR			XXxxXXxx
20AUG13 23:07		Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	7806.9	AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02205  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
20AUG13 23:07	Clear Toolboard	7806.9 AFHR	xxxx	14	
21AUG13 09:00	Initiate Toolboard	7806.9 AFHR	xxxx	14 B/F	XXxxXXxx
21AUG13 23:21	Clear Toolboard	7806.9 AFHR	xxxx	14	XXxxXXxx
23AUG13 08:05	Change Serviceability Stat	7806.9 AFHR	3.0	SERV U/S	
	Estimated Date/Time Servic		735464.8	A1PXXU1310402 SERV STAT 24AUG13	XXxxXXxx
25AUG13 23:06	Initiate Toolboard	7806.9 AFHR	xxxx	14 B/F	
25AUG13 23:07	Clear Toolboard	7806.9 AFHR	xxxx	14	XXxxXXxx
26AUG13 03:31	Maintenance Release	7806.9 AFHR	2.8	M PEA A	
	Change Serviceability Stat		2.8	A1PXXX1309523 U/S	XXxxXXxx
	Estimated Date/Time Servic		0.8	SERV 24AUG13 08:05	
26AUG13 08:25	Into Maintenance		0.2	SERV STAT A	
		7806.9 AFHR		M PEA A1PXXO1307908	XXxxXXxx
26AUG13 09:00	Initiate Toolboard	7808.2 AFHR	xxxx	14 B/F	XXxxXXxx
26AUG13 23:18	Clear Toolboard	7808.2 AFHR	xxxx	14	XXxxXXxx
26AUG13 23:19	Maintenance Release		0.6	M PEA A	
		7808.2 AFHR		A1PXXX1309546 A	XXxxXXxx
27AUG13 08:51	Into Maintenance		0.3	M PEA A1PXXO1307954	XXxxXXxx
		7808.2 AFHR			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02206  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
27AUG13 13:28	Initiate	Toolboard	7808.2 AFHR	xxxx	14 B/F	XXxxXXxx
27AUG13 13:29	Clear	Toolboard	7808.2 AFHR	xxxx	14	XXxxXXxx
27AUG13 23:01	Maintenance	Release	7808.2 AFHR	0.5	M PEA A A1PXXX1309597	XXxxXXxx
28AUG13 09:02	Into	Maintenance	7809.3 AFHR	0.4	A M PEA A1PXXO1307985	XXxxXXxx
28AUG13 09:03	Initiate	Toolboard	7809.3 AFHR	xxxx	14 B/F	XXxxXXxx
28AUG13 09:03	Clear	Toolboard	7809.3 AFHR	xxxx	14	XXxxXXxx
28AUG13 22:54	Maintenance	Release	7810.3 AFHR	0.5	M PEA A A1PXXX1309639	XXxxXXxx
29AUG13 06:48	Into	Maintenance	7812.8 AFHR	0.3	A M PEA A1PXXO1308028	XXxxXXxx
29AUG13 09:00	Initiate	Toolboard	7814.1 AFHR	xxxx	14 B/F	XXxxXXxx
29AUG13 22:22	Clear	Toolboard	7814.1 AFHR	xxxx	14	XXxxXXxx
29AUG13 23:10	Maintenance	Release	7814.1 AFHR	0.6	M PEA A A1PXXX1309676	XXxxXXxx
30AUG13 06:26	Into	Maintenance	7815.4 AFHR	0.3	A A1PXXO1308057	XXxxXXxx
30AUG13 06:33	Change	Serviceability Stat	7816.6 AFHR	0.0	SERV U/S A1PXXU1310731	XXxxXXxx
		Estimated Date/Time	Servic	735471.8	SERV STAT 31AUG13	
01SEP13 23:41	Initiate	Toolboard	7816.6 AFHR	xxxx	14 B/F	XXxxXXxx



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02207  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
01SEP13 23:42	Clear	Toolboard	7816.6 AFHR	xxxx	14	XXxxXXxx
02SEP13 00:16	Maintenance	Release	7816.6 AFHR	2.7	M PEA A A1PXXX1309720	XXxxXXxx
	Change	Serviceability Stat		2.7	U/S SERV	
	Estimated	Date/Time Servic		0.7	31AUG13 06:33 SERV STAT	
02SEP13 08:33	Into	Maintenance		0.3	A M PEA	
02SEP13 09:00	Initiate	Toolboard	7818.0 AFHR	xxxx	A1PXXO1308094	XXxxXXxx
02SEP13 10:50	Clear	Toolboard	7819.5 AFHR	xxxx	14 B/F	XXxxXXxx
02SEP13 23:06	Maintenance	Release	7819.5 AFHR	0.6	M PEA A A1PXXX1309747	XXxxXXxx
03SEP13 02:03	Into	Maintenance	7819.5 AFHR	0.1	A A1PXXO1308110	XXxxXXxx
03SEP13 03:18	Change	Serviceability Stat		0.0	SERV U/S A1PXXU1311149	XXxxXXxx
	Estimated	Date/Time Servic		735478.8	SERV STAT 04SEP13	
03SEP13 03:28	Maintenance	Release	7820.8 AFHR	0.0	M PEA A A1PXXX1309768	XXxxXXxx
	Change	Serviceability Stat		0.0	U/S SERV	
	Estimated	Date/Time Servic		1.0	04SEP13 03:19 SERV STAT	
03SEP13 06:01	Into	Maintenance	7820.8 AFHR	0.1	A A1PXXO1308135	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02208  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
03SEP13 23:19	Change Serviceability Stat	0.7	SERV U/S A1PXXU1207350	XXxxXXxx
	7822.0 AFHR Estimated Date/Time Servic	735479.1	SERV STAT 04SEP13	
10SEP13 11:54	Asset Comments	0.0	MCS A1PXXX1310014	XXxxXXxx
11SEP13 09:00	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
11SEP13 11:07	Clear Toolboard	xxxx	14	XXxxXXxx
11SEP13 12:11	Asset Comments	0.0	A1PXXX1310074	XXxxXXxx
11SEP13 12:12	Asset Comments	0.0	MTF A1PXXX1310075	XXxxXXxx
12SEP13 00:43	Maintenance Release	8.0	M PEA A A1PXXX1310092	XXxxXXxx
	7822.0 AFHR Change Serviceability Stat	8.0	U/S	
	Estimated Date/Time Servic	0.0	SERV 04SEP13 23:19	
12SEP13 08:12	Into Maintenance	0.3	SERV STAT A A1PXXO1308446	XXxxXXxx
15SEP13 23:13	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
15SEP13 23:14	Clear Toolboard	xxxx	14	XXxxXXxx
16SEP13 01:17	Change Serviceability Stat	3.7	SERV U/S A1PXXU1311469	XXxxXXxx
	7822.0 AFHR Estimated Date/Time Servic	735488.9	SERV STAT 17SEP13	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02209  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----			
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
LIFE SINCE NEW		TRANS REFERENCE			
=====					
16SEP13 01:46	Maintenance Release	0.0	M PEA		
	7822.0 AFHR		A		
	Change Serviceability Stat	0.0	A1PXXX1310163		XXxxXXxx
	Estimated Date/Time Servic	1.0	U/S		
			SERV		
			17SEP13 01:17		
			SERV STAT		
16SEP13 04:41	Into Maintenance	0.1	A		
	7822.0 AFHR		A1PXXO1308513		XXxxXXxx
16SEP13 04:44	Change Serviceability Stat	0.0	SERV		
	7823.0 AFHR		U/S		
	Estimated Date/Time Servic	735492.8	A1PXXU1311473		XXxxXXxx
			SERV STAT		
			17SEP13		
16SEP13 10:43	Asset Comments	0.0	AIRTEST	PROP SPEED	
	7823.0 AFHR		A1PXXX1310197		XXxxXXxx
17SEP13 14:17	Initiate Toolboard	xxxx	14 B/F		
	7823.0 AFHR				XXxxXXxx
17SEP13 14:17	Clear Toolboard	xxxx	14		
	7823.0 AFHR				XXxxXXxx
17SEP13 23:33	Maintenance Release	1.7	M PEA		
	7823.0 AFHR		A		
	Change Serviceability Stat	1.7	A1PXXX1310255		XXxxXXxx
	Estimated Date/Time Servic	1.7	U/S		
			SERV		
			17SEP13 04:44		
			SERV STAT		
18SEP13 07:44	Into Maintenance	0.3	A		
	7823.0 AFHR		A1PXXO1308603		XXxxXXxx
18SEP13 07:47	Change Serviceability Stat	0.0	SERV		
	7824.0 AFHR		U/S		
	Estimated Date/Time Servic	735494.6	A1PXXU1311686		XXxxXXxx
			SERV STAT		
			19SEP13		
18SEP13 07:48	Asset Comments	0.0	A1PXXX1310284		XXxxXXxx
	7824.0 AFHR				

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02210  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
18SEP13	10:35	Initiate Toolboard 7824.0 AFHR	xxxx	14 B/F		XXxxXXxx
18SEP13	10:36	Clear Toolboard 7824.0 AFHR	xxxx	14		XXxxXXxx
18SEP13	23:06	Change Serviceability Stat 7824.0 AFHR	0.6	U/S SERV		
		Estimated Date/Time Servic	1.6	A1PXXX1310309 19SEP13 07:47 SERV STAT		XXxxXXxx
19SEP13	01:57	Maintenance Release 7824.0 AFHR	0.1	M PEA A		
19SEP13	07:07	Into Maintenance 7826.5 AFHR	0.2	A1PXXX1310322 A		XXxxXXxx
19SEP13	08:42	Change Serviceability Stat 7828.1 AFHR	0.0	A1PXXO1308656 SERV		XXxxXXxx
		Estimated Date/Time Servic	735495.6	U/S A1PXXU1311677 SERV STAT		XXxxXXxx
19SEP13	23:03	Initiate Toolboard 7828.1 AFHR	xxxx	20SEP13 14 B/F		XXxxXXxx
19SEP13	23:04	Clear Toolboard 7828.1 AFHR	xxxx	14		XXxxXXxx
22SEP13	23:20	Initiate Toolboard 7828.1 AFHR	xxxx	14 B/F		XXxxXXxx
22SEP13	23:20	Clear Toolboard 7828.1 AFHR	xxxx	14		XXxxXXxx
23SEP13	00:05	Maintenance Release 7828.1 AFHR	3.6	M PEA A		
		Change Serviceability Stat	3.6	A1PXXX1310365 U/S		XXxxXXxx
		Estimated Date/Time Servic	0.6	SERV 20SEP13 08:42 SERV STAT		

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02211  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
23SEP13	08:04	Into Maintenance	0.3	A		
		7829.2 AFHR		M PEA		
23SEP13	09:37	Initiate Toolboard	xxxx	A1PXXO1308709		XXxxXXxx
		7830.5 AFHR		14 B/F		
23SEP13	09:42	Clear Toolboard	xxxx	14		XXxxXXxx
		7830.5 AFHR				
23SEP13	22:14	Maintenance Release	0.5	M PEA		
		7830.5 AFHR		A		
24SEP13	09:12	Operator Acceptance	0.0	A1PXXX1310390		XXxxXXxx
		7830.5 AFHR		aip04023		
		Maintenance Comment	0.0	A1PXXX1310415		XXxxXXxx
25SEP13	06:12	Operator Release	0.0	OVERNITE DEPLOYMENT		
		7830.5 AFHR		A. COOK		
25SEP13	08:31	Into Maintenance	1.4	A1PXXX1310455		XXxxXXxx
		7834.3 AFHR		A		
25SEP13	09:10	Initiate Toolboard	xxxx	M PEA		XXxxXXxx
		7835.6 AFHR		A1PXXO1308787		
25SEP13	10:15	Clear Toolboard	xxxx	14 B/F		XXxxXXxx
		7835.6 AFHR				
25SEP13	12:16	Maintenance Release	0.1	14		XXxxXXxx
		7835.6 AFHR		M PEA		
25SEP13	16:34	Into Maintenance	0.1	A		XXxxXXxx
		7835.6 AFHR		A1PXXX1310466		
25SEP13	22:21	Maintenance Release	0.2	A		XXxxXXxx
		7835.6 AFHR		M PEA		
26SEP13	09:57	Into Maintenance	0.4	A1PXXO1308808		XXxxXXxx
		7835.6 AFHR		M PEA		
				A		
				A1PXXX1310477		XXxxXXxx
				A		
				A1PXXO1308838		XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02212  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
26SEP13 10:48	Change Serviceability Stat	0.0	SERV U/S A1PXXU1311830	XXxxXXxx
	7835.6 AFHR Estimated Date/Time Serv	735499.5	SERV STAT 27SEP13 14 B/F	
30SEP13 23:00	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	7835.6 AFHR			
30SEP13 23:01	Clear Toolboard	xxxx	14	XXxxXXxx
	7835.6 AFHR			
01OCT13 00:19	Change Serviceability Stat	4.5	U/S SERV A1PXXX1310590	XXxxXXxx
	7835.6 AFHR Estimated Date/Time Serv	0.5	27SEP13 10:48 SERV STAT 14 B/F	
01OCT13 11:11	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	7835.6 AFHR			
01OCT13 11:17	Clear Toolboard	xxxx	14	XXxxXXxx
	7835.6 AFHR			
01OCT13 22:43	Maintenance Release	0.9	M PEA A A1PXXX1310620	XXxxXXxx
	7835.6 AFHR		14 B/F	
02OCT13 09:00	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	7835.6 AFHR			
02OCT13 09:57	Into Maintenance	0.4	A M PEA A1PXXO1308965	XXxxXXxx
	7835.6 AFHR		14	
02OCT13 10:28	Clear Toolboard	xxxx	14	XXxxXXxx
	7835.6 AFHR			
02OCT13 22:08	Maintenance Release	0.5	M PEA A A1PXXX1310679	XXxxXXxx
	7835.6 AFHR		A	
03OCT13 07:49	Into Maintenance	0.4	A A1PXXO1309019	XXxxXXxx
	7837.0 AFHR		14 B/F	
03OCT13 09:00	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	7838.3 AFHR			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02213  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
03OCT13 10:51	Change Serviceability Stat 7838.3 AFHR Estimated Date/Time Servic	0.1	SERV U/S A1PXXU1312174	XXxxXXxx
03OCT13 10:54	Clear Toolboard 7838.3 AFHR	xxxx	14	XXxxXXxx
14OCT13 22:46	Initiate Toolboard 7838.3 AFHR	xxxx	14 B/F	XXxxXXxx
14OCT13 22:47	Clear Toolboard 7838.3 AFHR	xxxx	14	XXxxXXxx
14OCT13 23:38	Maintenance Release 7838.3 AFHR Change Serviceability Stat	11.5	M PEA A A1PXXX1311145	XXxxXXxx
	Estimated Date/Time Servic	1.5	U/S SERV 04OCT13 10:51 SERV STAT	
15OCT13 08:30	Into Maintenance 7839.7 AFHR	0.3	A M PEA A1PXXO1309372	XXxxXXxx
15OCT13 09:25	Operator Acceptance 7839.7 AFHR Maintenance Comment	0.0	aip04023 A1PXXX1311187	XXxxXXxx
16OCT13 04:37	Operator Release 7839.7 AFHR	0.0	OVERNITE DEPLOYMENT A. COOK A1PXXX1311241	XXxxXXxx
16OCT13 04:40	Initiate Toolboard 7843.1 AFHR	xxxx	14 B/F	XXxxXXxx
16OCT13 04:40	Clear Toolboard 7843.1 AFHR	xxxx	14	XXxxXXxx
16OCT13 04:40	Maintenance Release 7843.1 AFHR	0.8	M PEA A A1PXXX1311242	XXxxXXxx
16OCT13 07:43	Into Maintenance 7843.1 AFHR	0.1	A M PEA A1PXXO1309397	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02214  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
16OCT13	09:00	Initiate Toolboard 7844.7 AFHR	xxxx	14 B/F		XXxxXXxx
16OCT13	09:55	Maintenance Release 7844.7 AFHR	0.0	M PEA A A1PXXX1311254		XXxxXXxx
16OCT13	10:12	Into Maintenance 7844.7 AFHR	0.0	A M PEA A1PXXO1309411		XXxxXXxx
16OCT13	10:14	Clear Toolboard 7844.7 AFHR	xxxx	14		XXxxXXxx
16OCT13	10:14	Maintenance Release 7844.7 AFHR	0.0	M PEA A A1PXXX1311256		XXxxXXxx
16OCT13	10:42	Into Maintenance 7844.7 AFHR	0.0	A A1PXXO1309413		XXxxXXxx
17OCT13	01:07	Change Serviceability Stat 7844.7 AFHR	0.6	SERV U/S A1PXXU1313000		XXxxXXxx
		Estimated Date/Time Servic	735521.9	SERV STAT 18OCT13		
17OCT13	02:09	Asset Comments 7844.7 AFHR	0.0	AIRTEST AIRTEST		XXxxXXxx
17OCT13	02:15	Maintenance Release 7844.7 AFHR	0.0	M PEA A A1PXXX1311282		XXxxXXxx
		Change Serviceability Stat	0.0	U/S SERV 18OCT13 01:07		
		Estimated Date/Time Servic	1.0	SERV STAT		
17OCT13	06:10	Into Maintenance 7844.7 AFHR	0.1	A A1PXXO1309423		XXxxXXxx
17OCT13	06:16	Change Serviceability Stat 7846.3 AFHR	0.0	SERV U/S A1PXXU1313012		XXxxXXxx
		Estimated Date/Time Servic	735523.8	SERV STAT 18OCT13		



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02215  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
17OCT13 06:18		Asset Comments	7846.3 AFHR	0.0	A1PXXX1311301	XXxxXXxx
17OCT13 06:18		Maintenance Release	7846.3 AFHR	0.0	M PEA A A1PXXX1311302	XXxxXXxx
		Change Serviceability Stat		0.0	U/S SERV	
		Estimated Date/Time Servic		1.0	18OCT13 06:16 SERV STAT aip04023	
17OCT13 09:22		Operator Acceptance	7846.3 AFHR	0.0	A1PXXX1311320	XXxxXXxx
		Maintenance Comment		0.0	OVERNITE DEPLOYMENT	
17OCT13 22:52		Asset Comments	7846.3 AFHR	0.0	ALB AWAY - ALBANY A1PXXX1311344	XXxxXXxx
18OCT13 04:21		Operator Release	7846.3 AFHR	0.0	K. ARUMUGAM A1PXXX1311375	XXxxXXxx
18OCT13 04:22		Asset Comments	7849.5 AFHR	0.0	A1PXXX1311376	XXxxXXxx
18OCT13 06:36		Into Maintenance	7849.5 AFHR	1.0	A M PEA A1PXXO1309517	XXxxXXxx
21OCT13 00:16		Initiate Toolboard	7850.9 AFHR	xxxx	14 B/F	XXxxXXxx
21OCT13 00:16		Clear Toolboard	7850.9 AFHR	xxxx	14	XXxxXXxx
21OCT13 00:16		Maintenance Release	7850.9 AFHR	2.7	M PEA A A1PXXX1311421	XXxxXXxx
21OCT13 06:50		Into Maintenance	7850.9 AFHR	0.2	A A1PXXO1309566	XXxxXXxx
21OCT13 09:00		Initiate Toolboard	7853.9 AFHR	xxxx	14 B/F	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02216  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
21OCT13 09:41	Change Serviceability Stat	0.1	SERV U/S A1PXXU1312881	XXxxXXxx
	7853.9 AFHR Estimated Date/Time Servic	735523.8	SERV STAT 22OCT13	
21OCT13 22:25	Clear Toolboard	xxxx	14	XXxxXXxx
	7853.9 AFHR			
22OCT13 00:07	Change Serviceability Stat	0.6	U/S SERV A1PXXX1311477	XXxxXXxx
	7853.9 AFHR Estimated Date/Time Servic	0.6	22OCT13 09:41 SERV STAT	
22OCT13 00:17	Maintenance Release	0.0	M PEA A A1PXXX1311479	XXxxXXxx
	7853.9 AFHR			
22OCT13 07:29	Into Maintenance	0.2	M PEA A1PXXO1309619	XXxxXXxx
	7856.7 AFHR			
22OCT13 08:55	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	7858.1 AFHR			
22OCT13 12:38	Clear Toolboard	xxxx	14	XXxxXXxx
	7858.1 AFHR			
22OCT13 22:39	Maintenance Release	0.6	M PEA A A1PXXX1311527	XXxxXXxx
	7858.1 AFHR			
23OCT13 08:45	Into Maintenance	0.4	M PEA A1PXXO1309665	XXxxXXxx
	7859.4 AFHR			
27OCT13 22:36	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	7860.7 AFHR			
27OCT13 22:37	Clear Toolboard	xxxx	14	XXxxXXxx
	7860.7 AFHR			
28OCT13 06:00	Maintenance Release	4.8	M PEA A A1PXXX1311669	XXxxXXxx
	7860.7 AFHR			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02217  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
28OCT13	07:38	Into Maintenance	0.0	A		
		7860.7 AFHR		A1PXXO1309718		XXxxXXxx
28OCT13	09:00	Initiate Toolboard	xxxx	14 B/F		
		7862.0 AFHR				XXxxXXxx
28OCT13	09:13	Change Serviceability Stat	0.0	SERV		
		7862.0 AFHR		U/S		
		Estimated Date/Time Servic	735528.6	A1PXXU1313195		XXxxXXxx
				SERV STAT		
				29OCT13		
28OCT13	22:38	Clear Toolboard	xxxx	14		
		7862.0 AFHR				XXxxXXxx
29OCT13	00:14	Change Serviceability Stat	0.6	U/S		
		7862.0 AFHR		SERV		
		Estimated Date/Time Servic	0.6	A1PXXX1311721		XXxxXXxx
				29OCT13 09:13		
				SERV STAT		
29OCT13	02:27	Maintenance Release	0.0	M PEA		
		7862.0 AFHR		A		
29OCT13	05:59	Into Maintenance	0.1	A1PXXX1311733		XXxxXXxx
		7862.0 AFHR		A		
29OCT13	22:33	Change Serviceability Stat	0.6	A1PXXO1309766		XXxxXXxx
				SERV		
		7864.7 AFHR		U/S		
		Estimated Date/Time Servic	735535.0	A1PXXU1313521		XXxxXXxx
				SERV STAT		
				30OCT13		
30OCT13	12:53	Initiate Toolboard	xxxx	14 B/F		
		7864.7 AFHR				XXxxXXxx
30OCT13	12:53	Clear Toolboard	xxxx	14		
		7864.7 AFHR				XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02218  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
30OCT13 22:38	Maintenance Release	1.0	M PEA A A1PXXX1311804	XXxxXXxx
	7864.7 AFHR Change Serviceability Stat	1.0	U/S SERV	
	Estimated Date/Time Servic	1.0	30OCT13 22:33 SERV STAT	
31OCT13 03:53	Into Maintenance	0.2	A M PEA A1PXXO1309815	XXxxXXxx
31OCT13 09:00	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	7866.0 AFHR			XXxxXXxx
31OCT13 09:50	Clear Toolboard	xxxx	14	XXxxXXxx
	7866.0 AFHR			XXxxXXxx
31OCT13 22:33	Maintenance Release	0.7	M PEA A A1PXXX1311878	XXxxXXxx
	7866.0 AFHR		A	XXxxXXxx
01NOV13 04:52	Into Maintenance	0.2	A1PXXO1309876	XXxxXXxx
	7866.0 AFHR		SERV	
04NOV13 00:04	Change Serviceability Stat	2.8	U/S A1PXXU1313722	XXxxXXxx
	7867.2 AFHR		SERV STAT	
	Estimated Date/Time Servic	735537.9	05NOV13	
04NOV13 00:35	Asset Comments	0.0	MTF 7867.2 MTF FOR CSU CHANGE	
	7867.2 AFHR		A1PXXX1311938	XXxxXXxx
04NOV13 00:35	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	7867.2 AFHR			XXxxXXxx
04NOV13 00:35	Clear Toolboard	xxxx	14	XXxxXXxx
	7867.2 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02219  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN (DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
04NOV13 04:13	Maintenance Release	0.1	M PEA A	
	7867.2 AFHR Change Serviceability Stat	0.1	A1PXXX1311946 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.1	SERV 05NOV13 00:04 SERV STAT	
04NOV13 04:59	Into Maintenance	0.0	A	
	7867.2 AFHR		A1PXXO1309923	XXxxXXxx
04NOV13 09:18	Change Serviceability Stat	0.1	SERV U/S	
	7867.2 AFHR Estimated Date/Time Servic	735541.7	A1PXXU1313475 SERV STAT	XXxxXXxx
05NOV13 00:01	Maintenance Release	0.6	M PEA A	
	7867.2 AFHR Change Serviceability Stat	0.6	A1PXXX1311990 U/S	XXxxXXxx
	Estimated Date/Time Servic	0.6	SERV 05NOV13 09:18 SERV STAT	
05NOV13 06:00	Into Maintenance	0.2	A	
	7867.2 AFHR		A1PXXO1309993	XXxxXXxx
05NOV13 06:22	Asset Comments	0.0		
	7867.7 AFHR		A1PXXX1312061	XXxxXXxx
05NOV13 06:23	Change Serviceability Stat	0.0	SERV U/S	
	7867.7 AFHR Estimated Date/Time Servic	735542.7	A1PXXU1313723 SERV STAT	XXxxXXxx
05NOV13 06:28	Initiate Toolboard	xxxx	06NOV13 14 B/F	
	7867.7 AFHR			XXxxXXxx
05NOV13 06:28	Clear Toolboard	xxxx	14	
	7867.7 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02220  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
LIFE SINCE NEW				
05NOV13 06:28	Maintenance Release	0.0	M PEA A A1PXXX1312063	XXxxXXxx
	7867.7 AFHR Change Serviceability Stat	0.0	U/S SERV	
	Estimated Date/Time Servic	1.0	06NOV13 06:23 SERV STAT	
05NOV13 09:35	Into Maintenance	0.1	A A1PXXO1310019	XXxxXXxx
	7867.7 AFHR Initiate Toolboard	xxxx	14 B/F	
05NOV13 09:35	7867.7 AFHR Clear Toolboard	xxxx	14	XXxxXXxx
05NOV13 10:46	Change Serviceability Stat	0.0	SERV U/S A1PXXU1313831	XXxxXXxx
	7869.0 AFHR Estimated Date/Time Servic	735542.8	SERV STAT 06NOV13	
05NOV13 11:35	Asset Comments	0.0	AIRTEST DU2 AIRTEST A1PXXX1312068	XXxxXXxx
05NOV13 22:21	Maintenance Release	0.4	M PEA A A1PXXX1312072	XXxxXXxx
	7869.0 AFHR Change Serviceability Stat	0.4	U/S SERV	
	Estimated Date/Time Servic	1.4	06NOV13 10:48 SERV STAT	
06NOV13 04:27	Into Maintenance	0.2	A A1PXXO1310049	XXxxXXxx
06NOV13 04:45	Asset Comments	0.0	A1PXXX1312104	XXxxXXxx
06NOV13 04:45	Change Serviceability Stat	0.0	SERV U/S A1PXXU1313832	XXxxXXxx
	7870.3 AFHR Estimated Date/Time Servic	735543.7	SERV STAT 07NOV13	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02221  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
06NOV13 04:47	Maintenance Release	0.0	M PEA A	
	7870.3 AFHR Change Serviceability Stat	0.0	A1PXXX1312108 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.0	SERV 07NOV13 04:45 SERV STAT	
06NOV13 09:00	Initiate Toolboard	xxxx	14 B/F	
	7871.8 AFHR			XXxxXXxx
06NOV13 09:03	Into Maintenance	0.1	A	
	7870.3 AFHR		A1PXXO1310077	XXxxXXxx
06NOV13 10:22	Clear Toolboard	xxxx	14	
	7871.8 AFHR			XXxxXXxx
06NOV13 22:04	Maintenance Release	0.5	M PEA A	
	7871.8 AFHR		A1PXXX1312138	XXxxXXxx
07NOV13 03:04	Into Maintenance	0.2	A	
	7871.8 AFHR		A1PXXO1310102	XXxxXXxx
07NOV13 03:06	Change Serviceability Stat	0.0	SERV U/S	
	7871.8 AFHR		A1PXXU1311202	XXxxXXxx
	Estimated Date/Time Servic	735544.0	SERV STAT 08NOV13	
07NOV13 09:00	Initiate Toolboard	xxxx	14 B/F	
	7871.8 AFHR			XXxxXXxx
07NOV13 09:56	Clear Toolboard	xxxx	14	
	7871.8 AFHR			XXxxXXxx
07NOV13 21:59	Maintenance Release	0.7	M PEA A	
	7871.8 AFHR		A1PXXX1312222	XXxxXXxx
	Change Serviceability Stat	0.7	U/S	
	Estimated Date/Time Servic	1.7	SERV 08NOV13 03:06 SERV STAT	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02222  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
08NOV13 06:19	Into Maintenance 7873.1 AFHR	0.3	A A1PXXO1310200	XXxxXXxx
08NOV13 06:21	Change Serviceability Stat 7874.4 AFHR Estimated Date/Time Servic	0.0 735545.6	SERV U/S A1PXXU1313782 SERV STAT 09NOV13	XXxxXXxx
10NOV13 23:01	Initiate Toolboard 7874.4 AFHR	xxxx	14 B/F	XXxxXXxx
10NOV13 23:01	Clear Toolboard 7874.4 AFHR	xxxx	14	XXxxXXxx
11NOV13 00:13	Maintenance Release 7874.4 AFHR Change Serviceability Stat Estimated Date/Time Servic	2.7 2.7 0.7	M PEA A A1PXXX1312259 U/S SERV 09NOV13 06:21 SERV STAT	XXxxXXxx
11NOV13 08:30	Into Maintenance 7877.0 AFHR	0.3	A A1PXXO1310280	XXxxXXxx
11NOV13 13:38	Change Serviceability Stat 7878.5 AFHR Estimated Date/Time Servic	0.2 735548.4	SERV U/S A1PXXU1314151 SERV STAT 12NOV13	XXxxXXxx
11NOV13 22:39	Maintenance Release 7878.5 AFHR Change Serviceability Stat Estimated Date/Time Servic	0.3 0.3 1.3	M PEA A A1PXXX1312296 U/S SERV 12NOV13 13:38 SERV STAT	XXxxXXxx
11NOV13 22:42	Into Maintenance 7878.5 AFHR	0.0	A A1PXXO1310286	XXxxXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02223  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
11NOV13 22:44	Armed		7878.5 AFHR	0.0	Y A1PXXX1312300	XXxxXXxx
11NOV13 22:44	Asset Comments		7878.5 AFHR	0.0	MODS A1PXXX1312300	XXxxXXxx
11NOV13 22:44	Armed		7878.5 AFHR	0.0	N A1PXXX1312301	XXxxXXxx
12NOV13 03:18	Change Serviceability Stat		7878.5 AFHR	0.1	SERV U/S A1PXXU1314196	XXxxXXxx
	Estimated Date/Time	Servic		735549.8	SERV STAT 13NOV13	
26NOV13 07:33	Maintenance Comment		7878.5 AFHR	0.0	FUSELAGE SKIN REPAIR CARRIED OUT AT ADF ANTENNA INSTALLATION	
03DEC13 10:54	Asset Comments		7878.5 AFHR	0.0	A1PXXX1312883	XXxxXXxx
03DEC13 13:03	Initiate Toolboard		7878.5 AFHR	xxxx	MTF A1PXXX1313173	XXxxXXxx
03DEC13 13:03	Clear Toolboard		7878.5 AFHR	xxxx	14 B/F	XXxxXXxx
04DEC13 01:08	Maintenance Release		7878.5 AFHR	21.9	M PEA A A1PXXX1313215	XXxxXXxx
	Change Serviceability Stat			21.9	U/S SERV	
	Estimated Date/Time	Servic		0.9	13NOV13 03:21 SERV STAT	
04DEC13 02:06	Into Maintenance		7878.5 AFHR	0.0	A A1PXXO1311105	XXxxXXxx
04DEC13 02:19	Change Serviceability Stat		7879.0 AFHR	0.0	SERV U/S A1PXXU1315313	XXxxXXxx
	Estimated Date/Time	Servic		735571.9	SERV STAT 05DEC13	
04DEC13 02:20	Asset Comments		7879.0 AFHR	0.0	A1PXXX1313218	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02224  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----			
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
=====	=====	=====	=====	=====	=====
	LIFE SINCE NEW		TRANS REFERENCE		
04DEC13 02:20	Change Serviceability Stat	0.0	U/S SERV		
	7879.0 AFHR		A1PXXX1313219		XXxxXXxx
	Estimated Date/Time Servic	1.0	05DEC13 02:19		
04DEC13 03:59	Maintenance Release	0.0	SERV STAT M PEA		
	7879.0 AFHR		A		XXxxXXxx
04DEC13 08:41	Into Maintenance	0.1	A1PXXX1313280		
	7879.0 AFHR		A		XXxxXXxx
04DEC13 09:55	Initiate Toolboard	xxxx	M PEA		
	7880.0 AFHR		A1PXXO1311150		XXxxXXxx
04DEC13 09:55	Clear Toolboard	xxxx	14 B/F		
	7880.0 AFHR		14		XXxxXXxx
04DEC13 22:22	Maintenance Release	0.5	M PEA		
	7880.0 AFHR		A		XXxxXXxx
05DEC13 07:50	Into Maintenance	0.3	A1PXXX1313324		
	7882.1 AFHR		A		XXxxXXxx
05DEC13 09:05	Change Serviceability Stat	0.0	A1PXXO1311184		
	7883.6 AFHR		SERV		XXxxXXxx
	Estimated Date/Time Servic	735571.7	U/S		
			A1PXXU1315334		XXxxXXxx
05DEC13 10:49	Initiate Toolboard	xxxx	SERV STAT		
	7883.6 AFHR		06DEC13		XXxxXXxx
05DEC13 10:49	Clear Toolboard	xxxx	14 B/F		
	7883.6 AFHR		14		XXxxXXxx
06DEC13 00:26	Maintenance Release	0.6	M PEA		
	7883.6 AFHR		A		XXxxXXxx
	Change Serviceability Stat	0.6	A1PXXX1313388		
	Estimated Date/Time Servic	0.6	U/S		
			SERV		
			06DEC13 09:05		
			SERV STAT		

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02225  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
06DEC13	02:34	Into Maintenance	0.0	A		
		7883.6 AFHR		M PEA		
06DEC13	05:38	Initiate Toolboard	xxxx	A1PXXO1311193		XXxxXXxx
		7885.0 AFHR		14 B/F		
06DEC13	05:39	Clear Toolboard	xxxx	14		XXxxXXxx
		7885.0 AFHR				
08DEC13	23:07	Initiate Toolboard	xxxx	14 B/F		XXxxXXxx
		7885.0 AFHR				
08DEC13	23:07	Clear Toolboard	xxxx	14		XXxxXXxx
		7885.0 AFHR				
08DEC13	23:07	Maintenance Release	2.8	M PEA		
		7885.0 AFHR		A		
09DEC13	07:42	Into Maintenance	0.3	A1PXXX1313409		XXxxXXxx
				A		
		7886.5 AFHR		M PEA		
09DEC13	09:59	Initiate Toolboard	xxxx	A1PXXO1311239		XXxxXXxx
		7887.3 AFHR		14 B/F		
09DEC13	09:59	Clear Toolboard	xxxx	14		XXxxXXxx
		7887.3 AFHR				
09DEC13	22:34	Maintenance Release	0.6	M PEA		
				A		
		7887.3 AFHR		A1PXXX1313456		XXxxXXxx
10DEC13	04:03	Into Maintenance	0.2	A		
		7887.3 AFHR		A1PXXO1311270		XXxxXXxx
10DEC13	06:46	Change Serviceability Stat	0.1	SERV		
				U/S		
		7888.9 AFHR		A1PXXU1315823		XXxxXXxx
		Estimated Date/Time Servic	735573.7	SERV STAT		
				11DEC13		
10DEC13	10:25	Initiate Toolboard	xxxx	14 B/F		
		7888.9 AFHR				XXxxXXxx
10DEC13	10:25	Clear Toolboard	xxxx	14		XXxxXXxx
		7888.9 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02226  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
10DEC13 22:16	Maintenance Release	0.6	M PEA A	
	7888.9 AFHR Change Serviceability Stat	0.6	A1PXXX1313502 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.6	SERV 11DEC13 06:46 SERV STAT	
11DEC13 06:59	Into Maintenance	0.3	A M PEA	
	7890.1 AFHR Initiate Toolboard	xxxx	A1PXXO1311312 14 B/F	XXxxXXxx
11DEC13 09:43	Clear Toolboard	xxxx	14	XXxxXXxx
	7891.4 AFHR 7891.4 AFHR			XXxxXXxx
11DEC13 22:49	Maintenance Release	0.6	M PEA A	
	7891.4 AFHR Into Maintenance	0.1	A1PXXX1313581 A	XXxxXXxx
12DEC13 02:06	Change Serviceability Stat	0.0	A1PXXO1311321 SERV	XXxxXXxx
	7892.7 AFHR Estimated Date/Time Servic	735578.7	U/S A1PXXU1315970 SERV STAT 13DEC13	XXxxXXxx
12DEC13 09:07	Initiate Toolboard	xxxx	14 B/F	
	7892.7 AFHR			XXxxXXxx
12DEC13 09:07	Clear Toolboard	xxxx	14	XXxxXXxx
	7892.7 AFHR			XXxxXXxx
12DEC13 10:15	Initiate Toolboard	xxxx	14 B/F	
	7892.7 AFHR			XXxxXXxx
12DEC13 10:15	Clear Toolboard	xxxx	14	XXxxXXxx
	7892.7 AFHR			XXxxXXxx
17DEC13 01:18	Asset Comments	0.0	A/T7892.7 MLG RIGGING	
	7892.7 AFHR		A1PXXX1313679	XXxxXXxx
07JAN14 01:03	Asset Comments	0.0	A/T 7892.7 MLG RIGGING	
	7892.7 AFHR		A1PXXX1400016	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02227  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
08JAN14 02:45	Maintenance Comment		0.0	ANNUAL REVIEW OF A/C LOG BOOK C/O IAW AAP7001-059	
	7892.7 AFHR			A1PXXX1400029	XXxxXXxx
14JAN14 09:26	Initiate Toolboard		xxxx	14 B/F	
	7892.7 AFHR				XXxxXXxx
14JAN14 09:27	Clear Toolboard		xxxx	14	
	7892.7 AFHR				XXxxXXxx
14JAN14 09:28	Maintenance Release		33.2	M PEA	
	7892.7 AFHR			A	
	Change Serviceability Stat		33.2	A1PXXX1400087	XXxxXXxx
	Estimated Date/Time Servic		1.2	U/S	
				SERV	
				13DEC13 04:30	
				SERV STAT	
15JAN14 01:47	Into Maintenance		0.6	A	
	7892.7 AFHR			A1PXXO1400020	XXxxXXxx
15JAN14 01:59	Change Serviceability Stat		0.0	SERV	
	7893.9 AFHR			U/S	
	Estimated Date/Time Servic		735613.3	A1PXXU1316129	XXxxXXxx
				SERV STAT	
				16JAN14	
15JAN14 02:07	Asset Comments		0.0		
	7893.9 AFHR			A1PXXX1400109	XXxxXXxx
15JAN14 09:29	Initiate Toolboard		xxxx	14 B/F	
	7893.9 AFHR				XXxxXXxx
15JAN14 09:29	Clear Toolboard		xxxx	14	
	7893.9 AFHR				XXxxXXxx
15JAN14 22:35	Maintenance Release		0.8	M PEA	
	7893.9 AFHR			A	
	Change Serviceability Stat		0.8	A1PXXX1400142	XXxxXXxx
	Estimated Date/Time Servic		1.8	U/S	
				SERV	
				16JAN14 01:59	
				SERV STAT	
16JAN14 05:38	Into Maintenance		0.2	A	
	7893.9 AFHR			A1PXXO1400068	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02228  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
16JAN14 23:44	Change Serviceability Stat	0.7	SERV U/S A1PXXU1400183	XXxxXXxx
	7893.9 AFHR Estimated Date/Time Servic	735613.9	SERV STAT 17JAN14	
19JAN14 22:46	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	7893.9 AFHR			
19JAN14 22:47	Clear Toolboard	xxxx	14	XXxxXXxx
	7893.9 AFHR			
20JAN14 00:07	Maintenance Release	3.0	M PEA A A1PXXX1400237	XXxxXXxx
	7893.9 AFHR Change Serviceability Stat	3.0	U/S SERV 17JAN14 23:44	
	Estimated Date/Time Servic	0.0	SERV STAT	
20JAN14 05:30	Into Maintenance	0.2	A A1PXXO1400114	XXxxXXxx
	7895.2 AFHR			
20JAN14 07:27	Change Serviceability Stat	0.0	SERV U/S A1PXXU1400505	XXxxXXxx
	7896.4 AFHR Estimated Date/Time Servic	735618.6	SERV STAT 21JAN14	
20JAN14 07:47	Asset Comments	0.0	AIRTEST SICU OPS A1PXXX1400274	XXxxXXxx
	7896.4 AFHR			
20JAN14 09:29	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	7896.4 AFHR			
20JAN14 09:29	Clear Toolboard	xxxx	14	XXxxXXxx
	7896.4 AFHR			
23JAN14 09:21	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	7896.4 AFHR			
23JAN14 09:21	Clear Toolboard	xxxx	14	XXxxXXxx
	7896.4 AFHR			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02229  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
23JAN14 23:57	Maintenance Release	3.6	M PEA A	
	7896.4 AFHR Change Serviceability Stat	3.6	A1PXXX1400497 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.6	SERV 21JAN14 07:32 SERV STAT	
24JAN14 02:24	Into Maintenance	0.1	A	
	7896.4 AFHR Change Serviceability Stat	0.1	A1PXXO1400254 SERV	XXxxXXxx
	Estimated Date/Time Servic	735622.7	U/S A1PXXU1400771 SERV STAT	XXxxXXxx
25JAN14 22:57	Initiate Toolboard	xxxx	25JAN14 14 B/F	
	7896.4 AFHR Clear Toolboard	xxxx	14	XXxxXXxx
	7896.4 AFHR Maintenance Release	1.7	M PEA A	XXxxXXxx
	7896.4 AFHR Change Serviceability Stat	1.7	A1PXXX1400515 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.7	SERV 25JAN14 05:25 SERV STAT	
27JAN14 21:46	Into Maintenance	1.9	A	
	7896.4 AFHR Initiate Toolboard	xxxx	M PEA A1PXXO1400285 14 B/F	XXxxXXxx
	7896.4 AFHR Clear Toolboard	xxxx	14	XXxxXXxx
	7896.4 AFHR Maintenance Release	0.0	M PEA A	XXxxXXxx
	7896.4 AFHR		A1PXXX1400522	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02230  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
28JAN14	02:43	Into Maintenance 7896.4 AFHR	0.1	A	A1PXXO1400292	XXxxXXxx
28JAN14	02:51	Change Serviceability Stat 7897.7 AFHR	0.0	SERV U/S	A1PXXU1400506	XXxxXXxx
		Estimated Date/Time Servic	735624.8	SERV STAT 29JAN14		
28JAN14	02:51	Asset Comments 7897.7 AFHR	0.0	A1PXXX1400545		XXxxXXxx
28JAN14	02:52	Maintenance Release 7897.7 AFHR	0.0	M PEA A	A1PXXX1400546	XXxxXXxx
		Change Serviceability Stat	0.0	U/S SERV		
		Estimated Date/Time Servic	1.0	29JAN14 02:51 SERV STAT		
28JAN14	07:10	Into Maintenance	0.1	A M PEA	A1PXXO1400311	XXxxXXxx
28JAN14	11:56	Initiate Toolboard 7899.1 AFHR	xxxx	14 B/F		XXxxXXxx
28JAN14	11:57	Clear Toolboard 7899.1 AFHR	xxxx	14		XXxxXXxx
28JAN14	23:01	Maintenance Release	0.6	M PEA A	A1PXXX1400576	XXxxXXxx
29JAN14	03:45	Into Maintenance 7899.1 AFHR	0.1	A	A1PXXO1400342	XXxxXXxx
29JAN14	03:49	Change Serviceability Stat 7900.5 AFHR	0.0	SERV U/S	A1PXXU1311213	XXxxXXxx
		Estimated Date/Time Servic	735626.9	SERV STAT 30JAN14		

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02231  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
29JAN14 05:35	Maintenance Release	0.0	M PEA A	
	7900.5 AFHR Change Serviceability Stat	0.0	A1PXXX1400622 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.0	SERV 30JAN14 03:49 SERV STAT	
29JAN14 07:29	Into Maintenance	0.0	A M PEA	
	7900.5 AFHR		A1PXXO1400356	XXxxXXxx
29JAN14 09:38	Initiate Toolboard	xxxx	14 B/F	
	7901.9 AFHR			XXxxXXxx
29JAN14 09:40	Initiate Toolboard	xxxx	14 B/F	
	7901.9 AFHR			XXxxXXxx
29JAN14 09:40	Clear Toolboard	xxxx	14	
	7901.9 AFHR			XXxxXXxx
29JAN14 09:45	Maintenance Release	0.0	M PEA A	
	7901.9 AFHR		A1PXXX1400634	XXxxXXxx
29JAN14 15:27	Into Maintenance	0.2	A A1PXXO1400387	XXxxXXxx
29JAN14 22:13	Change Serviceability Stat	0.2	SERV U/S	
	7901.9 AFHR		A1PXXU1401122	XXxxXXxx
	Estimated Date/Time Servic	735627.3	SERV STAT 30JAN14	
29JAN14 22:21	Maintenance Release	0.0	M PEA A	
	7901.9 AFHR		A1PXXX1400643	XXxxXXxx
	Change Serviceability Stat	0.0	U/S	
	Estimated Date/Time Servic	1.0	SERV 30JAN14 22:14 SERV STAT	
30JAN14 06:51	Into Maintenance	0.3	A M PEA	
	7903.2 AFHR		A1PXXO1400414	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02232  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
30JAN14 08:54	Initiate Toolboard 7904.3 AFHR	xxxx	14 B/F	XXxxXXxx
30JAN14 08:54	Clear Toolboard 7904.3 AFHR	xxxx	14	XXxxXXxx
30JAN14 08:55	Maintenance Release 7904.3 AFHR	0.0	M PEA A A1PXXX1400720	XXxxXXxx
30JAN14 12:45	Into Maintenance 7904.3 AFHR	0.1	A A1PXXO1400433	XXxxXXxx
30JAN14 13:51	Change Serviceability Stat 7904.3 AFHR	0.0	SERV U/S A1PXXU1400768	XXxxXXxx
	Estimated Date/Time Servic	735628.3	SERV STAT 31JAN14	
31JAN14 01:08	Maintenance Release 7904.3 AFHR	0.4	M PEA A A1PXXX1400768	XXxxXXxx
	Change Serviceability Stat	0.4	U/S SERV	
	Estimated Date/Time Servic	0.4	31JAN14 13:51 SERV STAT	
31JAN14 01:11	Into Maintenance 7904.3 AFHR	0.0	A A1PXXO1400449	XXxxXXxx
31JAN14 01:12	Change Serviceability Stat 7904.3 AFHR	0.0	SERV U/S A1PXXU1401209	XXxxXXxx
	Estimated Date/Time Servic	735629.9	SERV STAT 01FEB14	
31JAN14 01:18	Asset Comments 7904.3 AFHR	0.0	AIRTEST AIRTEST FOR EFIS OPS A1PXXX1400784	XXxxXXxx
31JAN14 06:52	Asset Comments 7905.5 AFHR	0.0	A1PXXX1400798	XXxxXXxx
02FEB14 22:40	Initiate Toolboard 7905.5 AFHR	xxxx	14 B/F	XXxxXXxx
02FEB14 22:41	Clear Toolboard 7905.5 AFHR	xxxx	14	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02233  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
02FEB14 22:43	Maintenance Release	2.8	M PEA A A1PXXX1400805	XXxxXXxx
	7905.5 AFHR Change Serviceability Stat	2.8	U/S SERV	
	Estimated Date/Time Servic	1.8	01FEB14 01:15 SERV STAT	
03FEB14 09:00	Into Maintenance	0.4	A M PEA A1PXXO1400522	XXxxXXxx
03FEB14 09:48	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	7909.5 AFHR			XXxxXXxx
03FEB14 22:38	Clear Toolboard	xxxx	14	XXxxXXxx
	7909.5 AFHR			XXxxXXxx
03FEB14 22:39	Maintenance Release	0.5	M PEA A A1PXXX1400863	XXxxXXxx
	7909.5 AFHR Into Maintenance	0.4	A M PEA A1PXXO1400586	XXxxXXxx
04FEB14 09:27	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	7910.8 AFHR			XXxxXXxx
04FEB14 09:28	Clear Toolboard	xxxx	14	XXxxXXxx
	7910.8 AFHR			XXxxXXxx
04FEB14 22:33	Maintenance Release	0.5	M PEA A A1PXXX1400918	XXxxXXxx
	7910.8 AFHR Into Maintenance	0.1	A A1PXXO1400594	XXxxXXxx
05FEB14 02:45	Change Serviceability Stat	0.0	SERV U/S A1PXXU1401455	XXxxXXxx
	7911.3 AFHR Estimated Date/Time Servic	735632.7	SERV STAT 06FEB14	
05FEB14 09:38	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	7912.6 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02234  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
05FEB14 09:39	Clear Toolboard	7912.6 AFHR	xxxx	14	
05FEB14 22:29	Maintenance Release	7912.6 AFHR	0.7	M PEA A	XXxxXXxx
	Change Serviceability Stat	7912.6 AFHR	0.7	A1PXXX1400998 U/S	XXxxXXxx
	Estimated Date/Time Servic		1.7	SERV 06FEB14 04:39 SERV STAT	
06FEB14 05:53	Into Maintenance	7912.6 AFHR	0.3	A	
06FEB14 09:17	Initiate Toolboard	7914.3 AFHR	xxxx	A1PXXO1400675 14 B/F	XXxxXXxx
06FEB14 09:18	Clear Toolboard	7914.3 AFHR	xxxx	14	XXxxXXxx
06FEB14 11:53	Change Serviceability Stat	7914.3 AFHR	0.2	SERV U/S	
	Estimated Date/Time Servic		735635.4	A1PXXU1401206 SERV STAT 07FEB14	XXxxXXxx
07FEB14 00:06	Maintenance Release	7914.3 AFHR	0.5	M PEA A	
	Change Serviceability Stat	7914.3 AFHR	0.5	A1PXXX1401093 U/S	XXxxXXxx
	Estimated Date/Time Servic		0.5	SERV 07FEB14 11:53 SERV STAT	
07FEB14 03:10	Into Maintenance	7914.3 AFHR	0.1	A	
07FEB14 03:40	Change Serviceability Stat	7915.8 AFHR	0.0	A1PXXO1400705 SERV U/S	XXxxXXxx
	Estimated Date/Time Servic		735636.8	A1PXXU1401592 SERV STAT 08FEB14	XXxxXXxx
09FEB14 22:39	Initiate Toolboard	7917.1 AFHR	xxxx	14 B/F	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02235  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
09FEB14 22:39		Clear Toolboard		xxxx	14	
		7917.1 AFHR				XXxxXXxx
09FEB14 23:42		Maintenance Release		2.8	M PEA	
		7917.1 AFHR			A1PXXX1401136	XXxxXXxx
		Change Serviceability Stat		2.8	U/S	
		Estimated Date/Time Servic		1.8	SERV	
					08FEB14 03:41	
10FEB14 07:00		Into Maintenance		0.3	SERV STAT	
					A	
					M PEA	
10FEB14 09:36		Initiate Toolboard		xxxx	A1PXXO1400763	XXxxXXxx
		7918.5 AFHR			14 B/F	
10FEB14 09:37		Clear Toolboard		xxxx		XXxxXXxx
		7919.7 AFHR				XXxxXXxx
10FEB14 10:37		Maintenance Release		0.1	M PEA	
					A	
					A1PXXX1401179	XXxxXXxx
11FEB14 02:51		Into Maintenance		0.6	A	
					M PEA	
					A1PXXO1400798	XXxxXXxx
11FEB14 05:24		Maintenance Release		0.1	M PEA	
					A	
					A1PXXX1401209	XXxxXXxx
11FEB14 09:00		Into Maintenance		0.1	A	
					M PEA	
					A1PXXO1400836	XXxxXXxx
12FEB14 00:12		Initiate Toolboard		xxxx	14 B/F	
		7922.4 AFHR				XXxxXXxx
		7923.7 AFHR				XXxxXXxx
12FEB14 00:13		Clear Toolboard		xxxx	14	
		7923.7 AFHR				XXxxXXxx
12FEB14 00:13		Maintenance Release		0.6	M PEA	
					A	
					A1PXXX1401249	XXxxXXxx
		7923.7 AFHR				

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02236  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
12FEB14 02:43	Into Maintenance	0.1	A M PEA	
12FEB14 09:22	Initiate Toolboard	xxxx	A1PXXO1400865 14 B/F	XXxxXXxx
12FEB14 09:22	Clear Toolboard	xxxx	14	XXxxXXxx
12FEB14 10:46	Maintenance Release	0.3	M PEA A	XXxxXXxx
12FEB14 16:55	Into Maintenance	0.2	A1PXXX1401291 A	XXxxXXxx
12FEB14 22:25	Maintenance Release	0.2	M PEA A1PXXO1400904 M PEA A	XXxxXXxx
13FEB14 01:24	Into Maintenance	0.1	A1PXXX1401310 A	XXxxXXxx
13FEB14 10:35	Initiate Toolboard	xxxx	A1PXXO1400922 14 B/F	XXxxXXxx
13FEB14 10:35	Clear Toolboard	xxxx	14	XXxxXXxx
13FEB14 12:25	Change Serviceability Stat	0.4	SERV U/S	XXxxXXxx
	Estimated Date/Time Servic	735639.4	A1PXXU1401584 SERV STAT 14FEB14	XXxxXXxx
14FEB14 00:06	Maintenance Release	0.4	M PEA A	
	Change Serviceability Stat	0.4	A1PXXX1401372 U/S	XXxxXXxx
	Estimated Date/Time Servic	0.4	SERV 14FEB14 12:25 SERV STAT	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02237  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----			
TRANSACTION D/T	CHANGE TYPE	SPAN (DYS)	FROM	TO (OPTIONAL)	USER
=====	=====	=====	=====	=====	=====
	LIFE SINCE NEW		TRANS REFERENCE		
14FEB14 06:55	Into Maintenance	0.2	A		
	7930.8 AFHR		M PEA		
16FEB14 22:55	Initiate Toolboard	xxxx	A1PXXO1401003		XXxxXXxx
	7932.6 AFHR		14 B/F		
16FEB14 22:55	Clear Toolboard	xxxx	14		XXxxXXxx
	7932.6 AFHR				
17FEB14 00:14	Maintenance Release	2.7	M PEA		XXxxXXxx
	7932.6 AFHR		A		
17FEB14 06:31	Into Maintenance	0.2	A1PXXX1401397		XXxxXXxx
	7934.9 AFHR		A		
17FEB14 09:43	Initiate Toolboard	xxxx	M PEA		XXxxXXxx
	7936.2 AFHR		A1PXXO1401043		
17FEB14 09:43	Clear Toolboard	xxxx	14 B/F		XXxxXXxx
	7936.2 AFHR		14		
17FEB14 22:31	Maintenance Release	0.6	M PEA		XXxxXXxx
	7936.2 AFHR		A		
18FEB14 06:59	Into Maintenance	0.3	A1PXXX1401447		XXxxXXxx
	7938.6 AFHR		A		
18FEB14 07:50	Initiate Toolboard	xxxx	M PEA		XXxxXXxx
	7940.0 AFHR		A1PXXO1401098		
18FEB14 09:55	Clear Toolboard	xxxx	14 B/F		XXxxXXxx
	7940.0 AFHR		14		
18FEB14 22:36	Maintenance Release	0.6	M PEA		XXxxXXxx
	7940.0 AFHR		A		
19FEB14 06:40	Into Maintenance	0.3	A1PXXX1401554		XXxxXXxx
	7940.0 AFHR		A		
19FEB14 09:03	Initiate Toolboard	xxxx	M PEA		XXxxXXxx
	7941.4 AFHR		A1PXXO1401136		
			14 B/F		XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02238  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
19FEB14 09:26	Clear Toolboard	7941.4 AFHR	xxxx	14	XXxxXXxx
19FEB14 22:26	Maintenance Release	7941.4 AFHR	0.6	M PEA A A1PXXX1401640	XXxxXXxx
20FEB14 05:34	Into Maintenance	7942.7 AFHR	0.2	A A1PXXO1401179	XXxxXXxx
20FEB14 09:23	Initiate Toolboard	7944.0 AFHR	xxxx	14 B/F	XXxxXXxx
20FEB14 09:24	Clear Toolboard	7944.0 AFHR	xxxx	14	XXxxXXxx
20FEB14 11:07	Change Serviceability Stat	7944.0 AFHR	0.2	SERV U/S A1PXXU1401758	XXxxXXxx
20FEB14 23:58	Maintenance Release	Estimated Date/Time Servic	735643.5	SERV STAT 21FEB14 M PEA A A1PXXX1401725	XXxxXXxx
	Change Serviceability Stat	7944.0 AFHR	0.5	U/S SERV 21FEB14 11:07 SERV STAT	
	Estimated Date/Time Servic		1.5	A M PEA A1PXXO1401247	XXxxXXxx
21FEB14 06:53	Into Maintenance	7945.3 AFHR	0.2	14 B/F	XXxxXXxx
23FEB14 22:51	Initiate Toolboard	7946.6 AFHR	xxxx	14	XXxxXXxx
23FEB14 22:52	Clear Toolboard	7946.6 AFHR	xxxx	14	XXxxXXxx
24FEB14 08:59	Initiate Toolboard	7946.6 AFHR	xxxx	14 B/F	XXxxXXxx
24FEB14 12:03	Clear Toolboard	7946.6 AFHR	xxxx	14	XXxxXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02239  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
24FEB14 22:28	Maintenance Release			3.6	M PEA A A1PXXX1401828	XXxxXXxx
25FEB14 08:58	Into Maintenance	7946.6	AFHR	0.4	A A1PXXO1401332	XXxxXXxx
25FEB14 12:43	Initiate Toolboard	7946.6	AFHR	xxxx	14 B/F	XXxxXXxx
25FEB14 12:44	Clear Toolboard	7946.6	AFHR	xxxx	14	XXxxXXxx
26FEB14 09:20	Initiate Toolboard	7946.6	AFHR	xxxx	14 B/F	XXxxXXxx
26FEB14 09:21	Clear Toolboard	7946.6	AFHR	xxxx	14	XXxxXXxx
27FEB14 08:56	Change Serviceability Stat			1.9	SERV U/S A1PXXU1402191	XXxxXXxx
	Estimated Date/Time Servic	7946.6	AFHR	735650.6	SERV STAT 28FEB14	
27FEB14 10:14	Initiate Toolboard	7946.6	AFHR	xxxx	14 B/F	XXxxXXxx
27FEB14 10:15	Clear Toolboard	7946.6	AFHR	xxxx	14	XXxxXXxx
04MAR14 09:54	Initiate Toolboard	7946.6	AFHR	xxxx	14 B/F	XXxxXXxx
04MAR14 09:54	Clear Toolboard	7946.6	AFHR	xxxx	14	XXxxXXxx
05MAR14 01:12	Maintenance Release			5.6	M PEA A A1PXXX1402143	XXxxXXxx
	Change Serviceability Stat	7946.6	AFHR	5.6	U/S SERV	
	Estimated Date/Time Servic			0.6	28FEB14 08:56 SERV STAT	
05MAR14 08:19	Into Maintenance			0.2	A M PEA A1PXXO1401533	XXxxXXxx
		7948.3	AFHR			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02240  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
05MAR14 10:00	Initiate Toolboard	7950.0 AFHR	xxxx	14 B/F	XXxxXXxx
05MAR14 10:00	Clear Toolboard	7950.0 AFHR	xxxx	14	XXxxXXxx
05MAR14 22:49	Maintenance Release	7950.0 AFHR	0.6	M PEA A A1PXXX1402170	XXxxXXxx
06MAR14 09:02	Into Maintenance	7950.0 AFHR	0.4	A A1PXXO1401586	XXxxXXxx
06MAR14 10:42	Initiate Toolboard	7952.7 AFHR	xxxx	14 B/F	XXxxXXxx
06MAR14 10:43	Clear Toolboard	7952.7 AFHR	xxxx	14	XXxxXXxx
06MAR14 11:20	Change Serviceability Stat	7952.7 AFHR	0.0	SERV U/S A1PXXU1402498	XXxxXXxx
	Estimated Date/Time Servic		735662.5	SERV STAT 07MAR14	
07MAR14 00:34	Maintenance Release	7952.7 AFHR	0.5	M PEA A A1PXXX1402252	XXxxXXxx
	Change Serviceability Stat		0.5	U/S SERV	
	Estimated Date/Time Servic		0.5	07MAR14 11:20 SERV STAT	
07MAR14 07:30	Into Maintenance	7954.4 AFHR	0.2	A A1PXXO1401641	XXxxXXxx
10MAR14 01:14	Change Serviceability Stat	7954.4 AFHR	2.7	SERV U/S A1PXXU1402880	XXxxXXxx
	Estimated Date/Time Servic		735664.9	SERV STAT 11MAR14	
10MAR14 09:18	Initiate Toolboard	7954.4 AFHR	xxxx	14 B/F	XXxxXXxx
10MAR14 09:18	Clear Toolboard	7954.4 AFHR	xxxx	14	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02241  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
11MAR14 00:34	Maintenance Release	0.9	M PEA A A1PXXX1402381	XXxxXXxx
	7954.4 AFHR Change Serviceability Stat	0.9	U/S SERV	
	Estimated Date/Time Servic	0.9	11MAR14 01:14 SERV STAT	
11MAR14 00:34	Asset Comments	0.0	MTF MTF A1PXXX1402382	XXxxXXxx
11MAR14 01:40	Into Maintenance	0.0	A A1PXXO1401711	XXxxXXxx
11MAR14 02:05	Change Serviceability Stat	0.0	SERV U/S A1PXXU1402928	XXxxXXxx
	7955.0 AFHR Estimated Date/Time Servic	735668.9	SERV STAT 12MAR14	
11MAR14 02:05	Asset Comments	0.0	A1PXXX1402396	XXxxXXxx
11MAR14 02:06	Maintenance Release	0.0	M PEA A A1PXXX1402397	XXxxXXxx
	7955.0 AFHR Change Serviceability Stat	0.0	U/S SERV	
	Estimated Date/Time Servic	1.0	12MAR14 02:05 SERV STAT	
11MAR14 08:45	Into Maintenance	0.2	A M PEA A1PXXO1401750	XXxxXXxx
11MAR14 09:52	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
11MAR14 09:52	Clear Toolboard	xxxx	14	XXxxXXxx
11MAR14 22:36	Maintenance Release	0.5	M PEA A A1PXXX1402456	XXxxXXxx
	7956.2 AFHR			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02242  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
12MAR14 08:48		Into Maintenance		0.4	A	
		7956.2 AFHR			A1PXXO1401802	XXxxXXxx
12MAR14 09:45		Initiate Toolboard		xxxx	14 B/F	
		7957.2 AFHR				XXxxXXxx
12MAR14 09:45		Clear Toolboard		xxxx	14	
		7957.2 AFHR				XXxxXXxx
13MAR14 08:54		Initiate Toolboard		xxxx	14 B/F	
		7957.2 AFHR				XXxxXXxx
13MAR14 08:55		Clear Toolboard		xxxx	14	
		7957.2 AFHR				XXxxXXxx
13MAR14 11:26		Change Serviceability Stat		1.1	SERV U/S	
		7957.2 AFHR			A1PXXU1402783	XXxxXXxx
		Estimated Date/Time Servic		735668.6	SERV STAT 14MAR14	
14MAR14 02:01		Maintenance Release		0.6	M PEA	
		7957.2 AFHR			A1PXXX1402629	XXxxXXxx
		Change Serviceability Stat		0.6	U/S	
		Estimated Date/Time Servic		0.6	SERV 14MAR14 11:26	
14MAR14 03:40		Into Maintenance		0.0	SERV STAT A	
		7957.2 AFHR			M PEA A1PXXO1401856	XXxxXXxx
16MAR14 23:05		Initiate Toolboard		xxxx	14 B/F	
		7958.5 AFHR				XXxxXXxx
16MAR14 23:05		Clear Toolboard		xxxx	14	
		7958.5 AFHR				XXxxXXxx
17MAR14 07:43		Maintenance Release		3.1	M PEA	
		7958.5 AFHR			A A1PXXX1402687	XXxxXXxx
17MAR14 08:32		Into Maintenance		0.0	A	
		7958.5 AFHR			A1PXXO1401902	XXxxXXxx
17MAR14 09:03		Initiate Toolboard		xxxx	14 B/F	
		7958.9 AFHR				XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02243  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
17MAR14	09:04	Clear Toolboard	7958.9 AFHR	xxxx	14	XXXXXXxx
18MAR14	05:20	Change Serviceability Stat	7958.9 AFHR	0.8	SERV U/S A1PXXU1403393	XXXXXXxx
		Estimated Date/Time Servic		735671.8	SERV STAT 19MAR14	
19MAR14	22:50	Asset Comments	7958.9 AFHR	0.0	MTF MTF 7958.9	XXXXXXxx
20MAR14	00:29	Initiate Toolboard	7958.9 AFHR	xxxx	14 B/F	XXXXXXxx
20MAR14	00:30	Clear Toolboard	7958.9 AFHR	xxxx	14	XXXXXXxx
20MAR14	02:25	Maintenance Release		1.8	M PEA A	
		Change Serviceability Stat	7958.9 AFHR	1.8	A1PXXX1402851	XXXXXXxx
		Maintenance Comment		0.0	U/S SERV	
		Estimated Date/Time Servic		0.8	MTF 19MAR14 05:23	
20MAR14	04:10	Into Maintenance	7958.9 AFHR	0.0	SERV STAT A	
20MAR14	04:31	Change Serviceability Stat	7959.8 AFHR	0.0	A1PXXO1402031	XXXXXXxx
		Estimated Date/Time Servic		735677.9	SERV U/S A1PXXU1403525	XXXXXXxx
20MAR14	09:09	Asset Comments	7959.8 AFHR	0.0	SERV STAT 21MAR14	
20MAR14	09:09	Initiate Toolboard	7959.8 AFHR	xxxx	A1PXXX1402872	XXXXXXxx
		Asset Comments	7959.8 AFHR	0.0	14 B/F	XXXXXXxx
26MAR14	02:36	Asset Comments	7959.8 AFHR	0.0	MTF 7959.8 LOW POWER	XXXXXXxx
26MAR14	03:31	Clear Toolboard	7959.8 AFHR	xxxx	A1PXXX1403044	XXXXXXxx
		Asset Comments	7959.8 AFHR	0.0	14	XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02244  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
26MAR14	03:33	Maintenance Release	5.9	M PEA A		
		7959.8 AFHR		A1PXXX1403052		XXxxXXxx
		Change Serviceability Stat	5.9	U/S		
		Estimated Date/Time Servic	0.9	SERV 21MAR14 04:31		
				SERV STAT		
26MAR14	04:55	Into Maintenance	0.0	A		
		7959.8 AFHR		M PEA A1PXXO1402182		XXxxXXxx
26MAR14	07:15	Maintenance Release	0.0	M PEA		
		7959.8 AFHR		A A1PXXX1403068		XXxxXXxx
26MAR14	10:00	Into Maintenance	0.1	A		
		7959.8 AFHR		M PEA A1PXXO1402216		XXxxXXxx
26MAR14	10:55	Initiate Toolboard	xxxx	14 B/F		XXxxXXxx
		7959.8 AFHR				XXxxXXxx
26MAR14	10:55	Clear Toolboard	xxxx	14		XXxxXXxx
		7959.8 AFHR				XXxxXXxx
27MAR14	05:38	Maintenance Release	0.8	M PEA		
		7959.8 AFHR		A A1PXXX1403107		XXxxXXxx
27MAR14	08:27	Into Maintenance	0.1	A		
		7959.8 AFHR		A1PXXO1402250		XXxxXXxx
27MAR14	08:50	Change Serviceability Stat	0.0	SERV		
		7960.6 AFHR		U/S A1PXXU1403855		XXxxXXxx
		Estimated Date/Time Servic	735683.7	SERV STAT 28MAR14		
27MAR14	08:51	Asset Comments	0.0			
		7960.6 AFHR		A1PXXX1403115		XXxxXXxx
01APR14	09:17	Initiate Toolboard	xxxx	14 B/F		XXxxXXxx
		7960.6 AFHR				XXxxXXxx
01APR14	09:18	Clear Toolboard	xxxx	14		XXxxXXxx
		7960.6 AFHR				XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02245  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
02APR14 06:11	Asset Comments	7960.6 AFHR	0.0	AIRTEST AT A1PXXX1403349	XXxxXXxx
02APR14 06:11	Maintenance Release	7960.6 AFHR	5.8	M PEA A A1PXXX1403350	XXxxXXxx
	Change Serviceability Stat		5.8	U/S SERV	
	Estimated Date/Time Servic		0.8	28MAR14 08:50 SERV STAT	
02APR14 08:54	Into Maintenance	7960.6 AFHR	0.1	A A1PXXO1402439	XXxxXXxx
02APR14 10:54	Initiate Toolboard	7961.9 AFHR	xxxx	14 B/F	XXxxXXxx
02APR14 10:54	Clear Toolboard	7961.9 AFHR	xxxx	14	XXxxXXxx
02APR14 11:36	Change Serviceability Stat	7961.9 AFHR	0.1	SERV U/S A1PXXU1404110	XXxxXXxx
	Estimated Date/Time Servic		735690.7	SERV STAT 03APR14	
02APR14 11:38	Asset Comments	7961.9 AFHR	0.0	A1PXXX1403355	XXxxXXxx
13APR14 22:47	Initiate Toolboard	7961.9 AFHR	xxxx	14 B/F	XXxxXXxx
13APR14 22:48	Clear Toolboard	7961.9 AFHR	xxxx	14	XXxxXXxx
14APR14 00:08	Maintenance Release	7961.9 AFHR	11.5	M PEA A A1PXXX1403702	XXxxXXxx
	Change Serviceability Stat		11.5	U/S SERV	
	Estimated Date/Time Servic		0.5	03APR14 11:36 SERV STAT	
14APR14 08:12	Into Maintenance	7962.6 AFHR	0.3	A M PEA A1PXXO1402745	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02246  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
14APR14	11:10	Initiate Toolboard 7963.9 AFHR	xxxx	14 B/F		XXxxXXxx
14APR14	11:10	Clear Toolboard 7963.9 AFHR	xxxx	14		XXxxXXxx
14APR14	22:25	Maintenance Release 7963.9 AFHR	0.5	M PEA A A1PXXX1403761		XXxxXXxx
15APR14	09:09	Into Maintenance 7966.4 AFHR	0.4	A A1PXXO1402795		XXxxXXxx
15APR14	09:50	Change Serviceability Stat 7967.6 AFHR	0.0	SERV U/S A1PXXU1404403		XXxxXXxx
		Estimated Date/Time Servic	735702.5	SERV STAT 16APR14		
15APR14	10:52	Initiate Toolboard 7967.6 AFHR	xxxx	14 B/F		XXxxXXxx
15APR14	10:52	Clear Toolboard 7967.6 AFHR	xxxx	14		XXxxXXxx
16APR14	00:47	Maintenance Release 7967.6 AFHR	0.6	M PEA A A1PXXX1403852		XXxxXXxx
		Change Serviceability Stat	0.6	U/S SERV		
		Estimated Date/Time Servic	0.6	16APR14 09:50 SERV STAT		
16APR14	08:25	Into Maintenance 7969.0 AFHR	0.3	A M PEA A1PXXO1402818		XXxxXXxx
16APR14	09:11	Initiate Toolboard 7970.2 AFHR	xxxx	14 B/F		XXxxXXxx
16APR14	09:11	Clear Toolboard 7970.2 AFHR	xxxx	14		XXxxXXxx
16APR14	22:34	Maintenance Release 7970.2 AFHR	0.5	M PEA A A1PXXX1403882		XXxxXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02247  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
17APR14	01:51	Into Maintenance 7970.2 AFHR	0.1	A A1PXXO1402837		XXxxXXxx
28APR14	00:26	Asset Comments 7971.5 AFHR	0.0	R SERV A1PXXX1404108	R2	XXxxXXxx
28APR14	01:53	Change Serviceability Stat 7971.5 AFHR	11.0	SERV U/S A1PXXU1305160		XXxxXXxx
		Estimated Date/Time Servic	735704.9	SERV STAT 29APR14		
15MAY14	02:30	Initiate Toolboard 7971.5 AFHR	xxxx	14 B/F		XXxxXXxx
15MAY14	02:30	Asset Comments 7971.5 AFHR	0.0	MTF A1PXXX1404991	R2	XXxxXXxx
15MAY14	03:21	Clear Toolboard 7971.5 AFHR	xxxx	14		XXxxXXxx
15MAY14	03:41	Maintenance Release 7971.5 AFHR	17.0	M PEA A A1PXXX1405001		XXxxXXxx
		Change Serviceability Stat	17.0	U/S SERV		
		Maintenance Comment	0.0	TEST FLIGHT		
		Estimated Date/Time Servic	1.0	29APR14 01:53 SERV STAT		
15MAY14	06:30	Into Maintenance 7971.5 AFHR	0.1	A A1PXXO1403644		XXxxXXxx
15MAY14	08:56	Change Serviceability Stat 7972.7 AFHR	0.1	SERV U/S A1PXXU1405113		XXxxXXxx
		Estimated Date/Time Servic	735733.7	SERV STAT 16MAY14		
15MAY14	08:56	Initiate Toolboard 7972.7 AFHR	xxxx	14 B/F		XXxxXXxx
30MAY14	00:32	Estimated Date/Time Servic 7972.7 AFHR	0.6	16MAY14 08:56 04JUL14 08:56 A1PXXX1405562	D K	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02248  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
06JUL14 22:56	Clear Toolboard			xxxx	14	
	7972.7	AFHR				XXxxXXxx
07JUL14 09:43	Initiate Toolboard			xxxx	14 B/F	
	7972.7	AFHR				XXxxXXxx
07JUL14 09:43	Clear Toolboard			xxxx	14	
	7972.7	AFHR				XXxxXXxx
08JUL14 02:08	Change Serviceability Stat			53.7	U/S	
	7972.7	AFHR			SERV	
	Estimated Date/Time	Servic		35.0	A1PXXX1406961	XXxxXXxx
					04JUL14 00:00	D K
					SERV STAT	
08JUL14 09:15	Initiate Toolboard			xxxx	14 B/F	
	7972.7	AFHR				XXxxXXxx
08JUL14 11:08	Clear Toolboard			xxxx	14	
	7972.7	AFHR				XXxxXXxx
09JUL14 09:02	Initiate Toolboard			xxxx	14 B/F	
	7972.7	AFHR				XXxxXXxx
09JUL14 11:17	Clear Toolboard			xxxx	14	
	7972.7	AFHR				XXxxXXxx
10JUL14 00:38	Maintenance Release			1.9	M PEA	
	7972.7	AFHR			A	
	Maintenance Comment			0.0	A1PXXX1407088	XXxxXXxx
10JUL14 02:38	Into Maintenance			0.0	MTF	
	7972.7	AFHR			M	
					A1PXXO1405198	XXxxXXxx
10JUL14 03:05	Into Maintenance			0.1	A	
	7972.7	AFHR			A1PXXO1405187	XXxxXXxx
10JUL14 03:06	Change Serviceability Stat			0.0	SERV	
	7972.7	AFHR			U/S	
	Estimated Date/Time	Servic		735787.9	A1PXXU1408304	XXxxXXxx
					SERV STAT	
					11JUL14	
10JUL14 03:06	Asset Comments			0.0		
	7972.7	AFHR			A1PXXX1407097	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02249  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
10JUL14 03:07	Maintenance Release	0.0	M PEA A	
	7972.7 AFHR Change Serviceability Stat	0.0	A1PXXX1407098 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.0	SERV 11JUL14 03:06 SERV STAT	
10JUL14 07:44	Into Maintenance	0.1	A M PEA	
	7973.6 AFHR Initiate Toolboard	xxxx	A1PXXO1405199 14 B/F	XXxxXXxx
	7974.9 AFHR Clear Toolboard	xxxx	14	XXxxXXxx
10JUL14 10:09	Maintenance Release	0.6	M PEA A	
	7974.9 AFHR Into Maintenance	0.3	A1PXXX1407121 A	XXxxXXxx
11JUL14 07:04	Change Serviceability Stat	0.0	A1PXXO1405251 SERV	XXxxXXxx
	7977.7 AFHR Estimated Date/Time Servic	735789.8	U/S A1PXXU1408283 SERV STAT 12JUL14	XXxxXXxx
13JUL14 23:16	Initiate Toolboard	xxxx	14 B/F	
	7977.7 AFHR Clear Toolboard	xxxx	14	XXxxXXxx
14JUL14 00:35	Maintenance Release	2.6	M PEA A	
	7977.7 AFHR Change Serviceability Stat	2.6	A1PXXX1407194 U/S	XXxxXXxx
	Estimated Date/Time Servic	0.6	SERV 12JUL14 07:49 SERV STAT	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02250  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
14JUL14	03:33	Into Maintenance 7977.7 AFHR	0.1	A	A1PXXO1405254	XXxxXXxx
14JUL14	03:34	Change Serviceability Stat 7977.7 AFHR	0.0	SERV U/S	A1PXXU1408615	XXxxXXxx
		Estimated Date/Time Servic	735793.8	SERV STAT 15JUL14		
14JUL14	04:45	Maintenance Release 7977.7 AFHR	0.0	M PEA A	A1PXXX1407251	XXxxXXxx
		Change Serviceability Stat	0.0	U/S SERV		
		Estimated Date/Time Servic	1.0	15JUL14 03:36 SERV STAT		
14JUL14	08:40	Into Maintenance 7977.7 AFHR	0.1	A	A1PXXO1405271	XXxxXXxx
14JUL14	09:16	Initiate Toolboard 7979.5 AFHR	xxxx	14 B/F		XXxxXXxx
14JUL14	09:17	Clear Toolboard 7979.5 AFHR	xxxx	14		XXxxXXxx
14JUL14	22:10	Maintenance Release 7979.5 AFHR	0.5	M PEA A	A1PXXX1407274	XXxxXXxx
15JUL14	08:51	Asset Comments 7982.2 AFHR	0.0	YPKG	AWAY - YPKG	
15JUL14	08:51	Operator Acceptance 7982.2 AFHR	0.0	A1PXXX1407385 aip02017		XXxxXXxx
15JUL14	09:30	Into Maintenance 7982.2 AFHR	0.4	A	A1PXXX1407388	XXxxXXxx
		7982.2 AFHR		M PEA A1PXXO1405348		XXxxXXxx
15JUL14	09:35	Initiate Toolboard 7983.8 AFHR	xxxx	14 B/F		XXxxXXxx
16JUL14	04:40	Operator Release 7982.2 AFHR	0.0	J. MCLEAN A1PXXX1407454		XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02251  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
16JUL14	04:41	Asset Comments	7983.8 AFHR	0.0	A1PXXX1407455	XXxxXXxx
16JUL14	04:42	Clear Toolboard	7983.8 AFHR	xxxx	14	XXxxXXxx
16JUL14	04:42	Maintenance Release	7983.8 AFHR	0.7	M PEA A	XXxxXXxx
16JUL14	08:17	Into Maintenance	7983.8 AFHR	0.1	A1PXXX1407456 A	XXxxXXxx
16JUL14	08:20	Initiate Toolboard	7985.4 AFHR	xxxx	M PEA A1PXXO1405389	XXxxXXxx
16JUL14	09:01	Asset Comments	7986.9 AFHR	0.0	14 B/F	XXxxXXxx
16JUL14	09:02	Operator Acceptance	7985.4 AFHR	0.0	YGEL AWAY - YGEL A1PXXX1407473	XXxxXXxx
17JUL14	03:58	Operator Release	7985.4 AFHR	0.0	aip02017 A1PXXX1407477	XXxxXXxx
17JUL14	03:59	Asset Comments	7985.4 AFHR	0.0	J. MCLEAN A1PXXX1407522	XXxxXXxx
17JUL14	04:00	Clear Toolboard	7986.9 AFHR	xxxx	A1PXXX1407523	XXxxXXxx
17JUL14	04:00	Maintenance Release	7986.9 AFHR	0.8	14 M PEA A	XXxxXXxx
17JUL14	09:06	Operator Acceptance	7988.4 AFHR	0.0	A1PXXX1407524 aip02017	XXxxXXxx
17JUL14	09:07	Asset Comments	7988.4 AFHR	0.0	A1PXXX1407542	XXxxXXxx
18JUL14	03:09	Into Maintenance	7988.4 AFHR	0.9	YGEL AWAY - YGEL A1PXXX1407544	XXxxXXxx
18JUL14	04:14	Operator Release	7989.9 AFHR	0.0	A A1PXXO1405444	XXxxXXxx
18JUL14	04:30	Asset Comments	7988.4 AFHR	0.0	J. MCLEAN A1PXXX1407602	XXxxXXxx
18JUL14	04:30	Asset Comments	7991.3 AFHR	0.0	A1PXXX1407604	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02252  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
18JUL14 07:29	Change Serviceability Stat	0.1	SERV U/S	
	7991.3 AFHR		A1PXXU1408569	XXxxXXxx
	Estimated Date/Time Servic	735793.8	SERV STAT 19JUL14	
20JUL14 23:23	Initiate Toolboard	xxxx	14 A/F	
	7991.3 AFHR			XXxxXXxx
20JUL14 23:24	Initiate Toolboard	xxxx	14 B/F	
	7991.3 AFHR			XXxxXXxx
20JUL14 23:24	Clear Toolboard	xxxx	14	
	7991.3 AFHR			XXxxXXxx
21JUL14 00:56	Maintenance Release	2.7	M PEA A	
	7991.3 AFHR		A1PXXX1407636	XXxxXXxx
	Change Serviceability Stat	2.7	U/S	
	Estimated Date/Time Servic	0.7	SERV 19JUL14 07:29	
21JUL14 08:09	Into Maintenance	0.3	SERV STAT A	
	7992.4 AFHR		M PEA A1PXXO1405497	XXxxXXxx
21JUL14 09:48	Initiate Toolboard	xxxx	14 B/F	
	7993.8 AFHR			XXxxXXxx
21JUL14 09:48	Clear Toolboard	xxxx	14	
	7993.8 AFHR			XXxxXXxx
21JUL14 22:17	Maintenance Release	0.5	M PEA A	
	7993.8 AFHR		A1PXXX1407671	XXxxXXxx
22JUL14 06:24	Into Maintenance	0.3	A	
	7993.8 AFHR		M PEA A1PXXO1405537	XXxxXXxx
22JUL14 11:56	Initiate Toolboard	xxxx	14 B/F	
	7995.3 AFHR			XXxxXXxx
22JUL14 11:57	Clear Toolboard	xxxx	14	
	7995.3 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02253  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
22JUL14	22:19	Maintenance Release	0.6	M PEA A		
		7995.3 AFHR		A1PXXX1407723		XXxxXXxx
23JUL14	07:39	Into Maintenance	0.3	M PEA A		
		7996.7 AFHR		A1PXXO1405587		XXxxXXxx
23JUL14	10:48	Initiate Toolboard	xxxx	14 B/F		
		7998.1 AFHR				XXxxXXxx
23JUL14	10:48	Clear Toolboard	xxxx	14		
		7998.1 AFHR				XXxxXXxx
23JUL14	22:29	Maintenance Release	0.6	M PEA A		
		7998.1 AFHR		A1PXXX1407813		XXxxXXxx
24JUL14	04:40	Into Maintenance	0.2	A		
		7999.5 AFHR		A1PXXO1405605		XXxxXXxx
24JUL14	11:09	Change Serviceability Stat	0.2	SERV U/S		
		8002.3 AFHR		A1PXXU1409099		XXxxXXxx
		Estimated Date/Time Servic	735800.5	SERV STAT 25JUL14		
24JUL14	12:35	Initiate Toolboard	xxxx	14 B/F		
		8002.3 AFHR				XXxxXXxx
24JUL14	12:36	Clear Toolboard	xxxx	14		
		8002.3 AFHR				XXxxXXxx
24JUL14	22:32	Change Serviceability Stat	0.4	U/S SERV		
		8002.3 AFHR		A1PXXX1407859		XXxxXXxx
		Estimated Date/Time Servic	1.4	25JUL14 11:10 SERV STAT		
24JUL14	22:43	Maintenance Release	0.0	M PEA A		
		8002.3 AFHR		A1PXXX1407868		XXxxXXxx
25JUL14	06:33	Into Maintenance	0.3	A		
		8003.9 AFHR		A1PXXO1405670		XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02254  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
25JUL14 06:34	Change Serviceability Stat	0.0	SERV U/S A1PXXU1408858	XXxxXXxx
	8003.9 AFHR Estimated Date/Time Servic	735804.6	SERV STAT 26JUL14 14 B/F	
27JUL14 23:02	Initiate Toolboard	xxxx	14	XXxxXXxx
	8003.9 AFHR			
27JUL14 23:06	Clear Toolboard	xxxx	14	XXxxXXxx
	8003.9 AFHR			
28JUL14 01:10	Maintenance Release	2.7	M PEA A A1PXXX1407913	XXxxXXxx
	8003.9 AFHR Change Serviceability Stat	2.7	U/S SERV 26JUL14 06:34	
	Estimated Date/Time Servic	0.7	SERV STAT	
28JUL14 03:24	Into Maintenance	0.0	A M PEA A1PXXO1405697	XXxxXXxx
	8003.9 AFHR Initiate Toolboard	xxxx	14 B/F	
28JUL14 09:54	Initiate Toolboard	xxxx	14	XXxxXXxx
	8007.1 AFHR			
28JUL14 09:54	Clear Toolboard	xxxx	14	XXxxXXxx
	8007.1 AFHR			
28JUL14 09:58	Maintenance Release	0.2	M PEA A A1PXXX1407988	XXxxXXxx
	8007.1 AFHR Into Maintenance	0.0	A A1PXXO1405741	XXxxXXxx
28JUL14 11:28	Into Maintenance	0.0	SERV U/S A1PXXU1409263	XXxxXXxx
	8007.1 AFHR Change Serviceability Stat	0.0	SERV STAT 29JUL14	
	Estimated Date/Time Servic	735807.5	AIRTEST EFIS OPS A1PXXX1408022	XXxxXXxx
28JUL14 13:09	Asset Comments	0.0		
	8007.1 AFHR			

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02255  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
28JUL14 22:42	Maintenance Release	0.4	M PEA A A1PXXX1408042	XXxxXXxx
	8007.1 AFHR Change Serviceability Stat	0.4	U/S SERV	
	Estimated Date/Time Servic	1.4	29JUL14 12:55 SERV STAT	
29JUL14 06:43	Into Maintenance	0.3	A A1PXXO1405769	XXxxXXxx
29JUL14 06:51	8007.1 AFHR Change Serviceability Stat	0.0	SERV U/S A1PXXU1409264	XXxxXXxx
	Estimated Date/Time Servic	735808.6	SERV STAT 30JUL14	
29JUL14 06:58	Asset Comments	0.0	A1PXXX1408077	XXxxXXxx
29JUL14 09:00	8008.4 AFHR Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
29JUL14 09:44	8008.4 AFHR Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
29JUL14 09:44	8008.4 AFHR Clear Toolboard	xxxx	14	XXxxXXxx
29JUL14 09:55	8008.4 AFHR Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
29JUL14 09:56	8008.4 AFHR Clear Toolboard	xxxx	14	XXxxXXxx
29JUL14 10:03	8008.4 AFHR Maintenance Release	0.1	M PEA A A1PXXX1408083	XXxxXXxx
	Change Serviceability Stat	0.1	U/S SERV	
	Estimated Date/Time Servic	1.1	30JUL14 06:51 SERV STAT	
29JUL14 11:11	8008.4 AFHR Into Maintenance	0.0	A A1PXXO1405797	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02256  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
29JUL14 12:56	Change Serviceability Stat	0.0	SERV U/S A1PXXU1409303	XXxxXXxx
	8008.4 AFHR Estimated Date/Time Servic	735808.8	SERV STAT 30JUL14	
29JUL14 22:36	Maintenance Release	0.4	M PEA A A1PXXX1408098	XXxxXXxx
	8008.4 AFHR Change Serviceability Stat	0.4	U/S SERV 30JUL14 12:57	
	Estimated Date/Time Servic	1.4	SERV STAT A	
30JUL14 08:28	Into Maintenance	0.4	M PEA A1PXXO1405856	XXxxXXxx
	8011.3 AFHR Initiate Toolboard	xxxx	14 B/F	
	8012.9 AFHR Clear Toolboard	xxxx	14	XXxxXXxx
30JUL14 09:57	Maintenance Release	0.0	M PEA A A1PXXX1408142	XXxxXXxx
	8012.9 AFHR Into Maintenance	0.1	A M PEA A1PXXO1405867	XXxxXXxx
30JUL14 22:44	Maintenance Release	0.4	M PEA A A1PXXX1408157	XXxxXXxx
	8014.5 AFHR Into Maintenance	0.3	A M PEA A1PXXO1405912	XXxxXXxx
31JUL14 07:14	Maintenance Release	0.1	M PEA A A1PXXX1408196	XXxxXXxx
	8016.2 AFHR Maintenance Release	0.1		
	8017.6 AFHR			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02257  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
31JUL14 10:42	Into Maintenance	0.0	A M PEA	
	8017.6 AFHR		A1PXXO1405925	XXxxXXxx
31JUL14 10:42	Initiate Toolboard	xxxx	14 B/F	
	8017.6 AFHR			XXxxXXxx
31JUL14 10:43	Clear Toolboard	xxxx	14	
	8017.6 AFHR			XXxxXXxx
31JUL14 10:43	Maintenance Release	0.0	M PEA	
	8017.6 AFHR		A A1PXXX1408198	XXxxXXxx
31JUL14 14:41	Into Maintenance	0.1	A	
	8018.6 AFHR		M PEA A1PXXO1405934	XXxxXXxx
31JUL14 22:41	Maintenance Release	0.3	M PEA	
	8019.7 AFHR		A A1PXXX1408214	XXxxXXxx
01AUG14 03:49	Into Maintenance	0.2	A	
	8019.7 AFHR		A1PXXO1405946	XXxxXXxx
01AUG14 06:40	Change Serviceability Stat	0.1	SERV U/S	
	8021.5 AFHR		A1PXXU1409184	XXxxXXxx
	Estimated Date/Time Servic	735809.6	SERV STAT 02AUG14	
03AUG14 23:22	Initiate Toolboard	xxxx	14 B/F	
	8021.5 AFHR			XXxxXXxx
03AUG14 23:22	Clear Toolboard	xxxx	14	
	8021.5 AFHR			XXxxXXxx
04AUG14 00:25	Maintenance Release	2.7	M PEA	
	8021.5 AFHR		A A1PXXX1408264	XXxxXXxx
	Change Serviceability Stat	2.7	U/S	
	Estimated Date/Time Servic	0.7	SERV 02AUG14 06:40 SERV STAT	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02258  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
04AUG14	08:33	Into Maintenance	0.3	A		
		8022.8 AFHR		M PEA		
04AUG14	09:55	Initiate Toolboard	xxxx	A1PXXO1406019		XXxxXXxx
		8024.3 AFHR		14 B/F		
04AUG14	09:55	Clear Toolboard	xxxx	14		XXxxXXxx
		8024.3 AFHR				
04AUG14	22:19	Maintenance Release	0.5	M PEA		XXxxXXxx
		8024.3 AFHR		A		
05AUG14	05:07	Into Maintenance	0.2	A1PXXX1408302		XXxxXXxx
		8025.6 AFHR		A		
05AUG14	05:08	Change Serviceability Stat	0.0	A1PXXO1406042		XXxxXXxx
		8025.6 AFHR		SERV		
		Estimated Date/Time Servic	735814.8	U/S		
				A1PXXU1409671		XXxxXXxx
05AUG14	09:04	Initiate Toolboard	xxxx	SERV STAT		
		8025.6 AFHR		06AUG14		
05AUG14	09:05	Change Serviceability Stat	0.1	14 B/F		XXxxXXxx
		8025.6 AFHR		U/S		
		Estimated Date/Time Servic	1.1	SERV		
				A1PXXX1408335		XXxxXXxx
05AUG14	09:55	Clear Toolboard	xxxx	06AUG14 05:09		
		8025.6 AFHR		SERV STAT		
05AUG14	10:03	Asset Comments	0.0	14		XXxxXXxx
		8025.6 AFHR		A/T 8025.6 A/T		
05AUG14	22:15	Maintenance Release	0.5	A1PXXX1408341		XXxxXXxx
		8025.6 AFHR		M PEA		
06AUG14	08:12	Into Maintenance	0.4	A		XXxxXXxx
		8025.6 AFHR		A1PXXX1408348		
				A		
				A1PXXO1406106		XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02259  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
06AUG14 08:33	Change Serviceability Stat	8027.0 AFHR Estimated Date/Time Serv	0.0	SERV U/S A1PXXU1409673	XXxxXXxx
06AUG14 13:02	Initiate Toolboard	8027.0 AFHR	xxxx	14 B/F	XXxxXXxx
06AUG14 13:02	Clear Toolboard	8027.0 AFHR	xxxx	14	XXxxXXxx
07AUG14 13:23	Initiate Toolboard	8027.0 AFHR	xxxx	14 B/F	XXxxXXxx
07AUG14 13:24	Clear Toolboard	8027.0 AFHR	xxxx	14	XXxxXXxx
07AUG14 23:12	Asset Comments	8027.0 AFHR	0.0		
07AUG14 23:12	Maintenance Release	8027.0 AFHR	1.6	A1PXXX1408489 M PEA A	XXxxXXxx
	Change Serviceability Stat	8027.0 AFHR	1.6	A1PXXX1408490 U/S	XXxxXXxx
	Estimated Date/Time Serv		1.6	SERV 07AUG14 08:33 SERV STAT	
08AUG14 05:35	Into Maintenance	8027.0 AFHR	0.2	A A1PXXO1406175	XXxxXXxx
08AUG14 06:13	Change Serviceability Stat	8028.3 AFHR Estimated Date/Time Serv	0.0	SERV U/S A1PXXU1409612	XXxxXXxx
10AUG14 23:07	Initiate Toolboard	8028.3 AFHR	xxxx	14 B/F	XXxxXXxx
10AUG14 23:07	Clear Toolboard	8028.3 AFHR	xxxx	14	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02260  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
11AUG14 00:50	Maintenance Release	2.7	M PEA A	
	8028.3 AFHR Change Serviceability Stat	2.7	A1PXXX1408596 U/S	XXxxXXxx
	Estimated Date/Time Servic	0.7	SERV 09AUG14 06:13 SERV STAT	
11AUG14 09:39	Into Maintenance	0.3	A	
	8028.3 AFHR		A1PXXO1406226	XXxxXXxx
11AUG14 09:40	Initiate Toolboard	xxxx	14 B/F	
	8028.3 AFHR			XXxxXXxx
11AUG14 09:40	Clear Toolboard	xxxx	14	
	8028.3 AFHR			XXxxXXxx
11AUG14 11:27	Change Serviceability Stat	0.0	SERV U/S	
	8028.3 AFHR Estimated Date/Time Servic	735821.5	A1PXXU1410023 SERV STAT 12AUG14	XXxxXXxx
11AUG14 22:30	Maintenance Release	0.4	M PEA A	
	8028.3 AFHR Change Serviceability Stat	0.4	A1PXXX1408633 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.4	SERV 12AUG14 11:27 SERV STAT	
12AUG14 08:26	Into Maintenance	0.4	A	
	8028.3 AFHR		A1PXXO1406274	XXxxXXxx
12AUG14 09:23	Initiate Toolboard	xxxx	14 B/F	
	8031.3 AFHR			XXxxXXxx
12AUG14 09:23	Clear Toolboard	xxxx	14	
	8031.3 AFHR			XXxxXXxx
12AUG14 22:39	Change Serviceability Stat	0.5	SERV U/S	
	8031.3 AFHR Estimated Date/Time Servic	735821.9	A1PXXU1410107 SERV STAT 13AUG14	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02261  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
12AUG14	23:36	Maintenance Release	0.0	M PEA A		
		8031.3 AFHR		A1PXXX1408685		XXxxXXxx
		Change Serviceability Stat	0.0	U/S		
		Estimated Date/Time Servic	1.0	SERV 13AUG14 22:39		
				SERV STAT		
13AUG14	05:59	Into Maintenance	0.2	A		
		8033.0 AFHR		M PEA A1PXXO1406317		XXxxXXxx
13AUG14	09:31	Initiate Toolboard	xxxx	14 B/F		
		8034.3 AFHR				XXxxXXxx
13AUG14	09:31	Clear Toolboard	xxxx	14		
		8034.3 AFHR				XXxxXXxx
13AUG14	22:39	Maintenance Release	0.6	M PEA A		
		8034.3 AFHR		A1PXXX1408725		XXxxXXxx
14AUG14	09:33	Into Maintenance	0.4	A		
		8036.9 AFHR		M PEA A1PXXO1406377		XXxxXXxx
14AUG14	09:34	Initiate Toolboard	xxxx	14 B/F		
		8036.9 AFHR				XXxxXXxx
14AUG14	09:37	Clear Toolboard	xxxx	14		
		8036.9 AFHR				XXxxXXxx
14AUG14	22:35	Maintenance Release	0.5	M PEA A		
		8036.9 AFHR		A1PXXX1408777		XXxxXXxx
15AUG14	06:21	Into Maintenance	0.3	A		
		8038.3 AFHR		A1PXXO1406455		XXxxXXxx
15AUG14	06:27	Change Serviceability Stat	0.0	SERV		
		Estimated Date/Time Servic	735823.7	U/S A1PXXU1409975		XXxxXXxx
				SERV STAT 16AUG14		
17AUG14	23:54	Initiate Toolboard	xxxx	14 B/F		
		8039.6 AFHR				XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02262  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
18AUG14 00:02	Clear Toolboard	8039.6 AFHR	xxxx	14	XXXXXXxx
18AUG14 00:05	Maintenance Release	8039.6 AFHR	2.7	M PEA A A1PXXX1408855	XXXXXXxx
	Change Serviceability Stat		2.7	U/S SERV	
	Estimated Date/Time Servic		0.7	16AUG14 06:27 SERV STAT	
18AUG14 07:01	Into Maintenance	8040.7 AFHR	0.2	A A1PXXO1406545	XXXXXXxx
18AUG14 07:40	Change Serviceability Stat	8040.7 AFHR	0.0	SERV U/S A1PXXU1410354	XXXXXXxx
	Estimated Date/Time Servic		735828.6	SERV STAT 19AUG14	
18AUG14 09:33	Initiate Toolboard	8040.7 AFHR	xxxx	14 B/F	XXXXXXxx
18AUG14 09:33	Clear Toolboard	8040.7 AFHR	xxxx	14	XXXXXXxx
18AUG14 12:54	Asset Comments	8040.7 AFHR	0.0	AIRTEST AIRTEST A1PXXX1408937	XXXXXXxx
18AUG14 23:50	Maintenance Release	8040.7 AFHR	0.6	M PEA A A1PXXX1408952	XXXXXXxx
	Change Serviceability Stat		0.6	U/S SERV	
	Estimated Date/Time Servic		1.6	19AUG14 07:43 SERV STAT	
19AUG14 01:43	Into Maintenance	8040.7 AFHR	0.0	A A1PXXO1406561	XXXXXXxx
19AUG14 01:44	Change Serviceability Stat	8042.0 AFHR	0.0	SERV U/S A1PXXU1410355	XXXXXXxx
	Estimated Date/Time Servic		735829.9	SERV STAT 20AUG14	

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02263  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
19AUG14 01:47	Maintenance Release	0.0	M PEA A A1PXXX1408972	XXxxXXxx
	8042.0 AFHR Change Serviceability Stat	0.0	U/S SERV	
	Estimated Date/Time Servic	1.0	20AUG14 01:44 SERV STAT	
19AUG14 07:40	Into Maintenance	0.2	A M PEA A1PXXO1406610	XXxxXXxx
19AUG14 08:36	Asset Comments	0.0	8043.5 AFHR A1PXXX1409022	XXxxXXxx
19AUG14 11:16	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
19AUG14 11:17	Clear Toolboard	xxxx	14	XXxxXXxx
19AUG14 22:10	Maintenance Release	0.6	8045.1 AFHR M PEA A A1PXXX1409029	XXxxXXxx
20AUG14 06:56	Into Maintenance	0.3	A M PEA A1PXXO1406646	XXxxXXxx
20AUG14 06:58	Maintenance Release	0.0	M PEA A A1PXXX1409080	XXxxXXxx
20AUG14 07:11	Into Maintenance	0.0	A A1PXXO1406649	XXxxXXxx
20AUG14 07:14	Change Serviceability Stat	0.0	SERV U/S A1PXXU1405509	XXxxXXxx
	8047.9 AFHR Estimated Date/Time Servic	735829.7	SERV STAT 21AUG14	
20AUG14 12:33	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
20AUG14 12:33	Clear Toolboard	xxxx	14	XXxxXXxx
	8047.9 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02264  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----			
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
=====	=====	=====	=====	=====	=====
	LIFE SINCE NEW		TRANS REFERENCE		
20AUG14 22:13	Maintenance Release	0.6	M PEA A		
	8047.9 AFHR		A1PXXX1409083		XXxxXXxx
	Change Serviceability Stat	0.6	U/S		
	Estimated Date/Time Servic	1.6	SERV 21AUG14 07:14		
			SERV STAT		
21AUG14 07:02	Into Maintenance	0.3	A		
	8049.4 AFHR		M PEA A1PXXO1406705		XXxxXXxx
21AUG14 08:42	Initiate Toolboard	xxxx	14 B/F		
	8050.7 AFHR				XXxxXXxx
21AUG14 08:43	Clear Toolboard	xxxx	14		
	8050.7 AFHR				XXxxXXxx
21AUG14 22:32	Maintenance Release	0.6	M PEA A		
	8050.7 AFHR		A1PXXX1409155		XXxxXXxx
23AUG14 07:00	Into Maintenance	1.3	A		
	8050.7 AFHR		M LMO A1PXXO1406759		XXxxXXxx
24AUG14 21:48	Asset Comments	0.0	LMO	LMO	
	8050.7 AFHR		A1PXXX1409198		XXxxXXxx
25AUG14 00:34	Initiate Toolboard	xxxx	14 B/F		
	8053.3 AFHR				XXxxXXxx
25AUG14 00:35	Clear Toolboard	xxxx	14		
	8053.3 AFHR				XXxxXXxx
25AUG14 00:35	Maintenance Release	1.7	M LMO A		
	8053.3 AFHR		A1PXXX1409232		XXxxXXxx
25AUG14 05:18	Into Maintenance	0.1	A		
	8054.7 AFHR		A1PXXO1406785		XXxxXXxx
25AUG14 06:29	Change Serviceability Stat	0.0	SERV		
	8056.0 AFHR		U/S A1PXXU1410302		XXxxXXxx
	Estimated Date/Time Servic	735831.6	SERV STAT 26AUG14		

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02265  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
25AUG14	07:34	Initiate Toolboard 8056.0 AFHR	xxxx	14 B/F		XXxxXXxx
26AUG14	00:40	Clear Toolboard 8056.0 AFHR	xxxx	14		XXxxXXxx
26AUG14	00:40	Maintenance Release 8056.0 AFHR	0.7	M PEA A A1PXXX1409277		XXxxXXxx
		Change Serviceability Stat	0.7	U/S SERV		
		Estimated Date/Time Servic	0.7	26AUG14 06:29 SERV STAT		
26AUG14	02:12	Into Maintenance 8056.0 AFHR	0.0	A M LMO A1PXXO1406819		XXxxXXxx
26AUG14	07:52	Initiate Toolboard 8057.2 AFHR	xxxx	14 B/F		XXxxXXxx
26AUG14	07:53	Clear Toolboard 8057.2 AFHR	xxxx	14		XXxxXXxx
27AUG14	01:02	Maintenance Release 8057.2 AFHR	0.9	M LMO A A1PXXX1409370		XXxxXXxx
27AUG14	07:24	Into Maintenance 8057.2 AFHR	0.2	A M LMO A1PXXO1406882		XXxxXXxx
27AUG14	07:25	Initiate Toolboard 8057.2 AFHR	xxxx	14 B/F		XXxxXXxx
27AUG14	07:25	Clear Toolboard 8057.2 AFHR	xxxx	14		XXxxXXxx
28AUG14	00:49	Maintenance Release 8057.2 AFHR	0.7	M LMO A A1PXXX1409416		XXxxXXxx
28AUG14	07:45	Into Maintenance 8059.4 AFHR	0.2	A A1PXXO1406930		XXxxXXxx
28AUG14	07:47	Asset Comments 8060.9 AFHR	0.0	A1PXXX1409430		XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02266  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
28AUG14 09:42	Change Serviceability Stat	0.0	SERV U/S A1PXXU1410933	XXxxXXxx
	8060.9 AFHR Estimated Date/Time Servic	735836.6	SERV STAT 29AUG14	
28AUG14 10:42	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	8060.9 AFHR			
28AUG14 10:42	Clear Toolboard	xxxx	14	XXxxXXxx
	8060.9 AFHR			
28AUG14 23:01	Maintenance Release	0.5	M PEA A	
	8060.9 AFHR		A1PXXX1409440	XXxxXXxx
	Change Serviceability Stat	0.5	U/S	
	Estimated Date/Time Servic	1.5	SERV 29AUG14 09:42	
29AUG14 04:05	Into Maintenance	0.2	SERV STAT A	
	8060.9 AFHR		A1PXXO1406947	XXxxXXxx
29AUG14 04:08	Change Serviceability Stat	0.0	SERV U/S	
	8062.2 AFHR		A1PXXU1410956	XXxxXXxx
	Estimated Date/Time Servic	735839.7	SERV STAT 30AUG14	
31AUG14 23:02	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	8062.2 AFHR			
31AUG14 23:03	Clear Toolboard	xxxx	14	XXxxXXxx
	8062.2 AFHR			
31AUG14 23:03	Maintenance Release	2.7	M PEA A	
	8062.2 AFHR		A1PXXX1409491	XXxxXXxx
	Change Serviceability Stat	2.7	U/S	
	Estimated Date/Time Servic	1.7	SERV 30AUG14 04:08	
01SEP14 08:47	Into Maintenance	0.4	SERV STAT A	
	8063.6 AFHR		A1PXXO1407014	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02267  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
01SEP14 09:30	Initiate Toolboard	8063.6	AFHR	xxxx	14 B/F	
01SEP14 09:31	Clear Toolboard	8063.6	AFHR	xxxx	14	XXxxXXxx
01SEP14 10:58	Change Serviceability Stat	8063.6	AFHR	0.0	SERV U/S	
	Estimated Date/Time Servic			735842.5	A1PXXU1410741 SERV STAT	XXxxXXxx
02SEP14 00:02	Maintenance Release	8063.6	AFHR	0.5	02SEP14 M PEA A	
	Change Serviceability Stat	8063.6	AFHR	0.5	A1PXXX1409545 U/S	XXxxXXxx
	Estimated Date/Time Servic			0.5	SERV 02SEP14 10:58 SERV STAT	
02SEP14 07:15	Into Maintenance	8066.0	AFHR	0.3	A A1PXXO1407046	XXxxXXxx
02SEP14 09:40	Initiate Toolboard	8066.5	AFHR	xxxx	14 B/F	
02SEP14 09:41	Clear Toolboard	8066.5	AFHR	xxxx	14	XXxxXXxx
02SEP14 11:08	Change Serviceability Stat	8066.5	AFHR	0.1	SERV U/S	
	Estimated Date/Time Servic			735843.5	A1PXXU1411112 SERV STAT	XXxxXXxx
02SEP14 11:26	Asset Comments	8066.5	AFHR	0.0	03SEP14 AIRTEST REQD AHRS SYSTEM	
02SEP14 22:31	Maintenance Release	8066.5	AFHR	0.4	A1PXXX1409595 M PEA A	XXxxXXxx
	Change Serviceability Stat	8066.5	AFHR	0.4	A1PXXX1409615 U/S	XXxxXXxx
	Estimated Date/Time Servic			1.4	SERV 03SEP14 11:10 SERV STAT	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02268  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW		SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
03SEP14	02:40	Asset Comments			0.0		
		8066.5	AFHR			A1PXXX1409629	XXxxXXxx
03SEP14	02:40	Into Maintenance			0.1	A	
		8066.5	AFHR			A1PXXO1407079	XXxxXXxx
03SEP14	02:42	Change Serviceability Stat			0.0	SERV	
		8067.7	AFHR			U/S	
		Estimated Date/Time Servic			735844.8	A1PXXU1411113	XXxxXXxx
						SERV STAT	
03SEP14	02:44	Maintenance Release			0.0	04SEP14	
		8067.7	AFHR			M PEA	
		Change Serviceability Stat			0.0	A	
		Estimated Date/Time Servic			1.0	A1PXXX1409630	XXxxXXxx
						U/S	
03SEP14	08:44	Into Maintenance			0.2	SERV	
		8067.7	AFHR			04SEP14 02:42	
		Initiate Toolboard			xxxx	SERV STAT	
		8068.7	AFHR			A	
03SEP14	11:05	Clear Toolboard			xxxx	M PEA	
		8068.7	AFHR			A1PXXO1407113	XXxxXXxx
03SEP14	11:07	Maintenance Release			0.5	14 B/F	XXxxXXxx
		8068.7	AFHR			14	XXxxXXxx
03SEP14	22:58	Into Maintenance			0.3	M PEA	
		8068.7	AFHR			A	
04SEP14	08:32	Initiate Toolboard			xxxx	A1PXXX1409675	XXxxXXxx
		8070.0	AFHR			A	
04SEP14	09:03	Clear Toolboard			xxxx	M PEA	
		8072.0	AFHR			A1PXXO1407149	XXxxXXxx
04SEP14	09:03	Maintenance Release			0.5	14 B/F	XXxxXXxx
		8072.0	AFHR			14	XXxxXXxx
04SEP14	22:19	Into Maintenance			0.5	M PEA	
		8072.0	AFHR			A	
						A1PXXX1409740	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02269  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE		SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
05SEP14 05:01	Into Maintenance		0.2	A		
		8073.4 AFHR		M PEA		
07SEP14 22:38	Initiate Toolboard		xxxx	A1PXXO1407172		XXxxXXxx
		8074.7 AFHR		14 B/F		
07SEP14 22:38	Clear Toolboard		xxxx	14		XXxxXXxx
		8074.7 AFHR				
07SEP14 22:39	Maintenance Release		2.7	M PEA		XXxxXXxx
		8074.7 AFHR		A		
08SEP14 08:57	Into Maintenance		0.4	A1PXXX1409785		XXxxXXxx
		8075.8 AFHR		A		
15SEP14 07:12	Change Serviceability Stat		6.9	A1PXXO1407210		XXxxXXxx
		8075.8 AFHR		SERV		
	Estimated Date/Time Servic		735844.8	U/S		
				A1PXXU1411646		XXxxXXxx
22SEP14 11:16	Position Change		4042.1	SERV STAT		
		8075.8 AFHR		31DEC25		
	Maintenance Comment		0.0	A23T A	00	
	Estimated Date/Time Servic		1.1	A23T A	00	
				A1PXXX1410391		XXxxXXxx
				MPAN 022/2014 OBJECTIVE ID: AK9053341		
01OCT14 05:30	Asset Comments		0.0	16SEP14 07:13		
		8075.8 AFHR		SERV STAT		
01OCT14 07:51	Asset Comments		0.0	ENG CX	ENGINE SLOW TO ACCELERATE	XXxxXXxx
		8075.8 AFHR		A1PXXX1410742		
01OCT14 13:32	Initiate Toolboard		xxxx	MTF 8075.8	ENGINE CHANGE	XXxxXXxx
		8075.8 AFHR		A1PXXX1410746		
01OCT14 22:36	Clear Toolboard		xxxx	14 B/F		XXxxXXxx
		8075.8 AFHR				
01OCT14 22:36	Maintenance Release		16.6	14		XXxxXXxx
		8075.8 AFHR		M PEA		
	Change Serviceability Stat		16.6	A		
				A1PXXX1410754		XXxxXXxx
				U/S		
				SERV		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02270  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
02OCT14	04:30	Into Maintenance	0.2	A		
		8075.8 AFHR		M PEA		
02OCT14	11:41	Initiate Toolboard	xxxx	A1PXXO1407848		XXxxXXxx
		8076.0 AFHR		14 B/F		
02OCT14	11:41	Clear Toolboard	xxxx	14		XXxxXXxx
		8076.0 AFHR				
06OCT14	05:43	Initiate Toolboard	xxxx	14 B/F		XXxxXXxx
		8076.0 AFHR				
06OCT14	05:43	Clear Toolboard	xxxx	14		XXxxXXxx
		8076.0 AFHR				
06OCT14	05:44	Maintenance Release	4.0	M PEA		
		8076.0 AFHR		A		
06OCT14	07:30	Into Maintenance	0.0	A1PXXX1410904		XXxxXXxx
		8076.0 AFHR		A		
06OCT14	08:28	Asset Comments	0.0	A1PXXO1407928		XXxxXXxx
		8077.0 AFHR				
06OCT14	08:28	Change Serviceability Stat	0.0	A1PXXX1410917		XXxxXXxx
		8077.0 AFHR		SERV		
		Estimated Date/Time Servic	735864.1	U/S		
				A1PXXU1412397		XXxxXXxx
				SERV STAT		
06OCT14	09:49	Initiate Toolboard	xxxx	07OCT14		
		8077.0 AFHR		14 B/F		XXxxXXxx
06OCT14	09:49	Clear Toolboard	xxxx	14		XXxxXXxx
		8077.0 AFHR				
06OCT14	12:03	Asset Comments	0.0	MTF	MTF	XXxxXXxx
		8077.0 AFHR		A1PXXX1410924		
06OCT14	23:49	Maintenance Release	0.6	M PEA		
		8077.0 AFHR		A		
		Change Serviceability Stat	0.6	A1PXXX1410943		XXxxXXxx
		Estimated Date/Time Servic	1.6	U/S		
				SERV		
				07OCT14 08:28		
				SERV STAT		



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02271  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
07OCT14	02:42	Into Maintenance 8077.0 AFHR	0.1	A A1PXXO1407950		XXxxXXxx
07OCT14	02:51	Change Serviceability Stat 8077.2 AFHR	0.0	SERV U/S A1PXXU1412526		XXxxXXxx
		Estimated Date/Time Servic	735878.8	SERV STAT 08OCT14		
07OCT14	02:53	Asset Comments 8077.2 AFHR	0.0	A1PXXX1410952		XXxxXXxx
07OCT14	03:31	Maintenance Release 8077.2 AFHR	0.0	M PEA A A1PXXX1410953		XXxxXXxx
		Change Serviceability Stat	0.0	U/S SERV		
		Estimated Date/Time Servic	1.0	08OCT14 02:51 SERV STAT		
07OCT14	06:08	Into Maintenance	0.1	A M PEA		
07OCT14	09:29	Initiate Toolboard 8077.2 AFHR	xxxx	A1PXXO1407962		XXxxXXxx
07OCT14	09:30	Clear Toolboard 8078.6 AFHR	xxxx	14 B/F		XXxxXXxx
07OCT14	09:30	Maintenance Release 8078.6 AFHR	0.1	14 M PEA		XXxxXXxx
07OCT14	16:39	Into Maintenance 8078.6 AFHR	0.2	A A1PXXX1410972		XXxxXXxx
07OCT14	22:07	Change Serviceability Stat 8080.1 AFHR	0.2	A A1PXXO1407997		XXxxXXxx
		Estimated Date/Time Servic	735878.2	SERV U/S A1PXXU1412405		XXxxXXxx
				SERV STAT 08OCT14		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02272  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----			
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
=====	=====	=====	=====	=====	=====
	LIFE SINCE NEW		TRANS REFERENCE		
08OCT14 00:07	Maintenance Release	0.0	M PEA A		
	8081.2 AFHR		A1PXXX1411003		XXxxXXxx
	Change Serviceability Stat	0.0	U/S		
	Estimated Date/Time Servic	0.0	SERV 08OCT14 22:07		
			SERV STAT		
08OCT14 08:08	Into Maintenance	0.3	A		
	8082.5 AFHR		M PEA A1PXXO1408025		XXxxXXxx
08OCT14 08:30	Initiate Toolboard	xxxx	14 B/F		
	8083.8 AFHR				XXxxXXxx
08OCT14 09:00	Clear Toolboard	xxxx	14		
	8083.8 AFHR				XXxxXXxx
08OCT14 10:16	Maintenance Release	0.0	M PEA A		
	8083.8 AFHR		A1PXXX1411039		XXxxXXxx
08OCT14 12:10	Into Maintenance	0.0	A		
	8083.8 AFHR		M PEA A1PXXO1408032		XXxxXXxx
08OCT14 13:55	Asset Comments	0.0	NIGHT FLYING NIGHT FLYING LAST WAVE		
	8085.3 AFHR		A1PXXX1411067		XXxxXXxx
08OCT14 14:00	Maintenance Release	0.0	M PEA A		
	8085.3 AFHR		A1PXXX1411076		XXxxXXxx
08OCT14 16:03	Into Maintenance	0.0	A		
	8085.3 AFHR		M PEA A1PXXO1408040		XXxxXXxx
08OCT14 22:18	Asset Comments	0.0			
	8086.5 AFHR		A1PXXX1411081		XXxxXXxx
08OCT14 22:18	Maintenance Release	0.2	M PEA A		
	8086.5 AFHR		A1PXXX1411082		XXxxXXxx
09OCT14 08:05	Into Maintenance	0.4	A		
	8089.4 AFHR		M PEA A1PXXO1408069		XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02273  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN (DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
09OCT14	09:17	Initiate Toolboard 8090.9 AFHR	xxxx	14 B/F		XXxxXXxx
09OCT14	09:17	Clear Toolboard 8090.9 AFHR	xxxx	14		XXxxXXxx
09OCT14	12:29	Maintenance Release 8090.9 AFHR	0.1	M PEA A		
09OCT14	12:30	Into Maintenance 8090.9 AFHR	0.0	A1PXXX1411159 A		XXxxXXxx
09OCT14	23:04	Change Serviceability Stat 8091.9 AFHR	0.4	A1PXXO1408083 SERV U/S		XXxxXXxx
		Estimated Date/Time Servic	735879.0	A1PXXU1412672 SERV STAT		XXxxXXxx
09OCT14	23:11	Maintenance Release 8091.9 AFHR	0.0	10OCT14 M PEA A		
		Change Serviceability Stat 8091.9 AFHR	0.0	A1PXXX1411173 U/S		XXxxXXxx
		Estimated Date/Time Servic	1.0	SERV 10OCT14 23:04 SERV STAT		
10OCT14	06:38	Into Maintenance 8091.9 AFHR	0.3	A M PEA A1PXXO1408107		XXxxXXxx
12OCT14	22:23	Initiate Toolboard 8094.3 AFHR	xxxx	14 B/F		XXxxXXxx
12OCT14	22:24	Clear Toolboard 8094.3 AFHR	xxxx	14		XXxxXXxx
12OCT14	23:50	Maintenance Release 8094.3 AFHR	2.7	M PEA A		
		Asset Comments 8095.7 AFHR	0.0	A1PXXX1411212 KAL		XXxxXXxx
13OCT14	06:59	Operator Acceptance 8095.7 AFHR	0.0	A1PXXX1411249 aip01487		XXxxXXxx
		Maintenance Comment	0.0	A1PXXX1411250 DEPLOYED KAL		XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02274  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
14OCT14	03:54	Into Maintenance	8097.4 AFHR	1.1	A A1PXXO1408176	XXXXXXxx
14OCT14	04:53	Asset Comments	8097.4 AFHR	0.0	A1PXXX1411282	XXXXXXxx
14OCT14	09:33	Initiate Toolboard	8100.7 AFHR	xxxx	14 B/F	XXXXXXxx
14OCT14	09:34	Clear Toolboard	8100.7 AFHR	xxxx	14	XXXXXXxx
14OCT14	10:52	Change Serviceability Stat	8100.7 AFHR	0.2	SERV U/S A1PXXU1412586	XXXXXXxx
14OCT14	23:08	Maintenance Release	Estimated Date/Time Servic	735881.5	SERV STAT 15OCT14 M PEA A	
		Change Serviceability Stat	8100.7 AFHR	0.5	A1PXXX1411313	XXXXXXxx
		Estimated Date/Time Servic		1.5	U/S SERV 15OCT14 10:52 SERV STAT	
15OCT14	08:50	Asset Comments	8102.0 AFHR	0.0	ESP A1PXXX1411361	XXXXXXxx
15OCT14	08:50	Operator Acceptance	8102.0 AFHR	0.0	aip01487 A1PXXX1411362	XXXXXXxx
15OCT14	09:30	Maintenance Comment		0.0	DEPLYED ESP	
15OCT14	09:30	Initiate Toolboard	8105.2 AFHR	xxxx	14 B/F	XXXXXXxx
16OCT14	02:33	Into Maintenance	8103.7 AFHR	1.1	A M PEA A1PXXO1408262	XXXXXXxx
16OCT14	03:20	Asset Comments	8105.2 AFHR	0.0	A1PXXX1411397	XXXXXXxx
16OCT14	04:43	Clear Toolboard	8105.2 AFHR	xxxx	14	XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02275  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
16OCT14	04:43	Maintenance Release	0.0	M PEA		
		8105.2 AFHR		A		
				A1PXXX1411407		XXxxXXxx
16OCT14	07:40	Into Maintenance	0.1	A		
		8105.2 AFHR		A1PXXO1408365		XXxxXXxx
16OCT14	12:30	Asset Comments	0.0	ESP	ESP	
		8105.2 AFHR		A1PXXX1411416		XXxxXXxx
16OCT14	12:30	Operator Acceptance	0.0	aip01487		
		8105.2 AFHR		A1PXXX1411417		XXxxXXxx
		Maintenance Comment	0.0	DEPLOYED ESPERANCE		
20OCT14	05:40	Operator Acceptance	0.0	aip01783		
		8105.2 AFHR		A1PXXX1411523		XXxxXXxx
20OCT14	05:41	Operator Release	0.0	P. BENNETT		
		8105.2 AFHR		A1PXXX1411524		XXxxXXxx
20OCT14	05:46	Change Serviceability Stat	3.9	SERV		
		8110.7 AFHR		U/S		
		Estimated Date/Time Servic	735886.7	A1PXXU1413042		XXxxXXxx
				SERV STAT		
20OCT14	07:17	Into Maintenance	0.0	21OCT14		
		8110.7 AFHR		M		
				A1PXXO1408377		XXxxXXxx
20OCT14	07:26	Initiate Toolboard	xxxx	14 B/F		
		8110.7 AFHR				XXxxXXxx
20OCT14	07:27	Clear Toolboard	xxxx	14		
		8110.7 AFHR				XXxxXXxx
20OCT14	07:28	Asset Comments	0.0			
		8110.7 AFHR		A1PXXX1411530		XXxxXXxx
20OCT14	07:28	Maintenance Release	0.0	M PEA		
		8110.7 AFHR		A		
		Change Serviceability Stat	0.0	A1PXXX1411531		XXxxXXxx
				U/S		
		Estimated Date/Time Servic	1.0	SERV		
				21OCT14 05:46		
				SERV STAT		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02276  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN (DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
20OCT14 07:30	Into Maintenance			0.0	A M PEA	
20OCT14 09:33	Initiate Toolboard	8111.2	AFHR	xxxx	A1PXXO1408378	XXxxXXxx
20OCT14 23:22	Clear Toolboard	8111.2	AFHR	xxxx	14 B/F	XXxxXXxx
20OCT14 23:22	Maintenance Release	8111.2	AFHR	0.6	A M PEA	XXxxXXxx
21OCT14 00:50	Into Maintenance	8111.2	AFHR	0.0	A1PXXX1411546	XXxxXXxx
21OCT14 00:51	Change Serviceability Stat	8111.2	AFHR	0.0	A A1PXXO1408398	XXxxXXxx
	Estimated Date/Time Servic	8111.2	AFHR	735892.2	SERV U/S A1PXXU1413081	XXxxXXxx
21OCT14 01:12	Maintenance Release			0.0	SERV STAT 22OCT14 M PEA	
	Change Serviceability Stat	8111.2	AFHR	0.0	A A1PXXX1411557	XXxxXXxx
	Estimated Date/Time Servic			1.0	U/S SERV 22OCT14 00:52	
21OCT14 09:26	Into Maintenance			0.3	SERV STAT A	
21OCT14 09:26	Initiate Toolboard	8113.4	AFHR	xxxx	A1PXXO1408450	XXxxXXxx
21OCT14 09:27	Clear Toolboard	8113.4	AFHR	xxxx	14 B/F	XXxxXXxx
21OCT14 11:22	Change Serviceability Stat	8113.4	AFHR	0.0	14 SERV U/S	XXxxXXxx
	Estimated Date/Time Servic	8113.4	AFHR	735892.5	A1PXXU1412829	XXxxXXxx
					SERV STAT 22OCT14	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02277  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
22OCT14 00:28	Maintenance Release	0.5	M PEA A	
	8113.4 AFHR Change Serviceability Stat	0.5	A1PXXX1411626 U/S	XXxxXXxx
	Estimated Date/Time Servic	0.5	SERV 22OCT14 11:22 SERV STAT	
22OCT14 07:53	Into Maintenance	0.3	A M PEA	
	8114.8 AFHR Initiate Toolboard	xxxx	A1PXXO1408497 14 B/F	XXxxXXxx
	8116.0 AFHR Clear Toolboard	xxxx	14	XXxxXXxx
	8116.0 AFHR Maintenance Release	0.6	M PEA A	
	8116.0 AFHR Into Maintenance	0.3	A1PXXX1411690 A	XXxxXXxx
	8116.0 AFHR Initiate Toolboard	xxxx	M PEA A1PXXO1408533 14 B/F	XXxxXXxx
	8117.2 AFHR Clear Toolboard	xxxx	14	XXxxXXxx
	8117.2 AFHR Maintenance Release	3.6	M PEA A	
	8117.2 AFHR Into Maintenance	0.3	A1PXXX1411786 A	XXxxXXxx
	8120.0 AFHR Change Serviceability Stat	0.0	A1PXXO1408584 SERV U/S	XXxxXXxx
	8121.1 AFHR Estimated Date/Time Servic	735893.6	SERV STAT 28OCT14	XXxxXXxx
27OCT14 22:52	Asset Comments	0.0	R SERV R1 A1PXXX1411825	XXxxXXxx
	8121.1 AFHR			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02278  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
28OCT14 11:24		Asset Comments	8121.1 AFHR	0.0	MTF R1 + ELEVATOR R+I	
28OCT14 13:39		Maintenance Comment	8162.6 AFHR	0.0	POST R1 AMD VALIDATION & CAMM2 CHECK C/O REF:545417-1-1#2	XXxxXXxx
29OCT14 03:01		Initiate Toolboard	8121.1 AFHR	xxxx	14 B/F	XXxxXXxx
29OCT14 03:02		Clear Toolboard	8121.1 AFHR	xxxx	14	XXxxXXxx
29OCT14 03:51		Maintenance Release	8121.1 AFHR	1.8	M PEA	
		Change Serviceability Stat	8121.1 AFHR	1.8	A U/S	XXxxXXxx
		Estimated Date/Time Servic		0.8	28OCT14 08:07	
29OCT14 09:07		Into Maintenance	8121.1 AFHR	0.2	SERV STAT	
			8121.1 AFHR		A M PEA	
29OCT14 09:08		Initiate Toolboard	8121.1 AFHR	xxxx	A1PXXO1408677	XXxxXXxx
29OCT14 09:08		Clear Toolboard	8121.1 AFHR	xxxx	14 B/F	XXxxXXxx
30OCT14 05:45		Maintenance Release	8121.1 AFHR	0.8	14	XXxxXXxx
			8121.1 AFHR		M PEA	
30OCT14 07:35		Into Maintenance	8121.1 AFHR	0.0	A A1PXXX1411965	XXxxXXxx
30OCT14 08:30		Change Serviceability Stat	8121.1 AFHR	0.0	A A1PXXO1408708	XXxxXXxx
		Estimated Date/Time Servic	8122.1 AFHR	735900.8	SERV U/S	
					A1PXXU1413559	XXxxXXxx
30OCT14 08:35		Asset Comments	8122.1 AFHR	0.0	SERV STAT 31OCT14	
30OCT14 08:58		Initiate Toolboard	8122.1 AFHR	xxxx	A1PXXX1411978	XXxxXXxx
			8122.1 AFHR		14 B/F	XXxxXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02279  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
30OCT14 08:58	Clear	Toolboard	8122.1 AFHR	xxxx	14	XXxxXXxx
30OCT14 22:14	Maintenance	Release	8122.1 AFHR	0.5	M PEA A A1PXXX1411985	XXxxXXxx
	Change	Serviceability Stat		0.5	U/S SERV	
	Estimated	Date/Time Servic		1.5	31OCT14 08:30 SERV STAT	
31OCT14 03:55	Into	Maintenance		0.2	A M PEA A1PXXO1408737	XXxxXXxx
02NOV14 02:30	Initiate	Toolboard	8123.6 AFHR	xxxx	14 B/F	XXxxXXxx
02NOV14 02:30	Clear	Toolboard	8123.6 AFHR	xxxx	14	XXxxXXxx
02NOV14 02:32	Maintenance	Release		1.9	M PEA A A1PXXX1412052	XXxxXXxx
03NOV14 08:14	Into	Maintenance	8123.6 AFHR	1.2	A A1PXXO1408799	XXxxXXxx
03NOV14 09:19	Initiate	Toolboard	8127.5 AFHR	xxxx	14 B/F	XXxxXXxx
03NOV14 09:20	Clear	Toolboard	8127.5 AFHR	xxxx	14	XXxxXXxx
03NOV14 11:01	Change	Serviceability Stat		0.1	SERV U/S A1PXXU1413785	XXxxXXxx
	Estimated	Date/Time Servic		735902.4	SERV STAT 04NOV14	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02280  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
03NOV14 22:37	Maintenance Release	0.4	M PEA A	
	8127.5 AFHR Change Serviceability Stat	0.4	A1PXXX1412118 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.4	SERV 04NOV14 11:01 SERV STAT	
04NOV14 07:37	Into Maintenance	0.3	A	
	8128.5 AFHR Change Serviceability Stat	0.0	A1PXXO1408851 SERV	XXxxXXxx
	Estimated Date/Time Servic	735906.6	U/S A1PXXU1413561 SERV STAT 05NOV14	XXxxXXxx
04NOV14 09:53	Initiate Toolboard	xxxx	14 B/F	
	8129.8 AFHR Clear Toolboard	xxxx	14	XXxxXXxx
	8129.8 AFHR Change Serviceability Stat	0.6	M PEA A	XXxxXXxx
	Estimated Date/Time Servic	1.6	A1PXXX1412164 U/S SERV 05NOV14 07:48 SERV STAT	
05NOV14 01:55	Into Maintenance	0.0	A	
	8129.8 AFHR Change Serviceability Stat	0.1	A1PXXO1408873 SERV	XXxxXXxx
	Estimated Date/Time Servic	735907.7	U/S A1PXXU1414065 SERV STAT 06NOV14	XXxxXXxx
05NOV14 09:32	Initiate Toolboard	xxxx	14 B/F	
	8131.1 AFHR Clear Toolboard	xxxx	14	XXxxXXxx
	8131.1 AFHR Change Serviceability Stat			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02281  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
05NOV14 22:49	Maintenance Release	0.6	M PEA A A1PXXX1412221	XXxxXXxx
	8131.1 AFHR Change Serviceability Stat	0.6	U/S SERV	
	Estimated Date/Time Servic	1.6	06NOV14 06:20 SERV STAT	
06NOV14 04:36	Into Maintenance	0.2	A A1PXXO1408936	XXxxXXxx
06NOV14 09:20	Initiate Toolboard	xxxx	14 B/F	
06NOV14 09:20	Clear Toolboard	xxxx	14	XXxxXXxx
06NOV14 22:32	Change Serviceability Stat	0.7	SERV U/S A1PXXU1413878	XXxxXXxx
	8133.6 AFHR Estimated Date/Time Servic	735908.0	SERV STAT 07NOV14	
06NOV14 22:46	Maintenance Release	0.0	M PEA A A1PXXX1412286	XXxxXXxx
	8133.6 AFHR Change Serviceability Stat	0.0	U/S SERV	
	Estimated Date/Time Servic	1.0	07NOV14 22:32 SERV STAT	
07NOV14 05:27	Into Maintenance	0.2	A M PEA A1PXXO1408993	XXxxXXxx
09NOV14 22:30	Initiate Toolboard	xxxx	14 B/F	
09NOV14 22:30	Clear Toolboard	xxxx	14	XXxxXXxx
09NOV14 22:31	Maintenance Release	2.7	M PEA A A1PXXX1412316	XXxxXXxx
	8135.8 AFHR			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02282  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
10NOV14	07:04	Into Maintenance	0.3	A		
		8138.2 AFHR		A1PXXO1409032		XXxxXXxx
10NOV14	07:05	Change Serviceability Stat	0.0	SERV		
		8138.2 AFHR		A1PXXU1414313		XXxxXXxx
		Estimated Date/Time Servic	735909.6	SERV STAT		
				11NOV14		
10NOV14	07:16	Maintenance Release	0.0	M PEA		
		8138.2 AFHR		A		
		Change Serviceability Stat	0.0	A1PXXX1412365		XXxxXXxx
		Estimated Date/Time Servic	1.0	SERV		
				11NOV14 07:05		
				SERV STAT		
10NOV14	08:54	Into Maintenance	0.0	A		
		8138.2 AFHR		M PEA		
10NOV14	10:55	Initiate Toolboard	xxxx	A1PXXO1409044		XXxxXXxx
		8139.1 AFHR		14 B/F		
10NOV14	10:56	Clear Toolboard	xxxx	14		XXxxXXxx
		8139.1 AFHR				XXxxXXxx
11NOV14	01:34	Maintenance Release	0.6	M PEA		
		8139.1 AFHR		A		
				A1PXXX1412386		XXxxXXxx
11NOV14	11:27	Into Maintenance	0.4	A		
		8140.7 AFHR		A1PXXO1409104		XXxxXXxx
11NOV14	11:28	Change Serviceability Stat	0.0	SERV		
		8140.7 AFHR		U/S		
		Estimated Date/Time Servic	735912.8	A1PXXU1414076		XXxxXXxx
				SERV STAT		
				12NOV14		
11NOV14	12:42	Initiate Toolboard	xxxx	14 B/F		
		8140.7 AFHR				XXxxXXxx
11NOV14	12:43	Clear Toolboard	xxxx	14		XXxxXXxx
		8140.7 AFHR				XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02283  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
13NOV14 02:44		Initiate Toolboard	xxxx	14 B/F	
		8140.7 AFHR			XXxxXXxx
13NOV14 02:45		Clear Toolboard	xxxx	14	
		8140.7 AFHR			XXxxXXxx
13NOV14 02:47		Maintenance Release	1.6	M PEA	
		8140.7 AFHR		A	
		Change Serviceability Stat	1.6	A1PXXX1412506	XXxxXXxx
		Estimated Date/Time Servic	0.6	U/S	
				SERV	
				12NOV14 11:28	
				SERV STAT	
13NOV14 08:22		Into Maintenance	0.2	A	
		8142.0 AFHR		M PEA	
				A1PXXO1409198	XXxxXXxx
13NOV14 13:18		Initiate Toolboard	xxxx	14 B/F	
		8143.3 AFHR			XXxxXXxx
13NOV14 13:18		Clear Toolboard	xxxx	14	
		8143.3 AFHR			XXxxXXxx
13NOV14 22:00		Maintenance Release	0.5	M PEA	
		8143.3 AFHR		A	
				A1PXXX1412519	XXxxXXxx
14NOV14 05:42		Into Maintenance	0.3	A	
		8144.7 AFHR		M PEA	
				A1PXXO1409247	XXxxXXxx
16NOV14 23:41		Initiate Toolboard	xxxx	14 B/F	
		8145.9 AFHR			XXxxXXxx
16NOV14 23:41		Clear Toolboard	xxxx	14	
		8145.9 AFHR			XXxxXXxx
16NOV14 23:41		Maintenance Release	2.7	M PEA	
		8145.9 AFHR		A	
				A1PXXX1412567	XXxxXXxx
17NOV14 08:54		Into Maintenance	0.3	A	
		8148.7 AFHR		A1PXXO1409307	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02284  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
17NOV14 09:26	Change Serviceability Stat	0.0	SERV U/S A1PXXU1414408	XXxxXXxx
	8150.1 AFHR Estimated Date/Time Servic	735915.7	SERV STAT 18NOV14	
17NOV14 09:32	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	8150.1 AFHR			
17NOV14 09:32	Clear Toolboard	xxxx	14	XXxxXXxx
	8150.1 AFHR			
17NOV14 13:07	Maintenance Release	0.1	M PEA A	
	8150.1 AFHR		A1PXXX1412627	XXxxXXxx
	Change Serviceability Stat	0.1	U/S	
	Estimated Date/Time Servic	1.1	SERV 18NOV14 09:26	
18NOV14 06:30	Into Maintenance	0.7	SERV STAT A	
	8151.5 AFHR		A1PXXO1409339	XXxxXXxx
18NOV14 10:46	Change Serviceability Stat	0.1	SERV U/S	
	8152.8 AFHR		A1PXXU1414364	XXxxXXxx
	Estimated Date/Time Servic	735920.0	SERV STAT 19NOV14	
18NOV14 12:41	Initiate Toolboard	xxxx	14 B/F	
	8152.8 AFHR			XXxxXXxx
18NOV14 12:41	Clear Toolboard	xxxx	14	
	8152.8 AFHR			XXxxXXxx
19NOV14 00:10	Maintenance Release	0.5	M PEA A	
	8152.8 AFHR		A1PXXX1412701	XXxxXXxx
	Change Serviceability Stat	0.5	U/S	
	Estimated Date/Time Servic	0.5	SERV 19NOV14 10:46	
			SERV STAT	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02285  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN (DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS	REFERENCE	
19NOV14	06:48	Into Maintenance	0.2	A		
		8154.1 AFHR		M PEA	A1PXXO1409387	XXxxXXxx
23NOV14	22:56	Initiate Toolboard	xxxx	14 B/F		
		8155.4 AFHR				XXxxXXxx
23NOV14	22:56	Clear Toolboard	xxxx	14		
		8155.4 AFHR				XXxxXXxx
23NOV14	23:02	Maintenance Release	4.6	M PEA		
		8155.4 AFHR		A	A1PXXX1412843	XXxxXXxx
24NOV14	09:32	Into Maintenance	0.4	A		
		8156.7 AFHR		M PEA	A1PXXO1409428	XXxxXXxx
24NOV14	09:32	Initiate Toolboard	xxxx	14 B/F		
		8156.7 AFHR				XXxxXXxx
24NOV14	09:33	Clear Toolboard	xxxx	14		
		8156.7 AFHR				XXxxXXxx
24NOV14	10:47	Maintenance Release	0.0	M PEA		
		8156.7 AFHR		A	A1PXXX1412883	XXxxXXxx
24NOV14	14:30	Into Maintenance	0.1	A		
		8156.7 AFHR		M PEA	A1PXXO1409440	XXxxXXxx
24NOV14	22:37	Maintenance Release	0.3	M PEA		
		8157.7 AFHR		A	A1PXXX1412894	XXxxXXxx
25NOV14	08:38	Into Maintenance	0.4	A		
		8159.0 AFHR		M PEA	A1PXXO1409470	XXxxXXxx
25NOV14	10:29	Initiate Toolboard	xxxx	14 B/F		
		8160.3 AFHR				XXxxXXxx
25NOV14	10:29	Clear Toolboard	xxxx	14		
		8160.3 AFHR				XXxxXXxx
25NOV14	10:29	Maintenance Release	0.0	M PEA		
		8160.3 AFHR		A	A1PXXX1412930	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02286  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
25NOV14	13:00	Into Maintenance	0.1	A		
		8160.3 AFHR		A1PXXO1409486		XXxxXXxx
25NOV14	13:26	Change Serviceability Stat	0.0	SERV		
		8161.3 AFHR		A1PXXU1414745		XXxxXXxx
		Estimated Date/Time Servic	735921.4	SERV STAT		
26NOV14	00:28	Maintenance Release	0.4	26NOV14		
		8161.3 AFHR		M PEA		
		Change Serviceability Stat	0.4	A		
		Estimated Date/Time Servic	0.4	A1PXXX1412965		XXxxXXxx
				U/S		
				SERV		
26NOV14	04:24	Into Maintenance	0.1	26NOV14 13:26		
		8161.3 AFHR		SERV STAT		
26NOV14	09:14	Initiate Toolboard	xxxx	A		
		8162.6 AFHR		M PEA		XXxxXXxx
26NOV14	09:14	Clear Toolboard	xxxx	A1PXXO1409513		XXxxXXxx
		8162.6 AFHR		14 B/F		
26NOV14	22:15	Maintenance Release	0.7	14		XXxxXXxx
		8162.6 AFHR		M PEA		
27NOV14	08:26	Into Maintenance	0.4	A		
		8163.9 AFHR		A1PXXX1412989		XXxxXXxx
27NOV14	10:39	Initiate Toolboard	xxxx	M PEA		
		8165.3 AFHR		A1PXXO1409550		XXxxXXxx
27NOV14	10:39	Clear Toolboard	xxxx	14		XXxxXXxx
		8165.3 AFHR				
27NOV14	10:40	Maintenance Release	0.0	M PEA		
		8165.3 AFHR		A		
				A1PXXX1413049		XXxxXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02287  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----				
TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN(DYS) FROM	TO (OPTIONAL)	USER
=====	=====	=====	=====	=====	=====	=====
					TRANS REFERENCE	
27NOV14 13:47	Into Maintenance			0.1	A M PEA A1PXXO1409565	XXxxXXxx
27NOV14 22:24	Maintenance Release	8165.3	AFHR	0.3	M PEA A A1PXXX1413065	XXxxXXxx
28NOV14 03:55	Into Maintenance	8166.9	AFHR	0.2	A M PEA A1PXXO1409590	XXxxXXxx
30NOV14 01:11	Initiate Toolboard	8166.9	AFHR	xxxx	14 B/F	XXxxXXxx
30NOV14 01:11	Clear Toolboard	8169.5	AFHR	xxxx	14	XXxxXXxx
30NOV14 01:12	Maintenance Release	8169.5	AFHR	1.8	M PEA A A1PXXX1413108	XXxxXXxx
30NOV14 03:35	Into Maintenance	8169.5	AFHR	0.0	A M PEA A1PXXO1409610	XXxxXXxx
30NOV14 22:36	Maintenance Release	8169.5	AFHR	0.7	M PEA A A1PXXX1413112	XXxxXXxx
30NOV14 23:15	Into Maintenance	8169.5	AFHR	0.0	A M PEA A1PXXO1409621	XXxxXXxx
30NOV14 23:15	Initiate Toolboard	8169.5	AFHR	xxxx	14 B/F	XXxxXXxx
30NOV14 23:16	Clear Toolboard	8169.5	AFHR	xxxx	14	XXxxXXxx
30NOV14 23:16	Maintenance Release	8169.5	AFHR	0.0	M PEA A A1PXXX1413122	XXxxXXxx
01DEC14 06:52	Into Maintenance	8170.7	AFHR	0.3	A M PEA A1PXXO1409651	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02288  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
01DEC14 09:53	Initiate	Toolboard	xxxx	14 B/F	
		8172.2 AFHR			XXxxXXxx
01DEC14 09:53	Clear	Toolboard	xxxx	14	
		8172.2 AFHR			XXxxXXxx
01DEC14 22:51	Maintenance	Release	0.6	M PEA	
		8172.2 AFHR		A	
				A1PXXX1413204	XXxxXXxx
02DEC14 05:47	Into	Maintenance	0.2	A	
		8173.3 AFHR		A1PXXO1409702	XXxxXXxx
02DEC14 08:32	Change	Serviceability Stat	0.1	SERV	
		8174.5 AFHR		U/S	
				A1PXXU1415080	XXxxXXxx
	Estimated Date/Time	Servic	735928.6	SERV STAT	
				03DEC14	
02DEC14 11:17	Initiate	Toolboard	xxxx	14 B/F	
		8174.5 AFHR			XXxxXXxx
02DEC14 11:17	Clear	Toolboard	xxxx	14	
		8174.5 AFHR			XXxxXXxx
02DEC14 23:50	Maintenance	Release	0.6	M PEA	
		8174.5 AFHR		A	
				A1PXXX1413272	XXxxXXxx
	Change	Serviceability Stat	0.6	U/S	
	Estimated Date/Time	Servic	1.6	SERV	
				03DEC14 08:32	
				SERV STAT	
03DEC14 08:39	Into	Maintenance	0.3	A	
		8175.7 AFHR		M PEA	
				A1PXXO1409771	XXxxXXxx
03DEC14 10:40	Initiate	Toolboard	xxxx	14 B/F	
		8176.7 AFHR			XXxxXXxx
03DEC14 10:40	Clear	Toolboard	xxxx	14	
		8176.7 AFHR			XXxxXXxx
07DEC14 23:02	Initiate	Toolboard	xxxx	14 B/F	
		8176.7 AFHR			XXxxXXxx
07DEC14 23:02	Clear	Toolboard	xxxx	14	
		8176.7 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02289  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
08DEC14	00:10	Maintenance Release	4.6	M PEA A		
		8176.7 AFHR		A1PXXX1413415		XXxxXXxx
08DEC14	09:43	Into Maintenance	0.3	M PEA A		
		8176.7 AFHR		A1PXXO1409857		XXxxXXxx
08DEC14	09:48	Initiate Toolboard	xxxx	14 B/F		
		8176.7 AFHR				XXxxXXxx
08DEC14	09:48	Clear Toolboard	xxxx	14		
		8176.7 AFHR				XXxxXXxx
08DEC14	22:41	Maintenance Release	0.5	M PEA A		
		8176.7 AFHR		A1PXXX1413475		XXxxXXxx
09DEC14	07:21	Into Maintenance	0.3	A		
		8177.8 AFHR		A1PXXO1409884		XXxxXXxx
09DEC14	07:22	Change Serviceability Stat	0.0	SERV U/S		
		8177.8 AFHR		A1PXXU1415392		XXxxXXxx
		Estimated Date/Time Servic	735935.6	SERV STAT 10DEC14		
09DEC14	09:32	Initiate Toolboard	xxxx	14 B/F		
		8177.8 AFHR				XXxxXXxx
09DEC14	09:32	Clear Toolboard	xxxx	14		
		8177.8 AFHR				XXxxXXxx
09DEC14	23:36	Maintenance Release	0.6	M PEA A		
		8177.8 AFHR		A1PXXX1413580		XXxxXXxx
		Change Serviceability Stat	0.6	U/S		
		Estimated Date/Time Servic	1.6	SERV 10DEC14 07:22		
				SERV STAT		
10DEC14	09:06	Into Maintenance	0.3	A		
		8177.8 AFHR		A1PXXO1409929		XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02290  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
11DEC14 08:13	Change Serviceability Stat	0.9	SERV U/S A1PXXU1415750	XXxxXXxx
	8177.8 AFHR Estimated Date/Time Servic	735942.6	SERV STAT 12DEC14	
07JAN15 00:13	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	8177.8 AFHR			
13JAN15 10:17	Clear Toolboard	xxxx	14	XXxxXXxx
	8177.8 AFHR			
14JAN15 00:56	Maintenance Release	33.6	M PEA A A1PXXX1500111	XXxxXXxx
	8177.8 AFHR Change Serviceability Stat	33.6	U/S SERV 12DEC14 08:13	
	Estimated Date/Time Servic	0.6	SERV STAT	
14JAN15 09:28	Into Maintenance	0.3	A M PEA A1PXXO1500039	XXxxXXxx
	8177.8 AFHR Initiate Toolboard	xxxx	14 B/F	
	8177.8 AFHR			XXxxXXxx
14JAN15 09:50	Clear Toolboard	xxxx	14	XXxxXXxx
	8177.8 AFHR			
14JAN15 22:59	Maintenance Release	0.5	M PEA A A1PXXX1500152	XXxxXXxx
	8180.0 AFHR Into Maintenance	0.3	A M PEA A1PXXO1500068	XXxxXXxx
	8181.2 AFHR Initiate Toolboard	xxxx	14 B/F	
	8182.1 AFHR			XXxxXXxx
15JAN15 08:50	Clear Toolboard	xxxx	14	XXxxXXxx
	8182.1 AFHR			
18JAN15 22:49	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	8182.1 AFHR			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02291  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
18JAN15 22:49	Clear	Toolboard	8182.1 AFHR	xxxx	14	XXxxXXxx
18JAN15 23:41	Maintenance	Release	8182.1 AFHR	3.6	M PEA A A1PXXX1500211	XXxxXXxx
19JAN15 08:43	Into	Maintenance	8183.4 AFHR	0.3	A M PEA A1PXXO1500119	XXxxXXxx
19JAN15 09:15	Initiate	Toolboard	8184.7 AFHR	xxxx	14 B/F	XXxxXXxx
19JAN15 09:15	Clear	Toolboard	8184.7 AFHR	xxxx	14	XXxxXXxx
19JAN15 22:51	Maintenance	Release	8184.7 AFHR	0.5	M PEA A A1PXXX1500265	XXxxXXxx
20JAN15 06:50	Into	Maintenance	8186.0 AFHR	0.3	A A1PXXO1500161	XXxxXXxx
20JAN15 08:21	Change	Serviceability Stat	8187.4 AFHR	0.0	SERV U/S A1PXXU1500336	XXxxXXxx
	Estimated Date/Time	Servic		735977.6	SERV STAT 21JAN15	
20JAN15 09:07	Initiate	Toolboard	8187.4 AFHR	xxxx	14 B/F	XXxxXXxx
20JAN15 09:07	Clear	Toolboard	8187.4 AFHR	xxxx	14	XXxxXXxx
21JAN15 00:05	Maintenance	Release	8187.4 AFHR	0.6	M PEA A A1PXXX1500322	XXxxXXxx
	Change	Serviceability Stat		0.6	U/S SERV	
	Estimated Date/Time	Servic		0.6	21JAN15 08:21 SERV STAT	
21JAN15 08:02	Into	Maintenance	8187.4 AFHR	0.3	A M PEA A1PXXO1500202	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02292  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
21JAN15 09:30	Initiate	Toolboard	8187.4 AFHR	xxxx	14 B/F	XXxxXXxx
21JAN15 09:31	Clear	Toolboard	8187.4 AFHR	xxxx	14	XXxxXXxx
21JAN15 09:32	Maintenance	Release	8187.4 AFHR	0.0	M PEA A A1PXXX1500336	XXxxXXxx
21JAN15 12:31	Into	Maintenance	8187.4 AFHR	0.1	M PEA A1PXXO1500211	XXxxXXxx
21JAN15 22:26	Maintenance	Release	8188.8 AFHR	0.4	M PEA A A1PXXX1500346	XXxxXXxx
22JAN15 01:19	Into	Maintenance	8188.8 AFHR	0.1	M PEA A1PXXO1500214	XXxxXXxx
22JAN15 02:21	Change	Serviceability Stat	8190.1 AFHR	0.0	SERV U/S A1PXXU1413552	XXxxXXxx
22JAN15 09:47	Initiate	Toolboard	Estimated Date/Time Service	735984.9	SERV STAT 23JAN15 14 B/F	XXxxXXxx
22JAN15 09:47	Clear	Toolboard	8190.1 AFHR	xxxx	14	XXxxXXxx
22JAN15 10:03	Initiate	Toolboard	8190.1 AFHR	xxxx	14 B/F	XXxxXXxx
22JAN15 10:03	Clear	Toolboard	8190.1 AFHR	xxxx	14	XXxxXXxx
27JAN15 09:05	Initiate	Toolboard	8190.1 AFHR	xxxx	14 B/F	XXxxXXxx
27JAN15 09:05	Clear	Toolboard	8190.1 AFHR	xxxx	14	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02293  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
28JAN15	00:19	Maintenance Release	5.9	M PEA A		
		8190.1 AFHR		A1PXXX1500447		XXxxXXxx
		Change Serviceability Stat	5.9	U/S		
		Estimated Date/Time Servic	0.9	23JAN15 02:21		
28JAN15	09:23	Into Maintenance	0.3	A		
		8191.3 AFHR		M PEA		XXxxXXxx
28JAN15	09:25	Initiate Toolboard	xxxx	A1PXXO1500369		
		8191.3 AFHR		14 B/F		XXxxXXxx
28JAN15	09:25	Clear Toolboard	xxxx	14		
		8191.3 AFHR				XXxxXXxx
28JAN15	09:26	Initiate Toolboard	xxxx	14 B/F		
		8191.3 AFHR				XXxxXXxx
28JAN15	09:27	Clear Toolboard	xxxx	14		
		8191.3 AFHR				XXxxXXxx
28JAN15	22:23	Maintenance Release	0.5	M PEA		
		8191.3 AFHR		A		XXxxXXxx
29JAN15	07:30	Into Maintenance	0.3	A1PXXX1500565		
		8192.6 AFHR		M PEA		XXxxXXxx
29JAN15	11:25	Asset Comments	0.0	A1PXXO1500432	DEPLOYED ALBANY	
		8192.6 AFHR		ALBANY		XXxxXXxx
29JAN15	11:25	Operator Acceptance	0.0	A1PXXX1500627		
		8192.6 AFHR		aip01487		XXxxXXxx
		Maintenance Comment	0.0	A1PXXX1500628		
		8194.0 AFHR		ALBANY		XXxxXXxx
30JAN15	00:10	Initiate Toolboard	xxxx	14 B/F		
		8194.0 AFHR				XXxxXXxx
30JAN15	03:35	Clear Toolboard	xxxx	14		
		8194.0 AFHR				XXxxXXxx
30JAN15	03:35	Asset Comments	0.0			
		8194.0 AFHR		A1PXXX1500675		XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02294  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
01FEB15	23:58	Initiate Toolboard 8195.4 AFHR	xxxx	14 B/F		XXxxXXxx
01FEB15	23:59	Clear Toolboard 8195.4 AFHR	xxxx	14		XXxxXXxx
01FEB15	23:59	Maintenance Release 8195.4 AFHR	3.6	M PEA A		XXxxXXxx
02FEB15	08:12	Into Maintenance 8196.8 AFHR	0.3	A1PXXX1500698 A		XXxxXXxx
02FEB15	09:12	Initiate Toolboard 8196.8 AFHR	xxxx	A1PXXO1500486 14 B/F		XXxxXXxx
02FEB15	09:12	Clear Toolboard 8196.8 AFHR	xxxx	14		XXxxXXxx
02FEB15	10:48	Change Serviceability Stat 8196.8 AFHR	0.1	SERV U/S A1PXXU1413440		XXxxXXxx
		Estimated Date/Time Servic	735991.5	SERV STAT 03FEB15		
02FEB15	22:18	Maintenance Release 8196.8 AFHR	0.4	M PEA A A1PXXX1500740		XXxxXXxx
		Change Serviceability Stat	0.4	U/S		
		Estimated Date/Time Servic	1.4	SERV 03FEB15 10:48 SERV STAT		
03FEB15	05:17	Into Maintenance 8196.8 AFHR	0.2	A A1PXXO1500515		XXxxXXxx
03FEB15	09:12	Change Serviceability Stat 8198.3 AFHR	0.1	SERV U/S A1PXXU1501040		XXxxXXxx
		Estimated Date/Time Servic	735997.5	SERV STAT 04FEB15		
03FEB15	09:22	Asset Comments 8198.3 AFHR	0.0	AIRTEST BRAKE OPS A1PXXX1500786		XXxxXXxx
03FEB15	09:29	Initiate Toolboard 8198.3 AFHR	xxxx	14 B/F		XXxxXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02295  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
03FEB15 09:29	Clear Toolboard	8198.3 AFHR	xxxx	14	XXXXXXxx
04FEB15 00:01	Maintenance Release	8198.3 AFHR	0.6	M PEA A A1PXXX1500821	XXXXXXxx
	Change Serviceability Stat		0.6	U/S SERV	
	Estimated Date/Time Servic		0.6	04FEB15 09:12 SERV STAT	
04FEB15 07:36	Into Maintenance	8198.3 AFHR	0.3	A A1PXXO1500561	XXXXXXxx
04FEB15 07:47	Asset Comments	8199.9 AFHR	0.0	A1PXXX1500847	XXXXXXxx
04FEB15 07:48	Change Serviceability Stat		0.0	SERV U/S A1PXXU1501042	XXXXXXxx
	Estimated Date/Time Servic		735998.6	SERV STAT 05FEB15	
04FEB15 10:44	Initiate Toolboard	8199.9 AFHR	xxxx	14 B/F	XXXXXXxx
04FEB15 10:45	Clear Toolboard	8199.9 AFHR	xxxx	14	XXXXXXxx
05FEB15 09:22	Initiate Toolboard	8199.9 AFHR	xxxx	14 B/F	XXXXXXxx
05FEB15 09:23	Clear Toolboard	8199.9 AFHR	xxxx	14	XXXXXXxx
06FEB15 00:00	Maintenance Release	8199.9 AFHR	1.6	M PEA A A1PXXX1500931	XXXXXXxx
	Change Serviceability Stat		1.6	U/S SERV	
	Estimated Date/Time Servic		0.6	05FEB15 07:48 SERV STAT	
06FEB15 03:44	Into Maintenance	8199.9 AFHR	0.1	A A1PXXO1500655	XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02296  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----			
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
=====	=====	=====	=====	=====	=====
	LIFE SINCE NEW		TRANS REFERENCE		
06FEB15 07:25	Change Serviceability Stat	0.1	SERV U/S		
	8201.2 AFHR		A1PXXU1501219		XXxxXXxx
	Estimated Date/Time Servic	736000.6	SERV STAT		
			07FEB15		
08FEB15 23:09	Initiate Toolboard	xxxx	14 B/F		
	8201.2 AFHR				XXxxXXxx
08FEB15 23:09	Clear Toolboard	xxxx	14		
	8201.2 AFHR				XXxxXXxx
09FEB15 03:58	Maintenance Release	2.8	M PEA		
	8201.2 AFHR		A1PXXX1500985		XXxxXXxx
	Change Serviceability Stat	2.8	U/S		
	Estimated Date/Time Servic	0.8	SERV		
			07FEB15 07:25		
09FEB15 08:41	Into Maintenance	0.1	SERV STAT		
	8201.2 AFHR		A		
			A1PXXO1500701		XXxxXXxx
09FEB15 09:15	Initiate Toolboard	xxxx	14 B/F		
	8202.5 AFHR				XXxxXXxx
09FEB15 09:15	Clear Toolboard	xxxx	14		
	8202.5 AFHR				XXxxXXxx
09FEB15 11:51	Change Serviceability Stat	0.1	SERV		
	8202.5 AFHR		U/S		
	Estimated Date/Time Servic	736003.6	A1PXXU1501290		XXxxXXxx
			SERV STAT		
			10FEB15		
09FEB15 11:59	Asset Comments	0.0	A/T 8272.5	A/T FOR AIRFRAME NOISE	
	8202.5 AFHR		A1PXXX1501015		XXxxXXxx
09FEB15 22:44	Maintenance Release	0.4	M PEA		
	8202.5 AFHR		A		
	Change Serviceability Stat	0.4	A1PXXX1501022		XXxxXXxx
	Estimated Date/Time Servic	1.4	U/S		
			SERV		
			10FEB15 11:53		
			SERV STAT		

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02297  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
10FEB15	01:41	Into Maintenance 8202.5 AFHR	0.1	A	A1PXXO1500720	XXxxXXxx
10FEB15	01:55	Change Serviceability Stat 8203.8 AFHR	0.0	SERV U/S	A1PXXU1501290	XXxxXXxx
		Estimated Date/Time Servic	736004.8	SERV STAT 11FEB15		
10FEB15	01:57	Asset Comments 8203.8 AFHR	0.0	A1PXXX1501042		XXxxXXxx
10FEB15	01:59	Maintenance Release 8203.8 AFHR	0.0	M PEA A	A1PXXX1501043	XXxxXXxx
		Change Serviceability Stat	0.0	U/S SERV		
		Estimated Date/Time Servic	1.0	11FEB15 01:55 SERV STAT		
10FEB15	05:05	Into Maintenance 8203.8 AFHR	0.1	A	A1PXXO1500745	XXxxXXxx
10FEB15	10:42	Change Serviceability Stat 8205.0 AFHR	0.2	SERV U/S	A1PXXU1501317	XXxxXXxx
		Estimated Date/Time Servic	736004.6	SERV STAT 11FEB15		
10FEB15	10:43	Asset Comments 8205.0 AFHR	0.0	AIRTEST ASOR CLEARANCE A1PXXX1501075		XXxxXXxx
10FEB15	10:47	Initiate Toolboard 8205.0 AFHR	xxxx	14 B/F		XXxxXXxx
10FEB15	10:48	Clear Toolboard 8205.0 AFHR	xxxx	14		XXxxXXxx
11FEB15	09:12	Initiate Toolboard 8205.0 AFHR	xxxx	14 B/F		XXxxXXxx
11FEB15	09:13	Clear Toolboard 8205.0 AFHR	xxxx	14		XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02298  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
11FEB15 22:39	Maintenance Release	1.4	M PEA A A1PXXX1501135	XXxxXXxx
	8205.0 AFHR Change Serviceability Stat	1.4	U/S SERV	
	Estimated Date/Time Servic	1.4	11FEB15 10:42 SERV STAT	
12FEB15 07:36	Into Maintenance	0.3	A A1PXXO1500860	XXxxXXxx
12FEB15 09:19	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
12FEB15 09:19	Clear Toolboard	xxxx	14	XXxxXXxx
12FEB15 11:30	Change Serviceability Stat	0.1	SERV U/S A1PXXU1501387	XXxxXXxx
	8205.0 AFHR Estimated Date/Time Servic	736006.4	SERV STAT 13FEB15	
12FEB15 22:38	Maintenance Release	0.4	M PEA A A1PXXX1501184	XXxxXXxx
	8205.0 AFHR Change Serviceability Stat	0.4	U/S SERV	
	Estimated Date/Time Servic	1.4	13FEB15 11:31 SERV STAT	
13FEB15 07:40	Into Maintenance	0.3	A A1PXXO1500920	XXxxXXxx
15FEB15 22:48	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
15FEB15 22:48	Clear Toolboard	xxxx	14	XXxxXXxx
16FEB15 01:27	Change Serviceability Stat	2.7	SERV U/S A1PXXU1501474	XXxxXXxx
	8205.0 AFHR Estimated Date/Time Servic	736007.8	SERV STAT 17FEB15	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02299  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
16FEB15 05:18	Maintenance Release	0.1	M PEA A A1PXXX1501271	XXxxXXxx
	8205.0 AFHR Change Serviceability Stat	0.1	U/S SERV	
	Estimated Date/Time Servic	1.1	17FEB15 01:34 SERV STAT	
16FEB15 06:00	Into Maintenance	0.0	A A1PXXO1500949	XXxxXXxx
16FEB15 06:13	Change Serviceability Stat	0.0	SERV U/S A1PXXU1501474	XXxxXXxx
	8206.2 AFHR Estimated Date/Time Servic	736010.9	SERV STAT 17FEB15	
16FEB15 06:16	Asset Comments	0.0	A1PXXX1501280	XXxxXXxx
16FEB15 06:17	Maintenance Release	0.0	M PEA A A1PXXX1501281	XXxxXXxx
	8206.2 AFHR Change Serviceability Stat	0.0	U/S SERV	
	Estimated Date/Time Servic	1.0	17FEB15 06:13 SERV STAT	
16FEB15 09:58	Into Maintenance	0.1	A M PEA A1PXXO1500961	XXxxXXxx
16FEB15 09:59	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
16FEB15 09:59	Clear Toolboard	xxxx	14	XXxxXXxx
16FEB15 22:47	Maintenance Release	0.5	M PEA A A1PXXX1501300	XXxxXXxx
17FEB15 01:23	Into Maintenance	0.1	A A1PXXO1501021	XXxxXXxx
	8206.2 AFHR			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02300  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
17FEB15 09:17	Change Serviceability Stat	0.3	SERV U/S	
	8209.5 AFHR		A1PXXU1501336	XXxxXXxx
	Estimated Date/Time Servic	736010.8	SERV STAT	
			18FEB15	
17FEB15 11:08	Initiate Toolboard	xxxx	14 B/F	
	8209.5 AFHR			XXxxXXxx
17FEB15 11:08	Clear Toolboard	xxxx	14	
	8209.5 AFHR			XXxxXXxx
18FEB15 00:01	Maintenance Release	0.6	M PEA	
	8209.5 AFHR		A1PXXX1501340	XXxxXXxx
	Change Serviceability Stat	0.6	U/S	
	Estimated Date/Time Servic	0.6	SERV	
			18FEB15 09:17	
18FEB15 07:54	Into Maintenance	0.3	SERV STAT	
			A	
	8210.8 AFHR		M PEA	
18FEB15 09:22	Initiate Toolboard	xxxx	A1PXXO1501097	XXxxXXxx
	8212.5 AFHR		14 B/F	
18FEB15 09:24	Clear Toolboard	xxxx	14	
	8212.5 AFHR			XXxxXXxx
18FEB15 23:09	Maintenance Release	0.6	M PEA	
	8212.5 AFHR		A	
19FEB15 01:51	Asset Comments	0.0	A1PXXX1501378	XXxxXXxx
	8212.5 AFHR		GIN GIN AWAY BASE - YGIG	
19FEB15 01:51	Into Maintenance	0.1	A1PXXX1501394	XXxxXXxx
			A	
	8212.5 AFHR		M PEA	
19FEB15 02:00	Maintenance Release	0.0	A1PXXO1501109	XXxxXXxx
			M PEA	
	8212.5 AFHR		A	
			A1PXXX1501396	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02301  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
19FEB15	04:13	Into Maintenance	0.0	A		
		8213.8 AFHR		M PEA		XXxxXXxx
19FEB15	08:54	Asset Comments	0.0	A1PXXO1501147		
		8216.1 AFHR		A1PXXX1501417		XXxxXXxx
20FEB15	03:12	Initiate Toolboard	xxxx	14 B/F		
		8216.1 AFHR				XXxxXXxx
20FEB15	03:12	Clear Toolboard	xxxx	14		
		8216.1 AFHR				XXxxXXxx
20FEB15	03:13	Maintenance Release	0.9	M PEA		
		8216.1 AFHR		A		
20FEB15	05:57	Into Maintenance	0.1	A1PXXX1501440		XXxxXXxx
		8216.1 AFHR		A		
22FEB15	04:59	Initiate Toolboard	xxxx	M PEA		
		8216.1 AFHR		A1PXXO1501171		XXxxXXxx
22FEB15	05:00	Clear Toolboard	xxxx	14 B/F		
		8216.1 AFHR				XXxxXXxx
22FEB15	05:00	Maintenance Release	1.9	M PEA		
		8216.1 AFHR		A		
23FEB15	09:00	Into Maintenance	1.1	A1PXXX1501453		XXxxXXxx
		8220.3 AFHR		A		
24FEB15	05:53	Change Serviceability Stat	0.8	A1PXXO1501229		XXxxXXxx
		8221.6 AFHR		SERV		
		Estimated Date/Time Servic	736012.7	U/S		
				A1PXXU1501904		XXxxXXxx
08MAR15	23:15	Initiate Toolboard	xxxx	SERV STAT		
		8240.7 AFHR		25FEB15		
08MAR15	23:16	Clear Toolboard	xxxx	14 B/F		XXxxXXxx
		8240.7 AFHR				XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02302  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
08MAR15 23:17	Maintenance Release	12.7	M PEA A A1PXXX1501788	XXxxXXxx
	8240.7 AFHR Change Serviceability Stat	12.7	U/S SERV	
	Estimated Date/Time Servic	1.7	25FEB15 05:54 SERV STAT	
09MAR15 03:28	Into Maintenance	0.1	A M PEA A1PXXO1501642	XXxxXXxx
09MAR15 04:27	Maintenance Release	0.0	M PEA A A1PXXX1501827	XXxxXXxx
09MAR15 08:25	Into Maintenance	0.1	A A1PXXO1501668	XXxxXXxx
09MAR15 10:01	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
09MAR15 10:01	Clear Toolboard	xxxx	14	XXxxXXxx
09MAR15 13:45	Change Serviceability Stat	0.2	SERV U/S A1PXXU1502352	XXxxXXxx
	8242.7 AFHR Estimated Date/Time Servic	736031.3	SERV STAT 10MAR15	
09MAR15 23:48	Maintenance Release	0.4	M PEA A A1PXXX1501848	XXxxXXxx
	8242.7 AFHR Change Serviceability Stat	0.4	U/S SERV	
	Estimated Date/Time Servic	1.4	10MAR15 13:45 SERV STAT	
10MAR15 08:20	Into Maintenance	0.3	A A1PXXO1501716	XXxxXXxx
	8245.0 AFHR			

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02303  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----			
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
=====	=====	=====	=====	=====	=====
	LIFE SINCE NEW		TRANS REFERENCE		
10MAR15 09:11	Change Serviceability Stat	0.0	SERV		
	8246.2 AFHR		U/S		
	Estimated Date/Time Servic	736032.6	A1PXXU1502170		XXxxXXxx
10MAR15 09:23	Initiate Toolboard	xxxx	SERV STAT		
	8246.2 AFHR		11MAR15		
10MAR15 09:23	Clear Toolboard	xxxx	14 B/F		
	8246.2 AFHR				XXxxXXxx
10MAR15 23:59	Maintenance Release	0.6	M PEA		
	8246.2 AFHR		A		
	Change Serviceability Stat	0.6	A1PXXX1501902		XXxxXXxx
	Estimated Date/Time Servic	1.6	U/S		
11MAR15 08:50	Into Maintenance	0.3	SERV		
	8247.3 AFHR		11MAR15 09:11		
11MAR15 12:39	Initiate Toolboard	xxxx	SERV STAT		
	8247.3 AFHR		A		
11MAR15 12:39	Clear Toolboard	xxxx	M PEA		
	8247.3 AFHR		A1PXXO1501778		XXxxXXxx
11MAR15 22:30	Maintenance Release	0.5	14 B/F		
	8247.3 AFHR				XXxxXXxx
12MAR15 08:00	Into Maintenance	0.3	A		
	8248.7 AFHR		A1PXXX1501937		XXxxXXxx
12MAR15 09:08	Initiate Toolboard	xxxx	A		
	8249.7 AFHR		A1PXXO1501822		XXxxXXxx
12MAR15 09:08	Clear Toolboard	xxxx	14 B/F		
	8249.7 AFHR				XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02304  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
12MAR15 09:32	Change Serviceability Stat	0.0	SERV U/S	
	8249.7 AFHR Estimated Date/Time Serv	736033.6	A1PXXU1502517 SERV STAT 13MAR15	XXxxXXxx
15MAR15 23:35	Initiate Toolboard	xxxx	14 B/F	
	8249.7 AFHR			XXxxXXxx
15MAR15 23:36	Clear Toolboard	xxxx	14	
	8249.7 AFHR			XXxxXXxx
15MAR15 23:36	Maintenance Release	3.5	M PEA A	
	8249.7 AFHR Change Serviceability Stat	3.5	A1PXXX1502053 U/S	XXxxXXxx
	Estimated Date/Time Serv	1.5	SERV 13MAR15 09:32 SERV STAT	
16MAR15 07:10	Into Maintenance	0.3	A	
	8251.1 AFHR		A1PXXO1501889	XXxxXXxx
16MAR15 12:29	Change Serviceability Stat	0.2	SERV U/S	
	8252.4 AFHR Estimated Date/Time Serv	736038.4	A1PXXU1502635 SERV STAT 17MAR15	XXxxXXxx
16MAR15 22:22	Maintenance Release	0.4	M PEA A	
	8252.4 AFHR Change Serviceability Stat	0.4	A1PXXX1502094 U/S	XXxxXXxx
	Estimated Date/Time Serv	1.4	SERV 17MAR15 12:30 SERV STAT	
17MAR15 02:01	Into Maintenance	0.1	A	
	8252.4 AFHR		A1PXXO1501909	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02305  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
17MAR15 06:21	Change Serviceability Stat	0.1	SERV U/S A1PXXU1502704	XXxxXXxx
	8253.4 AFHR Estimated Date/Time Servic	736039.6	SERV STAT 18MAR15	
17MAR15 09:19	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	8253.4 AFHR			
17MAR15 09:19	Clear Toolboard	xxxx	14	XXxxXXxx
	8253.4 AFHR			
18MAR15 00:07	Maintenance Release	0.7	M PEA A A1PXXX1502167	XXxxXXxx
	8253.4 AFHR Change Serviceability Stat	0.7	U/S SERV 18MAR15 06:23	
	Estimated Date/Time Servic	0.7	SERV STAT	
18MAR15 05:51	Into Maintenance	0.2	A A1PXXO1501963	XXxxXXxx
	8253.4 AFHR			
18MAR15 06:22	Change Serviceability Stat	0.0	SERV U/S A1PXXU1502704	XXxxXXxx
	8254.7 AFHR Estimated Date/Time Servic	736040.7	SERV STAT 19MAR15	
18MAR15 06:23	Maintenance Release	0.0	M PEA A A1PXXX1502237	XXxxXXxx
	8254.7 AFHR Change Serviceability Stat	0.0	U/S SERV 19MAR15 06:22	
	Estimated Date/Time Servic	1.0	SERV STAT	
18MAR15 08:20	Into Maintenance	0.0	A M PEA A1PXXO1501978	XXxxXXxx
	8254.7 AFHR			
18MAR15 12:57	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	8256.1 AFHR			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02306  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
18MAR15 12:57	Clear Toolboard	8256.1 AFHR	xxxx	14	XXxxXXxx
18MAR15 22:26	Maintenance Release	8256.1 AFHR	0.5	M PEA A A1PXXX1502252	XXxxXXxx
19MAR15 06:05	Into Maintenance	8256.1 AFHR	0.3	A A1PXXO1502022	XXxxXXxx
19MAR15 09:39	Initiate Toolboard	8258.7 AFHR	xxxx	14 B/F	XXxxXXxx
19MAR15 09:40	Clear Toolboard	8258.7 AFHR	xxxx	14	XXxxXXxx
19MAR15 09:58	Change Serviceability Stat	8258.7 AFHR	0.1	SERV U/S A1PXXU1303780	XXxxXXxx
	Estimated Date/Time Servic		736040.8	SERV STAT 20MAR15	
22MAR15 23:17	Initiate Toolboard	8258.7 AFHR	xxxx	14 B/F	XXxxXXxx
22MAR15 23:17	Clear Toolboard	8258.7 AFHR	xxxx	14	XXxxXXxx
22MAR15 23:17	Maintenance Release	8258.7 AFHR	3.5	M PEA A A1PXXX1502360	XXxxXXxx
	Change Serviceability Stat		3.5	U/S SERV	
	Estimated Date/Time Servic		1.5	20MAR15 09:58 SERV STAT	
23MAR15 05:00	Into Maintenance	8258.7 AFHR	0.2	A A1PXXO1502110	XXxxXXxx
23MAR15 05:41	Change Serviceability Stat	8260.0 AFHR	0.0	SERV U/S A1PXXU1502936	XXxxXXxx
	Estimated Date/Time Servic		736045.7	SERV STAT 24MAR15	
23MAR15 05:49	Asset Comments	8260.0 AFHR	0.0	AIRTEST AIRTEST FOR EFIS OPS + ASOR CLEARANCE A1PXXX1502383	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02307  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
23MAR15 05:52	Maintenance Release	0.0	M PEA A A1PXXX1502384	XXxxXXxx
	8260.0 AFHR Change Serviceability Stat	0.0	U/S SERV	
	Estimated Date/Time Servic	1.0	24MAR15 05:42 SERV STAT	
23MAR15 06:38	Into Maintenance	0.0	A A1PXXO1502119	XXxxXXxx
23MAR15 06:41	Change Serviceability Stat	0.0	SERV U/S A1PXXU1502948	XXxxXXxx
	8260.0 AFHR Estimated Date/Time Servic	736045.9	SERV STAT 24MAR15	
23MAR15 11:03	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	8260.0 AFHR			
23MAR15 11:03	Clear Toolboard	xxxx	14	XXxxXXxx
	8260.0 AFHR			
24MAR15 00:20	Maintenance Release	0.7	M PEA A A1PXXX1502427	XXxxXXxx
	8260.0 AFHR Change Serviceability Stat	0.7	U/S SERV	
	Estimated Date/Time Servic	0.7	24MAR15 06:41 SERV STAT	
24MAR15 02:30	Into Maintenance	0.0	A A1PXXO1502138	XXxxXXxx
24MAR15 03:20	Change Serviceability Stat	0.0	SERV U/S A1PXXU1502987	XXxxXXxx
	8261.2 AFHR Estimated Date/Time Servic	736046.8	SERV STAT 25MAR15	
24MAR15 04:23	Asset Comments	0.0		
	8261.2 AFHR		A1PXXX1502437	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02308  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----		
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
	LIFE SINCE NEW			
24MAR15 04:24	Maintenance Release	0.0	M PEA A	
	8261.2 AFHR		A1PXXX1502438	XXxxXXxx
	Change Serviceability Stat	0.0	U/S	
	Estimated Date/Time Servic	1.0	SERV 25MAR15 03:21	
24MAR15 09:08	Into Maintenance	0.1	SERV STAT A	
	8261.2 AFHR		A1PXXO1502171	XXxxXXxx
24MAR15 09:12	Change Serviceability Stat	0.0	SERV	
	8262.4 AFHR		U/S A1PXXU1502728	XXxxXXxx
	Estimated Date/Time Servic	736046.8	SERV STAT 25MAR15	
24MAR15 23:09	Initiate Toolboard	xxxx	14 B/F	
	8262.4 AFHR			XXxxXXxx
24MAR15 23:10	Clear Toolboard	xxxx	14	
	8262.4 AFHR			XXxxXXxx
24MAR15 23:59	Maintenance Release	0.6	M PEA A	
	8262.4 AFHR		A1PXXX1502485	XXxxXXxx
	Change Serviceability Stat	0.6	U/S	
	Estimated Date/Time Servic	1.6	SERV 25MAR15 09:12	
25MAR15 08:24	Into Maintenance	0.3	SERV STAT A	
	8265.2 AFHR		M PEA A1PXXO1502206	XXxxXXxx
25MAR15 09:56	Initiate Toolboard	xxxx	14 B/F	
	8266.5 AFHR			XXxxXXxx
25MAR15 09:56	Clear Toolboard	xxxx	14	
	8266.5 AFHR			XXxxXXxx
25MAR15 22:33	Maintenance Release	0.5	M PEA A	
	8266.5 AFHR		A1PXXX1502516	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02309  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
26MAR15	09:09	Into Maintenance 8269.0 AFHR	0.4	A A1PXXO1502252		XXxxXXxx
26MAR15	22:30	Asset Comments 8270.7 AFHR	0.0	MODS A1PXXX1502564	MODS	XXxxXXxx
30MAR15	06:57	Change Serviceability Stat 8270.7 AFHR	3.9	SERV U/S A1PXXU1503218		XXxxXXxx
		Estimated Date/Time Servic	736047.7	SERV STAT 31MAR15		
18MAY15	10:45	Asset Comments 8270.7 AFHR	0.0	R2 A1PXXX1504245	R2	XXxxXXxx
27JUL15	03:53	Initiate Toolboard 8270.7 AFHR	xxxx	14 B/F		XXxxXXxx
27JUL15	03:54	Clear Toolboard 8270.7 AFHR	xxxx	14		XXxxXXxx
27JUL15	03:55	Maintenance Release 8270.7 AFHR	118.8	M PEA A A1PXXX1506885		XXxxXXxx
		Change Serviceability Stat	118.8	U/S SERV		
		Estimated Date/Time Servic	0.8	31MAR15 07:00 SERV STAT		
27JUL15	07:57	Into Maintenance 8270.7 AFHR	0.1	A A1PXXO1505912		XXxxXXxx
27JUL15	08:30	Asset Comments 8270.9 AFHR	0.0	R2 MTF A1PXXX1506899	POST R2 = MTF	XXxxXXxx
27JUL15	08:32	Change Serviceability Stat 8270.9 AFHR	0.0	SERV U/S A1PXXX1506900		XXxxXXxx
		Estimated Date/Time Servic	736171.8	SERV STAT 27JUL15		
27JUL15	09:38	Initiate Toolboard 8270.9 AFHR	xxxx	14 B/F		XXxxXXxx
27JUL15	09:39	Clear Toolboard 8270.9 AFHR	xxxx	14		XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02310  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
28JUL15 09:14	Initiate Toolboard	8270.9 AFHR	xxxx	14 B/F	XXxxXXxx
28JUL15 09:14	Clear Toolboard	8270.9 AFHR	xxxx	14	XXxxXXxx
29JUL15 00:35	Maintenance Release	8270.9 AFHR	1.6	M PEA A A1PXXX1506950	XXxxXXxx
	Change Serviceability Stat	Estimated Date/Time Servic	1.6	U/S SERV 27JUL15 23:30 SERV STAT	
29JUL15 04:07	Into Maintenance	8270.9 AFHR	0.1	A A1PXXO1505961	XXxxXXxx
29JUL15 09:34	Initiate Toolboard	8271.2 AFHR	xxxx	14 B/F	XXxxXXxx
29JUL15 09:34	Clear Toolboard	8271.2 AFHR	xxxx	14	XXxxXXxx
30JUL15 12:32	Change Serviceability Stat	8271.2 AFHR	1.3	SERV U/S A1PXXU1508109	XXxxXXxx
	Estimated Date/Time Servic		736173.5	SERV STAT 31JUL15	
30JUL15 21:50	Initiate Toolboard	8271.2 AFHR	xxxx	14 B/F	XXxxXXxx
02AUG15 22:51	Initiate Toolboard	8271.2 AFHR	xxxx	14 B/F	XXxxXXxx
02AUG15 22:51	Clear Toolboard	8271.2 AFHR	xxxx	14	XXxxXXxx
03AUG15 01:20	Maintenance Release	8271.2 AFHR	3.5	M PEA A A1PXXX1507077	XXxxXXxx
	Change Serviceability Stat	Estimated Date/Time Servic	3.5	U/S SERV 31JUL15 12:35 SERV STAT	
	Estimated Date/Time Servic		0.5		

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02311  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
03AUG15	04:07	Into Maintenance 8271.2 AFHR	0.1	A	A1PXXO1506083	XXxxXXxx
03AUG15	06:16	Change Serviceability Stat 8272.0 AFHR	0.0	SERV U/S	A1PXXU1508109	XXxxXXxx
		Estimated Date/Time Servic	736178.7	SERV STAT 04AUG15		
03AUG15	10:00	Initiate Toolboard 8272.0 AFHR	xxxx	14 B/F		XXxxXXxx
03AUG15	10:00	Clear Toolboard 8272.0 AFHR	xxxx	14		XXxxXXxx
04AUG15	01:03	Maintenance Release 8272.0 AFHR	0.7	M PEA A	A1PXXX1507134	XXxxXXxx
		Change Serviceability Stat	0.7	U/S SERV		
		Estimated Date/Time Servic	0.7	04AUG15 06:16 SERV STAT		
04AUG15	04:05	Into Maintenance 8272.0 AFHR	0.1	A	A1PXXO1506127	XXxxXXxx
04AUG15	04:06	Asset Comments 8273.2 AFHR	0.0		A1PXXX1507138	XXxxXXxx
04AUG15	04:06	Change Serviceability Stat 8273.2 AFHR	0.0	SERV U/S	A1PXXU1508265	XXxxXXxx
		Estimated Date/Time Servic	736179.8	SERV STAT 05AUG15		
04AUG15	04:43	Maintenance Release 8273.2 AFHR	0.0	M PEA A	A1PXXX1507140	XXxxXXxx
		Change Serviceability Stat	0.0	U/S SERV		
		Estimated Date/Time Servic	1.0	05AUG15 04:06 SERV STAT		
05AUG15	04:10	Into Maintenance 8274.6 AFHR	0.9	A	A1PXXO1506174	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02312  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
05AUG15 04:56	Change Serviceability Stat 8276.3 AFHR Estimated Date/Time Serv	0.0	SERV U/S A1PXXUY505304 SERV STAT 06AUG15 14 B/F	XXxxXXxx
05AUG15 09:41	Initiate Toolboard 8277.8 AFHR	xxxx	14	XXxxXXxx
05AUG15 09:42	Clear Toolboard 8277.8 AFHR	xxxx	14	XXxxXXxx
10AUG15 04:56	Asset Comments 8277.8 AFHR	0.0	A/T 8277.8 A/T LANDING GEAR OPS, ASOR CLEARANCE & BRAKE OPS A1PXXX1507312	XXxxXXxx
10AUG15 12:30	Initiate Toolboard 8277.8 AFHR	xxxx	14 B/F	XXxxXXxx
10AUG15 12:31	Clear Toolboard 8277.8 AFHR	xxxx	14	XXxxXXxx
11AUG15 00:28	Maintenance Release 8277.8 AFHR	5.8	M PEA A A1PXXX1507340	XXxxXXxx
	Change Serviceability Stat Estimated Date/Time Serv	5.8	U/S SERV 06AUG15 04:56 SERV STAT	
11AUG15 04:02	Into Maintenance 8277.8 AFHR	0.1	A A1PXXO1506319	XXxxXXxx
11AUG15 04:05	Change Serviceability Stat 8279.1 AFHR Estimated Date/Time Serv	0.0	SERV U/S A1PXXU1508604 SERV STAT 12AUG15	XXxxXXxx
11AUG15 04:14	Maintenance Release 8279.1 AFHR	0.0	M PEA A A1PXXX1507345	XXxxXXxx
	Change Serviceability Stat Estimated Date/Time Serv	0.0	U/S SERV 12AUG15 04:05 SERV STAT	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02313  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS	REFERENCE	
11AUG15	08:38	Into Maintenance	0.1	A		
		8280.3 AFHR		M PEA	A1PXXO1506355	XXxxXXxx
11AUG15	10:57	Initiate Toolboard	xxxx	14 B/F		
		8281.5 AFHR				XXxxXXxx
11AUG15	10:57	Clear Toolboard	xxxx	14		
		8281.5 AFHR				XXxxXXxx
11AUG15	10:58	Asset Comments	0.0			
		8281.5 AFHR		A1PXXX1507357		XXxxXXxx
11AUG15	22:51	Maintenance Release	0.5	M PEA		
		8281.5 AFHR		A	A1PXXX1507371	XXxxXXxx
12AUG15	05:20	Into Maintenance	0.2	A		
		8282.9 AFHR		M PEA	A1PXXO1506386	XXxxXXxx
12AUG15	09:17	Initiate Toolboard	xxxx	14 B/F		
		8285.6 AFHR				XXxxXXxx
12AUG15	09:17	Clear Toolboard	xxxx	14		
		8285.6 AFHR				XXxxXXxx
12AUG15	22:39	Maintenance Release	0.7	M PEA		
		8285.6 AFHR		A	A1PXXX1507423	XXxxXXxx
13AUG15	08:07	Into Maintenance	0.3	A		
		8288.2 AFHR		M PEA	A1PXXO1506447	XXxxXXxx
13AUG15	11:36	Initiate Toolboard	xxxx	14 B/F		
		8288.7 AFHR				XXxxXXxx
13AUG15	11:37	Clear Toolboard	xxxx	14		
		8288.7 AFHR				XXxxXXxx
13AUG15	22:12	Maintenance Release	0.5	M PEA		
		8288.7 AFHR		A	A1PXXX1507484	XXxxXXxx
14AUG15	05:39	Into Maintenance	0.3	A		
		8290.0 AFHR		M PEA	A1PXXO1506480	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02314  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
16AUG15 01:30	Initiate Toolboard	8291.3 AFHR	xxxx	14 B/F	XXxxXXxx
16AUG15 01:30	Clear Toolboard	8291.3 AFHR	xxxx	14	XXxxXXxx
16AUG15 01:31	Maintenance Release	8291.3 AFHR	1.8	M PEA A A1PXXX1507511	XXxxXXxx
17AUG15 03:00	Into Maintenance	8294.3 AFHR	1.0	A A1PXXO1506523	XXxxXXxx
17AUG15 03:09	Asset Comments	8291.3 AFHR	0.0	LMO DEPLOYED - LEARMONTH A1PXXX1507547	XXxxXXxx
18AUG15 01:50	Change Serviceability Stat	8297.1 AFHR Estimated Date/Time Servic	0.9 736187.1	SERV U/S A1PXXU1508632 SERV STAT 19AUG15	XXxxXXxx
19AUG15 22:43	Change Serviceability Stat	8305.3 AFHR Estimated Date/Time Servic	1.8 1.8	U/S SERV A1PXXX1507669 19AUG15 01:50 SERV STAT	XXxxXXxx
23AUG15 22:00	Initiate Toolboard	8310.3 AFHR	xxxx	14 B/F	XXxxXXxx
24AUG15 00:36	Clear Toolboard	8310.3 AFHR	xxxx	14	XXxxXXxx
24AUG15 08:30	Initiate Toolboard	8315.4 AFHR	xxxx	14 B/F	XXxxXXxx
24AUG15 22:29	Change Serviceability Stat	8315.4 AFHR Estimated Date/Time Servic	4.9 736195.0	SERV U/S A1PXXU1508971 SERV STAT 25AUG15	XXxxXXxx
25AUG15 02:05	Clear Toolboard	8315.4 AFHR	xxxx	14	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02315  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
25AUG15 02:06	Change Serviceability Stat	0.1	U/S SERV A1PXXX1507775	XXxxXXxx
	8315.4 AFHR Estimated Date/Time Servic	0.1	25AUG15 22:29 SERV STAT	
25AUG15 09:00	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	8318.4 AFHR			
25AUG15 09:50	Clear Toolboard	xxxx	14	XXxxXXxx
	8318.4 AFHR			
26AUG15 06:48	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	8322.1 AFHR			
26AUG15 06:48	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	8322.1 AFHR			
26AUG15 22:32	Clear Toolboard	xxxx	14	XXxxXXxx
	8322.1 AFHR			
26AUG15 22:32	Maintenance Release	1.8	M LMO A	
	8322.1 AFHR		A1PXXX1507847	XXxxXXxx
27AUG15 02:53	Into Maintenance	0.1	A	
	8322.1 AFHR		A1PXXO1506923	XXxxXXxx
27AUG15 03:02	Change Serviceability Stat	0.0	SERV U/S	
	8323.3 AFHR Estimated Date/Time Servic	736200.9	A1PXXU1509398 SERV STAT	XXxxXXxx
			28AUG15	
27AUG15 07:50	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	8324.5 AFHR			
27AUG15 07:50	Clear Toolboard	xxxx	14	XXxxXXxx
	8324.5 AFHR			
27AUG15 07:51	Maintenance Release	0.2	M LMO A	
	8324.5 AFHR		A1PXXX1507867	XXxxXXxx
	Change Serviceability Stat	0.2	U/S	
	Estimated Date/Time Servic	1.2	SERV 28AUG15 03:04 SERV STAT	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02316  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
28AUG15 01:56	Into Maintenance 8324.5 AFHR	0.7	A A1PXXO1506975	XXxxXXxx
28AUG15 02:53	Asset Comments 8326.8 AFHR	0.0	A1PXXX1507905	XXxxXXxx
30AUG15 22:49	Change Serviceability Stat 8326.8 AFHR Estimated Date/Time Servic	2.8 736202.3	SERV U/S A1PXXU1509398 SERV STAT 31AUG15	XXxxXXxx
30AUG15 22:52	Initiate Toolboard 8326.8 AFHR	xxxx	14 B/F	XXxxXXxx
30AUG15 22:53	Clear Toolboard 8326.8 AFHR	xxxx	14	XXxxXXxx
31AUG15 00:20	Maintenance Release 8326.8 AFHR Change Serviceability Stat Estimated Date/Time Servic	0.0 0.0	M PEA A A1PXXX1507946 U/S SERV 31AUG15 22:49 SERV STAT	XXxxXXxx
31AUG15 09:08	Into Maintenance 8328.2 AFHR	0.3	A A1PXXO1507049	XXxxXXxx
31AUG15 09:26	Initiate Toolboard 8328.2 AFHR	xxxx	14 B/F	XXxxXXxx
31AUG15 09:27	Clear Toolboard 8328.2 AFHR	xxxx	14	XXxxXXxx
31AUG15 11:06	Change Serviceability Stat 8328.2 AFHR Estimated Date/Time Servic	0.0 736206.5	SERV U/S A1PXXU1509281 SERV STAT 01SEP15	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02317  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
31AUG15 23:22	Maintenance Release	0.5	M PEA A	
	8328.2 AFHR Change Serviceability Stat	0.5	A1PXXX1507988 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.5	SERV 01SEP15 11:06 SERV STAT	
01SEP15 05:37	Into Maintenance	0.2	A M PEA	
	8329.5 AFHR Initiate Toolboard	xxxx	A1PXXO1507077 14 B/F	XXxxXXxx
01SEP15 09:44	Clear Toolboard	xxxx	14	XXxxXXxx
	8330.8 AFHR Clear Toolboard	xxxx	14	XXxxXXxx
01SEP15 22:26	Maintenance Release	0.7	M PEA A	
	8330.8 AFHR Into Maintenance	0.3	A1PXXX1508023 A	XXxxXXxx
02SEP15 06:47	Change Serviceability Stat	0.0	A1PXXO1507121 SERV	XXxxXXxx
	Estimated Date/Time Servic	736207.6	U/S A1PXXU1509603 SERV STAT 03SEP15	XXxxXXxx
02SEP15 09:34	Initiate Toolboard	xxxx	14 B/F	
	8333.5 AFHR Clear Toolboard	xxxx	14	XXxxXXxx
02SEP15 09:35	Clear Toolboard	xxxx	14	XXxxXXxx
	8333.5 AFHR Maintenance Release	0.6	M PEA A	
02SEP15 22:15	Change Serviceability Stat	0.6	A1PXXX1508071 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.6	SERV 03SEP15 06:49 SERV STAT	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02318  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN (DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
03SEP15	08:50	Into Maintenance	0.4	A		
		8334.8 AFHR		M PEA	A1PXXO1507174	XXxxXXxx
03SEP15	09:10	Initiate Toolboard	xxxx	14 B/F		
		8335.8 AFHR				XXxxXXxx
03SEP15	09:11	Clear Toolboard	xxxx	14		
		8335.8 AFHR				XXxxXXxx
03SEP15	22:19	Maintenance Release	0.5	M PEA		
		8335.8 AFHR		A	A1PXXX1508111	XXxxXXxx
04SEP15	04:03	Into Maintenance	0.2	A		
		8335.8 AFHR		M PEA	A1PXXO1507201	XXxxXXxx
06SEP15	23:10	Initiate Toolboard	xxxx	14 B/F		
		8337.2 AFHR				XXxxXXxx
06SEP15	23:10	Clear Toolboard	xxxx	14		
		8337.2 AFHR				XXxxXXxx
06SEP15	23:11	Maintenance Release	2.7	M PEA		
		8337.2 AFHR		A	A1PXXX1508144	XXxxXXxx
07SEP15	02:35	Into Maintenance	0.1	A		
		8337.2 AFHR		M PEA	A1PXXO1507222	XXxxXXxx
07SEP15	04:09	Maintenance Release	0.0	M PEA		
		8338.1 AFHR		A	A1PXXX1508203	XXxxXXxx
07SEP15	06:54	Into Maintenance	0.1	A		
		8338.1 AFHR		A1PXXO1507233		XXxxXXxx
07SEP15	08:50	Change Serviceability Stat	0.0	SERV		
		8339.5 AFHR		U/S	A1PXXU1509528	XXxxXXxx
		Estimated Date/Time Servic	736209.5	SERV STAT		
07SEP15	09:15	Initiate Toolboard	xxxx	08SEP15		
		8339.5 AFHR		14 B/F		XXxxXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02319  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
07SEP15 09:15		Clear Toolboard		xxxx	14	
		8339.5 AFHR				XXxxXXxx
07SEP15 23:15		Maintenance Release		0.6	M PEA A	
		8339.5 AFHR			A1PXXX1508231	XXxxXXxx
		Change Serviceability Stat		0.6	U/S SERV	
		Estimated Date/Time Servic		1.6	08SEP15 08:50 SERV STAT	
08SEP15 08:39		Into Maintenance		0.3	A M PEA	
		8341.9 AFHR			A1PXXO1507267	XXxxXXxx
08SEP15 09:07		Initiate Toolboard		xxxx	14 B/F	
		8343.3 AFHR				XXxxXXxx
08SEP15 09:08		Clear Toolboard		xxxx	14	
		8343.3 AFHR				XXxxXXxx
08SEP15 22:23		Maintenance Release		0.5	M PEA A	
		8343.3 AFHR			A1PXXX1508248	XXxxXXxx
09SEP15 05:52		Into Maintenance		0.3	A A1PXXO1507292	XXxxXXxx
		8345.0 AFHR				XXxxXXxx
09SEP15 09:31		Initiate Toolboard		xxxx	14 B/F	
		8346.5 AFHR				XXxxXXxx
09SEP15 09:31		Clear Toolboard		xxxx	14	
		8346.5 AFHR				XXxxXXxx
09SEP15 11:57		Change Serviceability Stat		0.2	SERV U/S	
		8346.5 AFHR			A1PXXU1506613	XXxxXXxx
		Estimated Date/Time Servic		736214.4	SERV STAT 10SEP15	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02320  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
09SEP15 22:34	Maintenance Release	0.4	M PEA A	
	8346.5 AFHR Change Serviceability Stat	0.4	A1PXXX1508290 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.4	SERV 10SEP15 11:57 SERV STAT	
10SEP15 05:24	Into Maintenance	0.2	A	
	8348.0 AFHR		A1PXXO1507336	XXxxXXxx
10SEP15 09:23	Initiate Toolboard	xxxx	14 B/F	
	8348.0 AFHR			XXxxXXxx
10SEP15 09:23	Clear Toolboard	xxxx	14	
	8348.0 AFHR			XXxxXXxx
10SEP15 12:53	Change Serviceability Stat	0.3	SERV U/S	
	8348.0 AFHR Estimated Date/Time Servic	736216.4	A1PXXU1509966 SERV STAT	XXxxXXxx
11SEP15 01:27	Maintenance Release	0.5	11SEP15 M PEA A	
	8348.0 AFHR Change Serviceability Stat	0.5	A1PXXX1508338 U/S	XXxxXXxx
	Estimated Date/Time Servic	0.5	SERV 11SEP15 12:53 SERV STAT	
11SEP15 01:39	Asset Comments	0.0	A/T 599 STI	
	8348.0 AFHR		A1PXXX1508339	XXxxXXxx
11SEP15 04:23	Into Maintenance	0.1	A	
	8348.0 AFHR		A1PXXO1507343	XXxxXXxx
11SEP15 04:24	Change Serviceability Stat	0.0	SERV U/S	
	8349.5 AFHR Estimated Date/Time Servic	736217.8	A1PXXU1510021 SERV STAT	XXxxXXxx
11SEP15 04:25	Asset Comments	0.0	12SEP15 599 STI	
	8349.5 AFHR		A1PXXX1508349	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02321  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
11SEP15 04:25	Change Serviceability Stat	0.0	U/S SERV	
	8349.5 AFHR Estimated Date/Time Serv	1.0	A1PXXX1508350 12SEP15 04:24 SERV STAT	XXxxXXxx
13SEP15 22:38	Initiate Toolboard	xxxx	14 B/F	
	8349.5 AFHR			XXxxXXxx
13SEP15 22:39	Clear Toolboard	xxxx	14	
	8349.5 AFHR			XXxxXXxx
13SEP15 22:39	Maintenance Release	2.7	M PEA A	
	8349.5 AFHR		A1PXXX1508368	XXxxXXxx
14SEP15 07:33	Into Maintenance	0.3	A	
	8352.0 AFHR		A1PXXO1507379	XXxxXXxx
14SEP15 09:03	Change Serviceability Stat	0.0	SERV U/S	
	8353.5 AFHR Estimated Date/Time Serv	736217.8	A1PXXU1509838 SERV STAT	XXxxXXxx
14SEP15 09:24	Initiate Toolboard	xxxx	15SEP15 14 B/F	
	8353.5 AFHR			XXxxXXxx
14SEP15 09:25	Clear Toolboard	xxxx	14	
	8353.5 AFHR			XXxxXXxx
15SEP15 01:43	Maintenance Release	0.6	M PEA A	
	8353.5 AFHR Change Serviceability Stat	0.6	A1PXXX1508467 U/S	XXxxXXxx
	Estimated Date/Time Serv	0.6	SERV 15SEP15 09:03 SERV STAT	
15SEP15 06:29	Into Maintenance	0.1	A	
	8354.9 AFHR		M PEA A1PXXO1507408	XXxxXXxx
15SEP15 09:29	Initiate Toolboard	xxxx	14 B/F	
	8356.2 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02322  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
15SEP15 09:29	Clear Toolboard	8356.2 AFHR	xxxx	14	
15SEP15 22:26	Maintenance Release	8356.2 AFHR	0.6	M PEA A A1PXXX1508494	XXxxXXxx
16SEP15 02:59	Into Maintenance	8357.5 AFHR	0.1	A A1PXXO1507426	XXxxXXxx
16SEP15 03:39	Change Serviceability Stat	8357.5 AFHR	0.0	SERV U/S A1PXXU1510187	XXxxXXxx
	Estimated Date/Time Servic		736221.9	SERV STAT 17SEP15	
16SEP15 09:00	Initiate Toolboard	8358.8 AFHR	xxxx	14 B/F	XXxxXXxx
16SEP15 09:00	Clear Toolboard	8358.8 AFHR	xxxx	14	
16SEP15 22:38	Maintenance Release	8358.8 AFHR	0.7	M PEA A A1PXXX1508550	XXxxXXxx
	Change Serviceability Stat		0.7	U/S SERV	
	Estimated Date/Time Servic		1.7	17SEP15 03:40 SERV STAT	
17SEP15 09:51	Into Maintenance	8361.6 AFHR	0.4	A M PEA A1PXXO1507533	XXxxXXxx
20SEP15 22:58	Initiate Toolboard	8365.9 AFHR	xxxx	14 B/F	XXxxXXxx
20SEP15 22:59	Clear Toolboard	8365.9 AFHR	xxxx	14	
20SEP15 22:59	Maintenance Release	8365.9 AFHR	3.5	M PEA A A1PXXX1508674	XXxxXXxx
21SEP15 07:47	Into Maintenance	8367.2 AFHR	0.3	A A1PXXO1507598	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02323  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----			
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
LIFE SINCE NEW		TRANS REFERENCE			
=====					
21SEP15 07:48	Change Serviceability Stat	0.0	SERV		
	8367.2 AFHR		U/S		
	Estimated Date/Time Servic	736223.6	A1PXXU1510135		XXxxXXxx
21SEP15 11:19	Initiate Toolboard	xxxx	SERV STAT		
	8367.2 AFHR		22SEP15		
21SEP15 11:19	Clear Toolboard	xxxx	14 B/F		XXxxXXxx
	8367.2 AFHR				
22SEP15 01:01	Maintenance Release	0.7	M PEA		
	8367.2 AFHR		A		
	Change Serviceability Stat	0.7	A1PXXX1508750		XXxxXXxx
	Estimated Date/Time Servic	0.7	U/S		
22SEP15 09:12	Into Maintenance	0.3	SERV		
	8368.5 AFHR		22SEP15 07:48		
22SEP15 09:12	Initiate Toolboard	xxxx	SERV STAT		
	8368.5 AFHR		A		
22SEP15 09:13	Clear Toolboard	xxxx	M PEA		XXxxXXxx
	8368.5 AFHR		A1PXXO1507649		
22SEP15 22:52	Maintenance Release	0.5	14 B/F		XXxxXXxx
	8368.5 AFHR				
23SEP15 07:06	Into Maintenance	0.3	M PEA		
	8369.8 AFHR		A		
23SEP15 07:49	Asset Comments	0.0	A1PXXX1508783		XXxxXXxx
	8371.0 AFHR		A		
23SEP15 09:00	Initiate Toolboard	xxxx	M PEA		XXxxXXxx
	8371.0 AFHR		A1PXXO1507695		
23SEP15 09:00	Clear Toolboard	xxxx	14 B/F		XXxxXXxx
	8371.0 AFHR				

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02324  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
23SEP15	09:47	Maintenance Release	0.1	M PEA A		
		8371.0 AFHR		A1PXXX1508860		XXxxXXxx
23SEP15	14:45	Into Maintenance	0.2	A		
		8371.0 AFHR		A1PXXO1507719		XXxxXXxx
23SEP15	22:26	Change Serviceability Stat	0.3	SERV U/S		
		8371.0 AFHR		A1PXXU1510507		XXxxXXxx
		Estimated Date/Time Servic	736228.1	SERV STAT 24SEP15		
23SEP15	23:00	Maintenance Release	0.0	M PEA A		
		8371.0 AFHR		A1PXXX1508866		XXxxXXxx
		Change Serviceability Stat	0.0	U/S SERV		
		Estimated Date/Time Servic	1.0	24SEP15 22:28 SERV STAT		
24SEP15	01:34	Into Maintenance	0.1	A		
		8371.0 AFHR		A1PXXO1507732		XXxxXXxx
24SEP15	01:59	Change Serviceability Stat	0.0	SERV U/S		
		8372.2 AFHR		A1PXXU1510535		XXxxXXxx
		Estimated Date/Time Servic	736230.8	SERV STAT 25SEP15		
24SEP15	06:56	Asset Comments	0.0	AIRTEST	EFIS OPS	
		8372.2 AFHR		A1PXXX1508905		XXxxXXxx
24SEP15	06:57	Maintenance Release	0.2	M PEA A		
		8372.2 AFHR		A1PXXX1508906		XXxxXXxx
		Change Serviceability Stat	0.2	U/S SERV		
		Estimated Date/Time Servic	1.2	25SEP15 02:01 SERV STAT		
24SEP15	09:00	Into Maintenance	0.0	A		
		8372.2 AFHR		A1PXXO1507762		XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02325  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----			
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
LIFE SINCE NEW		TRANS REFERENCE			
=====					
24SEP15 09:18	Change Serviceability Stat	0.0	SERV		
	8374.0 AFHR		U/S		
	Estimated Date/Time Servic	736230.9	A1PXXU1510549		XXxxXXxx
24SEP15 09:19	Change Serviceability Stat	0.0	SERV		
	8374.0 AFHR		U/S		
	Estimated Date/Time Servic	1.0	A1PXXX1508908		XXxxXXxx
24SEP15 10:07	Initiate Toolboard	xxxx	25SEP15 09:18		
	8374.0 AFHR		SERV STAT		
24SEP15 10:08	Clear Toolboard	xxxx	14 B/F		
	8374.0 AFHR				XXxxXXxx
24SEP15 10:08	Asset Comments	0.0			
	8374.0 AFHR		A1PXXX1508913		XXxxXXxx
24SEP15 10:08	Maintenance Release	0.0	M PEA		
	8374.0 AFHR		A		
24SEP15 14:29	Into Maintenance	0.1	A1PXXX1508914		XXxxXXxx
	8375.0 AFHR		A		
24SEP15 23:14	Maintenance Release	0.3	M PEA		
	8376.0 AFHR		A1PXXO1507777		XXxxXXxx
25SEP15 06:55	Into Maintenance	0.3	A		
	8376.9 AFHR		A1PXXX1508938		XXxxXXxx
25SEP15 06:57	Change Serviceability Stat	0.0	A1PXXO1507808		XXxxXXxx
	8378.2 AFHR		SERV		
	Estimated Date/Time Servic	736231.0	U/S		
			A1PXXU1510382		XXxxXXxx
29SEP15 09:31	Initiate Toolboard	xxxx	26SEP15		
	8378.2 AFHR		14 B/F		
29SEP15 09:31	Clear Toolboard	xxxx			
	8378.2 AFHR				XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02326  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
29SEP15	12:00	Into Maintenance	8378.2 AFHR	0.0	M A1PXXO1507856	XXxxXXxx
29SEP15	12:13	Maintenance Release	8378.2 AFHR	4.2	M PEA A A1PXXX1508994	XXxxXXxx
		Change Serviceability Stat		4.2	U/S SERV	
		Estimated Date/Time Servic		1.2	26SEP15 06:57 SERV STAT	
30SEP15	09:58	Into Maintenance	8380.7 AFHR	0.9	A M PEA A1PXXO1507886	XXxxXXxx
30SEP15	09:58	Initiate Toolboard	8380.7 AFHR	xxxx	14 B/F	XXxxXXxx
30SEP15	09:59	Clear Toolboard	8380.7 AFHR	xxxx	14	XXxxXXxx
04OCT15	22:31	Initiate Toolboard	8382.0 AFHR	xxxx	14 B/F	XXxxXXxx
04OCT15	22:32	Clear Toolboard	8382.0 AFHR	xxxx	14	XXxxXXxx
05OCT15	02:43	Maintenance Release	8382.0 AFHR	4.6	M PEA A A1PXXX1509129	XXxxXXxx
05OCT15	08:58	Into Maintenance	8383.4 AFHR	0.2	A A1PXXO1507931	XXxxXXxx
05OCT15	09:04	Initiate Toolboard	8384.7 AFHR	xxxx	14 B/F	XXxxXXxx
05OCT15	09:05	Clear Toolboard	8384.7 AFHR	xxxx	14	XXxxXXxx
05OCT15	11:41	Change Serviceability Stat	8384.7 AFHR	0.1	SERV U/S A1PXXU1510635	XXxxXXxx
		Estimated Date/Time Servic		736236.0	SERV STAT 06OCT15	

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02327  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
06OCT15 00:17	Maintenance Release	0.5	M PEA	
	8384.7 AFHR		A	
	Change Serviceability Stat	0.5	A1PXXX1509174	XXxxXXxx
	Estimated Date/Time Servic	0.5	U/S	
			SERV	
			06OCT15 11:41	
			SERV STAT	
06OCT15 01:05	Into Maintenance	0.0	A	
	8384.7 AFHR		A1PXXO1507933	XXxxXXxx
06OCT15 03:55	Change Serviceability Stat	0.1	SERV	
	8384.7 AFHR		U/S	
	Estimated Date/Time Servic	736242.8	A1PXXU1511045	XXxxXXxx
			SERV STAT	
			07OCT15	
06OCT15 04:02	Asset Comments	0.0	AIRTEST	EFIS OPS
	8384.7 AFHR		A1PXXX1509193	XXxxXXxx
06OCT15 04:03	Maintenance Release	0.0	M PEA	
	8384.7 AFHR		A	
	Change Serviceability Stat	0.0	A1PXXX1509194	XXxxXXxx
	Estimated Date/Time Servic	1.0	U/S	
			SERV	
			07OCT15 03:57	
			SERV STAT	
06OCT15 07:33	Into Maintenance	0.1	A	
	8384.7 AFHR		A1PXXO1507958	XXxxXXxx
06OCT15 07:41	Asset Comments	0.0	A1PXXX1509202	XXxxXXxx
	8386.0 AFHR		SERV	
06OCT15 07:41	Change Serviceability Stat	0.0	U/S	
	8386.0 AFHR		A1PXXU1511046	XXxxXXxx
	Estimated Date/Time Servic	736242.8	SERV STAT	
			07OCT15	
06OCT15 09:23	Initiate Toolboard	xxxx	14 B/F	
	8386.0 AFHR			XXxxXXxx
06OCT15 09:23	Clear Toolboard	xxxx	14	
	8386.0 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02328  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----			
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
LIFE SINCE NEW		TRANS REFERENCE			
=====					
06OCT15 10:09	Maintenance Release	0.1	M PEA		
	8386.0 AFHR		A		
	Change Serviceability Stat	0.1	A1PXXX1509210		XXxxXXxx
	Estimated Date/Time Servic	1.1	U/S		
			SERV		
			07OCT15 07:41		
			SERV STAT		
06OCT15 14:50	Into Maintenance	0.1	A		
	8387.2 AFHR		M PEA		
06OCT15 22:27	Maintenance Release	0.3	A1PXXO1507990		XXxxXXxx
	8388.2 AFHR		M PEA		
07OCT15 09:00	Asset Comments	0.0	A1PXXX1509227		XXxxXXxx
	8389.4 AFHR		GERO	DEPLOYED ON GERO	
09OCT15 03:15	Into Maintenance	2.1	A1PXXX1509265		XXxxXXxx
	8394.7 AFHR		A		
09OCT15 06:03	Asset Comments	0.0	M PEA		
	8396.0 AFHR		A1PXXO1508113		XXxxXXxx
11OCT15 22:15	Initiate Toolboard	xxxx	A1PXXX1509386		XXxxXXxx
	8397.4 AFHR		14 B/F		
11OCT15 22:15	Clear Toolboard	xxxx	14		XXxxXXxx
	8397.4 AFHR				
11OCT15 22:18	Maintenance Release	2.7	M PEA		
	8397.4 AFHR		A		
12OCT15 09:28	Into Maintenance	0.4	A1PXXX1509397		XXxxXXxx
	8399.8 AFHR		A		
12OCT15 09:35	Initiate Toolboard	xxxx	M PEA		
	8399.8 AFHR		A1PXXO1508175		XXxxXXxx
12OCT15 09:36	Clear Toolboard	xxxx	14 B/F		XXxxXXxx
	8399.8 AFHR		14		
					XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02329  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----				
TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN(DYS) FROM	TO (OPTIONAL)	USER
				TRANS REFERENCE		
=====						
12OCT15	09:36	Maintenance Release		0.0	M PEA A	
		8399.8	AFHR		A1PXXX1509424	XXxxXXxx
12OCT15	14:29	Into Maintenance		0.2	A	
		8400.9	AFHR		A1PXXO1508190	XXxxXXxx
12OCT15	14:39	Change Serviceability Stat		0.0	SERV U/S	
		8401.9	AFHR		A1PXXU1511035	XXxxXXxx
		Estimated Date/Time Servic		736242.8	SERV STAT 13OCT15	
12OCT15	23:57	Maintenance Release		0.3	M PEA A	
		8401.9	AFHR		A1PXXX1509438	XXxxXXxx
		Change Serviceability Stat		0.3	U/S SERV	
		Estimated Date/Time Servic		1.3	13OCT15 14:39 SERV STAT	
13OCT15	06:44	Into Maintenance		0.2	A M PEA	
		8403.3	AFHR		A1PXXO1508220	XXxxXXxx
13OCT15	09:07	Initiate Toolboard		xxxx	14 B/F	
		8404.6	AFHR			XXxxXXxx
13OCT15	09:07	Clear Toolboard		xxxx	14	
		8404.6	AFHR			XXxxXXxx
13OCT15	10:03	Maintenance Release		0.1	M PEA A	
		8404.6	AFHR		A1PXXX1509476	XXxxXXxx
13OCT15	11:32	Into Maintenance		0.0	A	
		8404.6	AFHR		A1PXXO1508233	XXxxXXxx
13OCT15	11:50	Change Serviceability Stat		0.0	SERV U/S	
		8405.0	AFHR		A1PXXU1511287	XXxxXXxx
		Estimated Date/Time Servic		736249.5	SERV STAT 14OCT15	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02330  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
13OCT15	22:11	Maintenance Release	0.4	M PEA A		
		8405.0 AFHR		A1PXXX1509493		XXxxXXxx
		Change Serviceability Stat	0.4	U/S		
		Estimated Date/Time Servic	1.4	SERV 14OCT15 11:50		
				SERV STAT		
14OCT15	08:33	Into Maintenance	0.4	A		
		8407.6 AFHR		M PEA A1PXXO1508277		XXxxXXxx
14OCT15	09:57	Initiate Toolboard	xxxx	14 B/F		
		8408.2 AFHR				XXxxXXxx
14OCT15	09:57	Clear Toolboard	xxxx	14		
		8408.2 AFHR				XXxxXXxx
14OCT15	09:57	Maintenance Release	0.0	M PEA A		
		8408.2 AFHR		A1PXXX1509522		XXxxXXxx
14OCT15	14:31	Into Maintenance	0.1	A		
		8408.2 AFHR		M PEA A1PXXO1508292		XXxxXXxx
14OCT15	22:20	Maintenance Release	0.3	M PEA A		
		8408.2 AFHR		A1PXXX1509530		XXxxXXxx
15OCT15	09:06	Into Maintenance	0.4	A		
		8411.0 AFHR		M PEA A1PXXO1508340		XXxxXXxx
18OCT15	22:49	Initiate Toolboard	xxxx	14 B/F		
		8412.4 AFHR				XXxxXXxx
18OCT15	22:49	Clear Toolboard	xxxx	14		
		8412.4 AFHR				XXxxXXxx
19OCT15	00:21	Maintenance Release	3.6	M PEA A		
		8412.4 AFHR		A1PXXX1509624		XXxxXXxx
19OCT15	05:02	Into Maintenance	0.1	A		
		8412.9 AFHR		A1PXXO1508360		XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02331  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----			
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
LIFE SINCE NEW		TRANS REFERENCE			
=====					
19OCT15 06:42	Change Serviceability Stat	0.0	SERV		
	8413.5 AFHR		U/S		
	Estimated Date/Time Servic	736250.6	A1PXXU1511522		XXxxXXxx
19OCT15 09:49	Initiate Toolboard	xxxx	SERV STAT		
	8413.5 AFHR		20OCT15		
19OCT15 09:50	Clear Toolboard	xxxx	14 B/F		XXxxXXxx
	8413.5 AFHR		14		
19OCT15 12:43	Asset Comments	0.0	AIRTEST	BRAKE + SYMBOL GEN OPS	
	8413.5 AFHR		A1PXXX1509669		XXxxXXxx
20OCT15 11:05	Initiate Toolboard	xxxx	14 B/F		
	8413.5 AFHR				XXxxXXxx
20OCT15 11:06	Clear Toolboard	xxxx	14		
	8413.5 AFHR				XXxxXXxx
20OCT15 21:47	Asset Comments	0.0	AT 7.2 HRS	BRAKE + SYMBOL GEN OPS	
	8413.5 AFHR		A1PXXX1509723		XXxxXXxx
20OCT15 22:16	Maintenance Release	1.6	M PEA		
	8413.5 AFHR		A		
	Change Serviceability Stat	1.6	A1PXXX1509732		XXxxXXxx
	8413.5 AFHR		U/S		
	Estimated Date/Time Servic	1.6	SERV		
			20OCT15 06:44		
21OCT15 03:18	Into Maintenance	0.2	SERV STAT		
	8413.5 AFHR		A		
21OCT15 03:28	Change Serviceability Stat	0.0	A1PXXO1508464		XXxxXXxx
	8414.8 AFHR		SERV		
	Estimated Date/Time Servic	736257.7	U/S		
			A1PXXU1511535		XXxxXXxx
21OCT15 03:28	Asset Comments	0.0	SERV STAT		
	8414.8 AFHR		22OCT15		
21OCT15 12:39	Initiate Toolboard	xxxx	AT 5.9 HRS	BRAKE + SYMBOL GEN OPS	
	8414.8 AFHR		A1PXXX1509745		XXxxXXxx
			14 B/F		
					XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02332  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
21OCT15 12:39	Clear	Toolboard	8414.8 AFHR	xxxx	14	XXxxXXxx
21OCT15 22:22	Maintenance	Release	8414.8 AFHR	0.7	M PEA A A1PXXX1509774	XXxxXXxx
	Change	Serviceability Stat		0.7	U/S SERV	
	Estimated	Date/Time Servic		1.7	22OCT15 03:28 SERV STAT	
22OCT15 02:40	Into	Maintenance	8414.8 AFHR	0.1	A A1PXXO1508501	XXxxXXxx
22OCT15 02:49	Change	Serviceability Stat		0.0	SERV U/S A1PXXU1511625	XXxxXXxx
	Estimated	Date/Time Servic		736258.8	SERV STAT 23OCT15	
22OCT15 02:50	Asset	Comments	8415.9 AFHR	0.0	A1PXXX1509789	XXxxXXxx
22OCT15 02:50	Asset	Comments	8415.9 AFHR	0.0	4.8 HRS A1PXXX1509790	XXxxXXxx
22OCT15 02:54	Maintenance	Release		0.0	M PEA A A1PXXX1509793	XXxxXXxx
	Change	Serviceability Stat		0.0	U/S SERV	
	Estimated	Date/Time Servic		1.0	23OCT15 02:49 SERV STAT	
22OCT15 08:54	Into	Maintenance		0.2	A M PEA A1PXXO1508546	XXxxXXxx
22OCT15 08:59	Asset	Comments	8417.2 AFHR	0.0	2.1 HRS A1PXXX1509802	XXxxXXxx
22OCT15 09:22	Initiate	Toolboard	8418.6 AFHR	xxxx	14 B/F	XXxxXXxx
22OCT15 09:23	Clear	Toolboard	8418.6 AFHR	xxxx	14	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02333  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
22OCT15	22:10	Maintenance Release	0.5	M PEA A A1PXXX1509812		XXxxXXxx
23OCT15	03:50	Into Maintenance	0.2	A A1PXXO1508555		XXxxXXxx
23OCT15	03:56	Asset Comments	0.0	R1 SERV R1 A1PXXX1509840		XXxxXXxx
26OCT15	00:30	Change Serviceability Stat	2.8	SERV U/S A1PXXU1413558		XXxxXXxx
		8420.3 AFHR Estimated Date/Time Servic	736259.0	SERV STAT 27OCT15		
03NOV15	11:58	Create/Amend Basic Weight	1628.3	1746.00 4274.0 0.00 0.00 1736.20 4269.3 7412393.25 0.00 A1PXXX1510255		XXxxXXxx
03NOV15	13:45	Maintenance Comment Armed	0.0	S12 SERV C/O @4TH R2 SERV. REFER: MCS 455/15 = A1PXXU1106575 Y		
03NOV15	13:45	Asset Comments	0.0	A1PXXX1510263 MTF		XXxxXXxx
03NOV15	13:45	Armed	0.0	A1PXXX1510263		XXxxXXxx
04NOV15	04:36	Initiate Toolboard	xxxx	N A1PXXX1510264		XXxxXXxx
04NOV15	04:37	Clear Toolboard	xxxx	14 B/F		XXxxXXxx
04NOV15	04:38	Maintenance Release	9.1	8420.3 AFHR A1PXXX1510318		XXxxXXxx
		Change Serviceability Stat	9.1	U/S SERV		
		Estimated Date/Time Servic	1.1	27OCT15 00:30 SERV STAT		
04NOV15	05:12	Into Maintenance	0.0	A A1PXXO1509006		XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02334  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----		
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
	LIFE SINCE NEW			
04NOV15 05:13	Change Serviceability Stat	0.0	SERV U/S A1PXXU1512361	XXxxXXxx
	8420.3 AFHR Estimated Date/Time Servic	736271.9	SERV STAT 05NOV15	
04NOV15 05:23	Maintenance Release	0.0	M PEA A A1PXXX1510328	XXxxXXxx
	8420.3 AFHR Change Serviceability Stat	0.0	U/S SERV	
	Estimated Date/Time Servic	1.0	05NOV15 05:17 SERV STAT	
04NOV15 07:22	Into Maintenance	0.0	A A1PXXO1509025	XXxxXXxx
04NOV15 11:23	Change Serviceability Stat	0.1	SERV U/S A1PXXU1512375	XXxxXXxx
	8420.6 AFHR Estimated Date/Time Servic	736271.7	SERV STAT 05NOV15	
04NOV15 12:21	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	8420.6 AFHR			
04NOV15 12:21	Clear Toolboard	xxxx	14	XXxxXXxx
	8420.6 AFHR			
05NOV15 01:37	Maintenance Release	0.5	M PEA A A1PXXX1510367	XXxxXXxx
	8420.6 AFHR Change Serviceability Stat	0.5	U/S SERV	
	Estimated Date/Time Servic	0.5	05NOV15 11:28 SERV STAT	
05NOV15 01:39	Into Maintenance	0.0	A M PEA A1PXXO1509045	XXxxXXxx
05NOV15 04:40	Maintenance Release	0.1	M PEA A A1PXXX1510379	XXxxXXxx
	8420.6 AFHR			

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02335  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----			
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
=====	=====	=====	=====	=====	=====
	LIFE SINCE NEW		TRANS REFERENCE		
05NOV15 07:17	Into Maintenance	0.1	A		
	8420.6 AFHR		M PEA		
05NOV15 07:18	Maintenance Release	0.0	A1PXXO1509091		XXxxXXxx
	8421.5 AFHR		M PEA		
05NOV15 07:19	Into Maintenance	0.0	A		
	8421.5 AFHR		A1PXXX1510391		XXxxXXxx
05NOV15 07:20	Change Serviceability Stat	0.0	A1PXXO1509092		XXxxXXxx
	8421.5 AFHR		SERV		
	Estimated Date/Time Servic	736272.7	U/S		
			A1PXXU1512394		XXxxXXxx
05NOV15 07:27	Maintenance Release	0.0	SERV STAT		
	8421.5 AFHR		06NOV15		
	Change Serviceability Stat	0.0	M PEA		
			A		
	Maintenance Comment	0.0	A1PXXX1510392		XXxxXXxx
	Estimated Date/Time Servic	1.0	U/S		
			SERV		
05NOV15 08:19	Into Maintenance	0.0	MTF		
	8421.5 AFHR		06NOV15 07:20		
05NOV15 08:21	Asset Comments	0.0	SERV STAT		
	8421.7 AFHR		A		
05NOV15 08:21	Change Serviceability Stat	0.0	A1PXXO1509102		XXxxXXxx
			A/T	A/T	
	Estimated Date/Time Servic	736272.9	A1PXXX1510393		XXxxXXxx
			SERV		
			U/S		
			A1PXXU1512425		XXxxXXxx
05NOV15 08:49	Asset Comments	0.0	SERV STAT		
	8421.7 AFHR		06NOV15		
05NOV15 08:49	Initiate Toolboard	xxxx	A1PXXX1510394		XXxxXXxx
	8421.7 AFHR		14 B/F		
05NOV15 08:49	Clear Toolboard	xxxx			XXxxXXxx
	8421.7 AFHR		14		XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02336  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
05NOV15 22:39	Asset Comments 8421.7 AFHR	0.0	AIRTEST ESDP OPS A1PXXX1510408	XXxxXXxx
05NOV15 22:40	Maintenance Release 8421.7 AFHR	0.5	M PEA A A1PXXX1510409	XXxxXXxx
	Change Serviceability Stat	0.5	U/S SERV	
	Estimated Date/Time Servic	1.5	06NOV15 08:21 SERV STAT	
06NOV15 01:48	Into Maintenance 8421.7 AFHR	0.1	A A1PXXO1509115	XXxxXXxx
06NOV15 01:53	Change Serviceability Stat 8423.3 AFHR	0.0	SERV U/S A1PXXU1512229	XXxxXXxx
	Estimated Date/Time Servic	736273.8	SERV STAT 07NOV15	
06NOV15 01:54	Asset Comments 8423.3 AFHR	0.0	A1PXXX1510430	XXxxXXxx
06NOV15 01:55	Maintenance Release 8423.3 AFHR	0.0	M PEA A A1PXXX1510431	XXxxXXxx
	Change Serviceability Stat	0.0	U/S SERV	
	Estimated Date/Time Servic	1.0	07NOV15 01:53 SERV STAT	
06NOV15 06:22	Into Maintenance 8424.6 AFHR	0.1	A M PEA A1PXXO1509145	XXxxXXxx
08NOV15 22:51	Initiate Toolboard 8424.6 AFHR	xxxx	14 B/F	XXxxXXxx
08NOV15 22:51	Clear Toolboard 8424.6 AFHR	xxxx	14	XXxxXXxx
08NOV15 23:19	Maintenance Release 8424.6 AFHR	2.7	M PEA A A1PXXX1510452	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02337  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
09NOV15 03:41	Asset Comments 8424.6 AFHR	0.0	LMO LMO A1PXXX1510491	XXxxXXxx
09NOV15 06:20	Into Maintenance 8427.1 AFHR	0.2	A A1PXXO1509214	XXxxXXxx
09NOV15 06:35	Change Serviceability Stat 8428.3 AFHR	0.0	SERV U/S A1PXXU1512253	XXxxXXxx
	Estimated Date/Time Servic	736273.8	SERV STAT 10NOV15	
10NOV15 07:24	Initiate Toolboard 8428.3 AFHR	xxxx	14 B/F	XXxxXXxx
10NOV15 22:29	Clear Toolboard 8428.3 AFHR	xxxx	14	XXxxXXxx
10NOV15 22:30	Maintenance Release 8428.3 AFHR	1.6	M LMO A A1PXXX1510566	XXxxXXxx
	Change Serviceability Stat	1.6	U/S SERV	
	Estimated Date/Time Servic	1.6	10NOV15 06:35 SERV STAT	
11NOV15 06:41	Into Maintenance 8431.8 AFHR	0.3	A M LMO A1PXXO1509318	XXxxXXxx
11NOV15 22:34	Initiate Toolboard 8433.0 AFHR	xxxx	14 B/F	XXxxXXxx
11NOV15 22:35	Clear Toolboard 8433.0 AFHR	xxxx	14	XXxxXXxx
11NOV15 22:35	Maintenance Release 8433.0 AFHR	0.6	M LMO A A1PXXX1510606	XXxxXXxx
12NOV15 07:10	Into Maintenance 8437.0 AFHR	0.3	A M LMO A1PXXO1509383	XXxxXXxx
12NOV15 08:17	Initiate Toolboard 8438.2 AFHR	xxxx	14 B/F	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02338  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
12NOV15 08:17	Clear	Toolboard	8438.2 AFHR	xxxx	14	
12NOV15 23:20	Maintenance	Release	8438.2 AFHR	0.6	M LMO A A1PXXX1510655	XXxxXXxx
13NOV15 07:03	Into	Maintenance	8440.7 AFHR	0.3	A M PEA A1PXXO1509429	XXxxXXxx
15NOV15 22:08	Asset	Comments	8440.7 AFHR	0.0	A1PXXX1510691	XXxxXXxx
15NOV15 22:36	Initiate	Toolboard	8440.7 AFHR	xxxx	14 B/F	XXxxXXxx
15NOV15 22:36	Clear	Toolboard	8440.7 AFHR	xxxx	14	XXxxXXxx
15NOV15 23:46	Maintenance	Release	8440.7 AFHR	2.6	M PEA A A1PXXX1510697	XXxxXXxx
16NOV15 08:12	Into	Maintenance	8443.5 AFHR	0.3	A A1PXXO1509465	XXxxXXxx
16NOV15 11:44	Initiate	Toolboard	8444.7 AFHR	xxxx	14 B/F	XXxxXXxx
16NOV15 11:44	Clear	Toolboard	8444.7 AFHR	xxxx	14	XXxxXXxx
16NOV15 11:45	Change	Serviceability Stat	8444.7 AFHR	0.1	SERV U/S A1PXXU1512540	XXxxXXxx
	Estimated	Date/Time Servic		736278.4	SERV STAT 17NOV15	
16NOV15 23:51	Maintenance	Release	8444.7 AFHR	0.5	M PEA A A1PXXX1510745	XXxxXXxx
	Change	Serviceability Stat		0.5	U/S SERV	
	Estimated	Date/Time Servic		1.5	17NOV15 11:45 SERV STAT	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02339  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW	TRANS REFERENCE			
17NOV15	08:00	Into Maintenance	0.3	A		
		8447.2 AFHR		M PEA	A1PXXO1509504	XXxxXXxx
17NOV15	09:56	Initiate Toolboard	xxxx	14 B/F		
		8448.6 AFHR				XXxxXXxx
17NOV15	09:57	Clear Toolboard	xxxx	14		
		8448.6 AFHR				XXxxXXxx
17NOV15	10:36	Maintenance Release	0.1	M PEA		
		8448.6 AFHR		A	A1PXXX1510787	XXxxXXxx
17NOV15	13:51	Into Maintenance	0.1	A		
		8449.6 AFHR		M PEA	A1PXXO1509522	XXxxXXxx
18NOV15	00:23	Maintenance Release	0.4	M PEA		
		8449.6 AFHR		A	A1PXXX1510805	XXxxXXxx
18NOV15	04:06	Into Maintenance	0.1	A		
		8449.6 AFHR		M PEA	A1PXXO1509548	XXxxXXxx
18NOV15	09:44	Change Serviceability Stat	0.2	SERV		
		8450.6 AFHR		U/S	A1PXXU1512923	XXxxXXxx
		Estimated Date/Time Servic	736284.5	SERV STAT		
18NOV15	11:45	Initiate Toolboard	xxxx	14 B/F		
		8450.6 AFHR				XXxxXXxx
18NOV15	11:46	Clear Toolboard	xxxx	14		
		8450.6 AFHR				XXxxXXxx
18NOV15	22:25	Maintenance Release	0.5	M PEA		
		8450.6 AFHR		A	A1PXXX1510844	XXxxXXxx
		Change Serviceability Stat	0.5	U/S		
		Estimated Date/Time Servic	1.5	SERV	19NOV15 09:47	
				SERV STAT		
19NOV15	01:01	Into Maintenance	0.1	A		
		8450.6 AFHR		M PEA	A1PXXO1509583	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02340  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----			
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
=====	=====	=====	=====	=====	=====
	LIFE SINCE NEW		TRANS REFERENCE		
19NOV15 02:30	Change Serviceability Stat	0.0	SERV U/S		
	8450.6 AFHR		A1PXXU1512959		XXxxXXxx
	Estimated Date/Time Servic	736286.8	SERV STAT		
			20NOV15		
19NOV15 08:52	Initiate Toolboard	xxxx	14 B/F		
	8451.8 AFHR				XXxxXXxx
19NOV15 08:53	Clear Toolboard	xxxx	14		
	8451.8 AFHR				XXxxXXxx
19NOV15 23:25	Maintenance Release	0.8	M PEA		
	8451.8 AFHR		A1PXXX1510884		XXxxXXxx
	Change Serviceability Stat	0.8	U/S		
	Estimated Date/Time Servic	1.8	SERV		
			20NOV15 02:30		
20NOV15 03:37	Into Maintenance	0.1	SERV STAT		
			A		
	8451.8 AFHR		M PEA		
22NOV15 22:56	Initiate Toolboard	xxxx	A1PXXO1509640		XXxxXXxx
	8453.1 AFHR		14 B/F		
					XXxxXXxx
22NOV15 22:57	Clear Toolboard	xxxx	14		
	8453.1 AFHR				XXxxXXxx
22NOV15 23:24	Maintenance Release	2.8	M PEA		
			A		
	8453.1 AFHR		A1PXXX1510925		XXxxXXxx
23NOV15 01:09	Maintenance Comment	0.0	ANNUAL REVIEW OF AIRCRAFT LOG C/O IAW AAP7001-059		
	8453.1 AFHR		A1PXXX1510936		XXxxXXxx
23NOV15 05:57	Into Maintenance	0.2	A		
	8454.4 AFHR		A1PXXO1509672		XXxxXXxx
23NOV15 09:18	Initiate Toolboard	xxxx	14 B/F		
	8456.1 AFHR				XXxxXXxx
23NOV15 09:18	Clear Toolboard	xxxx	14		
	8456.1 AFHR				XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02341  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----				
TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN(DYS) FROM	TO (OPTIONAL)	USER
=====	=====	=====	=====	=====	=====	=====
				TRANS REFERENCE		
23NOV15 09:20	Change Serviceability Stat	8456.1	AFHR	0.1	SERV U/S	
	Estimated Date/Time Servic			736287.5	A1PXXU1512807	XXxxXXxx
24NOV15 00:06	Maintenance Release	8456.1	AFHR	0.6	SERV STAT	
	Change Serviceability Stat			0.6	24NOV15 M PEA	
	Estimated Date/Time Servic			0.6	A	XXxxXXxx
24NOV15 07:36	Into Maintenance	8458.8	AFHR	0.3	A1PXXX1510969	
24NOV15 09:14	Initiate Toolboard	8460.4	AFHR	xxxx	U/S	XXxxXXxx
24NOV15 09:16	Clear Toolboard	8460.4	AFHR	xxxx	SERV	XXxxXXxx
24NOV15 10:29	Change Serviceability Stat	8460.4	AFHR	0.1	24NOV15 09:20	
	Estimated Date/Time Servic			736291.5	SERV STAT	XXxxXXxx
24NOV15 22:18	Maintenance Release	8460.4	AFHR	0.4	25NOV15	
	Change Serviceability Stat			0.4	M PEA	
	Estimated Date/Time Servic			1.4	A	XXxxXXxx
25NOV15 07:42	Into Maintenance	8463.2	AFHR	0.3	A1PXXX1510999	
25NOV15 12:21	Initiate Toolboard	8464.9	AFHR	xxxx	U/S	XXxxXXxx
					SERV	XXxxXXxx
					25NOV15 10:29	
					SERV STAT	
					A	
					M PEA	
					A1PXXO1509775	XXxxXXxx
					14 B/F	
						XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02342  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS				-----		
TRANSACTION D/T	CHANGE	TYPE		SPAN(DYS)	FROM	
			LIFE SINCE NEW		TO (OPTIONAL)	USER
					TRANS REFERENCE	
=====						
25NOV15	12:21	Clear Toolboard		xxxx	14	
		8464.9	AFHR			XXxxXXxx
25NOV15	22:15	Maintenance Release		0.6	M PEA	
		8464.9	AFHR		A	
26NOV15	01:52	Asset Comments		0.0	A1PXXX1511061	XXxxXXxx
		8464.9	AFHR		MARG	O/NIGHT - YMRG
26NOV15	01:53	Operator Acceptance		0.0	A1PXXX1511080	XXxxXXxx
		8464.9	AFHR		aip02017	
26NOV15	03:24	Into Maintenance		0.2	A1PXXX1511082	XXxxXXxx
		8464.9	AFHR		A	
26NOV15	03:38	Operator Acceptance		0.0	M PEA	
		8464.9	AFHR		A1PXXO1509800	XXxxXXxx
		Maintenance Comment		0.0	aip01570	
26NOV15	03:39	Operator Release		0.0	A1PXXX1511088	XXxxXXxx
		8464.9	AFHR		RTB	
26NOV15	03:54	Asset Comments		0.0	A. COOK	
		8465.6	AFHR		A1PXXX1511089	XXxxXXxx
26NOV15	06:15	Maintenance Release		0.1	A1PXXX1511092	XXxxXXxx
		8465.6	AFHR		M PEA	
26NOV15	09:12	Into Maintenance		0.1	A	
		8465.6	AFHR		A1PXXX1511098	XXxxXXxx
30NOV15	00:11	Initiate Toolboard		xxxx	14 B/F	
		8470.2	AFHR			XXxxXXxx
30NOV15	00:11	Clear Toolboard		xxxx	14	
		8470.2	AFHR			XXxxXXxx
30NOV15	00:12	Maintenance Release		3.6	M PEA	
		8470.2	AFHR		A	
30NOV15	08:38	Into Maintenance		0.3	A1PXXX1511159	XXxxXXxx
		8472.8	AFHR		A	
30NOV15	09:45	Initiate Toolboard		xxxx	A1PXXO1509899	XXxxXXxx
		8474.1	AFHR		14 B/F	
						XXxxXXxx



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02343  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
30NOV15 09:46	Clear Toolboard	8474.1 AFHR	xxxx	14	XXXXXXxx
30NOV15 10:09	Change Serviceability Stat	8474.1 AFHR	0.0	SERV U/S A1PXXU1513163	XXXXXXxx
	Estimated Date/Time Servic		736292.5	SERV STAT 01DEC15	
30NOV15 23:39	Maintenance Release	8474.1 AFHR	0.5	M PEA A A1PXXX1511217	XXXXXXxx
	Change Serviceability Stat		0.5	U/S SERV 01DEC15 10:09	
	Estimated Date/Time Servic		1.5	SERV STAT	
01DEC15 08:53	Into Maintenance	8477.9 AFHR	0.3	A A1PXXO1509944	XXXXXXxx
01DEC15 13:07	Initiate Toolboard	8479.3 AFHR	xxxx	14 B/F	XXXXXXxx
01DEC15 13:08	Clear Toolboard	8479.3 AFHR	xxxx	14	XXXXXXxx
01DEC15 23:06	Change Serviceability Stat	8479.3 AFHR	0.5	SERV U/S A1PXXU1507891	XXXXXXxx
	Estimated Date/Time Servic		736298.0	SERV STAT 02DEC15	
01DEC15 23:29	Maintenance Release	8479.3 AFHR	0.0	M PEA A A1PXXX1511259	XXXXXXxx
	Change Serviceability Stat		0.0	U/S SERV 02DEC15 23:06	
	Estimated Date/Time Servic		1.0	SERV STAT	
02DEC15 08:35	Into Maintenance	8482.8 AFHR	0.3	A M PEA A1PXXO1510001	XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02344  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN (DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
02DEC15	09:23	Initiate	Toolboard 8484.1	AFHR	xxxx 14 B/F	XXxxXXxx
02DEC15	09:24	Clear	Toolboard 8484.1	AFHR	xxxx 14	XXxxXXxx
02DEC15	22:12	Maintenance	Release 8484.1	AFHR	0.5 M PEA A A1PXXX1511298	XXxxXXxx
03DEC15	09:07	Into	Maintenance 8485.6	AFHR	0.4 A M PEA A1PXXO1510047	XXxxXXxx
03DEC15	11:59	Initiate	Toolboard 8486.6	AFHR	xxxx 14 B/F	XXxxXXxx
03DEC15	12:00	Clear	Toolboard 8486.6	AFHR	xxxx 14	XXxxXXxx
03DEC15	22:20	Maintenance	Release 8486.6	AFHR	0.5 M PEA A A1PXXX1511348	XXxxXXxx
04DEC15	04:14	Into	Maintenance 8486.6	AFHR	0.2 A M PEA A1PXXO1510065	XXxxXXxx
06DEC15	22:32	Initiate	Toolboard 8488.0	AFHR	xxxx 14 B/F	XXxxXXxx
06DEC15	22:32	Clear	Toolboard 8488.0	AFHR	xxxx 14	XXxxXXxx
06DEC15	22:33	Maintenance	Release 8488.0	AFHR	2.7 M PEA A A1PXXX1511388	XXxxXXxx
07DEC15	01:56	Into	Maintenance 8488.0	AFHR	0.1 A M LMO A1PXXO1510077	XXxxXXxx
07DEC15	09:33	Initiate	Toolboard 8489.3	AFHR	xxxx 14 B/F	XXxxXXxx
07DEC15	09:33	Clear	Toolboard 8489.3	AFHR	xxxx 14	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02345  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
07DEC15	10:44	Maintenance Release	0.3	M LMO		
		8489.3 AFHR		A		
				A1PXXX1511458		XXxxXXxx
07DEC15	15:26	Into Maintenance	0.1	A		
		8490.3 AFHR		A1PXXO1510122		XXxxXXxx
07DEC15	22:35	Change Serviceability Stat	0.2	SERV		
		8491.3 AFHR		U/S		
		Estimated Date/Time Servic	736299.0	A1PXXU1513493		XXxxXXxx
				SERV STAT		
				08DEC15		
07DEC15	22:51	Maintenance Release	0.0	M PEA		
		8491.3 AFHR		A		
		Change Serviceability Stat	0.0	A1PXXX1511478		XXxxXXxx
				U/S		
		Estimated Date/Time Servic	1.0	SERV		
				08DEC15 22:35		
				SERV STAT		
08DEC15	08:16	Into Maintenance	0.3	A		
		8492.6 AFHR		A1PXXO1510144		XXxxXXxx
08DEC15	09:02	Initiate Toolboard	xxxx	14 B/F		
		8492.6 AFHR				XXxxXXxx
08DEC15	09:02	Clear Toolboard	xxxx	14		
		8492.6 AFHR				XXxxXXxx
08DEC15	09:05	Change Serviceability Stat	0.0	SERV		
		8492.6 AFHR		U/S		
		Estimated Date/Time Servic	736305.5	A1PXXU1513886		XXxxXXxx
				SERV STAT		
				09DEC15		
08DEC15	09:15	Asset Comments	0.0	AIRTEST	LH BRAKE CHANGE	
		8492.6 AFHR		A1PXXX1511514		XXxxXXxx
26JAN16	23:22	Initiate Toolboard	xxxx	14 B/F		
		8492.6 AFHR				XXxxXXxx
26JAN16	23:22	Clear Toolboard	xxxx	14		
		8492.6 AFHR				XXxxXXxx
27JAN16	09:39	Initiate Toolboard	xxxx	14 B/F		
		8492.6 AFHR				XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02346  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
27JAN16 09:39		Clear Toolboard		xxxx	14	
		8492.6 AFHR				XXxxXXxx
27JAN16 22:15		Maintenance Release		50.5	M PEA A	
		8492.6 AFHR			A1PXXX1600657	XXxxXXxx
		Change Serviceability Stat		50.5	U/S SERV	
		Estimated Date/Time Servic		1.5	09DEC15 09:06 SERV STAT	
28JAN16 02:38		Into Maintenance		0.1	A	
		8492.6 AFHR			A1PXXO1600349	XXxxXXxx
28JAN16 02:45		Change Serviceability Stat		0.0	SERV U/S	
		8493.9 AFHR			A1PXXU1513887	XXxxXXxx
		Estimated Date/Time Servic		736356.8	SERV STAT 29JAN16	
28JAN16 02:46		Asset Comments		0.0		
		8493.9 AFHR			A1PXXX1600689	XXxxXXxx
28JAN16 02:46		Maintenance Release		0.0	M PEA A	
		8493.9 AFHR			A1PXXX1600690	XXxxXXxx
		Change Serviceability Stat		0.0	U/S SERV	
		Estimated Date/Time Servic		1.0	29JAN16 02:45 SERV STAT	
28JAN16 05:48		Into Maintenance		0.1	A	
		8493.9 AFHR			M PEA A1PXXO1600371	XXxxXXxx
28JAN16 09:29		Initiate Toolboard		xxxx	14 B/F	
		8495.4 AFHR				XXxxXXxx
28JAN16 09:30		Clear Toolboard		xxxx	14	
		8495.4 AFHR				XXxxXXxx
28JAN16 22:50		Maintenance Release		0.7	M PEA A	
		8495.4 AFHR			A1PXXX1600741	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02347  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----				
TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN(DYS) FROM	TO (OPTIONAL)	USER
=====	=====	=====	=====	=====	=====	=====
29JAN16	07:07	Into Maintenance		0.3	A	
					M PEA	
			8495.4 AFHR		A1PXXO1600414	XXxxXXxx
31JAN16	22:37	Initiate Toolboard		xxxx	14 B/F	
			8495.4 AFHR			XXxxXXxx
31JAN16	22:38	Clear Toolboard		xxxx	14	
			8495.4 AFHR			XXxxXXxx
31JAN16	22:38	Maintenance Release		2.6	M PEA	
					A	
			8495.4 AFHR		A1PXXX1600764	XXxxXXxx
01FEB16	08:48	Into Maintenance		0.4	A	
			8498.2 AFHR		A1PXXO1600454	XXxxXXxx
01FEB16	09:21	Initiate Toolboard		xxxx	14 B/F	
			8499.5 AFHR			XXxxXXxx
01FEB16	09:21	Clear Toolboard		xxxx	14	
			8499.5 AFHR			XXxxXXxx
01FEB16	09:45	Change Serviceability Stat		0.0	SERV	
					U/S	
			8499.5 AFHR		A1PXXU1600717	XXxxXXxx
		Estimated Date/Time Servic		736356.7	SERV STAT	
					02FEB16	
02FEB16	00:07	Maintenance Release		0.5	M PEA	
					A	
			8499.5 AFHR		A1PXXX1600837	XXxxXXxx
		Change Serviceability Stat		0.5	U/S	
					SERV	
		Estimated Date/Time Servic		0.5	02FEB16 09:45	
					SERV STAT	
02FEB16	09:18	Into Maintenance		0.3	A	
					M PEA	
			8502.1 AFHR		A1PXXO1600510	XXxxXXxx
02FEB16	09:25	Initiate Toolboard		xxxx	14 B/F	
			8503.4 AFHR			XXxxXXxx
02FEB16	09:25	Clear Toolboard		xxxx	14	
			8503.4 AFHR			XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02348  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
02FEB16	22:19	Maintenance Release	0.5	M PEA A A1PXXX1600876		XXxxXXxx
03FEB16	08:23	Into Maintenance	0.4	A A1PXXO1600563		XXxxXXxx
03FEB16	10:31	Initiate Toolboard	xxxx	14 B/F		XXxxXXxx
03FEB16	10:31	Clear Toolboard	xxxx	14		XXxxXXxx
03FEB16	10:42	Change Serviceability Stat	0.0	SERV U/S A1PXXU1601128		XXxxXXxx
		Estimated Date/Time Servic	736361.5	SERV STAT 04FEB16		
03FEB16	22:21	Maintenance Release	0.4	M PEA A A1PXXX1600943		XXxxXXxx
		Change Serviceability Stat	0.4	U/S SERV		
		Estimated Date/Time Servic	1.4	04FEB16 10:42 SERV STAT		
04FEB16	09:04	Into Maintenance	0.4	A M PEA A1PXXO1600637		XXxxXXxx
04FEB16	09:49	Initiate Toolboard	xxxx	14 B/F		XXxxXXxx
04FEB16	09:49	Clear Toolboard	xxxx	14		XXxxXXxx
04FEB16	22:31	Maintenance Release	0.5	M PEA A A1PXXX1600996		XXxxXXxx
05FEB16	04:51	Into Maintenance	0.2	A M PEA A1PXXO1600673		XXxxXXxx
07FEB16	22:43	Initiate Toolboard	xxxx	14 B/F		XXxxXXxx
		8511.3 AFHR				XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02349  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
07FEB16	22:44	Clear Toolboard		xxxx	14	
		8511.3 AFHR				XXxxXXxx
07FEB16	23:56	Maintenance Release		2.7	M PEA A	
		8511.3 AFHR			A1PXXX1601048	XXxxXXxx
08FEB16	03:18	Into Maintenance		0.1	A	
		8511.3 AFHR			A1PXXO1600710	XXxxXXxx
08FEB16	05:57	Change Serviceability Stat		0.1	SERV U/S	
		8512.7 AFHR			A1PXXU1601008	XXxxXXxx
		Estimated Date/Time Servic		736363.6	SERV STAT 09FEB16	
08FEB16	08:55	Initiate Toolboard		xxxx	14 B/F	
		8512.7 AFHR				XXxxXXxx
08FEB16	10:04	Clear Toolboard		xxxx	14	
		8512.7 AFHR				XXxxXXxx
08FEB16	22:23	Maintenance Release		0.6	M PEA A	
		8512.7 AFHR			A1PXXX1601088	XXxxXXxx
		Change Serviceability Stat		0.6	U/S SERV	
		Estimated Date/Time Servic		1.6	09FEB16 05:57 SERV STAT	
09FEB16	08:24	Into Maintenance		0.4	A M PEA	
		8514.0 AFHR			A1PXXO1600768	XXxxXXxx
09FEB16	09:17	Initiate Toolboard		xxxx	14 B/F	
		8514.0 AFHR				XXxxXXxx
09FEB16	09:18	Clear Toolboard		xxxx	14	
		8514.0 AFHR				XXxxXXxx
09FEB16	22:28	Maintenance Release		0.5	M PEA A	
		8514.0 AFHR			A1PXXX1601159	XXxxXXxx
10FEB16	02:48	Into Maintenance		0.1	A M PEA	
		8515.3 AFHR			A1PXXO1600801	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02350  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
10FEB16 09:48	Initiate	Toolboard	xxxx	14 B/F	
		8515.3 AFHR			XXxxXXxx
10FEB16 09:49	Clear	Toolboard	xxxx	14	
		8515.3 AFHR			XXxxXXxx
10FEB16 21:55	Maintenance	Release	0.7	M PEA	
		8515.3 AFHR		A	
				A1PXXX1601212	XXxxXXxx
11FEB16 00:26	Into	Maintenance	0.1	A	
		8515.3 AFHR		A1PXXO1600831	XXxxXXxx
11FEB16 03:30	Change	Serviceability Stat	0.1	SERV	
		8516.6 AFHR		U/S	
				A1PXXU1601613	XXxxXXxx
	Estimated Date/Time	Service	736368.7	SERV STAT	
				12FEB16	
11FEB16 09:11	Initiate	Toolboard	xxxx	14 B/F	
		8516.6 AFHR			XXxxXXxx
11FEB16 09:12	Clear	Toolboard	xxxx	14	
		8516.6 AFHR			XXxxXXxx
11FEB16 22:00	Maintenance	Release	0.7	M PEA	
		8516.6 AFHR		A	
				A1PXXX1601253	XXxxXXxx
	Change	Serviceability Stat	0.7	U/S	
	Estimated Date/Time	Service	1.7	SERV	
				12FEB16 03:31	
				SERV STAT	
12FEB16 05:14	Into	Maintenance	0.3	A	
		8518.1 AFHR		M PEA	
				A1PXXO1600910	XXxxXXxx
14FEB16 22:42	Initiate	Toolboard	xxxx	14 B/F	
		8519.3 AFHR			XXxxXXxx
14FEB16 22:42	Clear	Toolboard	xxxx	14	
		8519.3 AFHR			XXxxXXxx
15FEB16 00:06	Maintenance	Release	2.7	M PEA	
		8519.3 AFHR		A	
				A1PXXX1601299	XXxxXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02351  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP

~S4080

PERIOD: 01JAN90 TO 08JAN20

LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW		SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
=====									
15FEB16	08:42	Into Maintenance			0.3	A			
			8521.9	AFHR				A1PXXO1600967	XXxxXXxx
15FEB16	09:20	Initiate Toolboard			xxxx			14 B/F	
			8524.4	AFHR					XXxxXXxx
15FEB16	09:20	Clear Toolboard			xxxx			14	
			8524.4	AFHR					XXxxXXxx
15FEB16	11:13	Change Serviceability Stat			0.1	SERV			
			8524.4	AFHR		U/S		A1PXXU1601406	XXxxXXxx
		Estimated Date/Time Servic			736371.4	SERV STAT			
								16FEB16	
15FEB16	23:54	Maintenance Release			0.5	M PEA			
			8524.4	AFHR		A		A1PXXX1601412	XXxxXXxx
		Change Serviceability Stat			0.5	U/S			
		Estimated Date/Time Servic			1.5	SERV		16FEB16 11:13	
								SERV STAT	
16FEB16	08:31	Into Maintenance			0.3	A			
			8527.0	AFHR		M PEA		A1PXXO1601016	XXxxXXxx
16FEB16	11:36	Initiate Toolboard			xxxx			14 B/F	
			8528.5	AFHR					XXxxXXxx
16FEB16	11:36	Clear Toolboard			xxxx			14	
			8528.5	AFHR					XXxxXXxx
16FEB16	22:18	Maintenance Release			0.5	M PEA			
			8528.5	AFHR		A		A1PXXX1601466	XXxxXXxx
17FEB16	08:11	Into Maintenance			0.4	A			
			8531.1	AFHR		M PEA		A1PXXO1601067	XXxxXXxx
17FEB16	12:40	Initiate Toolboard			xxxx			14 B/F	
			8532.7	AFHR					XXxxXXxx
17FEB16	12:40	Clear Toolboard			xxxx			14	
			8532.7	AFHR					XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02352  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
17FEB16	22:16	Maintenance Release	0.5	M PEA A		
		8532.7 AFHR		A1PXXX1601525		XXxxXXxx
18FEB16	08:31	Into Maintenance	0.4	M PEA A		
		8532.7 AFHR		A1PXXO1601128		XXxxXXxx
18FEB16	11:10	Operator Acceptance	0.0	aip01851		
		8532.7 AFHR		A1PXXX1601577		XXxxXXxx
21FEB16	22:25	Initiate Toolboard	xxxx	14 B/F		
		8537.1 AFHR				XXxxXXxx
21FEB16	22:25	Clear Toolboard	xxxx	14		
		8537.1 AFHR				XXxxXXxx
21FEB16	23:27	Maintenance Release	3.6	M PEA A		
		8537.1 AFHR		A1PXXX1601632		XXxxXXxx
22FEB16	09:37	Into Maintenance	0.4	A1PXXO1601203		XXxxXXxx
		8537.1 AFHR		14 B/F		
22FEB16	11:07	Initiate Toolboard	xxxx			XXxxXXxx
		8540.8 AFHR		14		XXxxXXxx
22FEB16	11:07	Clear Toolboard	xxxx			XXxxXXxx
		8540.8 AFHR				XXxxXXxx
22FEB16	11:13	Change Serviceability Stat	0.0	SERV U/S		
		8540.8 AFHR		A1PXXU1601799		XXxxXXxx
		Estimated Date/Time Servic	736375.5	SERV STAT 23FEB16		
23FEB16	03:11	Maintenance Release	0.6	M PEA A		
		8540.8 AFHR		A1PXXX1601703		XXxxXXxx
		Change Serviceability Stat	0.6	U/S		
		Estimated Date/Time Servic	0.6	SERV 23FEB16 11:13		
			0.6	SERV STAT		
23FEB16	04:25	Into Maintenance	0.0	A1PXXO1601263		XXxxXXxx
		8541.0 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02353  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
23FEB16 09:29	Initiate Toolboard 8542.6 AFHR	xxxx	14 B/F	XXxxXXxx
23FEB16 09:30	Clear Toolboard 8542.6 AFHR	xxxx	14	XXxxXXxx
23FEB16 09:40	Change Serviceability Stat 8542.6 AFHR Estimated Date/Time Servic	0.2 736382.7	SERV U/S A1PXXU1602128 SERV STAT 24FEB16	XXxxXXxx
23FEB16 10:37	Asset Comments 8542.6 AFHR	0.0	AIRTEST ASOR CLEARANCE A1PXXX1601716	XXxxXXxx
23FEB16 22:54	Maintenance Release 8542.6 AFHR Change Serviceability Stat Estimated Date/Time Servic	0.5 0.5 1.5	M PEA A A1PXXX1601736 U/S SERV 24FEB16 09:42 SERV STAT	XXxxXXxx
24FEB16 01:46	Into Maintenance 8542.6 AFHR	0.1	A A1PXXO1601307	XXxxXXxx
24FEB16 02:03	Change Serviceability Stat 8543.9 AFHR Estimated Date/Time Servic	0.0 736383.8	SERV U/S A1PXXU1602128 SERV STAT 25FEB16	XXxxXXxx
24FEB16 02:04	Asset Comments 8543.9 AFHR	0.0	A1PXXX1601766	XXxxXXxx
24FEB16 02:05	Maintenance Release 8543.9 AFHR Change Serviceability Stat Estimated Date/Time Servic	0.0 0.0 1.0	M PEA A A1PXXX1601767 U/S SERV 25FEB16 02:03 SERV STAT	XXxxXXxx
24FEB16 07:56	Into Maintenance 8545.2 AFHR	0.2	A A1PXXO1601325	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02354  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
24FEB16 10:11	Initiate Toolboard 8546.5 AFHR	xxxx	14 B/F	XXxxXXxx
24FEB16 10:11	Clear Toolboard 8546.5 AFHR	xxxx	14	XXxxXXxx
24FEB16 12:29	Change Serviceability Stat 8546.5 AFHR Estimated Date/Time Servic	0.1	SERV U/S A1PXXU1602203 SERV STAT 25FEB16	XXxxXXxx
24FEB16 22:10	Maintenance Release 8546.5 AFHR Change Serviceability Stat Estimated Date/Time Servic	0.4 0.4 1.4	M PEA A A1PXXX1601784 U/S SERV 25FEB16 12:30 SERV STAT	XXxxXXxx
25FEB16 03:59	Into Maintenance 8546.5 AFHR	0.2	A A1PXXO1601375	XXxxXXxx
25FEB16 04:00	Change Serviceability Stat 8546.5 AFHR Estimated Date/Time Servic	0.0 736384.7	SERV U/S A1PXXU1602236 SERV STAT 26FEB16	XXxxXXxx
25FEB16 04:05	Maintenance Release 8546.5 AFHR Change Serviceability Stat Estimated Date/Time Servic	0.0 0.0 1.0	M PEA A A1PXXX1601852 U/S SERV 26FEB16 04:00 SERV STAT	XXxxXXxx
25FEB16 07:51	Into Maintenance 8546.5 AFHR	0.1	A M PEA A1PXXO1601395	XXxxXXxx
25FEB16 11:17	Initiate Toolboard 8546.5 AFHR	xxxx	14 B/F	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02355  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
25FEB16 11:17	Clear Toolboard	8546.5 AFHR	xxxx	14	
25FEB16 22:11	Maintenance Release	8546.5 AFHR	0.5	M PEA A A1PXXX1601882	XXxxXXxx
26FEB16 04:00	Into Maintenance	8546.5 AFHR	0.2	A A1PXXO1601433	XXxxXXxx
26FEB16 07:03	Change Serviceability Stat	8547.9 AFHR	0.1	SERV U/S A1PXXU1602092	XXxxXXxx
	Estimated Date/Time Servic		736384.8	SERV STAT 27FEB16	
28FEB16 23:56	Initiate Toolboard	8549.1 AFHR	xxxx	14 B/F	XXxxXXxx
29FEB16 00:04	Clear Toolboard	8549.1 AFHR	xxxx	14	
29FEB16 00:05	Maintenance Release	8549.1 AFHR	2.7	M PEA A A1PXXX1601922	XXxxXXxx
	Change Serviceability Stat		2.7	U/S SERV	
	Estimated Date/Time Servic		0.7	27FEB16 07:03 SERV STAT	
29FEB16 08:06	Into Maintenance		0.3	A M PEA A1PXXO1601502	XXxxXXxx
29FEB16 12:19	Initiate Toolboard	8552.1 AFHR	xxxx	14 B/F	XXxxXXxx
29FEB16 12:19	Clear Toolboard	8552.1 AFHR	xxxx	14	XXxxXXxx
29FEB16 22:26	Maintenance Release	8552.1 AFHR	0.5	M PEA A A1PXXX1601951	XXxxXXxx
01MAR16 08:44	Into Maintenance	8554.8 AFHR	0.4	A M PEA A1PXXO1601551	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02356  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
01MAR16 09:38	Initiate Toolboard 8556.2 AFHR	xxxx	14 B/F	XXxxXXxx
01MAR16 09:39	Clear Toolboard 8556.2 AFHR	xxxx	14	XXxxXXxx
01MAR16 22:31	Maintenance Release 8556.2 AFHR	0.5	M PEA A A1PXXX1601993	XXxxXXxx
02MAR16 02:06	Into Maintenance 8556.2 AFHR	0.1	A A1PXXO1601582	XXxxXXxx
02MAR16 04:28	Change Serviceability Stat 8557.5 AFHR	0.0	SERV U/S A1PXXU1602449	XXxxXXxx
02MAR16 04:32	Maintenance Release 8557.5 AFHR	0.0	SERV STAT 03MAR16 M PEA A A1PXXX1602018	XXxxXXxx
	Change Serviceability Stat Estimated Date/Time Servic	0.0	U/S SERV 03MAR16 04:28 SERV STAT	
02MAR16 07:10	Into Maintenance 8557.5 AFHR	0.1	A A1PXXO1601597	XXxxXXxx
02MAR16 08:54	Initiate Toolboard 8558.9 AFHR	xxxx	14 B/F	XXxxXXxx
02MAR16 08:54	Clear Toolboard 8558.9 AFHR	xxxx	14	XXxxXXxx
02MAR16 12:56	Change Serviceability Stat 8558.9 AFHR	0.2	SERV U/S A1PXXU1602460	XXxxXXxx
	Estimated Date/Time Servic	736390.6	SERV STAT 03MAR16	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02357  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
02MAR16 22:40	Maintenance Release	0.4	M PEA A	
	8558.9 AFHR Change Serviceability Stat	0.4	A1PXXX1602025 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.4	SERV 03MAR16 12:57 SERV STAT	
03MAR16 08:00	Into Maintenance	0.3	A	
	8561.5 AFHR		A1PXXO1601644	XXxxXXxx
03MAR16 09:31	Initiate Toolboard	xxxx	14 B/F	
	8562.6 AFHR			XXxxXXxx
03MAR16 09:32	Clear Toolboard	xxxx	14	
	8562.6 AFHR			XXxxXXxx
03MAR16 22:15	Change Serviceability Stat	0.5	SERV U/S	
	8562.6 AFHR Estimated Date/Time Servic	736391.0	A1PXXU1602349 SERV STAT 04MAR16	XXxxXXxx
04MAR16 00:05	Maintenance Release	0.0	M PEA A	
	8562.6 AFHR Change Serviceability Stat	0.0	A1PXXX1602077 U/S	XXxxXXxx
	Estimated Date/Time Servic	0.0	SERV 04MAR16 22:15 SERV STAT	
04MAR16 05:30	Into Maintenance	0.2	A	
	8564.4 AFHR		A1PXXO1601707	XXxxXXxx
04MAR16 06:29	Change Serviceability Stat	0.0	SERV U/S	
	8564.4 AFHR Estimated Date/Time Servic	736392.7	A1PXXU1602588 SERV STAT 05MAR16	XXxxXXxx
07MAR16 22:48	Initiate Toolboard	xxxx	14 B/F	
	8564.4 AFHR			XXxxXXxx
07MAR16 22:48	Clear Toolboard	xxxx	14	
	8564.4 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02358  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
08MAR16 01:58	Maintenance Release	3.8	M PEA A A1PXXX1602120	XXxxXXxx
	8564.4 AFHR Change Serviceability Stat	3.8	U/S SERV	
	Estimated Date/Time Servic	0.8	05MAR16 06:29 SERV STAT	
08MAR16 06:47	Into Maintenance	0.2	A A1PXXO1601731	XXxxXXxx
08MAR16 06:49	Change Serviceability Stat	0.0	SERV U/S A1PXXU1602653	XXxxXXxx
	8564.4 AFHR Estimated Date/Time Servic	736396.7	SERV STAT 09MAR16	
08MAR16 10:57	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	8564.4 AFHR Clear Toolboard	xxxx	14	XXxxXXxx
08MAR16 22:34	Maintenance Release	0.6	M PEA A A1PXXX1602134	XXxxXXxx
	8564.4 AFHR Change Serviceability Stat	0.6	U/S SERV	
	Estimated Date/Time Servic	1.6	09MAR16 06:49 SERV STAT	
09MAR16 06:53	Into Maintenance	0.3	A M PEA A1PXXO1601781	XXxxXXxx
	8565.9 AFHR Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	8567.2 AFHR Clear Toolboard	xxxx	14	XXxxXXxx
09MAR16 09:48	Maintenance Release	0.6	M PEA A A1PXXX1602228	XXxxXXxx
	8567.2 AFHR			

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02359  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
10MAR16 08:30	Into Maintenance	8568.5 AFHR	0.4	A A1PXXO1601841	XXxxXXxx
10MAR16 09:08	Initiate Toolboard	8569.5 AFHR	xxxx	14 B/F	XXxxXXxx
10MAR16 09:08	Clear Toolboard	8569.5 AFHR	xxxx	14	XXxxXXxx
10MAR16 10:17	Change Serviceability Stat	8569.5 AFHR	0.0	SERV U/S A1PXXU1510782	XXxxXXxx
	Estimated Date/Time Servic		736397.5	SERV STAT 11MAR16	
14MAR16 13:18	Asset Comments	8569.5 AFHR	0.0	MTF A1PXXX1602366	XXxxXXxx
14MAR16 23:23	Initiate Toolboard	8569.5 AFHR	xxxx	14 B/F	XXxxXXxx
14MAR16 23:23	Clear Toolboard	8569.5 AFHR	xxxx	14	XXxxXXxx
15MAR16 00:22	Initiate Toolboard	8569.5 AFHR	xxxx	14 B/F	XXxxXXxx
15MAR16 00:23	Clear Toolboard	8569.5 AFHR	xxxx	14	XXxxXXxx
15MAR16 00:27	Maintenance Release	8569.5 AFHR	4.5	M PEA A A1PXXX1602380	XXxxXXxx
	Change Serviceability Stat		4.5	U/S SERV	
	Maintenance Comment		0.0	MTF	
	Estimated Date/Time Servic		0.5	11MAR16 10:17 SERV STAT	
15MAR16 02:45	Into Maintenance	8569.5 AFHR	0.0	A A1PXXO1601932	XXxxXXxx
15MAR16 02:48	Asset Comments	8570.7 AFHR	0.0	A1PXXX1602391	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02360  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
15MAR16 02:49	Change Serviceability Stat	0.0	SERV U/S	
	8570.7 AFHR		A1PXXU1602953	XXxxXXxx
	Estimated Date/Time Servic	736403.9	SERV STAT 16MAR16	
15MAR16 03:21	Asset Comments	0.0	MTF MTF	
	8570.7 AFHR		A1PXXX1602397	XXxxXXxx
15MAR16 03:30	Maintenance Release	0.0	M PEA A	
	8570.7 AFHR		A1PXXX1602398	XXxxXXxx
	Change Serviceability Stat	0.0	U/S	
	Maintenance Comment	0.0	SERV	
	Estimated Date/Time Servic	1.0	MTF 16MAR16 02:49	
15MAR16 06:04	Into Maintenance	0.1	SERV STAT A	
	8570.7 AFHR		A1PXXO1601944	XXxxXXxx
15MAR16 06:09	Change Serviceability Stat	0.0	SERV U/S	
	8570.9 AFHR		A1PXXU1602981	XXxxXXxx
	Estimated Date/Time Servic	736403.8	SERV STAT 16MAR16	
15MAR16 06:10	Asset Comments	0.0		
	8570.9 AFHR		A1PXXX1602404	XXxxXXxx
15MAR16 09:22	Initiate Toolboard	xxxx	14 B/F	
	8570.9 AFHR			XXxxXXxx
15MAR16 09:23	Clear Toolboard	xxxx	14	
	8570.9 AFHR			XXxxXXxx
15MAR16 22:48	Maintenance Release	0.6	M PEA A	
	8570.9 AFHR		A1PXXX1602426	XXxxXXxx
	Change Serviceability Stat	0.6	U/S	
	Estimated Date/Time Servic	1.6	SERV 16MAR16 06:09	
			SERV STAT	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02361  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
16MAR16	05:05	Into Maintenance	0.2	A		
		8572.2 AFHR		M PEA		
16MAR16	09:28	Initiate Toolboard	xxxx	A1PXXO1601987		XXxxXXxx
		8572.9 AFHR		14 B/F		
16MAR16	09:29	Clear Toolboard	xxxx	14		XXxxXXxx
		8572.9 AFHR				
16MAR16	22:53	Maintenance Release	0.7	M PEA		XXxxXXxx
		8572.9 AFHR		A		
17MAR16	08:20	Into Maintenance	0.3	A1PXXX1602469		XXxxXXxx
		8575.3 AFHR		A		
17MAR16	09:46	Initiate Toolboard	xxxx	M PEA		XXxxXXxx
		8576.7 AFHR		A1PXXO1602063		
17MAR16	12:57	Clear Toolboard	xxxx	14 B/F		XXxxXXxx
		8576.7 AFHR				
18MAR16	01:25	Maintenance Release	0.7	M PEA		XXxxXXxx
		8576.7 AFHR		A		
18MAR16	05:38	Into Maintenance	0.1	A1PXXX1602525		XXxxXXxx
		8576.7 AFHR		A		
18MAR16	07:06	Change Serviceability Stat	0.0	A1PXXO1602089		XXxxXXxx
		8577.8 AFHR		SERV		
		Estimated Date/Time Servic	736404.6	U/S		
				A1PXXU1602970		XXxxXXxx
20MAR16	23:21	Initiate Toolboard	xxxx	SERV STAT		
		8577.8 AFHR		19MAR16		
21MAR16	00:28	Clear Toolboard	xxxx	14 B/F		XXxxXXxx
		8577.8 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02362  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----			
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
=====	=====	=====	=====	=====	=====
	LIFE SINCE NEW		TRANS REFERENCE		
21MAR16 00:28	Maintenance Release	2.7	M PEA A		
	8577.8 AFHR		A1PXXX1602555		XXxxXXxx
	Change Serviceability Stat	2.7	U/S		
	Estimated Date/Time Servic	0.7	SERV 19MAR16 07:06		
21MAR16 09:12	Into Maintenance	0.3	SERV STAT A		
	8580.2 AFHR		A1PXXO1602142		XXxxXXxx
21MAR16 09:31	Change Serviceability Stat	0.0	SERV		
	8581.5 AFHR		U/S A1PXXU1603271		XXxxXXxx
	Estimated Date/Time Servic	736409.6	SERV STAT 22MAR16		
21MAR16 11:27	Initiate Toolboard	xxxx	14 B/F		
	8581.5 AFHR				XXxxXXxx
21MAR16 11:28	Clear Toolboard	xxxx	14		
	8581.5 AFHR				XXxxXXxx
22MAR16 22:46	Initiate Toolboard	xxxx	14 B/F		
	8581.5 AFHR				XXxxXXxx
22MAR16 22:46	Clear Toolboard	xxxx	14		
	8581.5 AFHR				XXxxXXxx
22MAR16 22:46	Maintenance Release	1.5	M PEA A		
	8581.5 AFHR		A1PXXX1602637		XXxxXXxx
	Change Serviceability Stat	1.5	U/S		
	Estimated Date/Time Servic	1.5	SERV 22MAR16 09:31		
23MAR16 08:41	Into Maintenance	0.4	SERV STAT A		
	8584.1 AFHR		A1PXXO1602213		XXxxXXxx
24MAR16 00:20	Change Serviceability Stat	0.6	SERV		
	8585.3 AFHR		U/S A1PXXU1603475		XXxxXXxx
	Estimated Date/Time Servic	736411.9	SERV STAT 25MAR16		

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02363  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
31MAR16	09:28	Maintenance Comment	0.0	DESIGN DEVIATION A23/003/2016 INCORPORATED		
		8585.3 AFHR		A1PXXX1602897		XXxxXXxx
23MAY16	02:01	Initiate Toolboard	xxxx	14 B/F		
		8585.3 AFHR				XXxxXXxx
23MAY16	02:01	Clear Toolboard	xxxx	14		
		8585.3 AFHR				XXxxXXxx
23MAY16	02:50	Maintenance Release	60.1	M PEA		
		8585.3 AFHR		A		
		Change Serviceability Stat	60.1	A1PXXX1604762		XXxxXXxx
		Estimated Date/Time Servic	1.1	U/S		
				SERV		
23MAY16	02:51	Asset Comments	0.0	25MAR16 00:20		
		8585.3 AFHR		SERV STAT		
23MAY16	03:25	Into Maintenance	0.0	MTF R2		
		8585.3 AFHR		A1PXXX1604763		XXxxXXxx
23MAY16	07:18	Maintenance Release	0.1	A		
		8585.3 AFHR		M PEA		
		Change Serviceability Stat	0.0	A1PXXO1603857		XXxxXXxx
		Estimated Date/Time Servic	0.1	M PEA		
23MAY16	07:30	Into Maintenance	0.0	A		
		8586.4 AFHR		A1PXXX1604773		XXxxXXxx
23MAY16	07:31	Change Serviceability Stat	0.0	A		
		Estimated Date/Time Servic	0.0	A1PXXO1603860		XXxxXXxx
				SERV		
		8586.4 AFHR		U/S		
		Change Serviceability Stat	736472.8	A1PXXU1606138		XXxxXXxx
		Estimated Date/Time Servic		SERV STAT		
23MAY16	07:36	Maintenance Release	0.0	24MAY16		
		8586.4 AFHR		M PEA		
		Change Serviceability Stat	0.0	A		
		Estimated Date/Time Servic	1.0	A1PXXX1604774		XXxxXXxx
				U/S		
				SERV		
				24MAY16 07:31		
				SERV STAT		

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02364  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
23MAY16 08:20		Into Maintenance	8586.4 AFHR	0.0	A A1PXXO1603861	XXxxXXxx
23MAY16 08:21		Change Serviceability Stat	8586.6 AFHR	0.0	SERV U/S A1PXXU1606156	XXxxXXxx
		Estimated Date/Time Servic		736472.9	SERV STAT 24MAY16	
23MAY16 10:39		Asset Comments	8586.6 AFHR	0.0	A1PXXX1604776	XXxxXXxx
23MAY16 10:39		Initiate Toolboard	8586.6 AFHR	xxxx	14 B/F	XXxxXXxx
23MAY16 10:39		Clear Toolboard	8586.6 AFHR	xxxx	14	XXxxXXxx
23MAY16 23:49		Maintenance Release		0.6	M PEA A A1PXXX1604790	XXxxXXxx
		Change Serviceability Stat		0.6	U/S SERV	
		Estimated Date/Time Servic		1.6	24MAY16 08:21 SERV STAT	
24MAY16 08:48		Into Maintenance		0.3	A M PEA A1PXXO1603889	XXxxXXxx
24MAY16 09:49		Initiate Toolboard	8589.2 AFHR	xxxx	14 B/F	XXxxXXxx
24MAY16 09:50		Clear Toolboard	8590.3 AFHR	xxxx	14	XXxxXXxx
24MAY16 22:06		Maintenance Release	8590.3 AFHR	0.5	M PEA A A1PXXX1604814	XXxxXXxx
25MAY16 09:20		Into Maintenance		0.4	A M PEA A1PXXO1603915	XXxxXXxx
25MAY16 11:07		Initiate Toolboard	8595.1 AFHR	xxxx	14 B/F	XXxxXXxx
			8596.4 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02365  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
25MAY16 11:07	Clear	Toolboard	8596.4 AFHR	xxxx	14	XXxxXXxx
25MAY16 23:17	Maintenance	Release	8596.4 AFHR	0.5	M PEA A A1PXXX1604847	XXxxXXxx
26MAY16 08:54	Into	Maintenance	8599.5 AFHR	0.4	A M PEA A1PXXO1603940	XXxxXXxx
26MAY16 09:27	Initiate	Toolboard	8601.2 AFHR	xxxx	14 B/F	XXxxXXxx
26MAY16 09:28	Clear	Toolboard	8601.2 AFHR	xxxx	14	XXxxXXxx
26MAY16 22:11	Maintenance	Release	8601.2 AFHR	0.5	M PEA A A1PXXX1604911	XXxxXXxx
27MAY16 04:47	Into	Maintenance	8602.5 AFHR	0.2	A A1PXXO1603954	XXxxXXxx
29MAY16 22:42	Initiate	Toolboard	8605.4 AFHR	xxxx	14 B/F	XXxxXXxx
29MAY16 22:43	Clear	Toolboard	8605.4 AFHR	xxxx	14	XXxxXXxx
29MAY16 22:45	Change	Serviceability Stat	8605.4 AFHR	2.7	SERV U/S A1PXXU1606126	XXxxXXxx
	Estimated Date/Time	Service		736473.0	SERV STAT 30MAY16	
30MAY16 00:09	Maintenance	Release	8605.4 AFHR	0.0	M PEA A A1PXXX1604949	XXxxXXxx
	Change	Serviceability Stat		0.0	U/S SERV	
	Estimated Date/Time	Service		0.0	30MAY16 22:45 SERV STAT	
30MAY16 07:11	Into	Maintenance	8607.0 AFHR	0.2	A A1PXXO1604004	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02366  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
30MAY16 07:20	Change Serviceability Stat	0.0	SERV U/S A1PXXU1606549	XXxxXXxx
	8608.6 AFHR Estimated Date/Time Servic	736479.7	SERV STAT 31MAY16	
30MAY16 07:25	Maintenance Release	0.0	M PEA A A1PXXX1604975	XXxxXXxx
	8608.6 AFHR Change Serviceability Stat	0.0	U/S SERV 31MAY16 07:21	
30MAY16 09:05	Into Maintenance	0.0	SERV STAT A A1PXXO1604018	XXxxXXxx
30MAY16 09:14	Change Serviceability Stat	0.0	SERV U/S A1PXXU1606549	XXxxXXxx
	8609.7 AFHR Estimated Date/Time Servic	736479.9	SERV STAT 31MAY16	
30MAY16 13:47	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	8609.7 AFHR Clear Toolboard	xxxx	14	XXxxXXxx
30MAY16 23:34	Maintenance Release	0.5	M PEA A A1PXXX1604992	XXxxXXxx
	8609.7 AFHR Change Serviceability Stat	0.5	U/S SERV 31MAY16 09:14	
	Estimated Date/Time Servic	1.5	SERV STAT A	
31MAY16 07:27	Into Maintenance	0.3	M PEA A1PXXO1604054	XXxxXXxx
31MAY16 12:40	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	8612.6 AFHR 8613.8 AFHR			

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02367  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----		-----		-----	
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER	
=====	=====	=====	=====	=====	=====	=====	=====
	LIFE SINCE NEW						
31MAY16 12:41	Clear Toolboard 8613.8 AFHR	xxxx	14			XXxxXXxx	
31MAY16 23:06	Maintenance Release 8613.8 AFHR	0.6	M PEA A A1PXXX1605023			XXxxXXxx	
01JUN16 02:47	Into Maintenance 8613.8 AFHR	0.1	M PEA A1PXXO1604075			XXxxXXxx	
01JUN16 05:49	Maintenance Release 8615.3 AFHR	0.1	M PEA A1PXXX1605060			XXxxXXxx	
01JUN16 08:13	Into Maintenance 8615.3 AFHR	0.0	M PEA A1PXXO1604107			XXxxXXxx	
01JUN16 09:09	Initiate Toolboard 8616.6 AFHR	xxxx	14 B/F			XXxxXXxx	
01JUN16 09:09	Clear Toolboard 8616.6 AFHR	xxxx	14			XXxxXXxx	
01JUN16 22:34	Maintenance Release 8616.6 AFHR	0.5	M PEA A1PXXX1605064			XXxxXXxx	
02JUN16 06:21	Into Maintenance 8619.2 AFHR	0.3	M PEA A1PXXO1604142			XXxxXXxx	
02JUN16 09:02	Initiate Toolboard 8620.5 AFHR	xxxx	14 B/F			XXxxXXxx	
02JUN16 09:02	Clear Toolboard 8620.5 AFHR	xxxx	14			XXxxXXxx	
02JUN16 09:32	Change Serviceability Stat 8620.5 AFHR	0.1	SERV U/S A1PXXU1606502			XXxxXXxx	
	Estimated Date/Time Servic	736480.5	SERV STAT 03JUN16				

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02368  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
02JUN16 22:54	Maintenance Release	0.5	M PEA A	
	8620.5 AFHR Change Serviceability Stat	0.5	A1PXXX1605110 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.5	SERV 03JUN16 09:32 SERV STAT	
03JUN16 06:46	Into Maintenance	0.3	A	
	8621.7 AFHR Change Serviceability Stat	3.6	A1PXXO1604177 SERV	XXxxXXxx
	Estimated Date/Time Servic	736483.0	U/S A1PXXU1606761 SERV STAT	XXxxXXxx
06JUN16 23:14	Initiate Toolboard	xxxx	07JUN16 14 B/F	
	8622.9 AFHR			XXxxXXxx
06JUN16 23:15	Clear Toolboard	xxxx	14	
	8622.9 AFHR			XXxxXXxx
06JUN16 23:15	Initiate Toolboard	xxxx	14 B/F	
	8622.9 AFHR			XXxxXXxx
06JUN16 23:16	Maintenance Release	0.0	M PEA A	
	8622.9 AFHR Change Serviceability Stat	0.0	A1PXXX1605132 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.0	SERV 07JUN16 22:07 SERV STAT	
07JUN16 08:32	Into Maintenance	0.3	A	
	8624.9 AFHR		M PEA A1PXXO1604215	XXxxXXxx
07JUN16 11:13	Initiate Toolboard	xxxx	14 B/F	
	8625.9 AFHR			XXxxXXxx
07JUN16 11:13	Clear Toolboard	xxxx	14	
	8625.9 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02369  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS -----

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
07JUN16	22:32	Maintenance Release	0.5	M PEA		
		8625.9 AFHR		A1PXXX1605160		XXxxXXxx
08JUN16	05:23	Into Maintenance	0.2	A		
		8628.5 AFHR		A1PXXO1604247		XXxxXXxx
08JUN16	09:18	Initiate Toolboard	xxxx	14 B/F		
		8628.5 AFHR				XXxxXXxx
08JUN16	09:19	Clear Toolboard	xxxx	14		
		8628.5 AFHR				XXxxXXxx
08JUN16	13:39	Change Serviceability Stat	0.3	SERV		
		8628.5 AFHR		U/S		
		Estimated Date/Time Servic	736487.4	A1PXXU1606905		XXxxXXxx
08JUN16	13:54	Asset Comments	0.0	SERV STAT	A/T BRAKE OPS	
		8628.5 AFHR		09JUN16		
08JUN16	22:40	Maintenance Release	0.3	A/T		
		8628.5 AFHR		A1PXXX1605194		XXxxXXxx
		Change Serviceability Stat	0.3	M PEA		
		8628.5 AFHR		A		
		Estimated Date/Time Servic	1.3	A1PXXX1605197		XXxxXXxx
				U/S		
09JUN16	02:05	Into Maintenance	0.1	SERV		
		8628.5 AFHR		09JUN16 13:40		
09JUN16	03:13	Change Serviceability Stat	0.0	SERV STAT		
		8629.8 AFHR		A		
		Estimated Date/Time Servic	736489.8	A1PXXO1604276		XXxxXXxx
				SERV		
09JUN16	05:52	Asset Comments	0.0	U/S		
		8631.1 AFHR		A1PXXU1606940		XXxxXXxx
				SERV STAT		
				10JUN16		
				A1PXXX1605233		XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02370  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
09JUN16 06:04	Maintenance Release		0.1	M PEA A	
	8631.1 AFHR Change Serviceability Stat		0.1	A1PXXX1605235 U/S	XXxxXXxx
	Estimated Date/Time Servic		1.1	SERV 10JUN16 03:16 SERV STAT	
09JUN16 08:57	Into Maintenance		0.1	A	
	8631.1 AFHR Change Serviceability Stat		0.0	A1PXXO1604311 SERV	XXxxXXxx
	8632.4 AFHR Estimated Date/Time Servic		736489.8	A1PXXU1606754 SERV STAT 10JUN16	XXxxXXxx
09JUN16 10:51	Initiate Toolboard		xxxx	14 B/F	
	8632.4 AFHR Clear Toolboard		xxxx	14	XXxxXXxx
	8632.4 AFHR Maintenance Release		0.6	M PEA A	XXxxXXxx
	8632.4 AFHR Change Serviceability Stat		0.6	A1PXXX1605257 U/S	XXxxXXxx
	Estimated Date/Time Servic		1.6	SERV 10JUN16 09:00 SERV STAT	
10JUN16 05:54	Into Maintenance		0.2	A	
	8635.0 AFHR Initiate Toolboard		xxxx	M PEA A1PXXO1604336 14 B/F	XXxxXXxx
	8635.0 AFHR Clear Toolboard		xxxx	14	XXxxXXxx
12JUN16 23:31	Maintenance Release		2.7	M PEA A	XXxxXXxx
	8635.0 AFHR			A1PXXX1605294	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02371  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
13JUN16 07:40	Into Maintenance			0.3	A M PEA	
		8637.2	AFHR		A1PXXO1604374	XXxxXXxx
13JUN16 09:28	Initiate Toolboard	8638.5	AFHR	xxxx	14 B/F	XXxxXXxx
13JUN16 09:28	Clear Toolboard	8638.5	AFHR	xxxx	14	XXxxXXxx
13JUN16 23:54	Maintenance Release			0.6	M PEA A	
		8638.5	AFHR		A1PXXX1605325	XXxxXXxx
14JUN16 08:25	Into Maintenance			0.3	A M PEA	
		8639.8	AFHR		A1PXXO1604416	XXxxXXxx
14JUN16 09:52	Initiate Toolboard	8641.1	AFHR	xxxx	14 B/F	XXxxXXxx
14JUN16 09:52	Clear Toolboard	8641.1	AFHR	xxxx	14	XXxxXXxx
14JUN16 23:13	Maintenance Release			0.6	M PEA A	
		8641.1	AFHR		A1PXXX1605365	XXxxXXxx
15JUN16 08:46	Asset Comments	8643.6	AFHR	0.0	GERO GERO	XXxxXXxx
16JUN16 03:21	Asset Comments	8643.6	AFHR	0.0	A1PXXX1605396	XXxxXXxx
16JUN16 08:04	Into Maintenance			1.3	A A1PXXO1604519	
16JUN16 09:24	Change Serviceability Stat			0.0	SERV U/S	
		8648.6	AFHR		A1PXXU1606985	XXxxXXxx
	Estimated Date/Time Servic			736490.6	SERV STAT 17JUN16	
16JUN16 09:53	Initiate Toolboard	8648.6	AFHR	xxxx	14 B/F	XXxxXXxx
16JUN16 09:53	Clear Toolboard	8648.6	AFHR	xxxx	14	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02372  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
16JUN16 23:42	Maintenance Release	0.5	M PEA A	
	8648.6 AFHR Change Serviceability Stat	0.5	A1PXXX1605469 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.5	SERV 17JUN16 09:24 SERV STAT	
17JUN16 03:41	Into Maintenance	0.1	A M PEA	
	8648.6 AFHR		A1PXXO1604543	XXxxXXxx
20JUN16 00:08	Initiate Toolboard	xxxx	14 B/F	
	8650.1 AFHR			XXxxXXxx
20JUN16 00:08	Clear Toolboard	xxxx	14	
	8650.1 AFHR			XXxxXXxx
20JUN16 00:09	Maintenance Release	2.8	M PEA A	
	8650.1 AFHR		A1PXXX1605508	XXxxXXxx
20JUN16 05:02	Into Maintenance	0.2	A	
	8650.1 AFHR		A1PXXO1604590	XXxxXXxx
20JUN16 05:06	Change Serviceability Stat	0.0	SERV U/S	
	8650.1 AFHR		A1PXXU1607283	XXxxXXxx
	Estimated Date/Time Servic	736497.7	SERV STAT 21JUN16	
20JUN16 07:45	Initiate Toolboard	xxxx	14 B/F	
	8650.1 AFHR			XXxxXXxx
20JUN16 09:20	Clear Toolboard	xxxx	14	
	8650.1 AFHR			XXxxXXxx
20JUN16 22:48	Maintenance Release	0.7	M PEA A	
	8650.1 AFHR		A1PXXX1605568	XXxxXXxx
	Change Serviceability Stat	0.7	U/S	
	Estimated Date/Time Servic	1.7	SERV 21JUN16 05:06 SERV STAT	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02373  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
21JUN16	12:55	Into Maintenance	0.5	A		
		8651.4 AFHR		M PEA		
				A1PXXO1604669		XXxxXXxx
21JUN16	12:57	Initiate Toolboard	xxxx	14 B/F		
		8651.4 AFHR				XXxxXXxx
21JUN16	12:57	Clear Toolboard	xxxx	14		
		8651.4 AFHR				XXxxXXxx
21JUN16	22:31	Maintenance Release	0.3	M PEA		
		8651.4 AFHR		A		
				A1PXXX1605610		XXxxXXxx
22JUN16	06:34	Into Maintenance	0.3	A		
		8652.9 AFHR		M PEA		
				A1PXXO1604705		XXxxXXxx
22JUN16	09:53	Initiate Toolboard	xxxx	14 B/F		
		8654.2 AFHR				XXxxXXxx
22JUN16	10:55	Clear Toolboard	xxxx	14		
		8654.2 AFHR				XXxxXXxx
22JUN16	22:33	Maintenance Release	0.6	M PEA		
		8654.2 AFHR		A		
				A1PXXX1605653		XXxxXXxx
23JUN16	07:57	Into Maintenance	0.3	A		
		8657.1 AFHR		A1PXXO1604764		XXxxXXxx
23JUN16	09:36	Initiate Toolboard	xxxx	14 B/F		
		8658.5 AFHR				XXxxXXxx
23JUN16	09:37	Clear Toolboard	xxxx	14		
		8658.5 AFHR				XXxxXXxx
23JUN16	09:47	Change Serviceability Stat	0.0	SERV		
		8658.5 AFHR		U/S		
		Estimated Date/Time Servic	736501.5	A1PXXU1607228		XXxxXXxx
				SERV STAT		
				24JUN16		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02374  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
24JUN16	01:00	Maintenance Release	0.6	M PEA A		
		8658.5 AFHR		A1PXXX1605730		XXxxXXxx
		Change Serviceability Stat	0.6	U/S		
		Estimated Date/Time Servic	0.6	SERV 24JUN16 09:47		
				SERV STAT		
24JUN16	06:09	Into Maintenance	0.2	A		
		8659.7 AFHR		M PEA A1PXXO1604807		XXxxXXxx
26JUN16	22:43	Initiate Toolboard	xxxx	14 B/F		
		8660.9 AFHR				XXxxXXxx
26JUN16	22:44	Clear Toolboard	xxxx	14		
		8660.9 AFHR				XXxxXXxx
26JUN16	22:44	Maintenance Release	2.6	M PEA A		
		8660.9 AFHR		A1PXXX1605753		XXxxXXxx
27JUN16	08:40	Into Maintenance	0.4	A		
		8663.5 AFHR		M PEA A1PXXO1604875		XXxxXXxx
27JUN16	09:15	Initiate Toolboard	xxxx	14 B/F		
		8664.7 AFHR				XXxxXXxx
27JUN16	09:15	Clear Toolboard	xxxx	14		
		8664.7 AFHR				XXxxXXxx
27JUN16	23:25	Maintenance Release	0.6	M PEA A		
		8664.7 AFHR		A1PXXX1605797		XXxxXXxx
28JUN16	07:49	Into Maintenance	0.3	A		
		8666.0 AFHR		M PEA A1PXXO1604919		XXxxXXxx
28JUN16	09:14	Initiate Toolboard	xxxx	14 B/F		
		8666.0 AFHR				XXxxXXxx
28JUN16	09:14	Clear Toolboard	xxxx	14		
		8666.0 AFHR				XXxxXXxx



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02375  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
28JUN16	23:03	Maintenance Release	0.6	M PEA A		
		8666.0 AFHR		A1PXXX1605833		XXxxXXxx
29JUN16	08:36	Into Maintenance	0.3	A M PEA		
		8668.6 AFHR		A1PXXO1604976		XXxxXXxx
29JUN16	09:51	Initiate Toolboard	xxxx	14 B/F		
		8669.9 AFHR				XXxxXXxx
29JUN16	11:32	Clear Toolboard	xxxx	14		
		8669.9 AFHR				XXxxXXxx
29JUN16	23:01	Maintenance Release	0.6	M PEA A		
		8669.9 AFHR		A1PXXX1605881		XXxxXXxx
30JUN16	08:35	Into Maintenance	0.3	A A1PXXO1605033		XXxxXXxx
		8672.8 AFHR				
30JUN16	09:39	Initiate Toolboard	xxxx	14 B/F		
		8674.1 AFHR				XXxxXXxx
30JUN16	09:40	Clear Toolboard	xxxx	14		
		8674.1 AFHR				XXxxXXxx
30JUN16	09:42	Change Serviceability Stat	0.0	SERV U/S		
		8674.1 AFHR		A1PXXU1607484		XXxxXXxx
		Estimated Date/Time Servic	736504.6	SERV STAT		
				01JUL16		
30JUN16	23:25	Maintenance Release	0.5	M PEA A		
		8674.1 AFHR		A1PXXX1605964		XXxxXXxx
		Change Serviceability Stat	0.5	U/S		
		Estimated Date/Time Servic	1.5	SERV		
				01JUL16 09:42		
				SERV STAT		
01JUL16	06:33	Into Maintenance	0.2	A M PEA		
		8675.4 AFHR		A1PXXO1605074		XXxxXXxx
03JUL16	22:48	Initiate Toolboard	xxxx	14 B/F		
		8675.4 AFHR				XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02376  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----		-----		-----	
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER	
=====	=====	=====	=====	=====	=====	=====	=====
	LIFE SINCE NEW						
03JUL16 22:48	Clear Toolboard 8675.4 AFHR	xxxx	14			XXxxXXxx	
03JUL16 22:48	Maintenance Release 8675.4 AFHR	2.6	M PEA A A1PXXX1605983			XXxxXXxx	
04JUL16 07:44	Into Maintenance 8677.7 AFHR	0.3	A A1PXXO1605117			XXxxXXxx	
04JUL16 09:54	Initiate Toolboard 8679.1 AFHR	xxxx	14 B/F			XXxxXXxx	
04JUL16 09:58	Clear Toolboard 8679.1 AFHR	xxxx	14			XXxxXXxx	
04JUL16 13:00	Change Serviceability Stat 8679.1 AFHR	0.2	SERV U/S A1PXXU1607948			XXxxXXxx	
	Estimated Date/Time Servic	736511.4	SERV STAT 05JUL16				
05JUL16 00:16	Maintenance Release 8679.1 AFHR	0.4	M PEA A A1PXXX1606060			XXxxXXxx	
	Change Serviceability Stat	0.4	U/S SERV				
	Estimated Date/Time Servic	0.4	05JUL16 13:00 SERV STAT				
05JUL16 09:49	Into Maintenance 8681.7 AFHR	0.3	A M PEA A1PXXO1605180			XXxxXXxx	
05JUL16 13:27	Initiate Toolboard 8681.7 AFHR	xxxx	14 B/F			XXxxXXxx	
05JUL16 13:28	Clear Toolboard 8681.7 AFHR	xxxx	14			XXxxXXxx	
05JUL16 22:22	Maintenance Release 8681.7 AFHR	0.5	M PEA A A1PXXX1606114			XXxxXXxx	
06JUL16 07:47	Into Maintenance 8684.3 AFHR	0.3	A M PEA A1PXXO1605233			XXxxXXxx	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02377  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====	=====
06JUL16 09:30	Initiate	Toolboard	xxxx	14 B/F	
		8685.5 AFHR			XXxxXXxx
06JUL16 09:30	Clear	Toolboard	xxxx	14	
		8685.5 AFHR			XXxxXXxx
06JUL16 22:41	Maintenance	Release	0.6	M PEA	
		8685.5 AFHR		A	
				A1PXXX1606178	XXxxXXxx
07JUL16 06:37	Into	Maintenance	0.3	A	
		8686.7 AFHR		A1PXXO1605266	XXxxXXxx
07JUL16 09:39	Change	Serviceability Stat	0.1	SERV	
		8688.3 AFHR		U/S	
				A1PXXU1607858	XXxxXXxx
	Estimated Date/Time	Service	736515.6	SERV STAT	
				08JUL16	
07JUL16 12:38	Initiate	Toolboard	xxxx	14 B/F	
		8688.3 AFHR			XXxxXXxx
07JUL16 12:38	Clear	Toolboard	xxxx	14	
		8688.3 AFHR			XXxxXXxx
07JUL16 23:37	Maintenance	Release	0.5	M PEA	
		8688.3 AFHR		A	
				A1PXXX1606237	XXxxXXxx
	Change	Serviceability Stat	0.5	U/S	
	Estimated Date/Time	Service	1.5	SERV	
				08JUL16 09:39	
				SERV STAT	
08JUL16 06:19	Into	Maintenance	0.2	A	
		8689.7 AFHR		M PEA	
				A1PXXO1605315	XXxxXXxx
10JUL16 23:26	Initiate	Toolboard	xxxx	14 B/F	
		8691.0 AFHR			XXxxXXxx
10JUL16 23:27	Clear	Toolboard	xxxx	14	
		8691.0 AFHR			XXxxXXxx
10JUL16 23:28	Maintenance	Release	2.7	M PEA	
		8691.0 AFHR		A	
				A1PXXX1606285	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02378  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
11JUL16	07:38	Into Maintenance	0.3	A		
		8692.6 AFHR		A1PXXO1605371		XXxxXXxx
11JUL16	09:43	Change Serviceability Stat	0.0	SERV		
		8694.0 AFHR		A1PXXU1608281		XXxxXXxx
		Estimated Date/Time Servic	736518.5	SERV STAT		
11JUL16	13:35	Initiate Toolboard	xxxx	12JUL16		
		8694.0 AFHR		14 B/F		XXxxXXxx
11JUL16	13:35	Clear Toolboard	xxxx	14		
		8694.0 AFHR				XXxxXXxx
11JUL16	23:00	Maintenance Release	0.5	M PEA		
		8694.0 AFHR		A		
		Change Serviceability Stat	0.5	A1PXXX1606340		XXxxXXxx
		Estimated Date/Time Servic	1.5	U/S		
12JUL16	07:41	Into Maintenance	0.3	SERV		
		8695.3 AFHR		12JUL16 09:43		
12JUL16	09:44	Initiate Toolboard	xxxx	SERV STAT		
		8696.8 AFHR		A		
12JUL16	09:45	Clear Toolboard	xxxx	M PEA		
		8696.8 AFHR		A1PXXO1605417		XXxxXXxx
12JUL16	10:07	Maintenance Release	0.1	14 B/F		XXxxXXxx
		8696.8 AFHR		14		XXxxXXxx
12JUL16	10:07	Asset Comments	0.0	M PEA		
		8696.8 AFHR		A		
12JUL16	10:38	Operator Acceptance	0.0	A1PXXX1606382		XXxxXXxx
		Maintenance Comment	0.0	GERO	DEPLOYED GERO	
12JUL16	11:37	Into Maintenance	0.0	A1PXXX1606383		XXxxXXxx
		8696.8 AFHR		aip01487		
				A1PXXX1606384		XXxxXXxx
				DEPLOYED GERO		
				A		
				M PEA		
		8696.8 AFHR		A1PXXO1605464		XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02379  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
13JUL16	07:57	Maintenance Release	0.8	M PEA A A1PXXX1606445		XXxxXXxx
13JUL16	07:57	Asset Comments	0.0	A1PXXX1606446		XXxxXXxx
13JUL16	08:33	Into Maintenance	0.0	A M PEA A1PXXO1605479		XXxxXXxx
13JUL16	09:59	Initiate Toolboard	xxxx	14 B/F		XXxxXXxx
13JUL16	09:59	Clear Toolboard	xxxx	14		XXxxXXxx
13JUL16	10:00	Maintenance Release	0.0	M PEA A A1PXXX1606454		XXxxXXxx
13JUL16	12:08	Into Maintenance	0.0	A M PEA A1PXXO1605481		XXxxXXxx
13JUL16	23:21	Maintenance Release	0.4	M PEA A A1PXXX1606465		XXxxXXxx
14JUL16	08:52	Into Maintenance	0.3	A A1PXXO1605527		XXxxXXxx
14JUL16	11:24	Change Serviceability Stat	0.1	SERV U/S A1PXXU1608185		XXxxXXxx
		Estimated Date/Time Servic	736522.4	SERV STAT 15JUL16		
14JUL16	12:54	Initiate Toolboard	xxxx	14 B/F		XXxxXXxx
14JUL16	12:54	Clear Toolboard	xxxx	14		XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02380  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
15JUL16 00:05	Maintenance Release	0.5	M PEA A A1PXXX1606531	XXxxXXxx
	8706.1 AFHR Change Serviceability Stat	0.5	U/S SERV	
	Estimated Date/Time Servic	0.5	15JUL16 11:24 SERV STAT	
15JUL16 07:35	Into Maintenance	0.3	A M PEA A1PXXO1605587	XXxxXXxx
17JUL16 23:00	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	8710.9 AFHR			XXxxXXxx
17JUL16 23:00	Clear Toolboard	xxxx	14	XXxxXXxx
	8710.9 AFHR			XXxxXXxx
17JUL16 23:00	Maintenance Release	2.6	M PEA A A1PXXX1606571	XXxxXXxx
	8710.9 AFHR		A	XXxxXXxx
18JUL16 01:49	Into Maintenance	0.1	A1PXXO1605595	XXxxXXxx
	8710.9 AFHR		SERV	
18JUL16 03:47	Change Serviceability Stat	0.0	U/S A1PXXU1608619	XXxxXXxx
	8711.9 AFHR		SERV STAT	
	Estimated Date/Time Servic	736525.8	19JUL16	
18JUL16 07:51	Into Maintenance	0.0	M A1PXXO1605628	XXxxXXxx
	8711.9 AFHR			XXxxXXxx
18JUL16 07:51	Maintenance Release	0.1	M PEA A A1PXXX1606611	XXxxXXxx
	8711.9 AFHR		U/S	
	Change Serviceability Stat	0.1	SERV	
	Estimated Date/Time Servic	1.1	19JUL16 03:50 SERV STAT	
18JUL16 08:01	Into Maintenance	0.0	A A1PXXO1605629	XXxxXXxx
	8713.6 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02381  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
18JUL16 08:23	Change Serviceability Stat 8713.6 AFHR Estimated Date/Time Servic	0.0	SERV U/S A1PXXU1608628	XXxxXXxx
18JUL16 09:46	Initiate Toolboard 8713.6 AFHR	xxxx	14 B/F	XXxxXXxx
18JUL16 09:47	Clear Toolboard 8713.6 AFHR	xxxx	14	XXxxXXxx
18JUL16 23:15	Maintenance Release 8713.6 AFHR Change Serviceability Stat	0.6	M PEA A A1PXXX1606622	XXxxXXxx
	Estimated Date/Time Servic	1.6	SERV 19JUL16 08:23 SERV STAT	
19JUL16 08:44	Into Maintenance 8716.7 AFHR	0.3	A A1PXXO1605679	XXxxXXxx
19JUL16 09:48	Initiate Toolboard 8718.3 AFHR	xxxx	14 B/F	XXxxXXxx
19JUL16 09:48	Clear Toolboard 8718.3 AFHR	xxxx	14	XXxxXXxx
19JUL16 09:48	Change Serviceability Stat 8718.3 AFHR Estimated Date/Time Servic	0.0	SERV U/S A1PXXU1608694	XXxxXXxx
	Estimated Date/Time Servic	736529.5	SERV STAT 20JUL16	
19JUL16 22:12	Maintenance Release 8718.3 AFHR Change Serviceability Stat	0.5	M PEA A A1PXXX1606674	XXxxXXxx
	Estimated Date/Time Servic	1.5	SERV 20JUL16 09:48 SERV STAT	
20JUL16 07:34	Into Maintenance 8721.3 AFHR	0.3	A A1PXXO1605727	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02382  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
20JUL16 09:23	Initiate Toolboard 8722.6 AFHR	xxxx	14 B/F	XXxxXXxx
20JUL16 09:24	Clear Toolboard 8722.6 AFHR	xxxx	14	XXxxXXxx
20JUL16 09:44	Change Serviceability Stat 8722.6 AFHR Estimated Date/Time Servic	0.0	SERV U/S A1PXXU1608734 SERV STAT 21JUL16	XXxxXXxx
20JUL16 22:08	Maintenance Release 8722.6 AFHR Change Serviceability Stat	0.5	M PEA A A1PXXX1606718 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.5	SERV 21JUL16 09:44 SERV STAT	
21JUL16 08:02	Into Maintenance 8725.5 AFHR	0.4	A A1PXXO1605769	XXxxXXxx
21JUL16 09:25	Initiate Toolboard 8727.1 AFHR	xxxx	14 B/F	XXxxXXxx
21JUL16 09:25	Clear Toolboard 8727.1 AFHR	xxxx	14	XXxxXXxx
21JUL16 10:43	Change Serviceability Stat 8727.1 AFHR Estimated Date/Time Servic	0.1	SERV U/S A1PXXU1608551 SERV STAT 22JUL16	XXxxXXxx
22JUL16 00:14	Maintenance Release 8727.1 AFHR Change Serviceability Stat	0.5	M PEA A A1PXXX1606822 U/S	XXxxXXxx
	Estimated Date/Time Servic	0.5	SERV 22JUL16 10:43 SERV STAT	

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02383  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----			
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
=====	=====	=====	=====	=====	=====
	LIFE SINCE NEW		TRANS REFERENCE		
22JUL16 05:44	Into Maintenance	0.2	A		
	8728.7 AFHR		M PEA		
24JUL16 23:40	Initiate Toolboard	xxxx	A1PXXO1605801	14 B/F	XXxxXXxx
	8730.0 AFHR				XXxxXXxx
24JUL16 23:41	Clear Toolboard	xxxx	14		
	8730.0 AFHR				XXxxXXxx
24JUL16 23:41	Maintenance Release	2.7	M PEA		
	8730.0 AFHR		A		
25JUL16 08:44	Into Maintenance	0.3	A1PXXX1606883		XXxxXXxx
	8731.5 AFHR		A		
25JUL16 09:43	Initiate Toolboard	xxxx	M PEA	A1PXXO1605845	XXxxXXxx
	8731.5 AFHR		14 B/F		XXxxXXxx
25JUL16 09:43	Clear Toolboard	xxxx	14		
	8731.5 AFHR				XXxxXXxx
26JUL16 01:23	Maintenance Release	0.6	M PEA		
	8731.5 AFHR		A		
26JUL16 08:04	Into Maintenance	0.2	A1PXXX1606988		XXxxXXxx
	8733.1 AFHR		A		
26JUL16 09:14	Initiate Toolboard	xxxx	M PEA	A1PXXO1605906	XXxxXXxx
	8734.6 AFHR		14 B/F		XXxxXXxx
26JUL16 09:14	Clear Toolboard	xxxx	14		
	8734.6 AFHR				XXxxXXxx
26JUL16 23:33	Maintenance Release	0.6	M PEA		
	8734.6 AFHR		A		
27JUL16 08:00	Into Maintenance	0.3	A1PXXX1607036		XXxxXXxx
	8736.1 AFHR		A		
27JUL16 09:17	Initiate Toolboard	xxxx	M PEA	A1PXXO1605940	XXxxXXxx
	8737.9 AFHR		14 B/F		XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02384  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN (DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
27JUL16 09:18	Clear	Toolboard	8737.9 AFHR	xxxx	14	XXxxXXxx
27JUL16 09:24	Maintenance	Release	8737.9 AFHR	0.0	M PEA A A1PXXX1607058	XXxxXXxx
27JUL16 13:20	Into	Maintenance	8737.9 AFHR	0.1	A M PEA A1PXXO1605958	XXxxXXxx
27JUL16 23:33	Maintenance	Release	8737.9 AFHR	0.4	M PEA A A1PXXX1607081	XXxxXXxx
28JUL16 04:45	Into	Maintenance	8740.7 AFHR	0.2	A A1PXXO1605987	XXxxXXxx
28JUL16 09:27	Initiate	Toolboard	8742.0 AFHR	xxxx	14 B/F	XXxxXXxx
28JUL16 09:27	Clear	Toolboard	8742.0 AFHR	xxxx	14	XXxxXXxx
28JUL16 11:26	Change	Serviceability Stat	8742.0 AFHR	0.2	SERV U/S A1PXXU1608858	XXxxXXxx
	Estimated Date/Time	Servic		736532.5	SERV STAT 29JUL16	
02AUG16 10:08	Initiate	Toolboard	8742.0 AFHR	xxxx	14 B/F	XXxxXXxx
02AUG16 10:08	Clear	Toolboard	8742.0 AFHR	xxxx	14	XXxxXXxx
03AUG16 02:56	Maintenance	Release	8742.0 AFHR	5.6	M PEA A A1PXXX1607242	XXxxXXxx
	Change	Serviceability Stat		5.6	U/S SERV	
	Estimated Date/Time	Servic		0.6	29JUL16 11:26 SERV STAT	
03AUG16 09:21	Into	Maintenance	8742.0 AFHR	0.2	A A1PXXO1606183	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02385  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
03AUG16 09:34		Asset Comments		0.0	ALB DEPLOYED	
		8742.0 AFHR			A1PXXX1607261	XXxxXXxx
03AUG16 09:35		Operator Acceptance		0.0	aip01952	
		8742.0 AFHR			A1PXXX1607262	XXxxXXxx
		Maintenance Comment		0.0	ALB	
04AUG16 07:01		Asset Comments		0.0		
		8745.1 AFHR			A1PXXX1607293	XXxxXXxx
04AUG16 10:32		Change Serviceability Stat		1.0	SERV	
		8746.2 AFHR			U/S	
		Estimated Date/Time Servic		736544.6	A1PXXU1609302	XXxxXXxx
					SERV STAT	
					05AUG16	
04AUG16 11:50		Asset Comments		0.0	AIRTEST BRAKE OPS	
		8746.2 AFHR			A1PXXX1607297	XXxxXXxx
04AUG16 12:22		Initiate Toolboard		xxxx	14 B/F	
		8746.2 AFHR				XXxxXXxx
04AUG16 12:23		Clear Toolboard		xxxx	14	
		8746.2 AFHR				XXxxXXxx
04AUG16 23:29		Maintenance Release		0.5	M PEA	
		8746.2 AFHR			A	
		Change Serviceability Stat		0.5	A1PXXX1607314	XXxxXXxx
					U/S	
		Estimated Date/Time Servic		1.5	SERV	
					05AUG16 10:32	
					SERV STAT	
05AUG16 03:01		Into Maintenance		0.1	A	
		8746.2 AFHR			A1PXXO1606208	XXxxXXxx
05AUG16 03:05		Change Serviceability Stat		0.0	SERV	
		8747.6 AFHR			U/S	
		Estimated Date/Time Servic		736546.8	A1PXXU1609526	XXxxXXxx
					SERV STAT	
					06AUG16	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02386  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
05AUG16 03:07	Maintenance Release	0.0	M PEA A	
	8747.6 AFHR Change Serviceability Stat	0.0	A1PXXX1607330 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.0	SERV 06AUG16 03:05 SERV STAT	
05AUG16 03:07	Asset Comments	0.0		
	8747.6 AFHR		A1PXXX1607331	XXxxXXxx
05AUG16 06:51	Into Maintenance	0.1	A	
	8747.6 AFHR		M PEA A1PXXO1606234	XXxxXXxx
08AUG16 02:38	Initiate Toolboard	xxxx	14 B/F	
	8748.9 AFHR			XXxxXXxx
08AUG16 02:38	Clear Toolboard	xxxx	14	
	8748.9 AFHR			XXxxXXxx
08AUG16 02:38	Maintenance Release	2.8	M PEA A	
	8748.9 AFHR		A1PXXX1607363	XXxxXXxx
08AUG16 09:06	Into Maintenance	0.2	A	
	8750.3 AFHR		A1PXXO1606269	XXxxXXxx
09AUG16 00:48	Asset Comments	0.0	R1	
	8750.3 AFHR		A1PXXX1607414	XXxxXXxx
09AUG16 02:18	Change Serviceability Stat	0.7	SERV	
	8750.3 AFHR		U/S A1PXXU1512227	XXxxXXxx
	Estimated Date/Time Servic	736547.0	SERV STAT 10AUG16	
15AUG16 07:14	Asset Comments	0.0	MTF	
	8750.3 AFHR		A1PXXX1607635	HPFP R+I, FCU R+I, ELU CX, HANDLING CX'S, S62 AND NLG RIGGIN XXxxXXxx
16AUG16 09:26	Initiate Toolboard	xxxx	14 B/F	
	8750.3 AFHR			XXxxXXxx
16AUG16 09:26	Clear Toolboard	xxxx	14	
	8750.3 AFHR			XXxxXXxx
17AUG16 23:11	Initiate Toolboard	xxxx	14 B/F	
	8750.3 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02387  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
18AUG16 00:16		Clear Toolboard		xxxx	14	
		8750.3 AFHR				XXxxXXxx
18AUG16 00:17		Maintenance Release		8.9	M PEA	
		8750.3 AFHR			A1PXXX1607794	XXxxXXxx
		Change Serviceability Stat		8.9	U/S	
		Estimated Date/Time Servic		0.9	SERV 10AUG16 02:18	
18AUG16 09:18		Into Maintenance		0.3	SERV STAT	
		8750.3 AFHR			A1PXXO1606699	XXxxXXxx
18AUG16 09:35		Initiate Toolboard		xxxx	14 B/F	
		8750.3 AFHR				XXxxXXxx
18AUG16 09:35		Clear Toolboard		xxxx	14	
		8750.3 AFHR				XXxxXXxx
19AUG16 01:38		Change Serviceability Stat		0.6	SERV	
		8750.3 AFHR			U/S A1PXXU1610345	XXxxXXxx
		Estimated Date/Time Servic		736559.9	SERV STAT 20AUG16	
19AUG16 01:45		Maintenance Release		0.0	M PEA	
		8750.3 AFHR			A1PXXX1607859	XXxxXXxx
		Change Serviceability Stat		0.0	U/S	
		Estimated Date/Time Servic		1.0	SERV 20AUG16 01:38	
19AUG16 05:21		Into Maintenance		0.1	SERV STAT	
		8750.3 AFHR			A1PXXO1606737	XXxxXXxx
19AUG16 06:03		Asset Comments		0.0		
		8751.8 AFHR			A1PXXX1607875	XXxxXXxx
19AUG16 06:05		Change Serviceability Stat		0.0	SERV	
		8751.8 AFHR			U/S A1PXXU1609991	XXxxXXxx
		Estimated Date/Time Servic		736560.8	SERV STAT 20AUG16	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02388  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
22AUG16 05:08	Initiate Toolboard	8751.8 AFHR	xxxx	14 B/F	XXxxXXxx
22AUG16 05:08	Clear Toolboard	8751.8 AFHR	xxxx	14	XXxxXXxx
22AUG16 05:09	Maintenance Release		2.9	M PEA	
	Change Serviceability Stat	8751.8 AFHR	2.9	A A1PXXX1607971 U/S	XXxxXXxx
	Estimated Date/Time Servic		0.9	SERV 20AUG16 06:05 SERV STAT	
22AUG16 07:24	Into Maintenance	8751.8 AFHR	0.0	A	
22AUG16 08:57	Change Serviceability Stat		0.0	A1PXXO1606788 SERV	XXxxXXxx
	Estimated Date/Time Servic	8753.2 AFHR	736563.8	U/S A1PXXU1610193 SERV STAT	XXxxXXxx
22AUG16 09:21	Initiate Toolboard	8753.2 AFHR	xxxx	23AUG16 14 B/F	XXxxXXxx
22AUG16 09:21	Clear Toolboard	8753.2 AFHR	xxxx	14	XXxxXXxx
23AUG16 00:07	Maintenance Release		0.6	M PEA	
	Change Serviceability Stat	8753.2 AFHR	0.6	A A1PXXX1608029 U/S	XXxxXXxx
	Estimated Date/Time Servic		0.6	SERV 23AUG16 08:57 SERV STAT	
23AUG16 07:52	Into Maintenance		0.3	A	
23AUG16 09:26	Initiate Toolboard	8755.8 AFHR	xxxx	M PEA A1PXXO1606838 14 B/F	XXxxXXxx
23AUG16 09:27	Clear Toolboard	8757.3 AFHR	xxxx	14	XXxxXXxx
	Estimated Date/Time Servic	8757.3 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02389  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
23AUG16	23:40	Maintenance Release	0.6	M PEA A		
		8757.3 AFHR		A1PXXX1608083		XXxxXXxx
24AUG16	08:27	Into Maintenance	0.3	M PEA A		
		8760.4 AFHR		A1PXXO1606918		XXxxXXxx
24AUG16	09:48	Initiate Toolboard	xxxx	14 B/F		
		8762.2 AFHR				XXxxXXxx
24AUG16	09:48	Clear Toolboard	xxxx	14		
		8762.2 AFHR				XXxxXXxx
24AUG16	22:52	Maintenance Release	0.6	M PEA A		
		8762.2 AFHR		A1PXXX1608239		XXxxXXxx
25AUG16	01:36	Into Maintenance	0.1	M PEA A		
		8762.2 AFHR		A1PXXO1606957		XXxxXXxx
25AUG16	09:36	Initiate Toolboard	xxxx	14 B/F		
		8767.1 AFHR				XXxxXXxx
25AUG16	09:36	Clear Toolboard	xxxx	14		
		8767.1 AFHR				XXxxXXxx
25AUG16	23:54	Maintenance Release	0.9	M PEA A		
		8767.1 AFHR		A1PXXX1608288		XXxxXXxx
26AUG16	06:50	Into Maintenance	0.2	M PEA A		
		8769.2 AFHR		A1PXXO1607006		XXxxXXxx
28AUG16	23:33	Initiate Toolboard	xxxx	14 B/F		
		8770.5 AFHR				XXxxXXxx
28AUG16	23:33	Clear Toolboard	xxxx	14		
		8770.5 AFHR				XXxxXXxx
28AUG16	23:33	Maintenance Release	2.6	M PEA A		
		8770.5 AFHR		A1PXXX1608327		XXxxXXxx
29AUG16	08:15	Into Maintenance	0.3	M PEA A		
		8771.7 AFHR		A1PXXO1607047		XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02390  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
29AUG16 09:13		Initiate Toolboard 8773.4 AFHR	xxxx	14 B/F	XXxxXXxx
29AUG16 09:13		Clear Toolboard 8773.4 AFHR	xxxx	14	XXxxXXxx
29AUG16 10:52		Change Serviceability Stat 8773.4 AFHR Estimated Date/Time Servic	0.1	SERV U/S A1PXXU1610425 SERV STAT 30AUG16	XXxxXXxx
30AUG16 01:44		Maintenance Release 8773.4 AFHR Change Serviceability Stat	0.6	M AIP A A1PXXX1608392 U/S SERV	XXxxXXxx
		Maintenance Comment Estimated Date/Time Servic	0.0 0.6	POST APPLYING MPAN 035/16 AND 036/16 30AUG16 10:52 SERV STAT	
30AUG16 06:40		Into Maintenance 8775.6 AFHR	0.2	A M PEA A1PXXO1607092	XXxxXXxx
30AUG16 13:38		Initiate Toolboard 8776.5 AFHR	xxxx	14 B/F	XXxxXXxx
30AUG16 13:39		Clear Toolboard 8776.5 AFHR	xxxx	14	XXxxXXxx
30AUG16 23:05		Maintenance Release 8776.5 AFHR	0.6	M PEA A A1PXXX1608431	XXxxXXxx
31AUG16 08:52		Into Maintenance 8778.2 AFHR	0.4	A A1PXXO1607138	XXxxXXxx
31AUG16 10:39		Change Serviceability Stat 8779.5 AFHR Estimated Date/Time Servic	0.0	SERV U/S A1PXXU1610882 SERV STAT 01SEP16	XXxxXXxx
31AUG16 11:41		Initiate Toolboard 8779.5 AFHR	xxxx	14 B/F	XXxxXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02391  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----					
TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)		FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW			TRANS REFERENCE		
=====							
31AUG16	11:42	Clear Toolboard		xxxx	14		
		8779.5 AFHR					XXxxXXxx
31AUG16	23:00	Maintenance Release		0.5	M PEA		
		8779.5 AFHR			A1PXXX1608538		XXxxXXxx
		Change Serviceability Stat		0.5	U/S		
		Estimated Date/Time Servic		1.5	SERV		
01SEP16	08:31	Into Maintenance		0.3	01SEP16 10:39		
					SERV STAT		
					A		
		8782.0 AFHR			M PEA		
01SEP16	11:26	Initiate Toolboard		xxxx	A1PXXO1607190		XXxxXXxx
		8783.0 AFHR			14 B/F		XXxxXXxx
01SEP16	11:26	Clear Toolboard		xxxx	14		
		8783.0 AFHR					XXxxXXxx
01SEP16	11:27	Maintenance Release		0.1	M PEA		
					A		
		8783.0 AFHR			A1PXXX1608579		XXxxXXxx
01SEP16	13:40	Into Maintenance		0.0	A		
					M PEA		
		8783.0 AFHR			A1PXXO1607212		XXxxXXxx
01SEP16	22:51	Maintenance Release		0.3	M PEA		
					A		
		8784.2 AFHR			A1PXXX1608601		XXxxXXxx
02SEP16	03:59	Into Maintenance		0.2	A		
		8785.2 AFHR			A1PXXO1607222		XXxxXXxx
02SEP16	05:22	Change Serviceability Stat		0.0	SERV		
					U/S		
		8786.6 AFHR			A1PXXU1611040		XXxxXXxx
		Estimated Date/Time Servic		736573.7	SERV STAT		
					03SEP16		
04SEP16	23:34	Initiate Toolboard		xxxx	14 B/F		
		8786.6 AFHR					XXxxXXxx
04SEP16	23:35	Clear Toolboard		xxxx	14		
		8786.6 AFHR					XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02392  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
04SEP16 23:35	Maintenance Release	2.7	M PEA A	
	8786.6 AFHR Change Serviceability Stat	2.7	A1PXXX1608629 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.7	SERV 03SEP16 05:22 SERV STAT	
05SEP16 04:19	Into Maintenance	0.1	A	
	8786.6 AFHR Change Serviceability Stat	0.0	A1PXXO1607238 SERV	XXxxXXxx
	Estimated Date/Time Servic	736577.8	U/S A1PXXU1611080 SERV STAT	XXxxXXxx
05SEP16 04:24	Maintenance Release	0.0	06SEP16 M PEA A	
	8786.6 AFHR Change Serviceability Stat	0.0	A1PXXX1608653 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.0	SERV 06SEP16 04:20 SERV STAT	
05SEP16 04:25	Asset Comments	0.0	SOLO ONLY REAR COMM2	
	8786.6 AFHR		A1PXXX1608654	XXxxXXxx
05SEP16 09:13	Into Maintenance	0.2	A	
	8789.4 AFHR		A1PXXO1607270	XXxxXXxx
05SEP16 09:13	Initiate Toolboard	xxxx	14 B/F	
	8789.4 AFHR			XXxxXXxx
05SEP16 09:35	Clear Toolboard	xxxx	14	
	8790.6 AFHR			XXxxXXxx
05SEP16 10:58	Change Serviceability Stat	0.0	SERV	
	8790.6 AFHR		U/S A1PXXU1610705	XXxxXXxx
	Estimated Date/Time Servic	736577.7	SERV STAT 06SEP16	
06SEP16 00:17	Asset Comments	0.0		
	8790.6 AFHR		A1PXXX1608725	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02393  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
06SEP16	00:18	Maintenance Release	0.5	M PEA A		
		8790.6 AFHR		A1PXXX1608726		XXxxXXxx
		Change Serviceability Stat	0.5	U/S		
		Estimated Date/Time Servic	0.5	SERV 06SEP16 10:58		
				SERV STAT		
06SEP16	09:25	Into Maintenance	0.3	A		
		8793.6 AFHR		M PEA A1PXXO1607324		XXxxXXxx
06SEP16	09:47	Initiate Toolboard	xxxx	14 B/F		
		8793.6 AFHR				XXxxXXxx
06SEP16	09:48	Clear Toolboard	xxxx	14		
		8793.6 AFHR				XXxxXXxx
06SEP16	23:28	Maintenance Release	0.5	M PEA A		
		8793.6 AFHR		A1PXXX1608805		XXxxXXxx
07SEP16	07:34	Into Maintenance	0.3	A		
		8794.9 AFHR		M PEA A1PXXO1607359		XXxxXXxx
07SEP16	09:41	Initiate Toolboard	xxxx	14 B/F		
		8795.8 AFHR				XXxxXXxx
07SEP16	09:42	Clear Toolboard	xxxx	14		
		8795.8 AFHR				XXxxXXxx
07SEP16	23:09	Maintenance Release	0.6	M PEA A		
		8795.8 AFHR		A1PXXX1608852		XXxxXXxx
08SEP16	03:58	Into Maintenance	0.2	A		
		8795.8 AFHR		M PEA A1PXXO1607379		XXxxXXxx
08SEP16	05:19	Maintenance Release	0.0	M PEA A		
		8797.0 AFHR		A1PXXX1608879		XXxxXXxx
08SEP16	07:18	Into Maintenance	0.0	A		
		8797.0 AFHR		M PEA A1PXXO1607391		XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02394  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
08SEP16 09:24	Initiate	Toolboard	xxxx	14 B/F	
		8798.3 AFHR			XXxxXXxx
08SEP16 09:25	Clear	Toolboard	xxxx	14	
		8798.3 AFHR			XXxxXXxx
08SEP16 22:55	Maintenance	Release	0.6	M PEA	
		8798.3 AFHR		A	
				A1PXXX1608892	XXxxXXxx
09SEP16 05:49	Into	Maintenance	0.2	A	
		8798.3 AFHR		A1PXXO1607419	XXxxXXxx
12SEP16 01:30	Change	Serviceability Stat	2.8	SERV	
		8800.2 AFHR		U/S	
				A1PXXU1611364	XXxxXXxx
	Estimated Date/Time	Servic	736578.9	SERV STAT	
				13SEP16	
12SEP16 04:02	Initiate	Toolboard	xxxx	14 B/F	
		8800.2 AFHR			XXxxXXxx
12SEP16 04:02	Clear	Toolboard	xxxx	14	
		8800.2 AFHR			XXxxXXxx
12SEP16 06:18	Maintenance	Release	0.2	M PEA	
		8800.2 AFHR		A	
				A1PXXX1608968	XXxxXXxx
	Change	Serviceability Stat	0.2	U/S	
	Estimated Date/Time	Servic	1.2	SERV	
				13SEP16 01:30	
				SERV STAT	
12SEP16 09:08	Into	Maintenance	0.1	A	
		8800.2 AFHR		A1PXXO1607466	XXxxXXxx
12SEP16 09:13	Change	Serviceability Stat	0.0	SERV	
		8801.5 AFHR		U/S	
				A1PXXU1611104	XXxxXXxx
	Estimated Date/Time	Servic	736584.8	SERV STAT	
				13SEP16	
12SEP16 10:06	Initiate	Toolboard	xxxx	14 B/F	
		8801.5 AFHR			XXxxXXxx
12SEP16 10:06	Clear	Toolboard	xxxx	14	
		8801.5 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02395  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
13SEP16 00:04	Maintenance Release	0.6	M PEA A	
	8801.5 AFHR Change Serviceability Stat	0.6	A1PXXX1609000 U/S	XXxxXXxx
	Estimated Date/Time Servic	0.6	SERV 13SEP16 09:13 SERV STAT	
13SEP16 08:57	Into Maintenance	0.3	A M PEA	
	8803.9 AFHR		A1PXXO1607515	XXxxXXxx
13SEP16 09:38	Initiate Toolboard	xxxx	14 B/F	
	8805.4 AFHR			XXxxXXxx
13SEP16 09:39	Clear Toolboard	xxxx	14	
	8805.4 AFHR			XXxxXXxx
13SEP16 22:57	Maintenance Release	0.5	M PEA A	
	8805.4 AFHR		A1PXXX1609031	XXxxXXxx
14SEP16 09:15	Into Maintenance	0.4	A	
	8808.9 AFHR		A1PXXO1607568	XXxxXXxx
14SEP16 09:29	Change Serviceability Stat	0.0	SERV U/S	
	8809.9 AFHR		A1PXXU1611531	XXxxXXxx
	Estimated Date/Time Servic	736585.6	SERV STAT 15SEP16	
14SEP16 09:59	Initiate Toolboard	xxxx	14 B/F	
	8809.9 AFHR			XXxxXXxx
14SEP16 10:00	Clear Toolboard	xxxx	14	
	8809.9 AFHR			XXxxXXxx
14SEP16 23:15	Maintenance Release	0.5	M PEA A	
	8809.9 AFHR		A1PXXX1609087	XXxxXXxx
	Change Serviceability Stat	0.5	U/S	
	Estimated Date/Time Servic	1.5	SERV 15SEP16 09:29 SERV STAT	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02396  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
15SEP16	08:55	Into Maintenance	0.4	A		
		8812.5 AFHR		A1PXXO1607612		XXxxXXxx
15SEP16	09:48	Change Serviceability Stat	0.0	SERV		
		8812.5 AFHR		U/S		
		Estimated Date/Time Servic	736587.5	A1PXXU1611578		XXxxXXxx
				SERV STAT		
				16SEP16		
15SEP16	10:05	Armed	0.0	Y		
		8812.5 AFHR		A1PXXX1609120		XXxxXXxx
15SEP16	10:05	Asset Comments	0.0	AIRTEST	LH BRAKE CHANGE	
		8812.5 AFHR		A1PXXX1609120		XXxxXXxx
15SEP16	11:07	Initiate Toolboard	xxxx	14 B/F		
		8812.5 AFHR				XXxxXXxx
15SEP16	11:08	Clear Toolboard	xxxx	14		
		8812.5 AFHR				XXxxXXxx
15SEP16	12:50	Armed	0.0	N		
		8812.5 AFHR		A1PXXX1609121		XXxxXXxx
15SEP16	23:12	Maintenance Release	0.5	M PEA		
		8812.5 AFHR		A		
		Change Serviceability Stat	0.5	A1PXXX1609134		XXxxXXxx
				U/S		
		Estimated Date/Time Servic	1.5	SERV		
				16SEP16 09:49		
				SERV STAT		
16SEP16	02:07	Into Maintenance	0.1	A		
		8812.5 AFHR		A1PXXO1607625		XXxxXXxx
16SEP16	02:16	Asset Comments	0.0			
		8812.5 AFHR		A1PXXX1609157		XXxxXXxx
16SEP16	02:22	Change Serviceability Stat	0.0	SERV		
				U/S		
		8813.9 AFHR		A1PXXU1611579		XXxxXXxx
		Estimated Date/Time Servic	736588.8	SERV STAT		
				17SEP16		

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02397  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
16SEP16 02:24	Maintenance Release	0.0	M PEA A	
	8813.9 AFHR Change Serviceability Stat	0.0	A1PXXX1609158 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.0	SERV 17SEP16 02:22 SERV STAT	
16SEP16 06:12	Into Maintenance	0.1	A M LMO	
	8815.1 AFHR		A1PXXO1607652	XXxxXXxx
18SEP16 08:00	Initiate Toolboard	xxxx	14 A/F	
	8815.1 AFHR			XXxxXXxx
18SEP16 08:02	Initiate Toolboard	xxxx	14 B/F	
	8815.1 AFHR			XXxxXXxx
19SEP16 00:07	Clear Toolboard	xxxx	14	
	8818.7 AFHR			XXxxXXxx
19SEP16 02:35	Maintenance Release	2.8	M LMO A	
	8818.7 AFHR		A1PXXX1609232	XXxxXXxx
19SEP16 08:14	Into Maintenance	0.2	A A1PXXO1607720	XXxxXXxx
	8821.3 AFHR Change Serviceability Stat	0.0	SERV U/S	
	8822.4 AFHR Estimated Date/Time Servic	736588.7	A1PXXU1611406 SERV STAT 20SEP16	XXxxXXxx
19SEP16 21:59	Asset Comments	0.0	LMO LMO	
	8822.4 AFHR		A1PXXX1609284	XXxxXXxx
19SEP16 23:17	Initiate Toolboard	xxxx	14 B/F	
	8822.4 AFHR			XXxxXXxx
19SEP16 23:18	Clear Toolboard	xxxx	14	
	8822.4 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02398  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
19SEP16	23:18	Maintenance Release	0.6	M LMO		
		8822.4 AFHR		A		
		Change Serviceability Stat	0.6	A1PXXX1609295		XXxxXXxx
		Estimated Date/Time Servic	1.6	U/S		
				SERV		
				20SEP16 08:36		
				SERV STAT		
20SEP16	07:50	Into Maintenance	0.3	A		
		8822.4 AFHR		M LMO		
20SEP16	23:32	Initiate Toolboard	xxxx	A1PXXO1607781		XXxxXXxx
		8822.4 AFHR		14 B/F		
20SEP16	23:33	Clear Toolboard	xxxx	14		XXxxXXxx
		8822.4 AFHR				
20SEP16	23:34	Maintenance Release	0.6	M LMO		
		8822.4 AFHR		A		
21SEP16	05:53	Into Maintenance	0.2	A1PXXX1609394		XXxxXXxx
				A		
		8824.7 AFHR		M LMO		
21SEP16	08:16	Initiate Toolboard	xxxx	A1PXXO1607834		XXxxXXxx
		8825.9 AFHR		14 B/F		
21SEP16	08:17	Clear Toolboard	xxxx	14		XXxxXXxx
		8825.9 AFHR				
22SEP16	02:20	Maintenance Release	0.8	M LMO		
		8827.0 AFHR		A		
22SEP16	08:03	Into Maintenance	0.2	A1PXXX1609524		XXxxXXxx
				A		
		8830.6 AFHR		M LMO		
22SEP16	08:08	Initiate Toolboard	xxxx	A1PXXO1607909		XXxxXXxx
		8831.8 AFHR		14 B/F		
22SEP16	08:14	Clear Toolboard	xxxx	14		XXxxXXxx
		8831.8 AFHR				

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02399  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====	=====
22SEP16 08:14		Maintenance Release	0.0	M LMO A	
	8831.8	AFHR		A1PXXX1609547	XXxxXXxx
23SEP16 07:21		Into Maintenance	0.9	A M PEA	
	8835.2	AFHR		A1PXXO1607964	XXxxXXxx
23SEP16 08:02		Maintenance Release	0.0	M PEA A	
	8835.2	AFHR		A1PXXX1609590	XXxxXXxx
23SEP16 08:13		Maintenance Comment Into Maintenance	0.0 0.0	POST AIP MCS MPAN UPDATE A	
	8835.2	AFHR		A1PXXO1607973	XXxxXXxx
23SEP16 08:32		Initiate Toolboard	xxxx	14 B/F	
	8836.4	AFHR			XXxxXXxx
23SEP16 08:36		Clear Toolboard	xxxx	14	
	8836.4	AFHR			XXxxXXxx
23SEP16 23:19		Change Serviceability Stat	0.6	SERV U/S	
	8836.4	AFHR		A1PXXU1611694	XXxxXXxx
	Estimated Date/Time	Servic	736591.9	SERV STAT 24SEP16	
23SEP16 23:49		Maintenance Release	0.0	M LMO A	
	8836.4	AFHR		A1PXXX1609600	XXxxXXxx
	Change Serviceability Stat		0.0	U/S SERV	
	Estimated Date/Time	Servic	1.0	24SEP16 23:19 SERV STAT	
24SEP16 07:09		Into Maintenance	0.3	A M LMO	
	8838.8	AFHR		A1PXXO1608008	XXxxXXxx
26SEP16 23:29		Initiate Toolboard	xxxx	14 B/F	
	8840.0	AFHR			XXxxXXxx
26SEP16 23:30		Clear Toolboard	xxxx	14	
	8840.0	AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02400  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
26SEP16	23:45	Maintenance Release	2.6	M LMO		
		8840.0 AFHR		A A1PXXX1609619		XXxxXXxx
27SEP16	08:26	Into Maintenance	0.3	M LMO		
		8843.7 AFHR		A A1PXXO1608073		XXxxXXxx
27SEP16	08:28	Initiate Toolboard	xxxx	14 B/F		
		8843.7 AFHR				XXxxXXxx
27SEP16	08:34	Clear Toolboard	xxxx	14		
		8843.7 AFHR				XXxxXXxx
27SEP16	23:06	Maintenance Release	0.6	M LMO		
		8843.7 AFHR		A A1PXXX1609646		XXxxXXxx
28SEP16	08:17	Into Maintenance	0.3	M LMO		
		8846.2 AFHR		A A1PXXO1608141		XXxxXXxx
28SEP16	09:02	Change Serviceability Stat	0.0	SERV		
		8846.2 AFHR		U/S A1PXXU1611947		XXxxXXxx
		Estimated Date/Time Servic	736596.6	SERV STAT		
28SEP16	23:10	Initiate Toolboard	xxxx	29SEP16 14 B/F		
		8846.2 AFHR				XXxxXXxx
28SEP16	23:11	Clear Toolboard	xxxx	14		
		8846.2 AFHR				XXxxXXxx
29SEP16	02:28	Maintenance Release - Over	0.7	M LMO		
		8846.8 AFHR		A A1PXXX1609707		XXxxXXxx
		Change Serviceability Stat	0.7	Override: Build Check		
		Maintenance Comment	0.0	SERV		
		Estimated Date/Time Servic	0.7	MPAN 39-2016 BEING COMPLETED		
				29SEP16 09:02		
29SEP16	05:07	Into Maintenance	0.1	SERV STAT		
		8846.8 AFHR		A M PEA A1PXXO1608185		XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02401  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----			
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
=====	=====	=====	=====	=====	=====
	LIFE SINCE NEW		TRANS REFERENCE		
29SEP16 05:13	Maintenance Release	0.0	M PEA A		
	8846.8 AFHR		A1PXXX1609720		XXxxXXxx
29SEP16 08:20	Maintenance Comment Into Maintenance	0.0 0.1	POST APPLICATION OF MPAN 039/2016 A		
	8847.9 AFHR		M LMO A1PXXO1608216		XXxxXXxx
29SEP16 08:24	Initiate Toolboard	xxxx	14 B/F		
	8849.1 AFHR				XXxxXXxx
29SEP16 08:33	Clear Toolboard	xxxx	14		
	8849.1 AFHR				XXxxXXxx
29SEP16 08:33	Maintenance Release	0.0	M LMO A		
	8849.1 AFHR		A1PXXX1609744		XXxxXXxx
30SEP16 06:16	Into Maintenance	0.9	A		
	8849.1 AFHR		A1PXXO1608247		XXxxXXxx
30SEP16 07:09	Change Serviceability Stat	0.0	SERV U/S		
	8852.2 AFHR		A1PXXU1611857		XXxxXXxx
	Estimated Date/Time Servic	736601.8	SERV STAT 01OCT16		
30SEP16 07:12	Asset Comments	0.0			
	8852.2 AFHR		A1PXXX1609775		XXxxXXxx
03OCT16 00:59	Initiate Toolboard	xxxx	14 B/F		
	8852.2 AFHR				XXxxXXxx
03OCT16 00:59	Clear Toolboard	xxxx	14		
	8852.2 AFHR				XXxxXXxx
03OCT16 01:00	Maintenance Release	2.7	M PEA A		
	8852.2 AFHR		A1PXXX1609796		XXxxXXxx
	Change Serviceability Stat	2.7	U/S		
	Estimated Date/Time Servic	0.7	SERV 01OCT16 07:09 SERV STAT		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02402  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----			
TRANSACTION D/T	CHANGE TYPE	SPAN (DYS)	FROM	TO (OPTIONAL)	USER
=====	=====	=====	=====	=====	=====
	LIFE SINCE NEW		TRANS REFERENCE		
03OCT16 08:30	Into Maintenance	0.3	A		
	8853.4 AFHR		M PEA		
03OCT16 09:47	Initiate Toolboard	xxxx	A1PXXO1608291		XXxxXXxx
	8854.7 AFHR		14 B/F		
03OCT16 09:47	Clear Toolboard	xxxx	14		XXxxXXxx
	8854.7 AFHR				
03OCT16 23:35	Maintenance Release	0.6	M PEA		XXxxXXxx
	8854.7 AFHR		A		
04OCT16 08:20	Into Maintenance	0.3	A1PXXX1609900		XXxxXXxx
	8857.1 AFHR		A		
04OCT16 12:43	Initiate Toolboard	xxxx	M PEA		XXxxXXxx
	8858.1 AFHR		A1PXXO1608330		
04OCT16 12:43	Clear Toolboard	xxxx	14 B/F		XXxxXXxx
	8858.1 AFHR		14		
04OCT16 23:18	Maintenance Release	0.6	M PEA		XXxxXXxx
	8858.1 AFHR		A		
05OCT16 02:59	Into Maintenance	0.1	A1PXXX1609985		XXxxXXxx
	8859.5 AFHR		A		
05OCT16 03:01	Change Serviceability Stat	0.0	A1PXXO1608356		XXxxXXxx
	8859.5 AFHR		SERV		
	Estimated Date/Time Servic	736605.9	U/S		
			A1PXXU1612158		XXxxXXxx
05OCT16 03:12	Maintenance Release	0.0	SERV STAT		
	8859.5 AFHR		06OCT16		
	Change Serviceability Stat	0.0	M PEA		
			A		
			A1PXXX1609998		XXxxXXxx
	Maintenance Comment	0.0	U/S		
	Estimated Date/Time Servic	1.0	SERV		
			POST MCS DATA UPDATE		
			06OCT16 03:05		
			SERV STAT		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02403  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
05OCT16	08:37	Into Maintenance	0.2	A		
		8860.7 AFHR		M PEA		
05OCT16	09:42	Initiate Toolboard	xxxx	A1PXXO1608382		XXxxXXxx
		8862.0 AFHR		14 B/F		
05OCT16	09:42	Clear Toolboard	xxxx	14		XXxxXXxx
		8862.0 AFHR				
05OCT16	23:12	Maintenance Release	0.6	M PEA		
		8862.0 AFHR		A		
06OCT16	06:14	Into Maintenance	0.2	A1PXXX1610053		XXxxXXxx
		8863.2 AFHR		A		
06OCT16	09:30	Initiate Toolboard	xxxx	A1PXXO1608425		XXxxXXxx
		8864.6 AFHR		14 B/F		
06OCT16	09:31	Clear Toolboard	xxxx	14		XXxxXXxx
		8864.6 AFHR				
06OCT16	11:37	Change Serviceability Stat	0.2	SERV		
		8864.6 AFHR		U/S		
		Estimated Date/Time Servic	736607.6	A1PXXU1612289		XXxxXXxx
				SERV STAT		
06OCT16	22:53	Maintenance Release	0.4	07OCT16		
		8864.6 AFHR		M PEA		
		Change Serviceability Stat	0.4	A		
				A1PXXX1610088		XXxxXXxx
		Estimated Date/Time Servic	1.4	U/S		
				SERV		
				07OCT16 11:38		
07OCT16	07:04	Into Maintenance	0.3	SERV STAT		
		8865.9 AFHR		A		
07OCT16	07:14	Change Serviceability Stat	0.0	A1PXXO1608477		XXxxXXxx
				SERV		
		8867.3 AFHR		U/S		
		Estimated Date/Time Servic	736609.6	A1PXXU1612038		XXxxXXxx
				SERV STAT		
				08OCT16		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02404  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
10OCT16 00:09	Initiate Toolboard	8867.3 AFHR	xxxx	14 B/F	XXxxXXxx
10OCT16 00:09	Clear Toolboard	8867.3 AFHR	xxxx	14	XXxxXXxx
10OCT16 00:12	Maintenance Release	8867.3 AFHR	2.7	M PEA A	
	Change Serviceability Stat	8867.3 AFHR	2.7	A1PXXX1610125 U/S	XXxxXXxx
	Estimated Date/Time Servic		0.7	SERV 08OCT16 07:14	
10OCT16 07:18	Into Maintenance	8868.5 AFHR	0.2	SERV STAT A	
10OCT16 07:35	Change Serviceability Stat	8869.5 AFHR	0.0	A1PXXO1608509 SERV	XXxxXXxx
	Estimated Date/Time Servic	8869.5 AFHR	736612.6	U/S A1PXXU1612360 SERV STAT	XXxxXXxx
10OCT16 10:45	Initiate Toolboard	8869.5 AFHR	xxxx	11OCT16 14 B/F	
10OCT16 10:46	Clear Toolboard	8869.5 AFHR	xxxx	14	XXxxXXxx
10OCT16 23:55	Maintenance Release	8869.5 AFHR	0.6	M PEA A	
	Change Serviceability Stat	8869.5 AFHR	0.6	A1PXXX1610249 U/S	XXxxXXxx
	Estimated Date/Time Servic		1.6	SERV 11OCT16 07:35	
11OCT16 01:45	Into Maintenance	8869.5 AFHR	0.0	SERV STAT A	
11OCT16 02:06	Change Serviceability Stat	8870.8 AFHR	0.0	A1PXXO1608537 SERV	XXxxXXxx
	Estimated Date/Time Servic	8870.8 AFHR	736613.9	U/S A1PXXU1612364 SERV STAT	XXxxXXxx
				12OCT16	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02405  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
11OCT16 02:07	Maintenance Release		0.0	M PEA A	
	8870.8 AFHR Change Serviceability Stat		0.0	A1PXXX1610261 U/S	XXxxXXxx
	Estimated Date/Time Servic		1.0	SERV 12OCT16 02:06 SERV STAT	
11OCT16 07:34	Into Maintenance		0.2	A	
	8872.0 AFHR Change Serviceability Stat		0.9	A1PXXO1608568 SERV	XXxxXXxx
12OCT16 05:43	Change Serviceability Stat			U/S	
	8873.3 AFHR Estimated Date/Time Servic		736613.8	A1PXXU1612548 SERV STAT	XXxxXXxx
12OCT16 09:38	Initiate Toolboard		xxxx	13OCT16 14 B/F	
	8873.3 AFHR				XXxxXXxx
12OCT16 09:39	Clear Toolboard		xxxx	14	
	8873.3 AFHR				XXxxXXxx
12OCT16 23:15	Maintenance Release		0.7	M PEA A	
	8873.3 AFHR Change Serviceability Stat		0.7	A1PXXX1610301 U/S	XXxxXXxx
	Estimated Date/Time Servic		1.7	SERV 13OCT16 05:43 SERV STAT	
13OCT16 08:30	Into Maintenance		0.3	A	
	8875.7 AFHR Initiate Toolboard		xxxx	M PEA A1PXXO1608650 14 B/F	XXxxXXxx
	8876.9 AFHR				XXxxXXxx
13OCT16 09:01	Clear Toolboard		xxxx	14	
	8876.9 AFHR				XXxxXXxx
13OCT16 23:11	Maintenance Release		0.6	M PEA A	
	8876.9 AFHR			A1PXXX1610359	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02406  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
14OCT16	07:15	Into Maintenance	8878.2 AFHR	0.3	A	
14OCT16	07:33	Change Serviceability Stat	8879.6 AFHR	0.0	A1PXXO1608689	XXxxXXxx
		Estimated Date/Time Servic		736615.6	SERV U/S A1PXXU1612320	XXxxXXxx
16OCT16	22:35	Initiate Toolboard	8879.6 AFHR	xxxx	SERV STAT 15OCT16 14 B/F	
16OCT16	22:36	Clear Toolboard	8879.6 AFHR	xxxx	14	XXxxXXxx
17OCT16	00:08	Maintenance Release	8879.6 AFHR	2.6	M PEA A	
		Change Serviceability Stat		2.6	A1PXXX1610393	XXxxXXxx
		Estimated Date/Time Servic		0.6	SERV 15OCT16 07:33	
17OCT16	08:13	Asset Comments	8880.8 AFHR	0.0	SERV STAT KAL KAL	
18OCT16	08:04	Armed	8885.4 AFHR	0.0	A1PXXX1610419	XXxxXXxx
18OCT16	08:04	Asset Comments	8885.4 AFHR	0.0	A1PXXX1610549	XXxxXXxx
18OCT16	08:04	Armed	8885.4 AFHR	0.0	A1PXXX1610549	XXxxXXxx
18OCT16	08:04	Armed	8885.4 AFHR	0.0	N A1PXXX1610550	XXxxXXxx
18OCT16	09:12	Into Maintenance	8885.4 AFHR	1.3	A	
		Initiate Toolboard		xxxx	M PEA A1PXXO1608808	XXxxXXxx
		Clear Toolboard		xxxx	14 B/F	XXxxXXxx
18OCT16	10:21	Clear Toolboard	8886.7 AFHR	xxxx	14	XXxxXXxx
18OCT16	22:38	Maintenance Release	8886.7 AFHR	0.5	M PEA A	
		Estimated Date/Time Servic			A1PXXX1610558	XXxxXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02407  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
19OCT16	07:31	Into Maintenance	0.3	A		
		8889.0 AFHR		M PEA		
19OCT16	09:50	Maintenance Release	0.0	A1PXXO1608851		XXxxXXxx
		8890.3 AFHR		M PEA		
19OCT16	09:50	Into Maintenance	0.0	A		
		8890.3 AFHR		A1PXXX1610600		XXxxXXxx
19OCT16	09:52	Initiate Toolboard	xxxx	A		
		8890.3 AFHR		M PEA		
19OCT16	09:52	Clear Toolboard	xxxx	A1PXXO1608870		XXxxXXxx
		8890.3 AFHR		14 B/F		
19OCT16	22:35	Maintenance Release	0.5	A		
		8890.3 AFHR		M PEA		
20OCT16	07:45	Into Maintenance	0.3	A1PXXX1610604		XXxxXXxx
		8892.7 AFHR		A		
21OCT16	02:17	Change Serviceability Stat	0.7	A1PXXO1608920		XXxxXXxx
		8894.0 AFHR		SERV		
		Estimated Date/Time Servic	736619.9	U/S		
				A1PXXU1612667		XXxxXXxx
23OCT16	22:53	Initiate Toolboard	xxxx	SERV STAT		
		8894.0 AFHR		22OCT16		
23OCT16	22:53	Clear Toolboard	xxxx	14 B/F		XXxxXXxx
		8894.0 AFHR		14		
23OCT16	23:32	Maintenance Release	2.8	A		
		8894.0 AFHR		M PEA		
		Change Serviceability Stat	2.8	A1PXXX1610739		XXxxXXxx
		Estimated Date/Time Servic	1.8	U/S		
				SERV		
24OCT16	08:09	Into Maintenance	0.3	22OCT16 02:17		
		8896.2 AFHR		SERV STAT		
				A		
				A1PXXO1608967		XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02408  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN (DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
24OCT16 13:56	Initiate	Toolboard	xxxx	14 B/F	
	8897.6	AFHR			XXxxXXxx
24OCT16 13:57	Clear	Toolboard	xxxx	14	
	8897.6	AFHR			XXxxXXxx
24OCT16 21:55	Change	Serviceability Stat	0.5	SERV U/S	
	8897.6	AFHR		A1PXXU1613087	XXxxXXxx
	Estimated Date/Time	Servic	736626.0	SERV STAT 25OCT16	
24OCT16 23:06	Maintenance	Release	0.0	M PEA A	
	8897.6	AFHR		A1PXXX1610810	XXxxXXxx
	Change	Serviceability Stat	0.0	U/S	
	Estimated Date/Time	Servic	1.0	SERV 25OCT16 21:55	
				SERV STAT	
25OCT16 07:27	Into	Maintenance	0.3	A	
	8900.0	AFHR		M PEA A1PXXO1609021	XXxxXXxx
25OCT16 09:17	Initiate	Toolboard	xxxx	14 B/F	
	8901.4	AFHR			XXxxXXxx
25OCT16 09:18	Initiate	Toolboard	xxxx	14 B/F	
	8901.4	AFHR			XXxxXXxx
25OCT16 09:18	Clear	Toolboard	xxxx	14	
	8901.4	AFHR			XXxxXXxx
25OCT16 22:24	Maintenance	Release	0.6	M PEA A	
	8901.4	AFHR		A1PXXX1610849	XXxxXXxx
26OCT16 07:35	Into	Maintenance	0.3	A	
	8903.7	AFHR		A1PXXO1609077	XXxxXXxx
26OCT16 10:34	Change	Serviceability Stat	0.1	SERV U/S	
	8905.0	AFHR		A1PXXU1613180	XXxxXXxx
	Estimated Date/Time	Servic	736627.5	SERV STAT 27OCT16	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02409  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----			
TRANSACTION D/T	CHANGE TYPE	SPAN (DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER	
=====	=====	=====	=====	=====	
26OCT16 11:59	Initiate Toolboard 8905.0 AFHR	xxxx	14 B/F	XXxxXXxx	
26OCT16 12:00	Clear Toolboard 8905.0 AFHR	xxxx	14	XXxxXXxx	
27OCT16 03:23	Maintenance Release 8905.0 AFHR	0.7	M PEA A A1PXXX1610916	XXxxXXxx	
	Change Serviceability Stat	0.7	U/S SERV		
	Estimated Date/Time Servic	0.7	27OCT16 10:35 SERV STAT		
27OCT16 07:56	Into Maintenance 8905.0 AFHR	0.1	A A1PXXO1609148	XXxxXXxx	
27OCT16 11:06	Initiate Toolboard 8905.0 AFHR	xxxx	14 B/F	XXxxXXxx	
27OCT16 11:06	Clear Toolboard 8905.0 AFHR	xxxx	14	XXxxXXxx	
28OCT16 08:19	Change Serviceability Stat 8905.0 AFHR	1.0	SERV U/S A1PXXU1613017	XXxxXXxx	
	Estimated Date/Time Servic	736629.7	SERV STAT 29OCT16		
30OCT16 21:55	Initiate Toolboard 8905.0 AFHR	xxxx	14 B/F	XXxxXXxx	
31OCT16 00:14	Clear Toolboard 8905.0 AFHR	xxxx	14	XXxxXXxx	
31OCT16 00:16	Maintenance Release 8905.0 AFHR	2.6	M PEA A A1PXXX1611018	XXxxXXxx	
	Change Serviceability Stat	2.6	U/S SERV		
	Estimated Date/Time Servic	0.6	29OCT16 08:19 SERV STAT		
31OCT16 09:01	Into Maintenance 8906.2 AFHR	0.3	A M PEA A1PXXO1609264	XXxxXXxx	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02410  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
02NOV16 09:45	Initiate	Toolboard	8906.2 AFHR	xxxx	14 B/F	XXxxXXxx
02NOV16 09:46	Clear	Toolboard	8906.2 AFHR	xxxx	14	XXxxXXxx
02NOV16 09:46	Initiate	Toolboard	8906.2 AFHR	xxxx	14 B/F	XXxxXXxx
02NOV16 09:47	Initiate	Toolboard	8906.2 AFHR	xxxx	14 B/F	XXxxXXxx
02NOV16 09:48	Clear	Toolboard	8906.2 AFHR	xxxx	14	XXxxXXxx
02NOV16 21:52	Maintenance Release			2.5	M PEA A	
03NOV16 04:57	Into Maintenance		8906.2 AFHR	0.2	A1PXXX1611293 A	XXxxXXxx
04NOV16 06:59	Change Serviceability Stat		8906.2 AFHR	1.0	A1PXXO1609423 SERV U/S	XXxxXXxx
	Estimated Date/Time Servic			736633.7	A1PXXU1613330 SERV STAT 05NOV16	XXxxXXxx
06NOV16 23:29	Initiate	Toolboard	8906.2 AFHR	xxxx	14 B/F	XXxxXXxx
06NOV16 23:30	Clear	Toolboard	8906.2 AFHR	xxxx	14	XXxxXXxx
06NOV16 23:32	Maintenance Release			2.6	M PEA A	
	Change Serviceability Stat		8906.2 AFHR	2.6	A1PXXX1611435 U/S	XXxxXXxx
	Estimated Date/Time Servic			1.6	SERV 05NOV16 06:59 SERV STAT	
07NOV16 07:41	Into Maintenance			0.3	A M PEA	
07NOV16 09:41	Initiate	Toolboard	8906.2 AFHR	xxxx	A1PXXO1609532 14 B/F	XXxxXXxx
			8906.2 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02411  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
07NOV16	09:41	Clear Toolboard		xxxx	14	
		8906.2	AFHR			XXxxXXxx
07NOV16	09:44	Initiate Toolboard		xxxx	14 B/F	
		8906.2	AFHR			XXxxXXxx
07NOV16	09:45	Clear Toolboard		xxxx	14	
		8906.2	AFHR			XXxxXXxx
07NOV16	22:10	Maintenance Release		0.6	M PEA	
		8906.2	AFHR		A	
08NOV16	09:12	Into Maintenance		0.4	A1PXXX1611568	XXxxXXxx
		8906.2	AFHR		A	
08NOV16	09:54	Initiate Toolboard		xxxx	14 B/F	
		8907.4	AFHR		A1PXXO1609583	XXxxXXxx
08NOV16	09:56	Clear Toolboard		xxxx	14	
		8907.4	AFHR			XXxxXXxx
08NOV16	21:59	Maintenance Release		0.5	M PEA	
		8907.4	AFHR		A	
09NOV16	08:26	Into Maintenance		0.4	A1PXXX1611601	XXxxXXxx
		8908.7	AFHR		A	
09NOV16	09:09	Change Serviceability Stat		0.0	A1PXXO1609635	XXxxXXxx
		8908.7	AFHR		SERV	
		Estimated Date/Time Servic		736640.5	U/S	
					A1PXXU1613901	XXxxXXxx
09NOV16	11:49	Initiate Toolboard		xxxx	14 B/F	
		8908.7	AFHR		SERV STAT	
09NOV16	11:49	Clear Toolboard		xxxx	14	
		8908.7	AFHR		10NOV16	XXxxXXxx
						XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02412  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
09NOV16 21:46	Maintenance Release	0.5	M PEA A	
	8908.7 AFHR Change Serviceability Stat	0.5	A1PXXX1611655 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.5	SERV 10NOV16 09:09 SERV STAT	
10NOV16 08:38	Into Maintenance	0.4	A	
	8908.7 AFHR Change Serviceability Stat	0.0	A1PXXO1609688 SERV	XXxxXXxx
	Estimated Date/Time Servic	736643.5	U/S A1PXXU1613683 SERV STAT	XXxxXXxx
10NOV16 12:41	Initiate Toolboard	xxxx	11NOV16 14 B/F	
	8908.7 AFHR Clear Toolboard	xxxx	14	XXxxXXxx
	8908.7 AFHR			XXxxXXxx
10NOV16 23:31	Maintenance Release	0.6	M PEA A	
	8908.7 AFHR Change Serviceability Stat	0.6	A1PXXX1611812 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.6	SERV 11NOV16 08:47 SERV STAT	
11NOV16 05:56	Into Maintenance	0.2	A	
	8908.7 AFHR Initiate Toolboard	xxxx	M PEA A1PXXO1609712 14 B/F	XXxxXXxx
	8908.7 AFHR			XXxxXXxx
14NOV16 09:22	Clear Toolboard	xxxx	14	
	8908.7 AFHR			XXxxXXxx
15NOV16 05:26	Maintenance Release	3.9	M PEA A	
	8908.7 AFHR		A1PXXX1611970	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02413  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----				
TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN(DYS) FROM	TO (OPTIONAL)	USER
				TRANS REFERENCE		
=====						
15NOV16	08:01	Into Maintenance		0.1	A	
					M PEA	
					A1PXXO1609805	XXxxXXxx
15NOV16	13:01	Initiate Toolboard	8908.7 AFHR	xxxx	14 B/F	
			8910.1 AFHR			XXxxXXxx
15NOV16	13:01	Clear Toolboard	8910.1 AFHR	xxxx	14	
			8910.1 AFHR			XXxxXXxx
16NOV16	01:16	Maintenance Release		0.7	M PEA	
					A	
					A1PXXX1612001	XXxxXXxx
16NOV16	07:20	Into Maintenance	8910.1 AFHR	0.2	A	
			8910.1 AFHR		A1PXXO1609833	XXxxXXxx
16NOV16	14:01	Initiate Toolboard	8910.1 AFHR	xxxx	14 B/F	
			8910.1 AFHR			XXxxXXxx
16NOV16	14:01	Clear Toolboard	8910.1 AFHR	xxxx	14	
			8910.1 AFHR			XXxxXXxx
17NOV16	07:07	Change Serviceability Stat		0.9	SERV	
					U/S	
					A1PXXU1614232	XXxxXXxx
		Estimated Date/Time Servic		736644.6	SERV STAT	
					18NOV16	
17NOV16	09:13	Initiate Toolboard	8910.1 AFHR	xxxx	14 B/F	
			8910.1 AFHR			XXxxXXxx
17NOV16	09:14	Clear Toolboard	8910.1 AFHR	xxxx	14	
			8910.1 AFHR			XXxxXXxx
20NOV16	23:00	Initiate Toolboard	8910.1 AFHR	xxxx	14 B/F	
			8910.1 AFHR			XXxxXXxx
20NOV16	23:00	Clear Toolboard	8910.1 AFHR	xxxx	14	
			8910.1 AFHR			XXxxXXxx
20NOV16	23:01	Maintenance Release		3.6	M PEA	
					A	
					A1PXXX1612187	XXxxXXxx
		Change Serviceability Stat		3.6	U/S	
					SERV	
		Estimated Date/Time Servic		1.6	18NOV16 07:09	
					SERV STAT	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02414  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
21NOV16	09:25	Into Maintenance	0.4	A		
		8910.1 AFHR		M PEA		
21NOV16	09:27	Initiate Toolboard	xxxx	A1PXXO1609954		XXxxXXxx
		8910.1 AFHR		14 B/F		
21NOV16	09:27	Clear Toolboard	xxxx	14		XXxxXXxx
		8910.1 AFHR				
22NOV16	01:08	Maintenance Release	0.6	M PEA		
		8910.1 AFHR		A		
22NOV16	09:16	Into Maintenance	0.3	A1PXXX1612331		XXxxXXxx
		8911.2 AFHR		A		
22NOV16	10:59	Initiate Toolboard	xxxx	A1PXXO1609998		XXxxXXxx
		8911.2 AFHR		14 B/F		
22NOV16	10:59	Clear Toolboard	xxxx	14		XXxxXXxx
		8911.2 AFHR				
23NOV16	09:39	Change Serviceability Stat	1.0	SERV		
		8912.0 AFHR		U/S		
		Estimated Date/Time Servic	736654.5	A1PXXU1614553		XXxxXXxx
				SERV STAT		
23NOV16	10:41	Initiate Toolboard	xxxx	24NOV16		
		8912.0 AFHR		14 B/F		
23NOV16	10:42	Clear Toolboard	xxxx	14		XXxxXXxx
		8912.0 AFHR				
23NOV16	22:22	Maintenance Release	0.5	M PEA		
		8912.0 AFHR		A		
		Change Serviceability Stat	0.5	A1PXXX1612406		XXxxXXxx
				U/S		
		Estimated Date/Time Servic	1.5	SERV		
				24NOV16 09:39		
24NOV16	09:52	Into Maintenance	0.4	SERV STAT		
		8912.0 AFHR		A		
24NOV16	09:54	Initiate Toolboard	xxxx	A1PXXO1610080		XXxxXXxx
		8912.0 AFHR		14 B/F		
						XXxxXXxx



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02415  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
24NOV16 09:56	Clear	Toolboard	8912.0 AFHR	xxxx	14	XXXXXXxx
24NOV16 09:56	Clear	Toolboard	8912.0 AFHR	xxxx	14	XXXXXXxx
24NOV16 09:57	Clear	Toolboard	8912.0 AFHR	xxxx	14	XXXXXXxx
24NOV16 11:13	Change	Serviceability Stat	8912.0 AFHR	0.0	SERV U/S	
		Estimated Date/Time Servic		736657.4	A1PXXU1614270	XXXXXXxx
25NOV16 00:12	Maintenance	Release	8912.0 AFHR	0.5	M PEA	
		Change Serviceability Stat		0.5	A1PXXX1612464	XXXXXXxx
		Estimated Date/Time Servic		0.5	25NOV16 11:13	
25NOV16 04:43	Into	Maintenance	8913.3 AFHR	0.1	SERV STAT	
		Change Serviceability Stat		2.8	A	XXXXXXxx
28NOV16 01:44	Change	Serviceability Stat	8914.8 AFHR	0.0	A1PXXO1610109	XXXXXXxx
		Maintenance Comment		0.0	SERV U/S	
		Estimated Date/Time Servic		736658.9	A1PXXX1612500	XXXXXXxx
28NOV16 01:44	Asset	Comments	8914.8 AFHR	0.0	R2 R2 SERV - ENGINE CX	
		Change Part Number of an A		0.0	A1PXXX1612501	XXXXXXxx
15DEC16 23:33	Maintenance	Comment		0.0	NO PARENT TRANSACTION DETAILS	
		Change Part Number of an A		47.9	STI-PC9 0636 & 0638 INCORPORATION	
15DEC16 23:33	Estimated	Date/Time Servic		0.0	NO PARENT TRANSACTION DETAILS	
06JAN17 01:21	Maintenance	Comment	8914.8 AFHR	0.0	31JAN17 00:00	
				0.0	31JAN17 00:00	
				0.0	ANNUAL REVIEW OF A/C LOG BOOK CARRIED OUT IAW AAP7001.059	
				0.0	A1PXXX1700037	XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02416  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
12JUN17 02:21	Initiate Toolboard	8914.8 AFHR	xxxx	14 B/F	XXxxXXxx
12JUN17 02:21	Clear Toolboard	8914.8 AFHR	xxxx	14	XXxxXXxx
12JUN17 05:57	Maintenance Release	8914.8 AFHR	196.1	M PEA A A1PXXX1709386	XXxxXXxx
	Change Serviceability Stat	8914.8 AFHR	196.1	U/S SERV 31JAN17 00:00 SERV STAT	
	Estimated Date/Time Servic		46.2	A A1PXXO1704280	XXxxXXxx
12JUN17 08:12	Into Maintenance	8914.8 AFHR	0.0	MTF 8917.5 HANDLING CX'S, S62 ADJ AND TFS12-13 AND 15-20	XXxxXXxx
12JUN17 08:24	Asset Comments	8915.5 AFHR	0.0	A1PXXX1709394	XXxxXXxx
12JUN17 10:00	Initiate Toolboard	8915.5 AFHR	xxxx	14 B/F	XXxxXXxx
12JUN17 10:01	Clear Toolboard	8915.5 AFHR	xxxx	14	XXxxXXxx
12JUN17 10:24	Change Serviceability Stat	8915.5 AFHR	0.0	SERV U/S A1PXXU1707731	XXxxXXxx
	Estimated Date/Time Servic		736857.8	SERV STAT 13JUN17	
12JUN17 22:51	Maintenance Release	8915.5 AFHR	0.5	M PEA A A1PXXX1709411	XXxxXXxx
	Change Serviceability Stat	8915.5 AFHR	0.5	U/S SERV 13JUN17 10:24 SERV STAT	
	Estimated Date/Time Servic		1.5	A A1PXXO1704303	XXxxXXxx
13JUN17 04:28	Into Maintenance	8915.5 AFHR	0.2		

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02417  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
13JUN17 04:58	Change Serviceability Stat	0.0	SERV U/S A1PXXU1707859	XXxxXXxx
	8916.3 AFHR Estimated Date/Time Servic	736858.7	SERV STAT 14JUN17	
13JUN17 05:00	Asset Comments	0.0	A1PXXX1709429	XXxxXXxx
13JUN17 07:09	Maintenance Release	0.0	M PEA A A1PXXX1709431	XXxxXXxx
	8916.3 AFHR Change Serviceability Stat	0.0	U/S SERV 14JUN17 04:58	
13JUN17 08:49	Into Maintenance	0.0	SERV STAT A M PEA A1PXXO1704322	XXxxXXxx
13JUN17 11:03	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
13JUN17 11:03	Clear Toolboard	xxxx	14	XXxxXXxx
	8917.7 AFHR			
14JUN17 01:06	Maintenance Release	0.6	M PEA A A1PXXX1709459	XXxxXXxx
14JUN17 09:06	Into Maintenance	0.3	A M PEA A1PXXO1704364	XXxxXXxx
14JUN17 09:50	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
14JUN17 09:50	Clear Toolboard	xxxx	14	XXxxXXxx
	8921.0 AFHR			
14JUN17 22:58	Maintenance Release	0.5	M PEA A A1PXXX1709564	XXxxXXxx
	8921.0 AFHR			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02418  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
15JUN17	06:20	Into Maintenance	0.3	A		
		8923.6 AFHR		M PEA		
				A1PXXO1704400		XXxxXXxx
15JUN17	09:39	Initiate Toolboard	xxxx	14 B/F		
		8923.6 AFHR				XXxxXXxx
15JUN17	09:42	Clear Toolboard	xxxx	14		
		8923.6 AFHR				XXxxXXxx
16JUN17	01:27	Maintenance Release	0.7	M PEA		
		8923.6 AFHR		A		
				A1PXXX1709616		XXxxXXxx
16JUN17	06:24	Into Maintenance	0.2	A		
		8923.6 AFHR		M PEA		
				A1PXXO1704446		XXxxXXxx
18JUN17	22:09	Initiate Toolboard	xxxx	14 B/F		
		8925.3 AFHR				XXxxXXxx
18JUN17	22:50	Clear Toolboard	xxxx	14		
		8925.3 AFHR				XXxxXXxx
18JUN17	23:15	Maintenance Release	2.7	M PEA		
		8925.3 AFHR		A		
				A1PXXX1709656		XXxxXXxx
19JUN17	09:02	Into Maintenance	0.4	A		
		8927.9 AFHR		A1PXXO1704509		XXxxXXxx
19JUN17	09:38	Initiate Toolboard	xxxx	14 B/F		
		8929.2 AFHR				XXxxXXxx
19JUN17	09:39	Clear Toolboard	xxxx	14		
		8929.2 AFHR				XXxxXXxx
19JUN17	11:53	Change Serviceability Stat	0.1	SERV		
		8929.2 AFHR		U/S		
		Estimated Date/Time Servic	736858.8	A1PXXU1707831		XXxxXXxx
				SERV STAT		
				20JUN17		

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02419  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
20JUN17 00:44	Maintenance Release	0.5	M PEA A A1PXXX1709730	XXxxXXxx
	8929.2 AFHR Change Serviceability Stat	0.5	U/S SERV	
	Estimated Date/Time Servic	0.5	20JUN17 11:53 SERV STAT	
20JUN17 06:19	Into Maintenance	0.2	A M PEA A1PXXO1704544	XXxxXXxx
20JUN17 09:04	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	8931.9 AFHR			XXxxXXxx
20JUN17 09:05	Clear Toolboard	xxxx	14	XXxxXXxx
	8931.9 AFHR			XXxxXXxx
20JUN17 22:16	Maintenance Release	0.6	M PEA A A1PXXX1709827	XXxxXXxx
	8931.9 AFHR			XXxxXXxx
21JUN17 04:38	Into Maintenance	0.2	A A1PXXO1704593	XXxxXXxx
	8933.3 AFHR			XXxxXXxx
21JUN17 06:07	Change Serviceability Stat	0.0	SERV U/S A1PXXU1708318	XXxxXXxx
	8934.5 AFHR Estimated Date/Time Servic	736865.7	SERV STAT 22JUN17	
21JUN17 09:34	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	8934.5 AFHR			XXxxXXxx
21JUN17 11:17	Asset Comments	0.0	AIRTEST 8934.5A/C REQUIRES AIRTEST FOR PROP CHECK POST R+I (SAME PROP)	XXxxXXxx
	8934.5 AFHR		A1PXXX1709886	XXxxXXxx
21JUN17 12:38	Clear Toolboard	xxxx	14	XXxxXXxx
	8934.5 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02420  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
21JUN17 22:51	Maintenance Release	0.6	M PEA A A1PXXX1709894	XXxxXXxx
	8934.5 AFHR Change Serviceability Stat	0.6	U/S SERV	
	Estimated Date/Time Servic	1.6	22JUN17 06:08 SERV STAT	
22JUN17 02:21	Into Maintenance	0.1	A A1PXXO1704620	XXxxXXxx
22JUN17 02:27	Asset Comments	0.0		
	8934.5 AFHR Change Serviceability Stat	0.0	A1PXXX1709929 SERV	XXxxXXxx
22JUN17 02:44	Change Serviceability Stat	0.0	U/S A1PXXU1708330	XXxxXXxx
	8936.0 AFHR Estimated Date/Time Servic	736867.8	SERV STAT 23JUN17	
22JUN17 05:08	Into Maintenance	0.0	M A1PXXO1704634	XXxxXXxx
22JUN17 05:16	Maintenance Release	0.1	M PEA A A1PXXX1709938	XXxxXXxx
	8936.0 AFHR Change Serviceability Stat	0.1	U/S SERV	
	Estimated Date/Time Servic	1.1	23JUN17 02:44 SERV STAT	
22JUN17 05:21	Into Maintenance	0.0	A A1PXXO1704635	XXxxXXxx
22JUN17 06:58	Change Serviceability Stat	0.0	SERV U/S A1PXXU1708473	XXxxXXxx
	8937.5 AFHR Estimated Date/Time Servic	736867.9	SERV STAT 23JUN17	
22JUN17 09:35	Initiate Toolboard	xxxx	14 B/F	
	8937.5 AFHR			XXxxXXxx
22JUN17 09:37	Clear Toolboard	xxxx	14	
	8937.5 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02421  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----			
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
=====	=====	=====	=====	=====	=====
	LIFE SINCE NEW		TRANS REFERENCE		
26JUN17 00:23	Initiate Toolboard 8937.5 AFHR	xxxx	14 B/F		XXxxXXxx
26JUN17 00:23	Clear Toolboard 8937.5 AFHR	xxxx	14		XXxxXXxx
26JUN17 00:24	Asset Comments 8937.5 AFHR	0.0	SOLO ONLY RCP ALTIMETER US		XXxxXXxx
26JUN17 01:13	Asset Comments 8937.5 AFHR	0.0	A1PXXX1710020 SOLO ONLY A/T RCP ALTIMETER US..... A/T INVERTED FLIGHT FOD CX		XXxxXXxx
26JUN17 02:49	Into Maintenance 8937.5 AFHR	0.0	M		XXxxXXxx
26JUN17 02:54	Maintenance Release 8937.5 AFHR	3.8	A1PXXO1704704 M PEA		XXxxXXxx
	Change Serviceability Stat 8937.5 AFHR	3.8	A A1PXXX1710031 U/S		XXxxXXxx
	Estimated Date/Time Servic	0.8	SERV 23JUN17 07:01 SERV STAT		
26JUN17 02:57	Asset Comments 8937.5 AFHR	0.0	SOLO ONLY RCP ALTIMETER US		XXxxXXxx
26JUN17 03:00	Into Maintenance 8938.5 AFHR	0.0	A1PXXX1710032 A		XXxxXXxx
26JUN17 03:00	Change Serviceability Stat 8938.5 AFHR	0.0	A1PXXO1704705 SERV		XXxxXXxx
	Estimated Date/Time Servic	736871.9	U/S A1PXXU1708608 SERV STAT		XXxxXXxx
26JUN17 03:01	Maintenance Release 8938.5 AFHR	0.0	27JUN17 M PEA		
	Change Serviceability Stat 8938.5 AFHR	0.0	A A1PXXX1710034 U/S		XXxxXXxx
	Estimated Date/Time Servic	1.0	SERV 27JUN17 03:00 SERV STAT		
26JUN17 08:24	Into Maintenance 8938.5 AFHR	0.2	A A1PXXO1704735		XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02422  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----			
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
=====	=====	=====	=====	=====	=====
	LIFE SINCE NEW		TRANS REFERENCE		
26JUN17 08:43	Change Serviceability Stat	0.0	SERV U/S		
	8938.5 AFHR		A1PXXU1708231		XXxxXXxx
	Estimated Date/Time Servic	736871.7	SERV STAT		
			27JUN17		
26JUN17 09:47	Initiate Toolboard	xxxx	14 B/F		
	8938.5 AFHR				XXxxXXxx
26JUN17 09:47	Clear Toolboard	xxxx	14		
	8938.5 AFHR				XXxxXXxx
27JUN17 00:25	Maintenance Release	0.6	M PEA		
	8938.5 AFHR		A1PXXX1710079		XXxxXXxx
	Change Serviceability Stat	0.6	U/S		
	Estimated Date/Time Servic	0.6	27JUN17 08:43		
			SERV STAT		
27JUN17 08:40	Into Maintenance	0.3	A		
	8941.0 AFHR		A1PXXO1704784		XXxxXXxx
27JUN17 09:50	Initiate Toolboard	xxxx	14 B/F		
	8942.3 AFHR				XXxxXXxx
27JUN17 09:51	Clear Toolboard	xxxx	14		
	8942.3 AFHR				XXxxXXxx
27JUN17 22:31	Change Serviceability Stat	0.5	SERV U/S		
	8942.3 AFHR		A1PXXU1708473		XXxxXXxx
	Estimated Date/Time Servic	736872.0	SERV STAT		
			28JUN17		
28JUN17 00:04	Asset Comments	0.0	AIRTEST 8942.3AIRTEST FOR REAR ALT OPS		
	8942.3 AFHR		A1PXXX1710112		XXxxXXxx
28JUN17 04:27	Maintenance Release	0.2	M PEA		
	8942.3 AFHR		A		
	Change Serviceability Stat	0.2	A1PXXX1710133		XXxxXXxx
	Estimated Date/Time Servic	0.2	U/S		
			SERV		
			28JUN17 22:31		
			SERV STAT		

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02423  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
28JUN17 05:19	Into Maintenance		8942.3 AFHR	0.0	A A1PXXO1704812	XXxxXXxx
28JUN17 05:29	Asset Comments		8942.3 AFHR	0.0	A1PXXX1710137	XXxxXXxx
28JUN17 05:36	Change Serviceability Stat		8943.6 AFHR	0.0	SERV U/S A1PXXU1708716	XXxxXXxx
	Estimated Date/Time Servic			736873.9	SERV STAT 29JUN17	
28JUN17 10:40	Initiate Toolboard		8944.9 AFHR	xxxx	14 B/F	XXxxXXxx
28JUN17 10:40	Clear Toolboard		8944.9 AFHR	xxxx	14	XXxxXXxx
28JUN17 23:00	Maintenance Release			0.7	M PEA A A1PXXX1710157	XXxxXXxx
	Change Serviceability Stat			0.7	U/S SERV	
	Estimated Date/Time Servic			1.7	29JUN17 05:36 SERV STAT	
29JUN17 08:45	Into Maintenance			0.4	A M PEA A1PXXO1704885	XXxxXXxx
02JUL17 22:41	Initiate Toolboard		8944.9 AFHR	xxxx	14 B/F	XXxxXXxx
02JUL17 22:42	Clear Toolboard		8946.1 AFHR	xxxx	14	XXxxXXxx
02JUL17 23:59	Maintenance Release		8946.1 AFHR	3.6	M PEA A A1PXXX1710477	XXxxXXxx
03JUL17 08:51	Into Maintenance		8946.1 AFHR	0.3	A A1PXXO1704925	XXxxXXxx
			8947.4 AFHR			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02424  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
03JUL17 09:47	Change Serviceability Stat	0.0	SERV U/S	
	8949.1 AFHR		A1PXXU1708643	XXxxXXxx
	Estimated Date/Time Servic	736874.5	SERV STAT	
			04JUL17	
03JUL17 10:02	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	8949.1 AFHR			
03JUL17 10:02	Clear Toolboard	xxxx	14	XXxxXXxx
	8949.1 AFHR			
03JUL17 23:42	Maintenance Release	0.5	M PEA	
			A	
	8949.1 AFHR		A1PXXX1710536	XXxxXXxx
	Change Serviceability Stat	0.5	U/S	
	Estimated Date/Time Servic	1.5	SERV	
			04JUL17 09:47	
04JUL17 08:42	Into Maintenance	0.3	SERV STAT	
	8950.4 AFHR		A	
			A1PXXO1704981	XXxxXXxx
04JUL17 09:31	Change Serviceability Stat	0.0	SERV	
			U/S	
	8951.7 AFHR		A1PXXU1708917	XXxxXXxx
	Estimated Date/Time Servic	736879.5	SERV STAT	
			05JUL17	
04JUL17 12:11	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	8951.7 AFHR			
04JUL17 12:11	Clear Toolboard	xxxx	14	XXxxXXxx
	8951.7 AFHR			
04JUL17 22:18	Maintenance Release	0.5	M PEA	
			A	
	8951.7 AFHR		A1PXXX1710583	XXxxXXxx
	Change Serviceability Stat	0.5	U/S	
	Estimated Date/Time Servic	1.5	SERV	
			05JUL17 09:31	
05JUL17 02:44	Asset Comments	0.0	SERV STAT	
	8951.7 AFHR		YGIG	O/N DUE WX
			A1PXXX1710597	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02425  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
05JUL17 03:00	Into Maintenance		8951.7 AFHR	0.0	M A1PXXO1705031	XXxxXXxx
05JUL17 05:53	Into Maintenance		8951.7 AFHR	0.3	A A1PXXO1705011	XXxxXXxx
06JUL17 03:03	Change Serviceability Stat		8951.7 AFHR Estimated Date/Time Servic	0.8 736880.8	SERV U/S A1PXXU1707749 SERV STAT 07JUL17	XXxxXXxx
06JUL17 04:27	Asset Comments		8952.7 AFHR	0.0	A1PXXX1710658	XXxxXXxx
06JUL17 08:54	Into Maintenance		8954.2 AFHR	0.2	A M PEA A1PXXO1705069	XXxxXXxx
06JUL17 12:02	Initiate Toolboard		8955.5 AFHR	xxxx	14 B/F	XXxxXXxx
06JUL17 12:02	Clear Toolboard		8955.5 AFHR	xxxx	14	XXxxXXxx
06JUL17 23:25	Maintenance Release		8955.5 AFHR	0.6	M PEA A A1PXXX1710692	XXxxXXxx
	Change Serviceability Stat		8955.5 AFHR Estimated Date/Time Servic	0.6 1.8	U/S SERV 07JUL17 03:03 SERV STAT	
07JUL17 03:43	Into Maintenance		8955.5 AFHR	0.1	A M PEA A1PXXO1705092	XXxxXXxx
09JUL17 22:09	Initiate Toolboard		8955.5 AFHR	xxxx	14 B/F	XXxxXXxx
09JUL17 23:29	Clear Toolboard		8955.5 AFHR	xxxx	14	XXxxXXxx
09JUL17 23:30	Maintenance Release		8955.5 AFHR	2.8	M PEA A A1PXXX1710798	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02426  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
10JUL17 02:57		Into Maintenance		0.1	A	
		8955.5 AFHR			A1PXXO1705109	XXxxXXxx
10JUL17 09:35		Initiate Toolboard		xxxx	14 B/F	
		8955.5 AFHR				XXxxXXxx
10JUL17 09:35		Clear Toolboard		xxxx	14	
		8955.5 AFHR				XXxxXXxx
10JUL17 09:45		Initiate Toolboard		xxxx	14 B/F	
		8955.5 AFHR				XXxxXXxx
10JUL17 09:46		Clear Toolboard		xxxx	14	
		8955.5 AFHR				XXxxXXxx
10JUL17 12:46		Change Serviceability Stat		0.4	SERV	
		8955.5 AFHR			U/S	
		Estimated Date/Time Servic		736882.4	A1PXXU1708876	XXxxXXxx
					SERV STAT	
					11JUL17	
11JUL17 00:29		Maintenance Release		0.4	M PEA	
		8955.5 AFHR			A	
		Change Serviceability Stat		0.4	A1PXXX1710860	XXxxXXxx
					U/S	
		Estimated Date/Time Servic		0.4	SERV	
					11JUL17 12:46	
					SERV STAT	
11JUL17 05:51		Into Maintenance		0.2	A	
		8956.9 AFHR			M PEA	
11JUL17 09:44		Initiate Toolboard		xxxx	A1PXXO1705176	XXxxXXxx
		8956.9 AFHR			14 B/F	
11JUL17 09:44		Clear Toolboard		xxxx	14	
		8956.9 AFHR				XXxxXXxx
11JUL17 22:35		Maintenance Release		0.6	M PEA	
		8956.9 AFHR			A	
12JUL17 08:42		Into Maintenance		0.4	A1PXXX1710912	XXxxXXxx
		8958.2 AFHR			A	
					M PEA	
					A1PXXO1705239	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02427  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
12JUL17 09:48	Initiate	Toolboard	8958.2 AFHR	xxxx	14 B/F	XXxxXXxx
12JUL17 09:48	Clear	Toolboard	8958.2 AFHR	xxxx	14	XXxxXXxx
12JUL17 10:43	Maintenance	Release	8958.2 AFHR	0.0	M PEA A A1PXXX1710957	XXxxXXxx
12JUL17 12:28	Into	Maintenance	8958.2 AFHR	0.0	M PEA A1PXXO1705251	XXxxXXxx
13JUL17 00:03	Maintenance	Release	8959.3 AFHR	0.4	M PEA A A1PXXX1710972	XXxxXXxx
13JUL17 07:39	Into	Maintenance	8959.3 AFHR	0.3	M PEA A1PXXO1705281	XXxxXXxx
13JUL17 09:22	Initiate	Toolboard	8960.6 AFHR	xxxx	14 B/F	XXxxXXxx
13JUL17 09:22	Clear	Toolboard	8960.6 AFHR	xxxx	14	XXxxXXxx
14JUL17 00:28	Maintenance	Release	8960.6 AFHR	0.7	M PEA A A1PXXX1711111	XXxxXXxx
14JUL17 05:49	Into	Maintenance	8960.6 AFHR	0.2	M PEA A1PXXO1705326	XXxxXXxx
16JUL17 22:31	Initiate	Toolboard	8961.9 AFHR	xxxx	14 B/F	XXxxXXxx
16JUL17 22:31	Clear	Toolboard	8961.9 AFHR	xxxx	14	XXxxXXxx
17JUL17 01:08	Maintenance	Release	8961.9 AFHR	2.8	M PEA A A1PXXX1711150	XXxxXXxx
17JUL17 07:45	Into	Maintenance	8963.2 AFHR	0.2	A A1PXXO1705379	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02428  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
LIFE SINCE NEW				
17JUL17 08:46	Change Serviceability Stat	0.0	SERV U/S A1PXXU1709198	XXxxXXxx
	8964.4 AFHR Estimated Date/Time Servic	736886.6	SERV STAT 18JUL17 14 B/F	
17JUL17 08:56	Initiate Toolboard	xxxx	14	XXxxXXxx
	8964.4 AFHR			
17JUL17 08:56	Clear Toolboard	xxxx	14	XXxxXXxx
	8964.4 AFHR			
17JUL17 23:24	Maintenance Release	0.6	M PEA A A1PXXX1711222	XXxxXXxx
	8964.4 AFHR Change Serviceability Stat	0.6	U/S SERV 18JUL17 08:46	
	Estimated Date/Time Servic	1.6	SERV STAT	
18JUL17 08:14	Into Maintenance	0.3	A M PEA A1PXXO1705425	XXxxXXxx
	8966.9 AFHR		14 B/F	
18JUL17 09:46	Initiate Toolboard	xxxx	14	XXxxXXxx
	8968.2 AFHR			
18JUL17 09:46	Clear Toolboard	xxxx	14	XXxxXXxx
	8968.2 AFHR			
18JUL17 22:22	Maintenance Release	0.5	M PEA A A1PXXX1711360	XXxxXXxx
	8968.2 AFHR	0.3	A M PEA A1PXXO1705459	XXxxXXxx
19JUL17 06:48	Into Maintenance		14 B/F	
	8969.6 AFHR	xxxx		
19JUL17 09:41	Initiate Toolboard		14	XXxxXXxx
	8970.9 AFHR			
19JUL17 09:41	Clear Toolboard	xxxx	14	XXxxXXxx
	8970.9 AFHR			
19JUL17 23:26	Maintenance Release	0.6	M PEA A A1PXXX1711424	XXxxXXxx
	8970.9 AFHR			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02429  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
20JUL17 08:59	Into Maintenance	8971.8 AFHR	0.3	A A1PXXO1705504	XXxxXXxx
20JUL17 10:53	Initiate Toolboard	8973.2 AFHR	xxxx	14 B/F	XXxxXXxx
20JUL17 10:54	Clear Toolboard	8973.2 AFHR	xxxx	14	XXxxXXxx
20JUL17 13:34	Change Serviceability Stat	8973.2 AFHR	0.1	SERV U/S A1PXXU1709735	XXxxXXxx
	Estimated Date/Time Servic		736893.4	SERV STAT 21JUL17	
21JUL17 00:23	Maintenance Release	8973.2 AFHR	0.4	M PEA A A1PXXX1711504	XXxxXXxx
	Change Serviceability Stat		0.4	U/S SERV	
	Estimated Date/Time Servic		0.4	21JUL17 13:34 SERV STAT	
21JUL17 05:38	Into Maintenance	8974.5 AFHR	0.2	A A1PXXO1705543	XXxxXXxx
21JUL17 07:25	Change Serviceability Stat	8975.8 AFHR	0.0	SERV U/S A1PXXU1709764	XXxxXXxx
	Estimated Date/Time Servic		736896.7	SERV STAT 22JUL17	
24JUL17 00:24	Initiate Toolboard	8975.8 AFHR	xxxx	14 B/F	XXxxXXxx
24JUL17 00:24	Clear Toolboard	8975.8 AFHR	xxxx	14	XXxxXXxx
24JUL17 00:25	Maintenance Release	8975.8 AFHR	2.7	M PEA A A1PXXX1711549	XXxxXXxx
	Change Serviceability Stat		2.7	U/S SERV	
	Estimated Date/Time Servic		0.7	22JUL17 07:26 SERV STAT	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02430  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
24JUL17	07:40	Into Maintenance 8977.2 AFHR	0.3	A A1PXXO1705590		XXxxXXxx
24JUL17	09:28	Initiate Toolboard 8978.5 AFHR	xxxx	14 B/F		XXxxXXxx
24JUL17	09:28	Clear Toolboard 8978.5 AFHR	xxxx	14		XXxxXXxx
24JUL17	12:34	Change Serviceability Stat 8978.5 AFHR	0.2	SERV U/S A1PXXU1709576		XXxxXXxx
		Estimated Date/Time Servic	736899.4	SERV STAT 25JUL17		
25JUL17	01:15	Maintenance Release 8978.5 AFHR	0.5	M PEA A A1PXXX1711670		XXxxXXxx
		Change Serviceability Stat	0.5	U/S SERV		
		Estimated Date/Time Servic	0.5	25JUL17 12:34 SERV STAT		
25JUL17	08:36	Into Maintenance 8980.0 AFHR	0.3	A M PEA A1PXXO1705658		XXxxXXxx
25JUL17	09:09	Initiate Toolboard 8980.0 AFHR	xxxx	14 B/F		XXxxXXxx
25JUL17	09:09	Clear Toolboard 8980.0 AFHR	xxxx	14		XXxxXXxx
25JUL17	23:44	Maintenance Release 8980.0 AFHR	0.6	M PEA A A1PXXX1711708		XXxxXXxx
26JUL17	09:00	Into Maintenance 8980.0 AFHR	0.3	A M PEA A1PXXO1705697		XXxxXXxx
26JUL17	09:23	Initiate Toolboard 8980.0 AFHR	xxxx	14 B/F		XXxxXXxx
26JUL17	09:23	Clear Toolboard 8980.0 AFHR	xxxx	14		XXxxXXxx



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02431  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====	=====
26JUL17 22:51		Maintenance Release	0.5	M PEA A	
	8980.0	AFHR		A1PXXX1711937	XXxxXXxx
27JUL17 08:38		Into Maintenance	0.4	A M PEA	
	8981.3	AFHR		A1PXXO1705734	XXxxXXxx
27JUL17 09:52		Initiate Toolboard	xxxx	14 B/F	
	8982.6	AFHR			XXxxXXxx
27JUL17 09:53		Clear Toolboard	xxxx	14	
	8982.6	AFHR			XXxxXXxx
27JUL17 22:38		Maintenance Release	0.5	M PEA A	
	8982.6	AFHR		A1PXXX1711988	XXxxXXxx
28JUL17 05:16		Into Maintenance	0.2	A M PEA	
	8982.6	AFHR		A1PXXO1705767	XXxxXXxx
30JUL17 22:05		Initiate Toolboard	xxxx	14 B/F	
	8982.6	AFHR			XXxxXXxx
30JUL17 23:29		Clear Toolboard	xxxx	14	
	8982.6	AFHR			XXxxXXxx
31JUL17 00:16		Maintenance Release	2.7	M PEA A	
	8982.6	AFHR		A1PXXX1712102	XXxxXXxx
31JUL17 05:30		Into Maintenance	0.2	A M PEA	
	8982.6	AFHR		A1PXXO1705783	XXxxXXxx
31JUL17 06:56		Change Serviceability Stat	0.0	SERV U/S	
	8982.6	AFHR		A1PXXU1709895	XXxxXXxx
	Estimated Date/Time	Service	736900.7	SERV STAT 01AUG17	
31JUL17 09:50		Initiate Toolboard	xxxx	14 B/F	
	8982.6	AFHR			XXxxXXxx
31JUL17 09:51		Clear Toolboard	xxxx	14	
	8982.6	AFHR			XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02432  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----		
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
	LIFE SINCE NEW			
01AUG17 00:11	Maintenance Release	0.7	M PEA A	
	8982.6 AFHR Change Serviceability Stat	0.7	A1PXXX1712186 U/S	XXxxXXxx
	Estimated Date/Time Servic	0.7	SERV 01AUG17 06:56 SERV STAT	
01AUG17 05:35	Into Maintenance	0.2	A M PEA	
	8983.9 AFHR		A1PXXO1705814	XXxxXXxx
01AUG17 09:48	Initiate Toolboard	xxxx	14 B/F	
	8983.9 AFHR			XXxxXXxx
01AUG17 09:48	Clear Toolboard	xxxx	14	
	8983.9 AFHR			XXxxXXxx
01AUG17 22:24	Maintenance Release	0.7	M PEA A	
	8983.9 AFHR		A1PXXX1712241	XXxxXXxx
02AUG17 09:13	Into Maintenance	0.4	A M PEA	
	8983.9 AFHR		A1PXXO1705869	XXxxXXxx
02AUG17 09:43	Initiate Toolboard	xxxx	14 B/F	
	8985.3 AFHR			XXxxXXxx
02AUG17 09:43	Clear Toolboard	xxxx	14	
	8985.3 AFHR			XXxxXXxx
02AUG17 22:26	Maintenance Release	0.5	M PEA A	
	8985.3 AFHR		A1PXXX1712301	XXxxXXxx
03AUG17 09:02	Into Maintenance	0.4	A M PEA	
	8985.3 AFHR		A1PXXO1705931	XXxxXXxx
03AUG17 09:32	Initiate Toolboard	xxxx	14 B/F	
	8986.6 AFHR			XXxxXXxx
03AUG17 09:33	Clear Toolboard	xxxx	14	
	8986.6 AFHR			XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02433  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
03AUG17 10:59	Change Serviceability Stat	0.0	SERV U/S A1PXXU1710474	XXxxXXxx
	8986.6 AFHR Estimated Date/Time Servic	736907.5	SERV STAT 04AUG17	
04AUG17 00:18	Maintenance Release	0.5	M PEA A A1PXXX1712378	XXxxXXxx
	8986.6 AFHR Change Serviceability Stat	0.5	U/S SERV 04AUG17 10:59	
04AUG17 06:38	Into Maintenance	0.2	SERV STAT A M PEA A1PXXO1705973	XXxxXXxx
06AUG17 22:14	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
06AUG17 22:41	Clear Toolboard	xxxx	14	XXxxXXxx
07AUG17 00:42	Maintenance Release	2.7	M PEA A A1PXXX1712397	XXxxXXxx
07AUG17 07:09	Into Maintenance	0.2	A A1PXXO1706013	XXxxXXxx
07AUG17 09:06	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
07AUG17 09:07	Clear Toolboard	xxxx	14	XXxxXXxx
07AUG17 11:13	Change Serviceability Stat	0.1	SERV U/S A1PXXU1710288	XXxxXXxx
	8992.0 AFHR Estimated Date/Time Servic	736910.5	SERV STAT 08AUG17	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02434  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
08AUG17 01:42	Maintenance Release	0.6	M PEA A	
	8992.0 AFHR Change Serviceability Stat	0.6	A1PXXX1712481 U/S	XXxxXXxx
	Estimated Date/Time Servic	0.6	SERV 08AUG17 11:13 SERV STAT	
08AUG17 08:20	Into Maintenance	0.2	A M PEA	
	8993.6 AFHR Initiate Toolboard	xxxx	A1PXXO1706077 14 B/F	XXxxXXxx
	8993.6 AFHR Clear Toolboard	xxxx	14	XXxxXXxx
08AUG17 09:33	Maintenance Release	0.6	M PEA A	
	8993.6 AFHR Into Maintenance	0.1	A1PXXX1712527 A	XXxxXXxx
09AUG17 03:55	Initiate Toolboard	xxxx	A1PXXO1706095 14 B/F	XXxxXXxx
	8993.6 AFHR Clear Toolboard	xxxx	14	XXxxXXxx
09AUG17 09:03	Maintenance Release	0.6	M PEA A	
	8993.6 AFHR Change Serviceability Stat	0.3	SERV U/S	XXxxXXxx
	Estimated Date/Time Servic	736914.5	A1PXXU1710782 SERV STAT 10AUG17	XXxxXXxx
10AUG17 00:09	Maintenance Release	0.4	M PEA A	
	8993.6 AFHR Change Serviceability Stat	0.4	A1PXXX1712580 U/S	XXxxXXxx
	Estimated Date/Time Servic	0.4	SERV 10AUG17 12:27 SERV STAT	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02435  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
10AUG17	07:28	Into Maintenance	0.3	A		
		8995.2 AFHR		M PEA		
				A1PXXO1706142		XXxxXXxx
10AUG17	10:40	Initiate Toolboard	xxxx	14 B/F		
		8996.3 AFHR				XXxxXXxx
10AUG17	10:41	Clear Toolboard	xxxx	14		
		8996.3 AFHR				XXxxXXxx
10AUG17	23:38	Maintenance Release	0.6	M PEA		
		8996.3 AFHR		A		
				A1PXXX1712627		XXxxXXxx
11AUG17	02:35	Into Maintenance	0.1	A		
		8996.3 AFHR		M PEA		
				A1PXXO1706174		XXxxXXxx
13AUG17	22:11	Initiate Toolboard	xxxx	14 B/F		
		8997.7 AFHR				XXxxXXxx
13AUG17	22:46	Clear Toolboard	xxxx	14		
		8997.7 AFHR				XXxxXXxx
13AUG17	22:48	Maintenance Release	2.8	M PEA		
		8997.7 AFHR		A		
				A1PXXX1712677		XXxxXXxx
14AUG17	05:58	Into Maintenance	0.2	A		
		8997.7 AFHR		A1PXXO1706218		XXxxXXxx
14AUG17	09:38	Initiate Toolboard	xxxx	14 B/F		
		8997.7 AFHR				XXxxXXxx
14AUG17	09:38	Clear Toolboard	xxxx	14		
		8997.7 AFHR				XXxxXXxx
14AUG17	09:44	Change Serviceability Stat	0.1	SERV		
		8997.7 AFHR		U/S		
		Estimated Date/Time Servic	736916.6	A1PXXU1710587		XXxxXXxx
				SERV STAT		
				15AUG17		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02436  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
15AUG17	02:14	Maintenance Release	0.6	M PEA A		
		8997.7 AFHR		A1PXXX1712733		XXxxXXxx
		Change Serviceability Stat	0.6	U/S		
		Estimated Date/Time Servic	0.6	SERV 15AUG17 09:44		
				SERV STAT		
15AUG17	08:41	Into Maintenance	0.2	A		
		8999.3 AFHR		M PEA A1PXXO1706262		XXxxXXxx
15AUG17	09:04	Initiate Toolboard	xxxx	14 B/F		
		9000.8 AFHR				XXxxXXxx
15AUG17	09:04	Clear Toolboard	xxxx	14		
		9000.8 AFHR				XXxxXXxx
15AUG17	22:45	Maintenance Release	0.5	M PEA A		
		9000.8 AFHR		A1PXXX1712782		XXxxXXxx
16AUG17	09:35	Into Maintenance	0.4	A		
		9002.0 AFHR		M PEA A1PXXO1706318		XXxxXXxx
16AUG17	11:42	Initiate Toolboard	xxxx	14 B/F		
		9002.0 AFHR				XXxxXXxx
16AUG17	11:43	Clear Toolboard	xxxx	14		
		9002.0 AFHR				XXxxXXxx
16AUG17	22:27	Maintenance Release	0.5	M PEA A		
		9002.0 AFHR		A1PXXX1712899		XXxxXXxx
17AUG17	04:01	Into Maintenance	0.2	A		
		9002.0 AFHR		A1PXXO1706346		XXxxXXxx
17AUG17	04:38	Change Serviceability Stat	0.0	SERV		
		Estimated Date/Time Servic	736921.9	U/S A1PXXU1711215		XXxxXXxx
				SERV STAT 18AUG17		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02437  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----			
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
=====		=====			
	LIFE SINCE NEW		TRANS REFERENCE		
17AUG17 04:50	Maintenance Release	0.0	M PEA A		
	9003.6 AFHR		A1PXXX1712930		XXxxXXxx
	Change Serviceability Stat	0.0	U/S		
	Estimated Date/Time Servic	1.0	SERV 18AUG17 04:38		
17AUG17 08:06	Into Maintenance	0.1	SERV STAT A		
	9003.6 AFHR		M PEA		XXxxXXxx
17AUG17 09:21	Operator Acceptance	0.0	A1PXXO1706387		
	9003.6 AFHR		aip01851		XXxxXXxx
18AUG17 05:04	Operator Acceptance	0.0	A1PXXX1712940		
	9003.6 AFHR		aip01978		XXxxXXxx
18AUG17 05:05	Operator Release	0.0	A1PXXX1712980		
	9003.6 AFHR		M. COOPER		XXxxXXxx
20AUG17 22:15	Initiate Toolboard	xxxx	A1PXXX1712981		
	9007.9 AFHR		14 B/F		XXxxXXxx
20AUG17 22:44	Clear Toolboard	xxxx	14		
	9007.9 AFHR				XXxxXXxx
21AUG17 00:24	Maintenance Release	3.6	M PEA		
	9007.9 AFHR		A		XXxxXXxx
21AUG17 06:53	Into Maintenance	0.2	A1PXXX1713001		
	9007.9 AFHR		A		XXxxXXxx
21AUG17 09:46	Initiate Toolboard	xxxx	A1PXXO1706449		
	9009.5 AFHR		14 B/F		XXxxXXxx
21AUG17 09:46	Clear Toolboard	xxxx	14		
	9009.5 AFHR				XXxxXXxx
21AUG17 11:18	Change Serviceability Stat	0.1	SERV		
	9009.5 AFHR		U/S		XXxxXXxx
	Estimated Date/Time Servic	736923.7	A1PXXU1711034		
			SERV STAT		
			22AUG17		

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02438  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
21AUG17	23:54	Maintenance Release	0.5	M PEA A		
		9009.5 AFHR Change Serviceability Stat	0.5	A1PXXX1713048 U/S		XXxxXXxx
		Estimated Date/Time Servic	1.5	SERV 22AUG17 11:18 SERV STAT		
22AUG17	06:36	Into Maintenance	0.2	A		
		9009.5 AFHR		A1PXXO1706494		XXxxXXxx
22AUG17	10:05	Initiate Toolboard	xxxx	14 B/F		
		9010.6 AFHR				XXxxXXxx
22AUG17	10:05	Clear Toolboard	xxxx	14		
		9010.6 AFHR				XXxxXXxx
22AUG17	22:21	Change Serviceability Stat	0.6	SERV U/S		
		9010.6 AFHR Estimated Date/Time Servic	736928.0	A1PXXU1711431 SERV STAT 23AUG17		XXxxXXxx
23AUG17	00:17	Maintenance Release	0.0	M PEA A		
		9010.6 AFHR Change Serviceability Stat	0.0	A1PXXX1713220 U/S		XXxxXXxx
		Estimated Date/Time Servic	0.0	SERV 23AUG17 22:21 SERV STAT		
23AUG17	05:57	Into Maintenance	0.2	A		
		9012.0 AFHR		M PEA A1PXXO1706538		XXxxXXxx
23AUG17	09:19	Initiate Toolboard	xxxx	14 B/F		
		9012.0 AFHR				XXxxXXxx
23AUG17	09:20	Clear Toolboard	xxxx	14		
		9012.0 AFHR				XXxxXXxx
24AUG17	00:17	Maintenance Release	0.7	M PEA A		
		9012.0 AFHR		A1PXXX1713264		XXxxXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02439  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----			
TRANSACTION D/T	CHANGE TYPE	SPAN (DYS)	FROM	TO (OPTIONAL)	USER
=====	=====	=====	=====	=====	=====
	LIFE SINCE NEW		TRANS REFERENCE		
24AUG17 04:22	Into Maintenance	0.1	A		
	9012.0 AFHR		M PEA		
24AUG17 11:12	Initiate Toolboard	xxxx	A1PXXO1706573		XXxxXXxx
	9013.3 AFHR		14 B/F		
24AUG17 11:13	Clear Toolboard	xxxx	14		XXxxXXxx
	9013.3 AFHR				
24AUG17 23:18	Maintenance Release	0.7	M PEA		XXxxXXxx
	9013.3 AFHR		A		
25AUG17 04:19	Into Maintenance	0.2	A1PXXX1713316		XXxxXXxx
	9013.3 AFHR		A		
27AUG17 22:33	Initiate Toolboard	xxxx	M PEA		XXxxXXxx
	9014.4 AFHR		A1PXXO1706612		
27AUG17 22:42	Clear Toolboard	xxxx	14 B/F		XXxxXXxx
	9014.4 AFHR		14		
27AUG17 22:58	Maintenance Release	2.7	M PEA		XXxxXXxx
	9014.4 AFHR		A		
28AUG17 08:40	Into Maintenance	0.4	A1PXXX1713360		XXxxXXxx
	9015.5 AFHR		A		
28AUG17 11:05	Change Serviceability Stat	0.1	A1PXXO1706670		XXxxXXxx
	9016.7 AFHR		SERV		
	Estimated Date/Time Servic	736929.5	U/S		
			A1PXXU1711352		XXxxXXxx
28AUG17 11:11	Initiate Toolboard	xxxx	SERV STAT		
	9016.7 AFHR		29AUG17		
28AUG17 11:11	Clear Toolboard	xxxx	14 B/F		XXxxXXxx
	9016.7 AFHR		14		
29AUG17 04:44	Into Maintenance	0.7	A		XXxxXXxx
	9016.7 AFHR		M PEA		
29AUG17 12:33	Initiate Toolboard	xxxx	A1PXXO1706693		XXxxXXxx
	9018.0 AFHR		14 B/F		

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02440  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE		SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
29AUG17 12:33	Clear Toolboard		xxxx	14		
	9018.0	AFHR				XXxxXXxx
29AUG17 22:56	Maintenance Release		0.7	M PEA		
	9018.0	AFHR		A		
	Change Serviceability Stat		0.7	A1PXXX1713467		XXxxXXxx
	Estimated Date/Time Servic		1.4	U/S		
				SERV		
30AUG17 07:36	Into Maintenance		0.3	29AUG17 11:05		
				SERV STAT		
	9019.4	AFHR		A		
30AUG17 09:24	Initiate Toolboard		xxxx	M PEA		XXxxXXxx
	9019.4	AFHR		A1PXXO1706768		
30AUG17 09:25	Clear Toolboard		xxxx	14 B/F		XXxxXXxx
	9019.4	AFHR				
30AUG17 22:29	Maintenance Release		0.6	14		XXxxXXxx
	9019.4	AFHR		M PEA		
31AUG17 08:30	Into Maintenance		0.4	A		XXxxXXxx
	9019.4	AFHR		A1PXXX1713520		
31AUG17 08:55	Initiate Toolboard		xxxx	A		XXxxXXxx
	9019.4	AFHR		A1PXXO1706822		
31AUG17 08:55	Clear Toolboard		xxxx	14 B/F		XXxxXXxx
	9019.4	AFHR				
31AUG17 11:45	Change Serviceability Stat		0.1	14		XXxxXXxx
	9019.4	AFHR		SERV		
	Estimated Date/Time Servic		736936.4	U/S		
				A1PXXU1711825		XXxxXXxx
				SERV STAT		
				01SEP17		

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02441  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
LIFE SINCE NEW				
31AUG17 22:40	Maintenance Release	0.4	M PEA A A1PXXX1713573	XXxxXXxx
	9019.4 AFHR Change Serviceability Stat	0.4	U/S SERV	
	Estimated Date/Time Servic	1.4	01SEP17 11:45 SERV STAT	
01SEP17 05:25	Into Maintenance	0.2	A M PEA A1PXXO1706851	XXxxXXxx
03SEP17 22:08	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	9019.4 AFHR			XXxxXXxx
03SEP17 22:44	Clear Toolboard	xxxx	14	XXxxXXxx
	9019.4 AFHR			XXxxXXxx
03SEP17 23:42	Maintenance Release	2.7	M PEA A A1PXXX1713600	XXxxXXxx
	9019.4 AFHR Into Maintenance	0.1	A A1PXXO1706879	XXxxXXxx
04SEP17 03:56	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	9019.4 AFHR			XXxxXXxx
04SEP17 09:41	Clear Toolboard	xxxx	14	XXxxXXxx
	9020.7 AFHR			XXxxXXxx
04SEP17 12:38	Change Serviceability Stat	0.3	SERV U/S A1PXXU1711673	XXxxXXxx
	9020.7 AFHR Estimated Date/Time Servic	736938.4	SERV STAT 05SEP17	
04SEP17 23:42	Maintenance Release	0.4	M AIP A A1PXXX1713690	XXxxXXxx
	9020.7 AFHR Change Serviceability Stat	0.4	U/S SERV	
	Estimated Date/Time Servic	1.4	05SEP17 12:38 SERV STAT	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02442  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW	TRANS REFERENCE			
05SEP17	06:56	Into Maintenance 9021.9 AFHR	0.3	A	A1PXXO1706948	XXxxXXxx
05SEP17	07:37	Change Serviceability Stat 9021.9 AFHR	0.0	SERV U/S	A1PXXU1707626	XXxxXXxx
		Estimated Date/Time Servic	736942.6	SERV STAT 06SEP17		
05SEP17	09:15	Initiate Toolboard 9021.9 AFHR	xxxx	14 B/F		XXxxXXxx
05SEP17	09:15	Clear Toolboard 9021.9 AFHR	xxxx	14		XXxxXXxx
05SEP17	23:20	Maintenance Release 9021.9 AFHR	0.6	M PEA A	A1PXXX1713727	XXxxXXxx
		Change Serviceability Stat	0.6	U/S SERV		
		Estimated Date/Time Servic	1.6	06SEP17 07:37 SERV STAT		
06SEP17	05:59	Into Maintenance 9021.9 AFHR	0.2	A	A1PXXO1706999	XXxxXXxx
06SEP17	09:26	Initiate Toolboard 9022.9 AFHR	xxxx	14 B/F		XXxxXXxx
06SEP17	11:00	Clear Toolboard 9022.9 AFHR	xxxx	14		XXxxXXxx
06SEP17	22:29	Maintenance Release 9022.9 AFHR	0.6	M PEA A	A1PXXX1713766	XXxxXXxx
07SEP17	08:06	Into Maintenance 9024.1 AFHR	0.4	A	A1PXXO1707057	XXxxXXxx
07SEP17	09:34	Initiate Toolboard 9024.1 AFHR	xxxx	14 B/F		XXxxXXxx
07SEP17	09:34	Clear Toolboard 9024.1 AFHR	xxxx	14		XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02443  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
08SEP17	00:33	Maintenance Release	0.6	M PEA A		
		9024.1 AFHR		A1PXXX1713820		XXxxXXxx
08SEP17	06:27	Into Maintenance	0.2	M PEA A		
		9024.1 AFHR		A1PXXO1707093		XXxxXXxx
10SEP17	22:32	Initiate Toolboard	xxxx	14 B/F		
		9024.1 AFHR				XXxxXXxx
10SEP17	22:33	Clear Toolboard	xxxx	14		
		9024.1 AFHR				XXxxXXxx
11SEP17	01:30	Maintenance Release	2.7	M PEA A		
		9024.1 AFHR		A1PXXX1713858		XXxxXXxx
11SEP17	08:56	Into Maintenance	0.3	A		
		9025.6 AFHR		A1PXXO1707131		XXxxXXxx
11SEP17	08:57	Change Serviceability Stat	0.0	SERV U/S		
		9025.6 AFHR		A1PXXU1711973		XXxxXXxx
		Estimated Date/Time Servic	736943.5	SERV STAT 12SEP17		
11SEP17	09:45	Initiate Toolboard	xxxx	14 B/F		
		9025.6 AFHR				XXxxXXxx
11SEP17	09:45	Clear Toolboard	xxxx	14		
		9025.6 AFHR				XXxxXXxx
12SEP17	02:28	Maintenance Release	0.7	M PEA A		
		9025.6 AFHR		A1PXXX1714021		XXxxXXxx
		Change Serviceability Stat	0.7	U/S		
		Estimated Date/Time Servic	0.7	SERV 12SEP17 08:57		
			0.7	SERV STAT		
12SEP17	07:18	Into Maintenance	0.2	A		
		9026.8 AFHR		M PEA A1PXXO1707170		XXxxXXxx
12SEP17	09:17	Initiate Toolboard	xxxx	14 B/F		
		9028.4 AFHR				XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02444  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
12SEP17 09:18	Clear Toolboard 9028.4 AFHR	xxxx	14	XXxxXXxx
12SEP17 22:25	Maintenance Release 9028.4 AFHR	0.6	M PEA A A1PXXX1714054	XXxxXXxx
13SEP17 07:01	Into Maintenance 9029.6 AFHR	0.3	A A1PXXO1707212	XXxxXXxx
13SEP17 07:22	Change Serviceability Stat 9031.0 AFHR	0.0	SERV U/S A1PXXU1712406	XXxxXXxx
	Estimated Date/Time Servic	736949.7	SERV STAT 14SEP17	
13SEP17 10:48	Initiate Toolboard 9031.0 AFHR	xxxx	14 B/F	XXxxXXxx
13SEP17 10:50	Clear Toolboard 9031.0 AFHR	xxxx	14	XXxxXXxx
14SEP17 00:27	Maintenance Release 9031.0 AFHR	0.7	M PEA A A1PXXX1714106	XXxxXXxx
	Change Serviceability Stat	0.7	U/S SERV	
	Estimated Date/Time Servic	0.7	14SEP17 07:22 SERV STAT	
14SEP17 08:39	Into Maintenance 9032.5 AFHR	0.3	A A1PXXO1707257	XXxxXXxx
14SEP17 09:35	Change Serviceability Stat 9033.5 AFHR	0.0	SERV U/S A1PXXU1712452	XXxxXXxx
	Estimated Date/Time Servic	736951.6	SERV STAT 15SEP17	
14SEP17 09:40	Initiate Toolboard 9033.5 AFHR	xxxx	14 B/F	XXxxXXxx
14SEP17 09:41	Clear Toolboard 9033.5 AFHR	xxxx	14	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02445  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
14SEP17 23:10	Maintenance Release	0.5	M PEA A	
	9033.5 AFHR Change Serviceability Stat	0.5	A1PXXX1714152 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.5	SERV 15SEP17 09:35 SERV STAT	
15SEP17 06:53	Into Maintenance	0.3	A M PEA	
	9034.8 AFHR		A1PXXO1707291	XXxxXXxx
17SEP17 22:21	Initiate Toolboard	xxxx	14 B/F	
	9036.1 AFHR			XXxxXXxx
17SEP17 22:22	Clear Toolboard	xxxx	14	
	9036.1 AFHR			XXxxXXxx
17SEP17 22:42	Initiate Toolboard	xxxx	14 B/F	
	9036.1 AFHR			XXxxXXxx
17SEP17 22:43	Clear Toolboard	xxxx	14	
	9036.1 AFHR			XXxxXXxx
17SEP17 23:35	Maintenance Release	2.6	M PEA A	
	9036.1 AFHR		A1PXXX1714191	XXxxXXxx
18SEP17 07:53	Into Maintenance	0.3	A A1PXXO1707328	XXxxXXxx
18SEP17 08:55	Change Serviceability Stat	0.0	SERV U/S	
	9038.8 AFHR Estimated Date/Time Servic	736952.5	A1PXXU1712312 SERV STAT 31DEC25	XXxxXXxx
18SEP17 09:31	Initiate Toolboard	xxxx	14 B/F	
	9038.8 AFHR			XXxxXXxx
18SEP17 09:32	Clear Toolboard	xxxx	14	
	9038.8 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02446  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
18SEP17 22:10	Change Part Number of an A Maintenance Comment	0.0	NO PARENT TRANSACTION DETAILS MPAN 056/2017 POLICY COPY OID: AK13844130	
18SEP17 22:10	Change Part Number of an A Estimated Date/Time Servic	1.9	NO PARENT TRANSACTION DETAILS 19SEP17 08:55 19SEP17 08:55	
19SEP17 00:51	Maintenance Release	0.6	M PEA A	
	9038.8 AFHR Change Serviceability Stat	0.6	A1PXXX1714251 U/S SERV	XXxxXXxx
	Estimated Date/Time Servic	0.1	19SEP17 08:55 SERV STAT	
19SEP17 09:01	Into Maintenance	0.3	A M PEA	
	9040.1 AFHR Initiate Toolboard	xxxx	A1PXXO1707380 14 B/F	XXxxXXxx
	9040.1 AFHR Clear Toolboard	xxxx	14	XXxxXXxx
19SEP17 09:21	Maintenance Release	0.6	M PEA A	XXxxXXxx
	9040.1 AFHR Into Maintenance	0.2	A1PXXX1714276 A M PEA	XXxxXXxx
20SEP17 07:34	Initiate Toolboard	xxxx	A1PXXO1707415 14 B/F	XXxxXXxx
	9041.6 AFHR Clear Toolboard	xxxx	14	XXxxXXxx
20SEP17 09:18	Maintenance Release	0.6	M PEA A	XXxxXXxx
	9041.6 AFHR Into Maintenance	0.1	A1PXXX1714367 A	XXxxXXxx
20SEP17 23:02	Maintenance Release	0.6	A1PXXO1707425	XXxxXXxx
	9041.6 AFHR Into Maintenance	0.1	A1PXXO1707425	XXxxXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02447  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
21SEP17 02:59	Change Serviceability Stat	9041.6 AFHR	0.0	SERV U/S A1PXXU1712604	XXxxXXxx
	Estimated Date/Time Servic		736956.9	SERV STAT 22SEP17	
21SEP17 08:07	Initiate Toolboard	9041.6 AFHR	xxxx	14 B/F	XXxxXXxx
21SEP17 09:37	Clear Toolboard	9041.6 AFHR	xxxx	14	XXxxXXxx
26SEP17 02:36	Initiate Toolboard	9041.6 AFHR	xxxx	14 B/F	XXxxXXxx
26SEP17 02:37	Clear Toolboard	9041.6 AFHR	xxxx	14	XXxxXXxx
26SEP17 02:37	Maintenance Release		4.9	M PEA A	
	Change Serviceability Stat	9041.6 AFHR	4.9	A1PXXX1714491 U/S	XXxxXXxx
	Estimated Date/Time Servic		0.9	SERV 22SEP17 02:59	
26SEP17 07:00	Into Maintenance		0.1	SERV STAT A	
	Initiate Toolboard	9041.6 AFHR		M PEA A1PXXO1707512	XXxxXXxx
26SEP17 11:05	Clear Toolboard	9041.6 AFHR	xxxx	14 B/F	XXxxXXxx
26SEP17 11:05	Clear Toolboard	9041.6 AFHR	xxxx	14	XXxxXXxx
26SEP17 23:29	Maintenance Release		0.6	M PEA A	
	Into Maintenance	9041.6 AFHR	0.2	A1PXXX1714512 A	XXxxXXxx
27SEP17 06:11	Into Maintenance	9041.6 AFHR		A1PXXO1707554	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02448  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
27SEP17 06:14	Change Serviceability Stat	0.0	SERV U/S A1PXXU1712904	XXxxXXxx
	9041.6 AFHR Estimated Date/Time Servic	736963.8	SERV STAT 28SEP17 14 B/F	
27SEP17 09:42	Initiate Toolboard	xxxx	14	XXxxXXxx
	9041.6 AFHR			
27SEP17 09:44	Clear Toolboard	xxxx	14	XXxxXXxx
	9041.6 AFHR			
27SEP17 22:28	Maintenance Release	0.6	M PEA A A1PXXX1714581	XXxxXXxx
	9041.6 AFHR Change Serviceability Stat	0.6	U/S SERV 28SEP17 06:14	
	Estimated Date/Time Servic	1.6	SERV STAT	
28SEP17 07:51	Into Maintenance	0.3	A A1PXXO1707607	XXxxXXxx
	9041.6 AFHR			
28SEP17 07:53	Change Serviceability Stat	0.0	SERV U/S A1PXXU1712958	XXxxXXxx
	9042.7 AFHR Estimated Date/Time Servic	736965.6	SERV STAT 29SEP17 14 B/F	
28SEP17 10:11	Initiate Toolboard	xxxx	14	XXxxXXxx
	9042.7 AFHR			
28SEP17 10:11	Clear Toolboard	xxxx	14	XXxxXXxx
	9042.7 AFHR			
01OCT17 22:46	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	9042.7 AFHR			
01OCT17 22:46	Clear Toolboard	xxxx	14	XXxxXXxx
	9042.7 AFHR			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02449  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW	TRANS REFERENCE			
01OCT17	23:25	Maintenance Release	3.6	M PEA		
		9042.7 AFHR		A		
		Change Serviceability Stat	3.6	A1PXXX1714668		XXxxXXxx
		Estimated Date/Time Servic	1.6	U/S		
				SERV		
				29SEP17 07:53		
				SERV STAT		
02OCT17	07:12	Into Maintenance	0.3	A		
		9042.7 AFHR		A1PXXO1707687		XXxxXXxx
02OCT17	08:01	Change Serviceability Stat	0.0	SERV		
		9044.0 AFHR		U/S		
		Estimated Date/Time Servic	736969.6	A1PXXU1712854		XXxxXXxx
				SERV STAT		
				03OCT17		
02OCT17	09:45	Initiate Toolboard	xxxx	14 B/F		
		9044.0 AFHR				XXxxXXxx
02OCT17	09:46	Clear Toolboard	xxxx	14		
		9044.0 AFHR				XXxxXXxx
03OCT17	06:28	Maintenance Release	0.9	M PEA		
		9044.0 AFHR		A		
		Change Serviceability Stat	0.9	A1PXXX1714712		XXxxXXxx
		Estimated Date/Time Servic	0.9	U/S		
				SERV		
				03OCT17 08:01		
				SERV STAT		
03OCT17	07:58	Into Maintenance	0.0	A		
		9044.0 AFHR		M PEA		
		Initiate Toolboard	xxxx	A1PXXO1707741		XXxxXXxx
		9045.0 AFHR		14 B/F		XXxxXXxx
03OCT17	09:15	Clear Toolboard	xxxx	14		
		9045.0 AFHR				XXxxXXxx
03OCT17	22:25	Maintenance Release	0.6	M PEA		
		9045.0 AFHR		A		
				A1PXXX1714717		XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02450  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----			
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
=====	=====	=====	=====	=====	=====
	LIFE SINCE NEW		TRANS REFERENCE		
04OCT17 07:48	Into Maintenance	0.3	A		
	9045.0 AFHR		M PEA		
04OCT17 11:06	Initiate Toolboard	xxxx	A1PXXO1707793		XXxxXXxx
	9045.0 AFHR		14 B/F		
04OCT17 11:07	Clear Toolboard	xxxx	14		XXxxXXxx
	9045.0 AFHR				
04OCT17 23:23	Maintenance Release	0.6	M PEA		XXxxXXxx
	9045.0 AFHR		A		
05OCT17 02:24	Into Maintenance	0.1	A1PXXX1714769		XXxxXXxx
	9045.0 AFHR		A		
05OCT17 09:42	Initiate Toolboard	xxxx	M PEA		XXxxXXxx
	9046.3 AFHR		A1PXXO1707799		
05OCT17 09:43	Clear Toolboard	xxxx	14 B/F		XXxxXXxx
	9046.3 AFHR		14		
08OCT17 23:00	Initiate Toolboard	xxxx	14		XXxxXXxx
	9046.3 AFHR		14 B/F		
08OCT17 23:00	Clear Toolboard	xxxx	14		XXxxXXxx
	9046.3 AFHR				
09OCT17 00:50	Maintenance Release	3.9	M PEA		XXxxXXxx
	9046.3 AFHR		A		
09OCT17 04:34	Into Maintenance	0.1	A1PXXX1714854		XXxxXXxx
	9046.3 AFHR		A		
09OCT17 06:47	Change Serviceability Stat	0.0	A1PXXO1707875		XXxxXXxx
	9047.5 AFHR		SERV		
	Estimated Date/Time Servic	736970.9	U/S		
			A1PXXU1713038		XXxxXXxx
09OCT17 10:45	Initiate Toolboard	xxxx	SERV STAT		
	9047.5 AFHR		31DEC25		
09OCT17 10:45	Clear Toolboard	xxxx	14 B/F		XXxxXXxx
	9047.5 AFHR		14		
					XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02451  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
09OCT17 22:11	Change Part Number of an A Maintenance Comment	0.0	NO PARENT TRANSACTION DETAILS MPAN 060/2017 POLICY COPY AS PER OID: AK15295952	
09OCT17 22:11	Change Part Number of an A Estimated Date/Time Servic	1.9	NO PARENT TRANSACTION DETAILS 10OCT17 06:47 10OCT17 06:47	
09OCT17 23:33	Maintenance Release	0.6	M PEA A	
	9047.5 AFHR Change Serviceability Stat	0.6	A1PXXX1714911 U/S SERV	XXxxXXxx
	Estimated Date/Time Servic	1.0	10OCT17 06:47 SERV STAT	
10OCT17 04:26	Into Maintenance	0.2	A M PEA	
	9047.5 AFHR Initiate Toolboard	xxxx	A1PXXO1707902 14 B/F	XXxxXXxx
	9047.5 AFHR Clear Toolboard	xxxx	14	XXxxXXxx
10OCT17 22:18	Maintenance Release	0.7	M PEA A	XXxxXXxx
	9047.5 AFHR Into Maintenance	0.3	A1PXXX1714930 A M PEA	XXxxXXxx
11OCT17 11:48	Initiate Toolboard	xxxx	A1PXXO1707951 14 B/F	XXxxXXxx
	9050.1 AFHR Clear Toolboard	xxxx	14	XXxxXXxx
11OCT17 11:53	Clear Toolboard	xxxx	14	XXxxXXxx
11OCT17 23:49	Maintenance Release	0.6	M PEA A	XXxxXXxx
	9050.1 AFHR Into Maintenance	0.2	A1PXXX1714999 A	XXxxXXxx
12OCT17 04:47	Into Maintenance	0.2	A1PXXO1707968	XXxxXXxx
	9050.1 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02452  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----			
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
=====	=====	=====	=====	=====	=====
	LIFE SINCE NEW		TRANS REFERENCE		
12OCT17 05:11	Change Serviceability Stat	0.0	SERV U/S		
	9051.5 AFHR		A1PXXU1713482		XXxxXXxx
	Estimated Date/Time Servic	736977.7	SERV STAT		
			13OCT17		
12OCT17 10:01	Initiate Toolboard	xxxx	14 B/F		
	9052.8 AFHR				XXxxXXxx
12OCT17 10:02	Clear Toolboard	xxxx	14		
	9052.8 AFHR				XXxxXXxx
12OCT17 22:53	Maintenance Release	0.7	M PEA		
			A		
	9052.8 AFHR		A1PXXX1715046		XXxxXXxx
	Change Serviceability Stat	0.7	U/S		
	Estimated Date/Time Servic	1.7	SERV		
			13OCT17 05:11		
			SERV STAT		
13OCT17 06:05	Into Maintenance	0.2	A		
	9054.1 AFHR		A1PXXO1708033		XXxxXXxx
16OCT17 08:54	Change Serviceability Stat	3.1	SERV		
			U/S		
	9055.1 AFHR		A1PXXU1713293		XXxxXXxx
	Estimated Date/Time Servic	736980.5	SERV STAT		
			17OCT17		
16OCT17 12:25	Initiate Toolboard	xxxx	14 B/F		
	9055.1 AFHR				XXxxXXxx
16OCT17 12:26	Clear Toolboard	xxxx	14		
	9055.1 AFHR				XXxxXXxx
17OCT17 00:04	Initiate Toolboard	xxxx	14 B/F		
	9055.1 AFHR				XXxxXXxx
17OCT17 00:05	Clear Toolboard	xxxx	14		
	9055.1 AFHR				XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02453  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
17OCT17 00:42	Maintenance Release	0.6	M PEA A	
	9055.1 AFHR Change Serviceability Stat	0.6	A1PXXX1715163 U/S	XXxxXXxx
	Estimated Date/Time Servic	0.6	SERV 17OCT17 08:54 SERV STAT	
17OCT17 03:33	Into Maintenance	0.1	A	
	9055.1 AFHR Change Serviceability Stat	0.0	A1PXXO1708061 SERV	XXxxXXxx
	Estimated Date/Time Servic	736984.8	U/S A1PXXU1713623 SERV STAT	XXxxXXxx
17OCT17 23:58	Maintenance Release	0.7	18OCT17 M PEA A	
	9057.9 AFHR Change Serviceability Stat	0.7	A1PXXX1715210 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.7	SERV 18OCT17 05:16 SERV STAT	
18OCT17 08:16	Into Maintenance	0.3	A	
	9060.7 AFHR Initiate Toolboard	xxxx	M PEA A1PXXO1708146 14 B/F	XXxxXXxx
18OCT17 10:01	Clear Toolboard	xxxx	14	XXxxXXxx
	9061.2 AFHR			XXxxXXxx
18OCT17 23:52	Maintenance Release	0.6	M PEA A	
	9061.2 AFHR Into Maintenance	0.0	A1PXXX1715258 A	XXxxXXxx
19OCT17 02:08			A1PXXO1708179	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02454  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
19OCT17 02:42	Change Serviceability Stat	0.0	SERV U/S A1PXXU1713732	XXxxXXxx
	9061.2 AFHR Estimated Date/Time Servic	736985.8	SERV STAT 20OCT17	
19OCT17 02:50	Asset Comments	0.0	AIRTEST REAR DU1 OPS. A1PXXX1715277	XXxxXXxx
19OCT17 02:51	Asset Comments	0.0	AIRTEST 9061.2REAR DU1 OPS. A1PXXX1715278	XXxxXXxx
19OCT17 03:12	Maintenance Release	0.0	M PEA A A1PXXX1715282	XXxxXXxx
	9061.2 AFHR Change Serviceability Stat	0.0	U/S SERV 20OCT17 02:43	
	Estimated Date/Time Servic	1.0	SERV STAT	
19OCT17 07:02	Asset Comments	0.0	A1PXXX1715294	XXxxXXxx
19OCT17 07:03	Into Maintenance	0.1	A A1PXXO1708202	XXxxXXxx
19OCT17 07:04	Change Serviceability Stat	0.0	SERV U/S A1PXXU1713734	XXxxXXxx
	9062.5 AFHR Estimated Date/Time Servic	736986.8	SERV STAT 20OCT17	
22OCT17 21:49	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
22OCT17 23:17	Clear Toolboard	xxxx	14	XXxxXXxx
23OCT17 00:52	Maintenance Release	3.7	M PEA A A1PXXX1715320	XXxxXXxx
	9062.5 AFHR Change Serviceability Stat	3.7	U/S SERV 20OCT17 07:04	
	Estimated Date/Time Servic	0.7	SERV STAT	

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02455  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
23OCT17	07:07	Into Maintenance	0.2	A		
		9062.5 AFHR		A1PXXO1708238		XXxxXXxx
23OCT17	09:18	Initiate Toolboard	xxxx	14 B/F		
		9063.8 AFHR				XXxxXXxx
23OCT17	09:19	Clear Toolboard	xxxx	14		
		9063.8 AFHR				XXxxXXxx
23OCT17	12:00	Change Serviceability Stat	0.2	SERV		
		9063.8 AFHR		U/S		
		Estimated Date/Time Servic	736990.5	A1PXXU1713823		XXxxXXxx
				SERV STAT		
24OCT17	03:46	Maintenance Release	0.6	24OCT17		
		9063.8 AFHR		M PEA		
		Change Serviceability Stat	0.6	A		
		Estimated Date/Time Servic	0.6	A1PXXX1715384		XXxxXXxx
				U/S		
			0.6	SERV		
				24OCT17 12:00		
				SERV STAT		
24OCT17	08:21	Into Maintenance	0.1	A		
		9065.5 AFHR		M PEA		
24OCT17	09:32	Initiate Toolboard	xxxx	A1PXXO1708309		XXxxXXxx
		9066.8 AFHR		14 A/F		
24OCT17	09:33	Initiate Toolboard	xxxx	14 B/F		
		9066.8 AFHR				XXxxXXxx
24OCT17	09:34	Clear Toolboard	xxxx	14		
		9066.8 AFHR				XXxxXXxx
24OCT17	23:27	Maintenance Release	0.6	M PEA		
		9066.8 AFHR		A		
25OCT17	09:28	Into Maintenance	0.4	A1PXXX1715412		XXxxXXxx
				A		
		9068.1 AFHR		M PEA		
25OCT17	09:32	Initiate Toolboard	xxxx	A1PXXO1708389		XXxxXXxx
		9068.1 AFHR		14 B/F		
						XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02456  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
25OCT17 09:33	Clear Toolboard 9068.1 AFHR	xxxx	14	XXxxXXxx
26OCT17 01:28	Maintenance Release 9068.1 AFHR	0.6	M PEA A A1PXXX1715473	XXxxXXxx
26OCT17 05:22	Into Maintenance 9068.6 AFHR	0.1	A A1PXXO1708437	XXxxXXxx
26OCT17 06:25	Change Serviceability Stat 9068.6 AFHR	0.0	SERV U/S A1PXXU1714013	XXxxXXxx
	Estimated Date/Time Servic	736991.8	SERV STAT 27OCT17	
26OCT17 10:03	Initiate Toolboard 9068.6 AFHR	xxxx	14 B/F	XXxxXXxx
26OCT17 10:13	Clear Toolboard 9068.6 AFHR	xxxx	14	XXxxXXxx
26OCT17 22:49	Maintenance Release 9068.6 AFHR	0.6	M PEA A A1PXXX1715526	XXxxXXxx
	Change Serviceability Stat	0.6	U/S SERV	
	Estimated Date/Time Servic	1.6	27OCT17 06:25 SERV STAT	
27OCT17 06:35	Into Maintenance 9070.4 AFHR	0.3	A A1PXXO1708513	XXxxXXxx
29OCT17 22:01	Initiate Toolboard 9071.7 AFHR	xxxx	14 B/F	XXxxXXxx
29OCT17 22:02	Clear Toolboard 9071.7 AFHR	xxxx	14	XXxxXXxx
30OCT17 02:11	Change Serviceability Stat 9071.7 AFHR	2.8	SERV U/S A1PXXU1714103	XXxxXXxx
	Estimated Date/Time Servic	736994.8	SERV STAT 31OCT17	
31OCT17 09:09	Initiate Toolboard 9071.7 AFHR	xxxx	14 B/F	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02457  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
31OCT17 09:10		Clear Toolboard		xxxx	14	
		9071.7 AFHR				XXxxXXxx
01NOV17 01:42		Maintenance Release		1.9	M PEA	
		9071.7 AFHR			A1PXXX1715717	XXxxXXxx
		Change Serviceability Stat		1.9	U/S	
		Estimated Date/Time Servic		0.9	SERV 31OCT17 02:13	
01NOV17 03:40		Into Maintenance		0.0	SERV STAT	
		9071.7 AFHR			A1PXXO1708646	XXxxXXxx
01NOV17 03:50		Change Serviceability Stat		0.0	SERV	
		9072.5 AFHR			A1PXXU1714187	XXxxXXxx
		Estimated Date/Time Servic		736999.9	SERV STAT	
01NOV17 05:57		Asset Comments		0.0	A/T	
		9072.5 AFHR			A1PXXX1715729	XXxxXXxx
01NOV17 07:53		Asset Comments		0.0	A/T 9072.5	
		9072.5 AFHR			A1PXXX1715749	XXxxXXxx
01NOV17 10:53		Initiate Toolboard		xxxx	14 B/F	
		9072.5 AFHR				XXxxXXxx
01NOV17 10:54		Clear Toolboard		xxxx	14	
		9072.5 AFHR				XXxxXXxx
01NOV17 22:08		Maintenance Release		0.7	M PEA	
		9072.5 AFHR			A1PXXX1715751	XXxxXXxx
		Change Serviceability Stat		0.7	U/S	
		Estimated Date/Time Servic		1.7	SERV 02NOV17 03:50	
02NOV17 02:45		Into Maintenance		0.1	SERV STAT	
		9072.5 AFHR			A	
02NOV17 03:25		Asset Comments		0.0	A1PXXO1708714	XXxxXXxx
		9072.5 AFHR			A1PXXX1715790	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02458  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
02NOV17 03:29	Change Serviceability Stat	9073.6 AFHR	0.0	SERV U/S A1PXXU1714239	XXxxXXxx
	Estimated Date/Time Servic		737000.7	SERV STAT 03NOV17	
08NOV17 09:08	Initiate Toolboard	9073.6 AFHR	xxxx	14 B/F	XXxxXXxx
08NOV17 09:08	Clear Toolboard	9073.6 AFHR	xxxx	14	XXxxXXxx
14NOV17 02:41	Maintenance Comment	9073.6 AFHR	0.0	A1PXXU1714723 INCORRECT REFERENCE: AIP MCS 1311/17-4#2	XXxxXXxx
14NOV17 02:42	Maintenance Comment	9073.6 AFHR	0.0	A1PXXX1716013 INCORRECT REFERENCE: AIP MCS 1311/17-4#3	XXxxXXxx
04DEC17 01:04	Maintenance Comment	9073.6 AFHR	0.0	A1PXXU1716014 INCORRECT REFERENCE: AIP MCS 1311/17-4#3	XXxxXXxx
	Change Part Number of an A			ANNUAL REVIEW OF A/C LOG BOOK C/OUT IAW AAP 7001.059	XXxxXXxx
22JAN18 21:55	Maintenance Comment		0.0	A1PXXX1716859	
22JAN18 21:55	Change Part Number of an A			NO PARENT TRANSACTION DETAILS	
	Estimated Date/Time Servic		79.0-	POLICY COPIED AS PER MPAN 001/2018 OID: AK15848888	
06FEB18 04:11	Asset Comments	9073.6 AFHR	0.0	NO PARENT TRANSACTION DETAILS	
14MAR18 10:58	Asset Comments	9073.6 AFHR	0.0	03NOV17 03:29	
22MAR18 00:48	Maintenance Comment	9073.6 AFHR	0.0	31DEC25 03:29	
22MAR18 06:25	Maintenance Comment	9073.6 AFHR	0.0	US	XXxxXXxx
22MAR18 06:26	Maintenance Comment	9073.6 AFHR	0.0	A1PXXX1800943	XXxxXXxx
29APR18 22:59	Estimated Date/Time Servic	9073.6 AFHR	1.8	MODS	XXxxXXxx
	Maintenance Comment		0.0	A1PXXX1802288	XXxxXXxx
				DEVIATION ADO-09-DD-18-009 INC	XXxxXXxx
				A1PXXX1802565	XXxxXXxx
				A1PXXU1803576 MAINT DOC REF TO BE READ AS AIP MCS 338/18-8-3	XXxxXXxx
				A1PXXX1802582	XXxxXXxx
				A1PXXU1803577 MAINT DOC REF TO BE READ AS AIP MCS 338/18-8-4	XXxxXXxx
				A1PXXX1802583	XXxxXXxx
				03NOV17 03:29	
				31DEC25 03:29	
				A1PXXX1803844	XXxxXXxx
				WING REPAIRS - R2	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02459  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
			TO (OPTIONAL)	TRANS REFERENCE	
LIFE SINCE NEW					
24JUL18 06:20	Create/Amend Basic Weight	993.7	1736.20 4269.3	7412393.25 0.00	
	9073.6 AFHR		1735.20 4271.9	7412394.30 0.00	
	Maintenance Comment	0.0	A1PXXX1807125		XXxxXXxx
03AUG18 06:10	Change Part Number of an A	0.0	POST MOD-272 INCORPORATION		
	Maintenance Comment	0.0	NO PARENT TRANSACTION DETAILS		
03AUG18 06:10	Change Part Number of an A	0.0	MPAN 030/2018 AL.1 REF: OID: BF502403 INC'D		
	Estimated Date/Time Servic	69.7-	NO PARENT TRANSACTION DETAILS		
			25MAY18 00:00 C		
23AUG18 05:29	Asset Comments	0.0	25MAY18 00:00		
	9073.6 AFHR		MCF R2 + ENG CHANGE		
23AUG18 10:28	Initiate Toolboard	xxxx	A1PXXX1808330		XXxxXXxx
	9073.6 AFHR		14 B/F		
23AUG18 10:29	Clear Toolboard	xxxx			XXxxXXxx
	9073.6 AFHR		14		
24AUG18 02:15	Maintenance Release	294.9			XXxxXXxx
	9073.6 AFHR		M PEA		
	Change Serviceability Stat	294.9	A		
	Estimated Date/Time Servic	70.1-	A1PXXX1808385		XXxxXXxx
			U/S		
			SERV		
24AUG18 06:29	Into Maintenance	0.1	25MAY18 00:00		
	9073.6 AFHR		SERV STAT		
	Initiate Toolboard	xxxx	A		
	9073.6 AFHR		M PEA		
26AUG18 22:27	Clear Toolboard	xxxx	A1PXXXO1806542		XXxxXXxx
	9073.6 AFHR		14 B/F		
27AUG18 00:33	Maintenance Release	2.7			XXxxXXxx
	9073.6 AFHR		14		
27AUG18 00:34	Into Maintenance	0.0	M PEA		
	9073.6 AFHR		A		
	Estimated Date/Time Servic	70.1-	A1PXXX1808442		XXxxXXxx
			A		
27AUG18 01:49	Clear Toolboard	xxxx	A1PXXXO1806566		XXxxXXxx
	9073.6 AFHR		14		

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02460  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
27AUG18 02:08	Change Serviceability Stat	9073.9 AFHR	0.0	SERV U/S A1PXXU1810516	XXxxXXxx
	Estimated Date/Time Servic		737296.0	SERV STAT 28AUG18	
27AUG18 09:04	Initiate Toolboard	9073.9 AFHR	xxxx	14 B/F	XXxxXXxx
27AUG18 09:43	Clear Toolboard	9073.9 AFHR	xxxx	14	XXxxXXxx
28AUG18 09:30	Initiate Toolboard	9073.9 AFHR	xxxx	14 B/F	XXxxXXxx
28AUG18 09:30	Clear Toolboard	9073.9 AFHR	xxxx	14	XXxxXXxx
29AUG18 09:45	Initiate Toolboard	9073.9 AFHR	xxxx	14 B/F	XXxxXXxx
29AUG18 09:45	Clear Toolboard	9073.9 AFHR	xxxx	14	XXxxXXxx
30AUG18 02:03	Maintenance Release	9073.9 AFHR	2.9	M PEA A A1PXXX1808595	XXxxXXxx
	Change Serviceability Stat		2.9	U/S SERV 28AUG18 02:08	
	Estimated Date/Time Servic		0.9	SERV STAT	
30AUG18 03:44	Into Maintenance	9073.9 AFHR	0.0	A A1PXXO1806705	XXxxXXxx
30AUG18 03:47	Change Serviceability Stat		0.0	SERV U/S A1PXXU1810684	XXxxXXxx
	Estimated Date/Time Servic		737301.9	SERV STAT 31AUG18	
30AUG18 03:50	Asset Comments	9074.9 AFHR	0.0	A1PXXX1808619	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02461  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
30AUG18 04:45	Maintenance Release	0.0	M PEA A	
	9074.9 AFHR Change Serviceability Stat	0.0	A1PXXX1808624 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.0	SERV 31AUG18 03:47 SERV STAT	
30AUG18 08:34	Into Maintenance	0.1	A	
	9074.9 AFHR		A1PXXO1806724	XXxxXXxx
30AUG18 09:54	Initiate Toolboard	xxxx	14 B/F	
	9075.9 AFHR			XXxxXXxx
30AUG18 09:54	Clear Toolboard	xxxx	14	
	9075.9 AFHR			XXxxXXxx
30AUG18 11:09	Change Serviceability Stat	0.1	SERV U/S	
	9075.9 AFHR Estimated Date/Time Servic	737301.7	A1PXXU1810589 SERV STAT 31AUG18	XXxxXXxx
30AUG18 12:23	Asset Comments	0.0	AIRTEST 9077.9FRONT EADI	
	9075.9 AFHR		A1PXXX1808640	XXxxXXxx
30AUG18 12:49	Initiate Toolboard	xxxx	14 B/F	
	9075.9 AFHR			XXxxXXxx
30AUG18 12:50	Clear Toolboard	xxxx	14	
	9075.9 AFHR			XXxxXXxx
30AUG18 23:46	Maintenance Release	0.5	M PEA A	
	9075.9 AFHR Change Serviceability Stat	0.5	A1PXXX1808664 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.5	SERV 31AUG18 11:09 SERV STAT	
31AUG18 02:07	Into Maintenance	0.0	A	
	9075.9 AFHR		A1PXXO1806741	XXxxXXxx
31AUG18 02:34	Asset Comments	0.0		
	9075.9 AFHR		A1PXXX1808687	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02462  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----			
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
LIFE SINCE NEW		TRANS REFERENCE			
=====					
31AUG18 02:34	Change Serviceability Stat	0.0	SERV		
	9077.4 AFHR		U/S		
	Estimated Date/Time Servic	737302.8	A1PXXU1810974		XXxxXXxx
03SEP18 01:30	Initiate Toolboard	xxxx	SERV STAT		
	9077.4 AFHR		01SEP18		
03SEP18 01:31	Clear Toolboard	xxxx	14 B/F		XXxxXXxx
	9077.4 AFHR		14		
03SEP18 01:31	Maintenance Release	2.9	M PEA		
	9077.4 AFHR		A		
	Change Serviceability Stat	2.9	A1PXXX1808705		XXxxXXxx
	Estimated Date/Time Servic	0.9	U/S		
03SEP18 07:56	Into Maintenance	0.2	SERV		
	9080.2 AFHR		01SEP18 02:34		
03SEP18 09:53	Initiate Toolboard	xxxx	SERV STAT		
	9080.2 AFHR		A		
03SEP18 09:54	Clear Toolboard	xxxx	M PEA		
	9080.2 AFHR		A1PXXO1806802		XXxxXXxx
03SEP18 23:12	Maintenance Release	0.6	14 B/F		XXxxXXxx
	9080.2 AFHR		14		
04SEP18 04:53	Into Maintenance	0.2	M PEA		
	9081.6 AFHR		A		
04SEP18 04:53	Change Serviceability Stat	0.0	A1PXXX1808751		XXxxXXxx
	Estimated Date/Time Servic	737305.8	A		
	9081.6 AFHR		A1PXXO1806822		XXxxXXxx
	Estimated Date/Time Servic	737305.8	SERV		
	9081.6 AFHR		U/S		
	Estimated Date/Time Servic	737305.8	A1PXXU1809325		XXxxXXxx
	Estimated Date/Time Servic	737305.8	SERV STAT		
	Estimated Date/Time Servic	737305.8	05SEP18		

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02463  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
04SEP18 07:23	Maintenance Release	0.1	M PEA A	
	9081.6 AFHR Change Serviceability Stat	0.1	A1PXXX1808790 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.1	SERV 05SEP18 04:53 SERV STAT	
04SEP18 07:23	Into Maintenance	0.0	A M PEA	
	9081.6 AFHR		A1PXXO1806832	XXxxXXxx
04SEP18 09:46	Initiate Toolboard	xxxx	14 B/F	
	9083.2 AFHR			XXxxXXxx
04SEP18 09:47	Clear Toolboard	xxxx	14	
	9083.2 AFHR			XXxxXXxx
04SEP18 22:40	Maintenance Release	0.6	M PEA A	
	9083.2 AFHR		A1PXXX1808804	XXxxXXxx
05SEP18 08:08	Into Maintenance	0.3	A	
	9086.0 AFHR		A1PXXO1806865	XXxxXXxx
05SEP18 10:22	Change Serviceability Stat	0.0	SERV U/S	
	9087.6 AFHR		A1PXXU1811229	XXxxXXxx
	Estimated Date/Time Servic	737306.8	SERV STAT 06SEP18	
05SEP18 11:37	Initiate Toolboard	xxxx	14 B/F	
	9087.6 AFHR			XXxxXXxx
05SEP18 11:37	Clear Toolboard	xxxx	14	
	9087.6 AFHR			XXxxXXxx
05SEP18 23:53	Maintenance Release	0.5	M PEA A	
	9087.6 AFHR		A1PXXX1808867	XXxxXXxx
	Change Serviceability Stat	0.5	U/S	
	Estimated Date/Time Servic	1.5	SERV 06SEP18 10:22 SERV STAT	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02464  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
06SEP18	05:25	Into Maintenance 9090.3 AFHR	0.2	A A1PXXO1806900		XXxxXXxx
06SEP18	06:24	Change Serviceability Stat 9090.3 AFHR	0.0	SERV U/S A1PXXU1811001		XXxxXXxx
		Estimated Date/Time Servic	737308.7	SERV STAT 07SEP18		
06SEP18	09:47	Initiate Toolboard 9090.3 AFHR	xxxx	14 B/F		XXxxXXxx
06SEP18	09:48	Clear Toolboard 9090.3 AFHR	xxxx	14		XXxxXXxx
07SEP18	00:07	Maintenance Release 9090.3 AFHR	0.7	M PEA A A1PXXX1808922		XXxxXXxx
		Change Serviceability Stat	0.7	U/S SERV		
		Estimated Date/Time Servic	0.7	07SEP18 06:24 SERV STAT		
07SEP18	06:11	Into Maintenance 9090.3 AFHR	0.2	A M PEA A1PXXO1806935		XXxxXXxx
09SEP18	02:11	Initiate Toolboard 9090.3 AFHR	xxxx	14 B/F		XXxxXXxx
09SEP18	02:11	Clear Toolboard 9090.3 AFHR	xxxx	14		XXxxXXxx
09SEP18	02:14	Maintenance Release 9090.3 AFHR	1.8	M PEA A A1PXXX1808945		XXxxXXxx
09SEP18	05:48	Asset Comments 9090.3 AFHR	0.0	LMO A1PXXX1808950	LMO	XXxxXXxx
09SEP18	23:34	Into Maintenance 9090.3 AFHR	0.8	A M PEA A1PXXO1806959		XXxxXXxx
09SEP18	23:36	Initiate Toolboard 9093.2 AFHR	xxxx	14 B/F		XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02465  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
09SEP18	23:37	Clear Toolboard		xxxx	14	
		9093.2 AFHR				XXxxXXxx
09SEP18	23:37	Maintenance Release		0.0	M PEA	
		9093.2 AFHR			A	
10SEP18	03:04	Asset Comments		0.0	A1PXXX1808958	XXxxXXxx
		9093.2 AFHR			LEARMONTH LMO	
10SEP18	06:49	Into Maintenance		0.2	A1PXXX1808979	XXxxXXxx
		9094.3 AFHR			A	
10SEP18	07:46	Maintenance Release		0.0	M LMO	
		9095.9 AFHR			A1PXXO1806989	XXxxXXxx
10SEP18	08:07	Into Maintenance		0.0	M LMO	
		9095.9 AFHR			A	
10SEP18	08:08	Initiate Toolboard		xxxx	M LMO	
		9095.9 AFHR			A1PXXO1806993	XXxxXXxx
10SEP18	08:08	Clear Toolboard		xxxx	14 B/F	XXxxXXxx
		9095.9 AFHR				XXxxXXxx
10SEP18	08:08	Maintenance Release		0.0	M LMO	
		9095.9 AFHR			A	
11SEP18	07:59	Into Maintenance		0.9	A1PXXX1809003	XXxxXXxx
		9099.6 AFHR			A	
11SEP18	08:06	Initiate Toolboard		xxxx	M LMO	
		9100.9 AFHR			A1PXXO1807056	XXxxXXxx
11SEP18	08:07	Clear Toolboard		xxxx	14 B/F	XXxxXXxx
		9100.9 AFHR				XXxxXXxx
11SEP18	08:08	Maintenance Release		0.0	M LMO	
		9100.9 AFHR			A	
12SEP18	07:58	Into Maintenance		0.9	A1PXXX1809056	XXxxXXxx
		9104.7 AFHR			A	
					M LMO	
					A1PXXO1807125	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02466  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
12SEP18 08:00	Initiate	Toolboard	9106.0 AFHR	xxxx	14 B/F	XXxxXXxx
12SEP18 08:00	Clear	Toolboard	9106.0 AFHR	xxxx	14	XXxxXXxx
12SEP18 08:04	Initiate	Toolboard	9106.0 AFHR	xxxx	14 B/F	XXxxXXxx
12SEP18 08:05	Clear	Toolboard	9106.0 AFHR	xxxx	14	XXxxXXxx
12SEP18 08:05	Maintenance	Release	9106.0 AFHR	0.0	M LMO A A1PXXX1809121	XXxxXXxx
13SEP18 06:44	Into	Maintenance	9109.7 AFHR	0.9	A A1PXXO1807171	XXxxXXxx
13SEP18 07:50	Change	Serviceability Stat	9109.7 AFHR	0.0	SERV U/S A1PXXU1811291	XXxxXXxx
	Estimated	Date/Time Servic		737309.6	SERV STAT 14SEP18	
13SEP18 08:07	Initiate	Toolboard	9109.7 AFHR	xxxx	14 B/F	XXxxXXxx
13SEP18 08:09	Clear	Toolboard	9109.7 AFHR	xxxx	14	XXxxXXxx
13SEP18 08:09	Maintenance	Release	9109.7 AFHR	0.0	M LMO A A1PXXX1809166	XXxxXXxx
	Change	Serviceability Stat		0.0	U/S SERV 14SEP18 07:50	
	Estimated	Date/Time Servic		1.0	SERV STAT	
14SEP18 08:14	Into	Maintenance		1.0	A M LMO	
16SEP18 23:06	Initiate	Toolboard	9110.9 AFHR	xxxx	A1PXXO1807244	XXxxXXxx
16SEP18 23:06	Clear	Toolboard	9112.3 AFHR	xxxx	14 B/F	XXxxXXxx
16SEP18 23:06	Clear	Toolboard	9112.3 AFHR	xxxx	14	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02467  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
			LIFE SINCE NEW	TRANS REFERENCE			
16SEP18	23:11	Initiate	Toolboard 9117.2 AFHR	xxxx	14	B/F	XXxxXXxx
16SEP18	23:12	Clear	Toolboard 9117.2 AFHR	xxxx	14		XXxxXXxx
16SEP18	23:12	Maintenance	Release 9117.2 AFHR	2.6	M LMO A		XXxxXXxx
17SEP18	07:48	Into	Maintenance 9121.2 AFHR	0.3	A1PXXX1809213 A		XXxxXXxx
17SEP18	07:50	Initiate	Toolboard 9122.2 AFHR	xxxx	M LMO A1PXXO1807287		XXxxXXxx
17SEP18	07:54	Clear	Toolboard 9122.2 AFHR	xxxx	14		XXxxXXxx
17SEP18	07:56	Maintenance	Release 9122.2 AFHR	0.0	M LMO A		XXxxXXxx
18SEP18	07:48	Into	Maintenance 9125.9 AFHR	0.9	A1PXXX1809239 A		XXxxXXxx
18SEP18	07:53	Change	Serviceability Stat 9127.0 AFHR	0.0	A1PXXO1807341 SERV U/S		XXxxXXxx
		Estimated Date/Time	Servic 737316.0		A1PXXU1811718 SERV STAT 19SEP18		XXxxXXxx
18SEP18	07:58	Initiate	Toolboard 9127.0 AFHR	xxxx	14	B/F	XXxxXXxx
18SEP18	22:57	Clear	Toolboard 9127.0 AFHR	xxxx	14		XXxxXXxx
18SEP18	22:57	Maintenance	Release 9127.0 AFHR	0.6	M LMO A		XXxxXXxx
		Change	Serviceability Stat 9127.0 AFHR	0.6	A1PXXX1809303 U/S		XXxxXXxx
		Estimated Date/Time	Servic 1.6		SERV 19SEP18 07:53 SERV STAT		

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02468  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
19SEP18	07:51	Into Maintenance	0.3	A		
		9130.6 AFHR		M LMO		
19SEP18	07:53	Initiate Toolboard	xxxx	A1PXXO1807398		XXxxXXxx
		9131.9 AFHR		14 B/F		
19SEP18	07:55	Clear Toolboard	xxxx	14		XXxxXXxx
		9131.9 AFHR				
19SEP18	07:57	Maintenance Release	0.0	M LMO		
		9131.9 AFHR		A		
20SEP18	05:00	Into Maintenance	0.8	A1PXXX1809347		XXxxXXxx
		9131.9 AFHR		A		
20SEP18	05:22	Asset Comments	0.0	A1PXXO1807426		XXxxXXxx
		9131.9 AFHR				
20SEP18	08:42	Change Serviceability Stat	0.1	A1PXXX1809385		XXxxXXxx
		9135.1 AFHR		SERV		
		Estimated Date/Time Servic	737321.5	U/S		
				A1PXXU1811573		XXxxXXxx
20SEP18	09:27	Initiate Toolboard	xxxx	SERV STAT		
		9135.1 AFHR		21SEP18		
20SEP18	09:27	Clear Toolboard	xxxx	14 B/F		XXxxXXxx
		9135.1 AFHR				
20SEP18	11:22	Asset Comments	0.0	A/T	A/T	XXxxXXxx
		9135.1 AFHR		A1PXXX1809395		
21SEP18	00:12	Maintenance Release	0.6	M PEA		
		9135.1 AFHR		A		
		Change Serviceability Stat	0.6	A1PXXX1809410		XXxxXXxx
		Estimated Date/Time Servic	0.6	U/S		
				SERV		
				21SEP18 08:42		
21SEP18	03:09	Asset Comments	0.0	SERV STAT		
		9135.1 AFHR				
21SEP18	03:09	Into Maintenance	0.1	A1PXXX1809413		XXxxXXxx
		9135.1 AFHR		A		
				A1PXXO1807450		XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02469  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
21SEP18 03:12	Change Serviceability Stat	0.0	SERV U/S A1PXXU1811799	XXxxXXxx
	9136.5 AFHR Estimated Date/Time Servic	737323.8	SERV STAT 22SEP18	
21SEP18 03:13	Maintenance Release	0.0	M PEA A A1PXXX1809414	XXxxXXxx
	9136.5 AFHR Change Serviceability Stat	0.0	U/S SERV 22SEP18 03:12	
21SEP18 06:48	Into Maintenance	0.1	SERV STAT A A1PXXO1807461	XXxxXXxx
24SEP18 22:10	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
24SEP18 22:39	Clear Toolboard	xxxx	14	XXxxXXxx
	9137.9 AFHR			
25SEP18 00:15	Change Serviceability Stat	3.7	SERV U/S A1PXXU1811881	XXxxXXxx
	9137.9 AFHR Estimated Date/Time Servic	737324.1	SERV STAT 26SEP18	
25SEP18 00:24	Maintenance Release	0.0	M PEA A A1PXXX1809442	XXxxXXxx
	9137.9 AFHR Change Serviceability Stat	0.0	U/S SERV 26SEP18 00:15	
	Estimated Date/Time Servic	1.0	SERV STAT AIRTEST 9137.9FRONT ESDP OPS.	
25SEP18 00:30	Asset Comments	0.0	A1PXXX1809443	XXxxXXxx
	9137.9 AFHR			
25SEP18 03:05	Into Maintenance	0.1	A A1PXXO1807475	XXxxXXxx
	9137.9 AFHR			
25SEP18 03:08	Asset Comments	0.0	A1PXXX1809453	XXxxXXxx
	9137.9 AFHR			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02470  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----			
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
LIFE SINCE NEW		TRANS REFERENCE			
=====					
25SEP18 03:09	Change Serviceability Stat	0.0	SERV		
	9139.1 AFHR		U/S		
	Estimated Date/Time Servic	737327.8	A1PXXU1811882		XXxxXXxx
25SEP18 03:11	Maintenance Release	0.0	SERV STAT		
	9139.1 AFHR		26SEP18		
	Change Serviceability Stat	0.0	M PEA		
	9139.1 AFHR		A		
	Estimated Date/Time Servic	1.0	A1PXXX1809455		XXxxXXxx
25SEP18 06:15	Into Maintenance	0.1	U/S		
	9139.1 AFHR		SERV		
	Estimated Date/Time Servic	1.0	26SEP18 03:09		
25SEP18 09:50	Initiate Toolboard	xxxx	SERV STAT		
	9140.6 AFHR		A		
	Estimated Date/Time Servic	1.0	M PEA		
25SEP18 09:50	Clear Toolboard	xxxx	A1PXXO1807486		XXxxXXxx
	9140.6 AFHR		14 B/F		
	Estimated Date/Time Servic	1.0	14		XXxxXXxx
25SEP18 09:50	Maintenance Release	0.1	SERV STAT		
	9140.6 AFHR		A		
	Estimated Date/Time Servic	1.0	M PEA		
25SEP18 11:48	Into Maintenance	0.0	A1PXXX1809470		XXxxXXxx
	9140.6 AFHR		A		
	Estimated Date/Time Servic	1.0	A1PXXO1807505		XXxxXXxx
25SEP18 13:31	Change Serviceability Stat	0.0	SERV		
	9141.5 AFHR		U/S		
	Estimated Date/Time Servic	737327.5	A1PXXU1811953		XXxxXXxx
25SEP18 22:32	Maintenance Release	0.3	SERV STAT		
	9141.5 AFHR		26SEP18		
	Change Serviceability Stat	0.3	M PEA		
	9141.5 AFHR		A		
	Estimated Date/Time Servic	1.3	A1PXXX1809485		XXxxXXxx
	Estimated Date/Time Servic	1.3	U/S		
	Estimated Date/Time Servic	1.3	SERV		
	Estimated Date/Time Servic	1.3	26SEP18 13:33		
	Estimated Date/Time Servic	1.3	SERV STAT		

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02471  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
26SEP18 08:46	Into Maintenance	9144.1 AFHR	0.4	A A1PXXO1807546	XXxxXXxx
26SEP18 09:30	Initiate Toolboard	9145.7 AFHR	xxxx	14 B/F	XXxxXXxx
26SEP18 09:30	Clear Toolboard	9145.7 AFHR	xxxx	14	XXxxXXxx
26SEP18 12:28	Change Serviceability Stat	9145.7 AFHR	0.1	SERV U/S A1PXXU1812014	XXxxXXxx
	Estimated Date/Time Servic		737328.4	SERV STAT 27SEP18	
26SEP18 12:48	Asset Comments	9145.7 AFHR	0.0	AIRTEST 9147.7REAR ALTIMETER OPS	XXxxXXxx
26SEP18 22:31	Maintenance Release	9145.7 AFHR	0.4	A1PXXX1809514 M PEA A	XXxxXXxx
	Change Serviceability Stat	9145.7 AFHR	0.4	A1PXXX1809527 U/S	XXxxXXxx
	Estimated Date/Time Servic		1.4	SERV 27SEP18 12:29 SERV STAT	
27SEP18 01:22	Into Maintenance	9145.7 AFHR	0.1	A A1PXXO1807567	XXxxXXxx
27SEP18 01:33	Asset Comments	9145.7 AFHR	0.0	A1PXXX1809536	XXxxXXxx
27SEP18 01:33	Change Serviceability Stat	9147.0 AFHR	0.0	SERV U/S A1PXXU1812015	XXxxXXxx
	Estimated Date/Time Servic		737329.8	SERV STAT 28SEP18	
27SEP18 01:34	Maintenance Release	9147.0 AFHR	0.0	M PEA A	XXxxXXxx
	Change Serviceability Stat	9147.0 AFHR	0.0	A1PXXX1809537 U/S	XXxxXXxx
	Estimated Date/Time Servic		1.0	SERV 28SEP18 01:33 SERV STAT	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02472  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
27SEP18 09:27	Into Maintenance	0.3	A M PEA	
	9148.3 AFHR		A1PXXO1807606	XXxxXXxx
27SEP18 09:28	Initiate Toolboard	xxxx	14 B/F	
	9148.3 AFHR			XXxxXXxx
27SEP18 09:28	Clear Toolboard	xxxx	14	
	9148.3 AFHR			XXxxXXxx
27SEP18 09:41	Maintenance Release	0.0	M PEA A	
	9148.3 AFHR		A1PXXX1809554	XXxxXXxx
27SEP18 13:45	Into Maintenance	0.1	A	
	9150.7 AFHR		A1PXXO1807614	XXxxXXxx
27SEP18 13:47	Change Serviceability Stat	0.0	SERV U/S	
	9151.7 AFHR		A1PXXU1811823	XXxxXXxx
	Estimated Date/Time Servic	737329.4	SERV STAT 28SEP18	
30SEP18 22:48	Initiate Toolboard	xxxx	14 B/F	
	9151.7 AFHR			XXxxXXxx
30SEP18 23:26	Clear Toolboard	xxxx	14	
	9151.7 AFHR			XXxxXXxx
30SEP18 23:29	Maintenance Release	3.4	M PEA A	
	9151.7 AFHR		A1PXXX1809586	XXxxXXxx
	Change Serviceability Stat	3.4	U/S SERV	
	Estimated Date/Time Servic	1.4	28SEP18 13:47 SERV STAT	
01OCT18 09:03	Into Maintenance	0.3	A M PEA	
	9153.2 AFHR		A1PXXO1807650	XXxxXXxx
01OCT18 09:20	Initiate Toolboard	xxxx	14 B/F	
	9154.7 AFHR			XXxxXXxx
01OCT18 09:20	Clear Toolboard	xxxx	14	
	9154.7 AFHR			XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02473  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
01OCT18	10:26	Maintenance Release	0.0	M PEA A		
		9154.7 AFHR		A1PXXX1809606		XXxxXXxx
01OCT18	15:30	Into Maintenance	0.2	M PEA A		
		9155.7 AFHR		A1PXXO1807658		XXxxXXxx
01OCT18	23:19	Maintenance Release	0.3	M PEA A		
		9156.7 AFHR		A1PXXX1809617		XXxxXXxx
02OCT18	01:15	Maintenance Comment	0.0	ANNUAL REVIEW OF A/C LOG BOOK C/OUT IAW AAP 7001.059		
		9156.7 AFHR		A1PXXX1809634		XXxxXXxx
02OCT18	07:48	Into Maintenance	0.3	M PEA A		
		9159.2 AFHR		A1PXXO1807691		XXxxXXxx
02OCT18	09:46	Initiate Toolboard	xxxx	14 B/F		
		9160.6 AFHR				XXxxXXxx
02OCT18	09:47	Clear Toolboard	xxxx	14		
		9160.6 AFHR				XXxxXXxx
02OCT18	11:05	Maintenance Release	0.1	M PEA A		
		9160.6 AFHR		A1PXXX1809658		XXxxXXxx
02OCT18	13:09	Into Maintenance	0.0	M PEA A		
		9160.6 AFHR		A1PXXO1807698		XXxxXXxx
02OCT18	13:11	Change Serviceability Stat	0.0	SERV U/S		
		9161.6 AFHR		A1PXXU1812233		XXxxXXxx
		Estimated Date/Time Servic	737333.4	SERV STAT 03OCT18		
03OCT18	00:01	Maintenance Release	0.4	M PEA A		
		9161.6 AFHR		A1PXXX1809720		XXxxXXxx
		Change Serviceability Stat	0.4	SERV U/S		
		Estimated Date/Time Servic	0.4	03OCT18 13:11 SERV STAT		

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02474  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
03OCT18 09:07	Into Maintenance	9164.9 AFHR	0.3	A A1PXXO1807739	XXxxXXxx
03OCT18 09:44	Initiate Toolboard	9166.2 AFHR	xxxx	14 B/F	XXxxXXxx
03OCT18 09:44	Clear Toolboard	9166.2 AFHR	xxxx	14	XXxxXXxx
03OCT18 10:04	Change Serviceability Stat	9166.2 AFHR	0.0	SERV U/S A1PXXU1812297	XXxxXXxx
	Estimated Date/Time Servic		737335.5	SERV STAT 04OCT18	
03OCT18 23:02	Maintenance Release	9166.2 AFHR	0.5	M PEA A A1PXXX1809772	XXxxXXxx
	Change Serviceability Stat		0.5	U/S SERV	
	Estimated Date/Time Servic		1.5	04OCT18 10:04 SERV STAT	
04OCT18 07:07	Into Maintenance	9168.6 AFHR	0.3	A M PEA A1PXXO1807768	XXxxXXxx
04OCT18 09:43	Initiate Toolboard	9168.6 AFHR	xxxx	14 B/F	XXxxXXxx
04OCT18 09:43	Clear Toolboard	9168.6 AFHR	xxxx	14	XXxxXXxx
04OCT18 10:11	Maintenance Release	9168.6 AFHR	0.1	M PEA A A1PXXX1809803	XXxxXXxx
04OCT18 12:29	Into Maintenance	9168.6 AFHR	0.0	A A1PXXO1807780	XXxxXXxx
04OCT18 12:32	Change Serviceability Stat	9169.6 AFHR	0.0	SERV U/S A1PXXU1812100	XXxxXXxx
	Estimated Date/Time Servic		737336.4	SERV STAT 05OCT18	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02475  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
05OCT18	01:16	Maintenance Release	0.5	M PEA A		
		9169.6 AFHR Change Serviceability Stat	0.5	A1PXXX1809830 U/S		XXxxXXxx
		Estimated Date/Time Servic	0.5	SERV 05OCT18 12:32 SERV STAT		
05OCT18	07:07	Into Maintenance	0.2	A M PEA		
		9170.8 AFHR		A1PXXO1807808		XXxxXXxx
07OCT18	22:08	Initiate Toolboard	xxxx	14 B/F		
		9172.3 AFHR				XXxxXXxx
07OCT18	23:47	Clear Toolboard	xxxx	14		
		9172.3 AFHR				XXxxXXxx
07OCT18	23:47	Maintenance Release	2.6	M PEA A		
		9172.3 AFHR		A1PXXX1809858		XXxxXXxx
08OCT18	07:53	Into Maintenance	0.3	A M PEA		
		9174.7 AFHR		A1PXXO1807854		XXxxXXxx
08OCT18	09:45	Initiate Toolboard	xxxx	14 B/F		
		9176.2 AFHR				XXxxXXxx
08OCT18	11:25	Clear Toolboard	xxxx	14		
		9176.2 AFHR				XXxxXXxx
08OCT18	22:11	Maintenance Release	0.5	M PEA A		
		9176.2 AFHR		A1PXXX1810027		XXxxXXxx
09OCT18	05:54	Into Maintenance	0.3	A		
		9178.8 AFHR		A1PXXO1807888		XXxxXXxx
09OCT18	09:53	Initiate Toolboard	xxxx	14 B/F		
		9180.2 AFHR				XXxxXXxx
09OCT18	09:54	Clear Toolboard	xxxx	14		
		9180.2 AFHR				XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02476  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
09OCT18 11:04	Change Serviceability Stat	0.2	SERV U/S	
	9181.6 AFHR Estimated Date/Time Servic	737337.5	A1PXXU1812500 SERV STAT 10OCT18	XXxxXXxx
09OCT18 23:50	Maintenance Release	0.5	M PEA A	
	9181.6 AFHR Change Serviceability Stat	0.5	A1PXXX1810088 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.5	SERV 10OCT18 11:05 SERV STAT	
10OCT18 08:19	Into Maintenance	0.3	A M PEA	
	9184.1 AFHR Initiate Toolboard	xxxx	A1PXXO1807950 14 B/F	XXxxXXxx
	9185.4 AFHR Clear Toolboard	xxxx	14	XXxxXXxx
10OCT18 22:52	Maintenance Release	0.6	M PEA A	
	9185.4 AFHR Into Maintenance	0.4	A1PXXX1810131 A	XXxxXXxx
11OCT18 08:29	Change Serviceability Stat	0.0	A1PXXO1807994 SERV	XXxxXXxx
	9189.5 AFHR Estimated Date/Time Servic	737342.6	U/S A1PXXU1812406 SERV STAT 12OCT18	XXxxXXxx
11OCT18 09:39	Initiate Toolboard	xxxx	14 B/F	
	9189.5 AFHR Clear Toolboard	xxxx	14	XXxxXXxx
11OCT18 23:15	Clear Toolboard	xxxx	14	XXxxXXxx
	9189.5 AFHR			XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02477  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----			
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
=====	=====	=====	=====	=====	=====
	LIFE SINCE NEW		TRANS REFERENCE		
12OCT18 01:05	Maintenance Release	0.6	M PEA A		
	9189.5 AFHR Change Serviceability Stat	0.6	A1PXXX1810193 U/S		XXxxXXxx
	Estimated Date/Time Servic	0.6	SERV 12OCT18 09:24 SERV STAT		
12OCT18 05:38	Into Maintenance	0.1	A M PEA		
	9190.8 AFHR		A1PXXO1808017		XXxxXXxx
14OCT18 22:10	Initiate Toolboard	xxxx	14 B/F		
	9192.2 AFHR				XXxxXXxx
14OCT18 23:25	Clear Toolboard	xxxx	14		
	9192.2 AFHR				XXxxXXxx
14OCT18 23:25	Maintenance Release	2.7	M PEA A		
	9192.2 AFHR		A1PXXX1810226		XXxxXXxx
15OCT18 08:11	Into Maintenance	0.3	A M PEA		
	9194.4 AFHR		A1PXXO1808069		XXxxXXxx
15OCT18 09:33	Initiate Toolboard	xxxx	14 B/F		
	9195.7 AFHR				XXxxXXxx
15OCT18 09:33	Clear Toolboard	xxxx	14		
	9195.7 AFHR				XXxxXXxx
15OCT18 23:15	Maintenance Release	0.6	M PEA A		
	9195.7 AFHR		A1PXXX1810263		XXxxXXxx
16OCT18 07:50	Into Maintenance	0.3	A		
	9198.3 AFHR		A1PXXO1808117		XXxxXXxx
16OCT18 09:45	Change Serviceability Stat	0.0	SERV U/S		
	9199.6 AFHR Estimated Date/Time Servic	737344.6	A1PXXU1812842 SERV STAT		XXxxXXxx
			17OCT18		
16OCT18 09:49	Initiate Toolboard	xxxx	14 B/F		
	9199.6 AFHR				XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02478  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
16OCT18 09:49		Clear Toolboard		xxxx	14	
		9199.6 AFHR				XXxxXXxx
17OCT18 03:00		Maintenance Release		0.7	M PEA A	
		9199.6 AFHR			A1PXXX1810321	XXxxXXxx
		Change Serviceability Stat		0.7	U/S SERV	
		Estimated Date/Time Servic		0.7	17OCT18 09:45 SERV STAT	
17OCT18 08:42		Asset Comments		0.0	GERO O/N YGEL	
		9202.4 AFHR			A1PXXX1810350	XXxxXXxx
17OCT18 08:44		Operator Acceptance		0.0	aip04023	
		9202.4 AFHR			A1PXXX1810355	XXxxXXxx
		Maintenance Comment		0.0	O/N YGEL	
19OCT18 04:53		Into Maintenance		2.0	A	
		9204.0 AFHR			A1PXXO1808235	XXxxXXxx
19OCT18 05:32		Operator Release		0.0	K. ARUMUGAM	
		9202.4 AFHR			A1PXXX1810441	XXxxXXxx
19OCT18 05:50		Change Serviceability Stat		0.0	SERV U/S	
		9205.7 AFHR			A1PXXU1812710	XXxxXXxx
		Estimated Date/Time Servic		737349.8	SERV STAT 20OCT18	
21OCT18 22:36		Asset Comments		0.0		
		9205.7 AFHR			A1PXXX1810445	XXxxXXxx
22OCT18 03:41		Initiate Toolboard		xxxx	14 B/F	
		9205.7 AFHR				XXxxXXxx
22OCT18 03:42		Clear Toolboard		xxxx	14	
		9205.7 AFHR				XXxxXXxx
22OCT18 03:43		Maintenance Release		2.9	M PEA A	
		9205.7 AFHR			A1PXXX1810472	XXxxXXxx
		Change Serviceability Stat		2.9	U/S SERV	
		Estimated Date/Time Servic		0.9	20OCT18 05:50 SERV STAT	

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02479  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
22OCT18	07:33	Into Maintenance	0.1	A		
		9205.7 AFHR		M PEA		
22OCT18	09:40	Initiate Toolboard	xxxx	A1PXXO1808276		XXxxXXxx
		9207.1 AFHR		14 B/F		
22OCT18	09:41	Clear Toolboard	xxxx	14		XXxxXXxx
		9207.1 AFHR				
22OCT18	23:09	Maintenance Release	0.6	M PEA		
		9207.1 AFHR		A		
23OCT18	07:42	Into Maintenance	0.3	A1PXXX1810494		XXxxXXxx
		9209.6 AFHR		A		
23OCT18	08:04	Change Serviceability Stat	0.0	A1PXXO1808336		XXxxXXxx
		9210.8 AFHR		SERV		
		Estimated Date/Time Servic	737354.8	U/S		
				A1PXXU1813123		XXxxXXxx
23OCT18	09:09	Initiate Toolboard	xxxx	SERV STAT		
		9210.8 AFHR		24OCT18		
23OCT18	09:09	Clear Toolboard	xxxx	14 B/F		XXxxXXxx
		9210.8 AFHR		14		
24OCT18	01:09	Maintenance Release	0.7	M PEA		
		9210.8 AFHR		A		
		Change Serviceability Stat	0.7	A1PXXX1810557		XXxxXXxx
		Estimated Date/Time Servic	0.7	U/S		
				SERV		
				24OCT18 08:04		
				SERV STAT		
24OCT18	04:57	Into Maintenance	0.1	A		
		9213.7 AFHR		M PEA		
24OCT18	09:28	Initiate Toolboard	xxxx	A1PXXO1808366		XXxxXXxx
		9213.7 AFHR		14 B/F		
24OCT18	09:29	Clear Toolboard	xxxx	14		XXxxXXxx
		9213.7 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02480  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
24OCT18 23:18	Maintenance Release	0.7	M PEA A A1PXXX1810619	XXxxXXxx
25OCT18 07:44	Into Maintenance	0.3	A A1PXXO1808433	XXxxXXxx
25OCT18 09:57	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
25OCT18 09:57	Clear Toolboard	xxxx	14	XXxxXXxx
25OCT18 11:12	Change Serviceability Stat	0.1	SERV U/S A1PXXU1813040	XXxxXXxx
	Estimated Date/Time Servic	737356.5	SERV STAT 26OCT18	
25OCT18 23:29	Maintenance Release	0.5	M PEA A A1PXXX1810697	XXxxXXxx
	Change Serviceability Stat	0.5	U/S SERV	
	Estimated Date/Time Servic	1.5	26OCT18 11:12 SERV STAT	
26OCT18 06:57	Into Maintenance	0.3	A M PEA A1PXXO1808490	XXxxXXxx
28OCT18 22:10	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
28OCT18 23:00	Clear Toolboard	xxxx	14	XXxxXXxx
28OCT18 23:24	Maintenance Release	2.6	M PEA A A1PXXX1810751	XXxxXXxx
29OCT18 08:28	Into Maintenance	0.3	A A1PXXO1808540	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02481  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
29OCT18 08:37	Change Serviceability Stat	0.0	SERV U/S A1PXXU1813383	XXxxXXxx
	9221.5 AFHR Estimated Date/Time Servic	737358.6	SERV STAT 30OCT18	
29OCT18 09:32	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	9221.5 AFHR			
29OCT18 10:19	Clear Toolboard	xxxx	14	XXxxXXxx
	9221.5 AFHR			
29OCT18 10:19	Maintenance Release	0.0	M PEA A	
	9221.5 AFHR		A1PXXX1810779	XXxxXXxx
	Change Serviceability Stat	0.0	U/S	
	Estimated Date/Time Servic	1.0	SERV 30OCT18 08:37	
29OCT18 14:58	Into Maintenance	0.1	SERV STAT A	
	9223.0 AFHR		M PEA A1PXXO1808556	XXxxXXxx
29OCT18 22:28	Maintenance Release	0.3	M PEA A	
	9224.2 AFHR		A1PXXX1810800	XXxxXXxx
30OCT18 09:25	Into Maintenance	0.4	A	
	9226.8 AFHR		A1PXXO1808587	XXxxXXxx
30OCT18 09:41	Change Serviceability Stat	0.0	SERV U/S	
	9228.5 AFHR		A1PXXU1813458	XXxxXXxx
	Estimated Date/Time Servic	737362.0	SERV STAT 31OCT18	
30OCT18 09:47	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	9228.5 AFHR			
30OCT18 09:48	Clear Toolboard	xxxx	14	XXxxXXxx
	9228.5 AFHR			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02482  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
30OCT18 09:49	Maintenance Release	0.0	M PEA A	
	9228.5 AFHR Change Serviceability Stat	0.0	A1PXXX1810851 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.0	SERV 31OCT18 09:41 SERV STAT	
30OCT18 15:23	Into Maintenance	0.2	A	
	9230.0 AFHR Change Serviceability Stat	0.0	A1PXXO1808610 SERV	XXxxXXxx
	Estimated Date/Time Servic	737362.7	U/S A1PXXU1813465 SERV STAT	XXxxXXxx
30OCT18 22:38	Maintenance Release	0.2	M PEA A	
	9231.1 AFHR Change Serviceability Stat	0.2	A1PXXX1810874 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.2	SERV 31OCT18 15:42 SERV STAT	
31OCT18 09:48	Into Maintenance	0.4	A	
	9235.4 AFHR Initiate Toolboard	xxxx	M PEA A1PXXO1808661 14 B/F	XXxxXXxx
31OCT18 10:02	Clear Toolboard	xxxx	14	XXxxXXxx
	9236.7 AFHR			XXxxXXxx
31OCT18 10:06	Maintenance Release	0.0	M PEA A	
	9236.7 AFHR Into Maintenance	0.1	A1PXXX1810924 A	XXxxXXxx
	9237.7 AFHR		A1PXXO1808670	XXxxXXxx
31OCT18 23:05	Asset Comments	0.0	R1	
	9238.6 AFHR		A1PXXX1810932	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02483  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
01NOV18 02:59	Change Serviceability Stat	0.5	SERV U/S A1PXXU1813611	XXxxXXxx
	9238.6 AFHR Estimated Date/Time Servic	737363.8	SERV STAT 02NOV18	
12DEC18 23:10	Estimated Date/Time Servic	1.8	02NOV18 02:59 21DEC18 02:59 A1PXXX1812527	XXxxXXxx
19DEC18 03:14	Asset Comments	0.0	MTF MTF	XXxxXXxx
	9238.6 AFHR		A1PXXX1812715	XXxxXXxx
15JAN19 08:17	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	9238.6 AFHR			XXxxXXxx
15JAN19 08:17	Clear Toolboard	xxxx	14	XXxxXXxx
	9238.6 AFHR			XXxxXXxx
15JAN19 23:47	Maintenance Release	75.8	M PEA A	
	9238.6 AFHR		A1PXXX1900179	XXxxXXxx
	Change Serviceability Stat	75.8	U/S	
	Estimated Date/Time Servic	9.0	SERV 21DEC18 00:00	
16JAN19 08:11	Into Maintenance	0.3	SERV STAT A	
	9238.6 AFHR		M PEA A1PXXO1900023	XXxxXXxx
16JAN19 09:30	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	9238.6 AFHR			XXxxXXxx
16JAN19 09:31	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	9238.6 AFHR			XXxxXXxx
16JAN19 09:31	Clear Toolboard	xxxx	14	XXxxXXxx
	9238.6 AFHR			XXxxXXxx
16JAN19 09:58	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	9238.6 AFHR			XXxxXXxx
16JAN19 09:58	Clear Toolboard	xxxx	14	XXxxXXxx
	9238.6 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02484  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
17JAN19	00:48	Maintenance Release	0.6	M PEA A		
		9238.6 AFHR		A1PXXX1900230		XXxxXXxx
17JAN19	03:25	Into Maintenance	0.1	A		
		9238.6 AFHR		A1PXXO1900038		XXxxXXxx
17JAN19	03:37	Asset Comments	0.0			
		9239.4 AFHR		A1PXXX1900238		XXxxXXxx
17JAN19	03:37	Change Serviceability Stat	0.0	SERV U/S		
		9239.4 AFHR		A1PXXU1815942		XXxxXXxx
		Estimated Date/Time Servic	737440.8	SERV STAT 18JAN19		
17JAN19	09:45	Initiate Toolboard	xxxx	14 B/F		
		9239.4 AFHR				XXxxXXxx
17JAN19	09:45	Clear Toolboard	xxxx	14		
		9239.4 AFHR				XXxxXXxx
17JAN19	22:59	Maintenance Release	0.8	M PEA A		
		9239.4 AFHR		A1PXXX1900260		XXxxXXxx
		Change Serviceability Stat	0.8	U/S SERV		
		Estimated Date/Time Servic	1.8	18JAN19 03:37 SERV STAT		
18JAN19	06:54	Into Maintenance	0.3	A M PEA		
		9240.7 AFHR		A1PXXO1900087		XXxxXXxx
20JAN19	22:09	Initiate Toolboard	xxxx	14 B/F		
		9242.2 AFHR				XXxxXXxx
20JAN19	23:11	Clear Toolboard	xxxx	14		
		9242.2 AFHR				XXxxXXxx
20JAN19	23:11	Maintenance Release	2.6	M PEA A		
		9242.2 AFHR		A1PXXX1900294		XXxxXXxx
21JAN19	02:20	Into Maintenance	0.1	A		
		9242.2 AFHR		A1PXXO1900090		XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02485  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
21JAN19 02:45	Asset Comments 9243.6 AFHR	0.0	LOW POWER LOW POWER A1PXXX1900316	XXxxXXxx
21JAN19 12:54	Change Serviceability Stat 9243.6 AFHR	0.4	SERV U/S A1PXXU1900744	XXxxXXxx
	Estimated Date/Time Servic	737442.4	SERV STAT 22JAN19	
22JAN19 04:14	Asset Comments 9243.6 AFHR	0.0	MCF MCF A1PXXX1900377	XXxxXXxx
23JAN19 09:25	Initiate Toolboard 9243.6 AFHR	xxxx	14 B/F	XXxxXXxx
23JAN19 09:25	Clear Toolboard 9243.6 AFHR	xxxx	14	XXxxXXxx
23JAN19 23:40	Maintenance Release 9243.6 AFHR	2.4	M PEA A A1PXXX1900464	XXxxXXxx
	Change Serviceability Stat	2.4	U/S SERV	
	Estimated Date/Time Servic	1.4	22JAN19 12:54 SERV STAT	
24JAN19 08:59	Into Maintenance 9243.6 AFHR	0.3	A M PEA A1PXXO1900276	XXxxXXxx
24JAN19 11:48	Initiate Toolboard 9243.6 AFHR	xxxx	14 B/F	XXxxXXxx
24JAN19 11:49	Clear Toolboard 9243.6 AFHR	xxxx	14	XXxxXXxx
24JAN19 22:39	Maintenance Release 9243.6 AFHR	0.5	M PEA A A1PXXX1900514	XXxxXXxx
25JAN19 03:36	Into Maintenance 9243.6 AFHR	0.2	A A1PXXO1900291	XXxxXXxx
25JAN19 08:33	Asset Comments 9245.6 AFHR	0.0	A1PXXX1900547	XXxxXXxx
28JAN19 22:30	Initiate Toolboard 9245.6 AFHR	xxxx	14 B/F	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02486  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
28JAN19 22:31	Change Serviceability Stat	3.7	SERV U/S	
	9245.6 AFHR		A1PXXU1900795	XXxxXXxx
	Estimated Date/Time Servic	737448.0	SERV STAT 29JAN19	
28JAN19 23:54	Clear Toolboard	xxxx	14	
	9245.6 AFHR			XXxxXXxx
28JAN19 23:54	Maintenance Release	0.0	M PEA A	
	9245.6 AFHR		A1PXXX1900566	XXxxXXxx
	Change Serviceability Stat	0.0	U/S	
	Estimated Date/Time Servic	1.0	SERV 29JAN19 22:31	
29JAN19 08:55	Into Maintenance	0.3	SERV STAT A	
	9248.4 AFHR		M PEA A1PXXO1900360	XXxxXXxx
29JAN19 09:33	Initiate Toolboard	xxxx	14 B/F	
	9249.9 AFHR			XXxxXXxx
29JAN19 09:34	Clear Toolboard	xxxx	14	
	9249.9 AFHR			XXxxXXxx
29JAN19 10:43	Maintenance Release	0.0	M PEA A	
	9249.9 AFHR		A1PXXX1900622	XXxxXXxx
29JAN19 14:55	Into Maintenance	0.1	A	
	9249.9 AFHR		A1PXXO1900370	XXxxXXxx
29JAN19 15:05	Change Serviceability Stat	0.0	SERV U/S	
	9250.4 AFHR		A1PXXU1900910	XXxxXXxx
	Estimated Date/Time Servic	737453.3	SERV STAT 30JAN19	
29JAN19 23:48	Asset Comments	0.0	AIRTEST FRONT DU1 OPS	
	9250.4 AFHR		A1PXXX1900688	XXxxXXxx
30JAN19 01:51	Into Maintenance	0.0	M	
	9250.4 AFHR		A1PXXO1900380	XXxxXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02487  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
30JAN19 02:07	Maintenance Release		0.4	M PEA A A1PXXX1900700	XXxxXXxx
	Change Serviceability Stat	9250.4 AFHR	0.4	U/S SERV	
	Estimated Date/Time Servic		0.4	30JAN19 15:05 SERV STAT	
30JAN19 02:07	Asset Comments		0.0		
	Into Maintenance	9250.4 AFHR	0.0	A1PXXX1900701 A	XXxxXXxx
30JAN19 02:08	Change Serviceability Stat	9250.8 AFHR	0.0	A1PXXO1900381 SERV	XXxxXXxx
	Estimated Date/Time Servic	9250.8 AFHR	737454.9	U/S A1PXXU1901111 SERV STAT	XXxxXXxx
30JAN19 09:24	Initiate Toolboard		xxxx	31JAN19 14 B/F	
	Clear Toolboard	9252.2 AFHR	xxxx	14	XXxxXXxx
30JAN19 09:25	Change Serviceability Stat	9252.2 AFHR	0.3	M PEA A A1PXXX1900731	XXxxXXxx
	Estimated Date/Time Servic		1.3	U/S SERV 31JAN19 02:08 SERV STAT	
30JAN19 23:29	Into Maintenance		0.5	A M PEA A1PXXO1900429	XXxxXXxx
30JAN19 23:49	Maintenance Release	9254.3 AFHR	0.0	M PEA A A1PXXX1900753	XXxxXXxx
	Into Maintenance	9254.3 AFHR	0.3	A M PEA A1PXXO1900460	XXxxXXxx
31JAN19 08:03	Change Serviceability Stat	9257.3 AFHR			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02488  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
31JAN19 10:40	Initiate	Toolboard	9258.8 AFHR	xxxx	14 B/F	XXxxXXxx
31JAN19 10:40	Clear	Toolboard	9258.8 AFHR	xxxx	14	XXxxXXxx
31JAN19 10:41	Maintenance	Release	9258.8 AFHR	0.1	M PEA A A1PXXX1900780	XXxxXXxx
31JAN19 22:19	Into	Maintenance	9260.9 AFHR	0.4	M PEA A1PXXO1900475	XXxxXXxx
31JAN19 23:03	Maintenance	Release	9260.9 AFHR	0.0	M PEA A A1PXXX1900790	XXxxXXxx
01FEB19 02:44	Into	Maintenance	9262.1 AFHR	0.1	A A1PXXO1900489	XXxxXXxx
01FEB19 03:15	Change	Serviceability Stat	9262.5 AFHR	0.0	SERV U/S A1PXXU1901363	XXxxXXxx
03FEB19 22:29	Initiate	Toolboard	9262.5 AFHR	xxxx	14 B/F	XXxxXXxx
03FEB19 23:17	Clear	Toolboard	9262.5 AFHR	xxxx	14	XXxxXXxx
04FEB19 06:27	Asset	Comments	9262.5 AFHR	0.0	A/T A1PXXX1900876	XXxxXXxx
04FEB19 09:43	Initiate	Toolboard	9262.5 AFHR	xxxx	14 B/F	XXxxXXxx
04FEB19 09:43	Clear	Toolboard	9262.5 AFHR	xxxx	14	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02489  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
04FEB19 10:23	Maintenance Release	3.2	M PEA A A1PXXX1900878	XXxxXXxx
	9262.5 AFHR Change Serviceability Stat	3.2	U/S SERV	
	Estimated Date/Time Servic	1.2	02FEB19 03:16 SERV STAT	
04FEB19 13:31	Into Maintenance	0.1	A A1PXXO1900549	XXxxXXxx
04FEB19 13:32	Asset Comments	0.0		
	9264.1 AFHR		A1PXXX1900884	XXxxXXxx
04FEB19 13:32	Change Serviceability Stat	0.0	SERV U/S	
	9264.1 AFHR		A1PXXU1901421	XXxxXXxx
	Estimated Date/Time Servic	737459.8	SERV STAT 05FEB19	
04FEB19 13:55	Maintenance Release	0.0	M PEA A A1PXXX1900885	XXxxXXxx
	9264.1 AFHR Change Serviceability Stat	0.0	U/S SERV	
	Estimated Date/Time Servic	1.0	05FEB19 13:32 SERV STAT	
04FEB19 15:38	Into Maintenance	0.0	A M PEA A1PXXO1900553	XXxxXXxx
04FEB19 22:59	Maintenance Release	0.3	M PEA A A1PXXX1900897	XXxxXXxx
05FEB19 07:59	Into Maintenance	0.3	A A1PXXO1900589	XXxxXXxx
05FEB19 11:49	Initiate Toolboard	xxxx	14 B/F	
	9269.3 AFHR			XXxxXXxx
05FEB19 11:50	Clear Toolboard	xxxx	14	
	9269.3 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02490  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
05FEB19 12:46	Initiate Toolboard 9269.3 AFHR	xxxx	14 B/F	XXxxXXxx
05FEB19 12:46	Clear Toolboard 9269.3 AFHR	xxxx	14	XXxxXXxx
05FEB19 12:46	Change Serviceability Stat 9269.3 AFHR Estimated Date/Time Servic	0.1 737460.0	SERV U/S A1PXXU1901129 SERV STAT 06FEB19	XXxxXXxx
06FEB19 01:02	Maintenance Release 9269.3 AFHR Change Serviceability Stat	0.5 0.5	M PEA A A1PXXX1900960 U/S	XXxxXXxx
06FEB19 07:49	Into Maintenance 9272.2 AFHR	0.2	SERV 06FEB19 12:46 SERV STAT A	XXxxXXxx
06FEB19 09:30	Initiate Toolboard 9273.8 AFHR	xxxx	A1PXXO1900645 14 B/F	XXxxXXxx
06FEB19 09:34	Clear Toolboard 9273.8 AFHR	xxxx	14	XXxxXXxx
06FEB19 09:35	Change Serviceability Stat 9273.8 AFHR Estimated Date/Time Servic	0.0 737461.6	SERV U/S A1PXXU1901517 SERV STAT 07FEB19	XXxxXXxx
06FEB19 23:57	Maintenance Release 9273.8 AFHR Change Serviceability Stat	0.5 0.5	M PEA A A1PXXX1901003 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.5	SERV 07FEB19 09:35 SERV STAT	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02491  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
07FEB19 03:30	Into Maintenance	0.1	A M PEA	
07FEB19 09:21	Initiate Toolboard 9275.1 AFHR	xxxx	A1PXXO1900686 14 B/F	XXxxXXxx
07FEB19 09:22	Clear Toolboard 9275.5 AFHR	xxxx	14	XXxxXXxx
07FEB19 23:40	Maintenance Release	0.8	M PEA A	
11FEB19 08:28	Into Maintenance 9275.5 AFHR	3.3	A1PXXX1901052 A	XXxxXXxx
11FEB19 09:15	Change Serviceability Stat 9277.2 AFHR	0.0	A1PXXO1900808 SERV U/S	XXxxXXxx
	Estimated Date/Time Servic 9278.8 AFHR	737462.6	A1PXXU1901713 SERV STAT 12FEB19	XXxxXXxx
11FEB19 09:33	Initiate Toolboard 9278.8 AFHR	xxxx	14 B/F	XXxxXXxx
11FEB19 09:45	Clear Toolboard 9278.8 AFHR	xxxx	14	XXxxXXxx
11FEB19 23:27	Maintenance Release	0.5	M PEA A	
	Change Serviceability Stat 9278.8 AFHR	0.5	A1PXXX1901161 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.5	SERV 12FEB19 09:19 SERV STAT	
12FEB19 07:40	Into Maintenance	0.3	A M PEA	
12FEB19 10:09	Initiate Toolboard 9281.8 AFHR	xxxx	A1PXXO1900876 14 B/F	XXxxXXxx
12FEB19 10:09	Clear Toolboard 9282.9 AFHR	xxxx	14	XXxxXXxx
	Clear Toolboard 9282.9 AFHR			XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02492  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
12FEB19 23:17	Maintenance Release	0.6	M PEA A A1PXXX1901202	XXxxXXxx
13FEB19 07:44	Into Maintenance	0.3	A A1PXXO1900927	XXxxXXxx
13FEB19 07:58	Change Serviceability Stat	0.0	SERV U/S A1PXXU1901490	XXxxXXxx
	Estimated Date/Time Servic	737467.6	SERV STAT 14FEB19	
17FEB19 22:10	Initiate Toolboard	xxxx	14 B/F	
17FEB19 22:11	Asset Comments	0.0	AIRTEST LG OPS A1PXXX1901359	XXxxXXxx
17FEB19 23:31	Clear Toolboard	xxxx	14	XXxxXXxx
17FEB19 23:31	Maintenance Release	4.6	M PEA A A1PXXX1901372	XXxxXXxx
	Change Serviceability Stat	4.6	U/S SERV	
	Estimated Date/Time Servic	1.6	14FEB19 07:58 SERV STAT	
18FEB19 00:31	Into Maintenance	0.0	A A1PXXO1901035	XXxxXXxx
18FEB19 00:41	Asset Comments	0.0	A1PXXX1901375	XXxxXXxx
18FEB19 03:27	Change Serviceability Stat	0.1	SERV U/S A1PXXU1902025	XXxxXXxx
	Estimated Date/Time Servic	737473.8	SERV STAT 19FEB19	
18FEB19 04:19	Asset Comments	0.0	MCF MCF A1PXXX1901390	XXxxXXxx
18FEB19 09:24	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02493  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
18FEB19 10:18	Clear Toolboard	9286.0 AFHR	xxxx	14	XXxxXXxx
19FEB19 00:08	Maintenance Release	9286.0 AFHR	0.8	M PEA A A1PXXX1901425	XXxxXXxx
	Change Serviceability Stat		0.8	U/S SERV	
	Estimated Date/Time Servic		0.8	19FEB19 03:28 SERV STAT	
19FEB19 03:26	Into Maintenance	9286.0 AFHR	0.1	A A1PXXO1901092	XXxxXXxx
19FEB19 03:27	Change Serviceability Stat	9286.7 AFHR	0.0	SERV U/S A1PXXU1902027	XXxxXXxx
	Estimated Date/Time Servic		737474.8	SERV STAT 20FEB19	
19FEB19 05:49	Maintenance Release	9286.7 AFHR	0.0	M PEA A A1PXXX1901467	XXxxXXxx
	Change Serviceability Stat		0.0	U/S SERV	
	Estimated Date/Time Servic		1.0	20FEB19 03:27 SERV STAT	
19FEB19 08:28	Into Maintenance	9288.0 AFHR	0.1	A M PEA A1PXXO1901129	XXxxXXxx
19FEB19 09:05	Asset Comments	9289.0 AFHR	0.0	A1PXXX1901473	XXxxXXxx
19FEB19 09:36	Initiate Toolboard	9289.0 AFHR	xxxx	14 B/F	XXxxXXxx
19FEB19 09:44	Clear Toolboard	9289.0 AFHR	xxxx	14	XXxxXXxx
19FEB19 10:28	Maintenance Release	9289.0 AFHR	0.0	M PEA A A1PXXX1901480	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02494  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW	TRANS REFERENCE			
19FEB19	12:28	Into Maintenance 9289.0 AFHR	0.0	A	A1PXXO1901134	XXxxXXxx
19FEB19	12:51	Change Serviceability Stat 9289.7 AFHR	0.0	SERV U/S	A1PXXU1810528	XXxxXXxx
		Estimated Date/Time Servic	737474.7	SERV STAT 20FEB19		
20FEB19	04:53	Maintenance Release 9289.7 AFHR	0.6	M PEA A	A1PXXX1901521	XXxxXXxx
		Change Serviceability Stat	0.6	U/S SERV		
		Estimated Date/Time Servic	0.6	20FEB19 12:51 SERV STAT		
20FEB19	08:44	Into Maintenance 9291.1 AFHR	0.1	A	A1PXXO1901167	XXxxXXxx
20FEB19	09:05	Change Serviceability Stat 9292.5 AFHR	0.0	SERV U/S	A1PXXU1901986	XXxxXXxx
		Estimated Date/Time Servic	737475.8	SERV STAT 21FEB19		
20FEB19	10:22	Initiate Toolboard 9292.5 AFHR	xxxx	14 B/F		XXxxXXxx
20FEB19	10:23	Clear Toolboard 9292.5 AFHR	xxxx	14		XXxxXXxx
20FEB19	23:44	Maintenance Release 9292.5 AFHR	0.6	M PEA A	A1PXXX1901557	XXxxXXxx
		Change Serviceability Stat	0.6	U/S SERV		
		Estimated Date/Time Servic	1.6	21FEB19 09:05 SERV STAT		
21FEB19	09:03	Into Maintenance 9293.8 AFHR	0.3	A	A1PXXO1901217	XXxxXXxx
21FEB19	09:46	Initiate Toolboard 9293.8 AFHR	xxxx	14 B/F		XXxxXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02495  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
21FEB19 11:00	Change Serviceability Stat 9293.8 AFHR Estimated Date/Time Servic	0.0 737476.5	SERV U/S A1PXXU1902243 SERV STAT 22FEB19	XXxxXXxx
21FEB19 13:00	Clear Toolboard 9293.8 AFHR	xxxx	14	XXxxXXxx
25FEB19 00:24	Asset Comments 9293.8 AFHR	0.0	AIRTEST AIRTEST NWS OPS A1PXXX1901655	XXxxXXxx
25FEB19 01:14	Initiate Toolboard 9293.8 AFHR	xxxx	14 B/F	XXxxXXxx
25FEB19 01:14	Clear Toolboard 9293.8 AFHR	xxxx	14	XXxxXXxx
25FEB19 01:48	Maintenance Release 9293.8 AFHR Change Serviceability Stat	3.6 3.6	M PEA A A1PXXX1901658 U/S SERV	XXxxXXxx
	Estimated Date/Time Servic	0.6	22FEB19 11:01 SERV STAT	
25FEB19 04:28	Into Maintenance 9293.8 AFHR	0.1	A A1PXXO1901265	XXxxXXxx
25FEB19 04:40	Change Serviceability Stat 9295.1 AFHR Estimated Date/Time Servic	0.0 737480.8	SERV U/S A1PXXU1902315 SERV STAT 26FEB19	XXxxXXxx
25FEB19 04:42	Maintenance Release 9295.1 AFHR Change Serviceability Stat	0.0 0.0	M PEA A A1PXXX1901664 U/S SERV	XXxxXXxx
	Estimated Date/Time Servic	1.0	26FEB19 04:40 SERV STAT	
25FEB19 05:57	Asset Comments 9295.1 AFHR	0.0	A1PXXX1901668	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02496  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
25FEB19 10:56		Asset Comments		0.0	MARGS MARGS	
		9295.1 AFHR			A1PXXX1901675	XXxxXXxx
25FEB19 12:31		Operator Acceptance		0.0	aip02188	
		9295.1 AFHR			A1PXXX1901681	XXxxXXxx
		Maintenance Comment		0.0	DEPLOYED	
26FEB19 07:13		Into Maintenance		1.1	A	
		9296.4 AFHR			A1PXXO1901316	XXxxXXxx
26FEB19 08:12		Operator Release		0.0	R. ORLOWSKI	
		9295.1 AFHR			A1PXXX1901713	XXxxXXxx
26FEB19 10:03		Initiate Toolboard		xxxx	14 B/F	
		9298.9 AFHR				XXxxXXxx
26FEB19 10:03		Clear Toolboard		xxxx	14	
		9298.9 AFHR				XXxxXXxx
26FEB19 11:31		Asset Comments		0.0		
		9298.9 AFHR			A1PXXX1901722	XXxxXXxx
26FEB19 12:02		Change Serviceability Stat		0.2	SERV	
		9298.9 AFHR			U/S	
		Estimated Date/Time Servic		737480.6	A1PXXU1902422	XXxxXXxx
					SERV STAT	
					27FEB19	
27FEB19 00:08		Maintenance Release		0.5	M PEA	
		9298.9 AFHR			A	
		Change Serviceability Stat		0.5	A1PXXX1901743	XXxxXXxx
					U/S	
		Estimated Date/Time Servic		0.5	SERV	
					27FEB19 12:02	
					SERV STAT	
27FEB19 08:48		Into Maintenance		0.3	A	
		9301.4 AFHR			A1PXXO1901371	XXxxXXxx
27FEB19 09:35		Change Serviceability Stat		0.0	SERV	
		9302.7 AFHR			U/S	
		Estimated Date/Time Servic		737482.6	A1PXXU1902330	XXxxXXxx
					SERV STAT	
					28FEB19	
27FEB19 11:28		Initiate Toolboard		xxxx	14 B/F	
		9302.7 AFHR				XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02497  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
27FEB19 11:29	Clear Toolboard	9302.7 AFHR	xxxx	14	XXxxXXxx
28FEB19 02:11	Maintenance Release	9302.7 AFHR	0.6	M PEA A A1PXXX1901815	XXxxXXxx
	Change Serviceability Stat		0.6	U/S SERV	
	Estimated Date/Time Servic		0.6	28FEB19 09:35 SERV STAT	
28FEB19 06:28	Into Maintenance	9304.4 AFHR	0.1	A A1PXXO1901392	XXxxXXxx
28FEB19 09:33	Initiate Toolboard	9305.9 AFHR	xxxx	14 B/F	XXxxXXxx
28FEB19 10:48	Clear Toolboard	9305.9 AFHR	xxxx	14	XXxxXXxx
28FEB19 13:34	Change Serviceability Stat	9305.9 AFHR	0.2	SERV U/S A1PXXU1902579	XXxxXXxx
	Estimated Date/Time Servic		737483.5	SERV STAT 01MAR19	
28FEB19 13:45	Asset Comments	9305.9 AFHR	0.0	A/T REAR ALT 9A/T REAR ALT 9305.9 AFHR A1PXXX1901836	XXxxXXxx
04MAR19 22:21	Initiate Toolboard	9305.9 AFHR	xxxx	14 B/F	XXxxXXxx
04MAR19 23:21	Clear Toolboard	9305.9 AFHR	xxxx	14	XXxxXXxx
05MAR19 12:41	Initiate Toolboard	9305.9 AFHR	xxxx	14 B/F	XXxxXXxx
06MAR19 00:08	Asset Comments	9305.9 AFHR	0.0	MCF 9305.7 MCF PROP/FLT CONTROLS. AIRTEST REAR ALTOPS A1PXXX1901955	XXxxXXxx
06MAR19 00:09	Asset Comments	9305.9 AFHR	0.0	MCF 9305.7 MCF PROP/FLT CONTROLS. AIRTEST REAR ALT OPS A1PXXX1901956	XXxxXXxx
06MAR19 00:10	Clear Toolboard	9305.9 AFHR	xxxx	14	XXxxXXxx
06MAR19 09:40	Initiate Toolboard	9305.9 AFHR	xxxx	14 B/F	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02498  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
06MAR19 23:49	Clear	Toolboard	9305.9 AFHR	xxxx	14	XXxxXXxx
07MAR19 01:34	Maintenance	Release	9305.9 AFHR	6.4	M PEA A A1PXXX1902026	XXxxXXxx
	Change	Serviceability Stat		6.4	U/S SERV	
	Estimated	Date/Time Servic		0.4	01MAR19 13:35 SERV STAT A	
07MAR19 09:57	Into	Maintenance		0.3	M PEA A1PXXO1901602	XXxxXXxx
07MAR19 09:57	Initiate	Toolboard	9305.9 AFHR	xxxx	14 B/F	XXxxXXxx
07MAR19 09:58	Clear	Toolboard	9305.9 AFHR	xxxx	14	XXxxXXxx
08MAR19 01:35	Maintenance	Release		0.6	M PEA A A1PXXX1902068	XXxxXXxx
08MAR19 03:38	Asset	Comments	9305.9 AFHR	0.0	A1PXXX1902076	XXxxXXxx
08MAR19 03:38	Into	Maintenance	9305.9 AFHR	0.0	A A1PXXO1901618	XXxxXXxx
08MAR19 03:41	Change	Serviceability Stat		0.0	SERV U/S A1PXXU1902702	XXxxXXxx
	Estimated	Date/Time Servic		737490.9	SERV STAT 09MAR19	
11MAR19 00:42	Initiate	Toolboard	9306.9 AFHR	xxxx	14 B/F	XXxxXXxx
11MAR19 00:42	Clear	Toolboard	9306.9 AFHR	xxxx	14	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02499  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
11MAR19 00:52	Maintenance Release	2.8	M PEA A	
	9306.9 AFHR Change Serviceability Stat	2.8	A1PXXX1902108 U/S	XXxxXXxx
	Estimated Date/Time Servic	0.8	SERV 09MAR19 03:41 SERV STAT	
11MAR19 07:48	Into Maintenance	0.2	A M PEA	
	9309.3 AFHR Initiate Toolboard	xxxx	A1PXXO1901670 14 B/F	XXxxXXxx
11MAR19 09:55	Clear Toolboard	xxxx	14	XXxxXXxx
	9310.7 AFHR 9310.7 AFHR			XXxxXXxx
11MAR19 22:46	Maintenance Release	0.6	M PEA A	
	9310.7 AFHR Into Maintenance	0.3	A1PXXX1902135 A	XXxxXXxx
12MAR19 07:52	Initiate Toolboard	xxxx	M PEA A1PXXO1901723 14 B/F	XXxxXXxx
12MAR19 11:25	Clear Toolboard	xxxx	14	XXxxXXxx
	9313.3 AFHR 9313.3 AFHR			XXxxXXxx
12MAR19 11:26	Maintenance Release	0.6	M PEA A	
	9313.3 AFHR Into Maintenance	0.3	A1PXXX1902183 A	XXxxXXxx
13MAR19 07:23	Change Serviceability Stat	0.0	SERV U/S	
	9313.3 AFHR Estimated Date/Time Servic	737494.7	A1PXXO1901769 SERV STAT 14MAR19	XXxxXXxx
13MAR19 09:31	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	9314.9 AFHR			XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02500  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
13MAR19 11:17	Clear	Toolboard	9314.9 AFHR	xxxx	14	XXxxXXxx
14MAR19 02:17	Maintenance	Release	9314.9 AFHR	0.7	M PEA A A1PXXX1902286	XXxxXXxx
	Change	Serviceability Stat		0.7	U/S SERV	
	Estimated	Date/Time Servic		0.7	14MAR19 07:26 SERV STAT	
14MAR19 07:05	Into	Maintenance		0.1	A M PEA	
14MAR19 09:10	Initiate	Toolboard	9316.2 AFHR	xxxx	A1PXXO1901819	XXxxXXxx
14MAR19 09:11	Clear	Toolboard	9317.5 AFHR	xxxx	14 B/F	XXxxXXxx
14MAR19 23:46	Maintenance	Release	9317.5 AFHR	0.6	M PEA A	XXxxXXxx
15MAR19 03:35	Into	Maintenance		0.1	A1PXXX1902311 A	XXxxXXxx
					M PEA	
17MAR19 23:06	Initiate	Toolboard	9317.5 AFHR	xxxx	A1PXXO1901856	XXxxXXxx
18MAR19 00:10	Clear	Toolboard	9318.9 AFHR	xxxx	14 B/F	XXxxXXxx
18MAR19 00:10	Maintenance	Release	9318.9 AFHR	2.8	M PEA A	XXxxXXxx
18MAR19 07:47	Into	Maintenance	9318.9 AFHR	0.3	A1PXXX1902357 A	XXxxXXxx
18MAR19 07:50	Change	Serviceability Stat	9321.6 AFHR	0.0	A1PXXO1901926	XXxxXXxx
	Estimated	Date/Time Servic	9322.7 AFHR	737497.7	SERV U/S A1PXXU1815936	XXxxXXxx
					SERV STAT 19MAR19	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02501  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
18MAR19 09:53	Initiate Toolboard 9322.7 AFHR	xxxx	14 B/F	XXxxXXxx
18MAR19 10:21	Clear Toolboard 9322.7 AFHR	xxxx	14	XXxxXXxx
18MAR19 12:47	Asset Comments 9322.7 AFHR	0.0	AIRTEST 9324.7AIRCRAFT REQUIRE AIRTEST FOR RH BRAKE OPS A1PXXX1902431	XXxxXXxx
18MAR19 23:12	Maintenance Release 9322.7 AFHR	0.6	M PEA A A1PXXX1902442	XXxxXXxx
	Change Serviceability Stat Estimated Date/Time Servic	0.6 1.6	U/S SERV 19MAR19 07:50 SERV STAT	
19MAR19 02:41	Into Maintenance 9322.7 AFHR	0.1	A A1PXXO1901954	XXxxXXxx
19MAR19 03:19	Change Serviceability Stat 9324.0 AFHR	0.0	SERV U/S A1PXXU1903332	XXxxXXxx
	Estimated Date/Time Servic	737502.8	SERV STAT 20MAR19	
19MAR19 03:20	Maintenance Release 9324.0 AFHR	0.0	M PEA A A1PXXX1902480	XXxxXXxx
	Change Serviceability Stat Estimated Date/Time Servic	0.0 1.0	U/S SERV 20MAR19 03:19 SERV STAT	
19MAR19 03:21	Asset Comments 9324.0 AFHR	0.0	A1PXXX1902481	XXxxXXxx
19MAR19 09:03	Into Maintenance 9325.2 AFHR	0.2	A A1PXXO1901985	XXxxXXxx
19MAR19 09:05	Change Serviceability Stat 9326.3 AFHR	0.0	SERV U/S A1PXXU1903387	XXxxXXxx
	Estimated Date/Time Servic	737502.7	SERV STAT 20MAR19	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02502  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN (DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
19MAR19 09:48	Initiate Toolboard	9326.3 AFHR	xxxx	14 B/F	XXxxXXxx
19MAR19 10:33	Clear Toolboard	9326.3 AFHR	xxxx	14	XXxxXXxx
19MAR19 22:42	Maintenance Release	9326.3 AFHR	0.5	M PEA A	XXxxXXxx
	Change Serviceability Stat	9326.3 AFHR	0.5	A1PXXX1902513 U/S	XXxxXXxx
	Estimated Date/Time Servic		1.5	SERV 20MAR19 09:05 SERV STAT	
20MAR19 09:04	Into Maintenance	9327.7 AFHR	0.4	A	XXxxXXxx
20MAR19 09:06	Initiate Toolboard	9329.4 AFHR	xxxx	A1PXXO1902023 14 B/F	XXxxXXxx
20MAR19 09:06	Clear Toolboard	9329.4 AFHR	xxxx	14	XXxxXXxx
20MAR19 09:06	Change Serviceability Stat	9329.4 AFHR	0.0	SERV U/S	XXxxXXxx
	Estimated Date/Time Servic	9329.4 AFHR	737503.5	A1PXXU1903116 SERV STAT 21MAR19	XXxxXXxx
21MAR19 00:43	Maintenance Release	9329.4 AFHR	0.6	M PEA A	XXxxXXxx
	Change Serviceability Stat	9329.4 AFHR	0.6	A1PXXX1902596 U/S	XXxxXXxx
	Estimated Date/Time Servic		0.6	SERV 21MAR19 09:06 SERV STAT	
21MAR19 08:04	Into Maintenance	9330.7 AFHR	0.3	A	XXxxXXxx
21MAR19 08:57	Change Serviceability Stat	9332.3 AFHR	0.0	A1PXXO1902065 SERV U/S	XXxxXXxx
	Estimated Date/Time Servic	9332.3 AFHR	737504.6	A1PXXU1803709 SERV STAT 22MAR19	XXxxXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02503  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
21MAR19	12:35	Initiate Toolboard 9332.3 AFHR	xxxx	14 B/F		XXxxXXxx
21MAR19	12:36	Clear Toolboard 9332.3 AFHR	xxxx	14		XXxxXXxx
21MAR19	23:50	Maintenance Release 9332.3 AFHR	0.6	M PEA A		
		Change Serviceability Stat	0.6	A1PXXX1902638 U/S		XXxxXXxx
		Estimated Date/Time Servic	1.6	SERV 22MAR19 08:57		
22MAR19	04:53	Into Maintenance	0.2	SERV STAT A		
		9332.3 AFHR		M PEA A1PXXO1902080		XXxxXXxx
24MAR19	23:00	Initiate Toolboard 9333.5 AFHR	xxxx	14 B/F		
24MAR19	23:01	Clear Toolboard 9333.5 AFHR	xxxx	14		XXxxXXxx
24MAR19	23:02	Maintenance Release 9333.5 AFHR	2.7	M PEA A		
25MAR19	04:47	Into Maintenance	0.2	A1PXXX1902671 A		XXxxXXxx
		9334.9 AFHR		A A1PXXO1902109		XXxxXXxx
25MAR19	04:47	Into Maintenance	0.0	A M PEA		
		9334.9 AFHR		A1PXXO1902109 14 B/F		XXxxXXxx
25MAR19	10:11	Initiate Toolboard 9337.3 AFHR	xxxx	14 B/F		
25MAR19	10:11	Clear Toolboard 9337.3 AFHR	xxxx	14		XXxxXXxx
25MAR19	22:39	Maintenance Release 9337.3 AFHR	0.7	M PEA A		XXxxXXxx
		9337.3 AFHR		A1PXXX1902729 A		XXxxXXxx
26MAR19	06:48	Into Maintenance 9339.3 AFHR	0.3	A A1PXXO1902172		XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02504  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
26MAR19 09:27	Initiate Toolboard 9339.3 AFHR	xxxx	14 B/F	XXxxXXxx
26MAR19 22:22	Change Serviceability Stat 9339.3 AFHR	0.6	SERV U/S A1PXXU1903754	XXxxXXxx
	Estimated Date/Time Servic	737505.0	SERV STAT 27MAR19	
26MAR19 22:38	Clear Toolboard 9339.3 AFHR	xxxx	14	XXxxXXxx
26MAR19 23:51	Maintenance Release 9339.3 AFHR	0.0	M PEA A A1PXXX1902809	XXxxXXxx
	Change Serviceability Stat	0.0	U/S SERV	
	Estimated Date/Time Servic	1.0	27MAR19 22:22 SERV STAT	
27MAR19 08:53	Into Maintenance 9342.3 AFHR	0.3	A A1PXXO1902230	XXxxXXxx
27MAR19 09:32	Change Serviceability Stat 9343.9 AFHR	0.0	SERV U/S A1PXXU1903493	XXxxXXxx
	Estimated Date/Time Servic	737510.5	SERV STAT 28MAR19	
27MAR19 10:16	Initiate Toolboard 9343.9 AFHR	xxxx	14 B/F	XXxxXXxx
27MAR19 10:16	Clear Toolboard 9343.9 AFHR	xxxx	14	XXxxXXxx
28MAR19 01:28	Maintenance Release 9343.9 AFHR	0.6	M PEA A A1PXXX1902885	XXxxXXxx
	Change Serviceability Stat	0.6	U/S SERV	
	Estimated Date/Time Servic	0.6	28MAR19 09:32 SERV STAT	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02505  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN (DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS	REFERENCE	
28MAR19	08:37	Into Maintenance	0.2	A		
		9345.1 AFHR		M PEA	A1PXXO1902278	XXxxXXxx
28MAR19	09:00	Initiate Toolboard	xxxx	14 B/F		
		9346.1 AFHR				XXxxXXxx
28MAR19	11:51	Clear Toolboard	xxxx	14		
		9346.1 AFHR				XXxxXXxx
28MAR19	23:54	Maintenance Release	0.6	M PEA		
		9346.1 AFHR		A	A1PXXX1902937	XXxxXXxx
29MAR19	05:03	Into Maintenance	0.2	A		
		9346.7 AFHR		M PEA	A1PXXO1902312	XXxxXXxx
31MAR19	22:11	Initiate Toolboard	xxxx	14 B/F		
		9346.7 AFHR				XXxxXXxx
31MAR19	23:35	Clear Toolboard	xxxx	14		
		9346.7 AFHR				XXxxXXxx
31MAR19	23:37	Maintenance Release	2.7	M PEA		
		9346.7 AFHR		A	A1PXXX1902965	XXxxXXxx
01APR19	07:27	Into Maintenance	0.3	A		
		9347.7 AFHR		M PEA	A1PXXO1902349	XXxxXXxx
01APR19	11:04	Initiate Toolboard	xxxx	14 B/F		
		9348.6 AFHR				XXxxXXxx
01APR19	11:05	Clear Toolboard	xxxx	14		
		9348.6 AFHR				XXxxXXxx
02APR19	04:38	Maintenance Release	0.8	M PEA		
		9348.6 AFHR		A	A1PXXX1903043	XXxxXXxx
02APR19	07:51	Into Maintenance	0.1	A		
		9348.6 AFHR			A1PXXO1902386	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02506  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
02APR19 09:25	Change Serviceability Stat	0.0	SERV U/S A1PXXU1904078	XXxxXXxx
	9349.9 AFHR Estimated Date/Time Servic	737511.6	SERV STAT 03APR19 14 B/F	
02APR19 09:57	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	9349.9 AFHR			
02APR19 09:57	Clear Toolboard	xxxx	14	XXxxXXxx
	9349.9 AFHR			
02APR19 22:28	Maintenance Release	0.5	M PEA A	
	9349.9 AFHR		A1PXXX1903075	XXxxXXxx
	Change Serviceability Stat	0.5	U/S	
	Estimated Date/Time Servic	1.5	SERV 03APR19 09:25	
03APR19 08:59	Into Maintenance	0.4	SERV STAT A	
	9351.2 AFHR		A1PXXO1902435	XXxxXXxx
03APR19 09:43	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	9351.2 AFHR			
03APR19 09:44	Clear Toolboard	xxxx	14	XXxxXXxx
	9351.2 AFHR			
03APR19 11:30	Change Serviceability Stat	0.1	SERV U/S	
	9351.2 AFHR		A1PXXU1903839	XXxxXXxx
	Estimated Date/Time Servic	737517.4	SERV STAT 04APR19	
04APR19 00:27	Maintenance Release	0.5	M PEA A	
	9351.2 AFHR		A1PXXX1903128	XXxxXXxx
	Change Serviceability Stat	0.5	U/S	
	Estimated Date/Time Servic	0.5	SERV 04APR19 11:30	
			SERV STAT	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02507  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN (DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
04APR19 06:00	Into Maintenance	0.2	A M PEA	
04APR19 10:46	Initiate Toolboard	xxxx	A1PXXO1902456 14 B/F	XXxxXXxx
04APR19 10:46	Clear Toolboard	xxxx	14	XXxxXXxx
04APR19 23:23	Maintenance Release	0.7	M PEA A	XXxxXXxx
05APR19 07:32	Into Maintenance	0.3	A1PXXX1903154 A	XXxxXXxx
07APR19 22:06	Initiate Toolboard	xxxx	M PEA A1PXXO1902502 14 B/F	XXxxXXxx
08APR19 00:37	Clear Toolboard	xxxx	14	XXxxXXxx
08APR19 00:37	Maintenance Release	2.7	M PEA A	XXxxXXxx
08APR19 04:50	Into Maintenance	0.1	A1PXXX1903207 A	XXxxXXxx
08APR19 09:35	Initiate Toolboard	xxxx	A1PXXO1902511 14 B/F	XXxxXXxx
08APR19 09:35	Clear Toolboard	xxxx	14	XXxxXXxx
08APR19 13:16	Change Serviceability Stat	0.3	SERV U/S	XXxxXXxx
	Estimated Date/Time Servic	737518.4	A1PXXU1904349 SERV STAT 09APR19	XXxxXXxx
09APR19 09:33	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
09APR19 09:33	Clear Toolboard	xxxx	14	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02508  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
10APR19 04:14	Maintenance Release	1.6	M PEA A A1PXXX1903343	XXxxXXxx
	9355.0 AFHR Change Serviceability Stat	1.6	U/S SERV	
	Estimated Date/Time Servic	0.6	09APR19 13:17 SERV STAT	
10APR19 08:34	Into Maintenance	0.1	A A1PXXO1902601	XXxxXXxx
10APR19 09:04	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
10APR19 09:05	Clear Toolboard	xxxx	14	XXxxXXxx
10APR19 10:14	Change Serviceability Stat	0.0	SERV U/S A1PXXU1904159	XXxxXXxx
	9356.3 AFHR Estimated Date/Time Servic	737524.7	SERV STAT 11APR19	
11APR19 00:08	Maintenance Release	0.5	M PEA A A1PXXX1903381	XXxxXXxx
	9356.3 AFHR Change Serviceability Stat	0.5	U/S SERV	
	Estimated Date/Time Servic	0.5	11APR19 10:14 SERV STAT	
11APR19 08:15	Into Maintenance	0.3	A M PEA A1PXXO1902641	XXxxXXxx
11APR19 09:16	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
11APR19 09:17	Clear Toolboard	xxxx	14	XXxxXXxx
11APR19 22:34	Maintenance Release	0.5	M PEA A A1PXXX1903421	XXxxXXxx
	9359.1 AFHR			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02509  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN (DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
12APR19	06:10	Into Maintenance	0.3	A		
		9360.5 AFHR		M PEA		
14APR19	22:35	Initiate Toolboard	xxxx	A1PXXO1902681		XXxxXXxx
		9362.3 AFHR		14 B/F		
14APR19	23:50	Clear Toolboard	xxxx	14		XXxxXXxx
		9362.3 AFHR				
14APR19	23:50	Maintenance Release	2.7	M PEA		XXxxXXxx
		9362.3 AFHR		A		
15APR19	07:53	Into Maintenance	0.3	A1PXXX1903462		XXxxXXxx
		9363.6 AFHR		A		
15APR19	09:42	Initiate Toolboard	xxxx	M PEA		XXxxXXxx
		9365.1 AFHR		A1PXXO1902705		
15APR19	09:42	Clear Toolboard	xxxx	14 B/F		XXxxXXxx
		9365.1 AFHR		14		
16APR19	00:02	Maintenance Release	0.6	M PEA		XXxxXXxx
		9365.1 AFHR		A		
16APR19	03:58	Into Maintenance	0.1	A1PXXX1903528		XXxxXXxx
		9365.1 AFHR		A		
16APR19	06:06	Change Serviceability Stat	0.0	A1PXXO1902732		XXxxXXxx
		9365.1 AFHR		SERV		
		Estimated Date/Time Servic	737525.7	U/S		
				A1PXXU1904795		XXxxXXxx
16APR19	23:44	Asset Comments	0.0	SERV STAT		
		9365.1 AFHR		17APR19		
				CORROSION	LONGERROSION	
18APR19	03:44	Asset Comments	0.0	A1PXXX1903569		XXxxXXxx
		9365.1 AFHR				
18APR19	04:09	Initiate Toolboard	xxxx	A1PXXX1903646		XXxxXXxx
		9365.1 AFHR		14 B/F		
18APR19	04:36	Clear Toolboard	xxxx	14		XXxxXXxx
		9365.1 AFHR				

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02510  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
LIFE SINCE NEW				
18APR19 04:38	Maintenance Release	1.9	M PEA A	
	9365.1 AFHR Change Serviceability Stat	1.9	A1PXXX1903648 U/S	XXxxXXxx
	Estimated Date/Time Servic	0.9	SERV 17APR19 06:06 SERV STAT	
18APR19 08:19	Into Maintenance	0.1	A M PEA	
	9365.1 AFHR		A1PXXO1902829	XXxxXXxx
22APR19 22:06	Initiate Toolboard	xxxx	14 B/F	
	9366.8 AFHR			XXxxXXxx
22APR19 23:52	Clear Toolboard	xxxx	14	
	9366.8 AFHR			XXxxXXxx
22APR19 23:53	Maintenance Release	4.6	M PEA A	
	9366.8 AFHR		A1PXXX1903656	XXxxXXxx
23APR19 10:40	Asset Comments	0.0	KAL KAL	
	9368.4 AFHR		A1PXXX1903686	XXxxXXxx
24APR19 03:08	Into Maintenance	1.1	A M PEA	
	9370.2 AFHR		A1PXXO1902870	XXxxXXxx
24APR19 03:14	Asset Comments	0.0		
	9368.4 AFHR		A1PXXX1903711	XXxxXXxx
24APR19 03:16	Initiate Toolboard	xxxx	14 B/F	
	9371.8 AFHR			XXxxXXxx
24APR19 03:16	Clear Toolboard	xxxx	14	
	9371.8 AFHR			XXxxXXxx
24APR19 03:17	Maintenance Release	0.0	M PEA A	
	9371.8 AFHR		A1PXXX1903712	XXxxXXxx
24APR19 08:34	Into Maintenance	0.2	A	
	9373.0 AFHR		A1PXXO1902889	XXxxXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02511  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
24APR19 12:15	Change Serviceability Stat 9373.0 AFHR Estimated Date/Time Servic	0.1 737532.6	SERV U/S A1PXXU1905097 SERV STAT 25APR19 14 B/F	XXxxXXxx
25APR19 08:02	Initiate Toolboard 9373.0 AFHR	xxxx	14	XXxxXXxx
25APR19 08:09	Clear Toolboard 9373.0 AFHR	xxxx	14	XXxxXXxx
25APR19 22:45	Maintenance Release 9373.0 AFHR Change Serviceability Stat Estimated Date/Time Servic	1.4 1.4 1.4	M PEA A A1PXXX1903752 U/S SERV 25APR19 12:15 SERV STAT	XXxxXXxx
26APR19 04:19	Into Maintenance 9374.5 AFHR	0.2	A A1PXXO1902940	XXxxXXxx
28APR19 23:23	Initiate Toolboard 9375.7 AFHR	xxxx	14 B/F	XXxxXXxx
28APR19 23:45	Clear Toolboard 9375.7 AFHR	xxxx	14	XXxxXXxx
29APR19 03:07	Change Serviceability Stat 9375.7 AFHR Estimated Date/Time Servic	2.9 737540.8	SERV U/S A1PXXU1905212 SERV STAT 30APR19	XXxxXXxx
29APR19 03:27	Asset Comments 9375.7 AFHR	0.0	AIRTEST 9375.7AIRTEST REAR ALT A1PXXX1903817	XXxxXXxx
29APR19 03:28	Maintenance Release 9375.7 AFHR Change Serviceability Stat Estimated Date/Time Servic	0.0 0.0 1.0	M PEA A A1PXXX1903818 U/S SERV 30APR19 03:08 SERV STAT	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02512  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
29APR19	07:03	Into Maintenance 9377.0 AFHR	0.1	A		
29APR19	07:03	Change Serviceability Stat 9377.0 AFHR	0.0	A1PXXO1902981		XXxxXXxx
		Estimated Date/Time Servic	737543.8	U/S A1PXXU1905213		XXxxXXxx
29APR19	07:05	Maintenance Release 9377.0 AFHR	0.0	30APR19 SERV STAT		
		Change Serviceability Stat	0.0	M PEA A		
		Estimated Date/Time Servic	1.0	A1PXXX1903838		XXxxXXxx
29APR19	07:05	Asset Comments 9377.0 AFHR	0.0	U/S SERV		
29APR19	09:06	Into Maintenance 9377.0 AFHR	0.0	30APR19 07:03 SERV STAT		
29APR19	10:40	Change Serviceability Stat 9378.4 AFHR	0.0	A1PXXX1903839		XXxxXXxx
		Estimated Date/Time Servic	737543.8	A A1PXXO1903000		XXxxXXxx
29APR19	11:38	Initiate Toolboard 9378.4 AFHR	xxxx	U/S A1PXXU1905235		XXxxXXxx
29APR19	11:39	Clear Toolboard 9378.4 AFHR	xxxx	30APR19 SERV STAT		
29APR19	13:24	Asset Comments 9378.4 AFHR	0.0	14 B/F		
29APR19	23:31	Maintenance Release 9378.4 AFHR	0.5	14		
		Change Serviceability Stat	0.5	AIRTEST LH BRAKE OPS A1PXXX1903857		XXxxXXxx
		Estimated Date/Time Servic	1.5	M PEA A		
		Change Serviceability Stat	0.5	A1PXXX1903872		XXxxXXxx
		Estimated Date/Time Servic	1.5	U/S SERV		
		Estimated Date/Time Servic	1.5	30APR19 10:41 SERV STAT		

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02513  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
30APR19 03:38	Into Maintenance	9378.4 AFHR	0.1	A A1PXXO1903024	XXxxXXxx
30APR19 03:45	Asset Comments	9378.4 AFHR	0.0	A1PXXX1903895	XXxxXXxx
30APR19 03:47	Change Serviceability Stat	9380.0 AFHR	0.0	SERV U/S A1PXXU1905236	XXxxXXxx
	Estimated Date/Time Servic		737544.8	SERV STAT 01MAY19	
30APR19 04:09	Maintenance Release	9380.0 AFHR	0.0	M PEA A A1PXXX1903900	XXxxXXxx
	Change Serviceability Stat		0.0	U/S SERV	
	Estimated Date/Time Servic		1.0	01MAY19 03:47 SERV STAT	
30APR19 08:54	Into Maintenance	9381.3 AFHR	0.1	A A1PXXO1903052	XXxxXXxx
30APR19 10:58	Initiate Toolboard	9382.7 AFHR	xxxx	14 B/F	XXxxXXxx
30APR19 10:59	Change Serviceability Stat	9382.7 AFHR	0.0	SERV U/S A1PXXU1905306	XXxxXXxx
	Estimated Date/Time Servic		737544.7	SERV STAT 01MAY19	
30APR19 22:44	Clear Toolboard	9382.7 AFHR	xxxx	14	XXxxXXxx
30APR19 22:45	Maintenance Release	9382.7 AFHR	0.4	M PEA A A1PXXX1903933	XXxxXXxx
	Change Serviceability Stat		0.4	U/S SERV	
	Estimated Date/Time Servic		1.4	01MAY19 10:59 SERV STAT	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02514  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
01MAY19	08:54	Into Maintenance	0.4	A		
		9385.6 AFHR		M PEA		
01MAY19	09:51	Initiate Toolboard	xxxx	A1PXXO1903102		XXxxXXxx
		9387.2 AFHR		14 B/F		
01MAY19	09:52	Clear Toolboard	xxxx	14		XXxxXXxx
		9387.2 AFHR				
01MAY19	09:52	Maintenance Release	0.0	M PEA		
		9387.2 AFHR		A		
01MAY19	12:28	Into Maintenance	0.1	A1PXXX1903962		XXxxXXxx
		9387.2 AFHR		A		
01MAY19	12:28	Change Serviceability Stat	0.0	A1PXXO1903104		XXxxXXxx
				SERV		
		9387.2 AFHR		U/S		
		Estimated Date/Time Servic	737545.4	A1PXXU1905099		XXxxXXxx
				SERV STAT		
01MAY19	23:38	Maintenance Release	0.4	02MAY19		
		9388.6 AFHR		M PEA		
		Change Serviceability Stat	0.4	A		
				A1PXXX1903993		XXxxXXxx
		Estimated Date/Time Servic	1.4	U/S		
				SERV		
				02MAY19 12:28		
02MAY19	08:25	Into Maintenance	0.3	SERV STAT		
		9390.1 AFHR		A		
02MAY19	11:13	Initiate Toolboard	xxxx	M PEA		
		9391.7 AFHR		A1PXXO1903152		XXxxXXxx
02MAY19	11:13	Clear Toolboard	xxxx	14 B/F		XXxxXXxx
		9391.7 AFHR		14		
02MAY19	23:17	Maintenance Release	0.6			XXxxXXxx
		9391.7 AFHR		M PEA		
				A		
				A1PXXX1904045		XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02515  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
03MAY19 05:49	Into Maintenance	0.2	A M PEA	
05MAY19 23:07	Initiate Toolboard	xxxx	A1PXXO1903180 14 B/F	XXxxXXxx
05MAY19 23:08	Clear Toolboard	xxxx	14	XXxxXXxx
06MAY19 02:29	Maintenance Release	2.8	M PEA A	XXxxXXxx
06MAY19 07:39	Into Maintenance	0.2	A1PXXX1904109 A	XXxxXXxx
06MAY19 09:09	Initiate Toolboard	xxxx	M PEA A1PXXO1903219 14 B/F	XXxxXXxx
06MAY19 09:09	Clear Toolboard	xxxx	14	XXxxXXxx
06MAY19 10:07	Maintenance Release	0.1	M PEA A	XXxxXXxx
06MAY19 14:46	Into Maintenance	0.1	A1PXXX1904123 A	XXxxXXxx
06MAY19 14:51	Asset Comments	0.0	A1PXXO1903235 R1 R1-LH MLG DUE OH	XXxxXXxx
10MAY19 03:45	Maintenance Comment	0.0	A1PXXX1904131 NO PARENT TRANSACTION DETAILS	
13MAY19 07:01	Change Serviceability Stat	6.6	POLICY COPY AS PER MPAN 012/2019 SERV U/S	
	Maintenance Comment	0.0	A1PXXX1904415 R2 SERV	XXxxXXxx
	Estimated Date/Time Servic	737546.6	SERV STAT 21JUN19	
13MAY19 07:01	Asset Comments	0.0	R2 SERV R2-LH MLG DUE OH	
			A1PXXX1904416	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02516  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW	TRANS REFERENCE		
10JUL19 05:20	Create/Amend Basic Weight	350.9	1735.20 4271.9	7412394.30 0.00	
	9400.6 AFHR		1735.00 427272	7412394.10 0.00	
	Maintenance Comment	0.0	A1PXXX1906519		XXxxXXxx
10JUL19 23:47	Initiate Toolboard	xxxx	POST MOD 7113.022-307	INC REF AIP MCS 272-1/19 P8 L2	
	9400.6 AFHR		14 B/F		
10JUL19 23:48	Clear Toolboard	xxxx	14		XXxxXXxx
	9400.6 AFHR				
11JUL19 09:42	Initiate Toolboard	xxxx	14 B/F		XXxxXXxx
	9400.6 AFHR				
11JUL19 09:42	Clear Toolboard	xxxx	14		XXxxXXxx
	9400.6 AFHR				
11JUL19 09:42	Asset Comments	0.0	MCF MCF		
	9400.6 AFHR		A1PXXX1906583		XXxxXXxx
12JUL19 00:48	Maintenance Release	59.7	M PEA		
	9400.6 AFHR		A		
	Change Serviceability Stat	59.7	A1PXXX1906616		XXxxXXxx
	Estimated Date/Time Servic	38.7	U/S		
			SERV		
			21JUN19 00:00		
			SERV STAT		
12JUL19 03:40	Into Maintenance	0.1	A		
	9400.6 AFHR		A1PXXO1905334		XXxxXXxx
12JUL19 04:21	Change Serviceability Stat	0.0	SERV		
	9401.9 AFHR		U/S		
	Estimated Date/Time Servic	737617.8	A1PXXU1908234		XXxxXXxx
			SERV STAT		
			13JUL19		
12JUL19 04:25	Asset Comments	0.0	MCF	ITEM 16MCF	
	9401.9 AFHR		A1PXXX1906627		XXxxXXxx
15JUL19 12:53	Initiate Toolboard	xxxx	14 B/F		
	9401.9 AFHR				XXxxXXxx
15JUL19 12:54	Clear Toolboard	xxxx	14		XXxxXXxx
	9401.9 AFHR				

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02517  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
16JUL19 02:39	Maintenance Release	3.9	M PEA A	
	9401.9 AFHR Change Serviceability Stat	3.9	A1PXXX1906695 U/S	XXxxXXxx
	Estimated Date/Time Servic	0.9	SERV 13JUL19 04:21 SERV STAT	
16JUL19 07:43	Into Maintenance	0.2	A	
	9401.9 AFHR		A1PXXO1905427	XXxxXXxx
16JUL19 09:46	Initiate Toolboard	xxxx	14 B/F	
	9401.9 AFHR			XXxxXXxx
16JUL19 09:47	Clear Toolboard	xxxx	14	
	9401.9 AFHR			XXxxXXxx
16JUL19 11:02	Change Serviceability Stat	0.1	SERV U/S	
	9401.9 AFHR Estimated Date/Time Servic	737621.6	A1PXXU1908321 SERV STAT 17JUL19	XXxxXXxx
17JUL19 02:05	Maintenance Release	0.6	M PEA A	
	9401.9 AFHR Change Serviceability Stat	0.6	A1PXXX1906734 U/S	XXxxXXxx
	Estimated Date/Time Servic	0.6	SERV 17JUL19 11:02 SERV STAT	
17JUL19 07:50	Into Maintenance	0.2	A	
	9401.9 AFHR		A1PXXO1905474	XXxxXXxx
17JUL19 07:51	Asset Comments	0.0		
	9402.5 AFHR		A1PXXX1906757	XXxxXXxx
17JUL19 07:52	Change Serviceability Stat	0.0	SERV U/S	
	9402.5 AFHR Estimated Date/Time Servic	737622.7	A1PXXU1908483 SERV STAT 18JUL19	XXxxXXxx
17JUL19 09:59	Initiate Toolboard	xxxx	14 B/F	
	9402.5 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02518  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----		-----		-----	
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER	
=====	=====	=====	=====	=====	=====	=====	=====
	LIFE SINCE NEW						
17JUL19 09:59	Clear Toolboard 9402.5 AFHR	xxxx	14			XXxxXXxx	
17JUL19 10:02	Maintenance Release 9402.5 AFHR	0.0	M PEA A				
	Change Serviceability Stat Estimated Date/Time Servic	0.0	A1PXXX1906765 U/S SERV			XXxxXXxx	
18JUL19 07:48	Into Maintenance	0.9	18JUL19 07:52 SERV STAT A				
18JUL19 10:54	Initiate Toolboard 9404.5 AFHR	xxxx	M PEA A1PXXO1905523			XXxxXXxx	
18JUL19 10:55	Clear Toolboard 9404.5 AFHR	xxxx	14 B/F			XXxxXXxx	
18JUL19 23:51	Maintenance Release	0.6	14			XXxxXXxx	
19JUL19 04:34	Into Maintenance	0.1	M PEA A1PXXX1906822 A			XXxxXXxx	
22JUL19 00:03	Initiate Toolboard 9404.5 AFHR	xxxx	M PEA A1PXXO1905553			XXxxXXxx	
22JUL19 00:03	Clear Toolboard 9406.2 AFHR	xxxx	14 B/F			XXxxXXxx	
22JUL19 00:03	Maintenance Release	2.8	14			XXxxXXxx	
22JUL19 08:20	Into Maintenance	0.3	M PEA A1PXXX1906847 A			XXxxXXxx	
22JUL19 10:39	Initiate Toolboard 9406.2 AFHR	xxxx	M PEA A1PXXO1905592			XXxxXXxx	
22JUL19 10:40	Clear Toolboard 9407.6 AFHR	xxxx	14 B/F			XXxxXXxx	
	9407.6 AFHR		14			XXxxXXxx	



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02519  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
23JUL19 01:50	Maintenance Release	0.7	M PEA A A1PXXX1906879	XXxxXXxx
23JUL19 07:46	Into Maintenance	0.2	A A1PXXO1905614	XXxxXXxx
23JUL19 09:18	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
23JUL19 09:19	Clear Toolboard	xxxx	14	XXxxXXxx
23JUL19 09:28	Change Serviceability Stat	0.0	SERV U/S A1PXXU1908721	XXxxXXxx
	Estimated Date/Time Servic	737623.0	SERV STAT 24JUL19	
24JUL19 00:52	Maintenance Release	0.6	M PEA A A1PXXX1906925	XXxxXXxx
	Change Serviceability Stat	0.6	U/S SERV	
	Estimated Date/Time Servic	0.6	24JUL19 09:28 SERV STAT	
24JUL19 08:37	Into Maintenance	0.3	A M PEA A1PXXO1905659	XXxxXXxx
24JUL19 23:19	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
24JUL19 23:19	Clear Toolboard	xxxx	14	XXxxXXxx
24JUL19 23:19	Maintenance Release	0.6	M PEA A A1PXXX1906985	XXxxXXxx
25JUL19 09:00	Into Maintenance	0.4	A M PEA A1PXXO1905705	XXxxXXxx
25JUL19 09:57	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	9412.8 AFHR			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02520  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
25JUL19	10:00	Clear Toolboard		xxxx	14	
		9412.8	AFHR			XXxxXXxx
25JUL19	23:22	Maintenance Release		0.5	M PEA	
		9412.8	AFHR		A	
26JUL19	07:00	Into Maintenance		0.3	A1PXXX1907052	XXxxXXxx
					A	
		9414.2	AFHR		M PEA	
29JUL19	00:42	Initiate Toolboard		xxxx	A1PXXO1905740	XXxxXXxx
		9415.7	AFHR		14 B/F	
29JUL19	00:42	Clear Toolboard		xxxx	14	XXxxXXxx
		9415.7	AFHR			XXxxXXxx
29JUL19	00:43	Maintenance Release		2.7	M PEA	
		9415.7	AFHR		A	
29JUL19	06:26	Into Maintenance		0.2	A1PXXX1907086	XXxxXXxx
		9415.7	AFHR		A	
29JUL19	10:56	Initiate Toolboard		xxxx	A1PXXO1905756	XXxxXXxx
		9415.7	AFHR		14 B/F	
29JUL19	10:56	Clear Toolboard		xxxx	14	XXxxXXxx
		9415.7	AFHR			XXxxXXxx
29JUL19	23:48	Change Serviceability Stat		0.7	SERV	
		9415.7	AFHR		U/S	
		Estimated Date/Time Servic		737629.0	A1PXXU1908913	XXxxXXxx
					SERV STAT	
					30JUL19	
30JUL19	00:10	Asset Comments		0.0	AIRTEST 9415.FRONT DU1 OPS	
		9415.7	AFHR		A1PXXX1907136	XXxxXXxx
30JUL19	11:58	Initiate Toolboard		xxxx	14 B/F	XXxxXXxx
		9415.7	AFHR			XXxxXXxx
30JUL19	11:58	Clear Toolboard		xxxx	14	XXxxXXxx
		9415.7	AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02521  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
31JUL19 02:22	Maintenance Release	1.1	M PEA A A1PXXX1907210	XXxxXXxx
	9415.7 AFHR Change Serviceability Stat	1.1	U/S SERV	
	Estimated Date/Time Servic	0.1	30JUL19 23:50 SERV STAT	
31JUL19 04:44	Into Maintenance	0.0	A A1PXXO1905837	XXxxXXxx
31JUL19 04:50	Change Serviceability Stat	0.0	SERV U/S A1PXXU1908914	XXxxXXxx
	9417.2 AFHR Estimated Date/Time Servic	737636.8	SERV STAT 01AUG19	
31JUL19 04:51	Maintenance Release	0.0	M PEA A A1PXXX1907216	XXxxXXxx
	9417.2 AFHR Change Serviceability Stat	0.0	U/S SERV	
	Estimated Date/Time Servic	1.0	01AUG19 04:50 SERV STAT	
31JUL19 08:36	Into Maintenance	0.1	A M PEA A1PXXO1905856	XXxxXXxx
31JUL19 09:11	Asset Comments	0.0	A1PXXX1907235	XXxxXXxx
31JUL19 10:09	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
31JUL19 10:09	Clear Toolboard	xxxx	14	XXxxXXxx
31JUL19 10:10	Maintenance Release	0.0	M PEA A A1PXXX1907240	XXxxXXxx
31JUL19 14:19	Into Maintenance	0.1	A M PEA A1PXXO1905862	XXxxXXxx
	9418.5 AFHR			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02522  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
31JUL19 23:20	Maintenance Release	0.3	M PEA A A1PXXX1907247	XXxxXXxx
01AUG19 07:11	Into Maintenance	0.3	A A1PXXO1905892	XXxxXXxx
01AUG19 09:46	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
01AUG19 09:46	Clear Toolboard	xxxx	14	XXxxXXxx
01AUG19 09:55	Change Serviceability Stat	0.1	SERV U/S A1PXXU1909046	XXxxXXxx
	Estimated Date/Time Servic	737636.7	SERV STAT 02AUG19	
01AUG19 23:47	Maintenance Release	0.5	M PEA A A1PXXX1907276	XXxxXXxx
	Change Serviceability Stat	0.5	U/S SERV	
	Estimated Date/Time Servic	1.5	02AUG19 09:57 SERV STAT	
02AUG19 01:45	Into Maintenance	0.0	A A1PXXO1905913	XXxxXXxx
02AUG19 01:50	Change Serviceability Stat	0.0	SERV U/S A1PXXU1909056	XXxxXXxx
	Estimated Date/Time Servic	737638.9	SERV STAT 03AUG19	
02AUG19 01:55	Maintenance Release	0.0	M PEA A A1PXXX1907299	XXxxXXxx
	Change Serviceability Stat	0.0	U/S SERV	
	Estimated Date/Time Servic	1.0	03AUG19 01:50 SERV STAT	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02523  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
02AUG19	01:56	Asset Comments		0.0	LMO LMO	
		9422.7	AFHR		A1PXXX1907302	XXxxXXxx
02AUG19	07:00	Into Maintenance		0.2	A	
		9422.7	AFHR		M LMO	
04AUG19	06:02	Initiate Toolboard		xxxx	A1PXXO1905939	XXxxXXxx
		9425.6	AFHR		14 B/F	XXxxXXxx
04AUG19	07:22	Clear Toolboard		xxxx	14	XXxxXXxx
		9425.6	AFHR			XXxxXXxx
04AUG19	07:46	Maintenance Release		2.0	M LMO	
		9425.6	AFHR		A	
05AUG19	07:50	Into Maintenance		1.0	A1PXXX1907326	XXxxXXxx
		9429.3	AFHR		A	
05AUG19	07:53	Initiate Toolboard		xxxx	A1PXXO1905971	XXxxXXxx
		9430.6	AFHR		14 B/F	XXxxXXxx
05AUG19	07:54	Clear Toolboard		xxxx	14	XXxxXXxx
		9430.6	AFHR			XXxxXXxx
05AUG19	23:35	Change Serviceability Stat		0.6	SERV	
		9430.6	AFHR		U/S	
		Estimated Date/Time Servic		737638.0	A1PXXU1908975	XXxxXXxx
					SERV STAT	
05AUG19	23:39	Maintenance Release		0.0	06AUG19	
		9430.6	AFHR		M LMO	
		Change Serviceability Stat		0.0	A	
		Estimated Date/Time Servic		1.0	A1PXXX1907370	XXxxXXxx
					U/S	
					SERV	
					06AUG19 23:35	
06AUG19	08:15	Into Maintenance		0.3	SERV STAT	
		9434.0	AFHR		A	
06AUG19	08:16	Initiate Toolboard		xxxx	A1PXXO1906018	XXxxXXxx
		9435.2	AFHR		14 B/F	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02524  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
06AUG19 08:17	Change Serviceability Stat	0.0	SERV U/S	
	9435.2 AFHR		A1PXXU1909189	XXxxXXxx
	Estimated Date/Time Servic	737642.6	SERV STAT	
			07AUG19	
07AUG19 00:01	Clear Toolboard	xxxx	14	
	9435.2 AFHR			XXxxXXxx
07AUG19 00:01	Maintenance Release	0.6	M LMO	
	9435.2 AFHR		A	
	Change Serviceability Stat	0.6	A1PXXX1907418	XXxxXXxx
	Estimated Date/Time Servic	0.6	U/S	
			SERV	
07AUG19 08:15	Into Maintenance	0.3	07AUG19 08:17	
			SERV STAT	
			A	
	9439.2 AFHR		M LMO	
07AUG19 08:17	Initiate Toolboard	xxxx	A1PXXO1906071	XXxxXXxx
	9440.5 AFHR		14 B/F	
07AUG19 08:19	Clear Toolboard	xxxx	14	XXxxXXxx
	9440.5 AFHR			XXxxXXxx
07AUG19 08:22	Maintenance Release	0.0	M LMO	
	9440.5 AFHR		A	
08AUG19 08:03	Into Maintenance	0.9	A1PXXX1907451	XXxxXXxx
			A	
	9444.2 AFHR		M LMO	
08AUG19 08:16	Initiate Toolboard	xxxx	A1PXXO1906109	XXxxXXxx
	9445.4 AFHR		14 B/F	
08AUG19 08:21	Clear Toolboard	xxxx	14	XXxxXXxx
	9445.4 AFHR			XXxxXXxx
08AUG19 23:05	Maintenance Release	0.6	M LMO	
	9445.4 AFHR		A	
			A1PXXX1907498	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02525  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
LIFE SINCE NEW				
09AUG19 07:49	Into Maintenance	0.3	A M LMO	
09AUG19 07:55	Initiate Toolboard 9449.2 AFHR	xxxx	A1PXXO1906161 14 B/F	XXxxXXxx
11AUG19 23:30	Clear Toolboard 9450.4 AFHR	xxxx	14	XXxxXXxx
11AUG19 23:31	Maintenance Release	2.6	M LMO A	
12AUG19 06:29	Into Maintenance 9450.4 AFHR	0.2	A1PXXX1907560 A	XXxxXXxx
12AUG19 06:29	Change Serviceability Stat 9451.1 AFHR	0.0	A1PXXO1906201 SERV U/S	XXxxXXxx
	Estimated Date/Time Servic	737643.7	A1PXXU1909157 SERV STAT 13AUG19	XXxxXXxx
12AUG19 06:30	Initiate Toolboard 9451.1 AFHR	xxxx	14 B/F	XXxxXXxx
12AUG19 23:24	Clear Toolboard 9451.1 AFHR	xxxx	14	XXxxXXxx
12AUG19 23:25	Maintenance Release	0.7	M LMO A	
	Change Serviceability Stat 9451.1 AFHR	0.7	A1PXXX1907608 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.7	SERV 13AUG19 06:29 SERV STAT	
13AUG19 07:37	Into Maintenance	0.3	A M LMO	
13AUG19 07:39	Initiate Toolboard 9451.1 AFHR	xxxx	A1PXXO1906250 14 B/F	XXxxXXxx
13AUG19 23:26	Clear Toolboard 9451.8 AFHR	xxxx	14	XXxxXXxx
	Maintenance Release 9451.8 AFHR			XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02526  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
13AUG19	23:26	Maintenance Release	0.6	M LMO		
		9451.8 AFHR		A A1PXXX1907645		XXxxXXxx
14AUG19	08:25	Into Maintenance	0.3	M LMO		
		9451.8 AFHR		A A1PXXO1906291		XXxxXXxx
14AUG19	08:26	Initiate Toolboard	xxxx	14 B/F		
		9451.8 AFHR				XXxxXXxx
14AUG19	23:00	Clear Toolboard	xxxx	14		
		9451.8 AFHR				XXxxXXxx
14AUG19	23:02	Maintenance Release	0.6	M LMO		
		9451.8 AFHR		A A1PXXX1907661		XXxxXXxx
15AUG19	06:21	Into Maintenance	0.3	M LMO		
		9452.9 AFHR		A A1PXXO1906317		XXxxXXxx
15AUG19	06:22	Initiate Toolboard	xxxx	14 B/F		
		9452.9 AFHR				XXxxXXxx
15AUG19	08:07	Clear Toolboard	xxxx	14		
		9452.9 AFHR				XXxxXXxx
15AUG19	08:07	Maintenance Release	0.0	M LMO		
		9452.9 AFHR		A A1PXXX1907688		XXxxXXxx
16AUG19	04:34	Into Maintenance	0.8	M LMO		
		9452.9 AFHR		A A1PXXO1906347		XXxxXXxx
16AUG19	05:32	Asset Comments	0.0			
		9452.9 AFHR		A1PXXX1907725		XXxxXXxx
19AUG19	11:04	Initiate Toolboard	xxxx	14 B/F		
		9455.6 AFHR				XXxxXXxx
19AUG19	11:05	Clear Toolboard	xxxx	14		
		9455.6 AFHR				XXxxXXxx
19AUG19	11:12	Change Serviceability Stat	3.2	SERV		
		9455.6 AFHR		U/S A1PXXU1909342		XXxxXXxx
		Estimated Date/Time Servic	737649.5	SERV STAT 20AUG19		



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02527  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
19AUG19 11:15	Initiate Toolboard	9455.6 AFHR	xxxx	14 B/F	XXxxXXxx
19AUG19 11:16	Clear Toolboard	9455.6 AFHR	xxxx	14	XXxxXXxx
20AUG19 10:45	Initiate Toolboard	9455.6 AFHR	xxxx	14 B/F	XXxxXXxx
20AUG19 10:45	Clear Toolboard	9455.6 AFHR	xxxx	14	XXxxXXxx
20AUG19 23:01	Maintenance Release	9455.6 AFHR	1.4	M PEA A A1PXXX1907806	XXxxXXxx
	Change Serviceability Stat		1.4	U/S	
	Estimated Date/Time Servic		1.4	SERV 20AUG19 11:12 SERV STAT	
21AUG19 02:19	Into Maintenance	9455.6 AFHR	0.1	A A1PXXO1906421	XXxxXXxx
21AUG19 02:24	Change Serviceability Stat	9456.9 AFHR	0.0	SERV U/S A1PXXU1909504	XXxxXXxx
	Estimated Date/Time Servic		737657.8	SERV STAT 22AUG19	
21AUG19 11:21	Initiate Toolboard	9456.9 AFHR	xxxx	14 B/F	XXxxXXxx
21AUG19 11:22	Clear Toolboard	9456.9 AFHR	xxxx	14	XXxxXXxx
22AUG19 00:58	Maintenance Release	9456.9 AFHR	0.9	M PEA A A1PXXX1907862	XXxxXXxx
	Change Serviceability Stat		0.9	U/S	
	Estimated Date/Time Servic		0.9	SERV 22AUG19 02:24 SERV STAT	
22AUG19 10:02	Asset Comments	9456.9 AFHR	0.0	GERO GERO A1PXXX1907886	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02528  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
23AUG19	03:42	Asset Comments		0.0		
		9456.9	AFHR		A1PXXX1907911	XXxxXXxx
23AUG19	03:50	Into Maintenance		1.1	A	
		9462.0	AFHR		M PEA	
23AUG19	03:50	Initiate Toolboard		xxxx	A1PXXO1906490	XXxxXXxx
		9462.0	AFHR		14 B/F	XXxxXXxx
23AUG19	03:50	Clear Toolboard		xxxx	14	XXxxXXxx
		9462.0	AFHR			XXxxXXxx
23AUG19	03:51	Maintenance Release		0.0	M PEA	
		9462.0	AFHR		A	
25AUG19	21:56	Into Maintenance		2.7	A1PXXX1907914	XXxxXXxx
		9462.0	AFHR		A	
25AUG19	22:59	Initiate Toolboard		xxxx	M PEA	
		9462.0	AFHR		A1PXXO1906505	XXxxXXxx
26AUG19	00:21	Clear Toolboard		xxxx	14 B/F	XXxxXXxx
		9462.0	AFHR			XXxxXXxx
26AUG19	00:21	Maintenance Release		0.1	M PEA	
		9462.0	AFHR		A	
26AUG19	06:00	Into Maintenance		0.2	A1PXXX1907925	XXxxXXxx
		9463.3	AFHR		A	
26AUG19	08:07	Change Serviceability Stat		0.0	A1PXXO1906519	XXxxXXxx
		9464.5	AFHR		SERV	
		Estimated Date/Time Servic		737658.7	U/S	
					A1PXXU1909501	XXxxXXxx
26AUG19	09:08	Initiate Toolboard		xxxx	SERV STAT	
		9464.5	AFHR		27AUG19	
26AUG19	09:08	Clear Toolboard		xxxx	14 B/F	XXxxXXxx
		9464.5	AFHR			XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02529  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
27AUG19	07:09	Maintenance Release	0.9	M PEA A A1PXXX1907976		XXxxXXxx
		9465.7 AFHR Change Serviceability Stat	0.9	U/S SERV		
		Estimated Date/Time Servic	0.9	27AUG19 08:07 SERV STAT		
27AUG19	07:10	Asset Comments	0.0	ALB ALB A1PXXX1907977		XXxxXXxx
27AUG19	09:09	Asset Comments	0.0	GERO GERO A1PXXX1907987		XXxxXXxx
28AUG19	06:39	Asset Comments	0.0	A1PXXX1908058		XXxxXXxx
28AUG19	09:01	Into Maintenance	1.0	A M AIP A1PXXO1906610		XXxxXXxx
28AUG19	09:34	Initiate Toolboard	xxxx	14 B/F		XXxxXXxx
28AUG19	09:35	Clear Toolboard	xxxx	14		XXxxXXxx
28AUG19	23:22	Maintenance Release	0.5	M AIP A A1PXXX1908065		XXxxXXxx
29AUG19	07:14	Into Maintenance	0.3	A M PEA A1PXXO1906646		XXxxXXxx
29AUG19	08:54	Initiate Toolboard	xxxx	14 B/F		XXxxXXxx
29AUG19	08:55	Clear Toolboard	xxxx	14		XXxxXXxx
29AUG19	22:27	Maintenance Release	0.6	M PEA A A1PXXX1908127		XXxxXXxx
30AUG19	03:11	Into Maintenance	0.1	A A1PXXO1906662		XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02530  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
02SEP19 03:14	Change Serviceability Stat 9476.2 AFHR Estimated Date/Time Serv	3.0	SERV U/S A1PXXU1909869	XXxxXXxx
02SEP19 03:45	Initiate Toolboard 9476.2 AFHR	xxxx	14 B/F	XXxxXXxx
02SEP19 03:45	Clear Toolboard 9476.2 AFHR	xxxx	14	XXxxXXxx
02SEP19 03:45	Maintenance Release 9476.2 AFHR Change Serviceability Stat	0.0	M PEA A A1PXXX1908198	XXxxXXxx
	Estimated Date/Time Serv	1.0	SERV 03SEP19 03:15 SERV STAT	
02SEP19 03:46	Asset Comments 9476.2 AFHR	0.0	A/T 9478.2 OIL PRESS A1PXXX1908199	XXxxXXxx
02SEP19 07:05	Into Maintenance 9476.2 AFHR	0.1	A A1PXXO1906701	XXxxXXxx
02SEP19 07:20	Asset Comments 9476.2 AFHR	0.0	A1PXXX1908205	XXxxXXxx
02SEP19 07:21	Change Serviceability Stat 9476.9 AFHR Estimated Date/Time Serv	0.0	SERV U/S A1PXXU1909873	XXxxXXxx
		737669.8	SERV STAT 03SEP19	
02SEP19 10:32	Initiate Toolboard 9476.9 AFHR	xxxx	14 B/F	XXxxXXxx
02SEP19 10:32	Clear Toolboard 9476.9 AFHR	xxxx	14	XXxxXXxx
03SEP19 06:04	Asset Comments 9476.9 AFHR	0.0	MCF OIL PX DIAGNOSTICS A1PXXX1908260	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02531  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
03SEP19 06:04	Maintenance Release	0.9	M PEA A	
	9476.9 AFHR Change Serviceability Stat	0.9	A1PXXX1908262 U/S	XXxxXXxx
	Estimated Date/Time Servic	0.9	SERV 03SEP19 07:21 SERV STAT	
03SEP19 07:48	Into Maintenance	0.0	A	
	9476.9 AFHR		A1PXXO1906743	XXxxXXxx
03SEP19 08:41	Change Serviceability Stat	0.0	SERV U/S	
	9476.9 AFHR Estimated Date/Time Servic	737670.8	A1PXXU1909941 SERV STAT	XXxxXXxx
03SEP19 09:28	Initiate Toolboard	xxxx	04SEP19 14 B/F	
	9476.9 AFHR			XXxxXXxx
03SEP19 09:29	Clear Toolboard	xxxx	14	
	9476.9 AFHR			XXxxXXxx
04SEP19 00:12	Maintenance Release	0.6	M PEA A	
	9476.9 AFHR Change Serviceability Stat	0.6	A1PXXX1908293 U/S	XXxxXXxx
	Estimated Date/Time Servic	0.6	SERV 04SEP19 08:41 SERV STAT	
04SEP19 03:05	Asset Comments	0.0		
	9476.9 AFHR		A1PXXX1908299	XXxxXXxx
04SEP19 03:07	Into Maintenance	0.1	A	
	9476.9 AFHR		A1PXXO1906751	XXxxXXxx
04SEP19 03:08	Change Serviceability Stat	0.0	SERV U/S	
	9477.4 AFHR Estimated Date/Time Servic	737671.8	A1PXXU1909933 SERV STAT	XXxxXXxx
			05SEP19	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02532  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
04SEP19 04:47	Maintenance Release	0.0	M PEA A A1PXXX1908306	XXxxXXxx
	9477.4 AFHR Change Serviceability Stat	0.0	U/S SERV	
	Estimated Date/Time Servic	1.0	05SEP19 03:08 SERV STAT	
04SEP19 07:35	Into Maintenance	0.1	A A1PXXO1906771	XXxxXXxx
04SEP19 10:29	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
04SEP19 10:30	Clear Toolboard	xxxx	14	XXxxXXxx
04SEP19 10:39	Change Serviceability Stat	0.1	SERV U/S A1PXXU1910002	XXxxXXxx
	9477.4 AFHR Estimated Date/Time Servic	737671.7	SERV STAT 05SEP19	
04SEP19 23:25	Maintenance Release	0.5	M PEA A A1PXXX1908330	XXxxXXxx
	9477.4 AFHR Change Serviceability Stat	0.5	U/S SERV	
	Estimated Date/Time Servic	1.5	05SEP19 10:40 SERV STAT	
05SEP19 03:15	Into Maintenance	0.1	A A1PXXO1906787	XXxxXXxx
05SEP19 05:33	Change Serviceability Stat	0.0	SERV U/S A1PXXU1910024	XXxxXXxx
	9477.4 AFHR Estimated Date/Time Servic	737672.7	SERV STAT 06SEP19	
05SEP19 09:28	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
05SEP19 09:28	Clear Toolboard	xxxx	14	XXxxXXxx
	9477.4 AFHR			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02533  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
06SEP19 00:04	Maintenance Release	0.7	M PEA A	
	9477.4 AFHR Change Serviceability Stat	0.7	A1PXXX1908386 U/S	XXxxXXxx
	Estimated Date/Time Servic	0.7	SERV 06SEP19 05:33 SERV STAT	
06SEP19 04:07	Into Maintenance	0.1	A	
	9477.4 AFHR		A1PXXO1906828	XXxxXXxx
06SEP19 05:28	Change Serviceability Stat	0.0	SERV U/S	
	9478.8 AFHR Estimated Date/Time Servic	737673.7	A1PXXU1909926 SERV STAT	XXxxXXxx
			07SEP19	
08SEP19 22:39	Initiate Toolboard	xxxx	14 B/F	
	9478.8 AFHR			XXxxXXxx
08SEP19 22:39	Clear Toolboard	xxxx	14	
	9478.8 AFHR			XXxxXXxx
09SEP19 01:05	Maintenance Release	2.8	M PEA A	
	9478.8 AFHR Change Serviceability Stat	2.8	A1PXXX1908424 U/S	XXxxXXxx
	Estimated Date/Time Servic	0.8	SERV 07SEP19 05:28 SERV STAT	
09SEP19 03:37	Into Maintenance	0.1	A	
	9479.8 AFHR		M PEA A1PXXO1906860	XXxxXXxx
09SEP19 07:28	Asset Comments	0.0	KAL	
	9479.8 AFHR		A1PXXX1908443	XXxxXXxx
10SEP19 03:37	Asset Comments	0.0		
	9479.8 AFHR		A1PXXX1908469	XXxxXXxx
10SEP19 03:39	Initiate Toolboard	xxxx	14 B/F	
	9483.2 AFHR			XXxxXXxx
10SEP19 03:39	Clear Toolboard	xxxx	14	
	9483.2 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02534  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
10SEP19	03:39	Maintenance Release	1.0	M PEA A		
		9483.2 AFHR		A1PXXX1908470		XXxxXXxx
10SEP19	10:50	Into Maintenance	0.2	M PEA A		
		9483.2 AFHR		A1PXXO1906877		XXxxXXxx
10SEP19	10:50	Initiate Toolboard	xxxx	14 B/F		
		9483.2 AFHR				XXxxXXxx
10SEP19	10:51	Clear Toolboard	xxxx	14		
		9483.2 AFHR				XXxxXXxx
11SEP19	00:13	Maintenance Release	0.5	M PEA A		
		9483.2 AFHR		A1PXXX1908489		XXxxXXxx
11SEP19	02:29	Into Maintenance	0.0	M PEA A		
		9483.2 AFHR		A1PXXO1906878		XXxxXXxx
11SEP19	11:02	Initiate Toolboard	xxxx	14 B/F		
		9484.7 AFHR				XXxxXXxx
11SEP19	11:02	Clear Toolboard	xxxx	14		
		9484.7 AFHR				XXxxXXxx
11SEP19	22:26	Maintenance Release	0.8	M PEA A		
		9484.7 AFHR		A1PXXX1908507		XXxxXXxx
12SEP19	07:39	Into Maintenance	0.3	M PEA A		
		9486.3 AFHR		A1PXXO1906921		XXxxXXxx
12SEP19	10:45	Initiate Toolboard	xxxx	14 B/F		
		9488.1 AFHR				XXxxXXxx
12SEP19	10:45	Clear Toolboard	xxxx	14		
		9488.1 AFHR				XXxxXXxx
12SEP19	23:42	Maintenance Release	0.6	M PEA A		
		9488.1 AFHR		A1PXXX1908532		XXxxXXxx
13SEP19	06:43	Into Maintenance	0.2	A A1PXXO1906934		XXxxXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02535  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
15SEP19 21:55	Change Serviceability Stat 9491.1 AFHR Estimated Date/Time Servic	2.6 737676.1	SERV U/S A1PXXU1910075 SERV STAT 16SEP19 14 B/F	XXxxXXxx
15SEP19 23:18	Initiate Toolboard 9491.1 AFHR	xxxx	14	XXxxXXxx
15SEP19 23:19	Clear Toolboard 9491.1 AFHR	xxxx	14	XXxxXXxx
16SEP19 01:50	Maintenance Release 9491.1 AFHR Change Serviceability Stat Estimated Date/Time Servic	0.1 0.1	M PEA A A1PXXX1908558 U/S SERV 16SEP19 21:55 SERV STAT	XXxxXXxx
16SEP19 08:16	Into Maintenance	0.2	A M PEA A1PXXO1906951 14 B/F	XXxxXXxx
16SEP19 09:10	Initiate Toolboard 9492.6 AFHR	xxxx	14	XXxxXXxx
16SEP19 09:10	Clear Toolboard 9492.6 AFHR	xxxx	14	XXxxXXxx
16SEP19 23:42	Maintenance Release 9492.6 AFHR	0.6	M PEA A A1PXXX1908570	XXxxXXxx
17SEP19 07:39	Into Maintenance 9494.1 AFHR	0.3	A A1PXXO1906982	XXxxXXxx
17SEP19 09:22	Initiate Toolboard 9495.6 AFHR	xxxx	14 B/F	XXxxXXxx
17SEP19 09:23	Clear Toolboard 9495.6 AFHR	xxxx	14	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02536  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
17SEP19 09:41	Change Serviceability Stat	0.0	SERV U/S A1PXXU1910317	XXxxXXxx
	9495.6 AFHR Estimated Date/Time Servic	737683.6	SERV STAT 18SEP19	
18SEP19 00:05	Maintenance Release	0.5	M PEA A A1PXXX1908595	XXxxXXxx
	9495.6 AFHR Change Serviceability Stat	0.5	U/S SERV 18SEP19 09:41	
18SEP19 06:30	Into Maintenance	0.2	SERV STAT A A1PXXO1906997	XXxxXXxx
19SEP19 00:44	Change Serviceability Stat	0.7	SERV U/S A1PXXU1816022	XXxxXXxx
	9498.9 AFHR Estimated Date/Time Servic	737685.9	SERV STAT 20SEP19	
08OCT19 06:29	Create/Amend Basic Weight	90.0	1735.00 427272 7412394.10 0.00 1732.10 4268.1 7392731.90 0.00	XXxxXXxx
	9498.9 AFHR Maintenance Comment	0.0	A1PXXX1908988	
14OCT19 09:04	Initiate Toolboard	xxxx	POST S12 SERVICING 08OCT19 AIP MCS 861-2/19	
	9498.9 AFHR		14 B/F	XXxxXXxx
14OCT19 09:04	Clear Toolboard	xxxx	14	XXxxXXxx
	9498.9 AFHR			XXxxXXxx
15OCT19 05:29	Maintenance Release	26.1	M PEA A A1PXXX1909127	XXxxXXxx
	9498.9 AFHR Change Serviceability Stat	26.1	U/S SERV 20SEP19 00:44	
	Estimated Date/Time Servic	1.1	SERV STAT A A1PXXO1907351	XXxxXXxx
15OCT19 07:05	Into Maintenance	0.0		
	9498.9 AFHR			XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02537  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW	TRANS REFERENCE			
15OCT19	07:46	Change Serviceability Stat	0.0	SERV		
		9499.9 AFHR		U/S		
		Estimated Date/Time Servic	737712.9	A1PXXU1910873		XXxxXXxx
15OCT19	09:31	Initiate Toolboard	xxxx	SERV STAT		
		9499.9 AFHR		16OCT19		
15OCT19	09:32	Clear Toolboard	xxxx	14 B/F		XXxxXXxx
		9499.9 AFHR		14		XXxxXXxx
16OCT19	00:08	Maintenance Release	0.6	M PEA		
		9499.9 AFHR		A		
		Change Serviceability Stat	0.6	A1PXXX1909142		XXxxXXxx
		Estimated Date/Time Servic	0.6	U/S		
16OCT19	07:56	Into Maintenance	0.3	SERV		
		9500.7 AFHR		16OCT19 07:46		
16OCT19	08:43	Initiate Toolboard	xxxx	SERV STAT		
		9501.6 AFHR		A		
16OCT19	08:43	Clear Toolboard	xxxx	M PEA		XXxxXXxx
		9501.6 AFHR		A1PXXO1907379		XXxxXXxx
17OCT19	00:15	Maintenance Release	0.6	14 B/F		XXxxXXxx
		9501.6 AFHR		14		XXxxXXxx
17OCT19	05:47	Into Maintenance	0.2	M PEA		
		9503.9 AFHR		A		
		Initiate Toolboard	xxxx	A1PXXX1909166		XXxxXXxx
		9503.9 AFHR		A		
17OCT19	09:27	Clear Toolboard	xxxx	M PEA		XXxxXXxx
		9503.9 AFHR		A1PXXO1907396		XXxxXXxx
17OCT19	23:42	Maintenance Release	0.7	14 B/F		XXxxXXxx
		9503.9 AFHR		14		XXxxXXxx
				M PEA		
				A		
				A1PXXX1909225		XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02538  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
18OCT19	03:43	Into Maintenance	0.1	A		
		9505.4 AFHR		A1PXXO1907416		XXxxXXxx
18OCT19	03:43	Change Serviceability Stat	0.0	SERV		
		9505.4 AFHR		A1PXXU1911011		XXxxXXxx
		Estimated Date/Time Servic	737713.8	SERV STAT		
				19OCT19		
18OCT19	03:47	Armed	0.0	Y		
		9505.4 AFHR		A1PXXX1909240		XXxxXXxx
18OCT19	03:47	Asset Comments	0.0	A/TEST	A/TEST FOR ASR CLEARANCE	
		9505.4 AFHR		A1PXXX1909240		XXxxXXxx
18OCT19	03:47	Asset Comments	0.0	A/TEST 9505.4	A/TEST FOR ASR CLEARANCE	
		9505.4 AFHR		A1PXXX1909241		XXxxXXxx
21OCT19	00:13	Armed	0.0	N		
		9505.4 AFHR		A1PXXX1909262		XXxxXXxx
23OCT19	09:10	Initiate Toolboard	xxxx	14 B/F		
		9505.4 AFHR				XXxxXXxx
23OCT19	09:11	Clear Toolboard	xxxx	14		
		9505.4 AFHR				XXxxXXxx
24OCT19	00:20	Maintenance Release	5.8	M PEA		
		9505.4 AFHR		A		
		Change Serviceability Stat	5.8	A1PXXX1909406		XXxxXXxx
		Estimated Date/Time Servic	0.8	U/S		
				SERV		
				19OCT19 03:45		
				SERV STAT		
24OCT19	05:28	Asset Comments	0.0			
		9506.7 AFHR		A1PXXX1909427		XXxxXXxx
24OCT19	05:28	Into Maintenance	0.2	A		
		9506.7 AFHR		A1PXXO1907510		XXxxXXxx
24OCT19	05:29	Change Serviceability Stat	0.0	SERV		
				U/S		
		9506.7 AFHR		A1PXXU1911011		XXxxXXxx
		Estimated Date/Time Servic	737721.7	SERV STAT		
				25OCT19		

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02539  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
24OCT19 05:30	Maintenance Release	0.0	M PEA A	
	9506.7 AFHR Change Serviceability Stat	0.0	A1PXXX1909428 U/S	XXxxXXxx
	Estimated Date/Time Servic	1.0	SERV 25OCT19 05:29 SERV STAT	
24OCT19 08:50	Into Maintenance	0.1	A M PEA	
	9506.7 AFHR Initiate Toolboard	xxxx	A1PXXO1907521 14 B/F	XXxxXXxx
	9508.2 AFHR Clear Toolboard	xxxx	14	XXxxXXxx
24OCT19 09:16	Maintenance Release	0.6	M PEA A	
	9508.2 AFHR Into Maintenance	0.2	A1PXXX1909442 A	XXxxXXxx
25OCT19 05:21	Change Serviceability Stat	0.0	A1PXXO1907530 SERV	XXxxXXxx
	9511.0 AFHR Estimated Date/Time Servic	737722.0	U/S A1PXXU1911015 SERV STAT 26OCT19	XXxxXXxx
27OCT19 23:38	Initiate Toolboard	xxxx	14 B/F	
	9511.0 AFHR Clear Toolboard	xxxx	14	XXxxXXxx
27OCT19 23:39	Maintenance Release	2.7	M PEA A	
	9511.0 AFHR Change Serviceability Stat	2.7	A1PXXX1909463 U/S	XXxxXXxx
	Estimated Date/Time Servic	0.7	SERV 26OCT19 05:24 SERV STAT	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02540  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
28OCT19	09:09	Into Maintenance	0.3	A		
		9512.4 AFHR		M PEA		
29OCT19	07:26	Initiate Toolboard	xxxx	A1PXXO1907550		XXxxXXxx
		9512.4 AFHR		14 B/F		
29OCT19	07:26	Clear Toolboard	xxxx	14		XXxxXXxx
		9512.4 AFHR				
29OCT19	07:27	Maintenance Release	0.9	M PEA		XXxxXXxx
		9512.4 AFHR		A		
29OCT19	07:27	Asset Comments	0.0	A1PXXX1909516	BUSSLETON	XXxxXXxx
		9512.4 AFHR		BSN		
29OCT19	07:55	Into Maintenance	0.0	A1PXXX1909517		XXxxXXxx
		9513.6 AFHR		A		
29OCT19	08:14	Asset Comments	0.0	A1PXXO1907566		XXxxXXxx
		9512.4 AFHR				
29OCT19	08:56	Initiate Toolboard	xxxx	A1PXXX1909520		XXxxXXxx
		9516.9 AFHR		14 B/F		
29OCT19	08:56	Clear Toolboard	xxxx	14		XXxxXXxx
		9516.9 AFHR				
29OCT19	23:55	Maintenance Release	0.6	M PEA		XXxxXXxx
		9516.9 AFHR		A		
30OCT19	05:46	Into Maintenance	0.2	A1PXXX1909533		XXxxXXxx
		9518.5 AFHR		A		
30OCT19	05:47	Change Serviceability Stat	0.0	A1PXXO1907580		XXxxXXxx
		9518.5 AFHR		SERV		
		Estimated Date/Time Servic	737725.7	U/S		
				A1PXXU1911209		XXxxXXxx
				SERV STAT		
30OCT19	08:27	Initiate Toolboard	xxxx	31OCT19		
		9518.5 AFHR		14 B/F		
30OCT19	08:27	Clear Toolboard	xxxx	14		XXxxXXxx
		9518.5 AFHR				

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02541  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
31OCT19 00:01	Maintenance Release	0.7	M PEA A	
	9518.5 AFHR Change Serviceability Stat	0.7	A1PXXX1909571 U/S	XXxxXXxx
	Estimated Date/Time Servic	0.7	SERV 31OCT19 05:47 SERV STAT	
31OCT19 04:57	Into Maintenance	0.2	A M PEA	
	9518.5 AFHR		A1PXXO1907592	XXxxXXxx
31OCT19 08:42	Initiate Toolboard	xxxx	14 B/F	
	9519.5 AFHR			XXxxXXxx
31OCT19 08:42	Clear Toolboard	xxxx	14	
	9519.5 AFHR			XXxxXXxx
31OCT19 22:34	Maintenance Release	0.7	M PEA A	
	9519.5 AFHR		A1PXXX1909598	XXxxXXxx
01NOV19 02:24	Into Maintenance	0.1	A	
	9519.5 AFHR		A1PXXO1907605	XXxxXXxx
01NOV19 02:45	Change Serviceability Stat	0.0	SERV U/S	
	9520.9 AFHR		A1PXXU1911146	XXxxXXxx
	Estimated Date/Time Servic	737728.8	SERV STAT 02NOV19	
03NOV19 22:39	Initiate Toolboard	xxxx	14 B/F	
	9520.9 AFHR			XXxxXXxx
03NOV19 22:40	Clear Toolboard	xxxx	14	
	9520.9 AFHR			XXxxXXxx
03NOV19 23:50	Maintenance Release	2.8	M PEA A	
	9520.9 AFHR		A1PXXX1909638	XXxxXXxx
	Change Serviceability Stat	2.8	U/S	
	Estimated Date/Time Servic	1.8	SERV 02NOV19 02:45 SERV STAT	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02542  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
04NOV19	07:03	Into Maintenance	0.3	A		
		9521.9 AFHR		M PEA		XXxxXXxx
04NOV19	08:03	Initiate Toolboard	xxxx	A1PXXO1907632	14 B/F	
		9523.0 AFHR				XXxxXXxx
04NOV19	08:04	Clear Toolboard	xxxx	14		
		9523.0 AFHR				XXxxXXxx
05NOV19	00:09	Maintenance Release	0.7	M PEA		
		9523.0 AFHR		A		XXxxXXxx
05NOV19	06:36	Into Maintenance	0.2	A1PXXX1909670		
		9523.0 AFHR		A		XXxxXXxx
05NOV19	08:56	Change Serviceability Stat	0.0	A1PXXO1907643		
		9524.6 AFHR		SERV		XXxxXXxx
		Estimated Date/Time Servic	737732.6	U/S		
				A1PXXU1911324		XXxxXXxx
05NOV19	09:05	Initiate Toolboard	xxxx	SERV STAT		
		9524.6 AFHR		06NOV19		XXxxXXxx
05NOV19	09:05	Clear Toolboard	xxxx	14 B/F		
		9524.6 AFHR		14		XXxxXXxx
06NOV19	00:29	Maintenance Release	0.6	M PEA		
		9524.6 AFHR		A		XXxxXXxx
		Change Serviceability Stat	0.6	A1PXXX1909726		
		Estimated Date/Time Servic	0.6	U/S		
				SERV		XXxxXXxx
				06NOV19 08:56		
				SERV STAT		
06NOV19	05:57	Into Maintenance	0.2	A		
		9526.2 AFHR		M PEA		XXxxXXxx
06NOV19	08:54	Initiate Toolboard	xxxx	A1PXXO1907667		
		9526.2 AFHR		14 B/F		XXxxXXxx
06NOV19	08:54	Clear Toolboard	xxxx	14		
		9526.2 AFHR				XXxxXXxx



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02543  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS		-----				
TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN(DYS) FROM	TO (OPTIONAL)	USER
				TRANS REFERENCE		
=====						
06NOV19	23:40	Maintenance Release		0.7	M PEA A	
		9526.2	AFHR		A1PXXX1909745	XXxxXXxx
07NOV19	06:24	Asset Comments		0.0	AWAY	
		9526.2	AFHR		A1PXXX1909778	XXxxXXxx
08NOV19	03:52	Into Maintenance		1.1	A	
		9529.2	AFHR		A1PXXO1907698	XXxxXXxx
08NOV19	04:19	Asset Comments		0.0		
		9526.2	AFHR		A1PXXX1909831	XXxxXXxx
08NOV19	04:36	Change Serviceability Stat		0.0	SERV U/S	
		9530.9	AFHR		A1PXXU1911251	XXxxXXxx
		Estimated Date/Time Servic		737734.8	SERV STAT 09NOV19	
11NOV19	00:55	Initiate Toolboard		xxxx	14 B/F	
		9530.9	AFHR			XXxxXXxx
11NOV19	00:56	Clear Toolboard		xxxx	14	
		9530.9	AFHR			XXxxXXxx
11NOV19	00:59	Maintenance Release		2.8	M PEA A	
		9530.9	AFHR		A1PXXX1909843	XXxxXXxx
		Change Serviceability Stat		2.8	U/S SERV	
		Estimated Date/Time Servic		0.8	09NOV19 04:36 SERV STAT	
11NOV19	08:55	Into Maintenance		0.3	A	
		9532.0	AFHR		M PEA A1PXXO1907721	XXxxXXxx
11NOV19	09:07	Initiate Toolboard		xxxx	14 B/F	
		9533.7	AFHR			XXxxXXxx
11NOV19	09:07	Clear Toolboard		xxxx	14	
		9533.7	AFHR			XXxxXXxx
11NOV19	22:49	Maintenance Release		0.5	M PEA A	
		9533.7	AFHR		A1PXXX1909853	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02544  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW	TRANS REFERENCE			
12NOV19	23:24	Into Maintenance	1.0	A		
		9534.6 AFHR		M PEA		
12NOV19	23:24	Initiate Toolboard	xxxx	A1PXXO1907744		XXxxXXxx
		9534.6 AFHR		14 B/F		
12NOV19	23:25	Clear Toolboard	xxxx	14		XXxxXXxx
		9534.6 AFHR				
12NOV19	23:30	Maintenance Release	0.0	M PEA		XXxxXXxx
		9534.6 AFHR		A		
13NOV19	04:57	Into Maintenance	0.2	A1PXXX1909881		XXxxXXxx
		9535.9 AFHR		A		
13NOV19	22:18	Change Serviceability Stat	0.7	A1PXXO1907753		XXxxXXxx
		9537.2 AFHR		SERV		
		Estimated Date/Time Servic	737739.1	U/S		
				A1PXXU1911441		XXxxXXxx
18NOV19	04:58	Initiate Toolboard	xxxx	SERV STAT		
		9537.2 AFHR		14NOV19		
18NOV19	04:59	Clear Toolboard	xxxx	14 B/F		XXxxXXxx
		9537.2 AFHR		14		
18NOV19	04:59	Maintenance Release	4.2			XXxxXXxx
		9537.2 AFHR		M PEA		
		Change Serviceability Stat	4.2	A		
		Estimated Date/Time Servic	0.2	A1PXXX1909994		XXxxXXxx
				U/S		
18NOV19	06:52	Asset Comments	0.0	SERV		
		9537.2 AFHR		14NOV19 22:20		
19NOV19	08:02	Into Maintenance	1.1	SERV STAT		
		9538.7 AFHR		GER	GERALDTON	
19NOV19	08:09	Asset Comments	0.0	A1PXXX1909996		XXxxXXxx
		9537.2 AFHR		A		
				A1PXXO1907818		XXxxXXxx
				A1PXXX1910012		XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02545  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
19NOV19 22:23	Change Serviceability Stat	0.5	SERV U/S A1PXXU1911564	XXxxXXxx
	9541.8 AFHR Estimated Date/Time Servic	737746.2	SERV STAT 20NOV19 14 B/F	
02DEC19 07:38	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	9541.8 AFHR			
02DEC19 07:39	Clear Toolboard	xxxx	14	XXxxXXxx
	9541.8 AFHR			
03DEC19 00:26	Maintenance Release	13.0	M PEA A	
	9541.8 AFHR		A1PXXX1910235	XXxxXXxx
	Change Serviceability Stat	13.0	U/S	
	Estimated Date/Time Servic	0.0	SERV 20NOV19 22:23	
03DEC19 03:59	Into Maintenance	0.1	SERV STAT A	
	9541.8 AFHR		A1PXXO1907910	XXxxXXxx
03DEC19 07:50	Initiate Toolboard	xxxx	14 B/F	XXxxXXxx
	9543.1 AFHR			
03DEC19 07:50	Clear Toolboard	xxxx	14	XXxxXXxx
	9543.1 AFHR			
03DEC19 23:55	Change Serviceability Stat	0.8	SERV U/S A1PXXU1911730	XXxxXXxx
	9543.1 AFHR		SERV STAT	
	Estimated Date/Time Servic	737761.0	04DEC19	
04DEC19 00:06	Maintenance Release	0.0	M PEA A	
	9543.1 AFHR		A1PXXX1910304	XXxxXXxx
	Change Serviceability Stat	0.0	U/S	
	Estimated Date/Time Servic	0.0	SERV 04DEC19 23:55	
			SERV STAT	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02546  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW	TRANS REFERENCE			
04DEC19	03:27	Into Maintenance	0.1	A		
		9543.1 AFHR		M PEA		XXxxXXxx
05DEC19	02:22	Initiate Toolboard	xxxx	A1PXXO1907924		
		9544.2 AFHR		14 B/F		XXxxXXxx
05DEC19	02:22	Clear Toolboard	xxxx	14		
		9544.2 AFHR				XXxxXXxx
05DEC19	02:23	Maintenance Release	0.9	M PEA		
		9544.2 AFHR		A		XXxxXXxx
05DEC19	08:40	Into Maintenance	0.2	A1PXXX1910334		
		9544.2 AFHR		A		XXxxXXxx
05DEC19	22:01	Change Serviceability Stat	0.5	A1PXXO1907958		
		9545.2 AFHR		SERV		XXxxXXxx
		Maintenance Comment	0.0	U/S		
		Estimated Date/Time Servic	737762.0	A1PXXX1910351		XXxxXXxx
				PREP FOR AVALON		
05DEC19	22:01	Asset Comments	0.0	SERV STAT		
		9545.2 AFHR		31DEC25		XXxxXXxx
10DEC19	23:32	Maintenance Comment	0.0	WITHDRAWN PREP FOR AVALON		
		9545.2 AFHR		A1PXXX1910352		XXxxXXxx
11DEC19	22:44	Change Venue of an Asset	5948.6	AIRCRAFT MSN: 533		
		9545.2 AFHR		A1PXXX1910441		XXxxXXxx
		Maintenance Comment	0.0	AIP		
		Change Location of an Asse	5948.6	A23DISP		XXxxXXxx
				A1PXXX1910477		
				PREP FOR DISPOSALS		
				A23-033		
				A23-033		

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY516340 10OCT05 23:24	CANCELLED XXxxXXxx	10OCT05 23:29 XXxxXXxxXXxxXXxxXXxx	5407.9 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx 10OCT05 23:29 XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	ENTERED IN ERROR				
A1PXXUY511867 30APR06 23:56	CANCELLED XXxxXXxx	22JUN06 23:35 XXxxXXxxXXxxXXxxXXxx	5594.9 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx 22JUN06 23:35
		STI-PC9-0210 PC-9	due on Serial A23-033 at WAC 0000			
	Maint Acts:	ENTERED IN ERROR				
A1PXXUY603533 30APR06 23:58	CANCELLED XXxxXXxx	21JUN06 01:59 XXxxXXxxXXxxXXxxXXxx	5594.9 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx 21JUN06 01:59
		STI-PC9-0354 PC-9	due on Serial A23-033 at WAC 0000			
	Maint Acts:	ENTERED IN ERROR				
A1PXXUY505308 02MAY06 05:13	CANCELLED XXxxXXxx	03AUG06 07:01 XXxxXXxxXXxxXXxxXXxx	5594.9 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx 03AUG06 07:01
		S13 PC-9	due on Serial A23-033 at WAC 0000			
	Maint Acts:	ENTERED IN ERROR				
A1PXXUY608501 25JUL06 02:41	CANCELLED XXxxXXxx	25JUL06 02:50 XXxxXXxxXXxxXXxxXXxx	5594.9 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx 25JUL06 02:50 XXxxXXxxXXxxXXxxXXxx
		HYD LOW PRESS FILTER ELEMENT REMOVED FOR TA				
	Maint Acts:	ENTERED IN ERROR				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02548  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY608502 25JUL06 02:49	CANCELLED XXxxXXxx	25JUL06 03:21 XXxxXXxxXXxxXXxxXXxx  TA ELEMNT FILT LP HYD	5594.9 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx 25JUL06 03:21 XXxxXXxxXXxxXXxxXXxx
Maint Acts: ENTERED IN ERROR						
A1PXXUY611369 20SEP06 01:00	CANCELLED XXxxXXxx	21SEP06 02:37 XXxxXXxxXXxxXXxxXXxx  LEARMONTH DETACHMENT: WTL	5675.0 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx 21SEP06 02:37
Maint Acts:						
A1PXXUY704824 10APR07 05:57 10APR07 05:57	CANCELLED XXxxXXxx XXxxXXxx	10APR07 06:19 XXxxXXxxXXxxXXxxXXxx S40 PC-9	5892.2 AIP AIP	AFHR	CMO	XXxxXXxxXXxxXXxxXXxx 10APR07 06:19
Maint Acts: ENTERED IN ERROR						
A1PXXUY708289 13JUN07 00:17 13JUN07 00:17	CANCELLED XXxxXXxx XXxxXXxx	13JUN07 00:23 XXxxXXxxXXxxXXxxXXxx BS CRASH POSN IND	5984.0 AIP AIP	AFHR	CMO	XXxxXXxxXXxxXXxxXXxx 13JUN07 00:23
Maint Acts: ENTERED IN ERROR						
A1PXXUY708907 25JUN07 23:07 25JUN07 23:10	CANCELLED XXxxXXxx XXxxXXxx	25JUN07 23:15 XXxxXXxxXXxxXXxxXXxx ENGINE COMPONENTS TO BE CHANGED OVER TO NEW ENGINE.	5999.1 AIP AIP	AFHR		XXxxXXxxXXxxXXxxXXxx 25JUN07 23:15 XXxxXXxxXXxxXXxxXXxx
Maint Acts: ENTERED IN ERROR						

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02549  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY709329	CANCELLED	05JUL07 22:04	6017.1	AFHR		
05JUL07 11:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
05JUL07 11:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40	due on Serial A23-033			05JUL07 22:04
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: ENTERED IN ERROR

A1PXXUY710801	CANCELLED	31JUL07 06:57	6042.2	AFHR		
31JUL07 06:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
31JUL07 06:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		LSN 273/07 P10/15 #5 FWD L/H AND R/H ANGLE STOPS ON FIXED COWL				31JUL07 06:57
		CRACKED				XXxxXXxxXXxxXXxxXXxx

Maint Acts: ENTERED IN ERROR

A1PXXUY710726	CANCELLED	22MAY08 03:46	6101.4	AFHR	CMO	
12MAY08 22:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
12MAY08 22:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-339A	due on Serial A23-033			22MAY08 03:46
		PC-9	at WAC 0000			

Maint Acts:

A1PXXUY806588	CANCELLED	20MAY08 06:44	6101.4	AFHR		
20MAY08 06:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
20MAY08 06:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		OIL FILTER SN PCY700242 RFA				20MAY08 06:44
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: ENTERED IN ERROR

A1PXXUY811390	CANCELLED	15SEP08 12:29	6192.2	AFHR	CMO	
21AUG08 22:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
21AUG08 22:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-472B	due on Serial 567			15SEP08 12:29
		RUDDER & TRIM TABS	at WAC 1410			
		STI-PC9-472B	due on Serial 567			
		RUDDER & TRIM TABS	at WAC 1410			
		(Continued on next page.)				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02550  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

(Continued from previous page.)  
STI-PC9-472B due on Serial 567  
RUDDER & TRIM TABS at WAC 1410

Maint Acts: ENTERED IN ERROR

A1PXXUY811423	CANCELLED	22AUG08 06:14	6192.2	AFHR		
22AUG08 06:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
22AUG08 06:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		ELEVATOR ASSY RFA				22AUG08 06:14
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: ENTERED IN ERROR

A1PXXUY902619	CANCELLED	20FEB09 08:30	6376.8	AFHR	T+TS+II	
20FEB09 08:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
20FEB09 08:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				20FEB09 08:30
		PC-9 at WAC 0000				

Maint Acts: ENTERED IN ERROR

A1PXXUY903040	CANCELLED	24FEB09 00:22	6386.2	AFHR	T+TS+II	
23FEB09 12:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
23FEB09 12:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				24FEB09 00:22
		PC-9 at WAC 0000				

Maint Acts: ENTERED IN ERROR

A1PXXUY903228	CANCELLED	25FEB09 22:09	6386.2	AFHR	SCM	
23FEB09 23:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
23FEB09 23:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0496 TBCO				25FEB09 22:09
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: ENTERED IN ERROR



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY904080	CANCELLED	06MAR09 07:54	6396.4	AFHR	SST	
06MAR09 07:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
06MAR09 07:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRTEST REQUIRED PRO RH OPS				06MAR09 07:54
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: ENTERED IN ERROR

A1PXXUY905568	CANCELLED	06APR09 22:39	6396.4	AFHR	SST	
06APR09 22:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			01APR09 01:29
01APR09 01:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		EDDY CURRENT INSPECTION T.B.C.O. IAW STI-PC9-0502 EVERY 30 AFHRS				06APR09 22:39
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: ENTERED IN ERROR

A1PXXUY907733	CANCELLED	19MAY09 03:56	6487.5	AFHR	T+TS+II	
10MAY09 23:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
10MAY09 23:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial DE0536				19MAY09 03:56
		SURVIVAL PACK ASSY at WAC 0730				

Maint Acts: ENTERED IN ERROR

A1PXXUY907735	CANCELLED	19MAY09 03:57	6487.5	AFHR	T+TS+II	
10MAY09 23:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
10MAY09 23:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial DC0016				19MAY09 03:57
		SURVIVAL PACK ASSY at WAC 0740				

Maint Acts: ENTERED IN ERROR

A1PXXUY913200	CANCELLED	20AUG09 06:12	6636.7	AFHR	T+TS+II	
18AUG09 10:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
18AUG09 10:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0512 due on Serial A23-033				20AUG09 06:12
		PC-9 at WAC 0000				

Maint Acts: ENTERED IN ERROR

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02552  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY913798	CANCELLED	20AUG09 03:00	6636.7	AFHR	SST	
20AUG09 02:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
20AUG09 02:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		COUNTERSUNK RIVETS UNDERSIDE OF WING TO BE REPLACED IAW STI-PC9-0514				20AUG09 03:00
						XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	ENTERED IN ERROR				
A1PXXUY914046	CANCELLED	25AUG09 13:30	6636.7	AFHR	SST	
25AUG09 13:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
25AUG09 13:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MTF REQUIRED FOR AILERON TRIM+ SICU OPS				25AUG09 13:30
						XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	ENTERED IN ERROR				
A1PXXUY917253	CANCELLED	02NOV09 11:35	6737.8	AFHR	T+TS+II	
02NOV09 06:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
02NOV09 06:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				02NOV09 11:35
		PC-9 at WAC 0000				
	Maint Acts:	ENTERED IN ERROR				
A1PXXUY811487	CANCELLED	04NOV09 02:18	6740.1	AFHR	T+TS+II	
04NOV09 02:03	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
04NOV09 02:03	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S46 due on Serial A23-033				04NOV09 02:18
		PC-9 at WAC 0000				
	Maint Acts:	ENTERED IN ERROR				
A1PXXU1000793	CANCELLED	21JAN10 22:39	6787.7	AFHR	T+TS+II	
21JAN10 11:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
21JAN10 11:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				21JAN10 22:39
		PC-9 at WAC 0000				
	Maint Acts:	ENTERED IN ERROR				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
Camm2  
ASSET HISTORY

PAGE 02553  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1004494	CANCELLED	07APR10 09:08	6879.7	AFHR	T+TS+II	
07APR10 08:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
07APR10 09:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx

CARRY OUT A CLOSE VISUAL INSPECTION OF THE SHOCK MOUNTS AT THE NEXT R1 AND COMPILE A CONDITION REPORT AND FORWARD TO TASPO MRD

Maint Acts: ENTERED IN ERROR

A1PXXU1004495	CANCELLED	07APR10 09:12	6879.7	AFHR	T+TS+II	
07APR10 09:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
07APR10 09:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx

CARRY OUT A CLOSE VISUAL INSPECTION OF THE SHOCK MOUNTS AT THE NEXT R1 AND COMPILE A CONDITION REPORT AND FORWARD TO TASPO MRD

Maint Acts: ENTERED IN ERROR

A1PXXU1006500	CANCELLED	20OCT10 05:57	7082.8	AFHR	T+TS+II	
01SEP10 23:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
01SEP10 23:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx

STI-PC9-0528 due on Serial A23-033  
PC-9 at WAC 0000

Maint Acts: ENTERED IN ERROR:TO BE CO WHEN DUE

A1PXXU1011912	CANCELLED	20OCT10 04:44	7082.8	AFHR	T+TS+II	
01SEP10 23:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
01SEP10 23:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx

STI-PC9-0517 due on Serial 171  
CANOPY at WAC 0720

Maint Acts: ENTERED IN ERROR:STI CANCELLED REF STI INDEX 44

A1PXXU1012836	CANCELLED	22SEP10 23:27	7082.8	AFHR	SST	
22SEP10 23:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
22SEP10 23:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx

LH AND RH BRAKE UNITS WORN TO LIMITS

Maint Acts: ENTERED IN ERROR:DUPLICATE ENTRY ON CAMM2

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02554  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1012907	CANCELLED	23SEP10 06:40	7082.8	AFHR	SST	
23SEP10 06:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
23SEP10 06:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		TRANSPONDER RFA				23SEP10 06:40
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: ENTERED IN ERROR:ENTERED IN ERROR

A1PXXU1013053	CANCELLED	30SEP10 05:18	7082.8	AFHR	T+TS+II	
30SEP10 05:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
30SEP10 05:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0532 due on Serial A23-033				30SEP10 05:18
		PC-9 at WAC 0000				

Maint Acts: ENTERED IN ERROR:EIE

A1PXXUY505315	CANCELLED	01NOV10 01:14	7082.8	AFHR	SST	
20OCT10 09:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
20OCT10 09:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S2 due on Serial A23-033				01NOV10 01:14
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: ENTERED IN ERROR: MCS ACTION EIE

A1PXXU1015869	CANCELLED	22NOV10 06:22	7113.9	AFHR	SST	
22NOV10 01:11	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
22NOV10 01:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		REAR ESDP FROZE DURING TAXI - CODE 101DISPLAYED				22NOV10 06:22
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: ENTERED IN ERROR: FAULT TRACED TO INCORRECT POWER RESET PROCEDURE

A1PXXU1015895	CANCELLED	22NOV10 09:55	7113.9	AFHR	SST	
22NOV10 09:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
22NOV10 09:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		R/H TYRE WTL				22NOV10 09:55
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: ENTERED IN ERROR: INCORRECT AIRCRAFT

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
Camm2  
ASSET HISTORY

PAGE 02555  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1014106	CANCELLED	23MAR11 05:58	7155.0	AFHR	T+TS+II	
10MAR11 08:04	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
10MAR11 08:04	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0528		due on Serial A23-033		23MAR11 05:58
		PC-9		at WAC 0000		

Maint Acts: ENTERED IN ERROR: TO BE DONE DUE DATE OF 14MAY11

A1PXXUY505342	CANCELLED	29MAR11 04:36	7159.6	AFHR	T+TS+II	
28MAR11 13:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
28MAR11 13:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S3		due on Serial A23-033		29MAR11 04:36
		PC-9		at WAC 0000		

Maint Acts: ENTERED IN ERROR: NOT REQUIRED FOR THIS AIRCRAFT

A1PXXUY908564	CANCELLED	29MAR11 00:27	7159.6	AFHR	SST	
28MAR11 13:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
28MAR11 13:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S30		due on Serial A23-033		29MAR11 00:27
		PC-9		at WAC 0000		XXxxXXxxXXxxXXxxXXxx

Maint Acts: ENTERED IN ERROR: TO CARRIED OUT ON DUE DATE

A1PXXU1104553	CANCELLED	11APR11 05:07	7172.9	AFHR	SCM	
11APR11 04:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
11APR11 04:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRCRAFT REQUIRES MTF FOR ENGINE DIAGNOSTIC SMOKE IN COCKPIT POST				11APR11 05:07
		AEROS ASOR CLEARANCE				XXxxXXxxXXxxXXxxXXxx

Maint Acts: ENTERED IN ERROR: CAMM2 ERROR

A1PXXU1100686	CANCELLED	11MAY11 23:09	7229.3	AFHR	T+TS+II	
11MAY11 23:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
11MAY11 23:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0535		due on Serial A23-033		11MAY11 23:09
		PC-9		at WAC 0000		

Maint Acts: ENTERED IN ERROR: EIE

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02556  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1111449	CANCELLED	29AUG11 10:59	7342.8	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
29AUG11 10:02	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
29AUG11 10:02	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRCRAFT REQUIRES AIRTEST FOR SICU OPS				29AUG11 10:59
						XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	ENTERED IN ERROR: CAMM2 ERROR				
A1PXXU1114000	CANCELLED	11NOV11 03:12	7379.3	AFHR	T+TS+II	
20OCT11 03:05	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
20OCT11 03:05	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial F88275				11NOV11 03:12
		BLADE PROP NO.1 at WAC 011A				
	Maint Acts:	ENTERED IN ERROR:PROP REPLACED REF 1596/11-8-3				
A1PXXU1114001	CANCELLED	11NOV11 03:12	7379.3	AFHR	T+TS+II	
20OCT11 03:05	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
20OCT11 03:05	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial F88274				11NOV11 03:12
		BLADE PROP NO.2 at WAC 011B				
	Maint Acts:	ENTERED IN ERROR:PROP REPLACED REF 1596/11-8-3				
A1PXXU1114002	CANCELLED	11NOV11 03:12	7379.3	AFHR	T+TS+II	
20OCT11 03:05	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
20OCT11 03:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial F88279				11NOV11 03:12
		BLADE PROP NO.3 at WAC 011C				
	Maint Acts:	ENTERED IN ERROR:PROP REPLACED REF 1596/11-8-3				
A1PXXU1114003	CANCELLED	11NOV11 03:13	7379.3	AFHR	T+TS+II	
20OCT11 03:05	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
20OCT11 03:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial F88281				11NOV11 03:13
		BLADE PROP NO.4 at WAC 011D				
	Maint Acts:	ENTERED IN ERROR:PROP REPLACED REF 1596/11-8-3				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02557  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN	
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME	
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR	
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME	
EE500PG EE500LN						INSPECTOR	
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME	
A1PXXU1114005	CANCELLED	07NOV11 02:47	7379.3	AFHR	T+TS+II		
20OCT11 03:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP				
20OCT11 03:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		OH due on Serial DD2801				07NOV11 02:47	
		FIRING PIN-CONTROL at WAC 0740					
	Maint Acts:	ENTERED IN ERROR:FIRING PIN CONTROL REMOVED WITH CCV FOR BS					
A1PXXU1114070	CANCELLED	20OCT11 23:47	7379.3	AFHR	SST		
20OCT11 23:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP				
20OCT11 23:21	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		HSTAB STRUT, SN 553, REMOVED FOR STI 532.				20OCT11 23:47	
	Maint Acts:	ENTERED IN ERROR: SN ENTERED IN ERROR.					
A1PXXU1201565	CANCELLED	03FEB12 02:48	7409.9	AFHR	SST		
03FEB12 02:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP				
03FEB12 02:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		FRONT ADF CONTROL HEAD DIMM DISPLAY				03FEB12 02:48	
	Maint Acts:	ENTERED IN ERROR:...NEW JU/S TO BE CREATED WITH CORRECT WORDING					
A1PXXU1204619	CANCELLED	12APR12 05:27	7522.1	AFHR	SST		
12APR12 05:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP				
12APR12 05:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		AIRCRAFT REQUIRES MTF FOR HANDLING CHECKS				12APR12 05:27	
	Maint Acts:	ENTERED IN ERROR:WRONG AIRCRAFT					
A1PXXU1204690	CANCELLED	19APR12 10:31	7522.1	AFHR	T+TS+II		
15APR12 06:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP				
15APR12 06:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		OH due on Serial H34520				19APR12 10:31	
		BLADE PROP NO.1 at WAC 011A					
	Maint Acts:	ENTERED IN ERROR:TO BE CARRIED OUT WHEN DUE					

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1204691	CANCELLED	19APR12 10:32	7522.1	AFHR	T+TS+II	
15APR12 06:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
15APR12 06:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial H34526				19APR12 10:32
		BLADE PROP NO.2 at WAC 011B				
	Maint Acts:	ENTERED IN ERROR:TO BE CARRIED OUT WHEN DUE				
A1PXXU1204692	CANCELLED	19APR12 10:32	7522.1	AFHR	T+TS+II	
15APR12 06:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
15APR12 06:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial H34527				19APR12 10:32
		BLADE PROP NO.3 at WAC 011C				
	Maint Acts:	ENTERED IN ERROR:TO BE CARRIED OUT WHEN DUE				
A1PXXU1204693	CANCELLED	19APR12 10:33	7522.1	AFHR	T+TS+II	
15APR12 06:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
15APR12 06:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial H34519				19APR12 10:33
		BLADE PROP NO.4 at WAC 011D				
	Maint Acts:	ENTERED IN ERROR:TO BE CARRIED OUT WHEN DUE				
A1PXXU1204930	CANCELLED	23APR12 23:56	7522.1	AFHR	SST	
18APR12 08:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
18APR12 08:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRCRAFT WASH TO BE CARRIED OUT 75 HRS POST R SERVICE				23APR12 23:56
						XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	ENTERED IN ERROR:DUPLICATE ENTERY				
A1PXXU1107877	CANCELLED	23APR13 22:56	7672.0	AFHR	SST	
13MAR13 07:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
13MAR13 07:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S30 due on Serial A23-033				23APR13 22:56
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	ENTERED IN ERROR:2B CO WHEN DUE				



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 02559  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES -----

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1305163	CANCELLED	23APR13 23:32	7672.0	AFHR	SST	
23APR13 22:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
23APR13 22:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		A/C 2B WASHED				23APR13 23:32
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: ENTERED IN ERROR:EIE

A1PXXU1305181	CANCELLED	29APR14 05:58	7672.0	AFHR	T+TS+II	
23APR13 23:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
23APR13 23:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		CORROSION ON LH STRINGER ABOVE LOWER LH LONGERON AT FRM 6 THRU AV COMPARTMENT				29APR14 05:58

aip0108328APR13 23:40:46  
 REF MCS 1482/12 4OF5 #1 NIL IMPACT ON AIRWORTHINESS OR AIRCRAFT OPERATIONS.  
 THE DAMAGED AREA HAS BEEN INSPECTED THE DAMAGE TO THE AIRCRAFT STRINGER HAS BEEN ASSESSED AS LOW RISK MINIMAL DAMAGE. THE DAMAGED AREA HAS BEEN CLEANED AND THE AREA TREATED TO TRY AND PREVENT ANY FURTHER DAMAGE TO THE AIRCRAFT STRUCTURE.  
 THERE IS NIL EVIDENCE OF ANY SECONDARY DAMAGE TO THE STRINGER OR THE SURROUNDING STRUCTURES.  
 TOTAL FAILURE OF THE STRUCTURE DUE TO THIS DAMAGE IS ASSESSED AS IMPROBABLE.

Maint Acts: ENTERED IN ERROR:RAISED AGAIN AS FRAME 5 REF A1PXXU1405200

A1PXXU1305324	CANCELLED	30APR13 00:34	7672.0	AFHR	SST	
29APR13 23:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
30APR13 00:03	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		NOSE STEERING LIGHT IN BOTH COCKPITS NIL OPS (S96 MICROSWITCH U/S)				30APR13 00:34
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: ENTERED IN ERROR:WRONG A/C

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1307520	CANCELLED	17JUN13 00:28	7708.1	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
17JUN13 00:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
17JUN13 00:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		REAR ESDP N2 MODULE DISPLAYS NO NUMERALS				17JUN13 00:28
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: ENTERED IN ERROR:JOB REQD ONLY MODULES NON CAMM 2

A1PXXU1309303	CANCELLED	23JUL13 10:57	7759.1	AFHR	SST	
23JUL13 10:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
23JUL13 10:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FRONT AND REAR PARA ASSY DUE B/S				23JUL13 10:57
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: ENTERED IN ERROR:IN CORRECTLY RAISED

A1PXXU1311286	CANCELLED	10SEP13 11:18	7822.0	AFHR	T+TS+II	
08SEP13 22:05	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
08SEP13 22:05	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				10SEP13 11:18
		PC-9 at WAC 0000				

Maint Acts: ENTERED IN ERROR:TO BE CARRIED OUT WHEN DUE

A1PXXU1405902	CANCELLED	12MAY14 11:50	7971.5	AFHR	SST	
12MAY14 11:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
12MAY14 11:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		ENG COWL 2 REMOVED FOR ACCESS				12MAY14 11:50
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: ENTERED IN ERROR: REMOVED UNDER R2 AIPXXU1305190

A1PXXU1406839	CANCELLED	03JUN14 03:01	7972.7	AFHR	SST	
03JUN14 02:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
03JUN14 02:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		OVERSPEED GOVERNOR CANNABILISED TO A/C 17				03JUN14 03:01
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: ENTERED IN ERROR:REF A1PXXU1406840

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02561  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME

A1PXXU1408248	CANCELLED	04JUL14 00:28	7972.7	AFHR	T+TS+II	
03JUL14 23:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
03JUL14 23:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
EE500PG EE500LN		FT due on Serial PC1400337				04JUL14 00:28
STA WL BL ADMIN		TEMPERATURE SENSOR at WAC 0660				

Maint Acts: ENTERED IN ERROR:OOPS.

A1PXXU1204934	CANCELLED	01OCT14 06:37	8075.8	AFHR	T+TS+II	
01OCT14 06:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
01OCT14 06:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S27 due on Serial A23-033				01OCT14 06:37
		PC-9 at WAC 0000				

Maint Acts: ENTERED IN ERROR:COULD NOT MAKE AS SMR

A1PXXU1506135	CANCELLED	10JUN15 04:51	8270.7	AFHR	SST	
10JUN15 04:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
10JUN15 04:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		ELEVATOR ASSY RFA.				10JUN15 04:51
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: ENTERED IN ERROR:INCORRECT ENTRY.

A1PXXU1508111	CANCELLED	30JUL15 13:10	8271.2	AFHR	SST	
30JUL15 13:05	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
30JUL15 13:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRCRAFT REQUIRES MTF STEPS 7-25				30JUL15 13:10
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: ENTERED IN ERROR: REQUIRES MORE INFO IN SYMPTOMS

A1PXXU1508220	CANCELLED	03AUG15 01:19	8271.2	AFHR	T+TS+II	
02AUG15 22:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
02AUG15 22:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-576B due on Serial 171				03AUG15 01:19
		CANOPY at WAC 0720				

Maint Acts: ENTERED IN ERROR:NOT REQUIRED STI-PC9-576A CARRIED OUT SERV REF AIP  
(Continued on next page.)

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES -----  
SERV NUMBER STATUS STATUS DATE/TIME TOTAL LIFE INT TYPE CERTIFICATION TRADESMAN  
RAISED DATE/TIME RAISED USER ID RAISED NAME RAISED VENUE CAPABILITY CODE EPSS DATE/TIME  
ENTERED DATE/TIME ENTERED USER ID ENTERED NAME ENTERED VENUE IMIC NO SUPERVISOR  
OPERATION NO ASOR NO SYMPTOMS  
EE500PG EE500LN  
STA WL BL ADMIN MAINT ACTION/LIMITATIONS  
=====

(Continued from previous page.)  
MCS 182/15

A1PXXU1508603 CANCELLED 10AUG15 04:53 8277.8 AFHR SST  
10AUG15 04:44 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
10AUG15 04:51 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
AIRCRAFT REQUIRES AIRTEST FOR ASOR CLEARANCE AND LANDING GEAR OPS  
XXxxXXxxXXxxXXxxXXxx  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: ENTERED IN ERROR:MISSING INFORMATION

A1PXXU1602588 CANCELLED 07MAR16 21:52 8564.4 AFHR T+TS+II  
04MAR16 06:29 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
04MAR16 06:29 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
XXxxXXxxXXxxXXxxXXxx  
07MAR16 21:52

Maint Acts: ENTERED IN ERROR:MAITENANCE TBC WHEN DUE

A1PXXU1603685 CANCELLED 31MAR16 22:44 8585.3 AFHR SST  
31MAR16 22:37 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
31MAR16 22:38 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
FT due on Serial PC1400340  
TEMPERATURE SENSOR at WAC 0660  
XXxxXXxxXXxxXXxxXXxx  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: ENTERED IN ERROR:EIE

A1PXXU1605767 CANCELLED 20MAY16 02:41 8585.3 AFHR T+TS+II  
16MAY16 03:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
16MAY16 03:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
STI-PC9-0617 due on Serial A23033  
NLG FOLDING STRUT at WAC 0500  
XXxxXXxxXXxxXXxxXXxx  
20MAY16 02:41

Maint Acts: ENTERED IN ERROR:SUPERCEDED BY STI-PC9-0618

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1609361	CANCELLED	01AUG16 05:11	8742.0	AFHR	SST		
01AUG16 04:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP				
01AUG16 04:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		FRONT SEO CONTENT FOUND DISCHARGED.					01AUG16 05:11
						XXxxXXxxXXxxXXxxXXxx	

Maint Acts: ENTERED IN ERROR: JOB CANCELLED. ITEM STILL SERV.

A1PXXUY505330	CANCELLED	03MAY17 00:12	8914.8	AFHR	SST	
09JAN17 02:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
09JAN17 02:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S213	due on Serial A23-033			03MAY17 00:12
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: ENTERED IN ERROR:EIE

A1PXXU1405275	CANCELLED	01FEB18 01:15	9073.6	AFHR	MM	
01FEB18 01:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
01FEB18 01:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S55	due on Serial A23-033			01FEB18 01:15
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: ENTERED IN ERROR:EIE

A1PXXU1807386	CANCELLED	15JUN18 02:05	9073.6	AFHR	T+TS+II		
15JUN18 02:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP				
15JUN18 02:03	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		CART SET CMD FIRE TO BE FITTED					15JUN18 02:05

Maint Acts: ENTERED IN ERROR:ITEM ALREADY INSTALLED

A1PXXU1809324	CANCELLED	23AUG18 04:04	9073.6	AFHR	SST		
26JUL18 23:48	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP				
26JUL18 23:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		AIRCRAFT REQUIRES TEST FLIGHT POST R2 SERV AND HP PUMP/FCU R+I					23AUG18 04:04
						XXxxXXxxXXxxXXxxXXxx	

Maint Acts: ENTERED IN ERROR:TRANSFERRING TO OTHER U/S WITH MORE MTF COMPONENTS.

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02564  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1809326	CANCELLED	23AUG18 04:05	9073.6	AFHR	SST	
26JUL18 23:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
26JUL18 23:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		INVERTED FLIGHT FOD CHECK REQD FOR QTY 2 C/PIT PANEL CLIP NUTS				23AUG18 04:05
						XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	ENTERED IN ERROR:TRANSFERRING TO OTHER U/S WITH MORE MTF COMPONENTS.				
A1PXXU1815628	CANCELLED	12DEC18 05:53	9238.6	AFHR	SST	
12DEC18 05:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
12DEC18 05:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FRONT CLOCK PANEL RFA				12DEC18 05:53
						XXxxXXxxXXxxXXxxXXxx
	N					
	Maint Acts:	ENTERED IN ERROR:DUPLICATE ENTRY				
A1PXXU1815890	CANCELLED	07JAN19 04:04	9238.6	AFHR	MM	
19DEC18 03:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			Y
19DEC18 03:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				07JAN19 04:04
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	N					
	Maint Acts:	ENTERED IN ERROR:INITIATED TOO EARLY				
A1PXXU1902175	CANCELLED	25FEB19 00:55	9293.8	AFHR	MM	
25FEB19 00:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			Y
25FEB19 00:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				25FEB19 00:55
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	N					
	Maint Acts:	ENTERED IN ERROR:S40 SERV TO BE C/O DUE DATE ON 27FEB19				
A1PXXU1907063	CANCELLED	11JUN19 07:18	9400.6	AFHR	SST	
11JUN19 07:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
11JUN19 07:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BUTTERFLY COWL R.F.A				11JUN19 07:18
						XXxxXXxxXXxxXXxxXXxx
	N					
	Maint Acts:	ENTERED IN ERROR:ENTER IN ERROR				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1907186	CANCELLED	18JUN19 04:54	9400.6	AFHR	SST	
13JUN19 05:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
13JUN19 05:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		LH/RH BOLTS AND NUTS REMOVED AT FR 2 POSITION A FOR NDT INSPECTIONS				18JUN19 04:54
						XXxxXXxxXXxxXXxxXXxx

N  
Maint Acts: ENTERED IN ERROR:ENTERED IN ERROR

A1PXXU1909869	CANCELLED	02SEP19 03:37	9476.2	AFHR	SST	
02SEP19 03:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
02SEP19 03:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRCRAFT REQUIRES MCF FOR OIL PRESSURE DIAGNOSTICS				02SEP19 03:37
						XXxxXXxxXXxxXXxxXXxx

N  
Maint Acts: ENTERED IN ERROR:ENTERED TO INCORRECT AIRFRAME

A1PXXU1810579	CFU	09JUL19 02:34	9073.6	AFHR	SST	
23AUG18 23:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
23AUG18 23:48	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		CSU CONNECTOR FOR PLUG P515 PIN FOUND BROKEN WITHIN CONNECTOR LOOSE, CONNECTOR RE-SECURED WITH LOCKWIRE, CSU SNO 2134697F.				XXxxXXxxXXxxXXxxXXxx

aip01083 23AUG18 23:48:55  
 FURTHER DETAILS OF US: THE BROKEN PIN IN THE CSU IS NOT CONNECTED TO THE PC9  
 PROPELLER SYSTEM THEREFORE HAS NOT EFFECT ON THE OVERALL OPERATION OF THE SYSTEM  
 DELAY REASON: MAINTENANCE EFFICIENCY, THE CSU IS A MULTI TYPE FIT, THIS CONNECTOR IS NOT APPLICABLE TO THE PC9 AIRCRAFT.  
 CONSEQUENCE: MINOR  
 LIKELIHOOD: RARE  
 TECHNICAL RISK: LOW  
 RISK TREATMENT: NIL  
 LIMITATIONS: NIL OPERATIONAL ENDORSEMENT N/A  
 PERIOD FO DEFERMENT: R2

aip01083 09JUL19 02:27:45  
 DEFERRED DEFECT FLEXIBILITY PROVISION 2  
 ENDANGER FLIGHT SAFETY ASSESSMENT: THE CONNECTOR ON THE CSU FITTED  
 (Continued on next page.)

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02566  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES						
SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

(Continued from previous page.)  
 TO THIS ENGINE IS NOT IN USE, THE CSU IS A MULTI FIT ITEM, THE CONNECTOR ON THIS CSU IS FOR A PLATFORM WITH A VARIABLE PITCH PROPELLOR. THE CONNECTOR P515 NOT BEING AVAILABLE THEREFORE DOES NOT ENDANGER FLIGHT SAFETY OR THE OPERATION OF THE SYSTEM.  
 DELAY REASON: MAINTENANCE EFFICIENCY  
 OPERATIONAL AND LOGISTIC IMPACTS: OPERATIONAL ENDORSEMENT N/A, NIL LOGISTIC IMPACTS  
 PERIOD OF DEFERMENT: R2  
 DEFERMENT CONDITIONS: NO PENALTY MAINTENANCE OR SMR REQUIRED

Limitations:

A1PXXU1911796	OPEN	09DEC19 02:39	9545.2	AFHR	T+TS+II
09DEC19 02:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		
09DEC19 02:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		

AIRCRAFT MMI ITEMS RFA.

N  
 Maint Acts:

REMOVALS/INSTALLATIONS FOR A1PXXU1911796

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1533446	A23T	A1WBE	00				
	MBEU100618		09DEC19 02:41	A1PXXJ1916339				
002	1888073	A23T	A26BE	00				
	MBEU100618		09DEC19 02:44	A1PXXJ1916340				



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02567  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1911815	OPEN	10DEC19 05:59	9545.2	AFHR	SST	
10DEC19 05:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
10DEC19 06:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		CPI, FDR, CVR REMOVED AND TO BE FORWARDED TO AASPO				XXxxXXxxXXxxXXxxXXxx

N  
 Maint Acts:

REMOVALS/INSTALLATIONS FOR A1PXXU1911815

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0410001 453-0406	A23T	A1UOY 10DEC19 06:01	00 A1PXXJ1916354				
002	01764 S200-0012-91	A23T	A1UPC 19DEC19 02:38	00 A23DSJ1900840				
003	01496 S703-1000-01	A23T	A1UPM 19DEC19 02:42	00 A23DSJ1900841				

N  
 Maint Acts:

A1PXXU1911818 OPEN 11DEC19 00:39 9545.2 AFHR T+TS+II  
 11DEC19 00:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 11DEC19 00:41 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 COMMAND SYSTEM, FWD AND REAR SEAT'S CART REMOVED FOR CONFIG CHANGE.

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02568  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 REMOVALS/INSTALLATIONS FOR A1PXXU1911818

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	2518L547F MBEU100021	A23T	A1WAE 11DEC19 00:43	00 A1PXXJ1916356	2518L547F MBEU100021	A23T	A1WAE 11DEC19 00:52	00
002	2518L507C MBEU60228	A23T	A1UJA 11DEC19 00:52	00 A1PXXJ1916357				
003	2518L547F MBEU100021	A23T	A1WAE 11DEC19 00:57	00 A1PXXJ1916359				
004	2518L547R MBEU100021	A23T	A26AE 11DEC19 01:03	00 A1PXXJ1916361				

A23DSU1900700	OPEN	12DEC19 01:04	9545.2	AFHR	MTF	XXXXXXXXXXXXXXXXXXXX
12DEC19 01:04	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	A23DISP			
12DEC19 01:08	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	A23DISP			XXXXXXXXXXXXXXXXXXXX

WING S/N 027. MAINTENANCE COMMENT TO BE ADDED TO ASSET TO IDENTIFY KNOWN MISDRILLS TO MAIN SPAR.

N

8198187 12DEC19 02:16:01  
 WING S/N: 027. MAINTENANCE COMMENT TO BE ADDED TO ASSET TO IDENTIFY KNOWN MISDRILLS TO MAIN SPAR. "THIS WING HAS KNOWN MISDRILLS TO THE MAIN SPAR. REFER TO THE PHYSICAL WING LOG BOOK FOR DETAILS. THESE MISDRILLS WERE ASSESSED BY THE RAAF AS SAFE, FOR UP TO 10,000 AFHR, WHEN FLYING AT THE RAAF USAGE SEVERITY. A DEDICATED ENGINEERING ASSESSMENT IS REQUIRED TO DETERMINE THE FATIGUE LIFE OF THE MAIN SPAR IF FLYING AT A USAGE SEVERITY GREATER THAN THE RAAF OR IF EXCEEDING 10,000 AFHR."

Maint Acts:

A23DSU1900774	OPEN	16DEC19 05:22	9545.2	AFHR	T+TS+II
16DEC19 05:22	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	A23DISP		
16DEC19 05:22	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	A23DISP		

TA due on Serial PCY400036  
 SET ELEV BOLTS at WAC 1300

N

(Continued on next page.)

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 02569  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

(Continued from previous page.)  
aip01963 16DEC19 05:22:58  
BOLT SET REQUIRES REPLACEMENT FOR RESOLUTION OF IRN 252/2018-006,  
MS39 INSPECTION ON ELEVATOR ATTACHMENT BOLTS

Maint Acts:

AIPXXU1910738 LIMITATION 02OCT19 22:23 9498.9 AFHR T+TS+II  
02OCT19 22:23 XXXXX  
02OCT19 22:23 XXXXX  
ADO-09-DD-16-064B applied on serial 538  
555.10.09.130 ~S4080

Y

Maint Acts:

AIPXXUY300110 COMPLETED 03SEP03 00:31 4780.3 AFHR XXXXX  
02SEP03 12:34 XXXXX  
S40 due on Serial A23-033  
PC-9 at WAC 0000 XXXXX

Maint Acts:

AIPXXUY300236 COMPLETED 03SEP03 11:25 4781.3 AFHR XXXXX  
03SEP03 10:27 XXXXX  
CPI SERIAL NUMBER 0500001 DUE BS XXXXX

Maint Acts:

AIPXXUY300246 COMPLETED 03SEP03 11:45 4781.3 AFHR XXXXX  
03SEP03 11:29 XXXXX  
BS due on Serial 0500001  
CRASH POSN IND at WAC 0660 XXXXX

Maint Acts:

CPI REPLACED WITH SERV UNIT

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02570  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR AIPXXUY300246

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0500001	A23T	A1UOY	00	0458001	A23T	A1UOY	00
	453-0406		03SEP03 11:29	AIPXXJ307461X	453-0406		03SEP03 11:42	

AIPXXUY300248 COMPLETED 05SEP03 02:29 4781.3 AFHR  
03SEP03 12:51 XXXXX  
BS due on Serial 1271  
BATTERY NICAD at WAC 0660

Maint Acts: BATTERY NICAD REPLACED WITH SERV ITEM

REMOVALS/INSTALLATIONS FOR AIPXXUY300248

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1271	A23T	A1UOA	00	1464	A23T	A1UOA	00
	33490409201		03SEP03 12:52	AIPXXJ308822X	33490409201		05SEP03 02:26	

AIPXXUY300427 COMPLETED 05SEP03 04:46 4785.1 AFHR  
05SEP03 03:11 XXXXX  
AIPXXOY300267 ELU FAILURE WITH ELU CAPTION ILLUMINATION ON SELECTION OF MCP AFTER TAKE OFF

Maint Acts: SERV INTERFACE VALVE FITTED AND EGR C/O IAW 7113.022-2

REMOVALS/INSTALLATIONS FOR AIPXXUY300427

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001					B22066	A23T	A1SAK58	00
					3244807-3		05SEP03 04:30	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02571  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
AIPXXUY300430	COMPLETED	05SEP03 04:38	4785.1	AFHR		XXXXXXXXXXXXXXXXXXXX
05SEP03 03:25	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			
AIPXXOY300267		ELU DOWNLOAD FOUND STEPPER MOTOR EXCEEDED LIMITS				XXXXXXXXXXXXXXXXXXXX 05SEP03 04:38 XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV. INTERFACE VALVE FITTED REF 341738-5A

REMOVALS/INSTALLATIONS FOR AIPXXUY300430

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	B22054	A23T	A1SAK58	00				
	3244807-3		05SEP03 03:28	AIPXXJY310382				

AIPXXUY300433	COMPLETED	05SEP03 04:42	4785.1	AFHR		XXXXXXXXXXXXXXXXXXXX
05SEP03 04:06	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			
AIPXXOY300267		ELU DOWNLOAD CARRIED OUT FAULT CODE 32 - INTERFACE VALVE STEPPER MOTOR HAS EXCEEDED MAX ALLOWABLE LIMITS				XXXXXXXXXXXXXXXXXXXX 05SEP03 04:42 XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV INTERFACE VALVE FITTED REF 341738-5A

AIPXXUY300495	COMPLETED	08SEP03 05:52	4785.1	AFHR		XXXXXXXXXXXXXXXXXXXX
08SEP03 05:29	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			
		INTERFACE VALVE REMOVED FOR ACCESS				XXXXXXXXXXXXXXXXXXXX 08SEP03 05:52 XXXXXXXXXXXXXXXXXXXX

Maint Acts: INTERFACE VALVE FITTED

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR AIPXXUY300495

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	B22066 3244807-3	A23T	A1SAK58 08SEP03 05:30	00 AIPXXJY310469	B22054 3244807-3	A23T	A1SAK58 08SEP03 05:48	00

AIPXXUY300497 COMPLETED 08SEP03 05:38 4785.1 AFHR  
08SEP03 05:33 XXXXX  
OVERSWING ELU CAPTION  
XXXXXXXXXXXXXXXXXXXX  
XXXXXXXXXXXXXXXXXXXX  
08SEP03 05:38  
XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV ELU FITTED

REMOVALS/INSTALLATIONS FOR AIPXXUY300497

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	B14074 3244890-2	A23T	A1SAG 08SEP03 05:36	01 AIPXXJY310471				

AIPXXUY300595 COMPLETED 10SEP03 00:50 4785.1 AFHR  
09SEP03 12:03 XXXXX  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
XXXXXXXXXXXXXXXXXXXX  
XXXXXXXXXXXXXXXXXXXX  
10SEP03 00:50  
XXXXXXXXXXXXXXXXXXXX

Maint Acts: S40 SERV CARRIED OUT

AIPXXUY300337 COMPLETED 07OCT03 00:39 4785.6 AFHR  
16SEP03 12:01 XXXXX  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
XXXXXXXXXXXXXXXXXXXX  
XXXXXXXXXXXXXXXXXXXX  
07OCT03 00:39  
XXXXXXXXXXXXXXXXXXXX

Maint Acts: S40 CARRIED OUT SERV

AIPXXUY300948 COMPLETED 07OCT03 23:45 4785.6 AFHR  
26SEP03 00:47 XXXXX  
FRONT AND REAR SURVIVAL PACKS SERV TO A23-39  
XXXXXXXXXXXXXXXXXXXX  
XXXXXXXXXXXXXXXXXXXX  
07OCT03 23:45  
XXXXXXXXXXXXXXXXXXXX

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02573  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: FRONT AND REAR PSP FITTED SERV

REMOVALS/INSTALLATIONS FOR A1PXXUY300948

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	DF1691	A23T	A1WBG	00	DG2690	A23T	A26BG	00
	STANDARDPACK-1		26SEP03 00:48	A1PXXJY301871	STANDARDPACK-1		07OCT03 23:42	
002	DC2055	A23T	A26BG	00	DF5418	A23T	A1WBG	00
	STANDARDPACK-1		26SEP03 00:50	A1PXXJY301872	STANDARDPACK-1		07OCT03 23:36	

A1PXXUY301142 COMPLETED 02OCT03 07:59 4785.6 AFHR XXxxXXxxXXxxXXxxXXxx  
 02OCT03 03:10 XXxxXXxx  
 STI-PC9-0307 due on Serial B3622  
 PUMP FUEL BOOST LH at WAC 0920 XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-307 INC

A1PXXUY301143 COMPLETED 02OCT03 08:00 4785.6 AFHR XXxxXXxxXXxxXXxxXXxx  
 02OCT03 03:12 XXxxXXxx  
 STI-PC9-0307 due on Serial B3704  
 PUMP FUEL BOOST RH at WAC 1020 XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-307 INC

A1PXXUY301144 COMPLETED 02OCT03 08:01 4785.6 AFHR XXxxXXxxXXxxXXxxXXxx  
 02OCT03 03:14 XXxxXXxx  
 STI-PC9-0307 due on Serial 527  
 WING ASSY at WAC 1500 XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-307 INC

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY301145	COMPLETED	02OCT03 12:28	4785.6	AFHR		XXxxXXxxXXxxXXxxXXxx
02OCT03 03:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0306	due on Serial A23-033			02OCT03 12:28
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	STI-306 INC				

A1PXXUY301308	COMPLETED	06OCT03 05:04	4785.6	AFHR		XXxxXXxxXXxxXXxxXXxx
06OCT03 03:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		TQ FLUCUATIONS EVIDENT ELU TO BE CHANGED FOR FAULT FINDING				06OCT03 05:04
						XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	SERV ELU FITTED				

REMOVALS/INSTALLATIONS FOR A1PXXUY301308

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	B13991 3244890-2	A23T	A1SAG 06OCT03 04:26	01 A1PXXJY302462	B13874 3244890-2	A23T	A1SAG 06OCT03 05:03	01

A1PXXUY301334	COMPLETED	06OCT03 11:45	4785.6	AFHR		XXxxXXxxXXxxXXxxXXxx
06OCT03 11:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		ECS REMAINS HOT WITH COLD SELECTED				06OCT03 11:45
						XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	ENTERED IN ERROE				



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY301335 06OCT03 11:54	COMPLETED XXxxXXxx	08OCT03 04:28 XXxxXXxxXXxxXXxxXXxx  S16 PC-9	4785.6 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx 08OCT03 04:28 XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S16 SERV C/O				
A1PXXUY301499 08OCT03 22:51	COMPLETED XXxxXXxx	21OCT03 10:36 XXxxXXxxXXxxXXxxXXxx  BS REG PRESS REDUCING	4785.6 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx 21OCT03 10:36 XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	MAINT. ENTERED IN ERROR				
A1PXXUY301500 08OCT03 22:52	COMPLETED XXxxXXxx	21OCT03 09:26 XXxxXXxxXXxxXXxxXXxx  BS REG OXYGEN DEMAND	4785.6 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx 21OCT03 09:26 XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	ENTERED IN ERROR				
A1PXXUY301501 08OCT03 23:31	COMPLETED XXxxXXxx	21OCT03 10:31 XXxxXXxxXXxxXXxxXXxx  TA VALVE REFILL OXYGEN	4785.6 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx 21OCT03 10:31 XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	MAINT. ENTERED IN ERROR				
A1PXXUY301750 14OCT03 00:00	COMPLETED XXxxXXxx	14OCT03 03:04 XXxxXXxxXXxxXXxxXXxx  S40 PC-9	4785.6 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx 14OCT03 03:04 XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 CARRIED OUT				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY302242	COMPLETED	21OCT03 10:35	4785.6	AFHR		XXXXXXXXXXXXXXXXXXXX
21OCT03 09:24	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BS		due on Serial 907089		21OCT03 10:35
		REG OXYGEN DEMAND		at WAC 0740		XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV OXY REG FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY302242

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	907089	A23T	A1UIS	00	901052	A23T	A1UIS	00
	3260042-0201		21OCT03 09:24	A1PXXJY303530	3260042-0201		21OCT03 09:29	

A1PXXUY302243	COMPLETED	21OCT03 10:40	4785.6	AFHR		XXXXXXXXXXXXXXXXXXXX
21OCT03 10:33	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BS		due on Serial 754		21OCT03 10:40
		REG PRESS REDUCING		at WAC 0640		XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV REG PRESS REDUCER FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY302243

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	754	A23T	A1UNC	00	610	A23T	A1UNC	00
	27660-3		21OCT03 10:37	A1PXXJY303532	27660-3		21OCT03 10:37	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02577  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY302244	COMPLETED	21OCT03 10:45	4785.6	AFHR		XXxxXXxxXXxxXXxxXXxx
21OCT03 10:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		TA due on Serial L133024				21OCT03 10:45
		VALVE REFILL OXYGEN at WAC 0640				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	SERV FILLER VALVE FITTED				

REMOVALS/INSTALLATIONS FOR A1PXXUY302244

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	L133024	A23T	A1UMU	01	HLY301125	A23T	A1UMU	01
	963.02.81.103		21OCT03 10:42	A1PXXJY303533	963.02.81.103		21OCT03 10:43	

A1PXXUY302487	COMPLETED	27OCT03 01:02	4785.6	AFHR		XXxxXXxxXXxxXXxxXXxx
27OCT03 00:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 SERV TBCO				27OCT03 01:02
						XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 SERV CARRIED OUT				

A1PXXUY302645	COMPLETED	29OCT03 01:58	4785.6	AFHR		XXxxXXxxXXxxXXxxXXxx
29OCT03 01:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-304 due on Serial A23-033				29OCT03 01:58
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	STI-PC9-304 CARRIED OUT				

A1PXXUY302701	COMPLETED	30OCT03 07:56	4785.6	AFHR		XXxxXXxxXXxxXXxxXXxx
29OCT03 23:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-309A due on Serial A23-033				30OCT03 07:56
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02578  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: STI 309 CO

A1PXXUY302702	COMPLETED	30OCT03 09:11	4785.6	AFHR		XXxxXXxxXXxxXXxxXXxx
29OCT03 23:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-309B due on Serial 030				30OCT03 09:11
		SEAT EJECTION REAR at WAC 0740				XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-309B INC

A1PXXUY302703	COMPLETED	30OCT03 09:12	4785.6	AFHR		XXxxXXxxXXxxXXxxXXxx
29OCT03 23:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-309B due on Serial 021				30OCT03 09:12
		SEAT EJECTION FRONT at WAC 0730				XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-309B INC

A1PXXUY302704	COMPLETED	30OCT03 06:46	4785.6	AFHR		XXxxXXxxXXxxXXxxXXxx
29OCT03 23:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FRONT AND REAR REG OXY DEMANDS REMOVED FOR STI-PC9-0309A				30OCT03 06:46
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-309A INC

REMOVALS/INSTALLATIONS FOR A1PXXUY302704

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	010146	A23T	A1UES	00	010146	A23T	A1UES	00
	3260042-0201		29OCT03 23:36	A1PXXJY304828	3260042-0201		30OCT03 06:44	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
=====	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

002	901052 3260042-0201	A23T	A1UIS 29OCT03 23:53	00 A1PXXJY304829	901052 3260042-0201	A23T	A1UIS 30OCT03 06:43	00
-----	------------------------	------	------------------------	---------------------	------------------------	------	------------------------	----

A1PXXUY302772	COMPLETED	30OCT03 13:48	4785.6	AFHR	XXxxXXxxXXxxXXxxXXxx
30OCT03 13:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		

STI-PC9-0313 due on Serial A23-033  
PC-9 at WAC 0000

Maint Acts: STI INC

A1PXXUY302861	COMPLETED	03NOV03 00:26	4785.6	AFHR	XXxxXXxxXXxxXXxxXXxx
03NOV03 00:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		

S40 due on Serial A23-033  
PC-9 at WAC 0000

Maint Acts: S40 CO SERV

A1PXXUY303236	COMPLETED	06NOV03 23:04	4800.5	AFHR	XXxxXXxxXXxxXXxxXXxx
06NOV03 22:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		

S40 due on Serial A23-033  
PC-9 at WAC 0000

Maint Acts: S40 CO SERV IAW 7212.007-2

A1PXXUY303322	COMPLETED	10NOV03 00:09	4802.0	AFHR	XXxxXXxxXXxxXXxxXXxx
10NOV03 00:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		

STI-PC9-0313 due on Serial A23-033  
PC-9 at WAC 0000

Maint Acts: STI-PC9-313

A1PXXUY303641	COMPLETED	13NOV03 04:05	4805.7	AFHR	XXxxXXxxXXxxXXxxXXxx
13NOV03 04:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		

EFCU ACTUATOR BUSH DISLODGED

Maint Acts: SERV EFCU ACTAUTOR FITTED IAW AAP 7212.007-2

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

REMOVALS/INSTALLATIONS FOR A1PXXUY303641  
SEQ REMOVED SERIAL NO EIAC LCN ALC INSTALLED SERIAL NO EIAC LCN ALC  
REMOVED PART NO DATE/TIME JOB NUMBER INSTALLED PART NO DATE/TIME  
=====  
=====

001 369 A23T A1SAI00 00 366 A23T A1SAI00 00  
VL50R4 13NOV03 04:02 A1PXXJY306043 VL50R4 13NOV03 04:04

A1PXXUY303649 COMPLETED 13NOV03 05:32 4805.7 AFHR XXxxXXxxXXxxXXxxXXxx  
13NOV03 05:22 XXxxXXxx  
XXxxXXxxXXxxXXxxXXxx  
13NOV03 05:32  
XXxxXXxxXXxxXXxxXXxx  
ELU LIGHT WITH CODE 32 STEPPER MOTOR FAULT CODE

Maint Acts: SERV ITEM FITTED IAW 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY303649  
SEQ REMOVED SERIAL NO EIAC LCN ALC INSTALLED SERIAL NO EIAC LCN ALC  
REMOVED PART NO DATE/TIME JOB NUMBER INSTALLED PART NO DATE/TIME  
=====  
=====

001 B22054 A23T A1SAK58 00 B22125 A23T A1SAK58 00  
3244807-3 13NOV03 05:23 A1PXXJY306066 3244807-3 13NOV03 05:30

A1PXXUY303655 COMPLETED 13NOV03 05:41 4805.7 AFHR XXxxXXxxXXxxXXxxXXxx  
13NOV03 05:37 XXxxXXxx  
XXxxXXxxXXxxXXxxXXxx  
13NOV03 05:41  
XXxxXXxxXXxxXXxxXXxx  
STI-PC9-0313 due on Serial A23-033  
PC-9 at WAC 0000

Maint Acts: STI-0313 RINC

A1PXXUY303668 COMPLETED 17NOV03 11:46 4805.7 AFHR XXxxXXxxXXxxXXxxXXxx  
13NOV03 06:40 XXxxXXxx  
XXxxXXxxXXxxXXxxXXxx  
17NOV03 11:46  
XXxxXXxxXXxxXXxxXXxx  
STI-PC9-0313 due on Serial A23-033  
PC-9 at WAC 0000

Maint Acts: STI-PC9-313 C/O

A1PXXUY303677 COMPLETED 18NOV03 00:24 4807.7 AFHR XXxxXXxxXXxxXXxxXXxx  
13NOV03 11:32 XXxxXXxx  
XXxxXXxxXXxxXXxxXXxx  
18NOV03 00:24  
XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033  
PC-9 at WAC 0000

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: S40 CARRIED OUT

A1PXXUY303716	COMPLETED	14NOV03 02:39	4809.4	AFHR		XXxxXXxxXXxxXXxxXXxx
14NOV03 02:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BLEED VALVE TO BE CHANGED FOR FAULT FINDING. REF- LOW POWER				14NOV03 02:39
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV BLEED VALVE FITTED IAW AAP 7113.022-2

REMOVALS/INSTALLATIONS FOR A1PXXUY303716

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	4Y649	A23T	A1SAK54	00	6T455	A23T	A1SAK54	00
	3103174-05		14NOV03 02:36	A1PXXJY306367	3103174-05		14NOV03 02:38	

A1PXXUY303731	COMPLETED	17NOV03 10:58	4809.4	AFHR		XXxxXXxxXXxxXXxxXXxx
14NOV03 06:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BLEED VALVE STICKS OPEN ON OPERATION				17NOV03 10:58
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV BLEED VALVE FITTED IAE AAP 7113.022-2

REMOVALS/INSTALLATIONS FOR A1PXXUY303731

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	6T455	A23T	A1SAK54	00	7P210	A23T	A1SAK54	00
	3103174-05		14NOV03 07:17	A1PXXJY306376	3103174-05		17NOV03 10:57	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES							
SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN	
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME	
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR	
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME	
EE500PG EE500LN						INSPECTOR	
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME	
=====							
A1PXXUY304246	COMPLETED	22NOV03 00:56	4809.4	AFHR		XXxxXXxxXXxxXXxxXXxx	
21NOV03 23:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		STI-PC9-317A due on Serial 507				22NOV03 00:56	
		CONT UNIT LDG REAR at WAC 0740				XXxxXXxxXXxxXXxxXXxx	
		STI-PC9-317B due on Serial 507					
		CONT UNIT LDG REAR at WAC 0740					
	Maint Acts:	STI 317 INC					
A1PXXUY304341	COMPLETED	25NOV03 00:43	4810.3	AFHR		XXxxXXxxXXxxXXxxXXxx	
25NOV03 00:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		STI-PC9-0318 due on Serial A23-033				25NOV03 00:43	
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx	
	Maint Acts:	S3 OVERDUE. SERVICING INITIATED.					
A1PXXUY304398	COMPLETED	25NOV03 06:47	4810.3	AFHR		XXxxXXxxXXxxXXxxXXxx	
25NOV03 06:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		S3 due on Serial A23-033				25NOV03 06:47	
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx	
	Maint Acts:	S3 SERV CARRIED OUT					
A1PXXUY304503	COMPLETED	28NOV03 02:22	4810.3	AFHR		XXxxXXxxXXxxXXxxXXxx	
27NOV03 04:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		FAILS ECS GROUND RUN CHECK ( MAX ITT RISE AT HIGH.)				28NOV03 02:22	
						XXxxXXxxXXxxXXxxXXxx	
	Maint Acts:	PRSOV REPLACED WITH SERV ITEM					



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY304503

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 0785 3213876-9	A23T A0Q 27NOV03 04:37	00 A1PXXJY307686	977 3213876-9	A23T A0Q 27NOV03 04:42	00			

A1PXXUY304590 COMPLETED 28NOV03 02:31 4810.3 AFHR XXxxXXxxXXxxXXxxXXxx  
28NOV03 02:26 XXxxXXxx

S40 due on Serial A23-033  
PC-9 at WAC 0000

Maint Acts: S40 SERV C/O

A1PXXUY304874 COMPLETED 02DEC03 11:18 4820.0 AFHR XXxxXXxxXXxxXXxxXXxx  
02DEC03 10:39 XXxxXXxx

BS due on Serial 010146  
REG OXYGEN DEMAND at WAC 0730

Maint Acts: SERV OXY REG FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY304874

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 010146 3260042-0201	A23T A1UES 02DEC03 11:15	00 A1PXXJ308075X	103156 3260042-0201	A23T A1UES 02DEC03 11:16	00			

A1PXXUY304875 COMPLETED 02DEC03 11:24 4820.0 AFHR XXxxXXxxXXxxXXxxXXxx  
02DEC03 10:40 XXxxXXxx

BS due on Serial 0458001  
CRASH POSN IND at WAC 0660

Maint Acts: CPI REPLACED WITH SERV ITEM

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02584  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY304875

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0458001	A23T	A1UOY	00	0524001	A23T	A1UOY	00
	453-0406		02DEC03 11:21	AIPXXJ307458X	453-0406		02DEC03 11:21	

A1PXXUY304948 COMPLETED 03DEC03 07:54 4823.4 AFHR XXxxXXxxXXxxXXxxXXxx  
03DEC03 07:45 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP

STICK GRIP ASSY WITCHES HAT TIP BROKE OFF DURING A FOD CHECK OF COCKPIT

Maint Acts: SERV STICK GRIP ASSY FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY304948

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	R012006	A23T	A1UIU00	00	L117458	A23T	A1UIU00	00
	116.35.07.288		03DEC03 07:50	A1PXXJY308293	116.35.07.288		03DEC03 07:51	

A1PXXUY305038 COMPLETED 04DEC03 11:09 4823.4 AFHR XXxxXXxxXXxxXXxxXXxx  
04DEC03 07:56 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP

BS due on Serial 1464  
BATTERY NICAD at WAC 0660

Maint Acts: BATT NICAD REPLACED

REMOVALS/INSTALLATIONS FOR A1PXXUY305038

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1464	A23T	A1UOA	00	1275	A23T	A1UOA	00
	33490409201		04DEC03 11:04	AIPXXJY310363	33490409201		04DEC03 11:06	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY305039	COMPLETED	04DEC03 22:26	4823.4	AFHR		XXXXXXXXXXXXXXXXXXXX
04DEC03 07:57	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		TA due on Serial 33S83A				04DEC03 22:26
		MICRO LH SAFETY S83 at WAC 0950				XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV MICRO FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY305039

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	33S83A	A23T	A2KDS	00	3383B	A23T	A2KDS	00
	973.30.31.204		04DEC03 14:02	AIPXXJ311738X	973.30.31.204		04DEC03 22:24	

A1PXXUY305040	COMPLETED	04DEC03 22:21	4823.4	AFHR		XXXXXXXXXXXXXXXXXXXX
04DEC03 07:57	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		TA due on Serial 33S96A				04DEC03 22:21
		MICRO NLG SAFETY at WAC 0500				XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV MICRO FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY305040

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	33S96A	A23T	A18AI	00	33S96B	A23T	A18AI	00
	973.30.31.205		04DEC03 14:06	AIPXXJ311176X	973.30.31.205		04DEC03 22:19	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY305041	COMPLETED	04DEC03 22:46	4823.4	AFHR		XXxxXXxxXXxxXXxxXXxx
04DEC03 08:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40	due on Serial A23-033			04DEC03 22:46
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 CARRIED OUT				

A1PXXUY305090	COMPLETED	07DEC03 23:52	4830.4	AFHR		XXxxXXxxXXxxXXxxXXxx
05DEC03 07:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		RH TYRE WORN TO LIMITS				
	Maint Acts:	HUB ASSY MAIN REPLACED WITH SERV ITEM IAW 7212.002-2				

REMOVALS/INSTALLATIONS FOR A1PXXUY305090

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0060	A23T	A2KEI	01	0007	A23T	A2KEI	01
	3-1555		07DEC03 23:48	A1PXXJY308594	3-1555		07DEC03 23:50	

A1PXXUY305128	COMPLETED	08DEC03 05:44	4830.4	AFHR		XXxxXXxxXXxxXXxxXXxx
08DEC03 05:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		LOW POWER AND ECS LOW COLD AIR FLOW				
	Maint Acts:	SERV TEMP CONTROL VALVE FITTED IAW 7212.007-2				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR 1PXXUY305128

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				

001	297	A23T	A0S	00	298	A23T	A0S	00
	979432-2		08DEC03 05:41	A1PXXJY308631	959.90.10.181		08DEC03 05:42	

A1PXXUY305287	COMPLETED	10DEC03 04:02	4830.4	AFHR		XXxxXXxxXXxxXXxxXXxx
10DEC03 03:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			

STI-PC9-0319 due on Serial A23-033  
PC-9 at WAC 0000

Maint Acts: STI 0319 C/O SERV

A1PXXUY305333	COMPLETED	11DEC03 00:17	4831.3	AFHR		XXxxXXxxXXxxXXxxXXxx
11DEC03 00:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			

S40 due on Serial A23-033  
PC-9 at WAC 0000

Maint Acts: S40 C/O

A1PXXUY305614	COMPLETED	17DEC03 05:20	4841.6	AFHR		XXxxXXxxXXxxXXxxXXxx
17DEC03 05:05	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			

FUSABLE PLUGS ON MAIN HUB ASSYS BLOWN

Maint Acts: HUB ASSYS REPLACED

REMOVALS/INSTALLATIONS FOR 1PXXUY305614

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				

001	0007	A23T	A2KEI	01	0070	A23T	A2KEI	01
	3-1555		17DEC03 05:09	A1PXXJY309226	3-1555		17DEC03 05:14	

002	0100	A23T	A2KDM	01	0183	A23T	A2KDM	01
	3-1555		17DEC03 05:16	A1PXXJY309227	3-1555		17DEC03 05:18	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02588  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY305619	COMPLETED	17DEC03 23:24	4841.6	AFHR		XXxxXXxxXXxxXXxxXXxx
17DEC03 09:02	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				17DEC03 23:24
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 SERV C/O IAW 7212.007-2				

A1PXXUY305681	COMPLETED	18DEC03 05:08	4842.7	AFHR		XXxxXXxxXXxxXXxxXXxx
18DEC03 05:03	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		NIL FUEL FLOW INDICATIONS				18DEC03 05:08
						XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	FUEL FLOW TX REPLACED				

REMOVALS/INSTALLATIONS FOR A1PXXUY305681

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1519	A23T	A1SAI20	00	1773	A23T	A1SAI20	00
	151-906-010		18DEC03 05:05	A1PXXJY309316	151-906-010		18DEC03 05:06	

A1PXXUY305753	COMPLETED	21DEC03 23:57	4843.7	AFHR		XXxxXXxxXXxxXXxxXXxx
21DEC03 23:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-305 due on Serial YH191612				21DEC03 23:57
		POWER PACK HYD EMER at WAC 0630				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	INC				

A1PXXUY400135	COMPLETED	07JAN04 01:59	4845.3	AFHR		XXxxXXxxXXxxXXxxXXxx
07JAN04 01:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				07JAN04 01:59
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 02589  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: S40 SERV CARRIED OUT

A1PXXUY400164 COMPLETED 15JAN04 00:03 4845.3 AFHR XXxxXXxxXXxxXXxxXXxx  
07JAN04 06:24 XXxxXXxx  
STI-PC9-317B due on Serial 507  
CONT UNIT LDG REAR at WAC 0740  
XXxxXXxxXXxxXXxxXXxx  
15JAN04 00:03  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERVICEABLE REAR LGCU FITTED (EX A23-028).

REMOVALS/INSTALLATIONS FOR A1PXXUY400164

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
001	507	A23T	A1UGY	00	371	A23T	A1UGY	00
	532.30.09.217		07JAN04 06:25	A1PXXJY307314	532.30.09.217		15JAN04 00:00	

A1PXXUY400275 COMPLETED 14JAN04 04:48 4845.3 AFHR XXxxXXxxXXxxXXxxXXxx  
09JAN04 00:32 XXxxXXxx  
STI-PC9-0290 due on Serial A23-033  
PC-9 at WAC 0000  
XXxxXXxxXXxxXXxxXXxx  
14JAN04 04:48  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-290 RINC

A1PXXUY400276 COMPLETED 13JAN04 06:56 4845.3 AFHR XXxxXXxxXXxxXXxxXXxx  
09JAN04 00:32 XXxxXXxx  
S20 due on Serial A23-033  
PC-9 at WAC 0000  
XXxxXXxxXXxxXXxxXXxx  
13JAN04 06:56  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: S20 SERV CO

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY400277 09JAN04 00:32	COMPLETED XXxxXXxx	14JAN04 04:47 XXxxXXxxXXxxXXxxXXxx	4845.3 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx 14JAN04 04:47 XXxxXXxxXXxxXXxxXXxx
		S18 PC-9	due on Serial A23-033 at WAC 0000			
	Maint Acts:	S18 SERV CO				
A1PXXUY400278 09JAN04 00:32	COMPLETED XXxxXXxx	13JAN04 05:10 XXxxXXxxXXxxXXxxXXxx	4845.3 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx 13JAN04 05:10 XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0280 PUMP FUEL ENG DVN	due on Serial B3324 at WAC 0130			
	Maint Acts:	STI-PC9-280 RINC				
A1PXXUY400279 09JAN04 00:32	COMPLETED XXxxXXxx	13JAN04 00:04 XXxxXXxxXXxxXXxxXXxx	4845.3 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx 13JAN04 00:04 XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0196 RSVR POWER PACK	due on Serial YH169948 at WAC 0620			
	Maint Acts:	STI-PC9-196 RINC				
A1PXXUY400280 09JAN04 00:32	COMPLETED XXxxXXxx	13JAN04 00:00 XXxxXXxxXXxxXXxxXXxx	4845.3 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx 13JAN04 00:00 XXxxXXxxXXxxXXxxXXxx
		STI-PC9-255A VERTICAL STAB ASSY	due on Serial 533 at WAC 1400			
	Maint Acts:	STI-PC9-255A RINC				
A1PXXUY400281 09JAN04 00:32	COMPLETED XXxxXXxx	12JAN04 23:58 XXxxXXxxXXxxXXxxXXxx	4845.3 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx 12JAN04 23:58 XXxxXXxxXXxxXXxxXXxx
		STI-PC9-255A HORIZONTAL STAB ASS	due on Serial 42 at WAC 1200			
	Maint Acts:	STI-PC9-255B RINC				



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY400282 09JAN04 00:32	COMPLETED XXxxXXxx	13JAN04 23:42 XXxxXXxxXXxxXXxxXXxx	4845.3 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx 13JAN04 23:42 XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	STI-PC9-257C WING ASSY	due on Serial 527 at WAC 1500			
A1PXXUY400283 09JAN04 00:32	COMPLETED XXxxXXxx	14JAN04 23:35 XXxxXXxxXXxxXXxxXXxx	4845.3 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx 14JAN04 23:35 XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	R1 PC-9	due on Serial A23-033 at WAC 0000			
A1PXXUY400284 09JAN04 00:33	COMPLETED XXxxXXxx	14JAN04 04:46 XXxxXXxxXXxxXXxxXXxx	4845.3 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx 14JAN04 04:46 XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 PC-9	due on Serial A23-033 at WAC 0000			
A1PXXUY400285 09JAN04 00:35	COMPLETED XXxxXXxx	12JAN04 23:46 XXxxXXxxXXxxXXxxXXxx	4845.3 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx 12JAN04 23:46 XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S29 PC-9	due on Serial A23-033 at WAC 0000			
A1PXXUY400286 09JAN04 00:36	COMPLETED XXxxXXxx	12JAN04 23:44 XXxxXXxxXXxxXXxxXXxx	4845.3 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx 12JAN04 23:44 XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S29 PC-9	due on Serial A23-033 at WAC 0000			
	Maint Acts:	ENTERDE IN ERROR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02592  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY400287	COMPLETED	12JAN04 23:43	4845.3	AFHR		XXxxXXxxXXxxXXxxXXxx
09JAN04 00:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S29	due on Serial A23-033			12JAN04 23:43
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	ENTERED IN ERROR				

A1PXXUY400288	COMPLETED	12JAN04 23:42	4845.3	AFHR		XXxxXXxxXXxxXXxxXXxx
09JAN04 00:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S29	due on Serial A23-033			12JAN04 23:42
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	ENTERED IN ERROR				

A1PXXUY400290	COMPLETED	12JAN04 02:42	4845.3	AFHR		XXxxXXxxXXxxXXxxXXxx
09JAN04 00:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S29	due on Serial A23-033			12JAN04 02:42
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S 29 SERV C/O IAW 7212.007-2				

REMOVALS/INSTALLATIONS FOR A1PXXUY400290

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
=====	=====	=====	=====	=====	=====	=====	=====	=====
001	537	A23T	A2KEC	00	537	A23T	A2KEC	00
	532.10.09.076		12JAN04 02:37	A1PXXJY400361	532.10.09.076		12JAN04 02:40	

A1PXXUY400291	COMPLETED	13JAN04 06:55	4845.3	AFHR		XXxxXXxxXXxxXXxxXXxx
09JAN04 00:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S27	due on Serial A23-033			13JAN04 06:55
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: S27 SERV CO

A1PXXUY400293	COMPLETED	14JAN04 23:33	4845.3	AFHR		XXxxXXxxXXxxXXxxXXxx
09JAN04 00:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0292	due on Serial A23-033			14JAN04 23:33
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-292 INC

A1PXXUY400298	COMPLETED	13JAN04 05:56	4845.3	AFHR		XXxxXXxxXXxxXXxxXXxx
09JAN04 02:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		ELEVATOR RFA				13JAN04 05:56
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV ELEVATOR FITTED IAW 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY400298

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	064	A23T	A2IBC	00	064	A23T	A2IBC	00
	555.20.09.003		09JAN04 02:42	A1PXXJY400304	555.20.09.003		13JAN04 05:53	

A1PXXUY400300	COMPLETED	12JAN04 00:00	4845.3	AFHR		XXxxXXxxXXxxXXxxXXxx
11JAN04 22:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		OIL FILTER REMOVED FOR CLEANING				12JAN04 00:00
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: FILTER CLEANED AND REFITTED IAW 7113.022-2

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY400300

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	L334204	A23T	A1SAK34	00	L334204	A23T	A1SAK34	00
	3034293		11JAN04 22:29	A1PXXJY400308	3034293		11JAN04 23:59	

A1PXXUY400314 COMPLETED 12JAN04 00:04 4845.3 AFHR XXxxXXxxXXxxXXxxXXxx  
 12JAN04 00:01 XXxxXXxx XXxxXXxxXXxxXXxx AIP  
 FUEL FILTER RFA  
 XXxxXXxxXXxxXXxxXXxx  
 12JAN04 00:04  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV FILTER FITTED IAW 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY400314

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	L828942	A23T	A1UJK00	00	L725990	A23T	A1UJK00	00
	03W1738-231		12JAN04 00:02	A1PXXJY400326	968.35.21.162		12JAN04 00:03	

A1PXXUY400346 COMPLETED 12JAN04 02:46 4845.3 AFHR XXxxXXxxXXxxXXxxXXxx  
 12JAN04 02:42 XXxxXXxx XXxxXXxxXXxxXXxx AIP  
 RH BRAKE WTL  
 XXxxXXxxXXxxXXxxXXxx  
 12JAN04 02:46  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV BRAKE FITTED IAW 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY400346

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0119	A23T	A2KEE	00	0055	A23T	A2KEE	00
	2-1524-1		12JAN04 02:43	A1PXXJY400366	2-1524-1		12JAN04 02:45	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY400359	COMPLETED	13JAN04 07:00	4845.3	AFHR		XXXXXXXXXXXXXXXXXXXX
12JAN04 05:31	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BATT NICAD RFA				13JAN04 07:00
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: BATTERY NICAD REFITTED.

REMOVALS/INSTALLATIONS FOR A1PXXUY400359

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1275	A23T	A1UOA	00	1275	A23T	A1UOA	00
	33490409201		12JAN04 05:36	A1PXXJY400409	33490409201		13JAN04 06:58	

A1PXXUY400377	COMPLETED	13JAN04 06:30	4845.3	AFHR		XXXXXXXXXXXXXXXXXXXX
12JAN04 23:38	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		RUDDER RFA				13JAN04 06:30
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV RUDDER ASSY FITTED IAW 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY400377

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	558	A23T	A2GAM	00	558	A23T	A2GAM	00
	555.40.09.003		12JAN04 23:39	A1PXXJY400434	555.40.09.003		13JAN04 06:28	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY400420	COMPLETED	13JAN04 05:12	4845.3	AFHR		XXXXXXXXXXXXXXXXXXXX
13JAN04 04:48	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		ENGINE OIL MODULE DELAMINATING.				13JAN04 05:12
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: AFT COCKPIT ESDP REMOVED AND REPLACED WITH SERVICABLE ITEM.

REMOVALS/INSTALLATIONS FOR A1PXXUY400420

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	90100108	A23T	A1UHO	00	88040013	A23T	A1UHO	00
	150.0001-2		13JAN04 04:49	A1PXXJY400511	150.0001-2		13JAN04 05:07	

A1PXXUY400427	COMPLETED	13JAN04 05:06	4845.3	AFHR		XXXXXXXXXXXXXXXXXXXX
13JAN04 05:03	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		OH due on Serial 2128140				13JAN04 05:06
		GOVERNOR OVERSPEED at WAC 0120				XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV OS GOV FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY400427

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	2128140	A23T	A1SA004	00	2138428B	A23T	A1SA004	00
	210957		13JAN04 05:04	A1PXXJ300995X	210957		13JAN04 05:05	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY400524	COMPLETED	14JAN04 04:45	4845.3	AFHR		XXXXXXXXXXXXXXXXXXXX
14JAN04 04:33	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		NWS STEERING ACT LEAKING				14JAN04 04:45
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV ACT FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY400524

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1218	A23T	A18AC	00	1206	A23T	A18AC	00
	HP1460100-3		14JAN04 04:35	A1PXXJY400654	HP1460100-3		14JAN04 04:42	

A1PXXUY400861	COMPLETED	20JAN04 09:39	4847.0	AFHR		XXXXXXXXXXXXXXXXXXXX
20JAN04 09:34	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		OH	due on Serial 1806061			20JAN04 09:39
		SET EMERG OXYGEN	at WAC 0740			XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV SEO FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY400861

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1806061	A23T	A26BE	00	2923795	A23T	A26BE	00
	MBEU100618		20JAN04 09:35	A1PXXJ306892X	MBEU100618		20JAN04 09:37	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02598  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY400878	COMPLETED	20JAN04 23:40	4847.0	AFHR		XXXXXXXXXXXXXXXXXXXX
20JAN04 13:28	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S40 due on Serial A23-033				20JAN04 23:40
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	S40 C/O				
A1PXXUY401149	COMPLETED	27JAN04 23:31	4851.6	AFHR		XXXXXXXXXXXXXXXXXXXX
27JAN04 13:45	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S40 due on Serial A23-033				27JAN04 23:31
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	S40 C/O				
A1PXXUY401357	COMPLETED	29JAN04 13:29	4856.7	AFHR		XXXXXXXXXXXXXXXXXXXX
29JAN04 13:25	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		ITT GAUGE NIL BACK LIGHT				29JAN04 13:29
						XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	SERV ESDP FITTED IAW 7212.007-2				

REMOVALS/INSTALLATIONS FOR A1PXXUY401357

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	88040013	A23T	A1UHO	00	7030034A	A23T	A1UHO	00
	150.0001-2		29JAN04 13:26	A1PXXJY401701	150.0001-2		29JAN04 13:28	

A1PXXUY401385	COMPLETED	30JAN04 08:11	4856.7	AFHR		XXXXXXXXXXXXXXXXXXXX
30JAN04 01:02	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		SET CART EJECT S/NO 1273302 RFA				30JAN04 08:11
						XXXXXXXXXXXXXXXXXXXX



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02599  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: SERV CARTS FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY401385

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 1273302	A23T	A1UJA	00	4023304	A23T	A1UJA	00	
MBEU60228	30JAN04 01:04	A1PXXJY401751	MBEU60228	30JAN04 08:10				

A1PXXUY401386 COMPLETED 30JAN04 07:58 4856.7 AFHR  
 30JAN04 01:21 XXXXX  
 BS due on Serial MC1035  
 COM DEL BREECH UNIT at WAC 0730  
 XXXXX  
 XXXXX  
 XXXXX

Maint Acts: SERV CDBU FITTED SERV

REMOVALS/INSTALLATIONS FOR A1PXXUY401386

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 MC1035	A23T	A1UJC	00	MG0015	A23T	A1UJC	00	
MBEU100433	30JAN04 01:29	A1PXXJ309321X	MBEU100433	30JAN04 07:55				

A1PXXUY401387 COMPLETED 30JAN04 08:01 4856.7 AFHR  
 30JAN04 01:22 XXXXX  
 BS due on Serial DC2032  
 VALVE COMMAND CONT at WAC 0740  
 XXXXX  
 XXXXX  
 XXXXX

Maint Acts: CCV FITTED SERV

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02600  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY401387

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	DC2032	A23T	A1UIY	00	DG0746	A23T	A1UIY	00
	MBEU64438		30JAN04 01:32	A1PXXJ309395X	MBEU64438		30JAN04 07:59	

A1PXXUY401388 COMPLETED 30JAN04 08:14 4856.7 AFHR  
30JAN04 01:34 XXXXX  
FRONT PARA ASSY RFA  
XXXXXX  
30JAN04 08:14  
XXXXXX

Maint Acts: FRONT PARA FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY401388

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	MB10187	A23T	A1WBA	00				
	MBEU100664		30JAN04 01:36	A1PXXJY401754				

A1PXXUY401389 COMPLETED 30JAN04 08:13 4856.7 AFHR  
30JAN04 01:38 XXXXX  
REAR PARA RFA  
XXXXXX  
30JAN04 08:13  
XXXXXX

Maint Acts: REAR PARA REFITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY401389

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	MB10013	A23T	A26BA	00				
	MBEU12043PA		30JAN04 01:39	A1PXXJY401755				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02601  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY401390	COMPLETED	30JAN04 08:07	4856.7	AFHR		XXXXXXXXXXXXXXXXXXXX
30JAN04 01:41	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		FRONT AND REAR PSPS RFA				30JAN04 08:07
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: PSP'S REFITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY401390

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	DF5418	A23T	A1WBG	00	DF5418	A23T	A1WBG	00
	STANDARDPACK-1		30JAN04 01:42	A1PXXJY401756	STANDARDPACK-1		30JAN04 08:05	
002	DG2690	A23T	A26BG	00	DG2690	A23T	A26BG	00
	STANDARDPACK-1		30JAN04 01:43	A1PXXJY401757	STANDARDPACK-1		30JAN04 08:03	

A1PXXUY401391	COMPLETED	30JAN04 08:12	4856.7	AFHR		XXXXXXXXXXXXXXXXXXXX
30JAN04 01:45	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		FRONT AND REAR SEO'S RFA				30JAN04 08:12
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV SEO'S FITTED WITH NEW SEATS

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02602  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY401391

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC	
=====	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME		=====

001	1533384	A23T	A1WBE	00					
	MBEU100618		30JAN04 01:46	A1PXXJY401758					

002	2923795	A23T	A26BE	00					
	MBEU100618		30JAN04 01:47	A1PXXJY401759					

A1PXXUY401394	COMPLETED	30JAN04 08:11	4856.7	AFHR	XXXXXXXXXX
30JAN04 01:52	XXXXXXXXXX	XXXXXXXXXX	AIP		XXXXXXXXXX
		FRONT AND REAR SET CART EJECT RFA			XXXXXXXXXX
					XXXXXXXXXX

Maint Acts: SERV CARTS FITTED WITH NEW SEATS

REMOVALS/INSTALLATIONS FOR A1PXXUY401394

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC	
=====	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME		=====

001	1533302F	A23T	A1WAE	00					
	MBEU100021		30JAN04 01:54	A1PXXJY401760					

002	1533302R	A23T	A26AE	00					
	MBEU100021		30JAN04 01:55	A1PXXJY401761					

A1PXXUY401395	COMPLETED	30JAN04 08:03	4856.7	AFHR	XXXXXXXXXX
30JAN04 01:56	XXXXXXXXXX	XXXXXXXXXX	AIP		XXXXXXXXXX
		FRONT AND REAR SEATS RFA			XXXXXXXXXX
					XXXXXXXXXX

Maint Acts: SERV FRONT AND REAR SEATS FITTED

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02603  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY401395

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				

001	021	A23T	A1W	00				
AU11A-1	30JAN04 01:58	A1PXXJY401762						

002	030	A23T	A26	00	128	A23T	A26	00
AU11A-2	30JAN04 01:59	A1PXXJY401763	AU11A-2	08:00				

003					101	A23T	A1W	00
					AU11A-1		30JAN04 08:01	

A1PXXUY401599	COMPLETED	03FEB04 22:49	4862.9	AFHR				
03FEB04 10:37	XXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP				XXXXXXXXXXXXXXXXXXXX	
		S40	due on Serial A23-033				03FEB04 22:49	
		PC-9	at WAC 0000				XXXXXXXXXXXXXXXXXXXX	

Maint Acts: S40 SERVICING COMPLETE.

A1PXXUY401766	COMPLETED	08FEB04 22:34	4873.9	AFHR				
08FEB04 22:20	XXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP				XXXXXXXXXXXXXXXXXXXX	
			BRAKE WORN TO LIMITS				08FEB04 22:34	
							XXXXXXXXXXXXXXXXXXXX	

Maint Acts: SERV BRAKE ASSY FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY401766

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				

001	0082	A23T	A2KDI	00	0009	A23T	A2KDI	00
2-1524-1	08FEB04 22:25	A1PXXJY402296	2-1524-1	22:31				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02604  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY401830	COMPLETED	09FEB04 05:06	4873.9	AFHR		XXxxXXxxXXxxXXxxXXxx
09FEB04 05:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial DG0746				09FEB04 05:06
		FIRING PIN-CONTROL at WAC 0740				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	SERVICE C/O DURING PARENT UNIT SERVICE REFER ES978/03				

A1PXXUY401866	COMPLETED	10FEB04 01:12	4878.7	AFHR		XXxxXXxxXXxxXXxxXXxx
10FEB04 01:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial 1533384				10FEB04 01:12
		SET EMERG OXYGEN at WAC 0730				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	SEO REPLACED WITH SERV ITEM				

REMOVALS/INSTALLATIONS FOR A1PXXUY401866

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1533384	A23T	A1WBE	00	2746635	A23T	A1WBE	00
	MBEU100618		10FEB04 01:08	AIPXXJ305787X	MBEU100618		10FEB04 01:09	

A1PXXUY401937	COMPLETED	11FEB04 03:42	4883.0	AFHR		XXxxXXxxXXxxXXxxXXxx
11FEB04 03:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				11FEB04 03:42
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 C/O				

A1PXXUY401938	COMPLETED	11FEB04 03:56	4883.0	AFHR		XXxxXXxxXXxxXXxxXXxx
11FEB04 03:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		OIL LEAKAGE IN STARTER GENERATOS DRAIN EXCESSIVE				11FEB04 03:56
						XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02605  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: STARTER GENERATOR CARBON SEAL REPLACED

REMOVALS/INSTALLATIONS FOR ALPXXUY401938

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	4513	A23T	A1SAI14	00	4513	A23T	A1SAI14	00
	23081-026		11FEB04 03:45	ALPXXJY402484	23081-026		11FEB04 03:55	

ALPXXUY402172 COMPLETED 16FEB04 11:56 4896.9 AFHR  
16FEB04 11:41 XXXXX  
OIL FILTER RFA  
XXXXXXXXXXXXXXXXXXXX  
16FEB04 11:56  
XXXXXXXXXXXXXXXXXXXX

Maint Acts: PARTICLE CHECK CARRIED OUT SERV.

REMOVALS/INSTALLATIONS FOR ALPXXUY402172

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	L334204	A23T	A1SAK34	00	L334204	A23T	A1SAK34	00
	3034293		16FEB04 11:48	ALPXXJY402713	3034293		16FEB04 11:54	

ALPXXUY402226 COMPLETED 17FEB04 23:39 4897.9 AFHR  
17FEB04 12:00 XXXXX  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
XXXXXXXXXXXXXXXXXXXX  
17FEB04 23:39  
XXXXXXXXXXXXXXXXXXXX

Maint Acts: S40 SERV C/O IAW AAP 7212.007-2

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02606  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY402260 COMPLETED 18FEB04 23:16 4899.0 AFHR XXxxXXxxXXxxXXxxXXxx  
18FEB04 23:14 XXxxXXxx

STI-PC9-0323 due on Serial A23-033  
PC-9 at WAC 0000

XXxxXXxxXXxxXXxxXXxx  
18FEB04 23:16  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-0323 COMPLIED WITH

A1PXXUY402539 COMPLETED 24FEB04 06:59 4907.5 AFHR XXxxXXxxXXxxXXxxXXxx  
24FEB04 06:51 XXxxXXxx

BRAKE RESERVIOR DIAPHRAM SPLIT

XXxxXXxxXXxxXXxxXXxx  
24FEB04 06:59  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: RESERVIOR REPLACED

REMOVALS/INSTALLATIONS FOR A1PXXUY402539

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1072	A23T	A1UFC	00	1191	A23T	A1UFC	00
	HP1457100-5		24FEB04 06:53	A1PXXJY403341	HP1457100-5		24FEB04 06:56	

A1PXXUY402562 COMPLETED 25FEB04 02:52 4907.5 AFHR XXxxXXxxXXxxXXxxXXxx  
24FEB04 14:19 XXxxXXxx

S40 due on Serial A23-033  
PC-9 at WAC 0000

XXxxXXxxXXxxXXxxXXxx  
25FEB04 02:52  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERV C/O IAW AAP 7212.007-2

A1PXXUY402794 COMPLETED 02MAR04 23:38 4915.0 AFHR XXxxXXxxXXxxXXxxXXxx  
02MAR04 10:04 XXxxXXxx

S40 due on Serial A23-033  
PC-9 at WAC 0000

XXxxXXxxXXxxXXxxXXxx  
02MAR04 23:38  
XXxxXXxxXXxxXXxxXXxx



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: S40 CO SERV IAW 7212.007-2

A1PXXUY402919	COMPLETED	03MAR04 11:57	4918.8	AFHR		XXxxXXxxXXxxXXxxXXxx
03MAR04 11:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS		due on Serial 1275		03MAR04 11:57
		BATTERY NICAD		at WAC 0660		XXxxXXxxXXxxXXxxXXxx

Maint Acts: BATT NICAD REPLACED

REMOVALS/INSTALLATIONS FOR A1PXXUY402919

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 1275	A23T	A1UOA	00	0151	A23T	A1UOA	00	
33490409201		03MAR04 11:54	A1PXXJY308406	33490409201		03MAR04 11:55		

A1PXXUY403174	COMPLETED	09MAR04 23:14	4930.2	AFHR		XXxxXXxxXXxxXXxxXXxx
09MAR04 13:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40		due on Serial A23-033		09MAR04 23:14
		PC-9		at WAC 0000		XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 CO SERV IAW 7212.007-2

A1PXXUY403450	COMPLETED	16MAR04 22:58	4943.1	AFHR		XXxxXXxxXXxxXXxxXXxx
16MAR04 10:48	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40		due on Serial A23-033		16MAR04 22:58
		PC-9		at WAC 0000		XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERVICING CARRIED OUT IAW AAP 7212.007-2

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY403862	COMPLETED	23MAR04 23:11	4958.9	AFHR		XXxxXXxxXXxxXXxxXXxx
23MAR04 08:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40	due on Serial A23-033			23MAR04 23:11
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 SERVICING C/O IAW AAP 7212.007-2				

A1PXXUY403936	COMPLETED	26MAR04 03:33	4965.1	AFHR		XXxxXXxxXXxxXXxxXXxx
25MAR04 06:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		TA	due on Serial L031801			26MAR04 03:33
		BATTERY ULB	at WAC 0740			XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	ENTERED IN ERROR BATT TO BE REMOVED WITH BEACON SONAR				

REMOVALS/INSTALLATIONS FOR A1PXXUY403936

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	L031801	A23T	A1UPM00AA	00				
	810-2007K		25MAR04 10:31	AIPXXJ302644X				

A1PXXUY403937	COMPLETED	26MAR04 03:34	4965.1	AFHR		XXxxXXxxXXxxXXxxXXxx
25MAR04 07:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		TA	due on Serial DN4647			26MAR04 03:34
		BATTERY ULB	at WAC 0640			XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	ENTERED IN ERROR, BATT TO BE REMOVED WITH BEACON SONAR				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02609  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY403937

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	DN4647	A23T	A1UPC00AA	00				
	810-2007K		25MAR04 09:15	AIPXXJ303853X				

A1PXXUY403967 COMPLETED 26MAR04 03:46 4966.3 AFHR XXxxXXxxXXxxXXxxXXxx  
26MAR04 03:36 XXxxXXxx XXxxXXxxXXxxXXxx AIP

BS due on Serial DN4647  
BCN UNDERWATER LOC at WAC 0640

XXxxXXxxXXxxXXxxXXxx  
26MAR04 03:46  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: BEACON SONAR REPLACED WITH SERV ITEM IAW 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY403967

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	DN4647	A23T	A1UPC00	00	DM3296	A23T	A1UPC00	00
	DK120		26MAR04 03:38	AIPXXJ305585X	DK120		26MAR04 03:39	

A1PXXUY403969 COMPLETED 26MAR04 03:51 4966.3 AFHR XXxxXXxxXXxxXXxxXXxx  
26MAR04 03:37 XXxxXXxx XXxxXXxxXXxxXXxx AIP

BS due on Serial L031799  
BCN UNDERWATER LOC at WAC 0740

XXxxXXxxXXxxXXxxXXxx  
26MAR04 03:51  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: BEACON ULB REPLACED WITH SERV ITEM IAW 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY403969

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	L031799	A23T	A1UPM00	00	DL4395	A23T	A1UPM00	00
	DK120		26MAR04 03:47	AIPXXJ305982X	266-E0305-00		26MAR04 03:48	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02610  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY404106	COMPLETED	30MAR04 23:35	4972.8	AFHR		XXxxXXxxXXxxXXxxXXxx
30MAR04 23:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40	due on Serial A23-033			30MAR04 23:35
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	DONE				

A1PXXUY404202	COMPLETED	01APR04 09:50	4974.1	AFHR		XXxxXXxxXXxxXXxxXXxx
31MAR04 12:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		SPINNER ASSY RFA				01APR04 09:50
						XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	SPINNER REFITTED IAW AAP 7212.007-2				

REMOVALS/INSTALLATIONS FOR A1PXXUY404202

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	A2333	A23T	A00AI	00	A2333	A23T	A00AI	00
	D5210		31MAR04 12:30	A1PXXJY405933	D5210		01APR04 09:49	

A1PXXUY404240	COMPLETED	01APR04 03:14	4974.1	AFHR		XXxxXXxxXXxxXXxxXXxx
31MAR04 23:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		GREASE LEAKING FROM PROP BLADE ROOT				01APR04 03:14
						XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	SERV PROP ASSY FITTED				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02611  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY404240

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	FV214	A23T	A00	00	GG473	A23T	A00	00
	HC-D4N2A/D9512A		31MAR04 23:45	A1PXXJY405947	HC-D4N2A/D9512A		01APR04 03:12	

A1PXXUY404242 COMPLETED 01APR04 03:17 4974.1 AFHR  
31MAR04 23:41 XXXXX  
PROP BOLTS RFA  
XXXXXXXXXXXXXXXXXXXXXXXX  
XXXXXXXXXXXXXXXXXXXXXXXX  
01APR04 03:17  
XXXXXXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV PROP BOLTS REFITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY404242

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	L133001	A23T	A00AK	00	L133001	A23T	A00AK	00
	B-3339-1		31MAR04 23:43	A1PXXJY405946	B-3339-1		01APR04 03:15	

A1PXXUY404277 COMPLETED 01APR04 09:48 4974.1 AFHR  
01APR04 09:47 XXXXX  
S41 due on Serial A23-033  
PC-9 at WAC 0000  
XXXXXXXXXXXXXXXXXXXXXXXX  
XXXXXXXXXXXXXXXXXXXXXXXX  
01APR04 09:48  
XXXXXXXXXXXXXXXXXXXXXXXX

Maint Acts: S41 SERV C/O IAW AAP 7212.007-2

A1PXXUY404379 COMPLETED 05APR04 13:21 4977.4 AFHR  
05APR04 12:55 XXXXX  
S16 due on Serial A23-033  
PC-9 at WAC 0000  
XXXXXXXXXXXXXXXXXXXXXXXX  
XXXXXXXXXXXXXXXXXXXXXXXX  
05APR04 13:21  
XXXXXXXXXXXXXXXXXXXXXXXX

Maint Acts: S16 SERVICING CARRIED OUT IAW 7040.001-1 INST 3

A1PXXUY404440 COMPLETED 06APR04 23:08 4977.4 AFHR  
06APR04 12:44 XXXXX  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
XXXXXXXXXXXXXXXXXXXXXXXX  
XXXXXXXXXXXXXXXXXXXXXXXX  
06APR04 23:08  
XXXXXXXXXXXXXXXXXXXXXXXX

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
=====						
	Maint Acts:	S40 CO SERV				
A1PXXUY404608	COMPLETED	13APR04 23:27	4980.2	AFHR		XXxxXXxxXXxxXXxxXXxx
13APR04 12:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				13APR04 23:27
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 SERVICING CARRIED OUT.				
A1PXXUY404952	COMPLETED	19APR04 11:19	4982.6	AFHR		XXxxXXxxXXxxXXxxXXxx
19APR04 09:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0328 due on Serial 171				19APR04 11:19
		CANOPY at WAC 0720				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	STI-PC9-328 CO SERV				
A1PXXUY405029	COMPLETED	20APR04 23:24	4982.6	AFHR		XXxxXXxxXXxxXXxxXXxx
20APR04 10:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				20APR04 23:24
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 SERVICING CARRIED OUT.				
A1PXXUY405039	COMPLETED	20APR04 12:48	4982.6	AFHR		XXxxXXxxXXxxXXxxXXxx
20APR04 12:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0329 due on Serial 558				20APR04 12:48
		RUDDER & TRIM TABS at WAC 1410				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	STI CARRIED OUT				
A1PXXUY405125	COMPLETED	21APR04 13:07	4982.6	AFHR		XXxxXXxxXXxxXXxxXXxx
21APR04 13:02	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0331 due on Serial 527				21APR04 13:07
		WING ASSY at WAC 1500				XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: STI INC

A1PXXUY405372	COMPLETED	28APR04 00:20	4984.6	AFHR		XXxxXXxxXXxxXXxxXXxx
27APR04 13:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40	due on Serial A23-033			28APR04 00:20
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 CO SERV

A1PXXUY405916	COMPLETED	06MAY04 23:19	4984.6	AFHR		XXxxXXxxXXxxXXxxXXxx
06MAY04 23:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40	due on Serial A23-033			06MAY04 23:19
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 CARRIED OUT

A1PXXUY406115	COMPLETED	11MAY04 09:30	4985.6	AFHR		XXxxXXxxXXxxXXxxXXxx
11MAY04 09:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		EDP REMOVED FOR MOD 7217.385-101				11MAY04 09:30
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV EDP FITTED IAW 7113.022-2

REMOVALS/INSTALLATIONS FOR A1PXXUY406115

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	B3324	A23T	A0K	00	B3657	A23T	A0K	00
	RG9570R1		11MAY04 09:19	A1PXXJY408660	RG9570R1/M		11MAY04 09:26	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02614  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY406862 24MAY04 22:57	COMPLETED XXxxXXxx	24JUN04 06:54 XXxxXXxxXXxxXXxxXXxx	4995.3 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx XXxxXXxxXXxxXXxxXXxx 24JUN04 06:54 XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0210 PC-9	due on Serial A23-033 at WAC 0000			
		Maint Acts:	STI-PC9-0210 C/O			

A1PXXUY406863 24MAY04 22:57	COMPLETED XXxxXXxx	24JUN04 07:01 XXxxXXxxXXxxXXxxXXxx	4995.3 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx XXxxXXxxXXxxXXxxXXxx 24JUN04 07:01 XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0290 PC-9	due on Serial A23-033 at WAC 0000			
		Maint Acts:	STI-PC9-0290 C/O			

A1PXXUY406864 24MAY04 22:57	COMPLETED XXxxXXxx	31MAY04 03:12 XXxxXXxxXXxxXXxxXXxx	4995.3 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx XXxxXXxxXXxxXXxxXXxx 31MAY04 03:12 XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0195 PC-9	due on Serial A23-033 at WAC 0000			
		Maint Acts:	STI-PC9-0195 RINC.			

REMOVALS/INSTALLATIONS FOR A1PXXUY406864

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	126 532.30.09.216	A23T	A1UCQ 26MAY04 07:08	00 A1PXXJY410034				
002	371 532.30.09.217	A23T	A1UGY 26MAY04 07:09	00 A1PXXJY410035	371 532.30.09.217	A23T	A1UGY 27MAY04 00:06	00



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 02615  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
003	371	A23T	A1UGY	00	566	A23T	A1UGY	00
	532.30.09.217		27MAY04 00:07	A1PXXJY410109	532.30.09.217		31MAY04 03:06	
004					126	A23T	A1UCQ	00
					532.30.09.216		31MAY04 03:09	

A1PXXUY406865 COMPLETED 23JUN04 01:09 4995.3 AFHR  
24MAY04 22:57 XXxxXXxx  
S20 due on Serial A23-033  
PC-9 at WAC 0000  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: S20 C/O

A1PXXUY406866 COMPLETED 24MAY04 23:26 4995.3 AFHR  
24MAY04 22:57 XXxxXXxx  
S18 due on Serial A23-033  
PC-9 at WAC 0000  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: S 18 C/O

A1PXXUY406867 COMPLETED 28JUN04 02:54 4995.3 AFHR  
24MAY04 22:57 XXxxXXxx  
STI-PC9-0280 due on Serial B3657  
PUMP FUEL ENG DVN at WAC 0130  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: MODIFIED PUMP FUEL ENG DVN ALREADY FITTED

A1PXXUY406868 COMPLETED 01JUN04 23:51 4995.3 AFHR  
24MAY04 22:57 XXxxXXxx  
STI-PC9-0196 due on Serial YH169948  
RSVR POWER PACK at WAC 0620  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-0196

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY406869 24MAY04 22:57	COMPLETED XXxxXXxx	09JUN04 02:03 XXxxXXxxXXxxXXxxXXxx	4995.3 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx 09JUN04 02:03 XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	CHECK SERV				
A1PXXUY406870 24MAY04 22:57	COMPLETED XXxxXXxx	09JUN04 02:08 XXxxXXxxXXxxXXxxXXxx	4995.3 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx 09JUN04 02:08 XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	CHECKSERV				
A1PXXUY406871 24MAY04 22:57	COMPLETED XXxxXXxx	24JUN04 07:09 XXxxXXxxXXxxXXxxXXxx	4995.3 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx 24JUN04 07:09 XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	STI-PC9-257C C/O				
A1PXXUY406872 24MAY04 22:58	COMPLETED XXxxXXxx	30JUN04 03:45 XXxxXXxxXXxxXXxxXXxx	4995.3 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx 30JUN04 03:45 XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	CARRIED OUT				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02617  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 REMOVALS/INSTALLATIONS FOR A1PXXUY406872  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	L219865 3100453-01	A23T	A1SAK00 22JUN04 03:14	00 A1PXXJY411874	L219865 3100453-01	A23T	A1SAK00 27JUN04 22:50	00
002	L219867 3100456-01	A23T	A1SAK02 22JUN04 03:19	00 A1PXXJY411875	L219867 3100456-01	A23T	A1SAK02 27JUN04 22:48	00
003	L219868 3100456-01	A23T	A1SAK04 22JUN04 03:37	00 A1PXXJY411877	L219868 3100456-01	A23T	A1SAK04 27JUN04 22:47	00
004	L219869 3100456-01	A23T	A1SAK06 22JUN04 03:44	00 A1PXXJY411879	L219869 3100456-01	A23T	A1SAK06 27JUN04 22:45	00
005	L219870 3100456-01	A23T	A1SAK08 22JUN04 03:52	00 A1PXXJY411881	L219870 3100456-01	A23T	A1SAK08 27JUN04 22:44	00
006	L219871 3100456-01	A23T	A1SAK10 22JUN04 04:34	00 A1PXXJY411884	L219871 3100456-01	A23T	A1SAK10 27JUN04 22:42	00
007	L219872 3100456-01	A23T	A1SAK12 22JUN04 04:40	00 A1PXXJY411886	L219872 3100456-01	A23T	A1SAK12 27JUN04 22:40	00
008	CPWA271 3100456-01	A23T	A1SAK14 22JUN04 05:28	00 A1PXXJY411888	CPWA271 3100456-01	A23T	A1SAK14 27JUN04 22:38	00
009	L219873 3100458-01	A23T	A1SAK16 22JUN04 05:35	00 A1PXXJY411889	L219873 3100458-01	A23T	A1SAK16 27JUN04 22:33	00

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02618  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

SEQ	REMOVED SERIAL NO REMOVED PART NO	EIAC	LCN DATE/TIME	ALC JOB NUMBER	INSTALLED SERIAL NO INSTALLED PART NO	EIAC	LCN DATE/TIME	ALC
010	L219874 3100458-01	A23T	A1SAK18 22JUN04 05:39	00 A1PXXJY411890	L219874 3100458-01	A23T	A1SAK18 27JUN04 22:31	00
011	L219875 3100458-01	A23T	A1SAK20 22JUN04 05:42	00 A1PXXJY411891	L219875 3100458-01	A23T	A1SAK20 27JUN04 22:28	00
012	L219876 3100458-01	A23T	A1SAK22 22JUN04 05:46	00 A1PXXJY411892	L219876 3100458-01	A23T	A1SAK22 27JUN04 22:25	00
013	L219877 3100458-01	A23T	A1SAK24 22JUN04 05:49	00 A1PXXJY411893	L219877 3100458-01	A23T	A1SAK24 27JUN04 22:24	00
014	L219878 3100458-01	A23T	A1SAK26 22JUN04 06:01	00 A1PXXJY411894	L219878 3100458-01	A23T	A1SAK26 27JUN04 22:22	00
015	15513 3019906	A23T	A1SAK56 22JUN04 06:06	00 A1PXXJY411895	15513 3019906	A23T	A1SAK56 27JUN04 22:19	00
016	PCY400432 AN7C40A	A23T	A1UBE 23JUN04 06:18	00 A1PXXJY412045	PCY400432 AN7C40A	A23T	A1UBE 23JUN04 06:21	00

A1PXXUY406873  
 24MAY04 22:59

COMPLETED  
 XXXXX

28JUN04 02:56  
 XXXXX

4995.3  
 AIP

AFHR

XXXXXXXXXX

S40  
 PC-9  
 due on Serial A23-033  
 at WAC 0000

XXXXXXXXXX  
 28JUN04 02:56  
 XXXXX

Maint Acts: S40 CARRIED OUT

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY406874	COMPLETED	28JUN04 05:59	4995.3	AFHR		XXXXXXXXXXXXXXXXXXXX	
24MAY04 23:01	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		S28		due on Serial A23-033		28JUN04 05:59	
		PC-9		at WAC 0000		XXXXXXXXXXXXXXXXXXXX	
	Maint Acts:	S28 CARRIED OUT					

REMOVALS/INSTALLATIONS FOR A1PXXUY406874

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	540	A23T	A2KDG	00	540	A23T	A2KDG	00
	532.10.09.075		28JUN04 05:37	A1PXXJY412369	532.10.09.075		28JUN04 05:46	

A1PXXUY406875	COMPLETED	25MAY04 05:10	4995.3	AFHR		XXXXXXXXXXXXXXXXXXXX	
24MAY04 23:03	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		S16		due on Serial A23-033		25MAY04 05:10	
		PC-9		at WAC 0000		XXXXXXXXXXXXXXXXXXXX	
	Maint Acts:	S16 SERVICING CARRIED OUT.					

A1PXXUY406876	COMPLETED	23JUN04 00:58	4995.3	AFHR		XXXXXXXXXXXXXXXXXXXX	
24MAY04 23:03	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		S46		due on Serial A23-033		23JUN04 00:58	
		PC-9		at WAC 0000		XXXXXXXXXXXXXXXXXXXX	
	Maint Acts:	S46 C/O ,SERV WATER SEPERATOR FITTED					

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR 1PXXUY406876

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	67518	A23T	A0Y	00	67518	A23T	A0Y	00
	85020-8		23JUN04 00:42	A1PXXJY411952	85020-8		23JUN04 00:49	

1PXXUY406877 COMPLETED 23JUN04 05:24 4995.3 AFHR  
 24MAY04 23:08 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 TA due on Serial R011999  
 BOLT WING-FUSELAGE at WAC 0900  
 XXxxXXxxXXxxXXxxXXxxXXxx  
 XXxxXXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV BOLT FITTED

REMOVALS/INSTALLATIONS FOR 1PXXUY406877

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	R011999	A23T	A1UAQ	00	PCY400427	A23T	A1UAQ	00
	AN5C4A		23JUN04 05:06	A1PXXJ300288X	AN5C4A		23JUN04 05:23	

1PXXUY406878 COMPLETED 23JUN04 05:37 4995.3 AFHR  
 24MAY04 23:08 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 TA due on Serial R012000  
 BOLT WING-FUSELAGE at WAC 1000  
 XXxxXXxxXXxxXXxxXXxxXXxx  
 XXxxXXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV BOLT FITTED

REMOVALS/INSTALLATIONS FOR 1PXXUY406878

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	R012000	A23T	A1UAS	00	PCY400428	A23T	A1UAS	00
	AN5C4A		23JUN04 05:27	A1PXXJ300309X	AN5C4A		23JUN04 05:33	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY406879	COMPLETED	10JUN04 06:18	4995.3	AFHR		XXxxXXxxXXxxXXxxXXxx
24MAY04 23:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		TA		due on Serial L233912		10JUN04 06:18
		SET HORZ ELEV BOLTS at WAC 1100				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	SERV BOLTS FITTED				

REMOVALS/INSTALLATIONS FOR A1PXXUY406879

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	L233912	A23T	A2IBE	00	PCY400314	A23T	A2IBE	00
	932.19.60.445		10JUN04 06:09	AIPXXJ305119X	932.19.60.445		10JUN04 06:16	

A1PXXUY406880	COMPLETED	10JUN04 22:18	4995.3	AFHR		XXxxXXxxXXxxXXxxXXxx
24MAY04 23:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		TA		due on Serial L233912		10JUN04 22:18
		SET HORZ ELEV BOLTS at WAC 1100				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	SERV BOLTS FITTED				

REMOVALS/INSTALLATIONS FOR A1PXXUY406880

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	L233912	A23T	A2IBG	00	PCY400315	A23T	A2IBG	00
	555.10.09.101		10JUN04 22:07	AIPXXJ305278X	555.10.09.101		10JUN04 22:16	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY406881	COMPLETED	10JUN04 05:58	4995.3	AFHR		XXxxXXxxXXxxXXxxXXxx
24MAY04 23:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		TA		due on Serial L233912		10JUN04 05:58
		SET ELEV BOLTS		at WAC 1300		XXxxXXxxXXxxXXxxXXxx

Maint Acts: SEV BOLTS FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY406881

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	L233912	A23T	A2IBC14	00	PCY400313	A23T	A2IBC14	00
	SSI 55001		10JUN04 05:37	AIPXXJ306231X	SSI 55001		10JUN04 05:56	

A1PXXUY406882	COMPLETED	10JUN04 23:26	4995.3	AFHR		XXxxXXxxXXxxXXxxXXxx
24MAY04 23:11	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		OH		due on Serial R113275		10JUN04 23:26
		SPRING STRUT RUD LH		at WAC 141P		XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV SRING STRUT RUDDER LH FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY406882

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	R113275	A23T	A2GAO	00	R113284	A23T	A2GAO	00
	527.20.09.120		10JUN04 23:20	AIPXXJ309670X	527.20.09.120		10JUN04 23:24	



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02623  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY406883	COMPLETED	23JUN04 06:16	4995.3	AFHR		XXxxXXxxXXxxXXxxXXxx
24MAY04 23:11	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		TA due on Serial R011995				23JUN04 06:16
		BOLT U-B W-F FWD LH at WAC 0900				XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV BOLT FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY406883

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	R011995	A23T	A1UBE	00	PCY400432	A23T	A1UBE	00
	AN7C40A		23JUN04 06:12	AIPXXJ310123X	AN7C40A		23JUN04 06:15	

A1PXXUY406884	COMPLETED	23JUN04 05:55	4995.3	AFHR		XXxxXXxxXXxxXXxxXXxx
24MAY04 23:11	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		TA due on Serial R011998				23JUN04 05:55
		BOLT WG-FUS AFT RH at WAC 1000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV BOLT FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY406884

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	R011998	A23T	A1UAY	00	PCY400429	A23T	A1UAY	00
	AN6C13A		23JUN04 05:38	AIPXXJ310228X	AN6C13A		23JUN04 05:52	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY406885	COMPLETED	23JUN04 06:11	4995.3	AFHR		XXxxXXxxXXxxXXxxXXxx
24MAY04 23:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		TA		due on Serial R011996		23JUN04 06:11
		BOLT U-B W-F FWD RH at WAC 1000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV BOLT FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY406885

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	R011996	A23T	A1UBC	00	PCY400431	A23T	A1UBC	00
	AN7C40A		23JUN04 06:06	AIPXXJ310271X	AN7C40A		23JUN04 06:09	

A1PXXUY406886	COMPLETED	23JUN04 06:04	4995.3	AFHR		XXxxXXxxXXxxXXxxXXxx
24MAY04 23:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		TA		due on Serial R011997		23JUN04 06:04
		BOLT WG-FUS AFT LH at WAC 0900				XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV BOLT FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY406886

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	R011997	A23T	A1UBA	00	PCY400430	A23T	A1UBA	00
	AN6C13A		23JUN04 05:57	AIPXXJ310352X	AN6C13A		23JUN04 06:01	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY406887	COMPLETED	23JUN04 02:35	4995.3	AFHR		XXXXXXXXXXXXXXXXXXXX
24MAY04 23:15	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		TA due on Serial R012002				23JUN04 02:35
		BOLT ENG MTG RH LWR at WAC 013B				XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV BOLT FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY406887

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	R012002	A23T	A0CAI	00	PCY400419	A23T	A0CAI	00
	571.20.09.031		23JUN04 02:28	AIPXXJ311445X	571.20.09.031		23JUN04 02:32	

A1PXXUY406888	COMPLETED	23JUN04 03:24	4995.3	AFHR		XXXXXXXXXXXXXXXXXXXX
24MAY04 23:16	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		TA due on Serial R012002				23JUN04 03:24
		NUT ENG MTG RH LWR at WAC 013B				XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV NUT FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY406888

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	R012002	A23T	A0CAQ	00	PCY400422	A23T	A0CAQ	00
	571.20.09.032		23JUN04 03:20	AIPXXJ311446X	571.20.09.032		23JUN04 03:22	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY406889	COMPLETED	23JUN04 03:50	4995.3	AFHR		XXXXXXXXXXXXXXXXXXXX
24MAY04 23:16	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		TA		due on Serial R012001		23JUN04 03:50
		NUT ENG MTG RH UPR		at WAC 013A		XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV NUT FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY406889

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	R012001	A23T	A0CAS	00	PCY400426	A23T	A0CAS	00
	571.20.09.032		23JUN04 03:26	AIPXXJ311450X	571.20.09.032		23JUN04 03:46	

A1PXXUY406890	COMPLETED	23JUN04 02:57	4995.3	AFHR		XXXXXXXXXXXXXXXXXXXX
24MAY04 23:17	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		TA		due on Serial R012003		23JUN04 02:57
		NUT ENG MTG LH LWR		at WAC 013C		XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV BOLT FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY406890

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	R012003	A23T	A0CAM	00	PCY400421	A23T	A0CAM	00
	571.20.09.032		23JUN04 02:51	AIPXXJ311551X	571.20.09.032		23JUN04 02:55	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY406891	COMPLETED	23JUN04 02:10	4995.3	AFHR		XXXXXXXXXXXXXXXXXXXX
24MAY04 23:18	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		TA		due on Serial R012003		23JUN04 02:10
		BOLT ENG MTG LH LWR at WAC 013C				XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV BOLT FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY406891

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	R012003	A23T	A0CAE	00	PCY400417	A23T	A0CAE	00
	571.20.09.031		23JUN04 02:03	AIPXXJ311594X	571.20.09.031		23JUN04 02:09	

A1PXXUY406892	COMPLETED	23JUN04 02:25	4995.3	AFHR		XXXXXXXXXXXXXXXXXXXX
24MAY04 23:19	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		TA		due on Serial R012004		23JUN04 02:25
		BOLT ENG MTG LH UPR at WAC 013D				XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV BOLT FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY406892

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	R012004	A23T	A0CAG	00	PCY400418	A23T	A0CAG	00
	571.20.09.031		23JUN04 02:13	AIPXXJ311597X	571.20.09.031		23JUN04 02:23	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY406893	COMPLETED	23JUN04 03:18	4995.3	AFHR		XXXXXXXXXXXXXXXXXXXX
24MAY04 23:19	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		TA		due on Serial R012004		23JUN04 03:18
		NUT ENG MTG LH UPR		at WAC 013D		XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV NUT FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY406893

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	R012004	A23T	A0CAO	00	PCY400423	A23T	A0CAO	00
	571.20.09.032		23JUN04 03:04	AIPXXJ311602X	571.20.09.032		23JUN04 03:16	

A1PXXUY406894	COMPLETED	23JUN04 02:45	4995.3	AFHR		XXXXXXXXXXXXXXXXXXXX
24MAY04 23:20	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		TA		due on Serial R012001		23JUN04 02:45
		BOLT ENG MTG RH UPR		at WAC 013A		XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV BOLT FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY406894

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	R012001	A23T	A0CAK	00	PCY400420	A23T	A0CAK	00
	571.20.09.031		23JUN04 02:38	AIPXXJ311737X	571.20.09.031		23JUN04 02:42	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02629  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY406895	COMPLETED	28JUN04 06:00	4995.3	AFHR		XXXXXXXXXXXXXXXXXXXX
24MAY04 23:23	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S47		due on Serial A23-033		28JUN04 06:00
		PC-9		at WAC 0000		XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	S47 C/O				

A1PXXUY406933	COMPLETED	28JUN04 02:32	4995.3	AFHR		XXXXXXXXXXXXXXXXXXXX
25MAY04 05:16	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BS		due on Serial 0151		28JUN04 02:32
		BATTERY NICAD		at WAC 0660		XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	SERV BATTERY NICAD FITTED				

REMOVALS/INSTALLATIONS FOR A1PXXUY406933

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0151	A23T	A1UOA	00	0045	A23T	A1UOA	00
	33490409201		25MAY04 05:17	A1PXXJY403988	33490409201		28JUN04 02:30	

A1PXXUY406937	COMPLETED	10JUN04 05:12	4995.3	AFHR		XXXXXXXXXXXXXXXXXXXX
25MAY04 06:43	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		ELEVATOR AND TRIM RFA				10JUN04 05:12
						XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	ELEVATOR AND TRIM ACT FITTED				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR 1PXXUY406937

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	064 555.20.09.003	A23T	A2IBC 25MAY04 06:45	00 A1PXXJY409915	064 555.20.09.003	A23T	A2IBC 10JUN04 05:02	00
002	734 2196T100-3	A23T	A2IBA 25MAY04 06:46	00 A1PXXJY409916	734 2196T100-3	A23T	A2IBA 10JUN04 05:08	00

A1PXXUY406964 COMPLETED 29JUN04 06:08 4995.3 AFHR  
 26MAY04 00:14 XXXXX  
 XXXXX  
 FRONT AND REAR SEATS RFA  
 XXXXX  
 XXXXX  
 XXXXX

Maint Acts: F + R SEATS REFITTED

REMOVALS/INSTALLATIONS FOR 1PXXUY406964

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	128 AU11A-2	A23T	A26 26MAY04 00:15	00 A1PXXJY409949	128 AU11A-2	A23T	A26 29JUN04 06:06	00
002	101 AU11A-1	A23T	A1W 26MAY04 00:17	00 A1PXXJY409951	101 AU11A-1	A23T	A1W 29JUN04 06:04	00

A1PXXUY406967 COMPLETED 21JUN04 02:44 4995.3 AFHR  
 26MAY04 02:15 XXXXX  
 XXXXX  
 STARTER/GENERATOR RFA.  
 XXXXX  
 XXXXX  
 XXXXX

Maint Acts: STARTER/GENERATOR REFITTED.



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02631  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY406967

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	4513	A23T	A1SAI14	00	4513	A23T	A1SAI14	00
	23081-026		26MAY04 02:16	A1PXXJY409967	23081-026		21JUN04 02:42	

A1PXXUY406997 COMPLETED 27JUN04 22:57 4995.3 AFHR XXxxXXxxXXxxXXxxXXxx  
26MAY04 06:06 XXxxXXxx  
ELU RFA.  
XXxxXXxxXXxxXXxxXXxx  
27JUN04 22:57  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV E.L.U FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY406997

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	B13874	A23T	A1SAG	01	B13874	A23T	A1SAG	01
	3244890-2		26MAY04 06:08	A1PXXJY410020	3244890-2		27JUN04 22:55	

A1PXXUY407179 COMPLETED 04JUN04 02:15 4995.3 AFHR XXxxXXxxXXxxXXxxXXxx  
31MAY04 07:45 XXxxXXxx  
BLOWER MOTOR REMOVED FOR ACCESS  
XXxxXXxxXXxxXXxxXXxx  
04JUN04 02:15  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: BLOWER MOTOR FAN REFITTED AND SECURED, FUNCT TEST OK

REMOVALS/INSTALLATIONS FOR A1PXXUY407179

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	45	A23T	A0E	00	45	A23T	A0E	00
	M5922H-9A1		31MAY04 09:35	A1PXXJY410404	M5922H-9A1		04JUN04 02:10	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY407233	COMPLETED	23JUN04 02:55	4995.3	AFHR		XXXXXXXXXXXXXXXXXXXX
01JUN04 03:29	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		FDR RFA.				23JUN04 02:55
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: FDR REFITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY407233

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	01496	A23T	A1UPM	00	01496	A23T	A1UPM	00
	S703-1000-01		01JUN04 03:31	A1PXXJY410464	S703-1000-01		23JUN04 02:54	

A1PXXUY407250	COMPLETED	08JUN04 06:27	4995.3	AFHR		XXXXXXXXXXXXXXXXXXXX
01JUN04 06:38	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BOTH INVERTERS RFA.				08JUN04 06:27
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: BOTH INVERTERS REFITTED.

REMOVALS/INSTALLATIONS FOR A1PXXUY407250

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1210	A23T	A1UOG	00				
	154925-0101		01JUN04 06:40	A1PXXJY410491				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02633  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
002	1043 154925-0101	A23T	A1UOE 01JUN04 06:43	00 A1PXXJY410493	1043 154925-0101	A23T	A1UOE 08JUN04 06:23	00
003					1210 154925-0101	A23T	A1UOG 08JUN04 06:25	00

A1PXXUY407377 COMPLETED 10JUN04 23:51 4995.3 AFHR  
 04JUN04 01:19 XXXXX  
 XXXXX  
 SPINNER ASSY REMOVED FOR ACCESS  
 XXXXX  
 XXXXX  
 XXXXX

Maint Acts: SERV SPINNER FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY407377

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	A2333 D5210	A23T	A00AI 04JUN04 01:21	00 A1PXXJY410678	A2333 D5210	A23T	A00AI 10JUN04 23:49	00

A1PXXUY407378 COMPLETED 11JUN04 00:29 4995.3 AFHR  
 04JUN04 01:23 XXXXX  
 XXXXX  
 HUB ASSY NOSE REMOVED FOR ACCESS  
 XXXXX  
 XXXXX  
 XXXXX

Maint Acts: SERV HUB ASSY NOSE FITTED

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02634  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY407378

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0077	A23T	A18AG	00	0077	A23T	A18AG	00
	3-1451 OPT 1		04JUN04 01:26	A1PXXJY410680	3-1451 OPT 1		11JUN04 00:27	

A1PXXUY407460 COMPLETED 08JUN04 03:49 4995.3 AFHR XXxxXXxxXXxxXXxxXXxx  
08JUN04 03:37 XXxxXXxx  
XXxxXXxxXXxxXXxxXXxx

TA due on Serial L334208  
FILTER FUEL DISCH at WAC 0130

Maint Acts: FUEL FILT DISCH REPLACED

REMOVALS/INSTALLATIONS FOR A1PXXUY407460

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	L334208	A23T	A1SAI10AA	00	PCY400304	A23T	A1SAI10AA	00
	3033355		08JUN04 03:38	A1PXXJ300732X	3033355		08JUN04 03:46	

A1PXXUY407546 COMPLETED 11JUN04 03:26 4995.3 AFHR XXxxXXxxXXxxXXxxXXxx  
09JUN04 00:48 XXxxXXxx  
XXxxXXxxXXxxXXxxXXxx

REAR C/P IND TRIPPLE TRIM RFA

Maint Acts: IND TRIPPLE TRIM REFITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY407546

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	91040395	A23T	A1UCE	00	91040395	A23T	A1UCE	00
	185.134-1		09JUN04 00:50	A1PXXJY410927	185.134-1		11JUN04 03:23	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY407547	COMPLETED	09JUN04 01:03	4995.3	AFHR		XXxxXXxxXXxxXXxxXXxx
09JUN04 00:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		LH MASTER BRAKE CYLINDER LEAKING				09JUN04 01:03
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: LH MASTER BRAKE CYLINDER REPLACED WITH SERV ITEM IAW 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY407547

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1381	A23T	A1UFE	00	1310A	A23T	A1UFE	00
	HP1457300-2		09JUN04 00:59	A1PXXJY410928	HP1457300-2		09JUN04 01:01	

A1PXXUY407558	COMPLETED	09JUN04 05:22	4995.3	AFHR		XXxxXXxxXXxxXXxxXXxx
09JUN04 05:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		OIL FILTER REMOVED FOR CHECK TEST				09JUN04 05:22
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV OILFILTER FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY407558

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	L334204	A23T	A1SAK34	00	L334204	A23T	A1SAK34	00
	3034293		09JUN04 05:15	A1PXXJY410944	3034293		09JUN04 05:20	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY407559	COMPLETED	09JUN04 05:30	4995.3	AFHR		XXXXXXXXXXXXXXXXXXXX
09JUN04 05:23	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		FILTER FUEL INLET REMOVED FOR CHECK TEST				09JUN04 05:30
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV FILTER FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY407559

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	L219047	A23T	A1SAI10AC	00	L219047	A23T	A1SAI10AC	00
	32-2053		09JUN04 05:25	A1PXXJY410945	32-2053		09JUN04 05:28	

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY407560	COMPLETED	09JUN04 05:38	4995.3	AFHR		XXXXXXXXXXXXXXXXXXXX
09JUN04 05:31	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		P3 FILTER REMOVED FOR CHECK TEST				09JUN04 05:38
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV P3 FILTER FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY407560

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	R121501	A23T	A1SAK48	00	R121501	A23T	A1SAK48	00
	3028856		09JUN04 05:33	A1PXXJY410946	3028856		09JUN04 05:36	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY407564	COMPLETED	21JUN04 23:30	4995.3	AFHR		XXXXXXXXXXXXXXXXXXXX
09JUN04 05:58	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		HEAT EXCHANGER R.F.A				21JUN04 23:30
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV HEAT EXCHANGER FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY407564

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	699	A23T	A0M	00	699	A23T	A0M	00
	959.90.10.123		09JUN04 06:00	A1PXXJY410950	959.90.10.123		21JUN04 23:28	

A1PXXUY407565	COMPLETED	11JUN04 00:19	4995.3	AFHR		XXXXXXXXXXXXXXXXXXXX
09JUN04 06:10	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		HUB ASSY MAIN RH R.F.A				11JUN04 00:19
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: HUB ASSY MAIN RH FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY407565

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0070	A23T	A2KEI	01	0070	A23T	A2KEI	01
	3-1555		09JUN04 06:17	A1PXXJY410951	3-1555		11JUN04 00:17	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY407566	COMPLETED	11JUN04 00:10	4995.3	AFHR		XXXXXXXXXXXXXXXXXXXX
09JUN04 06:18	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		HUB ASSY MAIN LH R.F.A				11JUN04 00:10
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: HUB ASSY MAIN LH FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY407566

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0183	A23T	A2KDM	01	0183	A23T	A2KDM	01
	3-1555		09JUN04 06:20	A1PXXJY410952	3-1555		11JUN04 00:06	

A1PXXUY407592	COMPLETED	09JUN04 23:38	4995.3	AFHR		XXXXXXXXXXXXXXXXXXXX
09JUN04 23:19	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		LH BRAKE W.T.L				09JUN04 23:38
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV BRAKE FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY407592

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0009	A23T	A2KDI	00	0187	A23T	A2KDI	00
	2-1524-1		09JUN04 23:24	A1PXXJY411000	2-1524-1		09JUN04 23:33	



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY407595	COMPLETED	10JUN04 02:24	4995.3	AFHR		XXXXXXXXXXXXXXXXXXXX
09JUN04 23:42	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BS due on Serial L219876				10JUN04 02:24
		ADAPT ASSY MFOLD S4 at WAC 012D				XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV ADAPT MFOLD S4 FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY407595

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	L219876	A23T	A1SAK22	00	L219876	A23T	A1SAK22	00
	3100458-01		10JUN04 02:20	A1PXXJ301523X	3100458-01		10JUN04 02:23	

A1PXXUY407597	COMPLETED	09JUN04 23:55	4995.3	AFHR		XXXXXXXXXXXXXXXXXXXX
09JUN04 23:47	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		RH BRAKE W.T.L.				09JUN04 23:55
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV BRAKE FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY407597

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0055	A23T	A2KEE	00	0116	A23T	A2KEE	00
	2-1524-1		09JUN04 23:49	A1PXXJY411005	2-1524-1		09JUN04 23:53	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY407598	COMPLETED	10JUN04 02:19	4995.3	AFHR		XXXXXXXXXXXXXXXXXXXX
10JUN04 00:01	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BS		due on Serial L219875		10JUN04 02:19
		ADAPT ASSY MFOLD S3 at WAC 012C				XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV ADAPT ASSY MFOLD S3 FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY407598

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	L219875	A23T	A1SAK20	00	L219875	A23T	A1SAK20	00
	3100458-01		10JUN04 02:13	AIPXXJ301539X	3100458-01		10JUN04 02:16	

A1PXXUY407599	COMPLETED	10JUN04 02:30	4995.3	AFHR		XXXXXXXXXXXXXXXXXXXX
10JUN04 00:02	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BS		due on Serial L219877		10JUN04 02:30
		ADAPT ASSY MFOLD S5 at WAC 012E				XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV ADAPT ASSY MFOLD S5 FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY407599

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	L219877	A23T	A1SAK24	00	L219877	A23T	A1SAK24	00
	3100458-01		10JUN04 02:25	AIPXXJ301805X	3100458-01		10JUN04 02:28	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY407600	COMPLETED	10JUN04 02:37	4995.3	AFHR		XXXXXXXXXXXXXXXXXXXX
10JUN04 00:03	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BS due on Serial L219878				10JUN04 02:37
		ADAPT ASSY MFOLD S6 at WAC 012F				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	SERV ADAPT MFOLD S6 FITTED				

REMOVALS/INSTALLATIONS FOR A1PXXUY407600

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	L219878	A23T	A1SAK26	00	L219878	A23T	A1SAK26	00
	3100458-01		10JUN04 02:31	AIPXXJ301937X	3100458-01		10JUN04 02:35	

A1PXXUY407601	COMPLETED	10JUN04 00:38	4995.3	AFHR		XXXXXXXXXXXXXXXXXXXX
10JUN04 00:04	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BS due on Serial L219867				10JUN04 00:38
		ADAPT ASSY MFOLD P1 at WAC 012A				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	SERV ADAPT ASSY MFOLD P1 FITTED				

REMOVALS/INSTALLATIONS FOR A1PXXUY407601

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	L219867	A23T	A1SAK02	00	L219867	A23T	A1SAK02	00
	3100456-01		10JUN04 00:32	AIPXXJ302639X	3100456-01		10JUN04 00:36	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY407602	COMPLETED	10JUN04 01:18	4995.3	AFHR		XXXXXXXXXXXXXXXXXXXX
10JUN04 00:05	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BS		due on Serial L219872		10JUN04 01:18
		ADAPT ASSY MFOLD P6 at WAC 012F				XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV ADAPT ASSY MFOLD P6 FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY407602

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	L219872	A23T	A1SAK12	00	L219872	A23T	A1SAK12	00
	3100456-01		10JUN04 01:13	AIPXXJ302782X	3100456-01		10JUN04 01:16	

A1PXXUY407603	COMPLETED	10JUN04 02:05	4995.3	AFHR		XXXXXXXXXXXXXXXXXXXX
10JUN04 00:06	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BS		due on Serial L219873		10JUN04 02:05
		ADAPT ASSY MFOLD S1 at WAC 012A				XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV ADAPT ASSY MFOLD S1 FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY407603

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	L219873	A23T	A1SAK16	00	L219873	A23T	A1SAK16	00
	3100458-01		10JUN04 01:57	AIPXXJ302822X	3100458-01		10JUN04 02:01	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY407604	COMPLETED	10JUN04 00:31	4995.3	AFHR		XXXXXXXXXXXXXXXXXXXX
10JUN04 00:08	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BS		due on Serial L219865		10JUN04 00:31
		ADAPT ASSY MFOLD IN at WAC 0120				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	SERV ADAPT MFOLD IN FITTED				

REMOVALS/INSTALLATIONS FOR A1PXXUY407604

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	L219865	A23T	A1SAK00	00	L219865	A23T	A1SAK00	00
	3100453-01		10JUN04 00:22	AIPXXJ302899X	3100453-01		10JUN04 00:28	

A1PXXUY407605	COMPLETED	10JUN04 01:12	4995.3	AFHR		XXXXXXXXXXXXXXXXXXXX
10JUN04 00:12	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BS		due on Serial L219871		10JUN04 01:12
		ADAPT ASSY MFOLD P5 at WAC 012E				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	SERV ADAPT ASSY MFOLD P5				

REMOVALS/INSTALLATIONS FOR A1PXXUY407605

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	L219871	A23T	A1SAK10	00	L219871	A23T	A1SAK10	00
	3100456-01		10JUN04 01:06	AIPXXJ302944X	3100456-01		10JUN04 01:09	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY407606	COMPLETED	10JUN04 01:55	4995.3	AFHR		XXXXXXXXXXXXXXXXXXXX
10JUN04 00:13	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BS		due on Serial CPWA271		10JUN04 01:55
		ADAPT ASSY MFOLD P7 at WAC 012G				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	SERV ADAPT MFOLD P7 FITTED				

REMOVALS/INSTALLATIONS FOR A1PXXUY407606

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	CPWA271	A23T	A1SAK14	00	CPWA271	A23T	A1SAK14	00
	3100456-01		10JUN04 01:50	AIPXXJ303090X	3100456-01		10JUN04 01:54	

A1PXXUY407607	COMPLETED	10JUN04 00:51	4995.3	AFHR		XXXXXXXXXXXXXXXXXXXX
10JUN04 00:15	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BS		due on Serial L219868		10JUN04 00:51
		ADAPT ASSY MFOLD P2 at WAC 012B				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	SERV ADAPT ASSY MFOLD P2 FITTED				

REMOVALS/INSTALLATIONS FOR A1PXXUY407607

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	L219868	A23T	A1SAK04	00	L219868	A23T	A1SAK04	00
	3100456-01		10JUN04 00:45	AIPXXJ303091X	3100456-01		10JUN04 00:48	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY407608	COMPLETED	10JUN04 01:05	4995.3	AFHR		XXXXXXXXXXXXXXXXXXXX
10JUN04 00:16	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BS due on Serial L219870				10JUN04 01:05
		ADAPT ASSY MFOLD P4 at WAC 012D				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	SERV ADAPT ASSY MFOLD P4 FITTED				

REMOVALS/INSTALLATIONS FOR A1PXXUY407608

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	L219870	A23T	A1SAK08	00	L219870	A23T	A1SAK08	00
	3100456-01		10JUN04 01:00	AIPXXJ303272X	3100456-01		10JUN04 01:03	

A1PXXUY407609	COMPLETED	10JUN04 00:59	4995.3	AFHR		XXXXXXXXXXXXXXXXXXXX
10JUN04 00:17	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BS due on Serial L219869				10JUN04 00:59
		ADAPT ASSY MFOLD P3 at WAC 012C				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	SERV ADAPT ASSY MFOLD P3				

REMOVALS/INSTALLATIONS FOR A1PXXUY407609

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	L219869	A23T	A1SAK06	00	L219869	A23T	A1SAK06	00
	3100456-01		10JUN04 00:52	AIPXXJ303406X	3100456-01		10JUN04 00:57	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY407610	COMPLETED	10JUN04 02:12	4995.3	AFHR		XXXXXXXXXXXXXXXXXXXX
10JUN04 00:18	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BS due on Serial L219874				10JUN04 02:12
		ADAPT ASSY MFOLD S2 at WAC 012B				XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV ADAPT ASSY MFOLD S2 FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY407610

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	L219874	A23T	A1SAK18	00	L219874	A23T	A1SAK18	00
	3100458-01		10JUN04 02:06	A1PXXJ303721X	3100458-01		10JUN04 02:09	

A1PXXUY407611	COMPLETED	11JUN04 03:30	4995.3	AFHR		XXXXXXXXXXXXXXXXXXXX
10JUN04 00:38	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		KXP756 TRANSCEIVER RFA.				11JUN04 03:30
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: TRANSCIEVER KXP756 REFITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY407611

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	4276	A23T	A1ULQ	00	4276	A23T	A1ULQ	00
	066-1071-00		10JUN04 00:43	A1PXXJY411017	066-1071-00		11JUN04 03:27	



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02647  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY407633	COMPLETED	10JUN04 03:03	4995.3	AFHR		XXXXXXXXXXXXXXXXXXXX
10JUN04 02:55	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		VALVE DUMP- FLOW DIV R.F.A				10JUN04 03:03
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV VALVE DUMP- FLOW DIV FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY407633

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	15513	A23T	A1SAK56	00	15513	A23T	A1SAK56	00
	3019906		10JUN04 02:56	A1PXXJY411035	3019906		10JUN04 03:01	

A1PXXUY407661	COMPLETED	10JUN04 23:15	4995.3	AFHR		XXXXXXXXXXXXXXXXXXXX
10JUN04 23:07	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		NLG ACT LEAKING FROM RAM END				10JUN04 23:15
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV NLG HYD ACT FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY407661

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	YH178121	A23T	A1I	00	YH191099	A23T	A1I	00
	4035 H2		10JUN04 23:09	A1PXXJY411119	4035 H2		10JUN04 23:12	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY408030	COMPLETED	17JUN04 23:45	4995.3	AFHR		XXXXXXXXXXXXXXXXXXXX
17JUN04 22:57	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		OH due on Serial 901052				17JUN04 23:45
		REG OXYGEN DEMAND at WAC 0740				XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV OXY DEMAND REG FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY408030

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	901052	A23T	A1UIS	00	702017	A23T	A1UIS	00
	3260042-0201		17JUN04 23:39	AIPXXJ307773X	3260042-0201		17JUN04 23:40	

A1PXXUY408157	COMPLETED	23JUN04 01:20	4995.3	AFHR		XXXXXXXXXXXXXXXXXXXX
21JUN04 05:56	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		VOLTAGE REGULATOR R.F.A				23JUN04 01:20
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV VOLTAGE REGULATOR FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY408157

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1302	A23T	A14	00	1302	A23T	A14	00
	51538-002 A		21JUN04 05:58	A1PXXJY411836	51538-002 A		23JUN04 01:14	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 02649  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES -----

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY408236	COMPLETED	23JUN04 02:46	4995.3	AFHR		XXXXXXXXXXXXXXXXXXXX
23JUN04 02:39	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		GCU RFA				23JUN04 02:46
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: GCU REFITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY408236

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1302	A23T	A14	00	1302	A23T	A14	00
	51538-002 A		23JUN04 02:41	A1PXXJY411975	51538-002 A		23JUN04 02:44	

A1PXXUY408255	COMPLETED	28JUN04 00:02	4995.3	AFHR		XXXXXXXXXXXXXXXXXXXX
23JUN04 03:52	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		LINER COMB CHAMB ASSY R.F.A				28JUN04 00:02
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV LINER COMB ASSY FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY408255

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	7F612	A23T	A1SAK44	00	7F612	A23T	A1SAK44	00
	IN/OUTASSY		23JUN04 03:56	A1PXXJY412003	IN/OUTASSY		27JUN04 23:59	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY408303	COMPLETED	27JUN04 23:52	4995.3	AFHR		XXXXXXXXXX
24JUN04 01:04	XXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
		COATING AND MATERIAL LOSS ON SMALL EXIT DUCT OF COMPRESSOR TURBINE SHROUD				27JUN04 23:52 XXXXXXXXXX

Maint Acts: SERV SHROUD AND DISC ASSY FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY408303

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	R012010 578.10.09.017	A23T	A1SAM12 24JUN04 01:10	00 A1PXXJY412125	R012010 578.10.09.017	A23T	A1SAM12 27JUN04 23:49	00
002	L219987 578.10.09.018	A23T	A1SAM14 24JUN04 01:11	00 A1PXXJY412129	L219987 578.10.09.018	A23T	A1SAM14 27JUN04 23:48	00
003	103177 3035200	A23T	A1SAM 24JUN04 01:19	00 A1PXXJY412136	103177 3035200	A23T	A1SAM 27JUN04 23:39	00
004	23B691 HDH/001/PT6A-62	A23T	A1SAK50 24JUN04 01:25	00 A1PXXJY412143	24B334 HDH/001/PT6A-62	A23T	A1SAK50 27JUN04 23:09	00

A1PXXUY408306	COMPLETED	28JUN04 02:00	4995.3	AFHR		XXXXXXXXXX
24JUN04 01:58	XXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
		AEROBATIC TANK ASSY R.F.A				28JUN04 02:00 XXXXXXXXXX

Maint Acts: SERV AEROBATIC TANK FITTED

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02651  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

REMOVALS/INSTALLATIONS FOR A1PXXUY408306

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	150	A23T	A1UJO	00	150	A23T	A1UJO	00
	528.20.09.045		24JUN04 02:03	A1PXXJY412151	528.20.09.045		28JUN04 01:57	

A1PXXUY408307 COMPLETED 28JUN04 02:05 4995.3 AFHR XXxxXXxxXXxxXXxxXXxx  
24JUN04 02:04 XXxxXXxx XXxxXXxxXXxxXXxx AIP  
FUEL FILER ASSY R.F.A  
28JUN04 02:05  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV FUEL FILTER ASSY FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY408307

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	00680	A23T	A1UJK	00	00680	A23T	A1UJK	00
	03W061738		24JUN04 02:06	A1PXXJY412153	03W061738		28JUN04 02:01	

A1PXXUY408315 COMPLETED 24JUN04 05:35 4995.3 AFHR XXxxXXxxXXxxXXxxXXxx  
24JUN04 03:27 XXxxXXxx XXxxXXxxXXxxXXxx AIP  
TA due on Serial R011999  
NUT WG-FUSE LH REAR at WAC 0900  
24JUN04 05:35  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV NUT FITTED

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02652  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY408315

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	R011999	A23T	A1UAA	00	PCY400462	A23T	A1UAA	00
	938.07.68.306		24JUN04 05:31	AIPXXJ300290X	938.07.68.306		24JUN04 05:34	

A1PXXUY408316 COMPLETED 24JUN04 05:42 4995.3 AFHR XXxxXXxxXXxxXXxxXXxx  
24JUN04 03:28 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP

TA due on Serial R012000  
NUT WG-FUSE RH REAR at WAC 1000

XXxxXXxxXXxxXXxxXXxx  
24JUN04 05:42  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV NUT FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY408316

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	R012000	A23T	A1UAC	00	PCY400463	A23T	A1UAC	00
	938.07.68.306		24JUN04 05:36	AIPXXJ300287X	938.07.68.306		24JUN04 05:41	

A1PXXUY408317 COMPLETED 24JUN04 06:15 4995.3 AFHR XXxxXXxxXXxxXXxxXXxx  
24JUN04 03:28 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP

TA due on Serial R011995  
NUT U-B W-F FWD LH at WAC 0900

XXxxXXxxXXxxXXxxXXxx  
24JUN04 06:15  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV NUT FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY408317

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	R011995	A23T	A1UAO	00	PCY400469	A23T	A1UAO	00
	938.09.14.307		24JUN04 06:10	AIPXXJ310159X	938.09.14.307		24JUN04 06:14	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY408319	COMPLETED	24JUN04 06:09	4995.3	AFHR		XXxxXXxxXXxxXXxxXXxx
24JUN04 03:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		TA		due on Serial R011996		24JUN04 06:09
		NUT U-B W-F FWD RH		at WAC 1000		XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV

REMOVALS/INSTALLATIONS FOR A1PXXUY408319

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	R011996	A23T	A1UAM	00	PCY400468	A23T	A1UAM	00
	938.09.14.307		24JUN04 06:01	AIPXXJ310427X	938.09.14.307		24JUN04 06:08	

A1PXXUY408320	COMPLETED	24JUN04 06:00	4995.3	AFHR		XXxxXXxxXXxxXXxxXXxx
24JUN04 03:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		TA		due on Serial R011997		24JUN04 06:00
		NUT WG-FUS AFT LH		at WAC 0900		XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV NUT FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY408320

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	R011997	A23T	A1UAK	00	PCY400467	A23T	A1UAK	00
	938.07.68.307		24JUN04 05:55	AIPXXJ310553X	938.07.68.307		24JUN04 05:59	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY408321	COMPLETED	24JUN04 05:54	4995.3	AFHR		XXxxXXxxXXxxXXxxXXxx
24JUN04 03:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		TA		due on Serial R011998		24JUN04 05:54
		NUT WG-FUS AFT RH		at WAC 1000		XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV NUT FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY408321

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	R011998	A23T	A1UAI	00	PCY400465	A23T	A1UAI	00
	938.07.68.307		24JUN04 05:44	AIPXXJ310340X	938.07.68.307		24JUN04 05:52	

A1PXXUY408379	COMPLETED	28JUN04 02:24	4995.3	AFHR		XXxxXXxxXXxxXXxxXXxx
28JUN04 01:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FUEL FILTER ELEMENT R.F CHECK/TEST				28JUN04 02:24
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: SEV FUEL FILTER ELEMENT FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY408379

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	L725990	A23T	A1UJK00	00	R616046	A23T	A1UJK00	00
	968.35.21.162		28JUN04 02:06	A1PXXJY412330	03W1738-231		28JUN04 02:10	



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY408395	COMPLETED	28JUN04 03:42	4995.3	AFHR		XXXXXXXXXXXXXXXXXXXX
28JUN04 03:03	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BLOWER ASSY R.F.A				28JUN04 03:42
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV BLOWER ASSY FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY408395

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	45	A23T	A0E	00	45	A23T	A0E	00
	M5922H-9A1		28JUN04 03:04	A1PXXJY412343	M5922H-9A1		28JUN04 03:40	

A1PXXUY408545	COMPLETED	30JUN04 01:15	4995.3	AFHR		XXXXXXXXXXXXXXXXXXXX
29JUN04 23:19	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		FWD COCKPIT CLOCK AND PANEL RFA.				30JUN04 01:15
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: FWD COCKPIT CLOCK AND PANEL REFITTED.

REMOVALS/INSTALLATIONS FOR A1PXXUY408545

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	703606	A23T	A1UCC	00	703606	A23T	A1UCC	00
	Q17-941.22.052AB		29JUN04 23:20	A1PXXJY412567	Q17-941.22.052AB		30JUN04 01:13	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02656  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY408546	COMPLETED	30JUN04 01:12	4995.3	AFHR		XXXXXXXXXXXXXXXXXXXX
29JUN04 23:32	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		AFT COCKPIT CLOCK AND PANEL RFA.				30JUN04 01:12
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: AFT COCKPIT CLOCK AND PANEL REFITTED.

REMOVALS/INSTALLATIONS FOR A1PXXUY408546

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	621045	A23T	A1UGI	00	621045	A23T	A1UGI	00
	Q17-941.22.052AB		29JUN04 23:34	A1PXXJY412568	Q17-941.22.052AB		30JUN04 01:09	

A1PXXUY408700	COMPLETED	05JUL04 00:07	4995.3	AFHR		XXXXXXXXXXXXXXXXXXXX
02JUL04 06:21	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S40		due on Serial A23-033		05JUL04 00:07
		PC-9		at WAC 0000		XXXXXXXXXXXXXXXXXXXX

Maint Acts: S40 SERVICING CARRIED OUT.

A1PXXUY408837	COMPLETED	06JUL04 03:13	4996.5	AFHR		XXXXXXXXXXXXXXXXXXXX
06JUL04 03:08	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		NOSE WHEEL ASSY TO BE CHANGED FOR FAULT FINDING (SHIMMY)				06JUL04 03:13
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV HUB ASSY NOSE FITTED IAW AAP 7212.007-2

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02657  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY408837

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0077	A23T	A18AG	00	0092	A23T	A18AG	00
	3-1451 OPT 1		06JUL04 03:09	A1PXXJY412982	3-1451 OPT 1		06JUL04 03:11	

A1PXXUY409038 COMPLETED 14JUL04 06:53 4999.1 AFHR  
08JUL04 22:12 XXXXX  
ELU RFA  
XXXXXXXXXXXXXXXXXXXXXXXX  
XXXXXXXXXXXXXXXXXXXXXXXX  
14JUL04 06:53  
XXXXXXXXXXXXXXXXXXXXXXXX

Maint Acts: ELU REPLACED IAW AAP 7212.007-2B4

REMOVALS/INSTALLATIONS FOR A1PXXUY409038

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	B13874	A23T	A1SAG	01	B13874	A23T	A1SAG	01
	3244890-2		08JUL04 22:14	A1PXXJY413209	3244890-2		14JUL04 06:51	

A1PXXUY409190 COMPLETED 14JUL04 23:43 4999.1 AFHR  
13JUL04 06:25 XXXXX  
TRANSPONDER KXP 756 RFA  
XXXXXXXXXXXXXXXXXXXXXXXX  
XXXXXXXXXXXXXXXXXXXXXXXX  
14JUL04 23:43  
XXXXXXXXXXXXXXXXXXXXXXXX

Maint Acts: TRANSPONDER KXP 756 REFITTED IAW 7212-007-2.

REMOVALS/INSTALLATIONS FOR A1PXXUY409190

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	4276	A23T	A1ULQ	00	4276	A23T	A1ULQ	00
	066-1071-00		13JUL04 06:27	A1PXXJY413390	066-1071-00		14JUL04 23:40	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02658  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY409195	COMPLETED	13JUL04 08:23	4999.1	AFHR		XXxxXXxxXXxxXXxxXXxx
13JUL04 08:21	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S48		due on Serial A23-033		13JUL04 08:23
		PC-9		at WAC 0000		XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S48 C/O REF NDI REPORT 362/04				

A1PXXUY409196	COMPLETED	13JUL04 08:39	4999.1	AFHR		XXxxXXxxXXxxXXxxXXxx
13JUL04 08:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		SET NUT BOLT ENG MOUNT FRAME REMOVED FOR S48				
	Maint Acts:	NUT AND BOLT SET REFITTED				

REMOVALS/INSTALLATIONS FOR A1PXXUY409196

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PCY400387	A23T	A0CAD	00	PCY400387	A23T	A0CAD	00
	A23NUTBOLTENGFRM		13JUL04 08:33	A1PXXJY413400	A23NUTBOLTENGFRM		13JUL04 08:37	

A1PXXUY409257	COMPLETED	15JUL04 03:45	4999.1	AFHR		XXxxXXxxXXxxXXxxXXxx
15JUL04 03:44	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40		due on Serial A23-033		15JUL04 03:45
		PC-9		at WAC 0000		XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 C/O				

A1PXXUY409259	COMPLETED	15JUL04 04:28	4999.1	AFHR		XXxxXXxxXXxxXXxxXXxx
15JUL04 04:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FRONT AND REAR PSP'S CANNABALISED TO SERV A23-034				
						15JUL04 04:28
						XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02659  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: FRONT AND REAR PSP'S REPLACED

REMOVALS/INSTALLATIONS FOR A1PXXUY409259

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	DF5418	A23T	A1WBG	00	DF5419	A23T	A1WBG	00
	STANDARDPACK-1		15JUL04 04:25	A1PXXJY413554	STANDARDPACK-1		15JUL04 04:27	
002	DG2690	A23T	A26BG	00	DF5426	A23T	A26BG	00
	STANDARDPACK-1		15JUL04 04:26	A1PXXJY413555	STANDARDPACK-1		15JUL04 04:27	

A1PXXUY409415 COMPLETED 18JUL04 23:49 5000.3 AFHR XXxxXXxxXXxxXXxxXXxx  
 16JUL04 08:02 XXxxXXxx  
 S40 due on Serial A23-033  
 PC-9 at WAC 0000  
 18JUL04 23:49  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERV CO

A1PXXUY409430 COMPLETED 19JUL04 00:01 5000.3 AFHR XXxxXXxxXXxxXXxxXXxx  
 18JUL04 23:59 XXxxXXxx  
 S26 due on Serial A23-033  
 PC-9 at WAC 0000  
 19JUL04 00:01  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S26NCR

A1PXXUY409503 COMPLETED 19JUL04 09:42 5003.9 AFHR XXxxXXxxXXxxXXxxXXxx  
 19JUL04 09:39 XXxxXXxx  
 RH TYRE CUT BELOW TREAD DEPTH  
 19JUL04 09:42  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV RH HUB ASSY FITTED IAW AAP 7212.007-2

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02660  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

REMOVALS/INSTALLATIONS FOR A1PXXUY409503

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 0070 3-1555	A23T 19JUL04 09:39	A2KEI ALPXXJY414024	01 3-1555	0121	A23T	A2KEI 19JUL04 09:40	01	

A1PXXUY409886 COMPLETED 23JUL04 05:59 5010.3 AFHR XXxxXXxxXXxxXXxxXXxx  
 23JUL04 03:23 XXxxXXxx  
 S26 due on Serial A23-033  
 PC-9 at WAC 0000  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S26 SERVICING CARRIED OUT IAW AAP 7212.007-6-4

A1PXXUY409893 COMPLETED 25JUL04 23:49 5010.3 AFHR XXxxXXxxXXxxXXxxXXxx  
 23JUL04 07:43 XXxxXXxx  
 S40 due on Serial A23-033  
 PC-9 at WAC 0000  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 CO SERV

A1PXXUY410182 COMPLETED 30JUL04 07:46 5020.6 AFHR XXxxXXxxXXxxXXxxXXxx  
 30JUL04 07:42 XXxxXXxx  
 LH TYRE WTL  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: LH HUB ASSY MAIN REPLACED

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
REMOVALS/INSTALLATIONS FOR A1PXXUY410182

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				

001	0183	A23T	A2KDM	01	0186	A23T	A2KDM	01
3-1555	30JUL04 07:44	A1PXXJY415018	3-1555	30JUL04 07:45				

A1PXXUY410562 COMPLETED 06AUG04 00:10 5043.1 AFHR  
06AUG04 00:00 XXXX XXXX XXXX XXXX AIP

S40 due on Serial A23-033  
PC-9 at WAC 0000

XXXX XXXX XXXX XXXX  
06AUG04 00:10

Maint Acts: S40 CO AT LEARMONTH 06AUG04

A1PXXUY410580 COMPLETED 08AUG04 00:10 5048.4 AFHR  
08AUG04 00:00 XXXX XXXX XXXX XXXX AIP

S40 due on Serial A23-033  
PC-9 at WAC 0000

XXXX XXXX XXXX XXXX  
08AUG04 00:10

Maint Acts: S40 CO AT LEARMONTH 08AUG04

A1PXXUY410870 COMPLETED 15AUG04 23:43 5070.1 AFHR  
15AUG04 23:41 XXXX XXXX XXXX XXXX AIP

S26 due on Serial A23-033  
PC-9 at WAC 0000

XXXX XXXX XXXX XXXX  
15AUG04 23:43  
XXXX XXXX XXXX XXXX

Maint Acts: S26 C/O IAW 7212.007-6-4

A1PXXUY410874 COMPLETED 16AUG04 00:28 5070.1 AFHR  
16AUG04 00:19 XXXX XXXX XXXX XXXX AIP

S26 due on Serial A23-033  
PC-9 at WAC 0000

XXXX XXXX XXXX XXXX  
16AUG04 00:28  
XXXX XXXX XXXX XXXX

Maint Acts: S26 SERV C/O PREVIOUSLY ON US JOB NO A1PXXUY410870

A1PXXUY410900 COMPLETED 16AUG04 09:44 5072.7 AFHR  
16AUG04 09:38 XXXX XXXX XXXX XXXX AIP

FUEL MANAGEMENT PANEL DIFFICULT TO READ

XXXX XXXX XXXX XXXX  
16AUG04 09:44  
XXXX XXXX XXXX XXXX

Maint Acts: FRONT ESDP REPLACED

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02662  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
REMOVALS/INSTALLATIONS FOR A1PXXUY410900

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	8010002B	A23T	A1UDI	00	89050045	A23T	A1UDI	00
150.0001-2	16AUG04 09:41	A1PXXJY416330	150.0001-2	16AUG04 09:43				

A1PXXUY410908 COMPLETED 16AUG04 11:24 5072.7 AFHR  
16AUG04 11:23 XXXX

STI-PC9-0334 due on Serial A23-033  
PC-9 at WAC 0000

Maint Acts: FILTER REPLACED ON R2 ON 08JUN04

A1PXXUY410909 COMPLETED 16AUG04 11:45 5072.7 AFHR  
16AUG04 11:27 XXXX

S37 due on Serial A23-033  
PC-9 at WAC 0000

Maint Acts: S37 SERV CO

A1PXXUY410910 COMPLETED 17AUG04 03:27 5072.7 AFHR  
16AUG04 11:32 XXXX

S40 due on Serial A23-033  
PC-9 at WAC 0000

Maint Acts: S40 CARRIED OUT

A1PXXUY410937 COMPLETED 17AUG04 02:21 5072.7 AFHR  
17AUG04 02:17 XXXX

STI-PC9-338A due on Serial A23-033  
PC-9 at WAC 0000

Maint Acts: STI-PC9-338A CO



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 02663  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
REMOVALS/INSTALLATIONS FOR A1PXXUY410937

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 101	A23T	A1W	00	101	A23T	A1W	00	
AU11A-1	17AUG04 02:18	A1PXXJY416405	AU11A-1	17AUG04 02:19				

A1PXXUY411100 COMPLETED 19AUG04 23:10 5076.7 AFHR  
19AUG04 09:20 XXxxXXxx  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
Maint Acts: S40 SERV

A1PXXUY411109 COMPLETED 19AUG04 09:53 5076.7 AFHR  
19AUG04 09:50 XXxxXXxx  
STI-PC9-0343 due on Serial A23-033  
PC-9 at WAC 0000  
Maint Acts: STI-0343 C/O

A1PXXUY411266 COMPLETED 23AUG04 11:28 5080.4 AFHR  
23AUG04 11:24 XXxxXXxx  
OH due on Serial 2923795  
SET EMERG OXYGEN at WAC 0740  
Maint Acts: SEO REPLACED

REMOVALS/INSTALLATIONS FOR A1PXXUY411266

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 2923795	A23T	A26BE	00	8086418	A23T	A26BE	00	
MBEU100618	23AUG04 11:25	AIEXXJ308551X	MBEU100618	23AUG04 11:25				

A1PXXUY411427 COMPLETED 25AUG04 06:16 5083.4 AFHR  
25AUG04 06:13 XXxxXXxx  
STI-PC9-0340 due on Serial 527  
WING ASSY at WAC 1500

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02664  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: STI-PC9-340 INC

A1PXXUY411457	COMPLETED	25AUG04 11:50	5083.4	AFHR		XXxxXXxxXXxxXXxxXXxx
25AUG04 07:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		7431.153-102	due on Serial 45			25AUG04 11:50
		BLOWER ASSY	at WAC 0130			XXxxXXxxXXxxXXxxXXxx
		OH	due on Serial 45			
		BLOWER ASSY	at WAC 0130			

Maint Acts: BLOWER ASSY REPLACED

REMOVALS/INSTALLATIONS FOR A1PXXUY411457

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	45	A23T	A0E	00	180	A23T	A0E	00
	M5922H-9A1		25AUG04 11:46	A1PXXJ308928X	M5922H-9A1/HED608279		25AUG04 11:48	

A1PXXUY411540	COMPLETED	26AUG04 23:44	5083.4	AFHR		XXxxXXxxXXxxXXxxXXxx
26AUG04 10:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40	due on Serial A23-033			26AUG04 23:44
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERV CARRIED OUT

A1PXXUY411842	COMPLETED	01SEP04 11:21	5091.5	AFHR		XXxxXXxxXXxxXXxxXXxx
01SEP04 09:55	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-339A	due on Serial A23-033			01SEP04 11:21
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-339A INC.

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY411846	COMPLETED	01SEP04 11:19	5091.5	AFHR		XXXXXXXXXXXXXXXXXXXX
01SEP04 11:14	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		REG REDUCING FAILED DURING STI-PC9-339A.				01SEP04 11:19
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: REG REDUCER REPLACED IAW AAP 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY411846

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	610	A23T	A1UNC	00	765	A23T	A1UNC	00
	27660-3		01SEP04 11:16	A1PXXJY417519	27660-3		01SEP04 11:18	

A1PXXUY412076	COMPLETED	07SEP04 11:58	5103.7	AFHR		XXXXXXXXXXXXXXXXXXXX
07SEP04 10:32	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BS	due on Serial 0045			07SEP04 11:58
		BATTERY NICAD	at WAC 0660			XXXXXXXXXXXXXXXXXXXX

Maint Acts: BATT NICAD REPLACED IAW AAP 7212.007-2 CH 24

REMOVALS/INSTALLATIONS FOR A1PXXUY412076

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0045	A23T	A1UOA	00	1468	A23T	A1UOA	00
	33490409201		07SEP04 11:54	A1PXXJY411800	33490409201		07SEP04 11:55	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY412176 09SEP04 11:28	COMPLETED XXxxXXxx	09SEP04 22:55 XXxxXXxxXXxxXXxxXXxx	5109.1 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx XXxxXXxxXXxxXXxxXXxx 09SEP04 22:55 XXxxXXxxXXxxXXxxXXxx
		S40 PC-9	due on Serial A23-033 at WAC 0000			
	Maint Acts:	S40 C/O				
A1PXXUY412177 09SEP04 11:28	COMPLETED XXxxXXxx	09SEP04 22:28 XXxxXXxxXXxxXXxxXXxx	5109.1 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx XXxxXXxxXXxxXXxxXXxx 09SEP04 22:28 XXxxXXxxXXxxXXxxXXxx
		S26 PC-9	due on Serial A23-033 at WAC 0000			
	Maint Acts:	S26 SERV CO				
A1PXXUY412467 16SEP04 12:23	COMPLETED XXxxXXxx	16SEP04 23:06 XXxxXXxxXXxxXXxxXXxx	5126.0 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx XXxxXXxxXXxxXXxxXXxx 16SEP04 23:06 XXxxXXxxXXxxXXxxXXxx
		S40 PC-9	due on Serial A23-033 at WAC 0000			
	Maint Acts:	S40 SERV CO				
A1PXXUY412695 22SEP04 00:48	COMPLETED XXxxXXxx	22SEP04 01:04 XXxxXXxxXXxxXXxxXXxx	5133.9 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx XXxxXXxxXXxxXXxxXXxx 22SEP04 01:04 XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0346 ACT ELEVATOR TRIM	due on Serial 734 at WAC 1300			
	Maint Acts:	STI INC				
A1PXXUY412696 22SEP04 00:48	COMPLETED XXxxXXxx	22SEP04 01:05 XXxxXXxxXXxxXXxxXXxx	5133.9 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx XXxxXXxxXXxxXXxxXXxx 22SEP04 01:05 XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0346 ACT AILERON TRIM	due on Serial 146 at WAC 0920			
	Maint Acts:	STI INC				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY412697	COMPLETED	22SEP04 01:06	5133.9	AFHR		XXxxXXxxXXxxXXxxXXxx
22SEP04 00:48	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			

STI-PC9-0346 due on Serial 660  
ACT RUDDER TRIM at WAC 1400

Maint Acts: STI INC

A1PXXUY412745	COMPLETED	22SEP04 08:52	5135.8	AFHR		XXxxXXxxXXxxXXxxXXxx
22SEP04 08:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			

LIGHT DIMMING U/S

Maint Acts: REAR TRANSPONDER CONTROL HEAD REPLACED

REMOVALS/INSTALLATIONS FOR A1PXXUY412745

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1852	A23T	A1UHA	00	1846	A23T	A1UHA	00
	071-1276-09		22SEP04 08:48	A1PXXJY418813	071-1276-09		22SEP04 08:50	

A1PXXUY412780	COMPLETED	23SEP04 06:40	5136.7	AFHR		XXxxXXxxXXxxXXxxXXxx
23SEP04 05:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			

ELEVATOR RFA

Maint Acts: ELEV REFITTED SERV

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02668  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY412780

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
=====	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	064	A23T	A2IBC	00	064	A23T	A2IBC	00
	555.20.09.003		23SEP04 05:37	A1PXXJY418895	555.20.09.003		23SEP04 06:37	

A1PXXUY412781 COMPLETED 23SEP04 06:25 5136.7 AFHR XXxxXXxxXXxxXXxxXXxx  
23SEP04 05:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
ACT TRIM ELEVATOR RFA  
XXxxXXxxXXxxXXxxXXxx  
23SEP04 06:25  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: ITEM REPLACED SERV

REMOVALS/INSTALLATIONS FOR A1PXXUY412781

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
=====	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	734	A23T	A2IBA	00	756	A23T	A2IBA	00
	2196T100-3		23SEP04 06:19	A1PXXJY418906	EM4069-3		23SEP04 06:24	

A1PXXUY412782 COMPLETED 23SEP04 06:18 5136.7 AFHR XXxxXXxxXXxxXXxxXXxx  
23SEP04 06:13 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
TA due on Serial 734  
ACT ELEVATOR TRIM at WAC 1300  
XXxxXXxxXXxxXXxxXXxx  
23SEP04 06:18  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: ITEM REMOVED TO DUMPS

A1PXXUY412795 COMPLETED 23SEP04 22:49 5136.7 AFHR XXxxXXxxXXxxXXxxXXxx  
23SEP04 12:26 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
XXxxXXxxXXxxXXxxXXxx  
23SEP04 22:49  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERV CO

A1PXXUY412935 COMPLETED 28SEP04 06:44 5137.3 AFHR XXxxXXxxXXxxXXxxXXxx  
28SEP04 06:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
STI-PC9-289A due on Serial 527  
WING ASSY at WAC 1500  
XXxxXXxxXXxxXXxxXXxx  
28SEP04 06:44  
XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: STI RINC

A1PXXUY413088 30SEP04 08:15	COMPLETED XXxxXXxx	05OCT04 01:25 XXxxXXxxXXxxXXxxXXxx	5137.3 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx XXxxXXxxXXxxXXxxXXxx 05OCT04 01:25 XXxxXXxxXXxxXXxxXXxx
		S40 PC-9	due on Serial A23-033 at WAC 0000			

Maint Acts: S40 C/O

A1PXXUY413200 05OCT04 00:49	COMPLETED XXxxXXxx	05OCT04 09:40 XXxxXXxxXXxxXXxxXXxx	5137.3 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx XXxxXXxxXXxxXXxxXXxx 05OCT04 09:40 XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0346 ACT ELEVATOR TRIM	due on Serial 756 at WAC 1300			

Maint Acts: STI-PC9-0346 INC

A1PXXUY413387 07OCT04 09:55	COMPLETED XXxxXXxx	07OCT04 23:14 XXxxXXxxXXxxXXxxXXxx	5140.0 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx XXxxXXxxXXxxXXxxXXxx 07OCT04 23:14 XXxxXXxxXXxxXXxxXXxx
		S40 PC-9	due on Serial A23-033 at WAC 0000			

Maint Acts: S40 C/O

A1PXXUY413388 07OCT04 09:56	COMPLETED XXxxXXxx	07OCT04 23:15 XXxxXXxxXXxxXXxxXXxx	5140.0 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx XXxxXXxxXXxxXXxxXXxx 07OCT04 23:15 XXxxXXxxXXxxXXxxXXxx
		S26 PC-9	due on Serial A23-033 at WAC 0000			

Maint Acts: S26 C/O

A1PXXUY413708 14OCT04 01:45	COMPLETED XXxxXXxx	19OCT04 00:52 XXxxXXxxXXxxXXxxXXxx	5145.2 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx XXxxXXxxXXxxXXxxXXxx 19OCT04 00:52 XXxxXXxxXXxxXXxxXXxx
		S40 PC-9	due on Serial A23-033 at WAC 0000			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME
=====						
	Maint Acts:	S40 CO SERV				
A1PXXUY413709	COMPLETED	18OCT04 06:10	5145.2	AFHR		XXxxXXxxXXxxXXxxXXxx
14OCT04 01:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S18 due on Serial A23-033				18OCT04 06:10
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S18 CO SERV				
A1PXXUY413710	COMPLETED	19OCT04 01:28	5145.2	AFHR		XXxxXXxxXXxxXXxxXXxx
14OCT04 01:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-339A due on Serial A23-033				19OCT04 01:28
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	STI-PC9-339A RINC				
A1PXXUY413711	COMPLETED	18OCT04 13:29	5145.2	AFHR		XXxxXXxxXXxxXXxxXXxx
14OCT04 01:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0290 due on Serial A23-033				18OCT04 13:29
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	STI-PC9-0290 C/O				
A1PXXUY413712	COMPLETED	19OCT04 00:54	5145.2	AFHR		XXxxXXxxXXxxXXxxXXxx
14OCT04 01:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0337 due on Serial A23-033				19OCT04 00:54
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	STI CO SERV				
A1PXXUY413713	COMPLETED	19OCT04 02:43	5145.2	AFHR		XXxxXXxxXXxxXXxxXXxx
14OCT04 01:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0342 due on Serial A23-033				19OCT04 02:43
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME
=====						
	Maint Acts:	STI CO SERV				
A1PXXUY413714	COMPLETED	15OCT04 00:52	5145.2	AFHR		XXxxXXxxXXxxXXxxXXxx
14OCT04 01:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S20 due on Serial A23-033				15OCT04 00:52
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S20 C/O				
A1PXXUY413715	COMPLETED	15OCT04 01:17	5145.2	AFHR		XXxxXXxxXXxxXXxxXXxx
14OCT04 01:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0196 due on Serial YH169948				15OCT04 01:17
		RSVR POWER PACK at WAC 0620				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	STI-PC9-0196				
A1PXXUY413716	COMPLETED	19OCT04 01:01	5145.2	AFHR		XXxxXXxxXXxxXXxxXXxx
14OCT04 01:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-255A due on Serial 533				19OCT04 01:01
		VERTICAL STAB ASSY at WAC 1400				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	STI CO SERV				
A1PXXUY413717	COMPLETED	19OCT04 01:00	5145.2	AFHR		XXxxXXxxXXxxXXxxXXxx
14OCT04 01:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-255A due on Serial 42				19OCT04 01:00
		HORIZONTAL STAB ASS at WAC 1100				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	STI CO SERV				
A1PXXUY413718	COMPLETED	18OCT04 05:18	5145.2	AFHR		XXxxXXxxXXxxXXxxXXxx
14OCT04 01:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-257C due on Serial 527				18OCT04 05:18
		WING ASSY at WAC 1500				XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 02672  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: INSPECTED SERV

A1PXXUY413719 COMPLETED 19OCT04 07:37 5145.2 AFHR XXxxXXxxXXxxXXxxXXxx  
14OCT04 01:47 XXxxXXxx  
R1 due on Serial A23-033  
PC-9 at WAC 0000  
XXxxXXxxXXxxXXxxXXxx  
19OCT04 07:37  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: R1 C/O

A1PXXUY413720 COMPLETED 19OCT04 02:50 5145.2 AFHR XXxxXXxxXXxxXXxxXXxx  
14OCT04 01:48 XXxxXXxx  
TA due on Serial R121501  
FILTER ELEMENT P3 at WAC 0130  
XXxxXXxxXXxxXXxxXXxx  
19OCT04 02:50  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: TO BE CO WHEN DUE

A1PXXUY413803 COMPLETED 14OCT04 23:33 5145.2 AFHR XXxxXXxxXXxxXXxxXXxx  
14OCT04 23:27 XXxxXXxx  
BS due on Serial 283635  
TRANSDUCER OXY PRES at WAC 0640  
XXxxXXxxXXxxXXxxXXxx  
14OCT04 23:33  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV TRANSDUCER OXY PRES FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY413803

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	283635	A23T	A1UNA	00	1121635	A23T	A1UNA	00
	PDCR 350-0640		14OCT04 23:28	A1PXXJ307964X	957.12.01.183		14OCT04 23:30	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY413804	COMPLETED	14OCT04 23:52	5145.2	AFHR		XXXXXXXXXXXXXXXXXXXX
14OCT04 23:48	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BS due on Serial L931401				14OCT04 23:52
		GAUGE OXYGEN SYSTEM at WAC 0640				XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV GAUGE OXYGEN SYSTEM FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY413804

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	L931401	A23T	A1UMY	01	PCY400954	A23T	A1UMY	01
	2661-3		14OCT04 23:49	A1PXXJ307656X	2661-3		14OCT04 23:51	

A1PXXUY413808	COMPLETED	19OCT04 02:41	5145.2	AFHR		XXXXXXXXXXXXXXXXXXXX
15OCT04 00:53	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		ELEVATOR REMOVED FOR ACCESS				19OCT04 02:41
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: ELEVATOR REFITTED SERV

REMOVALS/INSTALLATIONS FOR A1PXXUY413808

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	064	A23T	A2IBC	00	064	A23T	A2IBC	00
	555.20.09.003		15OCT04 00:58	A1PXXJY420168	555.20.09.003		19OCT04 02:39	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02674  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY413813	COMPLETED	18OCT04 06:11	5145.2	AFHR		XXXXXXXXXXXXXXXXXXXX
15OCT04 02:20	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		STI-PC9-338B	due on Serial A23-033			18OCT04 06:11
		PC-9	at WAC 0000			XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	STI PC9 338B CO SERV				

A1PXXUY413844	COMPLETED	18OCT04 02:12	5145.2	AFHR		XXXXXXXXXXXXXXXXXXXX
18OCT04 00:53	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		LP FILTER ELEMENT REMOVED FOR ACCESS				18OCT04 02:12
						XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	LP FILTER ELEMENT REPLACED WITH SERV ITEM IAW 7212.007-2				

REMOVALS/INSTALLATIONS FOR A1PXXUY413844

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	R616046	A23T	A1UJK00	00	L930456	A23T	A1UJK00	00
	03W1738-231		18OCT04 00:55	A1PXXJY420213	03W1738-231		18OCT04 00:56	

A1PXXUY413855	COMPLETED	18OCT04 03:11	5145.2	AFHR		XXXXXXXXXXXXXXXXXXXX
18OCT04 02:55	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		OIL FILTER R.F.A				18OCT04 03:11
						XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	REFITTED SERV				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02675  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR 1PXXUY413855

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	L334204	A23T	A1SAK34	00	L334204	A23T	A1SAK34	00
	3034293		18OCT04 02:56	A1PXXJY420227	3034293		18OCT04 03:07	

1PXXUY413858 COMPLETED 19OCT04 02:11 5145.2 AFHR  
18OCT04 04:50 XXXXX  
AIRBRAKE ASSY REMOVED FOR ACCESS  
XXXXXXXXXXXXXXXXXXXX  
XXXXXXXXXXXXXXXXXXXX  
19OCT04 02:11  
XXXXXXXXXXXXXXXXXXXX

Maint Acts: REFITTED IAW 7212.007-2

REMOVALS/INSTALLATIONS FOR 1PXXUY413858

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	528	A23T	A2KBA	00	528	A23T	A2KBA	00
	557.53.09.002		18OCT04 04:52	A1PXXJY420233	557.53.09.002		19OCT04 02:10	

1PXXUY413859 COMPLETED 19OCT04 02:07 5145.2 AFHR  
18OCT04 04:52 XXXXX  
LH INBOARD FLAP HAS WORKING RIVETS  
XXXXXXXXXXXXXXXXXXXX  
XXXXXXXXXXXXXXXXXXXX  
19OCT04 02:07  
XXXXXXXXXXXXXXXXXXXX

Maint Acts: INBOARD FLAP REFITTED IAW 7212.007-2

REMOVALS/INSTALLATIONS FOR 1PXXUY413859

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	526	A23T	A2KCW04	00	526	A23T	A2KCW04	00
	557.52.09.009		18OCT04 04:53	A1PXXJY420234	557.52.09.009		19OCT04 02:05	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY413864	COMPLETED	19OCT04 01:25	5145.2	AFHR		XXXXXXXXXXXXXXXXXXXX
18OCT04 05:22	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		FRONT EJECTION SEAT R.F.A.				19OCT04 01:25
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: FRONT EJECTION SEAT REFITTED IAW AAP 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY413864

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	101	A23T	A1W	00	101	A23T	A1W	00
	AU11A-1		18OCT04 05:23	A1PXXJY420237	AU11A-1		19OCT04 01:24	

A1PXXUY413866	COMPLETED	19OCT04 05:07	5145.2	AFHR		XXXXXXXXXXXXXXXXXXXX
18OCT04 05:29	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BATTERY NICAD REMOVED FOR ACCESS				19OCT04 05:07
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV BATT REFITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY413866

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1468	A23T	A1UOA	00	1468	A23T	A1UOA	00
	33490409201		18OCT04 13:20	A1PXXJY420259	33490409201		19OCT04 05:05	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY413867	COMPLETED	19OCT04 05:05	5145.2	AFHR		XXXXXXXXXXXXXXXXXXXX
18OCT04 05:31	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		INVERTER PORT REMOVED FOR ACCESS				19OCT04 05:05
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: INVERTER REFITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY413867

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1043	A23T	A1UOE	00	1043	A23T	A1UOE	00
	154925-0101		18OCT04 05:33	A1PXXJY420240	154925-0101		19OCT04 05:04	

A1PXXUY413868	COMPLETED	19OCT04 05:02	5145.2	AFHR		XXXXXXXXXXXXXXXXXXXX
18OCT04 05:33	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		INVERTER STBD REMOVEDFOR ACCESS				19OCT04 05:02
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: INVERTER REFITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY413868

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1210	A23T	A1UOG	00	1210	A23T	A1UOG	00
	154925-0101		18OCT04 05:34	A1PXXJY420241	154925-0101		19OCT04 05:00	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02678  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY413879	COMPLETED	19OCT04 02:37	5145.2	AFHR		XXXXXXXXXXXXXXXXXXXX
18OCT04 23:53	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		STI-PC9-0347	due on Serial A23-033			19OCT04 02:37
		PC-9	at WAC 0000			XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	STI CO SERV				

A1PXXUY413908	COMPLETED	19OCT04 09:54	5145.2	AFHR		XXXXXXXXXXXXXXXXXXXX
19OCT04 09:48	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		N2 GAUGE DELAMINATING				19OCT04 09:54
						XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	SERV ESDP FITTED				

REMOVALS/INSTALLATIONS FOR A1PXXUY413908

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	7030034A	A23T	A1UHO	00	7080064A	A23T	A1UHO	00
	150.0001-2		19OCT04 09:51	A1PXXJY420325	150.0001-2		19OCT04 09:53	

A1PXXUY414011	COMPLETED	20OCT04 12:13	5149.4	AFHR		XXXXXXXXXXXXXXXXXXXX
20OCT04 12:07	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		RH BRAKE ASSY WTL				20OCT04 12:13
						XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	RH BRAKE ASSY REPLACED				



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02679  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20  
REMOVALS/INSTALLATIONS FOR A1PXXUY414011

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 0116	A23T	A2KEE	00	0206	A23T	A2KEE	00	
2-1524-1	20OCT04 12:10	A1PXXJY420443	2-1524-1	20OCT04 12:12				

A1PXXUY414094 COMPLETED 22OCT04 00:50 5151.9 AFHR  
21OCT04 08:58 XXXX  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
Maint Acts: S40 SERV C/O IAW AAP 72120.007-2

A1PXXUY414377 COMPLETED 28OCT04 22:52 5168.3 AFHR  
28OCT04 11:45 XXXX  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
Maint Acts: S40 SERV C/OUT

A1PXXUY414689 COMPLETED 03NOV04 12:44 5178.3 AFHR  
03NOV04 12:38 XXXX  
S26 due on Serial A23-033  
PC-9 at WAC 0000  
Maint Acts: S26 SERVICING CARRIED OUT

A1PXXUY414740 COMPLETED 04NOV04 23:07 5183.1 AFHR  
04NOV04 14:18 XXXX  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
Maint Acts: S40 SERV C/OUT

A1PXXUY415182 COMPLETED 11NOV04 23:30 5195.6 AFHR  
11NOV04 10:53 XXXX  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
Maint Acts: S40 SERV CO IAW 7113.022-2

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY415308	COMPLETED	15NOV04 06:42	5195.6	AFHR		XXXXXXXXXXXXXXXXXXXX
15NOV04 04:40	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		STI-PC9-0352	due on Serial A23-033			15NOV04 06:42
		PC-9	at WAC 0000			XXXXXXXXXXXXXXXXXXXX

Maint Acts: STI-PC9-352 INC

REMOVALS/INSTALLATIONS FOR A1PXXUY415308

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	L334216	A23T	A1UBO	00	PCY401131	A23T	A1UBO	00
	529.20.09.120		15NOV04 06:38	A1PXXJY422325	529.20.09.120		15NOV04 06:41	

A1PXXUY415314	COMPLETED	16NOV04 00:03	5195.6	AFHR		XXXXXXXXXXXXXXXXXXXX
15NOV04 05:57	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		F AND R SEATS RFA				16NOV04 00:03
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: SEATS REFITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY415314

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	101	A23T	A1W	00	101	A23T	A1W	00
	AU11A-1		15NOV04 05:58	A1PXXJY422320	AU11A-1		16NOV04 00:01	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02681  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
002	128	A23T	A26	00	128	A23T	A26	00
	AU11A-2		15NOV04 05:59	A1PXXJY422321	AU11A-2		16NOV04 00:00	

A1PXXUY415315 COMPLETED 15NOV04 08:44 5195.6 AFHR  
15NOV04 06:17 XXXXX  
FRONT LGCU RFA  
XXXXXXXXXXXXXXXXXXXXXXXX  
XXXXXXXXXXXXXXXXXXXXXXXX  
15NOV04 08:44  
XXXXXXXXXXXXXXXXXXXXXXXX

Maint Acts: LGCU REFITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY415315

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	126	A23T	A1UCQ	00	126	A23T	A1UCQ	00
	532.30.09.216		15NOV04 06:21	A1PXXJY422322	532.30.09.216		15NOV04 08:42	

A1PXXUY415316 COMPLETED 15NOV04 08:41 5195.6 AFHR  
15NOV04 06:19 XXXXX  
FDR RFA  
XXXXXXXXXXXXXXXXXXXXXXXX  
XXXXXXXXXXXXXXXXXXXXXXXX  
15NOV04 08:41  
XXXXXXXXXXXXXXXXXXXXXXXX

Maint Acts: FDR REFITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY415316

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	01496	A23T	A1UPM	00	01496	A23T	A1UPM	00
	S703-1000-01		15NOV04 06:33	A1PXXJY422323	S703-1000-01		15NOV04 08:40	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY415317	COMPLETED	15NOV04 10:27	5195.6	AFHR		XXXXXXXXXXXXXXXXXXXX
15NOV04 06:19	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		FWD C/P CLOCK PANEL RFA				15NOV04 10:27
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: PNL AND CLK REFITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY415317

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	703606	A23T	A1UCC	00	703606	A23T	A1UCC	00
	Q17-941.22.052AB		15NOV04 06:37	A1PXXJY422324	Q17-941.22.052AB		15NOV04 10:25	

A1PXXUY415820	COMPLETED	06APR05 00:00	5196.9	AFHR		XXXXXXXXXXXXXXXXXXXX
23NOV04 05:47	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			06APR05 00:00
		7212.007-215		due on Serial A23-033		
		PC-9		at WAC 0000		

Maint Acts: 7212.007-215 INC AT AIRFLITE JANDAKOT 06APR05

A1PXXUY415821	COMPLETED	07APR05 00:00	5196.9	AFHR		XXXXXXXXXXXXXXXXXXXX
23NOV04 05:47	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			07APR05 00:00
		7212.007-146		due on Serial A23-033		
		PC-9		at WAC 0000		

Maint Acts: 7212.007-146 INC AT AIRFLITE JANDAKOT

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02683  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

REMOVALS/INSTALLATIONS FOR A1PXXUY415821

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	67518 85020-8	A23T	A0Y 23NOV04 05:53	00 A1PXXJY422807	67518 85020-8	A23T	A0Y 06APR05 08:00	00
002	B13874 3244890-2	A23T	A1SAG 23NOV04 05:54	01 A1PXXJY422808	B13874 3244890-2	A23T	A1SAG 07APR05 00:00	01
003	5379 83311-49930	A23T	A1SAA00 23NOV04 05:55	00 A1PXXJY422809	5379 83311-49930	A23T	A1SAA00 07APR05 00:00	00
004	AC11129 968.32.11.502	A23T	A0G 23NOV04 05:55	00 A1PXXJY422810	AC11129 968.32.11.502	A23T	A0G 07APR05 00:00	00
005	101 AU11A-1	A23T	A1W 23NOV04 05:56	00 A1PXXJY422811	101 AU11A-1	A23T	A1W 07APR05 00:00	00

A1PXXUY415822 COMPLETED 06APR05 08:00 5196.9 AFHR  
 23NOV04 05:48 XXXXX XXXX AIP

7113.022-110 due on Serial 103177  
 ENGINE CHANGE UNIT at WAC 0100

XXXXXXXXXXXXXXXXXXXX  
 06APR05 08:00

Maint Acts: 7113.022-110 INC AT AIRFLITE JANDAKOT

REMOVALS/INSTALLATIONS FOR A1PXXUY415822

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	103177 3035200	A23T	A1SAM 23NOV04 06:00	00 A1PXXJY422814	103177 3035200	A23T	A1SAM 06APR05 08:00	00

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY415823	COMPLETED	07APR05 00:00	5196.9	AFHR		
23NOV04 05:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
		7212.007-219	due on Serial A23-033			XXxxXXxxXXxxXXxxXXxx
		PC-9	at WAC 0000			07APR05 00:00

Maint Acts: REFITTED AT AIRFLITE JANDAKOT

REMOVALS/INSTALLATIONS FOR A1PXXUY415823

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	HLY300477	A23T	A06	00	HLY300477	A23T	A06	00
	571.10.09.044		23NOV04 05:57	A1PXXJY422812	571.10.09.044		06APR05 00:00	
002	15513	A23T	A1SAK56	00	0074	A23T	A1SAK56	01
	3019906		23NOV04 05:57	A1PXXJY422813	3049656-01		06APR05 00:00	

A1PXXUY415827	COMPLETED	07APR05 00:00	5196.9	AFHR		
23NOV04 06:04	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
		S40	due on Serial A23-033			XXxxXXxxXXxxXXxxXXxx
		PC-9	at WAC 0000			07APR05 00:00

Maint Acts: S40 INC AT AIRFLITE JANDAKOT

A1PXXUY416806	COMPLETED	10DEC04 02:17	5196.9	AFHR		
10DEC04 02:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
		STI-PC9-0354	due on Serial A23-033			XXxxXXxxXXxxXXxxXXxx
		PC-9	at WAC 0000			10DEC04 02:17
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: WITHIN TOLERANCE

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02685  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY506502	COMPLETED	10MAR05 23:00	5196.9	AFHR		XXxxXXxxXXxxXXxxXXxx
10MAR05 22:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0360 due on Serial YH191612				10MAR05 23:00
		POWER PACK HYD EMER at WAC 0630				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	CARRIED OUT ASSESSED SERV				

A1PXXUY507752	COMPLETED	07APR05 00:30	5196.9	AFHR		XXxxXXxxXXxxXXxxXXxx
05APR05 00:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			07APR05 00:30
		STI-PC9-0349 due on Serial A23-033				
		PC-9 at WAC 0000				
	Maint Acts:	COMPLETED WHILE AT AIRFLITE JANDAKOT				

A1PXXUY507663	COMPLETED	05APR05 23:12	5196.9	AFHR		XXxxXXxxXXxxXXxxXXxx
05APR05 23:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial 103156				05APR05 23:12
		REG OXYGEN DEMAND at WAC 0730				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	REG OXY DEMAND REPLACED WITH SERV ITEM				

REMOVALS/INSTALLATIONS FOR A1PXXUY507663

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	103156	A23T	A1UES	00	010139	A23T	A1UES	00
	3260042-0201		05APR05 23:04	A1PXXJY308014	3260042-0201		05APR05 23:06	

A1PXXUY505311	COMPLETED	06APR05 01:16	5196.9	AFHR		XXxxXXxxXXxxXXxxXXxx
06APR05 01:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S16 due on Serial A23-033				06APR05 01:16
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 02686  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: S16 CARRIED OUT SERV IAW 7212.007-2

A1PXXUY505307 COMPLETED 07APR05 08:00 5197.9 AFHR  
07APR05 00:00 XXXXX  
S12 due on Serial A23-033  
PC-9 at WAC 0000  
XXXXXXXXXXXXXXXXXXXXXXXX  
XXXXXXXXXXXXXXXXXXXXXXXX  
07APR05 08:00

Maint Acts: REWIEGH AT AIRFLITE JANDAKOT

A1PXXUY507757 COMPLETED 07APR05 00:30 5196.9 AFHR  
07APR05 00:00 XXXXX  
BATT NICAD DUE B/S  
XXXXXXXXXXXXXXXXXXXXXXXX  
07APR05 00:30

Maint Acts: BATTERY REPLACED AT JANDAKOT

REMOVALS/INSTALLATIONS FOR A1PXXUY507757

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1468	A23T	A1UOA	00	1206	A23T	A1UOA	00
	33490409201		07APR05 00:00	A1PXXJY506711	33490409201		07APR05 00:20	

A1PXXUY507758 COMPLETED 07APR05 00:20 5196.9 AFHR  
07APR05 00:00 XXXXX  
REAR PSP DUE RFA  
XXXXXXXXXXXXXXXXXXXXXXXX  
07APR05 00:20

Maint Acts: REAR PSP'S REPLACED AT JANDAKOT



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY507758

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	DF5426	A23T	A26BG	00	DF3234	A23T	A26BG	00
	STANDARDPACK-1		07APR05 00:00	A1PXXJY506710	STANDARDPACK-1		07APR05 00:20	

A1PXXUY507755 COMPLETED 07APR05 06:05 5196.9 AFHR  
07APR05 03:34 XXXXX

BS due on Serial DL4395  
BCN UNDERWATER LOC at WAC 0740

Maint Acts: 3.25 VDC AND PING

A1PXXUY507782 COMPLETED 08APR05 01:21 5196.9 AFHR  
08APR05 00:00 XXXXX

BS due on Serial 0524001  
CRASH POSN IND at WAC 0660

Maint Acts: SERV CPI FITTED IAW 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY507782

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0524001	A23T	A1UOY	00	0835001	A23T	A1UOY	00
	453-0406		08APR05 00:06	A1PXXJY308088	453-0406		08APR05 01:19	

A1PXXUY507783 COMPLETED 08APR05 01:22 5196.9 AFHR  
08APR05 00:01 XXXXX

BS due on Serial DM3296  
BCN UNDERWATER LOC at WAC 0640

Maint Acts: SERV ULB FITTED IAW 7212.007-2

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY507783

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	DM3296	A23T	A1UPC00	00	DN8236	A23T	A1UPC00	00
	DK120		08APR05 00:04	A1PXXJY404686	DK120		08APR05 01:17	

A1PXXUY507842 COMPLETED 11APR05 02:50 5197.9 AFHR XXxxXXxxXXxxXXxxXXxx  
11APR05 02:46 XXxxXXxx  
FUEL FLOW ERRATIC  
11APR05 02:50  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: FUEL FLOW TX REPLACED

REMOVALS/INSTALLATIONS FOR A1PXXUY507842

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1773	A23T	A1SAI20	00	1668	A23T	A1SAI20	00
	151-906-010		11APR05 02:47	A1PXXJY506777	151-906-010		11APR05 02:48	

A1PXXUY508043 COMPLETED 18APR05 05:45 5200.8 AFHR XXxxXXxxXXxxXXxxXXxx  
14APR05 00:37 XXxxXXxx  
CVR RFA.  
18APR05 05:45  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: CVR FITTED IAW 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY508043

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	01764	A23T	A1UPC	00	01764	A23T	A1UPC	00
	S200-0012-91		14APR05 00:39	A1PXXJY507252	S200-0012-91		18APR05 05:44	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02689  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY508045	COMPLETED	18APR05 05:40	5200.8	AFHR		XXXXXXXXXXXXXXXXXXXX
14APR05 00:44	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		SYMBOL GENERATOR RFA.				18APR05 05:40
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: SYMBOL GENERATOR FITTED IAW 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY508045

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	3558	A23T	A1UOS	00	3558	A23T	A1UOS	00
	066-04015-0003		14APR05 00:47	A1PXXJY507254	066-04015-0003		18APR05 05:37	

A1PXXUY508046	COMPLETED	18APR05 05:37	5200.8	AFHR		XXXXXXXXXXXXXXXXXXXX
14APR05 00:51	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		DATA ADAPTOR KDA430 RFA.				18APR05 05:37
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: DATA ADAPTOR KDA430 FITTED IAW 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY508046

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1389	A23T	A1UMK	00	1389	A23T	A1UMK	00
	065-05030-0004		14APR05 00:54	A1PXXJY507258	065-05030-0004		18APR05 05:35	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY508047	COMPLETED	18APR05 05:34	5200.8	AFHR		XXXXXXXXXXXXXXXXXXXX
14APR05 00:57	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		DATA ADAPTOR KDA689 RFA.				18APR05 05:34
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: DATA ADAPTOR KDA689 FITTED IAW 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY508047

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	10199	A23T	A1UMI	00	10199	A23T	A1UMI	00
	071-01227-0001		14APR05 01:00	A1PXXJY507259	071-01227-0001		18APR05 05:31	

A1PXXUY508048	COMPLETED	18APR05 05:55	5200.8	AFHR		XXXXXXXXXXXXXXXXXXXX
14APR05 01:04	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		GYRO ELECTRONIC UNIT REMOVED FOR MOD 223.				18APR05 05:55
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: AHRU LCR-92 FITTED IAW 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY508048

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	08074	A23T	A1ULY	00	1042	A23T	A1ULY	01
	740200-8B REV E		14APR05 01:06	A1PXXJY507260	124210-2022		18APR05 05:54	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02691  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY505291	COMPLETED	21APR05 23:06	5200.8	AFHR		XXxxXXxxXXxxXXxxXXxx
14APR05 01:21	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		7212.007-223	due on Serial A23-033			21APR05 23:06
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	AHRS MOD INC				

A1PXXUY507769	COMPLETED	21APR05 05:07	5200.8	AFHR		XXxxXXxxXXxxXXxxXXxx
14APR05 01:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40	due on Serial A23-033			21APR05 05:07
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 SERV CO				

A1PXXUY508055	COMPLETED	18APR05 05:59	5200.8	AFHR		XXxxXXxxXXxxXXxxXXxx
14APR05 01:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		ADJUST UNIT COMPASS RFA.				18APR05 05:59
						XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	NOT REQUIRED POST MOD 223 AHRS				

REMOVALS/INSTALLATIONS FOR A1PXXUY508055

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	227	A23T	A1UMO	00				
	738600-2		14APR05 01:51	A1PXXJY507266				

A1PXXUY508058	COMPLETED	18APR05 06:01	5200.8	AFHR		XXxxXXxxXXxxXXxxXXxx
14APR05 02:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		CCMU RFA.				18APR05 06:01
						XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02692  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: CCMU NOT REQUIRED POST MOD 223 AHRS

REMOVALS/INSTALLATIONS FOR ALPXXUY508058

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	307	A23T	A1UMM	00				
	740600-1		14APR05 02:10	ALPXXJY507274				

ALPXXUY508074 COMPLETED 18APR05 05:42 5200.8 AFHR  
14APR05 03:37 XXXXX  
FDR RFA.  
XXXXXXXXXXXXXXXXXXXXXXXX  
XXXXXXXXXXXXXXXXXXXXXXXX  
18APR05 05:42  
XXXXXXXXXXXXXXXXXXXXXXXX

Maint Acts: FDR FITTED IAW 7212.007-2

REMOVALS/INSTALLATIONS FOR ALPXXUY508074

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	01496	A23T	A1UPM	00	01496	A23T	A1UPM	00
	S703-1000-01		14APR05 03:38	ALPXXJY507286	S703-1000-01		18APR05 05:41	

ALPXXUY508081 COMPLETED 18APR05 02:40 5200.8 AFHR  
14APR05 04:50 XXXXX  
FWD COCKPIT PANEL ANNUNCIATOR RFA.  
XXXXXXXXXXXXXXXXXXXXXXXX  
XXXXXXXXXXXXXXXXXXXXXXXX  
18APR05 02:40  
XXXXXXXXXXXXXXXXXXXXXXXX

Maint Acts: FWD COCKPIT PANEL ANNUNCIATOR REFITTED.

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY508081

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	156	A23T	A1UEC	00	156	A23T	A1UEC	00
	461 TS 06 Y		14APR05 04:54	A1PXXJY507297	461 TS 06 Y		18APR05 02:34	

A1PXXUY508087 COMPLETED 18APR05 02:31 5200.8 AFHR  
 14APR05 04:56 XXXX XXXX  
 XXXX XXXX XXXX XXXX XXXX  
 FWD COCKPIT ESDP RFA.  
 XXXX XXXX XXXX XXXX XXXX  
 18APR05 02:31  
 XXXX XXXX XXXX XXXX XXXX

Maint Acts: FWD COCKPIT ESDP REFITTED.

REMOVALS/INSTALLATIONS FOR A1PXXUY508087

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	89050045	A23T	A1UDI	00	89050045	A23T	A1UDI	00
	150.0001-2		14APR05 04:58	A1PXXJY507299	150.0001-2		18APR05 02:28	

A1PXXUY508295 COMPLETED 19APR05 06:13 5200.8 AFHR  
 18APR05 03:27 XXXX XXXX  
 XXXX XXXX XXXX XXXX XXXX  
 FRONT AND REAR EJECTION SEATS AND GUNS REMOVED FOR STI-223  
 XXXX XXXX XXXX XXXX XXXX  
 19APR05 06:13  
 XXXX XXXX XXXX XXXX XXXX

Maint Acts: FRONT AND REAR EJECTION SEATS REFITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY508295

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	128	A23T	A26	00	128	A23T	A26	00
	AU11A-2		18APR05 03:28	A1PXXJY507709	AU11A-2		19APR05 06:12	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
Camm2  
ASSET HISTORY

PAGE 02694  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
002	101	A23T	A1W	00	101	A23T	A1W	00
	AU11A-1		18APR05 03:30	A1PXXJY507711	AU11A-1		19APR05 06:11	
A1PXXUY508369	COMPLETED		19APR05 23:02	5200.8	AFHR			
19APR05 22:44	XXxxXXxx		XXxxXXxxXXxxXXxxXXxx	AIP				
			STI-PC9-289A	due on Serial 527			19APR05 23:02	
			WING ASSY	at WAC 1500			XXxxXXxxXXxxXXxxXXxx	
	Maint Acts:		STI-PC9-289A C/O ON WING S/N 527					
A1PXXUY507861	COMPLETED		20APR05 07:29	5200.8	AFHR			
20APR05 07:28	XXxxXXxx		XXxxXXxxXXxxXXxxXXxx	AIP				
			S12	due on Serial A23-033			20APR05 07:29	
			PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx	
	Maint Acts:		S12 SERV CO					
A1PXXUY508584	COMPLETED		13MAY08 00:47	5202.5	AFHR			
25APR05 22:33	XXxxXXxx		XXxxXXxxXXxxXXxxXXxx	AIP				
			FROM EE500 330848 #2 - EXTERIOR SURFACE FINISH AND MARKINGS REQUIRE				13MAY08 00:47	
			REPAINT				XXxxXXxxXXxxXXxxXXxx	
	Maint Acts:		S33 A/C REPAINT C/O (REFS33PW LSN388/07)					
A1PXXUY508585	COMPLETED		07AUG06 03:07	5202.5	AFHR			
25APR05 22:34	XXxxXXxx		XXxxXXxxXXxxXXxxXXxx	AIP				
			FROM EE500 330848 #3 - TWO DISTORTION MARKS EVIDENT ON REAR CANOPY				07AUG06 03:07	
			ABOVE REAR EJECTION SEAT				XXxxXXxxXXxxXXxxXXxx	
	Maint Acts:		CANOPY INSPECTED NIL DEFECTS EVIDENT REF 433161-1B#2					
A1PXXUY508586	COMPLETED		01AUG05 04:29	5202.5	AFHR			
25APR05 22:36	XXxxXXxx		XXxxXXxxXXxxXXxxXXxx	AIP				
			FROM EE500 330848 #5 - ACCELEROMETER P/NO 10020 (FATIGUE DATA				01AUG05 04:29	
			RECORDING UNIT) SERIAL NO 795 DUE OVERHAUL 31JUL05				XXxxXXxxXXxxXXxxXXxx	
	Maint Acts:		CAMM2 POLICY AMENDMENT TASPO RELEASE NOTE 28/2005					



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY508587 25APR05 22:38	COMPLETED XXxxXXxx	03APR07 04:42 XXxxXXxxXXxxXXxxXXxx	5202.5 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx 03APR07 04:42 XXxxXXxxXXxxXXxxXXxx
		FROM EE500 330849 #1 - MOD 7212.007-220 PINC LOCKWASHER ONLY FITTED				
	Maint Acts:	CARRIED OUT AS PER INSTRUCTIONS				
A1PXXUY508588 25APR05 22:40	COMPLETED XXxxXXxx	30JUN05 06:16 XXxxXXxxXXxxXXxxXXxx	5202.5 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx 30JUN05 06:16 XXxxXXxxXXxxXXxxXXxx
		FROM EE500 379334 #3 - SMALL DENT ON RH FWD NOSE GEAR DOOR				
	Maint Acts:	DENT ASSESSED AS NEG DAMAGE, CHECKED SERV. IAW AAP7212.007-3				
A1PXXUY508589 25APR05 22:41	COMPLETED XXxxXXxx	11APR06 22:53 XXxxXXxxXXxxXXxxXXxx	5202.5 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx 11APR06 22:53 XXxxXXxxXXxxXXxxXXxx
		FROM EE500 335311 #2 - STI-PC9-0210 INNER WING SKIN CRACKS. LH 5.0MM RH 9.0MM				
	Maint Acts:	STI-PC9-0210 CFU CANCELLED REF TASPO 2004/1022729 PT2 (2)				
A1PXXUY508590 25APR05 22:44	COMPLETED XXxxXXxx	30JUN05 06:11 XXxxXXxxXXxxXXxxXXxx	5202.5 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx 30JUN05 06:11 XXxxXXxxXXxxXXxxXXxx
		FROM EE500 379334 #4 - OUTER RH FLAP INBD EDGE, HAS SMALL CREASE				
	Maint Acts:	CREASE REMOVED AND SURFACE FINISHED IAW AAP7212.007-3				
A1PXXUY508591 25APR05 22:46	COMPLETED XXxxXXxx	24MAY05 23:42 XXxxXXxxXXxxXXxxXXxx	5202.5 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx 24MAY05 23:42 XXxxXXxxXXxxXXxxXXxx
		FROM EE500 330850 #3 - MOD7212.007-185 NINC REF TALMS/A23/6400/MGT PT2(92)				
	Maint Acts:	MOD TO BE INC WHEN DUE TASPO DIRECTIVE CANCELLED				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02696  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY508592	COMPLETED	27JUL06 01:08	5202.5	AFHR		XXxxXXxxXXxxXXxxXXxx
25APR05 22:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx

FROM EE508 364108-4A #7 - HORIZONTAL STAB HAS SEVERAL CORROSION SPOTS ON LWR LH SKIN AS WELL AS SEVERAL WORKING RIVETS.

27JUL06 01:08  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV HORIZONTAL STAB SN 536 FITTED AND SERV HORIZ STAB ASSY BOLTS AND NUTS FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY508592

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	42	A23T	A2I	00	536	A23T	A2I	00
	555.10.09.130		01MAY06 02:50	A1PXXJY606549	555.10.09.130		27JUL06 00:43	
002					L233600	A23T	A2IAK	00
					MS21046C5E		27JUL06 01:00	
003					L233599	A23T	A2IAI	00
					MS21046C5E		27JUL06 01:01	
004					L233598	A23T	A2IAG	00
					AN175C10A		27JUL06 01:02	
005					L233597	A23T	A2IAE	00
					AN175C10A		27JUL06 01:04	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY508593	COMPLETED	30JUN05 23:27	5202.5	AFHR		XXxxXXxxXXxxXXxxXXxx
25APR05 22:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FROM EE508 364115-2B #6 - FIXED COWLING BY-PASS DOOR TO BE PAINTED				30JUN05 23:27
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: BYPASS DOOR PAINTED AND REFITTED IAW AAP 7212.007-2

A1PXXUY508514	COMPLETED	28APR05 23:09	5209.6	AFHR		XXxxXXxxXXxxXXxxXXxx
28APR05 07:11	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				28APR05 23:09
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERVICING CO

A1PXXUY508743	COMPLETED	28APR05 23:13	5209.6	AFHR		XXxxXXxxXXxxXXxxXXxx
28APR05 07:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		TA due on Serial R121501				28APR05 23:13
		FILTER ELEMENT P3 at WAC 0130				XXxxXXxxXXxxXXxxXXxx

Maint Acts: FILTER REPLACED WITH NEW ITEM

REMOVALS/INSTALLATIONS FOR A1PXXUY508743

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	R121501	A23T	A1SAK48	00	PCY500594	A23T	A1SAK48	00
	3028856		28APR05 23:10	A1PXXJY420293	3029268		28APR05 23:11	

A1PXXUY508751	COMPLETED	03MAY05 23:10	5212.0	AFHR		XXxxXXxxXXxxXXxxXXxx
03MAY05 23:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				03MAY05 23:10
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: S40 SERV CARRIED OUT

A1PXXUY509271	COMPLETED	09MAY05 07:25	5223.0	AFHR		XXxxXXxxXXxxXXxxXXxx
09MAY05 06:48	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIR BRAKE ACTUATOR LEAKING				09MAY05 07:25
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV ACTUATOR TTED IN ACC WITHAAP 7212-007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY509271

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 163636	A23T	A2KBE	00	FYH162455	A23T	A2KBE	00	
4041 H3		09MAY05 07:19	A1PXXJY508644	4041 H3		09MAY05 07:22		

A1PXXUY509286	COMPLETED	10MAY05 00:58	5223.0	AFHR		XXxxXXxxXXxxXXxxXXxx
10MAY05 00:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		R/H TYRE WORN TO LIMITS.				10MAY05 00:58
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: R/H TYRE REPLACED WITH SERV ITEM IAW AAP 7212-007-2.

REMOVALS/INSTALLATIONS FOR A1PXXUY509286

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 0121	A23T	A2KEI	01	0143	A23T	A2KEI	01	
3-1555		10MAY05 00:52	A1PXXJY508667	3-1555		10MAY05 00:55		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES -----

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY509288	COMPLETED	10MAY05 01:04	5223.0	AFHR		XXXXXXXXXXXXXXXXXXXX
10MAY05 00:59	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		L/H TYRE WORN TO LIMITS.				10MAY05 01:04
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: L/H TYRE REPLACED WITH SERV ITEM IAW AAP 7212-007-2.

REMOVALS/INSTALLATIONS FOR A1PXXUY509288

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0186	A23T	A2KDM	01	0116	A23T	A2KDM	01
	3-1555		10MAY05 01:00	A1PXXJY508669	3-1555		10MAY05 01:01	

A1PXXUY509293	COMPLETED	10MAY05 01:11	5223.0	AFHR		XXXXXXXXXXXXXXXXXXXX
10MAY05 01:05	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		L/H BRAKE UNIT WORN TO LIMITS.				10MAY05 01:11
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: L/H BRAKE UNIT REPLACED WITH SERV ITEM IAW AAP 7212-007-2.

REMOVALS/INSTALLATIONS FOR A1PXXUY509293

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0187	A23T	A2KDI	00	0126	A23T	A2KDI	00
	2-1524-1		10MAY05 01:07	A1PXXJY508674	2-1524-1		10MAY05 01:09	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02700  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY509021	COMPLETED	10MAY05 23:23	5223.9	AFHR		XXxxXXxxXXxxXXxxXXxx
10MAY05 13:11	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40	due on Serial A23-033			10MAY05 23:23
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 SERV CO				

A1PXXUY505297	COMPLETED	11MAY05 08:05	5226.5	AFHR		XXxxXXxxXXxxXXxxXXxx
11MAY05 08:04	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0354	due on Serial A23-033			11MAY05 08:05
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	STI 354 RINC				

A1PXXUY509419	COMPLETED	11MAY05 09:29	5226.5	AFHR		XXxxXXxxXXxxXXxxXXxx	
11MAY05 09:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		FRONT COCKPIT ADF CONTROL UNIT NIL DISPLAY DURING S15 CHECKS					11MAY05 09:29
						XXxxXXxxXXxxXXxxXXxx	
	Maint Acts:	SERV ADF CONTROL UNIT FITTED IAW AAP 7212.007-2					

REMOVALS/INSTALLATIONS FOR A1PXXUY509419

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	2543	A23T	A1UCY	00	2018	A23T	A1UCY	00
	071-1284-05		11MAY05 09:25	A1PXXJY508861	071-1284-05		11MAY05 09:28	

A1PXXUY509359	COMPLETED	17MAY05 23:13	5232.7	AFHR		XXxxXXxxXXxxXXxxXXxx
17MAY05 13:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40	due on Serial A23-033			17MAY05 23:13
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02701  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
=====						
	Maint Acts:	S40 SERV CO				
A1PXXUY509417	COMPLETED	23MAY05 11:26	5244.7	AFHR		XXxxXXxxXXxxXXxxXXxx
23MAY05 11:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0354 due on Serial A23-033				23MAY05 11:26
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	STI-PC9-0354 RINC				
A1PXXUY509677	COMPLETED	24MAY05 23:30	5248.3	AFHR		XXxxXXxxXXxxXXxxXXxx
24MAY05 11:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				24MAY05 23:30
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 SERVICING C/O				
A1PXXUY505338	COMPLETED	26MAY05 22:25	5254.3	AFHR		XXxxXXxxXXxxXXxxXXxx
26MAY05 09:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S26 due on Serial A23-033				26MAY05 22:25
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S26 SERVICING CARRIED OUT IAW AAP 7212.07-6-4				
A1PXXUY510052	COMPLETED	31MAY05 23:43	5263.9	AFHR		XXxxXXxxXXxxXXxxXXxx
31MAY05 10:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				31MAY05 23:43
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 SERVICING C/O				
A1PXXUY509916	COMPLETED	01JUN05 07:03	5266.0	AFHR		XXxxXXxxXXxxXXxxXXxx
01JUN05 06:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0354 due on Serial A23-033				01JUN05 07:03
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
=====						
	Maint Acts:	STI-PC9-0354 RINC				
A1PXXUY510389 07JUN05 09:36	COMPLETED XXxxXXxx	08JUN05 00:41 XXxxXXxxXXxxXXxxXXxx	5275.3 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx 08JUN05 00:39 XXxxXXxxXXxxXXxxXXxx 08JUN05 00:41 XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 due on Serial A23-033 PC-9 at WAC 0000				
	Maint Acts:	S40 SERV C/O IAW AAP 7212.007-2				
A1PXXUY510980 09JUN05 05:26	COMPLETED XXxxXXxx	09JUN05 05:28 XXxxXXxxXXxxXXxxXXxx	5278.2 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx 09JUN05 05:28 XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	STI-PC9-370A due on Serial PCY401131 EMERG LG CABLE at WAC 0630				
	Maint Acts:	STI-PC9-370A C/O SERV				
A1PXXUY510456 14JUN05 09:38	COMPLETED XXxxXXxx	14JUN05 09:40 XXxxXXxxXXxxXXxxXXxx	5284.2 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx 14JUN05 09:40 XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	STI-PC9-0354 due on Serial A23-033 PC-9 at WAC 0000				
	Maint Acts:	STI-PC9-0354 C/O SERV				
A1PXXUY510679 14JUN05 09:43	COMPLETED XXxxXXxx	14JUN05 23:12 XXxxXXxxXXxxXXxxXXxx	5284.2 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx 14JUN05 23:12
	Maint Acts:	S40 due on Serial A23-033 PC-9 at WAC 0000				
	Maint Acts:	S40				
A1PXXUY511349 16JUN05 07:05	COMPLETED XXxxXXxx	19JUN05 23:40 XXxxXXxxXXxxXXxxXXxx	5291.2 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx 19JUN05 23:40 XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	BS due on Serial 702017 REG OXYGEN DEMAND at WAC 0740				



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 02703  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: REG OXY DEMAND REPLACED IAW AAP 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY511349

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	702017	A23T	A1UIS	00	907085	A23T	A1UIS	00
	3260042-0201		16JUN05 09:00	A1PXXJY411313	3260042-0201		16JUN05 09:00	

A1PXXUY505293 COMPLETED 23JUN05 06:10 5295.2 AFHR  
20JUN05 05:35 XXXXX  
STI-PC9-0195 due on Serial A23-033  
PC-9 at WAC 0000  
XXXXXXXXXXXXXXXXXXXXXXXX  
XXXXXXXXXXXXXXXXXXXXXXXX  
23JUN05 06:10  
XXXXXXXXXXXXXXXXXXXXXXXX

Maint Acts: STI-PC9-0195 RINC

REMOVALS/INSTALLATIONS FOR A1PXXUY505293

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	126	A23T	A1UCQ	00	126	A23T	A1UCQ	00
	532.30.09.216		21JUN05 06:55	A1PXXJY511735	532.30.09.216		23JUN05 06:07	
002	566	A23T	A1UGY	00	566	A23T	A1UGY	00
	532.30.09.217		21JUN05 06:58	A1PXXJY511736	532.30.09.217		23JUN05 06:08	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY505294 20JUN05 05:35	COMPLETED XXxxXXxx	29JUN05 07:06 XXxxXXxxXXxxXXxxXXxx	5295.2 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx XXxxXXxxXXxxXXxxXXxx 29JUN05 07:06 XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0210 PC-9	due on Serial A23-033 at WAC 0000			
	Maint Acts:	STI-PC9-210 C/O SERV				
A1PXXUY505295 20JUN05 05:35	COMPLETED XXxxXXxx	24JUN05 00:55 XXxxXXxxXXxxXXxxXXxx	5295.2 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx XXxxXXxxXXxxXXxxXXxx 24JUN05 00:55 XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0290 PC-9	due on Serial A23-033 at WAC 0000			
	Maint Acts:	STI-PC9-0290 C/O SERV				
A1PXXUY505296 20JUN05 05:35	COMPLETED XXxxXXxx	24JUN05 00:24 XXxxXXxxXXxxXXxxXXxx	5295.2 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx XXxxXXxxXXxxXXxxXXxx 24JUN05 00:24 XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0342 PC-9	due on Serial A23-033 at WAC 0000			
	Maint Acts:	STI-PC9-0342 RINC				
A1PXXUY505298 20JUN05 05:35	COMPLETED XXxxXXxx	24JUN05 00:54 XXxxXXxxXXxxXXxxXXxx	5295.2 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx XXxxXXxxXXxxXXxxXXxx 24JUN05 00:54 XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0357 PC-9	due on Serial A23-033 at WAC 0000			
	Maint Acts:	STI-PC9-0357 C/O SERV				
A1PXXUY505300 20JUN05 05:35	COMPLETED XXxxXXxx	24JUN05 01:02 XXxxXXxxXXxxXXxxXXxx	5295.2 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx XXxxXXxxXXxxXXxxXXxx 24JUN05 01:02 XXxxXXxxXXxxXXxxXXxx
		STI-PC9-339A PC-9	due on Serial A23-033 at WAC 0000			
	Maint Acts:	STI-PC9-339A RINC				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY505313 20JUN05 05:35	COMPLETED XXxxXXxx	30JUN05 23:28 XXxxXXxxXXxxXXxxXXxx	5295.2 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx XXxxXXxxXXxxXXxxXXxx 30JUN05 23:28 XXxxXXxxXXxxXXxxXXxx
		S18 PC-9		due on Serial A23-033 at WAC 0000		
	Maint Acts:	S18 SERV C/O IAW AAP 7212.007-6-4				
A1PXXUY505316 20JUN05 05:35	COMPLETED XXxxXXxx	24JUN05 00:50 XXxxXXxxXXxxXXxxXXxx	5295.2 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx XXxxXXxxXXxxXXxxXXxx 24JUN05 00:50 XXxxXXxxXXxxXXxxXXxx
		S20 PC-9		due on Serial A23-033 at WAC 0000		
	Maint Acts:	S20 SERV C/O IAW AAP 7212.007-6-4				
A1PXXUY508237 20JUN05 05:35	COMPLETED XXxxXXxx	27JUN05 01:01 XXxxXXxxXXxxXXxxXXxx	5295.2 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx XXxxXXxxXXxxXXxxXXxx 27JUN05 01:01 XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0368 PC-9		due on Serial A23-033 at WAC 0000		
	Maint Acts:	STI CARRIED OUT				
A1PXXUY510868 20JUN05 05:35	COMPLETED XXxxXXxx	24JUN05 00:52 XXxxXXxxXXxxXXxxXXxx	5295.2 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx XXxxXXxxXXxxXXxxXXxx 24JUN05 00:52 XXxxXXxxXXxxXXxxXXxx
		S57 PC-9		due on Serial A23-033 at WAC 0000		
	Maint Acts:	S57 SERV C/O IAW AAP 7212.007-6-4				
A1PXXUY511416 20JUN05 05:35	COMPLETED XXxxXXxx	24JUN05 01:09 XXxxXXxxXXxxXXxxXXxx	5295.2 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx XXxxXXxxXXxxXXxxXXxx 24JUN05 01:09 XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0356 ENGINE CHANGE UNIT		due on Serial 103177 at WAC 0100		
	Maint Acts:	STI-PC9-0356 C/O SERV				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY511416

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	RT177	A23T	A1SAK27	00	RT035	A23T	A1SAK27	00
	RAAFA62FNS01		21JUN05 05:21	A1PXXJY511719	RAAFA62FNS01		24JUN05 00:09	

A1PXXUY511417	COMPLETED	23JUN05 01:15	5295.2	AFHR	XXxxXXxxXXxxXXxxXXxx
20JUN05 05:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		

OH due on Serial 00680  
FILTER ASSY FUEL at WAC 0610

XXxxXXxxXXxxXXxxXXxx  
23JUN05 01:15  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: FILTER ASSY REPLACED WITH SERV ITEM

REMOVALS/INSTALLATIONS FOR A1PXXUY511417

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	00680	A23T	A1UJK	00	00687	A23T	A1UJK	00
	03W061738		22JUN05 05:16	A1PXXJY506939	03W061738		23JUN05 01:12	

A1PXXUY511418	COMPLETED	24JUN05 01:07	5295.2	AFHR	XXxxXXxxXXxxXXxxXXxx
20JUN05 05:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		

STI-PC9-0196 due on Serial YH169948  
RSVR POWER PACK at WAC 0620

XXxxXXxxXXxxXXxxXXxx  
24JUN05 01:07  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-0196 C/O SERV

A1PXXUY511419	COMPLETED	28JUN05 06:08	5295.2	AFHR	XXxxXXxxXXxxXXxxXXxx
20JUN05 05:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		

STI-PC9-0362 due on Serial 533  
VERTICAL STAB ASSY at WAC 1400

XXxxXXxxXXxxXXxxXXxx  
28JUN05 06:08  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-0362 C/O SERV IAW STI 362

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY511419

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	558	A23T	A2GAM	00	558	A23T	A2GAM	00
	555.40.09.003		21JUN05 03:20	A1PXXJY511707	555.40.09.003		28JUN05 06:08	

A1PXXUY511420 COMPLETED 28JUN05 05:08 5295.2 AFHR XXxxXXxxXXxxXXxxXXxx  
20JUN05 05:35 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP

STI-PC9-255A due on Serial 42  
HORIZONTAL STAB ASS at WAC 1100

XXxxXXxxXXxxXXxxXXxx  
28JUN05 05:08  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI CARRIED OUT

REMOVALS/INSTALLATIONS FOR A1PXXUY511420

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	064	A23T	A2IBC	00	064	A23T	A2IBC	00
	555.20.09.003		21JUN05 03:30	A1PXXJY511708	555.20.09.256		28JUN05 05:00	

A1PXXUY511421 COMPLETED 24JUN05 01:12 5295.2 AFHR XXxxXXxxXXxxXXxxXXxx  
20JUN05 05:35 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP

STI-PC9-257C due on Serial 527  
WING ASSY at WAC 1500

XXxxXXxxXXxxXXxxXXxx  
24JUN05 01:12  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-257C + 355 C/O SERV

A1PXXUY505303 COMPLETED 30JUN05 23:34 5295.2 AFHR XXxxXXxxXXxxXXxxXXxx  
20JUN05 05:35 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP

R2 due on Serial A23-033  
PC-9 at WAC 0000

XXxxXXxxXXxxXXxxXXxx  
30JUN05 23:34  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: R2 SERV C/O IAW AAP 7212.007-6-2-2

A1PXXUY511470 COMPLETED 28JUN05 23:58 5295.2 AFHR XXxxXXxxXXxxXXxxXXxx  
21JUN05 02:23 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP

BS due on Serial 1206  
BATTERY NICAD at WAC 0660

XXxxXXxxXXxxXXxxXXxx  
28JUN05 23:58  
XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 02708  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: SERV BATT NICAD FITTED IAW 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY511470

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001 1206 A23T A1UOA 00 1275 A23T A1UOA 00  
33490409201 21JUN05 05:22 A1PXXJY506622 33490409201 28JUN05 23:56

A1PXXUY510198 COMPLETED 24JUN05 01:04 5295.2 AFHR  
21JUN05 02:25 XXXXX  
S26 due on Serial A23-033  
PC-9 at WAC 0000  
XXXXXX  
24JUN05 01:04  
XXXXXX

Maint Acts: S26 CARRIED OUT IAW 7212.007-2

A1PXXUY505349 COMPLETED 24JUN05 02:10 5295.2 AFHR  
21JUN05 02:26 XXXXX  
S37 due on Serial A23-033  
PC-9 at WAC 0000  
XXXXXX  
24JUN05 02:10  
XXXXXX

Maint Acts: S37 CARRIED OUT IAW 7212.007-2

A1PXXUY507677 COMPLETED 27JUN05 02:06 5295.2 AFHR  
21JUN05 02:27 XXXXX  
S16 due on Serial A23-033  
PC-9 at WAC 0000  
XXXXXX  
27JUN05 02:06  
XXXXXX

Maint Acts: S16 CARRIED OUT IAW 7212.007-2

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02709  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY511473	COMPLETED	28JUN05 02:33	5295.2	AFHR		XXxxXXxxXXxxXXxxXXxx
21JUN05 02:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		7411.061-101	due on Serial 4513			28JUN05 02:33
		STARTER GENERATOR	at WAC 0130			XXxxXXxxXXxxXXxxXXxx
		OH	due on Serial 4513			
		STARTER GENERATOR	at WAC 0130			

Maint Acts: SERV STARTER GEN FITTED IAW 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY511473

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	4513	A23T	A1SAI14	00	4975	A23T	A1SAI14	00
	23081-026		21JUN05 06:00	A1PXXJ308809X	23081-026		28JUN05 02:31	

A1PXXUY511478	COMPLETED	29JUN05 06:42	5295.2	AFHR		XXxxXXxxXXxxXXxxXXxx
21JUN05 02:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BOTH MAIN LANDING GEAR HUB ASSY RFA				29JUN05 06:42
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV HUB ASSY'S FITTED IAW AAP7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY511478

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0116	A23T	A2KDM	01	0116	A23T	A2KDM	01
	3-1555		21JUN05 03:03	A1PXXJY511703	3-1555		29JUN05 06:40	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
002	0143	A23T	A2KEI	01	0143	A23T	A2KEI	01
	3-1555		21JUN05 03:05	A1PXXJY511704	3-1555		29JUN05 06:40	

A1PXXUY511482 COMPLETED 27JUN05 23:19 5295.2 AFHR  
 21JUN05 03:10 XXXX  
 NOSE WHEEL REMOVED FOR ACCESS  
 XXXX  
 XXXX

Maint Acts: SERV NOSE WHEEL FITTED SN 0090 IAW 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY511482

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0092	A23T	A18AG	00	0090	A23T	A18AG	00
	3-1451 OPT 1		21JUN05 03:12	A1PXXJY511705	3-1451 OPT 1		27JUN05 23:16	

A1PXXUY505286 COMPLETED 23JUN05 04:59 5295.2 AFHR  
 21JUN05 03:48 XXXX  
 7212.007-185 due on Serial A23-033  
 PC-9 at WAC 0000  
 XXXX  
 XXXX

Maint Acts: MOD 7212.007-185 INC

REMOVALS/INSTALLATIONS FOR A1PXXUY505286

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	270	A23T	A1UEA	00	299	A23T	A1UEA	00
	523.50.09.045		22JUN05 06:40	A1PXXJY511835	AS3100-15K		23JUN05 04:56	



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02711  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
002	356	A23T	A1UIG	00	342	A23T	A1UIG	00
	AS3100-15D		22JUN05 06:42	A1PXXJY511836	AS3100-15K		23JUN05 04:57	

A1PXXUY511487 COMPLETED 29JUN05 03:36 5295.2 AFHR  
21JUN05 03:48 XXXX  
F AND R SEATS RFA  
XXXX  
29JUN05 03:36  
XXXX

Maint Acts: FRONT AND REAR SEATS REFITTED IAW AAP 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY511487

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	101	A23T	A1W	00	101	A23T	A1W	00
	AU11A-1		21JUN05 03:48	A1PXXJY511710	AU11A-1		29JUN05 03:35	
002	128	A23T	A26	00	128	A23T	A26	00
	AU11A-2		21JUN05 03:49	A1PXXJY511712	AU11A-2		29JUN05 03:35	

A1PXXUY505288 COMPLETED 22JUN05 06:39 5295.2 AFHR  
21JUN05 04:51 XXXX  
7212.007-218 due on Serial A23-033  
PC-9 at WAC 0000  
XXXX  
22JUN05 06:39  
XXXX

Maint Acts: MOD 7212.007-218 INC

A1PXXUY511507 COMPLETED 27JUN05 00:33 5295.2 AFHR  
21JUN05 06:05 XXXX  
INVERTERS AND BRACKET RFA  
XXXX  
27JUN05 00:33  
XXXX

Maint Acts: SERV INVERTERS AND BRACKET FITTED IAW 7212.007-2

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 02712  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY511507

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1210	A23T	A1UOG	00	1210	A23T	A1UOG	00
	154925-0101		21JUN05 06:06	A1PXXJY511731	154925-0101		27JUN05 00:32	
002	1043	A23T	A1UOE	00	1043	A23T	A1UOE	00
	154925-0101		21JUN05 06:07	A1PXXJY511732	154925-0101		27JUN05 00:32	

A1PXXUY511511 COMPLETED 24JUN05 01:22 5295.2 AFHR XXxxXXxxXXxxXXxxXXxx  
21JUN05 07:17 XXxxXXxx  
KFS 579A RFA  
24JUN05 01:22  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV KFS 579A FITTED IAW 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY511511

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1120	A23T	A1UCW	00	1368	A23T	A1UCW	00
	071-1291-15		21JUN05 07:19	A1PXXJY511737	985.99.11.764		24JUN05 01:21	

A1PXXUY511527 COMPLETED 28JUN05 03:53 5295.2 AFHR XXxxXXxxXXxxXXxxXXxx  
21JUN05 23:04 XXxxXXxx  
HEAT EXCHANGER RFA  
28JUN05 03:53  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV HEAT EXCHANGER FITTED IAW 7212-007-2

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02713  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY511527

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 699	A23T	A0M	00	699	A23T	A0M	00	
959.90.10.123	21JUN05 23:04	A1PXXJY511749	195980-3	28JUN05 03:51				

A1PXXUY511529 COMPLETED 23JUN05 06:55 5295.2 AFHR  
21JUN05 23:15 XXxxXXxx  
PROP. SPINNER RFA  
XXxxXXxxXXxxXXxxXXxx  
23JUN05 06:55  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: PROP. SPINNER FITTED IAW AAP7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY511529

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 A2333	A23T	A00AI	00	A2333	A23T	A00AI	00	
D5210	21JUN05 23:15	A1PXXJY511751	D5210	23JUN05 06:54				

A1PXXUY511535 COMPLETED 22JUN05 00:22 5295.2 AFHR  
22JUN05 00:17 XXxxXXxx  
FUEL FILTER DISCHARGE DUE REMOVAL, INSPECTION AND T/A.  
XXxxXXxxXXxxXXxxXXxx  
22JUN05 00:22  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: FUEL FILTER ELEMENT REMOVED AND SERV FILTER FITTED IAW 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY511535

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 PCY400304	A23T	A1SAI10AA	00	PCY501013	A23T	A1SAI10AA	00	
3033355	22JUN05 00:18	A1PXXJY511758	3033355	22JUN05 00:21				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02714  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY511537	COMPLETED	22JUN05 00:36	5295.2	AFHR		XXxxXXxxXXxxXXxxXXxx
22JUN05 00:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FUEL FILTER INLET DUE REMOVAL, CLEAN AND RE-FITT				22JUN05 00:36
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: FUEL FILTER INLET REMOVED, CLEANED, INSPECTED FOUND SERV AND FITTED  
IAW 7113.022-2

REMOVALS/INSTALLATIONS FOR A1PXXUY511537

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	L219047	A23T	A1SAI10AC	00	L219047	A23T	A1SAI10AC	00
	32-2053		22JUN05 00:23	A1PXXJY511761	32-2053		22JUN05 00:35	

A1PXXUY511578	COMPLETED	22JUN05 06:52	5295.2	AFHR		XXxxXXxxXXxxXXxxXXxx
22JUN05 06:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		OIL FILTER DUE REMOVAL, CLEAN, RE-FIT				22JUN05 06:52
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: OIL FILTER REMOVED, FITTED WITH NEW SERV FILTER IAW 7113.022-2

REMOVALS/INSTALLATIONS FOR A1PXXUY511578

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	L334204	A23T	A1SAK34	00	PCY501017	A23T	A1SAK34	00
	3034293		22JUN05 06:48	A1PXXJY511840	3034293		22JUN05 06:51	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY511581	COMPLETED	22JUN05 06:56	5295.2	AFHR		XXXXXXXXXXXXXXXXXXXX
22JUN05 06:52	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		P3 FILTER DUE REOMVAL, CLEAN AND RE-FIT				22JUN05 06:56
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: P3 FILTER REMOVED, CLEAN, AND RE-FITTED IAW 7113.022-2

REMOVALS/INSTALLATIONS FOR A1PXXUY511581

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PCY500594	A23T	A1SAK48	00	PCY500594	A23T	A1SAK48	00
	3029268		22JUN05 06:53	A1PXXJY511843	3029268		22JUN05 06:54	

A1PXXUY511601	COMPLETED	29JUN05 03:28	5295.2	AFHR		XXXXXXXXXXXXXXXXXXXX
22JUN05 23:12	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		RH MLG ACTUATOR LEAKING				29JUN05 03:28
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV. RH MLG ACT FITTED IAW AAP7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY511601

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	YH173135	A23T	A2KBO	00	YH175829	A23T	A2KBO	00
	4033 H2		22JUN05 23:13	A1PXXJY511858	4033 H2		29JUN05 03:27	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY511605	COMPLETED	30JUN05 22:42	5295.2	AFHR		XXXXXXXXXXXXXXXXXXXX
22JUN05 23:25	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		RH OUTBOARD FLAP REMOVED FOR ACCESS				30JUN05 22:42
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV RH FLAP ASSY OUTER FITTED IAW AAP7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY511605

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	R012495	A23T	A2KCW10	00	R012495	A23T	A2KCW10	00
	557.52.09.008		22JUN05 23:26	A1PXXJY511859	557.52.09.008		30JUN05 22:40	

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY511606	COMPLETED	22JUN05 23:37	5295.2	AFHR		XXXXXXXXXXXXXXXXXXXX
22JUN05 23:28	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		POWER SUPPLY REMOVED TO SERVICE AC A23-016				22JUN05 23:37
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV POWER SUPPLY FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY511606

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	2501	A23T	A2KEY	00	2501	A23T	A2KEY	00
	04-1504-3428		22JUN05 23:32	A1PXXJY511861	04-1504-3428		22JUN05 23:36	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02717  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY511611	COMPLETED	28JUN05 04:32	5295.2	AFHR		XXxxXXxxXXxxXXxxXXxx
22JUN05 23:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		POWER SUPPLY REMOVED TO SERVICE A23-016				28JUN05 04:32
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV POWER SUPPLY FITTED IAW 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY511611

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	2501	A23T	A2KEY	00	2008	A23T	A2KEY	00
	04-1504-3428		22JUN05 23:42	A1PXXJY511862	04-1504-3428		28JUN05 04:31	

A1PXXUY505348	COMPLETED	28JUN05 06:09	5295.2	AFHR		XXxxXXxxXXxxXXxxXXxx
23JUN05 06:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S36 due on Serial A23-033				28JUN05 06:09
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S36 SERV C/O IAW AAP 7212.007-6-4

A1PXXUY505336	COMPLETED	23JUN05 07:03	5295.2	AFHR		XXxxXXxxXXxxXXxxXXxx
23JUN05 06:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S23 due on Serial A23-033				23JUN05 07:03
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S23 SERV C/O IAW AAP 7212.007-6-4

A1PXXUY508937	COMPLETED	04JUL05 00:25	5295.2	AFHR		XXxxXXxxXXxxXXxxXXxx
23JUN05 07:05	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-369B due on Serial A23-033				04JUL05 00:25
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: STI-PC9-369B C/O SERV

A1PXXUY511672	COMPLETED	23JUN05 07:08	5295.2	AFHR		XXxxXXxxXXxxXXxxXXxx
23JUN05 07:05	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			

STI-PC9-369A due on Serial B22125  
 VALVE INTERFACE at WAC 0130

XXxxXXxxXXxxXXxxXXxx  
 23JUN05 07:08  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-369A C/O SERV IAW STI-PC9-369A

REMOVALS/INSTALLATIONS FOR A1PXXUY511672

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	B22125	A23T	A1SAK58	00	B22051	A23T	A1SAK58	00
	3244807-3		23JUN05 07:07	A1PXXJY508278	3244807-4		23JUN05 07:07	

A1PXXUY511673	COMPLETED	23JUN05 22:33	5295.2	AFHR		XXxxXXxxXXxxXXxxXXxx
23JUN05 07:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			

R.H. BRAKE UNIT WORN TO LIMITS.

XXxxXXxxXXxxXXxxXXxx  
 23JUN05 22:33  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV BRAKE FITTED IAW AAP7212-007.2

REMOVALS/INSTALLATIONS FOR A1PXXUY511673

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0206	A23T	A2KEE	00	0082	A23T	A2KEE	00
	2-1524-1		23JUN05 22:29	A1PXXJY511915	2-1524-1		23JUN05 22:31	



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY511729	COMPLETED	24JUN05 02:53	5295.2	AFHR		XXXXXXXXXXXXXXXXXXXX
24JUN05 02:44	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		PURGE VALVE RFA				24JUN05 02:53
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: PURGE VALVE FITTED IAW 7212-007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY511729

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0074	A23T	A1SAK56	01	0074	A23T	A1SAK56	01
	3049656-01		24JUN05 02:49	A1PXXJY511957	3049656-01		24JUN05 02:52	

A1PXXUY511799	COMPLETED	28JUN05 03:37	5295.2	AFHR		XXXXXXXXXXXXXXXXXXXX
28JUN05 03:29	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		RH OUTBOARD DOOR CORRODED AT ATTACHMENT				28JUN05 03:37
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: REPLACEMENT RH OUTBOARD DOOR FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY511799

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	541	A23T	A2KCQ	00	530	A23T	A2KCQ	00
	532.11.09.098		28JUN05 03:30	A1PXXJY512012	532.11.09.098		28JUN05 03:33	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY511836	COMPLETED	29JUN05 03:51	5295.2	AFHR		XXXXXXXXXXXXXXXXXXXX
29JUN05 03:42	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		FRONT AND REAR PARA'S R.F.A.				29JUN05 03:51
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV FRONT AND REAR PARA'S FITTED IAW AAP 7291.042-2MB1

REMOVALS/INSTALLATIONS FOR A1PXXUY511836

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	MB13012	A23T	A26BA	00	MB13807	A23T	A26BA	00
	MBEU12043PA		29JUN05 03:43	A1PXXJY512077	MBEU12043PA		29JUN05 03:50	
002	MB13508	A23T	A1WBA	00	R616186	A23T	A1WBA	00
	MBEU100664		29JUN05 03:44	A1PXXJY512078	MBEU100664		29JUN05 03:48	

A1PXXUY511902	COMPLETED	30JUN05 00:48	5295.2	AFHR		XXXXXXXXXXXXXXXXXXXX
30JUN05 00:34	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		ECS OFF TO LOW AND LOW TO HIGH OUT OF LIMITS				30JUN05 00:48
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV PRSOV FITTED IAW 7212.007-2.

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02721  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

REMOVALS/INSTALLATIONS FOR A1PXXUY511902

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
=====	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	977	A23T	A0Q	00	942	A23T	A0Q	00
	3213876-9		30JUN05 00:39	A1PXXJY512186	3213876-9		30JUN05 00:44	

A1PXXUY510867	COMPLETED	30JUN05 23:25	5295.2	AFHR	XXxxXXxxXXxxXXxxXXxx
30JUN05 22:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		

S56 due on Serial A23-033  
 PC-9 at WAC 0000

XXxxXXxxXXxxXXxxXXxx  
 30JUN05 23:25  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S56 SERV C/O IAW AAP 7212.007-6-4

A1PXXUY511174	COMPLETED	04JUL05 00:24	5295.2	AFHR	XXxxXXxxXXxxXXxxXXxx
30JUN05 22:55	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		

STI-PC9-0354 due on Serial A23-033  
 PC-9 at WAC 0000

XXxxXXxxXXxxXXxxXXxx  
 04JUL05 00:24  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-0354 C/O SERV

A1PXXUY511197	COMPLETED	30JUN05 23:32	5295.2	AFHR	XXxxXXxxXXxxXXxxXXxx
30JUN05 23:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		

S40 due on Serial A23-033  
 PC-9 at WAC 0000

XXxxXXxxXXxxXXxxXXxx  
 30JUN05 23:32  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERV C/O IAW AAP 7212.007-6-4

A1PXXUY512038	COMPLETED	04JUL05 03:15	5295.2	AFHR	XXxxXXxxXXxxXXxxXXxx
04JUL05 00:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		

ENG COWL 1+ 2 R.F.A.

XXxxXXxxXXxxXXxxXXxx  
 04JUL05 03:15  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: ENG COWL 1 + 2 REFITTED IAW AAP 7212.007-2

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02722  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
REMOVALS/INSTALLATIONS FOR A1PXXUY512038

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	HLY300477	A23T	A06	00	HLY300477	A23T	A06	00
	571.10.09.044		04JUL05 00:13	A1PXXJY512295	571.10.09.044		04JUL05 03:14	

A1PXXUY512041 COMPLETED 04JUL05 00:18 5295.2 AFHR  
04JUL05 00:16 XXXXX  
REAR CLOCK PANEL R.F.A.  
XXXXXXXXXXXXXXXXXXXX  
XXXXXXXXXXXXXXXXXXXX  
04JUL05 00:18  
XXXXXXXXXXXXXXXXXXXX

Maint Acts: REAR CLOCK PANEL REFITTED IAW AAP 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY512041

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	621045	A23T	A1UGI	00	621045	A23T	A1UGI	00
	Q17-941.22.052AB		04JUL05 00:17	A1PXXJY512297	Q17-941.22.052AB		04JUL05 00:18	

A1PXXUY512072 COMPLETED 01MAY06 00:40 5295.2 AFHR  
04JUL05 02:27 XXXXX  
FROM EE500 361195-1B #7 - DENT ON ELEVATOR TRAILING EDGE, LHS  
XXXXXXXXXXXXXXXXXXXX  
XXXXXXXXXXXXXXXXXXXX  
01MAY06 00:40  
XXXXXXXXXXXXXXXXXXXX

Maint Acts: CFC TX TO A23-002

A1PXXUY512045 COMPLETED 04JUL05 05:55 5295.2 AFHR  
04JUL05 05:53 XXXXX  
STI-PC9-0373 due on Serial A23-033  
PC-9 at WAC 0000  
XXXXXXXXXXXXXXXXXXXX  
04JUL05 05:55  
XXXXXXXXXXXXXXXXXXXX

Maint Acts: STI PC9 0373 CARRIED OUT SERV

A1PXXUY512677 COMPLETED 27JUL05 11:25 5295.2 AFHR  
18JUL05 08:11 XXXXX  
REAR ESDP CANNIBALISED TO A23-047  
XXXXXXXXXXXXXXXXXXXX  
27JUL05 11:25  
XXXXXXXXXXXXXXXXXXXX

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 02723  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: SERV ESDP FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY512677

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	7080064A	A23T	A1UHO	00	90100102	A23T	A1UHO	00
	150.0001-2		18JUL05 08:13	A1PXXJY513024	150.0001-2		27JUL05 11:23	

A1PXXUY512720 COMPLETED 27JUL05 11:22 5295.2 AFHR XXxxXXxxXXxxXXxxXXxx  
19JUL05 01:14 XXxxXXxx  
ESDP REMOVED SERV TO A23-047  
XXxxXXxxXXxxXXxxXXxx  
27JUL05 11:22  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV ESDP FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY512720

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	89050045	A23T	A1UDI	00	91040134	A23T	A1UDI	00
	150.0001-2		19JUL05 01:18	A1PXXJY513075	150.0001-2		27JUL05 11:20	

A1PXXUY512736 COMPLETED 27JUL05 11:45 5295.2 AFHR XXxxXXxxXXxxXXxxXXxx  
19JUL05 04:49 XXxxXXxx  
SYMBOL GENERATOR REMOVED SERV TO A23-042  
XXxxXXxxXXxxXXxxXXxx  
27JUL05 11:45  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: SYMBOL GEN REPLACED

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY512736

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	3558	A23T	A1UOS	00	3171	A23T	A1UOS	00
	066-04015-0003		19JUL05 04:51	A1PXXJY513091	3614335-1004		27JUL05 11:44	

A1PXXUY512800 COMPLETED 20JUL05 05:10 5295.2 AFHR XXxxXXxxXXxxXXxxXXxx  
 20JUL05 00:47 XXxxXXxx XXxxXXxxXXxxXXxx AIP  
 ELU REMOVED FOR ACCESS  
 XXxxXXxxXXxxXXxxXXxx  
 20JUL05 05:10  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: ELU REFITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY512800

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	B13874	A23T	A1SAG	01	B13874	A23T	A1SAG	01
	3244890-2		20JUL05 00:48	A1PXXJY513152	3244890-2		20JUL05 05:09	

A1PXXUY512907 COMPLETED 28JUL05 00:15 5295.2 AFHR XXxxXXxxXXxxXXxxXXxx  
 21JUL05 05:50 XXxxXXxx XXxxXXxxXXxxXXxx AIP  
 LOWER BEACON POWER SUPPLY CANNIBALISED  
 XXxxXXxxXXxxXXxxXXxx  
 28JUL05 00:15  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV POWER SUPPLY FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY512907

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	2592	A23T	A1UNO	00	2069	A23T	A1UNO	00
	04-1504-3428		21JUL05 05:53	A1PXXJY513256	04-1504-3428		28JUL05 00:13	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY512945	COMPLETED	28JUL05 00:21	5295.2	AFHR		XXXXXXXXXXXXXXXXXXXX
22JUL05 07:28	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		UPPER BEACON PWR SUPPLY CANNIBALISED TO A23-040				28JUL05 00:21
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV POWER SUPPLY FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY512945

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	2549	A23T	A2KEW	00	2603	A23T	A2KEW	00
	04-1504-3428		22JUL05 07:33	A1PXXJY513295	04-1504-3428		28JUL05 00:16	

A1PXXUY511957	COMPLETED	27JUL05 22:44	5295.2	AFHR		XXXXXXXXXXXXXXXXXXXX
27JUL05 22:16	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S40 due on Serial A23-033				27JUL05 22:44
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX

Maint Acts: S40 SERVICING C/O IAW AAP 7212.007-2

A1PXXUY513238	COMPLETED	28JUL05 04:38	5295.2	AFHR		XXXXXXXXXXXXXXXXXXXX
28JUL05 04:35	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		FUEL FLOW INDICATIONS ERRATIC DURING ENG RUN				28JUL05 04:38
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV FUEL FLOW TX FITTED

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02726  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20  
REMOVALS/INSTALLATIONS FOR A1PXXUY513238

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
=====	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1668	A23T	A1SAI20	00	2617	A23T	A1SAI20	00
	151-906-010		28JUL05 04:37	A1PXXJY513556	975.35.12.602		28JUL05 04:37	

A1PXXUY513173 COMPLETED 03AUG05 22:20 5303.1 AFHR XXxxXXxxXXxxXXxxXXxx  
03AUG05 10:28 XXxxXXxx

S40 due on Serial A23-033  
PC-9 at WAC 0000

Maint Acts: S40 SERV C/OUT

A1PXXUY512049 COMPLETED 08AUG05 23:57 5312.8 AFHR XXxxXXxxXXxxXXxxXXxx  
08AUG05 23:55 XXxxXXxx

STI-PC9-0354 due on Serial A23-033  
PC-9 at WAC 0000

Maint Acts: STI-PC9-0354 REINC

A1PXXUY513688 COMPLETED 10AUG05 10:39 5312.8 AFHR XXxxXXxxXXxxXXxxXXxx  
10AUG05 09:02 XXxxXXxx

STI-PC9-0354 due on Serial A23-033  
PC-9 at WAC 0000

Maint Acts: STI PC9 -0354 RINC

A1PXXUY513497 COMPLETED 10AUG05 23:04 5317.1 AFHR XXxxXXxxXXxxXXxxXXxx  
10AUG05 09:48 XXxxXXxx

S40 due on Serial A23-033  
PC-9 at WAC 0000

Maint Acts: S40 SERV C/OUT

A1PXXUY513829 COMPLETED 16AUG05 02:06 5326.5 AFHR XXxxXXxxXXxxXXxxXXxx  
16AUG05 02:05 XXxxXXxx

STI-PC9-0354 due on Serial A23-033  
PC-9 at WAC 0000

Maint Acts: STI-PC9-0354 RINC



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02727  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY513707	COMPLETED	17AUG05 02:34	5326.5	AFHR		XXxxXXxxXXxxXXxxXXxx
17AUG05 02:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0376	due on Serial A23-033			17AUG05 02:34
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	STI-PC9-0376 INC				

A1PXXUY513838	COMPLETED	17AUG05 23:18	5327.8	AFHR		XXxxXXxxXXxxXXxxXXxx
17AUG05 07:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40	due on Serial A23-033			17AUG05 23:18
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 SERV C/OUT				

A1PXXUY514291	COMPLETED	22AUG05 07:20	5333.5	AFHR		XXxxXXxxXXxxXXxxXXxx
22AUG05 07:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS	due on Serial 8086418			22AUG05 07:20
		SET EMERG OXYGEN	at WAC 0740			XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	SERV SEO FITTED IAW 7212.007-2				

REMOVALS/INSTALLATIONS FOR A1PXXUY514291

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	8086418	A23T	A26BE	00	1647297	A23T	A26BE	00
	MBEU100618		22AUG05 07:17	A1PXXJY414479	MBEU100618		22AUG05 07:17	

A1PXXUY514143	COMPLETED	24AUG05 23:17	5338.6	AFHR		XXxxXXxxXXxxXXxxXXxx
24AUG05 09:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40	due on Serial A23-033			24AUG05 23:17
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: CARRIED OUT S40

A1PXXUY514436	COMPLETED	25AUG05 04:13	5340.0	AFHR		XXxxXXxxXXxxXXxxXXxx
25AUG05 04:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		REAR ESDP FROZE FOR 30 MIN				25AUG05 04:13
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV ESDO FIOTTED

REMOVALS/INSTALLATIONS FOR A1PXXUY514436

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	90100102	A23T	A1UHO	00	88010008B	A23T	A1UHO	00
	150.0001-2		25AUG05 04:09	A1PXXJY514889	150.0001-2		25AUG05 04:11	

A1PXXUY514650	COMPLETED	30AUG05 03:30	5344.7	AFHR		XXxxXXxxXXxxXXxxXXxx
30AUG05 03:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial 765				30AUG05 03:30
		REG PRESS REDUCING at WAC 0640				XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV PRESS REDUCER FITTED IAW 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY514650

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	765	A23T	A1UNC	00	4648	A23T	A1UNC	00
	27660-3		30AUG05 03:26	ESLXXJ300738X	27660-3		30AUG05 03:28	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY514054 30AUG05 09:20	COMPLETED XXxxXXxx	30AUG05 09:22 XXxxXXxxXXxxXXxxXXxx	5346.9 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx 30AUG05 09:22 XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0354 PC-9	due on Serial A23-033 at WAC 0000			
	Maint Acts:	STI-PC9-354 C/O SERV				
A1PXXUY514411 31AUG05 10:34	COMPLETED XXxxXXxx	31AUG05 23:26 XXxxXXxxXXxxXXxxXXxx	5349.6 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx 31AUG05 23:26 XXxxXXxxXXxxXXxxXXxx
		S40 PC-9	due on Serial A23-033 at WAC 0000			
	Maint Acts:	S40 CARRIED OUT IAW AAP 7212.007-2 AND BLI #7				
A1PXXUY514767 07SEP05 09:53	COMPLETED XXxxXXxx	07SEP05 23:10 XXxxXXxxXXxxXXxxXXxx	5357.5 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx 07SEP05 23:10 XXxxXXxxXXxxXXxxXXxx
		S40 PC-9	due on Serial A23-033 at WAC 0000			
	Maint Acts:	S40 CO IAW 7212.007-2				
A1PXXUY515288 13SEP05 07:10	COMPLETED XXxxXXxx	13SEP05 09:32 XXxxXXxxXXxxXXxxXXxx	5368.4 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx 13SEP05 09:32 XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0354 TO BE RINC				
	Maint Acts:	STI-PC9-0354 RINC				
A1PXXUY511726 13SEP05 11:26	COMPLETED XXxxXXxx	13SEP05 22:55 XXxxXXxxXXxxXXxxXXxx	5370.1 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx 13SEP05 22:55 XXxxXXxxXXxxXXxxXXxx
		S26 PC-9	due on Serial A23-033 at WAC 0000			
	Maint Acts:	S26 CARRIED OUT IAW AAP 7212.007-6-4				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02730  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY514677	COMPLETED	13SEP05 11:40	5370.1	AFHR		XXxxXXxxXXxxXXxxXXxx
13SEP05 11:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0354	due on Serial A23-033			13SEP05 11:40
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	STI 354 RINC				

A1PXXUY515020	COMPLETED	14SEP05 23:27	5372.5	AFHR		XXxxXXxxXXxxXXxxXXxx
14SEP05 11:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40	due on Serial A23-033			14SEP05 23:27
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 C/OUT IAW 7212.007-2				

A1PXXUY515570	COMPLETED	20SEP05 10:58	5381.5	AFHR		XXxxXXxxXXxxXXxxXXxx
20SEP05 10:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		LH BRAKE UNIT WORN TO LIMITS				20SEP05 10:58
						XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	SERV BRAKE UNIT FITTED IAW 7212.007-2				

REMOVALS/INSTALLATIONS FOR A1PXXUY515570

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0126	A23T	A2KDI	00	0497P	A23T	A2KDI	00
	2-1524-1		20SEP05 10:55	A1PXXJY524182	2-1524-1		20SEP05 10:56	

A1PXXUY515392	COMPLETED	21SEP05 23:13	5383.9	AFHR		XXxxXXxxXXxxXXxxXXxx
21SEP05 09:03	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40	due on Serial A23-033			21SEP05 23:13
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: S40 SERV C/OUT

A1PXXUY515725	COMPLETED	23SEP05 03:20	5386.3	AFHR		XXxxXXxxXXxxXXxxXXxx
23SEP05 03:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS		due on Serial 1275		23SEP05 03:20
		BATTERY NICAD		at WAC 0660		XXxxXXxxXXxxXXxxXXxx

Maint Acts: BATT NICAD REPLACED

REMOVALS/INSTALLATIONS FOR A1PXXUY515725

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1275	A23T	A1UOA	00	1535	A23T	A1UOA	00
	33490409201		23SEP05 03:10	A1PXXJY512048	33490409201		23SEP05 03:17	

A1PXXUY515309	COMPLETED	27SEP05 06:22	5386.3	AFHR		XXxxXXxxXXxxXXxxXXxx
27SEP05 06:21	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0354		due on Serial A23-033		27SEP05 06:22
		PC-9		at WAC 0000		XXxxXXxxXXxxXXxxXXxx

Maint Acts: SDTI-PC9-0354 RINC

A1PXXUY515640	COMPLETED	28SEP05 23:15	5390.3	AFHR		XXxxXXxxXXxxXXxxXXxx
28SEP05 11:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40		due on Serial A23-033		28SEP05 23:15
		PC-9		at WAC 0000		XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 CARRIED OUT IAW7212.007-6-4

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY515904	COMPLETED	29SEP05 03:32	5390.3	AFHR		XXxxXXxxXXxxXXxxXXxx
29SEP05 03:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FRONT ESDP DELAMINATED OIL TEMP MODULE				29SEP05 03:32
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: FRONT ESDP REPLACED

REMOVALS/INSTALLATIONS FOR A1PXXUY515904

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	91040134	A23T	A1UDI	00	7080064A	A23T	A1UDI	00
	150.0001-2		29SEP05 03:15	A1PXXJY524555	150.0001-2		29SEP05 03:31	

A1PXXUY516105	COMPLETED	04OCT05 11:09	5393.5	AFHR		XXxxXXxxXXxxXXxxXXxx
04OCT05 11:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0383		due on Serial L032131		04OCT05 11:09
		HARNES		at WAC 0740		XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-0383 INCORPORATED

A1PXXUY516113	COMPLETED	04OCT05 11:34	5393.5	AFHR		XXxxXXxxXXxxXXxxXXxx
04OCT05 11:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0383		due on Serial L032123		04OCT05 11:34
		HARNES		at WAC 0730		XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-0383 INCORPORATED

A1PXXUY515860	COMPLETED	05OCT05 23:20	5394.4	AFHR		XXxxXXxxXXxxXXxxXXxx
05OCT05 11:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40		due on Serial A23-033		05OCT05 23:20
		PC-9		at WAC 0000		XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: S40 CARRIED OUT IAW 7212.007-6-4

A1PXXUY515782	COMPLETED	10OCT05 08:58	5405.4	AFHR		XXxxXXxxXXxxXXxxXXxx
10OCT05 08:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0354	due on Serial A23-033			10OCT05 08:58
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-354 C/O SERV

A1PXXUY516341	COMPLETED	10OCT05 23:32	5407.9	AFHR		XXxxXXxxXXxxXXxxXXxx
10OCT05 23:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		TA	due on Serial HLY301125			10OCT05 23:32
		VALVE REFILL OXYGEN	at WAC 0640			XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV FILLER VALVE FITTED IAW AAP 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY516341

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	HLY301125	A23T	A1UMU	01	PCY501393	A23T	A1UMU	01
	963.02.81.103		10OCT05 23:30	A1PXXJY303515	26875-48		10OCT05 23:30	

A1PXXUY516400	COMPLETED	11OCT05 12:02	5407.9	AFHR		XXxxXXxxXXxxXXxxXXxx
11OCT05 11:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS	due on Serial 0835001			11OCT05 12:02
		CRASH POSN IND	at WAC 0660			XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV CPI FITTED IAW 7212.007-2

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY516400

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	0835001	A23T	A1UOY	00	0504001	A23T	A1UOY	00
	453-0406		11OCT05 11:55	A1PXXJY420548	453-0406		11OCT05 11:57	

A1PXXUY516401 COMPLETED 11OCT05 11:57 5407.9 AFHR  
 11OCT05 11:53 XXXX  
 AIRBRAKE ACTUATOR NOISY AND EXTENDING AND VARIABLE SPEEDS  
 11OCT05 11:57  
 XXXX

Maint Acts: SERV AIRBRAKE ACTUATOR FITTED IAW AAP7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY516401

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	FYH162455	A23T	A2KBE	00	FYH162876	A23T	A2KBE	00
	4041 H3		11OCT05 11:54	A1PXXJY525154	4041 H3		11OCT05 11:55	

A1PXXUY516174 COMPLETED 12OCT05 23:39 5410.2 AFHR  
 12OCT05 14:24 XXXX  
 S40 due on Serial A23-033  
 PC-9 at WAC 0000  
 12OCT05 23:39  
 XXXX

Maint Acts: S40 CO SERV

A1PXXUY516629 COMPLETED 17OCT05 05:39 5416.5 AFHR  
 17OCT05 05:36 XXXX  
 REAR SEAT SEO TRIPPED BY PILOT  
 17OCT05 05:39  
 XXXX

Maint Acts: SERV SEO FITTED IAW AAP 7212.007-2



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 02735  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
REMOVALS/INSTALLATIONS FOR A1PXXUY516629

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	1647297	A23T	A26BE	00	1690655	A23T	A26BE	00
MBEU100618	17OCT05 05:37	A1PXXJY525467	MBEU100618	17OCT05 05:38				

A1PXXUY516328 COMPLETED 18OCT05 07:56 5421.5 AFHR XXxxXXxxXXxxXXxxXXxx  
18OCT05 07:52 XXxxXXxx

STI-PC9-0354 due on Serial A23-033  
PC-9 at WAC 0000

Maint Acts: STI-PC9-0354

A1PXXUY516481 COMPLETED 19OCT05 23:44 5426.3 AFHR XXxxXXxxXXxxXXxxXXxx  
19OCT05 13:46 XXxxXXxx

S40 due on Serial A23-033  
PC-9 at WAC 0000

Maint Acts: S40 CO SWERV

A1PXXUY516915 COMPLETED 21OCT05 04:40 5430.1 AFHR XXxxXXxxXXxxXXxxXXxx  
21OCT05 04:35 XXxxXXxx

SEO FIRED

Maint Acts: SEO REPLACED WITH SERV

REMOVALS/INSTALLATIONS FOR A1PXXUY516915

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	1647326	A23T	A1WBE	00	2923798	A23T	A1WBE	00
MBEU100618	21OCT05 04:36	A1PXXJY525836	MBEU100618	21OCT05 04:39				

A1PXXUY516690 COMPLETED 24OCT05 09:02 5434.2 AFHR XXxxXXxxXXxxXXxxXXxx  
24OCT05 09:02 XXxxXXxx

STI-PC9-0354 due on Serial A23-033  
PC-9 at WAC 0000

24OCT05 09:02  
XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: STI 354 RINC

A1PXXUY516784	COMPLETED	27OCT05 02:23	5440.0	AFHR		XXxxXXxxXXxxXXxxXXxx
26OCT05 10:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				27OCT05 02:23
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERV C/OUT

A1PXXUY517165	COMPLETED	26OCT05 10:51	5440.0	AFHR		XXxxXXxxXXxxXXxxXXxx
26OCT05 10:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		LH TYRE WTL				26OCT05 10:51
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV TYRE FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY517165

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0116	A23T	A2KDM	01	0121	A23T	A2KDM	01
	3-1555		26OCT05 10:49	A1PXXJY526244	3-1555		26OCT05 10:50	

A1PXXUY517108	COMPLETED	28OCT05 05:52	5445.0	AFHR		XXxxXXxxXXxxXXxxXXxx
28OCT05 05:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0387 due on Serial A23-033				28OCT05 05:52
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI 387 INC

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY508236 30OCT05 22:31	COMPLETED XXxxXXxx	08NOV05 07:44 XXxxXXxxXXxxXXxxXXxx	5445.0 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0367 PC-9	due on Serial A23-033 at WAC 0000			XXxxXXxxXXxxXXxxXXxx 08NOV05 07:44 XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	STI 367 CO				
A1PXXUY511703 30OCT05 22:31	COMPLETED XXxxXXxx	08NOV05 07:44 XXxxXXxxXXxxXXxxXXxx	5445.0 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0342 PC-9	due on Serial A23-033 at WAC 0000			XXxxXXxxXXxxXXxxXXxx 08NOV05 07:44 XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	STI 342 CO				
A1PXXUY511721 30OCT05 22:31	COMPLETED XXxxXXxx	01NOV05 03:07 XXxxXXxxXXxxXXxxXXxx	5445.0 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx
		S20 PC-9	due on Serial A23-033 at WAC 0000			XXxxXXxxXXxxXXxxXXxx 01NOV05 03:07 XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	WASH C/O SERV				
A1PXXUY511725 30OCT05 22:31	COMPLETED XXxxXXxx	03NOV05 03:15 XXxxXXxxXXxxXXxxXXxx	5445.0 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx
		STI-PC9-339A PC-9	due on Serial A23-033 at WAC 0000			XXxxXXxxXXxxXXxxXXxx 03NOV05 03:15 XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	STI-PC9-339A RINC				
A1PXXUY517283 30OCT05 22:31	COMPLETED XXxxXXxx	03NOV05 02:27 XXxxXXxxXXxxXXxxXXxx	5445.0 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx
		STI-PC9-255B VERTICAL STAB ASSY	due on Serial 533 at WAC 1400			XXxxXXxxXXxxXXxxXXxx 03NOV05 02:27 XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	STI-PC9-255B CARRIED OUT				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02738  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY517284 30OCT05 22:31	COMPLETED XXxxXXxx	03NOV05 02:26 XXxxXXxxXXxxXXxxXXxx STI-PC9-255B due on Serial 42 HORIZONTAL STAB ASS at WAC 1100 Maint Acts: STI-PC9-255B CARRIED OUT	5445.0 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx XXxxXXxxXXxxXXxxXXxx 03NOV05 02:26 XXxxXXxxXXxxXXxxXXxx
A1PXXUY517285 30OCT05 22:31	COMPLETED XXxxXXxx	03NOV05 02:59 XXxxXXxxXXxxXXxxXXxx STI-PC9-257C due on Serial 527 WING ASSY at WAC 1500 STI-PC9-0379 due on Serial 527 WING ASSY at WAC 1500 Maint Acts: STI-PC9-0379 COMPLETED	5445.0 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx XXxxXXxxXXxxXXxxXXxx 03NOV05 02:59 XXxxXXxxXXxxXXxxXXxx
A1PXXUY511956 30OCT05 22:31	COMPLETED XXxxXXxx	08NOV05 08:45 XXxxXXxxXXxxXXxxXXxx S18 due on Serial A23-033 PC-9 at WAC 0000 Maint Acts: S18 SERV CO	5445.0 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx XXxxXXxxXXxxXXxxXXxx 08NOV05 08:45 XXxxXXxxXXxxXXxxXXxx
A1PXXUY515313 30OCT05 22:31	COMPLETED XXxxXXxx	03NOV05 03:17 XXxxXXxxXXxxXXxxXXxx S26 due on Serial A23-033 PC-9 at WAC 0000 Maint Acts: S26 CARRIED OUT IAW 7212.007-2	5445.0 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx XXxxXXxxXXxxXXxxXXxx 03NOV05 03:17 XXxxXXxxXXxxXXxxXXxx
A1PXXUY511747 30OCT05 22:31	COMPLETED XXxxXXxx	08NOV05 07:45 XXxxXXxxXXxxXXxxXXxx S16 due on Serial A23-033 PC-9 at WAC 0000	5445.0 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx XXxxXXxxXXxxXXxxXXxx 08NOV05 07:45 XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 02739  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
=====						
	Maint Acts:	S16 CO				
A1PXXUY505302 30OCT05 22:31	COMPLETED XXxxXXxx	09NOV05 07:17 XXxxXXxxXXxxXXxxXXxx	5445.0 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx XXxxXXxxXXxxXXxxXXxx 09NOV05 07:17 XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	R1 PC-9	due on Serial A23-033 at WAC 0000			
A1PXXUY505292 30OCT05 22:31	COMPLETED XXxxXXxx	08NOV05 07:45 XXxxXXxxXXxxXXxxXXxx	5445.0 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx XXxxXXxxXXxxXXxxXXxx 08NOV05 07:45 XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	7212.007-228 PC-9	due on Serial A23-033 at WAC 0000			
A1PXXUY510866 30OCT05 22:31	COMPLETED XXxxXXxx	01NOV05 07:08 XXxxXXxxXXxxXXxxXXxx	5445.0 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx XXxxXXxxXXxxXXxxXXxx 01NOV05 07:08 XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S50 PC-9	due on Serial A23-033 at WAC 0000			
A1PXXUY517188 30OCT05 22:31	COMPLETED XXxxXXxx	08NOV05 08:45 XXxxXXxxXXxxXXxxXXxx	5445.0 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx XXxxXXxxXXxxXXxxXXxx 08NOV05 08:45 XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 PC-9	due on Serial A23-033 at WAC 0000			
A1PXXUY516237 30OCT05 22:31	COMPLETED XXxxXXxx	08NOV05 07:46 XXxxXXxxXXxxXXxxXXxx	5445.0 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx XXxxXXxxXXxxXXxxXXxx 08NOV05 07:46 XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	7212.007-237 PC-9	due on Serial A23-033 at WAC 0000			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN		
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME		
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR		
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME		
EE500PG EE500LN						INSPECTOR		
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME		
=====								
	Maint Acts:	MOD 237 CO						
A1PXXUY516984	COMPLETED	03NOV05 00:54	5445.0	AFHR		XXxxXXxxXXxxXXxxXXxx		
30OCT05 22:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx		
		STI-PC9-0354	due on Serial A23-033			03NOV05 00:54		
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx		
	Maint Acts:	STI-PC9-0354 CARRIED OUT						
A1PXXUY517286	COMPLETED	03NOV05 02:42	5445.0	AFHR		XXxxXXxxXXxxXXxxXXxx		
30OCT05 22:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx		
		BS	due on Serial 1535			03NOV05 02:42		
		BATTERY NICAD	at WAC 0660			XXxxXXxxXXxxXXxxXXxx		
	Maint Acts:	SERV BATT NICAD FITTED IAW 7212.007-2						
REMOVALS/INSTALLATIONS FOR A1PXXUY517286								
SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1535	A23T	A1UOA	00	0935	A23T	A1UOA	00
	33490409201		03NOV05 02:37	A1PXXJY524364	33490409201		03NOV05 02:41	
A1PXXUY517287	COMPLETED	07NOV05 00:40	5445.0	AFHR		XXxxXXxxXXxxXXxxXXxx		
30OCT05 22:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx		
		STI-PC9-370B	due on Serial PCY401131			07NOV05 00:40		
		EMERG LG CABLE	at WAC 0630			XXxxXXxxXXxxXXxxXXxx		
		STI-PC9-370C	due on Serial PCY401131					
		EMERG LG CABLE	at WAC 0630					
	Maint Acts:	STI-PC9-0370B AND C						

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY517323	COMPLETED	08NOV05 00:45	5445.0	AFHR		XXXXXXXXXXXXXXXXXXXX
31OCT05 04:48	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		FRONT SEAT RFA				08NOV05 00:45
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: FRONT SEAT REFITTED SERV

REMOVALS/INSTALLATIONS FOR A1PXXUY517323

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	101	A23T	A1W	00	101	A23T	A1W	00
	AU11A-1		31OCT05 04:48	A1PXXJY526482	AU11A-1		08NOV05 00:43	

A1PXXUY517405	COMPLETED	01NOV05 03:15	5445.0	AFHR		XXXXXXXXXXXXXXXXXXXX
01NOV05 03:08	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		LP FUEL FILTER DUE B/S				01NOV05 03:15
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV LP FUEL FILTER FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY517405

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	L233244	A23T	A1UJK00	00	L320786	A23T	A1UJK00	00
	03W1738-231		01NOV05 03:10	A1PXXJY526545	03W1738-231		01NOV05 03:12	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY517406	COMPLETED	03NOV05 03:47	5445.0	AFHR		XXXXXXXXXXXXXXXXXXXX
01NOV05 03:15	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		ELEVATOR R.F.A.				03NOV05 03:47
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: ELEVATOR REFITTED SERV

REMOVALS/INSTALLATIONS FOR A1PXXUY517406

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	064	A23T	A2IBC	00	064	A23T	A2IBC	00
	555.20.09.256		01NOV05 03:17	A1PXXJY526546	555.20.09.256		03NOV05 03:46	

A1PXXUY517436	COMPLETED	01NOV05 07:13	5445.0	AFHR		XXXXXXXXXXXXXXXXXXXX
01NOV05 07:09	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		OIL FITER R.F.A.				01NOV05 07:13
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: OIL FILTER CLEANED AND REFITTED SERV

REMOVALS/INSTALLATIONS FOR A1PXXUY517436

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PCY501017	A23T	A1SAK34	00	PCY501017	A23T	A1SAK34	00
	3034293		01NOV05 07:11	A1PXXJY526576	3034293		01NOV05 07:12	



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY517574	COMPLETED	08NOV05 07:43	5445.0	AFHR		XXXXXXXXXXXXXXXXXXXX
03NOV05 06:57	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		FRONT CLOCK PANEL RFA				08NOV05 07:43
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: PANEL REFITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY517574

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	703606	A23T	A1UCC	00	703606	A23T	A1UGI	00
	Q17-941.22.052AB		03NOV05 06:59	A1PXXJY526773	Q17-941.22.052AB		08NOV05 07:42	

A1PXXUY517575	COMPLETED	07NOV05 00:04	5445.0	AFHR		XXXXXXXXXXXXXXXXXXXX
03NOV05 06:58	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		FRONT LGPU RFA				07NOV05 00:04
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: FRONT LGPU FITTED IAW 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY517575

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	126	A23T	A1UCQ	00	126	A23T	A1UCQ	00
	532.30.09.216		03NOV05 06:59	A1PXXJY526774	532.30.09.216		07NOV05 00:02	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY517668	COMPLETED	07NOV05 00:51	5445.0	AFHR		XXXXXXXXXXXXXXXXXXXX
07NOV05 00:41	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		REAR FWD CLOCK PANAL R.F.A.				07NOV05 00:51
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: CLOCK PANEL REPLACED SERV

REMOVALS/INSTALLATIONS FOR A1PXXUY517668

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	621045	A23T	A1UGI	00	621045	A23T	A1UCC	00
	Q17-941.22.052AB		07NOV05 00:47	A1PXXJY526835	Q17-941.22.052AB		07NOV05 00:48	

A1PXXUY517689	COMPLETED	08NOV05 00:03	5445.0	AFHR		XXXXXXXXXXXXXXXXXXXX
07NOV05 05:48	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		SOLENIOD VALE TAKING TO LONG TO OPERATE ON EFCU.				08NOV05 00:03
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: NEW SOLENOID FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY517689

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	C49217	A23T	A1SAK60	00	C49225	A23T	A1SAK60	00
	3037189		07NOV05 05:50	A1PXXJY527090	3037189		08NOV05 00:01	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 02745  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY517726	COMPLETED	08NOV05 00:02	5445.0	AFHR		XXXXXXXXXXXXXXXXXXXX
07NOV05 23:59	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		STI-PC9-0330 due on Serial 1210				08NOV05 00:02
		INVERTER GENERATOR at WAC 066S				XXXXXXXXXXXXXXXXXXXX
		Maint Acts: STI-PC9-0330 INC				

REMOVALS/INSTALLATIONS FOR A1PXXUY517726

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1210	A23T	A1UOG	00	6567	A23T	A1UOG	01
	154925-0101		08NOV05 00:00	A1PXXJY406638	975.04.21.103		08NOV05 00:00	

A1PXXUY517727	COMPLETED	08NOV05 00:05	5445.0	AFHR		XXXXXXXXXXXXXXXXXXXX
07NOV05 23:59	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		STI-PC9-0330 due on Serial 1043				08NOV05 00:05
		INVERTER BATTERY at WAC 066P				XXXXXXXXXXXXXXXXXXXX
		Maint Acts: STI-PC9-0330 INC				

REMOVALS/INSTALLATIONS FOR A1PXXUY517727

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1043	A23T	A1UOE	00	6568	A23T	A1UOE	01
	154925-0101		08NOV05 00:02	A1PXXJY406595	975.04.21.103		08NOV05 00:03	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02746  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY517296	COMPLETED	08NOV05 00:07	5445.0	AFHR		XXXXXXXXXXXXXXXXXXXX
08NOV05 00:06	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		STI-PC9-0388	due on Serial A23-033			08NOV05 00:07
		PC-9	at WAC 0000			XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	STI-PC9-0388 INC				

A1PXXUY517729	COMPLETED	09NOV05 03:50	5445.0	AFHR		XXXXXXXXXXXXXXXXXXXX
08NOV05 00:14	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BATT NICAD RFA				09NOV05 03:50
						XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	BATT NICAD REFITTED IAW 7212.007-2				

REMOVALS/INSTALLATIONS FOR A1PXXUY517729

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0935	A23T	A1UOA	00	0935	A23T	A1UOA	00
	33490409201		08NOV05 00:15	A1PXXJY527255	33490409201		09NOV05 03:50	

A1PXXUY517777	COMPLETED	09NOV05 01:04	5445.0	AFHR		XXXXXXXXXXXXXXXXXXXX
09NOV05 01:00	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		TQ FLUCTUATIONS DURING POST R1 CHECKS				09NOV05 01:04
						XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	SERV ELU FITTED IAW 7212.007-2				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20  
REMOVALS/INSTALLATIONS FOR A1PXXUY517777

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	B13874	A23T	A1SAG	01	B13973	A23T	A1SAG	01
3244890-2	09NOV05 01:02	A1PXXJY527502	3244890-2	09NOV05 01:03				

A1PXXUY517752 COMPLETED 15NOV05 23:06 5453.3 AFHR  
15NOV05 09:43 XXXX  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
Maint Acts: S40 SERV CARRIED OUT IAW AAP 7212-007-6-4.

A1PXXUY518051 COMPLETED 22NOV05 23:02 5463.6 AFHR  
22NOV05 07:00 XXXX  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
Maint Acts: S40 SERV C/OUT

A1PXXUY517543 COMPLETED 25NOV05 04:34 5471.6 AFHR  
25NOV05 03:32 XXXX  
STI-PC9-0354 due on Serial A23-033  
PC-9 at WAC 0000  
Maint Acts: STI-PC9-0354 C/O

A1PXXUY518296 COMPLETED 29NOV05 09:05 5479.0 AFHR  
29NOV05 09:00 XXXX  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
Maint Acts: S40 SERVICING CARRIED OUT AT ALBANY

A1PXXUY518569 COMPLETED 05DEC05 23:11 5488.5 AFHR  
05DEC05 08:24 XXXX  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
Maint Acts: S40 SERV C/OUT

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY518922	COMPLETED	08DEC05 10:56	5498.8	AFHR		XXXXXXXXXXXXXXXXXXXX
08DEC05 10:51	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		RH TYRE WORN T LIMITS				08DEC05 10:56
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV TYRE FITTED IAW 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY518922

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0143	A23T	A2KEI	01	0022	A23T	A2KEI	01
	3-1555		08DEC05 10:52	A1PXXJY528945	3-1555		08DEC05 10:54	

A1PXXUY519021	COMPLETED	15DEC05 04:42	5502.4	AFHR		XXXXXXXXXXXXXXXXXXXX
12DEC05 04:40	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		STARTER GENERATOR REMOVED FOR ENGINE CHANGE				15DEC05 04:42
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: STARTER REFITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY519021

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	4975	A23T	A1SAI14	00				
	23081-026		12DEC05 04:41	A1PXXJY529027				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02749  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY519026	COMPLETED	09JAN06 06:37	5502.4	AFHR		XXXXXXXXXXXXXXXXXXXX
12DEC05 04:48	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		OH due on Serial 103177				09JAN06 06:37
		ENGINE CHANGE UNIT at WAC 0100				XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV ECU FITTED IAW AAP 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY519026

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	R012553 578.10.09.023	A23T	A1SAM12 12DEC05 05:07	01 A1PXXJY529039				
002	L219987 578.10.09.018	A23T	A1SAM14 12DEC05 05:09	00 A1PXXJY529041				
003	AH1137AB 4049 H5	A23T	A1SAI12 12DEC05 05:11	01 A1PXXJY529044				
004	K33004 944.81.21.401	A23T	A1SAU 12DEC05 05:22	00 A1PXXJY529056				
005	K33003 944.81.21.401	A23T	A1SAQ 12DEC05 05:23	00 A1PXXJY529059				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02750  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
006	K33001 944.81.21.401	A23T	A1SAW 12DEC05 05:24	00 A1PXXJY529060				
007	K33002 944.81.21.401	A23T	A1SAS 12DEC05 05:25	00 A1PXXJY529061				
008	103177 3035300	A23T	A1S 12DEC05 05:29	00 A1PXXJ310346X	103155 3035300	A23T	A1S 15DEC05 04:44	00
009					L219987 578.10.09.018	A23T	A1SAM14 15DEC05 04:46	00

A1PXXUY519027 COMPLETED 09JAN06 06:35 5502.4 AFHR  
 12DEC05 04:50 XXXXX  
 XXXXX  
 PROP AND PROP ATTACHMENT BOLTS RFA  
 XXXXX  
 XXXXX  
 XXXXX

Maint Acts: PROP AND BOLTS REFITTED IAW AAP 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY519027

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	L133001 B-3339-1	A23T	A00AK 12DEC05 04:57	00 A1PXXJY529034	L133001 B-3339-1	A23T	A00AK 09JAN06 06:34	00
002	GG473 HC-D4N2A/D9512A	A23T	A00 12DEC05 05:03	00 A1PXXJY529036	GG473 HC-D4N2A/D9512A	A23T	A00 09JAN06 06:34	00



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02751  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY519036	COMPLETED	15DEC05 04:41	5502.4	AFHR		XXXXXXXXXXXXXXXXXXXX
12DEC05 05:13	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		PRSOV AND EDP RFA				15DEC05 04:41
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: PRSOV AND EDP FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY519036

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	942	A23T	A0Q	00	942	A23T	A0Q	00
	3213876-9		12DEC05 05:14	A1PXXJY529048	3213876-9		15DEC05 04:39	
002	B3657	A23T	A0K	00	B3657	A23T	A0K	00
	RG9570R1/M		12DEC05 05:41	A1PXXJY529067	RG9570R1/M		13DEC05 05:06	

A1PXXUY519147	COMPLETED	14DEC05 05:14	5502.4	AFHR		XXXXXXXXXXXXXXXXXXXX
14DEC05 00:25	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		RH MLG ACTUATOR LEAKING				14DEC05 05:14
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: ENTERED IN ERROR REMOVED FROM WRONG AIRCRAFT

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02752  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

REMOVALS/INSTALLATIONS FOR A1PXXUY519147

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	YH175829	A23T	A2KBO	00	YH175829	A23T	A2KBO	00
	4033 H2		14DEC05	00:26	4033 H2		14DEC05	05:12

A1PXXUY519160 COMPLETED 15DEC05 01:58 5502.4 AFHR  
 14DEC05 03:50 XXXX  
 XXXX  
 FRONT AND REAR PSPS, SEOS AND PARA ASSYS RFA  
 XXXX  
 XXXX

Maint Acts: FRONT AND REAR PSP'S, SEO'S AND PARA'S REFITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY519160

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	DF3234	A23T	A26BG	00				
	STANDARDPACK-1		14DEC05	03:51	A1PXXJY529163			
002	DE3066	A23T	A1WBG	00				
	STANDARDPACK-1		14DEC05	03:52	A1PXXJY529164			
003	1690655	A23T	A26BE	00				
	MBEU100618		14DEC05	03:53	A1PXXJY529165			
004	2923798	A23T	A1WBE	00				
	MBEU100618		14DEC05	03:53	A1PXXJY529166			
005	MB13807	A23T	A26BA	00				
	MBEU12043PA		14DEC05	03:54	A1PXXJY529167			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

006	R616186 MBEU100664	A23T	A1WBA 14DEC05	00 03:55	A1PXXJY529169			
-----	-----------------------	------	------------------	-------------	---------------	--	--	--

A1PXXUY519161	COMPLETED		15DEC05	01:00	5502.4	AFHR		
14DEC05	04:02	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx		AIP			XXxxXXxxXXxxXXxxXXxx
			BS		due on Serial DG0746			15DEC05 01:00
			VALVE COMMAND CONT		at WAC 0740			XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV VALVE COMMAND CONTROL REFITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY519161

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	DG0746 MBEU64438	A23T	A1UIY 14DEC05	00 04:21	A1PXXJY401330	DE3176 MBEU64438	A23T	A1UIY 15DEC05 00:59
-----	---------------------	------	------------------	-------------	---------------	---------------------	------	------------------------

A1PXXUY519162	COMPLETED		15DEC05	01:01	5502.4	AFHR		
14DEC05	04:02	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx		AIP			XXxxXXxxXXxxXXxxXXxx
			BS		due on Serial MG0015			15DEC05 01:01
			COM DEL BREECH UNIT		at WAC 0730			XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV COM DEL BREECH UNIT FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY519162

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	MG0015 MBEU100433	A23T	A1UJC 14DEC05	00 04:21	A1PXXJY401331	MC2681 MBEU100433	A23T	A1UJC 15DEC05 01:01
-----	----------------------	------	------------------	-------------	---------------	----------------------	------	------------------------

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY519163	COMPLETED	15DEC05 01:55	5502.4	AFHR		XXXXXXXXXXXXXXXXXXXX
14DEC05 04:02	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		TA	due on	Serial 3983304F		15DEC05 01:55
		SET CART EJECTION	at	WAC 0730		XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV CARTS FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY519163

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	3983304F	A23T	A1WAE	00				
	MBEU100021		14DEC05 04:17	A1PXXJY401498				

A1PXXUY519164	COMPLETED	15DEC05 01:57	5502.4	AFHR		XXXXXXXXXXXXXXXXXXXX
14DEC05 04:02	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		TA	due on	Serial 3983304R		15DEC05 01:57
		CARTRIDGE SET SEAT	at	WAC 0740		XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV CARTS FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY519164

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	3983304R	A23T	A26AE	00				
	MBEU100021		14DEC05 04:18	A1PXXJY401500				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY519165	COMPLETED	15DEC05 01:03	5502.4	AFHR		XXxxXXxxXXxxXXxxXXxx
14DEC05 04:02	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		TA	due on	Serial 4023304		15DEC05 01:03
		SET CART COMMAND	at	WAC 0700		XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV CARTS FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY519165

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	4023304	A23T	A1UJA	00	7323305	A23T	A1UJA	00
	MBEU60228		14DEC05 04:23	A1PXXJY401502	MBEU60228		15DEC05 01:02	

A1PXXUY519166	COMPLETED	14DEC05 04:17	5502.4	AFHR		XXxxXXxxXXxxXXxxXXxx
14DEC05 04:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		F AND R SEATS RFA				14DEC05 04:17
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: .

REMOVALS/INSTALLATIONS FOR A1PXXUY519166

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	101	A23T	A1W	00	101	A23T	A1W	00
	AU11A-1		14DEC05 04:10	A1PXXJY529171	AU11A-1		14DEC05 04:16	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02756  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
002	128	A23T	A26	00	128	A23T	A26	00
	AU11A-2		14DEC05 04:10	A1PXXJY529172	AU11A-2		14DEC05 04:16	

A1PXXUY519167 COMPLETED 15DEC05 02:00 5502.4 AFHR  
14DEC05 04:18 XXXXX  
F AND R SEATS RFA  
XXXXXXXXXXXXXXXXXXXXXXXX  
XXXXXXXXXXXXXXXXXXXXXXXX  
15DEC05 02:00  
XXXXXXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV FRONT AND REAR SEATS FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY519167

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	101	A23T	A1W	00	0073	A23T	A1W	00
	AU11A-1		14DEC05 04:19	A1PXXJY529173	AU11A-1		15DEC05 01:59	
002	128	A23T	A26	00	0074	A23T	A26	00
	AU11A-2		14DEC05 04:20	A1PXXJY529174	AU11A-2		15DEC05 01:59	

A1PXXUY519204 COMPLETED 15DEC05 07:30 5502.4 AFHR  
15DEC05 07:27 XXXXX  
ELU REMOVED FOR ACCESS  
XXXXXXXXXXXXXXXXXXXXXXXX  
XXXXXXXXXXXXXXXXXXXXXXXX  
15DEC05 07:30  
XXXXXXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV ELU FITTED IAW AAP 7212.007-2

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02757  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY519204

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	B14069	A23T	A1SAG	01	B13893	A23T	A1SAG	01
	3244890-3		15DEC05 07:28	A1PXXJY529268	3244890-2		15DEC05 07:29	

A1PXXUY519206 COMPLETED 15DEC05 11:53 5502.4 AFHR XXxxXXxxXXxxXXxxXXxx  
15DEC05 11:38 XXxxXXxx  
XXxxXXxxXXxxXXxxXXxx

FLOW DIVIDER PURGE VALVE REMOVED FOR ACCESS

Maint Acts: SERV FLOW DIVIDER/PURGE VALVE FITTED IAW AAP 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY519206

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	17609	A23T	A1SAK56	00	0062	A23T	A1SAK56	01
	3019906		15DEC05 11:50	A1PXXJY529270	3049656-01		15DEC05 11:51	

A1PXXUY600080 COMPLETED 11JAN06 05:58 5502.4 AFHR XXxxXXxxXXxxXXxxXXxx  
09JAN06 23:13 XXxxXXxx  
XXxxXXxxXXxxXXxxXXxx

ENGINE COWLS 1 AND 2 REMOVED FOR ACCESS

Maint Acts: COWLS REFITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY600080

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	HLY300477	A23T	A06	00	HLY300477	A23T	A06	00
	571.10.09.044		09JAN06 23:14	A1PXXJY600067	571.10.09.044		11JAN06 05:57	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY600121	COMPLETED	10JAN06 01:23	5502.4	AFHR		XXxxXXxxXXxxXXxxXXxx
10JAN06 01:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		RH BRAKE UNIT MOD. WORN BEYOND LIMITS.				10JAN06 01:23
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV BRAKE UNIT MOD FITTED IAW AAP 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY600121

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0082	A23T	A2KEE	00	0004	A23T	A2KEE	00
	2-1524-1		10JAN06 01:21	A1PXXJY600115	2-1524-1		10JAN06 01:22	

A1PXXUY518767	COMPLETED	11JAN06 06:07	5502.4	AFHR		XXxxXXxxXXxxXXxxXXxx
11JAN06 05:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40		due on Serial A23-033		11JAN06 06:07
		PC-9		at WAC 0000		XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERV C/O IAW AAP 7212.007-2

A1PXXUY600209	COMPLETED	18JAN06 07:53	5503.0	AFHR		XXxxXXxxXXxxXXxxXXxx
17JAN06 09:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40		due on Serial A23-033		18JAN06 07:53
		PC-9		at WAC 0000		XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERV CO IAW 7212.007-2

A1PXXUY600421	COMPLETED	18JAN06 00:14	5503.0	AFHR		XXxxXXxxXXxxXXxxXXxx
17JAN06 23:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS		due on Serial DN8236		18JAN06 00:14
		BCN UNDERWATER LOC		at WAC 0640		XXxxXXxxXXxxXXxxXXxx



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: BAY SERV CARRIED OUT IAW AAP 7212.007-2

A1PXXUY600426	COMPLETED	18JAN06 06:31	5503.0	AFHR		XXxxXXxxXXxxXXxxXXxx
18JAN06 02:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STARTER/GEN REMOVED FOR ACCESS				18JAN06 06:31
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: STARTER GEN REFITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY600426

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	4975	A23T	A1SAI14	00	4975	A23T	A1SAI14	00
	23081-026		18JAN06 02:21	A1PXXJY600497	23081-026		18JAN06 06:30	

A1PXXUY600441	COMPLETED	18JAN06 05:33	5503.0	AFHR		XXxxXXxxXXxxXXxxXXxx
18JAN06 02:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		ENG SLOW TO ACCELERATE FCU REMOVED FOR TROUBLESHOOTING				18JAN06 05:33
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV FCU FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY600441

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	B19130	A23T	A1SAI02	00	B19165	A23T	A1SAI02	00
	3244831-8-5		18JAN06 02:53	A1PXXJY600504	3244831-7-5		18JAN06 05:31	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY600527	COMPLETED	24JAN06 00:59	5503.0	AFHR		XXxxXXxxXXxxXXxxXXxx
19JAN06 05:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRCRAFT NOSE WHEEL STEERING SLUGGISH OPERATION TO THE RIGHT				24JAN06 00:59
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERVICABLE N.W. STEERING ACTUATOR FITTED AND FUNC CX C/O IAW AAP 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY600527

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1206 HP1460100-3	A23T	A18AC 19JAN06 05:31	00 A1PXXJY600650	1237 HP1460100-3	A23T	A18AC 24JAN06 00:58	00

A1PXXUY600465	COMPLETED	25JAN06 00:29	5503.0	AFHR		XXxxXXxxXXxxXXxxXXxx
24JAN06 07:44	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 PC-9		due on Serial A23-033 at WAC 0000		25JAN06 00:29
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERV C/O IAW AAP 7212.007-2

A1PXXUY600807	COMPLETED	27JAN06 03:25	5503.6	AFHR		XXxxXXxxXXxxXXxxXXxx
27JAN06 03:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		ENGINE SLOW TO ACCELERATE AT 25,000`				27JAN06 03:25
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV OIL FUEL HEATER FITTED IAW AAP 7113.022-2

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02761  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR 1PXXUY600807

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 2293	A23T	A1SAI06	00	2122	A23T	A1SAI06	00	
3039259	27JAN06 03:21	A1PXXJY600976	10585K	27JAN06 03:23				

1PXXUY600872 COMPLETED 30JAN06 03:54 5503.6 AFHR XXxxXXxxXXxxXXxxXXxx  
30JAN06 03:12 XXxxXXxx XXxxXXxxXXxxXXxx AIP

BS due on Serial 0935  
BATTERY NICAD at WAC 0660

Maint Acts: SERV BATTERY FITTED

REMOVALS/INSTALLATIONS FOR 1PXXUY600872

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 0935	A23T	A1UOA	00	1471	A23T	A1UOA	00	
33490409201	30JAN06 03:52	A1PXXJY526747	33490409201	30JAN06 03:52				

1PXXUY600955 COMPLETED 31JAN06 06:10 5504.4 AFHR XXxxXXxxXXxxXXxxXXxx  
31JAN06 06:07 XXxxXXxx XXxxXXxxXXxxXXxx AIP

LOW SPEED LOW POWER WARNING INTERMITANT

Maint Acts: SERV REAR ASI FITTED

REMOVALS/INSTALLATIONS FOR 1PXXUY600955

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 1198	A23T	A1UHW	00	921	A23T	A1UHW	00	
35900-K2916	31JAN06 06:08	A1PXXJY601214	35900-K2916	31JAN06 06:09				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY600956	COMPLETED	31JAN06 06:17	5504.4	AFHR		XXxxXXxxXXxxXXxxXXxx
31JAN06 06:11	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		NO WARNING TONES THROUGH AOA ELECTRONIC UNIT				31JAN06 06:17
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV AOA UNIT FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY600956

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1671	A23T	A1UDG	00	116745	A23T	A1UDG	00
	975.44.21.311		31JAN06 06:13	A1PXXJY601215	975.44.21.312		31JAN06 06:14	

A1PXXUY600728	COMPLETED	31JAN06 23:18	5504.4	AFHR		XXxxXXxxXXxxXXxxXXxx
31JAN06 07:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				31JAN06 23:18
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 CARRIED OUT

A1PXXUY600981	COMPLETED	31JAN06 22:12	5504.4	AFHR		XXxxXXxxXXxxXXxxXXxx
31JAN06 22:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		REAR ASI READS 25 KNOTS HIGH AT 180 KNOTS				31JAN06 22:12
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV ASI FITTED

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY600981

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	921	A23T	A1UHW	00	1027	A23T	A1UHW	00
	35900-K2916		31JAN06 22:09	A1PXXJY601238	35900-K2916		31JAN06 22:11	

A1PXXUY601027 COMPLETED 01FEB06 07:23 5504.8 AFHR XXxxXXxxXXxxXXxxXXxx  
 01FEB06 07:19 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 REAR ESDP FROZE DURING FLIGHT  
 01FEB06 07:23  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV ESDP FITTED IAW 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY601027

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	88010008B	A23T	A1UHO	00	89050037	A23T	A1UHO	00
	150.0001-2		01FEB06 07:21	A1PXXJY601316	150.0001-2		01FEB06 07:22	

A1PXXUY601028 COMPLETED 01FEB06 07:44 5504.8 AFHR XXxxXXxxXXxxXXxxXXxx  
 01FEB06 07:40 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 FUEL FLOW TX GIVING INTERMINANT READING  
 01FEB06 07:44  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: US FUEL FLOW TX REMOVED AND SERV UNIT FITTED IAW 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY601028

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	2617	A23T	A1SAI20	00	1686	A23T	A1SAI20	00
	975.35.12.602		01FEB06 07:41	A1PXXJY601317	151-906-010		01FEB06 07:43	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02764  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY518439	COMPLETED	07FEB06 07:40	5507.0	AFHR		XXxxXXxxXXxxXXxxXXxx
07FEB06 07:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			07FEB06 07:40
		STI-PC9-0354	due on Serial A23-033			XXxxXXxxXXxxXXxxXXxx
		PC-9	at WAC 0000			07FEB06 07:40
	Maint Acts:	STI-PC9-0354	CARRIED OUT			

A1PXXUY601278	COMPLETED	07FEB06 08:40	5507.0	AFHR		XXxxXXxxXXxxXXxxXXxx
07FEB06 08:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		NO FUEL FLOW OR FUEL USED INDICATION				07FEB06 08:40
						XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	SERV SICU FITTED				

REMOVALS/INSTALLATIONS FOR A1PXXUY601278

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	8711087	A23T	A1UEE	00	89050009	A23T	A1UEE	00
	140.0001-2		07FEB06 08:36	A1PXXJY601569	140.0001-2		07FEB06 08:37	

A1PXXUY600987	COMPLETED	08FEB06 03:55	5507.0	AFHR		XXxxXXxxXXxxXXxxXXxx
07FEB06 14:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40	due on Serial A23-033			08FEB06 03:55
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40	CARRIED OUT IAW AAP 7212.007-6-4			

A1PXXUY601318	COMPLETED	14FEB06 23:27	5514.3	AFHR		XXxxXXxxXXxxXXxxXXxx
14FEB06 09:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40	due on Serial A23-033			14FEB06 23:27
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME
=====						
	Maint Acts:	S40 SERV CO				
A1PXXUY517555	COMPLETED	20FEB06 22:40	5522.5	AFHR		XXxxXXxxXXxxXXxxXXxx
20FEB06 11:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S26 due on Serial A23-033				20FEB06 22:40
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S26 CARRIED OUT				
A1PXXUY601277	COMPLETED	20FEB06 22:35	5522.5	AFHR		XXxxXXxxXXxxXXxxXXxx
20FEB06 22:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0354 due on Serial A23-033				20FEB06 22:35
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	STI PC9/A RINC				
A1PXXUY601588	COMPLETED	22FEB06 00:07	5524.2	AFHR		XXxxXXxxXXxxXXxxXXxx
21FEB06 10:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				22FEB06 00:07
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 CO SERV				
A1PXXUY505361	COMPLETED	27FEB06 06:09	5531.6	AFHR		XXxxXXxxXXxxXXxxXXxx
23FEB06 22:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S54 due on Serial A23-033				27FEB06 06:09
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S54 SERV CARRIED OUT IAW AAP 7212-007-2.				
A1PXXUY601979	COMPLETED	28FEB06 07:54	5531.6	AFHR		XXxxXXxxXXxxXXxxXXxx
23FEB06 22:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FRONT AND REAR EJECTION SEATS REMOVED FOR ACCESS				28FEB06 07:54
						XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: FRONT AND REAR SEATS REFITTED

REMOVALS/INSTALLATIONS FOR 1PXXUY601979

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0073 AU11A-1	A23T	A1W 23FEB06 23:23	00 1PXXJY603224	0073 AU11A-1	A23T	A1W 28FEB06 07:53	00
002	0074 AU11A-2	A23T	A26 23FEB06 23:24	00 1PXXJY603225	0074 AU11A-2	A23T	A26 28FEB06 07:53	00

1PXXUY602037 COMPLETED 27FEB06 10:18 5531.6 AFHR XXxxXXxxXXxxXXxxXXxx  
 23FEB06 23:35 XXxxXXxx  
 AIP  
 REAR COCKPIT CLOCK PANEL REMOVED FOR ACCESS  
 XXxxXXxxXXxxXXxxXXxx  
 27FEB06 10:18  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: CLOCK PANEL REFITTED

REMOVALS/INSTALLATIONS FOR 1PXXUY602037

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	703606 Q17-941.22.052AB	A23T	A1UGI 23FEB06 23:36	00 1PXXJY603231	703606 Q17-941.22.052AB	A23T	A1UGI 27FEB06 10:15	00



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY602038	COMPLETED	27FEB06 23:24	5531.6	AFHR		XXxxXXxxXXxxXXxxXXxx
23FEB06 23:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BATT NICAD RFA				27FEB06 23:24
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: BATTERY NICAD REFITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY602038

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1471	A23T	A1UOA	00	1471	A23T	A1UOA	00
	33490409201		23FEB06 23:55	A1PXXJY603238	33490409201		27FEB06 23:22	

A1PXXUY602039	COMPLETED	27FEB06 23:21	5531.6	AFHR		XXxxXXxxXXxxXXxxXXxx
23FEB06 23:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		INVERTERS RFA				27FEB06 23:21
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: GEN AND BATT INVERTERS REFITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY602039

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	6568	A23T	A1UOE	01	6568	A23T	A1UOE	01
	975.04.21.103		23FEB06 23:57	A1PXXJY603239	975.04.21.103		27FEB06 23:19	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
002	6567	A23T	A1UOG	01	6567	A23T	A1UOG	01
	975.04.21.103		23FEB06 23:58	A1PXXJY603241	975.04.21.103		27FEB06 23:18	

A1PXXUY602102 COMPLETED 28FEB06 00:37 5531.6 AFHR  
 27FEB06 08:24 XXxxXXxx  
 OH due on Serial 2138428B  
 GOVERNOR OVERSPEED at WAC 0120  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV OVERSPEED GOVENOR FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY602102

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	2138428B	A23T	A1SAM22AE	00	2128140	A23T	A1SAM22AE	00
	210957		28FEB06 00:33	81WGXJ300117X	210957		28FEB06 00:34	

A1PXXUY602104 COMPLETED 27FEB06 09:57 5531.6 AFHR  
 27FEB06 09:45 XXxxXXxx  
 LEFT HAND RUDDER SPRING STRUT HAS EXCESSIVE SHAFT PLAY  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV LEFT HAND RUDDER SPRING STRUT FITTED IAW APP 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY602104

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	R113284	A23T	A2GAO	00	R113299	A23T	A2GAO	00
	527.20.09.120		27FEB06 09:46	A1PXXJY603586	527.20.09.120		27FEB06 09:49	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02769  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY601842	COMPLETED	01MAR06 11:08	5531.6	AFHR		XXxxXXxxXXxxXXxxXXxx
28FEB06 04:55	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				01MAR06 11:08
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 CO IAW 7212.007-2				

A1PXXUY602143	COMPLETED	28FEB06 10:44	5531.6	AFHR		XXxxXXxxXXxxXXxxXXxx
28FEB06 10:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		OVERSPEED GOVERNOR FAILED TO GOVERN IN THE CORRECT PARAMETERS				28FEB06 10:44
						XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	SERV OVERSPEED GOVERNOR FITTED IAW AAP 7212.007-2				

REMOVALS/INSTALLATIONS FOR A1PXXUY602143

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	2128140	A23T	A1SAM22AE	00	2138439E	A23T	A1SAM22AE	00
	210957		28FEB06 10:19	A1PXXJY603819	210957		28FEB06 10:42	

A1PXXUY602207	COMPLETED	08MAR06 23:43	5540.5	AFHR		XXxxXXxxXXxxXXxxXXxx
08MAR06 23:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				08MAR06 23:43
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 SERV CO IAW 7212-007-6-4				

A1PXXUY602475	COMPLETED	12MAR06 22:55	5541.8	AFHR		XXxxXXxxXXxxXXxxXXxx
10MAR06 07:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				12MAR06 22:55
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: S40 SERV C/O IAW AAP 7212.007-6-4

A1PXXUY601796	COMPLETED	14MAR06 09:30	5548.5	AFHR		XXxxXXxxXXxxXXxxXXxx
14MAR06 07:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0354	due on Serial A23-033			14MAR06 09:30
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-354 C/O

A1PXXUY602598	COMPLETED	19MAR06 23:13	5554.0	AFHR		XXxxXXxxXXxxXXxxXXxx
17MAR06 06:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40	due on Serial A23-033			19MAR06 23:13
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 CARRIED OUT

A1PXXUY603073	COMPLETED	22MAR06 09:20	5558.2	AFHR		XXxxXXxxXXxxXXxxXXxx
22MAR06 08:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS	due on Serial DF3234			22MAR06 09:20
		SURVIVAL PACK ASSY	at WAC 0740			XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV PSP FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY603073

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	DF3234	A23T	A26BG	00	DG2690	A23T	A26BG	00
	STANDARDPACK-1		22MAR06 09:17	A1PXXJY505173	STANDARDPACK-1		22MAR06 09:18	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02771  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY603074	COMPLETED	22MAR06 09:23	5558.2	AFHR		XXxxXXxxXXxxXXxxXXxx
22MAR06 08:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial DE3066				22MAR06 09:23
		SURVIVAL PACK ASSY at WAC 0730				XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV PSP FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY603074

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	DE3066	A23T	A1WBG	00	DC2874	A23T	A1WBG	00
	STANDARDPACK-1		22MAR06 09:20	A1PXXJY505177	STANDARDPACK-1		22MAR06 09:21	

A1PXXUY602948	COMPLETED	26MAR06 23:46	5558.8	AFHR		XXxxXXxxXXxxXXxxXXxx
24MAR06 06:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				26MAR06 23:46
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERV C/OUT

A1PXXUY505354	COMPLETED	31MAR06 00:15	5566.2	AFHR		XXxxXXxxXXxxXXxxXXxx
30MAR06 22:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S41 due on Serial A23-033				31MAR06 00:15
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S41 SERVICING C/O IAW

A1PXXUY603242	COMPLETED	02APR06 23:51	5566.2	AFHR		XXxxXXxxXXxxXXxxXXxx
31MAR06 00:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				02APR06 23:51
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: S40 SERV C/OUT

A1PXXUY602749	COMPLETED	04APR06 09:36	5571.5	AFHR		XXxxXXxxXXxxXXxxXXxx
04APR06 09:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0354		due on Serial A23-033		04APR06 09:36
		PC-9		at WAC 0000		XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI 354 RINC

A1PXXUY603541	COMPLETED	04APR06 11:41	5571.5	AFHR		XXxxXXxxXXxxXXxxXXxx
04APR06 10:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS		due on Serial 010139		04APR06 11:41
		REG OXYGEN DEMAND		at WAC 0730		XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV REG OXY DEMAND FITTED IAW 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY603541

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	010139	A23T	A1UES	00	902082	A23T	A1UES	00
	3260042-0201		04APR06 11:38	A1PXXJY506107	3260042-0201		04APR06 11:39	

A1PXXUY603542	COMPLETED	04APR06 11:44	5571.5	AFHR		XXxxXXxxXXxxXXxxXXxx
04APR06 10:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS		due on Serial DL4395		04APR06 11:44
		BCN UNDERWATER LOC		at WAC 0740		XXxxXXxxXXxxXXxxXXxx

Maint Acts: BCN U/W LOC BAY SERVICE CARRIED OUT

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02773  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY603451 09APR06 23:21	COMPLETED XXxxXXxx	09APR06 23:22 XXxxXXxxXXxxXXxxXXxx	5573.1 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx XXxxXXxxXXxxXXxxXXxx 09APR06 23:22 XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 CO				
A1PXXUY604006 13APR06 08:10	COMPLETED XXxxXXxx	13APR06 08:15 XXxxXXxxXXxxXXxxXXxx	5578.6 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx XXxxXXxxXXxxXXxxXXxx 13APR06 08:15 XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	STI-PC9-289A WING ASSY	due on Serial 527 at WAC 1500			
A1PXXUY603697 13APR06 08:22	COMPLETED XXxxXXxx	18APR06 03:43 XXxxXXxxXXxxXXxxXXxx	5578.6 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx XXxxXXxxXXxxXXxxXXxx 18APR06 03:43 XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 SERVICING C/O				
A1PXXUY604060 21APR06 07:24	COMPLETED XXxxXXxx	24APR06 01:23 XXxxXXxxXXxxXXxxXXxx	5587.6 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx XXxxXXxxXXxxXXxxXXxx 24APR06 01:23 XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 SERV C/OUT				
A1PXXUY604419 30APR06 23:42	COMPLETED XXxxXXxx	27JUL06 02:08 XXxxXXxxXXxxXXxxXXxx	5594.9 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx XXxxXXxxXXxxXXxxXXxx 27JUL06 02:08 XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	ELEVATOR REMOVED FOR FITMENT TO A23-002				
	Maint Acts:	SERV ELEVATOR FITTED				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02774  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 REMOVALS/INSTALLATIONS FOR A1PXXUY604419  
 PERIOD: 01JAN90 TO 08JAN20

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	064 555.20.09.256	A23T	A2IBC 30APR06 23:47	00 A1PXXJY606537	510 555.20.09.257	A23T	A2IBC 27JUL06 02:05	00
002	PCY600772 932.19.60.445	A23T	A2IBE 27JUL06 01:20	00 A1PXXJY611530	PCY600772 932.19.60.445	A23T	A2IBE 27JUL06 01:16	00
003	PCY600773 555.10.09.101	A23T	A2IBG 27JUL06 01:19	00 A1PXXJY611529	PCY600773 555.10.09.101	A23T	A2IBG 27JUL06 01:17	00
004					PCY600773 555.10.09.101	A23T	A2IBG 27JUL06 01:27	00
005					PCY600772 932.19.60.445	A23T	A2IBE 27JUL06 01:27	00

A1PXXUY511668 COMPLETED 18JUN06 00:47 5594.9 AFHR  
 30APR06 23:56 XXXXX  
 STI-PC9-0195 due on Serial A23-033  
 PC-9 at WAC 0000  
 XXXXX  
 XXXXX  
 XXXXX

Maint Acts: STI-PC9-195

REMOVALS/INSTALLATIONS FOR A1PXXUY511668

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	566 532.30.09.217	A23T	A1UGY 10MAY06 03:31	00 A1PXXJY607093	566 532.30.09.217	A23T	A1UGY 18JUN06 00:45	00



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02775  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
=====	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
=====	=====	=====	=====	=====	=====	=====	=====	=====
002	126	A23T	A1UCQ	00	126	A23T	A1UCQ	00
	532.30.09.216		10MAY06 03:33	A1PXXJY607094	532.30.09.216		18JUN06 00:45	
A1PXXUY511723	COMPLETED		05MAY06 00:08	5594.9	AFHR		XXxxXXxxXXxxXXxxXXxx	
30APR06 23:56	XXxxXXxx		XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
			S57	due on Serial A23-033			05MAY06 00:08	
			PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx	
	Maint Acts:		S57 SERV CO					
A1PXXUY517404	COMPLETED		05MAY06 00:21	5594.9	AFHR		XXxxXXxxXXxxXXxxXXxx	
30APR06 23:56	XXxxXXxx		XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
			S20	due on Serial A23-033			05MAY06 00:21	
			PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx	
	Maint Acts:		S20 SERV CO					
A1PXXUY517554	COMPLETED		21JUL06 03:17	5594.9	AFHR		XXxxXXxxXXxxXXxxXXxx	
30APR06 23:56	XXxxXXxx		XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
			STI-PC9-339A	due on Serial A23-033			21JUL06 03:17	
			PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx	
	Maint Acts:		STI-PC9-339A CARRIED OUT SERV IAW 7212.007-2					
A1PXXUY517749	COMPLETED		11MAY06 23:19	5594.9	AFHR		XXxxXXxxXXxxXXxxXXxx	
30APR06 23:56	XXxxXXxx		XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
			STI-PC9-0342	due on Serial A23-033			11MAY06 23:19	
			PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx	
	Maint Acts:		STI-PC9-0342 RINC					
A1PXXUY517751	COMPLETED		03AUG06 02:44	5594.9	AFHR		XXxxXXxxXXxxXXxxXXxx	
30APR06 23:56	XXxxXXxx		XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
			S18	due on Serial A23-033			03AUG06 02:44	
			PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx	
	Maint Acts:		CARRIED OUT IAW 7212-007-6-4					

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02776  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY604421	COMPLETED	04MAY06 23:01	5594.9	AFHR		XXxxXXxxXXxxXXxxXXxx
30APR06 23:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0394 due on Serial 0849				04MAY06 23:01
		PUMP FUEL HIGH PRES at WAC 0130				XXxxXXxxXXxxXXxxXXxx
		Maint Acts: STI-PC9-0394 INC ON SERIAL 0849. ASSESSED SERV.				

REMOVALS/INSTALLATIONS FOR A1PXXUY604421

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0849	A23T	A1SAI10	00	0849	A23T	A1SAI10	00
	3031806		02MAY06 23:21	A1PXXJY604349	3031806		04MAY06 22:58	

A1PXXUY604422	COMPLETED	05MAY06 00:19	5594.9	AFHR		XXxxXXxxXXxxXXxxXXxx
30APR06 23:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-255A due on Serial 533				05MAY06 00:19
		VERTICAL STAB ASSY at WAC 1400				XXxxXXxxXXxxXXxxXXxx
		Maint Acts: STI-PC9-0255A RINC				

A1PXXUY604423	COMPLETED	28JUL06 02:19	5594.9	AFHR		XXxxXXxxXXxxXXxxXXxx
30APR06 23:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-255A due on Serial 42				28JUL06 02:19
		HORIZONTAL STAB ASS at WAC 1100				XXxxXXxxXXxxXXxxXXxx
		Maint Acts: SERV HORIZONTAL STAB SN: 536 FITTED				

A1PXXUY604424	COMPLETED	27JUL06 23:56	5594.9	AFHR		XXxxXXxxXXxxXXxxXXxx
30APR06 23:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-257C due on Serial 527				27JUL06 23:56
		WING ASSY at WAC 1500				XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: WING 527 REMOVED AND REPLACED WITH WING 027 HAVING MOD 208 INC

A1PXXUY511959 30APR06 23:56	COMPLETED XXxxXXxx	03AUG06 05:26 XXxxXXxxXXxxXXxxXXxx	5594.9 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx 03AUG06 05:26 XXxxXXxxXXxxXXxxXXxx
		R2 PC-9		due on Serial A23-033 at WAC 0000		

Maint Acts: R2 SERV CARRIED OUT IAW 7212-007-2-2

A1PXXUY604426 01MAY06 00:00	COMPLETED XXxxXXxx	03MAY06 07:08 XXxxXXxxXXxxXXxxXXxx	5594.9 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx 03MAY06 07:08 XXxxXXxxXXxxXXxxXXxx
		OH CONSTANT SPEED UNIT		due on Serial 2138264F at WAC 0120		

Maint Acts: SERV CSU FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY604426

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	2138264F 8210-135F	A23T	A1SAM22AC 03MAY06 07:01	00 AIPXXJ300947X	2138237F 8210-135F	A23T	A1SAM22AC 03MAY06 07:02	00

A1PXXUY604245 01MAY06 00:02	COMPLETED XXxxXXxx	03AUG06 02:41 XXxxXXxxXXxxXXxxXXxx	5594.9 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx 03AUG06 02:41 XXxxXXxxXXxxXXxxXXxx
		S40 PC-9		due on Serial A23-033 at WAC 0000		

Maint Acts: C/O IAW 7212-007-6-4

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY505355 01MAY06 00:03	COMPLETED XXxxXXxx	05MAY06 00:22 XXxxXXxxXXxxXXxxXXxx	5594.9 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx XXxxXXxxXXxxXXxxXXxx 05MAY06 00:22 XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S46 SERV CO				
A1PXXUY517750 01MAY06 00:04	COMPLETED XXxxXXxx	25JUL06 06:22 XXxxXXxxXXxxXXxxXXxx	5594.9 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx XXxxXXxxXXxxXXxxXXxx 25JUL06 06:22 XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S16				
A1PXXUY601797 01MAY06 00:07	COMPLETED XXxxXXxx	21JUL06 02:49 XXxxXXxxXXxxXXxxXXxx	5594.9 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx XXxxXXxxXXxxXXxxXXxx 21JUL06 02:49 XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S26 CARRIED OUT IAW 7212.007-2				
A1PXXUY604430 01MAY06 00:14	COMPLETED XXxxXXxx	24JUL06 11:11 XXxxXXxxXXxxXXxxXXxx	5594.9 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx XXxxXXxxXXxxXXxxXXxx 24JUL06 11:11 XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	OH CYL ASSY OXYGEN RH at WAC 065R				
	Maint Acts:	SERV OXY CYLINDER FITTED				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY604430

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	ALT279-11513 89795050	A23T	A1UNI 24JUL06 11:07	00 AIPXXJ308267X	ALT279-13673 89795050	A23T	A1UNI 24JUL06 11:09	00

A1PXXUY604431 COMPLETED 31JUL06 03:45 5594.9 AFHR  
 01MAY06 00:14 XXXXX  
 BS due on Serial 1471  
 BATTERY NICAD at WAC 0660

Maint Acts: SERV BAT NICAD FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY604431

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1471 33490409201	A23T	A1UOA 02MAY06 04:56	00 A1PXXJY601075	0054 33490409201	A23T	A1UOA 31JUL06 03:43	00

A1PXXUY604432 COMPLETED 01MAY06 00:16 5594.9 AFHR  
 01MAY06 00:16 XXXXX  
 TA due on Serial L334594  
 MICRO LH DOOR S95 at WAC 0950

Maint Acts: TRANSFERRED TO 527

A1PXXUY604433 COMPLETED 21JUL06 03:02 5594.9 AFHR  
 01MAY06 00:18 XXXXX  
 BS due on Serial 907085  
 REG OXYGEN DEMAND at WAC 0740

Maint Acts: SERV REG FITTED IAW 7212.007-2

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY604433

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				

001	907085	A23T	A1UIS	00	702033	A23T	A1UIS	00
	3260042-0201		06JUN06 03:56	A1PXXJY509642	3260042-0201		21JUL06 03:01	

A1PXXUY604434	COMPLETED	01MAY06 00:19	5594.9	AFHR	XXxxXXxxXXxxXXxxXXxx
01MAY06 00:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		

OH due on Serial H09061  
 BLADE PROP NO.1 at WAC 011A

XXxxXXxxXXxxXXxxXXxx  
 03MAY06 02:28  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: TRANSFERRED TO GG473

A1PXXUY604435	COMPLETED	01MAY06 00:19	5594.9	AFHR	XXxxXXxxXXxxXXxxXXxx
01MAY06 00:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		

OH due on Serial H09045  
 BLADE PROP NO.2 at WAC 011B

XXxxXXxxXXxxXXxxXXxx  
 03MAY06 02:29  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: TRANSFERRED TO GG473

A1PXXUY604436	COMPLETED	01MAY06 00:19	5594.9	AFHR	XXxxXXxxXXxxXXxxXXxx
01MAY06 00:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		

OH due on Serial H09060  
 BLADE PROP NO.3 at WAC 011C

XXxxXXxxXXxxXXxxXXxx  
 03MAY06 02:29  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: TRANSFERRED TO GG473

A1PXXUY604437	COMPLETED	01MAY06 00:19	5594.9	AFHR	XXxxXXxxXXxxXXxxXXxx
01MAY06 00:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		

OH due on Serial H07897  
 BLADE PROP NO.4 at WAC 011D

XXxxXXxxXXxxXXxxXXxx  
 03MAY06 02:29  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: TRANSFERRED TO GG473

A1PXXUY604438	COMPLETED	03MAY06 02:42	5594.9	AFHR	XXxxXXxxXXxxXXxxXXxx
01MAY06 00:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		

OH due on Serial GG473  
 PROPELLER ASSY at WAC 0110

XXxxXXxxXXxxXXxxXXxx  
 03MAY06 02:42  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV PROP FITTED

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02781  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
REMOVALS/INSTALLATIONS FOR A1PXXUY604438

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	L133001 B-3339-1	A23T	A00AK 03MAY06 02:26	00 A1PXXJY606735	PCY600488 B-3339-1	A23T	A00AK 03MAY06 02:41	00
002	GG473 HC-D4N2A/D9512A	A23T	A00 03MAY06 02:28	00 PEAXXJ9900514	GG90 HC-D4N2A/D9512A	A23T	A00 03MAY06 02:31	00

A1PXXUY604439 COMPLETED 03AUG06 05:06 5594.9 AFHR  
01MAY06 00:20 XXXXX  
STI-PC9-370B due on Serial PCY401131  
EMERG LG CABLE at WAC 0630  
Maint Acts: EMERGENCY CABLE REPLACED WITH SERV ITEM SER NO PCY600804

A1PXXUY604440 COMPLETED 03AUG06 04:52 5594.9 AFHR  
01MAY06 00:25 XXXXX  
TA due on Serial L132907  
BATTERY CPI at WAC 0660  
Maint Acts: C.P.I. ASSY REPLACED WITH SERV ITEM IAW 7212-007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY604440

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	L132907 452-0133	A23T	A1UOY00 02MAY06 05:04	00 A1PXXJ305936X				

A1PXXUY604441 COMPLETED 05MAY06 00:11 5594.9 AFHR  
01MAY06 00:27 XXXXX  
7113.022-230 due on Serial 103155  
ENGINE CHANGE UNIT at WAC 0100  
7113.022-270 due on Serial 103155  
ENGINE CHANGE UNIT at WAC 0100  
Maint Acts: ENG MODS CO SERV

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02782  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

REMOVALS/INSTALLATIONS FOR A1PXXUY604441

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PCY501565 3029268	A23T	A1SAK48 04MAY06 23:39	00 A1PXXJY606869	PCY600496 3038142	A23T	A1SAK48 04MAY06 23:47	01

A1PXXUY604445 COMPLETED 31JUL06 01:21 5594.9 AFHR  
 01MAY06 00:33 XXxxXXxx  
 XXxxXXxxXXxxXXxxXXxx  
 F+R SEATS AND COMMAND SYSTEM DISARMED AND REMOVED FOR ACCESS  
 31JUL06 01:21  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: F+R SEATS AND COMAND SYS. REARMED AND INSTALLED

REMOVALS/INSTALLATIONS FOR A1PXXUY604445

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0073 AU11A-1	A23T	A1W 01MAY06 00:36	00 A1PXXJY606539	0073 AU11A-1	A23T	A1W 31JUL06 01:19	00
002	0074 AU11A-2	A23T	A26 01MAY06 00:38	00 A1PXXJY606540	0074 AU11A-2	A23T	A26 31JUL06 01:17	00
003	DE3176 MBEU64438	A23T	A1UIY 01MAY06 00:39	00 A1PXXJY606541	DE3176 MBEU64438	A23T	A1UIY 31JUL06 01:16	00



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02783  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
004	MC2681	A23T	A1UJC	00	MC2681	A23T	A1UJC	00
	MBEU100433		01MAY06 00:40	A1PXXJY606542	MBEU100433		31JUL06 01:14	

A1PXXUY604449 COMPLETED 05MAY06 02:24 5594.9 AFHR  
 01MAY06 01:10 XXXXX  
 PROP SPINNER RFA  
 XXXXX  
 05MAY06 02:24  
 XXXXX

Maint Acts: PROP SPINNER REFITTED IAW AAP 7212-007-2.

REMOVALS/INSTALLATIONS FOR A1PXXUY604449

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	A2333	A23T	A00AI	00	A2333	A23T	A00AI	00
	D5210		01MAY06 01:12	A1PXXJY606545	D5210		05MAY06 02:21	

A1PXXUY604463 COMPLETED 24MAY06 04:48 5594.9 AFHR  
 01MAY06 03:19 XXXXX  
 NOSE HUB ASSY RFA.  
 XXXXX  
 24MAY06 04:48  
 XXXXX

Maint Acts: NOSE HUB ASSY SNO 0090 REFITTED IAW AAP 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY604463

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0090	A23T	A18AG	00	0090	A23T	A18AG	00
	3-1451 OPT 1		01MAY06 03:21	A1PXXJY606561	3-1451 OPT 1		24MAY06 04:40	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY604536	COMPLETED	03AUG06 02:09	5594.9	AFHR		XXXXXXXXXXXXXXXXXXXX
01MAY06 22:30	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		UNDERCARRIAGE COMPONENTS REMOVED FOR WING CHANGE				03AUG06 02:09
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: U/C COMPONENTS REFITTED TO WING SER NO 027 IAW 7212-007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY604536

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	032	A23T	A2KCG	00				
	532.11.09.033		01MAY06 22:33	A1PXXJY606632				
002	032	A23T	A2KCK	00				
	532.11.09.034		01MAY06 22:34	A1PXXJY606633				
003					33S83B	A23T	A2KDS	00
					973.30.31.204		20JUN06 22:54	
004					530	A23T	A2KCQ	00
					532.11.09.098		20JUN06 23:27	
005					541	A23T	A2KCO	00
					532.11.09.097		20JUN06 23:29	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 02785  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
006					540 532.10.09.075	A23T	A2KDG 20JUN06 23:33	00
007					537 532.10.09.076	A23T	A2KEC 20JUN06 23:35	00
008					0497P 2-1524-1	A23T	A2KDI 20JUN06 23:37	00
009					0004 2-1524-1	A23T	A2KEE 20JUN06 23:39	00

A1PXXUY604541 COMPLETED 05MAY06 02:37 5594.9 AFHR  
01MAY06 23:48 XXXXX  
ECS HEAT EXCHANGER ASSY RFA  
XXXXXXXXXXXXXXXXXXXX  
XXXXXXXXXXXXXXXXXXXX  
05MAY06 02:37  
XXXXXXXXXXXXXXXXXXXX

Maint Acts: ECS HEAT EXCHANGER INSPECTED AND INSTALLED IAW AAP 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY604541

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	699 195980-3	A23T	A0M 01MAY06 23:49	00 A1PXXJY606636	699 195980-3	A23T	A0M 05MAY06 02:31	00

A1PXXUY604549 COMPLETED 01MAY06 23:58 5594.9 AFHR  
01MAY06 23:53 XXXXX  
FUEL FILTER ELEMENT REMOVED FOR CLEANING  
XXXXXXXXXXXXXXXXXXXX  
XXXXXXXXXXXXXXXXXXXX  
01MAY06 23:58  
XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV FILTER ELEMENT FITTED

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02786  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

REMOVALS/INSTALLATIONS FOR A1PXXUY604549

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	L320786	A23T	A1UJK00	00	L233245	A23T	A1UJK00	00
	03W1738-231		01MAY06 23:55	A1PXXJY606637	03W1738-231		01MAY06 23:56	

A1PXXUY604550 COMPLETED 29JUN06 07:27 5594.9 AFHR XXxxXXxxXXxxXXxxXXxx  
01MAY06 23:59 XXxxXXxx XXxxXXxxXXxxXXxx AIP  
FUEL FILTER ASSY RFA 29JUN06 07:27  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV FUEL FILTER FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY604550

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	00687	A23T	A1UJK	00	00687	A23T	A1UJK	00
	03W061738		02MAY06 00:00	A1PXXJY606638	03W061738		29JUN06 07:24	

A1PXXUY604559 COMPLETED 02MAY06 06:00 5594.9 AFHR XXxxXXxxXXxxXXxxXXxx  
02MAY06 01:13 XXxxXXxx XXxxXXxxXXxxXXxx AIP  
FUEL NOZZLE SET RFA 02MAY06 06:00  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: FUEL NOZZLE SET REFITTED

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY604559

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	RT155	A23T	A1SAK27	00	RT155	A23T	A1SAK27	00
	RAAFA62FNS01		02MAY06 01:52	A1PXXJY606650	RAAFA62FNS01		02MAY06 05:59	

A1PXXUY604576 COMPLETED 20JUN06 22:17 5594.9 AFHR XXxxXXxxXXxxXXxxXXxx  
 02MAY06 02:21 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 WING REMOVED FOR WING REFURBISHMENT PROGRAM  
 XXxxXXxxXXxxXXxxXXxxXXxx  
 20JUN06 22:17  
 XXxxXXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV WING FITTED IAW 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY604576

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	527	A23T	A2K	00	027	A23T	A2K	00
	557.05.09.953		02MAY06 02:22	A1PXXJY606655	557.05.09.953		20JUN06 22:15	

A1PXXUY604585 COMPLETED 19JUN06 00:15 5594.9 AFHR XXxxXXxxXXxxXXxxXXxx  
 02MAY06 03:37 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 WING ATTACH HARDWARE REMOVED FOR WING R&I  
 XXxxXXxxXXxxXXxxXXxxXXxx  
 19JUN06 00:15  
 XXxxXXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV WING ATTACH HARDWARE FITTED IAW 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY604585

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	PCY400462	A23T	A1UAA	00	PCY600588	A23T	A1UAA	00
	938.07.68.306		02MAY06 03:49	A1PXXJY606670	938.07.68.306		14JUN06 05:27	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02788  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 ~S4080  
 PERIOD: 01JAN90 TO 08JAN20

SEQ	REMOVED SERIAL NO REMOVED PART NO	EIAC	LCN DATE/TIME	ALC JOB NUMBER	INSTALLED SERIAL NO INSTALLED PART NO	EIAC	LCN DATE/TIME	ALC
002	PCY400463 938.07.68.306	A23T	A1UAC 02MAY06 04:37	00 A1PXXJY606672	PCY600589 938.07.68.306	A23T	A1UAC 14JUN06 05:25	00
003	L233281 938.09.14.307	A23T	A1UAE 02MAY06 04:39	00 A1PXXJY606673	PCY600591 938.09.14.307	A23T	A1UAE 14JUN06 05:23	00
004	L233280 938.09.14.307	A23T	A1UAG 02MAY06 04:46	00 A1PXXJY606680	PCY600590 938.09.14.307	A23T	A1UAG 14JUN06 05:22	00
005	PCY400465 938.07.68.307	A23T	A1UAI 02MAY06 04:58	00 A1PXXJY606686	PCY600585 938.07.68.307	A23T	A1UAI 14JUN06 05:20	00
006	PCY400467 938.07.68.307	A23T	A1UAK 02MAY06 04:59	00 A1PXXJY606687	PCY600584 938.07.68.307	A23T	A1UAK 14JUN06 05:17	00
007	PCY400468 938.09.14.307	A23T	A1UAM 02MAY06 05:05	00 A1PXXJY606688	PCY600587 938.09.14.307	A23T	A1UAM 14JUN06 05:15	00
008	PCY400469 938.09.14.307	A23T	A1UAO 02MAY06 05:07	00 A1PXXJY606689	PCY600586 938.09.14.307	A23T	A1UAO 14JUN06 05:13	00
009	PCY400427 AN5C4A	A23T	A1UAQ 02MAY06 05:13	00 A1PXXJY606691	PCY400427 AN5C4A	A23T	A1UAQ 14JUN06 03:41	00
010	PCY400428 AN5C4A	A23T	A1UAS 02MAY06 05:15	00 A1PXXJY606692	PCY400428 AN5C4A	A23T	A1UAS 14JUN06 03:29	00

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02789  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

SEQ	REMOVED SERIAL NO REMOVED PART NO	EIAC	LCN DATE/TIME	ALC JOB NUMBER	INSTALLED SERIAL NO INSTALLED PART NO	EIAC	LCN DATE/TIME	ALC
011	L233279 110.30.07.008	A23T	A1UAU 02MAY06 05:44	00 A1PXXJY606695	PCY600594 110.30.07.008	A23T	A1UAU 18JUN06 23:55	00
012	L233278 110.30.07.008	A23T	A1UAW 02MAY06 05:45	00 A1PXXJY606699	PCY600595 110.30.07.008	A23T	A1UAW 18JUN06 23:52	00
013	PCY400429 AN6C13A	A23T	A1UAY 02MAY06 06:03	00 A1PXXJY606701	PCY400429 AN6C13A	A23T	A1UAY 14JUN06 03:27	00
014	PCY400430 AN6C13A	A23T	A1UBA 02MAY06 06:05	00 A1PXXJY606703	PCY400430 AN6C13A	A23T	A1UBA 14JUN06 03:25	00
015	PCY400431 AN7C40A	A23T	A1UBC 02MAY06 06:06	00 A1PXXJY606704	PCY400431 AN7C40A	A23T	A1UBC 14JUN06 01:56	00
016	PCY400432 AN7C40A	A23T	A1UBE 02MAY06 06:08	00 A1PXXJY606705	PCY400432 AN7C40A	A23T	A1UBE 14JUN06 01:54	00

A1PXXUY604592 COMPLETED 17JUN06 23:27 5594.9 AFHR  
 02MAY06 04:55 XXXXX  
 STARTER GENERATOR RFA  
 XXXXX  
 17JUN06 23:27  
 XXXXX

Maint Acts: SERV START/GEN REFITTED

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY604592

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	4975	A23T	A1SAI14	00	4975	A23T	A1SAI14	00
	23081-026		02MAY06 04:56	A1PXXJY606685	23081-026		17JUN06 23:24	

A1PXXUY604593 COMPLETED 18JUN06 00:53 5594.9 AFHR  
 02MAY06 05:07 XXXXX  
 ACCELEROMETER UNIT RFA  
 XXXXX  
 18JUN06 00:53  
 XXXXX

Maint Acts: SERV ACCELEROMETER REFITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY604593

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	795	A23T	A1ULC	00				
	10020		02MAY06 06:29	A1PXXJY606708				

A1PXXUY604599 COMPLETED 02MAY06 05:58 5594.9 AFHR  
 02MAY06 05:51 XXXXX  
 OIL FILTER REMOVED 4 INSPECTON  
 XXXXX  
 02MAY06 05:58  
 XXXXX

Maint Acts: OIL FILTER FITTED SERV

REMOVALS/INSTALLATIONS FOR A1PXXUY604599

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PCY501564	A23T	A1SAK34	00	PCY501564	A23T	A1SAK34	00
	3028419		02MAY06 05:52	A1PXXJY606696	3028419		02MAY06 05:54	



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY604601	COMPLETED	18JUN06 00:15	5594.9	AFHR		XXXXXXXXXXXXXXXXXXXX
02MAY06 05:53	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		CONVERTER DC - DC RFA				18JUN06 00:15
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: CONVERTER DC-DC REFITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY604601

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1604	A23T	A1UFK	00	1604	A23T	A1UFK	00
	IL484		02MAY06 05:55	A1PXXJY606697	IL484		18JUN06 00:13	

A1PXXUY604602	COMPLETED	18JUN06 00:12	5594.9	AFHR		XXXXXXXXXXXXXXXXXXXX
02MAY06 05:58	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		FDR RFA				18JUN06 00:12
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: FDR REFITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY604602

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	01496	A23T	A1UPM	00	01496	A23T	A1UPM	00
	S703-1000-01		02MAY06 06:13	A1PXXJY606706	S703-1000-01		18JUN06 00:11	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY604603	COMPLETED	24JUN06 03:05	5594.9	AFHR		XXxxXXxxXXxxXXxxXXxx
02MAY06 06:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		INVERTERS AND BRACKET RFA				24JUN06 03:05
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: INVERTERS AND BRACKET REFITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY604603

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	6567	A23T	A1UOG	01				
	975.04.21.103		02MAY06 06:02	A1PXXJY606700				
002	6568	A23T	A1UOE	01				
	975.04.21.103		02MAY06 06:04	A1PXXJY606702				

A1PXXUY604610	COMPLETED	31JUL06 02:50	5594.9	AFHR		XXxxXXxxXXxxXXxxXXxx
02MAY06 06:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS		due on Serial 0504001		31JUL06 02:50
		CRASH POSN IND		at WAC 0660		XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV CPI FITTED IAW AAP 7212.007-2

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02793  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY604610

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0504001	A23T	A1UOY	00	0501001	A23T	A1UOY	00
	453-0406		02MAY06 06:44	38SQNJY505958	453-0406		31JUL06 02:48	

A1PXXUY604637 COMPLETED 03AUG06 04:58 5594.9 AFHR  
03MAY06 02:21 XXxxXXxx  
XXxxXXxxXXxxXXxxXXxx  
ENG COWL 2 RFA  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: ENG COWL 2 REFITTED IAW 7212-007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY604637

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	HLY300477	A23T	A06	00	HLY300477	A23T	A06	00
	571.10.09.044		03MAY06 02:22	A1PXXJY606734	571.10.09.044		03AUG06 04:56	

A1PXXUY604644 COMPLETED 09MAY06 06:03 5594.9 AFHR  
03MAY06 03:08 XXxxXXxx  
XXxxXXxxXXxxXXxxXXxx  
ADF ANTENNA CORRODED  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: ADF ANTENNA REPLACED

REMOVALS/INSTALLATIONS FOR A1PXXUY604644

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	55663	A23T	A1UNK	00	53611	A23T	A1UNK	00
	985.99.11.167		03MAY06 03:11	A1PXXJY606741	071-1234-00		09MAY06 06:02	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY505340	COMPLETED	03MAY06 07:00	5594.9	AFHR		XXxxXXxxXXxxXXxxXXxx
03MAY06 06:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S28	due on Serial A23-033			03MAY06 07:00
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S28 SERV CO				

A1PXXUY505341	COMPLETED	03MAY06 06:59	5594.9	AFHR		XXxxXXxxXXxxXXxxXXxx
03MAY06 06:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S29	due on Serial A23-033			03MAY06 06:59
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S29 SERV CO				

A1PXXUY604697	COMPLETED	02AUG06 23:53	5594.9	AFHR		XXxxXXxxXXxxXXxxXXxx
03MAY06 23:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FRONT AND REAR CLOCK PANELS RFA				02AUG06 23:53
						XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	FRONT AND REAR CLOCK PANELS REFITTED IAW 7212-007-2				

REMOVALS/INSTALLATIONS FOR A1PXXUY604697

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	621045	A23T	A1UCC	00	621045	A23T	A1UCC	00
	Q17-941.22.052AB		03MAY06 23:43	A1PXXJY606812	Q17-941.22.052AB		02AUG06 23:52	
002	703606	A23T	A1UGI	00	703606	A23T	A1UGI	00
	Q17-941.22.052AB		03MAY06 23:44	A1PXXJY606813	Q17-941.22.052AB		02AUG06 23:50	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY604829	COMPLETED	04MAY06 23:12	5594.9	AFHR		XXXXXXXXXXXXXXXXXXXX
04MAY06 23:05	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		FILTER FUEL INLET REMOVED FOR CHECK TEST.				04MAY06 23:12
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: FILTER FUEL REFITTED IAW AAP 7212-007-2. ASSESED SERV.

REMOVALS/INSTALLATIONS FOR A1PXXUY604829

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	L625555	A23T	A1SAI10AC	00	L625555	A23T	A1SAI10AC	00
	32-2053		04MAY06 23:06	A1PXXJY606866	32-2053		04MAY06 23:10	

A1PXXUY604832	COMPLETED	04MAY06 23:25	5594.9	AFHR		XXXXXXXXXXXXXXXXXXXX
04MAY06 23:12	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		FILTER FUEL DISCHARGE REMOVED DUE THROWAWAY.				04MAY06 23:25
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV FILTER FUEL DISCHARGE REFITTED IAW AAP 7212-007-2.

REMOVALS/INSTALLATIONS FOR A1PXXUY604832

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PCY501563	A23T	A1SAI10AA	00	PCY600495	A23T	A1SAI10AA	00
	3033355		04MAY06 23:14	A1PXXJY606867	3033355		04MAY06 23:23	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN	
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME	
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR	
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME	
EE500PG EE500LN						INSPECTOR	
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME	
A1PXXUY606889	COMPLETED	28JUN06 07:14	5594.9	AFHR		XXXXXXXXXXXXXXXXXXXX	
20JUN06 01:06	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		TX FROM WING 027 A1PXXUY507318 AILERON REMOVED FROM MAIN WING ASSY FOR USE ON A23-017					28JUN06 07:14 XXXXXXXXXXXXXXXXXXXX
		Maint Acts: SERV RH AILERON FITTED					

REMOVALS/INSTALLATIONS FOR A1PXXUY606889

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001					326	A23T	A2KCC	00
					557.51.09.002		28JUN06 07:13	
A1PXXUY606890	COMPLETED	03AUG06 02:02	5594.9	AFHR			XXXXXXXXXXXXXXXXXXXX	
20JUN06 01:08	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP				XXXXXXXXXXXXXXXXXXXX	
		TX FROM WING 027 A1PXXUY301260 AIRBRAKE ACTUATOR REMOVED SERV TO WING 137					03AUG06 02:02 XXXXXXXXXXXXXXXXXXXX	
		Maint Acts: A/B ACT SER NO FYH162876 FITTED IAW 7212-007-2						

REMOVALS/INSTALLATIONS FOR A1PXXUY606890

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001					FYH162876	A23T	A2KBE	00
					4041 H3		03AUG06 02:00	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY606892	COMPLETED	21JUL06 02:33	5594.9	AFHR		XXxxXXxxXXxxXXxxXXxx
20JUN06 01:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		TX FROM WING 027 A1PXXUY301258 AOA TX REMOVED TO WING 137				21JUL06 02:33
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: AOA TX REPLACED

A1PXXUY606933	COMPLETED	21JUN06 00:56	5594.9	AFHR		XXxxXXxxXXxxXXxxXXxx
21JUN06 00:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0403	due on Serial 027			21JUN06 00:56
		WING ASSY	at WAC 1500			XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-0403 INC

A1PXXUY606936	COMPLETED	22JUN06 00:31	5594.9	AFHR		XXxxXXxxXXxxXXxxXXxx
21JUN06 00:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FRONT LGCU RFA				22JUN06 00:31
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: FRONT LGCU REFITTED IAW 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY606936

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	126	A23T	A1UCQ	00	126	A23T	A1UCQ	00
	532.30.09.216		21JUN06 00:52	A1PXXJY609501	532.30.09.216		22JUN06 00:30	

A1PXXUY606937	COMPLETED	22JUN06 00:29	5594.9	AFHR		XXxxXXxxXXxxXXxxXXxx
21JUN06 00:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FDR RFA				22JUN06 00:29
						XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02798  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: FDR REFITTED IAW 7212.007-2

REMOVALS/INSTALLATIONS FOR 1PXXUY606937

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	01496	A23T	A1UPM	00	01496	A23T	A1UPM	00
	S703-1000-01		21JUN06 00:54	A1PXXJY609503	S703-1000-01		22JUN06 00:28	

1PXXUY606972 COMPLETED 21JUN06 07:14 5594.9 AFHR  
 21JUN06 07:07 XXXXX  
 LH AND RH MLG HUB ASSYS RFA  
 XXXXX  
 21JUN06 07:14  
 XXXXX

Maint Acts: LH AND RH HUB ASSYS REFITTED

REMOVALS/INSTALLATIONS FOR 1PXXUY606972

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001					0022	A23T	A2KEI	01
					3-1555		21JUN06 07:13	
002					0121	A23T	A2KDM	01
					3-1555		21JUN06 07:13	



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY607024	COMPLETED	22JUN06 06:41	5594.9	AFHR		XXxxXXxxXXxxXXxxXXxx
22JUN06 06:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		RH I/B FLAP MICRO CAM INCORRECTLY FITTED				22JUN06 06:41
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV FLAP FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY607024

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	502	A23T	A2KCW06	00	167	A23T	A2KCW06	00
	557.52.09.010		22JUN06 06:36	A1PXXJY609597	557.52.09.010		22JUN06 06:38	

A1PXXUY607048	COMPLETED	22JUN06 23:39	5594.9	AFHR		XXxxXXxxXXxxXXxxXXxx
22JUN06 22:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		LH AND RH MLG IB DOORS TO BE REMOVED SERV POOR FIT				22JUN06 23:39
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: DOORS REFITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY607048

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001					053	A23T	A2KCG	00
					532.11.09.115		22JUN06 22:45	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02800  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
=====	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
002					069	A23T	A2KCK	00
					532.11.09.116		22JUN06 23:38	

A1PXXUY607050 COMPLETED 22JUN06 23:28 5594.9 AFHR XXxxXXxxXXxxXXxxXXxx  
 22JUN06 23:21 XXxxXXxx  
 STI-PC9-0355 due on Serial 027  
 WING ASSY at WAC 1500 XXxxXXxxXXxxXXxxXXxx  
 Maint Acts: STI-PC9-0355 INC

A1PXXUY607052 COMPLETED 22JUN06 23:32 5594.9 AFHR XXxxXXxxXXxxXXxxXXxx  
 22JUN06 23:29 XXxxXXxx  
 7212.007-208 due on Serial 027  
 WING ASSY at WAC 1500 XXxxXXxxXXxxXXxxXXxx  
 Maint Acts: MOD 7212.007-208 RINC

A1PXXUY607055 COMPLETED 03AUG06 04:42 5594.9 AFHR XXxxXXxxXXxxXXxxXXxx  
 23JUN06 00:10 XXxxXXxx  
 EMERGENCY UC CABLE OUTER DISLOGED FROM HANDLE XXxxXXxxXXxxXXxxXXxx  
 Maint Acts: EMERGENCY U/C CABLE REPLACED WITH SERV ITEM IAW 7212-007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY607055

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
=====	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PCY401131	A23T	A1UBO	00	PCY600804	A23T	A1UBO	01
	529.20.09.120		23JUN06 00:12	A1PXXJY609635	529.20.09.137		03AUG06 04:40	

A1PXXUY607075 COMPLETED 24JUN06 03:18 5594.9 AFHR XXxxXXxxXXxxXXxxXXxx  
 24JUN06 03:13 XXxxXXxx  
 STATIC INV S.NO 6567 TO BE REFITTED XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 02801  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: STATIC INV SNO 6567 INSTALLED

REMOVALS/INSTALLATIONS FOR ALPXXUY607075

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001					6567	A23T	A1UOG	01
					975.04.21.103		24JUN06 03:15	

ALPXXUY607076 COMPLETED 24JUN06 03:21 5594.9 AFHR XXxxXXxxXXxxXXxxXXxx  
24JUN06 03:19 XXxxXXxx  
STATIC INV S.NO 6568 TO BE RE-INSTALLED  
XXxxXXxxXXxxXXxxXXxx  
24JUN06 03:21  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: STATIC INV S.NO 6568 RE-INSTALLED

REMOVALS/INSTALLATIONS FOR ALPXXUY607076

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001					6568	A23T	A1UOE	01
					975.04.21.103		24JUN06 03:20	

ALPXXUY607175 COMPLETED 27JUN06 02:08 5594.9 AFHR XXxxXXxxXXxxXXxxXXxx  
27JUN06 02:00 XXxxXXxx  
MICROSWITCH CAM PLATE ON RH INBD FLAP NOT LINED UP IN CORRECT  
POSITION  
27JUN06 02:08  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: REF U/S ALPXXUY607024 PREVIOUSLY CARRIED OUT

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY607239	COMPLETED	27JUN06 06:52	5594.9	AFHR		XXXXXXXXXXXXXXXXXXXX
27JUN06 06:50	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		ACCELEROMETER 2B FITTED ON C2				27JUN06 06:52
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV ACCELEROMETER FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY607239

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001					795	A23T	A1ULC	00
					10020		27JUN06 06:51	

A1PXXUY608395	COMPLETED	24JUL06 11:05	5594.9	AFHR		XXXXXXXXXXXXXXXXXXXX
21JUL06 02:44	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		OH due on Serial ALT279-11533				24JUL06 11:05
		CYL ASSY OXYGEN LH at WAC 065L				XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV OXY CYLINDER FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY608395

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	ALT279-11533	A23T	A1UNG	00	ALT279-13185	A23T	A1UNG	00
	89795050		24JUL06 11:01	AIPXXJ308105X	89795050		24JUL06 11:04	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02803  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY508468	COMPLETED	02AUG06 00:28	5594.9	AFHR		XXxxXXxxXXxxXXxxXXxx
24JUL06 05:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S12 due on Serial A23-033				02AUG06 00:28
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S12 CO SERV				

A1PXXUY608503	COMPLETED	25JUL06 03:31	5594.9	AFHR		XXxxXXxxXXxxXXxxXXxx
25JUL06 03:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		TA due on Serial L233351				25JUL06 03:31
		ELEMNT FILT LP HYD at WAC 0620				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	SERV HYD FILTER ELEMENT FITTED				

REMOVALS/INSTALLATIONS FOR A1PXXUY608503

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	L233351	A23T	A1UJU02	00	PCY600766	A23T	A1UJU02	00
	QA07367		25JUL06 03:23	A1PXXJY611344	QA07367		25JUL06 03:26	

A1PXXUY608516	COMPLETED	27JUL06 06:03	5594.9	AFHR		XXxxXXxxXXxxXXxxXXxx
27JUL06 05:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S16 due on Serial A23-033				27JUL06 06:03
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S16 C/O				

A1PXXUY511954	COMPLETED	07AUG06 03:18	5594.9	AFHR		XXxxXXxxXXxxXXxxXXxx
28JUL06 00:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S56 due on Serial A23-033				07AUG06 03:18
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02804  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
=====						
	Maint Acts:	S56 CO				
A1PXXUY511728 28JUL06 00:01	COMPLETED XXxxXXxx	28JUL06 01:30 XXxxXXxxXXxxXXxxXXxx	5594.9 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx XXxxXXxxXXxxXXxxXXxx 28JUL06 01:30 XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S37 C/O PC-9	due on Serial A23-033 at WAC 0000			
A1PXXUY505356 28JUL06 00:01	COMPLETED XXxxXXxx	28JUL06 00:04 XXxxXXxxXXxxXXxxXXxx	5594.9 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx XXxxXXxxXXxxXXxxXXxx 28JUL06 00:04 XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S47 CARRIED OUT IAW 7212-007-6-4				
A1PXXUY608738 28JUL06 02:10	COMPLETED XXxxXXxx	03AUG06 05:19 XXxxXXxxXXxxXXxxXXxx	5594.9 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx XXxxXXxxXXxxXXxxXXxx 03AUG06 05:19 XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	STI-PC9-0413 ELEVATOR ASSY	due on Serial 510 at WAC 1300			
A1PXXUY608826 01AUG06 02:51	COMPLETED XXxxXXxx	01AUG06 02:59 XXxxXXxxXXxxXXxxXXxx	5594.9 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx XXxxXXxxXXxxXXxxXXxx 01AUG06 02:59 XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	AOA TRASMITTER RFA				
	Maint Acts:	AOA TRANSMITTER FITTED				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02805  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY608826  
SEQ REMOVED SERIAL NO EIAC LCN ALC INSTALLED SERIAL NO EIAC LCN ALC  
REMOVED PART NO DATE/TIME JOB NUMBER INSTALLED PART NO DATE/TIME  
=====  
=====

001 6154 A23T A2KGA 00  
12P 01AUG06 02:53

A1PXXUY608928 COMPLETED 03AUG06 00:39 5594.9 AFHR XXxxXXxxXXxxXXxxXXxx  
03AUG06 00:08 XXxxXXxx  
LP FUEL FILTER TO BE INSPECTED POST INITIAL IDLE RUN  
03AUG06 00:39  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: LP FUEL FILTER REPLACED WITH SERV ITEM IAW 7212-007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY608928  
SEQ REMOVED SERIAL NO EIAC LCN ALC INSTALLED SERIAL NO EIAC LCN ALC  
REMOVED PART NO DATE/TIME JOB NUMBER INSTALLED PART NO DATE/TIME  
=====  
=====

001 L233245 A23T A1UJK00 00 L421375 A23T A1UJK00 00  
03W1738-231 03AUG06 00:16 A1PXXJY611956 03W1738-231 03AUG06 00:31

A1PXXUY603427 COMPLETED 03AUG06 02:48 5594.9 AFHR XXxxXXxxXXxxXXxxXXxx  
03AUG06 02:46 XXxxXXxx  
S41 due on Serial A23-033  
PC-9 at WAC 0000  
03AUG06 02:48  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: CARRIED OUT IAW 7212-007-6-4

A1PXXUY608994 COMPLETED 04AUG06 01:47 5594.9 AFHR XXxxXXxxXXxxXXxxXXxx  
03AUG06 07:47 XXxxXXxx  
FRONT AND REAR PARAS RFA DUE BS  
04AUG06 01:47  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV PARA ASSY'S FITTED

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 02806  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY608994

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	MB13807	A23T	A26BA	00	MB10709	A23T	A26BA	00
	MBEU12043PA		03AUG06 07:49	A1PXXJY612034	MBEU12043PA		04AUG06 01:45	

002	R616186	A23T	A1WBA	00	MB13779	A23T	A1WBA	00
	MBEU100664		03AUG06 07:50	A1PXXJY612035	MBEU100664		04AUG06 01:44	

A1PXXUY608995 COMPLETED 14AUG06 08:04 5594.9 AFHR XXxxXXxxXXxxXXxxXXxx  
03AUG06 07:51 XXxxXXxx  
FRONT AND REAR PSP'S RFA  
14AUG06 08:04  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV FRONT AND REAR PSP ASSY'S FITTED IAW AAP 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY608995

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	DG2690	A23T	A26BG	00	DG0039	A23T	A26BG	00
	STANDARDPACK-1		03AUG06 07:52	A1PXXJY612036	STANDARDPACK-1		14AUG06 08:04	

002	DC2874	A23T	A1WBG	00	DE0533	A23T	A1WBG	00
	STANDARDPACK-1		03AUG06 07:53	A1PXXJY612037	STANDARDPACK-1		14AUG06 08:04	

A1PXXUY609116 COMPLETED 21MAY09 03:35 5594.9 AFHR SST XXxxXXxxXXxxXXxxXXxx  
07AUG06 03:08 XXxxXXxx 21MAY09 03:35  
TEMP REPAIR CO TO LOWER RH WING SKIN OBOARD DOOR STOP  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: REPAIRED AT R2 REF LSN 416/09



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02807  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY607614	COMPLETED	09AUG06 00:41	5594.9	AFHR		XXxxXXxxXXxxXXxxXXxx
09AUG06 00:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0411	due on Serial A23-033			09AUG06 00:41
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	STI-PC9-0411				

A1PXXUY609221	COMPLETED	10AUG06 05:11	5594.9	AFHR		XXxxXXxxXXxxXXxxXXxx
09AUG06 04:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		RH AILERON RFA				10AUG06 05:11
						XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	SERV RH AILERON ASSY FITTED				

REMOVALS/INSTALLATIONS FOR A1PXXUY609221

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	326	A23T	A2KCC	00	326	A23T	A2KCC	00
	557.51.09.002		09AUG06 04:52	A1PXXJY612252	557.51.09.002		10AUG06 05:10	

A1PXXUY608964	COMPLETED	14AUG06 07:42	5594.9	AFHR		XXxxXXxxXXxxXXxxXXxx
14AUG06 07:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40	due on Serial A23-033			14AUG06 07:42
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 SERVICING C/O				

A1PXXUY609604	COMPLETED	16AUG06 01:00	5594.9	AFHR		XXxxXXxxXXxxXXxxXXxx
16AUG06 00:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BATT VOLTAGE LOW				16AUG06 01:00
						XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES -----  
 SERV NUMBER STATUS STATUS DATE/TIME TOTAL LIFE INT TYPE CERTIFICATION TRADESMAN  
 RAISED DATE/TIME RAISED USER ID RAISED NAME RAISED VENUE CAPABILITY CODE EPSS DATE/TIME  
 ENTERED DATE/TIME ENTERED USER ID ENTERED NAME ENTERED VENUE IMIC NO SUPERVISOR  
 OPERATION NO ASOR NO SYMPTOMS  
 EE500PG EE500LN  
 STA WL BL ADMIN MAINT ACTION/LIMITATIONS  
 =====

Maint Acts: BATT NICAD REPLACED IAW AAP 7212.007-2 CH 24

REMOVALS/INSTALLATIONS FOR A1PXXUY609604

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
=====	=====	=====	=====	=====	=====	=====	=====	=====
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0054	A23T	A1UOA 16AUG06 00:58	00 A1PXXJY612598	2665 33490409201	A23T	A1UOA 16AUG06 00:59	00

A1PXXUY609649 COMPLETED 17AUG06 00:12 5594.9 AFHR XXxxXXxxXXxxXXxxXXxx  
 16AUG06 06:00 XXxxXXxx  
 AIRCRAFT REQUIRES MTF FOR WING CX, PROP CX, HP PUMP CX AND STI-PC9-354  
 17AUG06 00:12  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: MTF C/O

A1PXXUY609674 COMPLETED 17AUG06 02:00 5596.2 AFHR XXxxXXxxXXxxXXxxXXxx  
 16AUG06 11:21 XXxxXXxx  
 MTF REQD FOR S62 &TRIMS REF 508`  
 17AUG06 02:00  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: MTF CARRIED OUT

A1PXXUY609694 COMPLETED 17AUG06 04:46 5596.2 AFHR XXxxXXxxXXxxXXxxXXxx  
 17AUG06 02:01 XXxxXXxx  
 AIRCRAFT REQUIRES AIRTEST FOR IDLE NG ADJUSTMENT  
 17AUG06 04:46  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIORTEST CO SERV

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02809  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY609491	COMPLETED	20AUG06 23:16	5600.3	AFHR		XXxxXXxxXXxxXXxxXXxx
18AUG06 07:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40	due on Serial A23-033			20AUG06 23:16
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 SERVICING C/O				

A1PXXUY609832	COMPLETED	21AUG06 01:41	5603.8	AFHR		XXxxXXxxXXxxXXxxXXxx
21AUG06 01:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS	due on Serial 4648			21AUG06 01:41
		REG PRESS REDUCING	at WAC 0640			XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	SERV REG PRESSURE REDUCING FITTED				

REMOVALS/INSTALLATIONS FOR A1PXXUY609832

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	4648	A23T	A1UNC	00	789	A23T	A1UNC	00
	27660-3		21AUG06 01:35	A1PXXJY514663	27660-3		21AUG06 01:38	

A1PXXUY609872	COMPLETED	21AUG06 11:55	5606.0	AFHR		XXxxXXxxXXxxXXxxXXxx
21AUG06 11:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		LH BRAKE WORN TO LIMITS				21AUG06 11:55
						XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	SERV LEFT HAND BRAKE FITTED IAW AAP 7212.007				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02810  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
REMOVALS/INSTALLATIONS FOR A1PXXUY609872

PERIOD: 01JAN90 TO 08JAN20

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	0497P	A23T	A2KDI	00	0158	A23T	A2KDI	00
2-1524-1	21AUG06 11:52	A1PXXJY612923	2-1524-1	21AUG06 11:53				

A1PXXUY609874 COMPLETED 22AUG06 03:25 5606.0 AFHR  
21AUG06 22:20 XXXXX  
AIR TEST REQDFOR LEFT HAND BRAKE OPS  
Maint Acts: AIRTEST C/OUT

A1PXXUY609826 COMPLETED 27AUG06 23:25 5613.0 AFHR  
26AUG06 03:59 XXXXX  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
Maint Acts: S40 C/O

A1PXXUY610167 COMPLETED 03SEP06 23:28 5629.8 AFHR  
01SEP06 06:19 XXXXX  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
Maint Acts: S40 SERV CO

A1PXXUY610712 COMPLETED 05SEP06 08:51 5637.5 AFHR  
05SEP06 08:49 XXXXX  
LH TYRE W.T.L.  
Maint Acts: SERV LH HUB ASSY FITTED IAW AAP 7212.007-2

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY610712

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0121	A23T	A2KDM	01	0148	A23T	A2KDM	01
	3-1555		05SEP06 08:50	A1PXXJY613965	3-1555		05SEP06 08:50	

A1PXXUY610752 COMPLETED 07SEP06 04:01 5640.0 AFHR XXxxXXxxXXxxXXxxXXxx  
06SEP06 11:01 XXxxXXxx  
RADIO BREAKTHROUGH INTERFERENCE  
07SEP06 04:01  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: LOWER BEACON POWER SUPPLY REPLACED

A1PXXUY610801 COMPLETED 07SEP06 03:05 5640.8 AFHR XXxxXXxxXXxxXXxxXXxx  
07SEP06 03:01 XXxxXXxx  
RH BRAKE FAILED PRE-DEPLOYMENT CHECK  
07SEP06 03:05  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV BRAKE ASSY FITTED IAW AAP 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY610801

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0004	A23T	A2KEE	00	0194	A23T	A2KEE	00
	2-1524-1		07SEP06 03:03	A1PXXJY614093	2-1524-1		07SEP06 03:04	

A1PXXUY610802 COMPLETED 12SEP06 02:00 5640.8 AFHR XXxxXXxxXXxxXXxxXXxx  
07SEP06 03:24 XXxxXXxx  
AIRCRAFT REQUIRES AIRTEST FOR RH BRAKE OP'S  
12SEP06 02:00  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST C/OUT

A1PXXUY610593 COMPLETED 11SEP06 03:50 5640.8 AFHR XXxxXXxxXXxxXXxxXXxx  
10SEP06 23:05 XXxxXXxx  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
11SEP06 03:50  
XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: S40 SERV C/OUT

A1PXXUY611156	COMPLETED	15SEP06 02:45	5657.0	AFHR		XXxxXXxxXXxxXXxxXXxx
13SEP06 02:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		ESDP F&R DROPPED OUT, FRONT CAME GOOD, REAR STAYED FROZEN.				15SEP06 02:45
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV REAR ESDP FITTED ON DETACHMENT TO LEARMONTH.

REMOVALS/INSTALLATIONS FOR A1PXXUY611156

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	89050037	A23T	A1UHO	00	89050045	A23T	A1UHO	00
	150.0001-2		13SEP06 13:00	A1PXXJY614521	150.0001-2		13SEP06 14:00	

A1PXXUY611037	COMPLETED	13SEP06 06:28	5647.7	AFHR		XXxxXXxxXXxxXXxxXXxx
13SEP06 06:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FNT PSP RFA				13SEP06 06:28
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: PSP REFITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY611037

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	DE0533	A23T	A1WBG	00	DE0533	A23T	A1WBG	00
	STANDARDPACK-1		13SEP06 06:19	A1PXXJY614383	STANDARDPACK-1		13SEP06 06:26	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 02813  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY610943	COMPLETED	17SEP06 23:17	5657.0	AFHR		XXxxXXxxXXxxXXxxXXxx
17SEP06 23:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				17SEP06 23:17
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 SERV C/OUT				

A1PXXUY611370	COMPLETED	20SEP06 01:30	5675.0	AFHR		XXxxXXxxXXxxXXxxXXxx
20SEP06 13:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			20SEP06 01:30
		LEARMONTH DETACHMENT: HUB ASSY WTL				
	Maint Acts:	SERV HUB ASSY FITTED DURING LEARMONTH DETACHMENT.				

REMOVALS/INSTALLATIONS FOR A1PXXUY611370

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0022	A23T	A2KEI	01	0097	A23T	A2KEI	01
	3-1555		20SEP06 01:05	A1PXXJY615029	3-1555		20SEP06 01:30	

A1PXXUY611401	COMPLETED	27SEP06 09:29	5676.2	AFHR		XXxxXXxxXXxxXXxxXXxx
24SEP06 23:02	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
24SEP06 23:03	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			27SEP06 09:29
		PROP NDI TO BE CARRIED OUT POST BLEND.				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	NDI CO SERV				

A1PXXUY611183	COMPLETED	24SEP06 23:24	5676.2	AFHR		XXxxXXxxXXxxXXxxXXxx
24SEP06 23:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
24SEP06 23:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			24SEP06 23:24
		S40 due on Serial A23-033				XXxxXXxxXXxxXXxxXXxx
		PC-9 at WAC 0000				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: S40 C/O IAW 7212.007-2

A1PXXUY608396	COMPLETED	25SEP06 06:20	5682.8	AFHR		XXxxXXxxXXxxXXxxXXxx
25SEP06 06:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
25SEP06 06:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S26 due on Serial A23-033				25SEP06 06:20
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S26 CO C 2 DOWN

A1PXXUY611571	COMPLETED	27SEP06 04:52	5686.6	AFHR		XXxxXXxxXXxxXXxxXXxx
27SEP06 04:48	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
27SEP06 04:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		SEO TRIPPED AS PILOT STRAPPED IN				27SEP06 04:52
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV SEO FITTED IAW AAP 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY611571

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	2923798	A23T	A1WBE	00	1647273	A23T	A1WBE	00
	MBEU100618		27SEP06 04:50	A1PXXJY615582	MBEU100618		27SEP06 04:51	

A1PXXUY611409	COMPLETED	28SEP06 23:04	5689.3	AFHR		XXxxXXxxXXxxXXxxXXxx
28SEP06 11:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
28SEP06 11:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				28SEP06 23:04
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O IAW 7212.007-2



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02815  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY611843	COMPLETED	04OCT06 05:31	5689.3	AFHR		XXxxXXxxXXxxXXxxXXxx
04OCT06 05:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
04OCT06 05:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FRONT CLOCK PANEL R.F.A.				04OCT06 05:31
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: CLOCK PANEL REFITTED SERV IAW AAP 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY611843

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	621045	A23T	A1UCC	00	621045	A23T	A1UCC	00
	Q17-941.22.052AB		04OCT06 05:23	A1PXXJY615925	Q17-941.22.052AB		04OCT06 05:30	

A1PXXUY611850	COMPLETED	08OCT06 23:52	5689.3	AFHR		XXxxXXxxXXxxXXxxXXxx
04OCT06 10:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
04OCT06 10:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRCRAFT REQUIRES A MTF FOR PCL OP'S				08OCT06 23:52
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST C/OUT

A1PXXUY611672	COMPLETED	05OCT06 23:36	5689.3	AFHR		XXxxXXxxXXxxXXxxXXxx
05OCT06 10:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
05OCT06 10:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				05OCT06 23:36
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 CARRIED OUT IAW AAP 7212.007-6-4

A1PXXUY612256	COMPLETED	12OCT06 06:51	5708.3	AFHR		XXxxXXxxXXxxXXxxXXxx
12OCT06 06:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
12OCT06 06:48	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FRONT G METER STICKING				12OCT06 06:51
						XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 02816  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES -----  
SERV NUMBER STATUS STATUS DATE/TIME TOTAL LIFE INT TYPE CERTIFICATION TRADESMAN  
RAISED DATE/TIME RAISED USER ID RAISED NAME RAISED VENUE CAPABILITY CODE EPSS DATE/TIME  
ENTERED DATE/TIME ENTERED USER ID ENTERED NAME ENTERED VENUE IMIC NO SUPERVISOR  
OPERATION NO ASOR NO SYMPTOMS DATE/TIME  
EE500PG EE500LN INSPECTOR  
STA WL BL ADMIN MAINT ACTION/LIMITATIONS DATE/TIME  
=====

Maint Acts: SERV G METER FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY612256

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	37969	A23T	A1UCK	01	35582	A23T	A1UCK	01
	2094-19		12OCT06 06:48	A1PXXJY616498	2094-19		12OCT06 06:49	

A1PXXUY611980 COMPLETED 12OCT06 23:19 5708.3 AFHR XXxxXXxxXXxxXXxxXXxx  
12OCT06 09:20 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
12OCT06 09:20 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
12OCT06 23:19  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 CARRIED OUT IAW AAP 7212.007-6-4

A1PXXUY612258 COMPLETED 16OCT06 01:03 5708.3 AFHR XXxxXXxxXXxxXXxxXXxx  
12OCT06 09:45 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
12OCT06 09:46 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
AIRTEST REQD FOR FNT G" METER OPS  
16OCT06 01:03  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST C/OUT

A1PXXUY612262 COMPLETED 12OCT06 23:16 5708.3 AFHR XXxxXXxxXXxxXXxxXXxx  
12OCT06 22:54 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
12OCT06 22:54 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
BS due on Serial 1690655  
SET EMERG OXYGEN at WAC 0740  
12OCT06 23:16  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV SEO FTED

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 02817  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR 1PXXUY612262

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1690655	A23T	A26BE	00	1664389	A23T	A26BE	00
	MBEU100618		12OCT06 23:14	A1PXXJY525349	MBEU100618		12OCT06 23:14	

A1PXXUY612499 COMPLETED 18OCT06 02:24 5722.1 AFHR XXxxXXxxXXxxXXxxXXxx  
17OCT06 23:51 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
17OCT06 23:51 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
TA due on Serial 33S83B  
MICRO LH SAFETY S83 at WAC 0950  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV S83 FITTED

REMOVALS/INSTALLATIONS FOR 1PXXUY612499

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	33S83B	A23T	A2KDS	00	PCY601120	A23T	A2KDS	00
	973.30.31.204		18OCT06 02:21	A1PXXJY308421	973.30.31.204		18OCT06 02:22	

A1PXXUY612500 COMPLETED 18OCT06 02:20 5722.1 AFHR XXxxXXxxXXxxXXxxXXxx  
17OCT06 23:52 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
17OCT06 23:52 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
TA due on Serial 33S96B  
MICRO NLG SAFETY at WAC 0500  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV S96 MICRO FITTED

REMOVALS/INSTALLATIONS FOR 1PXXUY612500

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	33S96B	A23T	A18AI	00	PCY601121	A23T	A18AI	00
	973.30.31.205		18OCT06 02:16	A1PXXJY308416	973.30.31.205		18OCT06 02:18	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY612508	COMPLETED	18OCT06 09:08	5722.1	AFHR		XXxxXXxxXXxxXXxxXXxx
18OCT06 04:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
18OCT06 04:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRTEST REQD FOR UC OPS POST MICRO CXS				18OCT06 09:08
						XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	AIRTEST CARRIED OUT				
A1PXXUY612267	COMPLETED	19OCT06 23:34	5729.3	AFHR		XXxxXXxxXXxxXXxxXXxx
19OCT06 13:11	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
19OCT06 13:11	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				19OCT06 23:34
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 C/O				
A1PXXUY612621	COMPLETED	25OCT06 22:53	5737.5	AFHR		XXxxXXxxXXxxXXxxXXxx
25OCT06 09:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
25OCT06 09:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				25OCT06 22:53
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 C/O				
A1PXXUY612853	COMPLETED	02NOV06 00:39	5739.9	AFHR		XXxxXXxxXXxxXXxxXXxx
01NOV06 23:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
01NOV06 23:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				02NOV06 00:39
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 CO				
A1PXXUY613387	COMPLETED	07NOV06 02:37	5740.7	AFHR		XXxxXXxxXXxxXXxxXXxx
07NOV06 00:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
07NOV06 00:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRCRAFT REQUIRES MTF FOR COMPRESSOR STALLS				07NOV06 02:37
						XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	MTF CARRIED OUT				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02819  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY613194	COMPLETED	08NOV06 22:20	5741.1	AFHR		XXxxXXxxXXxxXXxxXXxx
08NOV06 08:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
08NOV06 08:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				08NOV06 22:20
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 C/O IAW 7212.007-6-4				

A1PXXUY613567	COMPLETED	09NOV06 02:30	5741.1	AFHR		XXxxXXxxXXxxXXxxXXxx
09NOV06 02:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
09NOV06 02:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial 2665				09NOV06 02:30
		BATTERY NICAD at WAC 0660				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	SERV BATTERY NICAD FITTED IAW AAP 7212.007-2				

REMOVALS/INSTALLATIONS FOR A1PXXUY613567

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	2665	A23T	A1UOA	00	1465	A23T	A1UOA	00
	33490409201		09NOV06 02:29	A1PXXJY612552	33490409201		09NOV06 02:29	

A1PXXUY608965	COMPLETED	16NOV06 06:40	5741.1	AFHR		XXxxXXxxXXxxXXxxXXxx
14NOV06 04:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
14NOV06 04:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S18 due on Serial A23-033				16NOV06 06:40
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S 18 C/O				

A1PXXUY611470	COMPLETED	14NOV06 06:23	5741.1	AFHR		XXxxXXxxXXxxXXxxXXxx
14NOV06 04:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
14NOV06 04:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S26 due on Serial A23-033				14NOV06 06:23
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES -----

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: S26 CARRIED OUT IAW AAP 7212.007-6-4

A1PXXUY613557	COMPLETED	16NOV06 22:29	5741.1	AFHR		XXxxXXxxXXxxXXxxXXxx
14NOV06 04:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
14NOV06 04:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40	due on Serial A23-033			16NOV06 22:29
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 CARRIED OUT IAW 7212.007-2

A1PXXUY505339	COMPLETED	15NOV06 04:45	5741.1	AFHR		XXxxXXxxXXxxXXxxXXxx
14NOV06 04:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
14NOV06 04:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S27	due on Serial A23-033			15NOV06 04:45
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: S27 CARRIED OUT IAW AAP 7212.007-6-4

A1PXXUY517796	COMPLETED	16NOV06 23:30	5741.1	AFHR		XXxxXXxxXXxxXXxxXXxx
14NOV06 04:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
14NOV06 04:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		R1	due on Serial A23-033			16NOV06 23:30
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: R1 CO SERV

A1PXXUY604843	COMPLETED	14NOV06 05:13	5741.1	AFHR		XXxxXXxxXXxxXXxxXXxx
14NOV06 04:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
14NOV06 04:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S20	due on Serial A23-033			14NOV06 05:13
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: S20 CARRIED OUT IAW AAP 7212.007-6-4

A1PXXUY605144	COMPLETED	14NOV06 11:00	5741.1	AFHR		XXxxXXxxXXxxXXxxXXxx
14NOV06 04:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
14NOV06 04:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0342	due on Serial A23-033			14NOV06 11:00
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02821  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: STI-PC9-342 RINC

A1PXXUY607335	COMPLETED	16NOV06 02:28	5741.1	AFHR		XXxxXXxxXXxxXXxxXXxx
14NOV06 04:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
14NOV06 04:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0410	due on Serial A23-033			16NOV06 02:28
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-0410 C/O

REMOVALS/INSTALLATIONS FOR A1PXXUY607335

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PCY400429 AN6C13A	A23T	A1UAY 16NOV06 01:57	00 A1PXXJY618715	PCY601267 932.35.14.313	A23T	A1UAY 16NOV06 02:12	00
002	PCY400430 AN6C13A	A23T	A1UBA 16NOV06 01:59	00 A1PXXJY618716	PCY601268 932.35.14.313	A23T	A1UBA 16NOV06 02:16	00
003	PCY600584 938.07.68.307	A23T	A1UAK 16NOV06 02:00	00 A1PXXJY618719	PCY601269 938.07.68.307	A23T	A1UAK 16NOV06 02:18	00
004	PCY600585 938.07.68.307	A23T	A1UAI 16NOV06 02:02	00 A1PXXJY618722	PCY601270 938.07.68.307	A23T	A1UAI 16NOV06 02:21	00
005	PCY601267 932.35.14.313	A23T	A1UAY 16NOV06 02:22	00 A1PXXJY618740	PCY601267 932.35.14.313	A23T	A1UAY 16NOV06 02:25	00

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02822  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY608398	COMPLETED	14NOV06 06:24	5741.1	AFHR		XXxxXXxxXXxxXXxxXXxx
14NOV06 04:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
14NOV06 04:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-339A due on Serial A23-033				14NOV06 06:24
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	STI-PC9-0339A RIND				
A1PXXUY610338	COMPLETED	14NOV06 06:32	5741.1	AFHR		XXxxXXxxXXxxXXxxXXxx
14NOV06 04:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
14NOV06 04:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		7212.007-227 due on Serial A23-033				14NOV06 06:32
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	MOD 7212.007-227				
A1PXXUY613773	COMPLETED	15NOV06 09:33	5741.1	AFHR		XXxxXXxxXXxxXXxxXXxx
14NOV06 04:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
14NOV06 04:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-255A due on Serial 533				15NOV06 09:33
		VERTICAL STAB ASSY at WAC 1400				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	STI-PC9-255A RINC.				
A1PXXUY613774	COMPLETED	15NOV06 09:33	5741.1	AFHR		XXxxXXxxXXxxXXxxXXxx
14NOV06 04:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
14NOV06 04:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-255B due on Serial 536				15NOV06 09:33
		HORIZONTAL STAB ASS at WAC 1100				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	STI-PC9-255B RINC REF NDI REPORT 1090/06.				
A1PXXUY613775	COMPLETED	16NOV06 06:46	5741.1	AFHR		XXxxXXxxXXxxXXxxXXxx
14NOV06 04:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
14NOV06 04:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0423 due on Serial 027				16NOV06 06:46
		WING ASSY at WAC 1500				XXxxXXxxXXxxXXxxXXxx
		FT due on Serial 027				
		WING ASSY at WAC 1500				



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: STI 423 AND FT ON SNO 027 C/O

A1PXXUY613776	COMPLETED	15NOV06 09:57	5741.1	AFHR		XXxxXXxxXXxxXXxxXXxx
14NOV06 04:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
14NOV06 04:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FT due on Serial PCY400427				15NOV06 09:57
		BOLT WING-FUSELAGE at WAC 0900				XXxxXXxxXXxxXXxxXXxx

Maint Acts: FUNCTIONAL TEST (RETORQUE) CARRIED OUT IAW AAP 7212.007-2

A1PXXUY613777	COMPLETED	15NOV06 09:56	5741.1	AFHR		XXxxXXxxXXxxXXxxXXxx
14NOV06 04:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
14NOV06 04:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FT due on Serial PCY400428				15NOV06 09:56
		BOLT WING-FUSELAGE at WAC 1000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: FUNCTIONAL TEST (RETORQUE) CARRIED OUT IAW AAP 7212.007-2

A1PXXUY613778	COMPLETED	16NOV06 02:33	5741.1	AFHR		XXxxXXxxXXxxXXxxXXxx
14NOV06 04:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
14NOV06 04:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FT due on Serial PCY400429				16NOV06 02:33
		BOLT WG-FUS AFT RH at WAC 1000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: BOLT WG-FUS AFT RH FT C/O IAW AAP7212.007-2

A1PXXUY613779	COMPLETED	16NOV06 02:31	5741.1	AFHR		XXxxXXxxXXxxXXxxXXxx
14NOV06 04:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
14NOV06 04:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FT due on Serial PCY400430				16NOV06 02:31
		BOLT WG-FUS AFT LH at WAC 0900				XXxxXXxxXXxxXXxxXXxx

Maint Acts: BOLT WG-FUS AFT LH FT C/O IAW AAP7212.007-2

A1PXXUY613780	COMPLETED	15NOV06 09:56	5741.1	AFHR		XXxxXXxxXXxxXXxxXXxx
14NOV06 04:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
14NOV06 04:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FT due on Serial PCY400431				15NOV06 09:56
		BOLT U-B W-F FWD RH at WAC 1000				XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 02824  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: FUNCTIONAL TEST (RETORQUE) CARRIED OUT IAW AAP 7212.007-2

A1PXXUY613781	COMPLETED	15NOV06 09:55	5741.1	AFHR		XXxxXXxxXXxxXXxxXXxx
14NOV06 04:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
14NOV06 04:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FT due on Serial PCY400432				15NOV06 09:55
		BOLT U-B W-F FWD LH at WAC 0900				XXxxXXxxXXxxXXxxXXxx

Maint Acts: FUNCTIONAL TEST (RETORQUE) CARRIED OUT IAW AAP 7212.007-2

A1PXXUY613782	COMPLETED	15NOV06 07:47	5741.1	AFHR		XXxxXXxxXXxxXXxxXXxx
14NOV06 04:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
14NOV06 04:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial RT155				15NOV06 07:47
		FUEL NOZZLE SET at WAC 0120				XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV FUEL NOZZELE SET INSTALLED IAW AAP 7113 022-2

REMOVALS/INSTALLATIONS FOR A1PXXUY613782

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	RT155	A23T	A1SAK27	00	RT154	A23T	A1SAK27	00
	RAAFA62FNS01		15NOV06 07:38	A1PXXJY618652	RAAFA62FNS01		15NOV06 07:41	

A1PXXUY613783	COMPLETED	15NOV06 09:54	5741.1	AFHR		XXxxXXxxXXxxXXxxXXxx
14NOV06 04:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
14NOV06 04:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FT due on Serial PCY600594				15NOV06 09:54
		BOLT WG-FUS CTR RH at WAC 1000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: FUNCTIONAL TEST (RETORQUE) IAW AAP 7212.007-2

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02825  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY613784	COMPLETED	15NOV06 09:52	5741.1	AFHR		XXxxXXxxXXxxXXxxXXxx
14NOV06 04:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
14NOV06 04:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FT due on Serial PCY600595				15NOV06 09:52
		BOLT WG-FUS CTR LH at WAC 0900				XXxxXXxxXXxxXXxxXXxx

Maint Acts: FUNCTIONAL TEST (RETORQUE) CARRIED OUT IAW AAP 7212.007-2

A1PXXUY613787	COMPLETED	14NOV06 06:47	5742.4	AFHR		XXxxXXxxXXxxXXxxXXxx
14NOV06 05:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
14NOV06 05:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BATT NICAD REMOVED FOR ACCESS				14NOV06 06:47
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: BATT NICAD REFITTED IAW AAP 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY613787

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1465	A23T	A1UOA	00	1465	A23T	A1UOA	00
	33490409201		14NOV06 05:39	A1PXXJY618550	33490409201		14NOV06 06:46	

A1PXXUY613788	COMPLETED	16NOV06 01:19	5742.4	AFHR		XXxxXXxxXXxxXXxxXXxx
14NOV06 05:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
14NOV06 05:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FDR RFA				16NOV06 01:19
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: FDR REFITTED

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY613788

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	01496	A23T	A1UPM	00	01496	A23T	A1UPM	00
	S703-1000-01		14NOV06 05:41	A1PXXJY618551	S703-1000-01		16NOV06 01:18	

A1PXXUY613810 COMPLETED 15NOV06 10:46 5742.4 AFHR XXxxXXxxXXxxXXxxXXxx  
 14NOV06 07:13 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 14NOV06 07:15 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 ELEVATOR RFA  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: ELEVATOR REFITTED IAW 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY613810

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	510	A23T	A2IBC	00	510	A23T	A2IBC	00
	555.20.09.257		14NOV06 07:15	A1PXXJY618572	555.20.09.257		15NOV06 10:44	

A1PXXUY613822 COMPLETED 14NOV06 11:36 5742.4 AFHR XXxxXXxxXXxxXXxxXXxx  
 14NOV06 11:33 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 14NOV06 11:34 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 OIL FILTER REMOVED FOR CLEANING  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: OIL FILTER CLEANED AND REFITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY613822

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PCY501564	A23T	A1SAK34	00	PCY501564	A23T	A1SAK34	00
	3028419		14NOV06 11:34	A1PXXJY618577	3028419		14NOV06 11:35	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY613863	COMPLETED	15NOV06 03:43	5742.4	AFHR		XXXXXXXXXXXXXXXXXXXX
15NOV06 03:40	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			
15NOV06 03:41	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX 15NOV06 03:43 XXXXXXXXXX

Maint Acts: LP FUEL FILTER REPLACED

REMOVALS/INSTALLATIONS FOR A1PXXUY613863

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	L421375 03W1738-231	A23T	A1UJK00 15NOV06 03:41	00 A1PXXJY618624	L118194 968.35.21.162	A23T	A1UJK00 15NOV06 03:42	00

A1PXXUY613888	COMPLETED	15NOV06 09:43	5742.4	AFHR		XXXXXXXXXX
15NOV06 09:06	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			
15NOV06 09:06	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX 15NOV06 09:43 XXXXXXXXXX

Maint Acts: WHEELS REFITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY613888

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0148 3-1555	A23T	A2KDM 15NOV06 09:07	01 A1PXXJY618653	0148 3-1555	A23T	A2KDM 15NOV06 09:42	01

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02828  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
002	0097	A23T	A2KEI	01	0097	A23T	A2KEI	01
	3-1555		15NOV06 09:08	A1PXXJY618654	3-1555		15NOV06 09:42	
A1PXXUY613963	COMPLETED		17NOV06 02:44	5742.4	AFHR		XXxxXXxxXXxxXXxxXXxx	
16NOV06 22:48	XXxxXXxx		XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
16NOV06 22:49	XXxxXXxx		XXxxXXxxXXxxXXxxXXxx	AIP			17NOV06 02:44	
			ENG COWLS 1 & 2 RFA				XXxxXXxxXXxxXXxxXXxx	
	Maint Acts:		ENG COWL 1 AND 2 REFITTED IAW AAP 7212.007					
A1PXXUY613992	COMPLETED		20NOV06 08:09	5742.4	AFHR		XXxxXXxxXXxxXXxxXXxx	
16NOV06 23:32	XXxxXXxx		XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
16NOV06 23:34	XXxxXXxx		XXxxXXxxXXxxXXxxXXxx	AIP			20NOV06 08:09	
			AIRCRAFT REQUIRES MTF FOR POST R1 HANDLING CHECKS, STI-0342				XXxxXXxxXXxxXXxxXXxx	
	Maint Acts:		MTF CO SERV					
A1PXXUY614007	COMPLETED		03APR07 04:43	5742.4	AFHR		XXxxXXxxXXxxXXxxXXxx	
17NOV06 01:47	XXxxXXxx		XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
17NOV06 01:49	XXxxXXxx		XXxxXXxxXXxxXXxxXXxx	AIP			03APR07 04:43	
			456485-3A5 SUSPECT CORROSION ON RH SIDE OF RIB 14, RH SIDE OF THE WING				XXxxXXxxXXxxXXxxXXxx	
	Maint Acts:		AREA INSPECTED AND RIB 14 INSPECTED NIL CORROSION FOUND ASSESSED SERV					
A1PXXUY614008	COMPLETED		13MAY08 00:22	5742.4	AFHR		XXxxXXxxXXxxXXxxXXxx	
17NOV06 01:49	XXxxXXxx		XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
17NOV06 01:50	XXxxXXxx		XXxxXXxxXXxxXXxxXXxx	AIP			13MAY08 00:22	
			456485-3A6 CORRISION ON THE RH TOP FIXED COWL SUPPORT BRACKET REAR				XXxxXXxxXXxxXXxxXXxx	
	Maint Acts:		SERV BRACKET FITTED (REF EE508 471987-1D NO 7)					
A1PXXUY614078	COMPLETED		21NOV06 01:29	5742.8	AFHR		XXxxXXxxXXxxXXxxXXxx	
20NOV06 08:09	XXxxXXxx		XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
20NOV06 08:10	XXxxXXxx		XXxxXXxxXXxxXXxxXXxx	AIP			21NOV06 01:29	
			MTF REQD POST AILERON TRIMS				XXxxXXxxXXxxXXxxXXxx	
	Maint Acts:		MTF CARRIED OUT					

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02829  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY613962	COMPLETED	22NOV06 23:19	5750.1	AFHR		XXXXXXXXXXXXXXXXXXXX
22NOV06 09:16	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
22NOV06 09:16	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S40 due on Serial A23-033				22NOV06 23:19
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	S40 C/O				

A1PXXUY614290	COMPLETED	29NOV06 22:42	5762.5	AFHR		XXXXXXXXXXXXXXXXXXXX
29NOV06 11:32	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
29NOV06 11:32	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S40 due on Serial A23-033				29NOV06 22:42
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	S40 CARRIED OUT IAW AAP 7212.007-6-4				

A1PXXUY614845	COMPLETED	05DEC06 02:57	5774.0	AFHR		XXXXXXXXXXXXXXXXXXXX
05DEC06 02:55	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
05DEC06 02:55	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BEACONS NIL OPS				05DEC06 02:57
						XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	SERV POWER SUPPLY FITTED IAW AAP 7212.007-2				

REMOVALS/INSTALLATIONS FOR A1PXXUY614845

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	2069	A23T	A1UNS	00	2584	A23T	A1UNS	00
	04-1504-3428		05DEC06 02:56	A1PXXJY619864	04-1504-3428		05DEC06 02:57	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY614936	COMPLETED	06DEC06 01:44	5777.1	AFHR		XXxxXXxxXXxxXXxxXXxx	
06DEC06 01:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP				
06DEC06 01:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		INTERCOM VOLUME LOW ITITALLY THEN INTERCOM FAILURE WITH CLICKING					06DEC06 01:44
						XXxxXXxxXXxxXXxxXXxx	

Maint Acts: FRONT AND REAR ACP'S REPLACED WITH SERV ITEMS IAW AAP 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY614936

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	299	A23T	A1UEA	00	245	A23T	A1UEA	00
	AS3100-15K		06DEC06 01:38	A1PXXJY619983	AS3100-15K		06DEC06 01:43	
002	342	A23T	A1UIG	00	306	A23T	A1UIG	00
	AS3100-15K		06DEC06 01:40	A1PXXJY619984	AS3100-15K		06DEC06 01:41	

A1PXXUY614639	COMPLETED	06DEC06 21:52	5782.4	AFHR		XXxxXXxxXXxxXXxxXXxx	
06DEC06 09:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP				
06DEC06 09:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		S40 due on Serial A23-033					06DEC06 21:52
		PC-9 at WAC 0000					XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 CO SERV IAW 7212-007-6-4

A1PXXUY614981	COMPLETED	13DEC06 21:40	5787.5	AFHR		XXxxXXxxXXxxXXxxXXxx	
13DEC06 09:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP				
13DEC06 09:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		S40 due on Serial A23-033					13DEC06 21:40
		PC-9 at WAC 0000					XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02831  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME

A1PXXUY615446	COMPLETED	08JAN07 21:45	5791.9	AFHR		XXxxXXxxXXxxXXxxXXxx
17DEC06 23:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
17DEC06 23:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
EE500PG EE500LN		BS		due on Serial 1465		08JAN07 21:45
STA WL BL ADMIN		BATTERY NICAD		at WAC 0660		XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV BATT NICAD FITTED IAW AAP 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY615446

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1465	A23T	A1UOA	00	1271	A23T	A1UOA	00
	33490409201		08JAN07 21:43	A1PXXJY616866	33490409201		08JAN07 21:43	

A1PXXUY615322	COMPLETED	07JAN07 23:56	5791.9	AFHR		XXxxXXxxXXxxXXxxXXxx
18DEC06 01:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
18DEC06 01:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40		due on Serial A23-033		07JAN07 23:56
		PC-9		at WAC 0000		XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 CARRIED OUT IAW AAP 7212.007-6-4

A1PXXUY615589	COMPLETED	20DEC06 00:51	5791.9	AFHR		XXxxXXxxXXxxXXxxXXxx
20DEC06 00:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
20DEC06 00:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0419		due on Serial HLY400582		20DEC06 00:51
		HARNESS		at WAC 0740		XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI INC

A1PXXUY615590	COMPLETED	20DEC06 00:53	5791.9	AFHR		XXxxXXxxXXxxXXxxXXxx
20DEC06 00:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
20DEC06 00:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0419		due on Serial PCY600779		20DEC06 00:53
		HARNESS		at WAC 0730		XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02832  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: STI INC

A1PXXUY700005	COMPLETED	15JAN07 00:04	5791.9	AFHR		XXxxXXxxXXxxXXxxXXxx
12JAN07 00:02	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
12JAN07 00:02	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				15JAN07 00:04
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERV C/O IAW AAP 7212.007-2

A1PXXUY700364	COMPLETED	15JAN07 10:10	5791.9	AFHR		XXxxXXxxXXxxXXxxXXxx
15JAN07 03:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
15JAN07 03:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FT due on Serial DN8236				15JAN07 10:10
		BCN UNDERWATER LOC at WAC 0640				XXxxXXxxXXxxXXxxXXxx

Maint Acts: FT CARRIED OUT IAW AAP 7212.007-2

A1PXXUY700367	COMPLETED	15JAN07 09:57	5791.9	AFHR		XXxxXXxxXXxxXXxxXXxx
15JAN07 04:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
15JAN07 04:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		NOSE WHEEL ACTUATOR WILL NOT MANUALLY TURN.				15JAN07 09:57
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV NWS ACTUATOR FITTED IAW AAP 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY700367

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1237	A23T	A18AC	00	1194	A23T	A18AC	00
	HP1460100-3		15JAN07 04:08	A1PXXJY700673	960.10.01.202		15JAN07 09:55	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY700374	COMPLETED	15JAN07 04:50	5791.9	AFHR		XXxxXXxxXXxxXXxxXXxx
15JAN07 04:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
15JAN07 04:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		LH AND RH BRAKE ASSY WTL				15JAN07 04:50
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: LH AND RH SERV BRAKE ASSY FITTED IAW AAP7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY700374

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0158	A23T	A2KDI	00	0073	A23T	A2KDI	00
	2-1524-1		15JAN07 04:23	A1PXXJY700675	2-1524-1		15JAN07 04:34	
002	0194	A23T	A2KEE	00	0082	A23T	A2KEE	00
	2-1524-1		15JAN07 04:26	A1PXXJY700676	2-1524-1		15JAN07 04:36	
003	0148	A23T	A2KDM	01	0148	A23T	A2KDM	01
	3-1555		15JAN07 04:28	A1PXXJY700677	3-1555		15JAN07 04:39	
004	0097	A23T	A2KEI	01	0097	A23T	A2KEI	01
	3-1555		15JAN07 04:29	A1PXXJY700678	3-1555		15JAN07 04:38	

A1PXXUY700392	COMPLETED	16JAN07 06:46	5791.9	AFHR		XXxxXXxxXXxxXXxxXXxx
15JAN07 10:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
15JAN07 10:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRTEST REQUIRED FOR LH AN RH BRAKE CX AND NWS ACT CX				16JAN07 06:46
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST CO SERV

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY700348	COMPLETED	21JAN07 22:22	5797.9	AFHR		XXxxXXxxXXxxXXxxXXxx
19JAN07 06:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
19JAN07 06:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40	due on Serial A23-033			21JAN07 22:22
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 C/O IAW 7212.007-6-4				

A1PXXUY700696	COMPLETED	22JAN07 04:28	5799.2	AFHR		XXxxXXxxXXxxXXxxXXxx
22JAN07 04:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
22JAN07 04:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FRONT C/P ADI DISPLAYING INCORRECT PITCH ATTITUDE				22JAN07 04:28
						XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	ADI REPLACED				

REMOVALS/INSTALLATIONS FOR A1PXXUY700696

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	9284	A23T	A1UDM	00	9240	A23T	A1UDM	00
	501-1131-01		22JAN07 04:24	A1PXXJY701215	501-1131-01		22JAN07 04:26	

A1PXXUY700697	COMPLETED	23JAN07 03:19	5799.2	AFHR		XXxxXXxxXXxxXXxxXXxx
22JAN07 04:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
22JAN07 04:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		A/C REQUIRES AIRTEST FOR FRONT STBY AI OPS				23JAN07 03:19
						XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	AIRTEST C/OUT				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY700114	COMPLETED	23JAN07 03:55	5801.6	AFHR		
23JAN07 03:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
23JAN07 03:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-427A		due on Serial A23-033		23JAN07 03:55
		PC-9		at WAC 0000		

Maint Acts: STI-PC9-0427 CARRIED OUT AS PER MPAN 51/2006

A1PXXUY608684	COMPLETED	23JAN07 09:41	5801.6	AFHR		
23JAN07 09:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
23JAN07 09:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S16		due on Serial A23-033		23JAN07 09:41
		PC-9		at WAC 0000		XXxxXXxxXXxxXXxxXXxx

Maint Acts: S16 SERV C/O

A1PXXUY700854	COMPLETED	24JAN07 06:01	5803.2	AFHR		
24JAN07 02:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
24JAN07 02:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRTEST REQUIRED TO CLEAR ASOR				24JAN07 06:01
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST CARRIED OUT A/C SERVICEABLE

A1PXXUY701616	COMPLETED	28JAN07 01:00	5840.3	AFHR		
28JAN07 00:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
08FEB07 00:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		L/H MAIN TYRE WTL				28JAN07 01:00

Maint Acts: LH HUB REPLACED AT ALBANY

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02836  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY701616

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				

001	0148	A23T	A2KDM	01	0114	A23T	A2KDM	01
3-1555	28JAN07 00:10	A1PXXJY702743	3-1555	28JAN07 01:00				

A1PXXUY700673 COMPLETED 28JAN07 23:54 5805.6 AFHR  
28JAN07 23:52 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
28JAN07 23:52 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
S40 due on Serial A23-033  
PC-9 at WAC 0000

Maint Acts: S40 SERV C/OUT

A1PXXUY701164 COMPLETED 31JAN07 04:54 5815.3 AFHR  
31JAN07 04:51 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
31JAN07 04:51 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
STI-PC9-427B due on Serial 027  
WING ASSY at WAC 1500

Maint Acts: STI-PC9-0427B CARRIED OUT

A1PXXUY613794 COMPLETED 01FEB07 04:17 5819.1 AFHR  
01FEB07 04:08 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
01FEB07 04:08 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
S26 due on Serial A23-033  
PC-9 at WAC 0000

Maint Acts: S26 CARRIED OUT SERV

A1PXXUY701029 COMPLETED 04FEB07 22:38 5826.8 AFHR  
04FEB07 22:37 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
04FEB07 22:37 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
S40 due on Serial A23-033  
PC-9 at WAC 0000

Maint Acts: S40 SERV C/OUT

A1PXXUY701357 COMPLETED 11FEB07 22:42 5848.5 AFHR  
09FEB07 07:11 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
09FEB07 07:11 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
S40 due on Serial A23-033  
PC-9 at WAC 0000

Maint Acts: S40 SERV CARRIED OUT IAW AAP 7212-007-6-4.

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02837  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY701788	COMPLETED	15FEB07 09:37	5853.0	AFHR		XXXXXXXXXX
11FEB07 23:09	XXXXXXXXXX	XXXXXXXXXX	AIP			
11FEB07 23:10	XXXXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
		PROP N.D.I TO BE CARRIED OUT				15FEB07 09:37
						XXXXXXXXXX
	Maint Acts:	NDI CHECK C/O SERV				
A1PXXUY701853	COMPLETED	12FEB07 03:50	5853.0	AFHR		XXXXXXXXXX
12FEB07 03:40	XXXXXXXXXX	XXXXXXXXXX	AIP			
12FEB07 03:40	XXXXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
		NDT due on Serial 027LH				12FEB07 03:50
		LWNG AUXSPAR OSPA at WAC 0900				
	Maint Acts:	INITIAL NDT CARRIED OUT NIL DEFECTS 16NOV06. MOD 232 NIL REQUIREMENT AT THIS STAGE				
A1PXXUY701854	COMPLETED	12FEB07 03:46	5853.0	AFHR		XXXXXXXXXX
12FEB07 03:40	XXXXXXXXXX	XXXXXXXXXX	AIP			
12FEB07 03:40	XXXXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
		NDT due on Serial 027RH				12FEB07 03:46
		RWNG AUXSPAR OSPA at WAC 1000				
	Maint Acts:	INITIAL NDT CARRIED OUT 16 NOV06 WITH NIL DEFECTS.				
A1PXXUY701777	COMPLETED	18FEB07 22:47	5864.3	AFHR		XXXXXXXXXX
16FEB07 01:51	XXXXXXXXXX	XXXXXXXXXX	AIP			
16FEB07 01:51	XXXXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
		S40 due on Serial A23-033				18FEB07 22:47
		PC-9 at WAC 0000				XXXXXXXXXX
	Maint Acts:	S40 SERV CO				
A1PXXUY701384	COMPLETED	19FEB07 10:33	5869.1	AFHR		XXXXXXXXXX
19FEB07 10:32	XXXXXXXXXX	XXXXXXXXXX	AIP			
19FEB07 10:32	XXXXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
		STI-PC9-0428 due on Serial A23-033				19FEB07 10:33
		PC-9 at WAC 0000				XXXXXXXXXX
	Maint Acts:	STI-PC9-0428 C/O				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

ALPXXUY701567	COMPLETED	19FEB07 10:34	5869.1	AFHR		XXxxXXxxXXxxXXxxXXxx
19FEB07 10:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
19FEB07 10:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0429	due on Serial A23-033			19FEB07 10:34
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-0429 C/O

ALPXXUY702674	COMPLETED	23FEB07 02:42	5874.6	AFHR		XXxxXXxxXXxxXXxxXXxx
23FEB07 02:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
23FEB07 02:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		INTERCOM RECEIVE IN FRONT VERY LOW				23FEB07 02:42
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV AUDIO SELECTOR PANEL FITTED IAW 7212.007-2

REMOVALS/INSTALLATIONS FOR ALPXXUY702674

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	245	A23T	A1UEA	00	302	A23T	A1UEA	00
	AS3100-15K		23FEB07 02:39	ALPXXJY703924	AS3100-15K		23FEB07 02:40	

ALPXXUY702254	COMPLETED	25FEB07 22:13	5874.6	AFHR		XXxxXXxxXXxxXXxxXXxx
23FEB07 05:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
23FEB07 05:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40	due on Serial A23-033			25FEB07 22:13
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERV CO IAW AAP7212.007-6-4



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY702681	COMPLETED	23FEB07 06:57	5874.6	AFHR		XXxxXXxxXXxxXXxxXXxx
23FEB07 06:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
23FEB07 06:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		RH TYRE WTL				23FEB07 06:57
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: RH HUB ASSY REPLACED WITH SERV ITEM

REMOVALS/INSTALLATIONS FOR A1PXXUY702681

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0097	A23T	A2KEI	01	0018	A23T	A2KEI	01
	3-1555		23FEB07 06:56	A1PXXJY703932	3-1555		23FEB07 06:57	

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY702913	COMPLETED	27FEB07 22:02	5877.4	AFHR		XXxxXXxxXXxxXXxxXXxx
27FEB07 21:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
27FEB07 21:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FRONT AND REAR PSP ASSY'S R.F.A.				27FEB07 22:02
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV FRONT AND REAR PSP ASSY'S FITTED IAW AAP 7212.0047-2

REMOVALS/INSTALLATIONS FOR A1PXXUY702913

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	DE0533	A23T	A1WBG	00	DG2680	A23T	A1WBG	00
	STANDARDPACK-1		27FEB07 21:59	A1PXXJY704238	STANDARDPACK-1		27FEB07 22:02	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 02840  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
002	DG0039	A23T	A26BG	00	DF0211	A23T	A26BG	00
	STANDARDPACK-1		27FEB07 21:59	A1PXXJY704239	STANDARDPACK-1		27FEB07 22:01	

A1PXXUY702700 COMPLETED 05MAR07 23:20 5877.4 AFHR XXxxXXxxXXxxXXxxXXxx  
02MAR07 04:02 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
02MAR07 04:02 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 CARRIED OUT

A1PXXUY703142 COMPLETED 11MAR07 21:33 5877.4 AFHR XXxxXXxxXXxxXXxxXXxx  
11MAR07 21:26 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
11MAR07 21:26 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERVICING C/O

A1PXXUY703520 COMPLETED 12MAR07 00:59 5877.4 AFHR XXxxXXxxXXxxXXxxXXxx  
12MAR07 00:51 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
12MAR07 00:55 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
AFTER START ATTITUDE FAILED DISPLAYED 45 LEFT BANK AFTER NORMAL  
ALIGNMENT  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV LCR-92 AHRU FITTED IAW 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY703520

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1042	A23T	A1ULY	01	1039	A23T	A1ULY	01
	124210-2022		12MAR07 00:56	A1PXXJY704872	124210-2022		12MAR07 00:58	

A1PXXUY703522 COMPLETED 12MAR07 04:43 5877.4 AFHR XXxxXXxxXXxxXXxxXXxx  
12MAR07 00:59 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
12MAR07 01:00 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
MTF REQUIRED FOR AHRS OPS  
XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 02841  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: MTF CO SERV

A1PXXUY703490	COMPLETED	18MAR07 21:51	5881.5	AFHR		XXxxXXxxXXxxXXxxXXxx
16MAR07 04:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
16MAR07 04:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40	due on Serial A23-033			18MAR07 21:51
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERV C/OUT

A1PXXUY703904	COMPLETED	18MAR07 22:41	5881.5	AFHR		XXxxXXxxXXxxXXxxXXxx
18MAR07 22:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
18MAR07 22:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS	due on Serial 1271			18MAR07 22:41
		BATTERY NICAD	at WAC 0660			XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV BATT NICAD FITTED IAW 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY703904

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1271	A23T	A1UOA	00	2670	A23T	A1UOA	00
	33490409201		18MAR07 22:40	A1PXXJY700042	33490409201		18MAR07 22:40	

A1PXXUY702772	COMPLETED	22MAR07 06:08	5891.4	AFHR		XXxxXXxxXXxxXXxxXXxx
22MAR07 06:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
22MAR07 06:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0433	due on Serial A23-033			22MAR07 06:08
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-0433 INC

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02842  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY511669	COMPLETED	03APR07 04:44	5892.2	AFHR		XXxxXXxxXXxxXXxxXXxx
22MAR07 22:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
22MAR07 22:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S23 due on Serial A23-033				03APR07 04:44
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	CARRIED OUT IAW 7212.007-6-4				

A1PXXUY604840	COMPLETED	03APR07 04:45	5892.2	AFHR		XXxxXXxxXXxxXXxxXXxx
22MAR07 22:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
22MAR07 22:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S57 due on Serial A23-033				03APR07 04:45
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	CARRIED OUT IAW 7212.007-6-4				

A1PXXUY606833	COMPLETED	04APR07 01:50	5892.2	AFHR		XXxxXXxxXXxxXXxxXXxx
22MAR07 22:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
22MAR07 22:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0195 due on Serial A23-033				04APR07 01:50
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	C/O AND HANDLES REFITTED				

REMOVALS/INSTALLATIONS FOR A1PXXUY606833

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	126	A23T	A1UCQ	00	126	A23T	A1UCQ	00
	532.30.09.216		27MAR07 03:06	A1PXXJY706133	532.30.09.216		04APR07 01:49	
002	566	A23T	A1UGY	00	566	A23T	A1UGY	00
	532.30.09.217		27MAR07 03:08	A1PXXJY706134	532.30.09.217		04APR07 01:49	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02843  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY608974	COMPLETED	04APR07 05:14	5892.2	AFHR		XXxxXXxxXXxxXXxxXXxx
22MAR07 22:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
22MAR07 22:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		R2 due on Serial A23-033				04APR07 05:14
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	CARRIED OUT IAW 7212.007-6-2-2				
A1PXXUY609435	COMPLETED	04APR07 05:13	5892.2	AFHR		XXxxXXxxXXxxXXxxXXxx
22MAR07 22:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
22MAR07 22:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		7212.007-242 due on Serial A23-033				04APR07 05:13
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	CARRIED OUT				
A1PXXUY613785	COMPLETED	03APR07 04:46	5892.2	AFHR		XXxxXXxxXXxxXXxxXXxx
22MAR07 22:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
22MAR07 22:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S20 due on Serial A23-033				03APR07 04:46
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	CARRIED OUT IAW 7212.007-6-4				
A1PXXUY613795	COMPLETED	04APR07 05:12	5892.2	AFHR		XXxxXXxxXXxxXXxxXXxx
22MAR07 22:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
22MAR07 22:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-339A due on Serial A23-033				04APR07 05:12
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	CARRIED OUT				
A1PXXUY613818	COMPLETED	04APR07 02:00	5892.2	AFHR		XXxxXXxxXXxxXXxxXXxx
22MAR07 22:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
22MAR07 22:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0342 due on Serial A23-033				04APR07 02:00
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	CARRIED OUT				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02844  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY613956	COMPLETED	04APR07 01:17	5892.2	AFHR		XXxxXXxxXXxxXXxxXXxx
22MAR07 22:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
22MAR07 22:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S18 due on Serial A23-033				04APR07 01:17
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	CARRIED OUT IAW 7212.007-6-4				
A1PXXUY614910	COMPLETED	04APR07 01:16	5892.2	AFHR		XXxxXXxxXXxxXXxxXXxx
22MAR07 22:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
22MAR07 22:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		7212.007-246 due on Serial A23-033				04APR07 01:16
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	CARRIED OUT AS PER INSTRUCTIONS				
A1PXXUY615190	COMPLETED	03APR07 04:47	5892.2	AFHR		XXxxXXxxXXxxXXxxXXxx
22MAR07 22:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
22MAR07 22:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		7212.007-250 due on Serial A23-033				03APR07 04:47
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	MOD CARRIED OUT AS PER INSTRUCTIONS				
A1PXXUY703901	COMPLETED	04APR07 01:18	5892.2	AFHR		XXxxXXxxXXxxXXxxXXxx
22MAR07 22:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
22MAR07 22:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				04APR07 01:18
		PC-9 at WAC 0000				
	Maint Acts:	CARRIED OUT IAW 7212.007-6-4				
A1PXXUY704244	COMPLETED	04APR07 01:58	5892.2	AFHR		XXxxXXxxXXxxXXxxXXxx
22MAR07 22:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
22MAR07 22:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-255A due on Serial 533				04APR07 01:58
		VERTICAL STAB ASSY at WAC 1400				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	CARRIED OUT				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02845  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME

A1PXXUY704245	COMPLETED	04APR07 01:59	5892.2	AFHR		XXxxXXxxXXxxXXxxXXxx
22MAR07 22:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
22MAR07 22:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
EE500PG EE500LN		STI-PC9-255A		due on Serial 536		04APR07 01:59
STA WL BL ADMIN		HORIZONTAL STAB ASS at WAC 1100				XXxxXXxxXXxxXXxxXXxx

Maint Acts: CARRIED OUT

A1PXXUY704246	COMPLETED	03APR07 07:16	5892.2	AFHR		XXxxXXxxXXxxXXxxXXxx
22MAR07 22:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
22MAR07 22:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-422B		due on Serial 027		03APR07 07:16
		WING ASSY		at WAC 1500		XXxxXXxxXXxxXXxxXXxx
		7212.007-244		due on Serial 027		
		WING ASSY		at WAC 1500		

Maint Acts: CARRIED OUT

REMOVALS/INSTALLATIONS FOR A1PXXUY704246

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	B3704	A23T	A2KFC	00	B6509	A23T	A2KFC	01
	RR53710B		03APR07 04:57	A1PXXJY706529	RR53710L/RAAF		03APR07 05:02	
002	B3622	A23T	A2KFA	00	B6510	A23T	A2KFA	01
	RR53710B		03APR07 04:57	A1PXXJY706530	RR53710L/RAAF		03APR07 05:01	

A1PXXUY701232	COMPLETED	04APR07 05:12	5892.2	AFHR		XXxxXXxxXXxxXXxxXXxx
22MAR07 22:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
22MAR07 22:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S26		due on Serial A23-033		04APR07 05:12
		PC-9		at WAC 0000		XXxxXXxxXXxxXXxxXXxx

Maint Acts: CARRIED OUT

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02846  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

ALPXXUY704247	COMPLETED	04APR07 05:16	5892.2	AFHR		XXxxXXxxXXxxXXxxXXxx
22MAR07 22:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
22MAR07 22:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FT due on Serial DL4395				04APR07 05:16
		BCN UNDERWATER LOC at WAC 0740				XXxxXXxxXXxxXXxxXXxx

Maint Acts: CARRIED OUT

ALPXXUY704248	COMPLETED	03APR07 05:06	5892.2	AFHR		XXxxXXxxXXxxXXxxXXxx
22MAR07 22:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
22MAR07 22:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial RT154				03APR07 05:06
		FUEL NOZZLE SET at WAC 0120				XXxxXXxxXXxxXXxxXXxx

Maint Acts: REPLACED IAW 7113.022-2

REMOVALS/INSTALLATIONS FOR ALPXXUY704248

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	RT154	A23T	A1SAK27	00	RT309	A23T	A1SAK27	00
	RAAFA62FNS01		27MAR07 23:21	ALPXXJY618552	RAAFA62FNS01		03APR07 05:04	

ALPXXUY704249	COMPLETED	04APR07 01:52	5892.2	AFHR		XXxxXXxxXXxxXXxxXXxx
22MAR07 22:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
22MAR07 22:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		NDT due on Serial 033				04APR07 01:52
		AFT FUS TSKN RIVET at WAC 0670				

Maint Acts: CARRIED OUT 286/07



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY704250	COMPLETED	03APR07 07:13	5892.2	AFHR		XXxxXXxxXXxxXXxxXXxx
22MAR07 22:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
22MAR07 22:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		NDT due on Serial 033				03APR07 07:13
		FRM 7 STR 8L & 8R at WAC 0670				XXxxXXxxXXxxXXxxXXxx

Maint Acts: CARRIED OUT

A1PXXUY704251	COMPLETED	03APR07 07:12	5892.2	AFHR		XXxxXXxxXXxxXXxxXXxx
22MAR07 22:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
22MAR07 22:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		NDT due on Serial 033				03APR07 07:12
		FRM 8 STR 1AL & 1AR at WAC 0670				XXxxXXxxXXxxXXxxXXxx

Maint Acts: CARRIED OUT

A1PXXUY704252	COMPLETED	03APR07 07:12	5892.2	AFHR		XXxxXXxxXXxxXXxxXXxx
22MAR07 22:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
22MAR07 22:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		NDT due on Serial 033				03APR07 07:12
		FRM 9 STR 5L & 5R at WAC 0670				XXxxXXxxXXxxXXxxXXxx

Maint Acts: CARRIED OUT

A1PXXUY704253	COMPLETED	03APR07 07:11	5892.2	AFHR		XXxxXXxxXXxxXXxxXXxx
22MAR07 22:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
22MAR07 22:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FT due on Serial PCY601267				03APR07 07:11
		BOLT WG-FUS AFT RH at WAC 1000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: CARRIED OUT

A1PXXUY704254	COMPLETED	03APR07 07:11	5892.2	AFHR		XXxxXXxxXXxxXXxxXXxx
22MAR07 22:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
22MAR07 22:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FT due on Serial PCY601268				03APR07 07:11
		BOLT WG-FUS AFT LH at WAC 0900				XXxxXXxxXXxxXXxxXXxx

Maint Acts: CARRIED OUT

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02848  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY704255	COMPLETED	03APR07 05:48	5892.2	AFHR		XXxxXXxxXXxxXXxxXXxx
22MAR07 22:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
22MAR07 22:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		NDT due on Serial 033				03APR07 05:48
		FRM 8 STR 8L & 8R at WAC 0670				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	REF 287/07				
A1PXXUY704256	COMPLETED	03APR07 05:50	5892.2	AFHR		XXxxXXxxXXxxXXxxXXxx
22MAR07 22:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
22MAR07 22:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		NDT due on Serial 033				03APR07 05:50
		FRM 9 STR 6L & 6R at WAC 0670				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	291/07				
A1PXXUY704257	COMPLETED	04APR07 02:02	5892.2	AFHR		XXxxXXxxXXxxXXxxXXxx
22MAR07 22:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
22MAR07 22:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		NDT due on Serial 033				04APR07 02:02
		FRM 10 STR 2L & 2R at WAC 0670				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	CARRIED OUT				
A1PXXUY704258	COMPLETED	03APR07 05:54	5892.2	AFHR		XXxxXXxxXXxxXXxxXXxx
22MAR07 22:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
22MAR07 22:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		NDT due on Serial 033				03APR07 05:54
		FRM 10 ST 2CL & 2CR at WAC 0670				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	CARRIED OUT 292/07				
A1PXXUY704259	COMPLETED	03APR07 06:52	5892.2	AFHR		XXxxXXxxXXxxXXxxXXxx
22MAR07 22:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
22MAR07 22:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		NDT due on Serial 027LH				03APR07 06:52
		LWNG NSE SKN TO FUS at WAC 0900				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	N/A REPAIR PREVIOUSLY CARRIED OUT				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY704260	COMPLETED	03APR07 06:50	5892.2	AFHR		XXXXXXXXXXXXXXXXXXXX
22MAR07 22:08	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			
22MAR07 22:08	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX
		NDT due on Serial 027RH				03APR07 06:50
		RWNG NSE SKN TO FUS at WAC 1000				XXXXXXXXXX
	Maint Acts:	N/A REPAIR PREVIOUSLY CARRIED OUT				
A1PXXUY704261	COMPLETED	03APR07 06:41	5892.2	AFHR		XXXXXXXXXX
22MAR07 22:08	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			
22MAR07 22:08	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX
		NDT due on Serial 027LH				03APR07 06:41
		LWNG RSPAR LW FLNG at WAC 0900				XXXXXXXXXX
	Maint Acts:	CARRIED OUT				
A1PXXUY704262	COMPLETED	03APR07 06:41	5892.2	AFHR		XXXXXXXXXX
22MAR07 22:08	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			
22MAR07 22:08	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX
		NDT due on Serial 027RH				03APR07 06:41
		RWNG RSPAR LW FLNG at WAC 1000				XXXXXXXXXX
	Maint Acts:	CARRIED OUT				
A1PXXUY704263	COMPLETED	29MAR07 03:35	5892.2	AFHR		XXXXXXXXXX
22MAR07 22:08	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			
22MAR07 22:08	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX
		BS due on Serial 902082				29MAR07 03:35
		REG OXYGEN DEMAND at WAC 0730				XXXXXXXXXX
	Maint Acts:	REPLACED				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY704263

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	902082	A23T	A1UES	00	806046	A23T	A1UES	00
	3260042-0201		29MAR07 03:34	A1PXXJY605311	3260042-0201		29MAR07 03:35	

A1PXXUY700816 COMPLETED 23MAR07 02:28 5892.2 AFHR XXxxXXxxXXxxXXxxXXxx  
 22MAR07 22:14 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 22MAR07 22:14 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 S16 due on Serial A23-033  
 PC-9 at WAC 0000  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: DONE

A1PXXUY704285 COMPLETED 02APR07 05:40 5892.2 AFHR XXxxXXxxXXxxXXxxXXxx  
 23MAR07 02:18 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 23MAR07 02:18 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 BATT NICAD RFA  
 XXxxXXxxXXxxXXxxXXxx  
 02APR07 05:40  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY704285

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	2670	A23T	A1UOA	00	2670	A23T	A1UOA	00
	33490409201		23MAR07 02:19	A1PXXJY705984	33490409201		02APR07 05:39	

A1PXXUY704346 COMPLETED 02APR07 04:48 5892.2 AFHR XXxxXXxxXXxxXXxxXXxx  
 26MAR07 05:20 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 26MAR07 05:21 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 INV'S AND RACKS RFA  
 XXxxXXxxXXxxXXxxXXxx  
 02APR07 04:48  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: FITTED

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02851  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20  
REMOVALS/INSTALLATIONS FOR A1PXXUY704346

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	6567	A23T	A1UOG	01	6567	A23T	A1UOG	01
	975.04.21.103		26MAR07 05:21	A1PXXJY706064	975.04.21.103		02APR07 04:48	
002	6568	A23T	A1UOE	01	6568	A23T	A1UOE	01
	975.04.21.103		26MAR07 05:23	A1PXXJY706065	975.04.21.103		02APR07 04:47	

A1PXXUY704347 COMPLETED 04APR07 01:20 5892.2 AFHR  
26MAR07 05:27 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
26MAR07 05:28 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
START/GEN RFA  
04APR07 01:20  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: REFITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY704347

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	4975	A23T	A1SAI14	00	4975	A23T	A1SAI14	00
	23081-026		26MAR07 05:28	A1PXXJY706066	23081-026		04APR07 01:19	

A1PXXUY704378 COMPLETED 03APR07 05:16 5892.2 AFHR  
26MAR07 23:22 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
26MAR07 23:22 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
PROP SPINNER ASSY RFA  
03APR07 05:16  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: REFITTED IAW 7212.007-2

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02852  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

REMOVALS/INSTALLATIONS FOR 1PXXUY704378

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	A2333 D5210	A23T	A00AI 26MAR07 23:24	00 1PXXJY706106	A2333 D5210	A23T	A00AI 03APR07 05:14	00

1PXXUY704379 COMPLETED 28MAR07 23:14 5892.2 AFHR  
 26MAR07 23:26 XXXXX  
 26MAR07 23:27 XXXXX  
 ELEVATOR ASSY RFA  
 XXXXX  
 XXXXX  
 XXXXX

Maint Acts: REFITTED IAW 7212.007-2

REMOVALS/INSTALLATIONS FOR 1PXXUY704379

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	510 555.20.09.257	A23T	A2IBC 26MAR07 23:28	00 1PXXJY706107	510 555.20.09.257	A23T	A2IBC 28MAR07 23:13	00

1PXXUY704381 COMPLETED 03APR07 05:19 5892.2 AFHR  
 26MAR07 23:29 XXXXX  
 26MAR07 23:30 XXXXX  
 RH HUB ASSY RFA  
 XXXXX  
 XXXXX  
 XXXXX

Maint Acts: REPLACED

REMOVALS/INSTALLATIONS FOR 1PXXUY704381

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0018 3-1555	A23T	A2KEI 26MAR07 23:30	01 1PXXJY706108	0053 3-1555	A23T	A2KEI 03APR07 05:18	01

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY704382	COMPLETED	03APR07 05:25	5892.2	AFHR		XXxxXXxxXXxxXXxxXXxx
26MAR07 23:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
26MAR07 23:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		LH HUB ASSY RFA				03APR07 05:25
		aip0155127MAR07 00:36:02				XXxxXXxxXXxxXXxxXXxx
		LH HUB ASSY HAS FLAT SPOT REMOVED FOR REPLACEMENT				

Maint Acts: REFITTED IAW 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY704382

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0114	A23T	A2KDM	01	0018	A23T	A2KDM	01
	3-1555		26MAR07 23:33	A1PXXJY706109	3-1555		03APR07 05:24	

A1PXXUY704383	COMPLETED	30MAR07 00:12	5892.2	AFHR		XXxxXXxxXXxxXXxxXXxx
26MAR07 23:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
26MAR07 23:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		NOSE HUB ASSY RFA				30MAR07 00:12
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: NOSE HUB ASSY 0090 FITTED IAW 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY704383

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0090	A23T	A18AG	00	0090	A23T	A18AG	00
	3-1451 OPT 1		26MAR07 23:34	A1PXXJY706110	3-1451 OPT 1		30MAR07 00:10	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY704384	COMPLETED	02APR07 23:25	5892.2	AFHR		XXXXXXXXXX
26MAR07 23:34	XXXXXXXXXX	XXXXXXXXXX	AIP			
26MAR07 23:35	XXXXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
		F + R SEATS RFA + CMD SYS DISARMED				02APR07 23:25
						XXXXXXXXXX

Maint Acts: F+R SEATS + CMD SYS FITTTED

REMOVALS/INSTALLATIONS FOR A1PXXUY704384

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0073	A23T	A1W	00	0073	A23T	A1W	00
	AU11A-1		26MAR07 23:36	A1PXXJY706112	AU11A-1		02APR07 23:22	
002	0074	A23T	A26	00	0074	A23T	A26	00
	AU11A-2		26MAR07 23:37	A1PXXJY706114	AU11A-2		02APR07 23:20	

A1PXXUY704385	COMPLETED	03APR07 05:33	5892.2	AFHR		XXXXXXXXXX
26MAR07 23:35	XXXXXXXXXX	XXXXXXXXXX	AIP			
26MAR07 23:35	XXXXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
		HEAT EXCHANGER RFA				03APR07 05:33
						XXXXXXXXXX

Maint Acts: REFITTED



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY704385

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	699	A23T	A0M	00	699	A23T	A0M	00
	195980-3		26MAR07 23:35	A1PXXJY706111	195980-3		03APR07 05:33	

A1PXXUY704386 COMPLETED 03APR07 05:39 5892.2 AFHR  
 26MAR07 23:37 XXxxXXxx XXxxXXxxXXxxXXxx AIP  
 26MAR07 23:37 XXxxXXxx XXxxXXxxXXxxXXxx AIP  
 LP FUEL FLITER ELEMENT RFA

Maint Acts: REPLACE D IAW 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY704386

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	L118194	A23T	A1UJK00	00	L421286	A23T	A1UJK00	00
	968.35.21.162		26MAR07 23:38	A1PXXJY706115	03W1738-231		03APR07 05:38	

A1PXXUY704434 COMPLETED 28MAR07 23:15 5892.2 AFHR  
 27MAR07 22:54 XXxxXXxx XXxxXXxxXXxxXXxx AIP  
 27MAR07 22:58 XXxxXXxx XXxxXXxxXXxxXXxx AIP  
 FLAP LH INBD RFA

Maint Acts: REFITTED IAW 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY704434

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	526	A23T	A2KCW04	00	526	A23T	A2KCW04	00
	557.52.09.009		27MAR07 22:59	A1PXXJY706179	557.52.09.009		28MAR07 23:15	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY704437	COMPLETED	28MAR07 23:17	5892.2	AFHR		XXxxXXxxXXxxXXxxXXxx
27MAR07 23:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
27MAR07 23:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRBRAKE ASSY RFA				28MAR07 23:17
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: REFITTED IAW 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY704437

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	528	A23T	A2KBA	00	528	A23T	A2KBA	00
	557.53.09.002		27MAR07 23:14	A1PXXJY706180	557.53.09.002		28MAR07 23:16	

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY704438	COMPLETED	28MAR07 23:20	5892.2	AFHR		XXxxXXxxXXxxXXxxXXxx
27MAR07 23:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
27MAR07 23:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FLAP ASSY RH INBD RFA				28MAR07 23:20
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: REFITTED IAW 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY704438

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	167	A23T	A2KCW06	00	167	A23T	A2KCW06	00
	557.52.09.010		27MAR07 23:18	A1PXXJY706181	557.52.09.010		28MAR07 23:17	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY704524	COMPLETED	03APR07 05:35	5892.2	AFHR		XXXXXXXXXX
28MAR07 22:53	XXXXXXXXXX	XXXXXXXXXX	AIP			
28MAR07 22:55	XXXXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
		OIL FILTER REMOVED FOR CLEANING				03APR07 05:35
						XXXXXXXXXX

Maint Acts: REFITTED POST CLEAN

REMOVALS/INSTALLATIONS FOR A1PXXUY704524

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PCY501564	A23T	A1SAK34	00	PCY501564	A23T	A1SAK34	00
	3028419		28MAR07 22:55	A1PXXJY706257	3028419		03APR07 05:34	

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY704525	COMPLETED	28MAR07 22:59	5892.2	AFHR		XXXXXXXXXX
28MAR07 22:56	XXXXXXXXXX	XXXXXXXXXX	AIP			
28MAR07 22:57	XXXXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
		FUEL FILTER INLET REMOVED FOR CHAECK TEST				28MAR07 22:59
						XXXXXXXXXX

Maint Acts: FUEL FILTER INLET REFITTED IAW 7212.007-2 AND 7113.022-2

REMOVALS/INSTALLATIONS FOR A1PXXUY704525

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	L625555	A23T	A1SAI10AC	00	L625555	A23T	A1SAI10AC	00
	32-2053		28MAR07 22:57	A1PXXJY706258	32-2053		28MAR07 22:58	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY704526	COMPLETED	28MAR07 23:06	5892.2	AFHR		XXXXXXXXXXXXXXXXXXXX
28MAR07 22:59	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			
28MAR07 23:00	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		FUEL FILTER DISCHARGE REMOVED FOR CHECK TEST				28MAR07 23:06
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: REPLACED IAW 7113.022-2

REMOVALS/INSTALLATIONS FOR A1PXXUY704526

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PCY600495	A23T	A1SAI10AA	00	PCY700413	A23T	A1SAI10AA	00
	3033355		28MAR07 23:00	A1PXXJY706259	3033355		28MAR07 23:06	

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY704527	COMPLETED	04APR07 01:48	5892.2	AFHR		XXXXXXXXXXXXXXXXXXXX
28MAR07 23:09	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			
28MAR07 23:09	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		FRONT CLOCK PANEL RFA				04APR07 01:48
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: REFITTED IAW 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY704527

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	621045	A23T	A1UCC	00	621045	A23T	A1UCC	00
	Q17-941.22.052AB		28MAR07 23:10	A1PXXJY706261	Q17-941.22.052AB		04APR07 01:47	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 02859  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY704528	COMPLETED	04APR07 04:42	5892.2	AFHR		XXXXXXXXXX
28MAR07 23:10	XXXXXXXX	XXXXXXXXXX	AIP			
28MAR07 23:11	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
		REAR CLOCK PANEL RFA				04APR07 04:42
						XXXXXXXXXX

Maint Acts: CLOCK PANEL FITTED IAW7212-007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY704528

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	703606	A23T	A1UGI	00	703606	A23T	A1UGI	00
	Q17-941.22.052AB		28MAR07 23:11	A1PXXJY706262	Q17-941.22.052AB		04APR07 04:41	

A1PXXUY505290	COMPLETED	02APR07 03:10	5892.2	AFHR		XXXXXXXXXX
02APR07 03:09	XXXXXXXX	XXXXXXXXXX	AIP			
02APR07 03:09	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
		7212.007-220		due on Serial A23-033		02APR07 03:10
		PC-9		at WAC 0000		XXXXXXXXXX

Maint Acts: CARRIED OUT

A1PXXUY704687	COMPLETED	02APR07 04:57	5892.2	AFHR		XXXXXXXXXX
02APR07 04:50	XXXXXXXX	XXXXXXXXXX	AIP			
02APR07 04:51	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
		CHINAMANS CAP LOOSE ON UP AND DOWN				02APR07 04:57
						XXXXXXXXXX

Maint Acts: REPLACED

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY704687

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	L014884	A23T	A1UEU00	00	0608209	A23T	A1UEU00	00
	116.35.07.288		02APR07 04:52	A1PXXJY706479	116.35.07.288		02APR07 04:54	

A1PXXUY704817 COMPLETED 04APR07 01:10 5892.2 AFHR XXxxXXxxXXxxXXxxXXxx  
 04APR07 01:07 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 04APR07 01:08 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 P3 FILTER ELEMENT RFA  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: REFITTED IAW 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY704817

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PCY600496	A23T	A1SAK48	01	PCY600496	A23T	A1SAK48	01
	3038142		04APR07 01:09	A1PXXJY706589	3038142		04APR07 01:10	

A1PXXUY704820 COMPLETED 04APR07 01:15 5892.2 AFHR XXxxXXxxXXxxXXxxXXxx  
 04APR07 01:11 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 04APR07 01:11 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 OBD MLG DOOR RFA  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: REFITTED IAW 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY704820

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	541	A23T	A2KCO	00	541	A23T	A2KCO	00
	532.11.09.097		04APR07 01:11	A1PXXJY706591	532.11.09.097		04APR07 01:12	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02861  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY704830	COMPLETED	13MAY08 00:44	5892.2	AFHR		XXxxXXxxXXxxXXxxXXxx
04APR07 02:03	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
04APR07 02:05	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		RH NLG DOOR-REAR,HINGE WORN(915 UNDA SUBMITTED)				13MAY08 00:44
						XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	SERV NLG DOOR FITED (REF EE508 471987-1E NO 1)				
A1PXXUY704831	COMPLETED	13MAY08 00:49	5892.2	AFHR		XXxxXXxxXXxxXXxxXXxx
04APR07 02:05	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
04APR07 02:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		WASHERS FITTED TO F13 PANEL SCREWS FOR ENLARGED HOLES				13MAY08 00:49
						XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	F13 PANEL FIBRE GLASS REPAIR C/O (REFEE508 471987-1E NO 2)				
A1PXXUY704832	COMPLETED	13MAY08 00:52	5892.2	AFHR		XXxxXXxxXXxxXXxxXXxx
04APR07 02:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
04APR07 02:11	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STIFFNER LH 553.10.09.191 CORRODED ON LOWER END TO APPROX. 40%THICKNESS FRAME 1 FWD FACE				13MAY08 00:52
						XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	SERV STIFFENER FITTED (REF EE508471987-1E NO3 )				
A1PXXUY704835	COMPLETED	10APR07 08:00	5892.2	AFHR		XXxxXXxxXXxxXXxxXXxx
04APR07 02:11	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
04APR07 02:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MTF REQ'D FOR POST R2 CHECKS				10APR07 08:00
						XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	TEST FLOWN SERV				
A1PXXUY705004	COMPLETED	06MAY08 01:27	5892.2	AFHR		XXxxXXxxXXxxXXxxXXxx
10APR07 05:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
10APR07 05:48	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		449911-4C7 SMALL DENT IN THE UPPER MIDDLE SURFACE OF THE RH AILERON APPROX 95MM FROM LEADING EDGE.				06MAY08 01:27
						XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	SERVICEABLE AILERON RH, SN 509, FITTED IAW AAP 7212.007-2.				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02862  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY705004

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 326		A23T	A2KCC	00	509	A23T	A2KCC	00
557.51.09.002			25SEP07 04:52	A1PXXJY718148	557.51.09.004		06MAY08 01:24	

A1PXXUY705007 COMPLETED 10APR07 22:58 5893.0 AFHR  
10APR07 08:31 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
10APR07 08:31 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
S40 due on Serial A23-033  
PC-9 at WAC 0000

Maint Acts: S40 SERV CO

A1PXXUY705018 COMPLETED 10APR07 11:16 5893.0 AFHR  
10APR07 11:13 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
10APR07 11:13 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
HDG BUG ERRATIC MOVEMENT

Maint Acts: SERV EFIS CONTROL FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY705018

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 3598		A23T	A1UDW	00	4151	A23T	A1UDW	00
071-01334-0002			10APR07 11:14	A1PXXJY707164	3614279-1003		10APR07 11:14	

A1PXXUY705019 COMPLETED 11APR07 23:19 5893.0 AFHR  
10APR07 11:18 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
10APR07 11:19 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
MTF REQD FOR S62 ADJUST

Maint Acts: MTF C/OUT

A1PXXUY705280 COMPLETED 16APR07 06:00 5900.6 AFHR  
16APR07 02:38 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
16APR07 02:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
AIRTEST REQD POST S88 CX FOR UC OPS



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 02863  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES -----

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: AIRTEST C/OUT

A1PXXUY705027	COMPLETED	17APR07 23:25	5903.2	AFHR		XXxxXXxxXXxxXXxxXXxx
17APR07 10:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
17APR07 10:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40	due on Serial A23-033			17APR07 23:25
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 CO IAW 7212.007-6-4

A1PXXUY705390	COMPLETED	24APR07 01:30	5915.9	AFHR		XXxxXXxxXXxxXXxxXXxx
24APR07 01:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
26APR07 03:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40	due on Serial A23-033			24APR07 01:30
		PC-9	at WAC 0000			

Maint Acts: S40 C/OUT SERV

A1PXXUY705813	COMPLETED	01MAY07 00:30	5935.4	AFHR	CMO	XXxxXXxxXXxxXXxxXXxx
01MAY07 00:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
02MAY07 03:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40	due on Serial A23-033			01MAY07 00:30
		PC-9	at WAC 0000			

Maint Acts: S40 CARRIED OUT AT LEARMONTH

A1PXXUY706139	COMPLETED	08MAY07 22:32	5949.0	AFHR		XXxxXXxxXXxxXXxxXXxx
08MAY07 08:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
08MAY07 08:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40	due on Serial A23-033			08MAY07 22:32
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O

A1PXXUY706411	COMPLETED	15MAY07 23:37	5949.0	AFHR		XXxxXXxxXXxxXXxxXXxx
15MAY07 09:44	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
15MAY07 09:44	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40	due on Serial A23-033			15MAY07 23:37
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: S40 C/OUT IAW 7212.007-6-4

A1PXXUY706820	COMPLETED	16MAY07 01:19	5949.0	AFHR		XXxxXXxxXXxxXXxxXXxx
16MAY07 01:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
16MAY07 01:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		CODE 201 DISPLAY ON ESDP				16MAY07 01:19
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV ESDP FITTED IAW 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY706820

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
=====	=====	=====	=====	=====	=====	=====	=====	=====
001	89050045	A23T	A1UHO	00	90040084	A23T	A1UHO	00
	150.0001-2		16MAY07 01:17	A1PXXJY709732	150.0001-2		16MAY07 01:18	

A1PXXUY706821	COMPLETED	24MAY07 04:39	5949.0	AFHR		XXxxXXxxXXxxXXxxXXxx
16MAY07 01:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
16MAY07 01:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRTEST REQUIRED FOR REAR ESDP OPS				24MAY07 04:39
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST CARRIED OUT

A1PXXUY706950	COMPLETED	17MAY07 05:41	5949.0	AFHR		XXxxXXxxXXxxXXxxXXxx
17MAY07 05:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
17MAY07 05:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial 1664389				17MAY07 05:41
		SET EMERG OXYGEN at WAC 0740				XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV SEO FITTED

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 02865  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY706950

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				

001	1664389	A23T	A26BE	00	1806074	A23T	A26BE	00
MBEU100618			17MAY07 05:29	A1PXXJY606824	MBEU100618		17MAY07 05:39	

A1PXXUY706811	COMPLETED	22MAY07 23:22	5949.0	AFHR	XXxxXXxxXXxxXXxxXXxx
22MAY07 09:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		XXxxXXxxXXxxXXxxXXxx
22MAY07 09:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		XXxxXXxxXXxxXXxxXXxx

S40 due on Serial A23-033  
PC-9 at WAC 0000

Maint Acts: S40 SERVICING C/O IAW AAP 7212.007-6-4

A1PXXUY707431	COMPLETED	26MAY07 22:59	5955.1	AFHR	XXxxXXxxXXxxXXxxXXxx
26MAY07 22:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		XXxxXXxxXXxxXXxxXXxx
26MAY07 22:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		XXxxXXxxXXxxXXxxXXxx

STI-PC9-0447 due on Serial 150  
TANK ASSY AEROBATIC at WAC 0610

Maint Acts: STI-PC9-0447 C/O

A1PXXUY707194	COMPLETED	29MAY07 22:20	5962.9	AFHR	XXxxXXxxXXxxXXxxXXxx
29MAY07 11:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		XXxxXXxxXXxxXXxxXXxx
29MAY07 11:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		XXxxXXxxXXxxXXxxXXxx

S40 due on Serial A23-033  
PC-9 at WAC 0000

Maint Acts: S40 SERV CO

A1PXXUY704841	COMPLETED	31MAY07 10:28	5968.3	AFHR	XXxxXXxxXXxxXXxxXXxx
31MAY07 09:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		XXxxXXxxXXxxXXxxXXxx
31MAY07 09:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		XXxxXXxxXXxxXXxxXXxx

S26 due on Serial A23-033  
PC-9 at WAC 0000

Maint Acts: S26 CARRIED OUT IAW 7212.007-2

A1PXXUY707605	COMPLETED	05JUN07 23:18	5971.9	AFHR	XXxxXXxxXXxxXXxxXXxx
05JUN07 11:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		XXxxXXxxXXxxXXxxXXxx
05JUN07 11:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		XXxxXXxxXXxxXXxxXXxx

S40 due on Serial A23-033  
PC-9 at WAC 0000

Maint Acts: S40 C/O

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY708152	COMPLETED	11JUN07 02:43	5979.4	AFHR		XXXXXXXXXXXXXXXXXXXX
11JUN07 02:16	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			
11JUN07 02:16	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BS due on Serial 2670				11JUN07 02:43
		BATTERY NICAD at WAC 0660				XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV BATT NICAD FITTED IAW7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY708152

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	2670	A23T	A1UOA	00	1463	A23T	A1UOA	00
	33490409201		11JUN07 02:41	A1PXXJY705192	33490409201		11JUN07 02:41	

A1PXXUY707904	COMPLETED	12JUN07 23:18	5983.1	AFHR		XXXXXXXXXXXXXXXXXXXX
12JUN07 13:19	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			
12JUN07 13:19	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S40 due on Serial A23-033				12JUN07 23:18
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX

Maint Acts: S40 CARRIED OUT IAW AAP 7212.007-6-4

A1PXXUY708637	COMPLETED	19JUN07 12:10	5998.7	AFHR		XXXXXXXXXXXXXXXXXXXX
19JUN07 10:40	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			
19JUN07 10:41	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		REAR NAV TAC FLIP FLOP BUTTON STICKING				19JUN07 12:10
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: REAR NAV TAC CONTROLLER REPLACED

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02867  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY708637

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1358	A23T	A1UHE	00	1453	A23T	A1UHE	00
	071-1291-15		19JUN07 12:05	A1PXXJY712024	071-1291-15		19JUN07 12:08	

A1PXXUY708284 COMPLETED 19JUN07 23:24 5998.7 AFHR XXxxXXxxXXxxXXxxXXxx  
19JUN07 10:54 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
19JUN07 10:54 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 CARRIED OUT IAW AAP 7212.007-6-4

A1PXXUY708695 COMPLETED 21JUN07 04:59 5998.7 AFHR XXxxXXxxXXxxXXxxXXxx  
21JUN07 00:22 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
21JUN07 00:22 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
OH due on Serial 150  
TANK ASSY AEROBATIC at WAC 0610  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: AEROBATIC TANK REMOVED AND SERV ITEM FITTED IAW AAP 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY708695

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	150	A23T	A1UJO	00	157	A23T	A1UJO	00
	528.20.09.045		21JUN07 00:25	A1PXXJ308491X	528.20.09.045		21JUN07 04:58	
002	00687	A23T	A1UJK	00	00687	A23T	A1UJK	00
	03W061738		21JUN07 00:26	A1PXXJY712126	03W061738		21JUN07 04:57	

A1PXXUY708696 COMPLETED 25JUN07 00:41 5998.7 AFHR XXxxXXxxXXxxXXxxXXxx  
21JUN07 00:23 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
21JUN07 00:23 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
TA due on Serial AC11129  
COOLER OIL at WAC 0130  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV OIL COOLER FITTED IAW AAP 7212-007-2.

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02868  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR 1PXXUY708696

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	AC11129	A23T	A0G	00	AC28153	A23T	A0G	00
	968.32.11.502		21JUN07 04:37	AIPXXJ309354X	968.32.11.502		25JUN07 00:38	

1PXXUY708742 COMPLETED 21JUN07 05:49 5998.7 AFHR XXxxXXxxXXxxXXxxXXxx  
21JUN07 05:45 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
21JUN07 05:45 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
BS due on Serial 0501001  
CRASH POSN IND at WAC 0660 XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV CPI FITTED IAW AAP 7212.007-

REMOVALS/INSTALLATIONS FOR 1PXXUY708742

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0501001	A23T	A1UOY	00	0424001	A23T	A1UOY	00
	453-0406		21JUN07 05:48	A1PXXJY711481	453-0406		21JUN07 05:48	

1PXXUY607213 COMPLETED 21JUN07 05:51 5998.7 AFHR XXxxXXxxXXxxXXxxXXxx  
21JUN07 05:47 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
21JUN07 05:47 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
STI-PC9-0409 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-0409 INC

1PXXUY708868 COMPLETED 25JUN07 07:48 5998.7 AFHR XXxxXXxxXXxxXXxxXXxx  
25JUN07 06:00 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
25JUN07 06:02 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
MTF REQUIRED FUEL AND OIL OPS POST AEROBATIC TANK AND OIL COOLER  
REPLACEMENT 25JUN07 07:48  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: MTF CARRIED OUT

1PXXUY708650 COMPLETED 25JUN07 22:19 5999.1 AFHR XXxxXXxxXXxxXXxxXXxx  
25JUN07 10:41 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
25JUN07 10:41 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
S40 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02869  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: S40 SERV CARRIED OUT IAW AAP 7212-007-6-4.

A1PXXUY709057	COMPLETED	27JUN07 11:22	5999.1	AFHR		XXxxXXxxXXxxXXxxXXxx
27JUN07 04:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
27JUN07 04:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRTEST REQUIRED FOR NOSE WHEEL SHIMMY				27JUN07 11:22
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST CARRIED OUT

A1PXXUY709098	COMPLETED	27JUN07 11:13	6004.4	AFHR		XXxxXXxxXXxxXXxxXXxx
27JUN07 11:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
27JUN07 11:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		NOSE HUB ASSY RFA				27JUN07 11:13
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV NOSE HUB FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY709098

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0090	A23T	A18AG	00	0053	A23T	A18AG	00
	3-1451 OPT 1		27JUN07 11:07	A1PXXJY712775	3-1451 OPT 1		27JUN07 11:12	

A1PXXUY709100	COMPLETED	28JUN07 03:53	6004.4	AFHR		XXxxXXxxXXxxXXxxXXxx
27JUN07 11:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
27JUN07 11:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		A/C REQ'S AIRTEST FOR NOSE WHEEL SHIMMY				28JUN07 03:53
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST C/OUT

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02870  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY709101	COMPLETED	05JUL07 10:25	6004.4	AFHR		XXxxXXxxXXxxXXxxXXxx
27JUN07 11:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
27JUN07 11:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		PROP REQ'S NDI TO BE CARRIED OUT POST BLEND				05JUL07 10:25
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: PROP NDI CO SERV REF NDI REPORT 614/07

A1PXXUY709187	COMPLETED	28JUN07 23:34	6006.9	AFHR		XXxxXXxxXXxxXXxxXXxx
28JUN07 09:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
28JUN07 09:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		LH BRAKE UNIT S/NO 0073 WTL				28JUN07 23:34
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: L/H AND R/H BRAKE UNITS REPLACED WITH SERV ITEMS IAW AAP 7212-007-2.

REMOVALS/INSTALLATIONS FOR A1PXXUY709187

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0073	A23T	A2KDI	00	0088	A23T	A2KDI	00
	2-1524-1		28JUN07 09:48	A1PXXJY712830	2-1524-1		28JUN07 10:47	
002	0082	A23T	A2KEE	00	0495P	A23T	A2KEE	00
	2-1524-1		28JUN07 10:46	A1PXXJY712831	2-1524-1		28JUN07 23:32	

A1PXXUY709189	COMPLETED	29JUN07 04:10	6006.9	AFHR		XXxxXXxxXXxxXXxxXXxx
28JUN07 10:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
28JUN07 10:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		A/C REQ'S AIRTEST POST LH AND RH BRAKE CX				29JUN07 04:10
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST CARRIED OUT SERV



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY708904	COMPLETED	03JUL07 23:31	6012.2	AFHR		XXxxXXxxXXxxXXxxXXxx
03JUL07 12:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
03JUL07 12:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				03JUL07 23:31
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERV CARRIED OUT IAW AAP 7212-007-6-4.

A1PXXUY709561	COMPLETED	11JUL07 02:14	6024.2	AFHR		XXxxXXxxXXxxXXxxXXxx
09JUL07 11:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
09JUL07 11:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRCRAFT REQUIRES AIRTEST FOR U/C CHECKS				11JUL07 02:14
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST CARRIED OUT SERV

A1PXXUY709444	COMPLETED	09JUL07 22:34	6024.2	AFHR		XXxxXXxxXXxxXXxxXXxx
09JUL07 11:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
09JUL07 11:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				09JUL07 22:34
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERV CO

A1PXXUY709627	COMPLETED	10JUL07 06:00	6025.3	AFHR		XXxxXXxxXXxxXXxxXXxx
10JUL07 05:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
10JUL07 05:55	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		LOW IAS & LOW POWER AURAL TONE HEARD ON SHORT FINAL (IAS APPROX 90 KTS) WITH LG DOWN, 3GREENS, NO REDS. LG TONE WORKS 3GREENS WITH ATC. STOPPED WITH GO ROUND 1ST TIME, SECOND TIME ON LANDING. BOTH TIMES FLAP TO LAND.				10JUL07 06:00
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: AOA ELECTRONIC UNIT REPLACED IAW AAP 7212.007-2

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY709627

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				

001	116745	A23T	A1UDG	00	117781	A23T	A1UDG	00
	975.44.21.312		10JUL07 05:55	A1PXXJY713358	975.44.21.312		10JUL07 05:57	

A1PXXUY709640	COMPLETED	11JUL07 02:14	6025.3	AFHR	XXxxXXxxXXxxXXxxXXxx
10JUL07 06:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		XXxxXXxxXXxxXXxxXXxx
10JUL07 06:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		XXxxXXxxXXxxXXxxXXxx
		AIRCRAFT REQUIRES MTF FOR AOA OPS			11JUL07 02:14
					XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST CARRIED OUT SERV

A1PXXUY709679	COMPLETED	12JUL07 01:19	6025.8	AFHR	XXxxXXxxXXxxXXxxXXxx
11JUL07 06:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		XXxxXXxxXXxxXXxxXXxx
11JUL07 06:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		XXxxXXxxXXxxXXxxXXxx
		MTF REQUIRED FOR U/C OPS			12JUL07 01:19
					XXxxXXxxXXxxXXxxXXxx

Maint Acts: MTF CO SERV

A1PXXUY709565	COMPLETED	16JUL07 22:50	6036.0	AFHR	XXxxXXxxXXxxXXxxXXxx
16JUL07 12:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		XXxxXXxxXXxxXXxxXXxx
16JUL07 12:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033			16JUL07 22:50
		PC-9 at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERV C/O IAW AAP 7212.007-6-4

A1PXXUY709966	COMPLETED	17JUL07 23:21	6036.0	AFHR	XXxxXXxxXXxxXXxxXXxx
17JUL07 22:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		XXxxXXxxXXxxXXxxXXxx
17JUL07 22:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		XXxxXXxxXXxxXXxxXXxx
		BS due on Serial 702033			17JUL07 23:21
		REG OXYGEN DEMAND at WAC 0740			XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV REG OXY DEMAND FITTED IAW 7212.007-2

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02873  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
REMOVALS/INSTALLATIONS FOR A1PXXUY709966

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	702033	A23T	A1UIS	00	103156	A23T	A1UIS	00
3260042-0201	17JUL07 23:15	A1PXXJY610173	3260042-0201	17JUL07 23:17				

A1PXXUY709909 COMPLETED 23JUL07 23:10 6036.0 AFHR  
23JUL07 09:37 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
23JUL07 09:37 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
Maint Acts: S40 SERVICING C/O

A1PXXUY710540 COMPLETED 29JUL07 05:18 6042.2 AFHR  
29JUL07 05:17 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
29JUL07 05:17 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
STI-PC9-0454 due on Serial A23-033  
PC-9 at WAC 0000  
Maint Acts: STI-PC9-454 INC

A1PXXUY608736 COMPLETED 30JUL07 03:05 6042.2 AFHR  
29JUL07 23:56 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
29JUL07 23:56 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
S37 due on Serial A23-033  
PC-9 at WAC 0000  
Maint Acts: S37 SERVICING CARRIED OUT IAW AAP 7212.007-6-4

A1PXXUY613991 COMPLETED 31JUL07 06:44 6042.2 AFHR  
29JUL07 23:56 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
29JUL07 23:56 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
R1 due on Serial A23-033  
PC-9 at WAC 0000  
Maint Acts: R1 SERV CARRIED OUT IAW 7212-007-2-1

A1PXXUY704286 COMPLETED 30JUL07 03:04 6042.2 AFHR  
29JUL07 23:56 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
29JUL07 23:56 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
S16 due on Serial A23-033  
PC-9 at WAC 0000  
Maint Acts: S16 SERVICING CARRIED OUT IAW AAP 7212.007-6-4

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 02874  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY704745	COMPLETED	31JUL07 05:02	6042.2	AFHR		XXxxXXxxXXxxXXxxXXxx
29JUL07 23:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
29JUL07 23:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S20 due on Serial A23-033				31JUL07 05:02
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S20 SERVICING C/O				
A1PXXUY704829	COMPLETED	31JUL07 00:25	6042.2	AFHR		XXxxXXxxXXxxXXxxXXxx
29JUL07 23:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
29JUL07 23:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0342 due on Serial A23-033				31JUL07 00:25
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	STI-PC9-0342 RINC				
A1PXXUY704842	COMPLETED	30JUL07 05:45	6042.2	AFHR		XXxxXXxxXXxxXXxxXXxx
29JUL07 23:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
29JUL07 23:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-339A due on Serial A23-033				30JUL07 05:45
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	STI-PC9-339A				
A1PXXUY707752	COMPLETED	30JUL07 05:43	6042.2	AFHR		XXxxXXxxXXxxXXxxXXxx
29JUL07 23:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
29JUL07 23:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S26 due on Serial A23-033				30JUL07 05:43
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S26 SERVICING CARRIED OUT IAW AAP 7212.007-6-4				
A1PXXUY710688	COMPLETED	31JUL07 05:09	6042.2	AFHR		XXxxXXxxXXxxXXxxXXxx
29JUL07 23:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
29JUL07 23:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-422B due on Serial 027				31JUL07 05:09
		WING ASSY at WAC 1500				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	STI-PC9-422B C/O				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY609122	COMPLETED	31JUL07 06:43	6042.2	AFHR		XXxxXXxxXXxxXXxxXXxx
29JUL07 23:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
29JUL07 23:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S56 due on Serial A23-033				31JUL07 06:43
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S56 SERV CARRIED OUT				
A1PXXUY707489	COMPLETED	30JUL07 06:17	6042.2	AFHR		XXxxXXxxXXxxXXxxXXxx
29JUL07 23:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
29JUL07 23:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0448 due on Serial A23-033				30JUL07 06:17
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	STI-PC9-0448 INC				
A1PXXUY710327	COMPLETED	31JUL07 05:01	6042.2	AFHR		XXxxXXxxXXxxXXxxXXxx
29JUL07 23:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
29JUL07 23:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				31JUL07 05:01
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 SERVICING C/O				
A1PXXUY710689	COMPLETED	30JUL07 05:49	6042.2	AFHR		XXxxXXxxXXxxXXxxXXxx
29JUL07 23:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
29JUL07 23:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial 789				30JUL07 05:49
		REG PRESS REDUCING at WAC 0640				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	REG PRESSURE REDUCING REPLACED IAW AAP 7212.007-2				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR 1PXXUY710689

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	789	A23T	A1UNC	00	775	A23T	A1UNC	00
	27660-3		30JUL07 05:47	A1PXXJY612307	27660-3		30JUL07 05:48	

A1PXXUY710690 COMPLETED 30JUL07 23:59 6042.2 AFHR  
 29JUL07 23:57 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 29JUL07 23:57 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 OH due on Serial MB10709  
 PARACHUTE ASSY at WAC 0740

Maint Acts: PARA ASSY REPLACED IAW AAP 7212.007-2

REMOVALS/INSTALLATIONS FOR 1PXXUY710690

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	MB10709	A23T	A26BA	00	MB9843	A23T	A26BA	00
	MBEU12043PA		30JUL07 05:40	A1PXXJY611972	MBEU12043PA		30JUL07 23:58	

A1PXXUY710691 COMPLETED 30JUL07 03:42 6042.2 AFHR  
 29JUL07 23:57 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 29JUL07 23:57 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 BS due on Serial 1647273  
 SET EMERG OXYGEN at WAC 0730

Maint Acts: SEO REPLACED IAW AAP 7212.007-2

REMOVALS/INSTALLATIONS FOR 1PXXUY710691

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1647273	A23T	A1WBE	00	8670989	A23T	A1WBE	00
	MBEU100618		30JUL07 03:38	A1PXXJY608171	GA1566		30JUL07 03:38	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY710692	COMPLETED	31JUL07 00:02	6042.2	AFHR		XXxxXXxxXXxxXXxxXXxx
29JUL07 23:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
29JUL07 23:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial MB13779				31JUL07 00:02
		PARACHUTE ASSY at WAC 0730				XXxxXXxxXXxxXXxxXXxx

Maint Acts: PARA ASSY REPLACED IAW AAP 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY710692

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	MB13779	A23T	A1WBA	00	MB9699	A23T	A1WBA	00
	MBEU100664		30JUL07 05:42	A1PXXJY611979	MBEU100664		31JUL07 00:00	

A1PXXUY710693	COMPLETED	30JUL07 05:03	6042.2	AFHR		XXxxXXxxXXxxXXxxXXxx
29JUL07 23:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
29JUL07 23:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		TA due on Serial 03S95C				30JUL07 05:03
		MICRO LH DOOR S95 at WAC 0950				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S95 03S95C REMOVED AND SERV S95 MICRO SNO 33S95D FITTED IAW 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY710693

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	03S95C	A23T	A2KCI	00	33S95D	A23T	A2KCI	00
	SP4503-30		30JUL07 05:00	A1PXXJ311081X	973.30.31.213		30JUL07 05:01	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY710714	COMPLETED	30JUL07 03:53	6042.2	AFHR		XXXXXXXXXX
30JUL07 03:38	XXXXXXXX	XXXXXXXXXX	AIP			
30JUL07 03:41	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
		OIL FILTER REMOVED FOR INSPECTION				30JUL07 03:53
						XXXXXXXXXX

Maint Acts: SERV OIL FILTER FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY710714

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PCY501564	A23T	A1SAK34	00	PCY501564	A23T	A1SAK34	00
	3028419		30JUL07 03:44	A1PXXJY714573	3028419		30JUL07 03:49	

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY710715	COMPLETED	30JUL07 03:59	6042.2	AFHR		XXXXXXXXXX
30JUL07 03:53	XXXXXXXX	XXXXXXXXXX	AIP			
30JUL07 03:55	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
		FUEL FILTER REMOVED FOR INSPECTION				30JUL07 03:59
						XXXXXXXXXX

Maint Acts: SERV FUEL FILTER FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY710715

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	L421286	A23T	A1UJK00	00	L233263	A23T	A1UJK00	00
	03W1738-231		30JUL07 03:55	A1PXXJY714574	03W1738-231		30JUL07 03:57	



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY710724	COMPLETED	30JUL07 05:35	6042.2	AFHR		XXxxXXxxXXxxXXxxXXxx
30JUL07 05:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
30JUL07 05:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		LH AND RH MLG TYRES W T L				30JUL07 05:35
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: MLG TYRES REPLACED SERV IAW 7212-007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY710724

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0053	A23T	A2KEI	01	0286	A23T	A2KEI	01
	3-1555		30JUL07 05:28	A1PXXJY714580	959.51.81.212		30JUL07 05:29	
002	0018	A23T	A2KDM	01	0149	A23T	A2KDM	01
	3-1555		30JUL07 05:32	A1PXXJY714581	3-1555		30JUL07 05:32	

A1PXXUY710735	COMPLETED	02AUG07 03:48	6042.2	AFHR		XXxxXXxxXXxxXXxxXXxx
30JUL07 10:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
30JUL07 10:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		A/C REQ'S MTF POST: R1 SERV, U/C OP'S POST S95 CX, STI-PC9-342, STI-PC9-448 AND MAX ALTITUDE ENG PERFORMANCE CX POST 1ST STAGE COMPRESSOR BLEND				02AUG07 03:48
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: MTF CARRIED OUT AIRCRAFT SERVICEABLE

A1PXXUY710800	COMPLETED	01AUG07 02:32	6042.2	AFHR		XXxxXXxxXXxxXXxxXXxx
31JUL07 06:44	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
31JUL07 06:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		ENG COWL REMOVED FOR ACCESS				01AUG07 02:32
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: FITTED

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 02880  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
REMOVALS/INSTALLATIONS FOR A1PXXUY710800

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	HLY300477	A23T	A06	00	HLY300477	A23T	A06	00
	571.10.09.044		31JUL07 06:47	A1PXXJY714675	571.10.09.044		01AUG07 02:31	

A1PXXUY710802 COMPLETED 13MAY08 00:55 6042.2 AFHR XXxxXXxxXXxxXXxxXXxx  
31JUL07 07:02 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
31JUL07 07:04 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
EE508 472583-3B#6 CRACK IN FUSELAGE SKIN AT REAR BULKHEAD L/H REAR CORNER OF CANOPY  
13MAY08 00:55  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: SKIN REPAIRED IAW DD A23/107/2007 (REF EE508 471987-1E NO 5)

A1PXXUY710803 COMPLETED 13MAY08 01:01 6042.2 AFHR XXxxXXxxXXxxXXxxXXxx  
31JUL07 07:04 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
31JUL07 07:06 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
EE508 472583-3B#7 FWD L/H AND R/H ANGLE STOPS ON FIXED COWL CRACKED  
13MAY08 01:01  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: ANGLE STOPS REPLACED (REF EE 508 471987-1E NO 6 )

A1PXXUY704821 COMPLETED 31JUL07 07:38 6042.2 AFHR XXxxXXxxXXxxXXxxXXxx  
31JUL07 07:36 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
31JUL07 07:36 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
S18 due on Serial A23-033  
PC-9 at WAC 0000  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: S18 SERV CARRIED OUT IAW 7212-007-6-4

A1PXXUY710781 COMPLETED 06AUG07 22:56 6048.6 AFHR XXxxXXxxXXxxXXxxXXxx  
06AUG07 10:36 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
06AUG07 10:36 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 CARRIED OUT

A1PXXUY711066 COMPLETED 13AUG07 23:09 6060.8 AFHR XXxxXXxxXXxxXXxxXXxx  
13AUG07 11:07 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
13AUG07 11:07 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERV C/O IAW AAP 7212.007-6-4

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY711496	COMPLETED	20AUG07 21:56	6076.7	AFHR		XXxxXXxxXXxxXXxxXXxx
20AUG07 10:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
20AUG07 10:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40	due on Serial A23-033			20AUG07 21:56
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O

A1PXXUY711931	COMPLETED	22AUG07 00:57	6080.1	AFHR	CMO	
22AUG07 00:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
22AUG07 00:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0456	due on Serial A23-033			22AUG07 00:57
		PC-9	at WAC 0000			

Maint Acts: STI-PC9-0456 CARRIED OUT

A1PXXUY711841	COMPLETED	27AUG07 22:00	6090.0	AFHR		XXxxXXxxXXxxXXxxXXxx
27AUG07 12:48	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
27AUG07 12:48	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40	due on Serial A23-033			27AUG07 22:00
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: C/O

A1PXXUY712311	COMPLETED	28AUG07 10:46	6094.7	AFHR		XXxxXXxxXXxxXXxxXXxx
28AUG07 09:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
28AUG07 09:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS	due on Serial 1463			28AUG07 10:46
		BATTERY NICAD	at WAC 0660			XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV BATT NICAD FITTED IAW 7212.007

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 02882  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY712311

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 1463		A23T	A1UOA	00	1476	A23T	A1UOA	00
33490409201	28AUG07 10:45	A1PXXJY710691	33490409201	28AUG07 10:45				

A1PXXUY712228 COMPLETED 03SEP07 22:46 6097.6 AFHR XXxxXXxxXXxxXXxxXXxx  
03SEP07 12:37 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
03SEP07 12:37 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
Maint Acts: S40 CO SERV IAW 7212.007-6-4

A1PXXUY712563 COMPLETED 05SEP07 02:49 6097.6 AFHR XXxxXXxxXXxxXXxxXXxx  
04SEP07 02:51 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
04SEP07 02:51 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
AIRCRAFT REQUIRES MTF FOR : ELU OPS  
Maint Acts: MTF CARRIED OUT

A1PXXUY712550 COMPLETED 10SEP07 22:43 6101.4 AFHR XXxxXXxxXXxxXXxxXXxx  
10SEP07 13:23 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
10SEP07 13:23 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
Maint Acts: S40 SERV C/O IAW 7212-007-6-4

A1PXXUY702234 COMPLETED 22MAY08 03:02 6101.4 AFHR XXxxXXxxXXxxXXxxXXxx  
17SEP07 23:24 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
17SEP07 23:24 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
7212.007-249 due on Serial A23-033  
PC-9 at WAC 0000  
Maint Acts: MOD 7212-007-249 C/O REF LSN 364/07

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
REMOVALS/INSTALLATIONS FOR A1PXXUY702234

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	2071 04-1504-3428	A23T	A2KEW 18SEP07 02:32	00 A1PXXJY717639	1231382 8ES007046-03	A23T	A2KEW 19SEP07 23:38	01
002	2462 04-1504-3428	A23T	A2KEY 18SEP07 02:36	00 A1PXXJY717641	1160185 8ES007046-03	A23T	A2KEY 19SEP07 23:36	01
003	2524 04-1504-3428	A23T	A1UNO 18SEP07 02:40	00 A1PXXJY717644	1146865 972.87.87.167	A23T	A1UNO 08JAN08 22:37	01
004	2584 04-1504-3428	A23T	A1UNS 18SEP07 02:43	00 A1PXXJY717645	1201070 8ES007046-03	A23T	A1UNS 19SEP07 23:33	01
005	01764 S200-0012-91	A23T	A1UPC 18SEP07 02:45	00 A1PXXJY717649	01764 S200-0012-91	A23T	A1UPC 21SEP07 00:44	00

A1PXXUY707127 COMPLETED 22MAY08 03:01 6101.4 AFHR XXxxXXxxXXxxXXxxXXxx  
 17SEP07 23:25 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 17SEP07 23:25 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 7212.007-248 due on Serial A23-033  
 PC-9 at WAC 0000  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: MOD 7212-007-248 C/O REF LSN 363/07

A1PXXUY713243 COMPLETED 22MAY08 03:31 6101.4 AFHR XXxxXXxxXXxxXXxxXXxx  
 17SEP07 23:26 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 17SEP07 23:26 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 7212.007-229 due on Serial 027  
 WING ASSY at WAC 1500  
 7212.007-230 due on Serial 027  
 WING ASSY at WAC 1500  
 7212.007-231 due on Serial 027  
 WING ASSY at WAC 1500  
 7212.007-232 due on Serial 027  
 WING ASSY at WAC 1500  
 (Continued on next page.)  
 XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 02884  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

(Continued from previous page.)  
 STI-PC9-0445 due on Serial 027  
 WING ASSY at WAC 1500  
 STI-PC9-0395 due on Serial 027  
 WING ASSY at WAC 1500

Maint Acts: ALL WING MODS AND STI INCORPORATED REF MODS AND STI JOBS ON CMM 2

A1PXXUY713331	COMPLETED	21MAY08 04:59	6101.4	AFHR		XXXXXXXXXXXXXXXXXXXX
19SEP07 05:14	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			
19SEP07 05:15	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		FRONT AND REAR EJECTION SEATS RFA				21MAY08 04:59
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV FRONT AND REAR SEATS FITTED( REF EJECT SEAT PW LSN 429/07 428/07)

REMOVALS/INSTALLATIONS FOR A1PXXUY713331

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0073	A23T	A1W	00	075	A23T	A1W	00
	AU11A-1		19SEP07 05:16	A1PXXJY717804	AU11A-1		15MAY08 06:45	
002	0074	A23T	A26	00	062	A23T	A26	00
	AU11A-2		19SEP07 05:20	A1PXXJY717805	AU11A-2		21MAY08 04:57	

A1PXXUY505345	COMPLETED	19MAY08 01:16	6101.4	AFHR		XXXXXXXXXXXXXXXXXXXX
20SEP07 00:56	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			
20SEP07 00:56	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S33 due on Serial A23-033				19MAY08 01:16
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX

Maint Acts: S33 C/O (REF S33 P/W LSN388/07)

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02885  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 REMOVALS/INSTALLATIONS FOR A1PXXUY505345  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 528	557.53.09.002	A23T	A2KBA 24SEP07 00:31	00 A1PXXJY718018	528 557.53.09.002	A23T	A2KBA 06MAY08 03:11	00
002 053	532.11.09.115	A23T	A2KCG 24SEP07 00:41	00 A1PXXJY718019	053 532.11.09.115	A23T	A2KCG 01MAY08 03:41	00
003 069	532.11.09.116	A23T	A2KCK 24SEP07 00:55	00 A1PXXJY718020	069 532.11.09.116	A23T	A2KCK 01MAY08 03:36	00
004 541	532.11.09.097	A23T	A2KCO 24SEP07 00:57	00 A1PXXJY718021				
005 530	532.11.09.098	A23T	A2KCQ 24SEP07 00:59	00 A1PXXJY718022				
006 526	557.52.09.009	A23T	A2KCW04 24SEP07 01:01	00 A1PXXJY718023	536 557.52.09.009	A23T	A2KCW04 06MAY08 03:06	00
007 167	557.52.09.010	A23T	A2KCW06 24SEP07 01:02	00 A1PXXJY718024	167 557.52.09.010	A23T	A2KCW06 06MAY08 03:09	00
008 A2333 D5210		A23T	A00AI 24SEP07 05:57	00 A1PXXJY718078				
009 HLY300477 571.10.09.044		A23T	A06 24SEP07 05:59	00 A1PXXJY718079	L233198 571.10.09.044	A23T	A06 19MAY08 00:39	00

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02886  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

SEQ	REMOVED SERIAL NO REMOVED PART NO	EIAC	LCN DATE/TIME	ALC JOB NUMBER	INSTALLED SERIAL NO INSTALLED PART NO	EIAC	LCN DATE/TIME	ALC
010	R012553 578.10.09.023	A23T	A1SAM12 24SEP07 23:38	01 A1PXXJY718124				
011	L219987 578.10.09.018	A23T	A1SAM14 24SEP07 23:45	00 A1PXXJY718125				
012	27 557.52.09.007	A23T	A2KCW08 25SEP07 00:10	00 A1PXXJY718126	508 557.52.09.007	A23T	A2KCW08 01MAY08 03:24	00
013	520 557.52.09.008	A23T	A2KCW10 25SEP07 00:11	00 A1PXXJY718127	136 557.52.09.008	A23T	A2KCW10 01MAY08 01:17	00
014	1091 EM4069-3	A23T	A2IBC01 25SEP07 02:39	00 A1PXXJY718139				
015	B13893 3244890-2	A23T	A1SAG 25SEP07 07:00	01 A1PXXJY718158	B14012 3244890-2	A23T	A1SAG 01MAY08 00:43	01
016	1476 33490409201	A23T	A1UOA 25SEP07 07:02	00 A1PXXJY718159	0645 33490409201	A23T	A1UOA 16MAY08 00:03	00
017	6568 975.04.21.103	A23T	A1UOE 25SEP07 07:04	01 A1PXXJY718160	6568 975.04.21.103	A23T	A1UOG 07MAY08 06:47	01
018	6567 975.04.21.103	A23T	A1UOG 25SEP07 07:05	01 A1PXXJY718161	6567 975.04.21.103	A23T	A1UOE 07MAY08 06:40	01



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02887  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
019	508 557.51.09.003	A23T	A2KCA 26SEP07 02:53	00 A1PXXJY718195	112 557.51.09.003	A23T	A2KCA 18MAY08 23:40	00
020	558 555.40.09.003	A23T	A2GAM 26SEP07 02:54	00 A1PXXJY718196	567 555.40.09.003	A23T	A2GAM 02MAY08 04:09	00
021	510 555.20.09.257	A23T	A2IBC 26SEP07 07:24	00 A1PXXJY718212				

A1PXXUY713538 COMPLETED 15MAY08 03:57 6101.4 AFHR  
 24SEP07 01:04 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 24SEP07 01:05 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 ACTUATOR HYDRAULIC FLAPS REMOVED FOR MOD 232  
 XXxxXXxxXXxxXXxxXXxx  
 XXxxXXxxXXxxXXxxXXxx  
 15MAY08 03:57  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV ACT FITTED (REF MOD PW LSN360/07)

REMOVALS/INSTALLATIONS FOR A1PXXUY713538

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	YH167726 4039 H2	A23T	A2KBK 24SEP07 01:06	00 A1PXXJY718025	YH167726 4039 H2	A23T	A2KBK 15MAY08 03:52	00

A1PXXUY713539 COMPLETED 05MAY08 05:44 6101.4 AFHR  
 24SEP07 01:16 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 24SEP07 01:17 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 LH AND RH BOOST PUMPS RFA  
 aip0120005MAY08 05:33:15  
 RH PUMP FUEL BOOSTER, SN B6542, REFITTED IAW AAP 7212.007-2. REF  
 471987-1C, #3.  
 XXxxXXxxXXxxXXxxXXxx  
 XXxxXXxxXXxxXXxxXXxx  
 05MAY08 05:44  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: LH PUMP FUEL BOOSTER FITTED IAW AAP 7212.007-2. REF 471987-1C, #3.

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
REMOVALS/INSTALLATIONS FOR A1PXXUY713539

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	B6510 RR53710L/RAAF	A23T	A2KFA 24SEP07 01:17	01 A1PXXJY718026	B6540 968.84.11.407	A23T	A2KFA 05MAY08 04:54	01
002	B6509 RR53710L/RAAF	A23T	A2KFC 24SEP07 01:18	01 A1PXXJY718027	B6542 968.84.11.407	A23T	A2KFC 05MAY08 05:27	01

A1PXXUY713571 COMPLETED 23APR08 06:08 6101.4 AFHR XXxxXXxxXXxxXXxxXXxx  
 24SEP07 06:29 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 24SEP07 06:30 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 LH AND RH STROBE POWER SUPPLIES REMOVED FOR ACCESS  
 23APR08 06:08  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: LH AND RH POWER SUPPLIIES FITTED REFS33 P/ LSN/07 PG 14 AND 15

REMOVALS/INSTALLATIONS FOR A1PXXUY713571

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	1160185 8ES007046-03	A23T	A2KEY 25SEP07 06:57	01 A1PXXJY718157	1160193 8ES007046-03	A23T	A2KEY 23APR08 06:06	01
002	1231382 8ES007046-03	A23T	A2KEW 26SEP07 01:57	01 A1PXXJY718190	1160185 8ES007046-03	A23T	A2KEW 23APR08 06:03	01

A1PXXUY713573 COMPLETED 05MAY08 00:15 6101.4 AFHR XXxxXXxxXXxxXXxxXXxx  
 24SEP07 06:32 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 24SEP07 06:33 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 AOA PROBE REMOVED FOR ACCESS  
 05MAY08 00:15  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: AOA PROBE REFITTED. S33 SHT3-7.

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY713573

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	6154	A23T	A2KGA	00	6154	A23T	A2KGA	00
	12P		24SEP07 06:33	A1PXXJY718089	12P		05MAY08 00:12	

A1PXXUY712952 COMPLETED 22MAY08 02:52 6101.4 AFHR XXxxXXxxXXxxXXxxXXxx  
 24SEP07 07:16 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 24SEP07 07:16 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 S40 due on Serial A23-033  
 PC-9 at WAC 0000  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERVICE C/O SERV IAW 7212-007-6-4

A1PXXUY713737 COMPLETED 02OCT07 03:24 6101.4 AFHR XXxxXXxxXXxxXXxxXXxx  
 27SEP07 06:34 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 27SEP07 06:34 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 TA due on Serial PCY501393  
 VALVE REFILL OXYGEN at WAC 0640  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: VALVE REFILL OXY REPLACED WITH SERVICEABLE ITEM.

REMOVALS/INSTALLATIONS FOR A1PXXUY713737

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PCY501393	A23T	A1UMU	01	PCY700949	A23T	A1UMU	01
	26875-48		02OCT07 03:19	A1PXXJY525092	26875-48		02OCT07 03:21	

A1PXXUY714699 COMPLETED 15MAY08 05:43 6101.4 AFHR XXxxXXxxXXxxXXxxXXxx  
 18OCT07 05:40 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 18OCT07 05:40 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 BS due on Serial MC2681  
 COM DEL BREECH UNIT at WAC 0730  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV COM DEL B U FITTED (REF COMM SYST PW LSN 430/07)

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR 1PXXUY714699

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	MC2681	A23T	A1UJC	00	MF2107	A23T	A1UJC	00
	MBEU100433		18OCT07 05:43	A1PXXJY526767	MBEU100433		15MAY08 05:38	

A1PXXUY714700 COMPLETED 15MAY08 05:35 6101.4 AFHR XXxxXXxxXXxxXXxxXXxx  
18OCT07 05:40 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
18OCT07 05:40 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
BS due on Serial DE3176 15MAY08 05:35  
VALVE COMMAND CONT at WAC 0740 XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV CCV FITTED (REF COMMAND SYSTEM PW LSN 430/07)

REMOVALS/INSTALLATIONS FOR 1PXXUY714700

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	DE3176	A23T	A1UIY	00	DC0128	A23T	A1UIY	00
	MBEU64438		18OCT07 05:44	A1PXXJY526766	MBEU64438		15MAY08 05:32	

A1PXXUY714702 COMPLETED 15MAY08 05:59 6101.4 AFHR XXxxXXxxXXxxXXxxXXxx  
18OCT07 05:46 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
18OCT07 05:48 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
SET CART CMD RFA 15MAY08 05:59  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV SET CMD FITTED(REF COMM SYSTEM PW LSN 430/07)

REMOVALS/INSTALLATIONS FOR 1PXXUY714702

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	7323305	A23T	A1UJA	00	8493308	A23T	A1UJA	00
	MBEU60228		18OCT07 05:48	A1PXXJY719204	MBEU60228		15MAY08 05:56	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY714762	COMPLETED	30APR08 03:37	6101.4	AFHR		XXXXXXXXXXXXXXXXXXXX
19OCT07 00:52	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			
19OCT07 00:54	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX
		DC GENERATOR CONTROL UNIT, SN 1302, RFA.				30APR08 03:37
						XXXXXXXXXX

Maint Acts: GCU REFITTED. 417987-1-I-3

REMOVALS/INSTALLATIONS FOR A1PXXUY714762

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1302	A23T	A14	00	1302	A23T	A14	00
	51538-002 A		19OCT07 01:04	A1PXXJY719267	51538-002 A		30APR08 03:34	

A1PXXUY714766	COMPLETED	28APR08 05:20	6101.4	AFHR		XXXXXXXXXX
19OCT07 01:08	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			
19OCT07 01:09	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX
		HEAT EXCHANGER, SN 699, RFA.				28APR08 05:20
						XXXXXXXXXX

Maint Acts: SERVICEABLE HEAT EXCHANGER FITTED IAW AAP 7212.007-2. REF 471987-1I, #4.

REMOVALS/INSTALLATIONS FOR A1PXXUY714766

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	699	A23T	A0M	00	700	A23T	A0M	00
	195980-3		19OCT07 01:10	A1PXXJY719268	195980-3		28APR08 05:13	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY715668	COMPLETED	01MAY08 03:05	6101.4	AFHR		XXXXXXXXXXXXXXXXXXXX
08NOV07 05:05	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			
08NOV07 05:08	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX 01MAY08 03:05 XXXXXXXXXX

Maint Acts: SYMBOL GENERATOR REFITTED. 471982-1-J-5.

REMOVALS/INSTALLATIONS FOR A1PXXUY715668

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	3171	A23T	A1UOS	00	3171	A23T	A1UOS	00
	3614335-1004		08NOV07 05:08	A1PXXJY720439	3614335-1004		01MAY08 03:02	

A1PXXUY717077	COMPLETED	08JAN08 05:42	6101.4	AFHR		XXXXXXXXXX
09DEC07 22:49	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			
09DEC07 22:49	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX 08JAN08 05:42 XXXXXXXXXX

Maint Acts: CYL ASSY OXY REPLACED WITH SERVICEABLE ITEM.

REMOVALS/INSTALLATIONS FOR A1PXXUY717077

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	ALT279-13185	A23T	A1UNG	00	ALT279-12931	A23T	A1UNG	00
	89795050		09DEC07 22:51	A1PXXJY607217	89795050		08JAN08 05:39	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02893  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME

A1PXXUY717078	COMPLETED	08JAN08 05:37	6101.4	AFHR		XXxxXXxxXXxxXXxxXXxx
09DEC07 22:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
09DEC07 22:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
EE500PG EE500LN		OH		due on Serial ALT279-13673		08JAN08 05:37
STA WL BL ADMIN		CYL ASSY OXYGEN RH at WAC 065R				XXxxXXxxXXxxXXxxXXxx

Maint Acts: CYL ASSY OXY REPLACED WITH SERVICEABLE ITEM.

REMOVALS/INSTALLATIONS FOR A1PXXUY717078

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	ALT279-13673 89795050	A23T	A1UNI 09DEC07 22:53	00 A1PXXJY607219	ALT279-13217 89795050	A23T	A1UNI 08JAN08 05:33	00

A1PXXUY707667	COMPLETED	11DEC07 01:33	6101.4	AFHR		XXxxXXxxXXxxXXxxXXxx
11DEC07 01:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
11DEC07 01:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-449A		due on Serial A23-033		11DEC07 01:33
		PC-9		at WAC 0000		XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI PC9 449A INC

A1PXXUY717318	COMPLETED	30APR08 05:55	6101.4	AFHR		XXxxXXxxXXxxXXxxXXxx
13DEC07 23:05	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
13DEC07 23:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIR BRAKE ACTUATOR REMOVED FOR ACCESS				30APR08 05:55
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIR BRAKE ACTUATOR REFITTED IAW 7212.007-2 REF471987-1L #2.

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 02894  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY717318

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	FYH162876 4041 H3	A23T	A2KBE 13DEC07 23:07	00 A1PXXJY722213	FYH169913 4041 H3	A23T	A2KBE 30APR08 05:51	00

A1PXXUY800177 COMPLETED 08JAN08 01:16 6101.4 AFHR XXxxXXxxXXxxXXxxXXxx  
07JAN08 23:11 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
07JAN08 23:11 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
FT due on Serial DN8236  
BCN UNDERWATER LOC at WAC 0640  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: 3.2VDC AND PING.

A1PXXUY604737 COMPLETED 14JAN08 02:44 6101.4 AFHR XXxxXXxxXXxxXXxxXXxx  
13JAN08 23:34 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
13JAN08 23:34 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
7212.007-214 due on Serial A23-033  
PC-9 at WAC 0000  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: 7212.007-214 INC

REMOVALS/INSTALLATIONS FOR A1PXXUY604737

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	775 27660-3	A23T	A1UNC 14JAN08 01:27	00 A1PXXJY800890	345 F103D000-15	A23T	A1UNC 14JAN08 02:14	02
002	PCY700949 26875-48	A23T	A1UMU 14JAN08 02:12	01 A1PXXJY800912	0052 OC-001-03	A23T	A1UMU 14JAN08 02:13	03
003	PCY400954 2661-3	A23T	A1UMY 14JAN08 02:19	01 A1PXXJY800914	3957 AN6011-2	A23T	A1UMY 14JAN08 02:21	00



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02895  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY605701	COMPLETED	14JAN08 02:06	6101.4	AFHR		XXxxXXxxXXxxXXxxXXxx
13JAN08 23:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
13JAN08 23:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		7212.007-210		due on Serial A23-033		14JAN08 02:06
		PC-9		at WAC 0000		XXxxXXxxXXxxXXxxXXxx

Maint Acts: 7212.007-210 INC

A1PXXUY801320	COMPLETED	24APR08 00:25	6101.4	AFHR		XXxxXXxxXXxxXXxxXXxx
30JAN08 02:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
30JAN08 02:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		OIL COOLER RFA				24APR08 00:25
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: COOLER OIL, SN AC25610, FITTED IAW AAP 7212.007-2. REF 471987-1Q #1.

REMOVALS/INSTALLATIONS FOR A1PXXUY801320

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	AC28153	A23T	A0G	00	AC25610	A23T	A0G	00
	968.32.11.502		30JAN08 02:42	A1PXXJY801883	968.32.11.502		24APR08 00:19	

A1PXXUY801641	COMPLETED	21MAY08 03:38	6101.4	AFHR		XXxxXXxxXXxxXXxxXXxx
05FEB08 00:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
05FEB08 00:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		ENG COWL CANABALISED TO A/C A23-010				21MAY08 03:38
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV COWL FITTED (REFEE508471987-1N NO 2)AND S33 A1PXXUY505345 FOR CAMM2 .

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 02896  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY801995	COMPLETED	01MAY08 03:00	6101.4	AFHR		XXXXXXXXXXXXXXXXXXXX
11FEB08 06:22	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			
11FEB08 06:24	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		KDA 430 ADAPTOR CANBALIZED TO SERV A23-014				01MAY08 03:00
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERVICEABLE ADAPTOR FITTED. 471982-1-N-7.

REMOVALS/INSTALLATIONS FOR A1PXXUY801995

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1389	A23T	A1UMK	00	1481	A23T	A1UMK	00
	065-05030-0004		11FEB08 06:24	A1PXXJY802554	065-05030-0004		01MAY08 02:56	

A1PXXUY803951	COMPLETED	26MAR08 01:15	6101.4	AFHR		XXXXXXXXXXXXXXXXXXXX
26MAR08 01:03	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			
26MAR08 01:05	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		TYRE FOUND DEFLATED IN PAINT SHOP. SUSPECT SLOW LEAK.				26MAR08 01:15
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERVICEABLE HUB ASSY MAIN FITTED IAW AAP 7212.007-2.

REMOVALS/INSTALLATIONS FOR A1PXXUY803951

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0286	A23T	A2KEI	01	0143	A23T	A2KEI	01
	959.51.81.212		26MAR08 01:06	A1PXXJY805164	3-1555		26MAR08 01:13	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

PAGE 02897  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY803966	COMPLETED	09APR08 22:56	6101.4	AFHR		XXxxXXxxXXxxXXxxXXxx
26MAR08 03:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
26MAR08 03:48	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		WING WALKWAYS TO BE INSTALLED ON L & R WINGS.				09APR08 22:56
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: NEW WALKWAYS INSTALLED ON L & R WINGS IAW AAP 7212.07-

A1PXXUY804414	COMPLETED	13MAY08 05:21	6101.4	AFHR		XXxxXXxxXXxxXXxxXXxx
03APR08 05:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
03APR08 05:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		HORIZONTAL STABILIZER RFA				13MAY08 05:21
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV H/STAB FITTED( REF S33 P/W LSN 388/07 SH8/2)

REMOVALS/INSTALLATIONS FOR A1PXXUY804414

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	536	A23T	A2I	00	553	A23T	A2I	00
	555.10.09.130		03APR08 05:36	A1PXXJY805614	555.10.09.130		13MAY08 05:00	

A1PXXUY804455	COMPLETED	30APR08 05:46	6101.4	AFHR		XXxxXXxxXXxxXXxxXXxx
04APR08 00:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
04APR08 00:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FRONT LGCU ROBBED FOR A/C A23-019				30APR08 05:46
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERVICEABLE LGCU FITTED. 471987-1-0-7.

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY804455

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 126	A23T	A1UCQ	00	555	A23T	A1UCQ	00	
532.30.09.216	04APR08 00:13	A1PXXJY805644	532.30.09.216	30APR08 05:43				

A1PXXUY804456 COMPLETED 13MAY08 01:50 6101.4 AFHR XXxxXXxxXXxxXXxxXXxx  
 04APR08 00:41 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 04APR08 00:42 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 FRONT C/P CLOCK PANEL RFA  
 13MAY08 01:50  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: FCP CLOCK PANEL FITTED (EE508 471987-1P NO 1)

REMOVALS/INSTALLATIONS FOR A1PXXUY804456

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 703606	A23T	A1UGI	00	703606	A23T	A1UGI	00	
Q17-941.22.052AB	04APR08 00:42	A1PXXJY805647	Q17-941.22.052AB	13MAY08 01:49				

A1PXXUY804607 COMPLETED 09APR08 23:10 6101.4 AFHR XXxxXXxxXXxxXXxxXXxx  
 09APR08 23:03 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 09APR08 23:04 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 STUB EXHAUST LH, SN R012553, RFA.  
 09APR08 23:10  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: STUB EXHAUST LH, SN R012553, REFITTED IAW AAP 7212.007-2.

REMOVALS/INSTALLATIONS FOR A1PXXUY804607

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001				R012553	A23T	A1SAM12	01	
			578.10.09.023	09APR08 23:06				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02899  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME

A1PXXUY804608	COMPLETED	09APR08 23:23	6101.4	AFHR		XXxxXXxxXXxxXXxxXXxx
09APR08 23:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
09APR08 23:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STUB EXHAUST RH, SN L219987, RFA.				09APR08 23:23 XXxxXXxxXXxxXXxxXXxx

Maint Acts: STUB EXHAUST RH, SN L219987, REFITTED IAW AAP 7212.007-2.

REMOVALS/INSTALLATIONS FOR A1PXXUY804608

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001					L219987	A23T	A1SAM14	00
					578.10.09.018		09APR08 23:21	

A1PXXUY710712	COMPLETED	09MAY08 02:41	6101.4	AFHR		XXxxXXxxXXxxXXxxXXxx
22APR08 03:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
22APR08 03:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S16 due on Serial A23-033				09MAY08 02:41
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S16 SERVICING CARRIED OUT.

A1PXXUY805298	COMPLETED	29APR08 05:23	6101.4	AFHR		XXxxXXxxXXxxXXxxXXxx
22APR08 03:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
22APR08 03:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FT due on Serial DL4395				29APR08 05:23
		BCN UNDERWATER LOC at WAC 0740				XXxxXXxxXXxxXXxxXXxx

Maint Acts: 3.14VDC AND PING.

A1PXXUY805299	COMPLETED	24APR08 00:53	6101.4	AFHR		XXxxXXxxXXxxXXxxXXxx
22APR08 03:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
22APR08 03:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial 806046				24APR08 00:53
		REG OXYGEN DEMAND at WAC 0730				XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02900  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: SERV REG OXY DEMAND FITTED REFEE508471987-1P

REMOVALS/INSTALLATIONS FOR ALPXXUY805299

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	806046	A23T	A1UES	00	702042	A23T	A1UES	00
	3260042-0201		24APR08 00:50	ALPXXJY706184	3260042-0201		24APR08 00:51	

ALPXXUY805300 COMPLETED 22APR08 03:36 6101.4 AFHR XXxxXXxxXXxxXXxxXXxx  
22APR08 03:26 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
22APR08 03:27 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
AEROBATIC TANK RFA 22APR08 03:36  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: AEROBATIC TANK RE-INSTALLED POST STI 449

REMOVALS/INSTALLATIONS FOR ALPXXUY805300

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	157	A23T	A1UJO	00	157	A23T	A1UJO	00
	528.20.09.045		22APR08 03:27	ALPXXJY806754	528.20.09.045		22APR08 03:36	

ALPXXUY805357 COMPLETED 23APR08 02:38 6101.4 AFHR XXxxXXxxXXxxXXxxXXxx  
23APR08 02:32 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
23APR08 02:32 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
LOW PRESSURE FUEL FILTER ELEMENT AND FILTER BOWL REMOVED FOR ACCESS 23APR08 02:38  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV LP FUEL FILTER ELEMENT AND FILTER BOWL INSTALLED IAW AAP  
7212.007-6-4

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02901  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR 1PXXUY805357

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	L233263	A23T	A1UJK00	00	L320659	A23T	A1UJK00	00
	03W1738-231		23APR08 02:33	1PXXJY806780	03W1738-231		23APR08 02:34	

1PXXUY805412 COMPLETED 24APR08 05:51 6101.4 AFHR  
24APR08 05:33 XXxxXXxx XXxxXXxxXXxxXXxx AIP  
24APR08 05:39 XXxxXXxx XXxxXXxxXXxxXXxx AIP  
SPINNER ASSY REMOVED FOR ACCESS.

Maint Acts: SPINNER ASSY, SN A2333, REFITTED IAW AAP 7212.007-2. REF LSN 3887/07, P16, #19.

REMOVALS/INSTALLATIONS FOR 1PXXUY805412

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001					A2333	A23T	A00AI	00
					D5210		24APR08 05:46	

1PXXUY805670 COMPLETED 30APR08 06:16 6101.4 AFHR  
30APR08 06:04 XXxxXXxx XXxxXXxxXXxxXXxx AIP  
30APR08 06:06 XXxxXXxx XXxxXXxxXXxxXXxx AIP  
DOOR MLG RH OBD RFA.

Maint Acts: DOOR MLG RH OBD, SN PCY600361, REFITTED IAW AAP 7212.007-2. REF LSN 388/

REMOVALS/INSTALLATIONS FOR 1PXXUY805670

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001					PCY600361	A23T	A2KCQ	00
					532.11.09.094		30APR08 06:06	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

PAGE 02902  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY805716	COMPLETED	01MAY08 01:13	6101.4	AFHR		XXxxXXxxXXxxXXxxXXxx
01MAY08 01:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
01MAY08 01:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FLAP ASSY OUTER RH RFA.				01MAY08 01:13
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: FLAP ASSY OUTER RH, 136, RFA.

A1PXXUY805732	COMPLETED	01MAY08 03:08	6101.4	AFHR		XXxxXXxxXXxxXXxxXXxx
01MAY08 02:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
01MAY08 02:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		DOOR MLG LH OBD RFA.				01MAY08 03:08
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: DOOR MLG LG OBD, SN 523, FITTED IAW AAP 7212.007-2.

REMOVALS/INSTALLATIONS FOR A1PXXUY805732

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001					523	A23T	A2KCO	00
					532.11.09.097		01MAY08 03:00	

A1PXXUY805835	COMPLETED	02MAY08 03:15	6101.4	AFHR		XXxxXXxxXXxxXXxxXXxx
02MAY08 03:03	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
02MAY08 03:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
471987 1		EFIS ATTITUDE FLAG REMAINS ON.				02MAY08 03:15
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: SYMBOL GENERATOR REPLACED WITH SERVICEABLE ITEM. Q-7.



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02903  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR 1PXXUY805835  
SEQ REMOVED SERIAL NO EIAC LCN ALC INSTALLED SERIAL NO EIAC LCN ALC  
REMOVED PART NO DATE/TIME JOB NUMBER INSTALLED PART NO DATE/TIME  
=====

001	3171	A23T	A1UOS	00	3218	A23T	A1UOS	00
	3614335-1004		02MAY08 03:11	1PXXJY807325	066-04015-0003		02MAY08 03:13	

1PXXUY805858 COMPLETED 05MAY08 00:00 6101.4 AFHR XXxxXXxxXXxxXXxxXXxx  
04MAY08 23:44 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
04MAY08 23:44 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
WATER SEPARATOR REMOVED FOR ACCESS.  
05MAY08 00:00 XXxxXXxxXXxxXXxxXXxx

Maint Acts: SEPARATOR, WATER, SN 67518, REFITTED IAW AAP 7212.007-2. REF 471987-1F, #7.

REMOVALS/INSTALLATIONS FOR 1PXXUY805858  
SEQ REMOVED SERIAL NO EIAC LCN ALC INSTALLED SERIAL NO EIAC LCN ALC  
REMOVED PART NO DATE/TIME JOB NUMBER INSTALLED PART NO DATE/TIME  
=====

001	67518	A23T	A0Y	00	67518	A23T	A0Y	00
	85020-8		04MAY08 23:45	1PXXJY807348	85020-8		04MAY08 23:48	

1PXXUY805859 COMPLETED 13MAY08 07:12 6101.4 AFHR XXxxXXxxXXxxXXxxXXxx  
05MAY08 00:32 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
05MAY08 00:32 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
BS due on Serial 0424001  
CRASH POSN IND at WAC 0660  
13MAY08 07:12 XXxxXXxxXXxxXXxxXXxx

Maint Acts: CPI REPLACED WITH SERVICEABLE ITEM.471

REMOVALS/INSTALLATIONS FOR 1PXXUY805859  
SEQ REMOVED SERIAL NO EIAC LCN ALC INSTALLED SERIAL NO EIAC LCN ALC  
REMOVED PART NO DATE/TIME JOB NUMBER INSTALLED PART NO DATE/TIME  
=====

001	0424001	A23T	A1UOY	00	0373001	A23T	A1UOY	00
	453-0406		05MAY08 01:48	1PXXJY711650	453-0406		13MAY08 07:10	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02904  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY805933	COMPLETED	14MAY08 03:54	6101.4	AFHR		XXxxXXxxXXxxXXxxXXxx
06MAY08 05:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
06MAY08 05:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		ELEVATOR TO BE FITTED.				14MAY08 03:54
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: ELEVATOR ASSY, SN 510, FITTED IAW AAP 7212.007-2.

REMOVALS/INSTALLATIONS FOR A1PXXUY805933

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001					510	A23T	A2IBC	00
					555.20.09.257		14MAY08 03:53	

A1PXXUY710751	COMPLETED	15MAY08 07:17	6101.4	AFHR		XXxxXXxxXXxxXXxxXXxx
12MAY08 22:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
12MAY08 22:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0342	due on Serial A23-033			15MAY08 07:17
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-0342 RINC.

A1PXXUY710782	COMPLETED	12MAY08 23:30	6101.4	AFHR		XXxxXXxxXXxxXXxxXXxx
12MAY08 22:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
12MAY08 22:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S20	due on Serial A23-033			12MAY08 23:30
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: S20 C/O

A1PXXUY710799	COMPLETED	22MAY08 03:26	6101.4	AFHR		XXxxXXxxXXxxXXxxXXxx
12MAY08 22:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
12MAY08 22:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		R1	due on Serial A23-033			22MAY08 03:26
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 02905  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: RI C/O REF 250/08

A1PXXUY715983	COMPLETED	15MAY08 03:47	6101.4	AFHR		XXxxXXxxXXxxXXxxXXxx
12MAY08 22:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
12MAY08 22:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0460	due on Serial A23-033			15MAY08 03:47
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-0460 INC.

A1PXXUY717196	COMPLETED	22MAY08 03:07	6101.4	AFHR		XXxxXXxxXXxxXXxxXXxx
12MAY08 22:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
12MAY08 22:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0461	due on Serial A23-033			22MAY08 03:07
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-0461 C/O REF R1 P/WORK 250/08 SHEET 8 NO 4

A1PXXUY803088	COMPLETED	15MAY08 00:12	6101.4	AFHR		XXxxXXxxXXxxXXxxXXxx
12MAY08 22:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
12MAY08 22:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0466	due on Serial A23-033			15MAY08 00:12
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-0466 INC.

REMOVALS/INSTALLATIONS FOR A1PXXUY803088

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	4975	A23T	A1SAI14	00	4975	A23T	A1SAI14	00
	23081-026		14MAY08 06:39	A1PXXJY808144	23081-026		15MAY08 00:08	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY710725	COMPLETED	22MAY08 02:57	6101.4	AFHR		XXxxXXxxXXxxXXxxXXxx
12MAY08 22:48	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
12MAY08 22:48	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S26 due on Serial A23-033				22MAY08 02:57
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S26 C/O REF R1 P/WORK LSN 250/08 SHEET 9 NO 3

A1PXXUY709795	COMPLETED	22MAY08 03:06	6101.4	AFHR		XXxxXXxxXXxxXXxxXXxx
12MAY08 22:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
12MAY08 22:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0453 due on Serial A23-033				22MAY08 03:06
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-0453 C/O REF R1 P/WORK 250/08 SHEET 9 NO 4

A1PXXUY806268	COMPLETED	13MAY08 07:19	6101.4	AFHR		XXxxXXxxXXxxXXxxXXxx
13MAY08 05:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
13MAY08 05:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0464 due on Serial 553				13MAY08 07:19
		HORIZONTAL STAB ASS at WAC 1100				XXxxXXxxXXxxXXxxXXxx
		STI-PC9-442B due on Serial 553				
		HORIZONTAL STAB ASS at WAC 1100				

Maint Acts: STI-PC9-0464 INC (REF EE508 471987-1P NO 7) @STI-PC9-0442B INC (REF EE508 471987-1 T NO 1)

A1PXXUY806269	COMPLETED	13MAY08 07:00	6101.4	AFHR		XXxxXXxxXXxxXXxxXXxx
13MAY08 05:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
13MAY08 05:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0465 due on Serial 567				13MAY08 07:00
		RUDDER & TRIM TABS at WAC 1410				XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-0465 INC (REFEE508 471987-1P NO6)

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY806270	COMPLETED	13MAY08 06:55	6101.4	AFHR		XXxxXXxxXXxxXXxxXXxx
13MAY08 05:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
13MAY08 05:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		7130.018-102 due on Serial AC25610				13MAY08 06:55
		COOLER OIL at WAC 0130				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	MOD 7130.018-102 INC ON S/N AC25610(REF EE508 471987-1A NO 4)				

A1PXXUY806466	COMPLETED	21MAY08 03:16	6101.4	AFHR		XXxxXXxxXXxxXXxxXXxx
16MAY08 03:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
16MAY08 03:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FWD COCKPIT SEO TRIGGERED DURING FITMENT.				21MAY08 03:16
	Maint Acts:	SERV SEO FITTED (EE508471987-1U NO 2)				

REMOVALS/INSTALLATIONS FOR A1PXXUY806466

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	2746619	A23T	A1WBE	00	1690620	A23T	A1WBE	00
	MBEU100618		16MAY08 03:13	A1PXXJY808306	MBEU100618		21MAY08 03:12	

A1PXXUY806529	COMPLETED	18MAY08 22:51	6101.4	AFHR		XXxxXXxxXXxxXXxxXXxx
18MAY08 22:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
18MAY08 22:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		OIL FILTER RF INSP AND CLEANING				18MAY08 22:51
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: OIL FILTER INSP AND CLEANED AND FITTED(REF RI PW LSN 250/08)

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
REMOVALS/INSTALLATIONS FOR A1PXXUY806529

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	PCY501564	A23T	A1SAK34	00	PCY501564	A23T	A1SAK34	00
	3028419		18MAY08	22:42	A1PXXJY808387		3028419	18MAY08 22:47

A1PXXUY806590 COMPLETED 21MAY08 03:11 6101.4 AFHR XXxxXXxxXXxxXXxxXXxx  
 20MAY08 06:57 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 20MAY08 06:58 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 ECS PRESS REG RFA(TROUBLE SHOOTING ECS) 21MAY08 03:11  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV ECS PRESS REG FITTED (REF R1 PW LSN 250/08 SH 11)

REMOVALS/INSTALLATIONS FOR A1PXXUY806590

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	341	A23T	A00	00	383	A23T	A00	00
	959.90.10.161		20MAY08	06:59	A1PXXJY808470		3214102-1	21MAY08 03:10

A1PXXUY806591 COMPLETED 21MAY08 03:08 6101.4 AFHR XXxxXXxxXXxxXXxxXXxx  
 20MAY08 07:10 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 20MAY08 07:11 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 FCP TEMP CONTROL PANEL RFA 21MAY08 03:08  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV FCP CONTROL PANEL ECS FITTED(REF R1 P/W LSN 250/08 SH 11)

REMOVALS/INSTALLATIONS FOR A1PXXUY806591

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	192	A23T	A1UEQ	00	166	A23T	A1UEQ	00
	521.20.09.165		20MAY08	07:13	A1PXXJY808471		521.20.09.197	21MAY08 03:06

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02909  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY806607	COMPLETED	20MAY08 23:57	6101.4	AFHR		XXxxXXxxXXxxXXxxXXxx
20MAY08 23:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
20MAY08 23:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		GROUND COOLING FAN NIL OP				20MAY08 23:57
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: BLOWER ASSY REPLACED IAW AAP 7212.007-2. REF 471987-1-U-5

REMOVALS/INSTALLATIONS FOR A1PXXUY806607

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	180	A23T	A0E	00	406	A23T	A0E	00
	M5922H-9A1/HED608279		20MAY08 23:53	A1PXXJY808484	M5922H-9A1		20MAY08 23:55	

A1PXXUY608966	COMPLETED	22MAY08 03:37	6101.4	AFHR		XXxxXXxxXXxxXXxxXXxx
22MAY08 03:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
22MAY08 03:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S41	due on Serial A23-033			22MAY08 03:37
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: S41 SERVICE C/O REF S33 P/WORK 388/07

A1PXXUY608870	COMPLETED	22MAY08 03:38	6101.4	AFHR		XXxxXXxxXXxxXXxxXXxx
22MAY08 03:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
22MAY08 03:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S12	due on Serial A23-033			22MAY08 03:38
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: S12 SERVICE C/O REF WEIGHT/BALANCE P/WORK 388/07

A1PXXUY806733	COMPLETED	23MAY08 03:26	6101.4	AFHR		XXxxXXxxXXxxXXxxXXxx
23MAY08 01:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
23MAY08 01:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		SET HORZ ELEV BOLTS LCN A2IBE P/N 932.19.60.445 TO BE REPLACED				23MAY08 03:26
						XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02910  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: SERV SET ELEV BOLTS FITTED (REF EE508 471987-2C NO 1)

REMOVALS/INSTALLATIONS FOR ALPXXUY806733

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001					PCY800360	A23T	A2IBE	00
					932.19.60.445		23MAY08 03:23	

ALPXXUY806734 COMPLETED 23MAY08 03:17 6101.4 AFHR XXxxXXxxXXxxXXxxXXxx  
23MAY08 01:54 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
23MAY08 01:56 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
SET HORZ ELEV BOLTS LCN A2IBG P/N 555.10.09.101 TO BE REPLACED  
23MAY08 03:17  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV SET BOLTS FITTED (REF EE508 471987-2C NO 2)

REMOVALS/INSTALLATIONS FOR ALPXXUY806734

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001					PCY800361	A23T	A2IBG	00
					555.10.09.101		23MAY08 03:14	

ALPXXUY806747 COMPLETED 23MAY08 03:10 6101.4 AFHR XXxxXXxxXXxxXXxxXXxx  
23MAY08 01:56 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
23MAY08 01:58 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
LH AND RH STAB ELEV OB HNG LCN A2IBI AND A2IBK TO BE REPLACED  
23MAY08 03:10  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: LH AND RH STAB ELEV OB HNG FITTED (REF EE508 471987-2C NO 3)



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY806747

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
=====	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001					PCY800363 SLL-C-3A	A23T	A2IBK 23MAY08 03:01	00
-----	--	--	--	--	-----------------------	------	------------------------	----

002					PCY800362 SLL-C-3A	A23T	A2IBI 23MAY08 03:07	00
-----	--	--	--	--	-----------------------	------	------------------------	----

A1PXXUY806748	COMPLETED	23MAY08 02:59	6101.4	AFHR			XXXXXXXXXX	
23MAY08 02:13	XXXXXXXX	XXXXXXXXXX	AIP				XXXXXXXXXX	
23MAY08 02:14	XXXXXXXX	XXXXXXXXXX	AIP				XXXXXXXXXX	
		ELEVATOR ASSY RFA					23MAY08 02:59	
							XXXXXXXXXX	

Maint Acts: SERV ELEVATOR FITTED (REF EE 508 471987-2C NO 6)

REMOVALS/INSTALLATIONS FOR A1PXXUY806748

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
=====	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001 510	A23T	A2IBC	00	510	A23T	A2IBC	00
555.20.09.257		23MAY08 02:14	A1PXXJY808681	555.20.09.257		23MAY08 02:57	

A1PXXUY806750	COMPLETED	26MAY08 04:55	6101.4	AFHR			XXXXXXXXXX	
23MAY08 02:19	XXXXXXXX	XXXXXXXXXX	AIP				XXXXXXXXXX	
23MAY08 02:23	XXXXXXXX	XXXXXXXXXX	AIP				XXXXXXXXXX	
		HORIZ STAB(SN 553)HAS MINOR DENTS AT LH UPPER AND LOWER SKINS,INBD					26MAY08 04:55	
		,TRAILING EDGE(REF AIP RFD 32/08)					XXXXXXXXXX	

Maint Acts: ADP-09-DD-08-019 ASSESSED DAMAGE AS SERV

A1PXXUY806752	COMPLETED	23MAY08 02:53	6101.4	AFHR			XXXXXXXXXX	
23MAY08 02:23	XXXXXXXX	XXXXXXXXXX	AIP				XXXXXXXXXX	
23MAY08 02:38	XXXXXXXX	XXXXXXXXXX	AIP				XXXXXXXXXX	
		HORIZONTAL BOLTS AND NUTS TO BE FITTED TO CAMM ONLY (REF S33 P/W					23MAY08 02:53	
		388/07 HORZ STAB FITMENT SH 8 NO 2)					XXXXXXXXXX	

Maint Acts: CAMM ONLY HORZ BOLTS FITTED (REF S33 PW LSN 388/07 SH 8 NO 2)

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02912  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 REMOVALS/INSTALLATIONS FOR 1PXXUY806752

PERIOD: 01JAN90 TO 08JAN20

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001					PCY400251 AN175C10A	A23T	A2IAE 23MAY08	02:39 00
002					PCY400241 AN175C10A	A23T	A2IAG 23MAY08	02:40 00
003					PCY400242 MS21046C5E	A23T	A2IAI 23MAY08	02:40 00
004					PCY400243 MS21046C5E	A23T	A2IAK 23MAY08	02:41 00
005					PCY400244 AN175C12A	A23T	A2IAM 23MAY08	02:43 00
006					PCY400245 AN175C12A	A23T	A2IAO 23MAY08	02:44 00
007					PCY400246 MS21046C5E	A23T	A2IAQ 23MAY08	02:45 00
008					PCY400248 MS21046C5E	A23T	A2IAS 23MAY08	02:47 00

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY806762	COMPLETED	26MAY08 11:09	6101.4	AFHR		XXxxXXxxXXxxXXxxXXxx	
23MAY08 04:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP				
23MAY08 04:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		A/C REQUIRES MTF FOR S33,(REPAINT),ELU R&I ,R1 AND MODS U/W.					26MAY08 11:09
						XXxxXXxxXXxxXXxxXXxx	

Maint Acts: MTF C/O REF EE500 471989-1

A1PXXUY710806	COMPLETED	23MAY08 04:40	6101.4	AFHR		XXxxXXxxXXxxXXxxXXxx	
23MAY08 04:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP				
23MAY08 04:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		S18 due on Serial A23-033					23MAY08 04:40
		PC-9 at WAC 0000					XXxxXXxxXXxxXXxxXXxx

Maint Acts: S18 C/O (REF RI P/W LSN 250/08)

A1PXXUY806881	COMPLETED	26MAY08 11:05	6101.4	AFHR		XXxxXXxxXXxxXXxxXXxx	
26MAY08 06:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP				
26MAY08 06:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		MTF REQUIRED FOR TFS 11-25 NEXT FLIGHT CURRENT AFHRS 6104.9					26MAY08 11:05
						XXxxXXxxXXxxXXxxXXxx	

Maint Acts: MTF C/O REF EE500 471990-1

A1PXXUY806907	COMPLETED	03JUN08 09:24	6101.4	AFHR		XXxxXXxxXXxxXXxxXXxx	
26MAY08 10:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP				
26MAY08 11:02	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		MTF REQUIRED FOR TFS 11-26 & AILERON TRIM ADJUST & ELU R&I NEXT					03JUN08 09:24
		FLIGHT CURRENT AFHRS 6105.2					XXxxXXxxXXxxXXxxXXxx

Maint Acts: MTF CO REF: 471992#1

A1PXXUY806943	COMPLETED	27MAY08 03:47	6102.2	AFHR		XXxxXXxxXXxxXXxxXXxx	
27MAY08 03:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP				
27MAY08 03:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		OVERSPEED WARNING ACTIVATES AT 240 KIAS					27MAY08 03:47
						XXxxXXxxXXxxXXxxXXxx	

Maint Acts: SERV ASI FITTED REF 471990#3A3

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02914  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY806943

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 127	A23T	A1UDQ	00	116	A23T	A1UDQ	00	
40807-K2316	27MAY08 03:43	A1PXXJY808909	40807-K2316	27MAY08 03:44				

A1PXXUY806946 COMPLETED 03JUN08 09:13 6102.2 AFHR XXxxXXxxXXxxXXxxXXxx  
27MAY08 03:54 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
27MAY08 03:56 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
AIR TEST REQD FOR FRONT ASI  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: CANCELLED

A1PXXUY806683 COMPLETED 29MAY08 22:57 6102.7 AFHR XXxxXXxxXXxxXXxxXXxx  
29MAY08 08:28 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
29MAY08 08:28 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERV C/O IAW 7212.007-6-4 REF 471992-4A-1

A1PXXUY807136 COMPLETED 30MAY08 02:37 6102.7 AFHR XXxxXXxxXXxxXXxxXXxx  
30MAY08 02:30 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
30MAY08 02:33 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
FRONT ADF CONTROLLER DISPLAY TOO DIM FOR DAY FLYING  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: FRONT ADF CONTROLLER REPLACED

REMOVALS/INSTALLATIONS FOR A1PXXUY807136

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 2018	A23T	A1UCY	00	2508	A23T	A1UCY	00	
071-1284-05	30MAY08 02:33	A1PXXJY809095	071-1284-05	30MAY08 02:35				

A1PXXUY807143 COMPLETED 30MAY08 02:41 6102.7 AFHR XXxxXXxxXXxxXXxxXXxx  
30MAY08 02:38 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
30MAY08 02:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
REAR ADF FLIP FLOP INOP  
XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 02915  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: REAR ADF CONTROLLER REPLACED

REMOVALS/INSTALLATIONS FOR A1PXXUY807143

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	2229	A23T	A1UHG	00	2568	A23T	A1UHG	00
	071-1284-05		30MAY08 02:39	A1PXXJY809097	071-1284-05		30MAY08 02:41	

A1PXXUY807231 COMPLETED 05JUN08 05:45 6102.7 AFHR XXxxXXxxXXxxXXxxXXxx  
03JUN08 09:13 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
03JUN08 09:14 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
A/C REQ'S AIRTEST FOR FRONT ASI OP'S & INVERTED FLIGHT  
05JUN08 05:45  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST CO REF 471994-1

A1PXXUY807281 COMPLETED 05JUN08 05:44 6102.7 AFHR XXxxXXxxXXxxXXxxXXxx  
04JUN08 07:15 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
04JUN08 07:21 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
AIRCRAFT REQ'S MTF FOR AILERON TRIMS REF: 471992-4A #1  
05JUN08 05:44  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: MTF CO REF 471994-1

A1PXXUY807121 COMPLETED 05JUN08 22:28 6103.4 AFHR XXxxXXxxXXxxXXxxXXxx  
05JUN08 10:43 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
05JUN08 10:43 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
05JUN08 22:28  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O REF 471995-1

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY807497	COMPLETED	09JUN08 02:15	6107.0	AFHR		XXxxXXxxXXxxXXxxXXxx
09JUN08 02:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
09JUN08 02:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		PROPELLAR RFA TO REPLACE PROP SEAL				09JUN08 02:15
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: PROPELLER REFITTED SERV IAW 7113-022-2 REF 47199/4A-2

REMOVALS/INSTALLATIONS FOR A1PXXUY807497

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	GG90	A23T	A00	00	GG90	A23T	A00	00
	HC-D4N2A/D9512A		09JUN08 02:08	A1PXXJY809392	HC-D4N2A/D9512A		09JUN08 02:12	

A1PXXUY807498	COMPLETED	10JUN08 11:28	6107.0	AFHR		XXxxXXxxXXxxXXxxXXxx
09JUN08 02:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
09JUN08 02:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRTEST REQUIRED FOR PROP R & I NEXT FLIGHT CURRENT AFHRS 6107.0				10JUN08 11:28
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST CO

A1PXXUY807513	COMPLETED	09JUN08 03:50	6107.0	AFHR		XXxxXXxxXXxxXXxxXXxx
09JUN08 03:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
09JUN08 03:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		NO MODE C ON TRANSPONDER				09JUN08 03:50
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: FCP ALTIMETER REPLACED IAW AAP 7212.007-2. REF 471997-1

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 02917  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY807513

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1097	A23T	A1UCM	00	1257	A23T	A1UCM	00
	44929-903		09JUN08 03:48	A1PXXJY809418	44929-903		09JUN08 03:48	

A1PXXUY807514 COMPLETED 10JUN08 11:28 6107.0 AFHR XXxxXXxxXXxxXXxxXXxx  
09JUN08 03:50 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
09JUN08 03:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
AIRTEST REQUIRED FOR FCP ALTIMETER OPS  
10JUN08 11:28  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST CO

A1PXXUY807753 COMPLETED 12JUN08 05:15 6113.1 AFHR XXxxXXxxXXxxXXxxXXxx  
12JUN08 05:07 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
12JUN08 05:10 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
TRANSPONDER U/S ON AIRCRAFT MODE C INTERMITTENT  
12JUN08 05:15  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV TRANSPONDER FITTED AND TESTED IAW AAP 7212.007-2 XREF EE500  
S/NO 467803-1

REMOVALS/INSTALLATIONS FOR A1PXXUY807753

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001					4568	A23T	A1ULQ	00
					985.99.11.631		12JUN08 05:13	

A1PXXUY807756 COMPLETED 13JUN08 02:16 6113.1 AFHR XXxxXXxxXXxxXXxxXXxx  
12JUN08 05:17 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
12JUN08 05:18 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
AIRTEST REQ FOR TRANSPONDER OPS  
13JUN08 02:16  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: CFU C/O

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02918  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY807413	COMPLETED	12JUN08 22:53	6113.1	AFHR		XXxxXXxxXXxxXXxxXXxx
12JUN08 08:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
12JUN08 08:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				12JUN08 22:53
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O IAW AAP 71212.007-6-4

A1PXXUY807914	COMPLETED	16JUN08 08:10	6115.6	AFHR		XXxxXXxxXXxxXXxxXXxx
16JUN08 08:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
16JUN08 08:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		REAR CPT AUDIO U/S				16JUN08 08:10
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV AUDIO CONTROL PANEL FITTED TO REAR CPT IAW AAP 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXUY807914

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	306	A23T	A1UIG	00	335	A23T	A1UIG	00
	AS3100-15K		16JUN08 08:06	A1PXXJY809865	AS3100-15K		16JUN08 08:09	

A1PXXUY807915	COMPLETED	18JUN08 06:16	6115.6	AFHR		XXxxXXxxXXxxXXxxXXxx
16JUN08 08:11	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
16JUN08 08:11	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRCRAFT REQUIRES AIRTEST FOR IC OPS				18JUN08 06:16
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: A/T C/O SERV REF 467808/1

A1PXXUY808057	COMPLETED	18JUN08 05:52	6119.4	AFHR		XXxxXXxxXXxxXXxxXXxx
18JUN08 05:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
18JUN08 05:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		RH BRAKE REMOVED FOR TROUBLESHOOTING RH MLG SHIMMY				18JUN08 05:52
						XXxxXXxxXXxxXXxxXXxx



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 02919  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: SERV BRAKE FITTED IAW AAP7212.0

REMOVALS/INSTALLATIONS FOR A1PXXUY808057

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0495P	A23T	A2KEE	00	0157	A23T	A2KEE	00
	2-1524-1		18JUN08 05:40	A1PXXJY809991	2-1524-1		18JUN08 05:48	

A1PXXUY808060 COMPLETED 19JUN08 23:14 6119.4 AFHR XXxxXXxxXXxxXXxxXXxx  
18JUN08 06:06 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
18JUN08 06:07 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
AIRTEST REQUIRED FOR RH BRAKE OPERATION NEXT FLIGHT AFHR 6119.4  
19JUN08 23:14  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: CFU C/O

A1PXXUY807782 COMPLETED 19JUN08 23:11 6120.6 AFHR XXxxXXxxXXxxXXxxXXxx  
19JUN08 11:33 XXxxXXxx XXxxXXxxXXxxXXxx AIP  
19JUN08 11:33 XXxxXXxx XXxxXXxxXXxxXXxx AIP  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
19JUN08 23:11  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERV C/O IAW AAP 7212.007-6-4 REF EE500 467810-1

A1PXXUY808174 COMPLETED 26JUN08 22:46 6134.1 AFHR XXxxXXxxXXxxXXxxXXxx  
26JUN08 09:32 XXxxXXxx XXxxXXxxXXxxXXxx AIP  
26JUN08 09:32 XXxxXXxx XXxxXXxxXXxxXXxx AIP  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
26JUN08 22:46  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERV C/O IAW 7212.007-6-4

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02920  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY808381	COMPLETED	03JUL08 22:19	6144.2	AFHR		XXxxXXxxXXxxXXxxXXxx
03JUL08 09:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
03JUL08 09:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				03JUL08 22:19
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 SERV C/O REF 467828-1				

A1PXXUY808860	COMPLETED	04JUL08 04:25	6144.2	AFHR		XXxxXXxxXXxxXXxxXXxx
04JUL08 02:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
04JUL08 02:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial MB9950				04JUL08 04:25
		PARACHUTE ASSY at WAC 0740				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	PARA PSP REPLACED IAW AAP 7212.007-2. REF 467828-4-A-1				

REMOVALS/INSTALLATIONS FOR A1PXXUY808860

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	MB9950	A23T	A26BA	00	MB13432	A23T	A26BA	00
	MBEU12043PA		04JUL08 03:13	A1PXXJY713136	MBEU12043PA		04JUL08 04:22	

A1PXXUY808862	COMPLETED	04JUL08 04:27	6144.2	AFHR		XXxxXXxxXXxxXXxxXXxx
04JUL08 02:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
04JUL08 02:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial R616276				04JUL08 04:27
		PARACHUTE ASSY at WAC 0730				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	PARA ASSY REPLACED IAW AAP 7212.007-2. REF 467828-4-A-1				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02921  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY808862

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
=====	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	R616276	A23T	A1WBA	00	MB13503	A23T	A1WBA	00
	MBEU100664		04JUL08 03:14	A1PXXJY713143	MBEU100664		04JUL08 04:26	

A1PXXUY809152	COMPLETED	14JUL08 11:33	6150.4	AFHR	XXxxXXxxXXxxXXxxXXxx
09JUL08 06:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		XXxxXXxxXXxxXXxxXXxx
09JUL08 06:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		XXxxXXxxXXxxXXxxXXxx
		AIRCRAFT REQUIRES AIRTEST FOR U/C OPS			14JUL08 11:33
					XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST CARRIED OUT REF 467835

A1PXXUY809249	COMPLETED	14JUL08 04:51	6150.4	AFHR	XXxxXXxxXXxxXXxxXXxx
10JUL08 09:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		XXxxXXxxXXxxXXxxXXxx
10JUL08 09:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		XXxxXXxxXXxxXXxxXXxx
		PROP NDI TO BE CO POST PROP BLEND			14JUL08 04:51
					XXxxXXxxXXxxXXxxXXxx

Maint Acts: PROP NDI C/ REF REPORT NUMBER 628/08

A1PXXUY808819	COMPLETED	10JUL08 22:48	6150.4	AFHR	XXxxXXxxXXxxXXxxXXxx
10JUL08 09:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		XXxxXXxxXXxxXXxxXXxx
10JUL08 09:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033			10JUL08 22:48
		PC-9 at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O SERV IAW 7212-007-6-4 REF 467834-1

A1PXXUY809447	COMPLETED	17JUL08 03:25	6150.4	AFHR	XXxxXXxxXXxxXXxxXXxx
14JUL08 11:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		XXxxXXxxXXxxXXxxXXxx
14JUL08 11:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		XXxxXXxxXXxxXXxxXXxx
		AIRCRAFT REQUIRES AIRTEST FOR U/C OPS			17JUL08 03:25
					XXxxXXxxXXxxXXxxXXxx

Maint Acts: CFU C/O REF 467837

A1PXXUY809490	COMPLETED	14JUL08 23:47	6150.4	AFHR	XXxxXXxxXXxxXXxxXXxx
14JUL08 22:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		XXxxXXxxXXxxXXxxXXxx
14JUL08 22:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		XXxxXXxxXXxxXXxxXXxx
		BS due on Serial 103156			14JUL08 23:47
		REG OXYGEN DEMAND at WAC 0740			XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV REG OXY DEMAND FITTED AFT CPT IAW AAP 7212.007-2 XREF EE508  
(Continued on next page.)

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02922  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

(Continued from previous page.)  
S/NO 467835-5A LINE ONE

REMOVALS/INSTALLATIONS FOR A1PXXUY809490

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	103156	A23T	A1UIS	00	107174	A23T	A1UIS	00
	3260042-0201		14JUL08 22:21	A1PXXJY711659	3260042-0201		14JUL08 23:44	

A1PXXUY807469 COMPLETED 17JUL08 22:50 6151.7 AFHR XXxxXXxxXXxxXXxxXXxx  
15JUL08 05:17 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
15JUL08 05:17 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
STI-PC9-0473 due on Serial A23-033  
PC-9 at WAC 0000  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI -0473 C/O REF 467836-1

A1PXXUY809472 COMPLETED 15JUL08 05:19 6151.7 AFHR XXxxXXxxXXxxXXxxXXxx  
15JUL08 05:18 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
15JUL08 05:18 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
STI-PC9-0477 due on Serial A23-033  
PC-9 at WAC 0000  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-477 C/O IAW INSTRUCTIONS REF 467836-3

A1PXXUY809268 COMPLETED 17JUL08 22:48 6159.1 AFHR XXxxXXxxXXxxXXxxXXxx  
17JUL08 11:05 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
17JUL08 11:05 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERV C/O IAW 7212.007-6-4 REF 467842-1

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02923  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY809696	COMPLETED	24JUL08 22:45	6165.0	AFHR		XXxxXXxxXXxxXXxxXXxx
24JUL08 11:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
24JUL08 11:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				24JUL08 22:45
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 SERV CO REF 4589-1				

A1PXXUY710713	COMPLETED	29JUL08 10:58	6170.8	AFHR		XXxxXXxxXXxxXXxxXXxx
29JUL08 08:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
29JUL08 08:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S37 due on Serial A23-033				29JUL08 10:58
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S37 C/O SERV IAW AAP 7212.007-6-4 XREF EE500 S/NO 437753 LINE ONE				

A1PXXUY810164	COMPLETED	30JUL08 11:38	6173.7	AFHR		XXxxXXxxXXxxXXxxXXxx
30JUL08 11:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
30JUL08 11:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FWD CPT RMI HEADING FLAG VISIBLE FUNCTION OK AFT CPT RMI OKAY				30JUL08 11:38
						XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	SERV RMI FITTED FWD CPT TESTED SERV IAW AAP 7212.007-2 AND XREF EE500 S/NO 437754 LINE ONE				

REMOVALS/INSTALLATIONS FOR A1PXXUY810164

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	8570	A23T	A1UDU	00	5421	A23T	A1UDU	00
	066-3060-01		30JUL08 11:33	A1PXXJY812387	066-3060-01		30JUL08 11:35	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02924  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY810166	COMPLETED	31JUL08 09:01	6173.7	AFHR		XXxxXXxxXXxxXXxxXXxx
30JUL08 11:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
30JUL08 11:44	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRCRAFT REQUIRES AIRTEST FOR FWD CPT RMI OPS POST FWD CPT RMI CX				31JUL08 09:01
						XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	AIRTEST CARRIED OUT SERV REF 437755				

A1PXXUY809986	COMPLETED	31JUL08 23:05	6173.7	AFHR		XXxxXXxxXXxxXXxxXXxx
31JUL08 11:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
31JUL08 11:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				31JUL08 23:05
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 C/O IAW AAP 7212.007-6-4				

A1PXXUY806686	COMPLETED	04AUG08 11:16	6179.0	AFHR		XXxxXXxxXXxxXXxxXXxx
04AUG08 11:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
04AUG08 11:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S26 due on Serial A23-033				04AUG08 11:16
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S26 SERVICING C/O IAW AAP 7212.007-6-4 REF 437760-1				

A1PXXUY810285	COMPLETED	08AUG08 00:20	6185.2	AFHR		XXxxXXxxXXxxXXxxXXxx
07AUG08 08:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
07AUG08 08:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				08AUG08 00:20
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 SERV CARRIED OUT REF 437764				

A1PXXUY810835	COMPLETED	11AUG08 22:52	6186.5	AFHR		XXxxXXxxXXxxXXxxXXxx
11AUG08 22:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
11AUG08 22:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial 0645				11AUG08 22:52
		BATTERY NICAD at WAC 0660				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	SERV NI CAD BATT FITTED IAW AAP 7212.007-2 XREF EE508 S/NO 437766-3A (Continued on next page.)				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02925  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

(Continued from previous page.)  
LINE ONE

REMOVALS/INSTALLATIONS FOR A1PXXUY810835

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0645	A23T	A1UOA	00	2665	A23T	A1UOA	00
	33490409201		11AUG08 22:48	A1PXXJY808190	33490409201		11AUG08 22:49	

A1PXXUY810865 COMPLETED 12AUG08 07:07 6186.5 AFHR XXxxXXxxXXxxXXxxXXxx  
12AUG08 05:27 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
12AUG08 05:27 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
STI-PC9-0478 due on Serial 0849  
PUMP FUEL HIGH PRES at WAC 0130  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-0478 C/O SERV REF 437766-3A#3

A1PXXUY810651 COMPLETED 14AUG08 22:11 6186.5 AFHR XXxxXXxxXXxxXXxxXXxx  
14AUG08 08:42 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
14AUG08 08:42 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/OUT IAW 7212.007-6-4 REF437766-4A-1

A1PXXUY811219 COMPLETED 20AUG08 05:53 6189.4 AFHR XXxxXXxxXXxxXXxxXXxx  
19AUG08 05:07 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
19AUG08 05:10 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
AIRTEST REQUIRED FOR AHRS OPS  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST CARRIED OUT SERV REF 437771 # 3

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY811282	COMPLETED	21AUG08 07:03	6191.1	AFHR		XXxxXXxxXXxxXXxxXXxx
20AUG08 06:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
20AUG08 06:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRCRAFT REQUIRES AIRTEST FOR INVERTED FLIGHT				21AUG08 07:03
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: TEST FLOWN SERV REF 43772#!

A1PXXUY811377	COMPLETED	22SEP08 01:18	6192.2	AFHR		XXxxXXxxXXxxXXxxXXxx
21AUG08 11:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
21AUG08 11:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MLG LH & RH WHEELS REMOVED AS PART OF R2 SERVICING				22SEP08 01:18
		NOSE WHEEL REMOVED AS PART OF R2 SERVICING				XXxxXXxxXXxxXXxxXXxx

Maint Acts: WHEELS REFITTED REF LSN 553/08

REMOVALS/INSTALLATIONS FOR A1PXXUY811377

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0143	A23T	A2KEI	01	0143	A23T	A2KEI	01
	3-1555		21AUG08 11:34	A1PXXJY814040	3-1555		27AUG08 02:35	
002	0149	A23T	A2KDM	01	0149	A23T	A2KDM	01
	3-1555		21AUG08 11:35	A1PXXJY814041	3-1555		27AUG08 02:34	
003	0053	A23T	A18AG	00				
	3-1451 OPT 1		21AUG08 11:37	A1PXXJY814042				



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY811379	COMPLETED	26AUG08 23:47	6192.2	AFHR		XXXXXXXXXXXXXXXXXXXX
21AUG08 11:47	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			
21AUG08 11:47	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		SPINNER ASSY RFA				26AUG08 23:47
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: SPINNER ASSEMBLY REFITTED IAW 7212.007.2

REMOVALS/INSTALLATIONS FOR A1PXXUY811379

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	A2333	A23T	A00AI	00	A2333	A23T	A00AI	00
	D5210		21AUG08 11:47	A1PXXJY814043	D5210		26AUG08 23:44	

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY511807	COMPLETED	03SEP08 00:47	6192.2	AFHR		XXXXXXXXXXXXXXXXXXXX
21AUG08 22:19	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			
21AUG08 22:19	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S36				03SEP08 00:47
		PC-9		due on Serial A23-033		XXXXXXXXXXXXXXXXXXXX
				at WAC 0000		

Maint Acts: S36 CARRIED OUT IAW AAP 7212.007-6-4 REFER LSN 553/08

REMOVALS/INSTALLATIONS FOR A1PXXUY511807

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PCY600595	A23T	A1UAW	00	PCY600595	A23T	A1UAW	00
	110.30.07.008		03SEP08 00:29	A1PXXJY814710	110.30.07.008		03SEP08 00:31	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02928  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
002	PCY600594 110.30.07.008	A23T	A1UAU 03SEP08 00:30	00 A1PXXJY814711	PCY600594 110.30.07.008	A23T	A1UAU 03SEP08 00:30	00
003	PCY600591 938.09.14.307	A23T	A1UAE 03SEP08 00:31	00 A1PXXJY814712	PCY800849 938.09.14.307	A23T	A1UAE 03SEP08 00:38	00
004	PCY600590 938.09.14.307	A23T	A1UAG 03SEP08 00:33	00 A1PXXJY814713	PCY800848 938.09.14.307	A23T	A1UAG 03SEP08 00:37	00

A1PXXUY604844 COMPLETED 25AUG08 08:01 6192.2 AFHR  
 21AUG08 22:19 XXXXX  
 21AUG08 22:19 XXXXX  
 S46 due on Serial A23-033  
 PC-9 at WAC 0000

Maint Acts: S46 CO. WATER SEPARATOR INSTALLED IAW 7212.007-2 REF 553/08

REMOVALS/INSTALLATIONS FOR A1PXXUY604844

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	67518 85020-8	A23T	A0Y 25AUG08 07:58	00 A1PXXJY814198	67518 85020-8	A23T	A0Y 25AUG08 07:59	00

A1PXXUY704744 COMPLETED 18SEP08 11:53 6192.2 AFHR  
 21AUG08 22:19 XXXXX  
 21AUG08 22:19 XXXXX  
 S57 due on Serial A23-033  
 PC-9 at WAC 0000

Maint Acts: S57 CO REF LSN 598/08

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02929  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY704843	COMPLETED	22SEP08 01:25	6192.2	AFHR		XXxxXXxxXXxxXXxxXXxx
21AUG08 22:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
21AUG08 22:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		R2	due on Serial A23-033			22SEP08 01:25
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: R2 CO REF LSN 553/08

REMOVALS/INSTALLATIONS FOR A1PXXUY704843

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	700	A23T	A0M	00	700	A23T	A0M	00
	195980-3		22AUG08 06:09	A1PXXJY814109	195980-3		22SEP08 01:16	

A1PXXUY715348	COMPLETED	22SEP08 01:05	6192.2	AFHR		XXxxXXxxXXxxXXxxXXxx
21AUG08 22:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
21AUG08 22:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S60	due on Serial A23-033			22SEP08 01:05
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: S60 SERVICING CARRIED OUT.

A1PXXUY806185	COMPLETED	22SEP08 01:04	6192.2	AFHR		XXxxXXxxXXxxXXxxXXxx
21AUG08 22:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
21AUG08 22:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S16	due on Serial A23-033			22SEP08 01:04
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: S16 CO REF LSN 553/08

A1PXXUY806245	COMPLETED	15SEP08 12:14	6192.2	AFHR		XXxxXXxxXXxxXXxxXXxx
21AUG08 22:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
21AUG08 22:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S20	due on Serial A23-033			15SEP08 12:14
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: S20 CO REF LSN 553/08

A1PXXUY806341	COMPLETED	28AUG08 23:42	6192.2	AFHR		XXxxXXxxXXxxXXxxXXxx
21AUG08 22:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
21AUG08 22:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0466	due on Serial A23-033			28AUG08 23:42
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI PC9-0466 C/O DURING O/H REF LSN 533/08-12/21-1

A1PXXUY806396	COMPLETED	28AUG08 23:44	6192.2	AFHR		XXxxXXxxXXxxXXxxXXxx
21AUG08 22:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
21AUG08 22:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0342	due on Serial A23-033			28AUG08 23:44
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-342 RINC REF LSN 553/08

A1PXXUY808736	COMPLETED	28AUG08 23:45	6192.2	AFHR		XXxxXXxxXXxxXXxxXXxx
21AUG08 22:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
21AUG08 22:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0475	due on Serial A23-033			28AUG08 23:45
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-0475 INC REF LSN 553/08-12/21-2

A1PXXUY810423	COMPLETED	15SEP08 12:14	6192.2	AFHR		XXxxXXxxXXxxXXxxXXxx
21AUG08 22:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
21AUG08 22:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S26	due on Serial A23-033			15SEP08 12:14
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: S26 CO REF LSN 553/08

A1PXXUY811060	COMPLETED	22SEP08 01:05	6192.2	AFHR		XXxxXXxxXXxxXXxxXXxx
21AUG08 22:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
21AUG08 22:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40	due on Serial A23-033			22SEP08 01:05
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 02931  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: S40 CO REF LSN 553/08

A1PXXUY811386	COMPLETED	25AUG08 07:34	6192.2	AFHR		XXxxXXxxXXxxXXxxXXxx
21AUG08 22:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
21AUG08 22:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-442B due on Serial 533				25AUG08 07:34
		VERTICAL STAB ASSY at WAC 1400				XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI C/O NDI REPORT NO 756/08 REF R2 553/08 9 OF 21-7

A1PXXUY811387	COMPLETED	25AUG08 07:36	6192.2	AFHR		XXxxXXxxXXxxXXxxXXxx
21AUG08 22:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
21AUG08 22:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-442B due on Serial 553				25AUG08 07:36
		HORIZONTAL STAB ASS at WAC 1100				XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI C/O NDI REPORT 756/088 REF 553/08 9 OF 21-7

A1PXXUY811388	COMPLETED	25AUG08 07:25	6192.2	AFHR		XXxxXXxxXXxxXXxxXXxx
21AUG08 22:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
21AUG08 22:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-422A due on Serial 027				25AUG08 07:25
		WING ASSY at WAC 1500				XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-422A C/O NDI REPORT 755/08 REF R2 553/08 12 OF 21-3

A1PXXUY811389	COMPLETED	15SEP08 12:15	6192.2	AFHR		XXxxXXxxXXxxXXxxXXxx
21AUG08 22:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
21AUG08 22:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial RT309				15SEP08 12:15
		FUEL NOZZLE SET at WAC 0120				XXxxXXxxXXxxXXxxXXxx

Maint Acts: FUEL NOZZLE SET SERIAL NO RT309 REMOVED AND REFITTED WITH FUEL  
NOZZEL SET SERIAL NO RT163 IAW 7113.022-2 REF LSN 553/08 PG 13 LINE  
2.(R2 WORK PACK)

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 02932  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY811389

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	RT309	A23T	A1SAK27	00	RT163	A23T	A1SAK27	00
	RAAFA62FNS01		26AUG08 04:58	N0NC2JY700348	RAAFA62FNS01		26AUG08 04:58	

A1PXXUY811391 COMPLETED 26AUG08 06:22 6192.2 AFHR XXxxXXxxXXxxXXxxXXxx  
21AUG08 22:19 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
21AUG08 22:19 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
OH due on Serial 4975  
STARTER GENERATOR at WAC 0130 XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV STARTER GEN FITTED IAW 7212.007-2 REF LSN 553/08-12/21-7

REMOVALS/INSTALLATIONS FOR A1PXXUY811391

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	4975	A23T	A1SAI14	00	4513	A23T	A1SAI14	00
	23081-026		21AUG08 23:24	A1PXXJY510994	23081-026		26AUG08 06:20	

A1PXXUY811392 COMPLETED 22AUG08 05:30 6192.2 AFHR XXxxXXxxXXxxXXxxXXxx  
21AUG08 22:19 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
21AUG08 22:19 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
OH due on Serial 00687  
FILTER ASSY FUEL at WAC 0610 XXxxXXxxXXxxXXxxXXxx

Maint Acts: FUEL FILTER ASSY INSTALLED IAW 7212.007-2 REF LSN553/08

REMOVALS/INSTALLATIONS FOR A1PXXUY811392

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	00687	A23T	A1UJK	00	03W062315	A23T	A1UJK	00
	03W061738		22AUG08 05:29	A1PXXJY511184	968.35.21.161		22AUG08 05:29	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY811393	COMPLETED	19SEP08 02:36	6192.2	AFHR		XXXXXXXXXXXXXXXXXXXX
21AUG08 22:20	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			
21AUG08 22:20	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BS due on Serial 2746657				19SEP08 02:36
		SET EMERG OXYGEN at WAC 0740				XXXXXXXXXXXXXXXXXXXX

Maint Acts: SEO REPLACED REF R2 PWORK LSN553/08130F21#5

REMOVALS/INSTALLATIONS FOR A1PXXUY811393

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	2746657	A23T	A26BE	00	8086397	A23T	A26BE	00
	MBEU100618		19SEP08 02:34	A1PXXJY716061	MBEU100618		19SEP08 02:35	

A1PXXUY811394	COMPLETED	28AUG08 23:31	6192.2	AFHR		XXXXXXXXXXXXXXXXXXXX
21AUG08 22:20	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			
21AUG08 22:20	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BS due on Serial 3957				28AUG08 23:31
		GAUGE OXYGEN SYSTEM at WAC 0640				XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV OXY GAUGE FITTED IAW 7212.007-2 REF LSN 553/0/-13/21-3

REMOVALS/INSTALLATIONS FOR A1PXXUY811394

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	3957	A23T	A1UMY	00	3934	A23T	A1UMY	00
	AN6011-2		28AUG08 23:29	A1PXXJY301505	AN6011-2		28AUG08 23:29	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY811395	COMPLETED	15SEP08 12:25	6192.2	AFHR		XXxxXXxxXXxxXXxxXXxx
21AUG08 22:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
21AUG08 22:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		NDT due on Serial 033				15SEP08 12:25
		FRM 10 STR 5L & 5R at WAC 0670				XXxxXXxxXXxxXXxxXXxx

Maint Acts: NDT CO REF LSN 553/08

A1PXXUY811396	COMPLETED	15SEP08 12:25	6192.2	AFHR		XXxxXXxxXXxxXXxxXXxx
21AUG08 22:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
21AUG08 22:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		NDT due on Serial 027LH				15SEP08 12:25
		LWNG RSPAR HLF R3 at WAC 0900				XXxxXXxxXXxxXXxxXXxx

Maint Acts: NDT CO REF LSN 553/08

A1PXXUY811397	COMPLETED	15SEP08 12:26	6192.2	AFHR		XXxxXXxxXXxxXXxxXXxx
21AUG08 22:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
21AUG08 22:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		NDT due on Serial 027RH				15SEP08 12:26
		RWNG RSPAR HLF R3 at WAC 1000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: NDT CO REF LSN 553/08

A1PXXUY811398	COMPLETED	18SEP08 11:58	6192.2	AFHR		XXxxXXxxXXxxXXxxXXxx
21AUG08 23:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
21AUG08 23:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BOTH INV'S AND RACK RFA				18SEP08 11:58
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: INVERTERS REFITTED REF LSN 598/08



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02935  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY811398

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	6568	A23T	A1UOG	01	6568	A23T	A1UOG	01
	975.04.21.103		21AUG08 23:20	A1PXXJY814045	975.04.21.103		18SEP08 11:57	
002	6567	A23T	A1UOE	01	6567	A23T	A1UOE	01
	975.04.21.103		21AUG08 23:21	A1PXXJY814046	975.04.21.103		18SEP08 11:57	

A1PXXUY811407 COMPLETED 18SEP08 11:52 6192.2 AFHR XXxxXXxxXXxxXXxxXXxx  
21AUG08 23:25 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
21AUG08 23:26 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
BATT NICAD AND RACK RFA 18SEP08 11:52  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: BATT REFITTED REF LSN 598/08

REMOVALS/INSTALLATIONS FOR A1PXXUY811407

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	2665	A23T	A1UOA	00	2665	A23T	A1UOA	00
	33490409201		21AUG08 23:27	A1PXXJY814047	33490409201		18SEP08 11:51	

A1PXXUY811417 COMPLETED 16SEP08 13:55 6192.2 AFHR XXxxXXxxXXxxXXxxXXxx  
22AUG08 00:23 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
22AUG08 00:25 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
HORIZONTAL STAB RFA. 16SEP08 13:55  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: HORIZONTAL STAB INSTALLED IAW 7212.007-2 REF LSN 553/08

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY811417  
SEQ REMOVED SERIAL NO EIAC LCN ALC INSTALLED SERIAL NO EIAC LCN ALC  
REMOVED PART NO DATE/TIME JOB NUMBER INSTALLED PART NO DATE/TIME  
=====

001 553 A23T A2I 00 553 A23T A2I 00  
555.10.09.130 22AUG08 00:32 A1PXXJY814049 555.10.09.130 16SEP08 13:54

A1PXXUY811424 COMPLETED 22AUG08 06:59 6192.2 AFHR XXxxXXxxXXxxXXxxXXxx  
22AUG08 06:55 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
22AUG08 06:56 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
OIL FILTER REMOVED FOR CLEANING AND INSPECTION  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: OIL FILTER INSTALLED IAW 7113.022-2 REF LSN 553/08

REMOVALS/INSTALLATIONS FOR A1PXXUY811424  
SEQ REMOVED SERIAL NO EIAC LCN ALC INSTALLED SERIAL NO EIAC LCN ALC  
REMOVED PART NO DATE/TIME JOB NUMBER INSTALLED PART NO DATE/TIME  
=====

001 PCY501564 A23T A1SAK34 00 PCY501564 A23T A1SAK34 00  
3028419 22AUG08 06:56 A1PXXJY814110 3028419 22AUG08 06:58

A1PXXUY811442 COMPLETED 19SEP08 01:28 6192.2 AFHR XXxxXXxxXXxxXXxxXXxx  
24AUG08 23:23 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
24AUG08 23:24 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
BOTH FRONT AND REAR SEATS RFA  
19SEP08 01:28  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: F SEAT R&I REF P/WORK LSN 553/08 5 OF 57 #45:01  
R SEAT R&I REF P/WORK LSN 553/08 5 OF 57 #42:01

REMOVALS/INSTALLATIONS FOR A1PXXUY811442  
SEQ REMOVED SERIAL NO EIAC LCN ALC INSTALLED SERIAL NO EIAC LCN ALC  
REMOVED PART NO DATE/TIME JOB NUMBER INSTALLED PART NO DATE/TIME  
=====

001 062 A23T A26 00 062 A23T A26 00  
AU11A-2 24AUG08 23:24 A1PXXJY814114 AU11A-2 19SEP08 01:24

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02937  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
002	075	A23T	A1W	00	075	A23T	A1W	00
	AU11A-1		24AUG08 23:25	A1PXXJY814115	AU11A-1		19SEP08 01:05	

A1PXXUY811448 COMPLETED 22SEP08 01:20 6192.2 AFHR XXxxXXxxXXxxXXxxXXxx  
 24AUG08 23:42 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 24AUG08 23:45 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 ECS COMPONENTS: PRESSURE REG VALVE, TCV, PRESSURE REG CANNABLISED TO  
 AIRCRAFT A23-047  
 22SEP08 01:20  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: ECS COMPONENTS REPLACED WITH SERV ITEMS REF: LSN 553/08 160F21#7

REMOVALS/INSTALLATIONS FOR A1PXXUY811448

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	383	A23T	A00	00	344	A23T	A00	00
	3214102-1		24AUG08 23:46	A1PXXJY814119	3214102-1		16SEP08 00:35	
002	298	A23T	A0S	00	310	A23T	A0S	00
	959.90.10.181		24AUG08 23:52	A1PXXJY814120	979432-2		16SEP08 00:22	
003	942	A23T	A0Q	00				
	3213876-9		24AUG08 23:55	A1PXXJY814121				

A1PXXUY811470 COMPLETED 25AUG08 06:36 6192.2 AFHR XXxxXXxxXXxxXXxxXXxx  
 25AUG08 06:15 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 25AUG08 06:17 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 INLET AND DISCHARGE FUEL FILTER RFA AND T/A  
 25AUG08 06:36  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV INLET AND DISCHARGE FUEL FILTER FITTED IAW 7212-007-2 REF R2  
 553/08

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY811470

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	L625555 32-2053	A23T	A1SAI10AC 25AUG08 06:17	00 A1PXXJY814168	L625555 32-2053	A23T	A1SAI10AC 25AUG08 06:35	00
-----	--------------------	------	----------------------------	---------------------	--------------------	------	----------------------------	----

002	PCY700413 3033355	A23T	A1SAI10AA 25AUG08 06:20	00 A1PXXJY814169	PCY800805 3033355	A23T	A1SAI10AA 25AUG08 06:34	00
-----	----------------------	------	----------------------------	---------------------	----------------------	------	----------------------------	----

A1PXXUY811491	COMPLETED	25AUG08 11:15	6192.2	AFHR	XXxxXXxxXXxxXXxxXXxx
25AUG08 11:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		XXxxXXxxXXxxXXxxXXxx
25AUG08 11:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		25AUG08 11:15
		P3 FILTER ASSY RFA			XXxxXXxxXXxxXXxxXXxx

Maint Acts: P3 FILTER CHECK TEST SERV IAW 7113-022-2 REF 553/08 42 OF 57

REMOVALS/INSTALLATIONS FOR A1PXXUY811491

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	PCY600496 3038142	A23T	A1SAK48 25AUG08 11:10	01 A1PXXJY814204	PCY600496 3038142	A23T	A1SAK48 25AUG08 11:14	01
-----	----------------------	------	--------------------------	---------------------	----------------------	------	--------------------------	----

A1PXXUY811518	COMPLETED	26AUG08 06:53	6192.2	AFHR	XXxxXXxxXXxxXXxxXXxx
26AUG08 00:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		XXxxXXxxXXxxXXxxXXxx
26AUG08 00:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		26AUG08 06:53
		LH MLG DOOR OUTBOARD BUSHING FOUND WORN FWD AND AFT OF ARM.			XXxxXXxxXXxxXXxxXXxx

Maint Acts: LH MLG DOOR OUTBOARD BUSHING REPLACED AND DOOR INSTALLED IAW 7212.007-2 REF LSN 553/08

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY811518

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	523	A23T	A2KCO	00	523	A23T	A2KCO	00
	532.11.09.097		26AUG08 00:56	A1PXXJY814246	532.11.09.097		26AUG08 06:49	

A1PXXUY811579 COMPLETED 27AUG08 02:23 6192.2 AFHR XXxxXXxxXXxxXXxxXXxx  
 27AUG08 02:17 XXxxXXxx XXxxXXxxXXxxXXxx AIP  
 27AUG08 02:17 XXxxXXxx XXxxXXxxXXxxXXxx AIP  
 LEFT HAND BRAKE UNIT HAS WARPED DISC  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV LEFT HAND BRAKE UNIT FITTED IAW AAP 7212.007-2 REFER LS 533/08

REMOVALS/INSTALLATIONS FOR A1PXXUY811579

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0088	A23T	A2KDI	00	0389	A23T	A2KDI	00
	2-1524-1		27AUG08 02:17	A1PXXJY814375	2-1524-1		27AUG08 02:21	

A1PXXUY811784 COMPLETED 17SEP08 06:39 6192.2 AFHR XXxxXXxxXXxxXXxxXXxx  
 31AUG08 23:54 XXxxXXxx XXxxXXxxXXxxXXxx AIP  
 31AUG08 23:55 XXxxXXxx XXxxXXxxXXxxXXxx AIP  
 TEMP SENSOR REMOVED FOR ACCESS  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV TEMP SENSOR FITTED IAW 7212.007-2 REF LSN 553/08

REMOVALS/INSTALLATIONS FOR A1PXXUY811784

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	77C193	A23T	A1UOM	00	107C230	A23T	A1UOM	00
	622446-1		31AUG08 23:55	A1PXXJY814531	622446-1		17SEP08 06:38	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02940  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY812495	COMPLETED	15SEP08 22:40	6192.2	AFHR		XXxxXXxxXXxxXXxxXXxx
15SEP08 22:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
15SEP08 22:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		CRACKING ON FRAME 10 LH REF: NDI REPORT 758/08				15SEP08 22:40
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: CRACK REPAIRED IAW ADP-09-DD-08-046 REF: LSN 553/08 40F5 # 5

A1PXXUY812529	COMPLETED	16SEP08 05:30	6192.2	AFHR		XXxxXXxxXXxxXXxxXXxx
16SEP08 05:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
16SEP08 05:02	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BEARING RACE (OPP. VALVE SIDE) HAS SEVERAL NICKS.				16SEP08 05:30
						XXxxXXxxXXxxXXxxXXxx

aip0120016SEP08 05:05:43  
PREVIOUSLY REMOVED FOR MUDGUARD FITMENT.

Maint Acts: SERVICE HUB ASSY NOSE, SN 0007, FITTED IAW AAP 7212.007-2.

REMOVALS/INSTALLATIONS FOR A1PXXUY812529

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001					0007	A23T	A18AG	00
					3-1451 OPT 1		16SEP08 05:27	

A1PXXUY812547	COMPLETED	21SEP08 23:40	6192.2	AFHR		XXxxXXxxXXxxXXxxXXxx
16SEP08 10:04	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
16SEP08 10:04	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial 3934				21SEP08 23:40
		GAUGE OXYGEN SYSTEM at WAC 0640				XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV OXY GAUGE FITTED IAW 7212.007-2 REF LSN 553/08 SHT21/21-4

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY812547

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	3934	A23T	A1UMY	00	3909	A23T	A1UMY	00
	AN6011-2		21SEP08 23:37	A1PXXJY300115	AN6011-2		21SEP08 23:38	

A1PXXUY812550 COMPLETED 16SEP08 14:02 6192.2 AFHR XXxxXXxxXXxxXXxxXXxx  
 16SEP08 13:57 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 16SEP08 13:59 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 RUDDER TRIM MOTOR REMOVED DUE TO DAMAGE  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: RUDDER TRIM ACTUATOR MOTOR INSTALLED IAW 7212.007-2 REF LSN 553/08

REMOVALS/INSTALLATIONS FOR A1PXXUY812550

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	660	A23T	A2GAK	00	892	A23T	A2GAK	00
	2196T100-3		16SEP08 14:00	A1PXXJY815489	978.73.18.132		16SEP08 14:01	

A1PXXUY812762 COMPLETED 19SEP08 00:32 6192.2 AFHR XXxxXXxxXXxxXXxxXXxx  
 18SEP08 23:51 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 18SEP08 23:51 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 TA due on Serial 8493308  
 SET CART COMMAND at WAC 0700  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: COMMAND CARTS TX LSN 561/08 30 OF 5 #2

REMOVALS/INSTALLATIONS FOR A1PXXUY812762

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	8493308	A23T	A1UJA	00	4603308	A23T	A1UJA	00
	MBEU60228		19SEP08 00:28	A1PXXJY807541	MBEU60228		19SEP08 00:29	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES -----

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY812834	COMPLETED	03FEB09 01:21	6192.2	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
22SEP08 01:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			03FEB09 01:21
22SEP08 01:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		RH SPAR POINT 3RD RIVET FROM TOP CRACKED (HALF RIB 3) REF NDI REPORT 757/08				XXxxXXxxXXxxXXxxXXxx

Maint Acts: 3 RIVITS REPLACED AND STAR POINT REPAIRED IAW AAP 7212.007-3 XREF EE508 S/NO 454392-1D LINE FIVE

A1PXXUY812836	COMPLETED	07JUL13 23:50	6192.2	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
22SEP08 01:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			07JUL13 23:50
22SEP08 01:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		CANOPY SEAL TORN AT RH REAR BOTTOM CORNER				XXxxXXxxXXxxXXxxXXxx

aip0145125MAY09 03:04:10  
437772-4 A7. NIL IMPACT ON AIRWORTHINESS OR SYSTEM OPERATIONS. THE DAMAGE TO THE AIRCRAFT CANOPY HAS BEEN INSPECTED AND ASSESSED AS LOW RISK ACCEPTABLE DAMAGE. THE DAMAGE TO THE AIRCRAFT CANOPY DOES NOT EFFECT THE OPERATION OR THE INTERGRITY OF THE ASSEMBLY. TOTAL FAILURE OF THE CANOPY DUE TO THIS DAMAGE IS ASSESSED AS IMPROBABLE.

aip0145112JAN10 05:04:38

aip0145103NOV10 23:23:34  
ACCEPTABLE LOW RISK

Maint Acts: CANOPY SEAL REPLACED REF EE508 SN 569699-4-1-1

A1PXXUY812837	COMPLETED	23SEP08 08:43	6192.2	AFHR		XXxxXXxxXXxxXXxxXXxx
22SEP08 01:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
22SEP08 01:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MTF REQD POST R2				23SEP08 08:43
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: MTF CO SERV REF: 437773#2



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY812946	COMPLETED	24SEP08 02:06	6193.6	AFHR		XXxxXXxxXXxxXXxxXXxx
23SEP08 13:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
23SEP08 13:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MTF REQUIRED FOR AOA OPS				24SEP08 02:06
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: MTF CO REF 437774--

A1PXXUY812829	COMPLETED	26SEP08 00:45	6196.6	AFHR		XXxxXXxxXXxxXXxxXXxx
25SEP08 11:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
25SEP08 11:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				26SEP08 00:45
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERVICING C/O IAW 7212-007-6-4 REF 437776 #1

A1PXXUY813331	COMPLETED	02OCT08 02:42	6201.0	AFHR		XXxxXXxxXXxxXXxxXXxx
01OCT08 13:11	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
01OCT08 13:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRCRAFT REQUIRES AIRTEST FOR CANOPY SQUEAL AND VIBRATIONS				02OCT08 02:42
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: CFU C/O REF 437780

A1PXXUY813187	COMPLETED	05OCT08 23:19	6203.3	AFHR		XXxxXXxxXXxxXXxxXXxx
03OCT08 05:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
03OCT08 05:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				05OCT08 23:19
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 CARRIED OUT IAW 7212-007-6-4 REF 437784 #1

A1PXXUY813602	COMPLETED	08OCT08 09:40	6212.3	AFHR		XXxxXXxxXXxxXXxxXXxx
08OCT08 09:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
08OCT08 09:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		LH MAIN TYRE WTL				08OCT08 09:40
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: LH MAIN HUB ASSY REMOVED AND SERV ITEM REFITTED IAW AAP 7212.007-2  
(Continued on next page.)

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02944  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG	EE500LN					INSPECTOR
STA	WL	BL	ADMIN	MAINT ACTION/LIMITATIONS		DATE/TIME

(Continued from previous page.)  
 REF EE 508 437788-4A #1

REMOVALS/INSTALLATIONS FOR A1PXXUY813602

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0149	A23T	A2KDM	01	0126	A23T	A2KDM	01
	3-1555		08OCT08 09:38	A1PXXJY816845	3-1555		08OCT08 09:38	

A1PXXUY813430 COMPLETED 12OCT08 22:58 6224.5 AFHR XXxxXXxxXXxxXXxxXXxx  
 10OCT08 09:23 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 10OCT08 09:23 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 S40 due on Serial A23-033  
 PC-9 at WAC 0000  
 12OCT08 22:58  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERVICE C/O SERV IAW 7212-007-6-4 REF 437796 #1

A1PXXUY813825 COMPLETED 20OCT08 00:07 6242.4 AFHR XXxxXXxxXXxxXXxxXXxx  
 17OCT08 06:50 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 17OCT08 06:50 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 S40 due on Serial A23-033  
 PC-9 at WAC 0000  
 20OCT08 00:07  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERVICING C/O IAW AAP 7212.007-2

A1PXXUY814351 COMPLETED 21OCT08 06:55 6243.6 AFHR XXxxXXxxXXxxXXxxXXxx  
 20OCT08 05:31 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 20OCT08 05:32 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 A/T FOR NG ADJUSTMENT NEXT FLIGHT AFHRS 6244.3  
 21OCT08 06:55  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST CARRIED OUT SERV REF 442460

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY814361	COMPLETED	20OCT08 11:20	6243.9	AFHR		XXxxXXxxXXxxXXxxXXxx	
20OCT08 11:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP				
20OCT08 11:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		PILOT REPORTED AFTER ABOUT FIVE SECONDS AT MAX POWER TO INDICATION DELAYS WITH YELLOW ESDP CAUTION ALL OTHER INDICATIONS APPEAR NORMAL.				20OCT08 11:20	XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV SICU FITTED AND TESTED SERV IAW AAP 7212.007-2 XREF EE508 S/NO 442459-5A LINE FOUR

REMOVALS/INSTALLATIONS FOR A1PXXUY814361

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	89050009 140.0001-2	A23T	A1UEE 20OCT08 11:16	00 A1PXXJY818187	8711087 140.0001-2	A23T	A1UEE 20OCT08 11:17	00

A1PXXUY814362	COMPLETED	21OCT08 06:53	6243.9	AFHR		XXxxXXxxXXxxXXxxXXxx	
20OCT08 11:21	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP				
20OCT08 11:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		AIRCRAFT REQUIRES AIRTEST FOR SICU OPS				21OCT08 06:53	XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST CARRIED OUT SERV REF 442460

A1PXXUY814289	COMPLETED	26OCT08 22:46	6256.2	AFHR		XXxxXXxxXXxxXXxxXXxx	
24OCT08 05:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP				
24OCT08 05:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		S40 due on Serial A23-033 PC-9 at WAC 0000				26OCT08 22:46	XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O IAW AAP 7212.007-6-4 (REF 442470-1)

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY814857	COMPLETED	29OCT08 04:30	6263.6	AFHR		XXxxXXxxXXxxXXxxXXxx
29OCT08 04:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
29OCT08 04:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FCP DU1 FLICKERING FOR 3 SECONDS ON FINALS WITH ASSOCIATED ATT FAIL ON DU2				29OCT08 04:30 XXxxXXxxXXxxXXxxXXxx

Maint Acts: FCP DU 1 REPLACED IAW AAP 7212.007-2. REF EE500 442477-1

REMOVALS/INSTALLATIONS FOR A1PXXUY814857

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	4355	A23T	A1UDC	00	3357	A23T	A1UDC	00
	8095686-1001		29OCT08 04:28	A1PXXJY818838	8095686-1001		29OCT08 04:29	

A1PXXUY814858	COMPLETED	29OCT08 22:55	6263.6	AFHR		XXxxXXxxXXxxXXxxXXxx
29OCT08 04:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
29OCT08 04:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRTEST REQUIRED FOR FCP DU1 OPS				29OCT08 22:55 XXxxXXxxXXxxXXxxXXxx

Maint Acts: CFU C/O REF 442478

A1PXXUY814682	COMPLETED	02NOV08 21:59	6269.1	AFHR		XXxxXXxxXXxxXXxxXXxx
31OCT08 04:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
31OCT08 04:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033 PC-9 at WAC 0000				02NOV08 21:59 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERV CO REF 442483-5-A-3

A1PXXUY812493	COMPLETED	31OCT08 05:37	6269.1	AFHR		XXxxXXxxXXxxXXxxXXxx
31OCT08 05:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
31OCT08 05:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S26 due on Serial A23-033 PC-9 at WAC 0000				31OCT08 05:37 XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 02947  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: S26 SERVICING C/O IAW AAP 7212.007-6-4 REF 442483-5A#6

A1PXXUY815073	COMPLETED	31OCT08 05:40	6269.1	AFHR		XXxxXXxxXXxxXXxxXXxx
31OCT08 05:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
31OCT08 05:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS	due on Serial 2665			31OCT08 05:40
		BATTERY NICAD	at WAC 0660			XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV BATTERY NICAD FITTED IAW AAP 7212.007-2 REF 442483-5A#5

REMOVALS/INSTALLATIONS FOR A1PXXUY815073

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	2665	A23T	A1UOA	00	1206	A23T	A1UOA	00
	33490409201		31OCT08 05:38	A1PXXJY812827	33490409201		31OCT08 05:39	

A1PXXUY815074	COMPLETED	31OCT08 05:44	6269.1	AFHR		XXxxXXxxXXxxXXxxXXxx
31OCT08 05:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
31OCT08 05:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FWD CPT DUL U/S				31OCT08 05:44
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV DU FITTED IAW AAP 7212.007-2 REF 442483-1

REMOVALS/INSTALLATIONS FOR A1PXXUY815074

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	3357	A23T	A1UDC	00	3525	A23T	A1UDC	00
	8095686-1001		31OCT08 05:41	A1PXXJY819058	8095686-1001		31OCT08 05:43	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02948  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY815078	COMPLETED	04NOV08 01:32	6270.1	AFHR		XXxxXXxxXXxxXXxxXXxx
02NOV08 21:55	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
02NOV08 21:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRCRAFT REQUIRES AIRTEST FOR DU1 OPS				04NOV08 01:32
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: CFU C/OREF442485

A1PXXUY815108	COMPLETED	03NOV08 02:54	6270.1	AFHR		XXxxXXxxXXxxXXxxXXxx
03NOV08 02:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
03NOV08 02:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		DU1 FAILED IN ATTITUDE AND SMB GEN FAIL FLAG ON DU2 FWD AND REAR, SHORTLY FOLLOWED BY FLICKERING DU1.				03NOV08 02:54
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: SYMBOL GEN REPLACED WITH SERVICEABLE ITEM.442484-3.

REMOVALS/INSTALLATIONS FOR A1PXXUY815108

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	3218	A23T	A1UOS	00	1252	A23T	A1UOS	00
	066-04015-0003		03NOV08 02:50	A1PXXJY819122	3614335-1004		03NOV08 02:52	

A1PXXUY815111	COMPLETED	04NOV08 01:29	6270.1	AFHR		XXxxXXxxXXxxXXxxXXxx
03NOV08 02:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
03NOV08 02:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRTEST REQUIRED FOR SYMBOL GENERATOR CX.				04NOV08 01:29
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: CFU C/O REF 442485

A1PXXUY815281	COMPLETED	05NOV08 09:47	6276.4	AFHR		XXxxXXxxXXxxXXxxXXxx
05NOV08 09:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
05NOV08 09:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		RH HUB ASSY WTL				05NOV08 09:47
						XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 02949  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: SERV HUB ASSY FITTED IAW 7212-007-2 REF 442488-1

REMOVALS/INSTALLATIONS FOR ALPXXUY815281

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0143	A23T	A2KEI	01	0187	A23T	A2KEI	01
	3-1555		05NOV08 09:43	ALPXXJY819312	3-1555		05NOV08 09:44	

ALPXXUY815354 COMPLETED 06NOV08 10:28 6280.0 AFHR XXxxXXxxXXxxXXxxXXxx  
06NOV08 10:24 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
06NOV08 10:25 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
RH BRAKE UNIT WTL  
06NOV08 10:28  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV RH BRAKE FITTED IAW 7212-007-2 REF 442492-1

REMOVALS/INSTALLATIONS FOR ALPXXUY815354

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0157	A23T	A2KEE	00	0135	A23T	A2KEE	00
	2-1524-1		06NOV08 10:25	ALPXXJY819413	2-1524-1		06NOV08 10:26	

ALPXXUY815355 COMPLETED 11NOV08 03:55 6280.0 AFHR XXxxXXxxXXxxXXxxXXxx  
06NOV08 10:28 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
06NOV08 10:30 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
A/T FOR RH BRAKE OPS  
11NOV08 03:55  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIR TEST C/OUT SERV REF 442493 #1

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY815079	COMPLETED	10NOV08 06:46	6283.4	AFHR		XXxxXXxxXXxxXXxxXXxx
10NOV08 05:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
10NOV08 05:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				10NOV08 06:46
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 CO REF 442493#1

A1PXXUY815878	COMPLETED	20NOV08 03:17	6305.1	AFHR		XXxxXXxxXXxxXXxxXXxx
17NOV08 11:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
17NOV08 11:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		A/C REQUIRES AIRTEST TO CLEAR ASOR				20NOV08 03:17
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: CFUC/OREF454364

A1PXXUY815506	COMPLETED	17NOV08 22:37	6305.1	AFHR		XXxxXXxxXXxxXXxxXXxx
17NOV08 22:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
17NOV08 22:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				17NOV08 22:37
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERV C/O IAW 7212.007-6-4 REF 454362-4A-1

A1PXXUY816155	COMPLETED	21NOV08 01:53	6307.7	AFHR		XXxxXXxxXXxxXXxxXXxx
21NOV08 01:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
21NOV08 01:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		NG GAUGE DELAMINATED				21NOV08 01:53
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: REAR ESDP REPLACED IAW AAP 7212.007-2. REF EE500 454365-1



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02951  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
REMOVALS/INSTALLATIONS FOR A1PXXUY816155

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	90040084	A23T	A1UHO	00	90090100	A23T	A1UHO	00
150.0001-2	21NOV08 01:50	A1PXXJY820674	150.0001-2	21NOV08 01:51				

A1PXXUY816156 COMPLETED 24NOV08 06:22 6307.7 AFHR XXxxXXxxXXxxXXxxXXxx  
21NOV08 01:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
21NOV08 01:58 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
AIRTEST REQUIRED FOR REAR ESDP OPS  
24NOV08 06:22  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST SERV REF 454366#1

A1PXXUY815899 COMPLETED 25NOV08 00:51 6309.2 AFHR XXxxXXxxXXxxXXxxXXxx  
24NOV08 08:11 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
24NOV08 08:11 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033 25NOV08 00:51  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O IAW AAP 7212.007-2 XREF EE500 S/NO 454366

A1PXXUY816272 COMPLETED 01DEC08 23:47 6320.0 AFHR XXxxXXxxXXxxXXxxXXxx  
01DEC08 07:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
01DEC08 07:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033 01DEC08 23:47  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 CARRIED OUT IAW AAP 7212.007-6-4 REFER EE500 454376-1

A1PXXUY816697 COMPLETED 02DEC08 04:32 6322.5 AFHR XXxxXXxxXXxxXXxxXXxx  
02DEC08 04:25 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
02DEC08 04:27 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
RMI HDG FLAG IN FRONT COCKPIT ONLY. COMPASS CARD FROZEN  
02DEC08 04:32  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: FCP RMI REPLACED IAW AAP 7212.007-2. REF EE500 454378-1

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02952  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY816697

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	5421	A23T	A1UDU	00	6088	A23T	A1UDU	00
	066-3060-01		02DEC08 04:27	A1PXXJY821421	066-3060-01		02DEC08 04:30	

A1PXXUY816602 COMPLETED 09DEC08 01:43 6333.5 AFHR  
08DEC08 12:29 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
08DEC08 12:29 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
S40 due on Serial A23-033  
PC-9 at WAC 0000

Maint Acts: S40 SERV C/O REF 454388#1

A1PXXUY817029 COMPLETED 09DEC08 06:26 6336.0 AFHR  
09DEC08 04:32 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
09DEC08 04:32 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
BS due on Serial 345  
REG PRESS REDUCING at WAC 0640

Maint Acts: SERV REG PRESS REDUCING FITTED IAW AAP 7212.007-2 XREF EE500 S/NO 454389 LINE ONE

REMOVALS/INSTALLATIONS FOR A1PXXUY817029

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	345	A23T	A1UNC	02	346	A23T	A1UNC	02
	F103D000-15		09DEC08 06:22	A1PXXJY722101	F103D000-15		09DEC08 06:23	

A1PXXUY817014 COMPLETED 08JAN09 01:24 6338.3 AFHR  
14DEC08 23:17 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
14DEC08 23:17 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
S40 due on Serial A23-033  
PC-9 at WAC 0000

Maint Acts: S40 C/O AIW AAP 7212.007-6-4 REF454392-1A-1

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02953  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY817335	COMPLETED	17DEC08 21:36	6338.3	AFHR		XXXXXXXXXXXXXXXXXXXX
17DEC08 02:05	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			
17DEC08 02:06	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		STARTER GENERATOR RFA (FCU REMOVAL)				17DEC08 21:36
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV STARTER GEN FITTED IAW AAP 7212.007-2 XREF EE508 S/NO 454392-1A  
 LINE SIX

REMOVALS/INSTALLATIONS FOR A1PXXUY817335

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	4513	A23T	A1SAI14	00	4513	A23T	A1SAI14	00
	23081-026		17DEC08 02:06	A1PXXJY822159	23081-026		17DEC08 21:33	

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY817350	COMPLETED	17DEC08 23:59	6338.3	AFHR		XXXXXXXXXXXXXXXXXXXX
17DEC08 23:51	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			
17DEC08 23:51	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		OH due on Serial B19165				17DEC08 23:59
		FUEL CONTROL UNIT at WAC 0130				XXXXXXXXXXXXXXXXXXXX

Maint Acts: FCU REPLACED WITH SERVICEABLE ITEM.454392-1-A-5.

REMOVALS/INSTALLATIONS FOR A1PXXUY817350

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	B19165	A23T	A1SAI02	00	B19107	A23T	A1SAI02	00
	3244831-7-5		17DEC08 23:52	ESLXXJ300717X	3244831-9-5		17DEC08 23:53	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY900121	COMPLETED	03FEB09 05:13	6338.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
06JAN09 23:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			03FEB09 05:13
06JAN09 23:05	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		A/C REQ'S MTF POST FCU CX				XXxxXXxxXXxxXXxxXXxx

Maint Acts: MTF C/O PILOT ASSESSED A/C SERV XREF EE500 S/NO 454394 LINE ONE

A1PXXUY900330	COMPLETED	08JAN09 04:43	6338.3	AFHR		XXxxXXxxXXxxXXxxXXxx
08JAN09 04:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
08JAN09 04:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FT due on Serial DN8236				08JAN09 04:43
		BCN UNDERWATER LOC at WAC 0640				XXxxXXxxXXxxXXxxXXxx

Maint Acts: FT CARRIED OUT IAW AAP 7212.007-2 REF 45210-1

A1PXXUY900411	COMPLETED	09JAN09 01:16	6338.3	AFHR		XXxxXXxxXXxxXXxxXXxx
09JAN09 01:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
09JAN09 01:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		TA due on Serial 0052				09JAN09 01:16
		VALVE REFILL OXYGEN at WAC 0640				XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV VALVE REFILL OXYGEN FITTED IAW AAP 7212.007-2 XREF EE508 S/NO 454392-1C LINE ONE

REMOVALS/INSTALLATIONS FOR A1PXXUY900411

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0052	A23T	A1UMU	03	0112	A23T	A1UMU	03
	OC-001-03		09JAN09 01:13	A1PXXJY811980	OC-001-03		09JAN09 01:14	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY806687	COMPLETED	14JAN09 04:38	6338.3	AFHR		XXxxXXxxXXxxXXxxXXxx
11JAN09 23:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
11JAN09 23:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		R1 due on Serial A23-033				14JAN09 04:38
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: R1 CO REF LSN 009/09

A1PXXUY811734	COMPLETED	13JAN09 09:39	6338.3	AFHR		XXxxXXxxXXxxXXxxXXxx
11JAN09 23:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
11JAN09 23:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0466 due on Serial A23-033				13JAN09 09:39
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-0466 RINC REF R1 PW PG 8 OF 16 #4

A1PXXUY812492	COMPLETED	13JAN09 21:30	6338.3	AFHR		XXxxXXxxXXxxXXxxXXxx
11JAN09 23:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
11JAN09 23:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S20 due on Serial A23-033				13JAN09 21:30
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S20 SERV C/O IAW 7212.007-6-4 REF LSN 009/09-6/16-3

A1PXXUY900274	COMPLETED	13JAN09 04:37	6338.3	AFHR		XXxxXXxxXXxxXXxxXXxx
11JAN09 23:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
11JAN09 23:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S63 due on Serial A23-033				13JAN09 04:37
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S63 CARRIED OUT.R1EE508 SHT8 LINE3.

A1PXXUY900486	COMPLETED	13JAN09 09:37	6338.3	AFHR		XXxxXXxxXXxxXXxxXXxx
11JAN09 23:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
11JAN09 23:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-422B due on Serial 027				13JAN09 09:37
		WING ASSY at WAC 1500				XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-422A&B RINC NIL DEFECTS EVIDENT REF NDI SPT 15/09

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02956  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY812114	COMPLETED	13JAN09 09:43	6338.3	AFHR		XXxxXXxxXXxxXXxxXXxx
11JAN09 23:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
11JAN09 23:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0482 due on Serial A23-033				13JAN09 09:43
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	STI-PC9-0482 INC REF R1 PW PG 9 OF 16 # 3				
A1PXXUY517435	COMPLETED	13JAN09 09:41	6338.3	AFHR		XXxxXXxxXXxxXXxxXXxx
11JAN09 23:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
11JAN09 23:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S50 due on Serial A23-033				13JAN09 09:41
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S50 SERVICING C/O IAW AAP 7212.007-2 REF R1 PW PG 9 OF 16 #2				
A1PXXUY812828	COMPLETED	13JAN09 09:31	6338.3	AFHR		XXxxXXxxXXxxXXxxXXxx
11JAN09 23:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
11JAN09 23:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S16 due on Serial A23-033				13JAN09 09:31
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S16 SERVICING C/O IAW AAP 7212.007-6-4 REF R1 PW PG 8 OF 16 LINE7				
A1PXXUY815072	COMPLETED	13JAN09 09:40	6338.3	AFHR		XXxxXXxxXXxxXXxxXXxx
11JAN09 23:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
11JAN09 23:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S26 due on Serial A23-033				13JAN09 09:40
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S26 SERVICING C/O IAW AAP 7212.007-6-4 REF R1 PW PG 9 OF 16 # 1				
A1PXXUY900255	COMPLETED	13JAN09 21:28	6338.3	AFHR		XXxxXXxxXXxxXXxxXXxx
11JAN09 23:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
11JAN09 23:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				13JAN09 21:28
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 SERV C/O IAW 7212.007-6-4 REF LSN 009/09 7/16-2				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY900496	COMPLETED	13JAN09 00:10	6338.3	AFHR		XXXXXXXXXXXXXXXXXXXX
11JAN09 23:32	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			
11JAN09 23:32	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		OH due on Serial B22019				13JAN09 00:10
		VALVE INTERFACE at WAC 0130				XXXXXXXXXXXXXXXXXXXX

Maint Acts: VALVE REPLACED WITH SERVICEABLE ITEM.

REMOVALS/INSTALLATIONS FOR A1PXXUY900496

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	B22019 3244807-4	A23T	A1SAK58 13JAN09 00:07	00 AIPXXJ301262X	B22093 3244807-4	A23T	A1SAK58 13JAN09 00:07	00

A1PXXUY900592	COMPLETED	12JAN09 21:29	6338.3	AFHR		XXXXXXXXXXXXXXXXXXXX
12JAN09 21:24	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			
12JAN09 21:25	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		FUEL FILTER ELEMENT RFA.				12JAN09 21:29
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: NEW FILTER FITTED.

REMOVALS/INSTALLATIONS FOR A1PXXUY900592

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	XX0A1PXXRY801160 03W1738-231	A23T	A1UJK00 12JAN09 21:25	00 A1PXXJY900740	L421287 03W1738-231	A23T	A1UJK00 12JAN09 21:27	00

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02958  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY900595	COMPLETED	02FEB09 11:17	6338.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
12JAN09 21:35	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			02FEB09 11:17
12JAN09 21:36	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		OIL FILTER DUE TA.				XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV FILTER CANNIBALISED FROM A/C A23-014 AND FITTED IAW 7113.022-2  
REF 454392-1F #1

REMOVALS/INSTALLATIONS FOR A1PXXUY900595

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PCY501564 3028419	A23T	A1SAK34 12JAN09 21:37	00 A1PXXJY900745	PCY700814 3028419	A23T	A1SAK34 02FEB09 11:15	00

A1PXXUY900615	COMPLETED	13JAN09 00:15	6338.3	AFHR		XXXXXXXXXXXXXXXXXXXX
13JAN09 00:11	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
13JAN09 00:12	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		N2 HYD GAUGE DELAMINATED				13JAN09 00:15
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV ESDP FITTED IAW 7212.007-2 REF LSN 009/09 11/16-6

REMOVALS/INSTALLATIONS FOR A1PXXUY900615

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	7080064A 150.0001-2	A23T	A1UDI 13JAN09 00:12	00 A1PXXJY900795	88010008B 150.0001-2	A23T	A1UDI 13JAN09 00:13	00



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02959  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

ALPXXUY900681	COMPLETED	13JAN09 07:30	6338.3	AFHR		XXXXXXXXXX
13JAN09 07:27	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX
13JAN09 07:27	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX
		BS due on Serial 1206				13JAN09 07:30
		BATTERY NICAD at WAC 0660				XXXXXXXXXX

Maint Acts: SERV BATTERY NICAD FITTED IAW AAP 7212.007-2 REF 454392-1C#4 PG 9 OF 16 LINE 6

REMOVALS/INSTALLATIONS FOR ALPXXUY900681

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1206	A23T	ALUOA	00	1471	A23T	ALUOA	00
	33490409201		13JAN09 07:27	ALPXXJY818537	33490409201		13JAN09 07:29	

ALPXXUY900732	COMPLETED	03FEB09 05:10	6338.3	AFHR	SST	XXXXXXXXXX
14JAN09 04:46	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			03FEB09 05:10
14JAN09 04:50	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX
		MTF REQD FOR INTERFACE VALVE, R1 SERV AND FRONT ESDP				XXXXXXXXXX

Maint Acts: MTF C/O PILOT ASSESSED A/C SERV XREF EE500 S/O 454394 LINE ONE

ALPXXUY900689	COMPLETED	02FEB09 12:33	6338.3	AFHR	SST	XXXXXXXXXX
19JAN09 09:07	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			02FEB09 12:33
19JAN09 09:07	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX
		S40 due on Serial A23-033				XXXXXXXXXX
		PC-9 at WAC 0000				XXXXXXXXXX

Maint Acts: S40 C/O IAW 7212.007-6-4 REF 454392-1E#7

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY901312	COMPLETED	28JAN09 01:43	6338.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
28JAN09 01:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			28JAN09 01:43
28JAN09 01:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0492		due on Serial A23-033		
		PC-9		at WAC 0000		XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-0492 CARRIED OUT

A1PXXUY901504	COMPLETED	02FEB09 12:32	6338.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
02FEB09 12:21	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			02FEB09 12:32
02FEB09 12:21	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0493		due on Serial A23-033		
		PC-9		at WAC 0000		XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-0493 C/O REF 454392-1E #6

A1PXXUY901779	COMPLETED	04FEB09 01:41	6338.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
03FEB09 05:04	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			04FEB09 01:41
03FEB09 05:05	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRCRAFT REQUIRES MTF FOR S62 MICRO OPERATION				
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: MTF CO REF 454395-1

A1PXXUY901722	COMPLETED	09FEB09 22:52	6340.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
09FEB09 08:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			09FEB09 22:52
09FEB09 08:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40		due on Serial A23-033		
		PC-9		at WAC 0000		XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O IAW 7212.007-6-4 REF 454398-1

A1PXXUY902288	COMPLETED	11FEB09 00:24	6347.5	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
11FEB09 00:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			11FEB09 00:24
11FEB09 00:21	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		A/C OXY FILLER VALVE LEAKING				
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: OXY FILLER VALVE REPLACED REF: 439752#1

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02961  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY902288

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0112	A23T	A1UMU	03	0115	A23T	A1UMU	03
	OC-001-03		11FEB09 00:22	A1PXXJY902901	OC-001-03		11FEB09 00:23	

A1PXXUY902147 COMPLETED 16FEB09 22:55 6360.6 AFHR SST  
16FEB09 09:32 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 16FEB09 22:55  
16FEB09 09:32 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
Maint Acts: S40SERV C/O IAW AAP 7212.007-2 REF 439764#3

A1PXXUY902982 COMPLETED 20FEB09 05:06 6376.8 AFHR SST  
20FEB09 05:02 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 20FEB09 05:06  
20FEB09 05:04 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
LH HUB ASSY WTL  
Maint Acts: LH HUB ASSY REPLACED IAW AAP 7212.007-2 REF 439771-2

REMOVALS/INSTALLATIONS FOR A1PXXUY902982

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0126	A23T	A2KDM	01	0071	A23T	A2KDM	01
	3-1555		20FEB09 05:04	A1PXXJY903753	3-1555		20FEB09 05:05	

A1PXXUY902987 COMPLETED 22FEB09 22:46 6376.8 AFHR SST  
22FEB09 07:14 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 22FEB09 22:46  
22FEB09 07:14 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
Maint Acts: S40 C/O IAW AAP 7212.007-6-4 REF 469321-1

A1PXXUY903159 COMPLETED 26FEB09 02:01 6386.2 AFHR SST  
25FEB09 22:55 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 26FEB09 02:01  
25FEB09 22:55 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
STI-PC9-0496 due on Serial A23-033  
PC-9 at WAC 0000

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
Camm2  
ASSET HISTORY

PAGE 02962  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: STI CO REF LINE 3 THIS PAGE REF 439776-5A #2

A1PXXUY903424	COMPLETED	02MAR09 22:10	6386.2	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
25FEB09 22:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			02MAR09 22:10
25FEB09 22:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0498		due on Serial A23-033		
		PC-9		at WAC 0000		XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI PC9 C/O IAW STI INSTRUCTIONS REF EE508 439776-5A #4

A1PXXUY903252	COMPLETED	02MAR09 22:37	6386.2	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
27FEB09 03:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			02MAR09 22:37
27FEB09 03:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40		due on Serial A23-033		
		PC-9		at WAC 0000		XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERVICING C/O IAW AAP 7212.007-6-4 REF 439776-5/B#2

A1PXXUY903900	COMPLETED	06MAR09 05:09	6396.4	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
06MAR09 05:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			06MAR09 05:09
06MAR09 05:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0502		due on Serial A23-033		
		PC-9		at WAC 0000		XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-0502 INC REF 439784#2

A1PXXUY904050	COMPLETED	12MAR09 09:30	6396.4	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
06MAR09 05:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			12MAR09 09:30
06MAR09 05:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		EDDY CURRENT INSPECTION T.B.C.O. IAW STI-PC9-0502 EVERY 30 AFHRS				
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: EDDY CURRENT INSPECTION C/O REF 43977#2

A1PXXUY904078	COMPLETED	06MAR09 07:43	6396.4	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
06MAR09 07:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			06MAR09 07:43
06MAR09 07:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		RH MAIN WHEEL WTL				
						XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02963  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: RH MAIN WHEEL HUB ASSY REPLACED IAW 7212.007-2

REMOVALS/INSTALLATIONS FOR ALPXXUY904078

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0187	A23T	A2KEI	01	0009	A23T	A2KEI	01
	3-1555		06MAR09 07:41	ALPXXJY904730	3-1555		06MAR09 07:42	

ALPXXUY904079 COMPLETED 06MAR09 07:49 6396.4 AFHR SST XXxxXXxxXXxxXXxxXXxx  
 06MAR09 07:44 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 06MAR09 07:49  
 06MAR09 07:45 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 LH BRAKE UNIT WTL  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: LH BRAKE UNIT RELPACED WITH SERV ITEM IAW 7212.007-2

REMOVALS/INSTALLATIONS FOR ALPXXUY904079

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0389	A23T	A2KDI	00	0492P	A23T	A2KDI	00
	2-1524-1		06MAR09 07:45	ALPXXJY904731	2-1524-1		06MAR09 07:47	

ALPXXUY903643 COMPLETED 08MAR09 23:03 6398.0 AFHR SST XXxxXXxxXXxxXXxxXXxx  
 08MAR09 22:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 08MAR09 23:03  
 08MAR09 22:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 S40 due on Serial A23-033  
 PC-9 at WAC 0000  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O IAW AAP 7212.007-6-4 EE 500 REF 439786 LINE 2

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02964  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY904263	COMPLETED	19MAY09 04:59	6408.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
10MAR09 12:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			19MAY09 04:59
10MAR09 12:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		RUDDER OPERATING LEVER TO BE REPAIRED IAW SRM INSTRUCTIONS NEXT R SERV				XXxxXXxxXXxxXXxxXXxx

Maint Acts:

A1PXXUY904274	COMPLETED	10MAR09 22:14	6410.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
10MAR09 22:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			10MAR09 22:14
10MAR09 22:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0499 due on Serial 062				
		SEAT EJECTION REAR at WAC 0740				XXxxXXxxXXxxXXxxXXxx

Maint Acts:

STI INC 439779-1

A1PXXUY904275	COMPLETED	10MAR09 22:16	6410.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
10MAR09 22:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			10MAR09 22:16
10MAR09 22:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0499 due on Serial 075				
		SEAT EJECTION FRONT at WAC 0730				XXxxXXxxXXxxXXxxXXxx

Maint Acts:

STI INC 439779-1

A1PXXUY904049	COMPLETED	12MAR09 09:23	6415.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
12MAR09 09:21	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			12MAR09 09:23
12MAR09 09:21	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0502 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts:

STI-PC9-0502 RINC REF 439799#1

A1PXXUY904447	COMPLETED	01APR09 01:29	6396.4	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
12MAR09 09:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			01APR09 01:29
12MAR09 09:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		EDDY CURRENT INSPECTION T.B.C.O. IAW STI-PC9-0502 EVERY 30 AFHRS				XXxxXXxxXXxxXXxxXXxx

Maint Acts:

C/O IAW STI PC9 502

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02965  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY900686	COMPLETED	12MAR09 10:20	6415.7	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
12MAR09 10:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
12MAR09 10:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S26 due on Serial A23-033				12MAR09 10:20
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S26 C/O IAW AAP 7212-007-6-4 REF: 439799-5A#1

A1PXXUY904099	COMPLETED	15MAR09 22:57	6416.9	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
13MAR09 06:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			15MAR09 22:57
13MAR09 06:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 CO SERV IAW 7212.007-6-4 REF EE500 439800-1

A1PXXUY904716	COMPLETED	18MAR09 00:54	6423.5	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
18MAR09 00:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
18MAR09 00:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FRONT NAV TAC CONTROLLER DISPLAY WENT BLANK				18MAR09 00:54
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: KNR634A RECEIVER REPLACED IAW AAP 7212.007-2 REF: 440056#1

REMOVALS/INSTALLATIONS FOR A1PXXUY904716

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	10496	A23T	A1ULW	00	10510	A23T	A1ULW	00
	066-1078-14		18MAR09 00:52	A1PXXJY905382	066-1078-14		18MAR09 00:53	

A1PXXUY904745	COMPLETED	18MAR09 22:13	6424.1	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
18MAR09 12:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			18MAR09 22:13
18MAR09 12:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		L/H AILERON RFA				
						XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 02966  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: LH AILERON REFITTED IAW 7212.007-2 REF 440057-5A #5

REMOVALS/INSTALLATIONS FOR ALPXXUY904745

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	112	A23T	A2KCA	00	112	A23T	A2KCA	00
	557.51.09.003		18MAR09 12:08	ALPXXJY905405	557.51.09.003		18MAR09 22:12	

ALPXXUY904749 COMPLETED 18MAR09 12:49 6424.1 AFHR SST XXxxXXxxXXxxXXxxXXxx  
18MAR09 12:42 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 18MAR09 12:49  
18MAR09 12:44 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
TACAN NIL BEARING INFO CDI BAR CENTERED WITH RED CROSS HATCH DME OK  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV REC KNR 634A FITTED IAW AAP 7212.007-2 XREF 440057 # 1

REMOVALS/INSTALLATIONS FOR ALPXXUY904749

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	10510	A23T	A1ULW	00	10052	A23T	A1ULW	00
	066-1078-14		18MAR09 12:44	ALPXXJY905408	066-1078-14		18MAR09 12:46	

ALPXXUY904750 COMPLETED 18MAR09 22:16 6424.1 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
18MAR09 12:48 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
18MAR09 12:49 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
FCP STICK GRIP RFA 18MAR09 22:16  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: FCP STICK GRIP REFITTED IAW 7212.007-2 REF 440057-5A #2



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02967  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY904750

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0608209	A23T	A1UEU00	00	0608209	A23T	A1UEU00	00
	116.35.07.288		18MAR09 12:50	A1PXXJY905409	116.35.07.288		18MAR09 22:15	

A1PXXUY904766 COMPLETED 19MAR09 06:43 6424.1 AFHR SST XXxxXXxxXXxxXXxxXXxx  
18MAR09 22:17 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 19MAR09 06:43  
18MAR09 22:17 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
MTF REQ FOR LH AILERON R+I AND FCP STICK GRIP R+I  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: MTF CARRIED OUT SERV REF 440059#1

A1PXXUY904547 COMPLETED 21MAR09 22:57 6427.2 AFHR SST XXxxXXxxXXxxXXxxXXxx  
21MAR09 22:57 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 21MAR09 22:57  
21MAR09 22:57 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERV CO

A1PXXUY905003 COMPLETED 23MAR09 11:01 6432.0 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
23MAR09 10:54 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
23MAR09 10:56 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
FCP NAV/ TAC CONTROL HEAD NIL OP 23MAR09 11:01  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: RECEIVER KNR 634A REPLACED IAW AAP 7212.007-2. REF EE500 440065-2

REMOVALS/INSTALLATIONS FOR A1PXXUY905003

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	10052	A23T	A1ULW	00	10333	A23T	A1ULW	00
	066-1078-14		23MAR09 10:56	A1PXXJY905682	066-1078-14		23MAR09 10:58	

A1PXXUY905371 COMPLETED 30MAR09 23:35 6440.4 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
27MAR09 06:06 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
27MAR09 06:07 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
AIRCRAFT RQUIRES MTF FOR AHRS COMPASS SYSTEM OPS 30MAR09 23:35  
XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02968  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES -----

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: MTF C/OUT SERV REF EE500 440074 #2

A1PXXUY904883	COMPLETED	30MAR09 00:44	6440.4	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
27MAR09 06:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			30MAR09 00:44
27MAR09 06:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERV C/O IAW 7212.007-6-4 REF EE500 440072-4A#5

A1PXXUY905375	COMPLETED	30MAR09 23:42	6440.4	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
29MAR09 23:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			30MAR09 23:42
29MAR09 23:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRCRAFT REQUIRES AIRTEST FOR FUEL IMBALANCE				
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST C/OUT SERV REF EE500 440074 #1

A1PXXUY904444	COMPLETED	01APR09 00:55	6444.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
01APR09 00:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			01APR09 00:55
01APR09 00:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0502 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI 502 C/O IAW STI-PC9-0502 REF EE500 440078-1

A1PXXUY905382	COMPLETED	06APR09 00:07	6448.5	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
03APR09 06:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			06APR09 00:07
03APR09 06:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERV C/O IAW 7212.007-6-4 REF EE500 440081 LINE 1

A1PXXUY905756	COMPLETED	13APR09 23:43	6462.5	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
13APR09 22:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			13APR09 23:43
13APR09 22:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 02969  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: S40 SERV CARRIED OUT IAW 7212.007-6-4 REF EE500 440093-1

A1PXXUY906196	COMPLETED	14APR09 03:03	6462.5	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
14APR09 02:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
14APR09 02:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS	due on Serial 1471			14APR09 03:03
		BATTERY NICAD	at WAC 0660			XXxxXXxxXXxxXXxxXXxx

Maint Acts: BATTERY NICAD REPLACED IAW 7212.007-2 REF EE508 440093#5A-1

REMOVALS/INSTALLATIONS FOR A1PXXUY906196

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1471	A23T	A1UOA	00	0650	A23T	A1UOA	00
	33490409201		14APR09 02:26	A1PXXJY900717	33490409201		14APR09 02:59	

A1PXXUY906251	COMPLETED	14APR09 11:14	6465.0	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
14APR09 11:11	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			14APR09 11:14
14APR09 11:11	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		RH BRAKE WTL				XXxxXXxxXXxxXXxxXXxx

Maint Acts: RH BRAKE REPLACED WITH SERV ITEM IAW 7212.007-2 REF EE500 440095-1

REMOVALS/INSTALLATIONS FOR A1PXXUY906251

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0135	A23T	A2KEE	00	0498P	A23T	A2KEE	00
	2-1524-1		14APR09 11:12	A1PXXJY906965	2-1524-1		14APR09 11:13	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02970  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY906252	COMPLETED	15APR09 04:16	6465.0	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
14APR09 11:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			15APR09 04:16
14APR09 11:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRTEST REQUIRED FOR RH BRAKE OPS				XXxxXXxxXXxxXXxxXXxx

Maint Acts: CFUC/OREF440096-1

A1PXXUY906313	COMPLETED	15APR09 10:41	6466.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
15APR09 10:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			15APR09 10:41
15APR09 10:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		RH BRAKE PULSATING WHEN APPLIED				XXxxXXxxXXxxXXxxXXxx

Maint Acts: RH BRAKE ASSY REPLACED FOR SERV ITEM IAW AAP 7212.007-2 REF 440097-1

REMOVALS/INSTALLATIONS FOR A1PXXUY906313

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0498P	A23T	A2KEE	00	0389	A23T	A2KEE	00
	2-1524-1		15APR09 10:37	A1PXXJY907056	2-1524-1		15APR09 10:39	

A1PXXUY906314	COMPLETED	16APR09 06:58	6466.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
15APR09 10:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			16APR09 06:58
15APR09 10:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		A/C REQS AIRTEST FOR BRAKE OPS POST RH BRAKE R+I				XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST CARRIED OUT SERV REF 440098#1

A1PXXUY905557	COMPLETED	17APR09 03:14	6468.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
17APR09 01:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			17APR09 03:14
17APR09 01:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0502 due on Serial A23-033				XXxxXXxxXXxxXXxxXXxx
		PC-9 at WAC 0000				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 02971  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: STI-PC9-0502 CARRIED OUT REFER 440099#1

A1PXXUY906174	COMPLETED	19APR09 22:58	6468.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
17APR09 07:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			19APR09 22:58
17APR09 07:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERV C/O IAW AAP 7212-007-6-4 REF EE500 452902 LINE 1

A1PXXUY906530	COMPLETED	20APR09 06:37	6473.1	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
20APR09 06:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
20APR09 06:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			20APR09 06:37
		FCP TRANSPONDR CONTROL UNIT DISPLAY NIL OP				XXxxXXxxXXxxXXxxXXxx

Maint Acts: FCP TRANSPONDER CONTROL UNIT REPLACED IAW AAP 7212.007-2. REF EE500 452903-1

REMOVALS/INSTALLATIONS FOR A1PXXUY906530

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1763	A23T	A1UCS	00	1884	A23T	A1UCS	00
	071-1276-09		20APR09 06:34	A1PXXJY907386	071-1276-09		20APR09 06:35	

A1PXXUY906792	COMPLETED	23APR09 11:39	6476.2	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
23APR09 10:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			23APR09 11:39
23APR09 10:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial 702042				
		REG OXYGEN DEMAND at WAC 0730				XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV REG OXY DEMAND FITTED FWD CPT IAW AAP7212.007-2

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
Camm2  
ASSET HISTORY

PAGE 02972  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR 1PXXUY906792

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	702042	A23T	A1UES	00	107173	A23T	A1UES	00
	3260042-0201		23APR09 10:48	A1PXXJY806745	3260042-0201		23APR09 11:37	

A1PXXUY906796 COMPLETED 23APR09 11:53 6477.5 AFHR SST  
23APR09 11:48 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 23APR09 11:53  
23APR09 11:52 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
Camm UPDATE FOR JB NO A1PXXUY906792 REG OXY DEMAND S/NO 702042  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV OXY REG S/NO 107173 FITTED FWD CPT IAW AAP 7212.007-2 XREF 452908#1

A1PXXUY906487 COMPLETED 26APR09 02:23 6479.9 AFHR SST  
26APR09 02:22 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 26APR09 02:23  
26APR09 02:22 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 CO REF 452911-2A#2

A1PXXUY906968 COMPLETED 28APR09 13:37 6482.8 AFHR SCM  
28APR09 13:10 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
28APR09 13:10 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
BS due on Serial 1690620  
SET EMERG OXYGEN at WAC 0730  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: FRONT SEO REPLACED IAW AAP 7291.042-2MB1 REF: 452912-1

REMOVALS/INSTALLATIONS FOR 1PXXUY906968

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1690620	A23T	A1WBE	00	1690565	A23T	A1WBE	00
	MBEU100618		28APR09 13:28	A1EXXJY701852	MBEU100618		28APR09 13:30	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02973  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY907040	COMPLETED	29APR09 12:00	6482.8	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
29APR09 11:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
29APR09 11:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FT due on Serial DL4395				29APR09 12:00
		BCN UNDERWATER LOC at WAC 0740				XXxxXXxxXXxxXXxxXXxx

Maint Acts: BCN U/W FT C/O IAW AAP7212.007-2 REF:452911-2A#4

A1PXXUY906855	COMPLETED	03MAY09 23:04	6482.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
01MAY09 09:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			03MAY09 23:04
01MAY09 09:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O IAW AAP 7212.007-6-4 REF EE508 4529113A2

A1PXXUY907392	COMPLETED	05MAY09 13:28	6484.8	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
05MAY09 13:04	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
05MAY09 13:04	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial 0373001				05MAY09 13:28
		CRASH POSN IND at WAC 0660				XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV CPI FITTED IAW 7212-007-2 REF 452915#2A6

REMOVALS/INSTALLATIONS FOR A1PXXUY907392

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0373001	A23T	A1UOY	00	0439001	A23T	A1UOY	00
	453-0406		05MAY09 13:24	A1PXXJY807929	453-0406		05MAY09 13:25	

A1PXXUY907425	COMPLETED	06MAY09 01:59	6484.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
05MAY09 23:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			06MAY09 01:59
05MAY09 23:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRCRAFT REQUIRES AIRTEST FOR: FUMES IN THE COCKPIT				
						XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: CFUC/OREF452916-1

A1PXXUY907453	COMPLETED	06MAY09 05:04	6486.0	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
06MAY09 05:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
06MAY09 05:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FRONT SEAT SEO ACTIVATED				06MAY09 05:04
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: FRONT SEAT SEO REPLACED IAW AAP 7212.007-2. REF EE500 452917-1

REMOVALS/INSTALLATIONS FOR A1PXXUY907453

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
=====	=====	=====	=====	=====	=====	=====	=====	=====
001	1690565	A23T	A1WBE	00	1806042	A23T	A1WBE	00
	MBEU100618		06MAY09 05:01	A1PXXJY909372	MBEU100618		06MAY09 05:03	

A1PXXUY907208	COMPLETED	21MAY09 03:33	6487.5	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
08MAY09 07:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			21MAY09 03:33
08MAY09 07:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40		due on Serial A23-033		
		PC-9		at WAC 0000		XXxxXXxxXXxxXXxxXXxx

Maint Acts: C/O REF LSN 416/09

A1PXXUY505343	COMPLETED	22MAY09 01:57	6487.5	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
10MAY09 23:11	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			22MAY09 01:57
10MAY09 23:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S30		due on Serial A23-033		
		PC-9		at WAC 0000		XXxxXXxxXXxxXXxxXXxx

Maint Acts: CO REF 452197-3C\*6



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02975  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME

A1PXXUY604667	COMPLETED	13MAY09 12:48	6487.5	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
10MAY09 23:11	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			13MAY09 12:48
10MAY09 23:11	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
EE500PG EE500LN		S28		due on Serial A23-033		
STA WL BL ADMIN		PC-9		at WAC 0000		XXXXXXXXXXXXXXXXXXXX

Maint Acts: S28 C/O IAW AP 7212.007-6-4 REF MCS416/09

REMOVALS/INSTALLATIONS FOR A1PXXUY604667

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	540	A23T	A2KDG	00	540	A23T	A2KDG	00
	532.10.09.075		12MAY09 00:41	A1PXXJY909857	532.10.09.075		13MAY09 12:45	

A1PXXUY608703	COMPLETED	19MAY09 02:40	6487.5	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
10MAY09 23:11	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			19MAY09 02:40
10MAY09 23:11	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S47		due on Serial A23-033		
		PC-9		at WAC 0000		XXXXXXXXXXXXXXXXXXXX

Maint Acts: S47 CO REF MCS5416-09

A1PXXUY704743	COMPLETED	22MAY09 01:57	6487.5	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
10MAY09 23:11	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			22MAY09 01:57
10MAY09 23:11	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S23		due on Serial A23-033		
		PC-9		at WAC 0000		XXXXXXXXXXXXXXXXXXXX

Maint Acts: CARRIED OUT REF 452917

A1PXXUY710798	COMPLETED	21MAY09 03:34	6487.5	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
10MAY09 23:11	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			21MAY09 03:34
10MAY09 23:11	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S56		due on Serial A23-033		
		PC-9		at WAC 0000		XXXXXXXXXXXXXXXXXXXX

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: C/O REF LSN 416/09

A1PXXUY812750	COMPLETED	19MAY09 02:41	6487.5	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
10MAY09 23:11	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			19MAY09 02:41
10MAY09 23:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S57	due on Serial A23-033			
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: S57 CO REF MCS5416-09

A1PXXUY812833	COMPLETED	21MAY09 03:36	6487.5	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
10MAY09 23:11	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			21MAY09 03:36
10MAY09 23:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		R2	due on Serial A23-033			
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: R2 CARRIED OUT REF LSN 416/09

REMOVALS/INSTALLATIONS FOR A1PXXUY812833

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0007	A23T	A18AG	00	0007	A23T	A18AG	00
	3-1451 OPT 1		11MAY09 00:12	A1PXXJY909643	3-1451 OPT 1		14MAY09 03:10	
002	0009	A23T	A2KEI	01				
	3-1555		11MAY09 00:15	A1PXXJY909651				
003	0071	A23T	A2KDM	01				
	3-1555		11MAY09 00:17	A1PXXJY909659				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02977  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 ~S4080  
 PERIOD: 01JAN90 TO 08JAN20

SEQ	REMOVED SERIAL NO REMOVED PART NO	EIAC	LCN DATE/TIME	ALC JOB NUMBER	INSTALLED SERIAL NO INSTALLED PART NO	EIAC	LCN DATE/TIME	ALC
004	A2333 D5210	A23T	A00AI 11MAY09 00:19	00 A1PXXJY909662	A2333 D5210	A23T	A00AI 14MAY09 22:14	00
005	075 AU11A-1	A23T	A1W 11MAY09 02:41	00 A1PXXJY909693	075 AU11A-1	A23T	A1W 19MAY09 04:40	00
006	062 AU11A-2	A23T	A26 11MAY09 02:41	00 A1PXXJY909694	062 AU11A-2	A23T	A26 19MAY09 04:39	00
007	510 555.20.09.257	A23T	A2IBC 11MAY09 05:00	00 A1PXXJY909742	540 555.20.09.257	A23T	A2IBC 20MAY09 00:27	00
008	567 555.40.09.003	A23T	A2GAM 11MAY09 05:02	00 A1PXXJY909743	567 555.40.09.003	A23T	A2GAM 20MAY09 00:32	00
009	L625555 32-2053	A23T	A1SAI10AC 11MAY09 05:45	00 A1PXXJY909770	L625555 32-2053	A23T	A1SAI10AC 13MAY09 05:14	00
010	PCY800805 3033355	A23T	A1SAI10AA 11MAY09 06:05	00 A1PXXJY909774	PCY900605 3033355	A23T	A1SAI10AA 11MAY09 06:10	00
011	L421287 03W1738-231	A23T	A1UJK00 12MAY09 06:14	00 A1PXXJY909981	L930564 03W1738-231	A23T	A1UJK00 12MAY09 06:15	00
012	112 557.51.09.003	A23T	A2KCA 14MAY09 23:02	00 A1PXXJY910299	119 557.51.09.003	A23T	A2KCA 14MAY09 23:05	00

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 02978  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
013	1388 HP1457300-2	A23T	A1UFG 17MAY09 22:24	00 A1PXXJY910364	1218 HP1457300-2	A23T	A1UFG 17MAY09 22:25	00
014	PCY600496 3038142	A23T	A1SAK48 17MAY09 22:55	01 A1PXXJY910391	PCY900622 3059788-01	A23T	A1SAK48 17MAY09 22:56	01

A1PXXUY814968 COMPLETED 21MAY09 01:47 6487.5 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
10MAY09 23:11 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
10MAY09 23:12 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
S62 due on Serial A23-033 21MAY09 01:47  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S62 SERV C/O IAW 7212.007-6-4 REF LSN 416-09 11/21-2

A1PXXUY900671 COMPLETED 11MAY09 05:44 6487.5 AFHR SST XXxxXXxxXXxxXXxxXXxx  
10MAY09 23:11 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
10MAY09 23:12 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
S63 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S63 SERV CO

REMOVALS/INSTALLATIONS FOR A1PXXUY900671

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PCY700814 3028419	A23T	A1SAK34 11MAY09 05:40	00 A1PXXJY909766	PCY700814 3028419	A23T	A1SAK34 11MAY09 05:43	00

A1PXXUY900685 COMPLETED 13MAY09 23:37 6487.5 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
10MAY09 23:11 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
10MAY09 23:12 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
STI-PC9-0466 due on Serial A23-033 13MAY09 23:37  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI -PC9-0466 RINC REF LSN 416/09 12/21-3

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02979  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY900685

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				

001	4513	A23T	A1SAI14	00	4513	A23T	A1SAI14	00
23081-026	11MAY09 04:48	A1PXXJY909734	23081-026	13MAY09 23:35				

A1PXXUY900690 COMPLETED 19MAY09 02:42 6487.5 AFHR SST  
10MAY09 23:11 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 19MAY09 02:42  
10MAY09 23:12 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S20 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: S20 SERV CO REF:MCS5416-09

A1PXXUY901423 COMPLETED 13MAY09 23:56 6487.5 AFHR SCM  
10MAY09 23:11 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
10MAY09 23:12 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S51 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: S51 SERV C/O IAW 7212.007-6-4 REF LSN 416/09 11/21-6

A1PXXUY903899 COMPLETED 19MAY09 03:15 6487.5 AFHR SST  
10MAY09 23:11 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 19MAY09 03:15  
10MAY09 23:12 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
STI-PC9-0500 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: STI-PC9-0500 C/O

A1PXXUY904457 COMPLETED 13MAY09 23:53 6487.5 AFHR SCM  
10MAY09 23:11 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
10MAY09 23:11 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S26 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: S26 SERV C/O IAW 7212.007-6-4 REF LSN 416/09 12/21-7

A1PXXUY907714 COMPLETED 19MAY09 03:09 6487.5 AFHR SST  
10MAY09 23:11 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 19MAY09 03:09  
10MAY09 23:12 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
STI-PC9-442B due on Serial 533  
VERTICAL STAB ASSY at WAC 1400 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: STI-PC9-442B REF MCS416-09

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY907715	COMPLETED	19MAY09 03:00	6487.5	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
10MAY09 23:11	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			19MAY09 03:00
10MAY09 23:12	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		STI-PC9-442B due on Serial 553				
		HORIZONTAL STAB ASS at WAC 1100				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	STI-PC9-442B CO				

REMOVALS/INSTALLATIONS FOR A1PXXUY907715

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	553	A23T	A2I	00	553	A23T	A2I	00
	555.10.09.130		19MAY09 02:54	A1PXXJY815487	555.10.09.130		19MAY09 02:59	

A1PXXUY907716	COMPLETED	14MAY09 14:38	6487.5	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
10MAY09 23:11	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			14MAY09 14:38
10MAY09 23:12	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		STI-PC9-422B due on Serial 027				
		WING ASSY at WAC 1500				XXXXXXXXXXXXXXXXXXXX
		STI-PC9-0483 due on Serial 027				
		WING ASSY at WAC 1500				

Maint Acts: STI 422B, 422A, AND 483 C/O IAW AAP 7212.007-6-4 REF MCS416/09

A1PXXUY604666	COMPLETED	13MAY09 12:51	6487.5	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
10MAY09 23:12	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			13MAY09 12:51
10MAY09 23:12	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S29 due on Serial A23-033				
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX

Maint Acts: S29 C/O IAW AAP 7212.007-6-4 REF LSN MCS416/09

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY604666

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	537	A23T	A2KEC	00	537	A23T	A2KEC	00
	532.10.09.076		12MAY09 00:45	A1PXXJY909859	532.10.09.076		13MAY09 12:50	

A1PXXUY900922 COMPLETED 19MAY09 04:54 6487.5 AFHR SST XXxxXXxxXXxxXXxxXXxx  
 10MAY09 23:12 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 19MAY09 04:54  
 10MAY09 23:12 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 7212.007-258 due on Serial A23-033  
 PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: 7212.007-258 C/O REF LSN MCS 416/09 PG 12 OF 21 US 2

A1PXXUY907717 COMPLETED 13MAY09 05:13 6487.5 AFHR SST XXxxXXxxXXxxXXxxXXxx  
 10MAY09 23:12 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 13MAY09 05:13  
 10MAY09 23:12 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 7272.651-105 due on Serial YH191612  
 POWER PACK HYD EMER at WAC 0630 XXxxXXxxXXxxXXxxXXxx

Maint Acts: MOD 7272.651-105 CO

REMOVALS/INSTALLATIONS FOR A1PXXUY907717

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	YH191612	A23T	A2KEU	00	YH191612	A23T	A2KEU	00
	4155 H3 MOD A413		13MAY09 05:06	A1PXXJY901096	4155 H3 MOD A607		13MAY09 05:12	

A1PXXUY907718 COMPLETED 11MAY09 06:26 6487.5 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
 10MAY09 23:12 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 10MAY09 23:13 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 BS due on Serial 1121635  
 TRANSDUCER OXY PRES at WAC 0640 XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV TRANSDUCER FITTED IAW 7212.007-2 REF LSN 416/09 13/21-6

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02982  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY907718

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1121635	A23T	A1UNA	00	270595	A23T	A1UNA	00
	957.12.01.183		11MAY09 06:24	A1PXXJY412137	PDCR 350-0640		11MAY09 06:24	

A1PXXUY907719 COMPLETED 14MAY09 04:57 6487.5 AFHR SST  
10MAY09 23:13 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 14MAY09 04:57  
10MAY09 23:13 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
OH due on Serial L726575  
SPRING STRUT AIL at WAC 0920 XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV SPRING STRUT AIL SN:L930579 FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY907719

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	L726575	A23T	A2KFU	00	L930579	A23T	A2KFU	00
	527.10.09.034		14MAY09 04:52	A1PXXJ309865X	527.10.09.034		14MAY09 04:56	

A1PXXUY907720 COMPLETED 13MAY09 05:17 6487.5 AFHR SST  
10MAY09 23:13 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 13MAY09 05:17  
10MAY09 23:13 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
BS due on Serial RT163  
FUEL NOZZLE SET at WAC 0120 XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV FUEL NOZZLE SET SN: RT128 FITTED

REMOVALS/INSTALLATIONS FOR A1PXXUY907720

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	RT163	A23T	A1SAK27	00	RT128	A23T	A1SAK27	00
	RAAFA62FNS01		11MAY09 05:06	N0NC2JY802309	RAAFA62FNS01		13MAY09 05:15	



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02983  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY907721	COMPLETED	19MAY09 02:48	6487.5	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
10MAY09 23:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			19MAY09 02:48
10MAY09 23:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		TA due on Serial PCY600496				
		FILTER ELEMENT P3 at WAC 0130				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	NEW SERV P3 FILTER SN:PCY900622 FITTED				

A1PXXUY816189	COMPLETED	14MAY09 00:01	6487.5	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
10MAY09 23:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
10MAY09 23:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		7212.007-256 due on Serial A23-033				14MAY09 00:01
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	MOD 7212-007-256 INC REF LSN 416/09 15/21-1				

A1PXXUY907778	COMPLETED	13MAY09 23:32	6487.5	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
11MAY09 01:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
11MAY09 01:21	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BOTH INV'S AND RACK RFA				13MAY09 23:32
						XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	BOTH INV'S AND RACK REFITTED IAW 7212.007-2 REF LSN 416/09 15/21-2				

REMOVALS/INSTALLATIONS FOR A1PXXUY907778

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	6568	A23T	A1UOG	01	6568	A23T	A1UOG	01
	975.04.21.103		11MAY09 01:22	A1PXXJY909678	975.04.21.103		13MAY09 23:30	
002	6567	A23T	A1UOE	01	6567	A23T	A1UOE	01
	975.04.21.103		11MAY09 01:25	A1PXXJY909679	975.04.21.103		13MAY09 23:29	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY907791	COMPLETED	19MAY09 04:58	6487.5	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
11MAY09 04:44	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
11MAY09 04:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BATT NICAD AND TRAY RFA				19MAY09 04:58
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV BATT NICAD FITTED REF LSN MCS 416/09

REMOVALS/INSTALLATIONS FOR A1PXXUY907791

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0650	A23T	A1UOA	00	1206	A23T	A1UOA	00
	33490409201		11MAY09 04:45	A1PXXJY909732	33490409201		19MAY09 04:56	

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY907806	COMPLETED	11MAY09 06:20	6487.5	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
11MAY09 06:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
11MAY09 06:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial 566				11MAY09 06:20
		CONT UNIT LDG REAR at WAC 0740				XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV LGCU FITTED IAW 7212.007-2 REF LSN 416/09 14/21-7

REMOVALS/INSTALLATIONS FOR A1PXXUY907806

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	566	A23T	A1UGY	00	050	A23T	A1UGY	00
	532.30.09.217		11MAY09 06:17	A1PXXJY806119	532.30.09.321		11MAY09 06:18	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY907807	COMPLETED	11MAY09 06:23	6487.5	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
11MAY09 06:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
11MAY09 06:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial 555				11MAY09 06:23
		CONT UNIT LDG FRONT at WAC 0730				XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV LGCU FITTED IAW 7212.007-2 REF LSN 416/09 14/21-6

REMOVALS/INSTALLATIONS FOR A1PXXUY907807

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	555	A23T	A1UCQ	00	523	A23T	A1UCQ	00
	532.30.09.216		11MAY09 06:20	A1PXXJY806096	532.30.09.216		11MAY09 06:21	

A1PXXUY907852	COMPLETED	20MAY09 13:47	6487.5	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
12MAY09 00:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
12MAY09 00:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		ELU RFA				20MAY09 13:47
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: ELU REFITTED IAW AAP 7212.007-2. REF R2 WORKSHEETS LSN 416/09 PAGE 16 LINE 5

REMOVALS/INSTALLATIONS FOR A1PXXUY907852

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	B14012	A23T	A1SAG	01	B14012	A23T	A1SAG	01
	3244890-2		12MAY09 00:17	A1PXXJY909847	3244890-2		20MAY09 13:45	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY907921	COMPLETED	13MAY09 00:23	6487.5	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
13MAY09 00:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
13MAY09 00:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FDR RFA				13MAY09 00:23
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: FDR REFITTED IAW 7212.007-2 REF LSN 416/09 16/21-4

REMOVALS/INSTALLATIONS FOR A1PXXUY907921

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	01496	A23T	A1UPM	00	01496	A23T	A1UPM	00
	S703-1000-01		13MAY09 00:16	A1PXXJY910024	S703-1000-01		13MAY09 00:21	

A1PXXUY907993	COMPLETED	13MAY09 23:44	6487.5	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
13MAY09 23:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
13MAY09 23:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BLOWER ASSY NIL OPS				13MAY09 23:44
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV BLOWER ASSY FITTED IAW 7212.007-2 REF LSN 416/09 18/21-3

REMOVALS/INSTALLATIONS FOR A1PXXUY907993

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	406	A23T	A0E	00	119	A23T	A0E	00
	M5922H-9A1		13MAY09 23:40	A1PXXJY910185	M5922H-9A1/HED608279		13MAY09 23:41	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY907997	COMPLETED	13MAY09 23:50	6487.5	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx	
13MAY09 23:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP				
13MAY09 23:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		BOTH COCKPIT GAUGES READ 1000 PSI DIFFERENT TO EXTERNAL PRESSURE GAUGES				13MAY09 23:50	XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV OXY TRANSDUCER FITTED IAW 7212.007-2 REF LSN 416/09 18/21-4

REMOVALS/INSTALLATIONS FOR A1PXXUY907997

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	270595	A23T	A1UNA	00	418533	A23T	A1UNA	00
	PDCR 350-0640		13MAY09 23:48	A1PXXJY910191	PDCR 350-0640		13MAY09 23:49	

A1PXXUY908101	COMPLETED	18MAY09 00:28	6487.5	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
14MAY09 13:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			18MAY09 00:28
14MAY09 13:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		NAV/TAC TRANSCIEVER RFA KTU 709				XXxxXXxxXXxxXXxxXXxx

Maint Acts: NAV/TAC RX'ER REFITTED IAW 7212.007-2 REF LSN 416/09 19/21-5

REMOVALS/INSTALLATIONS FOR A1PXXUY908101

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	2489	A23T	A1ULS	00	2489	A23T	A1ULS	00
	066-1074-01		14MAY09 13:23	A1PXXJY910289	066-1074-01		18MAY09 00:27	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 02988  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY908107	COMPLETED	14MAY09 14:06	6487.5	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
14MAY09 13:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			14MAY09 14:06
14MAY09 14:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		HUB ASSY MAINS TO BE FITTED POST S28 AND S29				XXxxXXxxXXxxXXxxXXxx

Maint Acts: HUB ASSY MAINS L/H AND R/H INSTALLED IAW 7212.007-2 REF LSN 416/09 SHEET 38 US#5 AND SHEET 42 US#1

REMOVALS/INSTALLATIONS FOR A1PXXUY908107

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001					0071 3-1555	A23T	A2KDM 14MAY09 14:00	01
002					0009 3-1555	A23T	A2KEI 14MAY09 14:01	01

A1PXXUY908171	COMPLETED	18MAY09 00:26	6487.5	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
15MAY09 02:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
15MAY09 02:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			18MAY09 00:26
		REAR CWS PANEL RFA				XXxxXXxxXXxxXXxxXXxx

Maint Acts: REAR CWS PANEL REFITTED IAW 7212.007-2 REF LSN 416/09 20/21-2

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 02989  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY908171  
SEQ REMOVED SERIAL NO EIAC LCN ALC INSTALLED SERIAL NO EIAC LCN ALC  
REMOVED PART NO DATE/TIME JOB NUMBER INSTALLED PART NO DATE/TIME  
=====

001 116 A23T A1UII 00 116 A23T A1UII 00  
471 TS 06 Y 15MAY09 02:34 A1PXXJY910349 471 TS 06 Y 18MAY09 00:24

A1PXXUY908338 COMPLETED 19MAY09 04:45 6487.5 AFHR SST XXxxXXxxXXxxXXxxXXxx  
19MAY09 03:04 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 19MAY09 04:45  
19MAY09 03:04 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S57 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S57 SERV C/O REF MCS 416/09

A1PXXUY908412 COMPLETED 25MAY09 07:45 6487.5 AFHR SST XXxxXXxxXXxxXXxxXXxx  
20MAY09 00:30 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 25MAY09 07:45  
20MAY09 00:31 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
MTF REQUIRED POST R2 SERV, LH AILERON CX XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST SERV REF 452918#1

A1PXXUY908435 COMPLETED 16JUN09 13:30 6487.5 AFHR SST XXxxXXxxXXxxXXxxXXxx  
20MAY09 04:49 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 16JUN09 13:30  
20MAY09 04:50 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S63 REQUIRED XXxxXXxxXXxxXXxxXXxx

Maint Acts: S63 SERV C/O IAW 7212.007-6-4 REF 437659/2-1 #2

REMOVALS/INSTALLATIONS FOR A1PXXUY908435

SEQ REMOVED SERIAL NO EIAC LCN ALC INSTALLED SERIAL NO EIAC LCN ALC  
REMOVED PART NO DATE/TIME JOB NUMBER INSTALLED PART NO DATE/TIME  
=====

001 PCY900719 A23T A1SAK34 00 PCY900719 A23T A1SAK34 00  
3059257-01 16JUN09 13:29 A1PXXJY912780 3059257-01 16JUN09 13:29

A1PXXUY908509 COMPLETED 21MAY09 03:51 6487.5 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
21MAY09 03:46 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
21MAY09 03:47 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
REAR COMMS 2 CONTROLLER LOWER DISPALY 100'S DIGIT MISSING 21MAY09 03:51  
XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 02990  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: SERV COMMS 2 CONTROLLER FITTED IAW 7212.007-2 REF EE508 452917-3B-2

REMOVALS/INSTALLATIONS FOR A1PXXUY908509

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	2078	A23T	A1UHI	00	2285	A23T	A1UHI	00
	071-1282-39		21MAY09 03:48	A1PXXJY910789	071-1282-39		21MAY09 03:49	

A1PXXUY908549 COMPLETED 15DEC09 00:01 6487.5 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
22MAY09 00:22 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
22MAY09 00:29 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
TEMP REPAIR C/O TO LOWER RH WING SKIN O/BOARD STOPS  
15DEC09 00:01  
XXxxXXxxXXxxXXxxXXxx

aip0145125MAY09 03:12:12  
433161-1 G1. NIL IMPACT ON AIRWORTHINESS OR AIRCRAFT OPERATIONS. THE  
DAMAGE TO THE AIRCRAFT WING HAS BEEN INSPECTED AND TEMP REPAIR  
CARRIED OUT IAW THE SRM  
TO PREVENT ANY FURTHER DAMAGE TO THE WING. THERE IS NIL EVIDENCE OF  
ANY SECONDARY DAMAGE TO THE SURROUNDING STRUCTURE. TOTAL FAILURE OF  
THE AREA DUE TO THIS DAMAGE ASSESSED AS IMPROBABLE.

Maint Acts: DD A23/031/2009 INCORPORATED REF 461343-2-1 #2

A1PXXUY908631 COMPLETED 26MAY09 05:53 6488.6 AFHR SST XXxxXXxxXXxxXXxxXXxx  
25MAY09 10:50 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 26MAY09 05:53  
25MAY09 10:51 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
AIRCRAFT REQUIRES AIRTEST FOR NOSE WHEEL SHIMMY  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIR TEST C/OUT ASSESSED SERV REF 452919#1&2



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02991  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY906443	COMPLETED	28MAY09 01:15	6489.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
26MAY09 05:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			28MAY09 01:15
26MAY09 05:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0502		due on Serial A23-033		
		PC-9		at WAC 0000		XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	STI PC9 0502 CO REF 452920-4 #1				

A1PXXUY908890	COMPLETED	27MAY09 23:22	6498.6	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
27MAY09 23:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
27MAY09 23:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			27MAY09 23:22
		ADF CONTROL UNIT DISPLAY DIFFICULT TO READ				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	ADF CONTROL UNIT KFS 586A REPLACED IAW AAP 7212.007-2. REF EE500 452925-2				

REMOVALS/INSTALLATIONS FOR A1PXXUY908890

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	2568	A23T	A1UHG	00	2486	A23T	A1UHG	00
	071-1284-05		27MAY09 23:19	A1PXXJY911333	071-1284-05		27MAY09 23:21	

A1PXXUY908942	COMPLETED	28MAY09 11:40	6501.1	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
28MAY09 11:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
28MAY09 11:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			28MAY09 11:40
		REAR C/P DU1 INTERMITTENTLY FLICKERS GREEN COLOUR				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	REAR DU1 REPLACED IAW AAP 7212.007-2 REF:452927-1				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02992  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY908942

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	3375	A23T	A1UHK	00	3414	A23T	A1UHK	00
	066-03126-0000		28MAY09 11:35	A1PXXJY911434	8095686-1001		28MAY09 11:38	

A1PXXUY908506 COMPLETED 28MAY09 23:11 6501.1 AFHR SST  
28MAY09 12:40 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 28MAY09 23:11  
28MAY09 12:40 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERV C/O IAW 7212.007-6-4 REF 452927-3

A1PXXUY908993 COMPLETED 29MAY09 02:30 6501.1 AFHR SCM  
29MAY09 02:26 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
29MAY09 02:27 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
RCP STANDBY AI WANDERS DURNING NORMAL FLIGHT 29MAY09 02:30  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: RCP STBY AI REPLACED IAW AAP 7212.007-2. REF EE500 452928-2

REMOVALS/INSTALLATIONS FOR A1PXXUY908993

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	8998	A23T	A1UHS	00	9342	A23T	A1UHS	00
	501-1131-01		29MAY09 02:27	A1PXXJY911472	501-1131-01		29MAY09 02:28	

A1PXXUY908994 COMPLETED 29MAY09 05:24 6501.1 AFHR SCM  
29MAY09 02:31 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
29MAY09 02:32 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
AIRCRAFT REQUIRES AIRTEST FOR REAR DU1 OPS AND REAR STBY AI OPS 29MAY09 05:24  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST C/O: REF: 452929#1

A1PXXUY908998 COMPLETED 29MAY09 05:15 6503.6 AFHR SCM  
29MAY09 05:11 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
29MAY09 05:13 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
REAR DU1 CHANGING COLOUR UNDER G LOADS 29MAY09 05:15  
XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02993  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: SYMBOL GENERATOR REPLACED IAW AAP 7212.007-2 EREF: 452929#3

REMOVALS/INSTALLATIONS FOR A1PXXUY908998

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1252	A23T	A1UOS	00	3337	A23T	A1UOS	00
	3614335-1004		29MAY09 05:13	A1PXXJY911486	066-04015-0003		29MAY09 05:14	

A1PXXUY908999 COMPLETED 02JUN09 04:31 6503.6 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
29MAY09 05:15 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
29MAY09 05:16 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
AIRTEST REQ'D FOR REAR DU1 OPS / SYMBOL GEN OPS  
02JUN09 04:31  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST ASSESSED SERV REFER 452930#1&2

A1PXXUY909082 COMPLETED 02JUN09 13:52 6507.2 AFHR SST XXxxXXxxXXxxXXxxXXxx  
02JUN09 13:45 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
02JUN09 13:47 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
OIL FILTER REMOVED FOR INSPECTION AND CLEAN  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV OIL FILTER FITTED IAW 7113.022-2 REF 452932-1-3

REMOVALS/INSTALLATIONS FOR A1PXXUY909082

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PCY700814	A23T	A1SAK34	00	PCY900719	A23T	A1SAK34	00
	3028419		02JUN09 13:47	A1PXXJY911633	3059257-01		02JUN09 13:49	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02994  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY908966	COMPLETED	04JUN09 23:02	6511.9	AFHR	SST	XXXXXXXXXX
04JUN09 08:21	XXXXXXXX	XXXXXXXXXX	AIP			04JUN09 23:02
04JUN09 08:21	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
		S40 due on Serial A23-033				
		PC-9 at WAC 0000				XXXXXXXXXX
	Maint Acts:	S40 SEFV C/O IAW 7212.007-6-4 REF 452938-1				

A1PXXUY909337	COMPLETED	05JUN09 00:52	6514.4	AFHR	SST	XXXXXXXXXX
05JUN09 00:45	XXXXXXXX	XXXXXXXXXX	AIP			05JUN09 00:52
05JUN09 00:46	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
		SICU TO BE REPLACED FOR FAULT ISOLATION				
	Maint Acts:	SERV SICU FITTED IAW AAP 7212.007-2 XREF 452938-4 SH 1 LINE FOUR				XXXXXXXXXX

REMOVALS/INSTALLATIONS FOR A1PXXUY909337

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	8711087	A23T	A1UEE	00	89050009	A23T	A1UEE	00
	140.0001-2		05JUN09 00:47	A1PXXJY911862	140.0001-2		05JUN09 00:49	

A1PXXUY909342	COMPLETED	05JUN09 05:46	6514.4	AFHR	SST	XXXXXXXXXX
05JUN09 00:55	XXXXXXXX	XXXXXXXXXX	AIP			05JUN09 05:46
05JUN09 00:57	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
		AIRCRAFT REQUIRES AIRTEST FOR SICU OPS AND FUEL FLOW OPS				
	Maint Acts:	AIRTEST NOT C/O REF:452939 -1,3, 4				XXXXXXXXXX

A1PXXUY909345	COMPLETED	05JUN09 02:44	6514.4	AFHR	SST	XXXXXXXXXX
05JUN09 01:33	XXXXXXXX	XXXXXXXXXX	AIP			05JUN09 02:44
05JUN09 01:33	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
		NO FUEL FLOW DURING ENG RUN				
						XXXXXXXXXX

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 02995  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: FUEL FLOW TX REPLACED WITH SERV ITEM IAW 7212.007-2 REF 452938-4-1-6

REMOVALS/INSTALLATIONS FOR A1PXXUY909345

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1686	A23T	A1SAI20	00	2844	A23T	A1SAI20	00
	151-906-010		05JUN09 01:34	A1PXXJY911873	975.35.12.602		05JUN09 02:43	

A1PXXUY909372 COMPLETED 09JUN09 07:44 6514.4 AFHR SST XXxxXXxxXXxxXXxxXXxx  
05JUN09 05:46 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 09JUN09 07:44  
05JUN09 05:47 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
MTF REQ'D FOR SICU OPS, FUEL FLOW AND AOA OPS  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: MTF CARRIED OUT SERV REF 452944#1

A1PXXUY909532 COMPLETED 09JUN09 05:31 6514.4 AFHR SST XXxxXXxxXXxxXXxxXXxx  
09JUN09 05:29 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 09JUN09 05:31  
09JUN09 05:29 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
START GEN 2B REPLACED FOR  
VIBRATIONS  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: START GEN REPLACED REF 4523942-4

REMOVALS/INSTALLATIONS FOR A1PXXUY909532

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	4513	A23T	A1SAI14	00	5445	A23T	A1SAI14	00
	23081-026		09JUN09 05:30	A1PXXJY912161	23081-026		09JUN09 05:30	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 02996  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY909533	COMPLETED	09JUN09 07:43	6514.4	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
09JUN09 05:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			09JUN09 07:43
09JUN09 05:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MTF REQUIRED FOR AIRFRAME VIBRATIONS				XXxxXXxxXXxxXXxxXXxx

Maint Acts: MTF CARRIED OUT SERV REF 452944#1

A1PXXUY909648	COMPLETED	11JUN09 23:53	6519.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
10JUN09 13:02	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			11JUN09 23:53
10JUN09 13:04	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FUEL FLOW READING 0 AFTER ENGINE START				XXxxXXxxXXxxXXxxXXxx

Maint Acts: FUEL FLOW SIG COND REPLACED REF: 452949/3-1

REMOVALS/INSTALLATIONS FOR A1PXXUY909648

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	300	A23T	A1UEG	00	292	A23T	A1UEG	00
	360-943-001P		10JUN09 13:04	A1PXXJY912347	360-943-001P		10JUN09 13:06	

A1PXXUY909316	COMPLETED	11JUN09 22:46	6522.2	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
11JUN09 10:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			11JUN09 22:46
11JUN09 10:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				XXxxXXxxXXxxXXxxXXxx
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERV C/O IAW 7212.007-6-4 REF EE508 S/N 437651-5-1 U/S LINE 1

A1PXXUY909813	COMPLETED	12JUN09 05:03	6523.4	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
12JUN09 04:55	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			12JUN09 05:03
12JUN09 04:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FRONT ALTIMETER STICKING. AT TIMES UP TO 500 FEET DIFFERENCE BETWEEN				12JUN09 05:03
		FRONT AND REAR ALTS				XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 02997  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES -----  
 SERV NUMBER STATUS STATUS DATE/TIME TOTAL LIFE INT TYPE CERTIFICATION TRADESMAN  
 RAISED DATE/TIME RAISED USER ID RAISED NAME RAISED VENUE CAPABILITY CODE EPSS DATE/TIME  
 ENTERED DATE/TIME ENTERED USER ID ENTERED NAME ENTERED VENUE IMIC NO SUPERVISOR  
 OPERATION NO ASOR NO SYMPTOMS  
 EE500PG EE500LN  
 STA WL BL ADMIN MAINT ACTION/LIMITATIONS  
 =====

Maint Acts: FRONT ALTIMETER REPLACEDV IAW AAP 7212.007-2. REF EE437652-2

REMOVALS/INSTALLATIONS FOR A1PXXUY909813

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1257	A23T	A1UCM	00	1126	A23T	A1UCM	00
	44929-903		12JUN09 05:00	A1PXXJY912650	44929-903		12JUN09 05:02	

A1PXXUY909814	COMPLETED	15JUN09 00:48	6523.4	AFHR	SCM	XXXXXXXXXXXXXXXXXXXX
12JUN09 05:04	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
12JUN09 05:05	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
AIRCRAFT REQUIRES AIRTEST FOR FRONT ALTIMETER OPS						
		15JUN09 00:48				XXXXXXXXXXXXXXXXXXXX

Maint Acts: CFUC/OIAW437653-1

A1PXXUY908911	COMPLETED	15JUN09 00:08	6524.2	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
12JUN09 08:46	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			15JUN09 00:08
12JUN09 08:46	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
STI-PC9-0502 due on Serial A23-033						
PC-9 at WAC 0000						
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: STI-PC9-0502 C/O REF437653-3

A1PXXUY910043	COMPLETED	18JUN09 03:10	6539.4	AFHR	SCM	XXXXXXXXXXXXXXXXXXXX
17JUN09 22:46	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
17JUN09 22:47	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
AIRCRAFT REQUIRES AIRTEST FOR REAR SKID-BALL OPS						
		18JUN09 03:10				XXXXXXXXXXXXXXXXXXXX

Maint Acts: CFUC/OREF437665-1

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 02998  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY909752	COMPLETED	22JUN09 00:26	6541.5	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
18JUN09 08:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			22JUN09 00:26
18JUN09 08:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 CARRIED OUT IAW 7212.007-6-4 REF EE508 SN 437667-3 US #1				

A1PXXUY910115	COMPLETED	18JUN09 13:09	6542.5	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
18JUN09 13:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			18JUN09 13:09
18JUN09 13:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		RH TYRE WTL				
	Maint Acts:	RH HUB ASSY REPLACED WITH SERV ITEM IAW 7212.007-2 REF 437667/3-1 #4				

REMOVALS/INSTALLATIONS FOR A1PXXUY910115

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0009	A23T	A2KEI	01	0112	A23T	A2KEI	01
	3-1555		18JUN09 13:07	A1PXXJY913083	3-1555		18JUN09 13:08	

A1PXXUY910217	COMPLETED	22JUN09 10:42	6545.0	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
22JUN09 10:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			22JUN09 10:42
22JUN09 10:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		LH BRAKE WTL				
	Maint Acts:	LH BRAKE REPLACED REF 437669				



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 02999  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY910217

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	0492P	A23T	A2KDI	00	0137	A23T	A2KDI	00
2-1524-1	22JUN09 10:41	A1PXXJY913276	22JUN09 10:41	2-1524-1	22JUN09 10:42			

A1PXXUY910218 COMPLETED 23JUN09 02:00 6545.0 AFHR SST XXxxXXxxXXxxXXxxXXxx  
22JUN09 10:43 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 23JUN09 02:00  
22JUN09 10:44 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
AIRTEST REQUIRED FOR LH BRAKE OPS  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: CFUC/OREF437670-1

A1PXXUY909840 COMPLETED 24JUN09 02:06 6547.5 AFHR SST XXxxXXxxXXxxXXxxXXxx  
23JUN09 23:58 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 24JUN09 02:06  
23JUN09 23:58 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
STI-PC9-0502 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-0502 C/O SERV IAW INSTRUCTIONS REF 437671/3-1 #1

A1PXXUY910378 COMPLETED 24JUN09 04:46 6547.5 AFHR SST XXxxXXxxXXxxXXxxXXxx  
24JUN09 02:07 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 24JUN09 04:46  
24JUN09 02:07 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
STI-PC9-0508 due on Serial 567  
RUDDER & TRIM TABS at WAC 1410 XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-0508 C/O AND ASSESSED SERV IAW INSTRUCTIONS REF NDI REPORT # 774/09 REF 437671/4-1 #1

A1PXXUY910420 COMPLETED 24JUN09 09:47 6548.1 AFHR SST XXxxXXxxXXxxXXxxXXxx  
24JUN09 09:45 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 24JUN09 09:47  
24JUN09 09:45 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
LH TYRE WTL XXxxXXxxXXxxXXxxXXxx

Maint Acts: LH TYRE REPLACED REF 437673

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03000  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY910420

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				

001	0071	A23T	A2KDM	01	0114	A23T	A2KDM	01
3-1555	24JUN09 09:46	A1PXXJY913552	3-1555	24JUN09 09:46				

A1PXXUY910185 COMPLETED 25JUN09 22:57 6550.2 AFHR SST XXxxXXxxXXxxXXxxXXxx  
25JUN09 10:10 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 25JUN09 22:57  
25JUN09 10:10 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 CARRIED OUT IAW 7212.007-6-4 REF EE500 SN 437675 US# 1

A1PXXUY910785 COMPLETED 01JUL09 13:50 6555.4 AFHR SST XXxxXXxxXXxxXXxxXXxx  
01JUL09 01:34 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 01JUL09 13:50  
01JUL09 01:35 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
AIRCRAFT REQUIRES AIRTEST FOR: NG ADJUSTMENT XXxxXXxxXXxxXXxxXXxx

Maint Acts: CARRIED OUT REF 437982-1

A1PXXUY910868 COMPLETED 02JUL09 06:56 6557.8 AFHR SST XXxxXXxxXXxxXXxxXXxx  
02JUL09 04:15 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 02JUL09 06:56  
02JUL09 04:16 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
AIRCRAFT REQUIRES AIRTEST FOR: U/C OPS AND ASOR CLEARENCE XXxxXXxxXXxxXXxxXXxx

Maint Acts: CFUC/OREF437684-1

A1PXXUY910524 COMPLETED 02JUL09 22:51 6557.8 AFHR SST XXxxXXxxXXxxXXxxXXxx  
02JUL09 10:08 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 02JUL09 22:51  
02JUL09 10:08 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O IAW AAP 7212.007-6-4 XREF 437684 #3

A1PXXUY910938 COMPLETED 03JUL09 08:56 6560.5 AFHR SST XXxxXXxxXXxxXXxxXXxx  
03JUL09 07:19 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 03JUL09 08:56  
03JUL09 07:19 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
OH due on Serial MB13503  
PARACHUTE ASSY at WAC 0730 XXxxXXxxXXxxXXxxXXxx

Maint Acts: FRONT PARA ASSY REPLACED IAW AAP 7291.042-2MB2 REF: EE500 - 437686#1

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY910938

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	MB13503	A23T	A1WBA	00	MB13806	A23T	A1WBA	00
	MBEU100664		03JUL09 08:54	A1PXXJY810693	MBEU100664		03JUL09 08:55	

A1PXXUY910939 COMPLETED 03JUL09 08:59 6560.5 AFHR SST  
03JUL09 07:19 XXxxXXxx XXxxXXxxXXxxXXxx AIP 03JUL09 08:59  
03JUL09 07:19 XXxxXXxx XXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
OH due on Serial MB13432  
PARACHUTE ASSY at WAC 0740 XXxxXXxxXXxxXXxxXXxx

Maint Acts: REAR PARA ASSY REPLACED IAW AAP 7291.042-2MB2 REF: EE500 - 437696 #2

REMOVALS/INSTALLATIONS FOR A1PXXUY910939

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	MB13432	A23T	A26BA	00	MB13536	A23T	A26BA	00
	MBEU12043PA		03JUL09 08:57	A1PXXJY810696	MBEU12043PA		03JUL09 08:58	

A1PXXUY910942 COMPLETED 03JUL09 08:53 6561.7 AFHR SST  
03JUL09 08:42 XXxxXXxx XXxxXXxxXXxxXXxx AIP 03JUL09 08:53  
03JUL09 08:43 XXxxXXxx XXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
FRONT AND REAR PSP'S RFA XXxxXXxxXXxxXXxxXXxx

Maint Acts: FRONT AND REAR PSP'S REFITTED IAW AAP7291.042-2MB2 REF:EE500  
-437686#3

REMOVALS/INSTALLATIONS FOR A1PXXUY910942

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	DC4959	A23T	A1WBG	00	DC4959	A23T	A1WBG	00
	STANDARDPACK-1		03JUL09 08:43	A1PXXJY914285	STANDARDPACK-1		03JUL09 08:46	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03002  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
002	DF5420	A23T	A26BG	00	DF5420	A23T	A26BG	00
	STANDARDPACK-1		03JUL09 08:44	A1PXXJY914286	STANDARDPACK-1		03JUL09 08:45	

A1PXXUY907999 COMPLETED 06JUL09 22:37 6565.6 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
06JUL09 22:36 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
06JUL09 22:36 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
S26 due on Serial A23-033  
PC-9 at WAC 0000  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: S26 SERVICING CARRIED OUT IAW AAP 7212.007-6-4 REF 437690-1

A1PXXUY911194 COMPLETED 14JUL09 23:28 6570.7 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
08JUL09 01:51 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
08JUL09 01:52 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
BATTERY NICAD AND TRAY RFA  
14JUL09 23:28  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV BATTERY NICAD FITTED IAW AAP 7212.007-2 REF MCS 642/09 PG 7 #6

REMOVALS/INSTALLATIONS FOR A1PXXUY911194

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1206	A23T	A1UOA	00	1206	A23T	A1UOA	00
	33490409201		08JUL09 01:52	A1PXXJY914598	33490409201		14JUL09 23:27	

A1PXXUY911197 COMPLETED 14JUL09 23:25 6570.7 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
08JUL09 02:19 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
08JUL09 02:20 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
INVERTERS AND BRACKET RFA  
14JUL09 23:25  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV INVERTERS AND BRACKET REFITTED IAW AAP 7212.007-2 REF MCS 642/09 PG 7 #5

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY911197

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	6567	A23T	A1UOE	01	6567	A23T	A1UOE	01
	975.04.21.103		08JUL09 02:20	A1PXXJY914599	975.04.21.103		14JUL09 23:24	

002	6568	A23T	A1UOG	01	6568	A23T	A1UOG	01
	975.04.21.103		08JUL09 02:22	A1PXXJY914600	975.04.21.103		14JUL09 23:23	

A1PXXUY911198 COMPLETED 14JUL09 13:34 6570.7 AFHR SST XXxxXXxxXXxxXXxxXXxx  
08JUL09 03:33 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 14JUL09 13:34  
08JUL09 03:36 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
RUDDER REMOVED FOR ACCESS FOR NDI COMPONENT OF PC9-STI-0491  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: RUDDER ASSY REFITTED IAW 7212.007-2 REF MCS 642/09

REMOVALS/INSTALLATIONS FOR A1PXXUY911198

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	567	A23T	A2GAM	00	567	A23T	A2GAM	00
	555.40.09.003		08JUL09 03:37	A1PXXJY914605	555.40.09.003		14JUL09 13:32	

A1PXXUY911199 COMPLETED 14JUL09 13:31 6570.7 AFHR SST XXxxXXxxXXxxXXxxXXxx  
08JUL09 03:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 14JUL09 13:31  
08JUL09 03:40 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
HORIZONTAL STAB ASSY WITH ELEVATOR REMOVED FOR STI-PC9-0491  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: HOZ STAB WITH ELEVATOR ASSY FITTED IAW 7212.007-2 REF MCS 642/09

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
Camm2  
ASSET HISTORY

PAGE 03004  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY911199

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
=====	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	553	A23T	A2I	00	553	A23T	A2I	00
	555.10.09.130		08JUL09 03:40	A1PXXJY914606	555.10.09.130		14JUL09 13:29	

A1PXXUY900273 COMPLETED 15JUL09 03:50 6570.7 AFHR SST XXxxXXxxXXxxXXxxXXxx  
09JUL09 00:35 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 15JUL09 03:50  
09JUL09 00:35 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
STI-PC9-0491 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: STI-PC9-0491 C/O IAW INSTRUCTIONS REF LSN MCS 642/09

A1PXXUY910883 COMPLETED 15JUL09 03:48 6570.7 AFHR SST XXxxXXxxXXxxXXxxXXxx  
09JUL09 08:37 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 15JUL09 03:48  
09JUL09 08:37 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: S40 SERV C/O IAW 7212.007-6-4 REF 437596-5

A1PXXUY911598 COMPLETED 15JUL09 02:48 6570.7 AFHR SST XXxxXXxxXXxxXXxxXXxx  
15JUL09 02:37 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 15JUL09 02:48  
15JUL09 02:37 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
NDT due on Serial 533  
VSTAB RSPAR FLNG at WAC 1400 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: CAMM2 UPDATED IAW STI-PC9-0491. REF MCS 642/09

A1PXXUY911599 COMPLETED 15JUL09 02:48 6570.7 AFHR SST XXxxXXxxXXxxXXxxXXxx  
15JUL09 02:37 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 15JUL09 02:48  
15JUL09 02:37 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
NDT due on Serial 033  
AFT FUS TOP SKIN at WAC 0600 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: CAMM2 UPDATED IAW STI-PC9-0491. REF MCS 642/09

A1PXXUY911600 COMPLETED 15JUL09 02:49 6570.7 AFHR SST XXxxXXxxXXxxXXxxXXxx  
15JUL09 02:37 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 15JUL09 02:49  
15JUL09 02:37 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
NDT due on Serial 033  
AFT FUS LWR SKIN at WAC 0600 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: CAMM2 UPDATED IAW STI-PC9-0491. REF MCS 642/09

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY911601	COMPLETED	15JUL09 02:49	6570.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
15JUL09 02:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			15JUL09 02:49
15JUL09 02:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		NDT due on Serial 033				
		AFT FUS PORT SKIN at WAC 0600				XXxxXXxxXXxxXXxxXXxx

Maint Acts: CAMM2 UPDATED IAW STI-PC9-0491. REF MCS 642/09

A1PXXUY911602	COMPLETED	15JUL09 02:50	6570.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
15JUL09 02:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			15JUL09 02:50
15JUL09 02:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		NDT due on Serial 033				
		FUS FRAME 4 at WAC 0600				XXxxXXxxXXxxXXxxXXxx

Maint Acts: CAMM2 UPDATED IAW STI-PC9-0491. REF MCS 642/09

A1PXXUY911603	COMPLETED	15JUL09 02:50	6570.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
15JUL09 02:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			15JUL09 02:50
15JUL09 02:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		NDT due on Serial 033				
		FUS FRAME 4A at WAC 0600				XXxxXXxxXXxxXXxxXXxx

Maint Acts: CAMM2 UPDATED IAW STI-PC9-0491. REF MCS 642/09

A1PXXUY911604	COMPLETED	15JUL09 02:51	6570.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
15JUL09 02:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			15JUL09 02:51
15JUL09 02:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		NDT due on Serial 033				
		FUS FRAME 6 at WAC 0600				XXxxXXxxXXxxXXxxXXxx

Maint Acts: CAMM2 UPDATED IAW STI-PC9-0491. REF MCS 642/09

A1PXXUY911605	COMPLETED	15JUL09 02:51	6570.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
15JUL09 02:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			15JUL09 02:51
15JUL09 02:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		NDT due on Serial 033				
		FUS FRAME 7 at WAC 0600				XXxxXXxxXXxxXXxxXXxx

Maint Acts: CAMM2 UPDATED IAW STI-PC9-0491. REF MCS 642/09

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03006  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY911607	COMPLETED	15JUL09 03:01	6570.7	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
15JUL09 02:54	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			15JUL09 03:01
15JUL09 02:57	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
ENGINE VIBRATION FELT WHEN PCL RETARDED FROM 80% TO IDLE						
XXXXXXXXXXXXXXXXXXXX						

Maint Acts: STARTER GENERATOR REPLACED IAW AAP 7212.007-2 REF: 437695-1-2#4

REMOVALS/INSTALLATIONS FOR A1PXXUY911607

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	5445	A23T	A1SAI14	00	5447	A23T	A1SAI14	00
	23081-026		15JUL09 02:57	A1PXXJY915171	23081-026		15JUL09 02:58	

A1PXXUY911609	COMPLETED	16JUL09 03:07	6570.7	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
15JUL09 03:31	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			16JUL09 03:07
15JUL09 03:34	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
MTF REQ'D FOR STARTER GEN OPS AND HANDLING CX POST STI-PC9-0491						
XXXXXXXXXXXXXXXXXXXX						

Maint Acts: MTF CARRIED OUT REFER 437696#1

A1PXXUY911620	COMPLETED	15JUL09 07:50	6570.7	AFHR	SCM	XXXXXXXXXXXXXXXXXXXX
15JUL09 07:06	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			
15JUL09 07:06	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
BS due on Serial 107174						
REG OXYGEN DEMAND at WAC 0740						
XXXXXXXXXXXXXXXXXXXX						

Maint Acts: REG OXY DEMAND REPLACED IAW AAP 7212.007-2. REF EE508 437695-1-3-1



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03007  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY911620

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	107174	A23T	A1UIS	00	907086	A23T	A1UIS	00
	3260042-0201		15JUL09 07:47	A1PXXJY810597	3260042-0201		15JUL09 07:48	

A1PXXUY911610 COMPLETED 22JUL09 23:22 6582.1 AFHR SST XXxxXXxxXXxxXXxxXXxx  
22JUL09 11:06 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 22JUL09 23:22  
22JUL09 11:06 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 CARRIED OUT IAW 7212.007-6-4 REF EE500 SN 446904 US#1

A1PXXUY912143 COMPLETED 03AUG09 09:04 6582.1 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
23JUL09 01:17 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 23JUL09 01:17  
23JUL09 01:17 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
AT EACH AFTER FLIGHT, LOOK FOR CRACKING OF THE NLG FOLDING STRUT IN 03AUG09 09:04  
THE AREA WHERE THE ACTUATOR IS ATTACHED TO THE STRUT XXxxXXxxXXxxXXxxXXxx

Maint Acts: NO LONGER REQUIRED AS AN SMR, INAM 1 7212-007-6-1 SUPERCEEDS REFER 446924#2

A1PXXUY912194 COMPLETED 23JUL09 05:34 6582.1 AFHR SST XXxxXXxxXXxxXXxxXXxx  
23JUL09 05:30 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 23JUL09 05:34  
23JUL09 05:30 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
RH BRAKE ASSY WTL XXxxXXxxXXxxXXxxXXxx

Maint Acts: RH BRAKE ASSY REPLACED WITH SERV ITEM IAW 7212.007-2 REF EE508 SN 446904-5-4-1

REMOVALS/INSTALLATIONS FOR A1PXXUY912194

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	0389	A23T	A2KEE	00	0229A	A23T	A2KEE	00
	2-1524-1		23JUL09 05:31	A1PXXJY916204	959.47.81.705		23JUL09 05:31	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03008  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY912196	COMPLETED	23JUL09 05:37	6582.1	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
23JUL09 05:34	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			23JUL09 05:37
23JUL09 05:35	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		RH MAIN WHEEL ASSY HAS A BROKEN DUST COVER				XXXXXXXXXXXXXXXXXXXX

Maint Acts: RH MAIN WHEEL ASSY REPLACED WITH SERV ITEM IAW 7212.007-2 REF EE508  
 446904-5-1-3

REMOVALS/INSTALLATIONS FOR A1PXXUY912196

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0112	A23T	A2KEI	01	0071	A23T	A2KEI	01
	3-1555		23JUL09 05:35	A1PXXJY916205	3-1555		23JUL09 05:36	

A1PXXUY912204	COMPLETED	27JUL09 01:24	6582.1	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
23JUL09 08:23	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			27JUL09 01:24
23JUL09 08:24	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		AIRCRAFT REQUIRES AIRTEST FOR: BRAKE OPS				XXXXXXXXXXXXXXXXXXXX

Maint Acts: CFUC/OREF446905-1

A1PXXUY912281	COMPLETED	27JUL09 02:14	6583.0	AFHR	SCM	XXXXXXXXXXXXXXXXXXXX
27JUL09 02:10	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
27JUL09 02:11	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		REAR SEO U/S				27JUL09 02:14
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV SEO FITTED IAW AAP 7212.007-2 REF 446905-3

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03009  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
REMOVALS/INSTALLATIONS FOR A1PXXUY912281

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	8086397	A23T	A26BE	00	2923795	A23T	A26BE	00
	MBEU100618		27JUL09 02:11	A1PXXJY916316	MBEU100618		27JUL09 02:14	

A1PXXUY810135 COMPLETED 28JUL09 23:27 6593.8 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
28JUL09 23:10 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
28JUL09 23:10 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
S37 due on Serial A23-033  
PC-9 at WAC 0000  
Maint Acts: S37 C/O IAW AAP 7212.007-6-4 REF 446915-3

A1PXXUY912449 COMPLETED 29JUL09 03:49 6593.8 AFHR SST XXxxXXxxXXxxXXxxXXxx  
29JUL09 03:47 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
29JUL09 03:48 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
S63 TBCO TO CHECK FOR GLASS IN OIL  
Maint Acts: S63 CO IAW 7113.022-2 REF EE500 446915-4-3

A1PXXUY912109 COMPLETED 29JUL09 23:43 6597.1 AFHR SST XXxxXXxxXXxxXXxxXXxx  
29JUL09 15:50 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
29JUL09 15:50 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
Maint Acts: S40 C/O IAW AAP 7212.007-6-4 REF 446919-2

A1PXXUY912522 COMPLETED 05AUG09 23:16 6609.7 AFHR SST XXxxXXxxXXxxXXxxXXxx  
05AUG09 09:30 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
05AUG09 09:30 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
Maint Acts: S40 SERV C/O IAW 7212.007-6-4 REF EE500 446930-1

A1PXXUY913165 COMPLETED 10AUG09 09:56 6616.8 AFHR SST XXxxXXxxXXxxXXxxXXxx  
10AUG09 09:38 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
10AUG09 09:38 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
TA due on Serial 33S96C  
MICRO NLG SAFETY at WAC 0500  
Maint Acts: NEW MIRCO SWITCH INSTALLED AND RIGGED IAW 7212.007-2 REF EE500  
(Continued on next page.)

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03010  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES -----  
SERV NUMBER STATUS STATUS DATE/TIME TOTAL LIFE INT TYPE CERTIFICATION TRADESMAN  
RAISED DATE/TIME RAISED USER ID RAISED NAME RAISED VENUE CAPABILITY CODE EPSS DATE/TIME  
ENTERED DATE/TIME ENTERED USER ID ENTERED NAME ENTERED VENUE IMIC NO SUPERVISOR  
OPERATION NO ASOR NO SYMPTOMS DATE/TIME  
EE500PG EE500LN INSPECTOR  
STA WL BL ADMIN MAINT ACTION/LIMITATIONS DATE/TIME  
=====

(Continued from previous page.)  
446935-1-1-3

REMOVALS/INSTALLATIONS FOR A1PXXUY913165

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	33S96C	A23T	A18AI	00	PCY901179	A23T	A18AI	00
	973.30.31.205		10AUG09 09:42	A1PXXJY616775	973.30.31.205		10AUG09 09:55	

A1PXXUY913166 COMPLETED 10AUG09 09:58 6616.8 AFHR SST XXxxXXxxXXxxXXxxXXxx  
10AUG09 09:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 10AUG09 09:58  
10AUG09 09:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
TA due on Serial 33S83C  
MICRO LH SAFETY S83 at WAC 0950 XXxxXXxxXXxxXXxxXXxx

Maint Acts: NEW MICRO SWITCH INSTALLED AND RIGGED IAW 7212.007-2 REF EE500  
446935-1-1-2

REMOVALS/INSTALLATIONS FOR A1PXXUY913166

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	33S83C	A23T	A2KDS	00	PCY901180	A23T	A2KDS	00
	973.30.31.204		10AUG09 09:43	A1PXXJY616774	973.30.31.204		10AUG09 09:56	

A1PXXUY913167 COMPLETED 11AUG09 01:26 6616.8 AFHR SST XXxxXXxxXXxxXXxxXXxx  
10AUG09 10:43 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 11AUG09 01:26  
10AUG09 10:44 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
AIRCRAFT REQUIRES AIRTEST FOR S83 AND S96 MICRO INSTALLATION  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: CFUC/OREF446936-2

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03011  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY912944	COMPLETED	12AUG09 23:06	6629.1	AFHR	SST	XXxxXXxxXXxxXXxxXXxx	
12AUG09 10:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			12AUG09 23:06	
12AUG09 10:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		S40 due on Serial A23-033					
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx	
	Maint Acts:	S40 SERV C/O IAW 7212-007-6-4 REF 4469445-1					

A1PXXUY913513	COMPLETED	14AUG09 02:25	6631.5	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx	
14AUG09 02:02	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP				
14AUG09 02:02	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		BS due on Serial 1206				14AUG09 02:25	
		BATTERY NICAD at WAC 0660				XXxxXXxxXXxxXXxxXXxx	
	Maint Acts:	BATTERY NICAD REPLACED WITH SERVICEABLE ITEM. 446947-1.					

REMOVALS/INSTALLATIONS FOR A1PXXUY913513

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1206	A23T	A1UOA	00	0667	A23T	A1UOA	00
	33490409201		14AUG09 02:23	A1PXXJY910540	33490409201		14AUG09 02:24	

A1PXXUY913651	COMPLETED	18AUG09 05:55	6636.7	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx	
18AUG09 05:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP				
18AUG09 05:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		REAR DU1 U/S				18AUG09 05:55	
						XXxxXXxxXXxxXXxxXXxx	
	Maint Acts:	SERV DU1 FITTED IAW AAP 7212.007-2 REF 449352-3					

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03012  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
REMOVALS/INSTALLATIONS FOR A1PXXUY913651

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	3414	A23T	A1UHK	00	3530	A23T	A1UHK	00
8095686-1001	18AUG09 05:51	A1PXXJY918416	8095686-1001	18AUG09 05:53				

A1PXXUY613865 COMPLETED 19AUG09 05:49 6636.7 AFHR SST XXxxXXxxXXxxXXxxXXxx  
18AUG09 10:16 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 19AUG09 05:49  
18AUG09 10:16 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S27 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: S27 C/O IAW 7212.007-6-4 REF MCS 772/09

A1PXXUY806688 COMPLETED 24AUG09 07:24 6636.7 AFHR SST XXxxXXxxXXxxXXxxXXxx  
18AUG09 10:16 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 24AUG09 07:24  
18AUG09 10:16 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S41 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: S41 CARRIED OUT REF 772/09

A1PXXUY808737 COMPLETED 19AUG09 05:54 6636.7 AFHR SST XXxxXXxxXXxxXXxxXXxx  
18AUG09 10:16 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 19AUG09 05:54  
18AUG09 10:16 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S55 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: S55 C/O IAW 7212.007-6-4 REF MCS 772/09

A1PXXUY900730 COMPLETED 25AUG09 12:16 6636.7 AFHR SST XXxxXXxxXXxxXXxxXXxx  
18AUG09 10:16 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 25AUG09 12:16  
18AUG09 10:16 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
R1 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: R1 CO IAW 7212.007-6-2-2 REF LSN 772/09

A1PXXUY907801 COMPLETED 19AUG09 05:48 6636.7 AFHR SST XXxxXXxxXXxxXXxxXXxx  
18AUG09 10:16 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 19AUG09 05:48  
18AUG09 10:16 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S63 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: S63 C/O IAW 7212.007-6-4 REF MCS 772/09

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03013  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY907992	COMPLETED	19AUG09 02:45	6636.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
18AUG09 10:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			19AUG09 02:45
18AUG09 10:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0466 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	STI C/O IAW INSTRUCTIONS REF MCS772/09-8#4				
A1PXXUY908339	COMPLETED	19AUG09 02:11	6636.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
18AUG09 10:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			19AUG09 02:11
18AUG09 10:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S20 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S20SERV C/O IAW AAP 7212.007-6-4 REF MCS 772/09-6-3				
A1PXXUY911065	COMPLETED	25AUG09 12:15	6636.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
18AUG09 10:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			25AUG09 12:15
18AUG09 10:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S26 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S26 CO IAS 7212.007-6-4 REF LSN 772/09				
A1PXXUY913410	COMPLETED	25AUG09 03:34	6636.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
18AUG09 10:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			25AUG09 03:34
18AUG09 10:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 C/O IAW AAP 7212.007-6-4 XREF MCS 772/09 SHT 7-3				
A1PXXUY913659	COMPLETED	20AUG09 02:48	6636.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
18AUG09 10:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			20AUG09 02:48
18AUG09 10:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-422A due on Serial 027				
		WING ASSY at WAC 1500				XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0514 due on Serial 027				
		WING ASSY at WAC 1500				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03014  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES -----

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: STI C/O IAW INSTRUCTIONS REF MCS772/09-8-5

A1PXXUY913660	COMPLETED	19AUG09 05:03	6636.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
18AUG09 10:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			19AUG09 05:03
18AUG09 10:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		TA due on Serial L233940				
		S/W RUDDER TRIM F at WAC 0730				XXxxXXxxXXxxXXxxXXxx

Maint Acts: FRONT RUDDER SWITCH REPLACED WITH SERV ITEM IAW AAP 7212.007-2 REF  
MCS 772/09-9-5

REMOVALS/INSTALLATIONS FOR A1PXXUY913660

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	L233940	A23T	A1UBY00	00	PCY901225	A23T	A1UBY00	00
	83450503		19AUG09 04:58	AIPXXJ307415X	83450503		19AUG09 05:01	

A1PXXUY913661	COMPLETED	19AUG09 05:10	6636.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
18AUG09 10:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			19AUG09 05:10
18AUG09 10:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		TA due on Serial L233941				
		S/W RUDDER TRIM R at WAC 0740				XXxxXXxxXXxxXXxxXXxx

Maint Acts: REAR RUDDER SWITCH REPLACED WITH SERV ITEM IAW AAP 7212.007-2 REF  
NCS 772/09-9-6

REMOVALS/INSTALLATIONS FOR A1PXXUY913661

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	L233941	A23T	A1UFU00	00	PCY901226	A23T	A1UFU00	00
	83450503		19AUG09 05:05	AIPXXJ307483X	83450503		19AUG09 05:08	



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03015  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME

A1PXXUY913662	COMPLETED	19AUG09 04:54	6636.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
18AUG09 10:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			19AUG09 04:54
18AUG09 10:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
EE500PG EE500LN		OH		due on Serial B3657		
STA WL	BL ADMIN	PUMP FUEL ENG DVN		at WAC 0130		XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV ENGINE DRIVEN FUEL PUMP INSTALLED IAW 7113.022-2 REF MCS 772/09

REMOVALS/INSTALLATIONS FOR A1PXXUY913662

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	B3657	A23T	A0K	00	B3229	A23T	A0K	00
	RG9570R1/M		19AUG09 02:12	AIPXXJ309367X	RG9570R1/M		19AUG09 04:52	

A1PXXUY913663	COMPLETED	25AUG09 12:14	6636.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
18AUG09 10:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			25AUG09 12:14
18AUG09 10:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		NDT		due on Serial PCY800362		
		L HSTAB ELEV OB HNG		at WAC 1150		XXxxXXxxXXxxXXxxXXxx

Maint Acts: NDT CO IAW 7212.007-3

A1PXXUY913700	COMPLETED	19AUG09 00:49	6636.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
19AUG09 00:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			19AUG09 00:49
19AUG09 00:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		LP FUEL FILTER DUE CLEAN AND INSPECT				XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV LP FILTER INSTALLED IAW 7212.007-2 REF MCS 772/09

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY913700

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	L930564	A23T	A1UJK00	00	L320731	A23T	A1UJK00	00
	03W1738-231		19AUG09 00:46	A1PXXJY918529	03W1738-231		19AUG09 00:47	

A1PXXUY913705 COMPLETED 20AUG09 02:37 6636.7 AFHR SST  
 19AUG09 02:13 XXxxXXxx XXxxXXxxXXxxXXxx AIP 20AUG09 02:37  
 19AUG09 02:14 XXxxXXxx XXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 ENG COWL 2 RFA  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: ENGINE COWL 2 REFITTED IAW AAP 7212.007-2 REF MCS 772/09 001:01

REMOVALS/INSTALLATIONS FOR A1PXXUY913705

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	L233198	A23T	A06	00	L233198	A23T	A06	00
	571.10.09.044		19AUG09 02:14	A1PXXJY918542	571.10.09.044		20AUG09 02:35	

A1PXXUY913710 COMPLETED 21AUG09 02:47 6636.7 AFHR SST  
 19AUG09 02:45 XXxxXXxx XXxxXXxxXXxxXXxx AIP 21AUG09 02:47  
 19AUG09 02:46 XXxxXXxx XXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 STARTER GEN TO BE REPLACED ,BRUSHES WORN TO LIMITS  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV STARTER GEN FITTED IAW AAP 7212.007-2 REF MCS 772/09-10#3

REMOVALS/INSTALLATIONS FOR A1PXXUY913710

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	5447	A23T	A1SAI14	00	5505	A23T	A1SAI14	00
	23081-026		19AUG09 02:47	A1PXXJY918543	23081-026		21AUG09 02:43	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY913711	COMPLETED	21AUG09 02:52	6636.7	AFHR	SST	XXXXXXXXXX
19AUG09 02:48	XXXXXXXX	XXXXXXXXXX	AIP			21AUG09 02:52
19AUG09 02:58	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
		INVERTERS BATT , GEN AND RACK RFA				XXXXXXXXXX

Maint Acts: INVERTERS AND RACK REFITTED IAW AAP 7212.007-2 REF MCS 772/09-11#1

REMOVALS/INSTALLATIONS FOR A1PXXUY913711

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	6567	A23T	A1UOE	01	6567	A23T	A1UOE	01
	975.04.21.103		19AUG09 02:58	A1PXXJY918544	975.04.21.103		21AUG09 02:48	
002	6568	A23T	A1UOG	01	6568	A23T	A1UOG	01
	975.04.21.103		19AUG09 03:00	A1PXXJY918545	975.04.21.103		21AUG09 02:48	

A1PXXUY913712	COMPLETED	21AUG09 02:54	6636.7	AFHR	SST	XXXXXXXXXX
19AUG09 03:00	XXXXXXXX	XXXXXXXXXX	AIP			21AUG09 02:54
19AUG09 03:01	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
		BATT NICAD RFA				XXXXXXXXXX

Maint Acts: BATT NICAD REFITTED IAW AAP 7212.007-2 REF MCS 772/09-11#2

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY913712

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0667	A23T	A1UOA	00	0667	A23T	A1UOA	00
	33490409201		19AUG09 03:04	A1PXXJY918546	33490409201		21AUG09 02:53	

A1PXXUY913800 COMPLETED 15DEC09 00:03 6636.7 AFHR SST XXxxXXxxXXxxXXxxXXxx  
 20AUG09 03:00 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 15DEC09 00:03  
 20AUG09 03:01 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 COUNTERSUNK RIVETS UNDERSIDE OF WING TO BE REPLACED IAW STI-PC9-0514  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: RIVETS REPLACED IAW STI-PC9-0514 REF 461343/2/1#5

A1PXXUY914000 COMPLETED 25AUG09 03:39 6636.7 AFHR SST XXxxXXxxXXxxXXxxXXxx  
 24AUG09 12:58 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 25AUG09 03:39  
 24AUG09 12:59 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 ELEVATOR ASSY REMOVED  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV ELEVATOR ASSY FITTED IAW AAP 7212.007-2 XREF 449352/4 3-6

REMOVALS/INSTALLATIONS FOR A1PXXUY914000

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	540	A23T	A2IBC	00	540	A23T	A2IBC	00
	555.20.09.257		24AUG09 12:59	A1PXXJY919039	555.20.09.257		25AUG09 03:37	

A1PXXUY914037 COMPLETED 25AUG09 13:27 6636.7 AFHR SST XXxxXXxxXXxxXXxxXXxx  
 25AUG09 06:44 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 25AUG09 13:27  
 25AUG09 06:46 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 A/C REQ'S MTF FOR REAR DUL OPS, HANDLING CX, R1 SERV, EDP CX & ASOR  
 CLEARANCE  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: CARREID OUT REF 444596

A1PXXUY914049 COMPLETED 27AUG09 02:56 6636.7 AFHR SST XXxxXXxxXXxxXXxxXXxx  
 25AUG09 13:51 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 27AUG09 02:56  
 25AUG09 13:52 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 A/C REQUIRE MTF FOR DUL OPS ,HANDLING CX'S R1 SERV , EDP CX'S AND  
 ASOR CLEARANCE  
 XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03019  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: MTF C/O SERV REF 449354-1

A1PXXUY914146	COMPLETED	28AUG09 02:37	6637.5	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
27AUG09 02:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			28AUG09 02:37
27AUG09 02:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRCRAFT REQUIRES AIRTEST FOR REAR DU1 OPS				XXxxXXxxXXxxXXxxXXxx

Maint Acts: CFUC/OREF449355-3

A1PXXUY914030	COMPLETED	01SEP09 23:28	6645.4	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
01SEP09 11:02	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			01SEP09 23:28
01SEP09 11:02	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				XXxxXXxxXXxxXXxxXXxx
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERV C/O IAW 7212-007-6-4 REF 449362-3-1-5

A1PXXUY914411	COMPLETED	02SEP09 02:45	6645.4	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
01SEP09 23:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			02SEP09 02:45
01SEP09 23:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRCRAFT REQUIRES AIRTEST FOR ASOR CLEARANCE				XXxxXXxxXXxxXXxxXXxx

Maint Acts: CFUC/OREF449363-2

A1PXXUY914417	COMPLETED	08SEP09 23:21	6660.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
08SEP09 09:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			08SEP09 23:21
08SEP09 09:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				XXxxXXxxXXxxXXxxXXxx
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERV C/O IAW 7212-007-6-4 REF 449375-4-1

A1PXXUY913828	COMPLETED	15SEP09 03:30	6660.7	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
08SEP09 11:04	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
08SEP09 11:04	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0512 due on Serial A23-033				15SEP09 03:30
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03020  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: STI-PC9-0512 INC REF 449375-4#1-5

A1PXXUY914791	COMPLETED	11SEP09 02:24	6660.7	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
08SEP09 11:11	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			11SEP09 02:24
08SEP09 11:11	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		PAINT SURFACE TO BE RESTORED ON NLG STRUT				XXXXXXXXXXXXXXXXXXXX

Maint Acts: NLG STRUT HAS BEEN PRIMED AS REQ'D IAW 7021.004-1 POST NDI REF 449375/4-1 #6

A1PXXUY915131	COMPLETED	15SEP09 03:15	6660.7	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
14SEP09 13:24	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			15SEP09 03:15
14SEP09 13:26	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		NAV RECEIVER KNR634A RFA				XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV NAV RECEIVER KNR634A REFITTED IAW AAP 7212.007-2 REF 449375-4#5-4

REMOVALS/INSTALLATIONS FOR A1PXXUY915131

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	10333	A23T	A1ULW	00	10333	A23T	A1ULW	00
	066-1078-14		14SEP09 13:26	A1PXXJY920369	066-1078-14		15SEP09 03:14	

A1PXXUY915132	COMPLETED	14SEP09 13:50	6660.7	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
14SEP09 13:27	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			14SEP09 13:50
14SEP09 13:28	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BATT NICAD LOW VOLTS				XXXXXXXXXXXXXXXXXXXX

Maint Acts: BATT NICAD REPLACED IAW APAP 7212,007-2 REF: 449375-4-4#6

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY915132

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0667	A23T	A1UOA	00	0160	A23T	A1UOA	00
	33490409201		14SEP09 13:28	A1PXXJY920370	33490409201		14SEP09 13:48	

A1PXXUY915188 COMPLETED 15SEP09 03:06 6660.7 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
 15SEP09 03:04 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 15SEP09 03:04 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 AHRU RFA  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV AHRU FITTED IAW AAP 7212.007-2 REF 449375-4#3-6

REMOVALS/INSTALLATIONS FOR A1PXXUY915188

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1039	A23T	A1ULY	01	1039	A23T	A1ULY	01
	124210-2022		15SEP09 03:04	A1PXXJY920432	124210-2022		15SEP09 03:05	

A1PXXUY915189 COMPLETED 15SEP09 03:13 6660.7 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
 15SEP09 03:07 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 15SEP09 03:07 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 SYMBOL GEN RFA  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV SYMBOL GEN REFITTED IAW AAP 7212.007-2 REF 449375-4#4-2

REMOVALS/INSTALLATIONS FOR A1PXXUY915189

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	3337	A23T	A1UOS	00	3337	A23T	A1UOS	00
	066-04015-0003		15SEP09 03:11	A1PXXJY920433	066-04015-0003		15SEP09 03:12	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03022  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY915191	COMPLETED	16SEP09 03:34	6660.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
15SEP09 03:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			16SEP09 03:34
15SEP09 03:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRCRAFT REQUIRES AIRTEST FOR DU1 + DU2				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	C/O SERV REF 449378-2				
A1PXXUY914809	COMPLETED	16SEP09 00:08	6660.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
15SEP09 09:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			16SEP09 00:08
15SEP09 09:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				XXxxXXxxXXxxXXxxXXxx
		PC-9 at WAC 0000				
	Maint Acts:	S40 C/O REF 449377-1-1				
A1PXXUY915236	COMPLETED	22SEP09 23:36	6672.0	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
22SEP09 10:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			22SEP09 23:36
22SEP09 10:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				XXxxXXxxXXxxXXxxXXxx
		PC-9 at WAC 0000				
	Maint Acts:	S40 SERV C/O IAW AAP 7212.007-6-4 REF 449387/1-1 #1				
A1PXXUY915597	COMPLETED	29SEP09 23:20	6682.2	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
29SEP09 14:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			29SEP09 23:20
29SEP09 14:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				XXxxXXxxXXxxXXxxXXxx
		PC-9 at WAC 0000				
	Maint Acts:	S40 SERVICING C/O IAW AAP 7212.007-6-4 EE508 REF SNOW 449396/1-1#1				
A1PXXUY915835	COMPLETED	30SEP09 13:24	6688.0	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
30SEP09 13:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
30SEP09 13:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		DURING STRAIGHT AND LEVEL FLIGHT EADI READS 5 DGS RIGHT WING LOW				30SEP09 13:24
						XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	LCR-92 AHRU REPLACED IAW AAP 7212.007-2. REF EE500 449400-1				



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03023  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY915835

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1039	A23T	A1ULY	01	1048	A23T	A1ULY	01
	124210-2022		30SEP09 13:21	A1PXXJY921260	124210-2022		30SEP09 13:22	

A1PXXUY915836 COMPLETED 01OCT09 08:05 6688.0 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
30SEP09 13:24 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
30SEP09 13:25 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
AIRCRAFT REQUIRES MTF FOR AHRs OPS  
01OCT09 08:05  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: MTF CARRIED OUT REFER 462852#1

A1PXXUY915894 COMPLETED 01OCT09 07:48 6688.9 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
01OCT09 07:43 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
01OCT09 07:44 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
NO MIDDLE MARKER CAPTION ON EADI WHEN MARKER PRESS TO TEST SWITCH  
PUSHED  
01OCT09 07:48  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: RECEIVER KNR 634A REPLACED IAW AAP 7212.007-2. REF EE500 462852-3

REMOVALS/INSTALLATIONS FOR A1PXXUY915894

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	10333	A23T	A1ULW	00	10591	A23T	A1ULW	00
	066-1078-14		01OCT09 07:44	A1PXXJY921337	066-1078-14		01OCT09 07:46	

A1PXXUY915988 COMPLETED 02OCT09 02:40 6690.0 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
02OCT09 02:36 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
02OCT09 02:37 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
LOSS OF WHITE POINTER ON DU..DISTANCE DISPLAY STAYED CORRECT  
02OCT09 02:40  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV KTU 709 FITTED IAW 7212-007-2 REF462853#2

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03024  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY915988

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
=====	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	2489	A23T	A1ULS	00	2004	A23T	A1ULS	00
	066-1074-01		02OCT09 02:38	A1PXXJY921407	985.99.11.661		02OCT09 02:38	

A1PXXUY915799 COMPLETED 06OCT09 23:41 6697.6 AFHR SST  
06OCT09 11:10 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 06OCT09 23:41  
06OCT09 11:10 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: S40 SERV C/O IAW 7212-007-6-4 REF 462859-4-1-1

A1PXXUY916154 COMPLETED 06OCT09 12:44 6697.6 AFHR SST  
06OCT09 12:30 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 06OCT09 12:44  
06OCT09 12:34 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
TACAN INFO (RADIAL & CRS BAR) NOT DISPLAYED. DIST STILL WORKING SAME  
AS PER EE500 346853 LINE TWO XXxxXXxxXXxxXXxxXXxx  
Maint Acts: SERV KDA689 DATA ADAPTOR REPLACED & TESTED IAW AAP7212.007-2 ASS  
SERV REF 462859 LINE TWO

REMOVALS/INSTALLATIONS FOR A1PXXUY916154

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
=====	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	10199	A23T	A1UMI	00	10206	A23T	A1UMI	00
	071-01227-0001		06OCT09 12:34	A1PXXJY921583	071-01227-0001		06OCT09 12:39	

A1PXXUY916184 COMPLETED 16OCT09 02:48 6707.3 AFHR SST  
13OCT09 13:01 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 16OCT09 02:48  
13OCT09 13:01 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: S40 CO SERV IAW 7212.007-6-4 REF EE508 462866-2-1-2

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY916666	COMPLETED	15OCT09 06:18	6707.3	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
15OCT09 06:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
15OCT09 06:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		NO TACAN RANGE OR WHITE POINTER				15OCT09 06:18
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV ADAPTER FITTED IAW 7212-007-2 REF 462886-2-3-3

REMOVALS/INSTALLATIONS FOR A1PXXUY916666

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	10206	A23T	A1UMI	00	10183	A23T	A1UMI	00
	071-01227-0001		15OCT09 06:15	A1PXXJY922324	071-01227-0001		15OCT09 06:16	

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY916667	COMPLETED	15OCT09 06:22	6707.3	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
15OCT09 06:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
15OCT09 06:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		TACAN LOCK OFFS ON EFIS SYSTEM				15OCT09 06:22
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV KNR634A FITTED IAW 7212-007-2 REF 462886-2-3-4

REMOVALS/INSTALLATIONS FOR A1PXXUY916667

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	10591	A23T	A1ULW	00	10592	A23T	A1ULW	00
	066-1078-14		15OCT09 06:20	A1PXXJY922329	066-1078-14		15OCT09 06:20	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03026  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY916694	COMPLETED	16OCT09 00:17	6707.3	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
16OCT09 00:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
16OCT09 00:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		SYMBOL GENERATOR REMOVED FOR FAULT FINDING				16OCT09 00:17
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV SYMBOL GENERATOR FITTED IAW AAP 7212.007-2 REF 462866-2-3-5

REMOVALS/INSTALLATIONS FOR A1PXXUY916694

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	3337	A23T	A1UOS	00	3464	A23T	A1UOS	00
	066-04015-0003		16OCT09 00:16	A1PXXJY922368	3614335-1004		16OCT09 00:16	

A1PXXUY916698	COMPLETED	20OCT09 03:38	6707.3	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
16OCT09 00:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
16OCT09 00:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRCRAFT REQUIRES AIRTEST FOR SYMBOL GEN AND TACAN OPS				20OCT09 03:38
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: CFUC/OREF462868-1

A1PXXUY916704	COMPLETED	20OCT09 23:26	6712.9	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
20OCT09 23:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			20OCT09 23:26
20OCT09 23:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033 PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O IAW 7212.007-6-4, P/W REF 462873-1-1

A1PXXUY916949	COMPLETED	21OCT09 09:56	6712.9	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
21OCT09 09:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			21OCT09 09:56
21OCT09 09:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		REAR C/P COMM'S 2 CONTROLLER FAILS N/F LIGHTING CHECKS				XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03027  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: REAR C/P COMM'S 2 CONTROLLER REPLACED IAW AAP 7212.007-2 REF: 462874-2

REMOVALS/INSTALLATIONS FOR A1PXXUY916949

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	2285	A23T	A1UHI	00	2474	A23T	A1UHI	00
	071-1282-39		21OCT09 09:52	A1PXXJY922752	071-1282-39		21OCT09 09:54	

A1PXXUY914042 COMPLETED 21OCT09 23:42 6714.1 AFHR SST  
21OCT09 23:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 21OCT09 23:42  
21OCT09 23:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S26 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S26 SERV CARRIED OUT IAW 7212-007-6-4 REFER 462874#4

A1PXXUY916902 COMPLETED 27OCT09 23:13 6729.0 AFHR SST  
27OCT09 10:57 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 27OCT09 23:13  
27OCT09 10:57 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERV C/O IAW AAP 7212-007--6-4 REF 462886-1-1-1

A1PXXUY917527 COMPLETED 02NOV09 11:00 6737.8 AFHR SST  
02NOV09 05:59 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 02NOV09 11:00  
02NOV09 05:59 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
BS1 due on Serial 0849  
PUMP FUEL HIGH PRES at WAC 0130 XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV FUEL HP PUMP INSTALLED IAW 7113.022-2 REF EE500 462894-1

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03028  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY917527

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 0849	A23T	A1SAI10	00	0801	A23T	A1SAI10	00	
3031806	02NOV09 10:58	A1PXXJY812683	3031806	02NOV09 10:59				

A1PXXUY917534 COMPLETED 02NOV09 11:27 6737.8 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
02NOV09 06:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
02NOV09 06:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
STARTER GENERATOR RFA  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV STARTER GEN FITTED IAW AAP 7212.007-2 REF 462894-2.1-2

REMOVALS/INSTALLATIONS FOR A1PXXUY917534

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 5505	A23T	A1SAI14	00	5505	A23T	A1SAI14	00	
23081-026	02NOV09 06:53	A1PXXJY923373	23081-026	02NOV09 11:26				

A1PXXUY917565 COMPLETED 03NOV09 03:26 6739.0 AFHR SST XXxxXXxxXXxxXXxxXXxx  
02NOV09 23:23 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
02NOV09 23:24 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
MTF REQUIRED TBCO POST HP FUEL PUMP CHANGE CURRENT AFHR 6739.0  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: MTF CO REF 462895-1

A1PXXUY917540 COMPLETED 03NOV09 06:16 6739.0 AFHR SST XXxxXXxxXXxxXXxxXXxx  
03NOV09 04:41 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
03NOV09 04:41 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERV C/O IAW AAP 7212.007-6-4 REF 462895/3-1 #1

A1PXXUY917678 COMPLETED 04NOV09 12:56 6740.1 AFHR SST XXxxXXxxXXxxXXxxXXxx  
04NOV09 06:21 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
04NOV09 06:24 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
AIRCRAFT REQUIRES AIRTEST FOR NG ADJUSTMENT  
XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03029  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: AIRTEST C/O REF 462897-1

A1PXXUY917694	COMPLETED	04NOV09 13:05	6742.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
04NOV09 12:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			04NOV09 13:05
04NOV09 12:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		LH AN RH TYRES WTL AND RH BRAKE ASSY WTL				XXxxXXxxXXxxXXxxXXxx

Maint Acts: LH+ RH HUBS AND RH BRAKE REPLACED IAW AAP 7212.007-2 REF 462897-2-1#2+#3

REMOVALS/INSTALLATIONS FOR A1PXXUY917694

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0114	A23T	A2KDM	01	0112	A23T	A2KDM	01
	3-1555		04NOV09 13:01	A1PXXJY923616	3-1555		04NOV09 13:01	
002	0071	A23T	A2KEI	01	0041	A23T	A2KEI	01
	3-1555		04NOV09 13:02	A1PXXJY923617	3-1555		04NOV09 13:03	
003	0229A	A23T	A2KEE	00	0211A	A23T	A2KEE	00
	959.47.81.705		04NOV09 13:03	A1PXXJY923618	959.47.81.705		04NOV09 13:03	

A1PXXUY917696	COMPLETED	05NOV09 06:17	6742.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
04NOV09 13:05	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			05NOV09 06:17
04NOV09 13:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRCRAFT REQUIRES AIRTEST FOR BRAKE OPS				XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST CO REF 462898-2

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03030  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY900684	COMPLETED	06NOV09 06:26	6745.7	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx	
06NOV09 04:55	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP				
06NOV09 04:55	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		S16 due on Serial A23-033				06NOV09 06:26	
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx	
	Maint Acts:	S16 SERVICING CARRIED OUT IAW AAP 7212.007-6-4 REF 461302-1					

A1PXXUY917611	COMPLETED	06NOV09 07:54	6747.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx	
06NOV09 07:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			06NOV09 07:54	
06NOV09 07:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		S40 due on Serial A23-033					
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx	
	Maint Acts:	S40 C/O IAW 7212.007-6-4 REF EE508 S/N 461302-3-1					

A1PXXUY918097	COMPLETED	10NOV09 09:50	6749.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx	
10NOV09 09:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			10NOV09 09:50	
10NOV09 09:48	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		L/H BRAKE ASSY WORN TO LIMITS					
						XXxxXXxxXXxxXXxxXXxx	
	Maint Acts:	NEW L/H BRAKE ASSY FITTED IAW 7212.007-2 REFER SNOW 461305-3-1-5					

REMOVALS/INSTALLATIONS FOR A1PXXUY918097

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0137	A23T	A2KDI	00	0238	A23T	A2KDI	00
	2-1524-1		10NOV09 09:48	A1PXXJY924014	959.47.81.705		10NOV09 09:49	

A1PXXUY918109	COMPLETED	12NOV09 01:46	6749.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
10NOV09 09:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			12NOV09 01:46
10NOV09 09:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		A/T REQUIRED FOR LEFT HAND BRAKE OPS AND NG ADJUSTMEN, CURRENT AFHR				
		6749.8				XXxxXXxxXXxxXXxxXXxx



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03031  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES -----  
SERV NUMBER STATUS STATUS DATE/TIME TOTAL LIFE INT TYPE CERTIFICATION TRADESMAN  
RAISED DATE/TIME RAISED USER ID RAISED NAME RAISED VENUE CAPABILITY CODE EPSS DATE/TIME  
ENTERED DATE/TIME ENTERED USER ID ENTERED NAME ENTERED VENUE IMIC NO SUPERVISOR  
OPERATION NO ASOR NO SYMPTOMS  
EE500PG EE500LN  
STA WL BL ADMIN MAINT ACTION/LIMITATIONS  
=====

Maint Acts: CFUC/OREF451306-2

A1PXXUY918184 COMPLETED 11NOV09 07:58 6749.8 AFHR SST XXxxXXxxXXxxXXxxXXxx  
11NOV09 07:42 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 11NOV09 07:58  
11NOV09 07:42 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
BS due on Serial 346  
REG PRESS REDUCING at WAC 0640 XXxxXXxxXXxxXXxxXXxx

Maint Acts: REG PRESS REDUCING REPLACED IAW AAP 7212,007-2 REF:461305#4

REMOVALS/INSTALLATIONS FOR A1PXXUY918184

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
001	346	A23T	A1UNC	02	462	A23T	A1UNC	02
	F103D000-15		11NOV09 07:44	A1PXXJY819899	F103D000-15		11NOV09 07:44	

A1PXXUY917918 COMPLETED 12NOV09 22:16 6752.0 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
12NOV09 11:14 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
12NOV09 11:14 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERVICING CARRIED OUT IAW AAP 7212.007-6-4 REF 461308-2#1-1

A1PXXUY918469 COMPLETED 20NOV09 05:24 6757.1 AFHR SST XXxxXXxxXXxxXXxxXXxx  
17NOV09 10:40 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 20NOV09 05:24  
17NOV09 10:42 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
VHF/UHF COMMS1 ANTENNA TO BE GOOPED AND HAVE ANTENNA BONDING PASTE  
APPLIED XXxxXXxxXXxxXXxxXXxx

aip0108317NOV09 23:39:35  
461312/1-1#5 NIL IMPACT ON AIRWORTHINESS OR AIRCRAFT OPERATIONS.  
NIL SEALANT  
ON THE COMMS1 ANTENNA DOES NOT EFFECT THE OPERATION OF THE SYSTEM  
TOTAL FAILURE IS ASSESSED AS IMPROBABLE.

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03032  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
=====						
	Maint Acts:	PR1764 APPLIED TO COMMS1 ANTENNA, WEATHER SEAL APPLIED IAW AAP 7212.007-2, REF: 461318/4-1#2 AND 461318/4-1#3				
A1PXXUY918522	COMPLETED	05MAR13 03:09	6757.1	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
18NOV09 06:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			05MAR13 03:09
18NOV09 06:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		461312#2 CRACKING EVIDENT AT 6 O'CLOCK POSITION ON FRAME 6				XXxxXXxxXXxxXXxxXXxx
		aip0108318NOV09 06:28:52				
		NIL IMPACT ON AIRWORTHINESS OR AIRCRAFT OPERATIONS. THE DAMAGE TO THE FRAME 6 HAS BEEN INSPECTED, DAMAGE HAS BEEN FOUND AT THE BOTTOM OF THE FRAME, THE DAMAGE IS RESTRICTED TO THE FRAME ONLY THERE IS NIL SECONDARY DAMAGE TO THE ADJOINING STRUCTURES. THE DAMAGE HAS BEEN ASSESSED AS LOW RISK ACCEPTABLE, TOTAL FAILURE OF THE STRUCTURE DUE TO THIS DAMAGE IS ASSESSED AS IMPROBABLE.				
		aip0145112JAN10 05:06:30				
		aip0145103NOV10 23:29:57				
		ACCEPTABLE LOW RISK				
	Maint Acts:	FRAME 6 REPLACEMENT AND MOD 7212.007-201 INC XREF MCS 1102/12 SH37/6 AND SH 9/6 IAW AAP 7212.007-3 AND -100,				
A1PXXUY918255	COMPLETED	19NOV09 23:12	6760.5	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
19NOV09 10:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			19NOV09 23:12
19NOV09 10:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 C/O IAW 7212.007-6-4, P/W REF SNOW 461316-1-1 US#1				
A1PXXUY918749	COMPLETED	23NOV09 11:55	6761.9	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
23NOV09 08:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			23NOV09 11:55
23NOV09 08:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRCRAFT REQUIRES AIRTEST FOR: NG ADJUSTMENT				
						XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	AIRTEST CARRIED OUT REFER 461320#1				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03033  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY918830	COMPLETED	25NOV09 02:24	6766.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
24NOV09 06:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			25NOV09 02:24
24NOV09 06:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
AIRCRAFT REQUIRES AIRTEST FOR : NG ADJUSTMENT						
XXxxXXxxXXxxXXxxXXxx						

Maint Acts: AIRTETST S=ASSESSED SERV REFER 461326#1&2

A1PXXUY918836	COMPLETED	24NOV09 07:45	6766.3	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
24NOV09 07:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
24NOV09 07:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
BS due on Serial 0160						
BATTERY NICAD at WAC 0660						
XXxxXXxxXXxxXXxxXXxx						

Maint Acts: SERV BATTERY NICAD FITTED IAW AAP 7212.007-2 REF 461325-1

REMOVALS/INSTALLATIONS FOR A1PXXUY918836

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0160	A23T	A1UOA	00	1467	A23T	A1UOA	00
	33490409201		24NOV09 07:43	A1PXXJY919324	33490409201		24NOV09 07:44	

A1PXXUY918838	COMPLETED	24NOV09 08:20	6766.3	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
24NOV09 08:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
24NOV09 08:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
BATTERY NICAD RFA						
XXxxXXxxXXxxXXxxXXxx						

Maint Acts: SERV BATTERY NICAD FITTED IAW AAP 7212.007-2 REF 436250-1

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY918838

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 1467	A23T	A1UOA	00	0939	A23T	A1UOA	00	
33490409201	24NOV09 08:18	A1PXXJY925128	33490409201	24NOV09 08:19				

A1PXXUY919000 COMPLETED 26NOV09 11:22 6770.0 AFHR SST  
 26NOV09 11:18 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 26NOV09 11:22  
 26NOV09 11:19 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 TACAN NEEDLE ON EHSI NOT WORKING, DME AND RMI FINE.  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: RECEIVER KNR 634A REPLACED IAW AAP 7212.007-2. REF EE500 461328-1

REMOVALS/INSTALLATIONS FOR A1PXXUY919000

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 10592	A23T	A1ULW	00	10564	A23T	A1ULW	00	
066-1078-14	26NOV09 11:19	A1PXXJY925358	066-1078-14	26NOV09 11:21				

A1PXXUY918637 COMPLETED 26NOV09 23:11 6770.0 AFHR SST  
 26NOV09 12:43 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 26NOV09 23:11  
 26NOV09 12:43 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 S40 due on Serial A23-033  
 PC-9 at WAC 0000  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O IAW AAP 7212.007-6-4 EE508 REF 461328/2-1#4

A1PXXUY919131 COMPLETED 30NOV09 06:31 6772.4 AFHR SST  
 30NOV09 00:47 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 30NOV09 06:31  
 30NOV09 00:49 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 A/T REQUIRED FOR NG ADJUSTMENT CURRENT AFHR 6772.4  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST CO REF 461332-1

A1PXXUY919137 COMPLETED 30NOV09 02:00 6772.4 AFHR SCM  
 30NOV09 01:56 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 30NOV09 01:56 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 FT due on Serial 4568  
 TRANSCEIVER KXP 756 at WAC 0730  
 XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03035  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: FT CARRIED OUT.461331-5-1-1.

A1PXXUY919043	COMPLETED	03DEC09 23:26	6784.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
03DEC09 12:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			03DEC09 23:26
03DEC09 12:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40	due on Serial A23-033			
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERV C/O IAW AAP 7212.007-6-4 REF 4613411-1 #1

A1PXXUY919468	COMPLETED	19JAN10 06:26	6786.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
07DEC09 21:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			19JAN10 06:26
07DEC09 21:48	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		REAR EFIS CONTROL PANEL	CANIBALISED TO A23-006			
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: REAR EFIS CONTROL PANEL REPLACED IAW AAP 7212.007-2. REF EE508  
461343-2-4-6

REMOVALS/INSTALLATIONS FOR A1PXXUY919468

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	3620	A23T	A1UIE	00	3345	A23T	A1UIE	00
	8095635-1005		07DEC09 21:48	A1PXXJY925947	8095635-1005		19JAN10 06:24	

A1PXXUY908343	COMPLETED	14DEC09 22:52	6786.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
07DEC09 22:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			14DEC09 22:52
07DEC09 22:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0500	due on Serial A23-033			
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-0500 C/O IAW INSTRUCTIONS REF MCS 1096/09

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY908353	COMPLETED	14DEC09 22:47	6786.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
07DEC09 22:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			14DEC09 22:47
07DEC09 22:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S57 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S57 C/O REF MCS 1069/09				
A1PXXUY908508	COMPLETED	08JAN10 02:41	6786.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
07DEC09 22:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			08JAN10 02:41
07DEC09 22:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		R2 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	R2 C/O IAW 7212.007-2 REF 461343-2-5-3				
A1PXXUY913704	COMPLETED	14DEC09 22:47	6786.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
07DEC09 22:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			14DEC09 22:47
07DEC09 22:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S20 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S20 C/O REF MCS 1069/09				
A1PXXUY913731	COMPLETED	14DEC09 22:48	6786.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
07DEC09 22:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			14DEC09 22:48
07DEC09 22:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S63 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S63 C/O IAW AAP 7212.007-6-4 REF MCS 1069/09				
A1PXXUY919470	COMPLETED	10DEC09 06:07	6786.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
07DEC09 22:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			10DEC09 06:07
07DEC09 22:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0517 due on Serial 171				
		CANOPY at WAC 0720				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	STI-PC9-517 C/O IAW INSTRUCTIONS REF MCS 1096/09				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY919471	COMPLETED	14DEC09 23:31	6786.7	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
07DEC09 22:25	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			14DEC09 23:31
07DEC09 22:25	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		STI-PC9-0506 due on Serial 533				
		VERTICAL STAB ASSY at WAC 1400				XXXXXXXXXXXXXXXXXXXX

Maint Acts: C/O REF MCS 1069/09

A1PXXUY919472	COMPLETED	14DEC09 23:31	6786.7	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
07DEC09 22:25	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			14DEC09 23:31
07DEC09 22:25	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		STI-PC9-0506 due on Serial 553				
		HORIZONTAL STAB ASS at WAC 1100				XXXXXXXXXXXXXXXXXXXX

Maint Acts: C/O REF MCS 1069/09

A1PXXUY919473	COMPLETED	14DEC09 23:00	6786.7	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
07DEC09 22:25	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			14DEC09 23:00
07DEC09 22:25	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		STI-PC9-422B due on Serial 027				
		WING ASSY at WAC 1500				XXXXXXXXXXXXXXXXXXXX

Maint Acts: STI-PC9-422B C/O REF MCS 1069/09

A1PXXUY919369	COMPLETED	15DEC09 05:19	6786.7	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
07DEC09 22:43	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			15DEC09 05:19
07DEC09 22:43	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S40 due on Serial A23-033				
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX

Maint Acts: S40 C/O IAW 7212.007-6-4 REF MCS 1096/09

A1PXXUY917653	COMPLETED	08DEC09 06:09	6786.7	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
07DEC09 22:44	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			08DEC09 06:09
07DEC09 22:44	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S46 due on Serial A23-033				
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX

Maint Acts: S46 CARRIED OUT IAW 7212.007-6-4 MCS REF 1096/09.

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03038  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY917653

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	67518	A23T	A0Y	00	67518	A23T	A0Y	00
	85020-8		08DEC09 06:07	A1PXXJY926034	85020-8		08DEC09 06:08	

A1PXXUY908503 COMPLETED 10DEC09 04:54 6786.7 AFHR SST  
07DEC09 22:45 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 10DEC09 04:54  
07DEC09 22:45 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S62 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S62 SERV CO IAW 7212.007-6-2 REF LSN MCS 1096/09-12-2

A1PXXUY916971 COMPLETED 10DEC09 04:52 6786.7 AFHR SST  
07DEC09 22:47 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 10DEC09 04:52  
07DEC09 22:47 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S26 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S26 SERV C/O UAW 7212.007-6-4 REF LSN MCS1096/09-13-5

A1PXXUY812830 COMPLETED 14DEC09 22:49 6786.7 AFHR SST  
07DEC09 22:48 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 14DEC09 22:49  
07DEC09 22:48 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S60 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S60 C/O IAW AAP 7212.007-6-4 REF MCS 1069/09

A1PXXUY917916 COMPLETED 09DEC09 02:48 6786.7 AFHR SST  
07DEC09 22:49 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 09DEC09 02:48  
07DEC09 22:49 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S16 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S16 SERV C/O IAW 7212.007-2 REF LSN MCS 1096/09-9-4

A1PXXUY919479 COMPLETED 14DEC09 23:28 6786.7 AFHR SST  
07DEC09 22:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 14DEC09 23:28  
07DEC09 22:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
STI-PC9-518A due on Serial 103155  
ENGINE CHANGE UNIT at WAC 0100 XXxxXXxxXXxxXXxxXXxx

Maint Acts: C/O REF MCS 1069/09



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME

EE500PG	EE500LN	BL	ADMIN	MAINT ACTION/LIMITATIONS	INSPECTOR	DATE/TIME
A1PXXUY919492	COMPLETED	11DEC09	00:46	6786.7	AFHR	SST
07DEC09	23:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		11DEC09 00:46
07DEC09	23:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		XXxxXXxxXXxxXXxxXXxx
				OH due on Serial L727346		
				SPRING STRUT RUD RH at WAC 141S		XXxxXXxxXXxxXXxxXXxx

Maint Acts: SPRING STRUT REPLACED WITH SERV ITEM IAW 7212.007-2 REF MCS 1096/09

REMOVALS/INSTALLATIONS FOR A1PXXUY919492

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	L727346	A23T	A2GAQ	00	PCY601190	A23T	A2GAQ	00
	527.20.09.120		09DEC09 02:20	A1PXXJ309778X	527.20.09.120		11DEC09 00:44	

A1PXXUY919493	COMPLETED	09DEC09	02:46	6786.7	AFHR	SST
07DEC09	23:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		09DEC09 02:46
07DEC09	23:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		XXxxXXxxXXxxXXxxXXxx
				TA due on Serial HLY400176		
				BATTERY ULB at WAC 0740		XXxxXXxxXXxxXXxxXXxx

Maint Acts: TRANSFERRED TO DL4395 SERV ULB FITTED IAW 7212.007-2 REF LSN MCS 1096/09-14-4

REMOVALS/INSTALLATIONS FOR A1PXXUY919493

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	DL4395	A23T	A1UPM00	00	SC62462	A23T	A1UPM00	00
	266-E0305-00		09DEC09 02:38	A1PXXJY926120	DK120		09DEC09 02:40	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES -----  
 SERV NUMBER STATUS STATUS DATE/TIME TOTAL LIFE INT TYPE CERTIFICATION TRADESMAN  
 RAISED DATE/TIME RAISED USER ID RAISED NAME RAISED VENUE CAPABILITY CODE EPSS DATE/TIME  
 ENTERED DATE/TIME ENTERED USER ID ENTERED NAME ENTERED VENUE IMIC NO SUPERVISOR  
 OPERATION NO ASOR NO SYMPTOMS  
 EE500PG EE500LN  
 STA WL BL ADMIN MAINT ACTION/LIMITATIONS  
 =====

A1PXXUY919494 COMPLETED 08DEC09 23:14 6786.7 AFHR SST XXxxXXxxXXxxXXxxXXxx  
 07DEC09 23:19 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 08DEC09 23:14  
 07DEC09 23:19 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 BS due on Serial RT128  
 FUEL NOZZLE SET at WAC 0120 XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV FUEL NOZZLE SET SN:RT132 FITTED IAW 7113.022-2B REF MCS1096/09  
 SHEET 14 US 2

REMOVALS/INSTALLATIONS FOR A1PXXUY919494

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	RT128 RAAFA62FNS01	A23T	A1SAK27 08DEC09 23:11	00 A1PXXJY909434	RT132 RAAFA62FNS01	A23T	A1SAK27 08DEC09 23:12	00

A1PXXUY919497 COMPLETED 14DEC09 23:04 6786.7 AFHR SST XXxxXXxxXXxxXXxxXXxx  
 07DEC09 23:25 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 14DEC09 23:04  
 07DEC09 23:25 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 NDT due on Serial 027LH  
 LWNG CNTR LWSKN RS at WAC 0900 XXxxXXxxXXxxXXxxXXxx

Maint Acts: C/O REF MCS 1069/09

A1PXXUY919498 COMPLETED 14DEC09 23:05 6786.7 AFHR SST XXxxXXxxXXxxXXxxXXxx  
 07DEC09 23:25 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 14DEC09 23:05  
 07DEC09 23:25 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 NDT due on Serial 027RH  
 RWNG CNTR LWSKN RS at WAC 1000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: C/O REF MCS 1069/09

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY919499	COMPLETED	14DEC09 23:07	6786.7	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
07DEC09 23:25	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			14DEC09 23:07
07DEC09 23:25	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		NDT due on Serial 033				
		FRM 7 STR 8L & 8R at WAC 0670				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	C/O REF MCS 1069/09				
A1PXXUY919500	COMPLETED	14DEC09 23:09	6786.7	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
07DEC09 23:25	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			14DEC09 23:09
07DEC09 23:25	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		NDT due on Serial 033				
		FRM 8 STR 1AL & 1AR at WAC 0670				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	C/O REF MCS 1069/09				
A1PXXUY919501	COMPLETED	14DEC09 23:12	6786.7	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
07DEC09 23:25	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			14DEC09 23:12
07DEC09 23:25	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		NDT due on Serial 033				
		FRM 8 STR 8L & 8R at WAC 0670				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	C/O REF MCS 1069/09				
A1PXXUY919502	COMPLETED	14DEC09 23:13	6786.7	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
07DEC09 23:25	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			14DEC09 23:13
07DEC09 23:25	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		NDT due on Serial 033				
		FRM 9 STR 6L & 6R at WAC 0670				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	C/O REF MCS 1069/09				
A1PXXUY919503	COMPLETED	14DEC09 23:15	6786.7	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
07DEC09 23:25	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			14DEC09 23:15
07DEC09 23:25	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		NDT due on Serial 033				
		FRM 10 STR 2L & 2R at WAC 0670				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	C/O REF MCS 1069/09				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY919504	COMPLETED	14DEC09 23:16	6786.7	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
07DEC09 23:25	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			14DEC09 23:16
07DEC09 23:25	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		NDT due on Serial 033				
		FRM 10 ST 2CL & 2CR at WAC 0670				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	C/O REF MCS 1069/09				
A1PXXUY919505	COMPLETED	14JAN10 03:56	6786.7	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
07DEC09 23:25	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			14JAN10 03:56
07DEC09 23:25	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		TA due on Serial 0115				
		VALVE REFILL OXYGEN at WAC 0640				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	SERV VALVE REFILL OXYGEN FITTED IAW AAP 7212.007-2 REF 461343-2-6#5				
A1PXXUY919506	COMPLETED	09DEC09 05:36	6786.7	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
07DEC09 23:25	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			09DEC09 05:36
07DEC09 23:25	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		FT due on Serial DN8236				
		BCN UNDERWATER LOC at WAC 0640				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	FT C/O IAW 7212.007-6-4 REF LSN MCS 1069/09-14-3				
A1PXXUY919509	COMPLETED	09DEC09 11:32	6786.7	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
08DEC09 03:20	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			09DEC09 11:32
08DEC09 03:23	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		F&R EJECTION SEATS REMOVED & COMANDS DISARMED				
						XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	F+R SEATS AND CMD SYSTEM FITTED IAW 7212-00--2 REF MCS1102-1104/09				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03043  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 REMOVALS/INSTALLATIONS FOR A1PXXUY919509 PERIOD: 01JAN90 TO 08JAN20

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 062	A23T	A26	00	062	A23T	A26	00	
AU11A-2	08DEC09 03:25	A1PXXJY925979	AU11A-2	09DEC09 11:24				
002 075	A23T	A1W	00	075	A23T	A1W	00	
AU11A-1	08DEC09 03:27	A1PXXJY925981	AU11A-1	09DEC09 11:23				

A1PXXUY919525 COMPLETED 08DEC09 05:26 6786.7 AFHR SST  
 08DEC09 05:18 XXXXX  
 08DEC09 05:18 XXXXX  
 LP FUEL FILTER ELEMENT DUE OVERHAUL  
 XXXXX

Maint Acts: LP FUEL ELEMENT FITTED IAW 7212.007-2 REF MCS1096/09 SHEET 45 US 1

REMOVALS/INSTALLATIONS FOR A1PXXUY919525

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 L320731	A23T	A1UJK00	00	R716488	A23T	A1UJK00	00	
03W1738-231	08DEC09 05:19	A1PXXJY926005	03W1738-231	08DEC09 05:20				

A1PXXUY919527 COMPLETED 10DEC09 05:36 6786.7 AFHR SST  
 08DEC09 05:26 XXXXX  
 08DEC09 05:26 XXXXX  
 MLG & NLG HUB ASSY RFA  
 XXXXX

Maint Acts: NLG AND MLG HUB ASSYS REFITTED IAW 7212.007-2 REF MCS 1096/09

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03044  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 REMOVALS/INSTALLATIONS FOR A1PXXUY919527  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 0007 3-1451 OPT 1	A23T 08DEC09 05:27	A18AG A1PXXJY926006	00	0007 3-1451 OPT 1	A23T	A18AG 10DEC09 05:33	00	
002 0112 3-1555	A23T 08DEC09 05:28	A2KDM A1PXXJY926007	01	0112 3-1555	A23T	A2KDM 09DEC09 05:45	01	
003 0041 3-1555	A23T 08DEC09 05:29	A2KEI A1PXXJY926008	01	0041 3-1555	A23T	A2KEI 09DEC09 05:41	01	

A1PXXUY919531 COMPLETED 09DEC09 23:52 6786.7 AFHR SST  
 08DEC09 05:53 XXXXX  
 08DEC09 05:54 XXXXX  
 BATT NICAD AND RACK RFA  
 XXXXX  
 XXXXX  
 XXXXX

Maint Acts: BATT NICAD AND RACK REFITTED IAW 7212.007-2 REF LSN MCS 1096/09-76-6

REMOVALS/INSTALLATIONS FOR A1PXXUY919531

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 0939 33490409201	A23T 08DEC09 05:54	A1UOA A1PXXJY926026	00	0939 33490409201	A23T	A1UOA 09DEC09 23:51	00	

A1PXXUY919532 COMPLETED 09DEC09 23:57 6786.7 AFHR SST  
 08DEC09 05:56 XXXXX  
 08DEC09 05:57 XXXXX  
 BOTH INVS AND RACK RFA  
 XXXXX  
 XXXXX  
 XXXXX

Maint Acts: BOTH INVS AND RACK REFITTED IAW 7212.007-2 REF LSN MCS 1096/09-16-5

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY919532

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	6567	A23T	A1UOE	01	6567	A23T	A1UOE	01
	975.04.21.103		08DEC09 05:57	A1PXXJY926027	975.04.21.103		09DEC09 23:55	
002	6568	A23T	A1UOG	01	6568	A23T	A1UOG	01
	975.04.21.103		08DEC09 05:58	A1PXXJY926029	975.04.21.103		09DEC09 23:54	

A1PXXUY919535 COMPLETED 09DEC09 02:36 6786.7 AFHR SST  
 08DEC09 06:02 XXXXX  
 08DEC09 06:03 XXXXX  
 STARTER GEN RFA  
 XXXXX  
 XXXXX

Maint Acts: STARTER GEN REFITTED IAW 7212.007-2 REF LSN MCS 1096/09-73-6

REMOVALS/INSTALLATIONS FOR A1PXXUY919535

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	5505	A23T	A1SAI14	00	5505	A23T	A1SAI14	00
	23081-026		08DEC09 06:03	A1PXXJY926031	23081-026		09DEC09 02:34	

A1PXXUY919540 COMPLETED 09DEC09 06:10 6786.7 AFHR SST  
 08DEC09 06:14 XXXXX  
 08DEC09 06:15 XXXXX  
 ELEVATOR AND HORI STAB RFA  
 XXXXX

Maint Acts: ELEVATOR AND HORI STAB INSTALLED IAW 7212.007-2 REF LSN MCS 1096/09 SHEET 18 US# 4,5

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03046  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY919540

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	540	A23T	A2IBC	00	540	A23T	A2IBC	00
	555.20.09.257		08DEC09 06:15	A1PXXJY926036	555.20.09.257		09DEC09 06:08	
002	553	A23T	A2I	00	553	A23T	A2I	00
	555.10.09.130		08DEC09 06:16	A1PXXJY926037	555.10.09.130		09DEC09 06:08	

A1PXXUY919541 COMPLETED 10DEC09 06:17 6786.7 AFHR SST XXxxXXxxXXxxXXxxXXxx  
08DEC09 06:17 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 10DEC09 06:17  
08DEC09 06:18 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
LH AND RH INBOARD FLAPS AND AIRBRAKE RFA  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: LH, RH FLAPS AND AIRBRAKE REFITTED IAW 7212.007-2 REF MCS 1096/09

REMOVALS/INSTALLATIONS FOR A1PXXUY919541

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	536	A23T	A2KCW04	00	536	A23T	A2KCW04	00
	557.52.09.009		08DEC09 06:18	A1PXXJY926038	557.52.09.009		10DEC09 06:15	
002	167	A23T	A2KCW06	00	167	A23T	A2KCW06	00
	557.52.09.010		08DEC09 06:19	A1PXXJY926052	557.52.09.010		10DEC09 06:13	
003	528	A23T	A2KBA	00	528	A23T	A2KBA	00
	557.53.09.002		08DEC09 06:20	A1PXXJY926053	557.53.09.002		10DEC09 06:11	

A1PXXUY919660 COMPLETED 10DEC09 00:03 6786.7 AFHR SST XXxxXXxxXXxxXXxxXXxx  
09DEC09 23:57 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 10DEC09 00:03  
09DEC09 23:58 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
MLG DOOR ACTUATOR LEAKING  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: MLG DOOR ACTUATOR REPLACED WITH DERV ITEM IAW AAP 7212-007-2 REF  
(Continued on next page.)



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03047  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

(Continued from previous page.)  
1052/309

REMOVALS/INSTALLATIONS FOR A1PXXUY919660

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	YH171524	A23T	A2KBI	00	FYH174509	A23T	A2KBI	00
	4037 H2		10DEC09 00:01	A1PXXJY926179	4037 H2		10DEC09 00:02	

A1PXXUY919674 COMPLETED 10DEC09 04:50 6786.7 AFHR SST XXxxXXxxXXxxXXxxXXxx  
10DEC09 04:43 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 10DEC09 04:50  
10DEC09 04:45 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
FRONT OXY GAUGE FAILS LOW OXY WARNING CX, READS 70PSI OVER MAX  
TOLLERANCE [ 300+/-30PSI] XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV OXY GAUGE FITTED IAW 7212.007-2 REF MCS 1096/09-19-4

REMOVALS/INSTALLATIONS FOR A1PXXUY919674

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	018	A23T	A1UDS	00	061	A23T	A1UDS	00
	DK463-10		10DEC09 04:46	A1PXXJY926214	DK463-10		10DEC09 04:48	

A1PXXUY919740 COMPLETED 14DEC09 03:00 6786.7 AFHR SST XXxxXXxxXXxxXXxxXXxx  
11DEC09 01:01 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 14DEC09 03:00  
11DEC09 01:01 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
FDR RFA XXxxXXxxXXxxXXxxXXxx

Maint Acts: FDR REFITTED IAW 7212.007-2 REF LSN MCS 1096/09-20-4

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03048  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR 1PXXUY919740

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	01496	A23T	A1UPM	00	01496	A23T	A1UPM	00
	S703-1000-01		11DEC09 01:01	1PXXJY926254	S703-1000-01		14DEC09 02:56	

1PXXUY919858 COMPLETED 15DEC09 02:00 6786.7 AFHR SST  
15DEC09 01:52 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 15DEC09 02:00  
15DEC09 01:55 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
VLV PRESS REGULATING REMOVED FOR FAULT FINDING, POSSIBLE OPENING TOO  
MUCH AT HIGH AND LOW SETTINGS. XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV VALVE PRESS REGULATING INSTALLED IAW 7212.007-2 MCS REF  
1096/09.

REMOVALS/INSTALLATIONS FOR 1PXXUY919858

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	942	A23T	A0Q	00	996	A23T	A0Q	00
	3213876-9		15DEC09 01:56	1PXXJY926333	3213876-9		15DEC09 01:59	

1PXXUY919859 COMPLETED 15DEC09 05:38 6786.7 AFHR SST  
15DEC09 02:01 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 15DEC09 05:38  
15DEC09 02:03 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
FUEL FLOW TX SHOWING 3 INDICATION WITH ENGINE NOT RUNNING. XXxxXXxxXXxxXXxxXXxx

Maint Acts: TX FUEL FLOW RE-FITTED SERV IAW7212-007-2

REMOVALS/INSTALLATIONS FOR 1PXXUY919859

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	2844	A23T	A1SAI20	00	2844	A23T	A1SAI20	00
	975.35.12.602		15DEC09 02:04	1PXXJY926334	975.35.12.602		15DEC09 05:38	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY919860	COMPLETED	15DEC09 23:18	6786.7	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
15DEC09 03:37	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			15DEC09 23:18
15DEC09 03:40	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
FRONT OXY GAUGE FLUCUATES TO FSD WHEN TAPPED OR ENG RUNNING						
XXXXXXXXXXXXXXXXXXXX						

Maint Acts: SERV IND OXY FITTED IAW 7212.007-2 REF EE508 461343-2-2-4

REMOVALS/INSTALLATIONS FOR A1PXXUY919860

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	061	A23T	A1UDS	00	107	A23T	A1UDS	00
	DK463-10		15DEC09 03:41	A1PXXJY926335	DK463-10		15DEC09 23:15	

A1PXXUY919909	COMPLETED	15DEC09 05:31	6786.7	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
15DEC09 05:23	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			15DEC09 05:31
15DEC09 05:25	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
FUEL FLOW READS O3 WITH ENG OFF						
XXXXXXXXXXXXXXXXXXXX						

Maint Acts: SERV FUEL FLOW SIG CONDITONER FITTED IAW 7212.007-2 REF EE508 46134-2-3-4

REMOVALS/INSTALLATIONS FOR A1PXXUY919909

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	292	A23T	A1UEG	00	201	A23T	A1UEG	00
	360-943-001P		15DEC09 05:25	A1PXXJY926353	987.91.15.110		15DEC09 05:27	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03050  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY919910	COMPLETED	15DEC09 05:39	6786.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
15DEC09 05:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			15DEC09 05:39
15DEC09 05:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx

SICU REMOVED AND REPLACED WITH SERV ITEM FOR FAULT FINDING

Maint Acts: FAULT FINDING C/O SICU FOUND TO BE SERV AND REFITTED IAW 7212.007-2  
REF EE508 461343-2-2-6

A1PXXUY919935	COMPLETED	26NOV13 04:38	6786.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
16DEC09 00:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			26NOV13 04:38
16DEC09 00:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx

PANEL AFT OF F7 CRACKED AND STOP DRILLED AT LH AND RH SIDES

aip0145112JAN10 05:09:56  
461343-2/5#2. NIL IMPACT ON AIRWORTHINESS OR AIRCRAFT OPERATIONS.  
THE DAMAGE HAS BEEN TEMP REPAIRED (STOP DRILLED) TO PREVENT ANY  
FURTHER DAMAGE. THERE IS NIL EVIDENCE OF ANY SECONDARY DAMAGE TO THE  
SURROUNDING AREA. THE AREA CAN BE INSPECTED AT EACH FLIGHT SERVICING  
FOR ANY FURTHER DAMAGE. TOTAL FAILURE OF THE AREA DUE TO THIS DAMAGE  
IS ASSESSED AS IMPROBABLE.

aip0145103NOV10 23:46:20  
ACCEPTABLE LOW RISK

Maint Acts: WING TO FUSELAGE FAIRING AFT OF F7 PANEL REPLACED WITH SERV ITEM IAW  
AAP 7212.007-3 XREF AIP MCS 1466/13/6/1

A1PXXUY919936	COMPLETED	20JAN10 04:44	6786.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
16DEC09 00:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			20JAN10 04:44
16DEC09 00:44	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx

A/C REQUIRES MTF POST R2 + HANDLING CX

Maint Acts: MTF CARRIED OUT REFER 461345#1

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03051  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY919908	COMPLETED	19JAN10 23:24	6786.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
13JAN10 09:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			19JAN10 23:24
13JAN10 09:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 SERV C/O IAW 7212.007-6-4 REF SNOW 461343-2-6-1				

A1PXXU1000677	COMPLETED	19JAN10 22:53	6786.7	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
19JAN10 22:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
19JAN10 22:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BATT NICAD VOLTS 14.8 NO LOAD				19JAN10 22:53
						XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	SERV BATT NICAD FITTED IAW 7212-007-2 REF 461343-2-7-2				

REMOVALS/INSTALLATIONS FOR A1PXXU1000677

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0939	A23T	A1UOA	00	1245	A23T	A1UOA	00
	33490409201		19JAN10 22:51	A1PXXJ1001053	33490409201		19JAN10 22:52	

A1PXXU1000692	COMPLETED	21JAN10 02:56	6787.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
20JAN10 09:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			21JAN10 02:56
20JAN10 09:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 SERV C/O IAW 7212-007-6-4 REFER 461345-5,2,1				

A1PXXU1000743	COMPLETED	09FEB10 08:37	6787.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
20JAN10 22:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			09FEB10 08:37
20JAN10 22:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		A/C AWAITING PATCH CX RESULTS, A/C AUTHORISED TO FLY FOR 50AFHRS OR 28 DAYS				XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03052  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: PATCH CHECK RESULTS CLEAR REFER REPORT DATED 27JAN, REFER 469562-1,2#3

A1PXXU1000802	COMPLETED	21JAN10 07:59	6787.7	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
21JAN10 07:53	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			21JAN10 07:59
21JAN10 07:56	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		FWD OXY GAUGE FLUCTUATING ON GROUND AND IN FLIGHT				XXXXXXXXXXXXXXXXXXXX

Maint Acts: FWD C/P OXY GAUGE REPLACED IAW AAP 7212.007-2 REF: 461347#1

REMOVALS/INSTALLATIONS FOR A1PXXU1000802

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	107	A23T	A1UDS	00	019	A23T	A1UDS	00
	DK463-10		21JAN10 07:56	A1PXXJ1001216	DK463-10		21JAN10 07:57	

A1PXXU1000838	COMPLETED	27JAN10 22:19	6795.4	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
27JAN10 14:01	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			27JAN10 22:19
27JAN10 14:01	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S40	due on Serial A23-033			XXXXXXXXXXXXXXXXXXXX
		PC-9	at WAC 0000			XXXXXXXXXXXXXXXXXXXX

Maint Acts: S40 C/O IAW 7212.007-6-4 REF EE508 SN 469552-3 SHT 1 US # 1

A1PXXU1001162	COMPLETED	29JAN10 08:02	6798.1	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
29JAN10 07:55	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			29JAN10 08:02
29JAN10 07:57	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		REAR ESDP NG GAUGE NIL BACKLIGHTING				XXXXXXXXXXXXXXXXXXXX

Maint Acts: REAR ESDP REPLACED IAW AAP 7212.007-2. REF EE500469554-1

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03053  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1001162

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	90090100	A23T	A1UHO	00	88070025A	A23T	A1UHO	00
	150.0001-2		29JAN10 07:58	A1PXXJ1001633	150.0001-2		29JAN10 08:00	

A1PXXU1001163 COMPLETED 01FEB10 07:10 6798.1 AFHR SST  
29JAN10 08:02 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 01FEB10 07:10  
29JAN10 08:03 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
AIRTEST REQUIRED FOR REAR ESDP OPS  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST CO REF 469555-1

A1PXXU1001323 COMPLETED 01FEB10 12:56 6799.3 AFHR SCM  
01FEB10 12:52 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
01FEB10 12:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 01FEB10 12:56  
FWD CPT ASI U/S XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV ASI FITTED TO FWD CPT IAW AAP 7212.007-2REF 469555-4#1-4

REMOVALS/INSTALLATIONS FOR A1PXXU1001323

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	116	A23T	A1UDQ	00	238	A23T	A1UDQ	00
	40807-K2316		01FEB10 12:54	A1PXXJ1001711	40807-K2316		01FEB10 12:56	

A1PXXU1001324 COMPLETED 01FEB10 13:03 6799.3 AFHR SCM  
01FEB10 12:58 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
01FEB10 12:58 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 01FEB10 13:03  
REAR LGCU U/S XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV LGCU FITTED TO REAR CPT IAW AAP 7212.007-2 REF 469555-4#1-5

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03054  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1001324

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	050	A23T	A1UGY	00	094	A23T	A1UGY	00
	532.30.09.321		01FEB10 12:58	A1PXXJ1001712	532.30.09.321		01FEB10 13:02	

A1PXXU1001325	COMPLETED	02FEB10 06:29	6799.3	AFHR	SCM	XXXXXXXXXX	
01FEB10 13:04	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX	
01FEB10 13:05	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX	
		AIRCRAFT REQUIRES MTF FOR LGCU + FWD ASI OPS					02FEB10 06:29
						XXXXXXXXXX	

Maint Acts: AIRTEST CO REF 469556-1

A1PXXU1001391	COMPLETED	02FEB10 22:19	6800.5	AFHR	SST	XXXXXXXXXX	
02FEB10 07:29	XXXXXXXX	XXXXXXXXXX	AIP			02FEB10 22:19	
02FEB10 07:30	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX	
		FATIGUE METER ACCELEROMETER REMOVED FOR STI PC9 520					XXXXXXXXXX

Maint Acts: ITEM REFITTED, STI TBCO REF INSTRUCTION - MCS ACTION

REMOVALS/INSTALLATIONS FOR A1PXXU1001391

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	795	A23T	A1ULC	00	795	A23T	A1ULC	00
	10020		02FEB10 07:31	A1PXXJ1001819	10020		02FEB10 22:16	

A1PXXU1001017	COMPLETED	03FEB10 22:44	6800.5	AFHR	SST	XXXXXXXXXX	
03FEB10 12:01	XXXXXXXX	XXXXXXXXXX	AIP			03FEB10 22:44	
03FEB10 12:01	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX	
		S40 due on Serial A23-033 PC-9 at WAC 0000					XXXXXXXXXX

Maint Acts: S40 SERVICE C/O IAW 7212.007-6-4 REFER EE508 469556-5-1-1

A1PXXU1001509	COMPLETED	04FEB10 00:35	6800.5	AFHR	SST	XXXXXXXXXX	
04FEB10 00:30	XXXXXXXX	XXXXXXXXXX	AIP			04FEB10 00:35	
04FEB10 00:30	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX	
		STI-PC9-0520 due on Serial A23-033 PC-9 at WAC 0000					XXXXXXXXXX



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03055  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: SERV FATIG METER ACC UNIT FITTED IAW AAP 7212.007-2 REF 469556/4

REMOVALS/INSTALLATIONS FOR A1PXXU1001509

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	795	A23T	A1ULC	00	818	A23T	A1ULC	00
	10020		04FEB10 00:31	A1PXXJ1001994	10020		04FEB10 00:33	

A1PXXU1001614 COMPLETED 05FEB10 05:37 6805.1 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
05FEB10 05:31 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
05FEB10 05:33 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
FRONT OXYGEN GAUGE OVER READS  
05FEB10 05:37  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: FRONT OXYGEN GAUGE REPLACED IAW AAP 7212.007-2 REF#469559-1

REMOVALS/INSTALLATIONS FOR A1PXXU1001614

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	019	A23T	A1UDS	00	031	A23T	A1UDS	00
	DK463-10		05FEB10 05:33	A1PXXJ1002121	DK463-10		05FEB10 05:35	

A1PXXU1001748 COMPLETED 09FEB10 05:41 6807.4 AFHR SST XXxxXXxxXXxxXXxxXXxx  
09FEB10 05:34 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
09FEB10 05:36 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
AOA PROBE BINDING THROUGH UPPER TRAVEL POINT  
09FEB10 05:41  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: TRANSMITTER AOA REPLACED IAW AAP 7212.007-2, REF: 469562/1#1

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR 1PXXU1001748

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	6154	A23T	A2KGA	00	6153	A23T	A2KGA	00
	12P		09FEB10 05:38	1PXXJ1002408	12P		09FEB10 05:39	

1PXXU1001750 COMPLETED 09FEB10 06:08 6809.2 AFHR SST  
09FEB10 06:03 XXxxXXxx XXxxXXxxXXxxXXxx AIP 09FEB10 06:08  
09FEB10 06:05 XXxxXXxx XXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
FRONT OXY CONTENTS GAUGE UNDERREADS BY APPROX 250 PSI  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: FRONT OXY CONTENTS GAUGE REPLACED IAW AAP 7212.007-2. REF EE508  
469562-1-1-1

REMOVALS/INSTALLATIONS FOR 1PXXU1001750

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	031	A23T	A1UDS	00	038	A23T	A1UDS	00
	DK463-10		09FEB10 06:06	1PXXJ1002429	DK463-10		09FEB10 06:07	

1PXXU1001762 COMPLETED 11FEB10 07:54 6809.2 AFHR SST  
09FEB10 08:38 XXxxXXxx XXxxXXxxXXxxXXxx AIP 11FEB10 07:54  
09FEB10 08:40 XXxxXXxx XXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
AIRCRAFT REQUIRES MTF FOR AOA OPS AND FRONT ESDP OPS  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: MTF C/O SERV REF 469594-1

1PXXU1001763 COMPLETED 12FEB10 08:03 6809.2 AFHR SST  
09FEB10 08:43 XXxxXXxx XXxxXXxxXXxxXXxx AIP 12FEB10 08:03  
09FEB10 08:45 XXxxXXxx XXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
AOA PROBE REQUIRES WEATHER SEAL POST REPLACEMENT  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: WEATHER SEAL C/O IAW 7212.007-2 REF 469565-4--2-6

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03057  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME
=====						
A1PXXU1001774	COMPLETED	09FEB10 09:31	6809.2	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
09FEB10 09:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
09FEB10 09:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FRONT ESDP U/S				09FEB10 09:31
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV ESDP FITTED IAW AAP 7212.007-2 REF 469562-1#2-2

REMOVALS/INSTALLATIONS FOR A1PXXU1001774

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	88010008B	A23T	A1UDI	00	90070093	A23T	A1UDI	00
	150.0001-2		09FEB10 09:28	A1PXXJ1002466	150.0001-2		09FEB10 09:30	

A1PXXU1001484	COMPLETED	10FEB10 22:22	6809.2	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
10FEB10 10:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			10FEB10 22:22
10FEB10 10:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40		due on Serial A23-033		
		PC-9		at WAC 0000		XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/OUT IAW 7212.007-6-4 REF 469562-3-1#1

A1PXXU1001898	COMPLETED	12FEB10 02:12	6809.2	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
11FEB10 07:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			12FEB10 02:12
11FEB10 07:55	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRCRAFT REQUIRES AIRTEST FOR NOSE WHEEL SHIMMY				
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST ASSESSED SERV REFER 469565#1&2

A1PXXU1001991	COMPLETED	15FEB10 23:49	6810.8	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
12FEB10 05:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
12FEB10 05:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FWD AND REAR PSP RFA				15FEB10 23:49
						XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03058  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES -----  
 SERV NUMBER STATUS STATUS DATE/TIME TOTAL LIFE INT TYPE CERTIFICATION TRADESMAN  
 RAISED DATE/TIME RAISED USER ID RAISED NAME RAISED VENUE CAPABILITY CODE EPSS DATE/TIME  
 ENTERED DATE/TIME ENTERED USER ID ENTERED NAME ENTERED VENUE IMIC NO SUPERVISOR  
 OPERATION NO ASOR NO SYMPTOMS  
 EE500PG EE500LN  
 STA WL BL ADMIN MAINT ACTION/LIMITATIONS  
 =====

Maint Acts: SERV PSPS FITTED IAW 7291-042-2M REF 469565-4-2-5

REMOVALS/INSTALLATIONS FOR A1PXXU1001991

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	DF5420	A23T	A26BG	00	DF5420	A23T	A26BG	00
STANDARDPACK-1	12FEB10 05:24	A1PXXJ1002730	STANDARDPACK-1	15FEB10 23:47				
002	DC4959	A23T	A1WBG	00	DC4959	A23T	A1WBG	00
STANDARDPACK-1	12FEB10 05:26	A1PXXJ1002731	STANDARDPACK-1	15FEB10 23:46				

A1PXXU1002040 COMPLETED 15FEB10 23:39 6810.8 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
 15FEB10 03:01 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 15FEB10 03:03 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 FRONT AND REAR SEATS RFA (FOD)  
 15FEB10 23:39  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV SEATS FITTED IAW 7291-042-2M REF MCS109-112/10

REMOVALS/INSTALLATIONS FOR A1PXXU1002040

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	075	A23T	A1W	00	075	A23T	A1W	00
AU11A-1	15FEB10 03:04	A1PXXJ1002810	AU11A-1	15FEB10 23:35				
002	062	A23T	A26	00	062	A23T	A26	00
AU11A-2	15FEB10 03:08	A1PXXJ1002811	AU11A-2	15FEB10 23:34				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1002100	COMPLETED	17FEB10 05:09	6810.8	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
16FEB10 00:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
16FEB10 00:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRCRAFT REQUIRES AIRTEST FOR INVERTED FLIGHT REF MISSING F.O				17FEB10 05:09
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST ASSESSED SERV REFER 469567#1&2

A1PXXU1002191	COMPLETED	17FEB10 09:55	6814.1	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
17FEB10 09:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			17FEB10 09:55
17FEB10 09:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FRONT ESDP UNREADABLE				
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: FCP ESDP RELACED WITH SERV ITEM IAW 7212.007-2 REFER EE508 LSN 469568-1

REMOVALS/INSTALLATIONS FOR A1PXXU1002191

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	88070025A	A23T	A1UHO	00	89050049	A23T	A1UHO	00
	150.0001-2		17FEB10 09:46	A1PXXJ1003099	150.0001-2		17FEB10 09:47	

A1PXXU1002192	COMPLETED	17FEB10 13:44	6814.1	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
17FEB10 09:55	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			17FEB10 13:44
17FEB10 09:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		A/T REQUIRED FOR FCP ESDP OPERATIONS				
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: A/T C/O SERV REF 469559-1

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03060  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1002193	COMPLETED	17FEB10 10:31	6814.1	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
17FEB10 10:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			17FEB10 10:31
17FEB10 10:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
RAISED TO CORRECT CAMM2 ENTRY ERROR A1PXXU1002191, REF FRONT ESDP FUEL FLOW INDICATOR DELAMINATED						XXxxXXxxXXxxXXxxXXxx

Maint Acts: CORRECTIVE ACTION CARRIED OUT CONFIRMING CORRECT FIT / LOCATION OF RESPECTIVE UNITS

REMOVALS/INSTALLATIONS FOR A1PXXU1002193

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	89050049 150.0001-2	A23T	A1UHO 17FEB10 10:18	00 A1PXXJ1003100	88070025A 150.0001-2	A23T	A1UHO 17FEB10 10:27	00
002	90070093 150.0001-2	A23T	A1UDI 17FEB10 10:27	00 A1PXXJ1003101	89050049 150.0001-2	A23T	A1UDI 17FEB10 10:29	00

A1PXXU1001871	COMPLETED	17FEB10 22:33	6815.1	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
17FEB10 17:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			17FEB10 22:33
17FEB10 17:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
S40 due on Serial A23-033 PC-9 at WAC 0000						XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O IAW 7212.007-6-4 REF 469570/3-1#1

A1PXXU1002520	COMPLETED	25FEB10 04:30	6823.9	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
24FEB10 02:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			25FEB10 04:30
24FEB10 02:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
SEATS AND COMMAND SYSTEM REMOVED IN TOTAL (BS DUE)						XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV ITEMS FITTED IAW 7291-042-2M REF MCS148-152/10

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03061  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

REMOVALS/INSTALLATIONS FOR A1PXXU1002520

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	DC0128	A23T	A1UIY	00	DD2801	A23T	A1UIY	00
	MBEU64438		24FEB10 02:57	A1PXXJ1003512	MBEU64438		25FEB10 04:29	
002	MF2107	A23T	A1UJC	00	MD2146	A23T	A1UJC	00
	MBEU100433		24FEB10 02:59	A1PXXJ1003514	MBEU100433		25FEB10 04:24	
003	4603308	A23T	A1UJA	00	7173310	A23T	A1UJA	00
	MBEU60228		24FEB10 03:01	A1PXXJ1003516	MBEU60228		25FEB10 04:23	
004	075	A23T	A1W	00	117	A23T	A1W	00
	AU11A-1		24FEB10 03:03	A1PXXJ1003517	AU11A-1		25FEB10 04:20	
005	062	A23T	A26	00	118	A23T	A26	00
	AU11A-2		24FEB10 03:05	A1PXXJ1003519	CH11A-2		25FEB10 04:19	

A1PXXU1002535 COMPLETED 25FEB10 03:21 6823.9 AFHR SST XXxxXXxxXXxxXXxxXXxx  
 24FEB10 10:36 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 25FEB10 03:21  
 24FEB10 10:36 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 FT due on Serial SC62462  
 BCN UNDERWATER LOC at WAC 0740 XXxxXXxxXXxxXXxxXXxx

Maint Acts: FT CARRIED OUT SERV IAW AAP 7212.007-2 REF 462264-2

A1PXXU1002218 COMPLETED 24FEB10 22:18 6823.9 AFHR SST XXxxXXxxXXxxXXxxXXxx  
 24FEB10 14:27 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 24FEB10 22:18  
 24FEB10 14:27 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 S40 due on Serial A23-033  
 PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O IAW 7212.007-6-4 REF EE508 SN 469576/4 SHT 1 US #2

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03062  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME

A1PXXU1002641	COMPLETED	25FEB10 09:47	6823.9	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
25FEB10 09:44	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			25FEB10 09:47
25FEB10 09:44	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		RH TYRE WTL				XXxxXXxxXXxxXXxxXXxx

Maint Acts: RH TYRE REPLACED WITH SERV ITEM IAW AAP 7212.007-2 REF 469577-1

REMOVALS/INSTALLATIONS FOR A1PXXU1002641

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0041	A23T	A2KEI	01	0028	A23T	A2KEI	01
	3-1555		25FEB10 09:45	A1PXXJ1003619	3-1555		25FEB10 09:45	

A1PXXU1002545	COMPLETED	03MAR10 22:44	6832.2	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
03MAR10 09:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			03MAR10 22:44
03MAR10 09:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40		due on Serial A23-033		XXxxXXxxXXxxXXxxXXxx
		PC-9		at WAC 0000		XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERV C/O IAW 7212.007-2 MCS REF 469583-2-1 US NO 2.

A1PXXU1002860	COMPLETED	04MAR10 04:27	6833.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
03MAR10 10:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			04MAR10 04:27
03MAR10 10:44	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRCRAFT REQUIRES AIRTEST FOR NOSE WHEEL SHIMY				XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST ASSESSED SERV REFER 469584#1&2

A1PXXU1002877	COMPLETED	10MAR10 22:57	6848.4	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
10MAR10 09:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			10MAR10 22:57
10MAR10 09:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40		due on Serial A23-033		XXxxXXxxXXxxXXxxXXxx
		PC-9		at WAC 0000		XXxxXXxxXXxxXXxxXXxx



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03063  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: S40 SERV C/O IAW AAP 7212.007-6-4 REF 469591/1-1 #2

A1PXXU1003462	COMPLETED	15MAR10 11:39	6857.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
15MAR10 11:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			15MAR10 11:39
15MAR10 11:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0524	due on Serial MD1494			
		QUICK REL FITTING	at WAC 0730			XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-0524 INC IAW STI INSTRUCTION REF 469598-3

A1PXXU1003463	COMPLETED	15MAR10 11:41	6857.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
15MAR10 11:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			15MAR10 11:41
15MAR10 11:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0524	due on Serial MC3442			
		QUICK REL FITTING	at WAC 0740			XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-0524 INC IAW STI INSTRUCTION REF 469598-4

A1PXXU1003644	COMPLETED	17MAR10 08:23	6863.2	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
17MAR10 06:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			17MAR10 08:23
17MAR10 06:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS	due on Serial 107173			
		REG OXYGEN DEMAND	at WAC 0730			XXxxXXxxXXxxXXxxXXxx

Maint Acts: FRONT REG OXYGEN DEMAND REPLACED IAW AAP 7212.007-2. REF EE508  
 467803-4-1-1

REMOVALS/INSTALLATIONS FOR A1PXXU1003644

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	107173	A23T	A1UES	00	901053	A23T	A1UES	00
	3260042-0201		17MAR10 08:21	A1PXXJY906567	3260042-0201		17MAR10 08:21	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

PAGE 03064  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1003645	COMPLETED	17MAR10 08:25	6863.2	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
17MAR10 06:35	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			17MAR10 08:25
17MAR10 06:35	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BS due on Serial 907086				
		REG OXYGEN DEMAND at WAC 0740				XXXXXXXXXXXXXXXXXXXX

Maint Acts: REAR REG OXYGEN DEMAND REPLACED IAW AAP 7212.007-2. REF EE508 467803-4-1-1

REMOVALS/INSTALLATIONS FOR A1PXXU1003645

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	907086	A23T	A1UIS	00	901054	A23T	A1UIS	00
	3260042-0201		17MAR10 08:23	A1PXXJY911062	3260042-0201		17MAR10 08:24	

A1PXXUY919675	COMPLETED	17MAR10 08:26	6863.2	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
17MAR10 06:49	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			17MAR10 08:26
17MAR10 06:49	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S26 due on Serial A23-033				
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX

Maint Acts: S26 SERVICING CARRIED OUT IAW AAP 7212.007-6-4. REF EE508 467803-4-1-3

A1PXXU1003230	COMPLETED	17MAR10 22:37	6863.2	AFHR	SCM	XXXXXXXXXXXXXXXXXXXX
17MAR10 11:30	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			17MAR10 22:37
17MAR10 11:30	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S40 due on Serial A23-033				
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX

Maint Acts: S40 SERVICING CARRIED OUT IAW AAP 7212.007-6-4 REF 467803-4#2-2

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1003715	COMPLETED	18MAR10 10:46	6864.4	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
18MAR10 09:21	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			18MAR10 10:46
18MAR10 09:26	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		VALVE OXY REFILL LEAKS EXCESSIVELY WHEN CHARGING				XXXXXXXXXXXXXXXXXXXX

Maint Acts: VALVE REFILL OXY REPLACED IAW AAP 7212.007-2. REF EE500 467804-1

REMOVALS/INSTALLATIONS FOR A1PXXU1003715

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0218	A23T	A1UMU	03	0226	A23T	A1UMU	03
	OC-001-03		18MAR10 10:43	A1PXXJ1005190	OC-001-03		18MAR10 10:45	

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1003767	COMPLETED	19MAR10 08:16	6866.8	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
19MAR10 08:09	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			19MAR10 08:16
19MAR10 08:12	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		OXY FILLER VALVE-EXCESSIVE LEAK				XXXXXXXXXXXXXXXXXXXX

Maint Acts: OXY FILLER VALVE REPLACED IAW AAP 7212.007-2, REF: 467806#1

REMOVALS/INSTALLATIONS FOR A1PXXU1003767

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0226	A23T	A1UMU	03	0217	A23T	A1UMU	03
	OC-001-03		19MAR10 08:13	A1PXXJ1005258	OC-001-03		19MAR10 08:14	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1003905	COMPLETED	24MAR10 02:26	6869.5	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
24MAR10 02:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
24MAR10 02:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FWD NAV/TAC CONTROLLER U/S				24MAR10 02:26
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV NAV/TAC CONTROLLER FITTED IAW AAP 7212.007-2 REF 467810-1

REMOVALS/INSTALLATIONS FOR A1PXXU1003905

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1368	A23T	A1UCW	00	1517	A23T	A1UCW	00
	985.99.11.764		24MAR10 02:24	A1PXXJ1005411	071-1291-15		24MAR10 02:25	

A1PXXU1003665	COMPLETED	24MAR10 22:16	6870.5	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
24MAR10 10:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			24MAR10 22:16
24MAR10 10:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40		due on Serial A23-033		
		PC-9		at WAC 0000		XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERVICING CARRIED OUT IAW AAP 7212.007-6-4 REF467811-5-2

A1PXXU1004027	COMPLETED	29MAR10 05:43	6870.5	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
25MAR10 22:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			29MAR10 05:43
25MAR10 22:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FRONT PSP RFA				XXxxXXxxXXxxXXxxXXxx

Maint Acts: FRONT SEAT PSP REPLACED IAW AAP 7212.007-2. REF EE500 467812-2

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1004027

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	DC4959	A23T	A1WBG	00	DC4959	A23T	A1WBG	00
	STANDARDPACK-1		25MAR10 22:35	A1PXXJ1005584	STANDARDPACK-1		29MAR10 05:41	

A1PXXU1004159 COMPLETED 30MAR10 00:37 6870.5 AFHR SST  
 29MAR10 23:20 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 30MAR10 00:37  
 29MAR10 23:20 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 OH due on Serial MB13806  
 PARACHUTE ASSY at WAC 0730 XXxxXXxxXXxxXXxxXXxx

Maint Acts: FRONT PARA ASY REPLACED IAW AAP 7291.042-2MB REF: 467812-4-1#1

REMOVALS/INSTALLATIONS FOR A1PXXU1004159

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	MB13806	A23T	A1WBA	00	MB13780	A23T	A1WBA	00
	MBEU100664		30MAR10 00:33	A1PXXJY914219	MBEU100664		30MAR10 00:34	

A1PXXU1004160 COMPLETED 30MAR10 00:40 6870.5 AFHR SST  
 29MAR10 23:20 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 30MAR10 00:40  
 29MAR10 23:20 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 OH due on Serial MB13536  
 PARACHUTE ASSY at WAC 0740 XXxxXXxxXXxxXXxxXXxx

Maint Acts: REAR PARA ASSY REPLACED IAW AAP 7212.042-2MB REF: 467812-4-1#1

REMOVALS/INSTALLATIONS FOR A1PXXU1004160

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	MB13536	A23T	A26BA	00	MB13011	A23T	A26BA	00
	MBEU12043PA		30MAR10 00:38	A1PXXJY914228	MBEU12043PA		30MAR10 00:38	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03068  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1003956	COMPLETED	31MAR10 22:23	6873.0	AFHR	SST	XXXXXXXXXX
31MAR10 11:07	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			31MAR10 22:23
31MAR10 11:07	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX
		S40 due on Serial A23-033				
		PC-9 at WAC 0000				XXXXXXXXXX
	Maint Acts:	S40 SERV C/O IAW 7212.007-6-4 REF 467814-2-1-2				
A1PXXU1004496	COMPLETED	19MAY10 06:26	6879.7	AFHR	SST	XXXXXXXXXX
07APR10 09:12	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			19MAY10 06:26
07APR10 09:13	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX
		CARRY OUT A CLOSE VISUAL INSPECTION OF THE SHOCK MOUNTS AT THE NEXT				
		R1 AND COMPILE A CONDITION REPORT AND FORWARD TO TASPO MRD				XXXXXXXXXX
	Maint Acts:	SHOCK MOUNTS REPLACED REF: MCS 320/10 CONDITION REPORT FORWARDED TO				
		TASPO MRO REF: MIER 2004/1052622/3(6) REF: 481120/4-1-6				
A1PXXU1004497	COMPLETED	20MAY10 07:39	6879.7	AFHR	SST	XXXXXXXXXX
07APR10 09:15	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			20MAY10 07:39
07APR10 09:18	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX
		CARRY OUT A CLOSE VISUAL INSPECTION UPON REMOVAL OF THE SHOCK MOUNTS				
		AT ENGINE BAY SERVICE AND COMPILE A CONDITION REPORT AND FORWARD TO				XXXXXXXXXX
		TASPO MRD				
	Maint Acts:	MOUNTS REPLACED IAW 7212-007-2 REFER 481120/4/1#6				
A1PXXU1004319	COMPLETED	07APR10 23:04	6879.7	AFHR	SST	XXXXXXXXXX
07APR10 11:47	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			07APR10 23:04
07APR10 11:47	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX
		S40 due on Serial A23-033				
		PC-9 at WAC 0000				XXXXXXXXXX
	Maint Acts:	S40 SERV C/O IAW AAP 7212.007-6-4 REF 1467820-4-2-2				
A1PXXU1004537	COMPLETED	07APR10 23:54	6879.7	AFHR	SST	XXXXXXXXXX
07APR10 23:44	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			07APR10 23:54
07APR10 23:47	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX
		RIVET HEADS MISSING ON FIN BETWEEN AIR INTAKE ON ENG COWL 2				
						XXXXXXXXXX

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03069  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: ENG COWL 2 REPLACED IAW 7212.007-2 REF 1467820-1

REMOVALS/INSTALLATIONS FOR A1PXXU1004537

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	L233198	A23T	A06	00	HLY300804	A23T	A06	00
	571.10.09.044		07APR10 23:48	A1PXXJ1006084	571.10.09.044		07APR10 23:52	

A1PXXU1004628 COMPLETED 09APR10 02:51 6880.5 AFHR SST XXxxXXxxXXxxXXxxXXxx  
08APR10 13:34 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 09APR10 02:51  
08APR10 13:38 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
AIRCRAFT REQUIRES AIRTEST FOR: INVERTED FLIGHT FOD CHECKS AND ASOR  
CLEARENCE XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST COMPLETED AIRCRAFT ASSESSED SERV REF: 1467822#1

A1PXXU1004804 COMPLETED 13APR10 11:08 6886.0 AFHR SST XXxxXXxxXXxxXXxxXXxx  
13APR10 09:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 13APR10 11:08  
13APR10 09:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
BS due on Serial 1245  
BATTERY NICAD at WAC 0660 XXxxXXxxXXxxXXxxXXxx

Maint Acts: BATTERY NICAD REPLACED IAW AAP 7212.007-2, REF: 1467825/4-1#1

REMOVALS/INSTALLATIONS FOR A1PXXU1004804

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1245	A23T	A1UOA	00	0054	A23T	A1UOA	00
	33490409201		13APR10 11:06	A1PXXJ1000795	33490409201		13APR10 11:06	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03070  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1004805	COMPLETED	13APR10 11:14	6886.0	AFHR	SST	XXXXXXXXXX
13APR10 09:39	XXXXXXXX	XXXXXXXXXX	AIP			13APR10 11:14
13APR10 09:39	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
		BS due on Serial 0439001				
		CRASH POSN IND at WAC 0660				XXXXXXXXXX

Maint Acts: CPI REPLACED IAW AAP 7212.007-2, REF: 1467825/4-1#2, HEX CODE BEEC008D780001

REMOVALS/INSTALLATIONS FOR A1PXXU1004805

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0439001	A23T	A1UOY	00	0397001	A23T	A1UOY	00
	453-0406		13APR10 11:09	A1PXXJY908754	453-0406		13APR10 11:10	

A1PXXU1004806	COMPLETED	13APR10 09:47	6886.0	AFHR	SST	XXXXXXXXXX
13APR10 09:45	XXXXXXXX	XXXXXXXXXX	AIP			13APR10 09:47
13APR10 09:45	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
		R/H HUB ASSY MAIN WTL.				
						XXXXXXXXXX

Maint Acts: SERV HUB ASSY MAIN INSTALLED IAW 7212.007-2 MCS REF 467825-2 U/S NO.2.

REMOVALS/INSTALLATIONS FOR A1PXXU1004806

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0112	A23T	A2KDM	01	0070	A23T	A2KDM	01
	3-1555		13APR10 09:45	A1PXXJ1006374	3-1555		13APR10 09:46	



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1004531	COMPLETED	14APR10 22:25	6889.0	AFHR	SCM	XXXXXXXXXXXXXXXXXXXX
14APR10 15:14	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			
14APR10 15:14	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S40 due on Serial A23-033				14APR10 22:25
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX

Maint Acts: S40 SERVICING CARRIED OUT IAW AAP 7212.007-6-4 REF 467830-1#1-2

A1PXXU1004965	COMPLETED	15APR10 09:41	6890.1	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
15APR10 09:37	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			15APR10 09:41
15APR10 09:37	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		FATIGUE METER ACCEL UNIT RFA				XXXXXXXXXXXXXXXXXXXX

Maint Acts: FATIGUE METER ACC UNIT REPLACED IAW AAP 7212.007-2. REF EE500 1467830-3

REMOVALS/INSTALLATIONS FOR A1PXXU1004965

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	818	A23T	A1ULC	00	802	A23T	A1ULC	00
	10020		15APR10 09:38	A1PXXJ1006545	10020		15APR10 09:40	

A1PXXU1005335	COMPLETED	21APR10 09:50	6897.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
21APR10 09:44	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			21APR10 09:50
21APR10 09:45	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		FRONT ADF CONTROLLER FAILS NIGHT LIGHTING CHECKS				XXXXXXXXXXXXXXXXXXXX

Maint Acts: FRONT ADF CONTROLLER REPLACED IAW AAP 7212.007-2 REF:1467835#3

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03072  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1005335

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
=====	REMOVED PART NO	=====	DATE/TIME	JOB NUMBER	INSTALLED PART NO	=====	DATE/TIME	=====
001	2508	A23T	A1UCY	00	2045	A23T	A1UCY	00
	071-1284-05		21APR10 09:46	A1PXXJ1006998	071-1284-05		21APR10 09:49	

A1PXXU1004920 COMPLETED 21APR10 23:12 6897.3 AFHR SST  
21APR10 16:08 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 21APR10 23:12  
21APR10 16:08 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: S40 C/O IAW 7212.007-6-4 REF EE508 SN 467836-2 SHT 1 US# 2

A1PXXU1005210 COMPLETED 22APR10 07:57 6898.3 AFHR SST  
22APR10 00:51 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 22APR10 07:57  
22APR10 00:51 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
STI-PC9-0527 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: STI-PC9-0527 CARRIED OUT REFER 1467836-3-1#2

A1PXXU1005500 COMPLETED 23APR10 05:59 6901.5 AFHR SST  
23APR10 02:17 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 23APR10 05:59  
23APR10 02:18 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
AIRCRAFT REQUIRES AIRTEST FOR NOSE WHELL SHIMMY  
XXxxXXxxXXxxXXxxXXxx  
Maint Acts: AIRTEST CARRIED OUT REFER 1467840#1

A1PXXU1005352 COMPLETED 26APR10 03:09 6902.7 AFHR SST  
26APR10 02:04 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 26APR10 03:09  
26APR10 02:04 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: S40 CARRIED OUT REF 467841-2-1-2

A1PXXU1005581 COMPLETED 27APR10 00:02 6906.0 AFHR SST  
26APR10 23:55 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 27APR10 00:02  
26APR10 23:56 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
BATT NICAD LOW VOLTS  
XXxxXXxxXXxxXXxxXXxx  
Maint Acts: BATT NICAD REPLACED IAW AAP 7212.007-2 REF: 1467841-3 REF: 1467841#3

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03073  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1005581

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 0054	A23T	A1UOA	00	1465	A23T	A1UOA	00	
33490409201	26APR10 23:56	A1PXXJ1007258	33490409201	26APR10 23:59				

A1PXXU1005629 COMPLETED 27APR10 12:34 6907.9 AFHR SST  
27APR10 12:30 XXXXX  
27APR10 12:31 XXXXX  
RH BRAKE WTL  
XXXXXXXXXXXXXXXXXXXX  
27APR10 12:34  
XXXXXXXXXXXXXXXXXXXX  
27APR10 12:31  
XXXXXXXXXXXXXXXXXXXX  
XXXXXXXXXXXXXXXXXXXX

Maint Acts: RH BRAKE ASSY REPLACED WITH SERV ITEM IAW 7212.007-2 REF 1467843-1

REMOVALS/INSTALLATIONS FOR A1PXXU1005629

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 0211A	A23T	A2KEE	00	0225A	A23T	A2KEE	00	
959.47.81.705	27APR10 12:31	A1PXXJ1007300	2-1524-1	27APR10 12:32				

A1PXXU1005633 COMPLETED 28APR10 13:28 6907.9 AFHR SST  
27APR10 13:45 XXXXX  
27APR10 13:46 XXXXX  
AIRTEST REQUIRED FOR RH BRAKE OPS  
XXXXXXXXXXXXXXXXXXXX  
28APR10 13:28  
XXXXXXXXXXXXXXXXXXXX  
27APR10 13:46  
XXXXXXXXXXXXXXXXXXXX  
XXXXXXXXXXXXXXXXXXXX

Maint Acts: AIRTEST C/O SERV IAW REF 1467846-1

A1PXXU1005564 COMPLETED 28APR10 22:21 6909.3 AFHR SST  
28APR10 22:13 XXXXX  
28APR10 22:13 XXXXX  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
XXXXXXXXXXXXXXXXXXXX  
28APR10 22:21  
XXXXXXXXXXXXXXXXXXXX  
28APR10 22:13  
XXXXXXXXXXXXXXXXXXXX  
XXXXXXXXXXXXXXXXXXXX

Maint Acts: S40 C/O IAW 7212.007-6-4 REF 453678

A1PXXU1005778 COMPLETED 28APR10 23:13 6909.3 AFHR SST  
28APR10 23:00 XXXXX  
28APR10 23:07 XXXXX  
REAR COCKPIT COMM 2 NIL OPS AND NO CONTROL  
XXXXXXXXXXXXXXXXXXXX  
28APR10 23:13  
XXXXXXXXXXXXXXXXXXXX  
28APR10 23:07  
XXXXXXXXXXXXXXXXXXXX  
XXXXXXXXXXXXXXXXXXXX

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03074  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: REAR C/P COMM 2 CONTROLLER REPLACED IAW AAP 7212.007-2 REF: 1467846#3

REMOVALS/INSTALLATIONS FOR A1PXXU1005778

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	2474	A23T	A1UHI	00	2477	A23T	A1UHI	00
	071-1282-39		28APR10 23:07	A1PXXJ1007430	071-1282-39		28APR10 23:09	

A1PXXU1006011 COMPLETED 04MAY10 09:34 6918.5 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
04MAY10 09:22 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
04MAY10 09:22 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
BS due on Serial 1806042  
SET EMERG OXYGEN at WAC 0730  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV SEO FITTED IAW 7291-042-2M

REMOVALS/INSTALLATIONS FOR A1PXXU1006011

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1806042	A23T	A1WBE	00	2746662	A23T	A1WBE	00
	MBEU100618		04MAY10 09:26	A1PXXJY906725	MBEU100618		04MAY10 09:32	

A1PXXU1005771 COMPLETED 05MAY10 23:33 6924.8 AFHR SST XXxxXXxxXXxxXXxxXXxx  
05MAY10 15:09 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
05MAY10 15:09 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O IAW AAP 7212.007-6-4 REF 481111-2-1#2

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1006192	COMPLETED	06MAY10 06:31	6927.1	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
06MAY10 06:26	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			06MAY10 06:31
06MAY10 06:28	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
DURING TAXY 3GREENS AND 3REDS INDICATED PLUS AUDIO						
XXXXXXXXXXXXXXXXXXXX						

Maint Acts: REAR LGCU REPLACED IAW AAP 7212.007-2 REF: 481112#1

REMOVALS/INSTALLATIONS FOR A1PXXU1006192

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	094	A23T	A1UGY	00	513	A23T	A1UGY	00
	532.30.09.321		06MAY10 06:28	A1PXXJ1008125	532.30.09.217		06MAY10 06:30	

A1PXXU1006193	COMPLETED	06MAY10 06:41	6927.1	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
06MAY10 06:31	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			06MAY10 06:41
06MAY10 06:34	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
TACAN DME INTERMITTENT						
XXXXXXXXXXXXXXXXXXXX						

Maint Acts: TACAN T/CEIVER KTU 709 REPLACED IAW AAP 7212.007-2 REF: 481112#2

REMOVALS/INSTALLATIONS FOR A1PXXU1006193

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	2004	A23T	A1ULS	00	2047	A23T	A1ULS	00
	985.99.11.661		06MAY10 06:37	A1PXXJ1008126	066-1074-01		06MAY10 06:40	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1006218	COMPLETED	07MAY10 01:49	6927.1	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
06MAY10 11:10	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			07MAY10 01:49
06MAY10 11:22	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		AIRCRAFT REQUIRES AIRTEST FOR: U/C OPS POST LGCU CHANGE				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	AIRTEST ASSESSED SERV REFER 481113#1&2				
A1PXXU1006560	COMPLETED	18MAY10 02:45	6936.2	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
13MAY10 03:28	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			18MAY10 02:45
13MAY10 03:28	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		STI-PC9-0517 due on Serial 171				XXXXXXXXXXXXXXXXXXXX
		CANOPY at WAC 0720				
	Maint Acts:	STI C/I IAW INSTRUCTIONS REF MCS 320/10-8/4				
A1PXXU1006561	COMPLETED	18MAY10 02:52	6936.2	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
13MAY10 03:28	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			18MAY10 02:52
13MAY10 03:28	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		STI-PC9-0521 due on Serial 892				XXXXXXXXXXXXXXXXXXXX
		ACT RUDDER TRIM at WAC 1400				
	Maint Acts:	STI C/I IAW INSTRUCTIONS REF MCS 320/10-8/5				
A1PXXU1006562	COMPLETED	18MAY10 03:09	6936.2	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
13MAY10 03:28	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			18MAY10 03:09
13MAY10 03:28	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		STI-PC9-0521 due on Serial 384				XXXXXXXXXXXXXXXXXXXX
		ACT ELEVATOR TRIM at WAC 1300				
	Maint Acts:	STI C/I IAW INSTRUCTIONS REF MCS 320/10-8/6				
A1PXXU1006563	COMPLETED	18MAY10 03:18	6936.2	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
13MAY10 03:28	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			18MAY10 03:18
13MAY10 03:28	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		STI-PC9-422A due on Serial 027				XXXXXXXXXXXXXXXXXXXX
		WING ASSY at WAC 1500				
	Maint Acts:	STI C/I IAW INSTRUCTIONS REF MCS 320/10-9/2				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03077  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1006564	COMPLETED	18MAY10 02:49	6936.2	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
13MAY10 03:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			18MAY10 02:49
13MAY10 03:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0521 due on Serial 713				
		ACT AILERON TRIM at WAC 0920				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	STI C/I IAW INSTRUCTIONS REF MCS 320/10-9/1				
A1PXXUY914043	COMPLETED	19MAY10 13:35	6936.2	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
13MAY10 03:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			19MAY10 13:35
13MAY10 03:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		R1 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	R1 SERVICING COMPLETED IAW AAP 7212.007-6-2-1				
A1PXXUY919841	COMPLETED	14MAY10 03:24	6936.2	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
13MAY10 03:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			14MAY10 03:24
13MAY10 03:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S20 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S20 SERV C/O IAW AAP 7212.007-6-4 REF MCS 320/10-6/3				
A1PXXUY919842	COMPLETED	18MAY10 02:34	6936.2	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
13MAY10 03:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			18MAY10 02:34
13MAY10 03:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S63 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S63 C/O IAW AAP 7212.007-6-4 REF MCS 320/10-7/2				
A1PXXU1006139	COMPLETED	19MAY10 13:31	6936.2	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
13MAY10 03:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			19MAY10 13:31
13MAY10 03:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 CO IAW 7212.0				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1003646	COMPLETED	19MAY10 13:32	6936.2	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
13MAY10 03:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
13MAY10 03:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S26	due on Serial A23-033			19MAY10 13:32
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: S26 CARRIED OUT IAW 7212.007-6-4

A1PXXUY908507	COMPLETED	20MAY10 02:41	6936.2	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
13MAY10 03:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			20MAY10 02:41
13MAY10 03:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S56	due on Serial A23-033			
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: S56 CO AS REQ'D IAW 7212.007-6-4 REF: 481120/4-1-4

A1PXXU1006565	COMPLETED	13MAY10 03:46	6936.2	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
13MAY10 03:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			14MAY10 00:51
13MAY10 03:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS	due on Serial 00400			
		LIFE RAFT INFLATABL	at WAC 0730			XXxxXXxxXXxxXXxxXXxx

Maint Acts: TRANSFERRED TO DC4959

A1PXXU1006566	COMPLETED	18MAY10 01:39	6936.2	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
13MAY10 03:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			18MAY10 01:39
13MAY10 03:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS	due on Serial DC4959			
		SURVIVAL PACK ASSY	at WAC 0730			XXxxXXxxXXxxXXxxXXxx

Maint Acts: PSP REPLACED WITH SERV ITEM IAW 7212.007-2 REF: MCS 320/10



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1006566

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	DC4959	A23T	A1WBG	00	DF3162	A23T	A1WBG	00
	STANDARDPACK-1		14MAY10 00:51	A1PXXJY910255	STANDARDPACK-1		18MAY10 01:38	

A1PXXU1006567 COMPLETED 18MAY10 01:35 6936.2 AFHR SST  
13MAY10 03:47 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 18MAY10 01:35  
13MAY10 03:47 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
BS due on Serial DF5420  
SURVIVAL PACK ASSY at WAC 0740 XXxxXXxxXXxxXXxxXXxx

Maint Acts: PSP REPLACED WITH SERV ITEM IAW 7212.007-2 REF: MCS 320/10

REMOVALS/INSTALLATIONS FOR A1PXXU1006567

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	DF5420	A23T	A26BG	00	DG0044	A23T	A26BG	00
	STANDARDPACK-1		14MAY10 00:49	A1PXXJY910261	STANDARDPACK-1		18MAY10 01:34	

A1PXXU1006568 COMPLETED 18MAY10 22:45 6936.2 AFHR SST  
13MAY10 03:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 18MAY10 22:45  
13MAY10 03:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
NDT due on Serial 540L  
LH ELEV OB HNG STR at WAC 1300 XXxxXXxxXXxxXXxxXXxx

Maint Acts: LH ELEV OB HINGE NDT CO REF: NDI REPORT 380/10 REF: MCS 320/10-11-1

A1PXXU1006569 COMPLETED 18MAY10 22:47 6936.2 AFHR SST  
13MAY10 03:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 18MAY10 22:47  
13MAY10 03:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
NDT due on Serial 540R  
RH ELEV OB HNG STR at WAC 1300 XXxxXXxxXXxxXXxxXXxx

Maint Acts: RH ELEV OB HNG STR NDT CO REF: NDI REPORT 380/10 REF: MCS 320/10-11-1

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1006570	COMPLETED	13MAY10 03:54	6936.2	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
13MAY10 03:54	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			14MAY10 00:51
13MAY10 03:54	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BS due on Serial 21822				
		CYLINDER CO2 at WAC 0730				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	TRANSFERRED TO DC4959				
A1PXXU1006571	COMPLETED	13MAY10 03:55	6936.2	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
13MAY10 03:55	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			14MAY10 00:50
13MAY10 03:55	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BS due on Serial 1072002				
		LIFE RAFT INFLATABL at WAC 0740				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	TRANSFERRED TO DF5420				
A1PXXU1006572	COMPLETED	13MAY10 03:55	6936.2	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
13MAY10 03:55	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			14MAY10 00:50
13MAY10 03:55	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BS due on Serial 26100				
		CYLINDER CO2 at WAC 0740				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	TRANSFERRED TO DF5420				
A1PXXUY919604	COMPLETED	19MAY10 13:33	6936.2	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
13MAY10 03:59	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			19MAY10 13:33
13MAY10 03:59	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S16 due on Serial A23-033				
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	S16 CARRIED OUT IAW 7212.007-6-4				
A1PXXU1006656	COMPLETED	18MAY10 04:04	6936.2	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
14MAY10 03:27	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			18MAY10 04:04
14MAY10 03:28	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		ENGINE COWL 2 RFA				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	ENGINE COWL 2 REFITTED IAW AAP 7212.007-2 REF MCS 230/10-14/3				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03081  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1006656

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	HLY300804	A23T	A06	00	HLY300804	A23T	A06	00
	571.10.09.044		14MAY10 03:28	A1PXXJ1008630	571.10.09.044		18MAY10 04:03	

A1PXXU1006657 COMPLETED 18MAY10 03:24 6936.2 AFHR SST  
14MAY10 03:29 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 18MAY10 03:24  
14MAY10 03:30 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
LH BRAKE ASSY WTL  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV BRAKE ASSY FITTED IAW AAP 7212.007-2 REF MCS 320/10-10/6

REMOVALS/INSTALLATIONS FOR A1PXXU1006657

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	0238	A23T	A2KDI	00	0226	A23T	A2KDI	00
	959.47.81.705		14MAY10 03:31	A1PXXJ1008631	2-1524-1		18MAY10 03:20	

A1PXXU1006658 COMPLETED 18MAY10 23:01 6936.2 AFHR SST  
14MAY10 03:32 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 18MAY10 23:01  
14MAY10 03:32 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
ELEVATOR ASSY RFA  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: ELEVATOR REFITTED IAW AAP 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXU1006658

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	540	A23T	A2IBC	00	540	A23T	A2IBC	00
	555.20.09.257		14MAY10 03:33	A1PXXJ1008633	555.20.09.257		18MAY10 22:58	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
Camm2  
ASSET HISTORY

PAGE 03082  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1006661	COMPLETED	18MAY10 03:34	6936.2	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
14MAY10 03:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			18MAY10 03:34
14MAY10 03:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
ELEMENT FUEL FILTER DUE CLEAN AND INSPECT						
XXxxXXxxXXxxXXxxXXxx						

Maint Acts: SERV ELEMENT FUEL FILTER ASSY FITTED AIW AAP 7212.007-2 REF MCS  
320/10-19/1

REMOVALS/INSTALLATIONS FOR A1PXXU1006661

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	R716488	A23T	A1UJK00	00	R414517	A23T	A1UJK00	00
	03W1738-231		14MAY10 03:37	A1PXXJ1008635	03W1738-231		18MAY10 03:30	

A1PXXU1006662	COMPLETED	18MAY10 03:58	6936.2	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
14MAY10 03:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			18MAY10 03:58
14MAY10 03:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
FILTER OIL DUE CLEAN AND INSPECT						
XXxxXXxxXXxxXXxxXXxx						

Maint Acts: FILTER OIL REFITTED POST CLEAN AND INSPCT IAW AAP 7212.007-2 REF MCS  
320/10-18/6

REMOVALS/INSTALLATIONS FOR A1PXXU1006662

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PCY900719	A23T	A1SAK34	00	PCY900719	A23T	A1SAK34	00
	3059257-01		14MAY10 03:40	A1PXXJ1008637	3059257-01		18MAY10 03:54	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1006734	COMPLETED	18MAY10 04:01	6936.2	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
18MAY10 03:58	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			18MAY10 04:01
18MAY10 03:59	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		LH HUB ASSY RFA				XXXXXXXXXXXXXXXXXXXX

Maint Acts: LH HUB ASSY REFITTED IAW AAP 7212.007-2 REF MCS 320/10-13/5

REMOVALS/INSTALLATIONS FOR A1PXXU1006734

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0070	A23T	A2KDM	01	0070	A23T	A2KDM	01
	3-1555		18MAY10 03:59	A1PXXJ1008750	3-1555		18MAY10 04:00	

A1PXXU1006747	COMPLETED	18MAY10 13:14	6936.2	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
18MAY10 12:56	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			18MAY10 13:14
18MAY10 12:56	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		TA due on Serial K33003				XXXXXXXXXXXXXXXXXXXX
		SHOCK MT ASSY LWR L at WAC 012C				XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV MOUNT FITTED IAW 7212.007-2 REF 320/10

REMOVALS/INSTALLATIONS FOR A1PXXU1006747

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	K33003	A23T	A1SAQ	00	PC1000678	A23T	A1SAQ	00
	944.81.21.401		18MAY10 13:00	A1PXXJ1008798	944.81.21.401		18MAY10 13:07	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03084  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
002	K33002 944.81.21.401	A23T	A1SAS 18MAY10 13:00	00 A1PXXJ1008799	PC1000679 944.81.21.401	A23T	A1SAS 18MAY10 13:07	00
003	K33004 944.81.21.401	A23T	A1SAU 18MAY10 13:01	00 A1PXXJ1008800	PC1000680 944.81.21.401	A23T	A1SAU 18MAY10 13:09	00
004	K33001 944.81.21.401	A23T	A1SAW 18MAY10 13:01	00 A1PXXJ1008801	PC1000681 944.81.21.401	A23T	A1SAW 18MAY10 13:09	00

A1PXXU1006748 COMPLETED 18MAY10 13:16 6936.2 AFHR SST XXxxXXxxXXxxXXxxXXxx  
18MAY10 12:56 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 18MAY10 13:16  
18MAY10 12:56 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
TA due on Serial K33004  
SHOCK MT ASSY UPR L at WAC 012D XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV MOUNT FITTED IAW 7212.007-2 REF 320/10

A1PXXU1006749 COMPLETED 18MAY10 13:16 6936.2 AFHR SST XXxxXXxxXXxxXXxxXXxx  
18MAY10 12:56 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 18MAY10 13:16  
18MAY10 12:56 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
TA due on Serial K33001  
SHOCK MT ASSY UPR R at WAC 012A XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV MOUNT FITTED IAW 7212.007-2 REF 320/10

A1PXXU1006750 COMPLETED 18MAY10 13:16 6936.2 AFHR SST XXxxXXxxXXxxXXxxXXxx  
18MAY10 12:56 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 18MAY10 13:16  
18MAY10 12:56 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
TA due on Serial K33002  
SHOCK MT ASSY LWR R at WAC 012B XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV MOUNT FITTED IAW 7212.007-2 REF 320/10

A1PXXU1006820 COMPLETED 07NOV11 02:25 6936.2 AFHR SST XXxxXXxxXXxxXXxxXXxx  
19MAY10 13:36 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 07NOV11 02:25  
19MAY10 13:36 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
CORROSION ON NLG LINKAGES, SCISSOR LINKAGE AND FOLDING STRUT XXxxXXxxXXxxXXxxXXxx

aip0108320MAY10 02:03:21  
(Continued on next page.)

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03085  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

(Continued from previous page.)  
481120/4-2#2 NIL IMPACT ON AIRWORTHINESS OR AIRCRAFT OPERATIONS THE  
DAMAGE TO THE LANDING GEAR LINKAGES. THE DAMAGE TO THE LINKAGES HAVE  
BEEN BEEN INSPECTED AND THE DAMAGE ASSESSED AS LOW RISK ACCEPTABLE  
LOW RISK. THE LANDING GEAR IS INSPECTED AT EACH FLIGHT SERVICING  
FOR ANY FURTHER DAMAGE. TOTAL FAILURE OF  
THE ASSY'S DUE TO THIS DAMAGE IS ASSESSED AS IMPROBABLE.

aip0145103NOV10 23:49:51  
ACCEPTABLE LOW RISK

Maint Acts: TX TO PC/9 A/C PAINT CONDITION REPORT #6,AUTH K PORTELLIREF LSN MCS  
1596/11-5-2

A1PXXU1006821	COMPLETED	20MAY10 07:36	6936.2	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
19MAY10 13:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			20MAY10 07:36
19MAY10 13:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx

ENG FRAME BOLTS 2B TORQUED POST MTF  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: ENG FRAME BOLTS RE-TORQUED IAW 7212-007-2 REFER 481121-3#4

A1PXXU1006822	COMPLETED	05DEC11 00:42	6936.2	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
19MAY10 13:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
19MAY10 13:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			05DEC11 00:42

CRACK ON TOP SURFACE OF INERTIAL SEPERATION BYPASS DUCT  
XXxxXXxxXXxxXXxxXXxx

aip0108320MAY10 02:08:44  
481120#3 NIL IMPACT ON AIRWORTHINESS OR AIRCRAFT OPERATIONS THE  
DAMAGE TO THE INTERIAL SEPERATION BYPASS DUCT HAS BEEN INSPECTED AND  
THE DAMAGE ASSESSED AS LOW RISK ACCEPTABLE. THE DAMAGE TO THE DUCT  
IS INSPECTED AT EACH FLIGHT SERVICING FOR ANY FURTHER DAMAGE. TOTAL  
FAILURE OF THE STRUCTURE DUE TO THIS DAMAGE IS ASSESSED AS  
IMPROBABLE.

aip0145103NOV10 23:52:02  
ACCEPTABLE LOW RISK

Maint Acts: BYPASS DUCT PANEL REPLACED REF MCS 1596/11 50F19 #3

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1006823	COMPLETED	20MAY10 07:42	6936.2	AFHR	SST	XXxxXXxxXXxxXXxxXXxx	
19MAY10 13:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			20MAY10 07:42	
19MAY10 13:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		MTF REQD POST R1 SERV, ELEVATOR R+I AND LH BRAKE CX					XXxxXXxxXXxxXXxxXXxx

Maint Acts: MTF CARRIED OUT REFER 481121#1

A1PXXU1006856	COMPLETED	07NOV11 02:40	6936.2	AFHR	SST	XXxxXXxxXXxxXXxxXXxx	
20MAY10 00:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			07NOV11 02:40	
20MAY10 00:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		ENG CRADLE TUBULAR FRAME REQ`S SURFACE FINISH					XXxxXXxxXXxxXXxxXXxx

aip0108320MAY10 02:13:01  
481120/4#6 NIL IMPACT ON AIRWORTHINESS OR AIRCRAFT OPERATIONS. THE DAMAGE TO THE ENGINE FRAME HAS BEEN CLEANED AND TREATED TO PREVENT ANY FURTHER DAMAGE TO THE FRAME. THE DAMAGE WAS ASSESSED AS LOW RISK ACCEPTABLE DAMAGE. THE ENGINE FRAME IS INSPECTED AT EACH FLIGHT SERVING FOR ANY FURTHER DAMAGE. TOTAL FAILURE OF THE ASSY DUE TO THIS DAMAGE IS ASSESSED AS IMPROBABLE.

aip0145103NOV10 23:54:43  
ACCEPTABLE LOW RISK

Maint Acts: TX TO PC9 A/C PAINT CONDITION REPORT #7, AUTH K.PORTELLI REF LSN MCS 1596/11-5-4

A1PXXU1006913	COMPLETED	24MAY10 22:50	6937.0	AFHR	SST	XXxxXXxxXXxxXXxxXXxx	
20MAY10 07:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			24MAY10 22:50	
20MAY10 07:44	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		AIRCRAFT REQUIRES MTF FOR: AILERON AND TRIM ADJUSTMENT					XXxxXXxxXXxxXXxxXXxx

Maint Acts: MTF CARRIED OUT REFER 481122#1



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03087  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1006816	COMPLETED	24MAY10 23:08	6937.5	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
24MAY10 13:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			24MAY10 23:08
24MAY10 13:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 SERV C/O IAW AAP 7212-007-6-4 REF 481122-3-3-2				
A1PXXU1007053	COMPLETED	25MAY10 02:54	6937.5	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
24MAY10 22:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			25MAY10 02:54
24MAY10 22:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRCRAFT REQUIRES MTF FOR: ALLERON TRIMS, N.W. OPS AND NG ADJUSTMENT				
						XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	MTF CARRIED OUT REFER 481123#1				
A1PXXU1007057	COMPLETED	31MAY10 22:47	6946.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
31MAY10 10:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			31MAY10 22:47
31MAY10 10:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 SERV C/O IAW AAP 7212.007-6-4 REF 481133-1-1-2				
A1PXXU1007357	COMPLETED	07JUN10 22:49	6956.0	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
04JUN10 04:48	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			07JUN10 22:49
04JUN10 04:48	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 SERV C/O IAW 7212.007-6-4 REF SNOW 481140-3-1-2				
A1PXXU1007689	COMPLETED	08JUN10 13:44	6958.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
08JUN10 13:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			08JUN10 13:44
08JUN10 13:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial 2923795				
		SET EMERG OXYGEN at WAC 0740				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	REAR SEAT SEO REPLACED IAW AAP 7212.007-2. REF EE500 481142-2				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03088  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1007689

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	2923795	A23T	A26BE	00	8086391	A23T	A26BE	00
MBEU100618	08JUN10 13:42	A1PXXJY511095	MBEU100618	08JUN10 13:43				

A1PXXU1007654 COMPLETED 14JUN10 23:01 6968.0 AFHR SST XXxxXXxxXXxxXXxxXXxx  
14JUN10 11:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 14JUN10 23:01  
14JUN10 11:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: S40 SERV C/O IAW AAP 7212.007-6-4 REF 463801/1-1 #2

A1PXXU1008026 COMPLETED 21JUN10 22:43 6977.9 AFHR SST XXxxXXxxXXxxXXxxXXxx  
21JUN10 11:32 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 21JUN10 22:43  
21JUN10 11:32 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: S40 C/O IAW 7212.007-6-4 REF EE508 SN 463808-5-2-2

A1PXXU1008486 COMPLETED 22JUN10 09:59 6977.9 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
22JUN10 09:54 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
22JUN10 09:54 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
REAR CPT ESDP U/S XXxxXXxxXXxxXXxxXXxx  
Maint Acts: SERV ESDP FITTED IAW AAP 7212.007-2 REF 463808-1

REMOVALS/INSTALLATIONS FOR A1PXXU1008486

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	88070025A	A23T	A1UHO	00	87020020-B	A23T	A1UHO	00
150.0001-2	22JUN10 09:56	A1PXXJ1011174	150.0001-2	22JUN10 09:59				

A1PXXU1008487 COMPLETED 23JUN10 03:20 6977.9 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
22JUN10 10:00 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
22JUN10 10:01 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
AIRCRAFT REQUIRES AIRTEST FOR REAR ESDP OPS 23JUN10 03:20  
XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03089  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: AIRTEST ASSESSED SERV REFER 463810#2&3

A1PXXU1008436	COMPLETED	28JUN10 23:13	6990.4	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
28JUN10 09:55	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			28JUN10 23:13
28JUN10 09:55	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40	due on Serial A23-033			
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O IAW 7212.007-6-4 REF EE508 SN 463819-5-1-2

A1PXXU1008824	COMPLETED	08JUL10 01:07	6994.1	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
29JUN10 13:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			08JUL10 01:07
29JUN10 13:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		RH+LH EXHAUST STUBS RFA				
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: LH AND RH EXHAUST STUBS INSTALLED IAW 7113.022-2 REF MCS477/10

REMOVALS/INSTALLATIONS FOR A1PXXU1008824

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	R012553	A23T	A1SAM12	01	R012553	A23T	A1SAM12	01
	578.10.09.023		29JUN10 13:11	A1PXXJ1011669	578.10.09.023		08JUL10 01:06	
002	L219987	A23T	A1SAM14	00	L219987	A23T	A1SAM14	00
	578.10.09.018		29JUN10 13:13	A1PXXJ1011670	578.10.09.018		08JUL10 01:05	

A1PXXUY505344	COMPLETED	08JUL10 06:20	6994.1	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
29JUN10 13:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			08JUL10 06:20
29JUN10 13:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S31	due on Serial A23-033			
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: S31 C/O IAW 7113.022-2 REF MCS 477/10

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03090  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
=====						

REMOVALS/INSTALLATIONS FOR A1PXXUY505344

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	103155 3035200	A23T	A1SAM 08JUL10 05:37	00 A1PXXJ1012152	103155 3035200	A23T	A1SAM 08JUL10 05:45	00
002	62A055 HDH/001/PT6A-62	A23T	A1SAK50 08JUL10 05:39	00 A1PXXJ1012153	62A055 HDH/001/PT6A-62/0644	A23T	A1SAK50 08JUL10 06:19	00
003	RT132 RAAFA62FNS01	A23T	A1SAK27 08JUL10 05:40	00 A1PXXJ1012154	RT132 RAAFA62FNS01	A23T	A1SAK27 08JUL10 05:44	00
004	6E563 IN/OUTASSY	A23T	A1SAK44 08JUL10 05:41	00 A1PXXJ1012155	6E563 IN/OUTASSY	A23T	A1SAK44 08JUL10 05:43	00
005	103155 3035200	A23T	A1SAM 08JUL10 05:53	00 A1PXXJ1012156	103155 3035200	A23T	A1SAM 08JUL10 06:20	00
006	6E563 IN/OUTASSY	A23T	A1SAK44 08JUL10 05:54	00 A1PXXJ1012157	6E563 IN/OUTASSY	A23T	A1SAK44 08JUL10 05:59	00

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03091  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME

A1PXXU1008827	COMPLETED	29JUN10 13:58	6994.1	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
29JUN10 13:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			29JUN10 13:58
29JUN10 13:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
OIL FILTE REMOVED FOR S31						
XXxxXXxxXXxxXXxxXXxx						

Maint Acts: OIL FILTER REFITTED IAW 7212.007-2 REF S31 PAPERWORK

REMOVALS/INSTALLATIONS FOR A1PXXU1008827

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PCY900719	A23T	A1SAK34	00	PCY900719	A23T	A1SAK34	00
	3059257-01		29JUN10 13:55	A1PXXJ1011672	3059257-01		29JUN10 13:55	

A1PXXU1008779	COMPLETED	08JUL10 22:42	6994.1	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
01JUL10 10:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			08JUL10 22:42
01JUL10 10:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
S40 due on Serial A23-033						
PC-9 at WAC 0000						
XXxxXXxxXXxxXXxxXXxx						

Maint Acts: S40 C/O IAW 7212.007-6-4 REF 463822-3-1-2

A1PXXU1009257	COMPLETED	09JUL10 01:29	6994.1	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
08JUL10 07:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			09JUL10 01:29
08JUL10 07:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
S31 due on Serial A23-033						
PC-9 at WAC 0000						
XXxxXXxxXXxxXXxxXXxx						

Maint Acts: S31 SERV C/O IAW 7212.007-6-4 REF LSN MCS 477/10

A1PXXU1009260	COMPLETED	08JUL10 07:39	6994.1	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
08JUL10 07:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			08JUL10 07:39
08JUL10 07:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
BS due on Serial 103155						
ENGINE CHANGE UNIT at WAC 0100						
XXxxXXxxXXxxXXxxXXxx						

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03092  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: ENGINE CHANGE UNIT BAY SERVICE CO IAW 7113.022-2 REF HSI PW LSN 477/10

A1PXXU1009261	COMPLETED	13JUL10 02:01	6994.1	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
08JUL10 07:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			13JUL10 02:01
08JUL10 07:48	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRCRAFT REQUIRES MTF POST S31				XXxxXXxxXXxxXXxxXXxx

Maint Acts: MTF CO REF 463824-1

A1PXXU1009300	COMPLETED	09JUL10 02:08	6994.1	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
09JUL10 02:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			09JUL10 02:08
09JUL10 02:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial 103155				XXxxXXxxXXxxXXxxXXxx
		ENGINE BARE at WAC 0100				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S31 SERV C/O IAW 7212.007-6-4 REF LSN MCS 477/10

A1PXXU1009301	COMPLETED	09JUL10 02:16	6994.1	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
09JUL10 02:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			09JUL10 02:16
09JUL10 02:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial 6E563				XXxxXXxxXXxxXXxxXXxx
		LINER COMB CHAMB AS at WAC 0120				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S31 SERV C/O IAW 7212.007-6-4 REF LSN MCS 477/10

A1PXXU1009303	COMPLETED	09JUL10 02:29	6994.1	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
09JUL10 02:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			09JUL10 02:29
09JUL10 02:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial 6E563				XXxxXXxxXXxxXXxxXXxx
		LINER COMB CHAMB OU at WAC 0120				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S31 SERV C/O IAW 7212.007-6-4 REF LSN MCS 477/10

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1009304	COMPLETED	09JUL10 02:32	6994.1	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
09JUL10 02:29	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			09JUL10 02:32
09JUL10 02:29	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BS due on Serial 50431083				
		LINER COMB CHAMB IN at WAC 0120				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	S31 C/O IAW 7212.007-6-4 REF LSN MCS 477/10				
A1PXXU1009306	COMPLETED	09JUL10 02:35	6994.1	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
09JUL10 02:32	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			09JUL10 02:35
09JUL10 02:32	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BS due on Serial 62A055				
		SHROUD & DISC ASSY at WAC 0120				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	S31 SERV C/O IAW 7212.007-6-4 REF LSN MCS 477/10				
A1PXXU1009307	COMPLETED	09JUL10 02:38	6994.1	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
09JUL10 02:36	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			09JUL10 02:38
09JUL10 02:36	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BS due on Serial 62A055				
		DISC COMP TURBINE at WAC 0120				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	S31 SERV C/O IAW 7212.007-2 REF LSN MCS 477/10				
A1PXXU1009308	COMPLETED	09JUL10 02:42	6994.1	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
09JUL10 02:39	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			09JUL10 02:42
09JUL10 02:39	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BS due on Serial 3K387				
		STAT ASSY TURB COMP at WAC 0120				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	S31 SERV C/O IAW 7212.007-6-4 REF LSN MCS 477/10				
A1PXXU1009269	COMPLETED	15JUL10 22:40	7005.2	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
15JUL10 12:29	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			15JUL10 22:40
15JUL10 12:29	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S40 due on Serial A23-033				
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	S40 SERV C/O IAW 7212.007-6-4 REF 463831-2-1-2				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03094  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1006817	COMPLETED	19JUL10 13:39	7012.9	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
19JUL10 13:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
19JUL10 13:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S26 due on Serial A23-033				19JUL10 13:39
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S26 SERVICING CARRIED OUT IAW AAP7212.007-6-4 REF#463836-5-1#1

A1PXXU1009861	COMPLETED	21JUL10 11:33	7021.4	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
21JUL10 11:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
21JUL10 11:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial 1465				21JUL10 11:33
		BATTERY NICAD at WAC 0660				XXxxXXxxXXxxXXxxXXxx

Maint Acts: NI-CAD BATTERY REPLACED IAW AAP7212.007-2 REF#463842-5-1#1

REMOVALS/INSTALLATIONS FOR A1PXXU1009861

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1465	A23T	A1UOA	00	0935	A23T	A1UOA	00
	33490409201		21JUL10 11:31	A1PXXJ1007131	33490409201		21JUL10 11:31	

A1PXXU1009617	COMPLETED	22JUL10 23:22	7025.0	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
22JUL10 08:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			22JUL10 23:22
22JUL10 08:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O IAW 7212.007-6-4 REFER EE508 463846-1-1-2

A1PXXUY912412	COMPLETED	27JUL10 10:46	7035.2	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
27JUL10 10:44	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
27JUL10 10:44	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S37 due on Serial A23-033				27JUL10 10:46
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03095  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: S37 SERVICING CARRIED OUT IAW AAP 7212.007-2 REF 463404-2

A1PXXU1009942	COMPLETED	29JUL10 22:33	7041.2	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
29JUL10 11:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			29JUL10 22:33
29JUL10 11:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERVICE C/O IAW 7212.007-6-4 REFER EE508 463409-1-2-2

A1PXXU1010308	COMPLETED	05AUG10 23:19	7056.0	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
05AUG10 12:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
05AUG10 12:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			05AUG10 23:19
		S40 due on Serial A23-033				XXxxXXxxXXxxXXxxXXxx
		PC-9 at WAC 0000				

Maint Acts: S40 SERVICING CARRIED OUT IAW AAP 7212.007-6-4 REF 463419-5#1-2

A1PXXU1010864	COMPLETED	04NOV10 02:35	7067.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
11AUG10 05:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			04NOV10 02:35
11AUG10 05:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		463428#5 F12 PANEL REQUIRES SURFIN POST PANEL REPAIR				
		aip0108311AUG10 06:23:34				XXxxXXxxXXxxXXxxXXxx

NIL IMPACT ON AIRWORTHINESS OR AIRCRAFT OPERATIONS THE DAMAGE TO THE AIRCRAFT PAINT SURFACE HAS BEEN INSPECTED AND THE DAMAGE ASSESSED AS LOW RISK ACCEPTABLE. THE DAMAGE TO THE AIRCRAFT PAINT SURFACE IS INSPECTED AS PART OF EACH FIGHT SERVICING FOR ANY ADDITIONAL OR FURTHER DAMAGE. THERE IS NIL EVIDENCE OF ANY SECONDARY DAMAGE TO THE AIRCRAFT PANEL F12, TOTAL FAILURE OF THE PANEL DUE TO THIS DAMAGE IS ASSESSED AS IMPROBABLE.

Maint Acts: REF: MCS 603/10 3OF7#4 REF: 463444/5-9-1

A1PXXU1010630	COMPLETED	12AUG10 22:44	7067.3	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
12AUG10 11:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
12AUG10 11:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			12AUG10 22:44
		S40 due on Serial A23-033				XXxxXXxxXXxxXXxxXXxx
		PC-9 at WAC 0000				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: S40 SERVICING CARRIED OUT IAW AAP 7212.007-6-4 REF 463429-2#1-2

A1PXXU1010998	COMPLETED	16SEP10 06:00	7067.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
16AUG10 00:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			16SEP10 06:00
16AUG10 00:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		463429-3-1#1 REAR PCL TORQUE TUBE RIVETS WORKING				XXxxXXxxXXxxXXxxXXxx

aip0108316AUG10 01:11:33  
 NIL IMPACT ON AIRWORTHINESS OR AIRCRAFT OPERATIONS THE MOVEMENT IN  
 THE REAR PCL HAS BEEN INSPECTED AND THE MOVEMENT ASSESSED AS  
 ACCEPTABLE LOW RISK. TOTAL FAILURE IS ASSESSED AS IMPROBABLE.

Maint Acts: REAR PCL RIVETS REPLACED IAW AAP 7212-007-2

REMOVALS/INSTALLATIONS FOR A1PXXU1010998

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	XX02FTSXRY309180 MSI 72013	A23T	A1UFU 10SEP10 02:37	00 A1PXXJ1016278	XX02FTSXRY309180 MSI 72013	A23T	A1UFU 16SEP10 05:59	00

A1PXXU1011104	COMPLETED	17AUG10 11:57	7067.3	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
17AUG10 11:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
17AUG10 11:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0530 due on Serial ALT279-13217				17AUG10 11:57
		CYL ASSY OXYGEN RH at WAC 065R				XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-0530 INC

A1PXXU1011105	COMPLETED	17AUG10 11:57	7067.3	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
17AUG10 11:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
17AUG10 11:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0530 due on Serial ALT279-12931				17AUG10 11:57
		CYL ASSY OXYGEN LH at WAC 065L				XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-0530 INC REF 463434-2

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1010954	COMPLETED	19AUG10 23:06	7071.7	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
19AUG10 07:16	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			19AUG10 23:06
19AUG10 07:16	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S40 due on Serial A23-033				
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX

Maint Acts: S40 C/O REFER EE508 463434-5-1-2

A1PXXU1011298	COMPLETED	23AUG10 00:19	7072.9	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
23AUG10 00:14	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			23AUG10 00:19
23AUG10 00:15	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		RH MAIN WHEEL WORN TO LIMITS				XXXXXXXXXXXXXXXXXXXX

Maint Acts: RH MAIN WHEEL AND HUB ASSY REPLACED IAW 7217.007-2, REF: EE508 463436/3-1#3

REMOVALS/INSTALLATIONS FOR A1PXXU1011298

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0028	A23T	A2KEI	01	0037	A23T	A2KEI	01
	3-1555		23AUG10 00:15	A1PXXJ1015043	3-1555		23AUG10 00:17	

A1PXXU1011233	COMPLETED	26AUG10 22:41	7081.6	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
26AUG10 08:30	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			26AUG10 22:41
26AUG10 08:30	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S40 due on Serial A23-033				
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX

Maint Acts: S40 C/OUT SERV IAW 7212.007-6-4 REF 463444-2-1-2

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03098  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES -----  
 SERV NUMBER STATUS STATUS DATE/TIME TOTAL LIFE INT TYPE CERTIFICATION TRADESMAN  
 RAISED DATE/TIME RAISED USER ID RAISED NAME RAISED VENUE CAPABILITY CODE EPSS DATE/TIME  
 ENTERED DATE/TIME ENTERED USER ID ENTERED NAME ENTERED VENUE IMIC NO SUPERVISOR  
 OPERATION NO ASOR NO SYMPTOMS DATE/TIME  
 EE500PG EE500LN INSPECTOR  
 STA WL BL ADMIN MAINT ACTION/LIMITATIONS DATE/TIME  
 =====

A1PXXU1000233 COMPLETED 31OCT10 22:51 7082.8 AFHR SST XXxxXXxxXXxxXXxxXXxx  
 01SEP10 23:49 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 31OCT10 22:51  
 01SEP10 23:49 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 R2 due on Serial A23-033  
 PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: R2 CO IAW 7212.007-6-2-2 REF: LSN: 595/10

REMOVALS/INSTALLATIONS FOR A1PXXU1000233

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
===	=====	=====	=====	=====	=====	=====	=====	=====
001	0226 2-1524-1	A23T	A2KDI 22SEP10 03:26	00 A1PXXJ1016857	0203A 2-1524-1	A23T	A2KDI 22SEP10 23:30	00
002	0225A 2-1524-1	A23T	A2KEE 22SEP10 03:31	00 A1PXXJ1016858	0224A 959.47.81.705	A23T	A2KEE 22SEP10 23:29	00
003	L522961 32-2053	A23T	A1SAI10AC 20OCT10 08:32	00 A1PXXJ1019249	L522961 32-2053	A23T	A1SAI10AC 20OCT10 08:33	00
004	PCY900719 3059257-01	A23T	A1SAK34 20OCT10 08:37	00 A1PXXJ1019250	PCY900719 3059257-01	A23T	A1SAK34 20OCT10 08:38	00
005	PCY800507 03W1738-231	A23T	A1UJK00 27OCT10 00:52	00 A1PXXJ1019645	L117354 03W1738-231	A23T	A1UJK00 28OCT10 12:49	00

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03099  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1002723	COMPLETED	14SEP10 03:03	7082.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
01SEP10 23:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			14SEP10 03:03
01SEP10 23:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0522 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	STI-PC9-0522 INC IAW STI INSTRUCTION REF MCS 595/10-14-1				
A1PXXU1006655	COMPLETED	28OCT10 11:54	7082.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
01SEP10 23:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			28OCT10 11:54
01SEP10 23:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S20 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S20 CO IAW 7212.007-6-4 REF MCS 595/10				
A1PXXU1006731	COMPLETED	14SEP10 00:01	7082.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
01SEP10 23:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			14SEP10 00:01
01SEP10 23:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S63 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S63 C/O IAW 7113.022-2 REFER R2 PAPERWORK LSN MCS 595/10-13-6				
A1PXXU1011913	COMPLETED	21SEP10 11:54	7082.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
01SEP10 23:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			21SEP10 11:54
01SEP10 23:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0506 due on Serial 533				
		VERTICAL STAB ASSY at WAC 1400				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	C/O SERV REF 595/10				
A1PXXU1011914	COMPLETED	21SEP10 11:55	7082.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
01SEP10 23:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			21SEP10 11:55
01SEP10 23:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0506 due on Serial 553				
		HORIZONTAL STAB ASS at WAC 1100				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	C/O SERV REF 595/10				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03100  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1011915	COMPLETED	30SEP10 05:40	7082.8	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
01SEP10 23:49	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			30SEP10 05:40
01SEP10 23:49	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		STI-PC9-422B			due on Serial 027	
		WING ASSY			at WAC 1500	XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	C/O SERV REF 595/10				

A1PXXUY919840	COMPLETED	07SEP10 03:43	7082.8	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
01SEP10 23:49	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			07SEP10 03:43
01SEP10 23:49	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S57			due on Serial A23-033	
		PC-9			at WAC 0000	XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	S57 C/O IAW 7212.007-6-4 REF MCS 595/10				

A1PXXU1011917	COMPLETED	27OCT10 03:17	7082.8	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
02SEP10 00:06	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			27OCT10 03:17
02SEP10 00:06	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		OH			due on Serial ALT279-13217	
		CYL ASSY OXYGEN RH			at WAC 065R	XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	SERV CYL ASSY OXY FITTED IAW 7212.007-2 REF EE508 463444/5-3-6				

REMOVALS/INSTALLATIONS FOR A1PXXU1011917

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	ALT279-13217	A23T	A1UNI	00	ALT279-19610	A23T	A1UNI	00
	89795050		27OCT10 03:13	A1PXXJY720911	89795050		27OCT10 03:14	

A1PXXU1011918	COMPLETED	27OCT10 03:40	7082.8	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
02SEP10 00:06	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			27OCT10 03:40
02SEP10 00:06	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		OH			due on Serial ALT279-12931	
		CYL ASSY OXYGEN LH			at WAC 065L	XXXXXXXXXXXXXXXXXXXX

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03101  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: SERV OXY CYL ASSY FITTED IAW 7212.007-2 REF EE508 463444/5-3-6

REMOVALS/INSTALLATIONS FOR A1PXXU1011918

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001 ALT279-12931 A23T A1UNG 00 ALT279-19610 A23T A1UNG 00  
89795050 27OCT10 03:19 A1PXXJY720895 89795050 27OCT10 03:36

A1PXXU1011582 COMPLETED 30SEP10 05:41 7082.8 AFHR SST XXxxXXxxXXxxXXxxXXxx  
02SEP10 00:07 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 30SEP10 05:41  
02SEP10 00:07 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: C/O SERV REF 595/10`

A1PXXU1009748 COMPLETED 22SEP10 12:38 7082.8 AFHR SST XXxxXXxxXXxxXXxxXXxx  
02SEP10 00:13 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 22SEP10 12:38  
02SEP10 00:13 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S26 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S26 SERV C/O IAW 7212.007-2 REF LSN MCS 595/10-14-4

A1PXXUY908563 COMPLETED 29SEP10 06:33 7082.8 AFHR SST XXxxXXxxXXxxXXxxXXxx  
02SEP10 00:14 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 29SEP10 06:33  
02SEP10 00:14 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S23 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S23 CARRIED OUT SERV IAW 7212.007-6-4 REFER R2 PAPERWORK LSN MCS 595/10-14-3

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY919676	COMPLETED	22SEP10 00:10	7082.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
02SEP10 00:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			22SEP10 00:10
02SEP10 00:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S62	due on Serial A23-033			
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: S62 C/O IAW AAP 7212.007-2 REF:MCS595/10-SHT 12#3

A1PXXUY811939	COMPLETED	14SEP10 02:17	7082.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
02SEP10 00:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			14SEP10 02:17
02SEP10 00:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S36	due on Serial A23-033			
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: S36 C/O IAW AAP 7212.007-6-4 REF MCS 595/10-14/27#5

A1PXXU1011920	COMPLETED	21SEP10 03:36	7082.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
02SEP10 00:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			21SEP10 03:36
02SEP10 00:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS2	due on Serial 0801			
		PUMP FUEL HIGH PRES	at WAC 0130			XXxxXXxxXXxxXXxxXXxx

Maint Acts: BS2 CARRIED OUT SERV IAW 7113.022-2 REFER R2 PAPERWORK LSN MCS 595/10-16-3

REMOVALS/INSTALLATIONS FOR A1PXXU1011920

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0801	A23T	A1SAI10	00	0801	A23T	A1SAI10	00
	3031806		15SEP10 01:11	A1EXXJY805131	3031806		21SEP10 03:35	



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03103  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1011932	COMPLETED	22SEP10 23:22	7082.8	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
02SEP10 01:16	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			22SEP10 23:22
02SEP10 01:16	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		OH due on Serial 540				
		STRUT SHOCK MLG LH at WAC 0950				XXXXXXXXXXXXXXXXXXXX

Maint Acts: LH MLG STRUT REPLACED IAW 7212.007-2 REFER R2 PAPERWORK LSN MCS 595/10-16-4

REMOVALS/INSTALLATIONS FOR A1PXXU1011932

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	540	A23T	A2KDG	00	538	A23T	A2KDG	00
	532.10.09.075		08SEP10 11:16	AIPXXJ311095X	532.10.09.075		22SEP10 23:22	

A1PXXU1011936	COMPLETED	16SEP10 00:18	7082.8	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
02SEP10 01:19	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			16SEP10 00:18
02SEP10 01:19	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BS due on Serial RT132				
		FUEL NOZZLE SET at WAC 0120				XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERVICEABLE FUEL NOZZLES INSTALLED IAW AAP 7113-022-2

REMOVALS/INSTALLATIONS FOR A1PXXU1011936

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	RT132	A23T	A1SAK27	00	RT119	A23T	A1SAK27	00
	RAAFA62FNS01		08SEP10 05:51	N0NC2JY902762	RAAFA62FNS01		16SEP10 00:15	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03104  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1011937	COMPLETED	30SEP10 05:21	7082.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
02SEP10 01:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			30SEP10 05:21
02SEP10 01:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		NDT due on Serial 033				
		AFT FUS TSKN RIVET at WAC 0670				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	C/O SERV REF 595/10				
A1PXXU1011938	COMPLETED	30SEP10 05:22	7082.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
02SEP10 01:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			30SEP10 05:22
02SEP10 01:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		NDT due on Serial 533				
		VSTAB RSPAR FLNG at WAC 1400				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	C/O SERV REF 595/10				
A1PXXU1011942	COMPLETED	30SEP10 05:23	7082.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
02SEP10 02:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			30SEP10 05:23
02SEP10 02:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		NDT due on Serial 033				
		AFT FUS TOP SKIN at WAC 0600				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	C/O SERV REF 595/10				
A1PXXU1011943	COMPLETED	30SEP10 05:24	7082.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
02SEP10 02:02	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			30SEP10 05:24
02SEP10 02:02	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		NDT due on Serial 033				
		AFT FUS LWR SKIN at WAC 0600				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	C/O SERV REF 595/10				
A1PXXU1011944	COMPLETED	30SEP10 05:26	7082.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
02SEP10 02:04	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			30SEP10 05:26
02SEP10 02:04	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		NDT due on Serial 033				
		AFT FUS PORT SKIN at WAC 0600				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	C/O SERV REF 595/10				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1011945	COMPLETED	30SEP10 05:27	7082.8	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
02SEP10 02:05	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			30SEP10 05:27
02SEP10 02:05	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		NDT due on Serial 033				
		FUS FRAME 4A at WAC 0600				XXXXXXXXXXXXXXXXXXXX

Maint Acts: C/O SERV REF 595/10`

A1PXXU1011946	COMPLETED	30SEP10 05:29	7082.8	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
02SEP10 02:06	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			30SEP10 05:29
02SEP10 02:06	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		NDT due on Serial 033				
		FUS FRAME 6 at WAC 0600				XXXXXXXXXXXXXXXXXXXX

Maint Acts: C/O SERV REF 595/10

A1PXXU1011947	COMPLETED	30SEP10 05:33	7082.8	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
02SEP10 02:07	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			30SEP10 05:33
02SEP10 02:07	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		NDT due on Serial 033				
		FUS FRAME 7 at WAC 0600				XXXXXXXXXXXXXXXXXXXX

Maint Acts: C/O SERV REF 595/10

A1PXXU1011949	COMPLETED	29SEP10 05:35	7082.8	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
02SEP10 02:15	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			29SEP10 05:35
02SEP10 02:15	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		OH due on Serial 03W062315				
		FILTER ASSY FUEL at WAC 0610				XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV FUEL FILTER ASSY FITTED IAW AAP 7212-007-2  
REF: MCS 595/10

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03106  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1011949

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	03W062315	A23T	A1UJK	00	00684	A23T	A1UJK	00
	968.35.21.161		13SEP10 05:22	A1PXXJY807676	03W061738		29SEP10 05:29	

A1PXXU1011950 COMPLETED 27OCT10 05:58 7082.8 AFHR SST XXxxXXxxXXxxXXxxXXxx  
02SEP10 02:16 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 27OCT10 05:58  
02SEP10 02:16 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
OH due on Serial 901053  
REG OXYGEN DEMAND at WAC 0730 XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV OXY DEMAND REG FITTED IAW 7212-007-2 REF EE508 463444/5-4-1

REMOVALS/INSTALLATIONS FOR A1PXXU1011950

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	901053	A23T	A1UES	00	006122	A23T	A1UES	00
	3260042-0201		27OCT10 05:56	A1EXXJY600808	3260042-0201		27OCT10 05:57	

A1PXXU1006818 COMPLETED 07SEP10 03:42 7082.8 AFHR SST XXxxXXxxXXxxXXxxXXxx  
02SEP10 02:19 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 07SEP10 03:42  
02SEP10 02:19 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S16 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S16 C/O IAW 7212.007-6-4 REF MCS 595/10

A1PXXU1012100 COMPLETED 23SEP10 03:06 7082.8 AFHR SST XXxxXXxxXXxxXXxxXXxx  
07SEP10 01:07 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 23SEP10 03:06  
07SEP10 01:09 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
FRONT AND REAR SEATS RFA XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV FRONT AND REAR SEATS REFITTED IAW AAP 7212.007-2 REF MCS  
600+601/10

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1012100

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 118	A23T	A26	00	118	A23T	A26	00	
CH11A-2	07SEP10 01:09	A1PXXJ1016057	CH11A-2	23SEP10 03:05				
002 117	A23T	A1W	00	117	A23T	A1W	00	
AU11A-1	07SEP10 01:10	A1PXXJ1016058	AU11A-1	23SEP10 03:04				

A1PXXU1012134 COMPLETED 07SEP10 04:58 7082.8 AFHR SST  
07SEP10 04:50 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 07SEP10 04:58  
07SEP10 04:50 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S57 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: S57 C/O

A1PXXU1012139 COMPLETED 21SEP10 12:02 7082.8 AFHR SST  
07SEP10 05:09 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 21SEP10 12:02  
07SEP10 05:09 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
ELEVATOR ASSY RFA XXxxXXxxXXxxXXxxXXxx  
Maint Acts: SERV ELEVATOR FITTED IAW AAP 7212,007-2 REF 595/10

REMOVALS/INSTALLATIONS FOR A1PXXU1012139

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 540	A23T	A2IBC	00	057	A23T	A2IBC	00	
555.20.09.257	07SEP10 05:10	A1PXXJ1016082	555.20.09.257	21SEP10 11:58				

A1PXXU1012140 COMPLETED 22SEP10 12:01 7082.8 AFHR SST  
07SEP10 05:12 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 22SEP10 12:01  
07SEP10 05:12 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
BATT NICAD RFA XXxxXXxxXXxxXXxxXXxx  
Maint Acts: BATT NICAD REFITTED IAW 7212.007-2 REF LSN MCS 595/10-55-6

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03108  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1012140

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 0935	A23T	A1UOA	00	0935	A23T	A1UOA	00	
33490409201	07SEP10 05:12	A1PXXJ1016083	33490409201	22SEP10 11:59				

A1PXXU1012143 COMPLETED 21SEP10 12:54 7082.8 AFHR SST  
07SEP10 07:15 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 21SEP10 12:54  
07SEP10 07:16 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
BOTH INVS AND RACK RFA  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: BOTH INVS AND RACK REFITTED IAW 7212.007-2 REF LSN MCS 595/10-18-5

REMOVALS/INSTALLATIONS FOR A1PXXU1012143

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 6568	A23T	A1UOG	01	6568	A23T	A1UOG	01	
975.04.21.103	07SEP10 07:16	A1PXXJ1016112	975.04.21.103	21SEP10 12:52				
002 6567	A23T	A1UOE	01	6567	A23T	A1UOE	01	
975.04.21.103	07SEP10 07:18	A1PXXJ1016113	975.04.21.103	21SEP10 12:51				

A1PXXU1012169 COMPLETED 22SEP10 04:57 7082.8 AFHR SST  
07SEP10 14:33 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 22SEP10 04:57  
07SEP10 14:33 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
TRANSPONDER RFA  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: TRANSPONDER REFITTED IAW 7212.007-2 REF LSN MCS 595/10-19-3

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1012169

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	4568	A23T	A1ULQ	00	4568	A23T	A1ULQ	00
	985.99.11.631		07SEP10 14:34	A1PXXJ1016133	985.99.11.631		22SEP10 04:52	

A1PXXU1012207 COMPLETED 30SEP10 05:42 7082.8 AFHR SST  
 08SEP10 06:12 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 30SEP10 05:42  
 08SEP10 06:13 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 SPINNER ASSY RFA  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: SPINNER REFITTED SERV IAW 7212-007-2 REF 595/10 SH 6 # 5

REMOVALS/INSTALLATIONS FOR A1PXXU1012207

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	A2333	A23T	A00AI	00	A2333	A23T	A00AI	00
	D5210		08SEP10 06:14	A1PXXJ1016204	D5210		09SEP10 09:28	

A1PXXU1012209 COMPLETED 23SEP10 22:21 7082.8 AFHR SST  
 08SEP10 06:17 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 23SEP10 22:21  
 08SEP10 06:18 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 HUB ASSY MAIN L/H RFA  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: HUB ASSY MAIN L/H REFITTED SERV IAW 7212.007-2 REFER R2 PAPERWORK  
LSN MCS 595/10-21-5

REMOVALS/INSTALLATIONS FOR A1PXXU1012209

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0037	A23T	A2KEI	01	0037	A23T	A2KEI	01
	3-1555		08SEP10 06:18	A1PXXJ1016205	3-1555		23SEP10 22:19	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03110  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1012210	COMPLETED	23SEP10 22:19	7082.8	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
08SEP10 06:19	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			23SEP10 22:19
08SEP10 06:19	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		HUB ASSY MAIN R/H RFA				XXXXXXXXXXXXXXXXXXXX

Maint Acts: HUB ASSY MAIN R/H REFITTED SERV IAW 7212.007-2 REFER R2 PAPERWORK  
LSN MCS 595/10-10-21-5

REMOVALS/INSTALLATIONS FOR A1PXXU1012210

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0070	A23T	A2KDM	01	0070	A23T	A2KDM	01
	3-1555		08SEP10 06:19	A1PXXJ1016206	3-1555		23SEP10 22:16	

A1PXXU1012211	COMPLETED	28SEP10 00:32	7082.8	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
08SEP10 06:21	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			28SEP10 00:32
08SEP10 06:21	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		HUB ASSY NOSE RFA				XXXXXXXXXXXXXXXXXXXX

Maint Acts: NLG HUB ASSY FITTED IAW 7212.007-2 REF 525/10

REMOVALS/INSTALLATIONS FOR A1PXXU1012211

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0007	A23T	A18AG	00	0010	A23T	A18AG	00
	3-1451 OPT 1		08SEP10 06:21	A1PXXJ1016207	3-1451 OPT 1		28SEP10 00:28	



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1012258	COMPLETED	08SEP10 23:15	7082.8	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
08SEP10 23:12	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			08SEP10 23:15
08SEP10 23:13	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		LP FILTER REMOVED FOR CLEAN AND INSPECTION				XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV LP FUEL FILTER INSTALLED IAW 7212.007-2 REF MCS595/10

REMOVALS/INSTALLATIONS FOR A1PXXU1012258

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	R414517	A23T	A1UJK00	00	PEY400018	A23T	A1UJK00	00
	03W1738-231		08SEP10 23:13	A1PXXJ1016224	03W1738-231		08SEP10 23:14	

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1012279	COMPLETED	09SEP10 22:39	7082.8	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
09SEP10 06:07	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			09SEP10 22:39
09SEP10 06:08	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		LH O/B FLAP CREASED				XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV ITEM FITTED REF 595/10-21-1

REMOVALS/INSTALLATIONS FOR A1PXXU1012279

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	508	A23T	A2KCW08	00	539	A23T	A2KCW08	00
	557.52.09.007		09SEP10 06:08	A1PXXJ1016249	557.52.09.007		09SEP10 22:38	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1012285	COMPLETED	21SEP10 06:33	7082.8	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
09SEP10 10:53	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			21SEP10 06:33
09SEP10 10:54	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		STARTER GEN RFA				XXXXXXXXXXXXXXXXXXXX

Maint Acts: STARTER GEN REFITTED IAW 7212-007-2 REF LSN MCS 595/10-52-6

REMOVALS/INSTALLATIONS FOR A1PXXU1012285

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	5505	A23T	A1SAI14	00	5505	A23T	A1SAI14	00
	23081-026		09SEP10 10:54	A1PXXJ1016255	23081-026		21SEP10 06:32	

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1012286	COMPLETED	16SEP10 09:08	7082.8	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
09SEP10 10:55	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			16SEP10 09:08
09SEP10 10:56	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		FDR AND TRIPLE TRIM IND RFA				XXXXXXXXXXXXXXXXXXXX

Maint Acts: FDR AND IND TRIPLE TRIM REFITTED IAW 7212-007-2 REF LSN MCS 595/10-24-3+4

REMOVALS/INSTALLATIONS FOR A1PXXU1012286

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	01496	A23T	A1UPM	00	01496	A23T	A1UPM	00
	S703-1000-01		09SEP10 10:56	A1PXXJ1016256	S703-1000-01		16SEP10 09:07	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03113  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
002	91040395	A23T	A1UCE	00	91040395	A23T	A1UCE	00
	185.134-1		09SEP10 10:58	ALPXXJ1016257	185.134-1		16SEP10 09:07	

ALPXXU1012337 COMPLETED 10SEP10 02:29 7082.8 AFHR SST  
10SEP10 02:25 XXxxXXxx XXxxXXxxXXxxXXxx AIP 10SEP10 02:29  
10SEP10 02:26 XXxxXXxx XXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
P3 FILTER ELEMENT REMOVED FOR CLEAN AND INSPECT  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: P3 FILTER CLEANED AND INSPECTED FOUND INSTALLED SERV ITEM IAW  
7113.022-2 REF MCS 595/10

REMOVALS/INSTALLATIONS FOR ALPXXU1012337

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PCY900622	A23T	A1SAK48	01	PCY900622	A23T	A1SAK48	01
	3059788-01		10SEP10 02:26	ALPXXJ1016276	3059788-01		10SEP10 02:27	

ALPXXU1012338 COMPLETED 28SEP10 00:39 7082.8 AFHR SST  
10SEP10 02:29 XXxxXXxx XXxxXXxxXXxxXXxx AIP 28SEP10 00:39  
10SEP10 02:30 XXxxXXxx XXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
HEAT EXCHANGER REMOVED DUE TO CRACK ON UPPER MOUNTING BRACKET  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: HEAT EXCHANGER REPLACED IAW 7212.007-2 REF 525/10

REMOVALS/INSTALLATIONS FOR ALPXXU1012338

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	700	A23T	A0M	00	815	A23T	A0M	00
	195980-3		10SEP10 02:31	ALPXXJ1016277	521.45.09.194		28SEP10 00:34	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1012388	COMPLETED	13SEP10 02:30	7082.8	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
13SEP10 02:12	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			13SEP10 02:30
13SEP10 02:12	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		RUDDER ASSY RFA				XXXXXXXXXXXXXXXXXXXX

Maint Acts: RUDDER ASSY REFITTED IAW AAP 7212.007-2 REF MCS 595/10-27-3

REMOVALS/INSTALLATIONS FOR A1PXXU1012388

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	567	A23T	A2GAM	00	567	A23T	A2GAM	00
	555.40.09.003		13SEP10 02:13	A1PXXJ1016350	555.40.09.003		13SEP10 02:26	

A1PXXU1012395	COMPLETED	21SEP10 12:05	7082.8	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
13SEP10 02:30	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			21SEP10 12:05
13SEP10 02:31	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		CORROSION FOUND ON RUDDER TRIM TAB BRACKET				XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV RUDDER ASSY FITTED IAW AAP 7212.007-2 REF 595/10

REMOVALS/INSTALLATIONS FOR A1PXXU1012395

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	567	A23T	A2GAM	00	532	A23T	A2GAM	00
	555.40.09.003		13SEP10 02:35	A1PXXJ1016351	555.40.09.067		21SEP10 12:03	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1012490	COMPLETED	21SEP10 03:41	7082.8	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
15SEP10 01:03	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			21SEP10 03:41
15SEP10 01:04	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		OIL TO FUEL HEATER REMOVED FOR HP PUMP BS2				XXXXXXXXXXXXXXXXXXXX

Maint Acts: OIL TO FUEL HEATER REFITTED SERV IAW 7113.022-2 REFER R2 PAPWORK LSN  
 MCS 595/10-29-1

REMOVALS/INSTALLATIONS FOR A1PXXU1012490

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	2122	A23T	A1SAI06	00	2122	A23T	A1SAI06	00
	10585K		15SEP10 01:04	A1PXXJ1016461	10585K		21SEP10 03:39	

A1PXXU1012491	COMPLETED	21SEP10 03:43	7082.8	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
15SEP10 01:06	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			21SEP10 03:43
15SEP10 01:06	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		EFCU ACTUATOR REMOVED FOR HP PUMP BS2				XXXXXXXXXXXXXXXXXXXX

Maint Acts: EFCU ACTUATOR REFITTED SERV IAW 7212.007-2 REFER R2 PAPERWORK LSN  
 MCS 595/10-29-2

REMOVALS/INSTALLATIONS FOR A1PXXU1012491

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	366	A23T	A1SAI00	00	366	A23T	A1SAI00	00
	VL50R4		15SEP10 01:07	A1PXXJ1016462	VL50R4		21SEP10 03:42	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1012492	COMPLETED	21SEP10 03:39	7082.8	AFHR	SST	XXXXXXXXXX
15SEP10 01:08	XXXXXXXX	XXXXXXXXXX	AIP			21SEP10 03:39
15SEP10 01:09	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
		FCU REMOVED FOR HP PUMP BS2				XXXXXXXXXX

Maint Acts: FCU REFITTED SERV IAW 7113.022-2 REFER R2 PAPERWORK LSN MCS 595/10-29-3

REMOVALS/INSTALLATIONS FOR A1PXXU1012492

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	B19107	A23T	A1SAI02	00	B19107	A23T	A1SAI02	00
	3244831-9-5		15SEP10 01:09	A1PXXJ1016463	3244831-9-5		21SEP10 03:36	

A1PXXU1012499	COMPLETED	21SEP10 06:32	7082.8	AFHR	SST	XXXXXXXXXX
15SEP10 05:30	XXXXXXXX	XXXXXXXXXX	AIP			21SEP10 06:32
15SEP10 05:30	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
		GCU RFA				XXXXXXXXXX

Maint Acts: GCUREFITTED IAW 7212-007-2 REF LSN MCS 595/10-30-2

REMOVALS/INSTALLATIONS FOR A1PXXU1012499

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1302	A23T	A14	00	1302	A23T	A14	00
	51538-002 A		15SEP10 05:30	A1PXXJ1016474	51538-002 A		21SEP10 06:30	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03117  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1012710	COMPLETED	22SEP10 23:37	7082.8	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
20SEP10 01:24	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			22SEP10 23:37
20SEP10 01:25	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		RH MLG STRUT REMOVED LEAKING				XXXXXXXXXXXXXXXXXXXX

Maint Acts: RH MLG STRUT REPLACED IAW 7212.007-2 REFER R2 PAPERWORK LSN MCS 595/10-31-1

REMOVALS/INSTALLATIONS FOR A1PXXU1012710

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	537	A23T	A2KEC	00	1006	A23T	A2KEC	00
	532.10.09.076		20SEP10 01:25	A1PXXJ1016644	532.10.09.076		22SEP10 23:36	

A1PXXU1012786	COMPLETED	21SEP10 23:41	7082.8	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
21SEP10 23:22	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			21SEP10 23:41
21SEP10 23:24	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S83 MICROSITCH RFA				XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV S83 MICROSITCH INSTALLED IAW AAP 7212-007-2 REF MCS 595/10 SHEET 16 LINE 4

REMOVALS/INSTALLATIONS FOR A1PXXU1012786

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PCY901180	A23T	A2KDS	00	60S83E	A23T	A2KDS	00
	973.30.31.204		21SEP10 23:24	A1PXXJ1016836	SP4501-40		21SEP10 23:27	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1012808	COMPLETED	23SEP10 03:14	7082.8	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
22SEP10 06:44	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			23SEP10 03:14
22SEP10 06:44	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		GCU RFA				XXXXXXXXXXXXXXXXXXXX

Maint Acts: GCU REFITTED IAW 7212.007-2 REF LSN MCS 595/10-22-2

REMOVALS/INSTALLATIONS FOR A1PXXU1012808

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1302	A23T	A14	00	1302	A23T	A14	00
	51538-002 A		22SEP10 06:44	A1PXXJ1016867	51538-002 A		23SEP10 03:13	

A1PXXU1012817	COMPLETED	22SEP10 13:06	7082.8	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
22SEP10 12:53	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			22SEP10 13:06
22SEP10 12:59	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		NLG ACTUATOR LEAKING				XXXXXXXXXXXXXXXXXXXX

Maint Acts: NLG ACTUATOR FITTED IAW 7212.007-2 REF 595/10

REMOVALS/INSTALLATIONS FOR A1PXXU1012817

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	YH191099	A23T	A1I	00	FYH179623	A23T	A1I	00
	4035 H2		22SEP10 12:59	A1PXXJ1016873	4035 H2		22SEP10 13:02	



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1012818	COMPLETED	22SEP10 13:12	7082.8	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
22SEP10 13:06	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			22SEP10 13:12
22SEP10 13:08	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		MLG ACTUATOR LEAKING				XXXXXXXXXXXXXXXXXXXX

Maint Acts: LH MLG ACTUATOR REPLACED IAW 7212.007-2 REF 595/10

REMOVALS/INSTALLATIONS FOR A1PXXU1012818

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	FYH177044	A23T	A2KBM	00	FYH167265	A23T	A2KBM	00
	4033 H2		22SEP10 13:09	A1PXXJ1016875	4033 H2		22SEP10 13:11	

A1PXXU1012897	COMPLETED	28SEP10 10:15	7082.8	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
23SEP10 03:14	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			28SEP10 10:15
23SEP10 03:14	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		RUDDER RFA				XXXXXXXXXXXXXXXXXXXX

Maint Acts: RUDDER REFITTED IAW AAP7212.007-2, P/W REF MCS595/10-34-1

REMOVALS/INSTALLATIONS FOR A1PXXU1012897

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	532	A23T	A2GAM	00	532	A23T	A2GAM	00
	555.40.09.067		23SEP10 03:18	A1PXXJ1016938	555.40.09.067		28SEP10 10:14	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 03120  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1012898	COMPLETED	28SEP10 22:53	7082.8	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
23SEP10 03:22	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			28SEP10 22:53
23SEP10 03:23	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BATTERY AND INVS RFA				XXXXXXXXXXXXXXXXXXXX

Maint Acts: NI-CAD BATTERY AND INVS REFITTED IAW AAP7212.007-2  
 REFMC595/10-33#05

REMOVALS/INSTALLATIONS FOR A1PXXU1012898

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	6567 975.04.21.103	A23T	A1UOE 23SEP10 03:23	01 A1PXXJ1016939	6567 975.04.21.103	A23T	A1UOE 28SEP10 14:10	01
002	6568 975.04.21.103	A23T	A1UOG 23SEP10 03:24	01 A1PXXJ1016940	6568 975.04.21.103	A23T	A1UOG 28SEP10 14:10	01
003	0935 33490409201	A23T	A1UOA 23SEP10 03:25	00 A1PXXJ1016942	0935 33490409201	A23T	A1UOA 28SEP10 22:50	00

A1PXXU1012906	COMPLETED	23SEP10 06:33	7082.8	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
23SEP10 06:25	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			23SEP10 06:33
23SEP10 06:28	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		AOA ELECTRONIC UNIT U/S,VOLTAGE INDICATION FLUCTUATES DURING CALIBRATION				XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV AOA ELECTRONIC UNIT FITTED IAW 7212.007-2 REF LSN MCS  
 595/10-34-05

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03121  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1012906

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	117781	A23T	A1UDG	00	117784	A23T	A1UDG	00
	975.44.21.312		23SEP10 06:28	A1PXXJ1016995	975.44.21.312		23SEP10 06:31	

A1PXXU1012936 COMPLETED 13JUN13 12:44 7082.8 AFHR SST XXxxXXxxXXxxXXxxXXxx  
28SEP10 03:10 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 13JUN13 12:44  
28SEP10 03:12 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
INTERIM FATIGUE LIFE LIMIT - AIRCRAFT NOT TO BE FLOWN MORE THAN  
1050AFHRS PAST AIRCRAFT LIFE AT 12 AUG 10 - REFER TASPO 2003/51925/5 XXxxXXxxXXxxXXxxXXxx  
(36). LIFE AT 12 AUG 10 = 7067.3 AFHRS. LIFE LIMIT = 8117.3 AFHRS

Maint Acts: SMR NO LONGER REQUIRED AUTH TASPO-EMERALD REF IRN 0411/2004-0144  
REFER 539668#2

A1PXXU1013006 COMPLETED 29SEP10 06:46 7082.8 AFHR SST XXxxXXxxXXxxXXxxXXxx  
29SEP10 06:40 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 29SEP10 06:46  
29SEP10 06:43 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
TRIPLE TRIM INDICATOR - RUDDER TRIM INDICATION SLUGGISH DURING RIGHT  
TRIM XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV TRIM INDICATOR FITTED IAW 7121.007-2 REF 595/10 SH 37 # 1

REMOVALS/INSTALLATIONS FOR A1PXXU1013006

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	91040395	A23T	A1UGM	00	91110405	A23T	A1UGM	00
	185.134-1		29SEP10 06:43	A1PXXJ1017101	185.134-1		29SEP10 06:44	

A1PXXU1013234 COMPLETED 01NOV10 11:24 7082.8 AFHR SST XXxxXXxxXXxxXXxxXXxx  
04OCT10 00:21 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 01NOV10 11:24  
04OCT10 00:24 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
AIRCRAFT REQUIRES MADATORY MCS/AMCO AMD VALIDATION PRIOR TO FLIGHT  
IAW SMI 08/20 DATED 21APRIL 2008 XXxxXXxxXXxxXXxxXXxx

Maint Acts: DATA MANAGER C/O AIRCRAFT MANDATORY MCS/AMCO AND VALIDATION PRIOR TO  
FLIGHT IAW SMI 08/20 REF EE500 S/NO 463445 LINES 1/2

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1014109	COMPLETED	31OCT10 23:40	7082.8	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
20OCT10 08:02	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			31OCT10 23:40
20OCT10 08:02	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		ENG COWL 2 RFA				XXXXXXXXXXXXXXXXXXXX

Maint Acts: ENG COWL 2 REFITTED IAW 7212.007-2 REF: 463444/5-2-5

REMOVALS/INSTALLATIONS FOR A1PXXU1014109

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	HLY300804	A23T	A06	00	HLY300804	A23T	A06	00
	571.10.09.044		20OCT10 08:11	A1PXXJ1019248	571.10.09.044		31OCT10 23:38	

A1PXXU1012379	COMPLETED	27OCT10 06:09	7082.8	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
20OCT10 09:30	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			27OCT10 06:09
20OCT10 09:30	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		STI-PC9-0531		due on Serial A23-033		XXXXXXXXXXXXXXXXXXXX
		PC-9		at WAC 0000		XXXXXXXXXXXXXXXXXXXX

Maint Acts: NEW CYL ASSY OXY FITTED IAW STI-PC9-531AND 7212.007-2 REF 463444/5-3-4AND 6

A1PXXU1014111	COMPLETED	07DEC10 22:21	7082.8	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
20OCT10 10:07	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			07DEC10 22:21
20OCT10 10:08	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		AIRCRAFT WASH TO BE CARRIED OUT				XXXXXXXXXXXXXXXXXXXX

Maint Acts: C/O REF 514848-1

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1014165	COMPLETED	21OCT10 07:33	7082.8	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
21OCT10 07:25	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			21OCT10 07:33
21OCT10 07:26	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		LH MLG OUTBOARD DOOR RFA				XXXXXXXXXXXXXXXXXXXX

Maint Acts: DOOR REFITTED IAW AAP 7212.007-2 REF LSN MCS 595/10

REMOVALS/INSTALLATIONS FOR A1PXXU1014165

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	523	A23T	A2KCO	00	523	A23T	A2KCO	00
	532.11.09.097		21OCT10 07:31	A1PXXJ1019344	532.11.09.097		21OCT10 07:32	

A1PXXU1014478	COMPLETED	27OCT10 04:08	7082.8	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
27OCT10 02:34	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			27OCT10 04:08
27OCT10 02:34	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BS		due on Serial 0935		XXXXXXXXXXXXXXXXXXXX
		BATTERY NICAD		at WAC 0660		XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV BATT NICAD FITTED IAW 7212-007-2 REF EE508 463444/5-4-3

REMOVALS/INSTALLATIONS FOR A1PXXU1014478

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0935	A23T	A1UOA	00	1468	A23T	A1UOA	00
	33490409201		27OCT10 02:35	A1PXXJ1012754	33490409201		27OCT10 04:05	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1014482	COMPLETED	27OCT10 03:34	7082.8	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
27OCT10 03:26	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			27OCT10 03:34
27OCT10 03:27	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		CAMM CORRECTION OXY CYL IN WRONG LOCATION				XXXXXXXXXXXXXXXXXXXX

Maint Acts: CAMM CORRECTION C/O

REMOVALS/INSTALLATIONS FOR A1PXXU1014482

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	ALT279-19610 89795050	A23T	A1UNI 27OCT10 03:28	00 A1PXXJ1019664	ALT279-19616 89795050	A23T	A1UNI 27OCT10 03:33	00

A1PXXU1014506	COMPLETED	27OCT10 06:06	7082.8	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
27OCT10 06:03	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			27OCT10 06:06
27OCT10 06:03	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BS due on Serial 462				XXXXXXXXXXXXXXXXXXXX
		REG PRESS REDUCING at WAC 0640				XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV REG PRESS REDUCING FITTED IAW 7212.007-2 REF EE508 463444/5-4-2

REMOVALS/INSTALLATIONS FOR A1PXXU1014506

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	462 F103D000-15	A23T	A1UNC 27OCT10 06:04	02 A1PXXJY923807	354 F103D000-15	A23T	A1UNC 27OCT10 06:05	02

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES							
SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN	
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME	
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR	
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME	
EE500PG EE500LN						INSPECTOR	
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME	
=====							
A1PXXU1014627	COMPLETED	05NOV10 02:05	7082.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx	
31OCT10 22:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			05NOV10 02:05	
31OCT10 22:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		A/C REQ'S MTF POST R2, H.P. PUMP R&I, LH & RH MLG R&I, NLG ACT CX REAR PCL R&I, LH O/B FLAP R&I & COMPRESSOR FIRST STAGE BLEND					XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	NEXT FLIGHT CURRENT HOURS 7082.8					
A1PXXU1014750	COMPLETED	07NOV11 02:32	7082.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx	
01NOV10 23:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			07NOV11 02:32	
01NOV10 23:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		FWD C/PIT CONTROL COLUMN COVER QTY 3 HOLES 2B PATCHED AND EDGES 2B REFURBISHED					XXxxXXxxXXxxXXxxXXxx
		aip0145104NOV10 01:06:37 463444-5-7#1. NIL IMPACT ON AIRWORTHINESS OR SYSTEM OPERATIONS. THE DAMAGED AREA HAS BEEN INSPECTED AND ASSESSED AS LOW RISK ACCEPTABLE DAMAGE. THE AREA IS EASILY INSPECTED AT EACH FLIGHT SERVICING. TOTAL FAILURE OF THE COVER DUE TO THIS DAMAGE IS ASESSSED AS IMPROBABLE.					
	Maint Acts:	FWD C/PIT CONTROL COLUMN COVER X3 HOLES AND EDGES REFURBISHED IAW 7212-007-3 REF LSN MCS 1596/11-5-5					
A1PXXU1014751	COMPLETED	07NOV11 02:37	7082.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx	
02NOV10 00:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			07NOV11 02:37	
02NOV10 00:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		EPU RECETACLE BRACKET CRACKED TOP RH CORNER AS VIEWED INSIDE BATT BAY					XXxxXXxxXXxxXXxxXXxx
		aip0145104NOV10 00:56:58 463444-5-7#2. NIL IMPACT ON AIRWORTHINESS OR AIRCRAFT OPERATIONS. THE AREA HAS BEEN INSPECTED AND ASSESSED AS ACCEPTABLE LOW RISK DAMAGE. THE DAMAGED AREA CAN BE EASILY INSPECTED FOR FURTHER MONITORING. THE TOTAL FAILURE OF THE BRACKET DUE TO THIS DAMAGE IS ASSESSED AS IMPROBABLE.					
	Maint Acts:	MINOR CRACK BLENDED OUT IAW 7212-007-3-CHAP 51+54 REF LSN MCS 1596/11-5-6					

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1014752	COMPLETED	07NOV11 02:06	7082.8	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
02NOV10 00:17	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			07NOV11 02:06
02NOV10 00:18	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		LOCALLY MANUFACTURED ITEM FITTED (553.30.09.089) TO NOSE WHEEL ARCH BRACKET (DD-10-073) REF: MCS 596/10 SHT 30F5 LINE # 6				XXXXXXXXXXXXXXXXXXXX
		aip0145104NOV10 00:46:01 463444-5-6#1.NIL IMPACT ON AIRWORTHINESS OR AIRCRAFT OPERATIONS. DD-10-073, THE AREA HAS BEEN INSPECTED AND ASSESSED AS ACCEPTABLE LOW RISK REPAIR. TOTAL FAILURE OF THE AREA DUE TO THIS REPAIR IS ASSESSED AS IMPROBABLE.				
	Maint Acts:	DD-10-073 PREVIOUSLY INCORPORATED REF LSN MCS 1596/11-6-1				
A1PXXU1014753	COMPLETED	07NOV11 02:09	7082.8	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
02NOV10 00:19	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			07NOV11 02:09
02NOV10 00:20	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		AFT CONTROL ROD COVER SUPPORT BRACKET X2 REPLACED WITH LOCALLY MANUFACTURED ITEM (TREATED WITH AV8)				XXXXXXXXXXXXXXXXXXXX
		aip0145104NOV10 00:21:17 463444-5-6#4. NIL IMPACT ON AIRWORTHINESS OR AIRCRAFT OPERATIONS. AWAITING UNDA DEMAND SUBMITTED FOR REPLACEMENT ITEMS. THE AREA HAS BEEN INSPECTED AND ASSESSED ACCEPTABLE LOW RISK. TOTAL FAILURE OF THE AREA IS ASSESSED AS IMPROBALE.				
	Maint Acts:	LOCALLY MANUFACTURED BRACKETS REPLACED IAW 7212-007-3 CHAP 51+53 REF LSN MCS 1596/11-6-2				
A1PXXU1014754	COMPLETED	02NOV10 00:30	7082.8	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
02NOV10 00:20	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			02NOV10 00:30
02NOV10 00:21	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		SURFACE CORROSION ON ENGINE FRAME MOUNT ASSY & 'V' STRUT				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	DUPLICATE ENTRY REF: 463444/5-1#3 REF: 463444/5-4-4				



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03127  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1014755	COMPLETED	22JAN13 05:31	7082.8	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
02NOV10 00:21	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			22JAN13 05:31
02NOV10 00:22	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
COUPLER MOUNTING BASE PLATE INSIDE PANEL E1 ON VERTICLE STABILIZER CORRODED						

aip0145104NOV10 00:11:39  
463444-5-4#5. NIL IMPACT ON AIRWOTHINESS OR AIRCRAFT OPERATIONS. THE DAMAGED AREA HAS BEEN INSPECTED AND ASSESSED AS ACCEPTABLE LOW RISK DAMGE. THERE IS NIL EVIDENCE OF ANY SECONDARY DAMAGE IN THE AREA. TOTAL FAILURE OF THE AREA DUE TO THIS DAMAGE IS ASSESSED AS IMPROBABLE.

Maint Acts: VERTICAL STAB REPLACED XREF MCS 162/12 SH 31 #3

A1PXXU1014756	COMPLETED	07NOV11 02:12	7082.8	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
02NOV10 00:23	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			07NOV11 02:12
02NOV10 00:27	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
ECS FIRST STAGE OUTLET PIPE HAS SOME CREASE MARKS AROUND FLARED ENDS						

aip0145104NOV10 00:05:08  
463444-5-3#1. NIL IMPACT ON AIRWORTHINESS OR SYSTEM OPERATION. THE DAMAGED AREA HAS BEEN INSPECTED AND ASSESSED AS ACCEPTABLE LOW RISK DAMAGE. TOTAL FAILURE OF THE PIPE ASSY DUE TO THIS DAMAGE IS ASSESSED AS IMPROBABLE.

Maint Acts: NEW OUTLET PIPE FITTED IAW 7212.007-3 REF LSN MCS1596/11-6-4

A1PXXU1014838	COMPLETED	03NOV10 11:42	7082.8	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
02NOV10 11:20	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			03NOV10 11:42
02NOV10 11:21	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
CART SET SEAT, PARA ASSY, PSP AND SEO RFA						

Maint Acts: CART SET SEAT, PARA ASSY, PSP AND SEO REFITTED IAW AAP 7291.042-2M AND 7212.007-2, REF: MCS 746/10 AND 463444/5-8#5

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03128  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1014838

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	2693310F MBEU100021	A23T	A1WAE 02NOV10 11:21	00 A1PXXJ1020172	2693310F MBEU100021	A23T	A1WAE 03NOV10 11:39	00
002	2746662 MBEU100618	A23T	A1WBE 02NOV10 11:23	00 A1PXXJ1020173	2746662 MBEU100618	A23T	A1WBE 03NOV10 11:38	00
003	DF3162 STANDARDPACK-1	A23T	A1WBG 02NOV10 11:24	00 A1PXXJ1020174	DF3162 STANDARDPACK-1	A23T	A1WBG 03NOV10 11:37	00
004	MB13780 MBEU100664	A23T	A1WBA 02NOV10 11:25	00 A1PXXJ1020175	MB13780 MBEU100664	A23T	A1WBA 03NOV10 11:35	00

A1PXXU1014839 COMPLETED 03NOV10 11:34 7082.8 AFHR SST  
 02NOV10 11:26 XXXXX  
 02NOV10 11:29 XXXXX  
 XXXXX  
 FRONT EJECTION SEAT HPRU RETRACTION MECHANISM JAMMING ON OCCASSION  
 XXXXX

Maint Acts: FRONT EJECTION REFITTED IAW AAP 7212.007-2, REF: MCS 746/10

REMOVALS/INSTALLATIONS FOR A1PXXU1014839

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	117 AU11A-1	A23T	A1W 02NOV10 11:29	00 A1PXXJ1020176	117 AU11A-1	A23T	A1W 03NOV10 11:30	00

A1PXXU1015019 COMPLETED 16JUL15 06:52 7082.8 AFHR SST  
 04NOV10 02:37 XXXXX  
 04NOV10 02:37 XXXXX  
 XXXXX  
 EXTERNAL SURFACE FINISH AND MARKINGS REQUIRE REPAINT  
 XXXXX

aip0145104NOV10 03:02:45  
 (Continued on next page.)

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03129  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

(Continued from previous page.)  
463444-5-9#2. NIL IMPACT ON AIRWORTHINESS OR AIRCRAFT HANDLING . THE  
DAMAGE TO THE AIRCRAFT HAS BEEN INSPECTED AND ASSESSED AS ACCEPTABLE  
LOW RISK. THE AIRCRAFT PAINT CONDITION IS EASILY INSPECTED AT EACH  
FLIGHT SERVICING FOR ANY FURTHER DAMAGE. TOTAL FAILURE OF THE  
STRUCTURE DUE TO THIS DAMAGE IS ASSESSED AS IMPROBABLE.

aip0108313MAY14 05:25:22  
AIRCRAFT SURFIN INSPECTION CARRIED OUT NIL EVIDENCE OF ANY FURTHER  
DAMAGE  
ASSESSED AS LOW RISK ACCEPTABLE DAMAGE

Maint Acts: NOT REQD, REF PAINT CONDITION/DENT REGISTER FOR ALL PAINT ANOMOLIES

A1PXXU1013158	COMPLETED	04NOV10 04:46	7082.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
04NOV10 02:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			04NOV10 04:46
04NOV10 02:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40	due on Serial A23-033			
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERV C/O IAW AAP 7212.007-6-4 REF 463444/5-9-3

A1PXXU1015079	COMPLETED	05NOV10 03:49	7082.8	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
05NOV10 02:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
05NOV10 02:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			05NOV10 03:49
		A/C REQ'S MTF POST R2, H.P. PUMP R&I, LH & RH MLG R&I, NLG ACT CX				XXxxXXxxXXxxXXxxXXxx
		REAR PCL R&I, LH O/B FLAP R&I & COMPRESSOR FIRST STAGE BLEND				XXxxXXxxXXxxXXxxXXxx

Maint Acts: C/O REF 463448-2

A1PXXU1015028	COMPLETED	10NOV10 00:12	7090.1	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
09NOV10 08:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			10NOV10 00:12
09NOV10 08:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40	due on Serial A23-033			
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 CO IAW 7212.007-6-4 REF 514802-4-1-2

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03130  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

=====

A1PXXU1015428 COMPLETED 12NOV10 08:43 7099.9 AFHR SST XXxxXXxxXXxxXXxxXXxx  
12NOV10 08:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 12NOV10 08:43  
12NOV10 08:41 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
INTERMITTANT STALL WARNING HORN SOUNDING DOWN FINAL AND LANDING ROLL  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV AOA ELCTRO UNIT FITTED IAW 7212.007-2 REF 514810-1

REMOVALS/INSTALLATIONS FOR A1PXXU1015428

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

=====  
001 117784 A23T A1UDG 00 3215 A23T A1UDG 00  
975.44.21.312 12NOV10 08:41 A1PXXJ1021082 AWS784C 12NOV10 08:42

A1PXXU1015429 COMPLETED 15NOV10 02:01 7099.9 AFHR SST XXxxXXxxXXxxXXxxXXxx  
12NOV10 08:43 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 15NOV10 02:01  
12NOV10 08:43 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
MTF REQD FOR AOA OPS  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: MTF CO

A1PXXU1015470 COMPLETED 15NOV10 03:29 7100.3 AFHR SST XXxxXXxxXXxxXXxxXXxx  
15NOV10 02:27 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 15NOV10 03:29  
15NOV10 02:28 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
A/C REQUIRES MTF FOR AOA OPS  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: MTF CO REF 514812-1

A1PXXU1015309 COMPLETED 16NOV10 23:53 7105.5 AFHR SST XXxxXXxxXXxxXXxxXXxx  
16NOV10 08:15 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 16NOV10 23:53  
16NOV10 08:15 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: S40 CO IAW 7212.007-6-4

A1PXXU1015816	COMPLETED	21NOV10 23:31	7113.9	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
21NOV10 23:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			21NOV10 23:31
21NOV10 23:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		LH TYRE WTL				XXxxXXxxXXxxXXxxXXxx

Maint Acts: LH HUB ASSY REPLACED IAW AAP 7212.007-2 REF 514823-3-1-1

REMOVALS/INSTALLATIONS FOR A1PXXU1015816

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0070	A23T	A2KDM	01	0342	A23T	A2KDM	01
	3-1555		21NOV10 23:29	A1PXXJ1021500	3-1555		21NOV10 23:30	

A1PXXU1015888	COMPLETED	23NOV10 04:09	7113.9	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
22NOV10 07:55	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			23NOV10 04:09
22NOV10 07:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRCRAFT REQUIRES AIRTEST FOR REAR ESDP OPS				XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIIRTEST ASSESSED SERV REFER 514826

A1PXXU1015573	COMPLETED	23NOV10 22:36	7115.2	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
23NOV10 08:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			23NOV10 22:36
23NOV10 08:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				XXxxXXxxXXxxXXxxXXxx
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O IAW 7212.007-6-4 REF EE508 SN 514827

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03132  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1015999	COMPLETED	30NOV10 23:09	7131.2	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
30NOV10 11:44	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			30NOV10 23:09
30NOV10 11:44	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S40 due on Serial A23-033				
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	S40 C/O IAW 7212.007-6-4 REF EE508 SN 514841-2-1-2				
A1PXXU1016568	COMPLETED	06DEC10 11:39	7138.1	AFHR	SCM	XXXXXXXXXXXXXXXXXXXX
06DEC10 11:32	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			
06DEC10 11:32	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		FT due on Serial DN8236				06DEC10 11:39
		BCN UNDERWATER LOC at WAC 0640				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	FT CARRIED OUT SERV IAW AAP 7212.007-2 REF 514846-5				
A1PXXU1016402	COMPLETED	07DEC10 22:17	7139.1	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
07DEC10 08:07	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			07DEC10 22:17
07DEC10 08:07	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S40 due on Serial A23-033				
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	C/O 514848-3-1#2				
A1PXXU1016619	COMPLETED	14DEC10 22:30	7146.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
14DEC10 07:51	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			14DEC10 22:30
14DEC10 07:51	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S40 due on Serial A23-033				
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	S40 SERV C/O IAW 7212.007-6-4 REF MCS 876/10				
A1PXXU1016933	COMPLETED	11JAN11 22:11	7148.7	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
11JAN11 07:25	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			11JAN11 22:11
11JAN11 07:25	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S40 due on Serial A23-033				
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	S40 CARRIED OUT REF MCS13/11				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1100493	COMPLETED	17JAN11 00:33	7148.7	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
17JAN11 00:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
17JAN11 00:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial 1468				17JAN11 00:33
		BATTERY NICAD at WAC 0660				XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERVICEABLE BATTERY FITTED.476257-4.

REMOVALS/INSTALLATIONS FOR A1PXXU1100493

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1468	A23T	A1UOA	00	0666	A23T	A1UOA	00
	33490409201		17JAN11 00:28	A1PXXJ1019654	33490409201		17JAN11 00:29	

A1PXXU1100220	COMPLETED	18JAN11 23:32	7148.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
18JAN11 08:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			18JAN11 23:32
18JAN11 08:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O IAW 7212.007-6-4 REF MCS 53/11

A1PXXU1100739	COMPLETED	20JAN11 06:04	7149.9	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
20JAN11 05:55	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			20JAN11 06:04
20JAN11 05:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		NO GEAR DOWN TONE IN BOTH COCKPITS WITH NO AOA INDEXER INDICATIONS				
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: REAR LGCU REPLACED IAW AAP 7212.007-2 REF: 476259-5-1 #4

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03134  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1100739

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	513	A23T	A1UGY	00	301	A23T	A1UGY	00
	532.30.09.217		20JAN11 05:58	A1PXXJ1100597	532.30.09.217		20JAN11 06:02	

A1PXXU1100751 COMPLETED 02FEB11 03:49 7149.9 AFHR SST XXxxXXxxXXxxXXxxXXxx  
20JAN11 13:01 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 02FEB11 03:49  
20JAN11 13:06 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
AIRCRAFT REQUIRES AIRTEST FOR: RCP U/C HANDLE OPS AND CLEAR ASOR  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST ASSESSED SERV REFER 476262

A1PXXU1100633 COMPLETED 26JAN11 10:01 7149.9 AFHR SST XXxxXXxxXXxxXXxxXXxx  
25JAN11 08:23 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 26JAN11 10:01  
25JAN11 08:23 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 CARRIED OUT IAW7212-007-6-4

A1PXXU1100898 COMPLETED 25JAN11 12:03 7149.9 AFHR SST XXxxXXxxXXxxXXxxXXxx  
25JAN11 11:42 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 25JAN11 12:03  
25JAN11 11:42 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
TA due on Serial PCY500233  
BATTERY ULB at WAC 0640 XXxxXXxxXXxxXXxxXXxx

Maint Acts: BEACON UNDERWATER LOCATOR REPLACED IAW AAP 7212.007-2. REF EE508  
476260-2-1-1

REMOVALS/INSTALLATIONS FOR A1PXXU1100898

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	DN8236	A23T	A1UPC00	00	DN4834	A23T	A1UPC00	00
	DK120		25JAN11 11:58	A1PXXJ1100903	DK120		25JAN11 12:01	



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 03135  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1100985	COMPLETED	27JAN11 23:36	7149.9	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
27JAN11 23:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			27JAN11 23:36
27JAN11 23:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
		STI-PC9-0340 TBCO				
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI INC IAW INSTRUCTIONS REF 476260-5

A1PXXU1101068	COMPLETED	31JAN11 06:20	7149.9	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
30JAN11 23:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			31JAN11 06:20
30JAN11 23:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AV 8 APPLIED TO BARE METAL AT DIHEDRAL BOLTS LH/RH UPERR AND LOWER WING				XXxxXXxxXXxxXXxxXXxx

Maint Acts: AV8 REMOVED AND AREA PRIMED IAW 7021-004-1 REFER 476261#3

A1PXXU1101228	COMPLETED	01FEB11 07:24	7149.9	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
01FEB11 06:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			01FEB11 07:24
01FEB11 06:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial 0397001				
		CRASH POSN IND at WAC 0660				XXxxXXxxXXxxXXxxXXxx

Maint Acts: CPI REPLACED IAW AAP 7212.007-2 REF: 476261#4

REMOVALS/INSTALLATIONS FOR A1PXXU1101228

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0397001	A23T	A1UOY	00	0420001	A23T	A1UOY	00
	453-0406		01FEB11 07:21	NONC2J1000409	453-0406		01FEB11 07:22	

A1PXXU1100904	COMPLETED	01FEB11 22:09	7149.9	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
01FEB11 08:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			01FEB11 22:09
01FEB11 08:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: C/O IAW 7212.007-6-4 REF MCS 150/11

A1PXXUY505318	COMPLETED	25FEB11 00:02	7155.0	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
25FEB11 00:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			25FEB11 00:02
25FEB11 00:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S202 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S202 C/O IAW 7212.007-2 REF IRN 0251/1996-0184

A1PXXU1102324	COMPLETED	25MAR11 01:02	7155.0	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
25FEB11 00:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
25FEB11 00:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRCRAFT IS NOT TO BE RELEASED FOR FLIGHT OR ENGINE GROUND RUN UNTIL				25MAR11 01:02
		ADVICE RECEIVED FROM TASPO REFER EMERALD REFERENCE 0107/2011-007				XXxxXXxxXXxxXXxxXXxx

Maint Acts: MCS DATA MANAGER ACTION - DAR AUTHORISATION TO RELEASE ALL A/C AND ECUS FROM ALL TASPO GENERATED U/S PERTAINING TO A23-021 ENG FAILURE TASPO REF TASPO/OUT/2011/112 DATED 25MAR11 AND MPAN 04/2011 IMPLIMENTATION APPLIES ALSO.

A1PXXU1102294	COMPLETED	03MAR11 05:30	7155.0	AFHR	T+TS	XXxxXXxxXXxxXXxxXXxx
03MAR11 05:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			03MAR11 05:30
21MAR11 11:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S202 due on Serial A23-033				03MAR11 05:30
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S202 SERV C/O IAW AAP7212.007-2 IRN 0251/1996-0184 REF EE508 476267-3-1#2

A1PXXU1103527	COMPLETED	14MAR11 14:10	7155.0	AFHR	T+TS	XXxxXXxxXXxxXXxxXXxx
14MAR11 14:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			14MAR11 14:10
21MAR11 11:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S202 due on Serial A23-033				14MAR11 14:10
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S202 SERV C/O IAW AAP7212.007-2 IRN 0251/1996-0184 REF EE508 476267-3-1#6

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03137  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1103520	COMPLETED	25MAR11 00:04	7155.0	AFHR	SST	XXXXXXXXXX
21MAR11 10:48	XXXXXXXX	XXXXXXXXXX	AIP			25MAR11 00:04
21MAR11 10:48	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
		TA due on Serial 0217				
		VALVE REFILL OXYGEN at WAC 0640				XXXXXXXXXX
		Maint Acts: VALVE REFILL OXYGEN REPLACED IAW AAP7212.007-2 REF#476267-3-4/1				

REMOVALS/INSTALLATIONS FOR A1PXXU1103520

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0217	A23T	A1UMU	03	00365	A23T	A1UMU	03
	OC-001-03		25MAR11 00:01	A1PXXJ1002773	OC-001-06		25MAR11 00:02	

A1PXXU1012133	COMPLETED	25MAR11 00:23	7155.0	AFHR	SCM	XXXXXXXXXX
21MAR11 10:49	XXXXXXXX	XXXXXXXXXX	AIP			25MAR11 00:23
21MAR11 10:49	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
		S16 due on Serial A23-033				
		PC-9 at WAC 0000				XXXXXXXXXX
		Maint Acts: S16 SERVICING CARRIED OUT IAW AAP7212.007-2 REF#476267-3-3/2				

A1PXXUY602096	COMPLETED	25MAR11 00:38	7155.0	AFHR	SST	XXXXXXXXXX
21MAR11 10:49	XXXXXXXX	XXXXXXXXXX	AIP			25MAR11 00:38
21MAR11 10:49	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
		S54 due on Serial A23-033				
		PC-9 at WAC 0000				XXXXXXXXXX
		Maint Acts: S54 SERVICING CARRIED OUT IAW AAP7212.007-6-4				

A1PXXU1103521	COMPLETED	24MAR11 23:58	7155.0	AFHR	SST	XXXXXXXXXX
21MAR11 10:50	XXXXXXXX	XXXXXXXXXX	AIP			24MAR11 23:58
21MAR11 10:50	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
		OH due on Serial 354				
		REG PRESS REDUCING at WAC 0640				XXXXXXXXXX

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03138  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: REG PRESS REDUCER REPLACED IAW AAP7212.007-2 REF#476267-3-3/5

REMOVALS/INSTALLATIONS FOR A1PXXU1103521

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	354	A23T	A1UNC	02	825	A23T	A1UNC	02
	F103D000-15		24MAR11 23:55	A1PXXJY720616	F103D000-15		24MAR11 23:57	

A1PXXU1103522 COMPLETED 24MAR11 23:53 7155.0 AFHR SST XXxxXXxxXXxxXXxxXXxx  
21MAR11 10:52 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 24MAR11 23:53  
21MAR11 10:52 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
BS due on Serial 901054  
REG OXYGEN DEMAND at WAC 0740 XXxxXXxxXXxxXXxxXXxx

Maint Acts: REG OXYGEN DEMAND REPLACED IAW AAP7212.007-2 REF#476267-3-3/6

REMOVALS/INSTALLATIONS FOR A1PXXU1103522

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	901054	A23T	A1UIS	00	912099	A23T	A1UIS	00
	3260042-0201		24MAR11 23:49	A1PXXJ1004994	3260042-0201		24MAR11 23:50	

A1PXXU1103523 COMPLETED 24MAR11 23:22 7155.0 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
21MAR11 10:52 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 24MAR11 23:22  
21MAR11 10:52 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
FT due on Serial SC62462  
BCN UNDERWATER LOC at WAC 0740 XXxxXXxxXXxxXXxxXXxx

Maint Acts: ULB FUNCTIONAL TEST CARRIED OUT IAW AAP7212.007-6-4  
REF#476267-3-3/4`

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN	
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME	
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR	
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME	
EE500PG EE500LN						INSPECTOR	
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME	
A1PXXU1101239	COMPLETED	25MAR11 00:35	7155.0	AFHR	SST	XXXXXXXXXXXXXXXXXXXX	
21MAR11 10:53	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			25MAR11 00:35	
21MAR11 10:53	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		S40 due on Serial A23-033					
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX	
	Maint Acts:	S40 SERVICING CARRIED OUT IAW AAP7212.007-6-4 REF#476267-3-2/6					
A1PXXUY505317	COMPLETED	25MAR11 00:32	7155.0	AFHR	SST	XXXXXXXXXXXXXXXXXXXX	
21MAR11 10:54	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			25MAR11 00:32	
21MAR11 10:54	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		S201 due on Serial A23-033					
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX	
	Maint Acts:	S201 SERVICING CARRIED OUT IAW AAP7212.007-6-4 WITH TASPO EXCEPTION REF TASPO 2003/S1925/SL623 IRN0270/2011-0004					
A1PXXUY505319	COMPLETED	25MAR11 00:29	7155.0	AFHR	SST	XXXXXXXXXXXXXXXXXXXX	
21MAR11 10:55	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			25MAR11 00:29	
21MAR11 10:55	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		S203 due on Serial A23-033					
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX	
	Maint Acts:	S203 SERVICING CARRIED OUT IAW AAP7212.007-6-4 WITH TASPO EXCEPTION REF TASPO 2003/S1925/SL623 IRN 0270/2011-0004 REF#476267-3-4/4					
A1PXXU1103524	COMPLETED	24MAR11 23:10	7155.0	AFHR	SST	XXXXXXXXXXXXXXXXXXXX	
21MAR11 10:57	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			24MAR11 23:10	
21MAR11 10:57	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		BS due on Serial MB13780					
		PARACHUTE ASSY at WAC 0730				XXXXXXXXXXXXXXXXXXXX	
	Maint Acts:	FRONT PARCHUTE ASSY REPLACED IAW AAP7291.042-2M REF#476267-3-4/2					

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03140  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1103524

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	MB13780	A23T	A1WBA	00	MB10274	A23T	A1WBA	00
	MBEU100664		24MAR11 23:07	A1PXXJ1009284	MBEU100664		24MAR11 23:08	

A1PXXU1103525 COMPLETED 24MAR11 23:04 7155.0 AFHR SST  
21MAR11 10:57 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 24MAR11 23:04  
21MAR11 10:57 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
BS due on Serial MB13011  
PARACHUTE ASSY at WAC 0740 XXxxXXxxXXxxXXxxXXxx

Maint Acts: REAR PARACHUTE ASSY REPLACED IAW AAP7291.042-2M REF#476267-3-4/2

REMOVALS/INSTALLATIONS FOR A1PXXU1103525

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	MB13011	A23T	A26BA	00	MB9843	A23T	A26BA	00
	MBEU12043PA		24MAR11 23:00	A1PXXJ1009369	MBEU12043PA		24MAR11 23:01	

A1PXXU1103526 COMPLETED 24MAR11 22:20 7155.0 AFHR SST  
21MAR11 10:58 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 24MAR11 22:20  
21MAR11 10:58 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
BS due on Serial 0666  
BATTERY NICAD at WAC 0660 XXxxXXxxXXxxXXxxXXxx

Maint Acts: BATT NICAD REPLACED IAW AAP 7212.007-2 REF: 476267-3-4#3

REMOVALS/INSTALLATIONS FOR A1PXXU1103526

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	0666	A23T	A1UOA	00	1271	A23T	A1UOA	00
	33490409201		24MAR11 22:16	A1PXXJ1100054	33490409201		24MAR11 22:17	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1103717	COMPLETED	24MAR11 23:40	7155.0	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
24MAR11 23:25	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			24MAR11 23:40
24MAR11 23:27	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		FRON AND REAR PSP'S TO BE REPLACED.				XXXXXXXXXXXXXXXXXXXX

Maint Acts: FRONT AND REAR PSP'S REPLACED IAW AAP7212.007-2 REF#476267-3-6/1

REMOVALS/INSTALLATIONS FOR A1PXXU1103717

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	DF3162	A23T	A1WBG	00	DG2688	A23T	A1WBG	00
	STANDARDPACK-1		24MAR11 23:27	A1PXXJ1104081	STANDARDPACK-1		24MAR11 23:38	
002	DG0044	A23T	A26BG	00	DG2689	A23T	A26BG	00
	STANDARDPACK-1		24MAR11 23:32	A1PXXJ1104082	STANDARDPACK-1		24MAR11 23:37	

A1PXXU1103721	COMPLETED	25MAR11 00:17	7155.0	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
25MAR11 00:07	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			25MAR11 00:17
25MAR11 00:09	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		CODE 201 SHOWING ON ESDP WITH FLASHING AMBER				XXXXXXXXXXXXXXXXXXXX

Maint Acts: REAR ESDP REPLACED IAW AAP7212.007-2 REF#476267-3-6#4

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03142  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1103721

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	87020020-B	A23T	A1UHO	00	90100109	A23T	A1UHO	00
150.0001-2	25MAR11 00:13	A1PXXJ1104086	150.0001-2	25MAR11 00:15				

A1PXXU1103731 COMPLETED 25MAR11 00:45 7155.0 AFHR SST  
25MAR11 00:39 XXXX  
25MAR11 00:41 XXXX  
REAR COMM1 CONTROL HEAD RFA  
XXXX

Maint Acts: REAR COMM1 CONTROL HEAD RE-FITTED IAW AAP7212.007-2 REF#476267-3-5/2

REMOVALS/INSTALLATIONS FOR A1PXXU1103731

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	271	A23T	A1UHC	00	271	A23T	A1UHC	00
631 367 409	25MAR11 00:41	A1PXXJ1104088	631 367 409	25MAR11 00:43				

A1PXXU1103732 COMPLETED 25MAR11 06:50 7155.0 AFHR SST  
25MAR11 00:46 XXXX  
25MAR11 00:48 XXXX  
AIRCRAFT REQUIRES MTF FOR POST S54 SERVICING ( RUDDER CABLE DETAILED INSPECTION)  
XXXX

Maint Acts: MTF CO REF 476268-1

A1PXXU1103733 COMPLETED 28MAR11 07:37 7155.0 AFHR SST  
25MAR11 00:53 XXXX  
25MAR11 00:55 XXXX  
AIRCRAFT REQUIRES DUAL AIRTEST FOR REAR ESDP OPS  
XXXX

Maint Acts: AIRTEST CARRIED OUT REFER 476270#1

A1PXXU1012815 COMPLETED 28MAR11 10:38 7158.0 AFHR SCM  
28MAR11 10:35 XXXX  
28MAR11 10:35 XXXX  
S26 due on Serial A23-033  
PC-9 at WAC 0000  
XXXX



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03143  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: S26 SERVICING CARRIED OUT IAW AAP 7212,007-6-4 REF 476270-5#1-1

A1PXXU1103927	COMPLETED	30MAR11 07:13	7159.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
29MAR11 12:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			30MAR11 07:13
29MAR11 12:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRCRAFT REQUIRES MFT FOR ENGINE DIAGNOSTIC				XXxxXXxxXXxxXXxxXXxx

Maint Acts: MTF CARRIED OUT REFER 476274#1

A1PXXU1103729	COMPLETED	29MAR11 22:47	7159.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
29MAR11 13:05	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			29MAR11 22:47
29MAR11 13:05	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				XXxxXXxxXXxxXXxxXXxx
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: CO IAW 7212.007-6-4 REF 477/11

A1PXXU1103941	COMPLETED	05APR11 23:05	7170.1	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
05APR11 13:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			05APR11 23:05
05APR11 13:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				XXxxXXxxXXxxXXxxXXxx
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/OUT SERV REF MCS 555/11

A1PXXU1104561	COMPLETED	12APR11 02:04	7172.9	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
11APR11 11:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			12APR11 02:04
11APR11 11:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRCRAFT REQUIRES AIRTEST FOR FUMES IN THE COCKPIT				XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST ASSESSED SERV REFER 476285

A1PXXU1104322	COMPLETED	12APR11 22:25	7175.3	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
12APR11 12:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
12APR11 12:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				12APR11 22:25
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
Camm2  
ASSET HISTORY

PAGE 03144  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: S40 CARRIED OUT. MCS614/11.

A1PXXU1104937	COMPLETED	18APR11 22:48	7186.3	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
18APR11 22:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
18APR11 22:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS	due on Serial 1271			18APR11 22:48
		BATTERY NICAD	at WAC 0660			XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV BATTERY NICAD FITTED IAW AAP 7212.007-2 REF 476294-1#1-1

REMOVALS/INSTALLATIONS FOR A1PXXU1104937

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1271	A23T	A1UOA	00	0936	A23T	A1UOA	00
	33490409201		18APR11 22:09	A1PXXJ1100488	33490409201		18APR11 22:48	

A1PXXU1104639	COMPLETED	19APR11 23:22	7188.0	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
19APR11 10:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			19APR11 23:22
19APR11 10:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40	due on Serial A23-033			
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERV C/O IAW AAP 7212-007-6-4  
REF MCS 682/11

A1PXXU1105154	COMPLETED	21APR11 03:48	7190.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
21APR11 03:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			21APR11 03:48
21APR11 03:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		LOUD SQUEAL THROUGH HEADSETS DURING I/C OPERATION				
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: FRONT AUDIO CONTROL PANEL REPLACED IAW AAP 7212.007-2 REF: 476297#1

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1105154

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	302	A23T	A1UEA	00	259	A23T	A1UEA	00
	AS3100-15K		21APR11 03:45	A1PXXJ1105671	AS3100-15K		21APR11 03:46	

A1PXXU1105156 COMPLETED 21APR11 05:15 7190.3 AFHR SST  
21APR11 03:49 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 21APR11 05:15  
21APR11 03:54 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
REAR C/P AUDIO CONT PANEL EMG I/C SELECTION INOPERATIVE  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV AUDIO CONTROL PANEL FITTED TO REAR CPT IAW AAP 7212.007-2 REF 476297-3#1-1

REMOVALS/INSTALLATIONS FOR A1PXXU1105156

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	335	A23T	A1UIG	00	267A	A23T	A1UIG	00
	AS3100-15K		21APR11 03:54	A1PXXJ1105672	AS3100-15K		21APR11 05:13	

A1PXXU1105041 COMPLETED 26APR11 23:11 7190.3 AFHR SST  
26APR11 21:47 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 26APR11 23:11  
26APR11 21:47 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O IAW AAP7212.007-6-4, P/W REF MCS719/11

A1PXXU1105628 COMPLETED 02MAY11 22:13 7201.6 AFHR SST  
02MAY11 22:10 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 02MAY11 22:13  
02MAY11 22:10 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
BS due on Serial 2746662  
SET EMERG OXYGEN at WAC 0730  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: SEO REPLACED IAW AAP 7212.007-2, REF: 464806#1

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03146  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1105628

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	2746662	A23T	A1WBE	00	2746629	A23T	A1WBE	00
	MBEU100618		02MAY11 22:11	A1PXXJY819545	MBEU100618		02MAY11 22:12	

A1PXXU1105692 COMPLETED 03MAY11 12:52 7204.2 AFHR SST  
03MAY11 12:48 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 03MAY11 12:52  
03MAY11 12:48 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
FRONT ESDP TORQUE MODULE NIL BACK LIGHTING  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: FRONT ESDP REPLACED IAW AAP 7212.007-2 REF: 464809-1

REMOVALS/INSTALLATIONS FOR A1PXXU1105692

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	89050049	A23T	A1UDI	00	90100105	A23T	A1UDI	00
	150.0001-2		03MAY11 12:49	A1PXXJ1106091	150.0001-2		03MAY11 12:51	

A1PXXU1105693 COMPLETED 03MAY11 14:52 7204.2 AFHR SST  
03MAY11 12:52 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 03MAY11 14:52  
03MAY11 12:54 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
AIRTEST REQ'D FOR FRONT ESDP NEXT FLIGHT @7205.3 AFHRS  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST CARRIED OUT AND ASSESSED SERVICEABLE

A1PXXU1105228 COMPLETED 03MAY11 23:29 7206.4 AFHR SST  
03MAY11 14:54 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 03MAY11 23:29  
03MAY11 14:54 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERV C/O IAW AAP 7212.007-6-4 REF MCS 766/11

A1PXXU1105835 COMPLETED 05MAY11 07:40 7212.3 AFHR SST  
05MAY11 00:11 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 05MAY11 07:40  
05MAY11 00:12 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
AIRCRAFT REQUIRES AIRTEST FOR: ASOR CLEARANCE  
XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03147  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME

EE500PG	EE500LN	BL	ADMIN	MAINT ACTION/LIMITATIONS		INSPECTOR
STA	WL					DATE/TIME

Maint Acts: A/T C/O IAW AAP 7212.007-6-15

A1PXXU1105719	COMPLETED	09MAY11 22:26	7222.7	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
09MAY11 09:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
09MAY11 09:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40	due on Serial A23-033			09MAY11 22:26
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERVICING CARRIED OUT IAW AAP 7212.00-7-6-4 REF MCS 803/11

A1PXXU1106156	COMPLETED	11MAY11 06:02	7226.7	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
11MAY11 02:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
11MAY11 02:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRCRAFT REQUIRES AIRTEST REFER 464828-1				11MAY11 06:02
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST ASSESSED SERV REFER 464829

A1PXXU1006819	COMPLETED	24MAY11 02:07	7229.3	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
11MAY11 23:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
11MAY11 23:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		R1	due on Serial A23-033			24MAY11 02:07
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: R1 CO IAW 7212.007-6-1-1 REF: MCS 838/11

A1PXXU1012435	COMPLETED	12MAY11 23:39	7229.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
11MAY11 23:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			12MAY11 23:39
11MAY11 23:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S63	due on Serial A23-033			
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: S63 SERVICING CARRIED OUT IAW AAP 7212.007-6-4. REF MCS 8/38/11, 14-4.

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03148  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1014561	COMPLETED	17MAY11 04:53	7229.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
11MAY11 23:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			17MAY11 04:53
11MAY11 23:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S20 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S20 SERVICING CARRIED OUT IAW AAP 7212.007-6-4. REF MCS 838/11, 6-3.				
A1PXXU1106007	COMPLETED	18MAY11 03:50	7229.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
11MAY11 23:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			18MAY11 03:50
11MAY11 23:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 C.O. IAW AAP 7212.007-6-4. REF MCS 838/11, 7-5.				
A1PXXU1106216	COMPLETED	16MAY11 23:34	7229.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
11MAY11 23:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			16MAY11 23:34
11MAY11 23:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-422A due on Serial 027				
		WING ASSY at WAC 1500				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	STI-PC9-422A RINC. 838/11 10-6.				
A1PXXUY806689	COMPLETED	18MAY11 03:40	7229.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
11MAY11 23:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			18MAY11 03:40
11MAY11 23:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S12 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S12 SERV C.O IAW AAP 7212.007-6-4. REF MCS 838/11, 8-5.				
A1PXXUY913988	COMPLETED	18MAY11 03:47	7229.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
11MAY11 23:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			18MAY11 03:47
11MAY11 23:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S41 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S41 SERV CARRIED OUT. REF MCS 838/11, 9-4.				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 03149  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1012789	COMPLETED	13MAY11 02:33	7229.3	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
11MAY11 23:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
11MAY11 23:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S62 due on Serial A23-033				13MAY11 02:33
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S62 SERV CARRIED OUT IAW AAP 7212.007-2 REF MCS 838/11-10-05				
A1PXXU1103633	COMPLETED	17MAY11 04:47	7229.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
11MAY11 23:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			17MAY11 04:47
11MAY11 23:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0528 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	STI-PC9-0528 CARRIED OUT IAW INSTRUCTIONS. REF MCS 838/11, 10-3.				
A1PXXU1103814	COMPLETED	12MAY11 04:08	7229.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
11MAY11 23:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			12MAY11 04:08
11MAY11 23:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S26 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S26 SERVICING C/O IAW AAP 7212.007-2 REF: MCS838/11PG8 #6				
A1PXXU1103848	COMPLETED	19JUN11 22:52	7229.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
11MAY11 23:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			19JUN11 22:52
11MAY11 23:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S30 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S30 CO IAW 7212.007-6-4 REF MCS 843/11 SHT 6 LINE 2				
A1PXXUY900687	COMPLETED	13MAY11 01:19	7229.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
11MAY11 23:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			13MAY11 01:19
11MAY11 23:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S50 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S50 SERV CARRIED OUT IAW AAP 7212.007-6-4. REF MCS 841/11 OF (Continued on next page.)				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03150  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

(Continued from previous page.)  
 11MAY11.

A1PXXUY908002	COMPLETED	13MAY11 02:34	7229.3	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
11MAY11 23:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
11MAY11 23:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S51	due on Serial A23-033			13MAY11 02:34
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: S51 SERV CARRIED OUT IAW AAP 7212.007-6-4 REF MCS 838/11-09-06

A1PXXU1106227	COMPLETED	24MAY11 23:56	7229.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
11MAY11 23:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			24MAY11 23:56
11MAY11 23:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MANDATORY AMCO/MCS AMD VALIDATION CHECK TO BE CARRIED OUT IAW SMI 20/08				XXxxXXxxXXxxXXxxXXxx

Maint Acts: MADATORY AMCO/MCS AMD VALIDATION CHECKS C/O IAW SMI 20/08

A1PXXU1106240	COMPLETED	24MAY11 08:56	7229.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
12MAY11 02:03	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			24MAY11 08:56
12MAY11 02:05	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		ENG COWL 2 RFA.				XXxxXXxxXXxxXXxxXXxx

Maint Acts: ENG COWL REFITTED IAW 7212.007-2 REF MCS 843/11-6-3

REMOVALS/INSTALLATIONS FOR A1PXXU1106240

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	HLY300804	A23T	A06	00	HLY300804	A23T	A06	00
	571.10.09.044		12MAY11 02:05	A1PXXJ1106744	571.10.09.044		24MAY11 08:56	



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03151  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1106248	COMPLETED	17MAY11 02:27	7229.3	AFHR	SST	XXXXXXXXXX
12MAY11 02:53	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			17MAY11 02:27
12MAY11 02:55	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX
PANEL OF CLOCK ELP TIME, SN 621045, RFA.						
XXXXXXXXXX						

Maint Acts: FRONT CLOCK ELP TIME PANEL REFITTED IAW AAP 7212.007-2. REF MCS 838/11, 13-2,3.

REMOVALS/INSTALLATIONS FOR A1PXXU1106248

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	621045	A23T	A1UCC	00	621045	A23T	A1UCC	00
	Q17-941.22.052AB		12MAY11 02:55	A1PXXJ1106746	Q17-941.22.052AB		17MAY11 02:21	

A1PXXU1106251	COMPLETED	17MAY11 02:35	7229.3	AFHR	SST	XXXXXXXXXX
12MAY11 02:58	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			17MAY11 02:35
12MAY11 02:59	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX
PANEL OF CLOCK ELP TIME, SN 703606, RFA.						
XXXXXXXXXX						

Maint Acts: REAR CLOCK ELP TIME PANEL REFITTED IAW AAP 7212.007-2. REF MCS 838/11, 13-2,3.

REMOVALS/INSTALLATIONS FOR A1PXXU1106251

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	703606	A23T	A1UGI	00	703606	A23T	A1UGI	00
	Q17-941.22.052AB		12MAY11 03:01	A1PXXJ1106747	Q17-941.22.052AB		17MAY11 02:30	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03152  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES -----

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1106254	COMPLETED	15MAY11 23:42	7229.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
12MAY11 04:39	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			15MAY11 23:42
12MAY11 04:43	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		HUB ASSY MAIN, LH, RFA				
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV HUB ASSY MAIN REFITTED IAW AAP 7212.007-2. REF MCS 838/11, 13-4.

REMOVALS/INSTALLATIONS FOR A1PXXU1106254

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0342	A23T	A2KDM	01	0342	A23T	A2KDM	01
	3-1555		12MAY11 04:43	A1PXXJ1106754	3-1555		15MAY11 23:20	

A1PXXU1106255	COMPLETED	15MAY11 23:51	7229.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
12MAY11 04:46	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			15MAY11 23:51
12MAY11 04:48	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		HUB ASSY MAIN, RH, RFA.				
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: HUB ASSY MAIN RH REFITTED IAW AAP 7212.007-2.

REMOVALS/INSTALLATIONS FOR A1PXXU1106255

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0037	A23T	A2KEI	01	0037	A23T	A2KEI	01
	3-1555		12MAY11 04:49	A1PXXJ1106755	3-1555		15MAY11 23:48	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1106258	COMPLETED	15MAY11 23:13	7229.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
12MAY11 05:13	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			15MAY11 23:13
12MAY11 05:14	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		LH BRAKE UNIT MOD WTL.				XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV BRAKE UNIT MOD FITTED IAW AAP 7212.007-2. REF MCS 838/11, 12-1.

REMOVALS/INSTALLATIONS FOR A1PXXU1106258

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0203A	A23T	A2KDI	00	0139	A23T	A2KDI	00
	2-1524-1		12MAY11 05:14	A1PXXJ1106756	2-1524-1		15MAY11 23:09	

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1106259	COMPLETED	15MAY11 23:18	7229.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
12MAY11 05:18	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			15MAY11 23:18
12MAY11 05:19	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		RH BRAKE UNIT MOD, WTL				XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV BRAKE UNIT MOD FITTED IAW AAP 7212.007-2. REF MCS 838/11, 12-2.

REMOVALS/INSTALLATIONS FOR A1PXXU1106259

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0224A	A23T	A2KEE	00	0119	A23T	A2KEE	00
	959.47.81.705		12MAY11 05:19	A1PXXJ1106757	2-1524-1		15MAY11 23:15	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1106278	COMPLETED	12MAY11 23:07	7229.3	AFHR	SST	XXXXXXXXXX
12MAY11 22:59	XXXXXXXX	XXXXXXXXXX	AIP			12MAY11 23:07
12MAY11 23:00	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
		FILTER OILO REMOVED FOR INSPECT & CLEAN				XXXXXXXXXX

Maint Acts: FILTER OIL CLEANED. INSPECTED, & REFITTED IAW AAP 7113.022-2. REF MCS 838/11, WC2-9.

REMOVALS/INSTALLATIONS FOR A1PXXU1106278

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PCY900719	A23T	A1SAK34	00	PCY900719	A23T	A1SAK34	00
	3059257-01		12MAY11 23:00	A1PXXJ1106781	3059257-01		12MAY11 23:03	

A1PXXU1106293	COMPLETED	12MAY11 23:48	7229.3	AFHR	SST	XXXXXXXXXX
12MAY11 23:43	XXXXXXXX	XXXXXXXXXX	AIP			12MAY11 23:48
12MAY11 23:44	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
		ELEMENT FILTER FUEL DUE CLEAN & INSPECT.				XXXXXXXXXX

Maint Acts: SERV FUEL FILTER ELEMENT FITTED IAW AAP 7212.007-2. REF MCS 838/11. REF WC4-4.

REMOVALS/INSTALLATIONS FOR A1PXXU1106293

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	L117354	A23T	A1UJK00	00	L233244	A23T	A1UJK00	00
	03W1738-231		12MAY11 23:44	A1PXXJ1106784	03W1738-231		12MAY11 23:46	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1106297	COMPLETED	13MAY11 02:29	7229.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
13MAY11 00:04	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			13MAY11 02:29
13MAY11 00:05	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		TRIPLE TRIM INDICATOR RFA.				XXxxXXxxXXxxXXxxXXxx

Maint Acts: CAMM2 ERROR WRONG A/C.

A1PXXU1106302	COMPLETED	13MAY11 00:46	7229.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
13MAY11 00:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			13MAY11 00:46
13MAY11 00:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		P3 FILTER ELEMENT REMOVED FOR CLEAN & INSPECT.				XXxxXXxxXXxxXXxxXXxx

Maint Acts: P3 ELEMENT CLEANED, INSPECTED & REFITTED IAW AAP 7113.022-2. REF MCS 838/11, WC3-4.

REMOVALS/INSTALLATIONS FOR A1PXXU1106302

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PCY900622 3059788-01	A23T	A1SAK48 13MAY11 00:39	01 A1PXXJ1106789	PCY900622 3059788-01	A23T	A1SAK48 13MAY11 00:43	01

A1PXXU1106493	COMPLETED	18MAY11 03:36	7229.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
17MAY11 05:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			18MAY11 03:36
17MAY11 05:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		RH MLG OBD DOOR BUSHING LOOSE; RFA.				XXxxXXxxXXxxXXxxXXxx

Maint Acts: ENTERED IN ERROR FOR CAMM2 PURPOSES.

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03156  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1106852	COMPLETED	27JUN11 07:04	7229.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
24MAY11 08:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			27JUN11 07:04
24MAY11 08:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MTF REQD POST R1 SERV, COMPASS OPS, L+R BRAKE OPS				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	MTF CO REF 464834-1				
A1PXXU1106853	COMPLETED	01AUG11 08:07	7229.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
24MAY11 08:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			01AUG11 08:07
24MAY11 08:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRCRAFT WASH 2B CO 75 AFHRS POST R SERV				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	AIRCRAFT WASH CO IAW 7212.007-6-4 REF 479346-1				
A1PXXU1006871	COMPLETED	16JUN11 03:24	7229.3	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
25MAY11 00:04	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
25MAY11 00:04	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			16JUN11 03:24
		S56 due on Serial A23-033 PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	MCS 843/11 5 OF 25 #2 S56 SERV PAINT CONDITION SURVEY HAS BEEN CARRIED OUT IAW AAP7212.007-6-4				
A1PXXU1106578	COMPLETED	16JUN11 22:36	7229.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
26MAY11 08:55	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			16JUN11 22:36
26MAY11 08:55	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033 PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 CARRIED OUT IAW7212-007-6-4				
A1PXXU1107105	COMPLETED	16JUN11 06:22	7229.3	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
30MAY11 07:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
30MAY11 07:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			16JUN11 06:22
		STI-PC9-0538 due on Serial 0801 PUMP FUEL HIGH PRES at WAC 0130				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	STI-PC9-0538 C/O REF 464830-5-2-6				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03157  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

REMOVALS/INSTALLATIONS FOR A1PXXU1107105

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0801	A23T	A1SAI10	00	0783	A23T	A1SAI10	00
	3031806		30MAY11 10:02	A1PXXJ1107882	3031806		16JUN11 06:20	

A1PXXU1107108 COMPLETED 16JUN11 03:49 7229.3 AFHR SST XXxxXXxxXXxxXXxxXXxx  
30MAY11 08:33 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 16JUN11 03:49  
30MAY11 08:35 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
STARTER GENERATOR RFA XXxxXXxxXXxxXXxxXXxx

Maint Acts: STARTER GENERATOR RE-FITTED IAW AAP7212.007-2 REF#464830-5-3/2

REMOVALS/INSTALLATIONS FOR A1PXXU1107108

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	5505	A23T	A1SAI14	00	5505	A23T	A1SAI14	00
	23081-026		30MAY11 08:35	A1PXXJ1107910	23081-026		16JUN11 03:48	

A1PXXU1107303 COMPLETED 16JUN11 23:39 7229.3 AFHR SST XXxxXXxxXXxxXXxxXXxx  
02JUN11 05:51 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 16JUN11 23:39  
02JUN11 05:55 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
AIRCRAFT NOT TO BE RELEASED FOR FLIGHT UNTIL FORMALLY ADVISED BY  
TASPO REFER STI-PC9-0538 PARA 10 XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRCRAFT RELEASED FOR FLIGHT REF TASPO 2003/51925/5 (80) IRN  
0657/2011

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES -----  
 SERV NUMBER STATUS STATUS DATE/TIME TOTAL LIFE INT TYPE CERTIFICATION TRADESMAN  
 RAISED DATE/TIME RAISED USER ID RAISED NAME RAISED VENUE CAPABILITY CODE EPSS DATE/TIME  
 ENTERED DATE/TIME ENTERED USER ID ENTERED NAME ENTERED VENUE IMIC NO SUPERVISOR  
 OPERATION NO ASOR NO SYMPTOMS DATE/TIME  
 EE500PG EE500LN INSPECTOR  
 STA WL BL ADMIN MAINT ACTION/LIMITATIONS DATE/TIME  
 =====

A1PXXU1107322 COMPLETED 02JUN11 23:54 7229.3 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
 02JUN11 23:35 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 02JUN11 23:35 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 BS due on Serial 8086391 02JUN11 23:54  
 SET EMERG OXYGEN at WAC 0740 XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV SEO FITTED IAW 7212-007-2 REF MCS843-11-PG7-3

REMOVALS/INSTALLATIONS FOR A1PXXU1107322

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	8086391	A23T	A26BE	00	1690537	A23T	A26BE	00
	MBEU100618		02JUN11 23:52	A1PXXJ1009066	MBEU100618		02JUN11 23:53	

A1PXXU1107501 COMPLETED 16JUN11 06:20 7229.3 AFHR SST XXxxXXxxXXxxXXxxXXxx  
 08JUN11 04:33 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 16JUN11 06:20  
 08JUN11 04:33 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 STI-PC9-0539 due on Serial B19107  
 FUEL CONTROL UNIT at WAC 0130 XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-0539 C/O REF 464830-5-3-6

REMOVALS/INSTALLATIONS FOR A1PXXU1107501

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	B19107	A23T	A1SAI02	00	B19185	A23T	A1SAI02	00
	3244831-9-5		10JUN11 01:58	A1PXXJ1108644	3244831-9-8-5		16JUN11 06:18	



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03159  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1107876	COMPLETED	27JUN11 07:02	7229.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
19JUN11 22:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			27JUN11 07:02
19JUN11 22:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRCRAFT REQUIRES MTF FOR HP FUEL PUMP AND FCU CHANGE				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	MTF CARRIED OUT REF 464834-1				
A1PXXU1107837	COMPLETED	22JUN11 22:38	7229.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
22JUN11 08:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			22JUN11 22:38
22JUN11 08:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				XXxxXXxxXXxxXXxxXXxx
		PC-9 at WAC 0000				
	Maint Acts:	S40SERVICING CARRIED OUT IAW AAP 7212.007-6-4. REF LSN MCS 1033/11				
A1PXXU1108301	COMPLETED	29JUN11 02:17	7230.1	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
27JUN11 05:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			29JUN11 02:17
27JUN11 05:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRCRAFT REQUIRES MTF FOR S62 OPS, CANOPY INDICATIONS AND ASOR CLEARANCE				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	MTF CARRIED OUT REFER 464835#1				
A1PXXU1108418	COMPLETED	29JUN11 03:17	7230.4	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
29JUN11 02:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			29JUN11 03:17
29JUN11 02:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRCRAFT REQUIRES MTF FOR: S62 ADJUSTMENT				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	MTF COMPLETED AIRCRAFT ASSESSED SERVICEABLE REF: 464837#1				
A1PXXU1108143	COMPLETED	29JUN11 22:27	7231.7	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
29JUN11 09:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
29JUN11 09:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			29JUN11 22:27
		S40 due on Serial A23-033				XXxxXXxxXXxxXXxxXXxx
		PC-9 at WAC 0000				
	Maint Acts:	S40 SERVICE COMPLETED IAW AAP 7212.007-6-4, REF: MCS1087/11				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1108511	COMPLETED	30JUN11 09:31	7232.5	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
30JUN11 09:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
30JUN11 09:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		REAR LGCU U/S				30JUN11 09:31
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV LGCU FITTED TO REAR CPT IAW AAP 7212.007-2 REF 464839-1

REMOVALS/INSTALLATIONS FOR A1PXXU1108511

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	301	A23T	A1UGY	00	175	A23T	A1UGY	00
	532.30.09.217		30JUN11 09:27	A1PXXJ1109696	532.30.09.321		30JUN11 09:31	

A1PXXU1108512	COMPLETED	01JUL11 02:28	7232.5	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
30JUN11 09:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
30JUN11 09:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRCRAFT REQUIRES AIRTEST FOR LGCU OPS				01JUL11 02:28
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST ASSESSED SERV REFER 464841

A1PXXU1108687	COMPLETED	05JUL11 04:45	7237.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
05JUL11 04:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			05JUL11 04:45
05JUL11 04:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		SICU TO BE REPLACED FOR FAULT FINDING PURPOSES				
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: SICU REPLACED IAW AAP7212.007-2 REF#464844-3-1/6'

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03161  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1108687

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	89050009	A23T	A1UEE	00	90060034	A23T	A1UEE	00
	140.0001-2		05JUL11 04:38	A1PXXJ1109868	140.0001-2		05JUL11 04:40	

A1PXXU1108695 COMPLETED 06JUL11 03:37 7237.7 AFHR SST XXxxXXxxXXxxXXxxXXxx  
05JUL11 05:36 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 06JUL11 03:37  
05JUL11 05:40 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
AIRCRAFT REQUIRES AIRTEST FOR SICU CX, NG ADJUSTMENT AND FUEL FLOW  
TRANSMITTED CHANGE XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRCRAFT ASSESSED SERVICEABLE

A1PXXU1108699 COMPLETED 05JUL11 06:20 7237.7 AFHR SST XXxxXXxxXXxxXXxxXXxx  
05JUL11 05:54 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 05JUL11 06:20  
05JUL11 05:55 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
FUEL FLOW TX FOUND LEAKING XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERVICABLE FUEL FLOW METER INSTALLED IAW 7113.022-2 REF 464844/3-2-1

REMOVALS/INSTALLATIONS FOR A1PXXU1108699

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	2928	A23T	A1SAI20	00	2931	A23T	A1SAI20	00
	975.35.12.602		05JUL11 05:55	A1PXXJ1109874	151-906-010-REV.K		05JUL11 06:19	

A1PXXU1108456 COMPLETED 06JUL11 22:13 7239.3 AFHR SST XXxxXXxxXXxxXXxxXXxx  
06JUL11 13:15 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 06JUL11 22:13  
06JUL11 13:15 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 CARRIED OUT IAW7212-004-6-4 REF 1126/11

A1PXXU1108994 COMPLETED 11JUL11 12:52 7244.6 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
11JUL11 12:48 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
11JUL11 12:48 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
BS due on Serial 0936  
BATTERY NICAD at WAC 0660 XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03162  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: BATT NICAD REPLACED IAW AAP 7212.007-2. REF EE 508 464850-5-1-5

REMOVALS/INSTALLATIONS FOR A1PXXU1108994

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0936	A23T	A1UOA	00	0156	A23T	A1UOA	00
	33490409201		11JUL11 12:49	A1PXXJ1105123	33490409201		11JUL11 12:50	

A1PXXU1108999 COMPLETED 12JUL11 11:07 7244.6 AFHR SST XXxxXXxxXXxxXXxxXXxx  
11JUL11 12:55 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 12JUL11 11:07  
11JUL11 13:01 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
L/H AND R/H AILERON R.F.A FOR STI-PC9-541  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: AILERONS REFITTED REF 464850/501#6

REMOVALS/INSTALLATIONS FOR A1PXXU1108999

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	509	A23T	A2KCC	00	509	A23T	A2KCC	00
	557.51.09.004		11JUL11 13:05	A1PXXJ1110456	557.51.09.004		12JUL11 11:05	
002	119	A23T	A2KCA	00	119	A23T	A2KCA	00
	557.51.09.003		11JUL11 13:08	A1PXXJ1110457	557.51.09.003		12JUL11 11:02	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03163  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1109000	COMPLETED	11JUL11 14:04	7244.6	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
11JUL11 14:00	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			11JUL11 14:04
11JUL11 14:00	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		FUEL FLOW DIVIDER TO BE REPLACED FOR FAULT FINDING				XXXXXXXXXXXXXXXXXXXX

Maint Acts: FUEL FLOW DIVIDER REPLACED WITH SERV ITEM IAW AAP7233.022-2, P/W REF SNOW 464850/-5-2-4

REMOVALS/INSTALLATIONS FOR A1PXXU1109000

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0062	A23T	A1SAK56	01	0055	A23T	A1SAK56	01
	3049656-01		11JUL11 14:01	A1PXXJ1110458	3049656-01		11JUL11 14:02	

A1PXXU1109076	COMPLETED	12JUL11 07:54	7244.6	AFHR	SCM	XXXXXXXXXXXXXXXXXXXX
12JUL11 07:45	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
12JUL11 07:45	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		STI-PC9-541A	due on Serial 027			12JUL11 07:54
		WING ASSY	at WAC 1500			XXXXXXXXXXXXXXXXXXXX
		STI-PC9-541B	due on Serial 027			
		WING ASSY	at WAC 1500			

Maint Acts: STI-PC9-541 A&B INC. REF NDI REPORT 446/11. REF 464850-5-1-4

A1PXXU1109093	COMPLETED	12JUL11 22:41	7244.6	AFHR	SCM	XXXXXXXXXXXXXXXXXXXX
12JUL11 22:38	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
12JUL11 22:38	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BATTERY NICAD U/S				12JUL11 22:41
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV BATTERY NICAD FITTED IAW AAP 7212.007-2 REF 464850-5#3-1

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03164  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1109093

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0156	A23T	A1UOA	00	0152	A23T	A1UOA	00
	33490409201		12JUL11 22:38	A1PXXJ1110650	33490409201		12JUL11 22:40	

A1PXXU1109100 COMPLETED 12JUL11 23:35 7244.6 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
12JUL11 23:02 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
12JUL11 23:02 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
STARTER GENERATOR RFA  
12JUL11 23:35 XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV STARTER GENERATOR FITTED IAW AAP 7212.007-2 REF 464850-5#3-2

REMOVALS/INSTALLATIONS FOR A1PXXU1109100

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	5505	A23T	A1SAI14	00	4520	A23T	A1SAI14	00
	23081-026		12JUL11 23:05	A1PXXJ1110659	23081-026		12JUL11 23:32	

A1PXXU1109119 COMPLETED 13JUL11 05:00 7244.6 AFHR SST XXxxXXxxXXxxXXxxXXxx  
13JUL11 00:34 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
13JUL11 00:35 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
AIRCRAFT REQUIRES AIRTEST FOR HANDELING CHECKS  
13JUL11 05:00 XXxxXXxxXXxxXXxxXXxx

Maint Acts: MTF CARRIED OUT REF 479302-1

A1PXXU1109131 COMPLETED 13JUL11 05:28 7245.2 AFHR SST XXxxXXxxXXxxXXxxXXxx  
13JUL11 04:41 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
13JUL11 04:44 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
IGNITION EXCITER UNIT TO BE REPLACED FOR FAULT ISOLATION  
13JUL11 05:28 XXxxXXxxXXxxXXxxXXxx

Maint Acts: IGNITION EXCITER REPLACED IAW AAP7212.007-2 REF#479302-5-1/2

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03165  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
REMOVALS/INSTALLATIONS FOR A1PXXU1109131

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	NNA04485179	A23T	A1SAA00	00	NNA08338574	A23T	A1SAA00	00
3035889	13JUL11 04:44	A1PXXJ1110694	10-381550-4	13JUL11 05:26				

A1PXXU1108804 COMPLETED 13JUL11 22:36 7245.2 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
13JUL11 08:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
13JUL11 08:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 CARRIED OUT. MCS1150/11.

A1PXXU1109155 COMPLETED 13JUL11 12:15 7245.2 AFHR SST XXxxXXxxXXxxXXxxXXxx  
13JUL11 11:52 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 13JUL11 12:15  
13JUL11 11:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
FCU AND HPFP REMOVED FOR FAULT FINDING  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: FCU AND HPFP REPLACED WITH SERV ITEM IAW 7212.007-2 REF 479302-5-2#3

REMOVALS/INSTALLATIONS FOR A1PXXU1109155

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	B19185	A23T	A1SAI02	00	B19160	A23T	A1SAI02	00
3244831-9-8-5	13JUL11 11:55	A1PXXJ1110710	3244831-9-8-5	13JUL11 12:02				
002	0783	A23T	A1SAI10	00	0691	A23T	A1SAI10	00
3031806	13JUL11 11:59	A1PXXJ1110712	3031806	13JUL11 12:00				

A1PXXU1109157 COMPLETED 14JUL11 06:40 7245.2 AFHR SST XXxxXXxxXXxxXXxxXXxx  
13JUL11 12:16 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 14JUL11 06:40  
13JUL11 12:20 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
AIRCRAFT REQUIRES MTF FOR FCU AND HPFP CHANGE  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: MTF CARRIED OUT REFER 479304#1

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1109484	COMPLETED	19JUL11 13:12	7259.0	AFHR	SST	XXXXXXXXXX
19JUL11 13:06	XXXXXXXX	XXXXXXXXXX	AIP			19JUL11 13:12
19JUL11 13:08	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
FRONT C/P COMMS 1 CONTROLLER NO.5 PUSHBUTTON NIL BACKLIGHTING						
XXXXXXXXXX						

Maint Acts: FRONT C/P COMMS 1 CONTROLLER EREPLACED IAW AAP 7212.007-2 REF: 479317#1

REMOVALS/INSTALLATIONS FOR A1PXXU1109484

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0383	A23T	A1UCU	00	279	A23T	A1UCU	00
	631 367 409		19JUL11 13:09	A1PXXJ1111002	631 367 409		19JUL11 13:10	

A1PXXU1109168	COMPLETED	20JUL11 22:58	7261.6	AFHR	SST	XXXXXXXXXX
20JUL11 08:36	XXXXXXXX	XXXXXXXXXX	AIP			20JUL11 22:58
20JUL11 08:36	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
S40 due on Serial A23-033						
PC-9 at WAC 0000						
XXXXXXXXXX						

Maint Acts: S40 CO IAW 7212.007-6-4 REF MCS 1171/11

A1PXXU1010120	COMPLETED	20JUL11 09:37	7261.6	AFHR	SCM	XXXXXXXXXX
20JUL11 08:59	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
20JUL11 08:59	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
S37 due on Serial A23-033						
PC-9 at WAC 0000						
XXXXXXXXXX						

Maint Acts: S37 SERVICING CARRIED OUT IAW AAP 7212.007-2 REF 479320-3



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1109646	COMPLETED	07NOV11 02:16	7270.6	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
24JUL11 08:24	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			07NOV11 02:16
24JUL11 08:25	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		ENG FRAME 2 SUPOURT BRACKET AT 3 O'CLOCK POSION BROKEN				XXXXXXXXXXXXXXXXXXXX

Maint Acts: AREA INSPECTED IAW 7212-007-3 NO EVIDENCE OF BROKEN BRACKET FOUND  
 AREA CHECKED SERV,REF LSN MCS 1596/11-6-6

A1PXXU1109722	COMPLETED	26JUL11 06:45	7275.6	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
26JUL11 04:30	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			26JUL11 06:45
26JUL11 04:30	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		AIRCRAFT REQUIRES AIRTEST FOR NG ADJUSTMENT				XXXXXXXXXXXXXXXXXXXX

Maint Acts: AIRTEST CO REF 479333-1

A1PXXU1109742	COMPLETED	27JUL11 00:59	7278.0	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
27JUL11 00:51	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			27JUL11 00:59
27JUL11 00:53	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		FRONT SEAT ALTIMETER VARING FROM 80 FT DURING FLIGHT				XXXXXXXXXXXXXXXXXXXX

Maint Acts: FRONT SEAT ALTIMETER REPLKACED IAW AAP7212.007-2 REF#479334-1

REMOVALS/INSTALLATIONS FOR A1PXXU1109742

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1126	A23T	A1UCM	00	1259	A23T	A1UCM	00
	44929-903		27JUL11 00:54	A1PXXJ1111336	44929-903		27JUL11 00:57	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03168  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1109743	COMPLETED	27JUL11 03:06	7278.0	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
27JUL11 00:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			27JUL11 03:06
27JUL11 01:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
AIRCRAFT REQUIRES AIR TEST FOR FWD ALTIMETER OPS						
XXxxXXxxXXxxXXxxXXxx						

Maint Acts: AIRTEST CO REF 479335-1

A1PXXU1109562	COMPLETED	28JUL11 00:06	7281.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
27JUL11 09:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			28JUL11 00:06
27JUL11 09:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
S40 due on Serial A23-033						
PC-9 at WAC 0000						
XXxxXXxxXXxxXXxxXXxx						

Maint Acts: S40 CO IAW 7212.007-6-4 REF MCS PW LSN LMO 27/11

A1PXXU1110012	COMPLETED	02AUG11 03:40	7292.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
02AUG11 03:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			02AUG11 03:40
02AUG11 03:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
LH AND RH MAIN WHEELS WORN TO LIMITS						
XXxxXXxxXXxxXXxxXXxx						

Maint Acts: LH + RH MAIN WHEELS REPLACED IAW 7212.007-2 REF 479347-3

REMOVALS/INSTALLATIONS FOR A1PXXU1110012

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0037	A23T	A2KEI	01	0123	A23T	A2KEI	01
	3-1555		02AUG11 03:35	A1PXXJ1111557	3-1555		02AUG11 03:36	
002	0342	A23T	A2KDM	01	0059	A23T	A2KDM	01
	3-1555		02AUG11 03:38	A1PXXJ1111558	3-1555		02AUG11 03:38	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03169  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1110098	COMPLETED	03AUG11 05:33	7298.0	AFHR	SST	XXXXXXXXXX
03AUG11 05:28	XXXXXXXX	XXXXXXXXXX	AIP			03AUG11 05:33
03AUG11 05:29	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
		FRONT ICS NIL OPS				
						XXXXXXXXXX

Maint Acts: FRONT ICS SELECTOR PANEL REPLACED IAW AAP7212.007-2 REF#479001-5

REMOVALS/INSTALLATIONS FOR A1PXXU1110098

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	259	A23T	A1UEA	00	359	A23T	A1UEA	00
	AS3100-15K		03AUG11 05:30	A1PXXJ1111705	AS3100-15K		03AUG11 05:31	

A1PXXU1109798	COMPLETED	04AUG11 00:26	7299.1	AFHR	SST	XXXXXXXXXX
03AUG11 23:58	XXXXXXXX	XXXXXXXXXX	AIP			04AUG11 00:26
03AUG11 23:58	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
		S40	due on Serial A23-033			
		PC-9	at WAC 0000			XXXXXXXXXX

Maint Acts: S40 SERVICING CARRIED OUT IAW AAP7212.007-6-4 REF#LMO 33/11

A1PXXU1106253	COMPLETED	04AUG11 23:33	7304.8	AFHR	SST	XXXXXXXXXX
04AUG11 23:32	XXXXXXXX	XXXXXXXXXX	AIP			04AUG11 23:33
04AUG11 23:32	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
		S26	due on Serial A23-033			
		PC-9	at WAC 0000			XXXXXXXXXX

Maint Acts: S26 C/O IAW AAP7212.007-6-4, P/W REF 479008 #3

A1PXXU1110364	COMPLETED	08AUG11 06:02	7309.0	AFHR	SCM	XXXXXXXXXX
08AUG11 05:57	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
08AUG11 05:58	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
		MODE C INTERMITTENT.				08AUG11 06:02
						XXXXXXXXXX

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03170  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES -----  
SERV NUMBER STATUS STATUS DATE/TIME TOTAL LIFE INT TYPE CERTIFICATION TRADESMAN  
RAISED DATE/TIME RAISED USER ID RAISED NAME RAISED VENUE CAPABILITY CODE EPSS DATE/TIME  
ENTERED DATE/TIME ENTERED USER ID ENTERED NAME ENTERED VENUE IMIC NO SUPERVISOR  
OPERATION NO ASOR NO SYMPTOMS  
EE500PG EE500LN  
STA WL BL ADMIN MAINT ACTION/LIMITATIONS  
=====

Maint Acts: SERVICEABLE ALTIMETER FITTED. 479012-1.

REMOVALS/INSTALLATIONS FOR A1PXXU1110364

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1259	A23T	A1UCM	00	1254	A23T	A1UCM	00
	44929-903		08AUG11 05:59	A1PXXJ1111898	44929-903		08AUG11 06:00	

A1PXXU1110365 COMPLETED 08AUG11 12:28 7309.0 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
08AUG11 06:07 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
08AUG11 06:08 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
AIRCRAFT REQUIRES AIRTEST FOR ALTIMETER OPS  
08AUG11 12:28  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST CO REF 479013-1

A1PXXU1110434 COMPLETED 09AUG11 11:40 7311.6 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
09AUG11 11:31 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
09AUG11 11:35 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
REAR ALTIMETER OVER READING BY 80 FT  
09AUG11 11:40  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV REAR ALTIMETER FITTED IAW 7212-007-2 REF 479015#1

REMOVALS/INSTALLATIONS FOR A1PXXU1110434

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1169	A23T	A1UGW	00	1213	A23T	A1UGW	00
	44929-903		09AUG11 11:35	A1PXXJ1111993	44929-903		09AUG11 11:37	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03171  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1110436	COMPLETED	10AUG11 08:05	7311.6	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
09AUG11 11:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
09AUG11 11:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MTF REQD FOR BLEED VALVE OPS AND REAR ALTIMETER OPS				10AUG11 08:05
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: MTF CARRIED OUT ASSESSED SERV. REF 479017-1

A1PXXU1110438	COMPLETED	09AUG11 13:31	7311.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
09AUG11 13:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			09AUG11 13:31
09AUG11 13:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		ENGINE HAS LOW POWER AND HIGH NG				
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: BLEED VALVE REPLACED AIRCRAFT ASSESSED SERV REF 479015-3-1

REMOVALS/INSTALLATIONS FOR A1PXXU1110438

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	7P201	A23T	A1SAK54	00	7P188	A23T	A1SAK54	00
	3103174-05		09AUG11 13:28	A1PXXJ1111995	3117032-02		09AUG11 13:30	

A1PXXU1110439	COMPLETED	09AUG11 13:45	7311.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
09AUG11 13:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			09AUG11 13:45
09AUG11 13:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRCRAFT REQUIRES MTF FOR BLEED VALVE CHANGE				
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: ENTERED IN ERROR

A1PXXU1110507	COMPLETED	11AUG11 08:00	7312.2	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
10AUG11 07:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
10AUG11 07:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRTEST REQUIRED FOR FRONT ALTIMETER OPS				11AUG11 08:00
						XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN	
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME	
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR	
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME	
EE500PG EE500LN						INSPECTOR	
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME	
=====							
	Maint Acts:	MTF CARRIED OUT ASSESSED SERVICEABLE. REF 479017-1					
A1PXXU1110145	COMPLETED	10AUG11 22:11	7312.2	AFHR	SST	XXxxXXxxXXxxXXxxXXxx	
10AUG11 09:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			10AUG11 22:11	
10AUG11 09:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		S40 due on Serial A23-033					
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx	
	Maint Acts:	S40 IAW 7212.007-6-4 REF MCS 1264/11					
A1PXXU1110577	COMPLETED	12AUG11 01:50	7312.2	AFHR	SST	XXxxXXxxXXxxXXxxXXxx	
11AUG11 07:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			12AUG11 01:50	
11AUG11 07:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		AIRCRAFT REQUIRES AIRTEST FOR AIRBRAKE MICRO (S60) RIGGING					
							XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	AIRTEST ASSESSED SERV REFER 479288					
A1PXXU1110819	COMPLETED	18AUG11 08:19	7326.0	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx	
17AUG11 11:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP				
17AUG11 11:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		DUAL AIRTEST REQD FOR FRONT AND REAR ALTIMETER OPS					18AUG11 08:19
							XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	AIRTEST CARRIED OUT REFER 479030#1					
A1PXXU1110514	COMPLETED	17AUG11 23:05	7326.0	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx	
17AUG11 11:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP				
17AUG11 11:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		S40 due on Serial A23-033					
		PC-9 at WAC 0000				17AUG11 23:05	
							XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 SERVICE COMPLETED IAW AAP 7212.007-6-4, REF: MCS 1292/11					
A1PXXU1110881	COMPLETED	18AUG11 06:24	7327.2	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx	
18AUG11 06:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP				
18AUG11 06:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		REAR ALTIMETER U/S					18AUG11 06:24
							XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03173  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: SERV ALTIMETER FITTED TO REAR CPT IAW AAP 7212.007-2 REF 479030-3

REMOVALS/INSTALLATIONS FOR A1PXXU1110881

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001 1213 A23T A1UGW 06:20 00 1204 A23T A1UGW 06:23 00  
44929-903 18AUG11 06:20 A1PXXJ1112494 44929-903 18AUG11 06:23

A1PXXU1110885 COMPLETED 19AUG11 04:36 7327.2 AFHR SST XXxxXXxxXXxxXXxxXXxx  
18AUG11 07:32 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 19AUG11 04:36  
18AUG11 07:33 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
AIRTEST REQUIRED FOR FRONT AND REAR ALTIMETER OPS  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST CARRIED OUT REFER 479032#1

A1PXXU1111131 COMPLETED 24AUG11 07:33 7335.3 AFHR SST XXxxXXxxXXxxXXxxXXxx  
24AUG11 07:25 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 24AUG11 07:33  
24AUG11 07:27 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
ALTIMETERS HAVE 75 FT SPLIT  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: FRONT ALTIMETER REPLACED IAW AAP7212.007-2 REF#479037-2

REMOVALS/INSTALLATIONS FOR A1PXXU1111131

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001 1254 A23T A1UCM 07:27 00 1120 A23T A1UCM 07:32 00  
44929-903 24AUG11 07:27 A1PXXJ1112696 44929-903 24AUG11 07:32

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1111132	COMPLETED	25AUG11 08:22	7335.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
24AUG11 07:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			25AUG11 08:22
24AUG11 07:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRCRAFT REQUIRES AIRTEST FOR BOTH ALTMETERS OPS				XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST CARRIED OUT SERV REF 479039-1

A1PXXU1110837	COMPLETED	24AUG11 22:44	7335.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
24AUG11 08:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			24AUG11 22:44
24AUG11 08:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				XXxxXXxxXXxxXXxxXXxx
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S 40 CARRIED OUT I.A.W AAP 7212.007-6-4

A1PXXU1111236	COMPLETED	29AUG11 02:01	7339.0	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
26AUG11 05:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			29AUG11 02:01
26AUG11 05:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRCRAFT REQUIRES AIRTEST FOR ASOR CLEARANCE				XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST CO REF 479042-1

A1PXXU1111448	COMPLETED	29AUG11 10:01	7342.8	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
29AUG11 09:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
29AUG11 09:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			29AUG11 10:01
		SICU U/S				XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV SICU FITTED IAW AAP 7212.007-2 REF 479044-1



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1111448

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	90060034	A23T	A1UEE	00	91060062	A23T	A1UEE	00
	140.0001-2		29AUG11 09:58	A1PXXJ1112931	140.0001-2		29AUG11 10:01	

A1PXXU1111450 COMPLETED 30AUG11 01:39 7342.8 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
 29AUG11 10:59 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 29AUG11 11:00 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 AIRCRAFT REQUIRES AIRTEST FOR SICU OPS AND FWD ESDP OPS  
 30AUG11 01:39  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST CO REF 479045-1

A1PXXU1111451 COMPLETED 29AUG11 11:26 7342.8 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
 29AUG11 11:24 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 29AUG11 11:24 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 FWD ESDP U/S  
 29AUG11 11:26  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV ESDP FITTED TO FWD CPT IAW AAP 7212.007-2 REF 479044-3#1-3

REMOVALS/INSTALLATIONS FOR A1PXXU1111451

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	90100105	A23T	A1UDI	00	7080065A	A23T	A1UDI	00
	150.0001-2		29AUG11 11:24	A1PXXJ1112932	150.0001-2		29AUG11 11:26	

A1PXXU1111142 COMPLETED 31AUG11 23:26 7351.1 AFHR SST XXxxXXxxXXxxXXxxXXxx  
 31AUG11 11:07 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 31AUG11 23:26  
 31AUG11 11:07 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 S40 due on Serial A23-033  
 PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O IAW AAP7212.007-6-4, P/W REF MCS1366/11

A1PXXU1111659 COMPLETED 01SEP11 09:23 7353.7 AFHR SST XXxxXXxxXXxxXXxxXXxx  
 01SEP11 09:18 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 01SEP11 09:23  
 01SEP11 09:21 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 EO HANDLE TRIPPED ON REAR SEAT XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03176  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: SERV SEO FITTED TO REAR SEAT IAW 7212.007-2 REF 524604-1

REMOVALS/INSTALLATIONS FOR A1PXXU1111659

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1690537	A23T	A26BE	00	1540102	A23T	A26BE	00
	MBEU100618		01SEP11 09:21	A1PXXJ1113152	MBEU100618		01SEP11 09:22	

A1PXXU1106221 COMPLETED 07SEP11 13:14 7365.5 AFHR SST  
07SEP11 09:31 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 07SEP11 13:14  
07SEP11 09:31 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
STI-PC9-0535 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-0535 INC IAW STI INSTRUCTIONS REF: 524613/4-1-1

A1PXXU1111620 COMPLETED 07SEP11 23:44 7365.5 AFHR SCM  
07SEP11 13:16 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
07SEP11 13:16 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O IAW AAP7212.007-6-4, P/W REF MCS1395/11

A1PXXU1111962 COMPLETED 14SEP11 13:23 7370.6 AFHR SST  
14SEP11 08:57 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 14SEP11 13:23  
14SEP11 08:57 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERV CO IAW 7212.007-6-4 REF MCS 1419/11

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03177  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1103726	COMPLETED	19SEP11 11:05	7371.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
19SEP11 10:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			19SEP11 11:05
19SEP11 10:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S16 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S16 C/O IAW 7212-045-1 REF 524618-5-1				
A1PXXU1112253	COMPLETED	21SEP11 09:52	7371.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
21SEP11 06:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			21SEP11 09:52
21SEP11 06:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 SERV C/O IAW 7212.007-6-4 REF MCS 1456/11				
A1PXXU1112617	COMPLETED	28SEP11 23:38	7371.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
28SEP11 09:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			28SEP11 23:38
28SEP11 09:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 CARRIED OUT IAW AAP 7212.007-6-4 REF MCS 1506/11				
A1PXXU1112994	COMPLETED	04OCT11 12:54	7371.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
04OCT11 11:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			04OCT11 12:54
04OCT11 11:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 SERV CARRIED OUT IAW 7212-007-6-4 REFER MCS 1531/11				
A1PXXU1113299	COMPLETED	05OCT11 07:10	7371.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
05OCT11 06:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			05OCT11 07:10
05OCT11 06:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial 0152				
		BATTERY NICAD at WAC 0660				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	BATT N ICAD REPLACED IAW AAP 7212.007-2 REF: 524620-1				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03178  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1113299

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				

001	0152	A23T	A1UOA	00	1475	A23T	A1UOA	00
33490409201	05OCT11 07:07	A1PXXJ1110424	33490409201	05OCT11 07:08				

A1PXXU1113226 COMPLETED 06OCT11 12:18 7374.4 AFHR SST  
06OCT11 12:16 XXxxXXxx XXxxXXxxXXxxXXxx AIP 06OCT11 12:18  
06OCT11 12:16 XXxxXXxx XXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: S40 C/O IAW AAP7212.007-6-4 REF P/W MSC1373/11

A1PXXU1113373 COMPLETED 11OCT11 00:00 7376.9 AFHR SST  
10OCT11 14:30 XXxxXXxx XXxxXXxxXXxxXXxx AIP 11OCT11 00:00  
10OCT11 14:30 XXxxXXxx XXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: C/O REF 1595/11

A1PXXU1012138 COMPLETED 21OCT11 01:20 7379.3 AFHR SST  
20OCT11 02:54 XXxxXXxx XXxxXXxxXXxxXXxx AIP 21OCT11 01:20  
20OCT11 02:55 XXxxXXxx XXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S57 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: S57 CARRIED OUT IAW AAP 7212.007-6-4. REF MCS 1576/11, 14-2.

A1PXXU1014681 COMPLETED 05DEC11 02:23 7379.3 AFHR SST  
20OCT11 02:54 XXxxXXxx XXxxXXxxXXxxXXxx AIP 05DEC11 02:23  
20OCT11 02:55 XXxxXXxx XXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
R2 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: R2 CO IAW 7212.007-6-2-2 REF MCS 1596/11

A1PXXU1106292 COMPLETED 27OCT11 00:55 7379.3 AFHR SST  
20OCT11 02:54 XXxxXXxx XXxxXXxxXXxxXXxx AIP 27OCT11 00:55  
20OCT11 02:55 XXxxXXxx XXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S63 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: S63 CARRIED OUT IAW AAP 7113.022-2. REF MCS 1576/11, 14-3.

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN	
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME	
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR	
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME	
EE500PG EE500LN						INSPECTOR	
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME	
A1PXXU1106490	COMPLETED	04NOV11 03:07	7379.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX	
20OCT11 02:54	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			04NOV11 03:07	
20OCT11 02:55	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		S20 due on Serial A23-033					
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX	
	Maint Acts:	S20 SERVICING CARRIED OUT IAW AAP 7212.007-6-4. REF MCS 1576/11, 9-1,2,3.					
A1PXXU1113996	COMPLETED	03NOV11 23:13	7379.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX	
20OCT11 02:54	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			03NOV11 23:13	
20OCT11 02:55	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		NDT due on Serial 033					
		FRM 9 STR 5L & 5R at WAC 0670				XXXXXXXXXXXXXXXXXXXX	
	Maint Acts:	SBI 17 C/O REF LSN MCS 1576/11-14-4 NDI REPORT 676/11					
A1PXXU1113997	COMPLETED	03NOV11 22:48	7379.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX	
20OCT11 02:54	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			03NOV11 22:48	
20OCT11 02:55	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		STI-PC9-0506 due on Serial 533					
		VERTICAL STAB ASSY at WAC 1400				XXXXXXXXXXXXXXXXXXXX	
	Maint Acts:	STI-PC9-506 RINC IAW INSTRUCTIONS REF NDI REPORT 672/11, REF LSN MCS 1576/11-11-5					
A1PXXU1113998	COMPLETED	01NOV11 02:38	7379.3	AFHR	SCM	XXXXXXXXXXXXXXXXXXXX	
20OCT11 02:54	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP				
20OCT11 02:55	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		STI-PC9-0506 due on Serial 553				01NOV11 02:38	
		HORIZONTAL STAB ASS at WAC 1100				XXXXXXXXXXXXXXXXXXXX	
	Maint Acts:	STI-PC9-0506 INC					
A1PXXU1113999	COMPLETED	03NOV11 22:40	7379.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX	
20OCT11 02:54	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			03NOV11 22:40	
20OCT11 02:55	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		STI-PC9-541B due on Serial 027					
		WING ASSY at WAC 1500				XXXXXXXXXXXXXXXXXXXX	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03180  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN		
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME		
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR		
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME		
EE500PG EE500LN						INSPECTOR		
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME		
=====								
	Maint Acts:	STI-PC9-541B AND 422A+B INC IAW INSTRUCTION REF LSN MCS 1576/11 14-6 +15-1						
A1PXXU1113506	COMPLETED	02DEC11 00:50	7379.3	AFHR	T+TS	XXxxXXxxXXxxXXxxXXxx		
20OCT11 02:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			02DEC11 00:50		
20OCT11 02:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx		
		S40 due on Serial A23-033				02DEC11 00:50		
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx		
	Maint Acts:	S40 SERV C/O IAW AAP 7212.007-6-4 REF MCS WK SHT 1584/11 AND MCS 1596/11 SHT 11 OF 19 LINE 3						
A1PXXU1114004	COMPLETED	08NOV11 15:09	7379.3	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx		
20OCT11 03:05	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx		
20OCT11 03:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			08NOV11 15:09		
		OH due on Serial GG90				XXxxXXxxXXxxXXxxXXxx		
		PROPELLER ASSY at WAC 0110						
	Maint Acts:	NEW PROPELLER SN: GG530 FITTED IAW 7212.007-2 REF MCS 1596/11-8-3						
REMOVALS/INSTALLATIONS FOR A1PXXU1114004								
SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
=====	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	GG90	A23T	A00	00	GG530	A23T	A00	00
	HC-D4N2A/D9512A		08NOV11 14:58	A1PXXJY606730	HC-D4N2A/D9512A		08NOV11 14:58	
A1PXXUY919539	COMPLETED	01NOV11 00:45	7379.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx		
20OCT11 03:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			01NOV11 00:45		
20OCT11 03:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx		
		S46 due on Serial A23-033				XXxxXXxxXXxxXXxxXXxx		
		PC-9 at WAC 0000						
	Maint Acts:	S46 SERVICING CARRIED OUT IAW AAP 7212.007-6.4. REF MCS 1532/11, 14-6.						

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03181  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY908337	COMPLETED	11NOV11 03:14	7379.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
20OCT11 03:07	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			11NOV11 03:14
20OCT11 03:07	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S47 due on Serial A23-033				
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	S47 CO IAW 7212.007-6-4 REF MCS 1576/11-15-5				
A1PXXU1110191	COMPLETED	31OCT11 04:59	7379.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
20OCT11 03:08	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			31OCT11 04:59
20OCT11 03:08	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S26 due on Serial A23-033				
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	S26 SERVICING CARRIED OUT IAW AAP 7212.007-6-4. REF MCS 1576/11, 15-3.				
A1PXXUY919843	COMPLETED	26OCT11 05:27	7379.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
20OCT11 03:10	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			26OCT11 05:27
20OCT11 03:10	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S60 due on Serial A23-033				
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	S60 CARRIED OUT IAW AAP 7212.007-6-4. REF MCS 1576/11, 15-6.				
A1PXXUY907958	COMPLETED	31OCT11 01:54	7379.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
20OCT11 03:13	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			31OCT11 01:54
20OCT11 03:13	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S28 due on Serial A23-033				
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	S28 SERVICING CARRIED OUT IAW AAP 7212.007-6-4. REF MCS 1576/11, 15-3.				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03182  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY907958  
SEQ REMOVED SERIAL NO EIAC LCN ALC INSTALLED SERIAL NO EIAC LCN ALC  
REMOVED PART NO DATE/TIME JOB NUMBER INSTALLED PART NO DATE/TIME  
=====  
001 538 A23T A2KDG 00  
532.10.09.075 25OCT11 02:28 A1PXXJ1115819

A1PXXUY907959 COMPLETED 31OCT11 01:58 7379.3 AFHR SST XXxxXXxxXXxxXXxxXXxx  
20OCT11 03:15 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 31OCT11 01:58  
20OCT11 03:15 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S29 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S29 SERVICING CARRIED OUT IAW AAP 7212.007-6-4. REF MCS 1576/11,  
15-3.

REMOVALS/INSTALLATIONS FOR A1PXXUY907959  
SEQ REMOVED SERIAL NO EIAC LCN ALC INSTALLED SERIAL NO EIAC LCN ALC  
REMOVED PART NO DATE/TIME JOB NUMBER INSTALLED PART NO DATE/TIME  
=====  
001 1006 A23T A2KEC 00  
532.10.09.076 25OCT11 02:34 A1PXXJ1115822

A1PXXU1013156 COMPLETED 03NOV11 22:25 7379.3 AFHR SST XXxxXXxxXXxxXXxxXXxx  
20OCT11 03:17 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 03NOV11 22:25  
20OCT11 03:17 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
STI-PC9-0532 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-532 INC IAW INSTRUCTIONS REF LSN MCS 1590/11

A1PXXU1114006 COMPLETED 25OCT11 06:14 7379.3 AFHR SST XXxxXXxxXXxxXXxxXXxx  
20OCT11 03:28 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 25OCT11 06:14  
20OCT11 03:28 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
FT due on Serial DN4834  
BCN UNDERWATER LOC at WAC 0640 XXxxXXxxXXxxXXxxXXxx

Maint Acts: FT C/O IAW 7212-007-2 REF LSN MCS 1576/11-17-5



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME

EE500PG	EE500LN	BL	ADMIN	MAINT ACTION/LIMITATIONS	INSPECTOR	DATE/TIME
A1PXXU1114007	COMPLETED			25OCT11 02:54		XXxxXXxxXXxxXXxxXXxx
20OCT11 03:28	XXxxXXxx			XXxxXXxxXXxxXXxxXXxx	AIP	25OCT11 02:54
20OCT11 03:28	XXxxXXxx			XXxxXXxxXXxxXXxxXXxx	AIP	XXxxXXxxXXxxXXxxXXxx
				OH due on Serial 912099		
				REG OXYGEN DEMAND at WAC 0740		XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV OXY DEMAND REG FITTED IAW 7212-007-2 REF LSN MCS 1576/11-16-6

REMOVALS/INSTALLATIONS FOR A1PXXU1114007

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	912099	A23T	A1UIS	00	106167	A23T	A1UIS	00
	3260042-0201		25OCT11 02:52	N0NC2JY602401	3260042-0201		25OCT11 02:53	

A1PXXU1114010	COMPLETED	25OCT11 02:57	7379.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
20OCT11 03:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			25OCT11 02:57
20OCT11 03:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
				BS due on Serial 825		
				REG PRESS REDUCING at WAC 0640		XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV REG PREESS REDUCING FITTED IAW 7212-007-2 REF LSN MCS 1576/11-17-2

REMOVALS/INSTALLATIONS FOR A1PXXU1114010

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	825	A23T	A1UNC	02	378	A23T	A1UNC	02
	F103D000-15		25OCT11 02:55	A1PXXJ1019539	F103D000-15		25OCT11 02:56	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1114011	COMPLETED	27OCT11 00:43	7379.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
20OCT11 03:31	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			27OCT11 00:43
20OCT11 03:31	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BS due on Serial RT119				
		FUEL NOZZLE SET at WAC 0120				XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERVICEABLE FUEL NOZZLE SET, SN RT141, FITTED IAW AAP 7113.022-2.  
 REF MCS 1576/11, 16-2.

REMOVALS/INSTALLATIONS FOR A1PXXU1114011

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	RT119 RAAFA62FNS01	A23T	A1SAK27 23OCT11 23:11	00 N0NC2J1001745	RT141 RAAFA62FNS01	A23T	A1SAK27 27OCT11 00:37	00

A1PXXU1114012	COMPLETED	03NOV11 23:03	7379.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
20OCT11 03:32	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			03NOV11 23:03
20OCT11 03:32	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		NDT due on Serial 027LH				
		LWNG RSPAR HLF R3 at WAC 0900				XXXXXXXXXXXXXXXXXXXX

Maint Acts: NDT C/O REPORT NDI 675/11 REF LSN MCS 1576/11-17-5

A1PXXU1114013	COMPLETED	03NOV11 23:06	7379.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
20OCT11 03:32	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			03NOV11 23:06
20OCT11 03:32	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		NDT due on Serial 027RH				
		RWNG RSPAR HLF R3 at WAC 1000				XXXXXXXXXXXXXXXXXXXX

Maint Acts: NDT C/O REPORT NDI 675/11 REF LSN MCS 1576/11-17-5

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03185  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1114014	COMPLETED	27OCT11 04:52	7379.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
20OCT11 03:32	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			27OCT11 04:52
20OCT11 03:32	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		TA due on Serial PCY900622				
		FILTER ELEMENT P3 at WAC 0130				XXXXXXXXXXXXXXXXXXXX

Maint Acts: NEW P3 FILTER ELEMENT, SN PC1101037, FITTED IAW AAP 7113.022-2. REF MCS 1576/11, 16-4.

REMOVALS/INSTALLATIONS FOR A1PXXU1114014

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PCY900622	A23T	A1SAK48	01	PC1101037	A23T	A1SAK48	01
	3059788-01		27OCT11 04:44	A1PXXJY910374	3059788-01		27OCT11 04:47	

A1PXXU1114015	COMPLETED	26OCT11 23:46	7379.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
20OCT11 03:32	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			26OCT11 23:46
20OCT11 03:32	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		TA due on Serial PCY900719				
		FILTER OIL at WAC 0130				XXXXXXXXXXXXXXXXXXXX

Maint Acts: NEW OIL FILTER FITTED IAW AAP 7113.022-2. REF MCS 1576/11, 16-3.

REMOVALS/INSTALLATIONS FOR A1PXXU1114015

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PCY900719	A23T	A1SAK34	00	PC1101034	A23T	A1SAK34	00
	3059257-01		26OCT11 23:36	A1PXXJY911632	3059257-01		26OCT11 23:42	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1114016	COMPLETED	31OCT11 01:25	7379.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
20OCT11 03:32	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			31OCT11 01:25
20OCT11 03:32	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BS due on Serial 0420001				
		CRASH POSN IND at WAC 0660				XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV CPI, SN 0327001, FITTED IAW AAP 7212.007-2. REF MCS 1576/11, 17-3.

REMOVALS/INSTALLATIONS FOR A1PXXU1114016

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0420001	A23T	A1UOY	00	0327001	A23T	A1UOY	00
	453-0406		31OCT11 01:21	A1PXXJ1100341	453-0406		31OCT11 01:22	

A1PXXU1114017	COMPLETED	31OCT11 05:59	7379.3	AFHR	SCM	XXXXXXXXXXXXXXXXXXXX
20OCT11 03:35	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			
20OCT11 03:35	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		FT due on Serial 4568				31OCT11 05:59
		TRANSCEIVER KXP 756 at WAC 0730				XXXXXXXXXXXXXXXXXXXX

Maint Acts: FT CARRIED OUT.MCS1576/11-17-6.

A1PXXU1114018	COMPLETED	25OCT11 02:52	7379.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
20OCT11 03:36	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			25OCT11 02:52
20OCT11 03:36	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BS due on Serial 006122				
		REG OXYGEN DEMAND at WAC 0730				XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV OXY DEMAND REG FITTED IAW 7212.007-2 REF LSN MCS 1576/11-16-5

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03187  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1114018

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	006122	A23T	A1UES	00	004104	A23T	A1UES	00
	3260042-0201		25OCT11 02:49	A1PXXJ1016111	3260042-0201		25OCT11 02:50	

A1PXXU1106321 COMPLETED 31OCT11 05:53 7379.3 AFHR SST XXxxXXxxXXxxXXxxXXxx  
20OCT11 03:46 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 31OCT11 05:53  
20OCT11 03:46 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S62 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S62 CARRIED OUT IAW AAP 7212.007-6-4. REF MCS 1576/11, 9-4.

A1PXXU1114033 COMPLETED 31OCT11 00:33 7379.3 AFHR SST XXxxXXxxXXxxXXxxXXxx  
20OCT11 22:12 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 31OCT11 00:33  
20OCT11 22:14 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
LH AILERON, SN 119, REMOVED FOR STI 541B. XXxxXXxxXXxxXXxxXXxx

Maint Acts: LH AILERON, SN 119, REFITTED IAW AAP 7212.007-2. REF MCS 1576/11, 18-4.

REMOVALS/INSTALLATIONS FOR A1PXXU1114033

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	119	A23T	A2KCA	00	119	A23T	A2KCA	00
	557.51.09.003		20OCT11 22:14	A1PXXJ1115633	557.51.09.003		30OCT11 23:59	

A1PXXU1114034 COMPLETED 31OCT11 02:11 7379.3 AFHR SST XXxxXXxxXXxxXXxxXXxx  
20OCT11 22:18 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 31OCT11 02:11  
20OCT11 22:19 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
RH AILERON, SN 509, REMOVED FOR STI 541B. XXxxXXxxXXxxXXxxXXxx

Maint Acts: RH AILERON, SN 509, REFITTED IAW AAP 7212.007-2. REF MCS 1576/11, 18-5.

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03188  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
REMOVALS/INSTALLATIONS FOR A1PXXU1114034

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	509	A23T	A2KCC	00	509	A23T	A2KCC	00
	557.51.09.004		20OCT11 22:20	A1PXXJ1115634	557.51.09.004		31OCT11 02:06	

A1PXXU1114035 COMPLETED 01NOV11 04:56 7379.3 AFHR SST XXxxXXxxXXxxXXxxXXxx  
20OCT11 22:23 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 01NOV11 04:56  
20OCT11 22:24 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
SPINNER ASSY, SN A2333, RFA.  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: SPINNER ASSY, SN A2333, REFITTED IAW AAP 7212.007-2. REF MCS 1576/11, WC6-1.

REMOVALS/INSTALLATIONS FOR A1PXXU1114035

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	A2333	A23T	A00AI	00	A2333	A23T	A00AI	00
	D5210		20OCT11 22:25	A1PXXJ1115635	D5210		01NOV11 04:53	

A1PXXU1114039 COMPLETED 05DEC11 05:53 7379.3 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
20OCT11 22:35 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 05DEC11 05:53  
20OCT11 22:38 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
MANDATORY MCS/AMCO AMD VALIDATION CHECKS TO BE CARRIED OUT IAW SMI  
08/20 PRIOR TO NEXT FLIGHT  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: DATA MANAGER ACTION C/O - MANDATORY MCS/AMCO AMD VALIDATION C/O IAW SMI 08/20 , AAP 7001.060-2/3 REF EE500 P/NO 524626 LINES TWO/THREE

A1PXXU1114066 COMPLETED 01NOV11 04:41 7379.3 AFHR SST XXxxXXxxXXxxXXxxXXxx  
20OCT11 23:08 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 01NOV11 04:41  
20OCT11 23:09 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
ELEVATOR ASSY, SN 057, REMOVED FOR STI 532.  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: ELEV ASSY, SN 057, REFITTED IAW AAP 7212.007-2. REF MCS 1576/11, 19-4.

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1114066

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 057	A23T	A2IBC	00	057	A23T	A2IBC	00	
555.20.09.257	20OCT11 23:09	A1PXXJ1115644	555.20.09.257	01NOV11 04:38				

A1PXXU1114068 COMPLETED 01NOV11 02:43 7379.3 AFHR SST  
20OCT11 23:12 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 01NOV11 02:43  
20OCT11 23:13 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
HORIZ STAB ASSY, SN 553, REMOVED FOR S60 SERVICING.  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: HORIZ STAB ASSY REFITTED. MCS1576/11-19-2.

REMOVALS/INSTALLATIONS FOR A1PXXU1114068

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 553	A23T	A2I	00	553	A23T	A2I	00	
555.10.09.130	20OCT11 23:14	A1PXXJ1115646	555.10.09.130	01NOV11 02:41				

A1PXXU1114079 COMPLETED 01NOV11 01:10 7379.3 AFHR SST  
21OCT11 00:05 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 01NOV11 01:10  
21OCT11 00:08 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
HSTAB STRUT, SN 533, REMOVED FOR PAINT STRIPPING AND NDI CHECK.  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: HSTAB STRUT, SN 533, REFITTED AFTER NDI & REPAINT. REF MCS 1576/11, 19-3.

REMOVALS/INSTALLATIONS FOR A1PXXU1114079

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 533	A23T	A1UAB	00	533	A23T	A1UAB	00	
SBI-36A	21OCT11 00:08	A1PXXJ1115663	533 SBI-36A	01NOV11 01:04				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1114097	COMPLETED	01NOV11 06:02	7379.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
21OCT11 00:40	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			01NOV11 06:02
21OCT11 00:41	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		HUB ASSY NOSE, SN 0010, RFA.				XXXXXXXXXXXXXXXXXXXX

Maint Acts: HUB ASSY NOSE, SN 0123, REFITTED IAW AAP 7212.00

REMOVALS/INSTALLATIONS FOR A1PXXU1114097

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0010	A23T	A18AG	00	0010	A23T	A18AG	00
	3-1451 OPT 1		21OCT11 00:41	A1PXXJ1115675	3-1451 OPT 1		01NOV11 06:00	

A1PXXU1114098	COMPLETED	01NOV11 05:54	7379.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
21OCT11 00:49	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			01NOV11 05:54
21OCT11 00:52	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		HUB ASSY MAIN LH, SN 0059, RFA.				XXXXXXXXXXXXXXXXXXXX

Maint Acts: HUB ASSY MAIN LH, SN 0059, REFITTED IAW AAP 721.007-2. REF MCS 1576/11, 20-1.

REMOVALS/INSTALLATIONS FOR A1PXXU1114098

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0059	A23T	A2KDM	01	0059	A23T	A2KDM	01
	3-1555		21OCT11 00:52	A1PXXJ1115675	3-1555		01NOV11 05:50	



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03191  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1114099	COMPLETED	01NOV11 05:58	7379.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
21OCT11 00:54	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			01NOV11 05:58
21OCT11 00:55	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		HUB ASSY MAIN RH, SN 0123, RFA.				XXXXXXXXXXXXXXXXXXXX

Maint Acts: HUB ASSY MAIN RH, SN 0123, REFITTED IAW AAP 7212.007-2. REF MCS 1576/11, 20-2.

REMOVALS/INSTALLATIONS FOR A1PXXU1114099

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0123	A23T	A2KEI	01	0123	A23T	A2KEI	01
	3-1555		21OCT11 00:55	A1PXXJ1115677	3-1555		01NOV11 05:56	

A1PXXU1114103	COMPLETED	03NOV11 13:44	7379.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
21OCT11 02:11	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			03NOV11 13:44
21OCT11 02:16	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		SEO'S, PARA'S, PSP'S AND CART SETS SEATS RFA				XXXXXXXXXXXXXXXXXXXX

Maint Acts: SEO'S, PARA'S, PSP'S AND CART SET SEAT'S REFITTED IAW AAP 7212.007-2, 7291.042-2M. REF: MCS 1581/11 AND MCS 1582/11

REMOVALS/INSTALLATIONS FOR A1PXXU1114103

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1540102	A23T	A26BE	00	1540102	A23T	A26BE	00
	MBEU100618		21OCT11 02:17	A1PXXJ1115686	MBEU100618		03NOV11 13:32	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03192  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

SEQ	REMOVED SERIAL NO REMOVED PART NO	EIAC	LCN DATE/TIME	ALC JOB NUMBER	INSTALLED SERIAL NO INSTALLED PART NO	EIAC	LCN DATE/TIME	ALC
002	DG2689 STANDARDPACK-1	A23T	A26BG 21OCT11 02:18	00 A1PXXJ1115687	DG2689 STANDARDPACK-1	A23T	A26BG 03NOV11 13:33	00
003	MB9843 MBEU12043PA	A23T	A26BA 21OCT11 02:19	00 A1PXXJ1115688	MB9843 MBEU12043PA	A23T	A26BA 03NOV11 13:34	00
004	2693310R MBEU100021	A23T	A26AE 21OCT11 02:20	00 A1PXXJ1115689	2693310R MBEU100021	A23T	A26AE 03NOV11 13:35	00
005	2746629 MBEU100618	A23T	A1WBE 21OCT11 02:22	00 A1PXXJ1115690	2746629 MBEU100618	A23T	A1WBE 03NOV11 13:38	00
006	DG2688 STANDARDPACK-1	A23T	A1WBG 21OCT11 02:23	00 A1PXXJ1115691	DG2688 STANDARDPACK-1	A23T	A1WBG 03NOV11 13:39	00
007	MB10274 MBEU100664	A23T	A1WBA 21OCT11 02:24	00 A1PXXJ1115692	MB10274 MBEU100664	A23T	A1WBA 03NOV11 13:39	00
008	2693310F MBEU100021	A23T	A1WAE 21OCT11 02:24	00 A1PXXJ1115693	2693310F MBEU100021	A23T	A1WAE 03NOV11 13:42	00

A1PXXU1114104 COMPLETED 03NOV11 13:19 7379.3 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
 21OCT11 02:25 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 21OCT11 02:27 XXxxXXxx XXxxXXxxXXxxXXxx AIP  
 CCV,CDBU AND SET CART COMMAND RFA  
 03NOV11 13:19  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: CCV AND CDBU REPLACED CART SET CMD REFITTED IAW AAP 7291.042-2M,  
 REF: MCS1649/11

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03193  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1114104

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	DD2801 MBEU64438	A23T	A1UIY 21OCT11 02:28	00 A1PXXJ1115694	DE2734 MBEU64438	A23T	A1UIY 03NOV11 13:15	00
002	MD2146 MBEU100433	A23T	A1UJC 21OCT11 02:29	00 A1PXXJ1115695	MC2687 MBEU100433	A23T	A1UJC 03NOV11 13:13	00
003	7173310 MBEU60228	A23T	A1UJA 21OCT11 02:30	00 A1PXXJ1115696	7173310 MBEU60228	A23T	A1UJA 03NOV11 13:17	00

A1PXXU1114105 COMPLETED 03NOV11 13:28 7379.3 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
21OCT11 02:31 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
21OCT11 02:32 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
BOTH FRONT AND REAR SEATS RFA 03NOV11 13:28  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: FRONT AND REAR SEATS REPLACED IAW AAP 7212.007-2, REF: MCS 1581/11 AND 1582/11

REMOVALS/INSTALLATIONS FOR A1PXXU1114105

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	117 AU11A-1	A23T	A1W 21OCT11 02:32	00 A1PXXJ1115697	013 AU11A-1	A23T	A1W 03NOV11 13:21	00
002	118 CH11A-2	A23T	A26 21OCT11 02:34	00 A1PXXJ1115698	014 AU11A-2	A23T	A26 03NOV11 13:21	00

A1PXXU1114132 COMPLETED 02NOV11 23:56 7379.3 AFHR SST XXxxXXxxXXxxXXxxXXxx  
24OCT11 01:24 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
24OCT11 01:25 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
BOTH INVS AND RACK RFA 02NOV11 23:56  
XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03194  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: SERV INVERTERS FITTED IAW 7212-007-2 REF MCS1576-11-1

REMOVALS/INSTALLATIONS FOR A1PXXU1114132

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	6567	A23T	A1UOE	01	6567	A23T	A1UOE	01
	975.04.21.103		24OCT11 01:25	A1PXXJ1115744	975.04.21.103		02NOV11 23:53	
002	6568	A23T	A1UOG	01	6568	A23T	A1UOG	01
	975.04.21.103		24OCT11 01:26	A1PXXJ1115745	975.04.21.103		02NOV11 23:52	

A1PXXU1114133	COMPLETED	03NOV11 01:07	7379.3	AFHR	SST	XXXXXXXXXX
24OCT11 01:28	XXXXXXXX	XXXXXXXXXXXXXXXXXX	AIP			03NOV11 01:07
24OCT11 01:28	XXXXXXXX	XXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX
		BATT NICAD RFA				XXXXXXXXXX

Maint Acts: SERV BATT FITTED IAW 7212-007-2 REF MCS1576/11-1

REMOVALS/INSTALLATIONS FOR A1PXXU1114133

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1475	A23T	A1UOA	00	0375	A23T	A1UOA	00
	33490409201		24OCT11 01:28	A1PXXJ1115749	33490409201		03NOV11 01:05	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1112465	COMPLETED	24OCT11 01:33	7379.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
24OCT11 01:32	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			24OCT11 01:33
24OCT11 01:32	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S16 due on Serial A23-033				
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	S16 SERV C/O IAW 7212-007-6-4 REF LSN MCS 1576-10-4				

A1PXXU1114228	COMPLETED	25OCT11 06:08	7379.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
25OCT11 06:04	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			25OCT11 06:08
25OCT11 06:05	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		FRONT C/PIT ESDP FUEL QTY GAUGE DELAMINATING				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	SERV ESDP FITTED TO FWD C/PIT IAW 7212.007-2 REF LSN MCS 1576/11-23-6				

REMOVALS/INSTALLATIONS FOR A1PXXU1114228

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	7080065A 150.0001-2	A23T	A1UDI 25OCT11 06:05	00 A1PXXJ1115845	8040017A 150.0001-2	A23T	A1UDI 25OCT11 06:07	00

A1PXXU1114241	COMPLETED	26OCT11 06:13	7379.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
25OCT11 22:16	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			26OCT11 06:13
25OCT11 22:22	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		EXCESSIVE PLAY IN LH OBD DOOR, SN 523.				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	BUSHES REPLACE AND DOOR REFITTED IAW AAP 7212.007-2. REF MCS 1576/11, 21-6.				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMP2  
ASSET HISTORY

PAGE 03196  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1114241

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	523	A23T	A2KCO	00				
	532.11.09.097		25OCT11	22:29	A1PXXJ1115855			

A1PXXU1114266 COMPLETED 26OCT11 05:41 7379.3 AFHR SST XXxxXXxxXXxxXXxxXXxx  
26OCT11 05:30 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 26OCT11 05:41  
26OCT11 05:33 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
ELEMENT FILTER FUEL, SN L233244, DUE CLEAN & INSPECT.  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV FUEL FILTER ELEMENT, SN L117252, FITTED IAW AAP 7212.007-2.  
REF MCS 1576/11, 23-1.

REMOVALS/INSTALLATIONS FOR A1PXXU1114266

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	L233244	A23T	A1UJK00	00	L117252	A23T	A1UJK00	00
	03W1738-231		26OCT11	05:34	A1PXXJ1115900		26OCT11	05:36

A1PXXU1114304 COMPLETED 02NOV11 03:19 7379.3 AFHR SST XXxxXXxxXXxxXXxxXXxx  
26OCT11 23:22 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 02NOV11 03:19  
26OCT11 23:22 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
TA due on Serial PCY600804  
EMERG LG CABLE at WAC 0630 XXxxXXxxXXxxXXxxXXxx

Maint Acts: NEW EMERG LG CABLE, SN PC1101049, FITTED IAW AAP 7212.007-2. REF  
MCS 1576/11, 24-3.

REMOVALS/INSTALLATIONS FOR A1PXXU1114304

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	PCY600804	A23T	A1UBO	01	PC1101049	A23T	A1UBO	01
	529.20.09.137		01NOV11	22:38	A1PXXJY611982		02NOV11	03:15

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03197  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1114308	COMPLETED	26OCT11 23:55	7379.3	AFHR	SST	XXXXXXXXXX
26OCT11 23:49	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			26OCT11 23:55
26OCT11 23:49	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX
		STARTER GENERATOR, SN 4520, RFA.				XXXXXXXXXX

Maint Acts: STARTER GENERATOR, SN 4520, REFITTED IAW AAP 7212.007-2. REF MCS 1576/11, 53-6.

REMOVALS/INSTALLATIONS FOR A1PXXU1114308

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	4520	A23T	A1SAI14	00	4520	A23T	A1SAI14	00
	23081-026		26OCT11 23:51	A1PXXJ1115933	23081-026		26OCT11 23:53	

A1PXXU1114320	COMPLETED	27OCT11 03:03	7379.3	AFHR	SST	XXXXXXXXXX
27OCT11 02:50	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			27OCT11 03:03
27OCT11 02:53	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX
		FILTER FUEL INLET, XX0A1EXXRY800599, DUE CLEAN & INSPECT.				XXXXXXXXXX

Maint Acts: FILTER FUEL INLET CLEANED, INSPECTED AND REFITTED IAW AAP 7113.022-2. REFER MCS 1576/11, WC12-1.

REMOVALS/INSTALLATIONS FOR A1PXXU1114320

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	XX0A1EXXRY800599	A23T	A1SAI10AC	00	XX0A1EXXRY800599	A23T	A1SAI10AC	00
	32-2053		27OCT11 02:54	A1PXXJ1115940	32-2053		27OCT11 02:58	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03198  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1114328	COMPLETED	27OCT11 05:11	7379.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
27OCT11 05:01	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			27OCT11 05:11
27OCT11 05:02	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		FILTER FUEL DISCHARGE DUE CLEAN & INSPECT.				XXXXXXXXXXXXXXXXXXXX

Maint Acts: NEW DISCHARGE FILTER ELEMENT, SN PC1101038, FITTED IAW AAP 7113.022-2. REF MCS 1576/11, WC12-5.

REMOVALS/INSTALLATIONS FOR A1PXXU1114328

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	XX0A1EXXRY800598 3033355	A23T	A1SAI10AA 27OCT11 05:03	00 A1PXXJ1115945	PC1101038 3033355	A23T	A1SAI10AA 27OCT11 05:07	00

A1PXXU1114436	COMPLETED	31OCT11 02:37	7379.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
31OCT11 02:33	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			31OCT11 02:37
31OCT11 02:34	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		STRUT SHOCK MLG LH, SN 538, TO BE FITTED POST S28.				XXXXXXXXXXXXXXXXXXXX

Maint Acts: STRUT SHOCK MLG LH, SN 538 REFITTED IAW AAP 7212.007-2. REF MCS 1587/11, WC1-2.

REMOVALS/INSTALLATIONS FOR A1PXXU1114436

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001					538 532.10.09.075	A23T	A2KDG 31OCT11 02:35	00



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN	
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME	
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR	
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME	
EE500PG EE500LN						INSPECTOR	
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME	
A1PXXU1114437	COMPLETED	31OCT11 02:43	7379.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX	
31OCT11 02:38	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			31OCT11 02:43	
31OCT11 02:40	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		STRUT SHOCK MLG RH, SN 1006, TB FITTED POST S29 SERV.					XXXXXXXXXXXXXXXXXXXX

Maint Acts: STRUT SHOCK MLG RH, SN 1006, REFITTED IAW AAP 7212.007-2. REF MCS  
 1587/11, WC1-2.

REMOVALS/INSTALLATIONS FOR A1PXXU1114437

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001					1006	A23T	A2KEC	00
					532.10.09.076		31OCT11 02:41	

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN	
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME	
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR	
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME	
EE500PG EE500LN						INSPECTOR	
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME	
A1PXXU1114495	COMPLETED	01NOV11 00:57	7379.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX	
01NOV11 00:50	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			01NOV11 00:57	
01NOV11 00:51	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		WATER SEPARATOR, SN 67518, REMOVED FOR S46.					XXXXXXXXXXXXXXXXXXXX

Maint Acts: WATER SEPARATOR, SN 67518, REFITTED IAW AAP 7212.007-6-4. REF MCS  
 1576/11, 15-4.

REMOVALS/INSTALLATIONS FOR A1PXXU1114495

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	67518	A23T	A0Y	00	67518	A23T	A0Y	00
	85020-8		01NOV11 00:52	A1PXXJ1116084	85020-8		01NOV11 00:54	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1114530	COMPLETED	02NOV11 03:22	7379.3	AFHR	SCM	XXXXXXXXXXXXXXXXXXXX
01NOV11 22:35	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			
01NOV11 22:37	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		FDR RFA.				02NOV11 03:22
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: FDR REFITTED. MCS1476/11-25-6.

REMOVALS/INSTALLATIONS FOR A1PXXU1114530

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	01496	A23T	A1UPM	00	01496	A23T	A1UPM	00
	S703-1000-01		01NOV11 22:39	A1PXXJ1116135	S703-1000-01		02NOV11 03:20	

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1114532	COMPLETED	02NOV11 06:05	7379.3	AFHR	SCM	XXXXXXXXXXXXXXXXXXXX
01NOV11 22:43	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			
01NOV11 22:43	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		FRONT LGCU RFA.				02NOV11 06:05
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: LGCU REFITTED. MCS1576/11-26-1.

REMOVALS/INSTALLATIONS FOR A1PXXU1114532

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	523	A23T	A1UCQ	00	523	A23T	A1UCQ	00
	532.30.09.216		01NOV11 22:44	A1PXXJ1116136	532.30.09.216		02NOV11 06:04	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1114539	COMPLETED	02MAR12 06:13	7379.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
01NOV11 23:07	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			02MAR12 06:13
01NOV11 23:08	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		AC WASH 2B CO 75 HRS POST R SERV				XXXXXXXXXXXXXXXXXXXX

Maint Acts: AIRCRAFT WASH CARRIED OUT IAW AAP 7212.007-2

A1PXXU1114560	COMPLETED	02NOV11 01:54	7379.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
02NOV11 01:48	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			02NOV11 01:54
02NOV11 01:50	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		DOOR MLG LH OBD, SN 523, TB FITTED POST BUSHINGS' REPLACEMENT.				XXXXXXXXXXXXXXXXXXXX

Maint Acts: DOOR MLG LH OBD, SN 523, REFITTED IAW AAP 7212.007-2. REF MCS 1576/11, 21-6.

REMOVALS/INSTALLATIONS FOR A1PXXU1114560

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001					523	A23T	A2KCO	00
					532.11.09.097		02NOV11 01:51	

A1PXXU1114565	COMPLETED	02NOV11 05:52	7379.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
02NOV11 05:43	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			02NOV11 05:52
02NOV11 05:45	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		CANOPY DAMPER STRUT, SN 371, HAS MINIMAL DAMPING EFFECT.				XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERVICEABLE CANOPY DAMPER STRUT FITTED IAW AAP 7212.007-2. REF MCS 1576/11, 24-5.

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03202  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1114565

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	371	A23T	A1UEY	00	339	A23T	A1UEY	00
	556.10.09.199		02NOV11 05:45	A1PXXJ1116186	556.10.09.199		02NOV11 05:47	

A1PXXU1114710 COMPLETED 07NOV11 04:46 7379.3 AFHR SST XXxxXXxxXXxxXXxxXXxx  
07NOV11 04:41 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 07NOV11 04:46  
07NOV11 04:42 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
AIRCRAFT FAILS ECS CHECK 3 LEAK CX  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: PRSOV REPLACED EGR C/O ASSESSED AS SERV REF MCS 1596/11

REMOVALS/INSTALLATIONS FOR A1PXXU1114710

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	996	A23T	A0Q	00	942	A23T	A0Q	00
	3213876-9		07NOV11 04:42	A1PXXJ1116323	3213876-9		07NOV11 04:44	

A1PXXU1114806 COMPLETED 08NOV11 15:23 7379.3 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
08NOV11 15:21 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 08NOV11 15:23  
08NOV11 15:22 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
PROPELLER BOLTS 2B FITTED

Maint Acts: PROP BOLTS FITTED IAW 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXU1114806

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001					PCY600488	A23T	A00AK	00
					B-3339-1		08NOV11 15:22	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1106576	COMPLETED	09NOV11 05:22	7379.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
09NOV11 05:19	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			09NOV11 05:22
09NOV11 05:19	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S41 due on Serial A23-033				
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX

Maint Acts: S41 C/O REF MCS 1596/11

A1PXXU1115013	COMPLETED	01OCT14 12:03	7379.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
11NOV11 03:17	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			01OCT14 12:03
11NOV11 03:18	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		ENGINE OUTER CASING LOWER AREA NEAR ENG FRM 1 CORRODED				XXXXXXXXXXXXXXXXXXXX

aip0108305DEC11 00:53:14  
 REF MCS 1596/11 100F 19 #2 NIL IMPACT ON AIRWORTHINESS OR AIRCRAFT OPERATIONS. THE DAMAGE TO THE AIRCRAFT ENGINE CASING HAS BEEN INSPECTED AND THE DAMAGE ASSESSED AS LOW RISK ACCEPTABLE. THE CORRISION IS WITHIN ACCEPTABLE LIMITS IAW AAP7113.007-2. TOTAL FAILURE OF THE CASING DUE TO THIS DAMAGE IS ASSESSED AS IMPROBABLE.

aip0108320APR12 02:57:27  
 AREA HAS BEEN INSPECTED AT THE R1 SERV NIL EVIDENCE OF ANY FURTHER DAMAGE ASSESSED AS ACCEPTABLE LOW RISK.

aip0108313MAY14 05:26:33  
 DAMAGED AREA INSPECTED DAMAGE ASSESSED AS LOW RISK ACCEPTABLE DAMAGE

Maint Acts: ENGINE REPLACED REFER AIP MCS 473, 474, 475, 476, 477/14

A1PXXU1115014	COMPLETED	12DEC11 02:27	7379.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
11NOV11 03:18	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			12DEC11 02:27
11NOV11 03:19	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		MTF REQD POST R2 SERV AND PROP CHANGE				XXXXXXXXXXXXXXXXXXXX

Maint Acts: C/O REF 524629-1

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1116004	COMPLETED	30NOV11 23:18	7379.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
30NOV11 23:17	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			30NOV11 23:18
30NOV11 23:17	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		STI-PC9-0469		due on Serial 027		
		WING ASSY		at WAC 1500		XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	STI-PC9-0469 C/O IAW STI INSTRUCTIONS REF NDI REPORT 746/11, AND MCS1596/11				

A1PXXU1116049	COMPLETED	01DEC11 22:36	7379.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
01DEC11 22:29	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			01DEC11 22:36
01DEC11 22:31	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		PROP FAILS TO FEATHER				
	Maint Acts:	OSG ASSY REPLACED IAW 7212-007-2				

REMOVALS/INSTALLATIONS FOR A1PXXU1116049

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	2138439E 210957	A23T	A1SAM22AE 01DEC11 22:34	00 A1PXXJ1117669	2128151D/F 210957	A23T	A1SAM22AE 01DEC11 22:35	00

A1PXXU1116141	COMPLETED	05DEC11 23:43	7379.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
05DEC11 23:40	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			05DEC11 23:43
05DEC11 23:41	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		CLOCK PANEL RFA				
	Maint Acts:	CLOCK REFITTED IAW 7212.007-2 REF MCS 1596/11-10-1				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03205  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1116141  
SEQ REMOVED SERIAL NO EIAC LCN ALC INSTALLED SERIAL NO EIAC LCN ALC  
REMOVED PART NO DATE/TIME JOB NUMBER INSTALLED PART NO DATE/TIME  
=====  
001 703606 A23T A1UGI 00 703606 A23T A1UGI 00  
Q17-941.22.052AB 05DEC11 23:42 A1PXXJ1117726 Q17-941.22.052AB 05DEC11 23:43

A1PXXU1116145 COMPLETED 05DEC11 23:48 7379.3 AFHR SST  
05DEC11 23:45 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 05DEC11 23:48  
05DEC11 23:46 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
ENG COWL 2 RFA  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: ENG COWL 2 REFITTED IAW 7212.007-2 REF MCS 1596/11-8-2

REMOVALS/INSTALLATIONS FOR A1PXXU1116145  
SEQ REMOVED SERIAL NO EIAC LCN ALC INSTALLED SERIAL NO EIAC LCN ALC  
REMOVED PART NO DATE/TIME JOB NUMBER INSTALLED PART NO DATE/TIME  
=====  
001 HLY300804 A23T A06 00 HLY300804 A23T A06 00  
571.10.09.044 05DEC11 23:46 A1PXXJ1117726 571.10.09.044 05DEC11 23:47

A1PXXU1116108 COMPLETED 08DEC11 12:26 7379.3 AFHR SST  
08DEC11 12:25 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 08DEC11 12:26  
08DEC11 12:25 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 CARRIED OUT IAW7212-007-6-4

A1PXXU1116482 COMPLETED 12DEC11 11:42 7380.3 AFHR SST  
12DEC11 02:28 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 12DEC11 11:42  
12DEC11 02:29 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
ITEMS 15,18-25 OF MTF TO BE CARRIED OUT AND ASOR TO BE CLEARED  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: MTF CARRIED OUT REF 524630-1

A1PXXU1116492 COMPLETED 13DEC11 02:08 7381.0 AFHR SST  
12DEC11 11:43 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 13DEC11 02:08  
12DEC11 11:46 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
AIRCRAFT REQUIRES MTF FOR LOW POWER CHECKS , NW SHIMY AOA ADJUST,  
S62 ADJUST AND COCK PIT WHISTLE  
XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: MTF CO SERV IAW 7212.007-2 REF: 524631-2

A1PXXU1116549	COMPLETED	13DEC11 03:49	7381.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
13DEC11 03:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			13DEC11 03:49
13DEC11 03:44	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FRONT C/P 'G' METER FACE MISALIGNED FROM HORIZONTAL				XXxxXXxxXXxxXXxxXXxx

Maint Acts: FRONT C/P 'G' METER REPLACED IAW AAP 7212.007-2 REF: 524631-3-1#1

REMOVALS/INSTALLATIONS FOR A1PXXU1116549

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
001	35582	A23T	A1UCK	01	36521	A23T	A1UCK	01
	2094-19		13DEC11 03:46	A1PXXJ1118073	2094-19		13DEC11 03:47	

A1PXXU1116365	COMPLETED	14DEC11 10:46	7386.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
14DEC11 06:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			14DEC11 10:46
14DEC11 06:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				XXxxXXxxXXxxXXxxXXxx
		PC-9 at WAC 0000				

Maint Acts: S40 C/O IAW AAP7212.007-6-4, P/W REF MCS2040/11

A1PXXU1116701	COMPLETED	11JAN12 06:02	7390.2	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
10JAN12 22:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			11JAN12 06:02
10JAN12 22:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				XXxxXXxxXXxxXXxxXXxx
		PC-9 at WAC 0000				

Maint Acts: S40 CARRIED OUT IAW AAP7212.007-6-4



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1200556	COMPLETED	16JAN12 11:54	7390.2	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
16JAN12 11:50	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			16JAN12 11:54
16JAN12 11:50	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		OH due on Serial 1540102				
		SET EMERG OXYGEN at WAC 0740				XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV SEO FITTED IAW 7212-007-2 REF 524639-1-2-1

REMOVALS/INSTALLATIONS FOR A1PXXU1200556

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1540102	A23T	A26BE	00	2923813	A23T	A26BE	00
	MBEU100618		16JAN12 11:51	A1PXXJY802739	MBEU100618		16JAN12 11:51	

A1PXXU1200716	COMPLETED	18JAN12 06:53	7391.2	AFHR	SCM	XXXXXXXXXXXXXXXXXXXX
18JAN12 05:04	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			
18JAN12 05:04	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BS due on Serial DG2689				18JAN12 06:53
		SURVIVAL PACK ASSY at WAC 0740				XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV PSP FITTED IAW 7212-007-2 REF 524640-1-1-2

REMOVALS/INSTALLATIONS FOR A1PXXU1200716

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	DG2689	A23T	A26BG	00	DF3478	A23T	A26BG	00
	STANDARDPACK-1		18JAN12 05:55	A1PXXJ1102827	STANDARDPACK-1		18JAN12 06:51	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1200717	COMPLETED	18JAN12 06:46	7391.2	AFHR	SCM	XXXXXXXXXXXXXXXXXXXX
18JAN12 05:04	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			
18JAN12 05:04	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BS	due on Serial MB10274			18JAN12 06:46
		PARACHUTE ASSY	at WAC 0730			XXXXXXXXXXXXXXXXXXXX

Maint Acts: PARACHUTE REPLACED IAW 7212-007-2 REF 524640-1-1-2

REMOVALS/INSTALLATIONS FOR A1PXXU1200717

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	MB10274	A23T	A1WBA	00	MB12099	A23T	A1WBA	00
	MBEU100664		18JAN12 05:53	A1PXXJ1102831	MBEU100664		18JAN12 06:44	

A1PXXU1200718	COMPLETED	18JAN12 06:49	7391.2	AFHR	SCM	XXXXXXXXXXXXXXXXXXXX
18JAN12 05:04	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			
18JAN12 05:04	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BS	due on Serial MB9843			18JAN12 06:49
		PARACHUTE ASSY	at WAC 0740			XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV PARA FITTED IAW 7212-007-2 REF 524640-1-1-1

REMOVALS/INSTALLATIONS FOR A1PXXU1200718

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	MB9843	A23T	A26BA	00	MB10541	A23T	A26BA	00
	MBEU12043PA		18JAN12 05:55	A1PXXJ1102838	MBEU12043PA		18JAN12 06:47	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03209  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1200719	COMPLETED	18JAN12 06:58	7391.2	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
18JAN12 05:04	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
18JAN12 05:04	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial DG2688				18JAN12 06:58
		SURVIVAL PACK ASSY at WAC 0730				XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV PSP FITTED IAW 7212-007-2 REF 524640-1-1-2

REMOVALS/INSTALLATIONS FOR A1PXXU1200719

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	DG2688	A23T	A1WBG	00	DE2466	A23T	A1WBG	00
	STANDARDPACK-1		18JAN12 05:56	A1PXXJ1102824	STANDARDPACK-1		18JAN12 06:56	

A1PXXU1200362	COMPLETED	18JAN12 08:24	7391.2	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
18JAN12 08:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			18JAN12 08:24
18JAN12 08:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 CARRIED OUT REF MCS037/12

A1PXXU1200738	COMPLETED	25JAN12 09:25	7398.4	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
25JAN12 06:11	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			25JAN12 09:25
25JAN12 06:11	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O IAW AAP7212.007-6-4, P/W REF MCS067/12

A1PXXU1201270	COMPLETED	30JAN12 23:34	7403.2	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
30JAN12 23:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			30JAN12 23:34
30JAN12 23:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial 0375				
		BATTERY NICAD at WAC 0660				XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03210  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: SERV BATT NICAD FITTED IAW 7212-007-2 REF 510102-1

REMOVALS/INSTALLATIONS FOR A1PXXU1201270

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001 0375 A23T A1UOA 00 0377 A23T A1UOA 00  
33490409201 30JAN12 23:30 A1PXXJ1116207 33490409201 30JAN12 23:31

A1PXXU1201370 COMPLETED 02FEB12 03:40 7408.4 AFHR SST XXxxXXxxXXxxXXxxXXxx  
01FEB12 10:35 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 02FEB12 03:40  
01FEB12 10:36 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
AIRCRAFT REQUIRES AIRTEST FOR FUEL IMBALANCE  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST CARREID OUT UN-SERV REF 510107

A1PXXU1201125 COMPLETED 01FEB12 12:59 7408.4 AFHR SST XXxxXXxxXXxxXXxxXXxx  
01FEB12 10:55 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 01FEB12 12:59  
01FEB12 10:55 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 CO IAW 7212.007-6-4 REF MCS PW LSN099/12

A1PXXU1201564 COMPLETED 03FEB12 03:01 7409.9 AFHR SST XXxxXXxxXXxxXXxxXXxx  
03FEB12 02:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 03FEB12 03:01  
03FEB12 02:41 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
FRONT ADF CONTROL HEAD DISPLAY DIMM  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV FRONT ADF CONTROL HEAD FITTED IAW 7212-007-2 REF 510109-4..THE  
CAMM2 ERROR REMOVAL OF NAV TAC CONTROL AGAINST THIS U/S HAS BEEN  
ADDRESSED AT U/S A1PXXU1201566

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
Camm2  
ASSET HISTORY

PAGE 03211  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1201564

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	1517	A23T	A1UCW	00				
	071-1291-15		03FEB12 02:41	A1PXXJ1201498				
002	2045	A23T	A1UCY	00	2560	A23T	A1UCY	00
	071-1284-05		03FEB12 02:54	A1PXXJ1201499	071-1284-05		03FEB12 02:58	

A1PXXU1201566	COMPLETED	03FEB12 03:05	7411.0	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
03FEB12 02:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			03FEB12 03:05
03FEB12 02:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FRONT NAV -TAC CONTROL HEAD TOO DIMM				XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV FRONT NAV TAC CONTROL HEAD FITTED IAW 7212-007-2 REF 510109-4..THE CAMM2 ERROR REMOVAL OF NAV TAC CONTROL AGAINST U/S AIPXXU1201564 HAS BEEN RECTIFIED HERE

REMOVALS/INSTALLATIONS FOR A1PXXU1201566

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001					1333	A23T	A1UCW	00
					071-1291-15		03FEB12 03:02	

A1PXXU1201662	COMPLETED	08FEB12 03:19	7418.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
07FEB12 10:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			08FEB12 03:19
07FEB12 10:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRCRAFT REQUIRES AIRTEST FOR CANOPY LIGHT DURING FLIGHT				XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST ASSESSED SERV 510117

A1PXXU1201715	COMPLETED	08FEB12 06:31	7419.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
08FEB12 06:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			08FEB12 06:31
08FEB12 06:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		LH BRAKE UNIT FOUND 2B LEAKING				XXxxXXxxXXxxXXxxXXxx

Maint Acts: LH BRAKE UNIT REPLACED IAW AAP 7212.007-2 REF 510119-1

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03212  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

REMOVALS/INSTALLATIONS FOR A1PXXU1201715

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0139	A23T	A2KDI	00	0206A	A23T	A2KDI	00
	2-1524-1		08FEB12 06:29	A1PXXJ1201678	959.47.81.705		08FEB12 06:30	

A1PXXU1201716 COMPLETED 09FEB12 08:56 7419.8 AFHR SST XXxxXXxxXXxxXXxxXXxx  
08FEB12 06:31 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 09FEB12 08:56  
08FEB12 06:32 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
AIRCRAFT REQUIRES AIRTEST FOR LH BRAKE OPS  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST CARRIED OUT REFER 510121#1

A1PXXU1201378 COMPLETED 08FEB12 12:59 7419.8 AFHR SST XXxxXXxxXXxxXXxxXXxx  
08FEB12 09:06 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 08FEB12 12:59  
08FEB12 09:06 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERVICING CARRIED OUT IAW AAP 7212.007-6-4 REF LSN MCS 134/12

A1PXXU1201804 COMPLETED 09FEB12 07:15 7421.0 AFHR SST XXxxXXxxXXxxXXxxXXxx  
09FEB12 07:09 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 09FEB12 07:15  
09FEB12 07:12 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
REAR SEAT ANTI G VALVE PERMANENTLY INFLATED  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: REAR SEAT ANTI G VALVE REPLACED IAW AAP 7212.007-2 REF: 510121#3

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03213  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
REMOVALS/INSTALLATIONS FOR A1PXXU1201804

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 162	A23T	A1UIW	00	417	A23T	A1UIW	00	
A16AE0200	09FEB12 07:12	A1PXXJ1201771	A16AE0200	09FEB12 07:13				

A1PXXU1201814 COMPLETED 10FEB12 04:44 7421.0 AFHR SST XXxxXXxxXXxxXXxxXXxx  
09FEB12 09:51 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 10FEB12 04:44  
09FEB12 09:52 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
AIRCRAFT REQUIRES AIRTEST FOR REAR G-VALVE OPS  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: C/O REF 510123-2

A1PXXU1201936 COMPLETED 13FEB12 06:45 7422.2 AFHR SST XXxxXXxxXXxxXXxxXXxx  
10FEB12 04:44 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 13FEB12 06:45  
10FEB12 04:48 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
AIRCRAFT REQUIRES AIRTEST FOR REAR G VALVE OPS  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST CARRIED OUT SERV IAW 7212.007-2 REF: 510125#2

A1PXXU1201728 COMPLETED 15FEB12 00:30 7426.8 AFHR SST XXxxXXxxXXxxXXxxXXxx  
14FEB12 12:31 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 15FEB12 00:30  
14FEB12 12:31 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERV CO IAW 7212.007-6-4 REF 185/12

A1PXXU1202215 COMPLETED 17FEB12 03:50 7431.6 AFHR SST XXxxXXxxXXxxXXxxXXxx  
17FEB12 03:48 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 17FEB12 03:50  
17FEB12 03:49 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
RH BRAKE WTL  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: RH BRAKE REPLACED WITH NEW ITEM IAW 7212.007-2 REF 510134-1-2-1

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03214  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1202215  
SEQ REMOVED SERIAL NO EIAC LCN ALC INSTALLED SERIAL NO EIAC LCN ALC  
REMOVED PART NO DATE/TIME JOB NUMBER INSTALLED PART NO DATE/TIME  
=====  
001 0119 A23T A2KEE 00 0241 A23T A2KEE 00  
2-1524-1 17FEB12 03:49 A1PXXJ1202255 959.47.81.705 17FEB12 03:49

A1PXXU1202216 COMPLETED 20FEB12 00:47 7431.6 AFHR SST XXxxXXxxXXxxXXxxXXxx  
17FEB12 03:50 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 20FEB12 00:47  
17FEB12 03:51 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
RH HUB ASSY RFA  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV HUB ASSY FITTED IAW 7212.007-2 REF 510134-1 SHT2 #6

REMOVALS/INSTALLATIONS FOR A1PXXU1202216  
SEQ REMOVED SERIAL NO EIAC LCN ALC INSTALLED SERIAL NO EIAC LCN ALC  
REMOVED PART NO DATE/TIME JOB NUMBER INSTALLED PART NO DATE/TIME  
=====  
001 0123 A23T A2KEI 01 0123 A23T A2KEI 01  
3-1555 17FEB12 03:51 A1PXXJ1202256 3-1555 20FEB12 00:45

A1PXXU1202070 COMPLETED 27FEB12 12:29 7431.6 AFHR SST XXxxXXxxXXxxXXxxXXxx  
21FEB12 11:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 27FEB12 12:29  
21FEB12 11:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O IAW AAP7212.007-6-4 REF MSC 214/12

A1PXXU1202633 COMPLETED 28FEB12 06:31 7431.6 AFHR SST XXxxXXxxXXxxXXxxXXxx  
27FEB12 03:38 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 28FEB12 06:31  
27FEB12 03:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
AIRTEST REQUIRED FOR ASOR CLEARANCE & BRAKE OPS  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST ASSESSED SERV REFER 510135

A1PXXU1202697 COMPLETED 28APR13 23:31 7431.6 AFHR SST XXxxXXxxXXxxXXxxXXxx  
28FEB12 02:43 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 28APR13 23:31  
28FEB12 02:45 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
510134-1-6#4 CORROSION ON STRINGER IN RB13 COMPARTMENT.  
XXxxXXxxXXxxXXxxXXxx

aip0172228FEB12 02:45:31  
(Continued on next page.)



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

(Continued from previous page.)  
 THE MINOR CORROSION HAS BEEN BLENDED OUT AND THE AREA RE-PROTECTED.  
 THE DAMAGE IS ON THE END OF THE STRINGER AND NOT IN A HIGH STRESS  
 AREA THEREFORE THERE IS NIL IMPACT ON AIRWORTHINESS. THE AREA IS  
 INSPECTED EVERY R2.

Maint Acts: AREA INSPECTED UNABLE TO LOCATE DAMAGED AREA CORRISION AREA ASSESSED  
 AS SERV IAW AAP7212.007-3 REF MCS 1482/12 30F25#1

A1PXXU1202703	COMPLETED	28FEB12 11:34	7434.4	AFHR	SCM	XXXXXXXXXX
28FEB12 11:29	XXXXXXXX	XXXXXXXXXXXX	AIP			
28FEB12 11:30	XXXXXXXX	XXXXXXXXXXXX	AIP			XXXXXXXXXX
		COMM2 FLIP FLOP FREQUENCY SWITCH U/S IN FRONT COCKPIT				28FEB12 11:34
						XXXXXXXXXX

Maint Acts: FRONT COMMS2 CONTROL UNIT REPLACED IAW AAP 7212.007-2, REF: 510136#2

REMOVALS/INSTALLATIONS FOR A1PXXU1202703

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
=====	=====	=====	=====	=====	=====	=====	=====	=====
001	2652	A23T	A1UDA	00	1753	A23T	A1UDA	00
	071-1282-39		28FEB12 11:31	A1PXXJ1202818	071-1282-39		28FEB12 11:32	

A1PXXU1202662	COMPLETED	29FEB12 11:39	7437.3	AFHR	SST	XXXXXXXXXX
29FEB12 11:36	XXXXXXXX	XXXXXXXXXXXX	AIP			29FEB12 11:39
29FEB12 11:36	XXXXXXXX	XXXXXXXXXXXX	AIP			XXXXXXXXXX
		S40	due on Serial A23-033			
		PC-9	at WAC 0000			XXXXXXXXXX

Maint Acts: S40 C/O IAW AAP7212.007-6-4 REF MCS279/12

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03216  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1202967	COMPLETED	08MAR12 04:09	7444.5	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
06MAR12 04:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			08MAR12 04:09
06MAR12 04:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
AIRCRAFT REQUIRES AIRTEST FOR NG ADJUSTMENT						
XXxxXXxxXXxxXXxxXXxx						

Maint Acts: AIRTEST CARRIED OUT REFER 510146#1

A1PXXU1202760	COMPLETED	07MAR12 07:04	7444.5	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
07MAR12 06:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			07MAR12 07:04
07MAR12 06:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
S40 due on Serial A23-033						
PC-9 at WAC 0000						
XXxxXXxxXXxxXXxxXXxx						

Maint Acts: S40 SERV C/O IAW AAP 7212.007-6-4 REF MCS 303/12

A1PXXU1203170	COMPLETED	11MAR12 23:05	7450.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
11MAR12 23:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			11MAR12 23:05
11MAR12 23:02	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
NP GAUGE ON FRONT ESDP DELAMINATING						
XXxxXXxxXXxxXXxxXXxx						

Maint Acts: FRONT ESDP REPLACED IAW AAP 7212.007-2 REF: 467452#1

REMOVALS/INSTALLATIONS FOR A1PXXU1203170

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	8040017A	A23T	A1UDI	00	89050047	A23T	A1UDI	00
	150.0001-2		11MAR12 23:03	A1PXXJ1203273	150.0001-2		11MAR12 23:04	

A1PXXU1203171	COMPLETED	12MAR12 04:05	7450.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
11MAR12 23:05	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			12MAR12 04:05
11MAR12 23:11	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
AIRTEST REQUIRED FOR FRONT ESDP OPS						
XXxxXXxxXXxxXXxxXXxx						

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: AIRTEST CARRIED OUT SERV REF 467453-2

A1PXXU1203014	COMPLETED	14MAR12 00:02	7458.5	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
13MAR12 13:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			14MAR12 00:02
13MAR12 13:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40	due on Serial A23-033			
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 CARRIED OUT IAW AAP 7212.007-6-4 REF SNOW MCS 356/12

A1PXXU1114448	COMPLETED	13MAR12 13:50	7458.5	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
13MAR12 13:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			13MAR12 13:50
13MAR12 13:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S26	due on Serial A23-033			
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: S26 C/O IAW 7212-007-2 REF 467459-1

A1PXXU1203295	COMPLETED	14MAR12 00:39	7458.5	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
13MAR12 23:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
13MAR12 23:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			14MAR12 00:39
		TA	due on Serial 00365			XXxxXXxxXXxxXXxxXXxx
		VALVE REFILL OXYGEN	at WAC 0640			XXxxXXxxXXxxXXxxXXxx

Maint Acts: VALVE OXY REFILL REPLACED IAW AAP 7212.007-2. REF EE508 467459-1-2-1

REMOVALS/INSTALLATIONS FOR A1PXXU1203295

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	00365	A23T	A1UMU	03	00336	A23T	A1UMU	03
	OC-001-06		14MAR12 00:37	A1PXXJ1101527	OC-001-06		14MAR12 00:38	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03218  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1203296	COMPLETED	14MAR12 00:43	7458.5	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
13MAR12 23:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
13MAR12 23:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FT due on Serial SC62462				14MAR12 00:43
		BCN UNDERWATER LOC at WAC 0740				XXxxXXxxXXxxXXxxXXxx

Maint Acts: BEACON UNDERWATER LOCATOR FUNCTIONAL TEST CARRIED OUT IAW AAP 7212.007-2. REF EE508 467459-1-2-3

A1PXXU1203300	COMPLETED	21MAR12 00:00	7475.2	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
20MAR12 23:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			21MAR12 00:00
20MAR12 23:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: C/O REF MCS 430/12

A1PXXU1203828	COMPLETED	23MAR12 07:13	7488.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
23MAR12 07:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			23MAR12 07:13
23MAR12 07:11	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		LH TYRE WTL				
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: LH HUB ASSY REPLACED REF 467483

REMOVALS/INSTALLATIONS FOR A1PXXU1203828

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0059	A23T	A2KDM	01	0380	A23T	A2KDM	01
	3-1555		23MAR12 07:11	A1PXXJ1204024	3-1555		23MAR12 07:12	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1203927	COMPLETED	28MAR12 01:43	7497.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
27MAR12 09:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			28MAR12 01:43
27MAR12 09:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		NDT due on Serial PCY800362				
		L HSTAB ELEV OB HNG at WAC 1150				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	NDI CO REF: REPORT 126/12 & 467490/1-2-4				
A1PXXU1203928	COMPLETED	28MAR12 01:43	7497.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
27MAR12 09:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			28MAR12 01:43
27MAR12 09:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		NDT due on Serial PCY800363				
		R HSTAB ELEV OB HNG at WAC 1200				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	NDI CO REF: REPORT 126/12 & 467490/1-2-4				
A1PXXU1203929	COMPLETED	28MAR12 01:30	7497.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
27MAR12 09:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			28MAR12 01:30
27MAR12 09:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		NDT due on Serial 033				
		FRM 10 RUD CBL HOLE at WAC 0670				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	NDI CO REF: NDI REPORT 127/12 & 467490/1-1				
A1PXXU1203931	COMPLETED	28MAR12 00:38	7497.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
27MAR12 09:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			28MAR12 00:38
27MAR12 09:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		ELEVATOR REMOVED FOR NDI				
	Maint Acts:	ELEVATOR RE-FITTED POST NDI REF EE508467490/1-4				XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03220  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1203931

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
=====	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	057	A23T	A2IBC	00	057	A23T	A2IBC	00
	555.20.09.257		27MAR12 09:40	A1PXXJ1204160	555.20.09.257		28MAR12 00:37	

A1PXXU1203972 COMPLETED 28MAR12 01:39 7497.8 AFHR SST XXxxXXxxXXxxXXxxXXxx  
28MAR12 01:33 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 28MAR12 01:39  
28MAR12 01:33 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
NDT due on Serial 057L  
LH ELEV OB HNG STR at WAC 1300 XXxxXXxxXXxxXXxxXXxx

Maint Acts: NDI CO SERV REF: REPORT 128/12 & 467490/1-2-5

A1PXXU1203973 COMPLETED 28MAR12 01:40 7497.8 AFHR SST XXxxXXxxXXxxXXxxXXxx  
28MAR12 01:33 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 28MAR12 01:40  
28MAR12 01:33 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
NDT due on Serial 057R  
RH ELEV OB HNG STR at WAC 1300 XXxxXXxxXXxxXXxxXXxx

Maint Acts: NDI CO REF: REPORT 128/12 & 467490/1-2-5

A1PXXU1203975 COMPLETED 28MAR12 03:47 7497.8 AFHR SST XXxxXXxxXXxxXXxxXXxx  
28MAR12 01:58 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 28MAR12 03:47  
28MAR12 01:59 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
A/C REQ'S MTF POST ELEVATOR R&I XXxxXXxxXXxxXXxxXXxx

Maint Acts: MTF CO SERV REF: 467491-2

A1PXXU1203985 COMPLETED 28MAR12 08:40 7498.5 AFHR SST XXxxXXxxXXxxXXxxXXxx  
28MAR12 03:48 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 28MAR12 08:40  
28MAR12 03:49 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
A/C REQ'S MTF POST PROP SPEED ADJUSTMENT XXxxXXxxXXxxXXxxXXxx

Maint Acts: MTF CARRIED OUT REFER 467492#1

A1PXXU1203644 COMPLETED 28MAR12 22:45 7498.5 AFHR SST XXxxXXxxXXxxXXxxXXxx  
28MAR12 08:50 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 28MAR12 22:45  
28MAR12 08:50 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERV C/OUT IAW 7212.007-6-4 REFER 453/12

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03221  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1204021	COMPLETED	04APR12 00:07	7514.1	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
03APR12 12:37	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			04APR12 00:07
03APR12 12:37	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S40 due on Serial A23-033				
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	S40 C/O IAW AAP7212.007-6-4, P/W REF MCS533/12				

A1PXXU1204443	COMPLETED	10APR12 11:53	7521.4	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
10APR12 06:50	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			10APR12 11:53
10APR12 06:50	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		ITT LIMITING LOW TQ SUSPECT BLEED VALVE FAULT				
	Maint Acts:	ENGINE BLEED VALVE REPLACED WITH SERV ITEM. EGR C/O ASSESSED SERV IAW AAP7113.022-3 REF EE500 509211-1				

REMOVALS/INSTALLATIONS FOR A1PXXU1204443

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	7P188	A23T	A1SAK54	00	7R038	A23T	A1SAK54	00
	3117032-02		10APR12 06:50	A1PXXJ1204711	3070262-01		10APR12 11:48	

A1PXXU1204454	COMPLETED	11APR12 02:56	7521.4	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
10APR12 12:31	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			11APR12 02:56
10APR12 12:33	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		AIRCRAFT REQUIRES MTF FOR BLEED VALVE CHANGE, NP ADJUSTMENT, AIRFRAME VIBRATION AND FLAP OP CHECK				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	MTF CARRIED OUT REF 509212-1				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03222  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1204298	COMPLETED	11APR12 12:08	7522.1	AFHR	SST	XXXXXXXXXXXXXXXXXXXX	
11APR12 10:26	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			11APR12 12:08	
11APR12 10:26	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		S40 due on Serial A23-033					
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX	
	Maint Acts:	S40 C/O IAW AAP7212,007-6-4 REF MCS 588/12					

A1PXXU1204628	COMPLETED	12APR12 06:18	7522.1	AFHR	SST	XXXXXXXXXXXXXXXXXXXX	
12APR12 06:13	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			12APR12 06:18	
12APR12 06:14	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		BLEED VALVE REMOVED FOR ORIFACE CHANGE				XXXXXXXXXXXXXXXXXXXX	
	Maint Acts:	BLEED VALVE REFITTED IAW 7113.022-2 REF 509212/4-2-3					

REMOVALS/INSTALLATIONS FOR A1PXXU1204628

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	7R038	A23T	A1SAK54	00	7R038	A23T	A1SAK54	00
	3070262-01		12APR12 06:15	A1PXXJ1204934	3070262-01		12APR12 06:16	

A1PXXU1106839	COMPLETED	19APR12 23:37	7522.1	AFHR	SST	XXXXXXXXXXXXXXXXXXXX	
13APR12 02:54	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			19APR12 23:37	
13APR12 02:54	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		R1 due on Serial A23-033					
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX	
	Maint Acts:	R1 SERV CO IAW 7212.007-6-2 REF 592/12					



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03223  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

REMOVALS/INSTALLATIONS FOR A1PXXU1106839

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	L117252 03W1738-231	A23T	A1UJK00 15APR12 05:18	00 A1PXXJ1205009	PCY800021 03W1738-231	A23T	A1UJK00 15APR12 05:19	00
-----	------------------------	------	--------------------------	---------------------	--------------------------	------	--------------------------	----

002	PC1101037 3059788-01	A23T	A1SAK48 15APR12 05:26	01 A1PXXJ1205013	PC1101037 3059788-01	A23T	A1SAK48 15APR12 05:26	01
-----	-------------------------	------	--------------------------	---------------------	-------------------------	------	--------------------------	----

003					L523933 D5210	A23T	A00AI 19APR12 22:24	00
-----	--	--	--	--	------------------	------	------------------------	----

A1PXXU1114311 COMPLETED 15APR12 00:52 7522.1 AFHR SST  
13APR12 02:54 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 15APR12 00:52  
13APR12 02:54 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S63 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S63 C/O IAW AAP7212.007-6-4, REF MCS592/12

REMOVALS/INSTALLATIONS FOR A1PXXU1114311

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	PC1101034 3059257-01	A23T	A1SAK34 15APR12 00:50	00 A1PXXJ1205001	PC1101034 3059257-01	A23T	A1SAK34 15APR12 00:51	00
-----	-------------------------	------	--------------------------	---------------------	-------------------------	------	--------------------------	----

A1PXXU1114650 COMPLETED 18APR12 13:23 7522.1 AFHR SST  
13APR12 02:54 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 18APR12 13:23  
13APR12 02:54 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S20 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S20 CARRIED OUT REF MCS 592/12 SHEET 6 LINE 3

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03224  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1204675	COMPLETED	18APR12 08:19	7522.1	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
13APR12 02:54	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			18APR12 08:19
13APR12 02:54	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		STI-PC9-422A due on Serial 027				
		WING ASSY at WAC 1500				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	STI-PC9-0422 CARRIED OUT REF NDI REPORT 167/12 AND MCS 592/12 SHEET 8 LINE 5				
A1PXXU1114868	COMPLETED	19APR12 10:36	7522.1	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
13APR12 03:01	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			19APR12 10:36
13APR12 03:01	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S41 due on Serial A23-033				
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	S41 CARRIED OUT REF MCS 592/12 SHEET 10 LINE 1				
A1PXXUY913732	COMPLETED	18APR12 12:42	7522.1	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
13APR12 03:05	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			18APR12 12:42
13APR12 03:05	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S27 due on Serial A23-033				
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	S27 CARRIED OUT REF MCS 592/12 SHEET 9 LINE 3				
A1PXXU1204571	COMPLETED	19APR12 13:15	7522.1	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
13APR12 03:07	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			19APR12 13:15
13APR12 03:07	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S40 due on Serial A23-033				
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	S40 CARRIED OUT REF MCS 592/12				
A1PXXU1114134	COMPLETED	18APR12 06:44	7522.1	AFHR	SCM	XXXXXXXXXXXXXXXXXXXX
13APR12 03:09	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			
13APR12 03:09	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S16 due on Serial A23-033				18APR12 06:44
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	S16 SERVICING CARRIED OUT IAW AAP 7212.007-6-4 REF 592/12 PG 12 #1				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03225  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1203294	COMPLETED	18APR12 12:44	7522.1	AFHR	SST	XXXXXXXXXX
13APR12 05:47	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			18APR12 12:44
13APR12 05:47	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX
		S26 due on Serial A23-033				
		PC-9 at WAC 0000				XXXXXXXXXX
	Maint Acts:	S26 CARRIED OUT REF MCS 592/12 SHEET 9 LINE 2				

A1PXXU1204686	COMPLETED	18APR12 11:13	7522.1	AFHR	SST	XXXXXXXXXX
15APR12 00:55	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			18APR12 11:13
15APR12 00:56	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX
		LH + RH AILERONS RFA (STI-PC9-541)				
						XXXXXXXXXX
	Maint Acts:	LH AND RH AILERON REFIT IAW 7212.007-2 REF MCS 592/12 SHEET 10 LINE 3 AND SHEET 11 LINE 3				

REMOVALS/INSTALLATIONS FOR A1PXXU1204686

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	119	A23T	A2KCA	00	119	A23T	A2KCA	00
	557.51.09.003		15APR12 00:56	A1PXXJ1205002	557.51.09.003		18APR12 11:10	
002	509	A23T	A2KCC	00	509	A23T	A2KCC	00
	557.51.09.004		15APR12 00:57	A1PXXJ1205003	557.51.09.004		18APR12 11:09	

A1PXXU1204687	COMPLETED	19APR12 11:57	7522.1	AFHR	SST	XXXXXXXXXX
15APR12 05:19	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			19APR12 11:57
15APR12 05:20	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX
		LH + RH EXHAUST STUBS RFA				
						XXXXXXXXXX
	Maint Acts:	RH AND LH EXHAUST STUBS REFIT REF MCS 591/12 WC 20 LINE 1+2				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03226  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

REMOVALS/INSTALLATIONS FOR A1PXXU1204687

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	R012553	A23T	A1SAM12	01	R012553	A23T	A1SAM12	01
	578.10.09.023		15APR12 05:21	A1PXXJ1205010	578.10.09.023		19APR12 11:53	
002	L219987	A23T	A1SAM14	00	L219987	A23T	A1SAM14	00
	578.10.09.018		15APR12 05:22	A1PXXJ1205011	578.10.09.018		19APR12 11:53	

A1PXXU1204694 COMPLETED 19APR12 11:37 7522.1 AFHR SST  
15APR12 06:17 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 19APR12 11:37  
15APR12 06:17 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
OH due on Serial GG530  
PROPELLER ASSY at WAC 0110 XXxxXXxxXXxxXXxxXXxx

Maint Acts: ENTER IN ERROR. O/H WIL BE C/O WHEN DUE

REMOVALS/INSTALLATIONS FOR A1PXXU1204694

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	GG530	A23T	A00	00				
	HC-D4N2A/D9512A		15APR12 06:20	A1EXXJY603155				

A1PXXU1204695 COMPLETED 19APR12 22:20 7522.1 AFHR SST  
15APR12 06:17 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 19APR12 22:20  
15APR12 06:17 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
TA due on Serial PCY600488  
PROPELLER ATT BOLTS at WAC 0110 XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03227  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: NEW PROP BOLTS FITTED IAW 7212.007-2 REF 592/12

REMOVALS/INSTALLATIONS FOR A1PXXU1204695

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PCY600488 B-3339-1	A23T	A00AK 15APR12 06:19	00 A1PXXJY606736	PC1200326 B-3339-1	A23T	A00AK 19APR12 22:17	00

A1PXXU1204697	COMPLETED	18APR12 13:30	7522.1	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
15APR12 06:31	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			18APR12 13:30
15APR12 06:32	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		POWER SECTION MODULE RFA				XXXXXXXXXXXXXXXXXXXX

Maint Acts: POWER SECTION REFIT REF MCS 591/12

REMOVALS/INSTALLATIONS FOR A1PXXU1204697

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	103155 3035200	A23T	A1SAM 15APR12 06:32	00 A1PXXJ1205016				
002	6E563 IN/OUTASSY	A23T	A1SAK44 17APR12 05:58	00 A1PXXJ1205180	1F577 IN/OUTASSY	A23T	A1SAK44 17APR12 06:00	00
003	62A055 HDH/001/PT6A-62/0644	A23T	A1SAK50 17APR12 05:59	00 A1PXXJ1205181	74A332 HDH/001/PT6A-62/0646	A23T	A1SAK50 17APR12 06:00	00

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
004	RT141	A23T	A1SAK27	00	RT141	A23T	A1SAK27	00
	RAAFA62FNS01		17APR12 06:01	A1PXXJ1205183	RAAFA62FNS01		18APR12 13:25	

A1PXXU1204924 COMPLETED 18APR12 05:54 7522.1 AFHR SST  
 18APR12 05:43 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 18APR12 05:54  
 18APR12 05:45 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 RH TYRE WTL  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV HUB ASSY FITTED IAW 7212.007-2 REF 592/12

REMOVALS/INSTALLATIONS FOR A1PXXU1204924

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	0123	A23T	A2KEI	01	0041	A23T	A2KEI	01
	3-1555		18APR12 05:47	A1PXXJ1205262	3-1555		18APR12 05:49	

A1PXXU1204936 COMPLETED 18APR12 13:18 7522.1 AFHR SCM  
 18APR12 13:16 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 18APR12 13:18  
 18APR12 13:16 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 BS due on Serial 0377  
 BATTERY NICAD at WAC 0660

Maint Acts: SERV BATTERY NICAD FITTED IAW AAP 7212.007-2 REF MCS 592/12 PG 9 OF 26 #6

REMOVALS/INSTALLATIONS FOR A1PXXU1204936

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	0377	A23T	A1UOA	00	1471	A23T	A1UOA	00
	33490409201		18APR12 13:17	A1PXXJ1201197	33490409201		18APR12 13:17	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
Camm2  
ASSET HISTORY

PAGE 03229  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME
=====						
A1PXXU1204982	COMPLETED	19APR12 11:59	7522.1	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
19APR12 11:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			19APR12 11:59
19APR12 11:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
RAISED TO FIT POWER SECTION FOR CAMM 2 PURPOSES ONLY						
XXxxXXxxXXxxXXxxXXxx						

Maint Acts: CAMM2 CORRECTED

REMOVALS/INSTALLATIONS FOR A1PXXU1204982

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001					103155	A23T	A1SAM	00
					3035200		19APR12 11:52	

A1PXXU1009297	COMPLETED	19APR12 12:32	7522.1	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
19APR12 12:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			19APR12 12:32
19APR12 12:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
S31 due on Serial A23-033						
PC-9 at WAC 0000						
XXxxXXxxXXxxXXxxXXxx						

Maint Acts: S31 CARRIED OUT REF MCS 591/12

A1PXXU1204983	COMPLETED	19APR12 12:36	7522.1	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
19APR12 12:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			19APR12 12:36
19APR12 12:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
S31 due on Serial A23-033						
PC-9 at WAC 0000						
XXxxXXxxXXxxXXxxXXxx						

Maint Acts: S31 CARRIED OUT REF MCS 591/12

A1PXXU1204984	COMPLETED	19APR12 12:43	7522.1	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
19APR12 12:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			19APR12 12:43
19APR12 12:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
BS due on Serial 103155						
ENGINE CHANGE UNIT at WAC 0100						
XXxxXXxxXXxxXXxxXXxx						

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03230  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME

EE500PG EE500LN  
STA WL BL ADMIN MAINT ACTION/LIMITATIONS  
=====

Maint Acts: ENGINE BAY SERVICE CARRIED OUT REF MCS 591/12

A1PXXU1204985	COMPLETED	19APR12 12:44	7522.1	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
19APR12 12:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			19APR12 12:44
19APR12 12:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S31 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S31 CO REF MCS591/12

A1PXXU1205009	COMPLETED	24APR12 03:15	7522.1	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
19APR12 23:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			24APR12 03:15
19APR12 23:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRCRAFT REQUIRES MTF FOR LOW POWER CX, HSI, BLEED VALVE CX, AILERON R+I AND POST R1				XXxxXXxxXXxxXXxxXXxx

Maint Acts: MTF CARRIED OUT REF 509215-1

A1PXXU1205065	COMPLETED	22APR12 23:14	7522.1	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
20APR12 03:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
20APR12 03:02	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		504212/14#3 MANDATORY AND VALIDATION CHECK TO BE CARRIED OUT IAW AAP7001-06003 AND SMI 08/20 PRIOR TO 23APR12				22APR12 23:14
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: MANDATORY AND VALIDATION CHECK C/O IAW AAP7001.060-3 AND SMI 08/20 AS REQUEST.

A1PXXU1205154	COMPLETED	30MAY12 03:38	7522.1	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
23APR12 22:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			30MAY12 03:38
23APR12 22:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRCRAFT WASH TO BE CARRIED OUT 75 AFHRS POST R SERVICE				
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRCRAFT WASH CARRIED OUT REF 508012



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1205211	COMPLETED	24APR12 13:19	7523.1	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
24APR12 13:10	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			24APR12 13:19
24APR12 13:12	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		T2 COMPENSATOR FOUND TO BE SEIZED				XXXXXXXXXXXXXXXXXXXX

Maint Acts: T2 TEMP COMPENSATOR REPLACED REF 509215-3-2#1

REMOVALS/INSTALLATIONS FOR A1PXXU1205211

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	C27153	A23T	A1SAK28	00	B20135	A23T	A1SAK28	00
	3036834		24APR12 13:16	A1PXXJ1205944	3036834		24APR12 13:18	

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1205243	COMPLETED	26APR12 00:47	7523.1	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
26APR12 00:37	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			26APR12 00:47
26APR12 00:38	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		PRSOV REMOVED FOR FAULT FINDING				XXXXXXXXXXXXXXXXXXXX

Maint Acts: PRSOV CHANGED WITH SERV PRSOV IAW 7212.007-2 REF 509215-3-2-6

REMOVALS/INSTALLATIONS FOR A1PXXU1205243

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	942	A23T	A0Q	00	1061	A23T	A0Q	00
	3213876-9		26APR12 00:38	A1PXXJ1205986	3213876-9		26APR12 00:41	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1204994	COMPLETED	30APR12 00:23	7523.1	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
26APR12 22:21	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			30APR12 00:23
26APR12 22:21	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S40 due on Serial A23-033				
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX

Maint Acts: S40 SERV C/O IAW 7212.007-6-4 REF MCS 648/12

A1PXXU1205389	COMPLETED	30APR12 23:25	7523.1	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
30APR12 00:28	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			30APR12 23:25
30APR12 00:33	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		MTF REQUIRED FOR ITEM 13, 15, 17, 18, 20BCD, 21B & 24 OF TEST FLIGHT SCHEDULE				XXXXXXXXXXXXXXXXXXXX

Maint Acts: MTF CARRIED OUT SERV REF: 509218-2

A1PXXU1205388	COMPLETED	03MAY12 00:16	7532.6	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
02MAY12 22:06	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			03MAY12 00:16
02MAY12 22:06	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S40 due on Serial A23-033				
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX

Maint Acts: S40 C/O IAW AAP7212.007-6-4 REF MCS 681/12

A1PXXU1205815	COMPLETED	07MAY12 09:38	7538.3	AFHR	SCM	XXXXXXXXXXXXXXXXXXXX
07MAY12 09:36	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
07MAY12 09:36	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		FRONT CPT GEAR DOWN TONE NIL OPS				07MAY12 09:38
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV LGCU FITTED TO FWD CPT IAW AAP 7212.007-2 REF 509231-1

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1205815

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	523	A23T	A1UCQ	00	565	A23T	A1UCQ	00
	532.30.09.216		07MAY12 09:36	A1PXXJ1206775	532.30.09.216		07MAY12 09:37	

A1PXXU1205816 COMPLETED 11MAY12 04:25 7538.3 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
 07MAY12 09:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 07MAY12 09:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 AIRCRAFT REQUIRES AIRTEST FOR FWD LGCU OPS  
 11MAY12 04:25  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST CO SERV REF: 509234-1

A1PXXU1205817 COMPLETED 08MAY12 00:26 7538.3 AFHR SST XXxxXXxxXXxxXXxxXXxx  
 07MAY12 10:02 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 07MAY12 10:02 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 OH due on Serial GG530  
 PROPELLER ASSY at WAC 0110  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: PROPELLOR ASSY REPLACED REF 509231-2-1#5

REMOVALS/INSTALLATIONS FOR A1PXXU1205817

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	PC1200326	A23T	A00AK	00				
	B-3339-1		07MAY12 10:39	A1PXXJ1206776				

002	L523933	A23T	A00AI	00	L523933	A23T	A00AI	00
	D5210		07MAY12 10:40	A1PXXJ1206777	D5210		08MAY12 00:17	

003	GG530	A23T	A00	00	GG612	A23T	A00	00
	HC-D4N2A/D9512A		07MAY12 10:41	A1PXXJ1206778	HC-D4N2A/D9512A		08MAY12 00:13	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03234  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME

A1PXXU1205826	COMPLETED	07MAY12 22:16	7538.3	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
07MAY12 22:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
07MAY12 22:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
EE500PG EE500LN		BS		due on Serial 2746629		07MAY12 22:16
STA WL BL ADMIN		SET EMERG OXYGEN at WAC 0730				XXxxXXxxXXxxXXxxXXxx

Maint Acts: FRONT SEAT SEO REPLACED IAW AAP 7212.007-2. REF EE508 509231-2-1-6

REMOVALS/INSTALLATIONS FOR A1PXXU1205826

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	2746629	A23T	A1WBE	00	1533424	A23T	A1WBE	00
	MBEU100618		07MAY12 22:15	A1PXXJ1101694	MBEU100618		07MAY12 22:15	

A1PXXU1205861	COMPLETED	11MAY12 04:24	7538.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
08MAY12 04:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			11MAY12 04:24
08MAY12 04:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRCRAFT REQUIRES MTF FOR PROP CX				

Maint Acts: MTF CO REF: 509234-1

A1PXXU1205892	COMPLETED	09MAY12 09:59	7538.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
09MAY12 05:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			09MAY12 09:59
09MAY12 05:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS2		due on Serial 0691		
		PUMP FUEL HIGH PRES at WAC 0130				XXxxXXxxXXxxXXxxXXxx

Maint Acts: BS2 C/O REF EE508509232-2

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03235  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1205892

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	0691	A23T	A1SAI10	00	0691	A23T	A1SAI10	00
	3031806		09MAY12 05:48	A1PXXJ1206875	3031806		09MAY12 09:58	

A1PXXU1205541	COMPLETED	09MAY12 12:34	7538.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
09MAY12 12:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			09MAY12 12:34
09MAY12 12:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40	due on Serial A23-033			
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O IAW AAP7212.007-6-4 REF P/W MCS 698/12

A1PXXU1205902	COMPLETED	11MAY12 04:23	7538.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
09MAY12 12:48	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			11MAY12 04:23
09MAY12 12:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MTF REQUIRED FOR HP PUMP AND FCU R+I				
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: MTF CO REF: 509234-1

A1PXXU1206068	COMPLETED	11MAY12 02:06	7538.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
11MAY12 01:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			11MAY12 02:06
11MAY12 01:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-549A	due on Serial 027			
		WING ASSY	at WAC 1500			XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI 549A INC REF NDI REPORT 209/12 AND EE 500 509233-5

A1PXXU1205899	COMPLETED	16MAY12 07:28	7547.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
16MAY12 06:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			16MAY12 07:28
16MAY12 06:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40	due on Serial A23-033			
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O IAW AAP7212.007-2, P/W REF MCS726/12

A1PXXU1206367	COMPLETED	18MAY12 00:31	7551.5	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
18MAY12 00:05	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			18MAY12 00:31
18MAY12 00:05	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MS2	due on Serial 532			
		RUDDER & TRIM TABS	at WAC 1410			XXxxXXxxXXxxXXxxXXxx

Maint Acts: MS2 CARRIED OUT REF 509243-2

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03236  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1206477	COMPLETED	21MAY12 10:02	7554.2	AFHR	SCM	XXXXXXXXXX
21MAY12 09:45	XXXXXXXX	XXXXXXXXXXXXXXXXXX	AIP			
21MAY12 09:45	XXXXXXXX	XXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX
		BS due on Serial 418533				21MAY12 10:02
		TRANSDUCER OXY PRES at WAC 0640				XXXXXXXXXX

Maint Acts: TRANSDUCER OXY PRESSURE REPLACED IAW AAP 7212.007-2. REF EE500  
 509245-2

REMOVALS/INSTALLATIONS FOR A1PXXU1206477

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	418533	A23T	A1UNA	00	1507448	A23T	A1UNA	00
	PDCR 350-0640		21MAY12 09:46	A1PXXJY710388	PDCR 350-0640		21MAY12 10:00	

A1PXXU1206593	COMPLETED	23MAY12 08:14	7562.4	AFHR	SST	XXXXXXXXXX
23MAY12 08:13	XXXXXXXX	XXXXXXXXXXXXXXXXXX	AIP			23MAY12 08:14
23MAY12 08:13	XXXXXXXX	XXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX
		STI-PC9-549B due on Serial 027				
		WING ASSY at WAC 1500				XXXXXXXXXX

Maint Acts: STI-PC9-0549 B C/O REF 509250-3-1-2

A1PXXU1206266	COMPLETED	23MAY12 09:56	7562.4	AFHR	SST	XXXXXXXXXX
23MAY12 09:55	XXXXXXXX	XXXXXXXXXXXXXXXXXX	AIP			23MAY12 09:56
23MAY12 09:55	XXXXXXXX	XXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX
		S40 due on Serial A23-033				
		PC-9 at WAC 0000				XXXXXXXXXX

Maint Acts: S40 C/O REF MCS 776/12

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03237  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1206905	COMPLETED	29MAY12 08:16	7577.1	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
29MAY12 08:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			29MAY12 08:16
29MAY12 08:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		COMM1 TRANSCEIVER RFA				XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV COMM1 TRANSCEIVER FITTED REF 508011-1

REMOVALS/INSTALLATIONS FOR A1PXXU1206905

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	182	A23T	A1UMC	00	181	A23T	A1UMC	00
	631 367 297		29MAY12 08:12	A1PXXJ1208050	631 367 297		29MAY12 08:14	

A1PXXU1206598	COMPLETED	29MAY12 23:21	7578.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
29MAY12 23:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			29MAY12 23:21
29MAY12 23:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40	due on Serial A23-033			XXxxXXxxXXxxXXxxXXxx
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 CO REF: AIP LMO 5/12

A1PXXU1207062	COMPLETED	31MAY12 23:46	7586.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
31MAY12 23:44	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			31MAY12 23:46
31MAY12 23:44	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-549B	due on Serial 027			XXxxXXxxXXxxXXxxXXxx
		WING ASSY	at WAC 1500			XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI CO REF: 508018-1

A1PXXU1204935	COMPLETED	05JUN12 02:23	7596.1	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
05JUN12 02:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			05JUN12 02:23
05JUN12 02:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S26	due on Serial A23-033			XXxxXXxxXXxxXXxxXXxx
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN		
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME		
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR		
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME		
EE500PG EE500LN						INSPECTOR		
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME		
=====								
Maint Acts: S26 CO REF: 508026-1								
A1PXXU1207170	COMPLETED	05JUN12 05:50	7597.4	AFHR	SST	XXxxXXxxXXxxXXxxXXxx		
05JUN12 05:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			05JUN12 05:50		
05JUN12 05:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx		
		RH BRAKE WTL				XXxxXXxxXXxxXXxxXXxx		
Maint Acts: RH BRAKE UNIT REPLACED REF 508027-1								
REMOVALS/INSTALLATIONS FOR A1PXXU1207170								
SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
=====	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0241	A23T	A2KEE	00	0062	A23T	A2KEE	00
	959.47.81.705		05JUN12 05:47	A1PXXJ1208305	2-1524-1		05JUN12 05:49	

A1PXXU1207172	COMPLETED	05JUN12 09:16	7597.4	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
05JUN12 05:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			05JUN12 09:16
05JUN12 05:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		A/C REQ'S AIRTEST POST RH BRAKE CX				XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST CO REF: 508028-1

A1PXXU1206918	COMPLETED	06JUN12 00:01	7598.1	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
06JUN12 00:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			06JUN12 00:01
06JUN12 00:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				XXxxXXxxXXxxXXxxXXxx
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 CO REF: AIP LMO 14/12



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 03239  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1207464	COMPLETED	11JUN12 05:26	7609.2	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
11JUN12 05:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
11JUN12 05:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-549B due on Serial 027				11JUN12 05:26
		WING ASSY at WAC 1500				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	STI-PC9-549B RINC. 508035-3.				
A1PXXU1207190	COMPLETED	12JUN12 00:02	7610.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
11JUN12 22:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			12JUN12 00:02
11JUN12 22:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 CARRIED OUT IAW 7212-007-6-4 REFER MCS 849/12				
A1PXXU1107819	COMPLETED	14JUN12 22:18	7620.1	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
14JUN12 22:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			14JUN12 22:18
14JUN12 22:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S56 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S56 SERV CARRIED OUT IAW 7212-007-6-4 REFER 508044#2				
A1PXXU1207486	COMPLETED	19JUN12 11:42	7626.4	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
19JUN12 08:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			19JUN12 11:42
19JUN12 08:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S 40 C/O IAW 7212-007-6-4				
A1PXXU1207915	COMPLETED	21JUN12 11:20	7633.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
21JUN12 10:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			21JUN12 11:20
21JUN12 10:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-549B due on Serial 027				
		WING ASSY at WAC 1500				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	STI-PC9-549B C/O REF 511852-1				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03240  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
=====						
A1PXXU1208039	COMPLETED	25JUN12 09:10	7638.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
25JUN12 05:44	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			25JUN12 09:10
25JUN12 05:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRCRAFT REQUIRES AIRTEST FOR: TORQUE INDICATIONS				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	AIRTEST CARRIED OUT REF 511857-1				
A1PXXU1207841	COMPLETED	26JUN12 09:23	7643.9	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
26JUN12 09:21	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			26JUN12 09:23
26JUN12 09:21	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				XXxxXXxxXXxxXXxxXXxx
		PC-9 at WAC 0000				
	Maint Acts:	S40 CARRIED OUT REF MCS 934/12				
A1PXXU1208397	COMPLETED	02JUL12 08:55	7656.2	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
02JUL12 08:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
02JUL12 08:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			02JUL12 08:55
		STI-PC9-549B due on Serial 027				XXxxXXxxXXxxXXxxXXxx
		WING ASSY at WAC 1500				
	Maint Acts:	STI-PC9-549B C/O SERV IAW STI INSTRUCTIONS REF 511870/1				
A1PXXU1208115	COMPLETED	03JUL12 11:25	7658.9	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
03JUL12 08:48	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			03JUL12 11:25
03JUL12 08:48	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				XXxxXXxxXXxxXXxxXXxx
		PC-9 at WAC 0000				
	Maint Acts:	S40 C/O IAW AAP7212.007-6-4 REF P/W MCS978/12				
A1PXXU1208447	COMPLETED	03JUL12 10:55	7659.9	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
03JUL12 10:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			03JUL12 10:55
03JUL12 10:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		LH BRAKE WTL				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	LH BRAKE ASSY REPLACED WITH SERV ITEM IAW AAP7212.007-2, P/W REF MCS (Continued on next page.)				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03241  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

(Continued from previous page.)  
511874-2-1#1

REMOVALS/INSTALLATIONS FOR A1PXXU1208447

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0206A	A23T	A2KDI	00	0017	A23T	A2KDI	00
	959.47.81.705		03JUL12 10:54	A1PXXJ1209590	2-1524-1		03JUL12 10:54	

A1PXXU1208448 COMPLETED 04JUL12 03:26 7659.9 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
03JUL12 10:57 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
03JUL12 10:58 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
AIRCRAFT REQUIRES AIRTEST FOR LH BRAKE OPS  
04JUL12 03:26  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST ASSESSED SERV REFER 511875

A1PXXU1208450 COMPLETED 10JUL12 00:05 7668.4 AFHR SST XXxxXXxxXXxxXXxxXXxx  
09JUL12 22:11 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
09JUL12 22:11 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: S 40 C/O REF MCS 1001/12

A1PXXU1209011 COMPLETED 16JUL12 11:16 7669.6 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
16JUL12 09:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
16JUL12 09:40 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
OH due on Serial 1471  
BATTERY NICAD at WAC 0660  
BS due on Serial 1471  
BATTERY NICAD at WAC 0660  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: BATTERY NICAD REPLACED IAW AAP 7212.007-2. REF EE50 511881-3

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03242  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1209011

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1471	A23T	A1UOA	00	1275	A23T	A1UOA	00
	33490409201		16JUL12 11:14	A1PXXJ309027X	33490409201		16JUL12 11:15	

A1PXXU1109540 COMPLETED 16JUL12 13:38 7669.6 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
 16JUL12 11:23 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 16JUL12 11:23 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 S37 due on Serial A23-033  
 PC-9 at WAC 0000  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S37 C/O IAW AAP 7212.007-2 REF: 511881-5-1#1

A1PXXU1208677 COMPLETED 17JUL12 06:44 7669.6 AFHR SST XXxxXXxxXXxxXXxxXXxx  
 17JUL12 06:10 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 17JUL12 06:10 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 S40 due on Serial A23-033  
 PC-9 at WAC 0000  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S 40 C/O REF MCS 1056/12

A1PXXU1209367 COMPLETED 04APR13 06:53 7672.0 AFHR SST XXxxXXxxXXxxXXxxXXxx  
 24JUL12 23:09 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 24JUL12 23:10 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 FRONT AND REAR PARAS AND PSPS RFA  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: NEW SEATS FITTED WITH NEW PARAS AND PSPS, SEAT SERIAL NUMBERS:055 AND 056

REMOVALS/INSTALLATIONS FOR A1PXXU1209367

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	MB12099	A23T	A1WBA	00				
	MBEU100664		24JUL12 23:11	A1PXXJ1210758				
002	MB10541	A23T	A26BA	00				
	MBEU12043PA		24JUL12 23:14	A1PXXJ1210760				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03243  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

003	DE2466 STANDARDPACK-1	A23T	A1WBG 24JUL12 23:18	00 A1PXXJ1210762				
-----	--------------------------	------	------------------------	---------------------	--	--	--	--

004	DF3478 STANDARDPACK-1	A23T	A26BG 24JUL12 23:23	00 A1PXXJ1210764				
-----	--------------------------	------	------------------------	---------------------	--	--	--	--

A1PXXU1209423	COMPLETED	16APR13 09:06	7672.0	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
25JUL12 04:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			16APR13 09:06
25JUL12 04:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
OVERSPEED GOVERNOR, SN 2128151D/F, REMOVED SERVICEABLE TO A23-042.						
XXxxXXxxXXxxXXxxXXxx						

Maint Acts: OSG REPLACED WITH SERV ITEM IAW AAP7212.007-2 REF MCS 1102/12

REMOVALS/INSTALLATIONS FOR A1PXXU1209423

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	2128151D/F 210957	A23T	A1SAM22AE 25JUL12 04:41	00 A1PXXJ1210825	2138430D/F 210957	A23T	A1SAM22AE 16APR13 09:03	00
-----	----------------------	------	----------------------------	---------------------	----------------------	------	----------------------------	----

A1PXXU1210080	COMPLETED	02APR13 05:02	7672.0	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
08AUG12 12:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			02APR13 05:02
08AUG12 12:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
BATT NICAD RFA						
XXxxXXxxXXxxXXxxXXxx						

Maint Acts: SERV BATT NICAD FITTED IAW 7212-007-2 REF LSN MCS 1102/12-6-4

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03244  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1210080  
SEQ REMOVED SERIAL NO EIAC LCN ALC INSTALLED SERIAL NO EIAC LCN ALC  
REMOVED PART NO DATE/TIME JOB NUMBER INSTALLED PART NO DATE/TIME  
=====  
001 1275 A23T A1UOA 00 0044 A23T A1UOA 00  
33490409201 08AUG12 12:58 A1PXXJ1211791 33490409201 02APR13 05:00

A1PXXU1210082 COMPLETED 26MAR13 01:08 7672.0 AFHR SST XXxxXXxxXXxxXXxxXXxx  
08AUG12 13:07 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 26MAR13 01:08  
08AUG12 13:07 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
INVERTERS X 2 RFA  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: BOTH STATIC INVERTERS REFITTED IAW AAP 7212.007-2. REF MCS 1102/12-6-2

REMOVALS/INSTALLATIONS FOR A1PXXU1210082  
SEQ REMOVED SERIAL NO EIAC LCN ALC INSTALLED SERIAL NO EIAC LCN ALC  
REMOVED PART NO DATE/TIME JOB NUMBER INSTALLED PART NO DATE/TIME  
=====  
001 6567 A23T A1UOE 01 6567 A23T A1UOE 01  
975.04.21.103 08AUG12 13:08 A1PXXJ1211792 975.04.21.103 26MAR13 01:05  
002 6568 A23T A1UOG 01 6568 A23T A1UOG 01  
975.04.21.103 08AUG12 13:09 A1PXXJ1211793 975.04.21.103 26MAR13 01:04

A1PXXU1210084 COMPLETED 26MAR13 01:15 7672.0 AFHR SST XXxxXXxxXXxxXXxxXXxx  
08AUG12 13:14 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 26MAR13 01:15  
08AUG12 13:14 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
CPI AND TRAY RFRA  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: CPI AND TRAY REFITTED IAW AAP 7212.007-2. REF MCS 1102/12-6-5

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03245  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1210084

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0327001	A23T	A1UOY	00	0364001	A23T	A1UOY	00
	453-0406		08AUG12 13:15	A1PXXJ1211794	453-0406-503		26MAR13 01:11	

A1PXXU1210097 COMPLETED 08AUG12 23:12 7672.0 AFHR SST XXxxXXxxXXxxXXxxXXxx  
08AUG12 23:12 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 15OCT12 04:40  
08AUG12 23:13 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
TA due on Serial 533  
VSTAB FIN FWD ATTCH at WAC 1400 XXxxXXxxXXxxXXxxXXxx

Maint Acts: TRANSFERRED TO 533

A1PXXU1210822 COMPLETED 11APR13 03:01 7672.0 AFHR MM XXxxXXxxXXxxXXxxXXxx  
27AUG12 06:30 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
27AUG12 06:32 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
511884 4 A/C REQUIRES MANDATORY MCS/AMCO AMD VALIDATION PRIOR TO NEXT FLIGHT 11APR13 03:01  
IAW SMI 08/20 XXxxXXxxXXxxXXxxXXxx

Maint Acts: TX TO: REFER A1PXXU1304615. SUB-US RAISED AGAINST "R2 SERV DUE"

A1PXXU1211247 COMPLETED 10SEP12 01:02 7672.0 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
05SEP12 00:50 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
05SEP12 00:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
CODE FE1BITE TEST ON COMMS 1 TRANSCEIVER PRIOR TO FREQUENCY  
RE-PROGRAMME XXxxXXxxXXxxXXxxXXxx

Maint Acts: COMMS1 REPROGRAMMED. MCS1102/12-9-4.

REMOVALS/INSTALLATIONS FOR A1PXXU1211247

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	181	A23T	A1UMC	00	181	A23T	A1UMC	00
	631 367 297		05SEP12 00:54	A1PXXJ1213460	631 367 297		10SEP12 00:57	

A1PXXU1211890 COMPLETED 05MAR13 03:41 7672.0 AFHR SST XXxxXXxxXXxxXXxxXXxx  
17SEP12 23:46 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 05MAR13 03:41  
17SEP12 23:46 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
MS5 due on Serial 027  
WING ASSY at WAC 1500 XXxxXXxxXXxxXXxxXXxx  
STI-PC9-541C due on Serial 027  
(Continued on next page.)

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03246  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP  
LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

(Continued from previous page.)

WING ASSY at WAC 1500  
STI-PC9-549C due on Serial 027  
WING ASSY at WAC 1500

Maint Acts: MS5 MCS 1102/12/9/6, STI-PC9-541C MCS 1102/12/21/2 & SH 22/4, AND  
STI-PC9-549C MCS 1102/12/21/3 INC IAW AAP 7212.007-2 AND STI P/W .

A1PXXUY711471	COMPLETED	18MAR13 03:40	7672.0	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
17SEP12 23:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			18MAR13 03:40
17SEP12 23:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		7212.007-201 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: MOD 7212.007-201 INC IAW MOD 7212.0007-201 P/W, XREF MCS 1102/12/9/6

A1PXXU1211909	COMPLETED	18SEP12 03:27	7672.0	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
18SEP12 03:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			18SEP12 03:27
18SEP12 03:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0557 due on Serial ALT279-19610				
		CYL ASSY OXYGEN LH at WAC 065L				XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI 0557 INC

A1PXXU1211910	COMPLETED	18SEP12 03:31	7672.0	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
18SEP12 03:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			18SEP12 03:31
18SEP12 03:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0557 due on Serial ALT279-19616				
		CYL ASSY OXYGEN RH at WAC 065R				XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-0557 INC

A1PXXU1212422	COMPLETED	21MAR13 00:46	7672.0	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
27SEP12 02:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			21MAR13 00:46
27SEP12 02:55	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		L/H AILERON RFA				

Maint Acts: LH AILERON ASSY FIRRED WITH SERV ITEM IAW AAP 7212.007-2. REFER AIP  
(Continued on next page.)



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03247  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES -----  
SERV NUMBER STATUS STATUS DATE/TIME TOTAL LIFE INT TYPE CERTIFICATION TRADESMAN  
RAISED DATE/TIME RAISED USER ID RAISED NAME RAISED VENUE CAPABILITY CODE EPSS DATE/TIME  
ENTERED DATE/TIME ENTERED USER ID ENTERED NAME ENTERED VENUE IMIC NO SUPERVISOR  
OPERATION NO ASOR NO SYMPTOMS DATE/TIME  
EE500PG EE500LN INSPECTOR  
STA WL BL ADMIN MAINT ACTION/LIMITATIONS DATE/TIME  
=====

(Continued from previous page.)  
MCS 1102/12-13-4

REMOVALS/INSTALLATIONS FOR A1PXXU1212422

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	119	A23T	A2KCA	00	343	A23T	A2KCA	00
	557.51.09.003		27SEP12 03:19	A1PXXJ1214821	557.51.09.001		21MAR13 00:44	

A1PXXU1212893 COMPLETED 21MAR13 03:45 7672.0 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
09OCT12 08:16 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
09OCT12 08:17 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
RUDDER TRIM ACTUATOR RFA 21MAR13 03:45  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: RUDDER TRIM ACTUATOR REFITTED IAW AAP 7212.007-2. REFER AIP MCS  
1102/12-17-5

REMOVALS/INSTALLATIONS FOR A1PXXU1212893

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	892	A23T	A2GAK	00	892	A23T	A2GAK	30
	978.73.18.132		09OCT12 08:17	A1PXXJ1215458	978.73.18.132		21MAR13 03:22	

A1PXXU1213112 COMPLETED 05MAR13 03:15 7672.0 AFHR SST XXxxXXxxXXxxXXxxXXxx  
15OCT12 04:29 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 05MAR13 03:15  
15OCT12 04:31 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
VERTICAL STAB RFA XXxxXXxxXXxxXXxxXXxx

Maint Acts: NEW SERIES 7 VSTAB FITTED IAW AAP 7212.007-257, XREF MCS  
(Continued on next page.)

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03248  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

(Continued from previous page.)  
1102/12/17/6

REMOVALS/INSTALLATIONS FOR A1PXXU1213112

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	533	A23T	A2G	00	P/F017	A23T	A2G	30
	555.30.09.050		15OCT12 04:39	A1PXXJ1215819	555.30.09.016		05MAR13 03:11	

A1PXXU1213113 COMPLETED 21MAR13 00:42 7672.0 AFHR SST XXxxXXxxXXxxXXxxXXxx  
15OCT12 04:32 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 21MAR13 00:42  
15OCT12 04:33 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
RUDDER ASSY RFA  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: RUDDER ASSY FITTED WITH SERV ITEM IAW AAP 7212.007-2. REFER AIP MCS  
1102/12-15-1

REMOVALS/INSTALLATIONS FOR A1PXXU1213113

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	532	A23T	A2GAM	00	164	A23T	A2GAM	30
	555.40.09.067		15OCT12 04:33	A1PXXJ1215817	555.40.09.006		21MAR13 00:40	

A1PXXU1213114 COMPLETED 21MAR13 03:49 7672.0 AFHR SST XXxxXXxxXXxxXXxxXXxx  
15OCT12 04:35 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 21MAR13 03:49  
15OCT12 04:36 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
HORIZONTAL STAB ASSY RFA  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: HORIZONTAL STAB ASSY AND ELEVATOR ASSY FITTED WITH SERV ITEM IAW AAP  
(Continued on next page.)

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03249  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

(Continued from previous page.)  
7212.007-2. REFER AIP MCS 1102/1214-5

REMOVALS/INSTALLATIONS FOR A1PXXU1213114

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
001	553	A23T	A2I	00	530	A23T	A2I	00
	555.10.09.130		15OCT12 04:37	A1PXXJ1215818	555.10.09.130		21MAR13 01:00	
002					042	A23T	A2IBC	00
					555.20.09.257		21MAR13 03:46	

A1PXXU1211848 COMPLETED 15OCT12 07:06 7672.0 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
15OCT12 07:04 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
15OCT12 07:04 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
STI-PC9-556A due on Serial A23-033  
PC-9 at WAC 0000

Maint Acts: STI-PC9-556A C/O SERV IAW STI INSTRUCTIONS REF MCS 1102/12-13-3

A1PXXU1211849 COMPLETED 15OCT12 07:07 7672.0 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
15OCT12 07:04 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
15OCT12 07:04 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
STI-PC9-556B due on Serial A23-033  
PC-9 at WAC 0000

Maint Acts: STI-PC9B C/O SERV IAW STI INSTRUCTIONS REF MCS 1102/12-13-3

A1PXXU1211850 COMPLETED 15OCT12 07:09 7672.0 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
15OCT12 07:04 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
15OCT12 07:04 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
STI-PC9-556C due on Serial A23-033  
PC-9 at WAC 0000

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: STI-PC9-556C C/O SERV IAW STI INSTRUCTIONS REF MCS 1102/12-13-3

A1PXXU1213507	COMPLETED	15MAR13 00:27	7672.0	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
23OCT12 23:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			15MAR13 00:27
23OCT12 23:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		PROPELLER CANNIBILISED FOR A/C A23-048				XXxxXXxxXXxxXXxxXXxx

Maint Acts: PROP ASSY REPLACED REF MCS 1102/12

REMOVALS/INSTALLATIONS FOR A1PXXU1213507

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	GG612	A23T	A00	00	GG608	A23T	A00	00
	HC-D4N2A/D9512A		23OCT12 23:29	A1PXXJ1216234	HC-D4N2A/D9512A		15MAR13 00:27	

A1PXXU1213510	COMPLETED	21APR13 23:54	7672.0	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
23OCT12 23:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			21APR13 23:54
23OCT12 23:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		SICU CANNIBALISED FOR A23-025				XXxxXXxxXXxxXXxxXXxx

Maint Acts: SICU REPLACED IAW AAP 7212.007-6. REF MCS1102/12-19-5

REMOVALS/INSTALLATIONS FOR A1PXXU1213510

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	91060062	A23T	A1UEE	00	90030030	A23T	A1UEE	00
	140.0001-2		23OCT12 23:33	A1PXXJ1216235	140.0001-2		21APR13 23:53	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1213520	COMPLETED	18MAR13 02:03	7672.0	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
24OCT12 00:54	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			18MAR13 02:03
24OCT12 00:56	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		PROP BOLTS AND SPINER ASSY TO BE FITTED				XXXXXXXXXXXXXXXXXXXX

Maint Acts: SPINNER AND PROP BOLTS FITTED REF MCS 1102/13

REMOVALS/INSTALLATIONS FOR A1PXXU1213520

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001					PC1300208 B-3339-1	A23T	A00AK 15MAR13 00:28	00
002					L523933 D5210	A23T	A00AI 18MAR13 02:02	00

A1PXXU1213524	COMPLETED	21MAR13 00:24	7672.0	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
24OCT12 01:10	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			21MAR13 00:24
24OCT12 01:11	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		RH AILERON RFA				XXXXXXXXXXXXXXXXXXXX

Maint Acts: RH AILERON ASSY REFITTED IAW AAP 7212.007-2. REFER AIP MCS 1102/12-19-6

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1213524

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
=====	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	509	A23T	A2KCC	00	509	A23T	A2KCC	00
	557.51.09.004		24OCT12 01:12	A1PXXJ1216251	557.51.09.004		21MAR13 00:20	

A1PXXU1005209	COMPLETED	06MAR13 00:10	7672.0	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
24OCT12 02:01	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			06MAR13 00:10
24OCT12 02:01	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX

7212.007-257 due on Serial A23-033  
PC-9 at WAC 0000

Maint Acts: MOD 7212.007-257 INC IAW AAP 7212.007-100 & -3 , XREF MCS 1102/12/12 /5

A1PXXU1109815	COMPLETED	05MAR13 03:23	7672.0	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
24OCT12 02:03	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			05MAR13 03:23
24OCT12 02:03	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX

STI-PC9-0542 due on Serial A23-033  
PC-9 at WAC 0000

Maint Acts: STI-PC9-0542 INC IAW STI-0542 P/W ,XREF MCS 1102/12 SH 21 #1

A1PXXUY505357	COMPLETED	28MAR13 04:53	7672.0	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
31OCT12 05:21	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			28MAR13 04:53
31OCT12 05:21	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX

S48 due on Serial A23-033  
PC-9 at WAC 0000

Maint Acts: S48 SERVICING C/P IAW AAP7212.007-6-4. NIL DEFECT EVIDENT. NDI REPORT NO: 131/13. REFER AIP MCS 1102/12-48-2

A1PXXU1214129	COMPLETED	20MAR13 03:09	7672.0	AFHR	SCM	XXXXXXXXXXXXXXXXXXXX
06NOV12 13:33	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
06NOV12 13:34	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			20MAR13 03:09

FRONT ESDP RFA

Maint Acts: FRONT ESDP REPLACED IAW AAP 7212.007-2. REF MCS 1102/12-25-4

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03253  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1214129

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	89050047	A23T	A1UDI	00	96010162	A23T	A1UDI	00
	150.0001-2		06NOV12 13:34	A1PXXJ1216989	150.0001-2		20MAR13 03:08	

A1PXXU1215350 COMPLETED 26MAR13 01:21 7672.0 AFHR SST XXxxXXxxXXxxXXxxXXxx  
04DEC12 01:17 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 26MAR13 01:21  
04DEC12 01:19 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
BOTH OXY CYL ASSY'S CANIBALISED TO A23-015  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: BOTH OXY CYLINDER ASSY'S REPLACED IAW AAP 7212.007-2. REF  
MCS1102/12-29-2

REMOVALS/INSTALLATIONS FOR A1PXXU1215350

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	ALT279-19616	A23T	A1UNI	00	ALT279-11511	A23T	A1UNG	00
	89795050		04DEC12 01:20	A1PXXJ1218450	89795050		26MAR13 01:18	
002	ALT279-19610	A23T	A1UNG	00	ALT279-11005	A23T	A1UNI	00
	89795050		04DEC12 01:21	A1PXXJ1218451	89795050		26MAR13 01:17	

A1PXXU1300072 COMPLETED 08JAN13 23:22 7672.0 AFHR SST XXxxXXxxXXxxXXxxXXxx  
07JAN13 22:24 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 08JAN13 23:22  
07JAN13 22:24 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
STI-PC9-559A due on Serial 533  
FUSELAGE ASSEMBLY at WAC 0800 XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI PC9-559A CARRIED OUT IAW STI INSTRUCTIONS REF MCS 1102/12-30-2

A1PXXUY808738 COMPLETED 28MAR13 00:49 7672.0 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
23JAN13 01:02 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 28MAR13 00:49  
23JAN13 01:02 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S58 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S58 SERVICING CARRIED OUT IAW AAP 7212.007-2. REF 1102/12-18-5

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1300884	COMPLETED	02APR13 05:54	7672.0	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
23JAN13 02:19	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			02APR13 05:54
23JAN13 02:20	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		CVR REMOVED FOR ACCESS				XXXXXXXXXXXXXXXXXXXX

Maint Acts: CVR REFITTED IAW AAP 7212.007-2. REF MCS 1102/12-32-2

REMOVALS/INSTALLATIONS FOR A1PXXU1300884

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	01764	A23T	A1UPC	00	01764	A23T	A1UPC	00
	S200-0012-91		23JAN13 02:22	A1PXXJ1300959	S200-0012-91		02APR13 05:50	

A1PXXU1300885	COMPLETED	04APR13 07:27	7672.0	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
23JAN13 02:36	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			04APR13 07:27
23JAN13 02:37	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		FRONT AND REAR EJECTION SEATS RFA				XXXXXXXXXXXXXXXXXXXX

Maint Acts: FRONT AND REAR SEATS REPLACED IAW AAP 7212.007-2, REF:MCS080/13

REMOVALS/INSTALLATIONS FOR A1PXXU1300885

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	013	A23T	A1W	00	013	A23T	A1W	00
	AU11A-1		23JAN13 02:37	A1PXXJ1300960	AU11A-1		23JAN13 23:12	



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03255  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
002	014 AU11A-2	A23T	A26 23JAN13 02:38	00 A1PXXJ1300961	014 AU11A-2	A23T	A26 23JAN13 23:11	00
003	013 AU11A-1	A23T	A1W 24JAN13 00:13	00 A1PXXJ1301029	055 AU11A-1	A23T	A1W 04APR13 07:22	00
004	014 AU11A-2	A23T	A26 24JAN13 00:18	00 A1PXXJ1301030	056 AU11A-2	A23T	A26 04APR13 07:24	00

A1PXXU1300923 COMPLETED 04APR13 07:19 7672.0 AFHR SST  
23JAN13 23:16 XXxxXXxx XXxxXXxxXXxxXXxx AIP 04APR13 07:19  
23JAN13 23:16 XXxxXXxx XXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
TA due on Serial 2693310F  
SET CART EJECTION at WAC 0730 XXxxXXxxXXxxXXxxXXxx

Maint Acts: NEW SEAT (055) INSTALLED,CARTS 8093312F ALREADY FITTED

REMOVALS/INSTALLATIONS FOR A1PXXU1300923

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	2693310F MBEU100021	A23T	A1WAE 23JAN13 23:19	00 A1PXXJ1003443				

A1PXXU1300924 COMPLETED 04APR13 07:20 7672.0 AFHR SST  
23JAN13 23:16 XXxxXXxx XXxxXXxxXXxxXXxx AIP 04APR13 07:20  
23JAN13 23:16 XXxxXXxx XXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
TA due on Serial 2693310R  
CARTRIDGE SET SEAT at WAC 0740 XXxxXXxxXXxxXXxxXXxx

Maint Acts: NEW SEAT (056) FITTED,CARTS 8093312R ALREADY FITTED

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03256  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1300924

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	2693310R	A23T	A26AE	00				
	MBEU100021		23JAN13 23:27	A1PXXJ1003445				

A1PXXU1300925 COMPLETED 04APR13 07:07 7672.0 AFHR SST  
23JAN13 23:16 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 04APR13 07:07  
23JAN13 23:16 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
TA due on Serial 7173310  
SET CART COMMAND at WAC 0700 XXxxXXxxXXxxXXxxXXxx

Maint Acts: SET CART COMMAND REPLACED IAW AAP 7212.007-2, REF:MCS080/13

REMOVALS/INSTALLATIONS FOR A1PXXU1300925

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	7173310	A23T	A1UJA	00	1533312	A23T	A1UJA	00
	MBEU60228		23JAN13 23:28	A1PXXJ1003446	MBEU60228		04APR13 06:54	

A1PXXU1300949 COMPLETED 04APR13 07:14 7672.0 AFHR SCM  
24JAN13 02:08 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
24JAN13 02:08 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
EGRESS COMAND SYSTEM RFA 04APR13 07:14  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: CDBU AND CCV REPLACED IAW AAP 7212.007-2, REF:MCS080/13

REMOVALS/INSTALLATIONS FOR A1PXXU1300949

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	DE2734	A23T	A1UIY	00	DE2732	A23T	A1UIY	00
	MBEU64438		24JAN13 02:09	A1PXXJ1301033	MBEU64438		04APR13 07:09	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
002	MC2687	A23T	A1UJC	00	MC1066	A23T	A1UJC	00
	MBEU100433		24JAN13 02:10	A1PXXJ1301035	MBEU100433		04APR13 07:11	

A1PXXU1302563 COMPLETED 25MAR13 05:00 7672.0 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
 26FEB13 22:35 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 26FEB13 22:35 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 REAR ESDP REMOVED SERV TO A23-033  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: REAR ESDP REPLACED IAW AAP 7212.007-2. REF MCS 11002/12-39-5

REMOVALS/INSTALLATIONS FOR A1PXXU1302563

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	90100109	A23T	A1UHO	00	7030030A	A23T	A1UHO	00
	150.0001-2		26FEB13 22:36	A1PXXJ1302742	150.0001-2		25MAR13 04:57	

A1PXXU1114100 COMPLETED 23APR13 22:53 7672.0 AFHR SST XXxxXXxxXXxxXXxxXXxx  
 13MAR13 05:13 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 23APR13 22:53  
 13MAR13 05:13 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 S57 due on Serial A23-033  
 PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S57 CO IAW 7212.007-6-4 REF MCS 1102/12-43-5

A1PXXU1116107 COMPLETED 24APR13 01:58 7672.0 AFHR MM XXxxXXxxXXxxXXxxXXxx  
 13MAR13 05:13 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 13MAR13 05:13 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 A1PXXO1206628 R2 due on Serial A23-033  
 511884 1 PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: R2 CO IAW 7212.007-6-2-2 REF MCS 1481/12

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03258  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 REMOVALS/INSTALLATIONS FOR A1PXXU1116107  
 SEQ REMOVED SERIAL NO EIAC LCN ALC INSTALLED SERIAL NO EIAC LCN ALC  
 REMOVED PART NO DATE/TIME JOB NUMBER INSTALLED PART NO DATE/TIME  
 =====

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 0380 3-1555	A23T	A2KDM	13MAR13 07:44	01 A1PXXJ1303565	0380 3-1555	A23T	A2KDM	01 25MAR13 03:40
002 0041 3-1555	A23T	A2KEI	13MAR13 07:48	01 A1PXXJ1303566				
003 0010 3-1451 OPT 1	A23T	A18AG	18MAR13 01:53	00 A1PXXJ1303713	0010 3-1451 OPT 1	A23T	A18AG	00 25MAR13 03:39
004 PC1101035 32-2053	A23T	A1SAI10AB	18MAR13 02:16	01 A1PXXJ1303719	PC1101035 32-2053	A23T	A1SAI10AB	01 18MAR13 02:16
005 PC1101038 3033355	A23T	A1SAI10AA	18MAR13 02:16	01 A1PXXJ1303720	PC1300211 3059779-01	A23T	A1SAI10AA	01 18MAR13 02:17
006 621045 Q17-941.22.052AB	A23T	A1UCC	13MAR13 05:35	00 A1PXXJ1304249	621045 Q17-941.22.052AB	A23T	A1UCC	00 28MAR13 05:55
007 703606 Q17-941.22.052AB	A23T	A1UGI	13MAR13 05:38	00 A1PXXJ1304250	703606 Q17-941.22.052AB	A23T	A1UGI	00 24APR13 01:50

A1PXXU1204685 COMPLETED 15MAR13 02:13 7672.0 AFHR SST XXxxXXxxXXxxXXxxXXxx  
 13MAR13 05:13 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 15MAR13 02:13  
 13MAR13 05:13 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 S63 due on Serial A23-033  
 PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S63 CARRIED OUT IAW AAP 7212.007-6-4, REFER LSN MCS 1102/12 PAGE 49  
 U/S# 1. NEW SERVICEABLE OIL FILTER FITTED IAW AAP 7113.022-2 REFER  
 LSN MCS 1481/12 WORK CARD 16.

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03259  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
REMOVALS/INSTALLATIONS FOR A1PXXU1204685

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	PC1101034	A23T	A1SAK34	00	PC1300210	A23T	A1SAK34	00
	3059257-01		15MAR13 01:53	A1PXXJ1303678	3059257-01		15MAR13 02:07	

A1PXXU1204937 COMPLETED 23APR13 22:55 7672.0 AFHR SST XXxxXXxxXXxxXXxxXXxx  
13MAR13 05:13 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 23APR13 22:55  
13MAR13 05:13 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S20 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: S20 CO IAW 7212.007-6-4 REF MCS 1102/12-43-1

A1PXXU1207349 COMPLETED 22MAR13 01:01 7672.0 AFHR SST XXxxXXxxXXxxXXxxXXxx  
13MAR13 05:13 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 22MAR13 01:01  
13MAR13 05:13 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S66 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: S66 SERVICING C/O IAW AAP 7212.007-6-4. NIL CORROSION EVIDENT.REFER  
AIP MCS 1102/12-49-5

A1PXXU1214257 COMPLETED 26MAR13 03:00 7672.0 AFHR SST XXxxXXxxXXxxXXxxXXxx  
13MAR13 05:13 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 26MAR13 03:00  
13MAR13 05:13 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
STI-PC9-0558 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: STI-PC9-0558 INC, NDI REPORT NO:135/13. HOLE DIM 12.77MM, NIL  
CORROSION EVIDENT. REFER AIP MCS 1102/12-50-6

A1PXXU1303314 COMPLETED 21MAR13 03:17 7672.0 AFHR SST XXxxXXxxXXxxXXxxXXxx  
13MAR13 05:13 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 21MAR13 03:17  
13MAR13 05:13 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
STI-PC9-0521 due on Serial XX0A1PXXR1201255  
ACT RUDDER TRIM at WAC 1400 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: STI NOT REQ'D THIS ASSET. DUMMY SERIALNO DECOMMISSIONED.  
SERIALNO 892 FITTED. STI PREVIOUSLY INC'D: 18MAY10.

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03260  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1303315	COMPLETED	26MAR13 03:04	7672.0	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
13MAR13 05:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			26MAR13 03:04
13MAR13 05:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-422B due on Serial 027				
		WING ASSY at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	STI-PC9-422B INC, NIL DEFECTS EVIDENT. NDI REPORT NO: 132/13. REFER AIP MCS 1102/12-51-1				
A1PXXU1304615	COMPLETED	29APR13 11:18	7672.0	AFHR	MTF	XXxxXXxxXXxxXXxxXXxx
13MAR13 05:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
11APR13 02:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
A1PXXO1206628		ACFT REQUIRES MANDATORY MCS/AMCO AMD VALIDATION & CAMM2 CHECKS TBCO				
511884 4		IAW AAP:7001.060-3 & SMI:08/20. PRIOR TO NEXT FLIGHT - TX FROM:				XXxxXXxxXXxxXXxxXXxx
		A1PXXU1210822				29APR13 11:18
	Maint Acts:	MANDATORY VALIDATION & CAMM2 CHECKS C/O IAW AAP.7001.060-3 & SMI 08/20; REFER EE500: 511884-4				
A1PXXU1206816	COMPLETED	21MAR13 00:09	7672.0	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
13MAR13 05:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			21MAR13 00:09
13MAR13 05:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S65 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S65 C/O IAW AAP 7212.007-6-4. REFER AIP MCS 1102/12-49-2				
A1PXXU1204928	COMPLETED	28MAR13 02:34	7672.0	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
13MAR13 05:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
13MAR13 05:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S16 due on Serial A23-033				28MAR13 02:34
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S16 SERVICING CARRIED OUT IAW AAP 7212.007-6-4. REF MCS 1102/12-44-4				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1209048	COMPLETED	30APR13 03:52	7672.0	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
13MAR13 05:39	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			30APR13 03:52
13MAR13 05:39	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S40	due on Serial A23-033			
		PC-9	at WAC 0000			XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	S40 C/O IAW AAP7212.007-6-4, REF AIP MCS 649/13				

A1PXXU1114455	COMPLETED	23APR13 22:54	7672.0	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
13MAR13 05:40	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			23APR13 22:54
13MAR13 05:40	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S62	due on Serial A23-033			
		PC-9	at WAC 0000			XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	S62 CO IAW 7212.007-6-4 REF 1102/12-43-4				

A1PXXU1303325	COMPLETED	14MAR13 06:05	7672.0	AFHR	SCM	XXXXXXXXXXXXXXXXXXXX
13MAR13 07:27	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
13MAR13 07:27	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BS	due on Serial 378			14MAR13 06:05
		REG PRESS REDUCING	at WAC 0640			XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	REG PRESSURE REDUCING REPLACED IAW AAP 7212.007-2. REF MCS 1002/12-50-1				

REMOVALS/INSTALLATIONS FOR A1PXXU1303325

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	378	A23T	A1UNC	02	345	A23T	A1UNC	02
	F103D000-15		14MAR13 06:03	A1PXXJ1115158	F103D000-15		14MAR13 06:04	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1303326	COMPLETED	20MAR13 01:23	7672.0	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
13MAR13 07:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
13MAR13 07:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial 106167				20MAR13 01:23
		REG OXYGEN DEMAND at WAC 0740				XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV OXY DEMAND REG FITTED IAW 7212-007-2 REF LSN MCS 1102/12-49-6

REMOVALS/INSTALLATIONS FOR A1PXXU1303326

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	106167	A23T	A1UIS	00	702024	A23T	A1UIS	00
	3260042-0201		14MAR13 06:02	A1PXXJ1018975	3260042-0201		20MAR13 01:16	

A1PXXU1303327	COMPLETED	26MAR13 02:48	7672.0	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
13MAR13 07:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			26MAR13 02:48
13MAR13 07:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		NDT due on Serial 033				
		FRAME 10 HAT SECTN at WAC 0670				XXxxXXxxXXxxXXxxXXxx

Maint Acts: SBI 13 C/O, NIL DEFECTS EVIDENT. NDI REPORT NO: 136/13. REFER AIP MCS 1102/12-50-2

A1PXXU1303328	COMPLETED	20MAR13 01:27	7672.0	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
13MAR13 07:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
13MAR13 07:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial 004104				20MAR13 01:27
		REG OXYGEN DEMAND at WAC 0730				XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV OXY DEMAND REG REFITTED IAW 7212-007-2 REF LSN MCS 1102/12-50-3



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03263  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1303328

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
=====	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	004104	A23T	A1UES	00	006138	A23T	A1UES	00
	3260042-0201		14MAR13 06:00	A1PXXJ1114962	3260042-0201		20MAR13 01:26	

A1PXXU1106322	COMPLETED	28MAR13 02:57	7672.0	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
13MAR13 07:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
13MAR13 07:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S51	due on Serial A23-033			28MAR13 02:57
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: S51 SERVICING CARRIED OUT IAW AAP 7212.007-6-4. REF MCS 1102/12-48-4

A1PXXU1207138	COMPLETED	28MAR13 02:55	7672.0	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
13MAR13 07:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
13MAR13 07:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S26	due on Serial A23-033			28MAR13 02:55
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: S26 SERVICING CARRIED OUT IAW AAP 7212.007-6-4. REF MCS 1102/12-48-6

A1PXXU1007206	COMPLETED	28MAR13 04:49	7672.0	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
13MAR13 07:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			28MAR13 04:49
13MAR13 07:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S64	due on Serial A23-033			XXxxXXxxXXxxXXxxXXxx
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: S64 SERVICING C/O IAW AAP 7212.007-6-4. REFER AIP MCS 1102/12-49-1

A1PXXU1208534	COMPLETED	26MAR13 02:45	7672.0	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
13MAR13 07:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			26MAR13 02:45
13MAR13 07:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0550	due on Serial A23-033			XXxxXXxxXXxxXXxxXXxx
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-0550 INC, NIL CRACKING EVIDENT. REFER AIP MCS 1102/12-50-4

A1PXXU1209019	COMPLETED	27MAR13 06:01	7672.0	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
13MAR13 07:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
13MAR13 07:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S37	due on Serial A23-033			27MAR13 06:01
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: S37 SERVICING CARRIED OUT IAW AAP 7212.007-6-4. REF MCS 1102/12-48-1

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1211312	COMPLETED	25MAR13 00:17	7672.0	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
13MAR13 07:33	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			25MAR13 00:17
13MAR13 07:33	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		STI-PC9-0552		due on Serial A23-033		
		PC-9		at WAC 0000		XXXXXXXXXXXXXXXXXXXX

Maint Acts: STI-PC9-0552 INC. REFER AIP MCS 1102/12-50-5 (AE) AND AIP MCS 1102/12-60-6 (AV)

A1PXXU1303330	COMPLETED	14MAR13 05:58	7672.0	AFHR	SCM	XXXXXXXXXXXXXXXXXXXX
13MAR13 07:33	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			
13MAR13 07:33	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		TA		due on Serial 00336		14MAR13 05:58
		VALVE REFILL OXYGEN at WAC 0640				XXXXXXXXXXXXXXXXXXXX

Maint Acts: VALVE REFILL OXY REPLACED IAW AAP 7212.007-2. REF MCS 1102/12-51-3

REMOVALS/INSTALLATIONS FOR A1PXXU1303330

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	00336	A23T	A1UMU	03	00461	A23T	A1UMU	03
	OC-001-06		14MAR13 05:55	A1PXXJ1116840	OC-001-06		14MAR13 05:57	

A1PXXU1303331	COMPLETED	21MAR13 11:42	7672.0	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
13MAR13 07:33	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			21MAR13 11:42
13MAR13 07:33	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BS		due on Serial RT141		
		FUEL NOZZLE SET		at WAC 0120		XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV FUEL NOZZLE SET FITTED IAW 7113.022-2 REF; MCS 1481/12 WC 14-3

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03265  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1303331

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	RT141	A23T	A1SAK27	00	RT164	A23T	A1SAK27	00
	RAAFA62FNS01		14MAR13 05:05	N0NC2J1102239	RAAFA62FNS01		21MAR13 11:39	

A1PXXU1303332 COMPLETED 26MAR13 02:23 7672.0 AFHR SST  
13MAR13 07:36 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 26MAR13 02:23  
13MAR13 07:36 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
NDT due on Serial 033  
FRM 7 STR 8L & 8R at WAC 0670 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: SBI 14 C/O, NIL DEFECTS EVIDENT. NDI REPORT NO: 137/13. REFER AIP  
MCS 1102/12-51-5

A1PXXU1303333 COMPLETED 26MAR13 02:25 7672.0 AFHR SST  
13MAR13 07:36 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 26MAR13 02:25  
13MAR13 07:36 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
NDT due on Serial 033  
FRM 8 STR 1AL & 1AR at WAC 0670 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: SBI 15 C/O, NIL DEFECTS EVIDENT. NDI REPORT NO: 138/13. REFER AIP  
MCS 1102/12-51-6

A1PXXU1303334 COMPLETED 26MAR13 02:29 7672.0 AFHR SST  
13MAR13 07:36 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 26MAR13 02:29  
13MAR13 07:36 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
NDT due on Serial 033  
FRM 10 STR 2L & 2R at WAC 0670 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: SBI 19 C/O, NIL DEFECTS EVIDENT. NDI REPORT NO: 140/13. REFER AIP  
MCS 1102/12-52-2

A1PXXU1303335 COMPLETED 26MAR13 02:20 7672.0 AFHR SST  
13MAR13 07:36 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 26MAR13 02:20  
13MAR13 07:36 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
NDT due on Serial 033  
FRM 10 ST 2CL & 2CR at WAC 0670 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: SBI 20 C/O, NIL DEFECTS EVIDENT. NDI REPORT NO : 141/13. REFER AIP  
MCS 1102/12-52-3

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03266  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICABILITY								
SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN		
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME		
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR		
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME		
EE500PG EE500LN						INSPECTOR		
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME		
=====								
A1PXXU1303336	COMPLETED	26MAR13 02:15	7672.0	AFHR	SST	XXxxXXxxXXxxXXxxXXxx		
13MAR13 07:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			26MAR13 02:15		
13MAR13 07:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx		
		NDT due on Serial 033						
		AFT FUS TOP SKIN at WAC 0600				XXxxXXxxXXxxXXxxXXxx		
	Maint Acts:	RAAF SUPP 102 C/O, NIL DEFECTS EVIDENT. NDI REPORT NO : 145/13. REFER AIP MCS 1102/12-52-47						
A1PXXU1303337	COMPLETED	26MAR13 02:36	7672.0	AFHR	SST	XXxxXXxxXXxxXXxxXXxx		
13MAR13 07:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			26MAR13 02:36		
13MAR13 07:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx		
		NDT due on Serial 033						
		AFT FUS LWR SKIN at WAC 0600				XXxxXXxxXXxxXXxxXXxx		
	Maint Acts:	RAAF SUPP 96 C/O, NIL CRACKING EVIDENT. NDI REPORT NO: 142/13. REFER AIP MCS 1102/12-52-5						
A1PXXU1303338	COMPLETED	26MAR13 02:38	7672.0	AFHR	SST	XXxxXXxxXXxxXXxxXXxx		
13MAR13 07:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			26MAR13 02:38		
13MAR13 07:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx		
		NDT due on Serial 033						
		AFT FUS PORT SKIN at WAC 0600				XXxxXXxxXXxxXXxxXXxx		
	Maint Acts:	RAAF SUPP 102 C/O, NIL DEFECTS EVIDENT. NDI REPORT NO: 145/13. REFER AIP MCS 1102/12-52-6						
A1PXXU1303339	COMPLETED	26MAR13 02:42	7672.0	AFHR	SST	XXxxXXxxXXxxXXxxXXxx		
13MAR13 07:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			26MAR13 02:42		
13MAR13 07:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx		
		NDT due on Serial 033						
		FUS FRAME 4A at WAC 0600				XXxxXXxxXXxxXXxxXXxx		
	Maint Acts:	RAAF SUPP 98 C/O, NIL DEFECTS EVIDENT. NDI REPORT NO: 144/13. REFER AIP MCS 1102/12-53-1						

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES								
SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN		
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME		
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR		
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME		
EE500PG EE500LN						INSPECTOR		
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME		
=====								
A1PXXU1303340	COMPLETED	26MAR13 02:17	7672.0	AFHR	SST	XXxxXXxxXXxxXXxxXXxx		
13MAR13 07:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			26MAR13 02:17		
13MAR13 07:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx		
		NDT due on Serial 033						
		FUS FRAME 6 at WAC 0600				XXxxXXxxXXxxXXxxXXxx		
	Maint Acts:	RAAF SUPP 96 C/O, NIL CRACKING EVIDNT. NDI REPORT NO: 142/13. REFER AIP MCS 1102/12-53-2						
A1PXXU1303341	COMPLETED	26MAR13 02:40	7672.0	AFHR	SST	XXxxXXxxXXxxXXxxXXxx		
13MAR13 07:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			26MAR13 02:40		
13MAR13 07:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx		
		NDT due on Serial 033						
		FUS FRAME 7 at WAC 0600				XXxxXXxxXXxxXXxxXXxx		
	Maint Acts:	RAAF SUP 97 C/O, NIL DEFECTS EVIDENT. NDI REPORT NO: 143/13. REFER AIP MCS 1102/12-53-3						
A1PXXU1303342	COMPLETED	25MAR13 04:38	7672.0	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx		
13MAR13 07:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP					
13MAR13 07:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx		
		FT due on Serial SC62462				25MAR13 04:38		
		BCN UNDERWATER LOC at WAC 0740				XXxxXXxxXXxxXXxxXXxx		
	Maint Acts:	ULB FUNCTIONAL TEST CARRIED OUT IAW AAP 7212.007-2.REF MCS 1102/12-53-4						
A1PXXU1303343	COMPLETED	19MAR13 23:31	7672.0	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx		
13MAR13 07:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP					
13MAR13 07:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx		
		OH due on Serial 119				19MAR13 23:31		
		BLOWER ASSY at WAC 0130				XXxxXXxxXXxxXXxxXXxx		
	Maint Acts:	BLOWER ASSY REPLACED IAW AAP 7212.007-2. REF MCS 1102/12-53-5						

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03268  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1303343

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 119	A23T	A0E	00	195	A23T	A0E	00	
M5922H-9A1/HED608279	14MAR13 05:13	A1PXXJY909404	M5922H-9A1/HED608279	19MAR13 23:29				

A1PXXU1303344 COMPLETED 26MAR13 02:09 7672.0 AFHR SST  
13MAR13 07:38 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 26MAR13 02:09  
13MAR13 07:38 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
NDT due on Serial 033  
FRM 9 STR 6L & 6R at WAC 0670 XXxxXXxxXXxxXXxxXXxx

Maint Acts: SBI 18 C/O, NIL DEFECTS EVIDENT. NDI REPORT NO: 139/13. REFER AIP MCS 1102/12-52-1

A1PXXU1303376 COMPLETED 25MAR13 00:11 7672.0 AFHR SST  
14MAR13 00:20 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 25MAR13 00:11  
14MAR13 00:21 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
WATER SEPERATOR REMOVED FOR FIXED COWL REMOVAL (S48)  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: WATER SEPARATOR REFITTED IAW AAP 7212.007-2. REFER AIP MCS 1102/12-54-4

REMOVALS/INSTALLATIONS FOR A1PXXU1303376

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 67518	A23T	A0Y	00	67518	A23T	A0Y	00	
85020-8	14MAR13 00:21	A1PXXJ1303599	85020-8	25MAR13 00:08				

A1PXXU1303389 COMPLETED 14MAR13 05:25 7672.0 AFHR SST  
14MAR13 05:14 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 14MAR13 05:25  
14MAR13 05:15 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
P3 AIR FILTER REMOVED FOR INSPECTION AND CLEANING  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: NEW SERV P3 AIR FILTER FITTED IAW AAP 7113.022-2 REFER LSN MCS 1481/12, WORK CARD 13, U/S #4

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03269  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1303389

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	PC1101037	A23T	A1SAK48	01	PC1300207	A23T	A1SAK48	01
	3059788-01		14MAR13 05:16	A1PXXJ1303613	3059788-01		14MAR13 05:23	

A1PXXU1303393 COMPLETED 14MAR13 05:44 7672.0 AFHR SST XXxxXXxxXXxxXXxxXXxx  
14MAR13 05:34 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 14MAR13 05:44  
14MAR13 05:40 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
LOW PRESSURE FUEL FILTER REMOVED FOR INSPECTION AND CLEANING  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV LOW PRESSURE FUEL FILTER FITTED IAW AAP 7212.007-2 REFER LSN  
MCS 1481/12 WORK CARD 27 U/S# 4

REMOVALS/INSTALLATIONS FOR A1PXXU1303393

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	PCY800021	A23T	A1UJK00	00	L015346	A23T	A1UJK00	00
	03W1738-231		14MAR13 05:41	A1PXXJ1303617	03W1738-231		14MAR13 05:43	

A1PXXU1204979 COMPLETED 23APR13 22:51 7672.0 AFHR SST XXxxXXxxXXxxXXxxXXxx  
15MAR13 00:29 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 23APR13 22:51  
15MAR13 00:29 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S41 due on Serial A23-033  
PC-9 at WAC 0000  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: S41 CO IAW 7212.007-6-4 REF MCS 1102/12-55-3

A1PXXU1303580 COMPLETED 20MAR13 23:47 7672.0 AFHR SST XXxxXXxxXXxxXXxxXXxx  
19MAR13 03:35 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 20MAR13 23:47  
19MAR13 03:36 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
AEROBATIC TANK ASSY AND FUEL FILTER ASSY REMOVED FOR ACCESS FOR S65  
SERVICING  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: AEROBATIC TANK ASSY, FUEL FILTER ASSY AND ASSOCIATED PIPELINES  
REFITTED IAW AAP 7212.007-2. REFER AIP MCS 1102/12-58-4

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03270  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1303580

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	157	A23T	A1UJO	00	157	A23T	A1UJO	00
	528.20.09.045		19MAR13 03:36	A1PXXJ1303764	528.20.09.045		20MAR13 23:43	

002	00684	A23T	A1UJK	00	00684	A23T	A1UJK	00
	03W061738		19MAR13 03:40	A1PXXJ1303765	03W061738		20MAR13 23:42	

A1PXXU1304019 COMPLETED 26MAR13 04:44 7672.0 AFHR SST XXxxXXxxXXxxXXxxXXxx  
19MAR13 04:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 26MAR13 04:44  
26MAR13 04:41 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
RH MAIN HUB ASSY DUST COVER CRACKED  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: RH MAIN HUB ASSY REPLACED WITH SERV ITEM IAW AAP 7212.007-2. REFER  
AIP MCS 1102/12-58-1

REMOVALS/INSTALLATIONS FOR A1PXXU1304019

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001					0359	A23T	A2KEI	01
					3-1555		26MAR13 04:42	

A1PXXU1303617 COMPLETED 20MAR13 03:06 7672.0 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
20MAR13 00:12 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
20MAR13 00:12 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
STARTER GENERATOR REMOVD FOR ACCESS 20MAR13 03:06  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: STARTER GENERATOR REFITTED IAW AAP 7212.007-2. REF MCS 1481/12 WC 59



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03271  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1303617

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	4520	A23T	A1SAI14	00	4520	A23T	A1SAI14	00
	23081-026		20MAR13 00:13	A1PXXJ1303795	23081-026		20MAR13 03:04	

A1PXXU1303702 COMPLETED 25MAR13 05:51 7672.0 AFHR SST XXxxXXxxXXxxXXxxXXxx  
 20MAR13 12:00 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 25MAR13 05:51  
 21MAR13 04:52 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx

SERVICEABLE RUDDER SPRING STRUT TO BE FITTED AFTER POST REMOVAL OF  
 DUMMY SERIAL NUMBER ON CAMM 2

Maint Acts: LH AND RH SERV RUDDER SPRING STRUT FITTED IAW AAP 7212,007-2. REFER  
 AIP MCS 1102/12-60-3

REMOVALS/INSTALLATIONS FOR A1PXXU1303702

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001					PCY601190	A23T	A2GAO	30
					527.20.09.120		25MAR13 05:46	
002					R113299	A23T	A2GAQ	30
					527.20.09.120		25MAR13 05:47	

A1PXXU1304080 COMPLETED 27MAR13 05:18 7672.0 AFHR SST XXxxXXxxXXxxXXxxXXxx  
 21MAR13 04:49 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 27MAR13 05:18  
 27MAR13 04:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx

RH MLG OUTER DOOR HAS FREE PLAY.

Maint Acts: RH MLG DOOR HINGE BUSHING REPLACED AND DOOR REFITTED IAW AAP  
 7212.007-2. REFER AIP MCS 1102/12-57-1

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1304080

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	PCY600361	A23T	A2KCQ	00	PCY600361	A23T	A2KCQ	00
	532.11.09.094		21MAR13 04:54	A1PXXJ1304177	532.11.09.094		27MAR13 05:15	

A1PXXU1303720 COMPLETED 25MAR13 04:54 7672.0 AFHR SST  
 21MAR13 22:26 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 25MAR13 04:54  
 21MAR13 22:27 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 FDR RFA

Maint Acts: FDR REFITTED IAW AAP 7212.007-2. REF MCS 1102/12-60-5

REMOVALS/INSTALLATIONS FOR A1PXXU1303720

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	01496	A23T	A1UPM	00	01496	A23T	A1UPM	00
	S703-1000-01		21MAR13 22:28	A1PXXJ1303940	S703-1000-01		25MAR13 04:53	

A1PXXU1304053 COMPLETED 27MAR13 00:45 7672.0 AFHR SST  
 26MAR13 22:56 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 27MAR13 00:45  
 26MAR13 22:56 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 FRONT CWS PANEL RFA

Maint Acts: CWS PANEL REFITTED IAW 7212-007-2 REF LSN MCS 1102/12-62-6

REMOVALS/INSTALLATIONS FOR A1PXXU1304053

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	156	A23T	A1UEC	00	156	A23T	A1UEC	00
	461 TS 06 Y		26MAR13 22:56	A1PXXJ1304146	461 TS 06 Y		27MAR13 00:43	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03273  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME

A1PXXU1304078	COMPLETED	27MAR13 04:03	7672.0	AFHR	SST	XXXXXXXXXX
27MAR13 03:56	XXXXXXXX	XXXXXXXXXX	AIP			27MAR13 04:03
27MAR13 03:59	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
REAR VSI HAS SUSPECT INTERNAL LEAK, AT 0 FT CLIMB VSI READS 500 FT AT ALT OF 2000FT DURING TEST						

Maint Acts: SERV VSI FITTED VIAW 7212-007-2 REF LSN AIP MCS1102/12-63-2

REMOVALS/INSTALLATIONS FOR A1PXXU1304078

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	703882	A23T	A1UHU	00	1073493	A23T	A1UHU	00
	4A16.32.60F.05.1.A		27MAR13 03:59	A1PXXJ1304175	4A16.32.60F.05.1.A		27MAR13 04:02	

A1PXXU1304305	COMPLETED	04APR13 00:23	7672.0	AFHR	SST	XXXXXXXXXX
03APR13 23:45	XXXXXXXX	XXXXXXXXXX	AIP			04APR13 00:23
03APR13 23:45	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
NDT due on Serial 027LH						
LWNG RSPAR UP FLNG at WAC 0900						

Maint Acts: NDT CO REF MCS 1102/12-55-6

A1PXXU1304306	COMPLETED	04APR13 00:23	7672.0	AFHR	SST	XXXXXXXXXX
03APR13 23:45	XXXXXXXX	XXXXXXXXXX	AIP			04APR13 00:23
03APR13 23:45	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
NDT due on Serial 027RH						
RWNG RSPAR UP FLNG at WAC 1000						

Maint Acts: NDT CO REF MCS 1102/12-55-6

A1PXXU1304307	COMPLETED	04APR13 00:20	7672.0	AFHR	SST	XXXXXXXXXX
04APR13 00:00	XXXXXXXX	XXXXXXXXXX	AIP			04APR13 00:20
04APR13 00:00	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
STI-PC9-0506 due on Serial 530						
HORIZONTAL STAB ASS at WAC 1100						

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03274  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
=====						
Maint Acts: STI-PC9-506 CO REF MCS 1102/12-45-5						
A1PXXU1305164	COMPLETED	16JUL15 06:53	7672.0	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
23APR13 23:03	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			16JUL15 06:53
23APR13 23:04	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
CREASE IN RH SIDE SKIN BETWEEN FRAMES 9 + 10 IN AREA OF SPRING BEAM SUPPORT FASTENERS						
XXxxXXxxXXxxXXxxXXxx						
aip0108328APR13 23:53:30						
REF MCS 1102/12 #38/4 NIL IMPACT ON AIRWORTHINESS OR AIRCRAFT OPERATIONS.						
THE DAMAGE TO THE AIRCRAFT STRUCTURE HAS BEEN EXAMINED, THE DAMAGE TO THE AREA HAS BEEN ASSESSED AS LOW RISK ACCEPTABLE DAMAGE. THERE IS NIL EVIDENCE OF ANY SECONDARY DAMAGE TO THE AIRCRAFT SKIN OR STRUCTURES.						
THE CREASE HAS BEEN ASSESSED AS SHALLOW AND THERE IS NIL EVIDENCE OF ANY CRACKING IN AND AROUND THE CREASED AREA.						
THE DAMAGE IS EXTERNAL OF THE STRUCTURE AND CAN BE EASILY INSPECTED AS PART OF EACH FLIGHT SERVICING FOR ANY FURTHER OR ADDITIONAL DAMAGE.						
TOTAL FAILURE OF THE STRUCTURE DUE TO THIS DAMAGE IS ASSESSED AS IMPROBABLE.						
aip0108313MAY14 05:27:32						
DAMAGED AREA ASSESSED AS ACCEPTABLE LOW RISK						
Maint Acts: TX TO PAINT CONDITION/DENT REGISTER						
A1PXXU1305165	COMPLETED	01MAY13 12:38	7672.0	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
23APR13 23:05	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			01MAY13 12:38
23APR13 23:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
INVERTED FLIGHT FOD CX REQD FOR X2 RIVET TAILS MISSING IN FRONT C/PIT REF MCS 1102/12-27-6						
XXxxXXxxXXxxXXxxXXxx						
Maint Acts: MTF C/O REF 511885#1.						

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES -----

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1305166	COMPLETED	10SEP13 22:23	7672.0	AFHR	SST	XXXXXXXXXXXXXXXXXXXX	
23APR13 23:06	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			10SEP13 22:23	
23APR13 23:07	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		RH OXY CYLINDER CHANNEL ASSY P/NO 553.20.09.192 2B INSPECTED AT AFT CONNECTION AT FRAME 6 AT 150 HRS					XXXXXXXXXXXXXXXXXXXX

Maint Acts: RH OXY CYLINDER CHANNEL INSPECTED, ASSESSED AERV IAW 7212.077-2/3 REF MCS 1296/13-9-4

A1PXXU1305180	COMPLETED	26NOV13 07:28	7672.0	AFHR	SST	XXXXXXXXXXXXXXXXXXXX	
23APR13 23:24	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			26NOV13 07:28	
23APR13 23:24	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		ADF ANTENNA CORRODED AT MOUNTING PLATE					XXXXXXXXXXXXXXXXXXXX

aip0108328APR13 23:34:26  
REF MCS 1482/12/30F15 NIL IMPACT ON AIRWORTHINESS OR AIRCRAFT OPERATIONS.  
THE DAMAGED AREA HAS BEEN INSPECTED, THE DAMAGE (CORRISON) TO THE AIRCRAFT STRUCTURE IS ASSESSED AS LOW RISK ACCEPTABLE.  
THERE IS NIL EVIDENCE OF ANY SECONDARY DAMAGE TO THE STRUCTURE OR MOUNTING BRACKETS EG CRACKING ON THE ADJOINING STRUCTURES.  
THE DAMAGE IS EXTERNAL TO THE STRUCTURE AND CAN BE EASILY INSPECTED AS PART OF THE FLIGHT SERVICINGS.  
TOTAL FAILURE OF THE STRUCTURE IS ASSESSED AS IMPROBABLE

Maint Acts: ADF ANTENNA REPAIR CARRIED OUT IAW APP7212.007-3. CH53-30-00. PAGE 201. REF: AIP MCS 1466/13/55

A1PXXU1305183	COMPLETED	07MAY13 07:10	7672.0	AFHR	SST	XXXXXXXXXXXXXXXXXXXX	
23APR13 23:32	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			07MAY13 07:10	
23APR13 23:32	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		A/C WASH 2B CO					XXXXXXXXXXXXXXXXXXXX

Maint Acts: A/C WASH C/O IAW 7212.007-2 REF 527450/1

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03276  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1305191	COMPLETED	24APR13 06:09	7672.0	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
24APR13 02:03	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
24APR13 02:03	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial 1647205				24APR13 06:09
		SET EMERG OXYGEN at WAC 0730				XXxxXXxxXXxxXXxxXXxx

Maint Acts: FRONT SEO REPLACED IAW AAP 7212.007-2. REF MCS 1102/12-67-6

REMOVALS/INSTALLATIONS FOR A1PXXU1305191

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1647205	A23T	A1WBE	00	2923798	A23T	A1WBE	00
	MBEU100618		24APR13 06:07	A1PXXJY810257	MBEU100618		24APR13 06:08	

A1PXXU1305277	COMPLETED	01MAY13 12:40	7672.0	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
29APR13 03:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			01MAY13 12:40
29APR13 03:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MTF REQD POST R2 SERV				XXxxXXxxXXxxXXxxXXxx

Maint Acts: MTF C/O. REF 511885#1.

A1PXXU1305278	COMPLETED	01MAY13 12:39	7672.0	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
29APR13 03:44	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			01MAY13 12:39
29APR13 03:44	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRTEST REQD POST REAR ESDP AND REAR VSI CX				XXxxXXxxXXxxXXxxXXxx

Maint Acts: MTF C/O. REF 511885#1.

A1PXXU1305444	COMPLETED	01MAY13 10:00	7672.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
01MAY13 09:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			01MAY13 10:00
01MAY13 09:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		GEN FAILURE AT F150 WITH PCL AT MAX.				XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03277  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: VOLTAGE REGULATOR REPLACED AND EGR C/O ASSESSED SERV IAW AAP  
7212.007-2,REF:511885-3-1-1

REMOVALS/INSTALLATIONS FOR A1PXXU1305444

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1302	A23T	A14	00	895	A23T	A14	00
	51538-002 A		01MAY13 09:56	A1PXXJ1305697	51538-002 A		01MAY13 09:58	

A1PXXU1305449 COMPLETED 07MAY13 03:35 7672.3 AFHR SST XXxxXXxxXXxxXXxxXXxx  
01MAY13 12:54 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 07MAY13 03:35  
01MAY13 12:56 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
AIRCRAFT REQUIRE MTF FOR ITEM 7 TO 25 OF MTF SCHEDULE.  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: MTF CARRIED OUT REF 511888-1

A1PXXU1305491 COMPLETED 02MAY13 13:07 7672.3 AFHR SST XXxxXXxxXXxxXXxxXXxx  
02MAY13 13:05 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 02MAY13 13:07  
02MAY13 13:05 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
STI-PC9-0561 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-0561 INC NIL BOLTS REMOVED REF: 511885/3-2-5

A1PXXU1305660 COMPLETED 05MAY13 23:53 7672.3 AFHR SST XXxxXXxxXXxxXXxxXXxx  
05MAY13 23:47 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 05MAY13 23:53  
05MAY13 23:48 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
L/H HUB RFA XXxxXXxxXXxxXXxxXXxx

Maint Acts: L/H HUB REFITTED IAW 7212-007-2 REF MCS 511886/3-1-5

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1305660

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	0380	A23T	A2KDM	01	0380	A23T	A2KDM	01
	3-1555		05MAY13 23:48	A1PXXJ1305861	3-1555		05MAY13 23:51	

A1PXXU1305669 COMPLETED 08MAY13 06:10 7672.3 AFHR SST  
 06MAY13 01:12 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 08MAY13 06:10  
 06MAY13 01:13 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 AIRCRAFT REQUIRES AIRTEST FOR L/H STRUT SEAL CHANGE  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: MTF CARRIED OUT REF 511888-1

A1PXXU1305708 COMPLETED 06MAY13 07:25 7672.3 AFHR SST  
 06MAY13 07:12 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 06MAY13 07:25  
 06MAY13 07:14 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 STARTER GEN FAIL DURING ENGINE START  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV.STARTER GEN FITTED IAW AAP7212.007-2. REF 511887/1 SHT 1 #1

REMOVALS/INSTALLATIONS FOR A1PXXU1305708

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	4520	A23T	A1SAI14	00	3762	A23T	A1SAI14	00
	23081-026		06MAY13 07:17	A1PXXJ1305902	23081-026		06MAY13 07:21	

A1PXXU1305356 COMPLETED 06MAY13 23:55 7672.3 AFHR SST  
 06MAY13 10:50 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 06MAY13 23:55  
 06MAY13 10:50 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 S40 due on Serial A23-033  
 PC-9 at WAC 0000  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERVICE C/O REF LSN AIP MCS 686/13

A1PXXU1305764 COMPLETED 08MAY13 06:11 7673.2 AFHR SST  
 07MAY13 03:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 08MAY13 06:11  
 07MAY13 03:40 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 AIRCRAFT REQUIRES MTF FOR AILERON TRIM ADJUST AND NW SHIMY  
 XXxxXXxxXXxxXXxxXXxx



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03279  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: MTF CARRIED OUT REF 511889-1

A1PXXU1305780	COMPLETED	08MAY13 02:44	7674.0	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
07MAY13 22:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			08MAY13 02:44
07MAY13 22:55	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STARTER/GENERATOR RFA.				XXxxXXxxXXxxXXxxXXxx

Maint Acts: STARTER GEN REFITTED IAW AAP 7212.007-2,REF:511889-3-2-#1

REMOVALS/INSTALLATIONS FOR A1PXXU1305780

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	3762	A23T	A1SAI14	00	3762	A23T	A1SAI14	00
	23081-026		07MAY13 22:55	A1PXXJ1306008	23081-026		08MAY13 02:42	

A1PXXU1305838	COMPLETED	13MAY13 03:08	7674.0	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
08MAY13 06:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			13MAY13 03:08
08MAY13 06:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRTEST REQUIRED FOR NW SHIMY				XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST C/O SERV,REF:511890-1

A1PXXU1305729	COMPLETED	13MAY13 23:10	7677.0	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
13MAY13 12:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			13MAY13 23:10
13MAY13 12:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				XXxxXXxxXXxxXXxxXXxx
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERVICE C/O IAW AAP 7212.007-6-4 REF MCS 738/13

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1306140	COMPLETED	16MAY13 08:35	7683.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
16MAY13 01:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			16MAY13 08:35
16MAY13 01:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIR TEST REQ FOR UNDER CARRIAGE OPS				XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST CARRIED OUT REF 511899-2

A1PXXU1305978	COMPLETED	20MAY13 23:22	7690.4	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
20MAY13 13:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			20MAY13 23:22
20MAY13 13:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				XXxxXXxxXXxxXXxxXXxx
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERV C/O IAW 7212.007-6-4 REF MCS 790/13

A1PXXU1306686	COMPLETED	11JUN13 09:44	7701.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
27MAY13 06:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			11JUN13 09:44
27MAY13 06:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		RH MLG STRUT AND RH HUB ASSY RFA				XXxxXXxxXXxxXXxxXXxx

Maint Acts: RH MLG STRUT AND HUB ASSY FITTED IAW 7212.007-2 REF 873/13

REMOVALS/INSTALLATIONS FOR A1PXXU1306686

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1006	A23T	A2KEC	00	1006	A23T	A2KEC	00
	532.10.09.076		27MAY13 06:28	A1PXXJ1306987	532.10.09.076		11JUN13 04:51	
002	0359	A23T	A2KEI	01	0359	A23T	A2KEI	01
	3-1555		27MAY13 06:29	A1PXXJ1306988	3-1555		11JUN13 09:43	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03281  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1306836	COMPLETED	12JUN13 00:02	7701.7	AFHR	MTF	XXxxXXxxXXxxXXxxXXxx
30MAY13 00:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
30MAY13 00:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
539664		MANDATORY AMD VALIDATION TO BE CARRIED OUT BY MCS PRIOR TO FLIGHT IAW AIRFLITE PROCEDURE 7.4.2				XXxxXXxxXXxxXXxxXXxx 12JUN13 00:02
	Maint Acts:	AMD VALIDATION & CMM2 CHKS C/O IAW AIRFLITE PROCEDURE 7.4.2. REFER EE500: 539664/3-2/4.				
A1PXXU1306352	COMPLETED	11JUN13 23:46	7701.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
10JUN13 11:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			11JUN13 23:46
10JUN13 11:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033 PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 SERVICE COMPLETED IAW 7212.007-6-4, REF: LSN AIP MCS 870/13				
A1PXXU1307297	COMPLETED	12JUN13 04:56	7701.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
11JUN13 13:03	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			12JUN13 04:56
11JUN13 13:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRCRAFT REQUIRES AIRTEST FOR: R/H MLG STRUT CHANGE				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	AIRTEST ASSESSED SERV REFER 539665				
A1PXXU1207694	COMPLETED	13JUN13 05:42	7705.5	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
13JUN13 05:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			13JUN13 05:42
13JUN13 05:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S56 due on Serial A23-033 PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S56 SERV C/O IAW AAP 7212.007-6-4 REF EE500: 539667/2				
A1PXXU1307523	COMPLETED	17JUN13 01:24	7708.1	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
17JUN13 01:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
17JUN13 01:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			17JUN13 01:24 XXxxXXxxXXxxXXxxXXxx
		REAR ESDP N2 HYD GUAGE NO NUMERALS				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03282  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: SERV ESDP REFITTED POST MODULE CHANGE REFER 53669-1

REMOVALS/INSTALLATIONS FOR A1PXXU1307523

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	7030030A	A23T	A1UHO	00	7030030A	A23T	A1UHO	00
	150.0001-2		17JUN13 01:10	A1PXXJ1307841	150.0001-2		17JUN13 01:19	

A1PXXU1307524 COMPLETED 17JUN13 02:38 7708.1 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
17JUN13 02:22 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
17JUN13 02:28 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
REAR G METER STICKING AND INDICATING INCORRECTLY  
17JUN13 02:38  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV G METER REAR FITTED REF 539669-2

REMOVALS/INSTALLATIONS FOR A1PXXU1307524

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	37980	A23T	A1UGU	01	GM5102LP9120008	A23T	A1UGU	01
	2094-19		17JUN13 02:28	A1PXXJ1307855	999.71.11.521		17JUN13 02:32	

A1PXXU1307525 COMPLETED 17JUN13 07:12 7708.1 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
17JUN13 02:44 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
17JUN13 02:45 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
AIR TEST REQD FOR REAR ESDP OPS  
17JUN13 07:12  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST CARRIED OUT REF: 539670-2

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03283  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN	
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME	
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR	
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME	
EE500PG EE500LN						INSPECTOR	
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME	
A1PXXU1307333	COMPLETED	17JUN13 22:28	7709.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx	
17JUN13 11:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			17JUN13 22:28	
17JUN13 11:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		S40 due on Serial A23-033					
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx	
	Maint Acts:	S40 SERV C/O IAW 7212.007-6-4 REF MCS 899/13					
A1PXXU1305162	COMPLETED	19JUN13 02:24	7713.4	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx	
18JUN13 22:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
18JUN13 22:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			19JUN13 02:24	
		S30 due on Serial A23-033				XXxxXXxxXXxxXXxxXXxx	
		PC-9 at WAC 0000					
	Maint Acts:	S30 CARRIED OUT. 539673-2-1-1.					
A1PXXU1307716	COMPLETED	19JUN13 06:37	7713.4	AFHR	SST	XXxxXXxxXXxxXXxxXXxx	
19JUN13 03:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			19JUN13 06:37	
19JUN13 03:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		AIRTEST REQUIRED FOR AHRS OPS POST COMPASS SWING					
						XXxxXXxxXXxxXXxxXXxx	
	Maint Acts:	AIRTEST C/O SERV, REF:539674#1					
A1PXXU1307907	COMPLETED	24JUN13 08:51	7721.0	AFHR	SST	XXxxXXxxXXxxXXxxXXxx	
24JUN13 08:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			24JUN13 08:51	
24JUN13 08:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
A1PXXO1305496		BATT NICAD CHANGED FROM HOT START					
539679 3						XXxxXXxxXXxxXXxxXXxx	
	Maint Acts:	BATT NICAD REPLACED WITH SERV ITEM. REFER EE500: 539679-3 -1/2.					

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03284  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1307907

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0044	A23T	A1UOA	00	0046	A23T	A1UOA	00
	33490409201		24JUN13 08:49	A1PXXJ1308307	33490409201		24JUN13 08:49	

A1PXXU1307556 COMPLETED 24JUN13 23:12 7722.3 AFHR SST  
24JUN13 12:41 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 24JUN13 23:12  
24JUN13 12:41 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: S40 SERV C/O IAW 7212.007-6-4. REF AIP MCS 1012/13

A1PXXU1308146 COMPLETED 28JUN13 06:17 7731.2 AFHR SST  
28JUN13 06:11 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 28JUN13 06:17  
28JUN13 06:12 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
REAR CPT COMMS 1 CONTROLLER "0" BUTTON INOP XXxxXXxxXXxxXXxxXXxx  
Maint Acts: REAR COMMS 1 CONTROLLER REPLACED IAW AAP 7212.007-2,REF:539689-1

REMOVALS/INSTALLATIONS FOR A1PXXU1308146

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	271	A23T	A1UHC	00	276	A23T	A1UHC	00
	631 367 409		28JUN13 06:14	A1PXXJ1308527	631 367 409		28JUN13 06:15	

A1PXXU1307923 COMPLETED 01JUL13 23:30 7736.2 AFHR SST  
01JUL13 09:14 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 01JUL13 23:30  
01JUL13 09:14 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: S 40 C/O IAW 7212-007-6-4 REF MCS 1050/13

A1PXXU1308478 COMPLETED 07JUL13 23:22 7744.0 AFHR SCM  
05JUL13 07:36 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
05JUL13 07:36 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
FDR RFA 07JUL13 23:22  
XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03285  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: FDR REFITTED IAW AAP7212.007-2. REF 539699/4-1,#4

REMOVALS/INSTALLATIONS FOR A1PXXU1308478

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	01496	A23T	A1UPM	00	01496	A23T	A1UPM	00
	S703-1000-01		05JUL13 07:36	A1PXXJ1308905	S703-1000-01		07JUL13 23:19	

A1PXXU1308489 COMPLETED 10JUL13 04:51 7744.0 AFHR SST XXxxXXxxXXxxXXxxXXxx  
08JUL13 00:02 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 10JUL13 04:51  
08JUL13 00:04 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
AIRCRAFT REQUIRES AIRTEST FOR CANOPY SQUEAL  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST ASSESSED SERV REFER 539951

A1PXXU1308216 COMPLETED 08JUL13 23:08 7744.0 AFHR SST XXxxXXxxXXxxXXxxXXxx  
08JUL13 13:38 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 08JUL13 23:08  
08JUL13 13:38 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O REF P/W AIP MCS 1079/13

A1PXXU1304162 COMPLETED 09JUL13 13:26 7744.0 AFHR SST XXxxXXxxXXxxXXxxXXxx  
09JUL13 13:19 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 09JUL13 13:26  
09JUL13 13:19 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S26 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S26 SERV CARRIED OUT REF AIPMCS1088/13

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03286  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1308831	COMPLETED	12JUL13 00:48	7747.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
12JUL13 00:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			12JUL13 00:48
12JUL13 00:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0565 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	LDGS 16373 REFER 539954#3				

A1PXXU1308884	COMPLETED	14JUL13 23:41	7750.1	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
14JUL13 23:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			14JUL13 23:41
14JUL13 23:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		LH TYRE WTL				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	SERV HUB ASSY MAIN FITTED IAW 7212.007-2 REF 539956-2				

REMOVALS/INSTALLATIONS FOR A1PXXU1308884

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0380	A23T	A2KDM	01	0363	A23T	A2KDM	01
	3-1555		14JUL13 23:37	A1PXXJ1309202	3-1555		14JUL13 23:39	

A1PXXU1308566	COMPLETED	15JUL13 23:37	7751.5	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
15JUL13 11:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			15JUL13 23:37
15JUL13 11:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 SERV C/O IAW 7212.007-6-4 REF MCS 1134/13				

A1PXXU1308908	COMPLETED	15JUL13 12:31	7751.5	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
15JUL13 12:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			15JUL13 12:31
15JUL13 12:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		CP OFF CAPTION ON EHSI, UNABLE TO CONTROL HDG AND CDI				XXxxXXxxXXxxXXxxXXxx



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03287  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES -----  
SERV NUMBER STATUS STATUS DATE/TIME TOTAL LIFE INT TYPE CERTIFICATION TRADESMAN  
RAISED DATE/TIME RAISED USER ID RAISED NAME RAISED VENUE CAPABILITY CODE EPSS DATE/TIME  
ENTERED DATE/TIME ENTERED USER ID ENTERED NAME ENTERED VENUE IMIC NO SUPERVISOR  
OPERATION NO ASOR NO SYMPTOMS DATE/TIME  
EE500PG EE500LN INSPECTOR  
STA WL BL ADMIN MAINT ACTION/LIMITATIONS DATE/TIME  
=====

Maint Acts: PANEL CONTROL EFIS REPLACED FOR FAULT FINDING / SYSTEM DIAGNOSIS IAW  
7212.007-2, REF: 539958#1

REMOVALS/INSTALLATIONS FOR A1PXXU1308908

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	4743	A23T	A1UIC	00	4053	A23T	A1UIC	00
	071-01334-0002		15JUL13 12:25	A1PXXJ1309243	071-01334-0003		15JUL13 12:29	

A1PXXU1308909 COMPLETED 17JUL13 22:23 7751.5 AFHR SST  
15JUL13 12:35 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 17JUL13 22:23  
15JUL13 12:36 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
AIRTEST REQUIRED FOR ASOR CLEARANCE AND EFIS SYSTEM CHECKS  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST CO UNSERV REF 539960-3

A1PXXU1309019 COMPLETED 17JUL13 05:13 7751.5 AFHR SCM  
17JUL13 05:06 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
17JUL13 05:08 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
CP CAPTION ON WITH CORRESPONDING INDICATIONS  
17JUL13 05:13  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV FRONT EFIS PANEL FITTED REF 539959-4

REMOVALS/INSTALLATIONS FOR A1PXXU1309019

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	4151	A23T	A1UDW	00	4743	A23T	A1UDW	00
	3614279-1003		17JUL13 05:08	A1PXXJ1309403	071-01334-0002		17JUL13 05:10	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03288  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1309053	COMPLETED	21JUL13 22:37	7752.7	AFHR	SCM	XXXXXXXXXXXXXXXXXXXX
17JUL13 22:23	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			
17JUL13 22:24	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		AIRTEST REQD FOR EFIS OPS				21JUL13 22:37
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: AIRTEST CARRIED OUT REFER 539961#1

A1PXXU1309146	COMPLETED	19JUL13 07:48	7753.8	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
18JUL13 12:52	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			19JUL13 07:48
18JUL13 12:53	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		ELEVATOR TRIM NIL OPS ONE WAY				
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: ELEVATOR TRIM REPLACED REF 539962-4-1-3

REMOVALS/INSTALLATIONS FOR A1PXXU1309146

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	611	A23T	A2IBC01	00	2228	A23T	A2IBC01	00
	2196T100-3		18JUL13 12:53	A1PXXJ1309627	EM4069-3		19JUL13 07:47	

A1PXXU1309176	COMPLETED	19JUL13 07:46	7753.8	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
18JUL13 23:53	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			19JUL13 07:46
18JUL13 23:56	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		ELEVATOR REQ'S BALANCE				
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: ELEVATOR BALANCED REF 539962-4-1-2

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03289  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1309176

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 042	A23T	A2IBC	00	042	A23T	A2IBC	00	
555.20.09.257	18JUL13 23:56	A1PXXJ1309665	555.20.09.257	19JUL13 07:45				

A1PXXU1309197 COMPLETED 22JUL13 04:55 7753.8 AFHR SST XXxxXXxxXXxxXXxxXXxx  
19JUL13 07:49 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 22JUL13 04:55  
19JUL13 07:49 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
AIRCRAFT REQUIRES MTF FOR ELEVATOR + ELEVATOR TRIM CX  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST CARRIED OUT REFER 539963#1

A1PXXU1308921 COMPLETED 22JUL13 22:18 7756.2 AFHR SST XXxxXXxxXXxxXXxxXXxx  
22JUL13 11:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 22JUL13 22:18  
22JUL13 11:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERV C/O IAW 7212.007-6-4 REF AIP MCS 1170/13

A1PXXU1309304 COMPLETED 23JUL13 12:39 7759.1 AFHR SST XXxxXXxxXXxxXXxxXXxx  
23JUL13 10:59 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 23JUL13 12:39  
23JUL13 10:59 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
BS due on Serial MB10068-SET21  
PARACHUTE ASSY at WAC 0730 XXxxXXxxXXxxXXxxXXxx

Maint Acts: PARA ASSY REPLACED IAW 7291.042-2MB, REF:539966#2

REMOVALS/INSTALLATIONS FOR A1PXXU1309304

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 MB10068-SET21	A23T	A1WBA	00	MB9949-SET29	A23T	A1WBA	00	
MBEU100664	23JUL13 11:01	A1PXXJ1211448	MBEU100664	23JUL13 12:38				

A1PXXU1309305 COMPLETED 23JUL13 12:42 7759.1 AFHR SST XXxxXXxxXXxxXXxxXXxx  
23JUL13 10:59 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 23JUL13 12:42  
23JUL13 10:59 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
BS due on Serial MB9701-SET21  
PARACHUTE ASSY at WAC 0740 XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03290  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: PARA ASSY REPLACED IAW 7291.042-2MB, REF: 539966#2

REMOVALS/INSTALLATIONS FOR A1PXXU1309305

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	MB9701-SET21	A23T	A26BA	00	MB10268-SET29	A23T	A26BA	00
	MBEU12043PA		23JUL13 11:03	A1PXXJ1211488	MBEU12043PA		23JUL13 12:41	

A1PXXU1309306 COMPLETED 23JUL13 12:44 7759.1 AFHR SST  
23JUL13 10:59 XXXX  
23JUL13 10:59 XXXX  
BS due on Serial DD0040-SET21  
SURVIVAL PACK ASSY at WAC 0730

Maint Acts: PSP ASSY REPLACED IAW 7212.007-2, REF: 539966#3

REMOVALS/INSTALLATIONS FOR A1PXXU1309306

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	DD0040-SET21	A23T	A1WBG	00	DF0206-SET29	A23T	A1WBG	00
	STANDARDPACK-1		23JUL13 11:03	A1PXXJ1211547	STANDARDPACK-1		23JUL13 12:43	

A1PXXU1309307 COMPLETED 23JUL13 12:46 7759.1 AFHR SST  
23JUL13 10:59 XXXX  
23JUL13 10:59 XXXX  
BS due on Serial DE2474-SET21  
SURVIVAL PACK ASSY at WAC 0740

Maint Acts: PSP ASSY REPLACED IAW 7212.007-2, REF: 539966#3

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1309307

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	DE2474-SET21	A23T	A26BG	00	DG0045-SET29	A23T	A26BG	00
	STANDARDPACK-1		23JUL13 11:04	A1PXXJ1211532	STANDARDPACK-1		23JUL13 12:45	

A1PXXU1309535 COMPLETED 29JUL13 11:25 7766.2 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
 29JUL13 11:16 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 29JUL13 11:18 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 DURING OPERATION CP CAPTION APPEARS OCASSIONALLY  
 29JUL13 11:25 XXxxXXxxXXxxXXxxXXxx  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV PANEL SELECT EFIS FITTED REF 539971-1

REMOVALS/INSTALLATIONS FOR A1PXXU1309535

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1029	A23T	A1UDY	00	1061	A23T	A1UDY	00
	975.96.32.339		29JUL13 11:19	A1PXXJ1310296	071-01446-0004		29JUL13 11:20	

A1PXXU1309256 COMPLETED 29JUL13 22:17 7766.2 AFHR SST XXxxXXxxXXxxXXxxXXxx  
 29JUL13 11:57 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 29JUL13 22:17  
 29JUL13 11:57 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 S40 due on Serial A23-033  
 PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S 40 C/O IAW 7212-007-6-4 REF MCS 1209/13

A1PXXU1309571 COMPLETED 30JUL13 03:40 7766.2 AFHR SST XXxxXXxxXXxxXXxxXXxx  
 30JUL13 03:34 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 30JUL13 03:40  
 30JUL13 03:35 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 CP CAPTION ON LATE FINALS XXxxXXxxXXxxXXxxXXxx

Maint Acts: REAR EFIS SELECTOR PANEL REPLACED IAW AAP 7212.007-2,REF:539972-1

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03292  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1309571

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 3345	A23T	A1UIE	00	3634	A23T	A1UIE	00	
8095635-1005	30JUL13 03:36	A1PXXJ1310331	8095635-1005	30JUL13 03:38				

A1PXXU1309586 COMPLETED 30JUL13 13:52 7769.2 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
30JUL13 13:48 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
30JUL13 13:49 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
SYMBOL GENERATOR REMOVED FOR FAULT FINDING PURPOSES  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV SYMBOL GENERATOR FITTED IAW AAP 7212.007-2 REF 539973-1

REMOVALS/INSTALLATIONS FOR A1PXXU1309586

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 3464	A23T	A1UOS	00	1150	A23T	A1UOS	00	
3614335-1004	30JUL13 13:50	A1PXXJ1310342	3614335-1004	30JUL13 13:51				

A1PXXU1309587 COMPLETED 01AUG13 03:10 7769.2 AFHR SST XXxxXXxxXXxxXXxxXXxx  
30JUL13 13:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 01AUG13 03:10  
30JUL13 13:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
AIRCRAFT REQUIRES AIRTEST FOR EFIS OPS  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST C/O SERV, REF: 539974-1

A1PXXU1309540 COMPLETED 04AUG13 22:16 7774.5 AFHR SST XXxxXXxxXXxxXXxxXXxx  
02AUG13 06:08 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 04AUG13 22:16  
02AUG13 06:08 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 /CO REF P/W AIP MCS 1258/13

A1PXXU1309857 COMPLETED 05AUG13 09:27 7776.9 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
05AUG13 08:58 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
05AUG13 08:58 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
BS due on Serial 8826614  
SET EMERG OXYGEN at WAC 0740  
XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03293  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: SERV SEO FITTED REF 539979-1

REMOVALS/INSTALLATIONS FOR A1PXXU1309857

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	8826614	A23T	A26BE	00	2746587	A23T	A26BE	00
	MBEU100618		05AUG13 09:00	A1PXXJ1209363	MBEU100618		05AUG13 09:18	

A1PXXU1310072 COMPLETED 08AUG13 11:51 7784.8 AFHR SST  
08AUG13 11:24 XXXXX  
08AUG13 11:26 XXXXX  
RH MLG WHEEL BRAKE WTL  
XXXXXXXXXXXXXXXXXXXX  
08AUG13 11:51  
XXXXXXXXXXXXXXXXXXXX  
XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERVICEABLE BRAKE ASSEMBLY FITTED IAW AAP 7212.007-2 REF MCS  
539985-1

REMOVALS/INSTALLATIONS FOR A1PXXU1310072

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0062	A23T	A2KEE	00	0219A	A23T	A2KEE	00
	2-1524-1		08AUG13 11:29	A1PXXJ1310863	2-1524-1		08AUG13 11:30	

A1PXXU1310073 COMPLETED 09AUG13 03:51 7784.8 AFHR SST  
08AUG13 11:46 XXXXX  
08AUG13 11:47 XXXXX  
AIR TEST REQUIRED FOR BRAKE OPS  
XXXXXXXXXXXXXXXXXXXX  
09AUG13 03:51  
XXXXXXXXXXXXXXXXXXXX  
XXXXXXXXXXXXXXXXXXXX

Maint Acts: AIRTEST ASSESSED SERV REFER 539986

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1309780	COMPLETED	11AUG13 23:08	7787.6	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
09AUG13 07:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			Y
09AUG13 07:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				11AUG13 23:08
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 C/O VIA EPSS REF 539987#2				

A1PXXU1310146	COMPLETED	05SEP13 02:47	7787.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
11AUG13 22:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			05SEP13 02:47
11AUG13 22:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		L/H AILERON GROUND ADJUSTABLE TAB DENTED				XXxxXXxxXXxxXXxxXXxx

aip0172211AUG13 23:01:38  
 EE 500 539987#1 THE GROUND ADJUSTABLE TAB HAS A SMALL SMOOTH DENT IN THE TRAILING EDGE. THERE IS NO EVIDENCE OF ANY CRACKING AND THERE IS NO DAMAGE TO SECONDARY STRUCTURE. THE TRIM TAB IS INSPECTED ON FLIGHT SERVICINGS FOR ANY FURTHER DAMAGE. THERE IS NO IMPACT ON AIRCRAFT OPERATIONS.

Maint Acts: L/H AILERON GROUND ADJUSTABLE TAB REPLACED AND AILERON INSTALLED IAW 7212-007-2 REF AIP MCS 1296/13-9-3

REMOVALS/INSTALLATIONS FOR A1PXXU1310146

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	343	A23T	A2KCA	00	343	A23T	A2KCA	00
	557.51.09.001		05SEP13 00:35	A1PXXJ1311969	557.51.09.001		05SEP13 02:45	

A1PXXU1310147	COMPLETED	18AUG13 23:01	7803.7	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
18AUG13 22:48	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			Y
18AUG13 22:48	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				18AUG13 23:01
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O IAW 7212.007-6-4 REF EE500 539998-1



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03295  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1310402	COMPLETED	26AUG13 00:51	7806.9	AFHR	MM	XXXXXXXXXXXXXXXXXXXX
23AUG13 08:05	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			Y
23AUG13 08:05	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S40 due on Serial A23-033				26AUG13 00:51
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	S40 SERV C/O REF 522852/1				
A1PXXU1310731	COMPLETED	01SEP13 23:57	7816.6	AFHR	MM	XXXXXXXXXXXXXXXXXXXX
30AUG13 06:33	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			Y
30AUG13 06:33	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S40 due on Serial A23-033				01SEP13 23:57
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	S40 SERVICE C/O IAW 7212.007-6-4 REF EPSS AND SNOW 522860-1				
A1PXXU1311149	COMPLETED	03SEP13 03:23	7820.8	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
03SEP13 03:18	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			03SEP13 03:23
03SEP13 03:19	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		TACAN U/S NO DISTANCE DISPLAYED WITH ILS EITHER (REAR CONTROL HEAD FOUND INOP)				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	TACAN T/R KTU709 REPLACED IAW 7212.007-2, REF: 522863#2				

REMOVALS/INSTALLATIONS FOR A1PXXU1311149

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	2047	A23T	A1ULS	00	2470	A23T	A1ULS	00
	066-1074-01		03SEP13 03:20	A1PXXJ1311834	066-1074-01		03SEP13 03:21	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1205008	COMPLETED	10SEP13 00:09	7822.0	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
03SEP13 23:19	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			10SEP13 00:09
03SEP13 23:20	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		R1	due on Serial A23-033			
		PC-9	at WAC 0000			XXXXXXXXXXXXXXXXXXXX

Maint Acts: R1 CO IAW 7212.007-6-2-1 REF 522864-1-2-1

REMOVALS/INSTALLATIONS FOR A1PXXU1205008

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PC1300210	A23T	A1SAK34	00	PC1300210	A23T	A1SAK34	00
	3059257-01		04SEP13 01:05	A1PXXJ1311897	3059257-01		04SEP13 01:08	
002	HLY300804	A23T	A06	00	HLY300804	A23T	A06	00
	571.10.09.044		04SEP13 01:19	A1PXXJ1311900	571.10.09.044		09SEP13 06:00	
003	PC1300207	A23T	A1SAK48	01	PC1300649	A23T	A1SAK48	01
	3059788-01		04SEP13 04:56	A1PXXJ1311927	3059788-01		04SEP13 05:05	

A1PXXU1207350	COMPLETED	05SEP13 03:02	7822.0	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
03SEP13 23:19	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			05SEP13 03:02
03SEP13 23:19	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S67	due on Serial A23-033			
		PC-9	at WAC 0000			XXXXXXXXXXXXXXXXXXXX

Maint Acts: S67 WING BOLT RE TORQUE C/O IAW 7212-007-6-4 REF MCS 1299/13

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03297  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1303454	COMPLETED	04SEP13 01:11	7822.0	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
03SEP13 23:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			04SEP13 01:11
03SEP13 23:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S63 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S63 C/O IAW 7212-007-6-4				
A1PXXU1305161	COMPLETED	04SEP13 23:30	7822.0	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
03SEP13 23:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			04SEP13 23:30
03SEP13 23:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S20 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S20 C/O IAW 7212-007-6-4				
A1PXXU1311183	COMPLETED	03SEP13 23:19	7822.0	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
03SEP13 23:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			04SEP13 06:14
03SEP13 23:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0521 due on Serial 2228				
		ACT ELEVATOR TRIM at WAC 1300				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	TRANSFERRED TO 042				
A1PXXU1311184	COMPLETED	09SEP13 06:12	7822.0	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
03SEP13 23:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			09SEP13 06:12
03SEP13 23:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-422A due on Serial 027				
		WING ASSY at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	STI-422 CO REF MCS 1296/13-7-6				
A1PXXU1304160	COMPLETED	04SEP13 05:03	7822.0	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
03SEP13 23:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
03SEP13 23:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S16 due on Serial A23-033				04SEP13 05:03
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S16 SERVICING CARRIED OUT IAW AAP 7212.007-6-4. REF MCS 1296/13-8-1				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1308601	COMPLETED	04SEP13 05:04	7822.0	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
03SEP13 23:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
03SEP13 23:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S26 due on Serial A23-033				04SEP13 05:04
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S26 SERVICING CARRIED OUT IAW AAP 7212.007-6-4. REF MCS 1298/13

A1PXXU1311059	COMPLETED	05SEP13 12:53	7822.0	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
03SEP13 23:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			Y
03SEP13 23:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				05SEP13 12:53
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O VIA EPSS REF AIP MCS 1296/13-6#5

A1PXXU1311185	COMPLETED	04SEP13 12:47	7822.0	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
03SEP13 23:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			04SEP13 12:47
03SEP13 23:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MS4 due on Serial 103155				
		ENGINE CHANGE UNIT at WAC 0100				XXxxXXxxXXxxXXxxXXxx

Maint Acts: MS4 C/O SERV IAW AAP7212.022-2 REF AIP MCS 1296/13

A1PXXU1311186	COMPLETED	04SEP13 12:44	7822.0	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
03SEP13 23:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			04SEP13 12:44
03SEP13 23:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial 0691				
		HPFP HILIFE GEARSET at WAC 0130				XXxxXXxxXXxxXXxxXXxx

Maint Acts: BS C/O IAW AAP7212.022-2 REF AIP MCS 1296/13 SHT 8 US#4

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1311186

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	B19160 3244831-9-8-5	A23T	A1SAI02 04SEP13 12:40	00 A1PXXJ1311944	B19160 3244831-9-8-5	A23T	A1SAI02 04SEP13 12:44	00
002	0691 3031806	A23T	A1SAI10 04SEP13 12:41	01 A1PXXJ1211118	0691 3031806	A23T	A1SAI10 04SEP13 12:43	01

A1PXXU1311187 COMPLETED 04SEP13 22:58 7822.0 AFHR SST  
 03SEP13 23:31 XXXXX  
 03SEP13 23:31 XXXXX  
 TA due on Serial L727734  
 NUT HORIZ STAB LH at WAC 1150

Maint Acts: LH H/STAB NUT INSTALLED IAW 7212-007-2 AIP MCS 1296/13-10-1

REMOVALS/INSTALLATIONS FOR A1PXXU1311187

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	L727734 MS21046C5E	A23T	A2IAQ 04SEP13 22:53	00 A1PXXJ300148X	PC1300625 938.07.68.206	A23T	A2IAQ 04SEP13 22:55	00

A1PXXU1311188 COMPLETED 04SEP13 23:09 7822.0 AFHR SST  
 03SEP13 23:31 XXXXX  
 03SEP13 23:31 XXXXX  
 TA due on Serial L727735  
 BOLT HORIZ STAB RH at WAC 1150

Maint Acts: RH H/STAB BOLT INSTALLED IAW 7212-007-2 AIP MCS 1296/13-10-1

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03300  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1311188

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	L727735	A23T	A2IAO	00	PC1300624	A23T	A2IAO	00
	AN175C12A		04SEP13 23:03	AIPXXJ300188X	932.19.60.811		04SEP13 23:05	

A1PXXU1311189 COMPLETED 04SEP13 23:15 7822.0 AFHR SST XXxxXXxxXXxxXXxxXXxx  
03SEP13 23:31 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 04SEP13 23:15  
03SEP13 23:31 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
TA due on Serial L727734  
BOLT HORIZ STAB LH at WAC 1150 XXxxXXxxXXxxXXxxXXxx

Maint Acts: LH H/STAB BOLT INSTALLED IAW 7212-007-2 REF AIP MCS 1296/13-10-1

REMOVALS/INSTALLATIONS FOR A1PXXU1311189

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	L727734	A23T	A2IAM	00	PC1300622	A23T	A2IAM	00
	AN175C12A		04SEP13 23:10	AIPXXJ300250X	932.19.60.811		04SEP13 23:10	

A1PXXU1311190 COMPLETED 04SEP13 23:27 7822.0 AFHR SST XXxxXXxxXXxxXXxxXXxx  
03SEP13 23:31 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 04SEP13 23:27  
03SEP13 23:31 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
TA due on Serial L727735  
NUT HORIZ STAB RH at WAC 1150 XXxxXXxxXXxxXXxxXXxx

Maint Acts: RH H/STAB NUT INSTALLED IAW 7212-007-2 REF AIP MCS 1296/13-10-1

REMOVALS/INSTALLATIONS FOR A1PXXU1311190

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	L727735	A23T	A2IAS	00	PC1300623	A23T	A2IAS	00
	MS21046C5E		04SEP13 23:22	AIPXXJ300294X	938.07.68.206		04SEP13 23:24	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1311191	COMPLETED	09SEP13 23:14	7822.0	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
03SEP13 23:31	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			09SEP13 23:14
03SEP13 23:31	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		OH due on Serial 2746587				
		SET EMERG OXYGEN at WAC 0740				XXXXXXXXXXXXXXXXXXXX

Maint Acts: REAR SEO REPLACED IAW 7212.007-2 REF MCS 1296/13-9-2

REMOVALS/INSTALLATIONS FOR A1PXXU1311191

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	2746587	A23T	A26BE	00	1647225	A23T	A26BE	00
	MBEU100618		09SEP13 22:40	NONC2JY901496	MBEU100618		09SEP13 22:40	

A1PXXU1311192	COMPLETED	04SEP13 03:21	7822.0	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
03SEP13 23:31	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			04SEP13 03:21
03SEP13 23:31	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BS due on Serial 3909				
		GAUGE OXYGEN SYSTEM at WAC 0640				XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV GAUGE OXY PRESSURE FITTED IAW 7212-007-2

REMOVALS/INSTALLATIONS FOR A1PXXU1311192

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	3909	A23T	A1UMY	00	M2258	A23T	A1UMY	00
	AN6011-2		04SEP13 03:19	A1PXXJY815222	AN6011-2		04SEP13 03:20	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03302  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES -----

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1311194	COMPLETED	04SEP13 03:16	7822.0	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
03SEP13 23:55	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			04SEP13 03:16
03SEP13 23:55	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BS due on Serial 345				
		REG PRESS REDUCING at WAC 0640				XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV REG PRESSURE REDUCING FITTED IAW 7212-007-2 REF LSN MCS 1296/13-8-6

REMOVALS/INSTALLATIONS FOR A1PXXU1311194

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	345	A23T	A1UNC	02	979	A23T	A1UNC	02
	F103D000-15		04SEP13 03:14	A1PXXJ1100248	F103D000-15		04SEP13 03:14	

A1PXXU1311199	COMPLETED	05SEP13 01:28	7822.0	AFHR	SCM	XXXXXXXXXXXXXXXXXXXX
04SEP13 01:05	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			
04SEP13 01:06	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		FDR REMOVED FOR ACCESS				05SEP13 01:28
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: FDR REFITTED IAW AAP 7212.007-2. REF MCS 1299/13 WC 7 LN 1

REMOVALS/INSTALLATIONS FOR A1PXXU1311199

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	01496	A23T	A1UPM	00	01496	A23T	A1UPM	00
	S703-1000-01		04SEP13 01:06	A1PXXJ1311898	S703-1000-01		05SEP13 01:25	



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1311200	COMPLETED	05SEP13 01:24	7822.0	AFHR	SCM	XXXXXXXXXXXXXXXXXXXX
04SEP13 01:07	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			
04SEP13 01:08	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX01:24
		STARTER GENERATOR REMOVED FOR ACCESS				XXXXXXXXXX

Maint Acts: STARTER GENERATOR REFITTED IAW AAP 7212.007-2. REF MCS 1296/13-10-2

REMOVALS/INSTALLATIONS FOR A1PXXU1311200

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	3762	A23T	A1SAI14	00	3762	A23T	A1SAI14	00
	23081-026		04SEP13 01:08	A1PXXJ1311899	23081-026		05SEP13 01:23	

A1PXXU1311488	COMPLETED	11SEP13 01:48	7822.0	AFHR	MM	XXXXXXXXXXXXXXXXXXXX
04SEP13 01:46	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			
11SEP13 01:48	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX01:48
522864	1	MANDATORY AMD VALIDATION & CAMM2 CHECKS TBCO BY MCS PRIOR TO FLIGHT				XXXXXXXXXX
		IAW AIRFLITE PROCEDURE 7.4.2				

Maint Acts: MANDATORY AMD VALIDATION & CAMM2 CHECKS C/O IAW AIRFLITE PROCEDURE 7.4.2 - REFER EE500: 522864/1 -2/2.

A1PXXU1311214	COMPLETED	09SEP13 06:16	7822.0	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
04SEP13 06:02	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			09SEP13 06:16
04SEP13 06:02	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX
		NDT due on Serial 530LH				
		L HSTAB ELEV OB HNG at WAC 1150				XXXXXXXXXX

Maint Acts: NDT CO REF MCS 1296/13-11-1

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03304  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1311215	COMPLETED	09SEP13 06:16	7822.0	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
04SEP13 06:02	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			09SEP13 06:16
04SEP13 06:02	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		NDT due on Serial 530RH				
		R HSTAB ELEV OB HNG at WAC 1200				XXXXXXXXXXXXXXXXXXXX

Maint Acts: NDT CO REF MCS 1296/13-11-1

A1PXXU1311218	COMPLETED	09SEP13 22:27	7822.0	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
04SEP13 06:09	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			09SEP13 22:27
04SEP13 06:12	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		ELEVATOR RFA WITH ATTACHMENT BRACKET (RAAF SUP 99)				

Maint Acts: ELEVATOR INSTALLED POST RAAF SUP 99 C/O. INSTALLED IAW 7212-007-2 RE AIP MCS 1296/13-10-6

REMOVALS/INSTALLATIONS FOR A1PXXU1311218

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	042	A23T	A2IBC	00	042	A23T	A2IBC	00
	555.20.09.257		04SEP13 06:13	A1PXXJ1311933	555.20.09.257		09SEP13 22:22	

A1PXXU1311401	COMPLETED	10SEP13 08:56	7822.0	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
09SEP13 06:01	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			10SEP13 08:56
09SEP13 06:01	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		ENG COWL 2 RFA				

Maint Acts: ENG COWL 2 RE-FITTED IAW AAP 7212.007-2 REF AIP MCS 1296/13 13/1

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03305  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1311401

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	HLY300804	A23T	A06	00	HLY300804	A23T	A06	00
	571.10.09.044		09SEP13 06:01	A1PXXJ1312094	571.10.09.044		10SEP13 08:55	

A1PXXU1311446 COMPLETED 10SEP13 06:04 7822.0 AFHR SST  
10SEP13 03:46 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 10SEP13 06:04  
10SEP13 03:48 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
LH BRAKE FOUND WITH HYDRAULIC LEAK FROM LOWER PISTON.  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: LH BRAKE REPLACED WITH SERV ITEM IAW AAP 7212,007-2, REFER AIP MCS  
1296/13-14-03

REMOVALS/INSTALLATIONS FOR A1PXXU1311446

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	0017	A23T	A2KDI	00	0179	A23T	A2KDI	00
	2-1524-1		10SEP13 03:49	A1PXXJ1312143	2-1524-1		10SEP13 06:01	
002	0363	A23T	A2KDM	01	0363	A23T	A2KDM	01
	3-1555		10SEP13 05:41	A1PXXJ1312157	3-1555		10SEP13 06:01	

A1PXXU1311471 COMPLETED 20SEP13 05:50 7822.0 AFHR SST  
10SEP13 11:44 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 20SEP13 05:50  
10SEP13 11:49 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
OIL PATCH CHECK TO BE CARRIED OUT IN 10 AFHRS POST NON-ALLOWABLE CAT  
2 DEBRIS XXxxXXxxXXxxXXxxXXxx

Maint Acts: OIL PATCH CHECK C/O REF 522871-1-1-2

A1PXXU1311472 COMPLETED 30SEP13 23:31 7822.0 AFHR SST  
10SEP13 11:50 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 30SEP13 23:31  
10SEP13 11:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
OIL PATCH CHECK TO BE CARRIED OUT AT 50 AFHRS POST NON ALLOWABLE CAT  
2 DEBRIS XXxxXXxxXXxxXXxxXXxx

Maint Acts: OIL PATCH CX CARRIED OUT SERV REF FILTER PATCH ANALYSIS RESULT DATED  
(Continued on next page.)

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

(Continued from previous page.)  
 30 SEP 2013

A1PXXU1311473	COMPLETED	16SEP13 04:48	7822.0	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
10SEP13 12:02	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			16SEP13 04:48
10SEP13 12:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRCRAFT REQUIRES MTF FOR: R1, AILERON & ELEVATOR R&I, HP/FCU R&I, BRAKE OPS				XXxxXXxxXXxxXXxxXXxx

Maint Acts: MTF CARRIED OUT REF 522866-1

A1PXXU1311469	COMPLETED	16SEP13 01:40	7822.0	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
16SEP13 01:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		Y	XXxxXXxxXXxxXXxxXXxx
16SEP13 01:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033 PC-9 at WAC 0000				16SEP13 01:40
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O VIA EPSS REF 522864#4

A1PXXU1311686	COMPLETED	18SEP13 07:47	7823.0	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
16SEP13 10:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			18SEP13 07:47
16SEP13 10:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRTEST REQUIRED FOR PROP RPM ADJUSTMENT				XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST CARRIED OUT REF 522867-1

A1PXXU1311724	COMPLETED	17SEP13 11:33	7823.0	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
17SEP13 11:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			17SEP13 11:33
17SEP13 11:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial 0046 BATTERY NICAD at WAC 0660				XXxxXXxxXXxxXXxxXXxx

Maint Acts: BATTERY NICAD REPLACED IAW 7212.007-2, REF: 522866/4-2#2

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03307  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1311724

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 0046	A23T	A1UOA	00	1702	A23T	A1UOA	00	
33490409201	17SEP13 11:29	A1PXXJ1302762	33490409201	17SEP13 11:30				

A1PXXU1311677 COMPLETED 19SEP13 23:46 7828.1 AFHR MM  
19SEP13 08:42 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP Y  
19SEP13 08:42 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O VIA EPSS REF 522870#1

A1PXXU1311830 COMPLETED 26SEP13 23:19 7835.6 AFHR MM  
26SEP13 10:48 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP Y  
26SEP13 10:48 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O REF P/W 522876-3

A1PXXU1312174 COMPLETED 03OCT13 23:20 7838.3 AFHR MM  
03OCT13 10:51 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP Y  
03OCT13 10:51 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERV C/O REF EE 500 522879-1

A1PXXU1312502 COMPLETED 14OCT13 10:59 7838.3 AFHR SCM  
06OCT13 22:22 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
06OCT13 22:25 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
CPI POSSIBLY SELF TRIGGERED DURING STANDDOWN.  
XXxxXXxxXXxxXXxxXXxx  
14OCT13 10:59  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: CPI REPLACED IAW AAP 7212.007-2,REF:522878-3-1-1

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03308  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1312502

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	0364001	A23T	A1UOY	00	0529001	A23T	A1UOY	00
	453-0406-503		06OCT13 22:26	A1PXXJ1313279	453-0406		14OCT13 10:55	

A1PXXU1312408 COMPLETED 11OCT13 00:22 7838.3 AFHR MM  
10OCT13 11:13 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP Y  
10OCT13 11:13 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O VIA EPSS REF 522879-3-1#3

A1PXXU1312805 COMPLETED 14OCT13 23:21 7838.3 AFHR MM  
14OCT13 11:37 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP Y  
14OCT13 11:37 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O VIA EPSS REF 522878/3-1#4

A1PXXU1313000 COMPLETED 17OCT13 01:10 7844.7 AFHR SCM  
17OCT13 01:07 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
17OCT13 01:07 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
SYMBOL GENERATOR TO BE REPLACED FOR FAULT FINDING PURPOSES  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV SYMBOL GENERATOR FITTED IAW AAP 7212.007-2 REF 522885-3#1-5

REMOVALS/INSTALLATIONS FOR A1PXXU1313000

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	1150	A23T	A1UOS	00	3186	A23T	A1UOS	00
	3614335-1004		17OCT13 01:07	A1PXXJ1314243	066-04015-0003		17OCT13 01:09	

A1PXXU1313012 COMPLETED 17OCT13 06:17 7844.7 AFHR SCM  
17OCT13 01:57 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
17OCT13 01:57 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
AIRCRAFT REQUIRES AIRTEST FOR EFIS OPS  
XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: AIRTEST C/O SERV,REF:522886-1

A1PXXU1312881	COMPLETED	21OCT13 23:59	7853.9	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
21OCT13 09:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			Y
21OCT13 09:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				21OCT13 23:59
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O REF EE500 - 522890-2

A1PXXU1313195	COMPLETED	28OCT13 23:36	7862.0	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
28OCT13 09:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			Y
28OCT13 09:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				28OCT13 23:36
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O REF 522896-1

A1PXXU1313521	COMPLETED	30OCT13 03:14	7864.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
29OCT13 22:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			30OCT13 03:14
29OCT13 22:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FT due on Serial 4568				
		TRANSCEIVER KXP 756 at WAC 0730				XXxxXXxxXXxxXXxxXXxx

Maint Acts: TRANSPONDER FUNCTIONAL TEST C/O SERV IAW AAP 7212.007-2,REF:522898-2

A1PXXU1313722	COMPLETED	04NOV13 00:12	7867.2	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
04NOV13 00:04	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			04NOV13 00:12
04NOV13 00:04	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial 2138237F				
		CONSTANT SPEED UNIT at WAC 0120				XXxxXXxxXXxxXXxxXXxx

Maint Acts: CONSTANT SPEED UNIT FITTED REF 522900/2-1-6

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03310  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1313722

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	2138237F	A23T	A1SAM22AC	00	2003535F	A23T	A1SAM22AC	00
	8210-135F		04NOV13 00:07	A1PXXJY606059	3035845		04NOV13 00:08	

A1PXXU1313723 COMPLETED 05NOV13 06:24 7867.2 AFHR SST XXxxXXxxXXxxXXxxXXxx  
04NOV13 00:24 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 05NOV13 06:24  
04NOV13 00:25 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
AIRCRAFT REQUIRES MTF FOR CSU R&I  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: MTF CARRIED OUT REFER 525353#1

A1PXXU1313475 COMPLETED 04NOV13 23:11 7867.2 AFHR MM Y XXxxXXxxXXxxXXxxXXxx  
04NOV13 09:18 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
04NOV13 09:18 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033 04NOV13 23:11  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERV C/O VIA EPSS REF 525352/1-1-6

A1PXXU1313831 COMPLETED 05NOV13 10:53 7869.0 AFHR SST XXxxXXxxXXxxXXxxXXxx  
05NOV13 10:46 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 05NOV13 10:53  
05NOV13 10:48 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
REAR COCKPIT DU2 TOO DIM  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: REAR COCKPIT DU2 REPLACED IAW AAP 7212.007-2,REF:525354-2

REMOVALS/INSTALLATIONS FOR A1PXXU1313831

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	3693	A23T	A1UHM	00	3840	A23T	A1UHM	00
	8095686-1001		05NOV13 10:49	A1PXXJ1315218	8095686-1001		05NOV13 10:52	

A1PXXU1313832 COMPLETED 06NOV13 04:46 7869.0 AFHR SST XXxxXXxxXXxxXXxxXXxx  
05NOV13 11:01 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 06NOV13 04:46  
05NOV13 11:02 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
AIRCRAFT REQUIRES AIRTEST FOR REAR DU2 OPS  
XXxxXXxxXXxxXXxxXXxx



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: AIRTEST ASSESSED SERV REFER 525355

A1PXXU1311202	COMPLETED	07NOV13 04:40	7871.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
07NOV13 03:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			07NOV13 04:40
07NOV13 03:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S63	due on Serial A23-033			
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: S63 C/O IAW AAP7212.007-6-4 REF 525356-2-1#1

REMOVALS/INSTALLATIONS FOR A1PXXU1311202

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
=====	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PC1300210	A23T	A1SAK34	00	PC1300210	A23T	A1SAK34	00
	3059257-01		07NOV13 03:10	A1PXXJ1315352	3059257-01		07NOV13 04:38	

A1PXXU1313782	COMPLETED	10NOV13 23:40	7874.4	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
08NOV13 06:21	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		Y	
08NOV13 06:21	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40	due on Serial A23-033			10NOV13 23:40
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O VIA EPSS REF 525358#1

A1PXXU1314151	COMPLETED	11NOV13 13:42	7878.5	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
11NOV13 13:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			11NOV13 13:42
11NOV13 13:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0567	due on Serial 069			
		DOOR MLG RH INBD	at WAC 1050			XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-0567 C/O IAW STI INSTRUCTIONS, REFER 525361/2

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03312  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1314152	COMPLETED	11NOV13 13:42	7878.5	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
11NOV13 13:38	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			11NOV13 13:42
11NOV13 13:38	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		STI-PC9-0567 due on Serial 053				
		DOOR MLG LH INBD at WAC 0950				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	STI-PC9-0567 C/O IAW STI INSTRUCTIONS, REFER 525361/2				

A1PXXU1314196	COMPLETED	28NOV13 06:11	7878.5	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
12NOV13 03:18	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			28NOV13 06:11
12NOV13 03:21	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		ADF ANTENNA REMOVED FOR AST FITT TRADE SKIN REPAIR ACCESS. X-REF 508				
		AIP MCS 1466/13 SHT 5 LINE 3.				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	SERV ADF ANTENNA FITTED IAW AAP7212.007-2. REF MCS1466/13-05#3.				

REMOVALS/INSTALLATIONS FOR A1PXXU1314196

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	53611	A23T	A1UNK	00	KA44B-A90726	A23T	A1UNK	00
	071-1234-00		12NOV13 03:22	A1PXXJ1315791	071-1234-00		28NOV13 06:09	

A1PXXU1314198	COMPLETED	03DEC13 05:24	7878.5	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
12NOV13 03:29	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			03DEC13 05:24
12NOV13 03:32	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		NICAD BATTERY REMOVED FOR STRUCTURAL TRADE ACCESS. (ADF ANTENNA SKIN REPAIR) X-REF EE508 AIP MCS 1466/13, SHT 5, LINE 4.				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	BATTERY NICAD REFITTED IAW AAP 7212.007-2 REF 1466/13-5-6				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1314198

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1702	A23T	A1UOA	00	1702	A23T	A1UOA	00
	33490409201		12NOV13 03:32	A1PXXJ1315792	33490409201		03DEC13 05:22	

A1PXXU1314303 COMPLETED 03DEC13 08:27 7878.5 AFHR SST  
 14NOV13 10:40 XXXXX  
 14NOV13 10:41 XXXXX  
 XXXXX  
 FCP ASI REMOVED TO SERVICE A/C A23-009.  
 XXXXX

Maint Acts: SERV ASI FITTED TO FCP IAW AAP7212.007-2. REF MCS1466/13-7#1.

REMOVALS/INSTALLATIONS FOR A1PXXU1314303

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	238	A23T	A1UDQ	00	244	A23T	A1UDQ	00
	40807-K2316		14NOV13 11:06	A1PXXJ1315959	40807-K2316		03DEC13 08:26	

A1PXXU1314073 COMPLETED 03DEC13 23:28 7878.5 AFHR MM  
 28NOV13 12:27 XXXXX Y  
 28NOV13 12:27 XXXXX  
 XXXXX  
 S40 due on Serial A23-033  
 PC-9 at WAC 0000  
 XXXXX

Maint Acts: S40 C/O VIA EPSS REF 525361/4-1-6

A1PXXU1311237 COMPLETED 04DEC13 00:32 7878.5 AFHR SST  
 03DEC13 05:37 XXXXX  
 03DEC13 05:37 XXXXX  
 XXXXX  
 S20 due on Serial A23-033  
 PC-9 at WAC 0000  
 XXXXX

Maint Acts: S20 C/O IAW AAP7212.007-6-4 REF AIP MCS 1466/13-8#3

A1PXXU1315313 COMPLETED 04DEC13 02:19 7878.5 AFHR SST  
 03DEC13 10:54 XXXXX  
 03DEC13 10:54 XXXXX  
 XXXXX  
 MTF REQUIRED FOR FRONT ASI OPS  
 XXXXX

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03314  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES -----  
 SERV NUMBER STATUS STATUS DATE/TIME TOTAL LIFE INT TYPE CERTIFICATION TRADESMAN  
 RAISED DATE/TIME RAISED USER ID RAISED NAME RAISED VENUE CAPABILITY CODE EPSS DATE/TIME  
 ENTERED DATE/TIME ENTERED USER ID ENTERED NAME ENTERED VENUE IMIC NO SUPERVISOR  
 OPERATION NO ASOR NO SYMPTOMS  
 EE500PG EE500LN  
 STA WL BL ADMIN MAINT ACTION/LIMITATIONS  
 =====

Maint Acts: MTF C/O REF 525362#1+2

A1PXXU1315334	COMPLETED	05DEC13 23:36	7883.6	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
05DEC13 09:05	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		Y	XXxxXXxxXXxxXXxxXXxx
05DEC13 09:05	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40	due on Serial A23-033			05DEC13 23:36
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERV C/O VIA EPSS REF 525366/2

A1PXXU1315823	COMPLETED	10DEC13 06:49	7888.9	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
10DEC13 06:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			10DEC13 06:49
10DEC13 06:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MS2	due on Serial 164			
		RUDDER_TRIM TABS	at WAC 1410			XXxxXXxxXXxxXXxxXXxx

Maint Acts: MS2 C/O IAW 7212.007-2 REF SNOW 525370-1

A1PXXU1315970	COMPLETED	12DEC13 04:34	7892.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx	
12DEC13 04:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			12DEC13 04:34	
12DEC13 04:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		NO DME READOUT IN FLIGHT					XXxxXXxxXXxxXXxxXXxx

Maint Acts: KTU 709 REPLACED IAW AAP 7212.007-2 REF: 525373#2

REMOVALS/INSTALLATIONS FOR A1PXXU1315970

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
=====	=====	=====	=====	=====	=====	=====	=====	=====
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
=====	=====	=====	=====	=====	=====	=====	=====	=====
001	2470	A23T	A1ULS	00	2524	A23T	A1ULS	00
	066-1074-01		12DEC13 04:30	A1PXXJ1318008	066-1074-01		12DEC13 04:32	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03315  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME

EE500PG	EE500LN	STA	WL	BL	ADMIN	MAINT ACTION/LIMITATIONS	DATE/TIME
A1PXXU1315981	COMPLETED	12DEC13	09:50			7892.7 AFHR SST	XXxxXXxxXXxxXXxxXXxx
12DEC13	05:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx			AIP	12DEC13 09:50
12DEC13	05:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx			AIP	XXxxXXxxXXxxXXxxXXxx
			STI-PC9-0568			due on Serial 027	
			WING ASSY			at WAC 0000	XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-0568 C/O IAW STI INSTRUCTIONS, REF 525373/4-1-2

A1PXXU1315982	COMPLETED	12DEC13	09:40			7892.7 AFHR SST	XXxxXXxxXXxxXXxxXXxx
12DEC13	05:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx			AIP	12DEC13 09:40
12DEC13	05:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx			AIP	XXxxXXxxXXxxXXxxXXxx
			L/H AND R/H HUB ASSY RFA FOR STI-PC9-0568				XXxxXXxxXXxxXXxxXXxx

Maint Acts: L/H HUB ASSY REFITTED AND R/H HUB ASSY REPLACED AND REFITTED IAW 7212-007-2, REFER SNOW 525373/4-1-3

REMOVALS/INSTALLATIONS FOR A1PXXU1315982

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0359	A23T	A2KEI	01	0293	A23T	A2KEI	01
	3-1555		12DEC13 05:49	A1PXXJ1318016	3-1555		12DEC13 09:38	
002	0363	A23T	A2KDM	01	0363	A23T	A2KDM	01
	3-1555		12DEC13 05:51	A1PXXJ1318017	3-1555		12DEC13 09:38	

A1PXXU1315733	COMPLETED	12DEC13	09:42			7892.7 AFHR SST	XXxxXXxxXXxxXXxxXXxx
12DEC13	05:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx			AIP	12DEC13 09:42
12DEC13	05:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx			AIP	XXxxXXxxXXxxXXxxXXxx
			STI-PC9-0569			due on Serial A23-033	
			PC-9			at WAC 0000	XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-0569 C/O IAW STI INSTRUCTIONS, REF 525373/4-1-5

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03316  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1315484	COMPLETED	13DEC13 00:02	7892.7	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
12DEC13 07:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			Y
12DEC13 07:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				13DEC13 00:02
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/OUT VIA EPSS REF 525373-4-2#2

A1PXXU1316030	COMPLETED	05JAN14 23:27	7892.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
16DEC13 02:03	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			05JAN14 23:27
16DEC13 02:03	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial 1702				
		BATTERY NICAD at WAC 0660				XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERVICEABLE BATTERY FITTED. 525373-4-2-4.

REMOVALS/INSTALLATIONS FOR A1PXXU1316030

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1702	A23T	A1UOA	00	0644	A23T	A1UOA	00
	33490409201		18DEC13 02:47	A1PXXJ1309988	33490409201		05JAN14 23:25	

A1PXXU1316129	COMPLETED	15JAN14 02:07	7892.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
17DEC13 01:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			15JAN14 02:07
17DEC13 01:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRCRAFT REQUIRES AIRTEST POST MLG RIGGING				
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST ASSESSED SERV REFER 525375

A1PXXU1315998	COMPLETED	09JAN14 23:58	7892.7	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
09JAN14 23:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			Y
09JAN14 23:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				09JAN14 23:58
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03317  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: S40 C/O IAW AAP 7212-007-6-4. REFER SNOW 525373/4-3-5

A1PXXU1400183	COMPLETED	17JAN14 00:09	7893.9	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
16JAN14 23:44	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			Y
16JAN14 23:44	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				17JAN14 00:09
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 CARRIED OUT VIA EPSS. REF: EE 500 525375-4

A1PXXU1400505	COMPLETED	20JAN14 07:45	7896.4	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
20JAN14 07:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
20JAN14 07:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			20JAN14 07:45
		AMPS GUAGE SHOWING -13VDC ON TAXI IN ...BATT VOLTAGE STILL GOOD				XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV SICU FITTED IAW 7212-007-2 REF 525377-1

REMOVALS/INSTALLATIONS FOR A1PXXU1400505

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	90030030	A23T	A1UEE	00	90060034	A23T	A1UEE	00
	140.0001-2		20JAN14 07:32	A1PXXJ1400607	140.0001-2		20JAN14 07:38	

A1PXXU1400506	COMPLETED	28JAN14 02:51	7896.4	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
20JAN14 07:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
20JAN14 07:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			28JAN14 02:51
		AIRTEST REQD FOR SICU OPS				XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST ASSESSED SERV REFER 525380

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1400530	COMPLETED	22JAN14 09:10	7896.4	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
21JAN14 01:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
21JAN14 01:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		WITH SICU CONT 1 PULLED, FUEL QTY DROPS 7LBS.				22JAN14 09:10
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV SICU FITTED IAW AAP 7212,007-2 REF 525377-3#1-6

REMOVALS/INSTALLATIONS FOR A1PXXU1400530

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	90060034	A23T	A1UEE	00	96120087	A23T	A1UEE	00
	140.0001-2		22JAN14 09:05	A1PXXJ1400824	140.0001-2		22JAN14 09:10	

A1PXXU1400378	COMPLETED	23JAN14 23:56	7896.4	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
23JAN14 12:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			Y
23JAN14 12:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40	due on Serial A23-033			23JAN14 23:56
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 CARRIED OUT VIA EPSS. REF: EE500 # 525378/1

A1PXXU1400771	COMPLETED	24JAN14 05:30	7896.4	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
24JAN14 05:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			24JAN14 05:30
24JAN14 05:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FLAPS LAND GEAR UP TONE ON THE GROUND WITH FLAPS AND GEAR DOWN				XXxxXXxxXXxxXXxxXXxx

Maint Acts: REAR LGCU REPLACED IAW AAP7212.007-2 REF 525379-1



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03319  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1400771

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	175	A23T	A1UGY	00	555	A23T	A1UGY	00
	532.30.09.321		24JAN14 05:26	A1PXXJ1400988	532.30.09.217		24JAN14 05:27	

A1PXXU1311213 COMPLETED 29JAN14 03:54 7900.5 AFHR MM  
29JAN14 03:49 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP Y  
29JAN14 03:49 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
S26 due on Serial A23-033  
PC-9 at WAC 0000  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: S26 SERV CO VIA EPSS REF 525383-2

A1PXXU1401122 COMPLETED 29JAN14 22:18 7901.9 AFHR SCM  
29JAN14 22:13 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
29JAN14 22:14 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
FRONT CPT EFIS CONTROL PANEL CAUSING INTERMITTENT CP OFF FLAG  
29JAN14 22:18  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV EFIS CONTROL PANEL FITTED TO FWD CPT IAW AAP 7212.007-2 REF 525385-1

REMOVALS/INSTALLATIONS FOR A1PXXU1401122

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	4743	A23T	A1UDW	00	4151	A23T	A1UDW	00
	071-01334-0002		29JAN14 22:15	A1PXXJ1401144	3614279-1003		29JAN14 22:16	

A1PXXU1400768 COMPLETED 30JAN14 23:35 7904.3 AFHR MM  
30JAN14 13:51 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP Y  
30JAN14 13:51 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 CARRIED OUT IAW AAP 7212-007-6-4. REFER 525388/3-1-2

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1401207	COMPLETED	31JAN14 00:58	7904.3	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
31JAN14 00:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
31JAN14 00:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		SYMBOL GENERATOR SUSPECT CAUSE OF CP OFF CAPTION INDICATION				31JAN14 00:58
		DISPLAYING INTERMITTENTLY				XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV SYMBOL GENERATOR FITTED IAW AAP 7212.007-2 REF 525388-2

REMOVALS/INSTALLATIONS FOR A1PXXU1401207

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	3186	A23T	A1UOS	00	3283	A23T	A1UOS	00
	066-04015-0003		31JAN14 00:28	A1PXXJ1401341	3614335-1004		31JAN14 00:30	
002	3283	A23T	A1UOS	00	3466	A23T	A1UOS	00
	3614335-1004		31JAN14 00:30	A1PXXJ1401342	3614335-1004		31JAN14 00:58	

A1PXXU1401209	COMPLETED	31JAN14 06:52	7904.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
31JAN14 01:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			31JAN14 06:52
31JAN14 01:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRCRAFT REQUIRES AIRTEST FOR EFIS OPS				
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST CARRIED OUT REFER 525389#1

A1PXXU1401455	COMPLETED	05FEB14 05:15	7911.3	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
05FEB14 04:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
05FEB14 04:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		DU2 FAILURE WITH SG SYMBOL DISPLAYED (LARGE) THEN DU1 SMALL SG SYMBOL.				05FEB14 05:15
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: SYMBOL GENERATOR REPLACED IAW AAP7212.007-2 REF 525394-1-1-1

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
Camm2  
ASSET HISTORY

PAGE 03321  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1401455

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	3466	A23T	A1UOS	00	911	A23T	A1UOS	00
	3614335-1004		05FEB14 05:10	A1PXXJ1401635	3614335-1004		05FEB14 05:13	

A1PXXU1401463 COMPLETED 05FEB14 08:35 7911.3 AFHR SST  
05FEB14 05:16 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 05FEB14 08:35  
05FEB14 05:17 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
AIR TEST REQUIRED FOR EFIS OPS POST SYMBOL GENERATOR CHANGE  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST CARRIED OUT SERV REF: 525395-1

A1PXXU1401206 COMPLETED 06FEB14 23:45 7914.3 AFHR MM  
06FEB14 11:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP Y XXxxXXxxXXxxXXxxXXxx  
06FEB14 11:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERV C/O IAW 7212-007-6-4 REFER 525397/2

A1PXXU1401592 COMPLETED 07FEB14 03:47 7915.8 AFHR SCM  
07FEB14 03:40 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
07FEB14 03:41 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
FRONT NAV/TAC CONTROLLER WONT FLIP FLOP  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: FRONT CONTROL KFS 579-A REPLACED IAW AAP 7212.007-2. REF EE500  
525398 #1

REMOVALS/INSTALLATIONS FOR A1PXXU1401592

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1333	A23T	A1UCW	00	1394	A23T	A1UCW	00
	071-1291-15		07FEB14 03:42	A1PXXJ1401910	071-1291-15		07FEB14 03:44	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03322  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN	
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME	
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR	
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME	
EE500PG EE500LN						INSPECTOR	
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME	
A1PXXU1401584	COMPLETED	13FEB14 23:36	7929.2	AFHR	MM	XXXXXXXXXXXXXXXXXXXX	
13FEB14 12:25	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			Y	
13FEB14 12:25	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		S40 due on Serial A23-033				13FEB14 23:36	
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX	
	Maint Acts:	S40 CARRIED OUT VIA EPSS. REF: EE 500 # 505111 LINE 2					
A1PXXU1401758	COMPLETED	20FEB14 23:43	7944.0	AFHR	MM	XXXXXXXXXXXXXXXXXXXX	
20FEB14 11:07	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			Y	
20FEB14 11:07	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		S40 due on Serial A23-033				20FEB14 23:43	
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX	
	Maint Acts:	S40 SERV C/O IAW AAP 7212.007-6-4 VIA EPSS REF EE500: 505122/3					
A1PXXU1402191	COMPLETED	28FEB14 00:20	7946.6	AFHR	MM	XXXXXXXXXXXXXXXXXXXX	
27FEB14 08:56	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			Y	
27FEB14 08:56	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		S40 due on Serial A23-033				28FEB14 00:20	
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX	
	Maint Acts:	S40 SERV C/O VIA EPSS REF 505125/1					
A1PXXU1311211	COMPLETED	28FEB14 01:02	7946.6	AFHR	SST	XXXXXXXXXXXXXXXXXXXX	
28FEB14 00:39	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			28FEB14 01:02	
28FEB14 00:39	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		S16 due on Serial A23-033				XXXXXXXXXXXXXXXXXXXX	
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX	
	Maint Acts:	S16 SERVICING CARRIED OUT IAW AAP 7212.007-6-4 REF 505126 -1					
A1PXXU1315359	COMPLETED	28FEB14 04:35	7946.6	AFHR	SST	XXXXXXXXXXXXXXXXXXXX	
28FEB14 02:51	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			28FEB14 04:35	
28FEB14 02:51	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		S20 due on Serial A23-033				XXXXXXXXXXXXXXXXXXXX	
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX	
	Maint Acts:	S20 SERV C/O IAW AAP 7212.007-6-4 (Continued on next page.)					

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

(Continued from previous page.)  
 REF EE500: 505126/3

A1PXXU1402654	COMPLETED	05MAR14 01:01	7946.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
05MAR14 00:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			05MAR14 01:01
05MAR14 00:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BATTERY VOLTAGE LOW AT 21.5V				XXxxXXxxXXxxXXxxXXxx

Maint Acts: BATTERY NICAD REPLACED IAW AAP7212.007-2 REF 505127-1

REMOVALS/INSTALLATIONS FOR A1PXXU1402654

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0644	A23T	A1UOA	00	1208	A23T	A1UOA	00
	33490409201		05MAR14 00:59	A1PXXJ1403465	33490409201		05MAR14 00:59	

A1PXXU1402498	COMPLETED	07MAR14 00:10	7952.7	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
06MAR14 11:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		Y	
06MAR14 11:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40	due on Serial A23-033			07MAR14 00:10
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERV C/O IAW 7212-007-6-4. REFER 505130/3

A1PXXU1402880	COMPLETED	10MAR14 02:58	7954.4	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
10MAR14 01:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
10MAR14 01:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		TA	due on Serial 1533312			10MAR14 02:58
		SET CART COMMAND	at WAC 0700			XXxxXXxxXXxxXXxxXXxx

Maint Acts: COMMAND CART SET REPLACED IAW AAP 7212.007-2. REF EE508 505131-3-1-4

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03324  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR 1PXXU1402880

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1533312	A23T	A1UJA	00	0263314	A23T	A1UJA	00
	MBEU60228		10MAR14 02:54	A1PXXJ1211352	MBEU60228		10MAR14 02:56	

1PXXU1402881 COMPLETED 10MAR14 05:30 7954.4 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
10MAR14 01:14 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
10MAR14 01:14 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
TA due on Serial 00461  
VALVE REFILL OXYGEN at WAC 0640 XXxxXXxxXXxxXXxxXXxx

Maint Acts: VALVE REFILL OXY REPLACED IAW AAP 7212.007-2. REF EE508  
5005131-3-1-6

REMOVALS/INSTALLATIONS FOR 1PXXU1402881

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	00461	A23T	A1UMU	03	576	A23T	A1UMU	03
	OC-001-06		10MAR14 05:24	A1PXXJ1302323	OC-001-06		10MAR14 05:28	

1PXXU1402882 COMPLETED 10MAR14 06:02 7954.4 AFHR SST XXxxXXxxXXxxXXxxXXxx  
10MAR14 02:21 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
10MAR14 02:22 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
LATERAL/AXIAL PLAY IN L/H AILERON XXxxXXxxXXxxXXxxXXxx

Maint Acts: INBOARD BEARING REPLACED AND LATERAL PLAY RE-SHIMMED. REF: EE 508 #  
505131/3/1/2

REMOVALS/INSTALLATIONS FOR 1PXXU1402882

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	343	A23T	A2KCA	00	343	A23T	A2KCA	00
	557.51.09.001		10MAR14 02:25	A1PXXJ1403806	557.51.09.001		10MAR14 03:52	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME

A1PXXU1402928	COMPLETED	11MAR14 02:05	7954.4	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
10MAR14 06:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			11MAR14 02:05
10MAR14 06:11	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
AIRCRAFT REQUIRES MTF FOR AILERON HANDLING CHECK						
XXxxXXxxXXxxXXxxXXxx						

Maint Acts: MTF CARRIED OUT SERV REF: 505132-2

A1PXXU1402783	COMPLETED	13MAR14 23:58	7957.2	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
13MAR14 11:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		Y	XXxxXXxxXXxxXXxxXXxx
13MAR14 11:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
S40 due on Serial A23-033						
PC-9 at WAC 0000						
XXxxXXxxXXxxXXxxXXxx						

Maint Acts: S40 SERV C/O IAW AAP 7212.007-6-4 VIA EPSS  
 REF EE500: 505134/1

A1PXXU1403393	COMPLETED	18MAR14 06:12	7958.9	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
18MAR14 05:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			18MAR14 06:12
18MAR14 05:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
T2 COMPENSATOR SUSPECTED U/S FROM RUST FOUND ON MOVING PARTS						
XXxxXXxxXXxxXXxxXXxx						

Maint Acts: T2 COMPENSATOR REPLACED WITH SERV ITEM IAW AAP 7113.022-2  
 REF EE508: 505136/4-1-5

REMOVALS/INSTALLATIONS FOR A1PXXU1403393

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	B20135	A23T	A1SAK28	00	C27157	A23T	A1SAK28	00
	3036834		18MAR14 05:23	A1PXXJ1404583	3036834		18MAR14 05:25	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03326  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES -----

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1403509	COMPLETED	19MAR14 11:12	7958.9	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
19MAR14 07:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			19MAR14 11:12
19MAR14 07:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial 006138				
		REG OXYGEN DEMAND at WAC 0730				XXxxXXxxXXxxXXxxXXxx

Maint Acts: FRONT COCKPIT OXY DEM REG REPLACED IAW AAP7212.007-2 REF 505136-4-3-5

REMOVALS/INSTALLATIONS FOR A1PXXU1403509

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	006138	A23T	A1UES	00	004115	A23T	A1UES	00
	3260042-0201		19MAR14 11:09	A1PXXJ1303437	3260042-0201		19MAR14 11:09	

A1PXXU1403510	COMPLETED	19MAR14 11:08	7958.9	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
19MAR14 07:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			19MAR14 11:08
19MAR14 07:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial 702024				
		REG OXYGEN DEMAND at WAC 0740				XXxxXXxxXXxxXXxxXXxx

Maint Acts: REAR OXY DEM REG REPLACED IAW AAP7212.007-2 REF 505136-4-3-5

REMOVALS/INSTALLATIONS FOR A1PXXU1403510

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	702024	A23T	A1UIS	00	702008	A23T	A1UIS	00
	3260042-0201		19MAR14 11:05	A1PXXJ1303329	3260042-0201		19MAR14 11:07	



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03327  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1403525	COMPLETED	20MAR14 04:35	7958.9	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
19MAR14 22:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			20MAR14 04:35
19MAR14 22:48	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
AIRCRAFT REQUIRES MTF FOR LOW TQ ASOR CLEARANCE/ T2 COMPENSATOR CX						
XXxxXXxxXXxxXXxxXXxx						

Maint Acts: MTF C/O REF 505137-2

A1PXXU1403603	COMPLETED	20MAR14 07:47	7959.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
20MAR14 07:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			20MAR14 07:47
20MAR14 07:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
PRSOV TO BE CHANGED FOR FAULT FINDING						
XXxxXXxxXXxxXXxxXXxx						

Maint Acts: PRSOV REPLACED IAW AAP7212.007-2 REF 505137-3-1#4

REMOVALS/INSTALLATIONS FOR A1PXXU1403603

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1061	A23T	A0Q	00	1141	A23T	A0Q	00
	3213876-9		20MAR14 07:45	A1PXXJ1404846	3213876-9		20MAR14 07:46	

A1PXXU1403611	COMPLETED	24MAR14 11:25	7959.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
20MAR14 13:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			24MAR14 11:25
20MAR14 13:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
FAILED ITEM 9 MTF PROFILE PRODUCING 42.0 PSI TQ @ 15,000 FEET (ECS LOW) VICE MAT 44.0 PSI (TQ WAS 41.5 WITH ECS HIGH)						
XXxxXXxxXXxxXXxxXXxx						

Maint Acts: ORIGINAL BLEED VALVE REMOVED FOR INSPECTION, FOUND TO BE STICKY.  
 SERV BLEED VALVE FROM STORES FITTED IAW AAP 7113.022-2  
 REF EE508: 505137/3-2-3

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03328  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1403611

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	7R038	A23T	A1SAK54	00	3N023	A23T	A1SAK54	00
	3070262-01		20MAR14 13:38	A1PXXJ1404848	3072715-01		24MAR14 11:21	

A1PXXU1403662 COMPLETED 24MAR14 06:32 7959.8 AFHR SST  
21MAR14 03:03 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 24MAR14 06:32  
21MAR14 03:05 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
HEAT EXCHANGER REMOVED FOR FAULT FINDING (SUSPECT LEAKS FOR FAILING  
ECS CX) XXxxXXxxXXxxXXxxXXxx

Maint Acts: HEAT EXCHANGER EPLACED IAW AAP7212.007-2 REF 505137-3-2#6

REMOVALS/INSTALLATIONS FOR A1PXXU1403662

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	815	A23T	A0M	00	676	A23T	A0M	00
	521.45.09.194		21MAR14 03:05	A1PXXJ1404883	195980-3		24MAR14 06:30	

A1PXXU1403808 COMPLETED 25MAR14 08:00 7959.8 AFHR SST  
25MAR14 06:58 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 25MAR14 08:00  
25MAR14 06:58 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
FT due on Serial SC62462  
BCN UNDERWATER LOC at WAC 0740 XXxxXXxxXXxxXXxxXXxx

Maint Acts: F/T C/O IAW AAP 7212.007-2 REF: 505137-3-5#2

A1PXXU1304081 COMPLETED 25MAR14 23:51 7959.8 AFHR SST  
25MAR14 22:51 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 25MAR14 23:51  
25MAR14 22:51 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S37 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S37 SERV C/O IAW AAP7212.007-6-4 REF 505137-3-5-4

A1PXXU1403855 COMPLETED 27MAR14 08:51 7959.8 AFHR SST  
26MAR14 02:32 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 27MAR14 08:51  
26MAR14 02:34 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
AIRCRAFT REQUIRES MTF FOR LOW POWER AND BLEED VALVE CHANGE  
XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03329  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: MTF CARRIED OUT SERV REF: 505140-2

A1PXXU1403231	COMPLETED	26MAR14 03:30	7959.8	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
26MAR14 02:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			Y
26MAR14 02:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				26MAR14 03:30
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O VIA EPSS REF 505137-3-6-1

A1PXXU1403957	COMPLETED	01APR14 00:21	7960.6	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
28MAR14 02:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
28MAR14 02:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			01APR14 00:21
		BATTERY NICAD RFA.				XXxxXXxxXXxxXXxxXXxx

Maint Acts: BATTERY NICAD REFITTED. AIPMCS149/14-3-3.

REMOVALS/INSTALLATIONS FOR A1PXXU1403957

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1208	A23T	A1UOA	00	1208	A23T	A1UOA	00
	33490409201		28MAR14 02:20	A1PXXJ1405272	33490409201		01APR14 00:19	

A1PXXU1403980	COMPLETED	01APR14 03:42	7960.6	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
28MAR14 03:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
28MAR14 03:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			01APR14 03:42
		BOTH OXY CYLINDERS REMOVED FOR HYPOXIA INVESTIGATION.				XXxxXXxxXXxxXXxxXXxx

Maint Acts: BOTH OXY CYLINDERS REFITTED. AIPMCS149/14 PAGE8.

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03330  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1403980

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	ALT279-11005 89795050	A23T	A1UNI 28MAR14 03:13	00 A1PXXJ1405282	ALT279-12930 89795050	A23T	A1UNI 01APR14 03:40	00
002	ALT279-11511 89795050	A23T	A1UNG 28MAR14 03:19	00 A1PXXJ1405283	ALT279-11731 89795050	A23T	A1UNG 01APR14 03:39	00

A1PXXU1404046 COMPLETED 01APR14 03:46 7960.6 AFHR SST XXxxXXxxXXxxXXxxXXxx  
31MAR14 02:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 01APR14 03:46  
31MAR14 02:40 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
FRONT OXY DEM REG REMOVED FOR HYPOXIA CHECKS  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERVICEABLE OXY DEMAND REG FITTED. AIPMCS149/14 PAGE8.

REMOVALS/INSTALLATIONS FOR A1PXXU1404046

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	004115 3260042-0201	A23T	A1UES 31MAR14 02:45	00 A1PXXJ1405330	004104 3260042-0201	A23T	A1UES 01APR14 03:45	00

A1PXXU1404073 COMPLETED 01APR14 06:12 7960.6 AFHR SST XXxxXXxxXXxxXXxxXXxx  
01APR14 02:04 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 01APR14 06:12  
01APR14 02:04 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
BS due on Serial 2923798  
SET EMERG OXYGEN at WAC 0730 XXxxXXxxXXxxXXxxXXxx

Maint Acts: FRONT SEO REPLACED IAW AAP7212.007-2 REF 505140-3-2-1

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03331  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
REMOVALS/INSTALLATIONS FOR A1PXXU1404073

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
=====	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	2923798	A23T	A1WBE	00	1647297	A23T	A1WBE	00
	MBEU100618		01APR14 06:09	A1PXXJ1300899	MBEU100618		01APR14 06:09	

A1PXXU1404074 COMPLETED 01APR14 02:16 7960.6 AFHR SST  
01APR14 02:05 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 01APR14 02:16  
01APR14 02:05 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
FT due on Serial DP0740  
BCN UNDERWATER LOC at WAC 0640 XXxxXXxxXXxxXXxxXXxx

Maint Acts: FUNCTIONAL TEST CARRIED OUT IAW AAP7212.007-2 REF 505140/3-2-2

A1PXXU1403859 COMPLETED 01APR14 09:40 7960.6 AFHR MM  
01APR14 06:15 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP Y XXxxXXxxXXxxXXxxXXxx  
01APR14 06:15 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033 01APR14 09:40  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O VIA EPSS IAW 7212-007-6-4 REF 505140/3-2-5

A1PXXU1404110 COMPLETED 02APR14 11:37 7960.6 AFHR SST  
02APR14 00:31 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
02APR14 00:32 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
A/C REQUIRES AIRTEST TO CLEAR ASOR REF: 505140/3-2-2  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST C/O SERV REF 505141-2

A1PXXU1404095 COMPLETED 08APR14 07:50 7961.9 AFHR MM  
08APR14 05:20 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP Y XXxxXXxxXXxxXXxxXXxx  
08APR14 05:20 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033 08APR14 07:50  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERV C/O VIA EPSS REF 505141/4

A1PXXU1404403 COMPLETED 16APR14 00:27 7967.6 AFHR MM  
15APR14 09:50 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP Y XXxxXXxxXXxxXXxxXXxx  
15APR14 09:50 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033 16APR14 00:27  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 CARRIED OUT VIA EPSS. REF: EE 500 # 505146 - 1

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03332  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME

EE500PG	EE500LN	BL	ADMIN	MAINT ACTION/LIMITATIONS	DATE/TIME
A1PXXU1305159	COMPLETED	04MAY14	23:18	7971.5 AFHR SST	XXxxXXxxXXxxXXxxXXxx
28APR14	01:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	04MAY14 23:18
28APR14	01:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	XXxxXXxxXXxxXXxxXXxx

S57 due on Serial A23-033  
 PC-9 at WAC 0000  
 Maint Acts: S57 SERVICING CARRIED OUT IAW AAP 7212.007-6-4. REF AIP MCS 194/14, 6-5.

A1PXXU1305160	COMPLETED	13MAY14	03:37	7971.5 AFHR SST	XXxxXXxxXXxxXXxxXXxx
28APR14	01:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	13MAY14 03:37
28APR14	01:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	XXxxXXxxXXxxXXxxXXxx

S62 due on Serial A23-033  
 PC-9 at WAC 0000  
 Maint Acts: S62 CO IAW 7212.007-6-4 REF MCS 194/14

A1PXXU1305190	COMPLETED	13MAY14	03:46	7971.5 AFHR MM	XXxxXXxxXXxxXXxxXXxx
28APR14	01:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	XXxxXXxxXXxxXXxxXXxx
28APR14	01:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	XXxxXXxxXXxxXXxxXXxx
A1PXXO1402837		R2		due on Serial A23-033	13MAY14 03:46
505149	4	PC-9		at WAC 0000	XXxxXXxxXXxxXXxxXXxx

Maint Acts: R2 CO IAW 7212.007-6-2-2 REF MCS 195/14

REMOVALS/INSTALLATIONS FOR A1PXXU1305190

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	L523933 D5210	A23T	A00AI 28APR14 05:30	00 A1PXXJ1406729	L523933 D5210	A23T	A00AI 29APR14 05:11	00
002	0293 3-1555	A23T	A2KEI 29APR14 04:53	01 A1PXXJ1406874	0293 3-1555	A23T	A2KEI 05MAY14 05:00	01

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03333  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 ~S4080  
 PERIOD: 01JAN90 TO 08JAN20

SEQ	REMOVED SERIAL NO REMOVED PART NO	EIAC	LCN DATE/TIME	ALC JOB NUMBER	INSTALLED SERIAL NO INSTALLED PART NO	EIAC	LCN DATE/TIME	ALC
003	HLY300804 571.10.09.044	A23T	A06 30APR14 04:41	00 A1PXXJ1407003	HLY300804 571.10.09.044	A23T	A06 13MAY14 03:45	00
004	0219A 2-1524-1	A23T	A2KEE 30APR14 04:44	00 A1PXXJ1407005	0205 2-1524-1	A23T	A2KEE 30APR14 05:25	00
005	FYH169913 4041 H3	A23T	A2KBE 30APR14 04:46	00 A1PXXJ1407006	FYH177092 4041 H3	A23T	A2KBE 02MAY14 02:37	00
006	PC1300649 3059788-01	A23T	A1SAK48 01MAY14 03:20	01 A1PXXJ1407143	PC1400410 3059788-01	A23T	A1SAK48 01MAY14 03:35	01
007	00684 03W061738	A23T	A1UJK 01MAY14 04:41	00 A1PXXJ1407156	00240 968.35.21.161	A23T	A1UJK 01MAY14 04:43	00
008	PC1300211 3059779-01	A23T	A1SAI10AA 01MAY14 22:14	01 A1PXXJ1407213	PC1400411 3059779-01	A23T	A1SAI10AA 01MAY14 22:19	01
009	PC1101035 32-2053	A23T	A1SAI10AB 01MAY14 22:22	01 A1PXXJ1407217	PC1101035 32-2053	A23T	A1SAI10AB 01MAY14 22:26	01

A1PXXU1313938 COMPLETED 01MAY14 02:37 7971.5 AFHR SST XXxxXXxxXXxxXXxxXXxx  
 28APR14 01:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 01MAY14 02:37  
 28APR14 01:54 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 S63 due on Serial A23-033  
 PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S63 C/O IAW AAP 7212007-6-4, REF AIP MCS 194/14-10-6.

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03334  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20  
REMOVALS/INSTALLATIONS FOR A1PXXU1313938

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	PC1300210	A23T	A1SAK34	00	PC1300210	A23T	A1SAK34	00
	3059257-01		01MAY14 02:30	A1PXXJ1407129	3059257-01		01MAY14 02:35	

A1PXXU1315732 COMPLETED 30APR14 09:37 7971.5 AFHR SST XXxxXXxxXXxxXXxxXXxx  
28APR14 01:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 30APR14 09:37  
28APR14 01:54 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
7212.007-264 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: MOD -264 INC REF AIP MCS 203/14

A1PXXU1400332 COMPLETED 04MAY14 23:39 7971.5 AFHR SST XXxxXXxxXXxxXXxxXXxx  
28APR14 01:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 04MAY14 23:39  
28APR14 01:54 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
7212.007-268 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: MOD 268 CARRIED OUT IAW MOD INSTRUCTIONS. REF AIP MCS 194/14, 13-2.

A1PXXU1401030 COMPLETED 04MAY14 23:33 7971.5 AFHR SST XXxxXXxxXXxxXXxxXXxx  
28APR14 01:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 04MAY14 23:33  
28APR14 01:54 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
STI-PC9-0570 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: STI-PC9-0570 C.O. IAW INSTRUCTIONS. REF AIP MCS 194/14, 12-2.

A1PXXU1401035 COMPLETED 04MAY14 23:28 7971.5 AFHR SST XXxxXXxxXXxxXXxxXXxx  
28APR14 01:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 04MAY14 23:28  
28APR14 01:54 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S73 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: S73 C.O. IAW AAP 7212.007-6-4. REF AIP MCS 194/14, 12-1.

A1PXXU1402526 COMPLETED 07MAY14 23:11 7971.5 AFHR SST XXxxXXxxXXxxXXxxXXxx  
28APR14 01:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 07MAY14 23:11  
28APR14 01:54 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S20 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: S20 SERVICING CARRIED OUT IAW AAP 7212.007-2 REFER AIP MCS 194/14,  
(Continued on next page.)



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03335  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES -----  
SERV NUMBER STATUS STATUS DATE/TIME TOTAL LIFE INT TYPE CERTIFICATION TRADESMAN  
RAISED DATE/TIME RAISED USER ID RAISED NAME RAISED VENUE CAPABILITY CODE EPSS DATE/TIME  
ENTERED DATE/TIME ENTERED USER ID ENTERED NAME ENTERED VENUE IMIC NO SUPERVISOR  
OPERATION NO ASOR NO SYMPTOMS  
EE500PG EE500LN  
STA WL BL ADMIN MAINT ACTION/LIMITATIONS  
=====

(Continued from previous page.)  
6-1,2,3.

A1PXXU1404774 COMPLETED 15MAY14 01:26 7971.5 AFHR MM XXxxXXxxXXxxXXxxXXxx  
28APR14 01:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP Y  
28APR14 01:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERV C/O REF MCS 194/14 SHEET 27 LINE 4

A1PXXU1405079 COMPLETED 05MAY14 00:11 7971.5 AFHR SST XXxxXXxxXXxxXXxxXXxx  
28APR14 01:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 05MAY14 00:11  
28APR14 01:54 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
NDT due on Serial 033  
UPPR HSTAB FRM 11 at WAC 0600  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: SBI-47 C.O. IAW PC9/A ASIMP VOL 2, ANNEX A, SECT 1, CH4.

A1PXXU1405080 COMPLETED 07MAY14 23:29 7971.5 AFHR SST XXxxXXxxXXxxXXxxXXxx  
28APR14 01:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 07MAY14 23:29  
28APR14 01:54 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
NDT due on Serial 033  
LH SKIN PNL HSTRAKE at WAC 0670  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: ECT C.O. ON L & RSKIN PANELS UNDER HORIZ STRAKES. NIL CRACKING  
EVIDENT. REFER NDI REPORT #AIP/NDT/A23-033/003.

A1PXXU1405081 COMPLETED 07MAY14 23:39 7971.5 AFHR SST XXxxXXxxXXxxXXxxXXxx  
28APR14 01:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 07MAY14 23:39  
28APR14 01:54 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
NDT due on Serial 033  
RH SKIN PNL HSTRAKE at WAC 0670  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: NDT CARRIED OUT. REF AIP MCS 194/14, 13-5.

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03336  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1405082	COMPLETED	05MAY14 00:27	7971.5	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
28APR14 01:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			05MAY14 00:27
28APR14 01:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		NDT due on Serial 164				
		RIB 1 SHEAR PLATE at WAC 1410				XXxxXXxxXXxxXXxxXXxx

Maint Acts: SBI-50 C.O. IAW PC-9/A ASIMP VOL 2, ANNEX A, SECT 1, CH4.

A1PXXU1405083	COMPLETED	06MAY14 05:32	7971.5	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
28APR14 01:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			06MAY14 05:32
28APR14 01:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0506 due on Serial 530				
		HORIZONTAL STAB ASS at WAC 1100				XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-0506 C/O IAW STI INSTRUCTION, REF TO NDI INSPECTION REPORT # AIP/NDT/A23-033/004, AIP MCS 194/14-8-5 REC'S R2.

REMOVALS/INSTALLATIONS FOR A1PXXU1405083

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	042	A23T	A2IBC	00	042	A23T	A2IBC	00
	555.20.09.257		29APR14 01:16	A1PXXJ1406826	555.20.09.257		06MAY14 05:29	

A1PXXU1405084	COMPLETED	28APR14 01:53	7971.5	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
28APR14 01:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			29APR14 01:20
28APR14 01:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		NDT due on Serial 530				
		HSTAB RIB 1 AREA at WAC 1100				XXxxXXxxXXxxXXxxXXxx

Maint Acts: TRANSFERRED TO 530

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03337  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1405085	COMPLETED	28APR14 01:53	7971.5	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
28APR14 01:53	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			29APR14 01:17
28APR14 01:54	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		NDT due on Serial 042				
		ELEV NOSE RIB1 AREA at WAC 1300				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	TRANSFERRED TO 042				
A1PXXU1405086	COMPLETED	06MAY14 23:19	7971.5	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
28APR14 01:53	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			06MAY14 23:19
28APR14 01:54	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		NDT1 due on Serial 027LH				
		LWNG NSE SKN TO FUS at WAC 0900				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	SBI 1 C O IAW AAP 7212.007-2, CH 57-10-06. NIL DAMAGE EVIDENT DURING VISUAL EXAMINATION.				
A1PXXU1405087	COMPLETED	06MAY14 23:27	7971.5	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
28APR14 01:53	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			06MAY14 23:27
28APR14 01:54	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		NDT1 due on Serial 027RH				
		RWNG NSE SKN TO FUS at WAC 1000				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	SBI 1 CARRIED OUT IAW AAP 7212.007-2, CH 57-10-06. NIL DAMAGE OR CRACKS EVIDENT DURING VISUAL EXAMINATION.				
A1PXXU1012445	COMPLETED	06MAY14 00:22	7971.5	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
28APR14 01:54	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			06MAY14 00:22
28APR14 01:54	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S36 due on Serial A23-033				
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	S36 SERVICING CARRIED OUT IAW AAP 7212.007-2. REF AIP MCS 194/14, 11-3.				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1114265	COMPLETED	01MAY14 03:57	7971.5	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
28APR14 01:54	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			01MAY14 03:57
28APR14 01:54	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S60	due on Serial A23-033			
		PC-9	at WAC 0000			XXXXXXXXXXXXXXXXXXXX

Maint Acts: S60 C.O. COTTON TAPE REPLACED IAW AAP 7212.007-2 AAP SUPP # 217 CH 55-10-00. REF AIP MCS 194/14, 11-6.

REMOVALS/INSTALLATIONS FOR A1PXXU1114265

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	530	A23T	A2I	00				
	555.10.09.130		29APR14 01:20	A1PXXJ1406827				

A1PXXU1114494	COMPLETED	30APR14 12:39	7971.5	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
28APR14 01:54	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			30APR14 12:39
28APR14 01:54	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S46	due on Serial A23-033			
		PC-9	at WAC 0000			XXXXXXXXXXXXXXXXXXXX

Maint Acts: S46 CARRIED OUT REF AIP MCS 194/14-11-4

A1PXXU1304008	COMPLETED	04MAY14 23:44	7971.5	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
28APR14 01:54	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			04MAY14 23:44
28APR14 01:54	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		STI-PC9-0550	due on Serial A23-033			
		PC-9	at WAC 0000			XXXXXXXXXXXXXXXXXXXX

Maint Acts: STI-PC9-0550 C.O. IAW INSTRUCTIONS. REF AIP MCS 194/14, 15-6.

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1400907	COMPLETED	05MAY14 02:55	7971.5	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
28APR14 01:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			Y
28APR14 01:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S26	due on Serial A23-033			05MAY14 02:55
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: S26 SERV C/O IAW 7212-007-6-4 VIA EPSS

A1PXXU1402506	COMPLETED	05MAY14 04:59	7971.5	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
28APR14 01:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			05MAY14 04:59
28APR14 01:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S16	due on Serial A23-033			
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: S16 SERV C/O IAW 7212-007-6-4 REF LSN AIP MCS 194/14-7-4

A1PXXU1405088	COMPLETED	01MAY14 03:00	7971.5	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
28APR14 01:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			01MAY14 03:00
28APR14 01:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		OH	due on Serial 00684			
		FILTER ASSY FUEL	at WAC 0610			XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERVICEABLE FILTER ASSY, SN 00240, FITTED IAW AAP 7212.007-2. REF AIP MCS 194/14, 12-4.

A1PXXU1405089	COMPLETED	02MAY14 02:12	7971.5	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
28APR14 01:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			02MAY14 02:12
28APR14 01:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS	due on Serial RT164			
		FUEL NOZZLE SET	at WAC 0120			XXxxXXxxXXxxXXxxXXxx

Maint Acts: NEW SERV FUEL NOZZLE SET S/N RT312 FITTED IAW AAP 7113.022-2,REF AQIP MCS 194/14-12-3 REC'S R2.

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03340  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1405089

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	RT164	A23T	A1SAK27	00	RT312	A23T	A1SAK27	00
	RAAFA62FNS01		30APR14 05:31	N0NC2J1300668	RAAFA62FNS01		02MAY14 02:09	

A1PXXU1405090 COMPLETED 01MAY14 00:21 7971.5 AFHR SST  
28APR14 01:54 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 01MAY14 00:21  
28APR14 01:54 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
OH due on Serial 3762  
STARTER GENERATOR at WAC 0130 XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV STARTER GEN FITTED IAW 7212-007-2 REF LSN AIP MCS 194/14-16-1

REMOVALS/INSTALLATIONS FOR A1PXXU1405090

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	3762	A23T	A1SAI14	00	97126	A23T	A1SAI14	00
	23081-026		01MAY14 00:18	A1EXXJY903727	23081-026		01MAY14 00:19	

A1PXXU1405517 COMPLETED 04MAY14 23:45 7971.5 AFHR SST  
28APR14 01:54 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 04MAY14 23:45  
05MAY14 03:41 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
MS16 due on Serial 027  
WING ASSY at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: MS16 CLAIMEDIAW MPAN 02/2014. REFER STI-PC9-0550 INC'D;  
A1PXXU1304008.

A1PXXUY913735 COMPLETED 30APR14 12:42 7971.5 AFHR SST  
28APR14 01:54 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 30APR14 12:42  
28APR14 01:54 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S55 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S55 CARRIED OUT REF AIP MCS 194/14-15-5

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03341  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1405091	COMPLETED	29APR14 11:40	7971.5	AFHR	MM	XXXXXXXXXX
28APR14 01:58	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			
28APR14 01:58	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX
		MS7 due on Serial P/F017				29APR14 11:40
		VSTAB LWR HINGE at WAC 1400				XXXXXXXXXX
	Maint Acts:	MS7 C/O REF: NDI REPORT AIP/NDT/A23-033/001. MATERIAL SPEC = AA 2124 T851. POSITION & PART NUMBER CX IAW MOD-7212.007-264 REF: AIP MCS 203/14				
A1PXXU1405092	COMPLETED	29APR14 06:47	7971.5	AFHR	MM	XXXXXXXXXX
28APR14 01:58	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			
28APR14 01:58	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX
		MS7 due on Serial 533LH				29APR14 06:47
		FR3 PICKUP BKT LH at WAC 0730				XXXXXXXXXX
	Maint Acts:	MS7 CARRIED OUT REF AIP/NDT/A23-033/001 MATERIAL SPEC 2024-T351				
A1PXXU1405093	COMPLETED	29APR14 11:35	7971.5	AFHR	MM	XXXXXXXXXX
28APR14 01:58	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			
28APR14 01:58	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX
		MS7 due on Serial 533RH				29APR14 11:35
		FR3 PICKUP BKT RH at WAC 0730				XXXXXXXXXX
	Maint Acts:	MS7 C/O REF: NDI REPORT AIP/NDT/A23-033/001. MATERIAL SPEC = 2024 T351. POSITION CX TO ALC 01 IAW AAP7001.060-3 & MOD-264 REF: AIP MCS 203/14.				
A1PXXU1405094	COMPLETED	29APR14 11:36	7971.5	AFHR	MM	XXXXXXXXXX
28APR14 01:58	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			
28APR14 01:58	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX
		MS7 due on Serial 533FL				29APR14 11:36
		PEDAL BRG SPT FR LH at WAC 0730				XXXXXXXXXX
	Maint Acts:	MS7 C/O REF: NDI REPORT AIP/NDT/A23-033/001. MATERIAL SPEC = 2024 T351. POSITION CX TO ALC 01 IAW AAP7001.060-3 & MOD-264 REF: AIP MCS 203/14.				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
Camm2  
ASSET HISTORY

PAGE 03342  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1405095	COMPLETED	29APR14 11:36	7971.5	AFHR	MM	XXXXXXXXXX
28APR14 01:58	XXXXXXXX	XXXXXXXXXXXXXXXXXX	AIP			
28APR14 01:58	XXXXXXXX	XXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX
		MS7 due on Serial 533FL				29APR14 11:36
		PEDAL BRG FRONT LH at WAC 0730				XXXXXXXXXX
	Maint Acts:	MS7 C/O REF: NDI REPORT AIP/NDT/A23-033/001. MATERIAL SPEC = 2024				
		T351. POSITION CX TO ALC 01 IAW AAP7001.060-3 & MOD-264 REF: AIP MCS				
		203/14.				
A1PXXU1405096	COMPLETED	29APR14 11:27	7971.5	AFHR	MM	XXXXXXXXXX
28APR14 01:58	XXXXXXXX	XXXXXXXXXXXXXXXXXX	AIP			
28APR14 01:58	XXXXXXXX	XXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX
		MS7 due on Serial 533FR				29APR14 11:27
		PEDAL BRG SPT FR RH at WAC 0730				XXXXXXXXXX
	Maint Acts:	MS7 C/O REF: NDI REPORT AIP/NDT/A23-033/001. MATERIAL SPEC = 2024				
		T351. POSITION CX TO ALC 01 IAW AAP7001.060-3 & MOD-264 REF: AIP MCS				
		203/14.				
A1PXXU1405097	COMPLETED	29APR14 11:29	7971.5	AFHR	MM	XXXXXXXXXX
28APR14 01:58	XXXXXXXX	XXXXXXXXXXXXXXXXXX	AIP			
28APR14 01:58	XXXXXXXX	XXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX
		MS7 due on Serial 533FR				29APR14 11:29
		PEDAL BRG FRONT RH at WAC 0730				XXXXXXXXXX
	Maint Acts:	MS7 C/O REF: NDI REPORT AIP/NDT/A23-033/001. MATERIAL SPEC = 2024				
		T351. POSITION CX TO ALC 01 IAW AAP7001.060-3 & MOD-264 REF: AIP MCS				
		203/14.				
A1PXXU1405098	COMPLETED	29APR14 11:30	7971.5	AFHR	MM	XXXXXXXXXX
28APR14 01:58	XXXXXXXX	XXXXXXXXXXXXXXXXXX	AIP			
28APR14 01:58	XXXXXXXX	XXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX
		MS7 due on Serial 533RL				29APR14 11:30
		PEDAL BRG SPT RE LH at WAC 0740				XXXXXXXXXX
	Maint Acts:	MS7 C/O REF: NDI REPORT AIP/NDT/A23-033/001. MATERIAL SPEC = 2024				
		T351. POSITION CX TO ALC 01 IAW AAP7001.060-3 & MOD-264 REF: AIP MCS				
		203/14.				



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMP2  
ASSET HISTORY

PAGE 03343  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1405099	COMPLETED	29APR14 11:31	7971.5	AFHR	MM	XXXXXXXXXX
28APR14 01:58	XXXXXXXX	XXXXXXXXXXXXXXXXXX	AIP			
28APR14 01:58	XXXXXXXX	XXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX
		MS7 due on Serial 533RL				29APR14 11:31
		PEDAL BRG REAR LH at WAC 0730				XXXXXXXXXX
	Maint Acts:	MS7 C/O REF: NDI REPORT AIP/NDT/A23-033/001. MATERIAL SPEC = 2024 T351. POSITION CX TO ALC 01 IAW AAP7001.060-3 & MOD-264 REF: AIP MCS 203/14.				

A1PXXU1405100	COMPLETED	29APR14 11:31	7971.5	AFHR	MM	XXXXXXXXXX
28APR14 01:58	XXXXXXXX	XXXXXXXXXXXXXXXXXX	AIP			
28APR14 01:58	XXXXXXXX	XXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX
		MS7 due on Serial 533RR				29APR14 11:31
		PEDAL BRG SPT RE RH at WAC 0740				XXXXXXXXXX
	Maint Acts:	MS7 C/O REF: NDI REPORT AIP/NDT/A23-033/001. MATERIAL SPEC = 2024 T351. POSITION CX TO ALC 01 IAW AAP7001.060-3 & MOD-264 REF: AIP MCS 203/14.				

A1PXXU1405101	COMPLETED	29APR14 11:32	7971.5	AFHR	MM	XXXXXXXXXX
28APR14 01:58	XXXXXXXX	XXXXXXXXXXXXXXXXXX	AIP			
28APR14 01:58	XXXXXXXX	XXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX
		MS7 due on Serial 533RR				29APR14 11:32
		PEDAL BRG REAR RH at WAC 0730				XXXXXXXXXX
	Maint Acts:	MS7 C/O REF: NDI REPORT AIP/NDT/A23-033/001. MATERIAL SPEC = 2024 T351. POSITION CX TO ALC 01 IAW AAP7001.060-3 & MOD-264 REF: AIP MCS 203/14.				

A1PXXU1405102	COMPLETED	28APR14 01:58	7971.5	AFHR	SST	XXXXXXXXXX
28APR14 01:58	XXXXXXXX	XXXXXXXXXXXXXXXXXX	AIP			29APR14 01:20
28APR14 01:58	XXXXXXXX	XXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX
		MS7 due on Serial 530				
		ELEV BRG ASSY CTR at WAC 1100				XXXXXXXXXX
	Maint Acts:	TRANSFERRED TO 530				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03344  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1405103	COMPLETED	29APR14 11:33	7971.5	AFHR	MM	XXXXXXXXXX
28APR14 01:58	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			
28APR14 01:58	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX
		MS7 due on Serial 027LH				29APR14 11:33
		FLAP BRG SUPPORT LH at WAC 0940				XXXXXXXXXX
	Maint Acts:	MS7 C/O REF: NDI REPORT AIP/NDT/A23-033/001. MATERIAL SPEC = 2024 T351. POSITION CX TO ALC 01 IAW AAP7001.060-3 & MOD-264 REF: AIP MCS 203/14.				
A1PXXU1405104	COMPLETED	29APR14 11:26	7971.5	AFHR	MM	XXXXXXXXXX
28APR14 01:58	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			
28APR14 01:58	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX
		MS7 due on Serial 027RH				29APR14 11:26
		FLAP BRG SUPPORT RH at WAC 1040				XXXXXXXXXX
	Maint Acts:	MS7 C/O REF: NDI REPORT AIP/NDT/A23-033/001. MATERIAL SPEC = 2024 T351. POSITION CX TO ALC 01 IAW AAP7001.060-3 & MOD-264 REF: AIP MCS 203/14.				
A1PXXU1405105	COMPLETED	29APR14 11:27	7971.5	AFHR	MM	XXXXXXXXXX
28APR14 01:58	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			
28APR14 01:58	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX
		MS7 due on Serial 027				29APR14 11:27
		R CONT CLM SPT at WAC 0740				XXXXXXXXXX
	Maint Acts:	MS7 C/O REF: NDI REPORT AIP/NDT/A23-033/001. MATERIAL SPEC = 2024 T351. POSITION CX TO ALC 01 IAW AAP7001.060-3 & MOD-264 REF: AIP MCS 203/14.				
A1PXXU1405106	COMPLETED	29APR14 11:34	7971.5	AFHR	MM	XXXXXXXXXX
28APR14 01:58	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			
28APR14 01:58	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX
		MS7 due on Serial 027LH				29APR14 11:34
		ROD AIL OUTER LH at WAC 0920				XXXXXXXXXX
	Maint Acts:	MS7 C/O REF: NDI REPORT AIP/NDT/A23-033/001. MATERIAL SPEC = 2024 T351. POSITION CX TO ALC 01 IAW AAP7001.060-3 & MOD-264 REF: AIP MCS 203/14.				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
Camm2  
ASSET HISTORY

PAGE 03345  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1405107	COMPLETED	29APR14 11:37	7971.5	AFHR	MM	XXXXXXXXXX
28APR14 01:58	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			
28APR14 01:58	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX
		MS7 due on Serial 027RH				29APR14 11:37
		ROD AIL OUTER RH at WAC 1020				XXXXXXXXXX
	Maint Acts:	MS7 C/O REF: NDI REPORT AIP/NDT/A23-033/001. MATERIAL SPEC = 2024 T351. POSITION CX TO ALC 01 IAW AAP7001.060-3 & MOD-264 REF: AIP MCS 203/14.				

A1PXXU1405108	COMPLETED	29APR14 11:39	7971.5	AFHR	MM	XXXXXXXXXX
28APR14 01:58	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			
28APR14 01:58	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX
		MS7 due on Serial 343				29APR14 11:39
		AIL NOSE RIB 1 LH at WAC 0930				XXXXXXXXXX
	Maint Acts:	MS7 C/O REF: NDI REPORT AIP/NDT/A23-033/001. MATERIAL SPEC = AA 2124 T851. POSITION & PART NUMBER CX IAW MOD-7212.007-264 REF: AIP MCS 203/14				

A1PXXU1405109	COMPLETED	29APR14 11:24	7971.5	AFHR	MM	XXXXXXXXXX
28APR14 01:59	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			
28APR14 01:59	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX
		MS7 due on Serial 509				29APR14 11:24
		AIL NOSE RIB 1 RH at WAC 1030				XXXXXXXXXX
	Maint Acts:	MS7 C/O REF: NDI REPORT AIP/NDT/A23-033/001. MATERIAL SPEC = 2024 T351. POSITION CX TO ALC 01 IAW AAP7001.060-3 & MOD-264 REF: AIP MCS 203/14.				

A1PXXU1405113	COMPLETED	08JUL14 02:03	7971.5	AFHR	MM	XXXXXXXXXX
28APR14 02:43	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			
28APR14 02:44	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX
A1PXXO1402837		MANDATORY AMD VALIDATION & CAMM2 CHECKS TBCO BY MCS PRIOR TO FLIGHT				08JUL14 02:03
505149 4		IAW AIRFLITE PROCEDURE 7.4.2				XXXXXXXXXX

aip0108315MAY14 03:39:03  
NIL IMPACT ON AIRWORTHINESS OR AIRCRAFT OPERATIONS.  
VALIDATION IN THE PROCESS OF BEING COMPLETED WHEN AIRCRAFT IS ON  
(Continued on next page.)

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES							
SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN	
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME	
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR	
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME	
EE500PG EE500LN						INSPECTOR	
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME	

(Continued from previous page.)  
 TEST FLIGHT  
 ASSESSED AS ACCEPTABLE IAW CAMM2  
 TOTAL FAILURE ASSESSED AS IMPROBABLE

Maint Acts: MANDATORY AMD VALIDATION & CAMM2 CHECKS CARRIED OUT IAW: AIRFLITE  
 PROC: 7.4.2. REFER EE500: 531851/6-9/2

A1PXXU1405114	COMPLETED	13MAY14 03:41	7971.5	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
28APR14 02:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			13MAY14 03:41
28APR14 02:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		NDT due on Serial 027LH				
		LWNG RSPAR UP FLNG at WAC 0900				XXxxXXxxXXxxXXxxXXxx

Maint Acts: NDT CO REF MCS 194/14-16-2

A1PXXU1405115	COMPLETED	13MAY14 03:41	7971.5	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
28APR14 02:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			13MAY14 03:41
28APR14 02:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		NDT due on Serial 027RH				
		RWNG RSPAR UP FLNG at WAC 1000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: NDT CO REF MCS 194/14-16-2

A1PXXU1405119	COMPLETED	05MAY14 22:38	7971.5	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
28APR14 04:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			05MAY14 22:38
28APR14 04:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BATTERY NICAD REMOVED FOR ACCESS.				
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV BATT NICAD FITTED IAW AAP 7212.007-2 REF AIP MCS 194/14-12#5

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03347  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1405119

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1208	A23T	A1UOA	00	1464	A23T	A1UOA	00
	33490409201		28APR14 04:47	A1PXXJ1406716	33490409201		05MAY14 22:33	

A1PXXU1405120 COMPLETED 01MAY14 02:28 7971.5 AFHR SST XXxxXXxxXXxxXXxxXXxx  
28APR14 05:02 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 01MAY14 02:28  
28APR14 05:03 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
BOTH LH AND RH STROBE PWR SUPPLIES RFA  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: BOTH LH AND RH STROBE PWR SUPPLIES REFITTED IAW 7212-007-2 REF LSN  
MCS 194/14-16-3

REMOVALS/INSTALLATIONS FOR A1PXXU1405120

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1160185	A23T	A2KEW	01	1160185	A23T	A2KEW	01
	8ES007046-03		28APR14 05:03	A1PXXJ1406717	8ES007046-03		01MAY14 02:26	
002	1160193	A23T	A2KEY	01	1160193	A23T	A2KEY	01
	8ES007046-03		28APR14 05:05	A1PXXJ1406718	8ES007046-03		01MAY14 02:26	

A1PXXU1405122 COMPLETED 05MAY14 05:37 7971.5 AFHR SST XXxxXXxxXXxxXXxxXXxx  
28APR14 05:32 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 05MAY14 05:37  
28APR14 05:33 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
BOTH INVERTERS AND RACK REMOVED FOR ACCESS.  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: BOTH INVS AND RACK REFITTED IAW 7212-007-2 REF LSN AIP MCS  
194/14-16-5

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03348  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

REMOVALS/INSTALLATIONS FOR A1PXXU1405122

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	6568 975.04.21.103	A23T	A1UOG 28APR14 05:33	01 A1PXXJ1406731	6568 975.04.21.103	A23T	A1UOG 05MAY14 05:35	01
002	6567 975.04.21.103	A23T	A1UOE 28APR14 05:35	01 A1PXXJ1406732	6567 975.04.21.103	A23T	A1UOE 05MAY14 05:35	01

A1PXXU1405149	COMPLETED	08MAY14 00:36	7971.5	AFHR	SCM	XXXXXXXXXX
28APR14 23:32	XXXXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
28APR14 23:33	XXXXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
		FRONT AND REAR EJECTION SEAT RFA				08MAY14 00:36
						XXXXXXXXXX

Maint Acts: FRONT AND REAR EJECTION SEATS REPLACED IAW AAP 7212.007-2. REF AIP  
 MCS 198/14

REMOVALS/INSTALLATIONS FOR A1PXXU1405149

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	055 AU11A-1	A23T	A1W 28APR14 23:34	00 A1PXXJ1406794	055 AU11A-1	A23T	A1W 06MAY14 00:29	00
002	056 AU11A-2	A23T	A26 28APR14 23:36	00 A1PXXJ1406795	056 AU11A-2	A23T	A26 06MAY14 00:28	00
003	056 AU11A-2	A23T	A26 06MAY14 01:13	00 A1PXXJ1407530	020 AU11A-2	A23T	A26 08MAY14 00:34	00
004	055 AU11A-1	A23T	A1W 06MAY14 01:14	00 A1PXXJ1407531	161 AU11A-1	A23T	A1W 08MAY14 00:33	00

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03349  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1405187	COMPLETED	05MAY14 05:12	7971.5	AFHR	SST	XXXXXXXXXX
29APR14 02:02	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			05MAY14 05:12
29APR14 02:04	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX
BEARING RACE, VALVE SIDE, DETERIORATED ON HUB ASSY NOSE, SN 0010.						
XXXXXXXXXX						

Maint Acts: SERVICEABLE HUB ASSY NOSE, SN FYH177092, FITTED IAW AAP 7212.007-2.  
REF AIP MCS 195/14, 17-5.

REMOVALS/INSTALLATIONS FOR A1PXXU1405187

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0010	A23T	A18AG	00	0069	A23T	A18AG	00
	3-1451 OPT 1		29APR14 02:04	A1PXXJ1406836	3-1451 OPT 1		05MAY14 05:09	

A1PXXU1405198	COMPLETED	05MAY14 05:06	7971.5	AFHR	SST	XXXXXXXXXX
29APR14 04:46	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			05MAY14 05:06
29APR14 04:47	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX
HUB ASSY MAIN LH, SN 0363, RFA.						
XXXXXXXXXX						

Maint Acts: LH HUB ASSY MAIN, SN 0363, REFITTED IAW AAP 7212.007-2. REF AIP MCS  
195/14, 20-5.

REMOVALS/INSTALLATIONS FOR A1PXXU1405198

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0363	A23T	A2KDM	01	0363	A23T	A2KDM	01
	3-1555		29APR14 04:47	A1PXXJ1406872	3-1555		05MAY14 05:04	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1405200	COMPLETED	16JUL15 22:56	7971.5	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
29APR14 05:56	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			16JUL15 22:56
29APR14 05:57	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
CORROSION ON LH STRINGER (AT END) ABOVE LOWER LH LONGERON AT FRAME 5 AS VIEWED THRU AV COMPARTMENT						XXXXXXXXXXXXXXXXXXXX

aip0108313MAY14 05:53:19  
 NIL IMPACT ON AIRWORTHINESS OR AIRCRAFT OPERATIONS  
 THE DAMAGED AREA HAS BEEN INSPECTED, THE DAMAGE TO THE AIRCRAFT STRINGER HAS BEEN ASSESSED AS LOW RISK ACCEPTABLE DAMAGE. THE DAMAGED AREA HAS BEEN CLEANED AND THE AREA TREATED TO PREVENT ANY FURTHER DAMAGE TO THE STRUCTURE. THE IS NIL EVIDENCE OF ANY SECONDARY DAMAGE TO THE STRINGER OR ADJIONING STRUCTURES.  
 TOTAL FAILURE OF THE STRUCTURE IS ASSESSED AS LOW RISK ACCEPTABLE DAMAGE.

Maint Acts: STRINGER REPAIR CO IAW 7212.007-3 REF MCS 122/15-10-1

A1PXXU1405201	COMPLETED	30APR14 09:39	7971.5	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
29APR14 08:35	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			30APR14 09:39
29APR14 08:37	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
MMI ITEMS REMOVED FOR MOD 7212.007-248						XXXXXXXXXXXXXXXXXXXX

Maint Acts: ITEMS REPLACED IAW MOD 264 INSTRUCTIONS REF AIP MCS 203/14 -4-3

REMOVALS/INSTALLATIONS FOR A1PXXU1405201

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	027LH 527.10.09.021	A23T	A2KCB 29APR14 08:37	00 A1PXXJ1406898	027LH 527.10.09.021	A23T	A2KCB 29APR14 08:39	00



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

SEQ	REMOVED SERIAL NO REMOVED PART NO	EIAC	LCN DATE/TIME	ALC JOB NUMBER	INSTALLED SERIAL NO INSTALLED PART NO	EIAC	LCN DATE/TIME	ALC
002	027RH 527.10.09.021	A23T	A2KCD 29APR14 08:40	00 A1PXXJ1406900	027RH 527.10.09.021	A23T	A2KCD 29APR14 08:41	00
003	533 527.30.09.015	A23T	A1UUA 29APR14 08:42	00 A1PXXJ1406902	PC1400399 527.30.09.082	A23T	A1UUA 29APR14 09:34	02
004	533 527.30.09.016	A23T	A1UUB 29APR14 08:43	00 A1PXXJ1406903	PC1400400 527.30.09.083	A23T	A1UUB 29APR14 09:31	02
005	PC1400364 527.30.09.010	A23T	A1UEU 29APR14 08:43	00 A1PXXJ1406904	PC1400364 527.30.09.010	A23T	A1UEU 29APR14 08:45	00
006	PC1400365 527.30.09.010	A23T	A1UIU 29APR14 09:24	00 A1PXXJ1406905	PC1400365 527.30.09.010	A23T	A1UIU 29APR14 09:25	00

A1PXXU1405208 COMPLETED 29APR14 13:22 7971.5 AFHR SST XXxxXXxxXXxxXXxxXXxx  
 29APR14 12:12 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 29APR14 13:22  
 29APR14 12:12 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 MS8 due on Serial 509  
 AIL NOSE RIB 1 RH at WAC 1030 XXxxXXxxXXxxXXxxXXxx

Maint Acts: MS8 CARRIED OUT IAW MOD 264 INSTRUCTIONS REF AIP MCS 203/14-4-4

A1PXXU1405209 COMPLETED 29APR14 13:19 7971.5 AFHR SST XXxxXXxxXXxxXXxxXXxx  
 29APR14 12:14 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 29APR14 13:19  
 29APR14 12:14 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 MS10 due on Serial 027LH  
 FLAP BRG SUPPORT LH at WAC 0940 XXxxXXxxXXxxXXxxXXxx

Maint Acts: MS10 CARRIED OUT IAW MOD 264 INSTRUCTIONS REF AIP MCS 203/14-4-5

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03352  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1405210	COMPLETED	29APR14 13:20	7971.5	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
29APR14 12:14	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			29APR14 13:20
29APR14 12:14	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		MS10 due on Serial 027RH				
		FLAP BRG SUPPORT RH at WAC 1040				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	MS10 CARRIED OUT IAW MOD 264 INSTRUCTIONS REF AIP MCS 203/14-4-6				
A1PXXU1405211	COMPLETED	29APR14 12:59	7971.5	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
29APR14 12:18	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			29APR14 12:59
29APR14 12:18	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		MS12 due on Serial 533LH				
		FR3 PICKUP BKT LH at WAC 0730				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	MS12 CARRIED OUT IAW MOD 264 INSTRUCTIONS REF AIP MCS 203/14-5-1				
A1PXXU1405212	COMPLETED	29APR14 13:01	7971.5	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
29APR14 12:18	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			29APR14 13:01
29APR14 12:18	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		MS12 due on Serial 533RH				
		FR3 PICKUP BKT RH at WAC 0730				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	MS12 CARRIED OUT IAW MOD 264 INSTRUCTIONS REF AIP MCS 203/14-5-2				
A1PXXU1405213	COMPLETED	29APR14 13:02	7971.5	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
29APR14 12:18	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			29APR14 13:02
29APR14 12:18	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		MS13 due on Serial 533FL				
		PEDAL BRG SPT FR LH at WAC 0730				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	MS13 CARRIED OUT IAW MOD 264 INSTRUCTIONS REF AIP MCS 203/14-5-3				
A1PXXU1405214	COMPLETED	29APR14 13:06	7971.5	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
29APR14 12:18	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			29APR14 13:06
29APR14 12:18	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		MS13 due on Serial 533FL				
		PEDAL BRG FRONT LH at WAC 0730				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	MS13 CARRIED OUT IAW MOD 264 INSTRUCTIONS REF AIP MCS 203/14-5-4				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03353  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1405215	COMPLETED	29APR14 13:03	7971.5	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
29APR14 12:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			29APR14 13:03
29APR14 12:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MS13 due on Serial 533FR				
		PEDAL BRG SPT FR RH at WAC 0730				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	MS13 CARRIED OUT IAW MOD 264 INSTRUCTIONS REF AIP MCS 203/14-5-3				
A1PXXU1405216	COMPLETED	29APR14 13:08	7971.5	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
29APR14 12:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			29APR14 13:08
29APR14 12:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MS13 due on Serial 533FR				
		PEDAL BRG FRONT RH at WAC 0730				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	MS13 CARRIED OUT IAW MOD 264 INSTRUCTIONS REF AIP MCS 203/14-5-4				
A1PXXU1405217	COMPLETED	29APR14 13:11	7971.5	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
29APR14 12:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			29APR14 13:11
29APR14 12:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MS13 due on Serial 533RL				
		PEDAL BRG SPT RE LH at WAC 0740				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	MS13 CARRIED OUT IAW MOD 264 INSTRUCTIONS REF AIP MCS 203/14-5-5				
A1PXXU1405218	COMPLETED	29APR14 13:14	7971.5	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
29APR14 12:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			29APR14 13:14
29APR14 12:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MS13 due on Serial 533RL				
		PEDAL BRG REAR LH at WAC 0730				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	MS13 CARRIED OUT IAW MOD 264 INSTRUCTIONS REF AIP MCS 203/14-5-6				
A1PXXU1405219	COMPLETED	29APR14 13:17	7971.5	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
29APR14 12:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			29APR14 13:17
29APR14 12:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MS13 due on Serial 533RR				
		PEDAL BRG SPT RE RH at WAC 0740				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	MS13 CARRIED OUT IAW MOD 264 INSTRUCTIONS REF AIP MCS 203/14-5-5				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03354  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1405220	COMPLETED	29APR14 13:15	7971.5	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
29APR14 12:18	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			29APR14 13:15
29APR14 12:18	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		MS13 due on Serial 533RR				
		PEDAL BRG REAR RH at WAC 0730				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	MS13 CARRIED OUT IAW MOD 264 INSTRUCTIONS REF AIP MCS 203/14-5-6				
A1PXXU1405221	COMPLETED	29APR14 13:27	7971.5	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
29APR14 12:18	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			29APR14 13:27
29APR14 12:18	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		MS14 due on Serial 027				
		R CONT CLM SPT at WAC 0740				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	MS14 CARRIED OUT IAW MOD 264 INSTRUCTIONS REF AIP MCS 203/14-6-1				
A1PXXU1405222	COMPLETED	29APR14 13:25	7971.5	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
29APR14 12:18	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			29APR14 13:25
29APR14 12:18	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		MS15 due on Serial 027LH				
		ROD AIL OUTER LH at WAC 0920				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	MS15 CARRIED OUT IAW MOD 264 INSTRUCTIONS REF AIP MCS 203/14-6-2				
A1PXXU1405223	COMPLETED	29APR14 13:26	7971.5	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
29APR14 12:18	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			29APR14 13:26
29APR14 12:18	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		MS15 due on Serial 027RH				
		ROD AIL OUTER RH at WAC 1020				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	MS15 CARRIED OUT IAW MOD 264 INSTRUCTIONS REF AIP MCS 203/14-6-2				
A1PXXU1405248	COMPLETED	30APR14 01:24	7971.5	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
30APR14 01:17	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			30APR14 01:24
30APR14 01:19	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		FRONT VSI INDICATES 2300 FT CLIMB AT 15000 FT STRAIGHT AND LEVEL DURING TEST				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	SERV VSI FITTED IAW 7212-007-2 REF LSN AIP MCS 194/14-20-1				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03355  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR 1PXXU1405248

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	703885	A23T	A1UDO	00	1075869	A23T	A1UDO	00
	4A16.32.60F.05.1.A		30APR14 01:19	1PXXJ1406990	965.16.13.204		30APR14 01:21	

1PXXU1405252 COMPLETED 30APR14 03:40 7971.5 AFHR SST XXxxXXxxXXxxXXxxXXxx  
30APR14 03:31 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 30APR14 03:40  
30APR14 03:34 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
FRONT OXY INDICATING GAUGE READS 420PSI DURING LOW OXY WARNING  
CHECKS WHEN SYSTEM PRESSURE IS 300PSI XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERVICEABLE OXY INDICATING GAUGE FITTED IAW AAP 7212.007-2 REF LSN  
AIP MCS 194/14-20#4

REMOVALS/INSTALLATIONS FOR 1PXXU1405252

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	038	A23T	A1UDS	00	063	A23T	A1UDS	00
	DK463-10		30APR14 03:35	1PXXJ1406997	DK463-10		30APR14 03:37	

1PXXU1405264 COMPLETED 30APR14 13:50 7971.5 AFHR SST XXxxXXxxXXxxXXxxXXxx  
30APR14 05:49 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 30APR14 13:50  
30APR14 05:50 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
WATER SEPARATOR, SN 67518, REMOVED FOR SERVICING.  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: WATER SEPERATOR REFITTED IAW AAP 7212.007-2  
REF AIP MCS 194/14 20/6

REMOVALS/INSTALLATIONS FOR 1PXXU1405264

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	67518	A23T	A0Y	00	67518	A23T	A0Y	00
	85020-8		30APR14 05:50	1PXXJ1407021	85020-8		30APR14 13:49	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03356  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1405506	COMPLETED	06MAY14 22:48	7971.5	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
05MAY14 02:22	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			06MAY14 22:48
05MAY14 02:23	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		ELEVATOR ASSY, SN 042, RFA.				XXXXXXXXXXXXXXXXXXXX

Maint Acts: ELEVATOR ASSY, SN 042, REFITTED FOR CAMM2 RECORDING PURPOSES ONLY  
 ORIGINAL FITMENT RECORDED AGAINST AIP MCS 194/14, 8-5  
 (AIPXXU1405083), C O IAW AAP 7212 007-2.

A1PXXU1405507	COMPLETED	06MAY14 22:39	7971.5	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
05MAY14 02:26	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			06MAY14 22:39
05MAY14 02:30	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		HORIZONTAL STABILIZER, SN 530, RFA.				XXXXXXXXXXXXXXXXXXXX

Maint Acts: FOR CAMM2 RECORDING PURPOSES ONLY: ITEM REFITTED UNDER ANOTHER U/S.  
 HSTAB REFITTED IAW AAP 7212.007-2. REFER AIP MCS194/14, 11-6  
 (AIPXXU1114265).

A1PXXU1405570	COMPLETED	08MAY14 00:42	7971.5	AFHR	SCM	XXXXXXXXXXXXXXXXXXXX
06MAY14 00:31	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
06MAY14 00:38	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			08MAY14 00:42
		PARA ASSY'S, PSP ASSY'S AND SEO'S REMOVED FOR ACCESS				XXXXXXXXXXXXXXXXXXXX

Maint Acts: PARA ASSY'S, PSP ASSY'S AND SEO'S REFITTED IAW AAP 7212.007-2 AND  
 7291.042-2M. REF AIP MCS 198/14

REMOVALS/INSTALLATIONS FOR A1PXXU1405570

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1647297	A23T	A1WBE	00	1647297	A23T	A1WBE	00
	MBEU100618		06MAY14 00:41	A1PXXJ1407517	MBEU100618		08MAY14 00:38	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03357  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

SEQ	REMOVED SERIAL NO REMOVED PART NO	EIAC	LCN DATE/TIME	ALC JOB NUMBER	INSTALLED SERIAL NO INSTALLED PART NO	EIAC	LCN DATE/TIME	ALC
002	DF0206-SET29 STANDARDPACK-1	A23T	A1WBG 06MAY14 00:45	00 A1PXXJ1407520	DF0206-SET29 STANDARDPACK-1	A23T	A1WBG 08MAY14 00:39	00
003	MB9949-SET29 MBEU100664	A23T	A1WBA 06MAY14 00:46	00 A1PXXJ1407522	MB9949-SET29 MBEU100664	A23T	A1WBA 08MAY14 00:39	00
004	1647225 MBEU100618	A23T	A26BE 06MAY14 00:54	00 A1PXXJ1407524	1647225 MBEU100618	A23T	A26BE 08MAY14 00:40	00
005	DG0045-SET29 STANDARDPACK-1	A23T	A26BG 06MAY14 00:55	00 A1PXXJ1407525	DG0045-SET29 STANDARDPACK-1	A23T	A26BG 08MAY14 00:40	00
006	MB10268-SET29 MBEU12043PA	A23T	A26BA 06MAY14 00:58	00 A1PXXJ1407526	MB10268-SET29 MBEU12043PA	A23T	A26BA 08MAY14 00:37	00

A1PXXU1405579 COMPLETED 08MAY14 00:46 7971.5 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
 06MAY14 01:04 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 06MAY14 01:04 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 TA due on Serial 8093312F  
 SET CART EJECTION at WAC 0730  
 08MAY14 00:46  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: CART SET SEAT REPLACED IAW AAP 7212.007-2. REF AIP MCS 198/14

REMOVALS/INSTALLATIONS FOR A1PXXU1405579

SEQ	REMOVED SERIAL NO REMOVED PART NO	EIAC	LCN DATE/TIME	ALC JOB NUMBER	INSTALLED SERIAL NO INSTALLED PART NO	EIAC	LCN DATE/TIME	ALC
001	8093312F MBEU100021	A23T	A1WAE 06MAY14 01:05	00 A1PXXJ1211348	4563314F MBEU100021	A23T	A1WAE 08MAY14 00:45	00

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1405580	COMPLETED	08MAY14 00:44	7971.5	AFHR	SCM	XXXXXXXXXXXXXXXXXXXX
06MAY14 01:04	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			
06MAY14 01:04	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		TA due on Serial 8093312R				08MAY14 00:44
		CARTRIDGE SET SEAT at WAC 0740				XXXXXXXXXXXXXXXXXXXX

Maint Acts: CART SET EJECTION REPLACED IAW AAP 7212.007-2. REF AIP MCS 198/14

REMOVALS/INSTALLATIONS FOR A1PXXU1405580

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	8093312R	A23T	A26AE	00	4563314R	A23T	A26AE	00
	MBEU100021		06MAY14 01:08	A1PXXJ1211350	MBEU100021		08MAY14 00:43	

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1405582	COMPLETED	08MAY14 00:27	7971.5	AFHR	SCM	XXXXXXXXXXXXXXXXXXXX
06MAY14 01:17	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			
06MAY14 01:21	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		COMMAND SYSTEM REMOVED FOR ACCESS				08MAY14 00:27
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: COMMAND SYSTEM REPLACED IAW AAP 7212.007-2. REF AIP MCS 0235/14

REMOVALS/INSTALLATIONS FOR A1PXXU1405582

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	DE2732	A23T	A1UIY	00	DB5948	A23T	A1UIY	00
	MBEU64438		06MAY14 01:21	A1PXXJ1407533	MBEU64438		08MAY14 00:24	



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03359  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
002	MC1066	A23T	A1UJC	00	MD2145	A23T	A1UJC	00
	MBEU100433		06MAY14 01:22	A1PXXJ1407534	MBEU100433		08MAY14 00:24	

A1PXXU1405586 COMPLETED 06MAY14 03:32 7971.5 AFHR SST  
06MAY14 03:27 XXxxXXxx XXxxXXxxXXxxXXxx AIP 06MAY14 03:32  
06MAY14 03:28 XXxxXXxx XXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
KNOCKING SOUND ON THE DAMPER STRUT DURING CLOSING.  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: DAMPER STRUT REPLACED IAW AAP 7212 007-2,REF AIP MCS 194/14-24-5.

REMOVALS/INSTALLATIONS FOR A1PXXU1405586

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	339	A23T	A1UEY	00	117	A23T	A1UEY	00
	556.10.09.199		06MAY14 03:29	A1PXXJ1407549	556.10.09.199		06MAY14 03:30	

A1PXXU1405592 COMPLETED 06MAY14 05:23 7971.5 AFHR SST  
06MAY14 05:12 XXxxXXxx XXxxXXxxXXxxXXxx AIP 06MAY14 05:23  
06MAY14 05:16 XXxxXXxx XXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
HORIZONTAL STAB ASSY S/N 530 TO BE FITTED FOR CAMM2 PURPOSES  
ONLY,REMOVAL IS IN S60 ENTRY AIPXXU1114265.  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: HORSTAB ASSY FITTED IAW AAP 7212.007-2,FITTED FOR CAMM2 PURPOSES ONLY,REMOVAL OF ASSY REF TO AIPXXU1114265.

REMOVALS/INSTALLATIONS FOR A1PXXU1405592

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001					530	A23T	A2I	00
					555.10.09.130		06MAY14 05:16	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03360  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

ALPXXU1405659	COMPLETED	12MAY14 09:52	7971.5	AFHR	SST	XXXXXXXXXX
07MAY14 00:52	XXXXXXXX	XXXXXXXXXX	AIP			12MAY14 09:52
07MAY14 00:55	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
REAR CLOCK PANEL, COMPLETE WITH CLOCK ELP TIME SN 621045, REMOVED FOR PROP FEATHERING CKECK.						XXXXXXXXXX

Maint Acts: REAR COCKPIT CLOCK PANEL REFITTED IAW AAP 7212-007-2 REF AIP MCS 194/14-9-6

REMOVALS/INSTALLATIONS FOR ALPXXU1405659

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	621045	A23T	A1UCC	00	621045	A23T	A1UCC	00
	Q17-941.22.052AB		07MAY14 00:55	ALPXXJ1407633	Q17-941.22.052AB		12MAY14 09:50	

ALPXXU1405820	COMPLETED	09MAY14 02:54	7971.5	AFHR	SST	XXXXXXXXXX
09MAY14 02:42	XXXXXXXX	XXXXXXXXXX	AIP			09MAY14 02:54
09MAY14 02:46	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
DISPLAY FLICKERS AND LOWER SEVEN SEGMENT DISPLAY HAS LOWER RIGHT SEGMENT MISSING						XXXXXXXXXX

Maint Acts: SERV ADF CONTROL FITTED IAW 7212-007-2 REF LSN AIP MCS 194/14-26-2

REMOVALS/INSTALLATIONS FOR ALPXXU1405820

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	2486	A23T	A1UHG	00	2526	A23T	A1UHG	00
	071-1284-05		09MAY14 02:48	ALPXXJ1407826	071-1284-05		09MAY14 02:52	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES -----

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1405822	COMPLETED	09MAY14 03:00	7971.5	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
09MAY14 02:54	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			09MAY14 03:00
09MAY14 02:56	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		FRONT ADF CONTROL HAS BRIGHT FLICKERING DISPLAY				XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV ADF CONTROL FITTED IAW 7212-007-2 REF LSN AIP MCS 194/14-26-1

REMOVALS/INSTALLATIONS FOR A1PXXU1405822

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	2560	A23T	A1UCY	00	2525	A23T	A1UCY	00
	071-1284-05		09MAY14 02:56	A1PXXJ1407827	071-1284-05		09MAY14 02:58	

A1PXXU1405901	COMPLETED	12MAY14 11:45	7971.5	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
12MAY14 11:36	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			12MAY14 11:45
12MAY14 11:38	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		PROPELLER SPINNER ASSY REMOVED FOR ACCESS				XXXXXXXXXXXXXXXXXXXX

Maint Acts: PROPELLER SPINNER ASSY REFITTED IAW AAP 7212-007-2 REF AIP MCS 195/14 WC9 #5

REMOVALS/INSTALLATIONS FOR A1PXXU1405901

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	L523933	A23T	A00AI	00	L523933	A23T	A00AI	00
	D5210		12MAY14 11:38	A1PXXJ1407907	D5210		12MAY14 11:40	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
Camm2  
ASSET HISTORY

PAGE 03362  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1405927	COMPLETED	02JUL14 03:44	7971.5	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
13MAY14 03:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			02JUL14 03:44
13MAY14 03:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MTF REQD POST R2 SERV				XXxxXXxxXXxxXXxxXXxx

Maint Acts: MTF CARRIED OUT REF 505150

A1PXXU1406106	COMPLETED	19MAY14 06:05	7972.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
15MAY14 14:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			19MAY14 06:05
15MAY14 14:03	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
505149 2		CAMM2 WORK TO BE PERFORMED FOR WING BOLT R&I + NUTS DUE T/A FROM S36 SERV: A1PXXU1012445.				XXxxXXxxXXxxXXxxXXxx

Maint Acts: BOLTS/NUTS WG-FUS CTR LH/RH REPLACED IAW 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXU1406106

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PCY600595 110.30.07.008	A23T	A1UAW 19MAY14 05:52	00 A1PXXJ1408382	PCY600595 110.30.07.008	A23T	A1UAW 19MAY14 05:56	00
002	PCY600594 110.30.07.008	A23T	A1UAW 19MAY14 05:53	00 A1PXXJ1408383	PCY600594 110.30.07.008	A23T	A1UAW 19MAY14 05:56	00

A1PXXU1406232	COMPLETED	19MAY14 06:02	7972.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
19MAY14 05:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			19MAY14 06:02
19MAY14 05:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		TA due on Serial PCY800848 NUT WG-FUS CTR LH at WAC 0900				XXxxXXxxXXxxXXxxXXxx

Maint Acts: NUT WG-FUS CTR LH REPLACED IAW 7212.007-2

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1406232

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PCY800848	A23T	A1UAG	00	PC1400547	A23T	A1UAG	00
	938.09.14.307		19MAY14 06:00	A1PXXJY814714	938.09.14.307		19MAY14 06:01	

A1PXXU1406233 COMPLETED 19MAY14 06:04 7972.7 AFHR SST  
 19MAY14 05:59 XXxxXXxx XXxxXXxxXXxxXXxx AIP 19MAY14 06:04  
 19MAY14 05:59 XXxxXXxx XXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 TA due on Serial PCY800849  
 NUT WG-FUS CTR RH at WAC 1000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: NUT WG-FUS CTR RH REPLACED IAW 7212.007-2

REMOVALS/INSTALLATIONS FOR A1PXXU1406233

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PCY800849	A23T	A1UAE	00	PC1400548	A23T	A1UAE	00
	938.09.14.307		19MAY14 06:03	A1PXXJY814715	938.09.14.307		19MAY14 06:04	

A1PXXU1406237 COMPLETED 03JUL14 00:59 7972.7 AFHR SST  
 19MAY14 12:50 XXxxXXxx XXxxXXxxXXxxXXxx AIP 03JUL14 00:59  
 19MAY14 12:51 XXxxXXxx XXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 ENGINE POWER SECTION REMOVED FOR FAULT FINDING.  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: POWER SECTION RE-FITTED REF 505150-3-3-1

REMOVALS/INSTALLATIONS FOR A1PXXU1406237

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	103155	A23T	A1SAM	00	103155	A23T	A1SAM	00
	3035200		19MAY14 12:52	A1PXXJ1408395	3035200		03JUL14 00:57	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1406314	COMPLETED	02JUL14 03:38	7972.7	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
20MAY14 07:31	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			02JUL14 03:38
20MAY14 07:32	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
DISC AND SHROUD ASSY REMOVED FOR FAULT FINDING....						
XXXXXXXXXXXXXXXXXXXX						

Maint Acts: DISC AND SHROUD ASSY RE-FITTED REF 505150-3-5

REMOVALS/INSTALLATIONS FOR A1PXXU1406314

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	74A332	A23T	A1SAK50	00	74A332	A23T	A1SAK50	00
	HDH/001/PT6A-62/0646		20MAY14 07:33	A1PXXJ1408439	HDH/001/PT6A-62/0646		02JUL14 03:36	

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1406316	COMPLETED	02JUL14 03:42	7972.7	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
20MAY14 07:34	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			02JUL14 03:42
20MAY14 07:35	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
INNER COMB LINER RFA						
XXXXXXXXXXXXXXXXXXXX						

Maint Acts: INNER COMBUSTION LINER RE-FITTED REF 505150/3-5

REMOVALS/INSTALLATIONS FOR A1PXXU1406316

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1F838	A23T	A1SAK44AC	00	1F838	A23T	A1SAK44AC	00
	3038147		20MAY14 07:35	A1PXXJ1408440	3038147		02JUL14 03:39	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN	
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME	
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR	
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME	
EE500PG EE500LN						INSPECTOR	
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME	
A1PXXU1406928	COMPLETED	02JUL14 00:56	7972.7	AFHR	SST	XXXXXXXXXXXXXXXXXXXX	
04JUN14 00:52	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			02JUL14 00:56	
04JUN14 00:53	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		CVR ULB REMOVED TO SERVICE AC A23-047 FDR.					XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERVICEABLE ULB FITTED, 505150-3-5-6.

REMOVALS/INSTALLATIONS FOR A1PXXU1406928

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	DP0740	A23T	A1UPC00	00	DU47427	A23T	A1UPC00	00
	DK120		04JUN14 00:53	A1PXXJ1409236	DK120		02JUL14 00:52	

A1PXXU1407000	COMPLETED	05JUN14 05:09	7972.7	AFHR	SST	XXXXXXXXXXXXXXXXXXXX	
05JUN14 05:02	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			05JUN14 05:09	
05JUN14 05:02	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		STI-PC9-0572 due on Serial 027 WING ASSY at WAC 0000					XXXXXXXXXXXXXXXXXXXX

Maint Acts: STI-PC9-0572 INC REF 505130-3-6-5. LH SIDE HAS NIL CRACKS OR REPAIRS AND RH SIDE IS CRACKED 4MM UP AND 4MM DOWN FROM RIVET #3 AND HAS REPAIR 2 PREVIOUSLY C/O

A1PXXU1407362	COMPLETED	13JUN14 02:45	7972.7	AFHR	SST	XXXXXXXXXXXXXXXXXXXX	
13JUN14 02:33	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			13JUN14 02:45	
13JUN14 02:33	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		NDT due on Serial 027RH RWNG RSPAR HLF R3 at WAC 1000					XXXXXXXXXXXXXXXXXXXX

Maint Acts: NDT CARRIED OUT IAW SBI-2A, 2 CRACKS TOTTALLING 12 MM REFER AIP/NDT/A23-033/005 AND EE508 505130-3-6#6 REPAIR 2 CARRIED OUT IAW STI-PC9-572

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03366  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1307417	COMPLETED	03JUL14 00:49	7972.7	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
03JUL14 00:46	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			03JUL14 00:49
03JUL14 00:46	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S56 due on Serial A23-033				
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	S56 C/O REF 505130-3-7-3				

A1PXXU1406066	COMPLETED	06JUL14 23:41	7972.7	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
03JUL14 10:53	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			06JUL14 23:41
03JUL14 10:53	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S40 due on Serial A23-033				
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	S40 SERVICE C/O IAW AAP 7212.007-6-4 REF SNOW 505150/3-8-4				

A1PXXU1408229	COMPLETED	03JUL14 13:40	7972.7	AFHR	SCM	XXXXXXXXXXXXXXXXXXXX
03JUL14 13:35	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
03JUL14 13:37	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		MULTIPLE AHRS FAILURE FLAGS DURING SPINS AND AEROBATICS				03JUL14 13:40
						XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	SERV LCR 92 FITTED REF 505150-3-1-4				

REMOVALS/INSTALLATIONS FOR A1PXXU1408229

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1048	A23T	A1ULY	01	1016	A23T	A1ULY	01
	124210-2022		03JUL14 13:37	A1PXXJ1411191	124210-2022		03JUL14 13:38	

A1PXXU1408249	COMPLETED	03JUL14 23:51	7972.7	AFHR	SCM	XXXXXXXXXXXXXXXXXXXX
03JUL14 23:45	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
03JUL14 23:46	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		OH due on Serial 1464				03JUL14 23:51
		BATTERY NICAD at WAC 0660				XXXXXXXXXXXXXXXXXXXX



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03367  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: SERVICEABLE BATTERY NICAD FITTED, 505150-3-2-5.

REMOVALS/INSTALLATIONS FOR A1PXXU1408249

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1464	A23T	A1UOA	00	1209	A23T	A1UOA	00
	33490409201		03JUL14 23:48	A1PXXJ1310468	33490409201		03JUL14 23:49	

A1PXXU1408303 COMPLETED 03MAY15 22:12 7972.7 AFHR SST XXxxXXxxXXxxXXxxXXxx  
07JUL14 09:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 03MAY15 22:12  
07JUL14 10:31 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
REPAIR 2 CARRIED OUT ON R/H WING REAR SPAR HALF RIB3  
aip0172207JUL14 10:31:16  
EE 508 505150-3P7#1 CRACKS IN HALF RIB 3 HAVE BEEN STOP DRILLED IAW  
STI-PC9-0572. REPAIR 3 IS TO BE CARRIED OUT AT THE NEXT R2 UNLESS  
ENGINEERING DISPENSATION HAS BEEN GRANTED.

Maint Acts: HALF RIB REPAIRED IAW AAP 7212.007-3 SRM CH 57-21-00 REP3 XREF AIP  
MCS 122/15/7/6

A1PXXU1408304 COMPLETED 10JUL14 03:06 7972.7 AFHR SST XXxxXXxxXXxxXXxxXXxx  
07JUL14 10:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 10JUL14 03:06  
07JUL14 10:44 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
AIRCRAFT REQUIRES MTF FOR: LOW POWER & ACCELERATION, S62, AHRS,  
POWER SECTION R&I, OSG CX XXxxXXxxXXxxXXxxXXxx

Maint Acts: MTF CO SERV REF: 531853-2

A1PXXU1408283 COMPLETED 14JUL14 00:30 7977.7 AFHR SST XXxxXXxxXXxxXXxxXXxx  
11JUL14 07:49 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 14JUL14 00:30  
11JUL14 07:49 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O REF P/W 531856-1-1-1

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03368  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1408615	COMPLETED	14JUL14 03:47	7977.7	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
14JUL14 03:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
14JUL14 03:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FRONT AND REAR PARACHUTES RFA (TO ALS FOR B/S)				14JUL14 03:47
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV PARA FITTED REF 531856-2-1-1

REMOVALS/INSTALLATIONS FOR A1PXXU1408615

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	MB10268-SET29 MBEU12043PA	A23T	A26BA 14JUL14 03:41	00 A1PXXJ1411791	MB10942-SET12 MBEU12043PA	A23T	A26BA 14JUL14 03:42	00
002	MB9949-SET29 MBEU100664	A23T	A1WBA 14JUL14 03:44	00 A1PXXJ1411792	MB13539-SET12 MBEU100664	A23T	A1WBA 14JUL14 03:45	00

A1PXXU1408616	COMPLETED	14JUL14 03:52	7977.7	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
14JUL14 03:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
14JUL14 03:48	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FRONT AND REAR PSP RFA (TO ALS FOR BS)				14JUL14 03:52
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV PSPS FITTED REF 531856-2-1-2

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03369  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1408616

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	DG0045-SET29	A23T	A26BG	00	DG2686-SET12	A23T	A26BG	00
	STANDARDPACK-1		14JUL14 03:48	A1PXXJ1411793	STANDARDPACK-1		14JUL14 03:49	
002	DF0206-SET29	A23T	A1WBG	00	DF5424-SET12	A23T	A1WBG	00
	STANDARDPACK-1		14JUL14 03:50	A1PXXJ1411794	STANDARDPACK-1		14JUL14 03:50	

A1PXXU1408569 COMPLETED 21JUL14 00:06 7991.3 AFHR SST XXxxXXxxXXxxXXxxXXxx  
18JUL14 07:29 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 21JUL14 00:06  
18JUL14 07:29 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O IAW AAP7212.007-6-4 REF 531865/5-1#1

A1PXXU1409099 COMPLETED 24JUL14 11:13 8002.3 AFHR SST XXxxXXxxXXxxXXxxXXxx  
24JUL14 11:09 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 24JUL14 11:13  
24JUL14 11:10 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
LH HUB ASSY RFA XXxxXXxxXXxxXXxxXXxx

Maint Acts: HUB ASSY REPLACED IAW 7212.007-2 REF: 531873-2

REMOVALS/INSTALLATIONS FOR A1PXXU1409099

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	0363	A23T	A2KDM	01	0344	A23T	A2KDM	01
	3-1555		24JUL14 11:10	A1PXXJ1412497	3-1555		24JUL14 11:12	

A1PXXU1408858 COMPLETED 27JUL14 23:59 8003.9 AFHR SST XXxxXXxxXXxxXXxxXXxx  
25JUL14 06:34 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 27JUL14 23:59  
25JUL14 06:34 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERV C/O IAW AAP 7212.007-6-4  
REF EE508: 531874/3-1-1

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1409263	COMPLETED	28JUL14 13:01	8007.1	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
28JUL14 12:53	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			28JUL14 13:01
28JUL14 12:55	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
SYMBOL GENERATOR INTERMITTENTLY DISPLAYS RANDOM SYMBOLS						
XXXXXXXXXXXXXXXXXXXX						

Maint Acts: SERV SYMBOL GENERATOR FITTED IAW AAP 7212.007-2 REF 531877-1

REMOVALS/INSTALLATIONS FOR A1PXXU1409263

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	911	A23T	A1UOS	00	3951	A23T	A1UOS	00
	3614335-1004		28JUL14 12:56	A1PXXJ1412694	066-04015-0003		28JUL14 13:00	

A1PXXU1409264	COMPLETED	29JUL14 06:52	8007.1	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
28JUL14 13:04	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			29JUL14 06:52
28JUL14 13:05	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
AIRCRAFT REQUIRES AIRTEST FOR EFIS OPS						
XXXXXXXXXXXXXXXXXXXX						

Maint Acts: AIRTEST CARRIED OUT SERV REF: 531878-1

A1PXXU1409303	COMPLETED	29JUL14 13:01	8008.4	AFHR	SCM	XXXXXXXXXXXXXXXXXXXX
29JUL14 12:56	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			
29JUL14 12:57	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
CP OFF FLAG ON HSI, TACAN AND NDB FLASHING INTERMITTENTLY DURING TAXI						
XXXXXXXXXXXXXXXXXXXX						

Maint Acts: SERV EFIS SELECT PANEL FITTED TO FWD CPT IAW AAP 7212.007-2 REF 531879-1

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03371  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1409303

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	1061	A23T	A1UDY	00	1031	A23T	A1UDY	00
071-01446-0004	29JUL14 12:58	A1PXXJ1412821	975.96.32.339	29JUL14 13:00				

A1PXXU1409184 COMPLETED 04AUG14 00:03 8021.5 AFHR MM  
01AUG14 06:40 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP Y  
01AUG14 06:40 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERV C/O IAW AAP 7212.007-6-4 VIA EPSS  
REF EE500: 531888/2

A1PXXU1409671 COMPLETED 05AUG14 05:38 8025.6 AFHR SST  
05AUG14 05:08 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
05AUG14 05:09 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
REAR ADI VIBRATING EXCESSIVELY WHEN UNCAGED  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: REAR ADI REPLACED IAW AAP 7212.007-2 REF: 531891#1

REMOVALS/INSTALLATIONS FOR A1PXXU1409671

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	9342	A23T	A1UHS	00	9276	A23T	A1UHS	00
501-1131-01	05AUG14 05:10	A1PXXJ1413299	501-1131-01	05AUG14 05:35				

A1PXXU1409673 COMPLETED 06AUG14 08:33 8025.6 AFHR SST  
05AUG14 05:43 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
05AUG14 05:46 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
AIRTEST REQUIRED FOR REAR STBY AI OPS  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST C/O SERV REF 531893

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03372  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1405731	COMPLETED	05AUG14 07:17	8025.6	AFHR	SST	XXXXXXXXXX
05AUG14 05:51	XXXXXXXX	XXXXXXXXXX	AIP			05AUG14 07:17
05AUG14 05:51	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
		S20 due on Serial A23-033				
		PC-9 at WAC 0000				XXXXXXXXXX

Maint Acts: S20 SERVICING C/O REF P/W 531891-1-1-2

A1PXXU1409774	COMPLETED	06AUG14 10:45	8027.0	AFHR	SCM	XXXXXXXXXX
06AUG14 10:41	XXXXXXXX	XXXXXXXXXX	AIP			
06AUG14 10:42	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
		REAR CPT UNABLE TO TRANSMIT ON COMMS 2				06AUG14 10:45
						XXXXXXXXXX

Maint Acts: SERV AUDIO CONTROL PANEL FITTED TO REAR CPT IAW AAP 7212.007-2 REF 531893-2

REMOVALS/INSTALLATIONS FOR A1PXXU1409774

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	267A AS3100-15K	A23T	A1UIG 06AUG14 10:43	00 A1PXXJ1413452	261 AS3100-15K	A23T	A1UIG 06AUG14 10:44	00

A1PXXU1409780	COMPLETED	06MAY15 01:02	8027.0	AFHR	SST	XXXXXXXXXX
06AUG14 13:10	XXXXXXXX	XXXXXXXXXX	AIP			06MAY15 01:02
06AUG14 13:21	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
		CRACK IN 1ST LAYER OF FIBREGLASS, LHS ENG COWL2 UNDER EXHAUST APPROX 50MM IN LENGTH				XXXXXXXXXX

aip0108307AUG14 05:00:26  
 NIL IMPACT ON AIRCRAFT AIRWORTHINESS OR AIRCRAFT OPERATIONS.  
 THE DAMAGE TO THE ENGINE COWL HAS BEEN INSPECTED, THE CRACKING  
 EVIDENT ON THE  
 FIBREGLASS INTAKE DUCT HAS BEEN ASSESSED AS A LOW RISK ACCEPATBLE  
 DAMAGE.  
 (Continued on next page.)

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03373  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

(Continued from previous page.)  
 THE CRACK RUNS BETWEEN RIVETS AND IS ASSESSED AS ONLY BEING IN THE TOP LAYER OF FIBREGLASS.  
 THE CRACK HAS BEEN ASSESSED AS NOT EFFECTING THE OVERALL STRENGTH OF THE COWL ASSY OR THE STRUCTURE.  
 THE CRACKING IS EXTERNAL OF THE AIRCRAFT AIRFRAME AND IS EASILY INSPECTED AS PART OF EACH FLIGHT SERVICING FOR ANY FURTHER DAMAGE.  
 THERE IS NIL EVIDENCE OF ANY OTHER STRUCTURAL DAMAGE ON THE COWL ASSY IN THE IMMEDIATE AREA OF THE CRACKING  
 TOTAL FAILURE OF THE FIBREGLASS INTAKE IS ASSESSED AS IMPROBABLE.

Maint Acts: FIBRE GLASS REPAIR C/O IAW AAP 7212.007-3 XREF AIP MCS 122/15/9/6

A1PXXU1409612	COMPLETED	11AUG14 00:05	8028.3	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
08AUG14 06:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			Y
08AUG14 06:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				11AUG14 00:05
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERV C/O VIA EPSS REF 531895/1

A1PXXU1410023	COMPLETED	11AUG14 13:25	8028.3	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
11AUG14 11:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
11AUG14 11:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial 004104				11AUG14 13:25
		REG OXYGEN DEMAND at WAC 0730				XXxxXXxxXXxxXXxxXXxx

Maint Acts: FRONT REG OXY DEMAND REPLACED IAW AAP 7212.007-2. REF EE500 531895-4

REMOVALS/INSTALLATIONS FOR A1PXXU1410023

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
=====	=====	=====	=====	=====	=====	=====	=====	=====
001	004104	A23T	A1UES	00	006137	A23T	A1UES	00
	3260042-0201		11AUG14 13:09	N0NC2JY902408	3260042-0201		11AUG14 13:23	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03374  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1410107	COMPLETED	12AUG14 23:32	8031.3	AFHR	SCM	XXXXXXXXXXXXXXXXXXXX
12AUG14 22:39	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			
12AUG14 22:39	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BS due on Serial 0529001				12AUG14 23:32
		CRASH POSN IND at WAC 0660				XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV CPI FITTED IAW AAP 7212.007-2 REF 531897-2#1-1

REMOVALS/INSTALLATIONS FOR A1PXXU1410107

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0529001	A23T	A1UOY	00	0373001	A23T	A1UOY	00
	453-0406		12AUG14 22:40	NONC2J1302451	453-0406		12AUG14 23:30	

A1PXXU1410108	COMPLETED	12AUG14 23:33	8031.3	AFHR	SCM	XXXXXXXXXXXXXXXXXXXX
12AUG14 22:39	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			
12AUG14 22:39	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BS due on Serial 979				12AUG14 23:33
		REG PRESS REDUCING at WAC 0640				XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV REG PRESS REDUCING FITTED IAW AAP 7212.007-2 REF 531897-2#1-2

REMOVALS/INSTALLATIONS FOR A1PXXU1410108

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	979	A23T	A1UNC	02	342	A23T	A1UNC	02
	F103D000-15		12AUG14 22:41	A1PXXJ1311171	F103D000-15		12AUG14 23:32	



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03375  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1409975	COMPLETED	18AUG14 00:01	8038.3	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
15AUG14 06:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		Y	
15AUG14 06:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				18AUG14 00:01
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O VIA EPSS REFER 525504/1

A1PXXU1410354	COMPLETED	18AUG14 07:46	8040.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
18AUG14 07:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			18AUG14 07:46
18AUG14 07:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		PILOT REPORTED AFTER LANDING WITH FLAPS TO LAND, 3 GREENS AND 3 REDS				
		DISPLAYED PLUS WARNING TONE				XXxxXXxxXXxxXXxxXXxx

Maint Acts: REAR LGCU REPLACED IAW AAP 7212.007-2 REF: 5255505#2

REMOVALS/INSTALLATIONS FOR A1PXXU1410354

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	555	A23T	A1UGY	00	212	A23T	A1UGY	00
	532.30.09.217		18AUG14 07:43	A1PXXJ1414363	532.30.09.217		18AUG14 07:45	

A1PXXU1410355	COMPLETED	19AUG14 01:46	8040.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
18AUG14 07:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			19AUG14 01:46
18AUG14 07:55	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRTEST REQ'D FOR LGCU OPS POST REAR LGCU CHANGE				
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST C/O SERV REF 525506/1

A1PXXU1405509	COMPLETED	20AUG14 12:30	8047.9	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
20AUG14 07:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		Y	
20AUG14 07:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S26 due on Serial A23-033				20AUG14 12:30
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03376  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
=====						
	Maint Acts:	S26 C/O VIA EPSS REF: 525511-4-1#1				
A1PXXU1410302	COMPLETED	26AUG14 00:35	8056.0	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
25AUG14 06:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		Y	26AUG14 00:35
25AUG14 06:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 CARRIED OUT REF 525516-3				
A1PXXU1410933	COMPLETED	28AUG14 12:35	8060.9	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
28AUG14 09:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			28AUG14 12:35
28AUG14 09:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0573 due on Serial 161				
		SEAT EJECTION FRONT at WAC 0730				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	STI PC9 573 C/O REF 525519-1-1-3 NIL ANOMALIES DETECTED				
A1PXXU1410934	COMPLETED	28AUG14 12:36	8060.9	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
28AUG14 09:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			28AUG14 12:36
28AUG14 09:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0573 due on Serial 020				
		SEAT EJECTION REAR at WAC 0740				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	STI PC9 573 C/O REF 525519-1-1-3 NIL ANOMALIES DETECTED				
A1PXXU1410953	COMPLETED	28AUG14 13:19	8060.9	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
28AUG14 11:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			28AUG14 13:19
28AUG14 11:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		LH BRAKE WORN TO LIMIT				
						XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	LH BRAKE UNIT REPLACED WITH SERV ITEM IAW AAP7212-007-2 REF EE508				
		SNOW 525519/1-1-1				



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1411113	COMPLETED	03SEP14 02:42	8066.5	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
02SEP14 11:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
02SEP14 11:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRTEST REQD FOR AHRS OPS				03SEP14 02:42 XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST CARRIED OUT REF 525526-1

A1PXXU1411646	COMPLETED	25SEP14 23:57	8075.8	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
15SEP14 07:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
15SEP14 07:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		START GENERATOR REMOVED FOR ACCESS				25SEP14 23:57 XXxxXXxxXXxxXXxxXXxx

Maint Acts: STARTER GEN REFITTED IAW AAP 7212.007-2. REF AIP MCS 476/14 WC16

REMOVALS/INSTALLATIONS FOR A1PXXU1411646

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	97126	A23T	A1SAI14	00	97126	A23T	A1SAI14	00
	23081-026		15SEP14 07:13	A1PXXJ1416307	23081-026		25SEP14 23:55	

A1PXXU1411647	COMPLETED	01OCT14 06:29	8075.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
15SEP14 07:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			01OCT14 06:29
15SEP14 07:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		ENGINE COWL 2 R.F.A				XXxxXXxxXXxxXXxxXXxx

Maint Acts: ENGINE COWL 2 REFITTED IAW AAP7212.007-2 REF AIP MCS 476/14-WC28#6

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03379  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1411647

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	HLY300804	A23T	A06	00	HLY300804	A23T	A06	00
	571.10.09.044		15SEP14 07:27	A1PXXJ1416316	571.10.09.044		01OCT14 06:26	

A1PXXU1411648 COMPLETED 30SEP14 02:29 8075.8 AFHR SST XXxxXXxxXXxxXXxxXXxx  
15SEP14 07:28 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 30SEP14 02:29  
15SEP14 07:29 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
LH AND RH EXHAUST STUBS R.F.A  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: LH AND RH EXHAUST STUBS RE-FITTED IAW AAP 7113.022-2  
REF AIP MCS 476/14 WC: 20

REMOVALS/INSTALLATIONS FOR A1PXXU1411648

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	R012553	A23T	A1SAM12	01	R012553	A23T	A1SAM12	01
	578.10.09.023		15SEP14 07:29	A1PXXJ1416317	578.10.09.023		30SEP14 02:28	
002	L219987	A23T	A1SAM14	00	L219987	A23T	A1SAM14	00
	578.10.09.018		15SEP14 07:30	A1PXXJ1416318	578.10.09.018		30SEP14 02:28	

A1PXXU1411649 COMPLETED 30SEP14 02:26 8075.8 AFHR SST XXxxXXxxXXxxXXxxXXxx  
15SEP14 07:38 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 30SEP14 02:26  
15SEP14 07:40 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
PRSOV R.F.A  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: PRSOV RE-FITTED IAW AAP 7212.007-2  
REF AIP MCS 476/14 WC:17 US:3

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03380  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1411649

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1141	A23T	A0Q	00	1141	A23T	A0Q	00
	3213876-9		15SEP14 07:40	A1PXXJ1416320	3213876-9		30SEP14 02:24	

A1PXXU1411799 COMPLETED 30SEP14 02:23 8075.8 AFHR SST XXxxXXxxXXxxXXxxXXxx  
17SEP14 12:27 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 30SEP14 02:23  
17SEP14 12:28 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
PROP ASSY S/N: GG608 REMOVED FOR ENGINE CHANGE.  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: PROP ASSY RE-FITTED IAW AAP 7212.007-2  
REF AIP MCS 476/14 WC: 20 US:1

REMOVALS/INSTALLATIONS FOR A1PXXU1411799

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	GG608	A23T	A00	00	GG608	A23T	A00	00
	HC-D4N2A/D9512A		17SEP14 12:29	A1PXXJ1416480	HC-D4N2A/D9512A		30SEP14 02:14	
002	PC1300208	A23T	A00AK	00	PC1300208	A23T	A00AK	00
	B-3339-1		30SEP14 02:18	A1PXXJ1416992	B-3339-1		30SEP14 02:19	

A1PXXU1411881 COMPLETED 30SEP14 02:10 8075.8 AFHR SST XXxxXXxxXXxxXXxxXXxx  
18SEP14 07:15 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 30SEP14 02:10  
18SEP14 07:15 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
BS due on Serial 1647225  
SET EMERG OXYGEN at WAC 0740 XXxxXXxxXXxxXXxxXXxx

Maint Acts: REAR SEO REPLACED IAW AAP 7212.007-2 REF: 525532-3-1#1

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03381  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

REMOVALS/INSTALLATIONS FOR A1PXXU1411881

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1647225	A23T	A26BE	00	8873286	A23T	A26BE	00
	MBEU100618		18SEP14 07:16	A1PXXJ1311846	GA1566		30SEP14 02:09	

A1PXXU1412033 COMPLETED 01OCT14 06:26 8075.8 AFHR SST  
 22SEP14 12:48 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 01OCT14 06:26  
 22SEP14 12:49 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 525532 ENGINE SLOW TO ACCELERATE AT 10000FT XXxxXXxxXXxxXXxxXXxx

Maint Acts: ENGINE REPLACED WITH SERV ITEM IAW AAP7212.007-2 REF AIP MCS 473/14,  
 474/14,475/14, 476/14

REMOVALS/INSTALLATIONS FOR A1PXXU1412033

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	366	A23T	A1SAI00	00	366	A23T	A1SAI00	00
	VL50R4		22SEP14 12:59	A1PXXJ1416679	VL50R4		30SEP14 02:11	
002	00520	A23T	A1SAI04	00	00520	A23T	A1SAI04	00
	2CM9ABZ7		22SEP14 13:00	A1PXXJ1416680	2CM9ABZ7		30SEP14 02:10	
003	AH1137AB	A23T	A1SAI12	01	AH1137AB	A23T	A1SAI12	01
	4049 H5		22SEP14 13:01	A1PXXJ1416681	4049 H5		30SEP14 02:07	
004	4561551	A23T	A1SAI16	00	4561551	A23T	A1SAI16	00
	IPT20RTPE1000200G		22SEP14 13:02	A1PXXJ1416682	IPT20RTPE1000200G		30SEP14 02:04	
005	2931	A23T	A1SAI20	00	2931	A23T	A1SAI20	00
	151-906-010-REV.K		22SEP14 13:03	A1PXXJ1416683	151-906-010-REV.K		30SEP14 02:01	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03382  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

SEQ	REMOVED SERIAL NO REMOVED PART NO	EIAC	LCN DATE/TIME	ALC JOB NUMBER	INSTALLED SERIAL NO INSTALLED PART NO	EIAC	LCN DATE/TIME	ALC
006	11897061D 210957	A23T	A1SAM22AE 22SEP14 13:04	00 A1PXXJ1416684	11897061D 210957	A23T	A1SAM22AE 30SEP14 01:59	00
007	PC1000678 944.81.21.401	A23T	A1SAQ 22SEP14 13:05	00 A1PXXJ1416685	PC1000678 93880-26	A23T	A1SAQ 30SEP14 23:35	00
008	PC1000679 944.81.21.401	A23T	A1SAS 22SEP14 13:06	00 A1PXXJ1416686	PC1000679 93880-26	A23T	A1SAS 30SEP14 23:35	00
009	PC1000680 944.81.21.401	A23T	A1SAU 22SEP14 13:07	00 A1PXXJ1416687	PC1000680 93880-26	A23T	A1SAU 30SEP14 23:34	00
010	PC1000681 944.81.21.401	A23T	A1SAW 22SEP14 13:08	00 A1PXXJ1416688	PC1000681 93880-26	A23T	A1SAW 30SEP14 23:33	00
011	B3229 RG9570R1/M	A23T	A0K 22SEP14 13:10	00 A1PXXJ1416689	B3229 RG9570R1/M	A23T	A0K 23SEP14 13:14	00
012	103155 3035300	A23T	A1S 22SEP14 13:12	00 A1PXXJ1416690	103169 3035300	A23T	A1S 25SEP14 06:43	00

A1PXXU1412389 COMPLETED 01OCT14 09:33 8075.8 AFHR MM XXxxXXxxXXxxXXxxXXxx  
 22SEP14 12:48 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 01OCT14 05:29 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 MANDATORY AMD VALIDATION & CAMM2 CHECKS TBCO BY MCS PRIOR TO FLIGHT  
 IAW AIRFLITE PROCEDURE 7.4.2  
 525532 XXxxXXxxXXxxXXxxXXxx

Maint Acts: AMD VALIDATION & CAMM2 CHKS C/O IAW AIRFLITE PROC.7.4.2. REFER:  
 525532/3-2/2.  
 LSN: AIP MCS 473/14 + 474/14 + 475/14 + 476/14 + 477/14.



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1412331	COMPLETED	01OCT14 12:57	8075.8	AFHR	SCM	XXXXXXXXXXXXXXXXXXXX
30SEP14 03:00	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			
30SEP14 03:00	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BS due on Serial 1209				01OCT14 12:57
		BATTERY NICAD at WAC 0660				XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV BATT NICAD FITTED REF:52532-3-1-2

REMOVALS/INSTALLATIONS FOR A1PXXU1412331

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1209	A23T	A1UOA	00	0044	A23T	A1UOA	00
	33490409201		01OCT14 11:30	A1PXXJ1408153	33490409201		01OCT14 12:53	

A1PXXU1412350	COMPLETED	30SEP14 11:51	8075.8	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
30SEP14 11:46	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			30SEP14 11:51
30SEP14 11:47	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		FCU HAS EVIDENCE OF BLUE DYE LEAKING FROM DRAIN HOLE CAUSED BY				
		SUSPECT LEAK ON HP FUEL PUMP FACE				XXXXXXXXXXXXXXXXXXXX

Maint Acts: FCU AND HP PUMP REPLACED WITH SERV ITEMS IAW AAP7113.022-2 REF AIP  
MCS 476/14-4#5

REMOVALS/INSTALLATIONS FOR A1PXXU1412350

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	C33042	A23T	A1SAI02	00	B19160	A23T	A1SAI02	00
	3244856-7-6-3		30SEP14 11:48	A1PXXJ1417024	3244831-9-8-5		30SEP14 11:50	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03384  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
002	0758	A23T	A1SAI10	00	0691	A23T	A1SAI10	01
	3031806		30SEP14 11:49	A1PXXJ1417025	3031806		30SEP14 11:49	

A1PXXU1412351 COMPLETED 30SEP14 11:56 8075.8 AFHR SST XXxxXXxxXXxxXXxxXXxx  
30SEP14 11:52 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 30SEP14 11:56  
30SEP14 11:52 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
BS due on Serial 0691  
HPFP HILIFE GEARSET at WAC 0130 XXxxXXxxXXxxXXxxXXxx

Maint Acts: B/S C/O NIL EVIDENCE OF REDISH BROWN OXIDE ASSESSED SERV IAW  
AAP7113.022-2 REF AIP MCS 476/14-5#1 AND A1PXXU1412350 FOR R+I  
DETAILS

A1PXXU1412394 COMPLETED 06OCT14 13:13 8075.8 AFHR SST XXxxXXxxXXxxXXxxXXxx  
01OCT14 06:34 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 06OCT14 13:13  
01OCT14 06:35 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S27 SERV TBCO (ENG MOUNT RE-TORQUE), POST MTF XXxxXXxxXXxxXXxxXXxx

Maint Acts: S27 C/O IAW AAP 7212.007-6-4  
REF EE508: 525534/4-1-1

A1PXXU1412396 COMPLETED 01OCT14 07:10 8075.8 AFHR SST XXxxXXxxXXxxXXxxXXxx  
01OCT14 07:06 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 01OCT14 07:10  
01OCT14 07:08 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
CLOCK PANEL RFA XXxxXXxxXXxxXXxxXXxx

Maint Acts: CLOCK PANEL REFITTED IAW AAP7212.007-2 REF AIP MCS 476/14-5#2

REMOVALS/INSTALLATIONS FOR A1PXXU1412396

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	703606	A23T	A1UGI	00	703606	A23T	A1UGI	00
	Q17-941.22.052AB		01OCT14 07:08	A1PXXJ1417111	Q17-941.22.052AB		01OCT14 07:09	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03385  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1412397	COMPLETED	06OCT14 08:29	8075.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
01OCT14 07:48	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			06OCT14 08:29
01OCT14 07:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRCRAFT REQUIRES MTF FOR ENGINE CHANGE				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	MTF CARRIED OUT REFER 525534#1				
A1PXXU1411070	COMPLETED	01OCT14 13:16	8075.8	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
01OCT14 11:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		Y	XXxxXXxxXXxxXXxxXXxx
01OCT14 11:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				01OCT14 13:16
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 C/O VIA EPSS REF 525532-3-2#3				
A1PXXU1412395	COMPLETED	06OCT14 13:22	8077.0	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
06OCT14 08:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			06OCT14 13:22
06OCT14 08:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S27 due on Serial A23-033				XXxxXXxxXXxxXXxxXXxx
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S27 C/O IAW AAP 7212.007-6-4 REF EE508: 525534/4-1-1				
A1PXXU1412526	COMPLETED	07OCT14 02:53	8077.0	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
06OCT14 12:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
06OCT14 12:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			07OCT14 02:53
		AIRCRAFT REQUIRES MTF FOR S62 ADJUSTMENT				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	MTF CARRIED OUT REF 525535-1				
A1PXXU1412405	COMPLETED	07OCT14 23:45	8081.2	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
07OCT14 22:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		Y	XXxxXXxxXXxxXXxxXXxx
07OCT14 22:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				07OCT14 23:45
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 SERV C/O VIA EPSS. REFER 525538/2				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03386  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1412672	COMPLETED	09OCT14 23:10	8091.9	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
09OCT14 23:04	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
09OCT14 23:04	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AFTER LANDING INTERMITTENT 3 RED LANDING GEAR LIGHTS WITH TONE				09OCT14 23:10
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV LGCU FITTED TO REAR CPT IAW AAP 7212.007-2 REF 525546-1

REMOVALS/INSTALLATIONS FOR A1PXXU1412672

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	212	A23T	A1UGY	00	301	A23T	A1UGY	00
	532.30.09.217		09OCT14 23:05	A1PXXJ1417590	532.30.09.217		09OCT14 23:09	

A1PXXU1412586	COMPLETED	14OCT14 23:07	8100.7	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
14OCT14 10:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
14OCT14 10:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				14OCT14 23:07
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERV C/O VIA EPSS REF 545403/2

A1PXXU1413042	COMPLETED	20OCT14 05:50	8110.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
20OCT14 05:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			20OCT14 05:50
20OCT14 05:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BATTERY TO BE REPLACED (LOW VOLTAGE)				XXxxXXxxXXxxXXxxXXxx

Maint Acts: BATTERY REPLACED REF 545408-2-1

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1413042

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 0044	A23T	A1UOA	00	0056	A23T	A1UOA	00	
33490409201	20OCT14 05:49	A1PXXJ1418065	33490409201	20OCT14 05:50				

A1PXXU1413043 COMPLETED 20OCT14 05:53 8110.7 AFHR SST  
 20OCT14 05:51 XXxxXXxx XXxxXXxxXXxxXXxx AIP 20OCT14 05:53  
 20OCT14 05:51 XXxxXXxx XXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 STARTER GEN TO BE REPLACED

Maint Acts: START GEN REPLACED REF 545408-2-1

REMOVALS/INSTALLATIONS FOR A1PXXU1413043

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 97126	A23T	A1SAI14	00	4977	A23T	A1SAI14	00	
23081-026	20OCT14 05:52	A1PXXJ1418067	23081-026	20OCT14 05:52				

A1PXXU1413081 COMPLETED 29OCT14 03:37 8111.2 AFHR SST  
 21OCT14 00:51 XXxxXXxx XXxxXXxxXXxxXXxx AIP 29OCT14 03:37  
 21OCT14 00:52 XXxxXXxx XXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 LIQUID PENETRANT TEST REQUIRED ON QTY 4 PROP BLADE TIPS . REFER TO  
 NDT REPORT  
 AIP/NDT/A23-033/006

aip0172221OCT14 01:06:14  
 EE508 545409-5-1#6 THE PROPELLOR BLADE TIPS WERE BLENDED POST MINOR  
 DAMAGE WHICH OCCURED AT AN AWAY BASE. AN EDDY CURRENT INSPECTION WAS  
 CARRIED OUT POST BLEND AND NO FURTHER DAMAGE WAS EVIDENT REFER  
 REPORT AIP/NDT/A23-033/006. A LPI  
 INSPECTION IS TO BE CARRIED OUT ON ALL 4 BLADE TIPS AT THE NEXT R  
 SERV.

Maint Acts: LPT TEST CARRIED OUT IAW AAP 7212.007-36 SECT 4 CHAP 1. NIL CRACKS EVIDENT. REFER TO NDT REPORT AIP/NDT/A23-033/008.

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03388  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1412829	COMPLETED	21OCT14 23:57	8113.4	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
21OCT14 11:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			Y
21OCT14 11:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				21OCT14 23:57
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O VIA EPSS REF 545411-2

A1PXXU1311436	COMPLETED	28OCT14 11:23	8121.1	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
27OCT14 08:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			28OCT14 11:23
27OCT14 08:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		R1 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: R1 SERVICE CARRIED OUT IAW 7212.007-6-2-1 REF AIP MCS 558/14

REMOVALS/INSTALLATIONS FOR A1PXXU1311436

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	HLY300804 571.10.09.044	A23T	A06 27OCT14 11:10	00 A1PXXJ1418487	HLY300804 571.10.09.044	A23T	A06 28OCT14 10:38	00
002	042 555.20.09.257	A23T	A2IBC 27OCT14 11:48	00 A1PXXJ1418491	042 555.20.09.257	A23T	A2IBC 28OCT14 06:05	00
003	AS1378 3059258-01	A23T	A1SAK34 27OCT14 13:41	00 A1PXXJ1418494	AS1378 3059258-01	A23T	A1SAK34 27OCT14 13:42	00

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03389  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN	
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME	
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR	
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME	
EE500PG EE500LN						INSPECTOR	
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME	
A1PXXU1405316	COMPLETED	27OCT14 13:45	8121.1	AFHR	SST	XXxxXXxxXXxxXXxxXXxx	
27OCT14 08:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			27OCT14 13:45	
27OCT14 08:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		S63 due on Serial A23-033					
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx	
	Maint Acts:	S63C/O IAW 7212-007-6-4 REF AIP MCS 557/14-5-4					
A1PXXU1409679	COMPLETED	28OCT14 10:56	8121.1	AFHR	SST	XXxxXXxxXXxxXXxxXXxx	
27OCT14 08:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			28OCT14 10:56	
27OCT14 08:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		S20 due on Serial A23-033					
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx	
	Maint Acts:	S20 CARRIED OUT REF AIP MCS 557/14-4-3					
A1PXXU1405518	COMPLETED	27OCT14 22:58	8121.1	AFHR	SST	XXxxXXxxXXxxXXxxXXxx	
27OCT14 09:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			27OCT14 22:58	
27OCT14 09:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		S16 due on Serial A23-033					
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx	
	Maint Acts:	S16 SERVICING CARRIED OUT IAW AAP 7212.007-6-4. REF AIP MCS 557/14 SHT 6 # 2					
A1PXXU1410433	COMPLETED	27OCT14 23:27	8121.1	AFHR	MM	XXxxXXxxXXxxXXxxXXxx	
27OCT14 09:02	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
27OCT14 09:02	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			27OCT14 23:27	
		S26 due on Serial A23-033				XXxxXXxxXXxxXXxxXXxx	
		PC-9 at WAC 0000					
	Maint Acts:	S26 SERVICING CARRIED OUT V IA EPSS. REF AIP MCS 557/14 SHT 6 #3					
A1PXXU1106305	COMPLETED	28OCT14 01:21	8121.1	AFHR	SST	XXxxXXxxXXxxXXxxXXxx	
27OCT14 09:03	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			28OCT14 01:21	
27OCT14 09:03	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		S50 due on Serial A23-033					
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx	
	Maint Acts:	S50 CARRIED OUT REF 558/14					

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03390  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME

EE500PG	EE500LN	STA	WL	BL	ADMIN	MAINT ACTION/LIMITATIONS	DATE/TIME
A1PXXU1413155	COMPLETED	28OCT14	13:30			8121.1 AFHR MM	XXxxXXxxXXxxXXxxXXxx
27OCT14 09:04	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP				Y
27OCT14 09:04	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP				XXxxXXxxXXxxXXxxXXxx
		S40	due on Serial A23-033				28OCT14 13:30
		PC-9	at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O IAW 7212-007-6-4 VIA EPSS REF 545417/1-1-4

A1PXXU1413418	COMPLETED	28OCT14	02:50			8121.1 AFHR SST	XXxxXXxxXXxxXXxxXXxx
27OCT14 09:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP				28OCT14 02:50
27OCT14 09:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP				XXxxXXxxXXxxXXxxXXxx
		MS2	due on Serial 164				
		RUDDER_TRIM TABS	at WAC 1410				XXxxXXxxXXxxXXxxXXxx

Maint Acts: MS2 C/O SERV IAW AAP 7212-007-2, REF, AIP MCS 557/4 SHT 7, LINE #2.

A1PXXU1413419	COMPLETED	28OCT14	01:19			8121.1 AFHR SST	XXxxXXxxXXxxXXxxXXxx
27OCT14 09:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP				28OCT14 01:19
27OCT14 09:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP				XXxxXXxxXXxxXXxxXXxx
		FT	due on Serial PCY600594				
		BOLT WG-FUS CTR RH	at WAC 1000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: FT CARRIED OUT REF 557/14

A1PXXU1413420	COMPLETED	28OCT14	01:20			8121.1 AFHR SST	XXxxXXxxXXxxXXxxXXxx
27OCT14 09:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP				28OCT14 01:20
27OCT14 09:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP				XXxxXXxxXXxxXXxxXXxx
		FT	due on Serial PCY600595				
		BOLT WG-FUS CTR LH	at WAC 0900				XXxxXXxxXXxxXXxxXXxx

Maint Acts: FT CARRIED OUT REF 557/14

A1PXXU1413423	COMPLETED	27OCT14	09:16			8121.1 AFHR SST	XXxxXXxxXXxxXXxxXXxx
27OCT14 09:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP				27OCT14 11:49
27OCT14 09:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP				XXxxXXxxXXxxXXxxXXxx
		NDT	due on Serial 042L				
		LH ELEV OB HNG STR	at WAC 1300				XXxxXXxxXXxxXXxxXXxx

Maint Acts: TRANSFERRED TO 042



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1413424	COMPLETED	27OCT14 09:16	8121.1	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
27OCT14 09:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			27OCT14 11:49
27OCT14 09:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		NDT due on Serial 042R				
		RH ELEV OB HNG STR at WAC 1300				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	TRANSFERRED TO 042				

A1PXXU1413455	COMPLETED	28OCT14 02:43	8121.1	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
28OCT14 02:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			28OCT14 02:43
28OCT14 02:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		P3 FILTER DUE THROWAWAY. (UNABLE TO CLEAN)				
	Maint Acts:	NEW SERV P3 FILTER FITTED IAW 7113.022-2, REF SNOW 545417/1-2 LINE #1.				XXxxXXxxXXxxXXxxXXxx

REMOVALS/INSTALLATIONS FOR A1PXXU1413455

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	203966014001	A23T	A1SAK48	01	PC1401463	A23T	A1SAK48	01
	3059788-01		28OCT14 02:39	A1PXXJ1418512	3059788-01		28OCT14 02:41	

A1PXXU1413559	COMPLETED	30OCT14 08:32	8121.1	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
28OCT14 12:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			30OCT14 08:32
28OCT14 12:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRCRAFT REQUIRES MTF FOR ELEVATOR R+I AND POST R1 SERVICE				
	Maint Acts:	MTF CARRIED OUT REF 545418-1				XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03392  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1413785	COMPLETED	03NOV14 11:02	8127.5	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
03NOV14 11:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			03NOV14 11:02
03NOV14 11:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0575	due on Serial A23-033			
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-0575 C/O IAW STI INSTRUCTIONS

A1PXXU1413561	COMPLETED	04NOV14 23:24	8129.8	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
04NOV14 07:48	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		Y	
04NOV14 07:48	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40	due on Serial A23-033			04NOV14 23:24
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O REF P/W 545423-1

A1PXXU1414065	COMPLETED	05NOV14 06:25	8131.1	AFHR	SST	XXxxXXxxXXxxXXxxXXxx	
05NOV14 06:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			05NOV14 06:25	
05NOV14 06:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		OIL FITLER TO BE REPLACED DUE TO GLASS BEADS FOUND IN OIL PATCH TEST					
						XXxxXXxxXXxxXXxxXXxx	

Maint Acts: OIL FILTER REPLACED IAW 7113-022-2 REF 545424/2-1-2

REMOVALS/INSTALLATIONS FOR A1PXXU1414065

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	AS1378	A23T	A1SAK34	00	PC1401495	A23T	A1SAK34	00
	3059258-01		05NOV14 06:22	A1PXXJ1419329	3059258-01		05NOV14 06:23	

A1PXXU1414076	COMPLETED	13NOV14 02:43	8131.1	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx	
05NOV14 12:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP				
05NOV14 12:02	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		AIRCRAFT RELEASED FOR FLIGHT 10 AFHRS ONLY. AWAITING PATCH CHECK RESULTS.					13NOV14 02:43
						XXxxXXxxXXxxXXxxXXxx	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03393  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: PATCH CHECK RETURNED WITH CAT 2 DEBRIS. REF AIPXXU1414422 + EE 500  
SN 545432 LINE 2

A1PXXU1413878	COMPLETED	06NOV14 22:33	8133.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
06NOV14 22:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			06NOV14 22:33
06NOV14 22:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0577		due on Serial A23-033		
		PC-9		at WAC 0000		XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-0577 C/O IAW STI INSTRUCTIONS RUDDER OPERATING LEVER PART#  
555.40.09.092 FITTED REF 545426#2

A1PXXU1414313	COMPLETED	10NOV14 07:08	8138.2	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
10NOV14 07:05	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			10NOV14 07:08
10NOV14 07:05	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		RH MLG TYRE W.T.L				
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: RH MLG HUB ASSY REPLACED WITH SERV ITEM IAW AAP 7212.007-2 REF SNOW  
545430-1

REMOVALS/INSTALLATIONS FOR A1PXXU1414313

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0293	A23T	A2KEI	01	0398	A23T	A2KEI	01
	3-1555		10NOV14 07:06	A1PXXJ1419638	3-1555		10NOV14 07:07	

A1PXXU1414023	COMPLETED	11NOV14 23:38	8140.7	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
11NOV14 11:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		Y	
11NOV14 11:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40		due on Serial A23-033		11NOV14 23:38
		PC-9		at WAC 0000		XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 CARRIED OUT VIA EPSS REF EE500 SN 545432/3

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03394  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1414408	COMPLETED	17NOV14 12:54	8140.7	AFHR	SST	XXXXXXXXXXXXXXXXXXXX	
12NOV14 23:32	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			17NOV14 12:54	
12NOV14 23:34	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		OIL PATCH CHECK TBCO AND CHIP DETECTOR TO BE INSPECTED AND CLEANED AFTER 10 AFHRS					XXXXXXXXXXXXXXXXXXXX

Maint Acts: OIL PATCH CHECK CARRIED OUT AND CHIP DETECTOR INSPECTED AND CLEANED AFTER 10AFHRS IAW AAP 7113-022-2 REF EE500 SN 545439/1

REMOVALS/INSTALLATIONS FOR A1PXXU1414408

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PC1401495 3059258-01	A23T	A1SAK34 17NOV14 12:51	00 A1PXXJ1420035	PC1401495 3059258-01	A23T	A1SAK34 17NOV14 12:53	00

A1PXXU1414409	COMPLETED	22JAN15 12:35	8140.7	AFHR	SST	XXXXXXXXXXXXXXXXXXXX	
12NOV14 23:41	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			22JAN15 12:35	
12NOV14 23:42	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		OIL PATCH CHECK TBCO AND CHIP DETECTOR TO BE INSPECTED AND CLEANED AFTER 50 AFHRS					XXXXXXXXXXXXXXXXXXXX

Maint Acts: OIL PATCH CHECK C/O AND CHIP DETECTOR INSPECTED IAW AAP7113.022-2 REF 562823-1#3

A1PXXU1414422	COMPLETED	13NOV14 02:40	8140.7	AFHR	SST	XXXXXXXXXXXXXXXXXXXX	
13NOV14 02:26	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			13NOV14 02:40	
13NOV14 02:28	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		PATCH CHECK TO BE CARRIED OUT FOR CAT 2 DEBRIS					XXXXXXXXXXXXXXXXXXXX

Maint Acts: PATCH CHECK CARRIED OUT IAW AAP 7113-022-2 REF EE508 SNOW 545432/4-1-1

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03395  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1414422

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
=====	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	PC1401495 3059258-01	A23T	A1SAK34 13NOV14 02:35	00 A1PXXJ1419817	PC1401495 3059258-01	A23T	A1SAK34 13NOV14 02:37	00
-----	-------------------------	------	--------------------------	---------------------	-------------------------	------	--------------------------	----

A1PXXU1414364	COMPLETED	18NOV14 23:37	8152.8	AFHR	MM	Y	XXXXXXXXXXXXXXXXXXXX
18NOV14 10:46	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP				XXXXXXXXXXXXXXXXXXXX
18NOV14 10:46	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP				XXXXXXXXXXXXXXXXXXXX

S40 due on Serial A23-033  
PC-9 at WAC 0000

Maint Acts: S40 C/O IAW AAP 7212.007-6-4 VIA EPSS  
REF EE500: 545441/2

A1PXXU1414745	COMPLETED	26NOV14 00:09	8161.3	AFHR	MM	Y	XXXXXXXXXXXXXXXXXXXX
25NOV14 13:26	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP				XXXXXXXXXXXXXXXXXXXX
25NOV14 13:26	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP				XXXXXXXXXXXXXXXXXXXX

S40 due on Serial A23-033  
PC-9 at WAC 0000

Maint Acts: S40 SERV C/O REF 545448-1

A1PXXU1415080	COMPLETED	02DEC14 23:50	8174.5	AFHR	MM	Y	XXXXXXXXXXXXXXXXXXXX
02DEC14 08:32	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP				XXXXXXXXXXXXXXXXXXXX
02DEC14 08:32	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP				XXXXXXXXXXXXXXXXXXXX

S40 due on Serial A23-033  
PC-9 at WAC 0000

Maint Acts: S40 SERV C/O VIA EPSS. REFER 562808/1

A1PXXU1415392	COMPLETED	09DEC14 23:32	8177.8	AFHR	MM	Y	XXXXXXXXXXXXXXXXXXXX
09DEC14 07:22	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP				XXXXXXXXXXXXXXXXXXXX
09DEC14 07:22	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP				XXXXXXXXXXXXXXXXXXXX

S40 due on Serial A23-033  
PC-9 at WAC 0000

Maint Acts: S40 C/O IAW 7212-007-6-4 VIA EPSS REF 562812/1

A1PXXU1415750	COMPLETED	07JAN15 00:57	8177.8	AFHR	MM	Y	XXXXXXXXXXXXXXXXXXXX
11DEC14 08:13	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP				XXXXXXXXXXXXXXXXXXXX
11DEC14 08:13	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP				XXXXXXXXXXXXXXXXXXXX

S40 due on Serial A23-033  
PC-9 at WAC 0000

Maint Acts: S40 SERVICE C/O IAW AAP 7212.007-6-4 REF SNOW 562812/3-1-3

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1500305	COMPLETED	13JAN15 04:59	8177.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
13JAN15 03:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			13JAN15 04:59
13JAN15 03:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS	due on Serial 0056			
		BATTERY NICAD	at WAC 0660			XXxxXXxxXXxxXXxxXXxx

Maint Acts: BATT NICAD REPLACED IAW AAP 7212.007-2 REF: 562812-3-2#1

REMOVALS/INSTALLATIONS FOR A1PXXU1500305

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	0056	A23T	A1UOA	00	0054	A23T	A1UOA	00
	33490409201		13JAN15 04:57	A1PXXJ1410181	33490409201		13JAN15 04:58	

A1PXXU1500134	COMPLETED	14JAN15 00:55	8177.8	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
13JAN15 09:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			Y
13JAN15 09:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40	due on Serial A23-033			14JAN15 00:55
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O IAW AAP 7212.007-6-4 VIA EPSS  
 REF EE508: 562812/3-2-2

A1PXXU1500336	COMPLETED	20JAN15 23:32	8187.4	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
20JAN15 08:21	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			Y
20JAN15 08:21	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40	due on Serial A23-033			20JAN15 23:32
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 CARRIED OUT VIA EPSS

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1413552	COMPLETED	22JAN15 06:10	8190.1	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
22JAN15 02:21	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			22JAN15 06:10
22JAN15 02:21	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S20 due on Serial A23-033				
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX

Maint Acts: S20 SERVICE C/O IAW AAP 7212.007-6-4 REF 562823/1-1-1

A1PXXU1500673	COMPLETED	22JAN15 12:29	8190.1	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
22JAN15 02:21	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			22JAN15 12:29
22JAN15 02:21	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		MS18 due on Serial 027				
		WING ASSY at WAC 0000				XXXXXXXXXXXXXXXXXXXX

Maint Acts: MS18 C/O CORROSION FOUND ON STRINGER BETWEEN RIBS 18 AND 19 ON RH WING. C/O IAW AAP7212.007-2 REF 562823-1-1#2

A1PXXU1500676	COMPLETED	22JAN15 13:34	8190.1	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
22JAN15 05:24	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			22JAN15 13:34
22JAN15 05:24	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		TA due on Serial ALT279-11731				
		CYL ASSY OXYGEN LH at WAC 0650				XXXXXXXXXXXXXXXXXXXX
		OH due on Serial ALT279-11731				
		CYL ASSY OXYGEN LH at WAC 0650				

Maint Acts: SERV CYL ASSY FITTED IAW AAP 7212.007-2 REF 562823-1#1-5

REMOVALS/INSTALLATIONS FOR A1PXXU1500676

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	ALT279-11731	A23T	A1UNG	00	ALT279-19650	A23T	A1UNG	00
	89795050		22JAN15 06:02	A1PXXJY302824	89795050		22JAN15 13:31	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1500678	COMPLETED	22JAN15 12:58	8190.1	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
22JAN15 05:36	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			22JAN15 12:58
22JAN15 05:36	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BATT NICAD REMOVED FOR ACCESS				XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV BATTERY NICAD REFITTED IAW AAP 7212.007-2 REF 562823-1#1-6

REMOVALS/INSTALLATIONS FOR A1PXXU1500678

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0054	A23T	A1UOA	00	0054	A23T	A1UOA	00
	33490409201		22JAN15 05:37	A1PXXJ1500976	33490409201		22JAN15 12:57	

A1PXXU1500687	COMPLETED	22JAN15 12:40	8190.1	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
22JAN15 12:36	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			22JAN15 12:40
22JAN15 12:38	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		OIL FILTER RFA				XXXXXXXXXXXXXXXXXXXX

Maint Acts: OIL FILTER REFITTED IAW AAP7113.022-2 REF 562823-1-1#3

REMOVALS/INSTALLATIONS FOR A1PXXU1500687

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PC1401495	A23T	A1SAK34	00	PC1401495	A23T	A1SAK34	00
	3059258-01		22JAN15 12:38	A1PXXJ1500991	3059258-01		22JAN15 12:39	



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES -----

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1500690	COMPLETED	04FEB15 23:59	8190.1	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
22JAN15 12:46	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			04FEB15 23:59
22JAN15 12:47	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX

Maint Acts: AIRCRAFT AWAITING OIL PATCH CX RESULTS NOT TO BE FLOWN MORE THAN 10.0 AFHRS  
PATCH CHECK ASSESSED AS SERVICEABLE REFER PATCH CHECK REPOERT DATED 5 FEB 2015

A1PXXU1500739	COMPLETED	21APR15 22:23	8190.1	AFHR	SCM	XXXXXXXXXXXXXXXXXXXX
26JAN15 23:22	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
26JAN15 23:25	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			21APR15 22:23

562823 1  
aip01083 26JAN15 23:25:49  
NIL IMPACT ON AIRCRAFT AIRWORTHINESS OR AIRCRAFT OPERATIONS.  
THE DAMAGE TO THE AIRCRAFT STRUCTURE HAS BEEN INSPECTED, THE DAMAGE HAS BEEN ASSESSED AS LOW RISK ACCEPTABLE DAMAGE.  
THE CORRISON IS ON TWO SECTIONS OF THE STRINGER IS MINOR AND TOTAL FAILURE OF THE STRUCTURE DUE TO THIS DAMAGE IS ASSESSED AS IMPROBABLE.  
THERE IS NIL EVIDENCE OF ANY SECONDARY DAMAGE TO THE STRUCTURE.  
STRINGER TO BE REPLACED AT THE NEXT MAJOR SERVICING.

Maint Acts: STRINGER REPAIR CARRIED IAW AAP7212.007-3. CH51-70-01. FIG 4. STRAP REPAIR B.  
REF U/S: AIP MCS 122/15/9/5.

ACCESS HOLE CONFIGURATION NUMBER 2 HOLE CUT OUT IN LOWER SHIN PANEL (557.32.09.322) CARRIED OUT IAW SRM CH51-70-01 PINK PAGE SUPP 169 TO GAIN ACCESS TO CARRY OUT STRINGER REPAIR. REF U/S: MCS 122/15/15/1.

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1500559	COMPLETED	28JAN15 00:18	8190.1	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
27JAN15 13:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			Y
27JAN15 13:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				28JAN15 00:18
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 CARRIED OUT VIA EPSS REF EE500 SN 562823/3

A1PXXU1413440	COMPLETED	02FEB15 11:23	8196.8	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
02FEB15 10:48	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			Y
02FEB15 10:48	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S26 due on Serial A23-033				02FEB15 11:23
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S26 C/O VIA EPSS :REF 562828#2

A1PXXU1501040	COMPLETED	03FEB15 09:15	8198.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
03FEB15 09:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			03FEB15 09:15
03FEB15 09:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		RH BRAKE WTL				XXxxXXxxXXxxXXxxXXxx

Maint Acts: RH BRAKE ASSY REPLACED WITH SERV ITEM IAW AAP 7212.007-2  
REF EE500: 562829/1

REMOVALS/INSTALLATIONS FOR A1PXXU1501040

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0205	A23T	A2KEE	00	0234	A23T	A2KEE	00
	2-1524-1		03FEB15 09:13	A1PXXJ1501458	2-1524-1		03FEB15 09:13	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03401  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1501042	COMPLETED	04FEB15 07:48	8198.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
03FEB15 09:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			04FEB15 07:48
03FEB15 09:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
AIRCRAFT REQUIRES AIRTEST FOR BRAKE OPS						
XXxxXXxxXXxxXXxxXXxx						

Maint Acts: AIRTEST CARRIED OUT REFER 562830#1

A1PXXU1500839	COMPLETED	04FEB15 00:00	8198.3	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
03FEB15 11:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		Y	XXxxXXxxXXxxXXxxXXxx
03FEB15 11:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
S40 due on Serial A23-033						
PC-9 at WAC 0000						
04FEB15 00:00						
XXxxXXxxXXxxXXxxXXxx						

Maint Acts: S40 C/O IAW 7212-007-6-4 VIA EPSS REF 562829/4-1-3

A1PXXU1501219	COMPLETED	08FEB15 23:37	8201.2	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
06FEB15 07:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			08FEB15 23:37
06FEB15 07:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
BS due on Serial 702008						
REG OXYGEN DEMAND at WAC 0740						
XXxxXXxxXXxxXXxxXXxx						

Maint Acts: REAR OXY DEMAND REG REPLACED IAW AAP 7212.007-2 REF: 562831-5-1#2

REMOVALS/INSTALLATIONS FOR A1PXXU1501219

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	702008	A23T	A1UIS	00	702012	A23T	A1UIS	00
	3260042-0201		08FEB15 23:35	A1PXXJ1317820	3260042-0201		08FEB15 23:35	

A1PXXU1501290	COMPLETED	10FEB15 01:56	8202.5	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
09FEB15 11:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			10FEB15 01:56
09FEB15 11:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
AIRTEST REQD NEXT FLIGHT FOR AIRFRAME/CANOPY NOISE						
XXxxXXxxXXxxXXxxXXxx						

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03402  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME

EE500PG EE500LN  
 STA WL BL ADMIN

MAINT ACTION/LIMITATIONS

Maint Acts: AIRTEST ASSESSED SERV REFER 562834

A1PXXU1501317	COMPLETED	16FEB15 06:16	8205.0	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
10FEB15 10:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
10FEB15 10:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRCRAFT REQUIRES AIRTEST FOR ASOR CLEARANCE				16FEB15 06:16
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST ASSESSED SERV REFER 562839

A1PXXU1501064	COMPLETED	10FEB15 23:50	8205.0	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
10FEB15 13:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		Y	
10FEB15 13:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40	due on Serial A23-033			10FEB15 23:50
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERV C/O VIA EPSS. REFER 562836/1

A1PXXU1501387	COMPLETED	12FEB15 11:35	8205.0	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
12FEB15 11:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			12FEB15 11:35
12FEB15 11:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		CP OFF FLAG ON BOTH HSI'S WITH NIL CONTROL PANEL FUNCTIONALITY				
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: FRONT EFIS SELECT PANEL REPLACED AND SYSTEM CHECK SERV IAW  
 7212.007-2 REF: 562837-3

REMOVALS/INSTALLATIONS FOR A1PXXU1501387

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1031	A23T	A1UDY	00	3754	A23T	A1UDY	00
	975.96.32.339		12FEB15 11:31	A1PXXJ1502369	071-01446-0004		12FEB15 11:32	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03403  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1501474	COMPLETED	16FEB15 06:14	8205.0	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
16FEB15 01:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			16FEB15 06:14
16FEB15 01:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		A/C REQ'S AIRTEST FOR INVERTED FLIGHT FOD CX (MISSING TUBE UPPER OXY PANDUIT STRAP)				XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST ASSESSED SERV REFER 562839

A1PXXU1501336	COMPLETED	17FEB15 23:28	8209.5	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
17FEB15 09:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		Y	
17FEB15 09:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033 PC-9 at WAC 0000				17FEB15 23:28
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERV C/O VIA EPSS. REFER 562842/2

A1PXXU1501904	COMPLETED	24FEB15 05:56	8221.6	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
24FEB15 05:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
24FEB15 05:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			24FEB15 05:56
		SYMBOL GENERATOR CAPTION IN FLIGHT				XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV SYMBOL GEN FITTED IAW AAP 7212.007-2 REF 559655-1

REMOVALS/INSTALLATIONS FOR A1PXXU1501904

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	3951	A23T	A1UOS	00	1143	A23T	A1UOS	00
	066-04015-0003		24FEB15 05:54	A1PXXJ1502982	3614335-1004		24FEB15 05:55	

A1PXXU1501590	COMPLETED	25FEB15 04:45	8224.1	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
25FEB15 04:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
25FEB15 04:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			25FEB15 04:45
		S40 due on Serial A23-033 PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03404  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: S40 SERC C/O IAW 7212.007-6-4. REFER: AIP ALB 005/15. EE500: 559655

A1PXXU1501937	COMPLETED	04MAR15 03:00	8237.7	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
04MAR15 02:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
04MAR15 22:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40	due on Serial A23-033			04MAR15 03:00
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERV CARRIED OUT REFER AIP ALB 014/15

A1PXXU1502145	COMPLETED	04MAR15 03:44	8236.4	AFHR	SST	XXxxXXxxXXxxXXxxXXxx	
04MAR15 03:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			04MAR15 03:44	
04MAR15 03:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		UNDERCARRIAGE UP AND DOWN LOW SPEED WARNING ON WITH UNDERCARRIAGE DOWN AND FLAP TAKE OFF. OCCURRED ONLY ONCE. LDG GEAR CONTROL UNIT REAR TO BE CHANGED.					XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV LDG GEAR REAR CONT UNIT FITTED S/N 523 IAW AAP 7212.007-6 REF 559664-1

REMOVALS/INSTALLATIONS FOR A1PXXU1502145

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	301	A23T	A1UGY	00	523	A23T	A1UGY	00
	532.30.09.217		04MAR15 03:40	A1PXXJ1503342	532.30.09.321		04MAR15 03:42	

A1PXXU1502352	COMPLETED	09MAR15 22:58	8242.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
09MAR15 13:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			09MAR15 22:58
09MAR15 13:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		TA	due on Serial 576			
		VALVE REFILL OXYGEN at WAC 0640				XXxxXXxxXXxxXXxxXXxx

Maint Acts: VALVE OXY REFILL REPLACED IAW AAP 7212.007-2. REF EE500 559669-2

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03405  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1502352

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	576	A23T	A1UMU	03	645	A23T	A1UMU	03
	OC-001-06		09MAR15 22:52	A1PXXJ1400934	OC-001-06		09MAR15 22:56	

A1PXXU1502170 COMPLETED 10MAR15 23:41 8246.2 AFHR MM  
10MAR15 09:11 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP Y  
10MAR15 09:11 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERV C/O REF 559672-2

A1PXXU1502517 COMPLETED 12MAR15 09:36 8249.7 AFHR SST  
12MAR15 09:32 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
12MAR15 09:32 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
FT due on Serial 0373001  
CRASH POSN IND at WAC 0660  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: CPI REPLACED IAW AAP 7212.007-2 REF: 559676-3-1-1

REMOVALS/INSTALLATIONS FOR A1PXXU1502517

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0373001	A23T	A1UOY	00	0400001	A23T	A1UOY	00
	453-0406		12MAR15 09:34	A1PXXJ1502917	453-0406		12MAR15 09:34	

A1PXXU1502518 COMPLETED 12MAR15 09:40 8249.7 AFHR SST  
12MAR15 09:37 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
12MAR15 09:37 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
RED SG ON AHRS, OPERATINGAS NORMAL  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: SYMBOL GENERATOR REPLACED IAW AAP 7212.007-2 REF: 559676-1

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03406  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1502518

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1143	A23T	A1UOS	00	1079	A23T	A1UOS	00
	3614335-1004		12MAR15 09:38	A1PXXJ1503784	3614335-1004		12MAR15 09:39	

A1PXXU1502635 COMPLETED 16MAR15 12:33 8252.4 AFHR SST  
16MAR15 12:29 XXxxXXxx XXxxXXxxXXxxXXxx AIP 16MAR15 12:33  
16MAR15 12:30 XXxxXXxx XXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
LH HUB ASSY WTL  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: LH HUB ASSY REPLACED IAW 7212.007-2 REF: 559678/3-1

REMOVALS/INSTALLATIONS FOR A1PXXU1502635

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0344	A23T	A2KDM	01	0404	A23T	A2KDM	01
	3-1555		16MAR15 12:30	A1PXXJ1503904	3-1555		16MAR15 12:31	

A1PXXU1502636 COMPLETED 16MAR15 13:00 8252.4 AFHR SST  
16MAR15 12:51 XXxxXXxx XXxxXXxxXXxxXXxx AIP 16MAR15 13:00  
16MAR15 12:54 XXxxXXxx XXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
NO GEAR TONES OR LANDING LIGHT WITH GEAR DOWN + 3 GREENS. FLAP LAND  
GEAR UP TONE WITH FLAP LAND  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: REAR LANDING GEAR HANDLE REPLACED REF: 559678-4-1-2

REMOVALS/INSTALLATIONS FOR A1PXXU1502636

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	523	A23T	A1UGY	00	035	A23T	A1UGY	00
	532.30.09.321		16MAR15 12:55	A1PXXJ1503905	532.30.09.217		16MAR15 12:56	



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1502704	COMPLETED	18MAR15 06:22	8253.4	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
17MAR15 06:21	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			18MAR15 06:22
17MAR15 06:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
AIRCRAFT REQUIRES AIRTEST FOR UNDER CARRIAGE OPERATIONS						
XXxxXXxxXXxxXXxxXXxx						

Maint Acts: AIRTEST ASSESSED SERV REFER 559680

A1PXXU1502404	COMPLETED	17MAR15 23:32	8253.4	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
17MAR15 09:11	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			Y
17MAR15 09:11	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
S40 due on Serial A23-033						
PC-9 at WAC 0000						
17MAR15 23:32						
XXxxXXxxXXxxXXxxXXxx						

Maint Acts: S40 VIA EPSS REF EE 508 SNOW 559679/5-1-2

A1PXXU1303780	COMPLETED	19MAR15 22:53	8258.7	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
19MAR15 09:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			Y
19MAR15 09:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
S66 due on Serial A23-033						
PC-9 at WAC 0000						
19MAR15 22:53						
XXxxXXxxXXxxXXxxXXxx						

Maint Acts: S66 SERVICING CARRIED OUT IAW AAP 7212.007-6-4 VIA EPSS. REF EE500 559684-2

A1PXXU1502836	COMPLETED	19MAR15 22:50	8258.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
19MAR15 11:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			19MAR15 22:50
19MAR15 11:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
FDR REMOVED FOR ACCESS						
XXxxXXxxXXxxXXxxXXxx						

Maint Acts: FDR REFITTED IAW AAP 7212.007-2. REF EE508 559684-3-1 #3

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03408  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1502836

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	01496	A23T	A1UPM	00	01496	A23T	A1UPM	00
	S703-1000-01		19MAR15 11:48	A1PXXJ1504251	S703-1000-01		19MAR15 22:46	

A1PXXU1502936 COMPLETED 23MAR15 05:44 8260.0 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
23MAR15 05:41 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
23MAR15 05:42 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
DU1 AND DU2 SIMULTANEOUS FAILURE FRONT AND REAR CPT  
23MAR15 05:44  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV SYMBOL GENERATOR FITTED IAW AAP 7212.007-2 REF 559685-1

REMOVALS/INSTALLATIONS FOR A1PXXU1502936

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1079	A23T	A1UOS	00	3466	A23T	A1UOS	00
	3614335-1004		23MAR15 05:42	A1PXXJ1504430	3614335-1004		23MAR15 05:43	

A1PXXU1502937 COMPLETED 24MAR15 04:23 8260.0 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
23MAR15 05:46 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
23MAR15 05:46 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
AIRCRAFT REQUIRES AIRTEST FOR EFIS OPS AND ASOR CLEARANCE  
24MAR15 04:23  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST ASSESSED SERFV REFER 559686

A1PXXU1502948 COMPLETED 23MAR15 06:46 8260.0 AFHR SST XXxxXXxxXXxxXXxxXXxx  
23MAR15 06:41 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
23MAR15 06:41 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
STI-PC9-0581 due on Serial 027  
WING ASSY at WAC 0000  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-0581 C/O IAW STI INSTRUCTIONS  
NIL DEFECTS EVIDENT  
REF EE508: 559685/3-1-4

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN	
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME	
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR	
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME	
EE500PG EE500LN						INSPECTOR	
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME	
A1PXXU1502987	COMPLETED	24MAR15 03:28	8261.2	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx	
24MAR15 03:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP				
24MAR15 03:21	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		TRANSPONDER SWITCHING FROM ON TO STBY UNCOMMANDED					24MAR15 03:28
						XXxxXXxxXXxxXXxxXXxx	

Maint Acts: XPONDER CONTROL REPLACED 559686-3

REMOVALS/INSTALLATIONS FOR A1PXXU1502987

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1884	A23T	A1UCS	00	2279	A23T	A1UCS	00
	071-1276-09		24MAR15 03:21	A1PXXJ1504471	071-1276-09		24MAR15 03:23	

A1PXXU1502728	COMPLETED	24MAR15 23:24	8262.4	AFHR	MM	XXxxXXxxXXxxXXxxXXxx	
24MAR15 09:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		Y		
24MAR15 09:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		S40 due on Serial A23-033					24MAR15 23:24
		PC-9 at WAC 0000					XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O VIA EPSS REF 559688#1

A1PXXU1503021	COMPLETED	24MAR15 23:39	8262.4	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx	
24MAR15 22:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP				
24MAR15 22:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		FT due on Serial DU47427					24MAR15 23:39
		BCN UNDERWATER LOC at WAC 0640					XXxxXXxxXXxxXXxxXXxx

Maint Acts: FT C/O REF 559688-3-1-1

A1PXXU1503022	COMPLETED	24MAR15 23:35	8262.4	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx	
24MAR15 22:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP				
24MAR15 22:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		FT due on Serial SC62462					24MAR15 23:35
		BCN UNDERWATER LOC at WAC 0740					XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: FT C/O REF 559688-3-1-2

A1PXXU1403830	COMPLETED	24MAR15 23:23	8262.4	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
24MAR15 22:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
24MAR15 22:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S37	due on Serial A23-033			24MAR15 23:23
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: S37 C/O REF 559688-3-1-3

A1PXXU1503218	COMPLETED	15JUL15 06:18	8270.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx	
30MAR15 06:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			15JUL15 06:18	
30MAR15 07:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		FRONT AND REAR EJECTION SEATS REMOVED FOR ACCESS					
						XXxxXXxxXXxxXXxxXXxx	

Maint Acts: FRONT AND REAR EJECTION SEATS RE-FITTED REFER AIP MCS 120/15

REMOVALS/INSTALLATIONS FOR A1PXXU1503218

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	161	A23T	A1W	00	161	A23T	A1W	00
	AU11A-1		30MAR15 07:35	A1PXXJ1504894	AU11A-1		15JUL15 05:35	
002	020	A23T	A26	00	020	A23T	A26	00
	AU11A-2		30MAR15 07:39	A1PXXJ1504895	AU11A-2		15JUL15 05:34	

A1PXXU1503219	COMPLETED	15JUL15 06:13	8270.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
30MAR15 07:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			15JUL15 06:13
30MAR15 07:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS	due on Serial 1647297			
		SET EMERG OXYGEN	at WAC 0730			XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV SEO FITTED IAW 7212-007-2 REF LSN AIP MCS 182/15-30-5

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03411  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

REMOVALS/INSTALLATIONS FOR A1PXXU1503219

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1647297	A23T	A1WBE	00	1647297	A23T	A1WBE	00
	MBEU100618		30MAR15 07:04	92WGSJ1203782	MBEU100618		15JUL15 06:11	

A1PXXU1503396 COMPLETED 25MAY15 02:12 8270.7 AFHR SST XXxxXXxxXXxxXXxxXXxx  
02APR15 00:55 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 25MAY15 02:12  
02APR15 00:55 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
FDR RFA XXxxXXxxXXxxXXxxXXxx

Maint Acts: FDR REFITTED IAW AAP 7212.007-2 REF AIP MCS 098/15 WC 22 # 2

REMOVALS/INSTALLATIONS FOR A1PXXU1503396

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	01496	A23T	A1UPM	00	01496	A23T	A1UPM	00
	S703-1000-01		02APR15 00:55	A1PXXJ1505111	S703-1000-01		25MAY15 02:10	

A1PXXU1503397 COMPLETED 25MAY15 05:04 8270.7 AFHR SST XXxxXXxxXXxxXXxxXXxx  
02APR15 02:09 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 25MAY15 05:04  
02APR15 02:12 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
REAR C/PIT CONTROL COLUMN ASSY REMOVED FOR WING R&I. X-REF WING R&I  
WORK PACK AIP MCS 097/15 WC14/02. XXxxXXxxXXxxXXxxXXxx

Maint Acts: REAR C-PIT CONTROL COLUMN ASSY REFITTED IAW AAP 7212.007-2, REF WING R&I WORK PACK AIP MCS 098/15-WC23-3.

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03412  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1503397

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PC1400365	A23T	A1UIU	00	PC1400365	A23T	A1UIU	00
	527.30.09.010		02APR15 02:13	A1PXXJ1505125	527.30.09.010		25MAY15 05:01	

A1PXXU1503398 COMPLETED 25MAY15 05:00 8270.7 AFHR SST XXxxXXxxXXxxXXxxXXxx  
02APR15 02:15 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 25MAY15 05:00  
02APR15 02:17 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx

REAR C/PIT ELEVATOR CONTROL ROD REMOVED FOR WING R&I. X-REF WING R&I  
WORK PACK AIP MCS 097/15 WC14/03.

Maint Acts: REAR C-PIT ELEVATOR CONTROL RED REFITTED IAW AAP 7212.007-2, REF WING  
R & I WORK PACK. AIP MCS 098/15-WC 23-4

REMOVALS/INSTALLATIONS FOR A1PXXU1503398

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PC1400399	A23T	A1UUA	02	PC1400399	A23T	A1UUA	02
	527.30.09.082		02APR15 02:18	A1PXXJ1505126	527.30.09.082		25MAY15 04:56	

A1PXXU1503399 COMPLETED 13MAY15 02:30 8270.7 AFHR SST XXxxXXxxXXxxXXxxXXxx  
02APR15 02:21 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 13MAY15 02:30  
02APR15 02:24 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx

FUEL FILTER ASSY (F4) REMOVED FOR WING R&I. X-REF WING R&I WORK PACK  
AIP MCS 097/15 WC19/06.

Maint Acts: FUEL FILTER ASSY REFITTED IAW AAP 7212.007-2. X-REF AIP MCS 098/15  
WC21/01 FOR SIGNATURES.

REMOVALS/INSTALLATIONS FOR A1PXXU1503399

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	00240	A23T	A1UJK	00	00240	A23T	A1UJK	00
	968.35.21.161		02APR15 02:24	A1PXXJ1505129	968.35.21.161		13MAY15 02:27	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03413  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1503483	COMPLETED	22JUL15 03:49	8270.7	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
07APR15 22:23	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			22JUL15 03:49
07APR15 22:29	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		WING ASSY AND HARDWARE REMOVED FOR HALF RIB 3 REPAIR				XXXXXXXXXXXXXXXXXXXX

Maint Acts: WING ASSY AND HARDWARE REFITTED IAW 7212.007-2 REF MCS 097/15 + 098/15

REMOVALS/INSTALLATIONS FOR A1PXXU1503483

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	027 557.05.09.953	A23T	A2K 07APR15 22:30	00 A1PXXJ1505234	027 557.05.09.953	A23T	A2K 14MAY15 04:57	00
002	PCY600587 938.09.14.307	A23T	A1UAM 07APR15 23:21	00 A1PXXJ1505256	PC1500371 938.09.14.307	A23T	A1UAM 12MAY15 22:28	00
003	PCY400431 AN7C40A	A23T	A1UBC 07APR15 23:27	00 A1PXXJ1505258	PCY400431 AN7C40A	A23T	A1UBC 12MAY15 22:27	00
004	PCY600586 938.09.14.307	A23T	A1UAO 07APR15 23:29	00 A1PXXJ1505259	PC1500370 938.09.14.307	A23T	A1UAO 12MAY15 22:26	00
005	PCY400432 AN7C40A	A23T	A1UBE 07APR15 23:33	00 A1PXXJ1505262	PCY400432 AN7C40A	A23T	A1UBE 12MAY15 21:56	00

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03414  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 ~S4080  
 PERIOD: 01JAN90 TO 08JAN20

SEQ	REMOVED SERIAL NO REMOVED PART NO	EIAC	LCN DATE/TIME	ALC JOB NUMBER	INSTALLED SERIAL NO INSTALLED PART NO	EIAC	LCN DATE/TIME	ALC
006	PC1400548 938.09.14.307	A23T	A1UAE 07APR15 23:34	00 A1PXXJ1505263	PC1500369 938.09.14.307	A23T	A1UAE 12MAY15 21:53	00
007	PCY600594 110.30.07.008	A23T	A1UAU 07APR15 23:51	00 A1PXXJ1505265	PC1500368 110.30.07.008	A23T	A1UAU 12MAY15 21:51	00
008	PC1400547 938.09.14.307	A23T	A1UAG 08APR15 00:07	00 A1PXXJ1505267	PC1500367 938.09.14.307	A23T	A1UAG 12MAY15 21:49	00
009	PCY600595 110.30.07.008	A23T	A1UAW 08APR15 01:52	00 A1PXXJ1505284	PC1500366 110.30.07.008	A23T	A1UAW 12MAY15 21:49	00
010	PCY601270 938.07.68.307	A23T	A1UAI 08APR15 01:57	00 A1PXXJ1505293	PC1500365 938.07.68.307	A23T	A1UAI 12MAY15 07:14	00
011	PCY601267 932.35.14.313	A23T	A1UAY 08APR15 02:02	00 A1PXXJ1505303	PCY601267 932.35.14.313	A23T	A1UAY 12MAY15 05:57	00
012	PCY601269 938.07.68.307	A23T	A1UAK 08APR15 02:03	00 A1PXXJ1505306	PC1500364 938.07.68.307	A23T	A1UAK 12MAY15 05:54	00
013	PCY601268 932.35.14.313	A23T	A1UBA 08APR15 02:26	00 A1PXXJ1505314	PCY601268 932.35.14.313	A23T	A1UBA 12MAY15 05:50	00
014	PCY600589 938.07.68.306	A23T	A1UAC 08APR15 02:27	00 A1PXXJ1505315	PC1500363 938.07.68.306	A23T	A1UAC 12MAY15 05:32	00



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03415  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

SEQ	REMOVED SERIAL NO REMOVED PART NO	EIAC	LCN DATE/TIME	ALC JOB NUMBER	INSTALLED SERIAL NO INSTALLED PART NO	EIAC	LCN DATE/TIME	ALC
015	PCY400428 AN5C4A	A23T	A1UAS 08APR15 02:31	00 A1PXXJ1505317	PCY400428 AN5C4A	A23T	A1UAQ 12MAY15 04:34	00
016	PCY600588 938.07.68.306	A23T	A1UAA 08APR15 02:33	00 A1PXXJ1505318	PC1500362 938.07.68.306	A23T	A1UAA 12MAY15 03:54	00
017	PCY400427 AN5C4A	A23T	A1UAQ 08APR15 02:37	00 A1PXXJ1505320	PCY400427 AN5C4A	A23T	A1UAS 12MAY15 03:49	00

A1PXXUY815472 COMPLETED 12MAY15 22:37 8270.7 AFHR SST  
 13APR15 04:52 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 12MAY15 22:37  
 13APR15 04:52 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 STI-PC9-0490 due on Serial A23-033  
 PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-0490 INC IAW STI-PC9-0490 P/W XREF AIP MCS 122/15/10/2

A1PXXU1503793 COMPLETED 07MAY15 05:29 8270.7 AFHR SST  
 13APR15 05:04 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 07MAY15 05:29  
 13APR15 05:07 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 CANOPY DAMPER STRUT ASSY REMOVED FOR STRUCTURES TRADE ACCESS. X-REF  
 REC'S PACK AIP MCS 122/15 EE508 SHT 10/06. XXxxXXxxXXxxXXxxXXxx

Maint Acts: CANOPY DAMPER STRUT REFITTED IAW AAP 7212-007-2. FOR SIGNATURES  
 X-REF AIP MCS 112/15 SHT10/06.

REMOVALS/INSTALLATIONS FOR A1PXXU1503793

SEQ	REMOVED SERIAL NO REMOVED PART NO	EIAC	LCN DATE/TIME	ALC JOB NUMBER	INSTALLED SERIAL NO INSTALLED PART NO	EIAC	LCN DATE/TIME	ALC
001	117 556.10.09.199	A23T	A1UEY 13APR15 05:07	00 A1PXXJ1505750	117 556.10.09.199	A23T	A1UEY 07MAY15 05:26	00

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1503852	COMPLETED	07MAY15 03:51	8270.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
14APR15 02:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			07MAY15 03:51
14APR15 02:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		CVR RFA				XXxxXXxxXXxxXXxxXXxx

Maint Acts: CVR REFITTED IAW 7212-007-2 REF LSN AIP MCS 122/15-11-6

REMOVALS/INSTALLATIONS FOR A1PXXU1503852

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	01764	A23T	A1UPC	00	01764	A23T	A1UPC	00
	S200-0012-91		14APR15 02:36	A1PXXJ1505821	S200-0012-91		07MAY15 03:49	

A1PXXU1503853	COMPLETED	07MAY15 03:48	8270.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
14APR15 02:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			07MAY15 03:48
14APR15 02:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FRONT C/PT DC TO DC CONVERTER RFA				XXxxXXxxXXxxXXxxXXxx

Maint Acts: DCTO DC CONVERTER REFITTED IAW 7212-007-2 REF LSN MCS 122/15-12-02

REMOVALS/INSTALLATIONS FOR A1PXXU1503853

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	4568	A23T	A1ULQ	00	4568	A23T	A1ULQ	00
	985.99.11.631		14APR15 02:38	A1PXXJ1505823	985.99.11.631		14APR15 02:44	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03417  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
002	1523	A23T	A1UBK	00	1523	A23T	A1UBK	00
	IL484		14APR15 02:48	A1PXXJ1505825	IL484		07MAY15 03:45	

A1PXXU1503854 COMPLETED 07MAY15 03:44 8270.7 AFHR SCM  
14APR15 02:40 XXxxXXxx XXxxXXxxXXxxXXxx AIP  
14APR15 02:40 XXxxXXxx XXxxXXxxXXxxXXxx AIP  
TRANSPONDER KXP756 RFA  
XXxxXXxxXXxxXXxxXXxx  
07MAY15 03:44  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: TRANSPONDER KXP 756 REFITTED IAW 7212-007-2 REF LSN AIP MCS  
122/15-12-01

REMOVALS/INSTALLATIONS FOR A1PXXU1503854

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	4568	A23T	A1ULQ	00	4568	A23T	A1ULQ	00
	985.99.11.631		14APR15 02:50	A1PXXJ1505827	985.99.11.631		07MAY15 03:42	

A1PXXU1503867 COMPLETED 15JUL15 05:27 8270.7 AFHR SST  
14APR15 05:58 XXxxXXxx XXxxXXxxXXxxXXxx AIP  
14APR15 06:00 XXxxXXxx XXxxXXxxXXxxXXxx AIP  
VALVE COMMAND CONTROL AND COMMAND DELAY BREECH UNIT RFA  
XXxxXXxxXXxxXXxxXXxx  
15JUL15 05:27  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: CCV & CBDU RE-FITTED REFER AIP MCS 143/15

REMOVALS/INSTALLATIONS FOR A1PXXU1503867

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	DB5948	A23T	A1UIY	00	DB5948	A23T	A1UIY	00
	MBEU64438		14APR15 06:00	A1PXXJ1505846	MBEU64438		15JUL15 05:20	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03418  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
002	MD2145	A23T	A1UJC	00	MD2145	A23T	A1UJC	00
	MBEU100433		14APR15 06:02	A1PXXJ1505847	MBEU100433		15JUL15 05:21	

A1PXXU1405563 COMPLETED 21APR15 00:39 8270.7 AFHR SST XXxxXXxxXXxxXXxxXXxx  
21APR15 00:32 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 21APR15 00:39  
21APR15 00:32 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S36 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: S36- C/O ASSESSED AS SERV IAW AAP 7212.007-2 XREF AIP MCS 098/15/3/3

A1PXXU1502843 COMPLETED 21APR15 00:45 8270.7 AFHR SST XXxxXXxxXXxxXXxxXXxx  
21APR15 00:43 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 21APR15 00:45  
21APR15 00:43 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S66 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: S66 C/O ASSESSED AS SERV IAW AAP 7212.007-2, XREF AIP MCS 098/15 WC 37

A1PXXU1504139 COMPLETED 03MAY15 22:27 8270.7 AFHR SST XXxxXXxxXXxxXXxxXXxx  
21APR15 00:46 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 03MAY15 22:27  
21APR15 00:46 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
TA due on Serial 533LH  
FR3 PICKUP BKT LH at WAC 0730 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: SERV LH PICK UP BRKT FITTED IAW AAP 7212.007-3 XREF AIP MCS 122/15/10/3

REMOVALS/INSTALLATIONS FOR A1PXXU1504139

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	533LH	A23T	A1UKC01	01	PC1500385	A23T	A1UKC01	02
	553.10.09.075		21APR15 00:59	A1PXXJ1406908	553.10.09.855		03MAY15 22:24	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03419  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1504140	COMPLETED	03MAY15 22:24	8270.7	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
21APR15 00:46	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			03MAY15 22:24
21APR15 00:46	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		TA due on Serial 533RH				
		FR3 PICKUP BKT RH at WAC 0730				XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV FR 3 PICK UP BRKT FITTED IAW AAP 7212.007-3 XREF AIP MCS 122/15/10/4

REMOVALS/INSTALLATIONS FOR A1PXXU1504140

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	533RH	A23T	A1UKC02	01	PC1500386	A23T	A1UKC02	02
	553.10.09.076		21APR15 01:06	A1PXXJ1406910	553.10.09.856		03MAY15 22:15	

A1PXXU1504212	COMPLETED	26MAY15 03:27	8270.7	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
22APR15 06:56	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			26MAY15 03:27
22APR15 06:56	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BS due on Serial 0054				
		BATTERY NICAD at WAC 0660				XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV BATT NICAD FITED IAW 7212-007-2 REF LSN AIP MCS 122/15-15-4

REMOVALS/INSTALLATIONS FOR A1PXXU1504212

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0054	A23T	A1UOA	00	1467	A23T	A1UOA	00
	33490409201		22APR15 07:41	A1PXXJ1500441	33490409201		26MAY15 03:25	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03420  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1505028	COMPLETED	26MAY15 03:00	8270.7	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
14MAY15 00:42	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			26MAY15 03:00
14MAY15 00:43	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BOTH INVS AND RACK RFA				XXXXXXXXXXXXXXXXXXXX

Maint Acts: BOTH INVS AND RACK REFITTED IAW 7212-007-2 REF LSN AIP MCS 182/15-15-6

REMOVALS/INSTALLATIONS FOR A1PXXU1505028

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	6567	A23T	A1UOE	01	6567	A23T	A1UOE	01
	975.04.21.103		14MAY15 00:43	A1PXXJ1507465	975.04.21.103		26MAY15 02:59	
002	6568	A23T	A1UOG	01	6568	A23T	A1UOG	01
	975.04.21.103		14MAY15 00:46	A1PXXJ1507467	975.04.21.103		26MAY15 02:58	

A1PXXU1413439	COMPLETED	14MAY15 02:35	8270.7	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
14MAY15 02:31	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			14MAY15 02:35
14MAY15 02:31	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S16		due on Serial A23-033		XXXXXXXXXXXXXXXXXXXX
		PC-9		at WAC 0000		XXXXXXXXXXXXXXXXXXXX

Maint Acts: S16 SERV CARRIED OUT IAW AAP 7212.007-2 REF AIP MCS 182/15-8#4

A1PXXU1505037	COMPLETED	22MAY15 03:53	8270.7	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
14MAY15 02:52	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			22MAY15 03:53
14MAY15 02:52	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		OH		due on Serial ALT279-12930		XXXXXXXXXXXXXXXXXXXX
		CYL ASSY OXYGEN RH		at WAC 0650		XXXXXXXXXXXXXXXXXXXX

Maint Acts: NEW OXY CYL ASSY FITTED IAW 7212-007-2 REF LSN AIP MCS 182/15-13-6

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03421  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1505037

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	ALT279-12930	A23T	A1UNI	00	ALT279-25654	A23T	A1UNI	00
	89795050		14MAY15 02:53	N0NC2J1001612	89795050		22MAY15 03:52	

A1PXXU1505038 COMPLETED 22MAY15 03:50 8270.7 AFHR SST  
14MAY15 03:07 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 22MAY15 03:50  
14MAY15 03:07 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
OH due on Serial ALT279-19650  
CYL ASSY OXYGEN LH at WAC 0650 XXxxXXxxXXxxXXxxXXxx

Maint Acts: NEW OXY CYL ASSY FITTED IAW 7212-007-2 REF LSN AIP MCS 182/15-13-6

REMOVALS/INSTALLATIONS FOR A1PXXU1505038

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	ALT279-19650	A23T	A1UNG	00	ALT279-25656	A23T	A1UNG	00
	89795050		14MAY15 03:07	A1PXXJ1019607	89795050		22MAY15 03:49	

A1PXXU1505040 COMPLETED 26MAY15 02:56 8270.7 AFHR SST  
14MAY15 03:22 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 26MAY15 02:56  
14MAY15 03:22 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
CPI AND MOUNT RFA XXxxXXxxXXxxXXxxXXxx

Maint Acts: CPI AND MOUNT REFITTED IAW 7212-007-2 REF LSN AIP MCS 182/15-15-6

REMOVALS/INSTALLATIONS FOR A1PXXU1505040

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	0400001	A23T	A1UOY	00	0400001	A23T	A1UOY	00
	453-0406		14MAY15 03:22	A1PXXJ1507488	453-0406		26MAY15 02:54	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1505158	COMPLETED	27MAY15 02:50	8270.7	AFHR	SST	XXXXXXXXXX
18MAY15 00:14	XXXXXXXX	XXXXXXXXXX	AIP			27MAY15 02:50
18MAY15 00:17	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
HUB ASSY R/H WTL,AND HAS CORROSION ON OUTER RACE OF THE BEARING.						
XXXXXXXXXX						

Maint Acts: SERV R/H HUB ASSY FITTED IAW AAP 7212.007-2,REF AIP MCS 182/15-19-5.

REMOVALS/INSTALLATIONS FOR A1PXXU1505158

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0398	A23T	A2KEI	01	0182	A23T	A2KEI	02
	3-1555		18MAY15 00:17	A1PXXJ1507589	3-1555		27MAY15 02:47	

A1PXXU1505161	COMPLETED	26MAY15 05:44	8270.7	AFHR	SST	XXXXXXXXXX
18MAY15 00:49	XXXXXXXX	XXXXXXXXXX	AIP			26MAY15 05:44
18MAY15 00:49	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
STARTER GEN RFA						
XXXXXXXXXX						

Maint Acts: STARTER GEN REFITTED IAW 7212-007-2 REF LSN 183/15-WC 85-6

REMOVALS/INSTALLATIONS FOR A1PXXU1505161

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	4977	A23T	A1SAI14	00	4977	A23T	A1SAI14	00
	23081-026		18MAY15 00:50	A1PXXJ1507590	23081-026		26MAY15 05:42	



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03423  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1304163	COMPLETED	18MAY15 00:54	8270.7	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
18MAY15 00:52	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			18MAY15 00:54
18MAY15 00:52	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S51 due on Serial A23-033				
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	S51 SERV C/O REF LSN AIP MCS 182/15-12-3				

A1PXXU1505204	COMPLETED	27MAY15 03:14	8270.7	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
18MAY15 07:48	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			27MAY15 03:14
18MAY15 07:50	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		RUDDER, HORIZONTAL STAB AND HSTAB STRUT RFA				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	RUDDER, HORSTAB AND HORSTAB SUPP STRUT REFITTED IAW AAP 7212.007-2, REF AIP MCS 182/15-25-6.				

REMOVALS/INSTALLATIONS FOR A1PXXU1505204

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	533	A23T	A1UAB	00	533	A23T	A1UAB	00
	SBI-36A		18MAY15 07:51	A1PXXJ1507654	SBI-36A		27MAY15 03:10	
002	530	A23T	A2I	00	530	A23T	A2I	00
	555.10.09.130		18MAY15 07:53	A1PXXJ1507655	555.10.09.130		25MAY15 06:02	
003	164	A23T	A2GAM	30	164	A23T	A2GAM	30
	555.40.09.006		18MAY15 07:54	A1PXXJ1507656	555.40.09.006		25MAY15 06:00	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03424  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1503596	COMPLETED	04JUN15 02:33	8270.7	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
18MAY15 10:55	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			04JUN15 02:33
18MAY15 10:55	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		STI-PC9-0593	due on Serial A23-033			
		PC-9	at WAC 0000			XXXXXXXXXXXXXXXXXXXX

Maint Acts: STI-PC9-0593 INCORPORATED REFER MCS 188-5/15

A1PXXU1505205	COMPLETED	04JUN15 02:37	8270.7	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
18MAY15 10:55	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			04JUN15 02:37
18MAY15 10:55	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		STI-PC9-0591	due on Serial 027			
		WING ASSY	at WAC 0000			XXXXXXXXXXXXXXXXXXXX

Maint Acts: STI-PC9-0591 INCORPORATED REFER MCS 188-3/15

A1PXXU1505229	COMPLETED	26JUN15 02:22	8270.7	AFHR	SST	XXXXXXXXXXXXXXXXXXXX	
19MAY15 02:43	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			26JUN15 02:22	
19MAY15 02:44	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		FRONT C/PT IND TRIPLE TRIM RFA					XXXXXXXXXXXXXXXXXXXX

Maint Acts: FRONT C/PT TRIPLE TRIM IND REFITTED IAW 7212-007-2 REF LSN AIP MCS 182/15-23-2

REMOVALS/INSTALLATIONS FOR A1PXXU1505229

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	89100322	A23T	A1UCE	00	89100322	A23T	A1UCE	00
	185.134-1		19MAY15 02:44	A1PXXJ1507704	185.134-1		26JUN15 02:20	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1305158	COMPLETED	22JUL15 03:50	8270.7	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
19MAY15 03:38	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			22JUL15 03:50
19MAY15 03:38	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S41 due on Serial A23-033				
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	S41 CO IAW 7212.007-6-4 REF MCS 182/15-12-1				
A1PXXU1405493	COMPLETED	22JUL15 03:50	8270.7	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
19MAY15 03:38	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			22JUL15 03:50
19MAY15 03:39	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S57 due on Serial A23-033				
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	S57 CO IAW 7212.007-6-4 REF MCS 182/15-10-5				
A1PXXU1405924	COMPLETED	22JUL15 03:51	8270.7	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
19MAY15 03:38	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			22JUL15 03:51
19MAY15 03:38	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S62 due on Serial A23-033				
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	S62 CO IAW 7212.007-6-4 REF MCS 182/15-10-6				
A1PXXU1405926	COMPLETED	27JUL15 00:39	8270.7	AFHR	MM	XXXXXXXXXXXXXXXXXXXX
19MAY15 03:38	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
19MAY15 03:39	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		R2 due on Serial A23-033				27JUL15 00:39
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	R2 CO IAW 7212.007-6-2-2 REF MCS 183/15				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03426  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 REMOVALS/INSTALLATIONS FOR A1PXXU1405926  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	0404 3-1555	A23T	A2KDM 19MAY15	23:58 01 A1PXXJ1507751	0404 3-1555	A23T	A2KDM 27MAY15	02:44 01
002	0069 3-1451 OPT 1	A23T	A18AG 20MAY15	00:03 00 A1PXXJ1507752	0069 3-1451 OPT 1	A23T	A18AG 27MAY15	02:43 00
003	HLY300804 571.10.09.044	A23T	A06 20MAY15	00:07 00 A1PXXJ1507753	HLY300804 571.10.09.044	A23T	A06 22JUL15	04:45 00
004	L523933 D5210	A23T	A00AI 20MAY15	00:11 00 A1PXXJ1507754	L523933 D5210	A23T	A00AI 21MAY15	04:50 00
005	PC1101035 32-2053	A23T	A1SAI10AB 20MAY15	00:16 01 A1PXXJ1507755	PC1101035 32-2053	A23T	A1SAI10AB 20MAY15	00:21 01
006	PC1401463 3059788-01	A23T	A1SAK48 20MAY15	00:23 01 A1PXXJ1507756	PC1500439 3059788-01	A23T	A1SAK48 20MAY15	00:28 01
007	PC1401495 3059258-01	A23T	A1SAK34 20MAY15	05:06 00 A1PXXJ1507809	PC1401495 3059258-01	A23T	A1SAK34 20MAY15	05:09 00
008	621045 Q17-941.22.052AB	A23T	A1UCC 03JUN15	04:59 00 A1PXXJ1508630	621045 Q17-941.22.052AB	A23T	A1UCC 15JUL15	22:38 00
009	703606 Q17-941.22.052AB	A23T	A1UGI 03JUN15	05:01 00 A1PXXJ1508631	703606 Q17-941.22.052AB	A23T	A1UGI 15JUL15	22:36 00

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03427  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
=====	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
=====	=====	=====	=====	=====	=====	=====	=====	=====
010	PCY600766 QA07367	A23T	A1UJU02 03JUN15 05:03	00 A1PXXJ1508632	PC1500477 QA07367	A23T	A1UJU02 03JUN15 05:10	00
A1PXXU1413438	COMPLETED		22JUL15 03:53	8270.7	AFHR	SST	XXXXXXXXXXXXXXXXXXXX	
19MAY15 03:38	XXXXXXXX		XXXXXXXXXXXXXXXXXXXX	AIP			22JUL15 03:53	
19MAY15 03:39	XXXXXXXX		XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
			S63	due on Serial A23-033				
			PC-9	at WAC 0000			XXXXXXXXXXXXXXXXXXXX	
	Maint Acts:		S63 CO IAW 7212.007-6-4 REF MCS 182/15-9-5					
A1PXXU1500613	COMPLETED		22JUL15 03:54	8270.7	AFHR	SST	XXXXXXXXXXXXXXXXXXXX	
19MAY15 03:38	XXXXXXXX		XXXXXXXXXXXXXXXXXXXX	AIP			22JUL15 03:54	
19MAY15 03:39	XXXXXXXX		XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
			STI-PC9-0579	due on Serial A23-033				
			PC-9	at WAC 0000			XXXXXXXXXXXXXXXXXXXX	
	Maint Acts:		STI-PC9-579 CO REF MCS 182/15-12-6					
A1PXXU1500681	COMPLETED		22JUL15 03:54	8270.7	AFHR	SST	XXXXXXXXXXXXXXXXXXXX	
19MAY15 03:38	XXXXXXXX		XXXXXXXXXXXXXXXXXXXX	AIP			22JUL15 03:54	
19MAY15 03:39	XXXXXXXX		XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
			S20	due on Serial A23-033				
			PC-9	at WAC 0000			XXXXXXXXXXXXXXXXXXXX	
	Maint Acts:		S20 CO IAW 7212.007-6-4 REF MCS 182/15-10-1					
A1PXXU1503025	COMPLETED		22JUL15 23:50	8270.7	AFHR	MM	XXXXXXXXXXXXXXXXXXXX	
19MAY15 03:38	XXXXXXXX		XXXXXXXXXXXXXXXXXXXX	AIP		Y	XXXXXXXXXXXXXXXXXXXX	
19MAY15 03:38	XXXXXXXX		XXXXXXXXXXXXXXXXXXXX	AIP			22JUL15 23:50	
			S40	due on Serial A23-033			XXXXXXXXXXXXXXXXXXXX	
			PC-9	at WAC 0000			XXXXXXXXXXXXXXXXXXXX	
	Maint Acts:		S40 C/OUT VIA EPSS REF 55694-1-3#4					
A1PXXU1505231	COMPLETED		22JUL15 04:34	8270.7	AFHR	SST	XXXXXXXXXXXXXXXXXXXX	
19MAY15 03:38	XXXXXXXX		XXXXXXXXXXXXXXXXXXXX	AIP			22JUL15 04:34	
19MAY15 03:39	XXXXXXXX		XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
			STI-PC9-576A	due on Serial 171				
			CANOPY	at WAC 0720			XXXXXXXXXXXXXXXXXXXX	
	Maint Acts:		STI-PC9-576 CO REF MCS 182/15-12-5					

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03428  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME

A1PXXU1114433	COMPLETED	21MAY15 03:11	8270.7	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
19MAY15 03:39	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			21MAY15 03:11
19MAY15 03:39	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
EE500PG EE500LN		S28	due on Serial A23-033			
STA WL BL ADMIN		PC-9	at WAC 0000			XXXXXXXXXXXXXXXXXXXX

Maint Acts: S28 C/O,REF AIP MCS 183/15-WC97.

REMOVALS/INSTALLATIONS FOR A1PXXU1114433

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	538	A23T	A2KDG	00	538	A23T	A2KDG	00
	532.10.09.075		20MAY15 02:10	A1PXXJ1507788	532.10.09.075		21MAY15 03:09	

A1PXXU1114434	COMPLETED	21MAY15 03:07	8270.7	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
19MAY15 03:39	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			21MAY15 03:07
19MAY15 03:39	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S29	due on Serial A23-033			
		PC-9	at WAC 0000			XXXXXXXXXXXXXXXXXXXX

Maint Acts: S29 C/O,REF AIP MCS 183/15-WC98.

REMOVALS/INSTALLATIONS FOR A1PXXU1114434

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1006	A23T	A2KEC	00	1006	A23T	A2KEC	00
	532.10.09.076		20MAY15 02:16	A1PXXJ1507794	532.10.09.076		21MAY15 03:05	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03429  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1115012	COMPLETED	22JUL15 04:30	8270.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
19MAY15 03:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			22JUL15 04:30
19MAY15 03:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S47 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S47 CO IAW 7212.007-6-4 REF MCS 182/15-12-2				
A1PXXU1307709	COMPLETED	16JUL15 02:25	8270.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
19MAY15 03:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			16JUL15 02:25
19MAY15 03:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S30 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S30 SERV C/O IAW 7212-007-2 REF LSN AIP MCS 182/15-11-6				
A1PXXU1308036	COMPLETED	22JUL15 04:30	8270.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
19MAY15 03:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			22JUL15 04:30
19MAY15 03:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S68 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S68 CO IAW 7212.007-6-4 REF MCS 182/15-12-4				
A1PXXU1501006	COMPLETED	22JUN15 00:05	8270.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
19MAY15 03:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			22JUN15 00:05
19MAY15 03:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S26 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S26 SERV C/O IAW 7212-007-6-4 REF LSN AIP MCS 183/15 WC 95/96				
A1PXXU1505035	COMPLETED	26MAY15 03:24	8270.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
19MAY15 03:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			26MAY15 03:24
19MAY15 03:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S16 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S16 SERV C/O REF LSN AIP MCS 182/15-8-4				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03430  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1505232	COMPLETED	27MAY15 02:55	8270.7	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
19MAY15 03:39	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			27MAY15 02:55
19MAY15 03:39	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BS due on Serial 0691				
		HPFP HILIFE GEARSET at WAC 0130				XXXXXXXXXXXXXXXXXXXX

Maint Acts: B/S C/O NIL ABNORMALITIES FOUND IAW AAP 7113.022-2,REF AIP MCS 182/15-13-3.

REMOVALS/INSTALLATIONS FOR A1PXXU1505232

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0691	A23T	A1SAI10	01	0691	A23T	A1SAI10	01
	3031806		20MAY15 01:58	A1PXXJ1417026	3031806		27MAY15 02:51	

A1PXXU1505233	COMPLETED	21MAY15 03:14	8270.7	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
19MAY15 03:39	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			21MAY15 03:14
19MAY15 03:39	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		NDT due on Serial 533				
		FRM9 TO STR 4L_4R at WAC 0670				XXXXXXXXXXXXXXXXXXXX

Maint Acts: NDT CARRIED OUT IAW AAP 7212.007-36 SECT 4 CHAP 21. NIL CRACKS EVIDENT. REFER TO NDT REPORT AIP/NDT/A23-033/012.

A1PXXU1505234	COMPLETED	21MAY15 04:46	8270.7	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
19MAY15 03:39	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			21MAY15 04:46
19MAY15 03:39	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BS due on Serial RT051				
		FUEL NOZZLE SET at WAC 0120				XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV FUEL NOZZLE SET FITTED IAW AAP 7113.022-2,REF AIP MCS 182/15-9-6.



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03431  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1505234

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
=====	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	RT051	A23T	A1SAK27	00	RT114	A23T	A1SAK27	00
	RAAFA62FNS01		20MAY15 02:07	N0NC2J1401976	RAAFA62FNS01		21MAY15 04:44	

A1PXXU1505235 COMPLETED 21MAY15 03:19 8270.7 AFHR SST XXxxXXxxXXxxXXxxXXxx  
19MAY15 03:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 21MAY15 03:19  
19MAY15 03:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
NDT due on Serial 033  
AFT FUS TSKN RIVET at WAC 0670 XXxxXXxxXXxxXXxxXXxx

Maint Acts: NDT CARRIED OUT IAW AAP 7212.007-36 SECT 4 CHAP 18. NIL CRACKS EVIDENT. REFER TO NDT REPORT AIP/NDT/A23-033/013.

A1PXXU1505236 COMPLETED 22JUL15 04:36 8270.7 AFHR SST XXxxXXxxXXxxXXxxXXxx  
19MAY15 03:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 22JUL15 04:36  
19MAY15 03:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
NDT1 due on Serial 027LH  
LWNG NSE SKN TO FUS at WAC 0900 XXxxXXxxXXxxXXxxXXxx

Maint Acts: NDT CO REF MCS 182/15-15-2 NIL VISIBLE CRACKS

A1PXXU1505237 COMPLETED 22JUL15 04:37 8270.7 AFHR SST XXxxXXxxXXxxXXxxXXxx  
19MAY15 03:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 22JUL15 04:37  
19MAY15 03:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
NDT1 due on Serial 027RH  
RWNG NSE SKN TO FUS at WAC 1000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: NDT CO REF MCS 182/15-15-2 NIL VISIBLE CRACKS

A1PXXU1505238 COMPLETED 21MAY15 03:22 8270.7 AFHR SST XXxxXXxxXXxxXXxxXXxx  
19MAY15 03:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 21MAY15 03:22  
19MAY15 03:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
NDT due on Serial 027RH  
RWNG RSPAR HLF R3 at WAC 1000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: NDT CARRIED OUT IAW AAP 7212.007-36 SECT 4 CHAP 8. NIL CRACKS EVIDENT. REPAIR INSTALLED IAW AAP 7212.007-3 57-21-01 REPAIR 03. LOCATION REQUIRES RE-IDENTIFICATION TO SBI-2B. REFER TO NDT REPORT AIP/NDT/A23-033/018.

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03432  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1505239	COMPLETED	21MAY15 03:24	8270.7	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
19MAY15 03:39	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			21MAY15 03:24
19MAY15 03:39	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		NDT due on Serial 033				
		AFT FUS TOP SKIN at WAC 0600				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	NDT CARRIED OUT IAW AAP 7212.007-3 AAP SUPP 102. NIL CRACKS EVIDENT. REFER TO NDT REPORT AIP/NDT/A23-033/014.				
A1PXXU1505240	COMPLETED	21MAY15 03:26	8270.7	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
19MAY15 03:39	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			21MAY15 03:26
19MAY15 03:39	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		NDT due on Serial 033				
		AFT FUS PORT SKIN at WAC 0600				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	NDT CARRIED OUT IAW AAP 7212.007-3 AAP SUPP 102. NIL CRACKS EVIDENT. REFER TO NDT REPORT AIP/NDT/A23-033/015.				
A1PXXU1505241	COMPLETED	21MAY15 03:28	8270.7	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
19MAY15 03:39	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			21MAY15 03:28
19MAY15 03:39	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		NDT due on Serial 033				
		FUS FRAME 4A at WAC 0600				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	NDT CARRIED OUT IAW AAP 7212.007-3 AAP SUPP 98. NIL CRACKS EVIDENT. REFER TO NDT REPORT AIP/NDT/A23-033/016.				
A1PXXU1505242	COMPLETED	21MAY15 03:30	8270.7	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
19MAY15 03:39	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			21MAY15 03:30
19MAY15 03:39	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		NDT due on Serial 033				
		FUS FRAME 7 at WAC 0600				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	NDT CARRIED OUT IAW AAP 7212.007-3 AAP SUPP 97. NIL CRACKS EVIDENT. REFER TO NDT REPORT AIP/NDT/A23-033/017.				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03433  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1505243	COMPLETED	25MAY15 05:13	8270.7	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
19MAY15 03:39	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			25MAY15 05:13
19MAY15 03:39	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		OH due on Serial C24004				
		VALVE INTERFACE at WAC 0130				XXXXXXXXXXXXXXXXXXXX

Maint Acts: INTERFACE VALVE REPLACED IAW AAP 7113.022-2,REF AIP MCS 182/15-13-4.

REMOVALS/INSTALLATIONS FOR A1PXXU1505243

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	C24004	A23T	A1SAK58	00	B13949	A23T	A1SAK58	00
	3244807-4		20MAY15 02:19	A1EXXJY905117	3244807-4		25MAY15 05:11	

A1PXXU1505384	COMPLETED	22JUL15 13:44	8270.7	AFHR	MM	XXXXXXXXXXXXXXXXXXXX
19MAY15 06:13	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			
21MAY15 06:14	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		MANDATORY AMD VALIDATION & CAMM2 CHECKS TBCO BY MCS PRIOR TO FLIGHT				22JUL15 13:44
		IAW SMI 11/2014 & AIRFLITE PROCEDURE 7.4.2				XXXXXXXXXXXXXXXXXXXX

Maint Acts: AMD VALIDATION & CAMM2 CHSK C/O IAW AIRFLITE PROC.7.4.2 & DLSS SMI #11/2014.  
REFER: 559694 /1 -3/2.

A1PXXU1505277	COMPLETED	19MAY15 23:56	8270.7	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
19MAY15 23:50	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			19MAY15 23:56
19MAY15 23:52	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		CANOPY DAMPER STRUT NOT DAMPENING PROPERLY.				
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: CANOPY DAMPER STRUT REPLACED W/ NEW SERV ITEM IAW AAP 7212.007-2,REF AIP MCS 182/15-22-3.

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1505277

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	117	A23T	A1UEY	00	102	A23T	A1UEY	00
	556.10.09.199		19MAY15 23:53	A1PXXJ1507748	556.10.09.199		19MAY15 23:54	

A1PXXU1505294 COMPLETED 21MAY15 03:03 8270.7 AFHR SST XXxxXXxxXXxxXXxxXXxx  
 20MAY15 04:57 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 21MAY15 03:03  
 20MAY15 05:01 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 R/H MLG O/B DOOR STUD (SPIGOT) FOR OPERATING ROD LOOSE IN DOOR  
 FITTING. XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV MLG O/B DOOR FITTED IAW AAP 7212.007-2,REF AIP MCS 122/15-7-3.

REMOVALS/INSTALLATIONS FOR A1PXXU1505294

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PCY600361	A23T	A2KCQ	00	PC1001025	A23T	A2KCQ	00
	532.11.09.094		20MAY15 05:01	A1PXXJ1507808	532.11.09.094		21MAY15 03:01	

A1PXXU1505328 COMPLETED 21MAY15 03:16 8270.7 AFHR SST XXxxXXxxXXxxXXxxXXxx  
 21MAY15 01:08 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 21MAY15 03:16  
 21MAY15 01:08 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 NDT due on Serial A23033LHU  
 OS GUIDE PIN HOLE at WAC 0730 XXxxXXxxXXxxXXxxXXxx

Maint Acts: NDT CARRIED OUT IAW AAP 7212.007-3 AAP SUPP 167. NIL CRACKS OR CORROSION EVIDENT. MAX HOLE DIAMETER 9.78MM. REFER TO NDT REPORT AIP/NDT/A23-033/011.

A1PXXU1505331 COMPLETED 21MAY15 04:40 8270.7 AFHR SST XXxxXXxxXXxxXXxxXXxx  
 21MAY15 02:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 21MAY15 04:40  
 21MAY15 02:54 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 L/H MLG O/B DOOR HAS EXCESSIVE PLAY. XXxxXXxxXXxxXXxxXXxx

Maint Acts: HINGE BUSHING REPLACED,DOOR REFITTED IAW APP 7212.007-2.

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03435  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1505331

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	523	A23T	A2KCO	00	523	A23T	A2KCO	00
	532.11.09.097		21MAY15 02:54	A1PXXJ1507854	532.11.09.097		21MAY15 04:39	

A1PXXU1505411 COMPLETED 22MAY15 00:29 8270.7 AFHR SST XXxxXXxxXXxxXXxxXXxx  
22MAY15 00:12 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 22MAY15 00:29  
22MAY15 00:14 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
L/H AND R/H MLG I/B DOOR HAS EXCESSIVE PLAY.  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: L/H AND R/H MLG DOOR HINGE BUSHING REPLACED AND DOOR REFITTED IAW  
AAP 7212.007-2,REF AIP MCS 182/15-18-1.

REMOVALS/INSTALLATIONS FOR A1PXXU1505411

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	053	A23T	A2KCG	00	053	A23T	A2KCG	00
	532.11.09.115		22MAY15 00:14	A1PXXJ1507891	532.11.09.115		22MAY15 00:27	
002	069	A23T	A2KCK	00	069	A23T	A2KCK	00
	532.11.09.116		22MAY15 00:21	A1PXXJ1507892	532.11.09.116		22MAY15 00:26	

A1PXXU1505502 COMPLETED 25MAY15 22:54 8270.7 AFHR SST XXxxXXxxXXxxXXxxXXxx  
25MAY15 22:48 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 25MAY15 22:54  
25MAY15 22:48 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
TA due on Serial PCY901179  
MICRO NLG SAFETY at WAC 0500 XXxxXXxxXXxxXXxxXXxx

Maint Acts: MICRO SWITCH,NLG REPLACED IAW AAP 7212.007-2,REF AIP MCS  
182/15-13-2.

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1505502

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	PCY901179	A23T	A18AI	00	PC1500430	A23T	A18AI	00
	973.30.31.205		25MAY15 22:50	A1PXXJY917889	SP4518		25MAY15 22:50	

A1PXXU1505551 COMPLETED 26JUN15 02:19 8270.7 AFHR SST XXxxXXxxXXxxXXxxXXxx  
 26MAY15 23:21 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 26JUN15 02:19  
 26MAY15 23:22 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 FRONT COCKPIT DC-DC CONVERTER RFA  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: DC TO DC CONVERTER REFITTEDIAW 7212-007-2 REF LSN AIP MCS  
182/15-29-4

REMOVALS/INSTALLATIONS FOR A1PXXU1505551

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	1523	A23T	A1UBK	00	1523	A23T	A1UBK	00
	IL484		26MAY15 23:22	A1PXXJ1508109	IL484		26JUN15 02:16	

A1PXXU1505671 COMPLETED 20MAY16 02:40 8270.7 AFHR SST XXxxXXxxXXxxXXxxXXxx  
 28MAY15 08:02 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 20MAY16 02:40  
 28MAY15 08:11 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 OCR FOUND DURING STI-PC9-0593, X135.2 LOCATION VACANT PILOT HOLES  
 THROUGH STRINGER AT FRAME 6  
 XXxxXXxxXXxxXXxxXXxx

aip01722 28MAY15 08:12:58  
 AIP MCS 182/15P26 # 5 THERE ARE 2 VACANT PILOT HOLES IN THE  
 STRINGER NEAR THE FWD UPPER BATTERY BAY, REFER TO ADO-09-DD-15-015  
 FOR PREVIOUS DESIGN DEVIATION ON A23-038 AND TO VISION REF CR75158.  
 6 MONTHS CONCESSION GIVEN ON ADVICE FROM TASPO/PADO TO DESIGN  
 FLEETWIDE DEVIATION. THE AREA HAS BEEN ASSESSED AS STRUCTURALLY  
 SOUND THEREFORE THERE IS NO IMPACT ON AIRWORTHINESS OR AIRCRAFT  
 OPERATIONS.

aip02116 19NOV15 23:14:05  
 FURTHER DETAILS OF U/S: ADDITIONAL HOLES FOUND DURING FALKOR RFD  
 SUBMITTED TO TASPO / PADO  
 DELAY REASON: RFD SUBMITTED DAMAGE FOUND ON OTHER AIRCRAFT DD  
 APPROVED FOR THAT AIRCRAFT, MAINTENANCE EFFICENCY.  
 (Continued on next page.)

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03437  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

(Continued from previous page.)  
 CONSEQUENCE: MINOR, THE NON FITMENT OF RIVETS IN THIS AREA HAS BEEN HIGHLIGHT BEFORE ON OTHER AIRFRAMES WITH NIL REPAIRS REQUIRED.  
 LIKEKIHOOD: IMPROBABLE, SAME ISSUE FOUND ON OTHER AIRCRAFT WITH NIL REPAIRS REQUIRED.  
 TECHNICAL RISK: LOW  
 RISK TREATMENT: NIL DAMAGE ASSESSED AS LOW NIL FURTHER DAMAGE  
 LIMITATIONS: NIL OPERATIONAL ENDORSEMENT REQUIRED  
 PERIOD OF DEFERMENT: 16JAN15

aip01083 01DEC15 23:23:03  
 FURTHER DAETAILS OF U/S: SAME A SPREVIOUS  
 DELAY REASONS: TASPO / PADO ARE STILL REVIEWING THE OCR AND WILL RELEASE PROCEDURES FOR THE ENTIRE PC9 FLEET  
 CONSEQUENCE: MINOR  
 LIKELIHOOD: IMPROBABLE  
 TECHNICAL RISK: LOW  
 RISK TREATMENT: NIL  
 LIMITATIONS: NIL

Maint Acts: ADO-09-DD-15-015 INCORPORATED REF AIP MCS 090/16-17-2

A1PXXU1505676	COMPLETED	28MAY15 22:23	8270.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
28MAY15 22:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			28MAY15 22:23
28MAY15 22:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		R/H BRAKE MASTER CYL LEAKING.				XXxxXXxxXXxxXXxxXXxx

Maint Acts: R/H BRAKE MASTER CYL REPLACED W/ SERV ITEM IAW AAP 7212.007-2,REF AIP MCS 182/15-30-3.

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03438  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1505676

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1218	A23T	A1UFG	00	1418	A23T	A1UFG	00
	HP1457300-2		28MAY15 22:17	A1PXXJ1508336	HP1457300-2		28MAY15 22:18	

A1PXXU1505677 COMPLETED 29MAY15 03:10 8270.7 AFHR SST  
28MAY15 22:24 XXxxXXxx XXxxXXxxXXxxXXxx AIP 29MAY15 03:10  
28MAY15 22:26 XXxxXXxx XXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
NOSE WHEEL STEERING ACTUATOR HYD LEAKING.  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: NOSE WHEEL STEERING ACTUATOR RAPLACED W/ SERV ITEM IAW AAP 7212.007-2,REF AIP MCS 182/15-30-4.

REMOVALS/INSTALLATIONS FOR A1PXXU1505677

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1194	A23T	A18AC	00	1184	A23T	A18AC	00
	960.10.01.202		28MAY15 22:26	A1PXXJ1508341	HP1460100-3		29MAY15 03:07	

A1PXXU1505732 COMPLETED 29MAY15 02:38 8270.7 AFHR SST  
29MAY15 01:54 XXxxXXxx XXxxXXxxXXxxXXxx AIP 29MAY15 02:38  
29MAY15 01:55 XXxxXXxx XXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
MLG I/B DOOR ACTUATOR HYD LEAKING.  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: MLG I/B DOOR ACTUATOR REPLACED W/ SERV ITEM IAW AAP 7212.007-2,REF AIP MCS 182/15-31-5.

REMOVALS/INSTALLATIONS FOR A1PXXU1505732

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	FYH174509	A23T	A2KBI	00	FYH191633	A23T	A2KBI	00
	4037 H2		29MAY15 01:56	A1PXXJ1508413	4037 H2		29MAY15 02:37	



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03439  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1005208	COMPLETED	22JUL15 04:43	8270.7	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
08JUN15 00:32	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			22JUL15 04:43
08JUN15 00:32	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		7212.007-243	due on Serial A23-033			
		PC-9	at WAC 0000			XXXXXXXXXXXXXXXXXXXX

Maint Acts: MOD 7212.007-243 INCORPRATED REF MCS 182/15-32-6

REMOVALS/INSTALLATIONS FOR A1PXXU1005208

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	01764	A23T	A1UPC	00	01764	A23T	A1UPC	00
	S200-0012-91		08JUN15 02:39	A1PXXJ1508878	S200-0012-91		09JUN15 00:48	
002	01496	A23T	A1UPM	00	01496	A23T	A1UPM	00
	S703-1000-01		08JUN15 02:41	A1PXXJ1508880	S703-1000-01		10JUN15 03:16	
003	720	A23T	A1ULE	00				
	10021		08JUN15 02:45	A1PXXJ1508881				
004	802	A23T	A1ULC	00				
	10020		08JUN15 02:47	A1PXXJ1508882				
005	96010162	A23T	A1UDI	00	96010162	A23T	A1UDI	00
	150.0001-2		08JUN15 05:03	A1PXXJ1508889	150.0001-2		10JUN15 03:09	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03440  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

SEQ	REMOVED SERIAL NO REMOVED PART NO	EIAC	LCN DATE/TIME	ALC JOB NUMBER	INSTALLED SERIAL NO INSTALLED PART NO	EIAC	LCN DATE/TIME	ALC
006	156 461 TS 06 Y	A23T	A1UEC 08JUN15 05:04	00 A1PXXJ1508890	156 461 TS 06 Y	A23T	A1UEC 10JUN15 03:08	00
007	063 DK463-10	A23T	A1UDS 08JUN15 05:07	00 A1PXXJ1508891	063 DK463-10	A23T	A1UDS 10JUN15 03:07	00
008					0510-14017 FMS232-006	A23T	A1ULF 13JUL15 03:51	00

A1PXXU1505965 COMPLETED 22JUL15 04:40 8270.7 AFHR SST  
 08JUN15 00:32 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 22JUL15 04:40  
 08JUN15 00:32 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 7212.007-254 due on Serial 027  
 WING ASSY at WAC 0000  
 STI-PC9-0595 due on Serial 027  
 WING ASSY at WAC 0000

Maint Acts: STI-PC9-0595 C/O NO NEW PANELS FITTED REF AIP MCS 182/15 SH 37 US3,  
 MOD 7212.007-254 CO REF MCS 182/15-33-2

A1PXXU1506185 COMPLETED 02JUL15 23:38 8270.7 AFHR SST  
 11JUN15 00:30 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 02JUL15 23:38  
 11JUN15 00:31 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 AEROBATIC TANK RFA

Maint Acts: AEROBATIC TANK REFITTED IAW AAP 7212.007-2,REF AIP MCS 211/15-35-5.

REMOVALS/INSTALLATIONS FOR A1PXXU1506185

SEQ	REMOVED SERIAL NO REMOVED PART NO	EIAC	LCN DATE/TIME	ALC JOB NUMBER	INSTALLED SERIAL NO INSTALLED PART NO	EIAC	LCN DATE/TIME	ALC
001	157 528.20.09.045	A23T	A1UJO 11JUN15 00:31	00 A1PXXJ1509158	157 528.20.09.045	A23T	A1UJO 02JUL15 23:36	00

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY505351	COMPLETED	16JUL15 22:34	8270.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
16JUL15 22:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			16JUL15 22:34
16JUL15 22:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S39 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S39 CO IAW 7212.007-6-4 REF MCS 098/15-3-4				
A1PXXU1507596	COMPLETED	22JUL15 04:44	8270.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
16JUL15 23:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			22JUL15 04:44
16JUL15 23:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MS2 due on Serial 164				
		RUDDER_TRIM TABS at WAC 1410				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	MS2 CO IAW 7212.007-6-4 REF MCS 182/15-15-1				
A1PXXU1507788	COMPLETED	22JUL15 06:05	8270.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
22JUL15 05:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			22JUL15 06:05
22JUL15 05:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MS1 due on Serial 0510-14017				
		FATIG METER AMETEK at WAC 0730				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	NOT FLOWN SINCE MOD 7212.007-243 INCORPORATION				
A1PXXU1507789	COMPLETED	22JUL15 06:03	8270.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
22JUL15 05:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			22JUL15 06:03
22JUL15 05:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial 342				
		REG PRESS REDUCING at WAC 0640				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	REG PRESS REDUCING REPLACED IAW 7212.007-2 REF MCS 182/15-40-3				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03442  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1507789

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	342	A23T	A1UNC	02	951	A23T	A1UNC	02
	F103D000-15		22JUL15 06:01	A1PXXJ1411685	F103D000-15		22JUL15 06:01	

A1PXXU1507790 COMPLETED 22JUL15 05:53 8270.7 AFHR SST XXxxXXxxXXxxXXxxXXxx  
22JUL15 05:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 22JUL15 05:56  
22JUL15 05:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
TA due on Serial PCY901789  
BATTERY ULB at WAC 0740 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: TRANSFERRED TO SC62462

A1PXXU1507793 COMPLETED 22JUL15 05:59 8270.7 AFHR SST XXxxXXxxXXxxXXxxXXxx  
22JUL15 05:55 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 22JUL15 05:59  
22JUL15 05:55 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
ULB RFA XXxxXXxxXXxxXXxxXXxx  
Maint Acts: SERV ULB FITTED IAW 7212.007-2 REF MCS 182/15-40-5

REMOVALS/INSTALLATIONS FOR A1PXXU1507793

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	SC62462	A23T	A1UPM00	00	DU12840	A23T	A1UPM00	00
	DK120		22JUL15 05:55	A1PXXJ1511367	DK120		22JUL15 05:58	

A1PXXU1507847 COMPLETED 23JUL15 03:19 8270.7 AFHR SST XXxxXXxxXXxxXXxxXXxx  
23JUL15 03:14 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 23JUL15 03:19  
23JUL15 03:15 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
ECS FAILS TO GO TO HOT WHEN SELECTED XXxxXXxxXXxxXXxxXXxx  
Maint Acts: TEMP CONTROL VALVE REPLACED AND ASSESSED SERV IAW 7212-007-2 REF  
559694/1-4-2

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03443  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1507847

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 310	A23T	A0S	00	350	A23T	A0S	00	
979432-2	23JUL15 03:15	A1PXXJ1511414	979432-2	23JUL15 03:16				

A1PXXU1507850 COMPLETED 30JUL15 13:05 8270.7 AFHR SST  
23JUL15 03:46 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 30JUL15 13:05  
23JUL15 03:49 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
MTF REQD POST R2 SERV, WING R+I AND HP PUMP/FCU R+I  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: MTF CARRIED OUT STEPS 1-6, REF EE 500 SN 559697 LINE 1

A1PXXU1507891 COMPLETED 01DEC15 23:22 8270.7 AFHR SCT  
26JUL15 22:47 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 01DEC15 23:22  
26JUL15 22:49 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
WING NOSE SKIN PANEL REPAIRED AS PER DRAFT DESIGN DEVIATION  
ADO-09-DD-14-037. XXxxXXxxXXxxXXxxXXxx  
FINAL DD 2B REVIEWED AND CERTIFIED (REF 559694-1-4-1)

aip01083 27JUL15 00:31:52  
NIL IMPACT ON AIRCRAFT AIRWORTHINESS OR AIRCRAFT OPERATIONS  
THE DAMAGE TO THE NOSE SKIN HAS BEEB COMPLETED AWAITING FINAL DESIGN  
DEVIATION  
ASSESSED AS LOW RISK ACCEPTABL, TOTAL FAILURE IS ASSESSED AS  
IMPROBABLE

Maint Acts: DESIGN DEVIATION HAS BEEN RECEIVED AND REVIEWED. REPAIR HAS BEEN  
COMPLETED AS PER THE DD AIRCRAFT ASSESSED AS SERVICEABLE

A1PXXU1508109 COMPLETED 03AUG15 06:18 8271.2 AFHR SST  
30JUL15 12:32 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 03AUG15 06:18  
30JUL15 12:35 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
AIRCRAFT REQUIRES AIRTEST FOR ASOR CLEARANCE  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST CARRIED OUT REF 559699-1

A1PXXU1508112 COMPLETED 03AUG15 06:20 8271.2 AFHR SST  
30JUL15 13:10 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 03AUG15 06:20  
30JUL15 13:13 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
AIRCRAFT REQUIRES MTF FOR ITEMS 7-25 OF TEST FLIGHT SCHEDULE  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: MTF CARRIED OUT REF 559699-1

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03444  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

ALPXXU1508184	COMPLETED	31JUL15 00:39	8271.2	AFHR	SST	XXXXXXXXXX
30JUL15 23:30	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			31JUL15 00:39
30JUL15 23:30	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX
		OH due on Serial 702012				
		REG OXYGEN DEMAND at WAC 0740				XXXXXXXXXX
	Maint Acts:	REAR REG OXY DEMAND REPLACED IAW AAP 7212.007-2. REF EE508				
		559697-3-2 #6				

REMOVALS/INSTALLATIONS FOR ALPXXU1508184

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	702012	A23T	A1UIS	00	702022	A23T	A1UIS	00
	3260042-0201		31JUL15 00:37	N0NC2J1002098	3260042-0201		31JUL15 00:38	

ALPXXU1508188	COMPLETED	31JUL15 00:35	8271.2	AFHR	SST	XXXXXXXXXX
30JUL15 23:33	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			31JUL15 00:35
30JUL15 23:33	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX
		BS due on Serial 006137				
		REG OXYGEN DEMAND at WAC 0730				XXXXXXXXXX
	Maint Acts:	FRONT REG OXY DEMAND REPLACED IAW AAP 7212.007-2. REF EE508				
		559697-3-2 # 5				

REMOVALS/INSTALLATIONS FOR ALPXXU1508188

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	006137	A23T	A1UES	00	901067	A23T	A1UES	00
	3260042-0201		31JUL15 00:30	ALPXXJ1412686	3260042-0201		31JUL15 00:31	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03445  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1507823	COMPLETED	03AUG15 00:50	8271.2	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
02AUG15 23:48	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			Y
02AUG15 23:48	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				03AUG15 00:50
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 C/O VIA EPSS REF EE508 559697/3-3-5				

A1PXXU1508264	COMPLETED	03AUG15 07:36	8272.0	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
03AUG15 07:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			03AUG15 07:36
03AUG15 07:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		RUDDER TRIM INDICATION TWITCHES BETWEEN 10 AND 12 O'CLOCK POSTION				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	RUDDER TRIM ACTUATOR REPLACED WITH SERV ITEM IAW AAP7212.007-2 REF 559699/3-1-5				

REMOVALS/INSTALLATIONS FOR A1PXXU1508264

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	892	A23T	A2GAK	30	2232	A23T	A2GAK	30
	978.73.18.132		03AUG15 07:34	A1PXXJ1511935	EM4069-3		03AUG15 07:35	

A1PXXU1508265	COMPLETED	04AUG15 04:07	8272.0	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
03AUG15 07:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			04AUG15 04:07
03AUG15 07:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRCRAFT REQUIRES MTF FOR HANDLING CX, S62 ADJUST AND TFS ITEMS 13-25				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	MTF CARRIED OUT REF 559700-1				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03446  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY505304	COMPLETED	05AUG15 04:57	8276.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
05AUG15 04:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			05AUG15 04:57
05AUG15 04:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S1 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S1 SERVICE CARRIED OUT REF 547452-2

A1PXXU1508415	COMPLETED	05AUG15 11:21	8277.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
05AUG15 11:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			05AUG15 11:21
05AUG15 11:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MS1 due on Serial 0510-14017				
		FATIG METER AMETEK at WAC 0730				XXxxXXxxXXxxXXxxXXxx

Maint Acts: MS1 SEV C/O REF 547453-2

A1PXXU1508459	COMPLETED	06AUG15 05:28	8277.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
06AUG15 03:05	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			06AUG15 05:28
06AUG15 03:05	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial 1467				
		BATTERY NICAD at WAC 0660				XXxxXXxxXXxxXXxxXXxx

Maint Acts: BATT NICAD REPLACED IAW AAP 7212.007-2. REF EE508 547453-5-1 # 4

REMOVALS/INSTALLATIONS FOR A1PXXU1508459

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1467	A23T	A1UOA	00	0645	A23T	A1UOA	00
	33490409201		06AUG15 05:26	A1PXXJ1507869	33490409201		06AUG15 05:26	

A1PXXU1508463	COMPLETED	10AUG15 04:35	8277.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
06AUG15 05:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			10AUG15 04:35
06AUG15 05:03	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		LH MAIN HUB RFA				XXxxXXxxXXxxXXxxXXxx



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03447  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: LH MLG HUB REFITTED REF 547453/5-1-5

REMOVALS/INSTALLATIONS FOR ALPXXU1508463

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0404	A23T	A2KDM	01	0404	A23T	A2KDM	01
	3-1555		06AUG15 05:03	ALPXXJ1512232	3-1555		10AUG15 04:34	

ALPXXU1508467 COMPLETED 10AUG15 04:37 8277.8 AFHR SST  
06AUG15 05:27 XXXXX  
06AUG15 05:28 XXXXX  
RH MAIN HUB REMOVED FOR ACCESS  
XXXXXXXXXXXXXXXXXXXX

Maint Acts: RH MLG HUB ASSY REFITTED REF 547453/5-1-6

REMOVALS/INSTALLATIONS FOR ALPXXU1508467

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0182	A23T	A2KEI	02	0182	A23T	A2KEI	02
	3-1555		06AUG15 05:29	ALPXXJ1512233	3-1555		10AUG15 04:36	

ALPXXU1508557 COMPLETED 07AUG15 03:29 8277.8 AFHR SST  
07AUG15 03:18 XXXXX  
07AUG15 03:22 XXXXX  
LH BRAKE ASSY FOUND LEAKING FROM PISTON  
XXXXXXXXXXXXXXXXXXXX

Maint Acts: BRAKE REPLACED IAW 7212-007-2 REF TO EE508 547453/5-2-2

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03448  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
REMOVALS/INSTALLATIONS FOR A1PXXU1508557

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	0215A	A23T	A2KDI	00	0062	A23T	A2KDI	00
	2-1524-1		07AUG15 03:22	A1PXXJ1512322	2-1524-1		07AUG15 03:27	

A1PXXU1508604 COMPLETED 11AUG15 04:06 8277.8 AFHR SST XXxxXXxxXXxxXXxxXXxx  
10AUG15 04:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 11AUG15 04:06  
10AUG15 04:54 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
AIRCRAFT REQUIRES AIRTEST FOR ASOR CLEARANCE, LANDING GEAR OPS AND  
BRAKE OPS XXxxXXxxXXxxXXxxXXxx  
Maint Acts: AIRTEST CARRIED OUT 547454

A1PXXU1508238 COMPLETED 10AUG15 23:44 8277.8 AFHR MM Y XXxxXXxxXXxxXXxxXXxx  
10AUG15 07:34 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
10AUG15 07:34 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
S40 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: S40 SERVICE C/O IAW AAP 7212.007-6-4 VIA EPSS REF 547453/5-3-5

A1PXXU1508632 COMPLETED 18AUG15 01:53 8297.1 AFHR MM XXxxXXxxXXxxXXxxXXxx  
18AUG15 01:50 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
18AUG15 01:50 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: S40 SERV C/O @LMO.REF: 547467 - G.HINSCHEN

A1PXXU1509073 COMPLETED 19AUG15 22:30 8304.0 AFHR MM XXxxXXxxXXxxXXxxXXxx  
19AUG15 08:50 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
19AUG15 08:50 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
MS1 due on Serial 0510-14017  
FATIG METER AMETEK at WAC 0730 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: MS1 C/O @LMO REF: EE500: 54747.3#2 - G. HINSCHEN

A1PXXU1508971 COMPLETED 24AUG15 23:05 8315.4 AFHR SST XXxxXXxxXXxxXXxxXXxx  
24AUG15 22:29 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 24AUG15 23:05  
24AUG15 22:29 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: S40 SERVICING CARRIED OUT IAW AAP7212.007-6-4 @ LMO BY G. HINSCHEN  
(Continued on next page.)

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03449  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

(Continued from previous page.)  
REF: 547482-1

A1PXXU1509398	COMPLETED	30AUG15 22:51	8323.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
27AUG15 03:02	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			30AUG15 22:51
27AUG15 03:04	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
A1PXXO1506924		REAR COCKPIT SIGHT GAUGE DETACHED REF5477489 ITEM IN EE 500 PAD				XXxxXXxxXXxxXXxxXXxx

Maint Acts: REAR SEAT SIGHT REFITTED IAW 7212.007-2

A1PXXU1509281	COMPLETED	31AUG15 23:07	8328.2	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
31AUG15 11:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		Y	XXxxXXxxXXxxXXxxXXxx
31AUG15 11:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			31AUG15 23:07
		S40 due on Serial A23-033 PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O VIA EPSS REF EE500 547492/1

A1PXXU1509603	COMPLETED	02SEP15 06:52	8333.5	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
02SEP15 06:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			02SEP15 06:52
02SEP15 06:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MS1 due on Serial 0510-14017 FATIG METER AMETEK at WAC 0730				XXxxXXxxXXxxXXxxXXxx

Maint Acts: MS1 SERV C/O IAW AAP7212.007-2 REF 547496-2

A1PXXU1509528	COMPLETED	07SEP15 23:13	8339.5	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
07SEP15 08:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		Y	XXxxXXxxXXxxXXxxXXxx
07SEP15 08:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			07SEP15 23:13
		S40 due on Serial A23-033 PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERV C/O VIA EPSS REF 5548801/5-1-2

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICABILITY

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1506613	COMPLETED	09SEP15 12:46	8346.5	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
09SEP15 11:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			Y
09SEP15 11:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S26 due on Serial A23-033				09SEP15 12:46
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S26 SERVICING CARRIED OUT IAW AAP 7212.007-6-4 VIA EPSS FRR TASK QFOFPAA=CN0=NO CONTAMINATION. REF EE508 548806-5-1 # 1

A1PXXU1509966	COMPLETED	11SEP15 01:16	8348.0	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
10SEP15 12:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			11SEP15 01:16
10SEP15 12:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0599 due on Serial 027				
		WING ASSY at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-0599 C/O NIL CRACKS OR CORROSION EVIDENT REF NDT REPORT AIP/NDT/A23-033/041 AND 548807/5-1

A1PXXU1510020	COMPLETED	11SEP15 00:40	8348.0	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
11SEP15 00:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			11SEP15 00:40
11SEP15 00:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		LH AND RH MLG HUB ASSY RFA				
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: LH AND RH MLG HUB ASSY REFITTED REF 548807/5-2-2

REMOVALS/INSTALLATIONS FOR A1PXXU1510020

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0404	A23T	A2KDM	01	0404	A23T	A2KDM	01
	3-1555		11SEP15 00:34	A1PXXJ1514141	3-1555		11SEP15 00:39	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03451  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
002	0182	A23T	A2KEI	02	0182	A23T	A2KEI	02
	3-1555		11SEP15 00:36	A1PXXJ1514143	3-1555		11SEP15 00:38	

A1PXXU1510021 COMPLETED 11SEP15 04:24 8348.0 AFHR MM  
11SEP15 01:17 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
11SEP15 01:23 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
AIRCRAFT REQUIRES AIRTEST FOR FOLDING STRUT R&I  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST C/O SERV. REFER: 548808 .#1

A1PXXU1509838 COMPLETED 14SEP15 23:48 8353.5 AFHR MM  
14SEP15 09:03 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP Y  
14SEP15 09:03 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O IAW AAP 7212.007-6-4 VIA EPSS  
REF EE500: 548811/1

A1PXXU1510117 COMPLETED 14SEP15 13:01 8353.5 AFHR SST  
14SEP15 10:49 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
14SEP15 10:49 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
BS due on Serial 0645  
BATTERY NICAD at WAC 0660  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: BATT NICAD REPLACED IAW AAP 7212.007-2 REF:548811#2

REMOVALS/INSTALLATIONS FOR A1PXXU1510117

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0645	A23T	A1UOA	00	1464	A23T	A1UOA	00
	33490409201		14SEP15 12:58	A1PXXJ1509668	33490409201		14SEP15 12:59	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1510187	COMPLETED	16SEP15 03:44	8357.5	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
16SEP15 03:39	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			16SEP15 03:44
16SEP15 03:40	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		FCP OXY 100% LEVER BROKEN				XXXXXXXXXXXXXXXXXXXX

Maint Acts: FCP OXY DEM REG REPLACED IAW AAP7212.007-2 REF 548815-1

REMOVALS/INSTALLATIONS FOR A1PXXU1510187

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	901067	A23T	A1UES	00	702010	A23T	A1UES	00
	3260042-0201		16SEP15 03:40	A1PXXJ1514346	3260042-0201		16SEP15 03:42	

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1510196	COMPLETED	16SEP15 09:58	8358.8	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
16SEP15 09:52	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			16SEP15 09:58
16SEP15 09:54	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		REAR COCKPIT NAV/TAC MODE BUTTON U/S				XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERVICEABLE NAV/TAC CONTROL KFS 579-A FITTED IAW AAP721.007-2 REF 548816-6

REMOVALS/INSTALLATIONS FOR A1PXXU1510196

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1453	A23T	A1UHE	00	1315	A23T	A1UHE	00
	071-1291-15		16SEP15 09:54	A1PXXJ1514380	071-1291-15		16SEP15 09:56	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03453  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1510199	COMPLETED	16SEP15 11:58	8358.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
16SEP15 10:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			16SEP15 11:58
16SEP15 10:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MS1 due on Serial 0510-14017				
		FATIG METER AMETEK at WAC 0730				XXxxXXxxXXxxXXxxXXxx

Maint Acts: MS1 C/O IAW AAP 7212.007-2 REF: 548816-4

A1PXXU1510135	COMPLETED	21SEP15 23:44	8367.2	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
21SEP15 07:48	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		Y	XXxxXXxxXXxxXXxxXXxx
21SEP15 07:48	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			21SEP15 23:44
		S40 due on Serial A23-033				XXxxXXxxXXxxXXxxXXxx
		PC-9 at WAC 0000				

Maint Acts: S40 SERV C/O REF 548823-1

A1PXXU1510507	COMPLETED	23SEP15 22:34	8371.0	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
23SEP15 22:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			23SEP15 22:34
23SEP15 22:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		DU 1 AND DU 2 U/S BOTH COCKPITS				XXxxXXxxXXxxXXxxXXxx

Maint Acts: SYMBOL GENERATOR REPLACED IAW AAP 7212.007-2. REF EE500 548827 # 1

REMOVALS/INSTALLATIONS FOR A1PXXU1510507

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	3466	A23T	A1UOS	00	3271	A23T	A1UOS	00
	3614335-1004		23SEP15 22:29	A1PXXJ1514772	066-04015-0003		23SEP15 22:32	

A1PXXU1510535	COMPLETED	24SEP15 06:55	8372.2	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
24SEP15 01:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			24SEP15 06:55
24SEP15 02:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		INTREMITTENTLY DU1 & DU2 GOING BLANK THEN RETURNING WITH RED BOX SG				XXxxXXxxXXxxXXxxXXxx
		CAPTION WHICH THEN DISSAPPEARED AFTER 5 SECS				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03454  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: SERV SYM GEN FITTED IAW AAP 7212.007-2 REF 548828-1

REMOVALS/INSTALLATIONS FOR A1PXXU1510535

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	3271	A23T	A1UOS	00	3155	A23T	A1UOS	00
	066-04015-0003		24SEP15 02:02	A1PXXJ1514822	3614335-1004		24SEP15 06:54	

A1PXXU1510549 COMPLETED 24SEP15 09:19 8372.2 AFHR SCT  
24SEP15 06:55 XXxxXXxx XXxxXXxxXXxxXXxx AIP 24SEP15 09:19  
24SEP15 06:55 XXxxXXxx XXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
AIRCRAFT REQUIRES AIRTEST FOR EFIS OPS  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST C/O SERV REF 548829#1

A1PXXU1510382 COMPLETED 28SEP15 23:27 8378.2 AFHR MM  
25SEP15 06:57 XXxxXXxx XXxxXXxxXXxxXXxx AIP Y  
25SEP15 06:58 XXxxXXxx XXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERV C/O VIA EPSS. REFER 548833/1

A1PXXU1510640 COMPLETED 29SEP15 00:43 8378.2 AFHR SST  
29SEP15 00:39 XXxxXXxx XXxxXXxxXXxxXXxx AIP 29SEP15 00:43  
29SEP15 00:39 XXxxXXxx XXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
MS1 due on Serial 0510-14017  
FATIG METER AMETEK at WAC 0730  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: MS1 SERVICING CARRIED OUT IAW AAP 7212.007-2. REF EE508 548833-4-1 #  
1



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1510645	COMPLETED	29SEP15 02:23	8378.2	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
29SEP15 01:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			29SEP15 02:23
29SEP15 01:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial 8873286				
		SET EMERG OXYGEN at WAC 0740				XXxxXXxxXXxxXXxxXXxx

Maint Acts: REAR SEO REPLACERD IAW AAP 7212.007-2. REF EE508 548833-4-1 # 4

REMOVALS/INSTALLATIONS FOR A1PXXU1510645

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	8873286	A23T	A26BE	00	1664349	A23T	A26BE	00
	GA1566		29SEP15 02:00	A1PXXJ1306434	MBEU100618		29SEP15 02:22	

A1PXXU1510635	COMPLETED	05OCT15 23:58	8384.7	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
05OCT15 11:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		Y	
05OCT15 11:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				05OCT15 23:58
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERVICING C/O VIA EPSS REF 548838-1

A1PXXU1511045	COMPLETED	06OCT15 04:00	8384.7	AFHR	SCT	XXxxXXxxXXxxXXxxXXxx
06OCT15 03:55	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			06OCT15 04:00
06OCT15 03:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		REAR DU2 BLANK - FOLLOWED BY FRONT AND REAR DU1 AND 2 GOING BLANK				
		AND REMAINING OFF				XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERVICEABLE SYMBOL GENERATOR FITTED IAW AAP 7212.007-2 REF 548839-1

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03456  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1511045

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 3155	A23T	A1UOS	00	3337	A23T	A1UOS	00	
3614335-1004	06OCT15 03:58	A1PXXJ1515639	3614335-1004	06OCT15 03:59				

A1PXXU1511046 COMPLETED 06OCT15 07:42 8384.7 AFHR SCT XXxxXXxxXXxxXXxxXXxx  
06OCT15 04:00 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 06OCT15 07:42  
06OCT15 04:01 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
AIRCRAFT REQUIRES AIRTEST FOR EFIS OPS  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST CARRIED OUT SERV REF: 548840-1

A1PXXU1511035 COMPLETED 12OCT15 23:40 8401.9 AFHR MM Y XXxxXXxxXXxxXXxxXXxx  
12OCT15 14:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
12OCT15 14:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERVICE C/O IAW AAP 7212.007-6-4 VIA EPSS REF 563303-1

A1PXXU1511287 COMPLETED 13OCT15 12:28 8405.0 AFHR SST XXxxXXxxXXxxXXxxXXxx  
13OCT15 11:50 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 13OCT15 12:28  
13OCT15 11:50 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
MS1 due on Serial 0510-14017  
FATIG METER AMETEK at WAC 0730  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: MS1 SERVICING CARRIED OUT IAW AAP 7212.007-2. EE500 563306-1

A1PXXU1511522 COMPLETED 19OCT15 09:55 8413.5 AFHR SST XXxxXXxxXXxxXXxxXXxx  
19OCT15 06:42 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 19OCT15 09:55  
19OCT15 06:44 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
PRESSED HSI FUNCTION THEN RED SG FLAG ON DU1 AND DU2, DU2 BLANK,  
THEN RETURNED TO NORMAL  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: SYMBOL GEN REPLACED IAW AAP7212.007-2 REF 563314-1

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03457  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1511522

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	3337	A23T	A1UOS	00	1079	A23T	A1UOS	00
	3614335-1004		19OCT15 09:52	A1PXXJ1516392	3614335-1004		19OCT15 09:53	

A1PXXU1511262 COMPLETED 19OCT15 23:56 8413.5 AFHR MM XXxxXXxxXXxxXXxxXXxx  
19OCT15 11:49 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP Y  
19OCT15 11:49 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033  
PC-9 at WAC 0000 19OCT15 23:56  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O VIA EPSS REF EE508 563314/1-4

A1PXXU1511533 COMPLETED 19OCT15 12:37 8413.5 AFHR SST XXxxXXxxXXxxXXxxXXxx  
19OCT15 12:31 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 19OCT15 12:37  
19OCT15 12:32 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
RH BRAKE ASSY WTL  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: RH BRAKE ASSY REPLACED WITH SERV ITEM IAW 7212-007-2 REF  
563314/4-1-2

REMOVALS/INSTALLATIONS FOR A1PXXU1511533

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0234	A23T	A2KEE	00	0158	A23T	A2KEE	00
	2-1524-1		19OCT15 12:32	A1PXXJ1516399	2-1524-1		19OCT15 12:33	

A1PXXU1511535 COMPLETED 21OCT15 22:22 8413.5 AFHR SST XXxxXXxxXXxxXXxxXXxx  
19OCT15 12:37 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 21OCT15 22:22  
19OCT15 12:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
AIRTEST REQUIRED FOR BRAKE AND SYMBOL GEN OP'S  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST C/OUT REFER 563315

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03458  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1511623	COMPLETED	21OCT15 04:53	8414.8	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
21OCT15 04:45	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			21OCT15 04:53
21OCT15 04:47	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
DURING FLIGHT BOTH COCKPIT DU1 AND DU2 BLANKED OUT FOR APPROX 2 MINS						
XXXXXXXXXXXXXXXXXXXX						

Maint Acts: SERVICEABLE SYMBOL GENERATOR FITTED IAW AAP7212.007-2 REF 563315-2

REMOVALS/INSTALLATIONS FOR A1PXXU1511623

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1079	A23T	A1UOS	00	1143	A23T	A1UOS	00
	3614335-1004		21OCT15 04:48	A1PXXJ1516554	3614335-1004		21OCT15 04:50	

A1PXXU1511625	COMPLETED	22OCT15 02:49	8414.8	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
21OCT15 04:59	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			22OCT15 02:49
21OCT15 05:01	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
AIRCRAFT REQUIRES AIRTEST FOR SYMBOL GENERATOR OPS TEST						
XXXXXXXXXXXXXXXXXXXX						

Maint Acts: AIRTEST ASSESSED SERV REFER 563316

A1PXXU1413558	COMPLETED	03NOV15 13:24	8420.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
26OCT15 00:30	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			03NOV15 13:24
26OCT15 00:31	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
R1 due on Serial A23-033						
PC-9 at WAC 0000						
XXXXXXXXXXXXXXXXXXXX						

Maint Acts: R1 CARRIED OUT IAW 7212-007-7 REF AIP MCS 453-15

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03459  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1413558

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				

001	PC1500439 3059788-01	A23T	A1SAK48 26OCT15 13:41	01 A1PXXJ1516751	PC1500931 3059788-01	A23T	A1SAK48 26OCT15 13:42	01
-----	-------------------------	------	--------------------------	---------------------	-------------------------	------	--------------------------	----

002	PC1401495 3059258-01	A23T	A1SAK34 27OCT15 13:27	00 A1PXXJ1516836	PC1401495 3059258-01	A23T	A1SAK34 27OCT15 13:28	00
-----	-------------------------	------	--------------------------	---------------------	-------------------------	------	--------------------------	----

A1PXXU1507780	COMPLETED	27OCT15 13:30	8420.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
26OCT15 00:30	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			27OCT15 13:30
26OCT15 00:30	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S63	due on Serial A23-033			
		PC-9	at WAC 0000			XXXXXXXXXXXXXXXXXXXX

Maint Acts: S63 SERVICING CARRIED OUT IAW AAP 7212-007-6-4  
REF AIP MCS 452/15-5-4

A1PXXU1507781	COMPLETED	03NOV15 13:22	8420.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
26OCT15 00:30	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			03NOV15 13:22
26OCT15 00:31	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S20	due on Serial A23-033			
		PC-9	at WAC 0000			XXXXXXXXXXXXXXXXXXXX

Maint Acts: S20 CARRIED OUT REF 452/15-4-3

A1PXXU1511557	COMPLETED	03NOV15 23:19	8420.3	AFHR	MM	XXXXXXXXXXXXXXXXXXXX
26OCT15 00:36	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP		Y	
26OCT15 00:36	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S40	due on Serial A23-033			03NOV15 23:19
		PC-9	at WAC 0000			XXXXXXXXXXXXXXXXXXXX

Maint Acts: S40 SERV C/O VIA EPSS REF EE 508 SNOW 563319/3-1-4

A1PXXU1413452	COMPLETED	28OCT15 13:10	8420.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
26OCT15 00:45	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			28OCT15 13:10
26OCT15 00:45	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S50	due on Serial A23-033			
		PC-9	at WAC 0000			XXXXXXXXXXXXXXXXXXXX

Maint Acts: S50 CLAIMED BY S3 REF A1PXXU1103876 AND AIP MCS 454/15

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1106575	COMPLETED	03NOV15 12:28	8420.3	AFHR	MM	XXXXXXXXXXXXXXXXXXXX
26OCT15 00:49	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			
26OCT15 00:49	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S12 due on Serial A23-033				03NOV15 12:28
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX

Maint Acts: S12 SERV C/O IAW 7212.007-5. REFER: MCS 455/15.  
WT= 1736.2 KG CG= 4269.32 MM= 7,412,393.32

A1PXXU1311247	COMPLETED	28OCT15 13:09	8420.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
26OCT15 00:49	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			28OCT15 13:09
26OCT15 00:49	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S67 due on Serial A23-033				
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX

Maint Acts: S67 CLAIMED BY S3 REF A1PXXU1103876 AND AIP MCS 454/15

A1PXXU1511794	COMPLETED	28OCT15 13:08	8420.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
26OCT15 00:51	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			28OCT15 13:08
26OCT15 00:51	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		FT due on Serial 027				
		WING ASSY at WAC 0000				XXXXXXXXXXXXXXXXXXXX

Maint Acts: S3 AND FT C/O IAW AAP7212.007-2 REF AIP MCS 454/15

A1PXXU1511796	COMPLETED	27OCT15 09:51	8420.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
26OCT15 00:54	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			27OCT15 09:51
26OCT15 00:54	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		OH due on Serial B19160				
		FUEL CONTROL UNIT at WAC 0130				XXXXXXXXXXXXXXXXXXXX

Maint Acts: FCU REPLACED IAW AAP 7113-022-2  
REF AIP MCS 452/15-6-4

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03461  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1511796

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	B19160 3244831-9-8-5	A23T	A1SAI02 27OCT15 09:49	00 N0NC2JY902802	B19193 3244831-9-8-5	A23T	A1SAI02 27OCT15 09:50	00

A1PXXU1511797 COMPLETED 02NOV15 06:18 8420.3 AFHR SST  
26OCT15 00:56 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 02NOV15 06:18  
26OCT15 00:56 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
OH due on Serial 540  
STRUT SHOCK NLG at WAC 0500 XXxxXXxxXXxxXXxxXXxx

Maint Acts: NLG SHOCK STRUT REPLACED IAW AAP 7212-007-2  
REF AIP MCS 452/15-8-3

REMOVALS/INSTALLATIONS FOR A1PXXU1511797

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PC1500430 SP4518	A23T	A18AI 29OCT15 09:24	00 A1PXXJ1516970	PC1500430 SP4518	A23T	A18AI 29OCT15 13:35	00
002	540 532.20.09.130	A23T	A18 29OCT15 09:25	00 A1PXXJ311454X	520 532.20.09.130	A23T	A18 29OCT15 13:34	00
003					1184 HP1460100-3	A23T	A18AC 02NOV15 01:30	00
004					0069 3-1451 OPT 1	A23T	A18AG 02NOV15 06:16	00

A1PXXU1511798 COMPLETED 27OCT15 02:03 8420.3 AFHR SST  
26OCT15 00:58 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 27OCT15 02:03  
26OCT15 00:58 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
MS1 due on Serial 0510-14017  
FATIG METER AMETEK at WAC 0730 XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: MS1 SERVICING CARRIED OUT IAW AAP 7212.007-2. REF AIP MCS 452/15  
SHT6 # 5

A1PXXU1511800	COMPLETED	28OCT15 12:30	8420.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
26OCT15 01:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			28OCT15 12:30
26OCT15 01:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MS2 RUDDER_TRIM TABS	due on Serial 164 at WAC 1410			XXxxXXxxXXxxXXxxXXxx

Maint Acts: MS2 C/O IAW AAP7212.007-2 NIL CRACKS EVIDENT REF AIP MCS 452/15-7#3

A1PXXU1511801	COMPLETED	28OCT15 13:06	8420.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
26OCT15 01:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			28OCT15 13:06
26OCT15 01:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FT	due on Serial PC1500366			XXxxXXxxXXxxXXxxXXxx
		BOLT WG-FUS CTR LH	at WAC 0900			

Maint Acts: S3 AND FT C/O IAW AAP7212.007-2 REF AIP MCS 454/15

A1PXXU1511802	COMPLETED	28OCT15 13:06	8420.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
26OCT15 01:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			28OCT15 13:06
26OCT15 01:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FT	due on Serial PC1500368			XXxxXXxxXXxxXXxxXXxx
		BOLT WG-FUS CTR RH	at WAC 1000			

Maint Acts: S3 AND FT C/O IAW AAP7212.007-2 REF AIP MCS 454/15

A1PXXU1511803	COMPLETED	28OCT15 13:05	8420.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
26OCT15 01:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			28OCT15 13:05
26OCT15 01:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FT	due on Serial PCY400427			XXxxXXxxXXxxXXxxXXxx
		BOLT WING-FUSELAGE	at WAC 1000			

Maint Acts: S3 AND FT C/O IAW AAP7212.007-2 REF AIP MCS 454/15



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03463  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1511804	COMPLETED	28OCT15 13:04	8420.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
26OCT15 01:17	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			28OCT15 13:04
26OCT15 01:17	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		FT due on Serial PCY400428				
		BOLT WING-FUSELAGE at WAC 0900				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	S3 AND FT C/O IAW AAP7212.007-2 REF AIP MCS 454/15				
A1PXXU1511805	COMPLETED	28OCT15 13:03	8420.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
26OCT15 01:18	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			28OCT15 13:03
26OCT15 01:18	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		FT due on Serial PCY400431				
		BOLT U-B W-F FWD RH at WAC 1000				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	S3 AND FT C/O IAW AAP7212.007-2 REF AIP MCS 454/15				
A1PXXU1511806	COMPLETED	28OCT15 13:02	8420.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
26OCT15 01:18	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			28OCT15 13:02
26OCT15 01:18	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		FT due on Serial PCY400432				
		BOLT U-B W-F FWD LH at WAC 0900				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	S3 AND FT C/O IAW AAP7212.007-2 REF AIP MCS 454/15				
A1PXXU1511807	COMPLETED	28OCT15 13:01	8420.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
26OCT15 01:18	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			28OCT15 13:01
26OCT15 01:18	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		FT due on Serial PCY601267				
		BOLT WG-FUS AFT RH at WAC 1000				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	S3 AND FT C/O IAW AAP7212.007-2 REF AIP MCS 454/15				
A1PXXU1511808	COMPLETED	28OCT15 13:00	8420.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
26OCT15 01:18	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			28OCT15 13:00
26OCT15 01:18	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		FT due on Serial PCY601268				
		BOLT WG-FUS AFT LH at WAC 0900				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	S3 AND FT C/O IAW AAP7212.007-2 REF AIP MCS 454/15				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1511809	COMPLETED	26OCT15 01:28	8420.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
26OCT15 01:28	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			28OCT15 12:33
26OCT15 01:28	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		NDT due on Serial 530LH				
		L HSTAB ELEV OB HNG at WAC 1150				XXXXXXXXXXXXXXXXXXXX

Maint Acts: TRANSFERRED TO 530

A1PXXU1511810	COMPLETED	26OCT15 01:28	8420.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
26OCT15 01:28	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			28OCT15 12:33
26OCT15 01:28	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		NDT due on Serial 530RH				
		R HSTAB ELEV OB HNG at WAC 1200				XXXXXXXXXXXXXXXXXXXX

Maint Acts: TRANSFERRED TO 530

A1PXXU1511811	COMPLETED	26OCT15 03:41	8420.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
26OCT15 01:30	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			26OCT15 03:41
26OCT15 01:30	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BS due on Serial M2258				
		GAUGE OXYGEN SYSTEM at WAC 0640				XXXXXXXXXXXXXXXXXXXX

Maint Acts: GAUGE OXY SYSTEM REPLACED IAW AAP 7212.007-2 REF: AIP/MCS 452/15 SHT 7 #1

REMOVALS/INSTALLATIONS FOR A1PXXU1511811

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	M2258	A23T	A1UMY	00	M2230	A23T	A1UMY	00
	AN6011-2		26OCT15 03:37	A1PXXJ1021954	AN6011-2		26OCT15 03:38	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03465  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1511812	COMPLETED	03NOV15 23:22	8420.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
26OCT15 02:18	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			03NOV15 23:22
26OCT15 02:19	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		ENGINE COWL 2 RFA				XXXXXXXXXXXXXXXXXXXX

Maint Acts: ENG COWL 2 FITTED IAW AAP 7212-007-2 REF EE 508 SNOW 563319/3-1-5

REMOVALS/INSTALLATIONS FOR A1PXXU1511812

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	HLY300804	A23T	A06	00	HLY300804	A23T	A06	00
	571.10.09.044		26OCT15 02:19	A1PXXJ1516730	571.10.09.044		03NOV15 23:20	

A1PXXU1511832	COMPLETED	29OCT15 13:08	8420.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
26OCT15 13:43	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			29OCT15 13:08
26OCT15 13:44	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		ELEVATOR REMOVED FOR NDI ACCESS				XXXXXXXXXXXXXXXXXXXX
		REF JOB NUMBER: A1PXXU1511809 & A1PXXU1511810				XXXXXXXXXXXXXXXXXXXX

Maint Acts: ELEVATOR ASSY AND OB HINGE BRACKETS (LH+RH) REFITTED IAW  
AAP7212.007-2. NEW HSTAB FITTED AT A1PXXU1511984, REF AIP MCS  
452/15-9#1  
SBI-24 ASSETS INADVERTANTLY REMOVED - REFER A1PXXU152030 FOR ELEV:  
042.

REMOVALS/INSTALLATIONS FOR A1PXXU1511832

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	042	A23T	A2IBC	00	042	A23T	A2IBC	00
	555.20.09.257		26OCT15 13:45	A1PXXJ1516752	555.20.09.257		26OCT15 13:48	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03466  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
002	042L SBI-24A	A23T	A2IBC16 26OCT15 13:49	00 A1PXXJ1516754	542LH 555.10.09.185	A23T	A2IAU 29OCT15 12:31	00
003	042R SBI-24A	A23T	A2IBC18 26OCT15 13:50	00 A1PXXJ1516755	542RH 555.10.09.185	A23T	A2IAV 29OCT15 12:31	00
004	042 555.20.09.257	A23T	A2IBC 26OCT15 13:51	00 A1PXXJ1516756	042 555.20.09.257	A23T	A2IBC 29OCT15 12:59	00

A1PXXU1511834 COMPLETED 02NOV15 13:34 8420.3 AFHR SST  
 26OCT15 13:54 XXxxXXxx XXxxXXxxXXxxXXxx AIP 02NOV15 13:34  
 26OCT15 13:55 XXxxXXxx XXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 RH AILERON REMOVED FOR BEARING REPLACEMENT  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: RH AILERON REFITTED REF AIP MCS 452/15 SHT 9 #3

REMOVALS/INSTALLATIONS FOR A1PXXU1511834

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	509 557.51.09.004	A23T	A2KCC 26OCT15 13:55	00 A1PXXJ1516758	509 557.51.09.004	A23T	A2KCC 02NOV15 13:32	00

A1PXXU1511926 COMPLETED 27OCT15 13:03 8420.3 AFHR SCT  
 27OCT15 06:36 XXxxXXxx XXxxXXxxXXxxXXxx AIP 27OCT15 13:03  
 27OCT15 06:36 XXxxXXxx XXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 STARTER GEN RFA  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV START/GEN REFITTED REF AIPMCS 452/15-9-6

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03467  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1511926

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	4977	A23T	A1SAI14	00	4977	A23T	A1SAI14	00
	23081-026		27OCT15 06:37	A1PXXJ1516820	23081-026		27OCT15 12:55	

A1PXXU1511984 COMPLETED 29OCT15 12:30 8420.3 AFHR SST XXxxXXxxXXxxXXxxXXxx  
28OCT15 12:31 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 29OCT15 12:30  
28OCT15 12:32 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
H/STAB ASSY TO BE REPLACED DUE TO UNABLE TO C/O SBI-23A DUE TO ACRE  
SLEEVE FITTED XXxxXXxxXXxxXXxxXXxx

Maint Acts: H/STAB ASSY REPLACED WITH SERV ITEM IAW AAP7212.007-2 REF AIP MCS 452/15-11#3

REMOVALS/INSTALLATIONS FOR A1PXXU1511984

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	530	A23T	A2I	00	542	A23T	A2I	00
	555.10.09.130		28OCT15 12:32	A1PXXJ1516888	555.10.09.130		29OCT15 12:28	

A1PXXU1103876 COMPLETED 28OCT15 13:11 8420.3 AFHR SST XXxxXXxxXXxxXXxxXXxx  
28OCT15 12:55 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 28OCT15 13:11  
28OCT15 12:55 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S3 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S3 C/O IAW AAP7212.007-6-4 REF AIP MCS 454/15

A1PXXU1512059 COMPLETED 30OCT15 01:13 8420.3 AFHR SST XXxxXXxxXXxxXXxxXXxx  
30OCT15 01:07 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 30OCT15 01:13  
30OCT15 01:08 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
ITT AND OIL TEMP/PRESSURE GAUGES DELAMINATED XXxxXXxxXXxxXXxxXXxx

Maint Acts: REAR ESDP REPLACED IAW AAP 7212.007-2. REF AIP MCS 452/15 SHT 10 # 5

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03468  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1512059

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				

001	7030030A	A23T	A1UHO	00	90070091	A23T	A1UHO	00
150.0001-2			30OCT15 01:10	A1PXXJ1517006	150.0001-2		30OCT15 01:12	

A1PXXU1512090	COMPLETED	03NOV15 04:02	8420.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
03NOV15 03:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			03NOV15 04:02
03NOV15 03:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx

STI-PC9-0603 due on Serial A23-033  
PC-9 at WAC 0000

Maint Acts: STI-PC9-0603 C/O IAW STI INSTRUCTIONS REF VISION CR77877  
RH IN STANDARD CONFIG LH HAS PATCH AND REPAIR C/O REF AIP MCS  
452/15-13-3  
STI REF AIP MCS 452/15-13-3

A1PXXU1512228	COMPLETED	05NOV15 01:07	8420.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
03NOV15 13:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			05NOV15 01:07
03NOV15 13:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx

AIRCRAFT REQUIRES MTF FOR POST R1, FULL HANDLING CX, FCU AND  
UNDERCARRIAGE OPS

Maint Acts: MTF CARRIED OUT U/S REF 563320-1

A1PXXU1512229	COMPLETED	06NOV15 01:54	8420.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
03NOV15 13:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			06NOV15 01:54
03NOV15 13:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx

AIRCRAFT REQUIRES AIRTEST FOR REAR ESDP OPS

Maint Acts: AIRTEST ASSESSED SERV REFER 563323

A1PXXU1512328	COMPLETED	19NOV15 23:12	8420.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
04NOV15 02:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			19NOV15 23:12
04NOV15 02:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx

S63 FILTER PATCH SCREEN FAILED DUE TO FE COUNT OF 10 AND GLASS BEADS  
REF 452/15 #10

aip01083 04NOV15 02:18:17  
FURTHER DETAILS OF U/S: FILTER SCREEN TEST IS ABOVE FST LIMIT BELOW  
MAINTENANCE LIMITS  
DELAY REASON: AWAITING DSTO PATCH TEST REPORT  
CONSEQUENCE: LOW WITH IN MAINTENANCE MANUAL LIMITS  
LIKELIHOOD: RARE  
(Continued on next page.)

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

(Continued from previous page.)

TECHNICAL RISK EVEL: NIL  
RISK TREATMENT : NIL  
LIMITATIONS: NIL

Maint Acts: ASSESSED SERV REF PC9 OIL FILTERPATCH ANALYSIS REPORT AWL 2015-056  
EE 5500 563349-5

A1PXXU1512361	COMPLETED	05NOV15 00:02	8420.3	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
04NOV15 05:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
04NOV15 05:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx

AIRCRAFT VALIDATION AMD AND CAMM2 TO BE CARRIED OUT IAW PROC 7.4.2  
REF 5653319/3#1

aip01083 04NOV15 05:18:35  
FURTHER DEATILS: VALIDATION TO BE COMPLETED POST TEST FLIGHT AS PER  
PROCEDURE 7.4  
DELAY REASON: UMTF RESTRICTED TIME  
CONSEQUENCE: MINOR AMD HASBEEN CLEARED AND CHECKED PRIOR TO FLIGHT  
LIKELIHOOD: RARE  
TECHNICAL RISK : LOW  
RISK TREATMENT : VALIDATION TO BE COMPLETED POST TEST FLIGHT  
LIMITATIONS: ONE FLIGHT

Maint Acts: AIRCRAFT MANDATORY AMD VALIDATION & CAMM2 CHECKS CARRIED OUT IAW  
AIRFLITE PROC. 7.4.2 & SMI 11/2014 WITH NO ABNORMALIES. REF EE508  
563320/3-1-6

A1PXXU1512375	COMPLETED	04NOV15 11:36	8420.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
04NOV15 11:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			04NOV15 11:36
04NOV15 11:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx

COMM1, ROTORY SELECTORAND RECEIVER 1 & 2 BUTTONS INTERMITTENT. COMM1  
TX SCRATCHY RX INTERMITTENT

Maint Acts: FRONT SELECTOR PANEL REPLACED IAW AAP 7212.007-2. REF EE500  
563320-3-1

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03470  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
REMOVALS/INSTALLATIONS FOR A1PXXU1512375

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 359		A23T	A1UEA	00	272	A23T	A1UEA	00
AS3100-15K	04NOV15 11:28	A1PXXJ1517364	AS3100-15K	04NOV15 11:34				

A1PXXU1512394 COMPLETED 05NOV15 07:21 8420.6 AFHR SCT XXxxXXxxXXxxXXxxXXxx  
05NOV15 01:08 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 05NOV15 07:21  
05NOV15 01:09 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
AIRCRAFT REQUIRES MTF FOR POST R1, HANDLING CX, FCU CHANGE AND  
LANDING GEAR OPS XXxxXXxxXXxxXXxxXXxx

Maint Acts: MTF C/O REF 563321-2

A1PXXU1512425 COMPLETED 05NOV15 08:22 8421.5 AFHR SST XXxxXXxxXXxxXXxxXXxx  
05NOV15 07:22 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 05NOV15 08:22  
05NOV15 07:23 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
AIRCRAFT REQUIRES MTF FOR TFS ITEMS 21B AND 24 XXxxXXxxXXxxXXxxXXxx

Maint Acts: MTF C/O SERV REF 563322-2

A1PXXU1512253 COMPLETED 09NOV15 22:53 8428.3 AFHR MM XXxxXXxxXXxxXXxxXXxx  
09NOV15 06:35 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP Y  
09NOV15 06:35 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 CARRIED OUT VIA EPSS REF: 563327

A1PXXU1512580 COMPLETED 10NOV15 05:57 8428.3 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
10NOV15 05:54 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
10NOV15 05:54 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
MS1 due on Serial 0510-14017  
FATIG METER AMETEK at WAC 0730 XXxxXXxxXXxxXXxxXXxx

Maint Acts: MS1 CARRIED OUT IAW AAP 7212.007-6-4 REF: 563327/5-1-6

A1PXXU1512581 COMPLETED 10NOV15 06:04 8428.3 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
10NOV15 05:58 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
10NOV15 05:59 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
SG READ FLAG ON DU1 & DU2 TEMP 35 DEGREES CB, INV & AVIONICS  
SWITCHES RECYCLED AND FLAGS REAPPEAR 1 MIN LATER. XXxxXXxxXXxxXXxxXXxx

Maint Acts: SYMBOL GEN REPLACED WITH SERV ITEM IAW AAP 7212.007-2 REF: 563327-1



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03471  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1512581

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 1143	A23T	A1UOS	00	3463	A23T	A1UOS	00	
3614335-1004	10NOV15 06:00	A1PXXJ1517625	3614335-1004	10NOV15 06:01				

A1PXXU1512540 COMPLETED 16NOV15 23:00 8444.7 AFHR MM  
16NOV15 11:45 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP Y  
16NOV15 11:45 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O VIA EPSS REF 563340-2

A1PXXU1512923 COMPLETED 18NOV15 09:52 8450.6 AFHR SST  
18NOV15 09:44 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
18NOV15 09:47 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
UNKNOWN GONGINFLIGHTONLY SYMPTOM . NOADF ON HSI . PULL & RESET 429  
CONV AND ADF SERV . LATER IN SORTIE FURTHER GONG "INV" CAPTION AND  
ALL AHRS FLAGS FOR 1-2 SECS THEN NORMAL  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: INVERTOR REPLACED IAW AAP7212.007-2 REF 563346-1

REMOVALS/INSTALLATIONS FOR A1PXXU1512923

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 6568	A23T	A1UOG	01	6616	A23T	A1UOG	01	
975.04.21.103	18NOV15 09:50	A1PXXJ1518081	PC-125-12B	18NOV15 09:51				

A1PXXU1512959 COMPLETED 19NOV15 02:36 8450.6 AFHR SST  
19NOV15 02:30 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
19NOV15 02:30 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
BATT SWITCH WILL NOT HOLD ON EITHER COCKPIT  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: BATT NICAD REPLACED IAW AAP 7212.007-2 REF: 563347#1

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03472  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1512959

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1464	A23T	A1UOA	00	0651	A23T	A1UOA	00
	33490409201		19NOV15 02:31	A1PXXJ1518121	33490409201		19NOV15 02:34	

A1PXXU1512977 COMPLETED 19NOV15 07:03 8451.8 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
19NOV15 06:56 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
19NOV15 06:57 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
REAR STBY AI TOPPLES WHEN UN-CAGED  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV STBY AI FITTED REF 563349-1

REMOVALS/INSTALLATIONS FOR A1PXXU1512977

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	9276	A23T	A1UHS	00	10043	A23T	A1UHS	00
	501-1131-01		19NOV15 06:57	A1PXXJ1518186	501-1131-01		19NOV15 06:58	

A1PXXU1512980 COMPLETED 19NOV15 09:29 8451.8 AFHR SCT XXxxXXxxXXxxXXxxXXxx  
19NOV15 09:26 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
19NOV15 09:26 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
FT due on Serial 4568  
TRANSCEIVER KXP 756 at WAC 0730  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: FT CARRIED OUT SERV IAW AAP 7212.007-2 REF 563349-4#1-1

A1PXXU1505520 COMPLETED 19NOV15 09:31 8451.8 AFHR SCT XXxxXXxxXXxxXXxxXXxx  
19NOV15 09:27 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
19NOV15 09:27 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
S16 due on Serial A23-033  
PC-9 at WAC 0000  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: S16 SERVICING ARRIED OUT IAW AAP 7212.007-6-4 REF 563349-4#1-2

A1PXXU1512807 COMPLETED 23NOV15 22:59 8456.1 AFHR MM XXxxXXxxXXxxXXxxXXxx  
23NOV15 09:20 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP Y  
23NOV15 09:20 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03473  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
=====						
	Maint Acts:	S40 SERV C/O VIA EPSS. REFER 555253/1				
A1PXXU1513218	COMPLETED	24NOV15 10:59	8460.4	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
24NOV15 10:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
24NOV15 10:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MS1 due on Serial 0510-14017				24NOV15 10:59
		FATIG METER AMETEK at WAC 0730				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	MS1 C/O REF 555256-1				
A1PXXU1513163	COMPLETED	30NOV15 23:11	8474.1	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
30NOV15 10:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		Y	
30NOV15 10:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				30NOV15 23:11
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 C/O VIA EPSS REF 555266#2				
A1PXXU1513493	COMPLETED	07DEC15 22:51	8491.3	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
07DEC15 22:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		Y	
07DEC15 22:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				07DEC15 22:51
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 C/O VIA EPSS REF 555281#1				
A1PXXU1513886	COMPLETED	25JAN16 11:46	8492.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
08DEC15 09:05	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			25JAN16 11:46
08DEC15 09:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		LH BRAKE WTL				
						XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	LH BRAKE REPLACED WITH NEW IAW 7212 007 2 REF 555282/1-1				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03474  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
REMOVALS/INSTALLATIONS FOR A1PXXU1513886

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
=====	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0062	A23T	A2KDI	00	0626P	A23T	A2KDI	00
	2-1524-1		25JAN16 11:41	A1PXXJ1602675	2-1524-1		25JAN16 11:43	

A1PXXU1513887 COMPLETED 28JAN16 02:46 8492.6 AFHR SST XXxxXXxxXXxxXXxxXXxx  
08DEC15 09:10 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 28JAN16 02:46  
08DEC15 09:11 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
AIRCRAFT REQUIRES AIRTEST FOR BRAKE OPS  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST ASC/OUT SERV REFER 555284

A1PXXU1513888 COMPLETED 08DEC15 11:06 8492.6 AFHR SST XXxxXXxxXXxxXXxxXXxx  
08DEC15 10:41 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 08DEC15 11:06  
08DEC15 10:41 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
MS1 due on Serial 0510-14017  
FATIG METER AMETEK at WAC 0730 XXxxXXxxXXxxXXxxXXxx

Maint Acts: MS1 C/O IAW AAP 7212.007-2 REF: 555282-1-1#5

A1PXXU1513625 COMPLETED 14DEC15 04:45 8492.6 AFHR SST XXxxXXxxXXxxXXxxXXxx  
14DEC15 04:43 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 14DEC15 04:45  
14DEC15 04:43 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
STI-PC9-0606 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9- 0606 C/O IAW STI INSTRUCTIONS AND 7212-007-2 NIL CRACKS  
EVIDENT REF 555282/1-1-6

A1PXXU1513830 COMPLETED 11JAN16 23:55 8492.6 AFHR MM Y XXxxXXxxXXxxXXxxXXxx  
15DEC15 23:11 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
15DEC15 23:11 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 CARRIED OUT VIA EPSS REF EE 508 SNOW 555282/1-3-3

A1PXXU1514274 COMPLETED 17DEC15 02:19 8492.6 AFHR SST XXxxXXxxXXxxXXxxXXxx  
17DEC15 01:22 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 17DEC15 02:19  
17DEC15 01:22 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
MS1 due on Serial 0510-14017  
FATIG METER AMETEK at WAC 0730 XXxxXXxxXXxxXXxxXXxx

Maint Acts: MS1 C/O IAW AAP 7212.007-2 REF: 555282-1-3#6

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 03475  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1600013	COMPLETED	07JAN16 02:29	8492.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
04JAN16 00:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			07JAN16 02:29
04JAN16 00:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MS1 due on Serial 0510-14017				XXxxXXxxXXxxXXxxXXxx
		FATIG METER AMETEK at WAC 0730				
	Maint Acts:	MS1 NOT C/O, A/C NOT FLOWN, CMM ENTRY ONLY				
A1PXXU1600148	COMPLETED	06JAN16 05:18	8492.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
06JAN16 04:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			06JAN16 05:18
06JAN16 04:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0598 due on Serial 027				XXxxXXxxXXxxXXxxXXxx
		WING ASSY at WAC 0000				
	Maint Acts:	STI-PC9-0598 C/O IAW STI AND 7212-007-2 REF 555282/1-4-2				
A1PXXU1600323	COMPLETED	25JAN16 13:09	8492.6	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
18JAN16 09:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			Y
18JAN16 09:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				25JAN16 13:09
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 SERV C/O VIA EPSS. REFER 555282/1-4#4				
A1PXXU1600712	COMPLETED	25JAN16 11:56	8492.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
25JAN16 11:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			25JAN16 11:56
25JAN16 11:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		LH HUB ASSY MAIN FOUND WITH DEEP CUT				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	REPLACED IAW 7212 007 2				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03476  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
REMOVALS/INSTALLATIONS FOR A1PXXU1600712

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	0404	A23T	A2KDM	01	0110	A23T	A2KDM	01
3-1555	25JAN16 11:53	A1PXXJ1602676	3-1555	25JAN16 11:54				

A1PXXU1600718 COMPLETED 25JAN16 13:16 8492.6 AFHR SST XXxxXXxxXXxxXXxxXXxx  
25JAN16 13:13 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 25JAN16 13:16  
25JAN16 13:13 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
MS1 due on Serial 0510-14017  
FATIG METER AMETEK at WAC 0730 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: MS1 NOT CARRIED OUT, AIRCRAFT NOT FLOWN, CMM2 ENTRY ONLY

A1PXXU1512226 COMPLETED 27JAN16 03:13 8492.6 AFHR SST XXxxXXxxXXxxXXxxXXxx  
27JAN16 02:11 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 27JAN16 03:13  
27JAN16 02:12 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S20 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: S20 C/O IAW 7212-007-6-4 REF 555282/1-5-1

A1PXXU1600782 COMPLETED 27JAN16 03:12 8492.6 AFHR SST XXxxXXxxXXxxXXxxXXxx  
27JAN16 02:14 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 27JAN16 03:12  
27JAN16 02:14 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
STI-PC9-0607 due on Serial 509  
AIL NOSE RIB 1 RH at WAC 1030 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: STI-PC9- 0607 C/O IAW INSTRUCTION AND 7212-007-2 REF 555282/1-5-3

A1PXXU1600717 COMPLETED 01FEB16 23:42 8499.5 AFHR MM Y XXxxXXxxXXxxXXxxXXxx  
01FEB16 09:45 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
01FEB16 09:45 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: S40 C/O VIA EPSS REF 555288#2

A1PXXU1601128 COMPLETED 03FEB16 11:21 8505.8 AFHR SST XXxxXXxxXXxxXXxxXXxx  
03FEB16 10:42 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 03FEB16 11:21  
03FEB16 10:42 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
BS due on Serial 0651  
BATTERY NICAD at WAC 0660 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: BATT NICAD REPLACED IAW AAP 7212.007-2 REF: 555293#2

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03477  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1601128

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0651	A23T	A1UOA	00	1468	A23T	A1UOA	00
	33490409201		03FEB16 11:19	A1PXXJ1517359	33490409201		03FEB16 11:19	

A1PXXU1601008 COMPLETED 08FEB16 07:56 8512.7 AFHR MM  
08FEB16 05:57 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP Y  
08FEB16 05:57 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O IAW AAP 7212.007-6-4 VIA EPSS  
REF EE500: 555298/1

A1PXXU1601409 COMPLETED 08FEB16 08:54 8512.7 AFHR SST  
08FEB16 08:50 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
08FEB16 08:50 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
MS1 due on Serial 0510-14017  
FATIG METER AMETEK at WAC 0730  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: MS1 C/O REF 555298-2

A1PXXU1601613 COMPLETED 11FEB16 03:34 8516.6 AFHR SST  
11FEB16 03:30 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
11FEB16 03:31 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
RH TYRE WTL  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: RH HUB ASSY REPLACED REF 558502/3-1-4

REMOVALS/INSTALLATIONS FOR A1PXXU1601613

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0182	A23T	A2KEI	02	0155	A23T	A2KEI	02
	3-1555		11FEB16 03:31	A1PXXJ1603677	3-1555		11FEB16 03:32	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
Camm2  
ASSET HISTORY

PAGE 03478  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1601406	COMPLETED	15FEB16 23:26	8524.4	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
15FEB16 11:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		Y	
15FEB16 11:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				15FEB16 23:26
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 CARRIED OUT VIA EPSS REF 558507-2				
A1PXXU1601799	COMPLETED	22FEB16 23:31	8540.8	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
22FEB16 11:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		Y	
22FEB16 11:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				22FEB16 23:31
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 C/O VIA EPSS REF 558519-3				
A1PXXU1602078	COMPLETED	22FEB16 12:46	8540.8	AFHR	SCT	XXxxXXxxXXxxXXxxXXxx
22FEB16 11:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			22FEB16 12:46
22FEB16 11:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MS1 due on Serial 0510-14017				
		FATIG METER AMETEK at WAC 0730				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	MS1 SERVICING CARRIED OUT IAW AAP 7212.007-2. REF EE500 558519-4				
A1PXXU1602128	COMPLETED	24FEB16 02:04	8542.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
23FEB16 09:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			24FEB16 02:04
23FEB16 09:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRCRAFT REQUIRES AIRTEST FOR ASOR CLEARANCE				
						XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	AIRTEST SERV REFER 558525				
A1PXXU1602203	COMPLETED	24FEB16 12:32	8546.5	AFHR	SCT	XXxxXXxxXXxxXXxxXXxx
24FEB16 12:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			24FEB16 12:32
24FEB16 12:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STARTER GEN REMOVED FOR ACCESS				
						XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	STRATRE GEN REFITTED IAW AAP 7212.007-2. REF EE508 58527-4-1 # 2				



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1602203

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	4977	A23T	A1SAI14	00	4977	A23T	A1SAI14	00
	23081-026		24FEB16 12:30	A1PXXJ1604628	23081-026		24FEB16 12:31	

A1PXXU1602236 COMPLETED 25FEB16 04:03 8546.5 AFHR SST XXxxXXxxXXxxXXxxXXxx  
25FEB16 04:00 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 25FEB16 04:03  
25FEB16 04:00 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
FT due on Serial 0400001  
CRASH POSN IND at WAC 0660 XXxxXXxxXXxxXXxxXXxx

Maint Acts: CPI REPLACED IAW AAP7212.007-2 REF 558528-1

REMOVALS/INSTALLATIONS FOR A1PXXU1602236

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0400001	A23T	A1UOY	00	0401001	A23T	A1UOY	00
	453-0406		25FEB16 04:01	NONC2J1500279	453-0406-503		25FEB16 04:02	

A1PXXU1602092 COMPLETED 28FEB16 23:03 8547.9 AFHR MM XXxxXXxxXXxxXXxxXXxx  
26FEB16 07:03 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP Y XXxxXXxxXXxxXXxxXXxx  
26FEB16 07:03 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033 28FEB16 23:03  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/OUT VIA EPSS REF 558530-2

A1PXXU1602449 COMPLETED 02MAR16 04:31 8557.5 AFHR SCT XXxxXXxxXXxxXXxxXXxx  
02MAR16 04:28 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 02MAR16 04:31  
02MAR16 04:28 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
TRANSPONDER RETURNS TO STANDBY DURING FLIGHT XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV XPDR TX KXP 756 FITTED IAW AAP 7212.007-2 REF 558538-1

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03480  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR 1PXXU1602449

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	4568	A23T	A1ULQ	00	5091	A23T	A1ULQ	00
	985.99.11.631		02MAR16 04:28	A1PXXJ1605016	066-1071-00		02MAR16 04:29	

1PXXU1602460 COMPLETED 02MAR16 13:06 8558.9 AFHR SCT XXxxXXxxXXxxXXxxXXxx  
02MAR16 12:56 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 02MAR16 13:06  
02MAR16 12:57 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
FRONT PANEL ANNUNCIATOR PANEL FACEPLATE RFA  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: FRONT ANNUNCIATOR PANEL FACEPLATE REFITTED IAW AAP 7212.007-2. REF EE508 558539-4-1 #2

REMOVALS/INSTALLATIONS FOR 1PXXU1602460

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	R515439	A23T	A1UEC00	00	R515439	A23T	A1UEC00	00
	972.81.31.563-M		02MAR16 12:57	A1PXXJ1605043	972.81.31.563-M		02MAR16 13:04	

1PXXU1602461 COMPLETED 02MAR16 13:04 8558.9 AFHR SCT XXxxXXxxXXxxXXxxXXxx  
02MAR16 12:59 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 02MAR16 13:04  
02MAR16 13:00 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
DURING ELU REST PROCEDURE - NO MASTER WARNING LIGHT OR GONG  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: FRONT ANNUNCIATOR PANEL REPLACED IAW AAP 7212.007-2. REF EE500 558539-1

REMOVALS/INSTALLATIONS FOR 1PXXU1602461

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	156	A23T	A1UEC	00	206	A23T	A1UEC	00
	461 TS 06 Y		02MAR16 13:01	A1PXXJ1605044	461 TS 06 Y		02MAR16 13:03	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 03481  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1602349	COMPLETED	04MAR16 00:05	8562.6	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
03MAR16 22:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		Y	
03MAR16 22:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				04MAR16 00:05
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 C/O VIA EPSS REF 558542-2				

A1PXXU1602618	COMPLETED	07MAR16 23:15	8564.4	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
07MAR16 22:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
07MAR16 22:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MS1 due on Serial 0510-14017				07MAR16 23:15
		FATIG METER AMETEK at WAC 0730				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	MS1 CARRIED OUT, 558543-3.				

A1PXXU1602629	COMPLETED	08MAR16 00:57	8564.4	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
08MAR16 00:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
08MAR16 00:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		TA due on Serial 645				08MAR16 00:57
		VALVE REFILL OXYGEN at WAC 0640				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	SERVICEABLE VALVE REFILL OXY FITTED,558543-5-1-1.				

REMOVALS/INSTALLATIONS FOR A1PXXU1602629

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	645	A23T	A1UMU	03	683	A23T	A1UMU	03
	OC-001-06		08MAR16 00:53	A1PXXJ1501083	OC-001-06		08MAR16 00:54	

A1PXXU1602654	COMPLETED	08MAR16 09:30	8564.4	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
08MAR16 06:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			08MAR16 09:30
08MAR16 06:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		TA due on Serial 0263314				
		SET CART COMMAND at WAC 0700				XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: COMMAND CARTS REPLACED IAW AAP7212.007-2 REF 558544-1-1-2

REMOVALS/INSTALLATIONS FOR A1PXXU1602654

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0263314	A23T	A1UJA	00	0263316	A23T	A1UJA	00
	MBEU60228		08MAR16 06:53	A1PXXJ1403421	MBEU60228		08MAR16 06:53	

A1PXXU1510782	COMPLETED	13MAR16 23:03	8569.5	AFHR	MM	Y	XXXXXXXXXXXXXXXXXXXX
10MAR16 10:17	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP				
10MAR16 10:17	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP				XXXXXXXXXXXXXXXXXXXX
		S76	due on Serial A23-033				13MAR16 23:03
		PC-9	at WAC 0000				XXXXXXXXXXXXXXXXXXXX

Maint Acts: NDT CARRIED OUT IAW AAP 7212.007-36 SECT 4 CHAP 24. NIL CRACKS EVIDENT. REFER TO NDT REPORT AIP/NDT/A23-033/042.

REMOVALS/INSTALLATIONS FOR A1PXXU1510782

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	042	A23T	A2IBC	00	042	A23T	A2IBC	00
	555.20.09.257		10MAR16 12:33	A1PXXJ1605554	555.20.09.257		13MAR16 22:59	
002	164	A23T	A2GAM	30	164	A23T	A2GAM	30
	555.40.09.006		10MAR16 12:38	A1PXXJ1605555	555.40.09.006		13MAR16 22:58	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03483  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME

A1PXXU1602839	COMPLETED	11MAR16 03:29	8569.5	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
10MAR16 10:19	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			11MAR16 03:29
10MAR16 10:19	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
EE500PG EE500LN		BS due on Serial 0691				
STA WL BL ADMIN		HPFP HILIFE GEARSET at WAC 0130				XXXXXXXXXXXXXXXXXXXX

Maint Acts: BAY SERVICE C/O IAW AAP 7113-022-2B3. REFER 558548/2-1#2

REMOVALS/INSTALLATIONS FOR A1PXXU1602839

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	0691	A23T	A1SAI10	01				
	025323-500B HILIFE		11MAR16 00:54	A1PXXJ1507783				

A1PXXU1602840	COMPLETED	10MAR16 13:00	8569.5	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
10MAR16 10:20	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			10MAR16 13:00
10MAR16 10:20	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		NDT1 due on Serial 027LH				
		LWNG NSE SKN TO FUS at WAC 0900				XXXXXXXXXXXXXXXXXXXX

Maint Acts: NDT C/O SERV NIL DEFECTS EVIDENT REF 558548/2-1-3

A1PXXU1602841	COMPLETED	10MAR16 13:01	8569.5	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
10MAR16 10:20	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			10MAR16 13:01
10MAR16 10:20	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		NDT1 due on Serial 027RH				
		RWNG NSE SKN TO FUS at WAC 1000				XXXXXXXXXXXXXXXXXXXX

Maint Acts: NDT C/O SERV NIL DEFECTS EVIDENT REF 558548/2-1-3

A1PXXU1602842	COMPLETED	13MAR16 22:55	8569.5	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
10MAR16 10:23	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			13MAR16 22:55
10MAR16 10:23	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		NDT due on Serial 033				
		FRM 8 STR 1AL & 1AR at WAC 0670				XXXXXXXXXXXXXXXXXXXX

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: NDT CARRIED OUT IAW AAP 7212.007-36 SECT 4 CHAP 20. NIL CRACKS EVIDENT. REFER TO NDT REPORT AIP/NDT/A23-033/043.

A1PXXU1602843	COMPLETED	13MAR16 22:57	8569.5	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
10MAR16 10:23	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			13MAR16 22:57
10MAR16 10:23	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		NDT due on Serial 033				
		FRM 10 STR 2L & 2R at WAC 0670				XXXXXXXXXXXXXXXXXXXX

Maint Acts: NDT CARRIED OUT IAW AAP 7212.007-36 SECT 4 CHAP 21. NIL CRACKS EVIDENT. REFER TO NDT REPORT AIP/NDT/A23-033/044.

A1PXXU1602846	COMPLETED	14MAR16 03:28	8569.5	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
10MAR16 11:52	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			14MAR16 03:28
10MAR16 11:53	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BATT AND GEN INVERTERS REMOVED FOR ACCESS				
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: BATT AND GEN INVERTERS REFITTED IAW AAP7212.007-2 REF 558548-2-2-6

REMOVALS/INSTALLATIONS FOR A1PXXU1602846

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	6616	A23T	A1UOG	01	6616	A23T	A1UOG	01
	PC-125-12B		10MAR16 11:53	A1PXXJ1605551	PC-125-12B		14MAR16 03:25	
002	6567	A23T	A1UOE	01	6567	A23T	A1UOE	01
	975.04.21.103		10MAR16 11:57	A1PXXJ1605552	975.04.21.103		14MAR16 03:24	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1602847	COMPLETED	14MAR16 05:20	8569.5	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
10MAR16 11:58	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			14MAR16 05:20
10MAR16 11:58	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BATT NICAD RFA				XXXXXXXXXXXXXXXXXXXX

Maint Acts: NICAD BATTERY REFITTED IAW AAP7212.007-2 REF 558548-2-2-5

REMOVALS/INSTALLATIONS FOR A1PXXU1602847

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1468	A23T	A1UOA	00	1468	A23T	A1UOA	00
	33490409201		10MAR16 11:58	A1PXXJ1605553	33490409201		14MAR16 05:18	

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1602849	COMPLETED	14MAR16 03:23	8569.5	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
10MAR16 22:09	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			14MAR16 03:23
10MAR16 22:10	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		STARTER GENERATOR REMOVED FOR ACCESS				XXXXXXXXXXXXXXXXXXXX

Maint Acts: STARTER GENERATOR REFITTED IAW AAP7212.007-2 REF 558548-2-3-2

REMOVALS/INSTALLATIONS FOR A1PXXU1602849

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	4977	A23T	A1SAI14	00	4977	A23T	A1SAI14	00
	23081-026		10MAR16 22:12	A1PXXJ1605561	23081-026		14MAR16 03:18	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES -----  
 SERV NUMBER STATUS STATUS DATE/TIME TOTAL LIFE INT TYPE CERTIFICATION TRADESMAN  
 RAISED DATE/TIME RAISED USER ID RAISED NAME RAISED VENUE CAPABILITY CODE EPSS DATE/TIME  
 ENTERED DATE/TIME ENTERED USER ID ENTERED NAME ENTERED VENUE IMIC NO SUPERVISOR  
 OPERATION NO ASOR NO SYMPTOMS DATE/TIME  
 EE500PG EE500LN INSPECTOR  
 STA WL BL ADMIN MAINT ACTION/LIMITATIONS DATE/TIME  
 =====

A1PXXU1602892 COMPLETED 11MAR16 03:20 8569.5 AFHR SST XXxxXXxxXXxxXXxxXXxx  
 11MAR16 00:56 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 11MAR16 03:20  
 11MAR16 00:58 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 FCU SPLINE SPINS FREELY AND HAS INITIAL SIGNS OF BEARING WASHOUT IAW  
 AAP 7113-022-2B3 CHAP 73-20-00 PARA 7 XXxxXXxxXXxxXXxxXXxx

Maint Acts: FCU REPLACED IAW AAP 7113-022-2B3. REFER 558548/2-3#5

REMOVALS/INSTALLATIONS FOR A1PXXU1602892

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
=====	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	B19193	A23T	A1SAI02	00	B19154	A23T	A1SAI02	00
	3244831-9-8-5		11MAR16 00:58	A1PXXJ1605609	3244831-7-5		11MAR16 02:41	

A1PXXU1602894 COMPLETED 14MAR16 02:11 8569.5 AFHR SST XXxxXXxxXXxxXXxxXXxx  
 11MAR16 03:20 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 14MAR16 02:11  
 11MAR16 03:21 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 FCU REMOVED FOR ACCESS XXxxXXxxXXxxXXxxXXxx

Maint Acts: FCU REFITTED IAW AAP 7113-022-2 REFER 558548/2-4-6

REMOVALS/INSTALLATIONS FOR A1PXXU1602894

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
=====	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	B19154	A23T	A1SAI02	00	B19154	A23T	A1SAI02	00
	3244831-7-5		11MAR16 03:21	A1PXXJ1605626	3244831-7-5		14MAR16 02:07	



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
Camm2  
ASSET HISTORY

PAGE 03487  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME

A1PXXU1602896	COMPLETED	14MAR16 02:00	8569.5	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
11MAR16 03:29	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			14MAR16 02:00
11MAR16 03:30	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
UNABLE TO FIT HPFP ON CAMM2 DUE TO HILIFE GEARSET. NEW SERVICEABLE HPFP TO BE INSTALLED						
XXXXXXXXXXXXXXXXXXXX						

Maint Acts: HPFP REPLACED IAW 7113-022-2B REFER 558548/2-4-5

REMOVALS/INSTALLATIONS FOR A1PXXU1602896

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001					0689	A23T	A1SAI10	00
					3031806		14MAR16 01:56	

A1PXXU1602616	COMPLETED	14MAR16 23:33	8569.5	AFHR	MM	XXXXXXXXXXXXXXXXXXXX
11MAR16 05:19	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP		Y	
11MAR16 05:19	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
S40 due on Serial A23-033 PC-9 at WAC 0000						
XXXXXXXXXXXXXXXXXXXX						

Maint Acts: S40 CARRIED OUT VIA EPSS REF EE508 558548/2-5-2

A1PXXU1602917	COMPLETED	14MAR16 05:58	8569.5	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
13MAR16 23:08	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			14MAR16 05:58
13MAR16 23:08	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
ELEVATOR ASSY REMOVED FOR S76						
XXXXXXXXXXXXXXXXXXXX						

Maint Acts: ELEVATOR ASSY REFITTED IAW AAP 7212.007-2 REFER 558548/2-5-4

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1602917

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 042	A23T	A2IBC	00	042	A23T	A2IBC	00	
555.20.09.257	13MAR16 23:10	A1PXXJ1605671	555.20.09.257	14MAR16 05:53				

A1PXXU1602918 COMPLETED 14MAR16 06:01 8569.5 AFHR SST  
 13MAR16 23:12 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 14MAR16 06:01  
 13MAR16 23:12 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 RUDDER ASSY REMOVED FOR S76

Maint Acts: RUDDER ASSY REFITTED IAW AAP 7212.007-2 REFER 558548/2-5-5

REMOVALS/INSTALLATIONS FOR A1PXXU1602918

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 164	A23T	A2GAM	30	164	A23T	A2GAM	30	
555.40.09.006	13MAR16 23:13	A1PXXJ1605672	555.40.09.006	14MAR16 05:59				

A1PXXU1602953 COMPLETED 15MAR16 02:52 8569.5 AFHR SST  
 14MAR16 13:07 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 15MAR16 02:52  
 14MAR16 13:16 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 AIRCRAFT REQUIRES MTF FOR HANDLING CHECKS AND HPFP AND FCU  
 REPLACEMENT  
 IAW AAP 7212.007-6 AND AIRFLITE PROCEDURE 7.48

Maint Acts: MTF C/O SERV. REFER 558550/2

A1PXXU1602981 COMPLETED 15MAR16 06:10 8570.7 AFHR SCT  
 15MAR16 03:18 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 15MAR16 06:10  
 15MAR16 03:18 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 AIRCRAFT REQUIRES MTF FOR S62 ADJUSTMENT

Maint Acts: MTF C/O REF565801-5-1-2

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03489  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1602970	COMPLETED	20MAR16 23:42	8577.8	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
18MAR16 07:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			Y
18MAR16 07:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				20MAR16 23:42
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERV C/O REF 565807-2

A1PXXU1603271	COMPLETED	21MAR16 09:40	8581.5	AFHR	SCT	XXxxXXxxXXxxXXxxXXxx
21MAR16 09:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			21MAR16 09:40
21MAR16 09:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MS1 due on Serial 0510-14017				XXxxXXxxXXxxXXxxXXxx
		FATIG METER AMETEK at WAC 0730				

Maint Acts: MS1 SERVICING CARRIED OUT IAW AAP 7212.007-2. REF EE500 565810-1

A1PXXU1603475	COMPLETED	04MAY16 00:34	8585.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
24MAR16 00:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			04MAY16 00:34
24MAR16 00:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FRONT AND REAR PARA'S AND PSP'S RFA				XXxxXXxxXXxxXXxxXXxx

Maint Acts: FRONT AND REAR PARA'S AND PSP'S FITTED IAW AAP 7212.007-2 REF AIP MCS 094/16

REMOVALS/INSTALLATIONS FOR A1PXXU1603475

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	MB13508-SET8 MBEU100664	A23T	A1WBA 24MAR16 00:21	00 A1PXXJ1606535	MB13416-SET5 MBEU100664	A23T	A1WBA 04MAY16 00:29	00
002	MB9697-SET8 MBEU12043PA	A23T	A26BA 24MAR16 00:24	00 A1PXXJ1606536	MB13493-SET5 MBEU12043PA	A23T	A26BA 04MAY16 00:30	00

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
=====	REMOVED PART NO	=====	DATE/TIME	JOB NUMBER	INSTALLED PART NO	=====	DATE/TIME	=====
003	DC0495-SET8 STANDARDPACK-1	A23T	A1WBG 24MAR16 00:26	00 A1PXXJ1606538	DE3063-SET5 STANDARDPACK-1	A23T	A1WBG 04MAY16 00:32	00
004	DL5778-SET8 STANDARDPACK-1	A23T	A26BG 24MAR16 00:28	00 A1PXXJ1606539	DF1699-SET5 STANDARDPACK-1	A23T	A26BG 04MAY16 00:32	00

A1PXXU1103730 COMPLETED 12APR16 04:52 8585.3 AFHR SST XXxxXXxxXXxxXXxxXXxx  
 31MAR16 04:54 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 12APR16 04:52  
 31MAR16 04:54 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 S54 due on Serial A23-033  
 PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S54 SERVICING CARRIED OUT IAW AAP 7212.007-6-4 AND AIP MCS 091/16-WC#95-100, REFER AIP MCS 090/16-11-04.

A1PXXU1503023 COMPLETED 13APR16 23:46 8585.3 AFHR SST XXxxXXxxXXxxXXxxXXxx  
 31MAR16 04:54 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 13APR16 23:46  
 31MAR16 04:54 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 S37 due on Serial A23-033  
 PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S37 SERVICING CARRIED OUT IAW AAP 7212.007-6-4 REF AIP MCS 090/16-11-2

A1PXXU1603219 COMPLETED 23MAY16 00:17 8585.3 AFHR MM Y XXxxXXxxXXxxXXxxXXxx  
 31MAR16 04:54 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 31MAR16 04:54 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 S40 due on Serial A23-033  
 PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O BY EPSS, REF EE 508 SNOW # 565813/1 SHEET # 2 -4.

A1PXXU1405274 COMPLETED 28APR16 03:04 8585.3 AFHR SST XXxxXXxxXXxxXXxxXXxx  
 31MAR16 04:55 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 28APR16 03:04  
 31MAR16 04:55 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 S46 due on Serial A23-033  
 PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S46 SERVICING CARRIED OUT IAW AAP 7212.007-6-4, REFER AIP MCS 090/16-11-03.

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN	
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME	
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR	
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME	
EE500PG EE500LN						INSPECTOR	
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME	
A1PXXU1603643	COMPLETED	11APR16 03:26	8585.3	AFHR	SCM	XXXXXXXXXXXXXXXXXXXX	
31MAR16 04:55	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP				
31MAR16 04:55	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		FT due on Serial DU47427				11APR16 03:26	
		BCN UNDERWATER LOC at WAC 0640				XXXXXXXXXXXXXXXXXXXX	
	Maint Acts:	FT C/O SERV IAW 7212-007-2 REF LSN AIP MCS 090/16-13-6					
A1PXXU1304175	COMPLETED	21APR16 23:25	8585.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX	
31MAR16 04:56	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			21APR16 23:25	
31MAR16 04:56	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		S64 due on Serial A23-033					
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX	
	Maint Acts:	S64 SERVICING CARRIED OUT IAW AAP 722.007-6-4, REFER AIP MCS 090/16-11-05.					
A1PXXU1405321	COMPLETED	12APR16 04:43	8585.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX	
31MAR16 04:56	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			12APR16 04:43	
31MAR16 04:56	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		S60 due on Serial A23-033					
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX	
	Maint Acts:	S60 SERVICING CARRIED OUT IAW AAP 7212.007-6-4, REFER AIP MCS 090/16-11-05					
A1PXXU1507779	COMPLETED	06MAY16 03:27	8585.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX	
31MAR16 04:56	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			06MAY16 03:27	
31MAR16 04:56	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		S62 due on Serial A23-033					
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX	
	Maint Acts:	S62 CARRIED OUT IAW AAP 7212.007-6-4 REFER AIP MCS 091/16 WORK CARD 107					

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN	
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME	
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR	
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME	
EE500PG EE500LN						INSPECTOR	
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME	
A1PXXU1512982	COMPLETED	12APR16 03:20	8585.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX	
31MAR16 04:56	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			12APR16 03:20	
31MAR16 04:56	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		S16 due on Serial A23-033					
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX	
	Maint Acts:	S16 SERVICING CARRIED OUT IAW AAP 7212.007-6-4 REF AIP MCS 090/16-9#1					
A1PXXU1600783	COMPLETED	02MAY16 03:42	8585.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX	
31MAR16 04:56	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			02MAY16 03:42	
31MAR16 04:56	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		S20 due on Serial A23-033					
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX	
	Maint Acts:	S20 SERVICING CARRIED OUT IAW AAP 7212.007-2, REFER AIP MCS 090/16-09-03					
A1PXXU1405496	COMPLETED	12APR16 04:57	8585.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX	
31MAR16 04:57	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			12APR16 04:57	
31MAR16 04:57	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		S73 due on Serial A23-033					
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX	
	Maint Acts:	S73 SERVICING CARRIED OUT IAW AAP 7212.007-6-4 AND AIP MCS 098/16-#WC109, NIL CORROSION EVIDENT. REFER AIP MCS 090/16-12-01.					
A1PXXU1507777	COMPLETED	04APR16 01:18	8585.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX	
31MAR16 04:57	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			04APR16 01:18	
31MAR16 04:57	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		S57 due on Serial A23-033					
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX	
	Maint Acts:	S57 SERVICING CARRIED OUT IAW AIP 7212.007-6-4, REFER AIP MCS 090/16-10-01					

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1507915	COMPLETED	20MAY16 04:09	8585.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
31MAR16 04:57	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			20MAY16 04:09
31MAR16 04:57	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		R2 PC-9		due on Serial A23-033 at WAC 0000		XXXXXXXXXXXXXXXXXXXX

Maint Acts: R2 CO REF AIP MCS 091/16

REMOVALS/INSTALLATIONS FOR A1PXXU1507915

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	L523933 D5210	A23T	A00AI 01APR16 01:20	00 A1PXXJ1607474	L523933 D5210	A23T	A00AI 12APR16 03:05	00
002	042 555.20.09.257	A23T	A2IBC 04APR16 02:24	00 A1PXXJ1607562	042 555.20.09.257	A23T	A2IBC 18APR16 03:16	00
003	0069 3-1451 OPT 1	A23T	A18AG 04APR16 04:54	00 A1PXXJ1607580	0069 3-1451 OPT 1	A23T	A18AG 28APR16 06:12	00
004	0110 3-1555	A23T	A2KDM 04APR16 04:57	01 A1PXXJ1607582	0110 3-1555	A23T	A2KDM 28APR16 06:11	01
005	0155 3-1555	A23T	A2KEI 04APR16 04:59	02 A1PXXJ1607584	0155 3-1555	A23T	A2KEI 28APR16 06:10	02

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03494  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

SEQ	REMOVED SERIAL NO REMOVED PART NO	EIAC	LCN DATE/TIME	ALC JOB NUMBER	INSTALLED SERIAL NO INSTALLED PART NO	EIAC	LCN DATE/TIME	ALC
006	PC1500931 3059788-01	A23T	A1SAK48 07APR16 01:04	01 A1PXXJ1607764	PC1600388 3059788-01	A23T	A1SAK48 07APR16 01:10	01
007	PC1401495 3059258-01	A23T	A1SAK34 07APR16 01:11	00 A1PXXJ1607766	PC1401495 3059258-01	A23T	A1SAK34 07APR16 23:44	00
008	HLY300804 571.10.09.044	A23T	A06 11APR16 02:00	00 A1PXXJ1608141	HLY300804 571.10.09.044	A23T	A06 20MAY16 02:47	00
009	R999900 32-2053	A23T	A1SAI10AC 18APR16 03:34	00 A1PXXJ1609071	R999900 32-2053	A23T	A1SAI10AC 18APR16 03:39	00
010	621045 Q17-941.22.052AB	A23T	A1UCC 02APR16 23:19	00 A1PXXJ1609301	621045 Q17-941.22.052AB	A23T	A1UCC 02MAY16 03:39	00
011	703606 Q17-941.22.052AB	A23T	A1UGI 02APR16 23:21	00 A1PXXJ1609302	703606 Q17-941.22.052AB	A23T	A1UGI 05MAY16 03:47	00

A1PXXU1510783 COMPLETED 13APR16 04:45 8585.3 AFHR SST  
 31MAR16 04:57 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 13APR16 04:45  
 31MAR16 04:57 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 S77 due on Serial A23-033  
 PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S77 SERVICING CARRIED OUT IAW AAP 7212.007-6-4, NIL DEFECTS EVIDENT,  
 REFER AIP MCS 090/16-12-03

A1PXXU1511937 COMPLETED 12APR16 04:48 8585.3 AFHR SST  
 31MAR16 04:57 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 12APR16 04:48  
 31MAR16 04:57 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 S63 due on Serial A23-033  
 PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03495  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG	EE500LN					INSPECTOR
STA	WL	BL	ADMIN	MAINT ACTION/LIMITATIONS		DATE/TIME
-----						
	Maint Acts:	S63 SERVICING CARRIED OUT IAW AAP 7212.007-6-4. ENGINE OIL FILTER PATCH SCREENED AND ASSESSED SERV IAW LED 06/15. FE COUNT 07, NIL GLASS BEAD OR BRONZE PRESENT. REFER AIP MCS 090/16-10-05.				
A1PXXU1603529	COMPLETED	19APR16 04:44	8585.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
31MAR16 04:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			19APR16 04:44
31MAR16 04:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0614	due on Serial A23-033			
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	VISUAL INSPECTION AND NDT CARRIED OUT IAW STI-PC9-0614. NIL CRACKINGS EVIDENT. REFER AIP MCS 090/19-19-01,02,03,04,05,06 AND AIP MCS 090/16-20-01,02,03.				
A1PXXU1603646	COMPLETED	10APR16 23:15	8585.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
31MAR16 04:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			10APR16 23:15
31MAR16 04:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		NDT	due on Serial 033			
		AFT FUS FRAME 9 SLT	at WAC 0670			XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	NDT CARRIED OUT IAW AAP 7212.007-36 SECT 4 CHAP 16. NIL CRACKS EVIDENT. REFER TO NDT REPORT AIP/NDT/A23-033/053.				
A1PXXU1603647	COMPLETED	12APR16 05:16	8585.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
31MAR16 04:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			12APR16 05:16
31MAR16 04:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		NDT	due on Serial 033			
		AFT FUS ELEC ACCESS	at WAC 0670			XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	SLL-FS-13B AFT FUS ELEC ACCESS BOROSCOPE INSPECTION CARRIED OUT IAW AAP 7212.007-36, NIL CRACKING EVIDENT. REFER AIP MCS 090/16-15-06				
A1PXXU1603648	COMPLETED	10APR16 23:06	8585.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
31MAR16 04:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			10APR16 23:06
31MAR16 04:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		NDT	due on Serial 033Z			
		FRAME 10 HAT SECTN	at WAC 0670			XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	NDT CARRIED OUT IAW AAP 7212.007-36 SECT 4 CHAP 19. NIL CRACKS (Continued on next page.)				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03496  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES -----  
SERV NUMBER STATUS STATUS DATE/TIME TOTAL LIFE INT TYPE CERTIFICATION TRADESMAN  
RAISED DATE/TIME RAISED USER ID RAISED NAME RAISED VENUE CAPABILITY CODE EPSS DATE/TIME  
ENTERED DATE/TIME ENTERED USER ID ENTERED NAME ENTERED VENUE IMIC NO SUPERVISOR  
OPERATION NO ASOR NO SYMPTOMS DATE/TIME  
EE500PG EE500LN INSPECTOR  
STA WL BL ADMIN MAINT ACTION/LIMITATIONS DATE/TIME  
=====

(Continued from previous page.)  
EVIDENT. REFER TO NDT REPORT AIP/NDT/A23-033/048.

A1PXXU1603649 COMPLETED 10APR16 23:03 8585.3 AFHR SST XXxxXXxxXXxxXXxxXXxx  
31MAR16 04:57 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 10APR16 23:03  
31MAR16 04:57 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
NDT due on Serial 033Z  
FRM 7 STR 8L & 8R at WAC 0670 XXxxXXxxXXxxXXxxXXxx

Maint Acts: NDT CARRIED OUT IAW AAP 7212.007-36 SECT 4 CHAP 20. NIL CRACKS  
EVIDENT. REFER TO NDT REPORT AIP/NDT/A23-033/054.

A1PXXU1603650 COMPLETED 10APR16 23:18 8585.3 AFHR SST XXxxXXxxXXxxXXxxXXxx  
31MAR16 04:57 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 10APR16 23:18  
31MAR16 04:57 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
NDT due on Serial 033  
FRM 8 STR 8L & 8R at WAC 0670 XXxxXXxxXXxxXXxxXXxx

Maint Acts: NDT CARRIED OUT IAW AAP 7212.007-36 SECT 4 CHAP 20. NIL CRACKS  
EVIDENT. REFER TO NDT REPORT AIP/NDT/A23-033/055.

A1PXXU1603651 COMPLETED 10APR16 23:10 8585.3 AFHR SST XXxxXXxxXXxxXXxxXXxx  
31MAR16 04:57 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 10APR16 23:10  
31MAR16 04:57 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
NDT due on Serial 033Z  
FRM 9 STR 5L & 5R at WAC 0670 XXxxXXxxXXxxXXxxXXxx

Maint Acts: NDT CARRIED OUT IAW AAP 7212.007-36 SECT 4 CHAP 21. NIL CRACKS  
EVIDENT. REFER TO NDT REPORT AIP/NDT/A23-033/049.

A1PXXU1603652 COMPLETED 10APR16 23:11 8585.3 AFHR SST XXxxXXxxXXxxXXxxXXxx  
31MAR16 04:57 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 10APR16 23:11  
31MAR16 04:57 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
NDT due on Serial 033Z  
FRM 9 STR 6L & 6R at WAC 0670 XXxxXXxxXXxxXXxxXXxx

Maint Acts: NDT CARRIED OUT IAW AAP 7212.007-36 SECT 4 CHAP 21. NIL CRACKS  
EVIDENT. REFER TO NDT REPORT AIP/NDT/A23-033/050.

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03497  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1603653	COMPLETED	10APR16 23:13	8585.3	AFHR	SST	XXXXXXXXXX
31MAR16 04:57	XXXXXXXX	XXXXXXXXXXXXXXXXXX	AIP			10APR16 23:13
31MAR16 04:57	XXXXXXXX	XXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX
		NDT due on Serial 033Z				
		FRM 10 ST 2CL & 2CR at WAC 0670				XXXXXXXXXX
	Maint Acts:	NDT CARRIED OUT IAW AAP 7212.007-36 SECT 4 CHAP 21. NIL CRACKS EVIDENT. REFER TO NDT REPORT AIP/NDT/A23-033/051.				
A1PXXU1603654	COMPLETED	10APR16 23:14	8585.3	AFHR	SST	XXXXXXXXXX
31MAR16 04:57	XXXXXXXX	XXXXXXXXXXXXXXXXXX	AIP			10APR16 23:14
31MAR16 04:57	XXXXXXXX	XXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX
		NDT due on Serial 033Z				
		FRM 10 STR 5L & 5R at WAC 0670				XXXXXXXXXX
	Maint Acts:	NDT CARRIED OUT IAW AAP 7212.007-36 SECT 4 CHAP 21. NIL CRACKS EVIDENT. REFER TO NDT REPORT AIP/NDT/A23-033/052.				
A1PXXU1603655	COMPLETED	15APR16 00:24	8585.3	AFHR	SST	XXXXXXXXXX
31MAR16 04:57	XXXXXXXX	XXXXXXXXXXXXXXXXXX	AIP			15APR16 00:24
31MAR16 04:57	XXXXXXXX	XXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX
		STI-PC9-0615 due on Serial 164				
		RUDDER_TRIM TABS at WAC 1410				XXXXXXXXXX
	Maint Acts:	SBI 128, RUDDER-PRE ASIMP UPDATE - INSPECTION CARRIED OUT IAW STI-PC9-0615, NIL CRACKING EVIDENT. REFER AIP MCS 090/16-20-05				
A1PXXU1603656	COMPLETED	15APR16 00:40	8585.3	AFHR	SST	XXXXXXXXXX
31MAR16 04:57	XXXXXXXX	XXXXXXXXXXXXXXXXXX	AIP			15APR16 00:40
31MAR16 04:57	XXXXXXXX	XXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX
		STI-PC9-0616 due on Serial 042				
		ELEVATOR ASSY at WAC 1300				XXXXXXXXXX
	Maint Acts:	SBI 129, BOROSCOPE INSPECTION AND NDT CARRIED IAW STI-PC9-0616,NIL CRACKS/DEFECTS EVIDENT.NDT REPORT AIP/NDT/A23-033/059, REFER AIP MCS 090/16-21-1, 2 AND 3.				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03498  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1603657	COMPLETED	21APR16 23:19	8585.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
31MAR16 04:57	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			21APR16 23:19
31MAR16 04:57	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		STI-PC9-0611	due on Serial 027			
		WING ASSY	at WAC 0000			XXXXXXXXXXXXXXXXXXXX
		MS5	due on Serial 027			
		WING ASSY	at WAC 0000			
		MS16	due on Serial 027			
		WING ASSY	at WAC 0000			

Maint Acts: STI-PC9-0611 INC, FRETTING/SCORING DAMAGE EVIDENT ON BEARING JOURNALS OF CENTERLINE BEARING BRACKET. REWORK CARRIED OUT IAW DD/006/2016. NDT REPORT NUMBER AIP/NDT/A23-033/061, NIL DEFECTS EVIDENT. REFER AIP MCS 090/16-22-04 AND AIP MCS 090/16-18-02. MS5 SERVICING C/O IAW AAP 7212.007-2. REFER AIP MCS 090/16-18-01. MS16 SERVICING C/O IAW AAP 7212.007-2. REFER AIP MCS 090/16-14-03.

A1PXXU1603664	COMPLETED	04MAY16 00:27	8585.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
31MAR16 06:05	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			04MAY16 00:27
31MAR16 06:09	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		FRONT AND REAR EJECTION SEATS, SEO'S, CARTRIDGE SETS AND COMMAND SYSTEM REMOVED FOR ACCESS.				XXXXXXXXXXXXXXXXXXXX

Maint Acts: FRONT AND REAR EJECTION SEATS, SEO'S, CARTRIDGE SETS AND COMMAND SYSTEM FITTED IAW AAP 7212.007-2 REF AIP MCS 094/16

REMOVALS/INSTALLATIONS FOR A1PXXU1603664

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1647297	A23T	A1WBE	00	1647297	A23T	A1WBE	00
	MBEU100618		31MAR16 06:09	A1PXXJ1607419	MBEU100618		04MAY16 00:14	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03499  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 ~S4080  
 PERIOD: 01JAN90 TO 08JAN20

SEQ	REMOVED SERIAL NO REMOVED PART NO	EIAC	LCN DATE/TIME	ALC JOB NUMBER	INSTALLED SERIAL NO INSTALLED PART NO	EIAC	LCN DATE/TIME	ALC
002	1664349 MBEU100618	A23T	A26BE 31MAR16 06:10	00 A1PXXJ1607420	1664349 MBEU100618	A23T	A26BE 04MAY16 00:15	00
003	4563314R MBEU100021	A23T	A26AE 31MAR16 06:11	00 A1PXXJ1607421	8953316R MBEU100021	A23T	A26AE 04MAY16 00:17	00
004	4563314F MBEU100021	A23T	A1WAE 31MAR16 06:11	00 A1PXXJ1607422	8963316F MBEU100021	A23T	A1WAE 04MAY16 00:19	00
005	0263316 MBEU60228	A23T	A1UJA 31MAR16 06:12	00 A1PXXJ1607423	8683316 MBEU60228	A23T	A1UJA 04MAY16 00:20	00
006	020 AU11A-2	A23T	A26 31MAR16 06:13	00 A1PXXJ1607424	048 AU11A-2	A23T	A26 04MAY16 00:10	00
007	161 AU11A-1	A23T	A1W 31MAR16 06:13	00 A1PXXJ1607425	047 AU11A-1	A23T	A1W 04MAY16 00:07	00
008	DB5948 MBEU64438	A23T	A1UIY 31MAR16 06:14	00 A1PXXJ1607426	DG1808 MBEU64438	A23T	A1UIY 04MAY16 00:22	00
009	MD2145 MBEU100433	A23T	A1UJC 31MAR16 06:15	00 A1PXXJ1607427	MC1037 MBEU100433	A23T	A1UJC 04MAY16 00:23	00

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 03500  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1603686	COMPLETED	28APR16 02:41	8585.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
31MAR16 22:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			28APR16 02:41
31MAR16 22:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial 1468				
		BATTERY NICAD at WAC 0660				XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV BATT NICAD FITTED IAW 7212-007-2 REF LSN AIP MCS 090/16-18-6

REMOVALS/INSTALLATIONS FOR A1PXXU1603686

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	1468		A23T	A1UOA	00		A1UOA	00
	33490409201			31MAR16 22:39	A1PXXJ1506924	0645	28APR16 02:40	

A1PXXU1603687	COMPLETED	16MAY16 06:37	8585.3	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
31MAR16 22:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
31MAR16 22:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MS1 due on Serial 0510-14017				16MAY16 06:37
		FATIG METER AMETEK at WAC 0730				XXxxXXxxXXxxXXxxXXxx

Maint Acts: NEW FATIGUE METER FITTED AND INTIALISED REF LSN 090/16-13-5 AND 27-6

A1PXXU1603688	COMPLETED	13APR16 22:47	8585.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
31MAR16 22:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			13APR16 22:47
31MAR16 22:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MS13 due on Serial 533FL				
		PEDAL BRG SPT FR LH at WAC 0730				XXxxXXxxXXxxXXxxXXxx

Maint Acts: MS 13 SERVICING CARRIED OUT IAW AAP 7212.007-2, NIL CRACKING EVIDENT, REFER AIP MCS 090/16-13-03

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03501  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1603689	COMPLETED	13APR16 22:48	8585.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
31MAR16 22:59	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			13APR16 22:48
31MAR16 22:59	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		MS13 due on Serial 533FL				
		PEDAL BRG FRONT LH at WAC 0730				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	MS 13 SERVICING CARRIED OUT IAW AAP 7212.007-2, NIL CRACKING EVIDENT, REFER AIP MCS 090/16-13-03				
A1PXXU1603690	COMPLETED	13APR16 22:51	8585.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
31MAR16 22:59	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			13APR16 22:51
31MAR16 22:59	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		MS13 due on Serial 533FR				
		PEDAL BRG SPT FR RH at WAC 0730				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	MS 13 SERVICING CARRIED OUT IAW AAP 7212.007-2, NIL CRACKING EVIDENT, REFER AIP MCS 090/16-13-03				
A1PXXU1603691	COMPLETED	13APR16 22:53	8585.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
31MAR16 22:59	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			13APR16 22:53
31MAR16 22:59	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		MS13 due on Serial 533FR				
		PEDAL BRG FRONT RH at WAC 0730				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	MS 13 SERVICING CARRIED OUT IAW AAP 7212.007-2, NIL CRACKING EVIDENT, REFER AIP MCS 090/16-13-03				
A1PXXU1603692	COMPLETED	13APR16 22:55	8585.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
31MAR16 22:59	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			13APR16 22:55
31MAR16 22:59	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		MS13 due on Serial 533RL				
		PEDAL BRG SPT RE LH at WAC 0740				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	MS 13 SERVICING CARRIED OUT IAW AAP 7212.007-2, NIL CRACKING EVIDENT, REFER AIP MCS 090/16-13-03				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN	
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME	
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR	
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME	
EE500PG EE500LN						INSPECTOR	
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME	
A1PXXU1603693	COMPLETED	13APR16 22:56	8585.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX	
31MAR16 22:59	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			13APR16 22:56	
31MAR16 22:59	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		MS13 due on Serial 533RL					
		PEDAL BRG REAR LH at WAC 0740				XXXXXXXXXXXXXXXXXXXX	
	Maint Acts:	MS 13 SERVICING CARRIED OUT IAW AAP 7212.007-2, NIL CRACKING EVIDENT, REFER AIP MCS 090/16-13-03					
A1PXXU1603694	COMPLETED	13APR16 22:59	8585.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX	
31MAR16 22:59	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			13APR16 22:59	
31MAR16 22:59	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		MS13 due on Serial 533RR					
		PEDAL BRG SPT RE RH at WAC 0740				XXXXXXXXXXXXXXXXXXXX	
	Maint Acts:	MS 13 SERVICING CARRIED OUT IAW AAP 7212.007-2, NIL CRACKING EVIDENT, REFER AIP MCS 090/16-13-03					
A1PXXU1603695	COMPLETED	13APR16 23:01	8585.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX	
31MAR16 23:00	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			13APR16 23:01	
31MAR16 23:00	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		MS13 due on Serial 533RR					
		PEDAL BRG REAR RH at WAC 0740				XXXXXXXXXXXXXXXXXXXX	
	Maint Acts:	MS 13 SERVICING CARRIED OUT IAW AAP 7212.007-2, NIL CRACKING EVIDENT, REFER AIP MCS 090/16-13-03					
A1PXXU1603696	COMPLETED	12APR16 05:22	8585.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX	
31MAR16 23:00	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			12APR16 05:22	
31MAR16 23:00	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		MS10 due on Serial 027LH					
		FLAP BRG SUPPORT LH at WAC 0940				XXXXXXXXXXXXXXXXXXXX	
	Maint Acts:	MS 10 SERVICING CARRIED OUT IAW AAP 7212.007-2, NIL CRACKING EVIDENT, REFER AIP MCS 090/16-15-03					



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1603697	COMPLETED	13APR16 05:10	8585.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX	
31MAR16 23:00	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			13APR16 05:10	
31MAR16 23:00	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		MS10 due on Serial 027RH					
		FLAP BRG SUPPORT RH at WAC 1040				XXXXXXXXXXXXXXXXXXXX	
	Maint Acts:	MS10 SERVICING CARRIED OUT IAW AAP 7212.007-2, NIL CRACKS EVIDENT.					
		REFER AIP MCS 090/16-15-03					

A1PXXU1603698	COMPLETED	13APR16 05:07	8585.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX	
31MAR16 23:00	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			13APR16 05:07	
31MAR16 23:00	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		MS14 due on Serial 027					
		R CONT CLM SPT at WAC 0740				XXXXXXXXXXXXXXXXXXXX	
	Maint Acts:	MS14 SERVICING CARRIED OUT IAW AAP 7212.007-2, NIL CRACKS EVIDENT.					
		REFER AIP MCS 090/16-15-04					

A1PXXU1603699	COMPLETED	13APR16 05:02	8585.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX	
31MAR16 23:00	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			13APR16 05:02	
31MAR16 23:00	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		MS15 due on Serial 027LH					
		ROD AIL OUTER LH at WAC 0920				XXXXXXXXXXXXXXXXXXXX	
	Maint Acts:	MS15 SERVICING CARRIED OUT IAW AAP 7212.007-2, NIL DEFECTS EVIDENT.					
		REFER AIP MCS 090/16-14-5					

A1PXXU1603700	COMPLETED	13APR16 05:03	8585.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX	
31MAR16 23:00	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			13APR16 05:03	
31MAR16 23:00	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		MS15 due on Serial 027RH					
		ROD AIL OUTER RH at WAC 1020				XXXXXXXXXXXXXXXXXXXX	
	Maint Acts:	MS15 SERVICING CARRIED OUT IAW AAP 7212.007-2, NIL DEFECTS EVIDENT.					
		REFER AIP MCS 090/16-14-5					

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICABILITY								
SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN		
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME		
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR		
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME		
EE500PG EE500LN						INSPECTOR		
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME		
=====								
A1PXXU1603701	COMPLETED	12APR16 05:25	8585.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx		
31MAR16 23:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			12APR16 05:25		
31MAR16 23:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx		
		MS8 due on Serial 509						
		AIL NOSE RIB 1 RH at WAC 1030				XXxxXXxxXXxxXXxxXXxx		
	Maint Acts:	MS 8 SERVICING CARRIED OUT IAW AAP 7212.007-2, NIL CRACKING EVIDENT, REFER AIP MCS 090/16-14-06						
A1PXXU1506028	COMPLETED	15APR16 01:00	8585.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx		
31MAR16 23:05	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			15APR16 01:00		
31MAR16 23:05	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx		
		STI-PC9-0596 due on Serial A23-033						
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx		
	Maint Acts:	STI-PC9-0596 INCORPORATED IAW STI INSTRUCTION, NIL CORROSION EVIDENT, REFER AIP MCS 090/16-12-05.						
A1PXXU1603704	COMPLETED	11APR16 05:11	8585.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx		
31MAR16 23:05	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			11APR16 05:11		
31MAR16 23:05	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx		
		STI-PC9-0613 due on Serial 533						
		FRAME 11 at WAC				XXxxXXxxXXxxXXxxXXxx		
	Maint Acts:	STI-PC9-0613 CARRIED OUT. LH FITTING 2124-T851. RH FITTING 2024-T351. NIL CRACKS EVIDENT. REFER TO NDT REPORT AIP/NDT/A23-033/056.						
A1PXXU1603703	COMPLETED	21APR16 00:45	8585.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx		
31MAR16 23:05	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			21APR16 00:45		
31MAR16 23:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx		
		BOTH INVS AND RACK RFA						
	Maint Acts:	BOTH INVERTERS AND RACK REFITTED IAW AAP 7212.007-2 REF AIP MCS 090/16-21#6						

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

REMOVALS/INSTALLATIONS FOR A1PXXU1603703

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	6616	A23T	A1UOG	01	6616	A23T	A1UOG	01
PC-125-12B	31MAR16 23:06	A1PXXJ1607450	PC-125-12B	21APR16 00:43				
002	6567	A23T	A1UOE	01	6567	A23T	A1UOE	01
975.04.21.103	31MAR16 23:07	A1PXXJ1607451	975.04.21.103	21APR16 00:43				

A1PXXU1603709 COMPLETED 15APR16 03:28 8585.3 AFHR SST  
 31MAR16 23:12 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 15APR16 03:28  
 31MAR16 23:12 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 OH due on Serial B3229  
 PUMP FUEL ENG DVN at WAC 0130 XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV PUMP FUEL ENGINE DRIVEN FITTED IAW AAP 7212.007-2. REFER AIP  
MCS 090/16-12-06

REMOVALS/INSTALLATIONS FOR A1PXXU1603709

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	B3229	A23T	A0K	00	B3377	A23T	A0K	00
RG9570R1/M	15APR16 00:26	AIPXXJ310538X	RG9570R1/M	15APR16 03:27				

A1PXXU1603712 COMPLETED 28APR16 02:22 8585.3 AFHR SST  
 31MAR16 23:14 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 28APR16 02:22  
 31MAR16 23:14 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 BS due on Serial 4977  
 STARTER GENERATOR at WAC 0130 XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERVICEABLE STARTER GENERATOR FITTED IAW AAP 7212.007-2 REF AIP MCS  
090/16-13-2

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03506  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR 1PXXU1603712

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	4977	A23T	A1SAI14	00	4977	A23T	A1SAI14	00
	23081-026		12APR16 04:58	A1PXXJ1517220	23081-026		28APR16 02:20	

A1PXXU1603717 COMPLETED 15APR16 00:51 8585.3 AFHR SST XXxxXXxxXXxxXXxxXXxx  
31MAR16 23:28 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 15APR16 00:51  
31MAR16 23:28 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
BS due on Serial RT114  
FUEL NOZZLE SET at WAC 0120 XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV FUEL NOZZLE SET FITTED IAW AAP 7113.022-2, REFER AIP MCS  
090/16-10-06

REMOVALS/INSTALLATIONS FOR 1PXXU1603717

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	RT114	A23T	A1SAK27	00	RT098	A23T	A1SAK27	00
	RAAFA62FNS01		11APR16 01:56	N0NC2J1500943	RAAFA62FNS01		15APR16 00:49	

A1PXXU1603718 COMPLETED 11APR16 00:36 8585.3 AFHR SST XXxxXXxxXXxxXXxxXXxx  
31MAR16 23:29 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 11APR16 00:36  
31MAR16 23:29 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
TA due on Serial PCY901225  
S/W RUDDER TRIM F at WAC 0730 XXxxXXxxXXxxXXxxXXxx

Maint Acts: FRONT RUDDER TRIM SWITCH REPLACED IAW AAP 7212.007-2 REF AIP MCS  
090/16-13#4

REMOVALS/INSTALLATIONS FOR 1PXXU1603718

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PCY901225	A23T	A1UBY00	00	PC1600371	A23T	A1UBY00	00
	83450503		11APR16 00:34	A1PXXJY918563	944.30.19.030		11APR16 00:34	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03507  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1603719	COMPLETED	11APR16 00:40	8585.3	AFHR	SST	XXXXXXXXXX
31MAR16 23:29	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			11APR16 00:40
31MAR16 23:29	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX
		TA due on Serial PCY901226				
		S/W RUDDER TRIM R at WAC 0740				XXXXXXXXXX

Maint Acts: REAR RUDDER TRIM SWITCH REPLACED IAW AAP 7212.007-2 REF AIP MCS 090/16-13#4

REMOVALS/INSTALLATIONS FOR A1PXXU1603719

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PCY901226	A23T	A1UFU00	00	PC1600372	A23T	A1UFU00	00
	83450503		11APR16 00:37	A1PXXJY918564	944.30.19.030		11APR16 00:38	

A1PXXU1603720	COMPLETED	11APR16 03:07	8585.3	AFHR	SST	XXXXXXXXXX
31MAR16 23:33	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			11APR16 03:07
31MAR16 23:33	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX
		OH due on Serial 951				
		REG PRESS REDUCING at WAC 0640				XXXXXXXXXX

Maint Acts: REG PRESSURE REDUCING REPLACED IAW AAP 7212.007-2 REF AIP MCS 090/16-18#4

REMOVALS/INSTALLATIONS FOR A1PXXU1603720

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	951	A23T	A1UNC	02	344	A23T	A1UNC	02
	F103D000-15		11APR16 03:04	A1PXXJ1109250	F103D000-15		11APR16 03:05	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1603742	COMPLETED	13APR16 04:55	8585.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
01APR16 00:25	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			13APR16 04:55
01APR16 00:25	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		TA due on Serial 60S83E				
		MICRO LH SAFETY S83 at WAC 0950				XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV MICRO LH SAFETY S83 FITTED IAW AAP 7212.007-2, REFER AIP MCS 090/16-18-03

REMOVALS/INSTALLATIONS FOR A1PXXU1603742

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	60S83E	A23T	A2KDS	00	PC1600387	A23T	A2KDS	00
	SP4501-40		13APR16 04:52	A1EXXJY906964	SP4501-40		13APR16 04:53	

A1PXXU1603743	COMPLETED	04APR16 05:30	8585.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
01APR16 00:25	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			04APR16 05:30
01APR16 00:25	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		NDT due on Serial 042L				
		LH ELEV OB HNG STR at WAC 1300				XXXXXXXXXXXXXXXXXXXX

Maint Acts: NDT CARRIED OUT IAW AAP 7212.007-3 SUPP 101. NIL CRACKS EVIDENT. REFER TO NDT REPORT AIP/NDT/A23-033/045.

A1PXXU1603744	COMPLETED	04APR16 05:29	8585.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
01APR16 00:25	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			04APR16 05:29
01APR16 00:25	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		NDT due on Serial 042R				
		RH ELEV OB HNG STR at WAC 1300				XXXXXXXXXXXXXXXXXXXX

Maint Acts: NDT CARRIED OUT IAW AAP 7212.007-3 SUPP 101. NIL CRACKS EVIDENT. REFER TO NDT REPORT AIP/NDT/A23-033/045.

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICABILITY								
SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN		
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME		
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR		
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME		
EE500PG EE500LN						INSPECTOR		
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME		
=====								
A1PXXU1603747	COMPLETED	04APR16 05:33	8585.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx		
01APR16 00:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			04APR16 05:33		
01APR16 00:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx		
		NDT due on Serial 542LH						
		L HSTAB ELEV OB HNG at WAC 1150				XXxxXXxxXXxxXXxxXXxx		
	Maint Acts:	NDT CARRIED OUT IAW AAP 7212.007-3 SUPP 99. NIL CRACKS EVIDENT. REFER TO NDT REPORT AIP/NDT/A23-033/046.						
A1PXXU1603748	COMPLETED	04APR16 05:32	8585.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx		
01APR16 00:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			04APR16 05:32		
01APR16 00:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx		
		NDT due on Serial 542RH						
		R HSTAB ELEV OB HNG at WAC 1200				XXxxXXxxXXxxXXxxXXxx		
	Maint Acts:	NDT CARRIED OUT IAW AAP 7212.007-3 SUPP 99. NIL CRACKS EVIDENT. REFER TO NDT REPORT AIP/NDT/A23-033/046.						
A1PXXU1603749	COMPLETED	04APR16 05:22	8585.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx		
01APR16 00:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			04APR16 05:22		
01APR16 00:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx		
		NDT due on Serial 027LH						
		LWNG RSPAR LW FLNG at WAC 0900				XXxxXXxxXXxxXXxxXXxx		
	Maint Acts:	NDT CARRIED OUT IAW AAP 7212.007-36 SECT 4 CHAP 10. NIL CRACKS EVIDENT. REFER TO NDT REPORT AIP/NDT/A23-033/047.						
A1PXXU1603750	COMPLETED	04APR16 05:24	8585.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx		
01APR16 00:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			04APR16 05:24		
01APR16 00:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx		
		NDT due on Serial 027RH						
		RWNG RSPAR LW FLNG at WAC 1000				XXxxXXxxXXxxXXxxXXxx		
	Maint Acts:	NDT CARRIED OUT IAW AAP 7212.007-36 SECT 4 CHAP 10. NIL CRACKS EVIDENT. REFER TO NDT REPORT AIP/NDT/A23-033/047.						

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1603841	COMPLETED	18APR16 03:16	8585.3	AFHR	SST	XXXXXXXXXX
04APR16 02:27	XXXXXXXX	XXXXXXXXXX	AIP			18APR16 03:16
04APR16 02:28	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
		HORIZONTAL STAB ASSY RFA				XXXXXXXXXX

Maint Acts: HORIZONTAL STAB ASSEMBLY REFITTED IAW AAP 7212.007-2, REFER AIP MCS 090/16-22-05

REMOVALS/INSTALLATIONS FOR A1PXXU1603841

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	542	A23T	A2I	00	542	A23T	A2I	00
	555.10.09.130		04APR16 02:28	A1PXXJ1607565	555.10.09.130		18APR16 02:56	

A1PXXU1603855	COMPLETED	21APR16 22:51	8585.3	AFHR	SST	XXXXXXXXXX
04APR16 04:40	XXXXXXXX	XXXXXXXXXX	AIP			21APR16 22:51
04APR16 04:42	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
		LH AND RH INNER FLAP ASSEMBLY RFA				XXXXXXXXXX

Maint Acts: LH AND RH INNER FLAP ASSEMBLY REFITTED IAW AAP 7212.007-2, REFER AIP MCS 090/16-22-06

REMOVALS/INSTALLATIONS FOR A1PXXU1603855

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	536	A23T	A2KCW04	00	536	A23T	A2KCW04	00
	557.52.09.009		04APR16 04:45	A1PXXJ1607573	557.52.09.009		21APR16 22:49	



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03511  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
002	167	A23T	A2KCW06	00	167	A23T	A2KCW06	00
	557.52.09.010		04APR16 04:47	A1PXXJ1607575	557.52.09.010		21APR16 22:48	

A1PXXU1603856 COMPLETED 21APR16 22:54 8585.3 AFHR SST  
04APR16 04:42 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 21APR16 22:54  
04APR16 04:43 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
BRAKE ASSEMBLY AIR RFA.  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIR BRAKE ASSEMBLY REFITTED IAW AAP 7212.002-2, REFER AIP MCS 090/16-23-01.

REMOVALS/INSTALLATIONS FOR A1PXXU1603856

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	528	A23T	A2KBA	00	528	A23T	A2KBA	00
	557.53.09.002		04APR16 04:49	A1PXXJ1607576	557.53.09.002		21APR16 22:52	

A1PXXU1603949 COMPLETED 21APR16 22:48 8585.3 AFHR SST  
06APR16 06:04 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 21APR16 22:48  
06APR16 06:05 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
LH AND RH OUTER FLAP ASSEMBLY RFA.  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: LH AND RH OUTER FLAP ASSEMBLY REFITTED IAW AAP 7212.007-2, REFER AIP MCS 090/16-25-01

REMOVALS/INSTALLATIONS FOR A1PXXU1603949

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	539	A23T	A2KCW08	00	539	A23T	A2KCW08	00
	557.52.09.007		06APR16 06:06	A1PXXJ1607742	557.52.09.007		21APR16 22:45	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03512  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
002	136	A23T	A2KCW10	00	136	A23T	A2KCW10	00
	557.52.09.008		06APR16 06:08	A1PXXJ1607743	557.52.09.008		21APR16 22:44	

A1PXXU1604079 COMPLETED 18APR16 23:51 8585.3 AFHR SST  
11APR16 00:22 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 18APR16 23:51  
11APR16 00:23 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
BOTH WING TIP STROBE POWER SUPPLIES RFA  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: BOTH WING TIP STROBE POWER SUPPLIES REFITTED IAW AAP 7212.007-2 REF  
AIP MCS 090/16-25-6

REMOVALS/INSTALLATIONS FOR A1PXXU1604079

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1160185	A23T	A2KEW	01	1160185	A23T	A2KEW	01
	8ES007046-03		11APR16 00:24	A1PXXJ1608106	8ES007046-03		18APR16 23:49	
002	1160193	A23T	A2KEY	01	1160193	A23T	A2KEY	01
	8ES007046-03		11APR16 00:25	A1PXXJ1608107	8ES007046-03		18APR16 23:49	

A1PXXU1604085 COMPLETED 11APR16 02:42 8585.3 AFHR SCM  
11APR16 02:33 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 11APR16 02:42  
11APR16 02:36 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
REAR OXY DEMAND REG HAS POSSIBLE OIL CONTAMINATION THRU OXY SUPPLY  
ON/OFF SWICH

Maint Acts: SERV OXY DEMAND REG FITTED IAW 7212-007-2 REF LSN AIP MCS  
090/16-25-4

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03513  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1604085

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	702022	A23T	A1UIS	00	912101	A23T	A1UIS	00
	3260042-0201		11APR16 02:36	A1PXXJ1608147	3260042-0201		11APR16 02:40	

A1PXXU1604123 COMPLETED 13APR16 05:22 8585.3 AFHR SST  
11APR16 04:34 XXXXX  
11APR16 04:36 XXXXX  
LH AND RH OUTER AILERON ROD RFA.  
XXXXXXXXXXXXXXXXXXXX  
13APR16 05:22  
XXXXXXXXXXXXXXXXXXXX  
XXXXXXXXXXXXXXXXXXXX

Maint Acts: LH AND RH OUTER AILERON REFITTED IAW AAP 7212.007-2, REFER AIP MCS 090/16-03 AND 04.

REMOVALS/INSTALLATIONS FOR A1PXXU1604123

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	027LH	A23T	A2KCB	01	027LH	A23T	A2KCB	01
	527.10.09.021		11APR16 04:37	A1PXXJ1608164	527.10.09.021		13APR16 05:19	
002	027RH	A23T	A2KCD	01	027RH	A23T	A2KCD	01
	527.10.09.021		11APR16 04:39	A1PXXJ1608167	527.10.09.021		13APR16 05:18	

A1PXXU1604158 COMPLETED 12APR16 04:39 8585.3 AFHR SST  
12APR16 03:01 XXXXX  
12APR16 03:02 XXXXX  
LH OUTBOARD DOOR FOUND WITH EXCESSIVE PLAY.  
XXXXXXXXXXXXXXXXXXXX  
12APR16 04:39  
XXXXXXXXXXXXXXXXXXXX  
XXXXXXXXXXXXXXXXXXXX

Maint Acts: LH OUTBOARD DOOR BUSH REPLACED AND DOOR REFITTED IAW AAP 7212.007-2, REFER AIP MCS 090/16-23-04

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03514  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR 1PXXU1604158

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	523	A23T	A2KCO	00	523	A23T	A2KCO	00
	532.11.09.097		12APR16 03:03	1PXXJ1608253	532.11.09.097		12APR16 04:36	

1PXXU1604180 COMPLETED 13APR16 03:52 8585.3 AFHR SST XXxxXXxxXXxxXXxxXXxx  
12APR16 05:47 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 13APR16 03:52  
12APR16 05:48 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
WATER SEPARATOR DRAIN TUBE SHEARED.  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV WATER SERARATOR FITTED IAW AAP 7212.007-2. REFER AIP MCS  
090/16-27-03

REMOVALS/INSTALLATIONS FOR 1PXXU1604180

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	67518	A23T	A0Y	00	88602	A23T	A0Y	00
	85020-8		12APR16 05:49	1PXXJ1608283	85020-8		13APR16 03:50	

1PXXU1604233 COMPLETED 15APR16 00:55 8585.3 AFHR SST XXxxXXxxXXxxXXxxXXxx  
13APR16 05:26 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 15APR16 00:55  
13APR16 05:26 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
OH due on Serial 1006  
STRUT SHOCK MLG RH at WAC 1050  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV STRUT SHOCK MLG RH FITTED IAW AAP 7212.007-2, REFER AIP MCS  
090/16-27-05.

REMOVALS/INSTALLATIONS FOR 1PXXU1604233

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1006	A23T	A2KEC	00	505	A23T	A2KEC	00
	532.10.09.076		13APR16 22:40	1PXXJ311087X	532.10.09.076		15APR16 00:53	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03515  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1604236	COMPLETED	28APR16 02:33	8585.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
13APR16 06:04	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			28APR16 02:33
13APR16 06:05	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		HEAT EXCHANGER ASSEMBLY RFA.				XXXXXXXXXXXXXXXXXXXX

Maint Acts: HEAT EXCHANGER ASSEMBLY REFITTED IAW AAP 7212.007-2, REFER AIP MCS 090/16-28-02.

REMOVALS/INSTALLATIONS FOR A1PXXU1604236

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	676	A23T	A0M	00	676	A23T	A0M	00
	195980-3		13APR16 06:06	A1PXXJ1608416	195980-3		28APR16 02:31	

A1PXXU1604280	COMPLETED	14APR16 05:53	8585.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
14APR16 01:52	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			14APR16 05:53
14APR16 01:53	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		NOSE LANDING GEAR ACTUATOR LEAKING				XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV NLG ACTUATOR FITTED IAW AAP 7212.007-2, REFER AIP MCS 090/16-17-04

REMOVALS/INSTALLATIONS FOR A1PXXU1604280

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	FYH179623	A23T	A1I	00	FYH163678	A23T	A1I	00
	4035 H2		14APR16 01:54	A1PXXJ1608475	4035 H2		14APR16 05:51	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03516  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1302894	COMPLETED	28APR16 02:38	8585.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
14APR16 05:58	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			28APR16 02:38
14APR16 05:58	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		7212.007-260		due on	Serial A23-033	
		PC-9		at WAC	0000	XXXXXXXXXXXXXXXXXXXX

Maint Acts: HEAT EXCHANGER MOUNTING MOD 260 CARRIED OUT IAW AAP 7212.007-100B6, REFER AIP MCS 092/16-03-03.

A1PXXU1605141	COMPLETED	04MAY16 02:33	8585.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
04MAY16 02:18	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			04MAY16 02:33
04MAY16 02:19	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		RUDDER ASSEMBLY RFA				XXXXXXXXXXXXXXXXXXXX

Maint Acts: RUDDER ASSEMBLY NOT REMOVED IN A23-033 DUE TO CAMM2 ENTRY ERROR ON AIRCRAFT TAIL NUMBER.

A1PXXU1605195	COMPLETED	05MAY16 00:43	8585.3	AFHR	SCM	XXXXXXXXXXXXXXXXXXXX
05MAY16 00:29	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			
05MAY16 00:33	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		FATIGUE METER HAS SOME ERATIC FLIGHT TIME RECORDINGS REF EMAIL SENT TUESDAY ,12 APRIL 2016 830AM FROM KOSTA KAZANTZIDB.				05MAY16 00:43
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV FATIGUE METER FITTED IAW 7212-007-2 REF LSN AIP MCS 090/16-27-6

REMOVALS/INSTALLATIONS FOR A1PXXU1605195

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0510-14017	A23T	A1ULF	00	0608-13264	A23T	A1ULF	00
	FMS232-006		05MAY16 00:33	A1PXXJ1610236	FMS232-006		05MAY16 00:36	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1605781	COMPLETED	20MAY16 03:08	8585.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
16MAY16 06:33	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			20MAY16 03:08
16MAY16 06:33	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		MS1 due on Serial 0608-13264				
		FATIG METER AMETEK at WAC 0730				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	MS1 NOT REQD AIRCRAFT NOT FLOWN NEW FATIGUE METER FITTED REF AIP MCS				
		090/15-27-6				

A1PXXU1605844	COMPLETED	20MAY16 03:03	8585.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
17MAY16 02:49	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			20MAY16 03:03
17MAY16 02:50	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		NLG FOLDING STRUT REMOVE FOR MPI.				
	Maint Acts:	NLG FOLDING STRUT FITTED REF AIP MCS 090/16-35-2				XXXXXXXXXXXXXXXXXXXX

REMOVALS/INSTALLATIONS FOR A1PXXU1605844

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	A23033	A23T	A1K	00	A23033	A23T	A1K	00
	532.20.09.075		17MAY16 02:52	A1PXXJ1611215	532.20.09.075		20MAY16 03:02	

A1PXXU1605846	COMPLETED	17MAY16 05:38	8585.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
17MAY16 03:22	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			17MAY16 05:38
17MAY16 03:23	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		FRONT AND REAR PSP'S RFA				
	Maint Acts:	FRONT AND REAR PSP'S REFITTED IAW AAP7219-042-2M REF				XXXXXXXXXXXXXXXXXXXX
		AIPMCS090/16-35-3				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
Camm2  
ASSET HISTORY

PAGE 03518  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1605846

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	DE3063-SET5 STANDARDPACK-1	A23T	A1WBG 17MAY16 03:24	00 A1PXXJ1611216	DE3063-SET5 STANDARDPACK-1	A23T	A1WBG 17MAY16 05:37	00
002	DF1699-SET5 STANDARDPACK-1	A23T	A26BG 17MAY16 03:25	00 A1PXXJ1611217	DF1699-SET5 STANDARDPACK-1	A23T	A26BG 17MAY16 05:36	00

A1PXXU1606121 COMPLETED 19MAY16 06:00 8585.3 AFHR T+TS XXxxXXxxXXxxXXxxXXxx  
18MAY16 06:00 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 19MAY16 06:00  
22MAY16 22:34 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
Camm2 DOWN - RHMLG EXTENSION (HYD) HOSE TO BE CHECKED FOR DAMAGE & 19MAY16 06:00  
WHILE REMOVING CHECK FOR MISALIGNMENT XXxxXXxxXXxxXXxxXXxx

Maint Acts: RH MLG EXTENSION HOSE REMOVED (NIL MISALIGNMENT) - SERV RH MLG  
EXTENSION HOSE PNO 1712005-4CR0110-2A014 FITTED IAW AAP 7212.007-2 &  
OBJECTIVE ID AK11786873

A1PXXU1606094 COMPLETED 20MAY16 07:23 8585.3 AFHR MM XXxxXXxxXXxxXXxxXXxx  
20MAY16 07:00 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
20MAY16 07:00 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
AIRCRAFT REQUIRES MANDATORY AMD VALIDATION & CAMM2 CHECKS TBCO IAW:  
AIRFLITE PROC. 7.4.2 & SMI 11/2014 PRIOR TO FLIGHT

Maint Acts: AIRCRAFT MANDATORY AMD VALIDATION & CAMM2 CHECKS CARRIED OUT IAW  
AIRFLITE PROC. 7.4.2 & SMI 11/2014 WITH NO ABNORMALIES. REF EE508  
565813/1-2-2

A1PXXU1606125 COMPLETED 09MAY17 05:56 8585.3 AFHR SST XXxxXXxxXXxxXXxxXXxx  
22MAY16 23:57 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 09MAY17 05:56  
22MAY16 23:58 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
WING S/NO 027, FLAP CENTERLINE BEARING BRACKET 2B INSPECTED IAW DD  
A23/006/2016 FOR FURTHER DETERIORATION OF BEARING JOURNALS AT EVERY  
R2 XXxxXXxxXXxxXXxxXXxx

aip01083 23MAY16 01:42:59  
FURTHER DETAILS OF U/S: FLAP CENTRELINE BEARING TO BE INSPECTED AS  
PER A23/006/2016 POST R2 INSPECTION  
DELAY REASON: MAINTENANCE EFFICIENCY, THE DAMGAGE HAS BEEN ASSESSED  
AS ACCEPTABLE, AREA TO BE INSPECTED AT EACH R2  
CONSEQUENCE: MINOR  
LIKELIHOOD: RARE  
(Continued on next page.)



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03519  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

(Continued from previous page.)  
TECHNICAL RISK: LOW  
RISK TREATMENT: THE AREA TO BE INSPECTED AS PER THE DESIGN  
DEVIATION.  
LIMITATIONS NIL, OPERATIONAL ENDORSEMENT N/A  
PERIOD OF DEFERMENT R2

Maint Acts: DD A23/006/2016 CARRIED OUT IAW INSTRUCTIONS WITHIN. MINOR PITTING  
ON UPPER HALF OR BEARING ON WING REAR SPAR. PITTING POLISHED OUT IAW  
INSTRUCTION. (BEST WORKSHOP PRACTISE). PHOTOS TAKEN AND SENT TO TECH  
CELL

A1PXXU1606138	COMPLETED	23MAY16 07:32	8585.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
23MAY16 02:11	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			23MAY16 07:32
23MAY16 02:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MTF REQD POST R2 SERV				XXxxXXxxXXxxXXxxXXxx

Maint Acts: MTF CARRIED OUT REF 565815-1

A1PXXU1606156	COMPLETED	23MAY16 08:22	8586.4	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
23MAY16 07:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			23MAY16 08:22
23MAY16 07:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MTF REQUIRED FOR S62 OPS				XXxxXXxxXXxxXXxxXXxx

Maint Acts: MTF CARRIED OUT REF 565816-1

A1PXXU1606126	COMPLETED	29MAY16 23:53	8605.4	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
29MAY16 22:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			Y
29MAY16 22:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				29MAY16 23:53
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERVICING C/O VIA EPSS REF EE500 565829/2

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03520  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1606549	COMPLETED	30MAY16 23:34	8608.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
30MAY16 07:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			30MAY16 23:34
30MAY16 07:21	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx

FLAP INDICATION SLOW/INTERMITTENT WHEN SELECTING TACKOFF TO FUL FLAP

aip01487 30MAY16 07:21:50  
 FURTHER DETAILS OF U/S: FLAP INDICATION IS SLOW FROM TAKE OFF TO  
 LAND.FLAPS OPERATE AS REQUIRED INDICATION ONLY  
 DELAY REASON: MAINTENANCE EFFICIENCY FLAPS OPERATE NORMALLY  
 INDICATION ONLY  
 CONSEQUENCE: MINOR  
 LIKLEHOOD: RARE  
 TECHNICAL RISK : LOW  
 RISK TREATMENT: NIL AIRCRAFT IS ACCEPTABLE TO FLY ONE SORTIE  
 OPERATIONAL ENDORSEMENT FROM CO 2FTS APPROVED  
 PERIOD OF DEFERMENT: 30MAY16

Maint Acts: FLAP MICROS CLEANED REF 565832-1

A1PXXU1606502	COMPLETED	02JUN16 22:54	8620.5	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
02JUN16 09:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			Y
02JUN16 09:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx

S40 due on Serial A23-033  
 PC-9 at WAC 0000

Maint Acts: S40 CARRIED OUT VIA EPSS. REF EE 500 SN: 565840/3

A1PXXU1606761	COMPLETED	06JUN16 22:12	8622.9	AFHR	SCT	XXxxXXxxXXxxXXxxXXxx
06JUN16 22:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			06JUN16 22:12
06JUN16 22:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx

MS1 due on Serial 0608-13264  
 FATIG METER AMETEK at WAC 0730

Maint Acts: MS1 SERVICING CARRIED OUT IAW AAP 7212.007-2. REF EE500 565842-2

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1606905	COMPLETED	08JUN16 13:43	8628.5	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
08JUN16 13:39	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			08JUN16 13:43
08JUN16 13:40	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		RH BRAKE W.T.L				XXXXXXXXXXXXXXXXXXXX

Maint Acts: RH BRAKE UNIT REPLACED REF P/W 565848-3-1-1

REMOVALS/INSTALLATIONS FOR A1PXXU1606905

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0158	A23T	A2KEE	00	0495P	A23T	A2KEE	00
	2-1524-1		08JUN16 13:40	A1PXXJ1612761	2-1524-1		08JUN16 13:42	

A1PXXU1606906	COMPLETED	08JUN16 13:47	8628.5	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
08JUN16 13:44	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			08JUN16 13:47
08JUN16 13:45	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		LH BRAKE ASSY LEAKS DURING TROUBLESHOOTING				XXXXXXXXXXXXXXXXXXXX

Maint Acts: LH BRAKE ASSY REPLACED REF P/W 565848/3-1-3

REMOVALS/INSTALLATIONS FOR A1PXXU1606906

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0626P	A23T	A2KDI	00	0081	A23T	A2KDI	00
	2-1524-1		08JUN16 13:45	A1PXXJ1612762	2-1524-1		08JUN16 13:46	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03522  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME

A1PXXU1606907	COMPLETED	08JUN16 13:54	8628.5	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
08JUN16 13:47	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			08JUN16 13:54
08JUN16 13:51	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
LH MAIN WHEEL BRAKE LUG LOCATING PADS WORN EXCESSIVELY ( TORQUE KEYS)						
XXXXXXXXXXXXXXXXXXXX						

Maint Acts: LH HUB ASSY REPLACED REF P/W 565848/3-1-4

REMOVALS/INSTALLATIONS FOR A1PXXU1606907

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0110	A23T	A2KDM	01	0361	A23T	A2KDM	01
	3-1555		08JUN16 13:52	A1PXXJ1612763	3-1555		08JUN16 13:53	

A1PXXU1606908	COMPLETED	09JUN16 03:19	8628.5	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
08JUN16 13:54	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			09JUN16 03:19
08JUN16 13:55	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
AIRCRAFT REQUIRES AIRTEST FOR BRAKE OPS AND NW SHIMMY						
XXXXXXXXXXXXXXXXXXXX						

Maint Acts: AIRTEST CARRIED OUT REF 565849-1

A1PXXU1606940	COMPLETED	09JUN16 05:50	8629.8	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
09JUN16 03:13	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			09JUN16 05:50
09JUN16 03:16	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
AIRTEST REQUIRED FOR BRAKE OPS						
XXXXXXXXXXXXXXXXXXXX						

Maint Acts: AIRTEST C/O REF 565850#1

A1PXXU1606754	COMPLETED	09JUN16 23:16	8632.4	AFHR	MM	XXXXXXXXXXXXXXXXXXXX
09JUN16 09:00	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP		Y	XXXXXXXXXXXXXXXXXXXX
09JUN16 09:00	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
S40 due on Serial A23-033						
PC-9 at WAC 0000						
XXXXXXXXXXXXXXXXXXXX						

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03523  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN		
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME		
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR		
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME		
EE500PG EE500LN						INSPECTOR		
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME		
=====								
	Maint Acts:	S40 CARRIED OUT VIA EPSS REF 564551/5-1-2						
A1PXXU1606985	COMPLETED	16JUN16 23:36	8648.6	AFHR	MM	XXxxXXxxXXxxXXxxXXxx		
16JUN16 09:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			Y		
16JUN16 09:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx		
		S40 due on Serial A23-033				16JUN16 23:36		
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx		
	Maint Acts:	S40 C/OUT VIA EPSS REF 564564-2						
A1PXXU1607283	COMPLETED	20JUN16 06:16	8650.1	AFHR	SST	XXxxXXxxXXxxXXxxXXxx		
20JUN16 05:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			20JUN16 06:16		
20JUN16 05:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx		
		STI-PC9-0619 due on Serial 027						
		WING ASSY at WAC 0000				XXxxXXxxXXxxXXxxXXxx		
	Maint Acts:	STI-PC9-0619 C/O REF P/W 5645661/1-1-1						
REMOVALS/INSTALLATIONS FOR A1PXXU1607283								
SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
===	=====	=====	=====	=====	=====	=====	=====	=====
001					PC1600689	A23T	A2KBO01	01
					171Z005-4CR0110		20JUN16 06:09	
A1PXXU1607284	COMPLETED	20JUN16 05:42	8650.1	AFHR	SST	XXxxXXxxXXxxXXxxXXxx		
20JUN16 05:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			20JUN16 05:42		
20JUN16 05:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx		
		MS1 due on Serial 0608-13264						
		FATIG METER AMETEK at WAC 0730				XXxxXXxxXXxxXXxxXXxx		
	Maint Acts:	MS1 SERV C/O IAW AAP7212.007-2 REF 564566-1-1-3						

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03524  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME

A1PXXU1607228	COMPLETED	23JUN16 23:53	8658.5	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
23JUN16 09:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		Y	
23JUN16 09:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
EE500PG EE500LN		S40	due on Serial A23-033			23JUN16 23:53
STA WL BL ADMIN		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O VIA EPSS REF P/W 564572/2

A1PXXU1607484	COMPLETED	30JUN16 23:23	8674.1	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
30JUN16 09:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		Y	
30JUN16 09:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40	due on Serial A23-033			30JUN16 23:23
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O VIA EPSS. REFER E500: 564584/2.

A1PXXU1607948	COMPLETED	04JUL16 13:02	8679.1	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
04JUL16 13:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			04JUL16 13:02
04JUL16 13:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MS1	due on Serial 0608-13264			
		FATIG METER AMETEK	at WAC 0730			XXxxXXxxXXxxXXxxXXxx

Maint Acts: MS1 SERV C/O IAW AAP7212.007-2 REF 564588-2-1-5

A1PXXU1607968	COMPLETED	08JUN17 06:14	8679.1	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
05JUL16 00:11	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			08JUN17 06:14
05JUL16 00:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		HANDHOLD CRACK STOP DRILLED IAW AAP7212.007-3 OVERALL LENGTH 7MM				
		REF 564588/2				XXxxXXxxXXxxXXxxXXxx

aip01083 05JUL16 00:12:36  
FURTHER DETAILS OF U/S: THE HANDHOLD WAS FOUND TO BE CRACKED, TEMP  
REPAIR CARRIED OUT TO PREVENT ANY FURTHER DAMAGE  
DELAY REASON: MAINTENANCE EFFICIENCY, THE HANDHOLD IS SECONDARY  
STRUCTURE AND THIS TEMP REPAIR HAS NO EFFECT ON THE OVERALL  
STRUCTURAL INTEGRITY.  
CONSEQUENCE: MINOR  
LIKELIHOOD: RARE  
TECHNICAL RISK: LOW  
(Continued on next page.)

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03525  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES -----  
SERV NUMBER STATUS STATUS DATE/TIME TOTAL LIFE INT TYPE CERTIFICATION TRADESMAN  
RAISED DATE/TIME RAISED USER ID RAISED NAME RAISED VENUE CAPABILITY CODE EPSS DATE/TIME  
ENTERED DATE/TIME ENTERED USER ID ENTERED NAME ENTERED VENUE IMIC NO SUPERVISOR  
OPERATION NO ASOR NO SYMPTOMS  
EE500PG EE500LN  
STA WL BL ADMIN MAINT ACTION/LIMITATIONS  
=====

(Continued from previous page.)  
RISK TREATMENT NIL  
LIMITATIONS NIL OPERATIONAL ENDORSEMENT N/A  
PERIOD OF DEFERMENT R2

Maint Acts: HAND HOLD REPLACED REF AIP MCS 1036/16-17-2

A1PXXU1607858 COMPLETED 07JUL16 23:25 8688.3 AFHR MM XXxxXXxxXXxxXXxxXXxx  
07JUL16 09:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP Y  
07JUL16 09:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
S40 due on Serial A23-033 07JUL16 23:25  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 CARRIED OUT VIA EPSS. REF EE 500 SN 564595/2

A1PXXU1608281 COMPLETED 11JUL16 22:59 8694.0 AFHR SST XXxxXXxxXXxxXXxxXXxx  
11JUL16 09:43 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 11JUL16 22:59  
11JUL16 09:43 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
FT due on Serial DU12840  
BCN UNDERWATER LOC at WAC 0740 XXxxXXxxXXxxXXxxXXxx

Maint Acts: FT C/O SERV REF 564599-2

A1PXXU1608185 COMPLETED 14JUL16 23:23 8706.1 AFHR MM XXxxXXxxXXxxXXxxXXxx  
14JUL16 11:24 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP Y  
14JUL16 11:24 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
S40 due on Serial A23-033 14JUL16 23:23  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O VIA EPSS REF P/W 565908/1

A1PXXU1608619 COMPLETED 18JUL16 03:53 8711.9 AFHR SST XXxxXXxxXXxxXXxxXXxx  
18JUL16 03:47 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 18JUL16 03:53  
18JUL16 03:50 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
TRANSPONDER SWITCHING TO STANDBY 6 TIMES DURING 1 HOUR SORTIE  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV TRANSPONDER FITTED REF 556913-1

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03526  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1608619

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	5091	A23T	A1ULQ	00	5251	A23T	A1ULQ	00
066-1071-00	18JUL16 03:50	A1PXXJ1615380	066-1071-00	18JUL16 03:51				

A1PXXU1608628 COMPLETED 18JUL16 09:55 8713.6 AFHR SCT  
18JUL16 08:23 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 18JUL16 09:55  
18JUL16 08:23 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
MS1 due on Serial 0608-13264  
FATIG METER AMETEK at WAC 0730 XXxxXXxxXXxxXXxxXXxx

Maint Acts: MS1 SERVICING CARRIED OUT IAW AAP 7212.007-2. REF EE500 556914-2

A1PXXU1608694 COMPLETED 19JUL16 10:41 8718.3 AFHR SST  
19JUL16 09:48 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 19JUL16 10:41  
19JUL16 09:48 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
MS2 due on Serial 164  
RUDDER\_TRIM TABS at WAC 1410 XXxxXXxxXXxxXXxxXXxx

Maint Acts: MS2 CARRIED OUT REF 556917-2

A1PXXU1608734 COMPLETED 20JUL16 11:25 8722.6 AFHR SCT  
20JUL16 09:44 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 20JUL16 11:25  
20JUL16 09:44 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
BS due on Serial 0645  
BATTERY NICAD at WAC 0660 XXxxXXxxXXxxXXxxXXxx

Maint Acts: BATT NICAD REPLACED IAW AAP 7212.007-2. REF EE500 556920-2

REMOVALS/INSTALLATIONS FOR A1PXXU1608734

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	0645	A23T	A1UOA	00	0666	A23T	A1UOA	00
33490409201	20JUL16 11:23	A1PXXJ1609394	33490409201	20JUL16 11:24				

A1PXXU1608551 COMPLETED 22JUL16 00:02 8727.1 AFHR MM  
21JUL16 10:43 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP Y  
21JUL16 10:43 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03527  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: S40 C/O IAW TASPO MRD WEBSITE VIA EPSS  
 REF EE500: 556923/2

A1PXXU1608858	COMPLETED	28JUL16 23:28	8742.0	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
28JUL16 11:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			Y
28JUL16 11:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				28JUL16 23:28
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O VIA EPSS REF EE 500 556933/2

A1PXXU1605007	COMPLETED	29JUL16 02:34	8742.0	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
29JUL16 01:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			29JUL16 02:34
29JUL16 01:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S20 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S20 C/O IAW TASPO MRD WEBSITE  
 REF EE500: 556933/3

A1PXXU1609358	COMPLETED	01AUG16 04:54	8742.0	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
01AUG16 03:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			01AUG16 04:54
01AUG16 03:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MS1 due on Serial 0608-13264				
		FATIG METER AMETEK at WAC 0730				XXxxXXxxXXxxXXxxXXxx

Maint Acts: MS1 SERV C/O IAW AAP7212.007-2. REF 556933/5-1#1.

A1PXXU1609302	COMPLETED	04AUG16 23:22	8746.2	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
04AUG16 10:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			Y
04AUG16 10:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				04AUG16 23:22
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 CARRIED OUT VIA EPSS. REF EE508 SN: 556936/2-1-4

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03528  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1609525	COMPLETED	04AUG16 11:46	8746.2	AFHR	SST	XXXXXXXXXX
04AUG16 11:40	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			04AUG16 11:46
04AUG16 11:41	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX
		RH TYRE AND BRAKE ASSY WTL				XXXXXXXXXX

Maint Acts: RH MLG HUB ASSY AND RH BRAKE UNIT REPLACED IAW AAP 7212.007-2  
REF EE508: 556936/2-1-1 FOR BRAKE AND LINE 2 FOR HUB ASSY

REMOVALS/INSTALLATIONS FOR A1PXXU1609525

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0155 3-1555	A23T	A2KEI 04AUG16 11:41	02 A1PXXJ1616543	0393 3-1555	A23T	A2KEI 04AUG16 11:44	01
002	0495P 2-1524-1	A23T	A2KEE 04AUG16 11:42	00 A1PXXJ1616544	0257 2-1524-1	A23T	A2KEE 04AUG16 11:43	00

A1PXXU1609526	COMPLETED	05AUG16 03:06	8746.2	AFHR	SST	XXXXXXXXXX
04AUG16 11:46	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			05AUG16 03:06
04AUG16 11:49	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX
		AIRCRAFT REQUIRES AIRTEST FOR BRAKE OPS IAW AAP 7212.007-6-15 AND AIRFLITE PROCEDURE 7.48				XXXXXXXXXX

Maint Acts: AIRTEST CARRIED OUT SERV REF 556937-1

A1PXXU1512227	COMPLETED	16AUG16 04:09	8750.3	AFHR	SST	XXXXXXXXXX
09AUG16 02:18	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			16AUG16 04:09
09AUG16 02:18	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX
		R1 due on Serial A23-033 PC-9 at WAC 0000				XXXXXXXXXX

Maint Acts: R1 C/O IAW MRD REF AIP MCS 1012/16 AND AIP MCS 1011/16

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03529  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1512227

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				

001	PC1600388 3059788-01	A23T	A1SAK48 10AUG16 06:01	01 A1PXXJ1616803	PC1600913 3059788-01	A23T	A1SAK48 10AUG16 06:06	01
-----	-------------------------	------	--------------------------	---------------------	-------------------------	------	--------------------------	----

002	PC1401495 3059258-01	A23T	A1SAK34 11AUG16 09:16	00 A1PXXJ1616923	PC1600917 3059257-01	A23T	A1SAK34 11AUG16 09:17	00
-----	-------------------------	------	--------------------------	---------------------	-------------------------	------	--------------------------	----

A1PXXU1604173	COMPLETED	11AUG16 23:51	8750.3	AFHR	SCM	XXXXXXXXXXXXXXXXXXXX
09AUG16 02:18	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
09AUG16 02:18	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S63	due on Serial A23-033			11AUG16 23:51
		PC-9	at WAC 0000			XXXXXXXXXXXXXXXXXXXX

Maint Acts: S63 SERVICING CARRIED OUT IAW AAP 7212.007-6-4. (REFER AIP MCS 1012/16-WC#2 FOR OIL FILTER R & I) OIL PATCH SCREENING CARRIED OUT AND ASSESSED SERV IAW LED 06/15.

A1PXXU1609309	COMPLETED	15AUG16 12:39	8750.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
09AUG16 02:18	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			15AUG16 12:39
09AUG16 02:18	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S20	due on Serial A23-033			
		PC-9	at WAC 0000			XXXXXXXXXXXXXXXXXXXX

Maint Acts: S20 SERV C.O IAW AAP 7212-007-6-4. REFER AIP MCS 1011/16-4#3

A1PXXU1609677	COMPLETED	12AUG16 06:13	8750.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
09AUG16 02:18	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			12AUG16 06:13
09AUG16 02:18	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		STI-PC9-0620	due on Serial 4977			
		STARTER GENERATOR	at WAC 0130			XXXXXXXXXXXXXXXXXXXX
		OH	due on Serial 4977			
		STARTER GENERATOR	at WAC 0130			

Maint Acts: STI-PC9-0620 C/O. O/H CANCELLED, TO BE C/O DUE DATE. STARTER GEN REFITTED IAW AAP 7212.007-2 REF: AIPMCS 1011/16SHT7 #4

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03530  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1609677

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	4977	A23T	A1SAI14	00	4977	A23T	A1SAI14	00
	23081-026		10AUG16 13:42	N0NC2J1402020	23081-026		12AUG16 06:10	

A1PXXU1602916 COMPLETED 10AUG16 23:05 8750.3 AFHR SST  
09AUG16 02:21 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 10AUG16 23:05  
09AUG16 02:21 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S76 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: NDT CARRIED OUT IAW AAP 7212.007-36 SECT 4 CHAP 24. NIL CRACKS EVIDENT. REFER TO NDT REPORT AIP/NDT/A23-033/064.

A1PXXU1609678 COMPLETED 11AUG16 13:56 8750.3 AFHR SST  
09AUG16 02:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 11AUG16 13:56  
09AUG16 02:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
BS due on Serial 0689  
PUMP FUEL HIGH PRES at WAC 0130 XXxxXXxxXXxxXXxxXXxx

Maint Acts: HPFP BAY SERVICE C/O. NIL DEFECTS EVIDENT IAW AAP 7113.022-2. REFER: AIP MCS 1011/16-7#3 & AIP MCS 1011/16-11#3 FOR FITMENT.

REMOVALS/INSTALLATIONS FOR A1PXXU1609678

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0689	A23T	A1SAI10	00	0689	A23T	A1SAI10	00
	025323-500B		10AUG16 13:49	A1PXXJ1616811	025323-500B		11AUG16 13:54	

A1PXXU1609679 COMPLETED 10AUG16 22:59 8750.3 AFHR SST  
09AUG16 03:01 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 10AUG16 22:59  
09AUG16 03:01 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
STI-PC9-0622 due on Serial P/F017  
VERTICAL STAB ASSY at WAC 1400 XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-0622 CARRIED OUT. NIL BSUHES DETECTED. REFER TO NDT REPORT AIP/NDT/A23-033/065.

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03531  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1609680	COMPLETED	11AUG16 06:25	8750.3	AFHR	SST	XXXXXXXXXX
09AUG16 03:04	XXXXXXXX	XXXXXXXXXX	AIP			11AUG16 06:25
09AUG16 03:04	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
		NDT due on Serial A23033				
		NLG FOLDING STRUT at WAC 0500				XXXXXXXXXX

Maint Acts: NOSE FOLDING STRUT REPLACED  
 REF: AIP MCS 1011/16-7-2

REMOVALS/INSTALLATIONS FOR A1PXXU1609680

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	A23033	A23T	A1K	83	PC1600769	A23T	A1K	10
	532.20.09.075 13MM		10AUG16 04:51	A1PXXJ1611616	532.20.09.161		11AUG16 06:17	

A1PXXU1609681	COMPLETED	11AUG16 00:52	8750.3	AFHR	SST	XXXXXXXXXX
09AUG16 03:06	XXXXXXXX	XXXXXXXXXX	AIP			11AUG16 00:52
09AUG16 03:07	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
		OH due on Serial 912101				
		REG OXYGEN DEMAND at WAC 0740				XXXXXXXXXX

Maint Acts: REAR OXY DEM REG REPLACED IAW AAP7212.007-2 REF AIPMCS 1011/16-7-5

REMOVALS/INSTALLATIONS FOR A1PXXU1609681

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	912101	A23T	A1UIS	00	901054	A23T	A1UIS	00
	3260042-0201		11AUG16 00:49	N0NC2J1103521	3260042-0201		11AUG16 00:50	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1609683	COMPLETED	10AUG16 23:50	8750.3	AFHR	SCT	XXXXXXXXXXXXXXXXXXXX
09AUG16 03:14	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			10AUG16 23:50
09AUG16 03:14	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		TA due on Serial AC1100187				
		BATTERY ULB at WAC 0740				XXXXXXXXXXXXXXXXXXXX

Maint Acts: ULB REPLACED IAW AAP7212.007-2 REF AIPMCS 1011/16-8-1

REMOVALS/INSTALLATIONS FOR A1PXXU1609683

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	DU12840	A23T	A1UPM00	00	DN6188	A23T	A1UPM00	00
	DK120		10AUG16 23:36	A1PXXJ1616832	DK120		10AUG16 23:47	

A1PXXU1609684	COMPLETED	10AUG16 05:50	8750.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
09AUG16 03:16	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			10AUG16 05:50
09AUG16 03:16	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BS due on Serial 1647297				
		SET EMERG OXYGEN at WAC 0730				XXXXXXXXXXXXXXXXXXXX

Maint Acts: SEO REPLACED REF AIPMCS1011/16-8-2

REMOVALS/INSTALLATIONS FOR A1PXXU1609684

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1647297	A23T	A1WBE	00	1664285	A23T	A1WBE	00
	MBEU100618		10AUG16 05:29	A1PXXJ1506471	MBEU100618		10AUG16 05:30	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES -----  
 SERV NUMBER STATUS STATUS DATE/TIME TOTAL LIFE INT TYPE CERTIFICATION TRADESMAN  
 RAISED DATE/TIME RAISED USER ID RAISED NAME RAISED VENUE CAPABILITY CODE EPSS DATE/TIME  
 ENTERED DATE/TIME ENTERED USER ID ENTERED NAME ENTERED VENUE IMIC NO SUPERVISOR  
 OPERATION NO ASOR NO SYMPTOMS DATE/TIME  
 EE500PG EE500LN INSPECTOR  
 STA WL BL ADMIN MAINT ACTION/LIMITATIONS DATE/TIME  
 =====

A1PXXU1609713 COMPLETED 12AUG16 03:15 8750.3 AFHR SST XXxxXXxxXXxxXXxxXXxx  
 09AUG16 05:30 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 12AUG16 03:15  
 09AUG16 05:30 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 OH due on Serial 00240 12AUG16 03:15  
 FILTER ASSY FUEL at WAC 0610 XXxxXXxxXXxxXXxxXXxx  
 12AUG16 03:15

Maint Acts: SERVICEABLE FUEL FILTER ASSY FITTED IAW 7212.007-2  
 REF: AIPMCS 1011/16 7/6

REMOVALS/INSTALLATIONS FOR A1PXXU1609713

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	00240	A23T	A1UJK	00	0656	A23T	A1UJK	00
	968.35.21.161		10AUG16 05:19	ALPXXJ1616793	03W061738		15AUG16 05:13	

A1PXXU1609714 COMPLETED 12AUG16 06:46 8750.3 AFHR SST XXxxXXxxXXxxXXxxXXxx  
 09AUG16 05:30 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 12AUG16 06:46  
 09AUG16 05:30 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 OH due on Serial 195  
 BLOWER ASSY at WAC 0130 XXxxXXxxXXxxXXxxXXxx

Maint Acts: OH TBCO WHEN DUE. BLOWER ASSY EFITTED IAW AAP 7212.007-2 REF: AIPMCS  
 1011/16 SHT 7#1

REMOVALS/INSTALLATIONS FOR A1PXXU1609714

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	195	A23T	A0E	00	195	A23T	A0E	00
	M5922H-9A1/HED608279		10AUG16 13:37	NONC2J1300309	M5922H-9A1/HED608279		12AUG16 06:44	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1411995	COMPLETED	11AUG16 05:04	8750.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
09AUG16 05:33	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			11AUG16 05:04
09AUG16 05:33	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		7212.007-269	due on Serial A23-033			
		PC-9	at WAC 0000			XXXXXXXXXXXXXXXXXXXX

Maint Acts: 7212.007-269 INC... ELU REPLACED REF AIPMCS1011/16-6-4

REMOVALS/INSTALLATIONS FOR A1PXXU1411995

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	C71168	A23T	A1SAG	01	20084790	A23T	A1SAG	20
	3244890-2		11AUG16 02:27	A1PXXJ1616850	3076016-08		11AUG16 05:01	

A1PXXU1609715	COMPLETED	10AUG16 04:49	8750.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
09AUG16 05:33	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			10AUG16 04:49
09AUG16 05:33	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		NDT	due on Serial 033			
		AFT FUS ELEC ACCESS	at WAC 0670			XXXXXXXXXXXXXXXXXXXX

Maint Acts: DETAILED VISUAL INSPECTION C/O. NIL DAMAGE EVIDENT ( CURRENT CONFIG IAW 7212.007-3 CH 53-30-00 REPAIR NO3 ) REF P/W AIP MCS 1011/16-8-6

A1PXXU1609716	COMPLETED	10AUG16 23:01	8750.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
09AUG16 05:34	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			10AUG16 23:01
09AUG16 05:34	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		NDT	due on Serial 033			
		AFT FUS PORT SKIN	at WAC 0600			XXXXXXXXXXXXXXXXXXXX

Maint Acts: NDT CARRIED OUT IAW AAP 7212.007-3 SUPP 102. NIL CRACKS EVIDENT. REFER TO NDT REPORT AIP/NDT/A23-033/066.



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03535  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1609717	COMPLETED	10AUG16 23:02	8750.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
09AUG16 05:34	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			10AUG16 23:02
09AUG16 05:34	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		NDT due on Serial 033				
		FUS FRAME 4A at WAC 0600				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	NDT CARRIED OUT IAW AAP 7212.007-3 SUPP 98. NIL CRACKS EVIDENT. REFER TO NDT REPORT AIP/NDT/A23-033/067.				
A1PXXU1609718	COMPLETED	10AUG16 23:03	8750.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
09AUG16 05:34	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			10AUG16 23:03
09AUG16 05:34	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		NDT due on Serial 033				
		FUS FRAME 7 at WAC 0600				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	NDT CARRIED OUT IAW AAP 7212.007-3 SUPP 97. NIL CRACKS EVIDENT. REFER TO NDT REPORT AIP/NDT/A23-033/068.				
A1PXXU1609554	COMPLETED	16AUG16 23:32	8750.3	AFHR	MM	XXXXXXXXXXXXXXXXXXXX
09AUG16 05:35	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP		Y	
09AUG16 05:35	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S40 due on Serial A23-033				16AUG16 23:32
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	S40 C/O VIA EPSS REF P/W 556939-2-1-4				
A1PXXU1609719	COMPLETED	16AUG16 04:52	8750.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
09AUG16 05:36	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			16AUG16 04:52
09AUG16 05:37	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		AIRCRAFT REQUIRES MANDATORY AMD VALIDATION & CAMM2 CHECKS TBCO IAW: AIRFLITE PROC 7.4.2 & SMI 11/2014 PRIOR TO FLIGHT				
	Maint Acts:	AIRCRAFT AMD VALIDATION AND CAMM2 CHECKS C/O IAW AIRFLITE PROCEDURE 7.4.2 AND SMI 11/2014				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1609720	COMPLETED	16AUG16 05:01	8750.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
09AUG16 05:44	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			16AUG16 05:01
09AUG16 05:44	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		ENG COWL 1 & 2 REMOVED FOR QA ACCESS				XXXXXXXXXXXXXXXXXXXX

Maint Acts: ENG COWL 1+2 REFITTED IAW AAP7212.007-2 REF 556939/2-1-5

REMOVALS/INSTALLATIONS FOR A1PXXU1609720

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	HLY300804	A23T	A06	00	HLY300804	A23T	A06	00
	571.10.09.044		09AUG16 05:45	A1PXXJ1616728	571.10.09.044		16AUG16 04:59	

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1609755	COMPLETED	11AUG16 04:55	8750.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
10AUG16 02:11	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			11AUG16 04:55
10AUG16 02:12	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		RUDDER ASSY R.F.A (FOR S76)				XXXXXXXXXXXXXXXXXXXX

Maint Acts: RUDDER ASSY REFITTED POST MAINTENANCE REF P/W AIP MCS 1011/16-9-5

REMOVALS/INSTALLATIONS FOR A1PXXU1609755

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	164	A23T	A2GAM	30	164	A23T	A2GAM	30
	555.40.09.006		10AUG16 02:23	A1PXXJ1616774	555.40.09.006		11AUG16 04:44	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1609757	COMPLETED	11AUG16 05:04	8750.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
10AUG16 02:25	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			11AUG16 05:04
10AUG16 02:25	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		ELEVATOR ASSY R.F.A (S76)				XXXXXXXXXXXXXXXXXXXX

Maint Acts: ELEVATOR ASSY REFITTED POST MAINTENANCE REF P/W AIP MCS 1011/16-9-6

REMOVALS/INSTALLATIONS FOR A1PXXU1609757

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	042	A23T	A2IBC	00	042	A23T	A2IBC	00
	555.20.09.257		10AUG16 02:26	A1PXXJ1616775	555.20.09.257		11AUG16 05:03	

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1609759	COMPLETED	11AUG16 05:00	8750.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
10AUG16 02:30	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			11AUG16 05:00
10AUG16 02:34	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		LH AND RH H STAB O/B HINGE BRACKETS R.F.A				XXXXXXXXXXXXXXXXXXXX

Maint Acts: LH AND RH H STAB O/B HINGE BRACKETS REFITTED POST MAINTENANCE REF P/W AIP MCS 1011/16-10-1

REMOVALS/INSTALLATIONS FOR A1PXXU1609759

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	542LH	A23T	A2IAU	00	542LH	A23T	A2IAU	00
	555.10.09.185		10AUG16 02:35	A1PXXJ1616776	555.10.09.185		11AUG16 04:59	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03538  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
002	542RH 555.10.09.185	A23T	A2IAV 10AUG16 02:36	00 A1PXXJ1616777	542RH 555.10.09.185	A23T	A2IAV 11AUG16 04:58	00

A1PXXU1609767 COMPLETED 15AUG16 09:51 8750.3 AFHR SST  
 10AUG16 05:02 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 15AUG16 09:51  
 10AUG16 05:03 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 BATT NICAD RFA (NDI ACESS)  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: BATT NICAD REPLACED IAW AAP 7212.007-2. REF AIP MCS 1011/16 SHEET 10  
 LINE 5

REMOVALS/INSTALLATIONS FOR A1PXXU1609767

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0666 33490409201	A23T	A1UOA 10AUG16 05:03	00 A1PXXJ1616789	0666 33490409201	A23T	A1UOA 15AUG16 09:48	00

A1PXXU1609991 COMPLETED 19AUG16 06:07 8750.3 AFHR SST  
 15AUG16 07:09 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 19AUG16 06:07  
 15AUG16 07:12 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 AIRCRAFT REQUIRES MTF FOR HPFP R+I, FCU R+I, ELU CX, HANDLING CX'S,  
 S62 AND NLG RIGGING IAW AAP 7212.007-6-15 AND AIRFLITE PROC 7.48.  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: MTF C/O REF 556942-2

A1PXXU1610063 COMPLETED 16AUG16 02:22 8750.3 AFHR MM  
 16AUG16 02:15 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 16AUG16 02:15 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 STI-PC9-0625 due on Serial 047  
 SEAT EJECTION FRONT at WAC 0730  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: REF EE508 556933-5-2#1 NIL FAULT

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03539  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1610064	COMPLETED	16AUG16 02:23	8750.3	AFHR	MM	XXXXXXXXXXXXXXXXXXXX
16AUG16 02:15	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			
16AUG16 02:15	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		STI-PC9-0625 due on Serial 048				16AUG16 02:23
		SEAT EJECTION REAR at WAC 0740				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	REF EE508 556933-5-2#1 NIL FAULT				
A1PXXU1610240	COMPLETED	17AUG16 09:56	8750.3	AFHR	SCT	XXXXXXXXXXXXXXXXXXXX
17AUG16 09:28	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			17AUG16 09:56
17AUG16 09:28	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		MS1 due on Serial 0608-13264				
		FATIG METER AMETEK at WAC 0730				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	MS1 SERVICING CARRIED OUT IAW AAP 7212.007-2. REF EE508 556939-2-2 #5				
A1PXXU1610345	COMPLETED	19AUG16 01:41	8750.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
19AUG16 01:38	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			19AUG16 01:41
19AUG16 01:38	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		STI-PC9-0629 due on Serial 047				
		SEAT EJECTION FRONT at WAC 0730				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	STI-PC9-0629 C/O IAW STI INSTRUCTIONS NIL DEFECTS FOUND REF 556939/2-2#6				
A1PXXU1610346	COMPLETED	19AUG16 01:43	8750.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
19AUG16 01:41	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			19AUG16 01:43
19AUG16 01:41	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		STI-PC9-0629 due on Serial 048				
		SEAT EJECTION REAR at WAC 0740				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	STI-PC9-0629 C/O IAW STI INSTRUCTIONS NIL DEFECTS FOUND REF 556939/2-2#6				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03540  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN	
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME	
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR	
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME	
EE500PG EE500LN						INSPECTOR	
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME	
A1PXXU1610193	COMPLETED	22AUG16 23:30	8753.2	AFHR	MM	XXXXXXXXXXXXXXXXXXXX	
22AUG16 08:57	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			Y	
22AUG16 08:57	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		S40 due on Serial A23-033				22AUG16 23:30	
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX	
	Maint Acts:	S40 CARRIED VIA EPSS. REF EE500 556943/2					
A1PXXU1610425	COMPLETED	29AUG16 23:34	8773.4	AFHR	MM	XXXXXXXXXXXXXXXXXXXX	
29AUG16 10:52	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			Y	
29AUG16 10:52	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		S40 due on Serial A23-033				29AUG16 23:34	
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX	
	Maint Acts:	S40 SERVICING C/O VIA EPSS. REF EE500 591609-2					
A1PXXU1610882	COMPLETED	31AUG16 10:53	8779.5	AFHR	SCM	XXXXXXXXXXXXXXXXXXXX	
31AUG16 10:39	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP				
31AUG16 10:39	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		MS1 due on Serial 0608-13264				31AUG16 10:53	
		FATIG METER AMETEK at WAC 0730				XXXXXXXXXXXXXXXXXXXX	
	Maint Acts:	MS1 SERVICING CARRIED OUT IAW AAP 7212.007-2. REF EE500 591614-2					
A1PXXU1611040	COMPLETED	02SEP16 05:25	8786.6	AFHR	SST	XXXXXXXXXXXXXXXXXXXX	
02SEP16 05:22	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			02SEP16 05:25	
02SEP16 05:22	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		BS due on Serial 1664349					
		SET EMERG OXYGEN at WAC 0740				XXXXXXXXXXXXXXXXXXXX	
	Maint Acts:	REAR SEO REPLACED IAW AAP7212.007-2 REF 591620-2					

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03541  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1611040

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	1664349	A23T	A26BE	00	1888226	A23T	A26BE	00
MBEU100618	02SEP16 05:23	A1EXXJ1305643	MBEU100618	02SEP16 05:23				

A1PXXU1611080 COMPLETED 05SEP16 13:02 8786.6 AFHR SST XXxxXXxxXXxxXXxxXXxx  
05SEP16 04:19 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 05SEP16 13:02  
05SEP16 04:20 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx

REAR COMM2 SCREEN TO DIM TO READ IN THE FULL SUN

591621 1

aip01083 05SEP16 04:20:57  
FURTHER DETAILS OF U/S: THE REAR COMM2 IS HARD TO READ, THIS FAULT HAS NO EFFECT ON THE OPERATION OF THE SYSTEM.  
DELAY REASON: MAINTENANCE EFFICIENCY, THE FAULT HAS NIL EFFECT ON THE OPERATION OF THE SYSTEM.  
CONSEQUENCE: MINOR,  
LIKELIHOOD: RARE  
TECHNICAL RISK: LOW THE FAULT DOES NOT EFFECT THE OVERALL INTREGRITY OF THE SYSTEM  
RISK TREATMENT: NIL  
LIMITATIONS: AIRCRAFT SOLO ONLY, OPERATIONAL ENDORSEMENT N/A  
PERIOD OF DEFERMENT: 10SEP16

Maint Acts: REAR COMM2 CONTROL UNIT REPLACED IAW AAP 7212.007-2. REF 591623/3-1 #1.

REMOVALS/INSTALLATIONS FOR A1PXXU1611080

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	2477	A23T	A1UHI	00	2485	A23T	A1UHI	00
071-1282-39	05SEP16 13:00	A1PXXJ1618701	071-1282-39	05SEP16 13:01				

A1PXXU1610705 COMPLETED 05SEP16 23:52 8790.6 AFHR MM XXxxXXxxXXxxXXxxXXxx  
05SEP16 10:58 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP Y  
05SEP16 10:58 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033  
PC-9 at WAC 0000

Maint Acts: S40 C/O VIA EPSS REF P/W 591623/2

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03542  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME

A1PXXU1611364	COMPLETED	12SEP16 03:58	8800.2	AFHR	SCT	XXxxXXxxXXxxXXxxXXxx
12SEP16 01:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			12SEP16 03:58
12SEP16 01:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
EE500PG EE500LN		OH due on Serial 4977				
STA WL BL ADMIN		STARTER GENERATOR at WAC 0130				XXxxXXxxXXxxXXxxXXxx

Maint Acts: STARTER GENERATOR REPLACED IAW AAP7212.007-2 REF 591630-2-1-1

REMOVALS/INSTALLATIONS FOR A1PXXU1611364

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	4977	A23T	A1SAI14	00	3959	A23T	A1SAI14	00
	23081-026		12SEP16 03:56	A1PXXJ1616990	23081-026		12SEP16 03:57	

A1PXXU1611104	COMPLETED	12SEP16 23:43	8801.5	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
12SEP16 09:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		Y	12SEP16 23:43
12SEP16 09:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				
		PC-9 at WAC 0000				

Maint Acts: S40 C/O VIA EPSS REF P/W 591631/2

A1PXXU1611531	COMPLETED	14SEP16 09:54	8809.9	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
14SEP16 09:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			14SEP16 09:54
14SEP16 09:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MS1 due on Serial 0608-13264				
		FATIG METER AMETEK at WAC 0730				XXxxXXxxXXxxXXxxXXxx

Maint Acts: MS1 SERV C/O IAW AAP 7212.007-2. REF 591638/2-1#1.

A1PXXU1611532	COMPLETED	14SEP16 11:17	8809.9	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
14SEP16 09:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			14SEP16 11:17
14SEP16 09:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial 702010				
		REG OXYGEN DEMAND at WAC 0730				XXxxXXxxXXxxXXxxXXxx



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03543  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES -----  
SERV NUMBER STATUS STATUS DATE/TIME TOTAL LIFE INT TYPE CERTIFICATION TRADESMAN  
RAISED DATE/TIME RAISED USER ID RAISED NAME RAISED VENUE CAPABILITY CODE EPSS DATE/TIME  
ENTERED DATE/TIME ENTERED USER ID ENTERED NAME ENTERED VENUE IMIC NO SUPERVISOR  
OPERATION NO ASOR NO SYMPTOMS  
EE500PG EE500LN  
STA WL BL ADMIN MAINT ACTION/LIMITATIONS  
=====

Maint Acts: FRONT OXY DEMAND REG REPLACED IAW AAP 7212.007-2. REF 591638/2-1 #2.

REMOVALS/INSTALLATIONS FOR ALPXXU1611532

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	702010	A23T	A1UES	00	702013	A23T	A1UES	00
	3260042-0201		14SEP16 11:15	ALPXXJ1514263	3260042-0201		14SEP16 11:16	

ALPXXU1611578 COMPLETED 15SEP16 09:59 8812.5 AFHR SST XXxxXXxxXXxxXXxxXXxx  
15SEP16 09:48 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 15SEP16 09:59  
15SEP16 09:49 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
LH BRAKE WORN TO LIMIT  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: LH BRAKE REPLACED IAW AAP 7212-007-2. REF EE508 SNOW 591640/2-1-1

REMOVALS/INSTALLATIONS FOR ALPXXU1611578

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0081	A23T	A2KDI	00	0699P	A23T	A2KDI	00
	2-1524-1		15SEP16 09:57	ALPXXJ1619368	2-1524-1		15SEP16 09:58	

ALPXXU1611579 COMPLETED 16SEP16 02:23 8812.5 AFHR SST XXxxXXxxXXxxXXxxXXxx  
15SEP16 09:59 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 16SEP16 02:23  
15SEP16 09:59 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
AIRCRAFT REQUIRES AIRTEST FOR BRAKE OPS  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST C/O SERV REF EE500: 591641/1

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1611406	COMPLETED	19SEP16 23:16	8822.4	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
19SEP16 08:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			Y
19SEP16 08:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				19SEP16 23:16
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 C/O VIA EPSS REF EE500: 591646/1				
A1PXXU1611694	COMPLETED	23SEP16 23:35	8836.4	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
23SEP16 23:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			Y
23SEP16 23:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				23SEP16 23:35
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 SERV C/O VIA EPSS.				
A1PXXU1611947	COMPLETED	28SEP16 09:04	8846.2	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
28SEP16 09:02	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			28SEP16 09:04
28SEP16 09:02	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MS1 due on Serial 0608-13264				
		FATIG METER AMETEK at WAC 0730				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	MS1 C/O IAW AAP 7212.007-2 REF EE500: 564366/2				
A1PXXU1611964	COMPLETED	29SEP16 02:20	8846.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
29SEP16 02:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			29SEP16 02:20
29SEP16 02:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		COMM 1- NO TRANSMISSION AND RECEPTION VERY WEAK/UNREADABLE				
		COMM 2- TRANSMISSION AND RECEPTION OCCASIONALLY				XXxxXXxxXXxxXXxxXXxx
		WEAK/UNREADABLE-UNRELIABLE				
	Maint Acts:	COMM 1 TX/RX AMR345-2 REPLACED IAW AAP 7212.007-2 REF EE500: 564367/1				
		COMM2 CONNECTORS CLEANED AND SYSTEM FUNCTIONALLY CHECKED SERV REF EE500: 564367/2				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03545  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1611964

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	181	A23T	A1UMC	00	0228	A23T	A1UMC	00
	631 367 297		29SEP16 02:15	A1PXXJ1620305	631 367 297		29SEP16 02:17	

A1PXXU1611857 COMPLETED 03OCT16 00:42 8852.2 AFHR MM XXxxXXxxXXxxXXxxXXxx  
30SEP16 07:09 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP Y  
30SEP16 07:09 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033 03OCT16 00:42  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O VIA EPSS REF P/W 564370/3

A1PXXU1612158 COMPLETED 05OCT16 03:11 8859.5 AFHR T+TS XXxxXXxxXXxxXXxxXXxx  
05OCT16 03:01 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 05OCT16 03:10  
05OCT16 03:05 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
CAMM2 DOWN ; DATE 24SEP16 REF EE500 NO 564358LINE ONE ; FRONT AND 05OCT16 03:11  
REAR ICS ISSUES ON MAIN ICS LEAD , EMERG LEAD FINE : REAR COCKPIT XXxxXXxxXXxxXXxxXXxx  
MIC TEL LEAD UNSERV AND REMOVED FOR REPAIR REF EE500 NO 564358 LINE  
THREE , TRANSFERED TO CFU #3 UNTIL 25 SEP 16 AUTH OPS MANAGER

Maint Acts: SERV MIC TEL LEAD FITTED IAW AAP 7212.007-2 REF EE500 S/NO 564359  
LINE ONE

A1PXXU1612289 COMPLETED 06OCT16 11:41 8864.6 AFHR SST XXxxXXxxXXxxXXxxXXxx  
06OCT16 11:37 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 06OCT16 11:41  
06OCT16 11:38 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
TRANSPONDER SWITCHES TO STBY UNDER G CONDITIONS

Maint Acts: TRANSPONDER KXP756 REPLACED IAW AAP 7212.007-2 REF: 56438031

REMOVALS/INSTALLATIONS FOR A1PXXU1612289

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	5251	A23T	A1ULQ	00	5353	A23T	A1ULQ	00
	066-1071-00		06OCT16 11:39	A1PXXJ1621056	066-1071-00		06OCT16 11:40	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03546  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1612038	COMPLETED	09OCT16 22:32	8867.3	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
07OCT16 07:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			Y
07OCT16 07:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				09OCT16 22:32
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/OUT VIA EPSS REF 564382-2

A1PXXU1604159	COMPLETED	07OCT16 07:22	8867.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
07OCT16 07:21	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			07OCT16 07:22
07OCT16 07:21	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S16 due on Serial A23-033				XXxxXXxxXXxxXXxxXXxx
		PC-9 at WAC 0000				

Maint Acts: S16 SERV C/O IAW AAP 7212.007-2. REF 564382#3.

A1PXXU1612360	COMPLETED	10OCT16 08:06	8869.5	AFHR	SCT	XXxxXXxxXXxxXXxxXXxx
10OCT16 07:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			10OCT16 08:06
10OCT16 07:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial 0666				XXxxXXxxXXxxXXxxXXxx
		BATTERY NICAD at WAC 0660				

Maint Acts: BATT NICAD REPLACED IAW AAP 7212.007-2. REF EE508 564384-1-1 31

REMOVALS/INSTALLATIONS FOR A1PXXU1612360

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0666	A23T	A1UOA	00	1473	A23T	A1UOA	00
	33490409201		10OCT16 07:36	A1PXXJ1615651	33490409201		10OCT16 08:02	

A1PXXU1612364	COMPLETED	11OCT16 02:06	8869.5	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
10OCT16 10:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			11OCT16 02:06
10OCT16 10:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRCRAFT REQUIRES AIRTEST FOR NG ADJUSTMENT AND CSU ADJUSTMENT				XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
=====						
	Maint Acts:	AIRTEST C/O SERV REF EE500: 564385/1				
A1PXXU1612548	COMPLETED	12OCT16 06:01	8873.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
12OCT16 05:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			12OCT16 06:01
12OCT16 05:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MS1 due on Serial 0608-13264				
		FATIG METER AMETEK at WAC 0730				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	MS1 SERV C/O IAW AAP 7212.007-2. REF 564387#2.				
A1PXXU1612320	COMPLETED	16OCT16 23:58	8879.6	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
14OCT16 07:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		Y	
14OCT16 07:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				16OCT16 23:58
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 C/O IAW EPSS. REFER, EE500: 564392/2				
A1PXXU1612667	COMPLETED	23OCT16 23:20	8894.0	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
21OCT16 02:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		Y	
21OCT16 02:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				23OCT16 23:20
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 CARRIED VIA EPSS REF EE 500 SN 576903/2				
A1PXXU1613087	COMPLETED	24OCT16 22:25	8897.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
24OCT16 21:55	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			24OCT16 22:25
24OCT16 21:55	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		NDT1 due on Serial 027LH				
		LWNG NSE SKN TO FUS at WAC 0900				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	NDT 1 CARRIED OUT REF 576906-5-1-1				
A1PXXU1613088	COMPLETED	24OCT16 22:26	8897.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
24OCT16 21:55	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			24OCT16 22:26
24OCT16 21:55	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		NDT1 due on Serial 027RH				
		RWNG NSE SKN TO FUS at WAC 1000				XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03548  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: NDT 1CARRIED OUT REF 57906-5-1-1

A1PXXU1613180	COMPLETED	26OCT16 10:38	8905.0	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
26OCT16 10:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			26OCT16 10:38
26OCT16 10:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		LH TYRE WTL				XXxxXXxxXXxxXXxxXXxx

Maint Acts: L/H MAIN WHEEL ASSEMBLY REPLACED IAW AAP 721.007-2  
REF: 576912/2

REMOVALS/INSTALLATIONS FOR A1PXXU1613180

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0361	A23T	A2KDM	01	0415	A23T	A2KDM	01
	3-1555		26OCT16 10:36	A1PXXJ1622471	3-1555		26OCT16 10:37	

A1PXXU1613186	COMPLETED	26OCT16 11:55	8905.0	AFHR	SCT	XXxxXXxxXXxxXXxxXXxx
26OCT16 11:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			26OCT16 11:55
26OCT16 11:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MS1 due on Serial 0608-13264				XXxxXXxxXXxxXXxxXXxx
		FATIG METER AMETEK at WAC 0730				

Maint Acts: MS1 SERV C/O IAW AAP7212.007-2 REF 576912-4

A1PXXU1613017	COMPLETED	30OCT16 23:36	8905.0	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
28OCT16 08:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
28OCT16 08:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				30OCT16 23:36
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O VIA EPSS  
REF: 5766913/4

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN	
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME	
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR	
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME	
EE500PG EE500LN						INSPECTOR	
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME	
A1PXXU1613330	COMPLETED	06NOV16 23:24	8906.2	AFHR	MM	XXxxXXxxXXxxXXxxXXxx	
04NOV16 06:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			Y	
04NOV16 06:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		S40 due on Serial A23-033				06NOV16 23:24	
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx	
	Maint Acts:	S40 C/O VIA EPSS REFER EE500: SN:576915/2					
A1PXXU1613901	COMPLETED	09NOV16 09:13	8908.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx	
09NOV16 09:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			09NOV16 09:13	
09NOV16 09:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		MS1 due on Serial 0608-13264				XXxxXXxxXXxxXXxxXXxx	
		FATIG METER AMETEK at WAC 0730					
	Maint Acts:	MS1 SERV C/O IAW AAP 7212.007-2. REF 576918 #2.					
A1PXXU1613683	COMPLETED	10NOV16 23:30	8908.7	AFHR	MM	XXxxXXxxXXxxXXxxXXxx	
10NOV16 08:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			Y	
10NOV16 08:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		S40 due on Serial A23-033				10NOV16 23:30	
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx	
	Maint Acts:	S40 C/O IWA EPSS REF: 576918/4					
A1PXXU1614232	COMPLETED	17NOV16 07:23	8910.1	AFHR	SST	XXxxXXxxXXxxXXxxXXxx	
17NOV16 07:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			17NOV16 07:23	
17NOV16 07:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		FRONT AND REAR STANDBY AI BOTH PRECESSING AT GREATER THAN 1 DEG/SEC					
		BEFORE START				XXxxXXxxXXxxXXxxXXxx	
	Maint Acts:	SERV F AND REAR AI FITTED REF 576922-1					

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03550  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR 1PXXU1614232

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	9240	A23T	A1UDM	00	9272	A23T	A1UDM	00
	501-1131-01		17NOV16 07:10	A1PXXJ1624211	501-1131-01		17NOV16 07:12	
002	10043	A23T	A1UHS	00	10068	A23T	A1UHS	00
	501-1131-01		17NOV16 07:16	A1PXXJ1624212	501-1131-01		17NOV16 07:18	

A1PXXU1614016 COMPLETED 17NOV16 23:21 8910.1 AFHR MM XXxxXXxxXXxxXXxxXXxx  
17NOV16 10:07 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP Y  
17NOV16 10:07 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033 17NOV16 23:21  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O IAW EPSS. REFER SNO: 576922/4.

A1PXXU1614553 COMPLETED 23NOV16 09:44 8912.0 AFHR SCT XXxxXXxxXXxxXXxxXXxx  
23NOV16 09:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 23NOV16 09:44  
23NOV16 09:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
MS1 due on Serial 0608-13264  
FATIG METER AMETEK at WAC 0730 XXxxXXxxXXxxXXxxXXxx

Maint Acts: MS1 SERV C/O IAW AAP7212.007-2 REF 576925-2

A1PXXU1614554 COMPLETED 23NOV16 09:51 8912.0 AFHR SCT XXxxXXxxXXxxXXxxXXxx  
23NOV16 09:46 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 23NOV16 09:51  
23NOV16 09:46 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
FT due on Serial 0401001  
CRASH POSN IND at WAC 0660 XXxxXXxxXXxxXXxxXXxx

Maint Acts: CPI REPLACED IAW AAP7212.007-2 REF 576925-3

REMOVALS/INSTALLATIONS FOR 1PXXU1614554

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0401001	A23T	A1UOY	00	0482001	A23T	A1UOY	00
	453-0406-503		23NOV16 09:49	NONC2J1600321	453-0406-503		23NOV16 09:49	



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN	
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME	
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR	
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME	
EE500PG EE500LN						INSPECTOR	
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME	
A1PXXU1614270	COMPLETED	24NOV16 23:25	8912.0	AFHR	MM	XXXXXXXXXXXXXXXXXXXX	
24NOV16 11:13	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			Y	
24NOV16 11:13	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		S40 due on Serial A23-033				24NOV16 23:25	
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX	
	Maint Acts:	S40 C/O VIA EPSS. REFER EE500: 576925/5.					
A1PXXU1609996	COMPLETED	07JUN17 23:19	8914.8	AFHR	SST	XXXXXXXXXXXXXXXXXXXX	
09JAN17 02:15	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			07JUN17 23:19	
09JAN17 02:15	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		S20 due on Serial A23-033					
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX	
	Maint Acts:	S2 CO REF AIP MCS 1036/16-9-3					
A1PXXU1615597	COMPLETED	09JAN17 02:21	8914.8	AFHR	SST	XXXXXXXXXXXXXXXXXXXX	
09JAN17 02:15	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			09JAN17 02:21	
09JAN17 02:15	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		STI-PC9-0638 due on Serial A23-033					
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX	
	Maint Acts:	STI-PC9-0638 INCORPORATED IAW INSTRUCTIONS REF AIP MCS 1036/16-17-5					
A1PXXU1701089	COMPLETED	11MAY17 00:51	8914.8	AFHR	SST	XXXXXXXXXXXXXXXXXXXX	
30JAN17 01:16	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			11MAY17 00:51	
30JAN17 01:18	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		TRANSPONDER TXER REMOVED SERV TO A23-049					
						XXXXXXXXXXXXXXXXXXXX	
	Maint Acts:	SERV TRANSPONDER FITTED IAW 7212-007-2 REF LSN AIP MCS 1036/16-25-4					

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03552  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR 1PXXU1701089

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	5353	A23T	A1ULQ	00	4130	A23T	A1ULQ	00
	066-1071-00		30JAN17 01:18	1PXXJ1701533	066-1071-00		11MAY17 00:49	

1PXXU1701096 COMPLETED 07MAY17 23:53 8914.8 AFHR SST  
30JAN17 03:04 XXXXX  
30JAN17 03:05 XXXXX  
REAR RMI REMOVED SERV TO A23-024  
XXXXXX  
XXXXXX  
XXXXXX

Maint Acts: REAR COCKPIT RMI REPLACED IAW AAP 7212.007-2 REF AIP MCS  
1036/16-25#5

REMOVALS/INSTALLATIONS FOR 1PXXU1701096

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	5495	A23T	A1UIA	00	6072	A23T	A1UIA	00
	066-3060-01		30JAN17 03:05	1PXXJ1701546	066-3060-01		07MAY17 23:51	

1PXXU1701763 COMPLETED 05MAY17 03:40 8914.8 AFHR SST  
09FEB17 03:12 XXXXX  
09FEB17 03:13 XXXXX  
REAR COCKPIT LGCU RFA  
XXXXXX  
XXXXXX  
XXXXXX

Maint Acts: REAR COCKPIT LGCU REFITTED IAW AAP 7212.007-2 REF AIP MCS  
1036/16-18#3

REMOVALS/INSTALLATIONS FOR 1PXXU1701763

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	035	A23T	A1UGY	00	035	A23T	A1UGY	00
	532.30.09.217		09FEB17 03:14	1PXXJ1702526	532.30.09.217		05MAY17 03:36	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03553  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1704132	COMPLETED	25MAY17 06:31	8914.8	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
23MAR17 07:33	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			25MAY17 06:31
23MAR17 07:33	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BS due on Serial 1473				
		BATTERY NICAD at WAC 0660				XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV BATT NICAD FITTED IAW 7212-007-2 REF LSN AIP MCS 1036/16-25-6

REMOVALS/INSTALLATIONS FOR A1PXXU1704132

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1473	A23T	A1UOA	00	0644	A23T	A1UOA	00
	33490409201		23MAR17 07:34	A1PXXJ1612272	33490409201		25MAY17 06:27	

A1PXXU1603840	COMPLETED	08JUN17 06:14	8914.8	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
30MAR17 05:42	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			08JUN17 06:14
30MAR17 05:42	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S57 due on Serial A23-033				
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX

Maint Acts: S57 CO REF AIP MCS 1037/16

A1PXXU1606090	COMPLETED	09JUN17 01:50	8914.8	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
30MAR17 05:42	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			09JUN17 01:50
30MAR17 05:42	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		R2 due on Serial A23-033				
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX

Maint Acts: R2 CO REF AIP MCS 1037/16

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03554  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 REMOVALS/INSTALLATIONS FOR A1PXXU1606090  
 SEQ REMOVED SERIAL NO EIAC LCN ALC INSTALLED SERIAL NO EIAC LCN ALC  
 REMOVED PART NO DATE/TIME JOB NUMBER INSTALLED PART NO DATE/TIME  
 =====

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	703606 Q17-941.22.052AB	A23T	A1UGI 03APR17 22:13	00 A1PXXJ1706932	703606 Q17-941.22.052AB	A23T	A1UGI 31MAY17 23:02	00
002	164 555.40.09.006	A23T	A2GAM 03APR17 22:23	30 A1PXXJ1706933	164 555.40.09.006	A23T	A2GAM 11MAY17 03:55	30
003	042 555.20.09.257	A23T	A2IBC 03APR17 22:35	00 A1PXXJ1706934	042 555.20.09.257	A23T	A2IBC 11MAY17 04:36	00
004	PCY601190 527.20.09.120	A23T	A2GAO 04APR17 03:27	30 A1PXXJ1706996	PCY601190 527.20.09.120	A23T	A2GAO 11MAY17 04:39	30
005	R113299 527.20.09.120	A23T	A2GAQ 04APR17 03:29	30 A1PXXJ1706997	R113299 527.20.09.120	A23T	A2GAQ 11MAY17 04:37	30
006	542 555.10.09.130	A23T	A2I 04APR17 04:42	00 A1PXXJ1707000	542 555.10.09.130	A23T	A2I 11MAY17 04:34	00
007	HLY300804 571.10.09.044	A23T	A06 04APR17 05:44	00 A1PXXJ1707011	HLY300804 571.10.09.044	A23T	A06 07JUN17 23:08	00
008	A23033 571.10.09.054	A23T	A04 04APR17 05:46	00 A1PXXJ1707012	A23033 571.10.09.054	A23T	A04 07JUN17 23:07	00
009	A23033 571.10.09.027	A23T	A08 04APR17 05:49	00 A1PXXJ1707013	A23033 571.10.09.027	A23T	A08 30MAY17 00:09	00

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03555  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 ~S4080  
 PERIOD: 01JAN90 TO 08JAN20

SEQ	REMOVED SERIAL NO REMOVED PART NO	EIAC	LCN DATE/TIME	ALC JOB NUMBER	INSTALLED SERIAL NO INSTALLED PART NO	EIAC	LCN DATE/TIME	ALC
010	A23033 571.10.09.028	A23T	A0A 04APR17 05:50	00 A1PXXJ1707014	A23033 571.10.09.028	A23T	A0A 30MAY17 00:09	00
011	L523933 D5210	A23T	A00AI 03MAY17 05:50	00 A1PXXJ1708847	L523933 D5210	A23T	A00AI 07JUN17 23:07	00
012	0415 3-1555	A23T	A2KDM 03MAY17 06:18	01 A1PXXJ1708853	0415 3-1555	A23T	A2KDM 15MAY17 04:40	01
013	0393 3-1555	A23T	A2KEI 03MAY17 06:20	01 A1PXXJ1708855	0393 3-1555	A23T	A2KEI 15MAY17 04:38	01
014	0069 3-1451 OPT 1	A23T	A18AG 03MAY17 06:23	00 A1PXXJ1708856	0069 3-1451 OPT 1	A23T	A18AG 15MAY17 04:35	00
015	PC1600917 3059257-01	A23T	A1SAK34 05MAY17 00:40	00 A1PXXJ1709036	PC1600917 3059257-01	A23T	A1SAK34 05MAY17 00:41	00
016	R999900 32-2053	A23T	A1SAI10AC 05MAY17 03:21	00 A1PXXJ1709059	R999900 32-2053	A23T	A1SAI10AC 05MAY17 03:23	00
017	PC1600913 3059788-01	A23T	A1SAK48 07JUN17 22:52	01 A1PXXJ1711256	PC1701207 3059788-01	A23T	A1SAK48 07JUN17 22:53	01

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03556  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1609011	COMPLETED	08JUN17 05:02	8914.8	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
30MAR17 05:42	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			08JUN17 05:02
30MAR17 05:42	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		STI-PC9-0623 due on Serial A23-033				
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	STI-PC9-0623 CO REF AIP MCS 1036/16-15-5 NIL CRACKS				
A1PXXU1609913	COMPLETED	08JUN17 06:13	8914.8	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
30MAR17 05:42	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			08JUN17 06:13
30MAR17 05:42	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S63 due on Serial A23-033				
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	S63 CO REF AIP MCS 1037/16				
A1PXXU1610043	COMPLETED	08JUN17 05:03	8914.8	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
30MAR17 05:42	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			08JUN17 05:03
30MAR17 05:42	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		STI-PC9-0624 due on Serial A23-033				
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	STI-PC9-0624 CO REF AIP MCS 1036/16-16-1				
A1PXXU1704431	COMPLETED	08JUN17 04:54	8914.8	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
30MAR17 05:42	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			08JUN17 04:54
30MAR17 05:42	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		MS40 due on Serial PC1601229				
		SBI ENG TUBE FRAME at WAC 0100				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	MS40 CO REF AIP MCS 1037/16				
A1PXXU1704432	COMPLETED	11MAY17 01:13	8914.8	AFHR	SCM	XXXXXXXXXXXXXXXXXXXX
30MAR17 05:42	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
30MAR17 05:42	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BS due on Serial 3959				11MAY17 01:13
		STARTER GENERATOR at WAC 0130				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	STARTER GEN REFITTED POST B/S IAW 7212-007-2 REF LSN AIP MCS (Continued on next page.)				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 03557  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

(Continued from previous page.)  
 1036/17-11-3

REMOVALS/INSTALLATIONS FOR A1PXXU1704432

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	3959	A23T	A1SAI14	00	3959	A23T	A1SAI14	00
	23081-026		10MAY17 00:32	A1PXXJ1517227	23081-026		11MAY17 01:07	

A1PXXU1704433 COMPLETED 25MAY17 23:28 8914.8 AFHR SCT  
 30MAR17 05:42 XXXXX  
 30MAR17 05:42 XXXXX  
 MS31 due on Serial 533  
 HSTAB STRUT at WAC 0670  
 XXXXX

Maint Acts: MS31 CARRIED OUT IAW INSTRUCTIONS. REFER AIP MCS 403/17 AND NDT REPORT AIP/NDT/GENERAL/595

REMOVALS/INSTALLATIONS FOR A1PXXU1704433

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	533	A23T	A1UAB	70	533	A23T	A1UAB	70
	SBI-120		03APR17 22:41	A1PXXJ1706935	SBI-120		25MAY17 23:26	

A1PXXU1704434 COMPLETED 08JUN17 00:54 8914.8 AFHR SST  
 30MAR17 05:42 XXXXX  
 30MAR17 05:42 XXXXX  
 MS30 due on Serial 533  
 FRM 10&11 SHEAR PLT at WAC 0670  
 XXXXX

Maint Acts: MS 30 CO REF AIP MCS 1037/16

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03558  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1704435	COMPLETED	08JUN17 22:35	8914.8	AFHR	SST	XXXXXXXXXX
30MAR17 05:42	XXXXXXXX	XXXXXXXXXX	AIP			08JUN17 22:35
30MAR17 05:42	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
		STI-PC9-0626 due on Serial 533R				
		FRAME 11 FITTING RH at WAC 0670				XXXXXXXXXX

Maint Acts: FRAME 11 FITTING REPLACED REF AIP MCS 1036/16-13-2

REMOVALS/INSTALLATIONS FOR A1PXXU1704435

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	533R	A23T	A1UQS03	01	PC1701389	A23T	A1UQS03	02
	112.35.07.490		08JUN17 04:43	A1PXXJ1617163	553.10.09.870		08JUN17 22:32	

A1PXXU1704436	COMPLETED	08JUN17 00:58	8914.8	AFHR	SST	XXXXXXXXXX
30MAR17 05:42	XXXXXXXX	XXXXXXXXXX	AIP			08JUN17 00:58
30MAR17 05:42	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
		MS29 due on Serial 033				
		FRAME 11 HSTAB ATT at WAC 0600				XXXXXXXXXX

Maint Acts: MS29 CO REF AIP MCS 1037/16

A1PXXU1704437	COMPLETED	08JUN17 02:36	8914.8	AFHR	SST	XXXXXXXXXX
30MAR17 05:42	XXXXXXXX	XXXXXXXXXX	AIP			08JUN17 02:36
30MAR17 05:42	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
		MS21 due on Serial 033				
		SBI APT FUS TSKN at WAC 0670				XXXXXXXXXX

Maint Acts: MS21 CO REF AIP MCS 1037/16

A1PXXU1704438	COMPLETED	08JUN17 02:39	8914.8	AFHR	SST	XXXXXXXXXX
30MAR17 05:42	XXXXXXXX	XXXXXXXXXX	AIP			08JUN17 02:39
30MAR17 05:42	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
		NDT due on Serial 033				
		SBI FUS FRAME 8 at WAC 0670				XXXXXXXXXX



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03559  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME
=====						
	Maint Acts:	SBI-115 CO REF AIP MCS 1036/13-3				
A1PXXU1704439	COMPLETED	08JUN17 00:57	8914.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
30MAR17 05:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			08JUN17 00:57
30MAR17 05:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MS27 due on Serial 033Z				
		SBI FUS FRAME 9 at WAC 0670				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	MS27 CO REF AIP MCS 1037/16				
A1PXXU1704440	COMPLETED	08JUN17 02:41	8914.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
30MAR17 05:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			08JUN17 02:41
30MAR17 05:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MS28 due on Serial 033				
		SBI FUS FRAME 10 at WAC 0670				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	MS28 CO REF AIP MCS 1037/16				
A1PXXU1704441	COMPLETED	08JUN17 06:17	8914.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
30MAR17 05:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			08JUN17 06:17
30MAR17 05:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		NDT due on Serial 033A				
		FUS FRM2 WLE ATTCH at WAC 0800				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	NDT CO REF AIP MCS 1036/16-40-4				
A1PXXU1704442	COMPLETED	08JUN17 04:59	8914.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
30MAR17 05:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			08JUN17 04:59
30MAR17 05:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MS34 due on Serial 033				
		AFT FUS SIDE SKINS at WAC 0600				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	MS34 CO REF AIP MCS 1037/16				
A1PXXU1704443	COMPLETED	08JUN17 05:00	8914.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
30MAR17 05:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			08JUN17 05:00
30MAR17 05:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MS22 due on Serial 033				
		SBI FUS FRAME 4 at WAC 0600				XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03560  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME

EE500PG EE500LN  
STA WL BL ADMIN MAINT ACTION/LIMITATIONS  
=====

Maint Acts: MS22 CO REF AIP MCS 1037/16

A1PXXU1704444	COMPLETED	08JUN17 05:01	8914.8	AFHR	SST	XXXXXXXXXXXXXXXXXX
30MAR17 05:42	XXXXXXXX	XXXXXXXXXXXXXXXXXX	AIP			08JUN17 05:01
30MAR17 05:42	XXXXXXXX	XXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXX
		MS23 due on Serial 033				
		SBI FUS FRAME 4A at WAC 0600				XXXXXXXXXXXXXXXXXX

Maint Acts: MS23 CO REF AIP MCS 1037/16

A1PXXU1704445	COMPLETED	08JUN17 06:12	8914.8	AFHR	SST	XXXXXXXXXXXXXXXXXX
30MAR17 05:42	XXXXXXXX	XXXXXXXXXXXXXXXXXX	AIP			08JUN17 06:12
30MAR17 05:42	XXXXXXXX	XXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXX
		MS24 due on Serial 033				
		SBI FUS FRAME 6 at WAC 0600				XXXXXXXXXXXXXXXXXX

Maint Acts: MS24 CO REF AIP MCS 1037/16

A1PXXU1704446	COMPLETED	08JUN17 02:42	8914.8	AFHR	SST	XXXXXXXXXXXXXXXXXX
30MAR17 05:42	XXXXXXXX	XXXXXXXXXXXXXXXXXX	AIP			08JUN17 02:42
30MAR17 05:42	XXXXXXXX	XXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXX
		MS25 due on Serial 033				
		SBI FUS FRAME 7 at WAC 0600				XXXXXXXXXXXXXXXXXX

Maint Acts: MS25 CO REF AIP MCS 1037/16

A1PXXU1704447	COMPLETED	30MAR17 05:42	8914.8	AFHR	SST	XXXXXXXXXXXXXXXXXX
30MAR17 05:42	XXXXXXXX	XXXXXXXXXXXXXXXXXX	AIP			03APR17 22:25
30MAR17 05:42	XXXXXXXX	XXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXX
		MS38 due on Serial 164				
		RUDDER MSPAR & RIBS at WAC 1410				XXXXXXXXXXXXXXXXXX

Maint Acts: TRANSFERRED TO 164

A1PXXU1704448	COMPLETED	08JUN17 00:55	8914.8	AFHR	SST	XXXXXXXXXXXXXXXXXX
30MAR17 05:42	XXXXXXXX	XXXXXXXXXXXXXXXXXX	AIP			08JUN17 00:55
30MAR17 05:42	XXXXXXXX	XXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXX
		MS36 due on Serial P/F017				
		VSTAB MSPAR AND ADJ at WAC 1400				XXXXXXXXXXXXXXXXXX

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03561  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES -----

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: MS36 CO REF AIP MCS 1037/16

A1PXXU1704449	COMPLETED	08JUN17 00:56	8914.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
30MAR17 05:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			08JUN17 00:56
30MAR17 05:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MS37 due on Serial P/F017				
		SBI VSTAB INTERNAL at WAC 1400				XXxxXXxxXXxxXXxxXXxx

Maint Acts: MS37 CO REF AIP MCS 1037/16

A1PXXU1704450	COMPLETED	30MAR17 05:42	8914.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
30MAR17 05:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			03APR17 22:35
30MAR17 05:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MS39 due on Serial 042L				
		SBI ELEV INT STR at WAC 1300				XXxxXXxxXXxxXXxxXXxx

Maint Acts: TRANSFERRED TO 042

A1PXXU1704451	COMPLETED	30MAR17 05:42	8914.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
30MAR17 05:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			04APR17 04:43
30MAR17 05:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MS33 due on Serial 542LH				
		SBI HSTAB INT/EXT at WAC 1100				XXxxXXxxXXxxXXxxXXxx

Maint Acts: TRANSFERRED TO 542

A1PXXU1704452	COMPLETED	30MAR17 05:42	8914.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
30MAR17 05:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			04APR17 04:43
30MAR17 05:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MS32 due on Serial PC1601680				
		SBI HSTAB FSPAR at WAC 1100				XXxxXXxxXXxxXXxxXXxx

Maint Acts: TRANSFERRED TO 542

A1PXXU1704453	COMPLETED	30MAR17 05:42	8914.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
30MAR17 05:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			04APR17 05:06
30MAR17 05:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0628 due on Serial 509				
		AIL NOSE RIB 1 RH at WAC 1030				XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03562  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: TRANSFERRED TO 509

A1PXXU1704454	COMPLETED	12MAY17 02:52	8914.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
30MAR17 05:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			12MAY17 02:52
30MAR17 05:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-632A	due on Serial 538			
		STRUT SHOCK MLG LH	at WAC 0950			XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-632A CARRIED OUT. REF AIP MCS 1046/16 FOR CERTIFICATION  
DETAILS. REF AIP/NDT/GENERAL/627 FOR NDT REPORT

REMOVALS/INSTALLATIONS FOR A1PXXU1704454

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	538	A23T	A2KDG	00	538	A23T	A2KDG	00
	532.10.09.075		04MAY17 04:45	A1PXXJ1619807	532.10.09.075		12MAY17 02:52	

A1PXXU1704455	COMPLETED	12MAY17 02:51	8914.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
30MAR17 05:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			12MAY17 02:51
30MAR17 05:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-632A	due on Serial 505			
		STRUT SHOCK MLG RH	at WAC 1050			XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-632A CARRIED OUT. REF AIP MCS 1047/16 FOR CERTIFICATION  
DETAILS. REF AIP/NDT/GENERAL/628 FOR NDT REPORT

REMOVALS/INSTALLATIONS FOR A1PXXU1704455

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	505	A23T	A2KEC	00	505	A23T	A2KEC	00
	532.10.09.076		04MAY17 04:44	A1PXXJ1619878	532.10.09.076		12MAY17 02:50	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03563  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1704456	COMPLETED	09MAY17 05:04	8914.8	AFHR	SCT	XXxxXXxxXXxxXXxxXXxx
30MAR17 05:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			09MAY17 05:04
30MAR17 05:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		NDT1 due on Serial 027LH				
		LWNG NSE SKN TO FUS at WAC 0900				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	SBI-101B CARRIED OUT IAW INSTRUCTIONS IN AAP 7212.007-2 CHAP 57-10-06. NO CRACKS FOUND. REF AIP MCS 1036/16-15-1				
A1PXXU1704457	COMPLETED	09MAY17 05:05	8914.8	AFHR	SCT	XXxxXXxxXXxxXXxxXXxx
30MAR17 05:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			09MAY17 05:05
30MAR17 05:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		NDT1 due on Serial 027RH				
		RWNG NSE SKN TO FUS at WAC 1000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	SBI-101B CARRIED OUT IAW INSTRUCTIONS IN AAP 7212.007-2 CHAP 57-10-06. NO CRACKS FOUND. REF AIP MCS 1036/16-15-2				
A1PXXU1704458	COMPLETED	08JUN17 04:57	8914.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
30MAR17 05:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			08JUN17 04:57
30MAR17 05:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		NDT due on Serial 027LH				
		LWNG RSPAR LW FLNG at WAC 0900				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	NDT SBI-104 CO REF AIP MCS 1036/16-16-2				
A1PXXU1704459	COMPLETED	08JUN17 04:58	8914.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
30MAR17 05:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			08JUN17 04:58
30MAR17 05:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		NDT due on Serial 027RH				
		RWNG RSPAR LW FLNG at WAC 1000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	SBI-104 CO REF AIP MCS 1036/16-16-3				
A1PXXU1704460	COMPLETED	08JUN17 01:18	8914.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
30MAR17 05:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			08JUN17 01:18
30MAR17 05:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		NDT due on Serial 027LH				
		LWNG LWSKN DRAIN HL at WAC 0900				XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03564  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: NDT CO REF AIP MCS 1036/17-16-4

A1PXXU1704461	COMPLETED	08JUN17 01:19	8914.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
30MAR17 05:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			08JUN17 01:19
30MAR17 05:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		NDT due on Serial 027RH				
		RWNG LWSKN DRAIN HL at WAC 1000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: NDT CO REF AIP MCS 1036/17-16-5

A1PXXU1704462	COMPLETED	12MAY17 02:48	8914.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
30MAR17 05:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			12MAY17 02:48
30MAR17 05:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0631 due on Serial 027LH				
		STRUT FLDG UPPR LH at WAC 0950				XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-0631 C/O.  
REF: AIPMCS1044/16  
AIP/NDT/GENERAL/625  
AIP/PUBS1(PIRR)08/19  
TECHNICAL DRAWING 532.10.09.129 REVD

REMOVALS/INSTALLATIONS FOR A1PXXU1704462

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	027LH	A23T	A2KKF	00	027LH	A23T	A2KKF	00
	532.10.09.129		05MAY17 00:06	A1PXXJ1618724	532.10.09.129		12MAY17 02:45	

A1PXXU1704463	COMPLETED	12MAY17 02:55	8914.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
30MAR17 05:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			12MAY17 02:55
30MAR17 05:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0631 due on Serial 027RH				
		STRUT FLDG UPPR RH at WAC 1050				XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-0631 C/O  
(Continued on next page.)

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

(Continued from previous page.)  
REF: AIPMCS1045/16  
AIP/NDT/GENERAL/626  
AIP/PUBS1(PIRR)08/19  
TECHNICAL DRAWING 532.10.09.129 REVD

REMOVALS/INSTALLATIONS FOR A1PXXU1704463

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	027RH	A23T	A2KKG	00	027RH	A23T	A2KKG	00
	532.10.09.130		05MAY17 00:05	A1PXXJ1618725	532.10.09.130		12MAY17 02:54	

A1PXXU1704464	COMPLETED	08JUN17 01:01	8914.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
30MAR17 05:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			08JUN17 01:01
30MAR17 05:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		NDT	due on Serial 027LH			
		INBOARD WING BAY LH at WAC 0920				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	NDT CO REF AIP MCS 1036/17-16-6				
A1PXXU1704465	COMPLETED	08JUN17 01:02	8914.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
30MAR17 05:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			08JUN17 01:02
30MAR17 05:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		NDT	due on Serial 027RH			
		INBOARD WING BAY RH at WAC 1020				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	NDT CO REF AIP MCS 1036/17-17-1				
A1PXXU1614665	COMPLETED	12JUN17 01:15	8914.8	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
30MAR17 05:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
30MAR17 05:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40	due on Serial A23-033			12JUN17 01:15
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 CO VIA EPSS				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

ALPXXU1704474	COMPLETED	04MAY17 03:18	8914.8	AFHR	SST	XXXXXXXXXX
30MAR17 05:54	XXXXXXXX	XXXXXXXXXX	AIP			04MAY17 03:18
30MAR17 05:54	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
		BS due on Serial 1507448				
		TRANSDUCER OXY PRES at WAC 0640				XXXXXXXXXX

Maint Acts: TRANSDUCER OXY PRESSURE REPLACED IAW AAP 7212.007-2 REF AIP MCS 1036/16-12#2

REMOVALS/INSTALLATIONS FOR ALPXXU1704474

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1507448	A23T	A1UNA	00	360884	A23T	A1UNA	00
	PDCR 350-0640		04MAY17 03:15	ALPXXJ1202786	PDCR 350-0640		04MAY17 03:16	

ALPXXU1704475	COMPLETED	30MAR17 05:54	8914.8	AFHR	SST	XXXXXXXXXX
30MAR17 05:54	XXXXXXXX	XXXXXXXXXX	AIP			04MAY17 23:42
30MAR17 05:54	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
		BS due on Serial 1664285				
		SET EMERG OXYGEN at WAC 0730				XXXXXXXXXX

Maint Acts: TRANSFERRED TO 047

ALPXXU1704476	COMPLETED	07JUN17 00:26	8914.8	AFHR	SST	XXXXXXXXXX
30MAR17 05:54	XXXXXXXX	XXXXXXXXXX	AIP			07JUN17 00:26
30MAR17 05:54	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
		MS1 due on Serial 0608-13264				
		FATIG METER AMETEK at WAC 0730				XXXXXXXXXX

Maint Acts: MS1 SERVICING CARRIED OUT IAW TASPO MRD WEB REF AIP MCS 1036/16-11#6



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03567  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

ALPXXU1704477	COMPLETED	04MAY17 03:07	8914.8	AFHR	SST	XXXXXXXXXX
30MAR17 05:55	XXXXXXXX	XXXXXXXXXXXXXXXXXX	AIP			04MAY17 03:07
30MAR17 05:55	XXXXXXXX	XXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX
		TA due on Serial 683				
		VALVE REFILL OXYGEN at WAC 0640				XXXXXXXXXX

Maint Acts: VALVE REFILL OXY REPLACED IAW AAP 7212.007-2 REF AIP MCS  
1036/16-12#1

REMOVALS/INSTALLATIONS FOR ALPXXU1704477

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	683	A23T	ALUMU	03	0798	A23T	ALUMU	03
	OC-001-06		04MAY17 03:04	ALPXXJ1603809	OC-001-06		04MAY17 03:06	

ALPXXU1704478	COMPLETED	05MAY17 03:36	8914.8	AFHR	SST	XXXXXXXXXX
30MAR17 05:55	XXXXXXXX	XXXXXXXXXXXXXXXXXX	AIP			05MAY17 03:36
30MAR17 05:55	XXXXXXXX	XXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX
		BS due on Serial 344				
		REG PRESS REDUCING at WAC 0640				XXXXXXXXXX

Maint Acts: REG PRESSURE REDUCING REPLACED IAW AAP 7212.007-2 REF AIP MCS  
1036/16-12#3

REMOVALS/INSTALLATIONS FOR ALPXXU1704478

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	344	A23T	ALUNC	02	950	A23T	ALUNC	02
	F103D000-15		03MAY17 05:54	ALPXXJ1604101	F103D000-15		05MAY17 03:33	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1704479	COMPLETED	30MAR17 05:55	8914.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
30MAR17 05:55	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			05MAY17 00:01
30MAR17 05:55	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial 1888226				
		SET EMERG OXYGEN at WAC 0740				XXxxXXxxXXxxXXxxXXxx

Maint Acts: TRANSFERRED TO 048

A1PXXU1507776	COMPLETED	08JUN17 06:06	8914.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
30MAR17 05:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			08JUN17 06:06
30MAR17 05:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S41 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S41 CO REF AIP MCS 1036/16-23-5

A1PXXU1707539	COMPLETED	09JUN17 05:18	8914.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
30MAR17 06:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			09JUN17 05:18
06JUN17 08:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRCRAFT REQUIRES MANDATORY AMD VALIDATION & CAMM2 CHECKS TBCO IAW				
		AIRFLITE PROC 7.4.2 PRIOR TO FLIGHT - REF EE508 SNOW NO 576927-4				XXxxXXxxXXxxXXxxXXxx
		SHT 2 LINE 2				

Maint Acts: MANDATORY AMD VALIDATION & CAMM2 CHECKS C/O IAW AIRFLITE PROC 7.4.2 - SATIS - REF EE508 SNOW NO 576927-4 SHEET 2 LINE 2

A1PXXU1704535	COMPLETED	08JUN17 22:47	8914.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
03APR17 01:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			08JUN17 22:47
03APR17 01:21	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FRONT AND REAR PARA AND PSP ASSY,S RFA				

Maint Acts: FRONT AND REAR PARAS/PSPS REPLACED REF AIP MCS 1036/16-22-3

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03569  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1704535

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	MB13416-SET5 MBEU100664	A23T	A1WBA 03APR17 01:22	00 A1PXXJ1706870	MB13806-SET25 MBEU100664	A23T	A1WBA 08JUN17 22:45	00
002	DE3063-SET5 STANDARDPACK-1	A23T	A1WBG 03APR17 01:23	00 A1PXXJ1706872	DE3068-SET25 STANDARDPACK-1	A23T	A1WBG 08JUN17 22:44	00
003	MB13493-SET5 MBEU12043PA	A23T	A26BA 03APR17 01:26	00 A1PXXJ1706873	MB13536-SET25 MBEU12043PA	A23T	A26BA 08JUN17 22:44	00
004	DF1699-SET5 STANDARDPACK-1	A23T	A26BG 03APR17 01:27	00 A1PXXJ1706874	DG0038-SET25 STANDARDPACK-1	A23T	A26BG 08JUN17 22:39	00

A1PXXU1505163 COMPLETED 24MAY17 05:12 8914.8 AFHR SST  
03APR17 02:35 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 24MAY17 05:12  
03APR17 02:35 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S51 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S51 CARRIED OUT IAW 7212.007-2 CHAPTER 24-50-00 REF AIP MCS 1037/16  
WORK CARDS 101 AND 102. NO DEFECTS FOUND

A1PXXU1605334 COMPLETED 09JUN17 01:44 8914.8 AFHR SST  
03APR17 02:38 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 09JUN17 01:44  
03APR17 02:38 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S62 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S62 CO REF AIP MCS 1036/16-10-2

A1PXXU1504137 COMPLETED 24MAY17 05:10 8914.8 AFHR SCT  
03APR17 02:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 24MAY17 05:10  
03APR17 02:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S66 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S66 CARRIED OUT IAW TASPO MRD WEB. REF AIP MCS 1037/16 WORK CARDS  
(Continued on next page.)

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03570  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES -----  
SERV NUMBER STATUS STATUS DATE/TIME TOTAL LIFE INT TYPE CERTIFICATION TRADESMAN  
RAISED DATE/TIME RAISED USER ID RAISED NAME RAISED VENUE CAPABILITY CODE EPSS DATE/TIME  
ENTERED DATE/TIME ENTERED USER ID ENTERED NAME ENTERED VENUE IMIC NO SUPERVISOR  
OPERATION NO ASOR NO SYMPTOMS  
EE500PG EE500LN  
STA WL BL ADMIN MAINT ACTION/LIMITATIONS  
=====

(Continued from previous page.)  
103 -111. NO DEFECTS FOUND.

A1PXXU1604230 COMPLETED 24MAY17 05:30 8914.8 AFHR SST XXxxXXxxXXxxXXxxXXxx  
03APR17 02:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 24MAY17 05:30  
03APR17 02:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S77 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S77 CARRIED OUT IAW TASPO MRD WEB PSS. REF AIP MCS 1037/16 WORK  
CARDS 113 - 115. CRACK APPROXIMATELY 5MM LONG FOUND ON AFT INBOARD  
EDGE OF ENG MOUNT FITTING. FITTING WAS REPLACED. REF AIP MCS 1036/16  
PAGE 31 U/S NUMBER 3 FOR FITTING REPLACEMENT.

A1PXXU1609813 COMPLETED 24MAY17 05:03 8914.8 AFHR SCT XXxxXXxxXXxxXXxxXXxx  
03APR17 02:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 24MAY17 05:03  
03APR17 02:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S76 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S76 CARRIED OUT IAW 7212.007-2 CHAPTER 55-05-00 AND TASPO FORMAL  
ADVICE 42/2016. REF AIP MCS 1037/16 WORK CARD 112. NO DEFECTS FOUND  
USING VISUAL INSPECTION METHOD.

A1PXXU1507557 COMPLETED 08JUN17 06:06 8914.8 AFHR SST XXxxXXxxXXxxXXxxXXxx  
03APR17 02:40 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 08JUN17 06:06  
03APR17 02:40 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S30 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S30 CO REF AIP MCS 1036/16-23-3

A1PXXU1604269 COMPLETED 24MAY17 00:52 8914.8 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
03APR17 02:40 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 24MAY17 00:52  
03APR17 02:40 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S37 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S37 SERV C/O IAW TASPO MRD WEB SITE REF LSN AIP MCS 1036/16-23-4

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP  
LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20  
~S4080

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1612318	COMPLETED	10MAY17 02:29	8914.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
03APR17 02:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			10MAY17 02:29
03APR17 02:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S16 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S16 SERVICING CARRIED OUT IAW AAP 7212.007-2 REF AIP MCS 1036/16-9#1

A1PXXU1511992	COMPLETED	09MAY17 06:05	8914.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
03APR17 02:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			09MAY17 06:05
03APR17 02:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S3 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S3 CARRIED OUT IAW AAP 7212.007-2.  
REF AIP MCS 1036/16-14-1 FOR CERTIFICATION DETAILS

A1PXXU1704551	COMPLETED	08JUN17 00:44	8914.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
03APR17 02:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			08JUN17 00:44
03APR17 02:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FT due on Serial 027				
		WING ASSY at WAC 0000				XXxxXXxxXXxxXXxxXXxx
		MS16 due on Serial 027				
		WING ASSY at WAC 0000				
		STI-PC9-0645 due on Serial 027				
		WING ASSY at WAC 0000				

Maint Acts: WING FT CO REF AIP MCS 036/16-14-1, MS16 CO NIL FAULTS REF AIP MCS 1036/16-23-5, STI-PC9-0645 CO REF AIP MCS 1036/16-36-1

A1PXXU1704557	COMPLETED	10MAY17 01:18	8914.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
03APR17 02:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			10MAY17 01:18
03APR17 02:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MS4 due on Serial 103169				
		ENGINE CHANGE UNIT at WAC 0100				XXxxXXxxXXxxXXxxXXxx

Maint Acts: MS 4 SERV C/O IAW AAP 7113-022-2, REF AIP MCS 1036/16, PG 11 #2.

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03572  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1615365	COMPLETED	15MAY17 05:44	8914.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
03APR17 02:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			15MAY17 05:44
03APR17 02:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0635	due on Serial A23-033			
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-635 C/O IAW STI-PC9-635

A1PXXU1701525	COMPLETED	08JUN17 05:05	8914.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
03APR17 03:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			08JUN17 05:05
03APR17 03:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0639	due on Serial A23-033			
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC0-0639 CO REF AIP MCS 1036/16-24-2

A1PXXU1704558	COMPLETED	09MAY17 23:23	8914.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
03APR17 03:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			09MAY17 23:23
03APR17 03:11	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		OH	due on Serial 195			
		BLOWER ASSY	at WAC 0130			XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV BLOWER ASSY FITTED IAW 7212-007-2 REF LSN AIP MCS 1036/16-11-1

REMOVALS/INSTALLATIONS FOR A1PXXU1704558

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	195	A23T	A0E	00	45	A23T	A0E	00
	M5922H-9A1/HED608279		07MAY17 23:46	A1PXXJ1616845	M5922H-9A1/HED608279		09MAY17 23:21	

A1PXXU1704559	COMPLETED	08MAY17 03:30	8914.8	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
03APR17 03:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
03APR17 03:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FT	due on Serial DN6188			08MAY17 03:30
		BCN UNDERWATER LOC	at WAC 0740			XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: FT C/O SERV IAW 7212-007-2 REF LSN AIP MCS 1036/16-12-6

A1PXXU1704560	COMPLETED	08JUN17 05:10	8914.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
03APR17 03:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			08JUN17 05:10
03APR17 03:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		NDT due on Serial A23033LHU				
		OS GUIDE PIN HOLE at WAC 0730				XXxxXXxxXXxxXXxxXXxx

Maint Acts: NDT CO REF AIP MCS 1036/16-11-5 NIL DAMAGE

A1PXXU1704561	COMPLETED	09MAY17 03:55	8914.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
03APR17 03:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			09MAY17 03:55
03APR17 03:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MS2 due on Serial 164				
		RUDDER_TRIM TABS at WAC 1410				XXxxXXxxXXxxXXxxXXxx

Maint Acts: MS2 CARRIED OUT REF AIP MCS 1036/16-13-6 FOR CERTIFICATION DETAILS.

A1PXXU1704562	COMPLETED	08MAY17 03:33	8914.8	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
03APR17 03:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
03APR17 03:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FT due on Serial DU47427				08MAY17 03:33
		BCN UNDERWATER LOC at WAC 0640				XXxxXXxxXXxxXXxxXXxx

Maint Acts: FT C/O SERV IAW 7212-007-2 REF LSN AIP MCS 1036/16-12-5

A1PXXU1704563	COMPLETED	12MAY17 00:48	8914.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
03APR17 03:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			12MAY17 00:48
03APR17 03:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		TA due on Serial PC1600472				
		BATTERY FATIG METER at WAC 0730				XXxxXXxxXXxxXXxxXXxx

Maint Acts: BATTERY FATIGUE METER REPLACED IAW AAP 7212.007-2 REF AIP MCS 1036/16-24#3

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03574  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1704563

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	PC1600472	A23T	A1ULF00	00	PC1601076	A23T	A1ULF00	00
	LS14500		12MAY17 00:31	A1PXXJ1609466	LS14500		12MAY17 00:42	

A1PXXU1704564 COMPLETED 10MAY17 23:55 8914.8 AFHR SST XXxxXXxxXXxxXXxxXXxx  
03APR17 03:20 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 10MAY17 23:55  
03APR17 03:20 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
BS due on Serial RT098  
FUEL NOZZLE SET at WAC 0120 XXxxXXxxXXxxXXxxXXxx

Maint Acts: FUEL NOZZLE SET INSTALLED I.A.W AAP 7113.022-2B3  
REF: AIPMCS1037/16-WC#19

REMOVALS/INSTALLATIONS FOR A1PXXU1704564

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	RT098	A23T	A1SAK27	00	RT143	A23T	A1SAK27	00
	RAAFA62FNS01		05MAY17 03:07	N0NC2J1600454	RAAFA62FNS01		10MAY17 23:52	

A1PXXU1704571 COMPLETED 02JUN17 03:59 8914.8 AFHR SCT XXxxXXxxXXxxXXxxXXxx  
03APR17 05:52 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 02JUN17 03:59  
03APR17 05:52 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
STI-PC9-0634 due on Serial 509  
AILERON RH at WAC 1030 XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-0634 CARRIED OUT IAW INSTRUCTIONS. REFER AIP MCS1036/16-32-5

A1PXXU1704572 COMPLETED 09MAY17 06:16 8914.8 AFHR SST XXxxXXxxXXxxXXxxXXxx  
03APR17 05:52 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 09MAY17 06:16  
03APR17 05:52 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
STI-PC9-0634 due on Serial 343  
AILERON LH at WAC 0930 XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-0634 C/O I.A.W STI INSTRUCTIONS  
REF: AIPMCS1036/16-14-2



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES -----

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1704595	COMPLETED	11MAY17 06:07	8914.8	AFHR	SCM	XXXXXXXXXX
03APR17 23:51	XXXXXXXX	XXXXXXXXXX	AIP			
03APR17 23:53	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
		BOTH INVS AND RACK RFA				11MAY17 06:07
						XXXXXXXXXX

Maint Acts: BOTH INVS AND RACK REFITTED IAW 7212-007-2 REF LSN AIP MCS  
 1036/16-23-1

REMOVALS/INSTALLATIONS FOR A1PXXU1704595

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	6616 PC-125-12B	A23T	A1UOG 03APR17 23:53	01 A1PXXJ1706960	6616 PC-125-12B	A23T	A1UOG 11MAY17 06:05	01
002	6567 975.04.21.103	A23T	A1UOE 03APR17 23:54	01 A1PXXJ1706961	6567 975.04.21.103	A23T	A1UOE 11MAY17 06:04	01

A1PXXU1704599	COMPLETED	11MAY17 23:26	8914.8	AFHR	SST	XXXXXXXXXX
03APR17 23:56	XXXXXXXX	XXXXXXXXXX	AIP			11MAY17 23:26
03APR17 23:57	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
		CPI AND MOUNT RFA				
						XXXXXXXXXX

Maint Acts: CPI AND MOUNTING RACK REFITTED IAW AAP 7212.007-2 REF AIP MCS  
 1036/16-23#2

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03576  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR 1PXXU1704599

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0482001	A23T	A1UOY	00	0482001	A23T	A1UOY	00
	453-0406-503		04APR17 00:17	1PXXJ1706976	453-0406-503		11MAY17 23:24	

1PXXU1704612 COMPLETED 08MAY17 00:52 8914.8 AFHR SST  
04APR17 02:17 XXxxXXxx XXxxXXxxXXxxXXxx AIP 08MAY17 00:52  
04APR17 02:18 XXxxXXxx XXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
BS due on Serial 565  
CONT UNIT LDG FRONT at WAC 0730 XXxxXXxxXXxxXXxxXXxx

Maint Acts: CONT UNIT LDG FRONT REPLACED IAW AAP 7212.007-2, REF AIP MCS 1036/16-11#4

REMOVALS/INSTALLATIONS FOR 1PXXU1704612

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	565	A23T	A1UCQ	00	128	A23T	A1UCQ	00
	532.30.09.216		08MAY17 00:48	N0NC2J1100445	532.30.09.216		08MAY17 00:50	

1PXXU1704617 COMPLETED 10MAY17 06:21 8914.8 AFHR SST  
04APR17 03:33 XXxxXXxx XXxxXXxxXXxxXXxx AIP 10MAY17 06:21  
04APR17 03:34 XXxxXXxx XXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
AIRBRAKE ASSY RFA. XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRBRAKE FITTED IAW AAP 7212.007-2  
REF AIP MCS 1036/16-21-3 FOR CERTIFICATION DETAILS

REMOVALS/INSTALLATIONS FOR 1PXXU1704617

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	528	A23T	A2KBA	00	528	A23T	A2KBA	00
	557.53.09.002		04APR17 05:02	1PXXJ1707003	557.53.09.002		10MAY17 06:20	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1704618	COMPLETED	10MAY17 02:52	8914.8	AFHR	SCT	XXXXXXXXXXXXXXXXXXXX
04APR17 03:35	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			10MAY17 02:52
04APR17 03:35	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		LH AND RH INBOARD FLAPS RFA FOR NDT ACCESS.				XXXXXXXXXXXXXXXXXXXX

Maint Acts: LH AND RH FLAPS FITTED IAW AAP 7212.007-2 REF AIP MCS 1036/16-21-4

REMOVALS/INSTALLATIONS FOR A1PXXU1704618

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	536	A23T	A2KCW04	00	536	A23T	A2KCW04	00
	557.52.09.009		04APR17 05:11	A1PXXJ1707005	557.52.09.009		10MAY17 02:49	
002	167	A23T	A2KCW06	00	167	A23T	A2KCW06	00
	557.52.09.010		04APR17 05:13	A1PXXJ1707006	557.52.09.010		10MAY17 02:49	

A1PXXU1704619	COMPLETED	24MAY17 06:19	8914.8	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
04APR17 03:36	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			24MAY17 06:19
04APR17 03:37	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		RH AILERON RFA FOE NDT ACCESS.				XXXXXXXXXXXXXXXXXXXX

Maint Acts: RH AILERON FITTED IAW AAP 7212.007-2 REFER AIP MCS 1036/16-21-6

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1704619

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	509	A23T	A2KCC	00	326	A23T	A2KCC	00
	557.51.09.004		04APR17 05:06	A1PXXJ1707004	557.51.09.002		24MAY17 06:19	

A1PXXU1704662 COMPLETED 24MAY17 23:56 8914.8 AFHR SST  
 05APR17 04:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 24MAY17 23:56  
 05APR17 04:55 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 FRONT ALTIMETER CANNIBALISED TO SERVICE A23-005  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV ALTIMETER FITTED IAW AAP 7212.007-2 REF AIP MCS 1036/16-24#6

REMOVALS/INSTALLATIONS FOR A1PXXU1704662

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1120	A23T	A1UCM	00	1183	A23T	A1UCM	00
	44929-903		05APR17 04:56	A1PXXJ1707075	44929-903		24MAY17 23:54	

A1PXXU1704663 COMPLETED 26MAY17 00:01 8914.8 AFHR SST  
 05APR17 04:58 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 26MAY17 00:01  
 05APR17 04:59 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 REAR ALTIMETER CANNIBALISED TO SERVICE A23-017  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV REAR ALTIMETER FITTED IAW AAP 7212.007-2 REF AIP MCS 1036/16-25#1

REMOVALS/INSTALLATIONS FOR A1PXXU1704663

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1204	A23T	A1UGW	00	1192	A23T	A1UGW	00
	44929-903		05APR17 04:59	A1PXXJ1707076	44929-903		25MAY17 23:59	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03579  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1705842	COMPLETED	25MAY17 03:40	8914.8	AFHR	SCT	XXxxXXxxXXxxXXxxXXxx
03MAY17 00:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			25MAY17 03:40
03MAY17 00:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0644 due on Serial L219987				
		STUB EXHAUST RH at WAC 0120				XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-0644 CARRIED OUT IAW INSTRUCTIONS. NO CRACKING FOUND.

A1PXXU1705843	COMPLETED	25MAY17 03:40	8914.8	AFHR	SCT	XXxxXXxxXXxxXXxxXXxx
03MAY17 00:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			25MAY17 03:40
03MAY17 00:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0644 due on Serial R012553				
		STUB EXHAUST LH at WAC 0120				XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-0644 CARRIED OUT IAW INSTRUCTIONS. NO CRACKING FOUND.

A1PXXU1705988	COMPLETED	08JUN17 06:42	8914.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
04MAY17 23:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			08JUN17 06:42
04MAY17 23:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FRONT EJECTION SEAT RFA.				

XXxxXXxxXXxxXXxxXXxx

aip04036 05MAY17 00:03:44  
 ENTER IN ERROR (TYPO ERROR) REAR EJECTION SEAT RFA S/N: 048.

Maint Acts: REAR SEAT FITTED REF AIP MCS 1040/16

REMOVALS/INSTALLATIONS FOR A1PXXU1705988

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	048	A23T	A26	00	048	A23T	A26	00
	AU11A-2		05MAY17 00:00	A1PXXJ1709033	AU11A-2		08JUN17 06:42	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1705989	COMPLETED	08JUN17 06:41	8914.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
04MAY17 23:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			08JUN17 06:41
04MAY17 23:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		REAR EJECTION SEAT RFA.				XXxxXXxxXXxxXXxxXXxx
		aip04023 04MAY17 23:54:32				
		ENTRY RAISED IN ERROR. (TYPO ERROR)				
		FRONT EJECT SEAT REMOVED FOR ACCESS S/NO: 047				

Maint Acts: FRONT SEAT FITTED REF AIP MCS 1040/16

REMOVALS/INSTALLATIONS FOR A1PXXU1705989

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	047	A23T	A1W	00	047	A23T	A1W	00
	AU11A-1		04MAY17 23:40	A1PXXJ1709028	AU11A-1		08JUN17 06:40	

A1PXXU1706065	COMPLETED	12MAY17 03:55	8914.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
08MAY17 01:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			12MAY17 03:55
08MAY17 01:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		LH & RH BRAKE UNITS WORN BEYOND SERV LIMITS.				XXxxXXxxXXxxXXxxXXxx

Maint Acts: LEFT AND RIGHT BRAKE UNITS REPLACED WITH SERV BRAKE UNITS IAW AAP 7212.007-2 REFER AIP MCS 1036/16-30-3

REMOVALS/INSTALLATIONS FOR A1PXXU1706065

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0699P	A23T	A2KDI	00	0212A	A23T	A2KDI	00
	2-1524-1		08MAY17 01:59	A1PXXJ1709105	2-1524-1		12MAY17 03:52	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03581  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
002	0257	A23T	A2KEE	00	0702P	A23T	A2KEE	00
	2-1524-1		08MAY17 02:00	A1PXXJ1709107	2-1524-1		12MAY17 03:51	

A1PXXU1706084 COMPLETED 26MAY17 02:30 8914.8 AFHR SST  
 08MAY17 05:13 XXxxXXxx XXxxXXxxXXxxXXxx AIP 26MAY17 02:30  
 08MAY17 05:14 XXxxXXxx XXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 ELU RFA, FIXED COWL REMOVAL  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: ELU REFITTED IAW AAP 7212.007-2 REF AIP MCS 1036/16-31#2

REMOVALS/INSTALLATIONS FOR A1PXXU1706084

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	20084790	A23T	A1SAG	20	20084790	A23T	A1SAG	20
	3076016-08		08MAY17 05:15	A1PXXJ1709135	3076016-08		26MAY17 02:28	

A1PXXU1706822 COMPLETED 22MAY17 04:47 8914.8 AFHR SST  
 22MAY17 04:36 XXxxXXxx XXxxXXxxXXxxXXxx AIP 22MAY17 04:47  
 22MAY17 04:39 XXxxXXxx XXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 RH LOWER ENGINE MOUNT FITTING CRACKED  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV RH LOWER ENGINE MOUNT FITTING FITTED IAW AAP 7212.007-3, REFER  
 AIP MCS 1036/16-31-31-3

REMOVALS/INSTALLATIONS FOR A1PXXU1706822

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PC1401205	A23T	A1USI03	00	PC1701255	A23T	A1USI03	01
	SBI-130A RL		22MAY17 04:39	A1PXXJ1710165	SBI-130B RL		22MAY17 04:45	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1707381	COMPLETED	01JUN17 06:22	8914.8	AFHR	SST	XXXXXXXXXX
01JUN17 06:13	XXXXXXXX	XXXXXXXXXX	AIP			01JUN17 06:22
01JUN17 06:15	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
ECS PRSOV NOT FUNCTIONING CORRECTLY DURING ENG GROUND RUN CHECK 3.						
XXXXXXXXXX						

Maint Acts: ECS PRSOV REPLACED WITH SERV ITEM IAW 7113.022-2  
 REF AIP MCS 1036/16-37-1

REMOVALS/INSTALLATIONS FOR A1PXXU1707381

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1141	A23T	A0Q	00	885	A23T	A0Q	00
	3213876-9		01JUN17 06:16	A1PXXJ1710971	3213876-9		01JUN17 06:17	

A1PXXU1706175	COMPLETED	07JUN17 23:21	8914.8	AFHR	SST	XXXXXXXXXX
07JUN17 23:21	XXXXXXXX	XXXXXXXXXX	AIP			07JUN17 23:21
07JUN17 23:21	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
S3 due on Serial A23-033 PC-9 at WAC 0000						
XXXXXXXXXX						

Maint Acts: S3 CO REF AIP MCS 036/16-14-1

A1PXXU1707627	COMPLETED	08JUN17 05:12	8914.8	AFHR	SST	XXXXXXXXXX
07JUN17 23:22	XXXXXXXX	XXXXXXXXXX	AIP			08JUN17 05:12
07JUN17 23:22	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
S3 due on Serial A23-033 PC-9 at WAC 0000						
XXXXXXXXXX						

Maint Acts: S3 CO REF AIP MCS 1036/16-14-1



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1707649	COMPLETED	08JUN17 22:48	8914.8	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
08JUN17 03:32	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			08JUN17 22:48
08JUN17 03:34	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
FWD WING ATTACH BOLTS/ NUTS (POSITION A) REMOVED FOR SLL-C-1B						
XXXXXXXXXXXXXXXXXXXX						

Maint Acts: FWD WING ATTACH BOLTS/NUTS (POSITION A) FITTED REF AIP MCS  
 1036/16-41-1

REMOVALS/INSTALLATIONS FOR A1PXXU1707649

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PCY400431 AN7C40A	A23T	A1UBC 08JUN17 03:34	00 A1PXXJ1711331	PCY400431 AN7C40A	A23T	A1UBC 08JUN17 22:30	00
002	PCY400432 AN7C40A	A23T	A1UBE 08JUN17 03:35	00 A1PXXJ1711332	PCY400432 AN7C40A	A23T	A1UBE 08JUN17 22:30	00
003	PC1500371 938.09.14.307	A23T	A1UAM 08JUN17 03:38	00 A1PXXJ1711334	PC1701390 938.09.14.307	A23T	A1UAM 08JUN17 22:23	00
004	PC1500370 938.09.14.307	A23T	A1UAO 08JUN17 03:40	00 A1PXXJ1711335	PC1701391 938.09.14.307	A23T	A1UAO 08JUN17 22:22	00

A1PXXU1707723	COMPLETED	09JUN17 01:36	8914.8	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
09JUN17 01:32	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			09JUN17 01:36
09JUN17 01:32	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
NDT due on Serial 033						
FUS ENG MNT SUPP ST at WAC 0600						
XXXXXXXXXXXXXXXXXXXX						

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03584  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME
=====	=====	=====	=====	=====	=====	=====
	Maint Acts:	SBI-130 CO REF AIP MCS 1036/16-32-1				
A1PXXU1707731	COMPLETED	12JUN17 10:25	8914.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
09JUN17 03:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			12JUN17 10:25
09JUN17 03:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MTF REQD POST R2 SERV AND AILERON R+I				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	MTF C/O, ASSESSED U/S. REFER 576928/3				
A1PXXU1707733	COMPLETED	31OCT17 06:17	8914.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
09JUN17 03:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			31OCT17 06:17
09JUN17 03:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		H/STAB L+R L/EDGE TAPE 2B FITTED				XXxxXXxxXXxxXXxxXXxx
		aip01083 12JUN17 01:42:55				
		FURTHER DETAILS OF U/S: LEADING EDGE TAPE HAS NOT BEEN FITTED TO THE LE ON THE H/STAB, THERE IS NIL STOCK OF TAPE AVAILABLE. DELAY REASON: MAINTENANCE EFFICIENCY, TAPE HAS NOT BEEN FITTED TO H/STAB, BY NOT FITTING THE TAPE TO BOTH SIDES OF THE STAB WILL REDUCE THE AERODYNAMIC EFFECTS ON THE STAB. CONSEQUENCE: MINOR LIKELIHOOD: RARE TECHNICAL RISK: LOW RISK TREATMENT: NIL OPERATIONAL ENDORSEMENT N/A PERIOD OF DEFERMENT: R1				
	Maint Acts:	H/STAB L&R LEADING EDGE TAPE FITTED IAW AAP 7212.007-2 REF: 584755/4 5/1				
A1PXXU1707740	COMPLETED	09JUN17 03:28	8914.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
09JUN17 03:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			09JUN17 03:28
09JUN17 03:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0647 due on Serial 027LH STRUT FLDG UPPR LH at WAC 0950				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	STI-PC9-0647 INC REF 576927-4-3-2				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME

A1PXXU1707741	COMPLETED	09JUN17 03:28	8914.8	AFHR	SST	XXXXXXXXXX
09JUN17 03:24	XXXXXXXX	XXXXXXXXXX	AIP			09JUN17 03:28
09JUN17 03:24	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
EE500PG EE500LN		STI-PC9-0647		due on Serial 027RH		
STA WL BL ADMIN		STRUT FLDG UPPR RH at WAC 1050				XXXXXXXXXX

Maint Acts: STI-PC9-0647 INC REF 576927-4-3-2

A1PXXU1707747	COMPLETED	22MAR18 07:17	8914.8	AFHR	SST	XXXXXXXXXX
09JUN17 03:38	XXXXXXXX	XXXXXXXXXX	AIP			22MAR18 07:17
09JUN17 03:40	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
		MLG FOLDING STRUT BOLT/NUTS 2B RECONFIGURED AS PER STI-PC9-0647				
		FIGURE 1				XXXXXXXXXX

Maint Acts: LH AND RH MLG FOLDING STRUTS RECONFIGURED IAW STI-PC9-0647 INSTRUCTIONS. REF AIP MCS 338/18-8-6

A1PXXU1707749	COMPLETED	18MAY18 01:17	8914.8	AFHR	SST	XXXXXXXXXX
09JUN17 04:02	XXXXXXXX	XXXXXXXXXX	AIP			18MAY18 01:17
09JUN17 04:03	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
		BARREL NUTS QTY 4 FROM SET/NUT/BOLT ENGINE MOUNTING S/NO PCY400387				
		RE-USED				XXXXXXXXXX

aip01083 12JUN17 00:51:22  
FURTHER DETAILS OF U/S: THE BARRELL NUTS HAVE BEEN RE-FITTED POST SERVICING, TASPO HAVE GIVEN AUTHORITY TO RE-FIT THESE ITEMS UNDER A RAAF SUP. ITEMS HAVE BEEN INSPECTED AS PER THE DRAFT RAAF SUP AND ASSESSED AS SERVICEABLE.  
DELAY REASON: MAINTENANCE EFFICIENCY, NIL STOCKS ARE AVAILABLE, THESE ITEMS HAVE BEEN APPROVED FOR RE-USE.  
CONSEQUENCE: MINOR:  
LIKELIHOOD: RARE  
TECHNICAL RISK: LOW  
RISK TREATMENT: AWAITING ISSUE OF RAAF SUP, ITEMS HAVE BEEN INSPECTED AND ASSESSED AS SERVICEABLE  
LIMITATIONS: NIL, OPERATIONAL ENDORSEMENT N/A  
PERIOD OF DEFERMENT: R2 SERV  
(Continued on next page.)

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03586  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

(Continued from previous page.)

aip01083 06JUL17 03:03:20  
 CFU REVIEW  
 FURTHER DETAILS OF U/S: TASPO REFERENCE FOR THE RE-USE OF BARREL  
 NUT ADO-09-TM-17-041.  
 THERE IS NO OTHER CHANGES TO THE RISK VARIABLES CFU IS STILL  
 ASSESSED AS LOW ACCEPTABLE, CFU TO REMAIN VALID

Maint Acts: NEW BARRLE NUTS X4 BOLT X4 AND WASHER FITTED IAW AAP 7212.007-2  
 REF AIP MCS 388/18-8-5.

REMOVALS/INSTALLATIONS FOR A1PXXU1707749

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 PCY400417 571.20.09.031	A23T A0CAD00 17MAY18 23:08	00 A1PXXJ1808300	PC1800385 571.20.09.031	A23T A0CAD00 17MAY18 23:23	00			
002 PCY400418 571.20.09.031	A23T A0CAD02 17MAY18 23:27	00 A1PXXJ1808303	PC1800386 571.20.09.031	A23T A0CAD02 17MAY18 23:42	00			
003 PCY400419 571.20.09.031	A23T A0CAD04 17MAY18 23:45	00 A1PXXJ1808306	PC1800387 571.20.09.031	A23T A0CAD04 17MAY18 23:58	00			
004 PCY400420 571.20.09.031	A23T A0CAD06 18MAY18 00:01	00 A1PXXJ1808308	PC1800388 571.20.09.031	A23T A0CAD06 18MAY18 00:09	00			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03587  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
005	PCY400421 571.20.09.032	A23T	A0CAD08 18MAY18 00:15	00 A1PXXJ1808312	PC1800389 571.20.09.032	A23T	A0CAD08 18MAY18 00:24	00
006	PCY400423 571.20.09.032	A23T	A0CAD10 18MAY18 00:27	00 A1PXXJ1808314	PC1800390 571.20.09.032	A23T	A0CAD10 18MAY18 00:31	00
007	PCY400422 571.20.09.032	A23T	A0CAD12 18MAY18 00:34	00 A1PXXJ1808315	PC1800391 571.20.09.032	A23T	A0CAD12 18MAY18 00:40	00
008	PCY400426 571.20.09.032	A23T	A0CAD14 18MAY18 00:43	00 A1PXXJ1808318	PC1800392 571.20.09.032	A23T	A0CAD14 18MAY18 00:48	00

A1PXXU1707859 COMPLETED 13JUN17 05:00 8915.5 AFHR SST  
12JUN17 10:25 XXxxXXxx XXxxXXxxXXxxXXxx AIP  
12JUN17 10:51 XXxxXXxx XXxxXXxxXXxxXXxx AIP  
AIRCRAFT REQUIRES MTF FOR TFS 12-13, 15-20 + HANDLING CX'S + S62  
ADJUSTMENT IAW AAP 7212.007-6-15 AND AIRFLITE PROC 7.48  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: MTF C/O SERV REF 576929#2+3

A1PXXU1707831 COMPLETED 20JUN17 00:03 8929.2 AFHR MM  
19JUN17 11:53 XXxxXXxx XXxxXXxxXXxxXXxx AIP Y  
19JUN17 11:53 XXxxXXxx XXxxXXxxXXxxXXxx AIP  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 SERVICING CARRIED OUT VIA EPSS. REF: EE500 SN: 576938-2

A1PXXU1708318 COMPLETED 21JUN17 11:01 8934.5 AFHR SST  
21JUN17 06:07 XXxxXXxx XXxxXXxxXXxxXXxx AIP  
21JUN17 06:08 XXxxXXxx XXxxXXxxXXxxXXxx AIP  
EXCESSIVE OIL ON CANOPY AND COWLS POST FLIGHT  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: PROP SEAL REPLACED IAW 7212-007-2 REF 576942/2-1

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03588  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
REMOVALS/INSTALLATIONS FOR A1PXXU1708318

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	GG608	A23T	A00	00	GG608	A23T	A00	00
	HC-D4N2A/D9512A		21JUN17 06:09	A1PXXJ1712423	HC-D4N2A/D9512A		21JUN17 10:52	

A1PXXU1708330 COMPLETED 22JUN17 02:45 8934.5 AFHR SST XXxxXXxxXXxxXXxxXXxx  
21JUN17 11:09 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 22JUN17 02:45  
21JUN17 11:10 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx

AIRCRAFT REQUIRES AIRTEST FOR PROP CHECK POST R + I

XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST C/O REF EE500: 576943/1

A1PXXU1708429 COMPLETED 22JUN17 02:59 8936.0 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
22JUN17 02:50 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
22JUN17 02:50 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP

MS1 due on Serial 0608-13264  
FATIG METER AMETEK at WAC 0730

XXxxXXxxXXxxXXxxXXxx  
22JUN17 02:59  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: MS1 CARRIED OUT, 576943-2.

A1PXXU1708473 COMPLETED 27JUN17 23:50 8937.5 AFHR SST XXxxXXxxXXxxXXxxXXxx  
22JUN17 06:58 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 27JUN17 23:50  
22JUN17 07:01 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx

REAR ALTIMETER STICKING (MOST EVIDENT ON CLIMB)

XXxxXXxxXXxxXXxxXXxx

aip01083 22JUN17 07:05:39  
FURTHER DETAIL OF U/S: THE REAR ALTIMETER STICKING DURING THE CLIMB. THE REAR ALTIMETER STICKING DOES NOT EFFECT THE OVERAL OPERATION OF THE SYSTEM  
DELAY REASON:; MAINTENANCE EFFICIENCY NIL SPARES AT PEARCE  
CONSEQUENCE: MINOR, THE U/S ALTIMETER IN THE REAR HAS NIL EFFECT ON THE SYSTEM  
LIKELIHOOD: RARE  
TECHNICAL RISK: LOW  
RISK TREATMENT: THE AIRCRAFT TO FLY SOLO ONLY UNTIL THE REAR ALTIMETER IS REPLACED WITH A SERV ITEM  
LIMITATIONS : SOLO AIRCRAFT ONLY  
PERIOD OF DEFERMENT: 01JUL17

Maint Acts: REAR ALTIMETER REPLACED IAW AAP 7212.007-2. REF EE500 576948-2

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03589  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1708473

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
=====	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	1192	A23T	A1UGW	00	1200	A23T	A1UGW	00
	44929-903		27JUN17 23:35	A1PXXJ1712844	44929-903		27JUN17 23:49	

A1PXXU1708608	COMPLETED	26JUN17 03:01	8937.5	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
26JUN17 01:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			26JUN17 03:01
26JUN17 01:11	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx

AIRCRAFT REQUIRES AIRTEST FOR INVERTED FLIGHT FOD CX'S (RED TOOL TAG) IAW AAP 7212.007-6-15 AND AIRFLITE PROC 7.48

XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST C/O NIL FOD FOUND REF EE500: 576945/1

A1PXXU1708231	COMPLETED	26JUN17 23:42	8938.5	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
26JUN17 08:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		Y	
26JUN17 08:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40	due on Serial A23-033			26JUN17 23:42
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O VIA EPSS REF P/W 576945/3

A1PXXU1708716	COMPLETED	28JUN17 05:37	8942.3	AFHR	SCT	XXxxXXxxXXxxXXxxXXxx
27JUN17 23:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			28JUN17 05:37
28JUN17 00:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx

AIRCRAFT REQUIRES AIRTEST FOR REAR ALTIMETER OPS

XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST C/O SERV REF EE500: 576949/1

A1PXXU1708643	COMPLETED	03JUL17 23:07	8949.1	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
03JUL17 09:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		Y	
03JUL17 09:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40	due on Serial A23-033			03JUL17 23:07
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O VIA EPSS REF 588454/2

A1PXXU1708917	COMPLETED	04JUL17 12:43	8951.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
04JUL17 09:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			04JUL17 12:43
04JUL17 09:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx

BATTERY NICAD due on Serial 0644  
BATTERY NICAD at WAC 0660

XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERVICEABLE NICAD BATTERY FITTED IAW AAP7212.007-2 REF 588456-3

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03590  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1708917

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				

001	0644	A23T	A1UOA	00	0156	A23T	A1UOA	00
33490409201	04JUL17 12:41	A1PXXJ1707040	33490409201	04JUL17 12:42				

A1PXXU1709099	COMPLETED	06JUL17 11:08	8955.5	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
06JUL17 11:02	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			06JUL17 11:08
06JUL17 11:02	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MS1 due on Serial 0608-13264				
		FATIG METER AMETEK at WAC 0730				XXxxXXxxXXxxXXxxXXxx

Maint Acts: MS1 FATIGUE DOWNLOAD C/O IAW AAP 7212.007-2 REF:588460

A1PXXU1708876	COMPLETED	10JUL17 23:15	8955.5	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
10JUL17 12:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		Y	
10JUL17 12:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				10JUL17 23:15
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 CARRIED OUT VIA EPSS. REF EE508 SNOW: 588461/4-1-5

A1PXXU1709198	COMPLETED	17JUL17 23:12	8964.4	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
17JUL17 08:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		Y	
17JUL17 08:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				17JUL17 23:12
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 CARRIED OUT VIA EPSS. REF: EE 500 # 588468 LINE 2

A1PXXU1709735	COMPLETED	20JUL17 13:36	8973.2	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
20JUL17 13:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			20JUL17 13:36
20JUL17 13:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MS1 due on Serial 0608-13264				
		FATIG METER AMETEK at WAC 0730				XXxxXXxxXXxxXXxxXXxx

Maint Acts: MS1 SERV C/O IAW AAP 7212.007-2. REF 588475 #02.

A1PXXU1709764	COMPLETED	21JUL17 07:32	8975.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
21JUL17 07:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			21JUL17 07:32
21JUL17 07:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		R/H HUB ASSY WTL				
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: R/H HUB ASSY REPLACED IAW AAP 7212.007-2. REFER EE500 S/N: 588477/2



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1709764

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0393	A23T	A2KEI	01	0350	A23T	A2KEI	01
	3-1555		21JUL17 07:27	A1PXXJ1714242	3-1555		21JUL17 07:30	

A1PXXU1709576 COMPLETED 24JUL17 23:57 8978.5 AFHR MM XXxxXXxxXXxxXXxxXXxx  
24JUL17 12:34 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP Y  
24JUL17 12:34 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O VIA EPSS REF P/W 588479/5-1-1

A1PXXU1709870 COMPLETED 24JUL17 13:48 8978.5 AFHR SST XXxxXXxxXXxxXXxxXXxx  
24JUL17 13:40 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 24JUL17 13:48  
24JUL17 13:44 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
COMMS 1 INDICATING " OFF " ON FRONT COCKPIT AND FROZEN REAR COCKPIT  
. TX AND RX STILL FUNCTIONAL BUT NIL FREQ FREQ CHANGE XXxxXXxxXXxxXXxxXXxx  
CAPABILITY.FULL FUNCTION RETURNS WITH PULL + RESET C/B . 3  
INCIDENCES DURING FLIGHT.

Maint Acts: COMMS 1 T-CEIVER AMR 345-2 REPLACED IAW AAP7212.007-2 REF 588479-1

REMOVALS/INSTALLATIONS FOR A1PXXU1709870

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0228	A23T	A1UMC	00	133	A23T	A1UMC	00
	631 367 297		24JUL17 13:44	A1PXXJ1714341	631 367 297		24JUL17 13:46	

A1PXXU1709909 COMPLETED 25JUL17 01:14 8978.5 AFHR SST XXxxXXxxXXxxXXxxXXxx  
25JUL17 01:01 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 25JUL17 01:14  
25JUL17 01:01 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
STI-PC9-0652 due on Serial P/F017  
VERTICAL STAB ASSY at WAC 1400 XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-0652 C/O, NIL DEFECTS EVIDENT IAW STI INSTRUCTIONS. REFER 588480/1

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1709895	COMPLETED	01AUG17 00:10	8982.6	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
31JUL17 06:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			Y
31JUL17 06:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				01AUG17 00:10
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O VIA EPSS REF P/W 588484/4

A1PXXU1710474	COMPLETED	03AUG17 11:29	8986.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
03AUG17 10:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			03AUG17 11:29
03AUG17 10:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MS1 due on Serial 0608-13264				XXxxXXxxXXxxXXxxXXxx
		FATIG METER AMETEK at WAC 0730				

Maint Acts: MS1 FATIGUE DOWNLOAD C/O IAW AAP 7212.007-2 REF:588487-2

A1PXXU1710288	COMPLETED	08AUG17 00:10	8992.0	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
07AUG17 11:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			Y
07AUG17 11:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				08AUG17 00:10
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 CARRIED OUT VIA EPSS. REF: EE500 # 588491 LINE 2

A1PXXU1710782	COMPLETED	09AUG17 13:08	8993.6	AFHR	SCT	XXxxXXxxXXxxXXxxXXxx
09AUG17 12:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			09AUG17 13:08
09AUG17 12:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial 901054				XXxxXXxxXXxxXXxxXXxx
		REG OXYGEN DEMAND at WAC 0740				

Maint Acts: REAR REG OXY DEMAND REPLACED IAW AAP 7212.007-2. REF EE500 588492-2

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03593  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1710782

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				

001	901054	A23T	A1UIS	00	912097	A23T	A1UIS	00
3260042-0201	09AUG17 12:35	A1PXXJ1616306	3260042-0201	09AUG17 13:06				

A1PXXU1710784	COMPLETED	09AUG17 22:37	8993.6	AFHR	SCT	XXxxXXxxXXxxXXxxXXxx
09AUG17 22:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			09AUG17 22:37
09AUG17 22:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0653	due on Serial PC1300192			
		HARNES	at WAC 0740			XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-0653 C/O NIL FAULTS FOUND REF EE500 P588492 LINE 5

A1PXXU1710786	COMPLETED	09AUG17 22:40	8993.6	AFHR	SCT	XXxxXXxxXXxxXXxxXXxx
09AUG17 22:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			09AUG17 22:40
09AUG17 22:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0653	due on Serial PC1300193			
		HARNES	at WAC 0730			XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-0653 C/O NIL FAULTS FOUND REF EE500 P588492 LINE 5

A1PXXU1710587	COMPLETED	15AUG17 00:00	8997.7	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
14AUG17 09:44	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		Y	XXxxXXxxXXxxXXxxXXxx
14AUG17 09:44	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			15AUG17 00:00
		S40	due on Serial A23-033			XXxxXXxxXXxxXXxxXXxx
		PC-9	at WAC 0000			

Maint Acts: S40 CARRIED OUT VIA EPSS. REF EE508 SNOW: 588495/5-1-1

A1PXXU1711215	COMPLETED	17AUG17 04:47	9003.6	AFHR	SCT	XXxxXXxxXXxxXXxxXXxx
17AUG17 04:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			17AUG17 04:47
17AUG17 04:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MS1	due on Serial 0608-13264			
		FATIG METER AMETEK	at WAC 0730			XXxxXXxxXXxxXXxxXXxx

Maint Acts: MS1 SERV C/O IAW AAP7212.007-2 REF 588499-1

A1PXXU1711034	COMPLETED	21AUG17 23:10	9009.5	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
21AUG17 11:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		Y	XXxxXXxxXXxxXXxxXXxx
21AUG17 11:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			21AUG17 23:10
		S40	due on Serial A23-033			XXxxXXxxXXxxXXxxXXxx
		PC-9	at WAC 0000			

Maint Acts: S40 SERV C/O VIA EPSS. REFER 569402/2

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICABILITY

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1711431	COMPLETED	22AUG17 22:25	9010.6	AFHR	SCT	XXxxXXxxXXxxXXxxXXxx
22AUG17 22:21	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			22AUG17 22:25
22AUG17 22:21	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0654 due on Serial 027				
		WING ASSY at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-0654 INC IAW INSTRUCTIONS NIL CRACKING DETECTED REF: AIP/NDT/A23-033/093 REF: 569403-1

A1PXXU1711352	COMPLETED	28AUG17 23:27	9016.7	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
28AUG17 11:05	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			Y
28AUG17 11:05	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				28AUG17 23:27
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O VIA EPSS REF 569408/2

A1PXXU1711825	COMPLETED	31AUG17 11:56	9019.4	AFHR	SCT	XXxxXXxxXXxxXXxxXXxx
31AUG17 11:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			31AUG17 11:56
31AUG17 11:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MS1 due on Serial 0608-13264				
		FATIG METER AMETEK at WAC 0730				XXxxXXxxXXxxXXxxXXxx

Maint Acts: MS1 SERV C/O IAW AAP7212.007-2 REF 569410-2

A1PXXU1711673	COMPLETED	04SEP17 23:40	9020.7	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
04SEP17 12:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			Y
04SEP17 12:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				04SEP17 23:40
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 CARRIED OUT VIA EPSS. REF: EE 500 # 569412 LINE 4

A1PXXU1707626	COMPLETED	05SEP17 13:11	9021.9	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
05SEP17 07:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			05SEP17 13:11
05SEP17 07:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S20 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S20C/O IAW TASPO MRD REF 569413/1

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03595  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1711973	COMPLETED	11SEP17 23:10	9025.6	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
11SEP17 08:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		Y	XXxxXXxxXXxxXXxxXXxx
11SEP17 08:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				11SEP17 23:10
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 C/O IAW EPSS.				
		REF: EE500: 569416/2				

A1PXXU1712406	COMPLETED	13SEP17 12:56	9031.0	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
13SEP17 07:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			13SEP17 12:56
13SEP17 07:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial 702013				
		REG OXYGEN DEMAND at WAC 0730				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	FRONT OXY DEMAND REG REPLACED IAW AAP 7212.007-2. REF 569420#2.				

REMOVALS/INSTALLATIONS FOR A1PXXU1712406

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	702013	A23T	A1UES	00	912092	A23T	A1UES	00
	3260042-0201		13SEP17 12:54	A1PXXJ1619116	3260042-0201		13SEP17 12:55	

A1PXXU1712452	COMPLETED	14SEP17 11:25	9033.5	AFHR	SCT	XXxxXXxxXXxxXXxxXXxx
14SEP17 09:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			14SEP17 11:25
14SEP17 09:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MS1 due on Serial 0608-13264				
		FATIG METER AMETEK at WAC 0730				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	MS1 SERVICING CARRIED OUT IAW AAP 7212.007-2. REF EE500 569422-2				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1712312	COMPLETED	19SEP17 00:51	9038.8	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
18SEP17 08:55	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			Y
18SEP17 08:55	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40	due on Serial A23-033			19SEP17 00:51
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O VIA EPSS REF P/W 569426/4

A1PXXU1712604	COMPLETED	21SEP17 03:34	9041.6	AFHR	SCT	XXxxXXxxXXxxXXxxXXxx
21SEP17 02:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			21SEP17 03:34
21SEP17 02:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0656	due on Serial A23-033			XXxxXXxxXXxxXXxxXXxx
		PC-9	at WAC 0000			

Maint Acts: STI-PC9-0656 INCORPORATED IAW STI INSTRUCTION. REF EE500 569428-2

A1PXXU1712647	COMPLETED	26SEP17 00:09	9041.6	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
22SEP17 07:21	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			Y
22SEP17 07:21	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40	due on Serial A23-033			26SEP17 00:09
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 CARRIED OUT VIA EPSS REF: EE500 569428-5

A1PXXU1712904	COMPLETED	27SEP17 06:44	9041.6	AFHR	SCT	XXxxXXxxXXxxXXxxXXxx
27SEP17 06:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			27SEP17 06:44
27SEP17 06:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS	due on Serial 0156			XXxxXXxxXXxxXXxxXXxx
		BATTERY NICAD	at WAC 0660			

Maint Acts: BATT NICAD REPLACED IAW AAP7212.007-2 REF 569429-1

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03597  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1712904

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 0156	A23T	A1UOA	00	1702	A23T	A1UOA	00	
33490409201	27SEP17 06:43	A1PXXJ1713050	33490409201	27SEP17 06:43				

A1PXXU1712958 COMPLETED 28SEP17 09:28 9042.7 AFHR SST XXxxXXxxXXxxXXxxXXxx  
28SEP17 07:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 28SEP17 09:28  
28SEP17 07:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
MS1 due on Serial 0608-13264  
FATIG METER AMETEK at WAC 0730 XXxxXXxxXXxxXXxxXXxx

Maint Acts: MS1 SERV C/O IAW AAP7212.007-2 REF 569430-2

A1PXXU1712854 COMPLETED 03OCT17 00:13 9044.0 AFHR MM Y XXxxXXxxXXxxXXxxXXxx  
02OCT17 08:01 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
02OCT17 08:01 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 CARRIED VIA EPSS. REF: EE 500 # 569431 LINE 2

A1PXXU1713041 COMPLETED 03OCT17 03:45 9044.0 AFHR SST XXxxXXxxXXxxXXxxXXxx  
03OCT17 01:26 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 03OCT17 03:45  
03OCT17 01:29 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
LOW ECS FLOW OBSERVED IN FRONT AND REAR C/PIT DURING S40 EGR.PRSOV  
TO BE REPLACED FOR FAULT FINDING. XXxxXXxxXXxxXXxxXXxx

Maint Acts: PRSOV REPLACED IAW AAP 7212.007-2 FAULT STILL PRESENT. ECS LEVERS  
REPOSITIONED IAW AAP 7212.007-2 CORRECTING ECS FLOW. REF EE508  
569431/3-1-5 FOR DETAILS.

REMOVALS/INSTALLATIONS FOR A1PXXU1713041

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 885	A23T	A0Q	00	772	A23T	A0Q	00	
3213876-9	03OCT17 01:33	A1PXXJ1718818	3213876-9	03OCT17 01:34				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1713038	COMPLETED	09OCT17 23:20	9047.5	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
09OCT17 06:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			Y
09OCT17 06:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				09OCT17 23:20
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 CARRIED OUT VIA EPSS 569434-2				
A1PXXU1713482	COMPLETED	12OCT17 05:28	9051.5	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
12OCT17 05:11	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
12OCT17 05:11	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MS1 due on Serial 0608-13264				12OCT17 05:28
		FATIG METER AMETEK at WAC 0730				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	MS1 CARRIED OUT, 569437-1.				
A1PXXU1713293	COMPLETED	17OCT17 00:01	9055.1	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
16OCT17 08:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			Y
16OCT17 08:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				17OCT17 00:01
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 CARRIED OUT VIA EPSS REF EE 500 S/N: 569440-2				
A1PXXU1713623	COMPLETED	17OCT17 05:19	9056.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
17OCT17 05:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			17OCT17 05:19
17OCT17 05:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		PILOT REPORTED FRONT COMMS 1 HEAD WENT BLANK - CB RECYCLED AND GOOD				
		FOR 2 TO 3 MINS THEN BLANKED OUT AGAIN.				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	FRONT COMMS 1 HEAD REPLACED IAW AAP 7212.007-2 REF: 569441#1				



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03599  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1713623

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 279	A23T	A1UCU	00	0379	A23T	A1UCU	00	
631 367 409	17OCT17 05:16	A1PXXJ1719549	631 367 409	17OCT17 05:18				

A1PXXU1713732 COMPLETED 19OCT17 02:45 9061.2 AFHR SST  
19OCT17 02:42 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 19OCT17 02:45  
19OCT17 02:43 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
DU1 IN REAR NIL OPS.  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: REAR DU1 REPLACED IAW AAP 7212.007-2. REF 569446 #01.

REMOVALS/INSTALLATIONS FOR A1PXXU1713732

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 3530	A23T	A1UHK	00	3763	A23T	A1UHK	00	
8095686-1001	19OCT17 02:43	A1PXXJ1719777	8095686-1001	19OCT17 02:44				

A1PXXU1713734 COMPLETED 19OCT17 07:05 9061.2 AFHR SST  
19OCT17 02:45 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 19OCT17 07:05  
19OCT17 02:46 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
AIRCRAFT REQUIRES AIRTEST FOR REAR DU1 OPS.  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST CARRIED OUT REF 569447/1

A1PXXU1412527 COMPLETED 19OCT17 10:42 9062.5 AFHR SST  
19OCT17 09:41 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 19OCT17 10:42  
19OCT17 09:41 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S27 due on Serial A23-033  
PC-9 at WAC 0000  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: S27 C/O IAW TASPO MRD WEBSITE  
REF: 569447/2

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03600  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1713823	COMPLETED	23OCT17 12:24	9063.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
23OCT17 12:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			23OCT17 12:24
23OCT17 12:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FT due on Serial 0482001				
		CRASH POSN IND at WAC 0660				XXxxXXxxXXxxXXxxXXxx

Maint Acts: CPI REPLACED IAW AAP7212.007-2 REF 569448/3-1-2

REMOVALS/INSTALLATIONS FOR A1PXXU1713823

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0482001	A23T	A1UOY	00	0539001	A23T	A1UOY	00
	453-0406-503		23OCT17 12:22	NONC2J1603123	453-0406-503		23OCT17 12:23	

A1PXXU1713617	COMPLETED	23OCT17 23:57	9063.8	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
23OCT17 13:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		Y	
23OCT17 13:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				23OCT17 23:57
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 CARRIED OUT VIA EPSS REF: EE 508 S/N: 569448/3-1#3

A1PXXU1714013	COMPLETED	26OCT17 06:39	9068.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
26OCT17 06:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			26OCT17 06:39
26OCT17 06:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MS1 due on Serial 0608-13264				
		FATIG METER AMETEK at WAC 0730				XXxxXXxxXXxxXXxxXXxx

Maint Acts: MS1 FATIGUE DOWNLOAD C/O IAW AAP 7212.007-2 REF:584752-1

A1PXXU1714103	COMPLETED	31OCT17 04:58	9071.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
30OCT17 02:11	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			31OCT17 04:58
30OCT17 02:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		NICAD BATTERY REMOVED FOR ACCESS ( RUDDER CABLE INSPECTION )				
						XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03601  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: BATT NICAD REFITTED REF 584755/4-1-6

REMOVALS/INSTALLATIONS FOR A1PXXU1714103

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1702	A23T	A1UOA	00	1702	A23T	A1UOA	00
	33490409201		30OCT17 02:13	A1PXXJ1720201	33490409201		31OCT17 04:55	

A1PXXU1713848 COMPLETED 31OCT17 07:26 9071.7 AFHR MM  
30OCT17 10:13 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP Y  
30OCT17 10:14 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 CARRIED OUT VIA EPSS REF: EE508 584755/4 -4-2

A1PXXU1714187 COMPLETED 01NOV17 03:50 9071.7 AFHR SST  
31OCT17 04:46 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
31OCT17 04:49 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
AIRCRAFT REQUIRES MTF FOR HANDLING CHECKS  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: NEXT FLIGHT ONLY. CURRENT AFHRS 9071.7

A1PXXU1714239 COMPLETED 02NOV17 03:31 9072.5 AFHR SST  
01NOV17 05:51 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
01NOV17 05:52 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
AIRTEST REQUIRED FOR NG ADJUSTMENT  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST CARRIED OUT SERV. REF EE500 584757/1

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03602  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN	
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME	
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR	
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME	
EE500PG EE500LN						INSPECTOR	
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME	
A1PXXU1706231	COMPLETED	05NOV17 22:28	9073.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx	
05NOV17 22:05	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			05NOV17 22:28	
05NOV17 22:05	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		S16 due on Serial A23-033					
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx	
	Maint Acts:	S16 SERV C/O IAW TASPO MRD WEBSITE REF 584757/3-1-1					
A1PXXU1714195	COMPLETED	06NOV17 23:59	9073.6	AFHR	MM	XXxxXXxxXXxxXXxxXXxx	
06NOV17 08:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		Y		
06NOV17 08:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		S40 due on Serial A23-033				06NOV17 23:59	
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx	
	Maint Acts:	S40 C/O VIA EPSS IAW TASPO MRD WEBSITE REF EE508: 584757/3-1-3					
A1PXXU1714549	COMPLETED	07NOV17 09:05	9073.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx	
07NOV17 09:02	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			07NOV17 09:05	
07NOV17 09:02	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		STI-PC9-0659 due on Serial 027					
		WING ASSY at WAC 0000				XXxxXXxxXXxxXXxxXXxx	
	Maint Acts:	STI-PC9-0659 CARRIED OUT IAW STI INSTRUCTIONS, NIL CRACKS OR DEFECTS EVIDENT REF: EE508 584757/3-1-4					
A1PXXU1714561	COMPLETED	07NOV17 22:28	9073.6	AFHR	SCT	XXxxXXxxXXxxXXxxXXxx	
07NOV17 22:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			07NOV17 22:28	
07NOV17 22:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		STI-PC9-0660 due on Serial PC1300193					
		HARNESS at WAC 0730				XXxxXXxxXXxxXXxxXXxx	
	Maint Acts:	STI-PC9-0660 CARRIED OUT NIL FAULT FOUND					
A1PXXU1714565	COMPLETED	07NOV17 22:30	9073.6	AFHR	SCT	XXxxXXxxXXxxXXxxXXxx	
07NOV17 22:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			07NOV17 22:30	
07NOV17 22:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		STI-PC9-0660 due on Serial PC1300192					
		HARNESS at WAC 0740				XXxxXXxxXXxxXXxxXXxx	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03603  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: STI-PC9-0660 CARRIED OUT NIL FAULT FOUND

A1PXXU1714639	COMPLETED	09NOV17 00:07	9073.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
08NOV17 22:03	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			09NOV17 00:07
08NOV17 22:03	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MS1	due on Serial 0608-13264			
		FATIG METER AMETEK at WAC 0730				XXxxXXxxXXxxXXxxXXxx

Maint Acts: MS1 FATIGUE DOWNLOAD C/O IAW AAP7212.007-2 REF 584757-3-1-6

A1PXXU1610103	COMPLETED	14NOV17 06:09	9073.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
09NOV17 02:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			14NOV17 06:09
09NOV17 02:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		R1	due on Serial A23-033			
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: R1 SERV C/O IAW TASPO MRD WEBSITE. REFER AIP MCS 1311/17 AND 1312/17. REF 584757/3-2#1

REMOVALS/INSTALLATIONS FOR A1PXXU1610103

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PC1701207 3059788-01	A23T	A1SAK48 10NOV17 02:16	01 A1PXXJ1721076	PC1701904 3038142	A23T	A1SAK48 10NOV17 02:17	01
002	PC1600917 3059257-01	A23T	A1SAK34 14NOV17 05:56	00 A1PXXJ1721256	PC1600917 3059257-01	A23T	A1SAK34 14NOV17 05:57	00

A1PXXU1707672	COMPLETED	09NOV17 09:40	9073.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
09NOV17 02:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			09NOV17 09:40
09NOV17 02:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S63	due on Serial A23-033			
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03604  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: S63 C/O AS PER TASPO MRD .REF AIP MCS 1312/17 WC3 LINE245

A1PXXU1712010	COMPLETED	10NOV17 02:30	9073.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
09NOV17 02:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			10NOV17 02:30
09NOV17 02:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S20	due on Serial A23-033			
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: S20 C/O IAW TASPO MRD WEBSITE  
 REF: AIPMCS 1311/17 2/2

A1PXXU1714707	COMPLETED	09NOV17 10:58	9073.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
09NOV17 02:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			09NOV17 10:58
09NOV17 02:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS	due on Serial 3959			
		STARTER GENERATOR	at WAC 0130			XXxxXXxxXXxxXXxxXXxx

Maint Acts: B/S C/O IAW AAP 7212.007-2 AND REFITTED. REF: AIP MCS 1311/17 SHT4#1

REMOVALS/INSTALLATIONS FOR A1PXXU1714707

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	3959	A23T	A1SAI14	00	3959	A23T	A1SAI14	00
	23081-026		09NOV17 05:55	A1PXXJ1709292	23081-026		09NOV17 10:55	

A1PXXU1714487	COMPLETED	24AUG18 00:46	9073.6	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
09NOV17 02:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			Y
09NOV17 02:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40	due on Serial A23-033			24AUG18 00:46
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/OUT VIA EPSS REF 584757-3-2#5

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1706965	COMPLETED	10NOV17 01:20	9073.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
09NOV17 03:04	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			10NOV17 01:20
09NOV17 03:04	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S76 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S76 C/O IAW TASPO MRD WEBSITE. NIL EVIDENCE OF CRACKING OR CORROSION  
REF: AIPMCS 1311/17 3/3

A1PXXU1714363	COMPLETED	09NOV17 05:34	9073.6	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
09NOV17 03:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
09NOV17 03:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			09NOV17 05:34
		S16 due on Serial A23-033				XXxxXXxxXXxxXXxxXXxx
		PC-9 at WAC 0000				

Maint Acts: S16 CARRIED OUT, AIPMCS1311/17-3-2.

A1PXXU1714720	COMPLETED	14NOV17 00:54	9073.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
09NOV17 03:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			14NOV17 00:54
09NOV17 03:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MS18 due on Serial 027				
		WING ASSY at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: MS18 SERVICING C/O VIA EPSS. CORROSION EVIDENT AT LB11 BETWEEN WING  
SPAR AND SPAR CAP. REFER AIP MCS 1311/17-4#4 AND AIP MCS 1311/17-3#4

A1PXXU1800616	COMPLETED	23AUG18 11:52	9073.6	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
09NOV17 03:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
16JAN18 10:04	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			23AUG18 11:52
		AIRCRAFT REQUIRES MANDATORY AMCO/MCS AMD VALIDATION PRIOR TO FLIGHT				XXxxXXxxXXxxXXxxXXxx
		IAW AAP 7001.060-1-3 SECT 1 CH 1 PARA 5.H.3 REFER EE508 SNOW NO				
		584757-3 SHEET TWO LINE TWO				

Maint Acts: AIRCRAFT MANDATORY AMCO/MCS VALIDATION CARRIED OUT IAW  
AAP7001.060-1-3 SECT 1 CH 1 PARA 5.H/3 REF: EE508 SNOW NO:  
574757/3-4-2

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03606  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1714723	COMPLETED	10NOV17 00:44	9073.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
09NOV17 03:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			10NOV17 00:44
09NOV17 03:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FT due on Serial PCY400431				
		BOLT U-B W-F FWD RH at WAC 1000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	WING BOLT"A" RETORQUED IAW AAP 7212-007-2. REF AIP MCS 1311/17-11-2				
A1PXXU1714724	COMPLETED	10NOV17 00:45	9073.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
09NOV17 03:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			10NOV17 00:45
09NOV17 03:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FT due on Serial PCY400432				
		BOLT U-B W-F FWD LH at WAC 0900				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	WING BOLT "A" RETORQUED IAW AAP 7212-007-2. REF AIP MCS 1311/17-11-3				
A1PXXU1713269	COMPLETED	10NOV17 06:48	9073.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
10NOV17 06:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			10NOV17 06:48
10NOV17 06:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0658 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	STI-PC9-0658 C/O, NIL BLENDS EVIDENT,REF AIP MCS 1311/17-5#6				
A1PXXU1714865	COMPLETED	26JUL18 01:59	9073.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
14NOV17 00:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			26JUL18 01:59
14NOV17 00:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		ENG COWL 1 AND 2 REMOVED FOR QA ACCESS				
						XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	ENG COWL 1+2 REFITTED IAW 7212.007-2				



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03607  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1714865

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	A23033 571.10.09.054	A23T	A04 14NOV17 00:14	00 A1PXXJ1721209	A23034 571.10.09.054	A23T	A04 26JUL18 01:58	00
002	HLY300804 571.10.09.044	A23T	A06 14NOV17 00:21	00 A1PXXJ1721215	HLY300513 571.10.09.044	A23T	A06 26JUL18 01:58	00

A1PXXU1714954 COMPLETED 23MAY18 06:35 9073.6 AFHR SST  
15NOV17 04:31 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 23MAY18 06:35  
15NOV17 04:32 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
SYMBOL GEN REMOVED TO SERVICE A23-053.  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV SYMBOL GEN FITTED IAW 7212-007-2 REF LSN AIP MCS 1425/17-3-3

REMOVALS/INSTALLATIONS FOR A1PXXU1714954

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	3463 3614335-1004	A23T	A1UOS 15NOV17 04:33	00 A1PXXJ1721299	3374 3614335-1004	A23T	A1UOS 23MAY18 06:34	00

A1PXXU1715990 COMPLETED 24MAY18 22:30 9073.6 AFHR SST  
11DEC17 01:00 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 24MAY18 22:30  
11DEC17 01:00 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
OH due on Serial 1702  
BATTERY NICAD at WAC 0660  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV BATT NICAD FITTED IAW 7212-007-2 REF LSN AIP MCS 1425/17-16-4

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03608  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
REMOVALS/INSTALLATIONS FOR A1PXXU1715990

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	1702	A23T	A1UOA	00	1211	A23T	A1UOA	00
33490409201	11DEC17 01:01	A1PXXJ1700617	33490409201	24MAY18 22:29				

A1PXXU1800130 COMPLETED 08JAN18 05:57 9073.6 AFHR SST XXxxXXxxXXxxXXxxXXxx  
05JAN18 04:03 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 08JAN18 05:57  
05JAN18 04:03 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
NDT due on Serial 027LH  
LWNG RSPAR HLF R3 at WAC 0900 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: NDT CARRIED OUT IAW AAP 7212.007-36 SECT 4 CHAP 8. NIL CRACKS  
EVIDENT. REFER TO NDT REPORT AIP/NDT/A23-033/096.

A1PXXU1800131 COMPLETED 08JAN18 05:57 9073.6 AFHR SST XXxxXXxxXXxxXXxxXXxx  
05JAN18 04:03 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 08JAN18 05:57  
05JAN18 04:03 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
NDT due on Serial 027RH  
RWNG RSPAR HLF R3 at WAC 1000 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: NDT CARRIED OUT IAW AAP 7212.007-36 SECT 4 CHAP 8. NIL CRACKS  
EVIDENT. REFER TO NDT REPORT AIP/NDT/A23-033/096.

A1PXXU1801357 COMPLETED 02FEB18 02:06 9073.6 AFHR SST XXxxXXxxXXxxXXxxXXxx  
01FEB18 23:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 02FEB18 02:06  
01FEB18 23:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
MS10 due on Serial 027LH  
FLAP BRG SUPPORT LH at WAC 0940 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: MS10 SERVICING CARRIED OUT IAW AAP 7212.007-2 REF: AIPMCS  
1425/17-10-1

A1PXXU1801358 COMPLETED 02FEB18 02:07 9073.6 AFHR SST XXxxXXxxXXxxXXxxXXxx  
01FEB18 23:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 02FEB18 02:07  
01FEB18 23:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
MS10 due on Serial 027RH  
FLAP BRG SUPPORT RH at WAC 1040 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: MS10 SERVICING CARRIED OUT IAW AAP 7212.007-2 REF: AIPMCS  
1425/17-10-2

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1801359	COMPLETED	02FEB18 02:05	9073.6	AFHR	SST	XXXXXXXXXX
01FEB18 23:55	XXXXXXXX	XXXXXXXXXX	AIP			02FEB18 02:05
01FEB18 23:55	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
		MS13 due on Serial 533FL				
		PEDAL BRG SPT FR LH at WAC 0730				XXXXXXXXXX
	Maint Acts:	MS13 SERVICING CARRIED OUT IAW AAP 7212.007-2 REF: AIPMCS 1425/17-10-5				
A1PXXU1801360	COMPLETED	02FEB18 02:04	9073.6	AFHR	SST	XXXXXXXXXX
01FEB18 23:57	XXXXXXXX	XXXXXXXXXX	AIP			02FEB18 02:04
01FEB18 23:57	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
		MS13 due on Serial 533FL				
		PEDAL BRG FRONT LH at WAC 0730				XXXXXXXXXX
	Maint Acts:	MS13 SERVICING CARRIED OUT IAW AAP 7212.007-2 REF: AIPMCS 1425/17-10-3				
A1PXXU1801361	COMPLETED	02FEB18 02:03	9073.6	AFHR	SST	XXXXXXXXXX
01FEB18 23:57	XXXXXXXX	XXXXXXXXXX	AIP			02FEB18 02:03
01FEB18 23:57	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
		MS13 due on Serial 533FR				
		PEDAL BRG SPT FR RH at WAC 0730				XXXXXXXXXX
	Maint Acts:	MS13 SERVICING CARRIED OUT IAW AAP 7212.007-2 REF: AIPMCS 1425/17-10-4				
A1PXXU1801362	COMPLETED	02FEB18 02:01	9073.6	AFHR	SST	XXXXXXXXXX
01FEB18 23:58	XXXXXXXX	XXXXXXXXXX	AIP			02FEB18 02:01
01FEB18 23:58	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
		MS13 due on Serial 533FR				
		PEDAL BRG FRONT RH at WAC 0730				XXXXXXXXXX
	Maint Acts:	MS13 SERVICING CARRIED OUT IAW AAP 7212.007-2 REF: AIPMCS 1425/17-10-6				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1801363	COMPLETED	02FEB18 02:02	9073.6	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
01FEB18 23:58	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			02FEB18 02:02
01FEB18 23:58	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		MS13 due on Serial 533RL				
		PEDAL BRG SPT RE LH at WAC 0740				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	MS13 SERVICING CARRIED OUT IAW AAP 7212.007-2 REF: AIPMCS 1425/17-11-1				
A1PXXU1801364	COMPLETED	02FEB18 01:58	9073.6	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
02FEB18 00:01	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			02FEB18 01:58
02FEB18 00:01	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		MS13 due on Serial 533RL				
		PEDAL BRG REAR LH at WAC 0740				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	MS13 SERVICING CARRIED OUT IAW AAP 7212.007-2 REF: AIPMCS 1425/17-11-3				
A1PXXU1801365	COMPLETED	02FEB18 02:00	9073.6	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
02FEB18 00:01	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			02FEB18 02:00
02FEB18 00:01	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		MS13 due on Serial 533RR				
		PEDAL BRG SPT RE RH at WAC 0740				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	MS13 SERVICING CARRIED OUT IAW AAP 7212.007-2 REF: AIPMCS 1425/17-11-2				
A1PXXU1801366	COMPLETED	02FEB18 01:57	9073.6	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
02FEB18 00:02	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			02FEB18 01:57
02FEB18 00:02	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		MS13 due on Serial 533RR				
		PEDAL BRG REAR RH at WAC 0740				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	MS13 SERVICING CARRIED OUT IAW AAP 7212.007-2 REF: AIPMCS 1425/17-11-2				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03611  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICABILITY

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1801367	COMPLETED	12FEB18 09:48	9073.6	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
02FEB18 00:05	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			12FEB18 09:48
02FEB18 00:05	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		MS14 due on Serial 027				
		R CONT CLM SPT at WAC 0740				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	MS14 C/O IAW 7212.007-2. NIL CRACKS EVIDENT				
		REF: AIPMCS1425/17 11/5				
A1PXXU1801368	COMPLETED	02FEB18 00:17	9073.6	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
02FEB18 00:06	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			02FEB18 00:17
02FEB18 00:06	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		MS15 due on Serial 027LH				
		ROD AIL OUTER LH at WAC 0920				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	MS15 VISUAL INSPECTION CARRIED OUT IAW AAP 7212.007-2 REF: AIPMCS				
		1425/17-10-6				
A1PXXU1801369	COMPLETED	02FEB18 00:17	9073.6	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
02FEB18 00:06	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			02FEB18 00:17
02FEB18 00:06	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		MS15 due on Serial 027RH				
		ROD AIL OUTER RH at WAC 1020				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	MS15 VISUAL INSPECTION CARRIED OUT IAW AAP 7212.007-2 REF: AIPMCS				
		1425/17-10-6				
A1PXXU1801375	COMPLETED	15JUN18 01:13	9073.6	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
02FEB18 03:20	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			15JUN18 01:13
02FEB18 03:20	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		FRONT & REAR SEATS RFA.				
						XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	SERV FRONT AND REAR EJECTION SEATS RE-FITTED IAW AAP 7212-007-2. REF				
		AIP MCS 138/18 WORKPACK.				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03612  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

REMOVALS/INSTALLATIONS FOR A1PXXU1801375

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	047 AU11A-1	A23T	A1W 02FEB18 03:21	00 A1PXXJ1801899	047 AU11A-1	A23T	A1W 10APR18 00:18	00
002	048 AU11A-2	A23T	A26 02FEB18 03:22	00 A1PXXJ1801900	048 AU11A-2	A23T	A26 10APR18 00:17	00
003	047 AU11A-1	A23T	A1W 10APR18 00:37	00 A1PXXJ1805875	047 AU11A-1	A23T	A1W 15JUN18 01:10	00
004	048 AU11A-2	A23T	A26 10APR18 00:38	00 A1PXXJ1805876	048 AU11A-2	A23T	A26 15JUN18 01:11	00

A1PXXU1801903 COMPLETED 23MAY18 00:25 9073.6 AFHR SST  
 09FEB18 00:09 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 23MAY18 00:25  
 09FEB18 00:09 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 CVR RFA (S58 SERV).  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: CVR REFITTED IAW 7212-007-2 REF LSN AIP MCS 559/18-4-2

REMOVALS/INSTALLATIONS FOR A1PXXU1801903

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	01764 S200-0012-91	A23T	A1UPC 09FEB18 00:09	00 A1PXXJ1802473	01764 S200-0012-91	A23T	A1UPC 23MAY18 00:23	00

A1PXXU1801904 COMPLETED 23MAR18 00:23 9073.6 AFHR SST  
 09FEB18 00:11 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 23MAR18 00:23  
 09FEB18 00:12 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 FRONT & REAR OXY DEMAND REG RFA (S58 SERV).  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: BOTH OXY DEMAND REGS FITTED IAW 7212-007-2 REF LSN AIP MCS  
 (Continued on next page.)

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03613  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

(Continued from previous page.)  
 1425/17-13-1

REMOVALS/INSTALLATIONS FOR A1PXXU1801904

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 912092	A23T	A1UES	00	912092	A23T	A1UES	00	
3260042-0201	09FEB18 00:12	A1PXXJ1802476	3260042-0201	23MAR18 00:21				
002 912097	A23T	A1UIS	00	912097	A23T	A1UIS	00	
3260042-0201	09FEB18 00:13	A1PXXJ1802478	3260042-0201	23MAR18 00:20				

A1PXXU1801905 COMPLETED 21FEB18 03:36 9073.6 AFHR SST  
 09FEB18 00:16 XXXXX  
 09FEB18 00:16 XXXXX  
 BS due on Serial 950  
 REG PRESS REDUCING at WAC 0640  
 XXXXX

Maint Acts: SERVICEABLE OXY REG PRESS REDUCING FITTED IAW AAP7212.007-2 REF AIP  
 MCS 1425/17 PG 13 SHT2

REMOVALS/INSTALLATIONS FOR A1PXXU1801905

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 950	A23T	A1UNC	02	981	A23T	A1UNC	02	
F103D000-15	09FEB18 00:18	A1PXXJ1514538	F103D000-15	21FEB18 03:34				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03614  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1801908	COMPLETED	05JUL18 05:37	9073.6	AFHR	SCM	XXXXXXXXXXXXXXXXXXXX
09FEB18 00:20	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			
09FEB18 00:20	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		MS1 due on Serial 0608-13264				05JUL18 05:37
		FATIG METER AMETEK at WAC 0730				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	MS1 SERV C/O SERV IAW 7212-007-2 REF LSN AIP MCS 338/18-22-5				

A1PXXU1801909	COMPLETED	22MAY18 06:22	9073.6	AFHR	SCM	XXXXXXXXXXXXXXXXXXXX
09FEB18 00:22	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			
09FEB18 00:23	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		LH & RH OCY CLYINDERS RFA. (STI-664)				22MAY18 06:22
						XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	BOTH OXY CYL ASSY'S REFITTED IAW 7212-007-2 REF LSN AIP MCS 1425/17-13-5				

REMOVALS/INSTALLATIONS FOR A1PXXU1801909

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	ALT279-25654 89795050	A23T	A1UNI 09FEB18 00:23	00 A1PXXJ1802484	ALT279-25802 89795050	A23T	A1UNI 22MAY18 06:19	00
002	ALT279-25656 89795050	A23T	A1UNG 09FEB18 00:24	00 A1PXXJ1802485	ALT279-25808 89795050	A23T	A1UNG 22MAY18 06:18	00

A1PXXU1304131	COMPLETED	05JUL18 05:30	9073.6	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
09FEB18 00:26	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			05JUL18 05:30
09FEB18 00:26	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S58 due on Serial A23-033				
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	S58 SERV C/O IAW TASPOS MRD WEB SITE REF LSN AIP MCS 338/18-22-5				



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1801955	COMPLETED	23MAR18 00:19	9073.6	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
12FEB18 00:41	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			23MAR18 00:19
12FEB18 00:42	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
TRANSPONDER TRANSCEIVER KXP 756 RFA. ( STI-664)						XXXXXXXXXXXXXXXXXXXX

Maint Acts: TRANSPONDER TRANSCEIVER KXP756 RETURNED SERV TO STORE IAW MOD 7212-007-272

REMOVALS/INSTALLATIONS FOR A1PXXU1801955

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	4130	A23T	A1ULQ	00				
	066-1071-00		12FEB18 00:42	A1PXXJ1802563				

A1PXXU1800907	COMPLETED	26MAR18 07:05	9073.6	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
12FEB18 00:45	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			26MAR18 07:05
12FEB18 00:45	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
STI-PC9-0664 due on Serial A23-033						XXXXXXXXXXXXXXXXXXXX
PC-9 at WAC 0000						XXXXXXXXXXXXXXXXXXXX

Maint Acts: FOR CMM2 UPDATING ONLY. PREVIOUSLY C/O IN R1. REF AIP MCS 1425/17, PG 14-2.

A1PXXU1802456	COMPLETED	21MAY18 05:48	9073.6	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
23FEB18 00:42	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			21MAY18 05:48
23FEB18 00:42	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
STI-PC9-0661 due on Serial 520						XXXXXXXXXXXXXXXXXXXX
STRUT SHOCK NLG at WAC 0500						XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV NLG SHOCK STRUT S/N:507 FITTED IAW AAP 7212-007-2. REF AIP MCS 1425/17-19-5 AND AIP MCS 190/18.

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03616  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

REMOVALS/INSTALLATIONS FOR A1PXXU1802456

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	0069 3-1451 OPT 1	A23T	A18AG 23FEB18 00:45	00 A1PXXJ1803256	0069 3-1451 OPT 1	A23T	A18AG 18MAY18 03:25	00
002	PC1500430 SP4518	A23T	A18AI 23FEB18 00:46	00 A1PXXJ1803257				
003	1184 HP1460100-3	A23T	A18AC 23FEB18 00:48	00 A1PXXJ1803258	1184 HP1460100-3	A23T	A18AC 18MAY18 03:23	00
004	520 532.20.09.130	A23T	A18 23FEB18 00:49	00 A1PXXJ1723262	507 532.20.09.130	A23T	A18 18MAY18 03:22	00

A1PXXU1803290 COMPLETED 24MAY18 05:41 9073.6 AFHR SST  
 13MAR18 23:03 XXxxXXxx XXxxXXxxXXxxXXxx AIP 24MAY18 05:41  
 13MAR18 23:05 XXxxXXxx XXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 CANOPY AND LOCKS ASSY RFA TO SERV A23-060. S/N 171  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV CANOPY AND LOCK ASSEMBLY FITTED IAW AAP 7212.007-2, REFER AIP  
 MCS 1425/18-17-9-6. REFER CANOPY RIGGING TO AIP MCS 338/18-16-2.

REMOVALS/INSTALLATIONS FOR A1PXXU1803290

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	171 556.10.09.043	A23T	A1UKW 13MAR18 23:05	00 A1PXXJ1804397	082 556.10.09.043	A23T	A1UKW 24MAY18 05:37	00

A1PXXU1803513 COMPLETED 23MAY18 22:19 9073.6 AFHR SST  
 20MAR18 06:20 XXxxXXxx XXxxXXxxXXxxXXxx AIP 23MAY18 22:19  
 20MAR18 06:21 XXxxXXxx XXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 REAR COCKPIT COMM2 CONTROL HEAD REMOVED TO SERVICE A23-023  
 XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03617  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: SERV COMMS 2 CONTROL HEAD REPLACED WITH SERV ITEM IAW 7212-007-2 REF  
LSN AIP MCS 1425/17-20-1

REMOVALS/INSTALLATIONS FOR 1PXXU1803513

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	2485	A23T	A1UHI	00	2217	A23T	A1UHI	00
	071-1282-39		20MAR18 06:21	1PXXJ1804728	071-1282-39		23MAY18 22:17	

1PXXU1707673 COMPLETED 25MAY18 02:31 9073.6 AFHR SST  
21MAR18 03:22 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 25MAY18 02:31  
21MAR18 03:23 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S57 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S57 SERV C/O IAW AAP 7212-007-7. REF AIP MCS 339/18 SERV PACK.

1PXXU1707725 COMPLETED 23AUG18 06:29 9073.6 AFHR SST  
21MAR18 03:22 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 23AUG18 06:29  
21MAR18 03:23 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
R2 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: R2 SERV C/O IAW 7212.007-6-1, REF AIP MCS 338/18 & 339/18

REMOVALS/INSTALLATIONS FOR 1PXXU1707725

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	042	A23T	A2IBC	00	042	A23T	A2IBC	00
	555.20.09.257		21MAR18 23:33	1PXXJ1804899	555.20.09.257		29MAR18 02:25	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03618  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

SEQ	REMOVED SERIAL NO REMOVED PART NO	EIAC	LCN DATE/TIME	ALC JOB NUMBER	INSTALLED SERIAL NO INSTALLED PART NO	EIAC	LCN DATE/TIME	ALC
002	L523933 D5210	A23T	A00AI 21MAR18 23:45	00 A1PXXJ1804900	L523933 D5210	A23T	A00AI 22MAY18 00:24	00
003	A23033 571.10.09.027	A23T	A08 22MAR18 00:13	00 A1PXXJ1804905	A23033 571.10.09.027	A23T	A08 23MAY18 00:47	00
004	A23033 571.10.09.028	A23T	A0A 22MAR18 00:14	00 A1PXXJ1804906	A23033 571.10.09.028	A23T	A0A 23MAY18 00:47	00
005	0415 3-1555	A23T	A2KDM 22MAR18 00:15	01 A1PXXJ1804907	0415 3-1555	A23T	A2KDM 23MAY18 03:11	01
006	0350 3-1555	A23T	A2KEI 22MAR18 00:16	01 A1PXXJ1804908	0350 3-1555	A23T	A2KEI 23MAY18 03:10	01
007	042 555.20.09.257	A23T	A2IBC 17MAY18 03:34	00 A1PXXJ1808260	042 555.20.09.257	A23T	A2IBC 18MAY18 00:55	00
008	PC1600917 3059257-01	A23T	A1SAK34 11JUL18 00:16	00 A1PXXJ1811269	PC1702070 3059258-01	A23T	A1SAK34 11JUL18 00:18	00

A1PXXU1709792 COMPLETED 26MAR18 07:00 9073.6 AFHR SST XXxxXXxxXXxxXXxxXXxx  
 21MAR18 03:22 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 26MAR18 07:00  
 21MAR18 03:23 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 STI-PC9-0651 due on Serial A23-033  
 PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-0651 C/O AS PER STI INSTRUCTIONS. NO EVIDENCE OF STOP DRILL  
 CONFIG C/O. REF AIP MCS 338/18, 7-3.

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03619  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1714737	COMPLETED	28MAR18 07:00	9073.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
21MAR18 03:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			28MAR18 07:00
21MAR18 03:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S63	due on Serial A23-033			
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: S63 CARRIED OUT @ PREVIOUS R-SERVICE. NOT FLOWN SINCE. REF AIP MCS 1311/17-3-1

A1PXXU1714769	COMPLETED	23AUG18 06:01	9073.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
21MAR18 03:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			23AUG18 06:01
21MAR18 03:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S20	due on Serial A23-033			
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: S20 C/O IAW ATACSPO MRD WEB, REF AIP MCS 338/18-3#3

A1PXXU1803566	COMPLETED	23MAY18 00:13	9073.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
21MAR18 03:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			23MAY18 00:13
21MAR18 03:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS	due on Serial 3959			
		STARTER GENERATOR	at WAC 0130			XXxxXXxxXXxxXXxxXXxx

Maint Acts: STARTER GENERATOR REFITTED IAW AAP 7212.007-2 REF AIP MCS 338/18-6#5

REMOVALS/INSTALLATIONS FOR A1PXXU1803566

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	3959	A23T	A1SAI14	00	3959	A23T	A1SAI14	00
	23081-026		22MAR18 05:32	A1PXXJ1721054	23081-026		23MAY18 00:11	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03620  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1803569	COMPLETED	21MAR18 03:29	9073.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
21MAR18 03:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			21MAY18 01:57
21MAR18 03:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial K99435				
		BLADE PROP NO.1 at WAC 0110				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	TRANSFERRED TO GG608				
A1PXXU1803570	COMPLETED	21MAR18 03:29	9073.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
21MAR18 03:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			21MAY18 01:57
21MAR18 03:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial K99436				
		BLADE PROP NO.2 at WAC 0110				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	TRANSFERRED TO GG608				
A1PXXU1803571	COMPLETED	21MAR18 03:29	9073.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
21MAR18 03:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			21MAY18 01:57
21MAR18 03:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial K99437				
		BLADE PROP NO.3 at WAC 0110				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	TRANSFERRED TO GG608				
A1PXXU1803572	COMPLETED	21MAR18 03:29	9073.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
21MAR18 03:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			21MAY18 01:57
21MAR18 03:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial K99444				
		BLADE PROP NO.4 at WAC 0110				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	TRANSFERRED TO GG608				
A1PXXU1803573	COMPLETED	21MAY18 06:17	9073.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
21MAR18 03:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			21MAY18 06:17
21MAR18 03:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial GG608				
		PROPELLER ASSY at WAC 0110				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	SERV PROP ASSY FITTED IAW AAP 7212.007-2 REF AIP MCS 338/18-6-1				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03621  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1803573

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	GG608	A23T	A00	00	GG591	A23T	A00	00
	HC-D4N2A/D9512A		21MAY18 01:56	N0NC2J1200825	HC-D4N2A/D9512A		21MAY18 06:13	

A1PXXU1604894 COMPLETED 27MAR18 03:47 9073.6 AFHR SST  
21MAR18 03:30 XXxxXXxx XXxxXXxxXXxxXXxx AIP 27MAR18 03:47  
21MAR18 03:30 XXxxXXxx XXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S46 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S 46 SERVICING CARRIED OUT IAW AAP 7212.007-2 XREF AIP MCS 339/18 WC  
16-17 TASK SEQ 283-293

REMOVALS/INSTALLATIONS FOR A1PXXU1604894

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	88602	A23T	A0Y	00	88602	A23T	A0Y	00
	85020-8		27MAR18 03:37	A1PXXJ1805181	85020-8		27MAR18 03:41	

A1PXXU1707724 COMPLETED 23AUG18 06:06 9073.6 AFHR SST  
21MAR18 03:31 XXxxXXxx XXxxXXxxXXxxXXxx AIP 23AUG18 06:06  
21MAR18 03:31 XXxxXXxx XXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S62 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S62 C/O IAW ATACSPO MRD WEB, REF AIP MCS 338/18-4#3

A1PXXU1505333 COMPLETED 28MAR18 05:21 9073.6 AFHR SST  
21MAR18 03:32 XXxxXXxx XXxxXXxxXXxxXXxx AIP 28MAR18 05:21  
21MAR18 03:32 XXxxXXxx XXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S28 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S28 SERV C/O IAW AAP 7212-007-2 CHAP 32. REF AIP MCS 339/18, 561.

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03622  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1604172	COMPLETED	28MAR18 07:11	9073.6	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
21MAR18 03:32	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			28MAR18 07:11
21MAR18 03:32	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S60 due on Serial A23-033				
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX

Maint Acts: S60 SERVICING CARRIED OUT IAW ATACSP0 MRD WEBSITE XREF AIP MCS 338/18-5-4

REMOVALS/INSTALLATIONS FOR A1PXXU1604172

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	542	A23T	A2I	00	542	A23T	A2I	00
	555.10.09.130		22MAR18 00:28	A1PXXJ1804909	555.10.09.130		28MAR18 07:01	

A1PXXU1505332	COMPLETED	28MAR18 05:21	9073.6	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
21MAR18 03:33	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			28MAR18 05:21
21MAR18 03:33	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S29 due on Serial A23-033				
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX

Maint Acts: S29 SERV C/O IAW AAP 7212-007-2 CHAP 32. REF AIP MCS 339/18, 562.

A1PXXU1507785	COMPLETED	26MAR18 06:23	9073.6	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
21MAR18 03:33	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			26MAR18 06:23
21MAR18 03:33	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S68 due on Serial A23-033				
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX

Maint Acts: S68 INSPECTIONS C/O SERV IAW AAP 7212-007-2 CHAP 53. NO SIGNS OF CRACKS OR ANOMALY FOUND. REF AIP MCS 339/18, 316-317.



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03623  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1303666	COMPLETED	22MAR18 05:58	9073.6	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
21MAR18 03:34	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			22MAR18 05:58
21MAR18 03:34	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S65 due on Serial A23-033				
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	S65 CARRIED OUT IAW AAP 7212-007-2. REF AIP MCS 338/18-5-6				
A1PXXU1604175	COMPLETED	28MAR18 05:03	9073.6	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
21MAR18 03:35	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			28MAR18 05:03
21MAR18 03:35	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S73 due on Serial A23-033				
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	S73 SERV C/O SERV IAW AAP 7212-007-2 CHAP 53. INSPECTIONS C/O ON UPPER AND LOWER LONGERONS. NO CORROSION OR DAMAGE EVIDENT. REF AIP MCS 339/18, #321.				
A1PXXU1706971	COMPLETED	22MAR18 07:23	9073.6	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
21MAR18 03:35	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			22MAR18 07:23
21MAR18 03:35	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S77 due on Serial A23-033				
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	S77 CARRIED OUT IAW ATACSPO WEBSITE. REF AIP MCS 339/18 WC 23 TASK SEQ: 365-368				
A1PXXU1714768	COMPLETED	22MAR18 07:24	9073.6	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
21MAR18 03:35	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			22MAR18 07:24
21MAR18 03:35	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S76 due on Serial A23-033				
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	S76 CARRIED OUT IAW ATACSPO MRD WEBSITE. REF AIP MCS 339/18 WC 13 TASK SEQ: 229-230				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 03624  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1504135	COMPLETED	17MAY18 22:47	9073.6	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
21MAR18 03:36	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			17MAY18 22:47
21MAR18 03:36	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S36	due on Serial A23-033			
		PC-9	at WAC 0000			XXXXXXXXXXXXXXXXXXXX

Maint Acts: S-36 SERVICING CARRIED OUT IAW ATACSPO WEB SITE REF AIP MCS 338/18-5-2.

REMOVALS/INSTALLATIONS FOR A1PXXU1504135

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PC1500369 938.09.14.307	A23T	A1UAE 17MAY18 22:13	00 A1PXXJ1808286	PC1800383 938.09.14.307	A23T	A1UAE 17MAY18 22:20	00
002	PC1500367 938.09.14.307	A23T	A1UAG 17MAY18 22:20	00 A1PXXJ1808288	PC1800384 938.09.14.307	A23T	A1UAG 17MAY18 22:26	00
003	PC1500368 110.30.07.008	A23T	A1UAU 17MAY18 22:28	00 A1PXXJ1808290	PC1500368 110.30.07.008	A23T	A1UAU 17MAY18 22:34	00
004	PC1500366 110.30.07.008	A23T	A1UAW 17MAY18 22:35	00 A1PXXJ1808292	PC1500366 110.30.07.008	A23T	A1UAW 17MAY18 22:40	00

A1PXXU1706953	COMPLETED	22MAR18 05:26	9073.6	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
21MAR18 03:36	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			22MAR18 05:26
21MAR18 03:36	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S37	due on Serial A23-033			
		PC-9	at WAC 0000			XXXXXXXXXXXXXXXXXXXX

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: MS37 CARRIED OUT IAW AAP 7212-007-2. REF AIP MCS 339/18 WC 13 TASK SEQ 209 &210

A1PXXU1714725	COMPLETED	23AUG18 06:08	9073.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
21MAR18 03:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			23AUG18 06:08
21MAR18 03:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S16 PC-9		due on Serial A23-033 at WAC 0000		XXxxXXxxXXxxXXxxXXxx

Maint Acts: S16 C/O IAW ATACSPO MRD WEB, REF AIP MCS 338/18-5#1

A1PXXU1803574	COMPLETED	26MAR18 07:46	9073.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
21MAR18 03:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			26MAR18 07:46
21MAR18 03:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		TA ACTUATOR HYD NLG		due on Serial FYH163678 at WAC 0500		XXxxXXxxXXxxXXxxXXxx

Maint Acts: NLG HYD ACTUATOR REPLACED IAW AAP 7212-007-2 REF AIP MCS 338/18-6-3

REMOVALS/INSTALLATIONS FOR A1PXXU1803574

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	FYH163678 4035 H2	A23T	A1I 26MAR18 07:42	00 A1PXXJ1625247	FYH159145 4035 H2	A23T	A1I 26MAR18 07:44	00

A1PXXU1803575	COMPLETED	26MAR18 07:14	9073.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
21MAR18 03:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			26MAR18 07:14
21MAR18 03:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MS2 RUDDER_TRIM TABS		due on Serial 164 at WAC 1410		XXxxXXxxXXxxXXxxXXxx

Maint Acts: MS 2 INSPECTIONS C/O SERV IAW AAP 7212-007-2 CHAP 27. NO CRACKS OR ANOMALY EVIDENT. REF AIP MCS 338/18, 4-6.

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03626  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1803576	COMPLETED	22MAR18 05:39	9073.6	AFHR	SST	XXXXXXXXXXXXXXXXXXXX	
21MAR18 03:41	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			22MAR18 05:39	
21MAR18 03:41	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		NDT due on Serial 027LH					
		INBOARD WING BAY LH at WAC 0920				XXXXXXXXXXXXXXXXXXXX	
	Maint Acts:	NDT1 CARRIED OUT IAW AAP 7212-007-2. NIL ANOMALIES EVIDENT. REF AIP MCS 338/18-7-5					

A1PXXU1803577	COMPLETED	22MAR18 05:39	9073.6	AFHR	SST	XXXXXXXXXXXXXXXXXXXX	
21MAR18 03:41	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			22MAR18 05:39	
21MAR18 03:41	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		NDT due on Serial 027RH					
		INBOARD WING BAY RH at WAC 1020				XXXXXXXXXXXXXXXXXXXX	
	Maint Acts:	NDT1 CARRIED OUT IAW AAP 7212-007-2. NIL ANOMALIES EVIDENT. REF AIP MCS 338/18-7-6					

A1PXXU1803578	COMPLETED	28MAR18 06:58	9073.6	AFHR	SST	XXXXXXXXXXXXXXXXXXXX	
21MAR18 03:42	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			28MAR18 06:58	
21MAR18 03:42	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		BS due on Serial 0689					
		PUMP FUEL HIGH PRES at WAC 0130				XXXXXXXXXXXXXXXXXXXX	
	Maint Acts:	HPFP & FCU ASSY RE-FITTED IAW AAP 7113-022-2. REF AIP MCS 338/18-13-4					

REMOVALS/INSTALLATIONS FOR A1PXXU1803578

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0689	A23T	A1SAI10	00	0689	A23T	A1SAI10	00
	025323-500B		28MAR18 06:31	A1PXXJ1805317	025323-500B		28MAR18 06:32	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03627  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES -----  
SERV NUMBER STATUS STATUS DATE/TIME TOTAL LIFE INT TYPE CERTIFICATION TRADESMAN  
RAISED DATE/TIME RAISED USER ID RAISED NAME RAISED VENUE CAPABILITY CODE EPSS DATE/TIME  
ENTERED DATE/TIME ENTERED USER ID ENTERED NAME ENTERED VENUE IMIC NO SUPERVISOR  
OPERATION NO ASOR NO SYMPTOMS  
EE500PG EE500LN  
STA WL BL ADMIN MAINT ACTION/LIMITATIONS  
=====

A1PXXU1803579 COMPLETED 22MAY18 04:40 9073.6 AFHR SST XXxxXXxxXXxxXXxxXXxx  
21MAR18 03:43 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 22MAY18 04:40  
21MAR18 03:43 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
BS due on Serial RT143  
FUEL NOZZLE SET at WAC 0120 XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERVICEABLE FUEL NOZZLE SET FITTED IAW AAP7113.022-2, REF AIP MCS 338/18-3-1

REMOVALS/INSTALLATIONS FOR A1PXXU1803579

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	RT143	A23T	A1SAK27	00	RT166	A23T	A1SAK27	00
	RAAFA62FNS01		26MAR18 07:48	N0NC2J1701261	RAAFA62FNS01		22MAY18 04:35	

A1PXXU1803580 COMPLETED 16MAY18 23:48 9073.6 AFHR SST XXxxXXxxXXxxXXxxXXxx  
21MAR18 03:44 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 16MAY18 23:48  
21MAR18 03:44 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
STI-PC9-0665 due on Serial B19154  
FUEL CONTROL UNIT at WAC 0130 XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-0665 C/O AS PER INSTRUCTIONS. ASSESSED AS SERV. REF AIP MCS 338/18-7-4.

A1PXXU1803584 COMPLETED 22MAR18 05:56 9073.6 AFHR SST XXxxXXxxXXxxXXxxXXxx  
21MAR18 05:23 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 22MAR18 05:56  
21MAR18 05:23 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
MS37 due on Serial P/F017  
SBI VSTAB INTERNAL at WAC 1400 XXxxXXxxXXxxXXxxXXxx

Maint Acts: MS37 CARRIED OUT IAW AAP 7212-007-2. REF AIP MCS 39/18 WC 13 TASK SEQ: 209&210

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1803585	COMPLETED	26MAR18 06:53	9073.6	AFHR	SST	XXXXXXXXXX
21MAR18 05:23	XXXXXXXX	XXXXXXXXXXXX	AIP			26MAR18 06:53
21MAR18 05:23	XXXXXXXX	XXXXXXXXXXXX	AIP			XXXXXXXXXX
		MS27 due on Serial 033Z				
		SBI FUS FRAME 9 at WAC 0670				XXXXXXXXXX
	Maint Acts:	MS 27 INSPECTIONS C/O SERV IAW AAP 7212-007-2 CHAP 53. NO CRACKS OR ANOMALY EVIDENT. REF AIP MCS 339/18, 171.				
A1PXXU1803586	COMPLETED	21MAR18 05:23	9073.6	AFHR	SST	XXXXXXXXXX
21MAR18 05:23	XXXXXXXX	XXXXXXXXXXXX	AIP			21MAR18 23:34
21MAR18 05:23	XXXXXXXX	XXXXXXXXXXXX	AIP			XXXXXXXXXX
		MS39 due on Serial 042L				
		SBI ELEV INT STR at WAC 1300				XXXXXXXXXX
	Maint Acts:	TRANSFERRED TO 042				
A1PXXU1803587	COMPLETED	26MAR18 06:54	9073.6	AFHR	SST	XXXXXXXXXX
21MAR18 05:23	XXXXXXXX	XXXXXXXXXXXX	AIP			26MAR18 06:54
21MAR18 05:23	XXXXXXXX	XXXXXXXXXXXX	AIP			XXXXXXXXXX
		MS28 due on Serial 033				
		SBI FUS FRAME 10 at WAC 0670				XXXXXXXXXX
	Maint Acts:	MS 28 INSPECTIONS C/O SERV IAW AAP 7212-007-2 CHAP 53. NO CRACKS OR ANOMALY EVIDENT. REF AIP MCS 339/18, 173-174.				
A1PXXU1803588	COMPLETED	22MAR18 05:43	9073.6	AFHR	SST	XXXXXXXXXX
21MAR18 05:23	XXXXXXXX	XXXXXXXXXXXX	AIP			22MAR18 05:43
21MAR18 05:23	XXXXXXXX	XXXXXXXXXXXX	AIP			XXXXXXXXXX
		NDT1 due on Serial 027LH				
		LWNG NSE SKN TO FUS at WAC 0900				XXXXXXXXXX
	Maint Acts:	NDT1 CARRIED OUT IAW AAP 7212-007-2. NIL ANOMALIES EVIDENT. REF AIP MCS 338/18-7-5				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1803589	COMPLETED	22MAR18 05:45	9073.6	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
21MAR18 05:23	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			22MAR18 05:45
21MAR18 05:23	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		NDT1 due on Serial 027RH				
		RWNG NSE SKN TO FUS at WAC 1000				XXXXXXXXXXXXXXXXXXXX

Maint Acts: NDT1 CARRIED OUT IAW AAP 7212-007-2. NIL ANOMALIES EVIDENT. REF AIP MCS 338/18-7-6

A1PXXU1803657	COMPLETED	19APR18 05:39	9073.6	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
22MAR18 00:04	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			19APR18 05:39
22MAR18 00:05	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		FDR RFA				

Maint Acts: FDR REFITTED IAW AAP 7212.007-2 REF AIP MCS 338/18-9#2

REMOVALS/INSTALLATIONS FOR A1PXXU1803657

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	01496	A23T	A1UPM	00	01496	A23T	A1UPM	00
	S703-1000-01		22MAR18 00:06	A1PXXJ1804904	S703-1000-01		19APR18 05:38	

A1PXXU1803700	COMPLETED	23MAY18 01:08	9073.6	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
22MAR18 03:07	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			23MAY18 01:08
22MAR18 03:08	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BOTH INVS AND RACK RFA				

Maint Acts: BOTH INVS AND RACK REFITTED IAW 7212-007-2 REF LSN AIP MCS 338/18-9-5

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03630  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1803700

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	6567 975.04.21.103	A23T	A1UOE 22MAR18 03:08	01 A1PXXJ1804957	6567 975.04.21.103	A23T	A1UOE 23MAY18 01:07	01
-----	-----------------------	------	------------------------	---------------------	-----------------------	------	------------------------	----

002	6616 PC-125-12B	A23T	A1UOG 22MAR18 03:10	01 A1PXXJ1804958	6616 PC-125-12B	A23T	A1UOG 23MAY18 01:06	01
-----	--------------------	------	------------------------	---------------------	--------------------	------	------------------------	----

A1PXXU1803702 COMPLETED 28MAR18 06:13 9073.6 AFHR SST XXxxXXxxXXxxXXxxXXxx  
22MAR18 03:19 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 28MAR18 06:13  
22MAR18 03:20 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
RH MLG STRUT ASSY RFA (S29).  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: RH MLG STRUT ASSY S/N 505 REFITTED IAW AAP 7212.007-2 XREF AIP MCS  
338/18-9-4

REMOVALS/INSTALLATIONS FOR A1PXXU1803702

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	505 532.10.09.076	A23T	A2KEC 22MAR18 03:20	00 A1PXXJ1804961	505 532.10.09.076	A23T	A2KEC 28MAR18 06:09	00
-----	----------------------	------	------------------------	---------------------	----------------------	------	------------------------	----

A1PXXU1803707 COMPLETED 28MAR18 06:01 9073.6 AFHR SST XXxxXXxxXXxxXXxxXXxx  
22MAR18 05:21 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 28MAR18 06:01  
22MAR18 05:23 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
BOTH LH AND RH MLG UPPER FOLDING STRUTS RFA. (STI-647).  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: BOTH LH AND RH MLG UPPER FOLDING STRUTS FITTED IAW AAP 7212.007-2  
XREF AIP MCS 338/18-9-6



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03631  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

REMOVALS/INSTALLATIONS FOR A1PXXU1803707

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	027LH 532.10.09.129	A23T	A2KKF 22MAR18 05:23	00 A1PXXJ1804965	027LH 532.10.09.129	A23T	A2KKF 28MAR18 05:55	00
-----	------------------------	------	------------------------	---------------------	------------------------	------	------------------------	----

002	027RH 532.10.09.130	A23T	A2KKG 22MAR18 05:24	00 A1PXXJ1804966	027RH 532.10.09.130	A23T	A2KKG 28MAR18 05:53	00
-----	------------------------	------	------------------------	---------------------	------------------------	------	------------------------	----

A1PXXU1803708 COMPLETED 28MAR18 06:07 9073.6 AFHR SST  
22MAR18 05:25 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 28MAR18 06:07  
22MAR18 05:26 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
LH MLG STRUT ASSY RFA (S28) XXxxXXxxXXxxXXxxXXxx

Maint Acts: LH MLG ASSY SN: 538 REFITTED IAW AAP 7212.007-2 XREF AIP MCS  
338/18-10-1

REMOVALS/INSTALLATIONS FOR A1PXXU1803708

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	538 532.10.09.075	A23T	A2KDG 22MAR18 05:26	00 A1PXXJ1804967	538 532.10.09.075	A23T	A2KDG 28MAR18 06:04	00
-----	----------------------	------	------------------------	---------------------	----------------------	------	------------------------	----

A1PXXU1803739 COMPLETED 24JUL18 05:44 9073.6 AFHR SST  
23MAR18 00:24 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 24JUL18 05:44  
23MAR18 00:28 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
AVIONICS COMPONENTS REMOVED FOR MOD 7212-007-272 XXxxXXxxXXxxXXxxXXxx

Maint Acts: AVIONICS COMPONENTS FITTED AS PER 7212.007-2 REF AIP MCS 559/18

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03632  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

REMOVALS/INSTALLATIONS FOR A1PXXU1803739

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	4401 066-1077-00	A23T	A1UME 23MAR18 00:28	00 A1PXXJ1805000	4401 066-1077-00	A23T	A1UME 15MAY18 06:53	00
002	5560 064-1023-02	A23T	A1UMA 23MAR18 00:30	00 A1PXXJ1805001	5560 064-1023-02	A23T	A1UMA 15MAY18 06:52	00
003	128 532.30.09.216	A23T	A1UCQ 23MAR18 00:31	00 A1PXXJ1805002	128 532.30.09.216	A23T	A1UCQ 19APR18 04:43	00
004	96010162 150.0001-2	A23T	A1UDI 23MAR18 00:33	00 A1PXXJ1805003	96010162 150.0001-2	A23T	A1UDI 10MAY18 01:12	00
005	133 631 367 297	A23T	A1UMC 23MAR18 01:54	00 A1PXXJ1805012	133 631 367 297	A23T	A1UMC 15MAY18 06:51	00
006					08797 00649-00-01	A23T	A1UCS 10MAY18 01:20	01
007					05777 00745-00-01	A23T	A1ULQ 10MAY18 01:21	01
008					4000305 21000	A23T	A1UUD 10MAY18 01:23	00

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03633  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

=====  
A1PXXU1803741 COMPLETED 23MAR18 00:45 9073.6 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
23MAR18 00:35 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
23MAR18 00:41 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
TRANSPONDER CONTROLLER KFS576A RFA  
23MAR18 00:45  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: TRANSPONDER CONTROLLER RETURNED SERV TO STORE IAW MOD 7212-007-272

REMOVALS/INSTALLATIONS FOR A1PXXU1803741

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	2279	A23T	A1UCS	00				
	071-1276-09		23MAR18 00:42	A1PXXJ1805005				

A1PXXU1803743 COMPLETED 23MAR18 01:00 9073.6 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
23MAR18 00:46 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
23MAR18 00:48 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
TRANSPONDER CONTROLLER DISPLAY ANTI GLARE SCREEN DELAMINATING  
23MAR18 01:00  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: TRANSPONDER CONTROLLER RETURN TO STORE IAW MOD 7212-007-272

REMOVALS/INSTALLATIONS FOR A1PXXU1803743

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1846	A23T	A1UHA	00				
	071-1276-09		23MAR18 00:48	A1PXXJ1805007				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03634  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1803759	COMPLETED	22MAY18 02:10	9073.6	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
26MAR18 00:24	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			22MAY18 02:10
26MAR18 00:24	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		HEAT EXCHANGER, COVER AND ASSOCIATED PIPES REMOVED FOR NLG ACTUATOR CHANGE				XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV HEAT EXCHANGER AND ASSOCIATED PIPES RE-FITTED IAW AAP 7212-007-2. REF AIP MCS 338/18-12-5.

REMOVALS/INSTALLATIONS FOR A1PXXU1803759

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	676	A23T	A0M	00	676	A23T	A0M	00
	195980-3		26MAR18 00:25	A1PXXJ1805036	195980-3		22MAY18 02:08	

A1PXXU1803763	COMPLETED	23MAY18 00:10	9073.6	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
26MAR18 03:38	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			23MAY18 00:10
26MAR18 03:40	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BLOWER FAN ASSY REMOVED NLG ACTUATOR REPLACEMENT				XXXXXXXXXXXXXXXXXXXX

Maint Acts: BLOWER FANN ASSY REFITTED IAW AAP 7212.007-2 REF AIP MCS 338/18-17#1

REMOVALS/INSTALLATIONS FOR A1PXXU1803763

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	45	A23T	A0E	00	45	A23T	A0E	00
	M5922H-9A1/HED608279		26MAR18 03:41	A1PXXJ1805047	M5922H-9A1/HED608279		23MAY18 00:08	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 03635  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1804389	COMPLETED	14JUN18 02:00	9073.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
09APR18 05:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			14JUN18 02:00
09APR18 05:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		CDBU & CCV RFA. (DUE BS).				XXxxXXxxXXxxXXxxXXxx

Maint Acts: CCV AND CDBU REFITTED IAW 7212.007-2. REFER AIP MCS 446/18 WC NO. 2-6.

REMOVALS/INSTALLATIONS FOR A1PXXU1804389

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	MC1037 MBEU100433	A23T	A1UJC 09APR18 05:55	00 A1PXXJ1805812	MC1037 MBEU100433	A23T	A1UJC 14JUN18 01:56	00
002	DG1808 MBEU64438	A23T	A1UIY 09APR18 05:57	00 A1PXXJ1805813	DG1808 MBEU64438	A23T	A1UIY 14JUN18 01:55	00

A1PXXU1804390	COMPLETED	14JUN18 02:11	9073.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
09APR18 05:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			14JUN18 02:11
09APR18 05:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		TA due on Serial 8683316				XXxxXXxxXXxxXXxxXXxx
		SET CART COMMAND at WAC 0700				XXxxXXxxXXxxXXxxXXxx

Maint Acts: CARTRIDGE SET COMMAND FITTED IAW 7212.007-2 REF AIP MCS 446/18 WC NO. 5 ITEM 784-786A.

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03636  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR 1PXXU1804390

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	8683316	A23T	A1UJA	00	5073318	A23T	A1UJA	00
	MBEU60228		09APR18 06:00	1PXXJ1609839	MBEU60228		14JUN18 02:08	

1PXXU1804419 COMPLETED 15JUN18 01:19 9073.6 AFHR SST XXxxXXxxXXxxXXxxXXxx  
10APR18 00:20 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 15JUN18 01:19  
10APR18 00:20 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
TA due on Serial 8953316R  
CARTRIDGE SET SEAT at WAC 0740 XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV REAR CARTRIDGE SET SEAT FITTED ON SEAT S/N 048 IAW AAP 7212-007-2.

REMOVALS/INSTALLATIONS FOR 1PXXU1804419

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	8953316R	A23T	A26AE	00	5453318R	A23T	A26AE	00
	MBEU100021		10APR18 00:27	1PXXJ1609837	MBEU100021		15JUN18 01:16	

1PXXU1804420 COMPLETED 15JUN18 01:24 9073.6 AFHR SST XXxxXXxxXXxxXXxxXXxx  
10APR18 00:20 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 15JUN18 01:24  
10APR18 00:20 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
TA due on Serial 8963316F  
SET CART EJECTION at WAC 0730 XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV FRONT CARTRIDGE SET FITTED ON SEAT S/N 047 IAW AAP 7212-007-2.  
REF AIP MCS 138/18 WORK PACK.

REMOVALS/INSTALLATIONS FOR 1PXXU1804420

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	8963316F	A23T	A1WAE	00	5453318F	A23T	A1WAE	00
	MBEU100021		10APR18 00:24	1PXXJ1609838	MBEU100021		15JUN18 01:21	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03637  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1803845	COMPLETED	24JUL18 05:41	9073.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
07MAY18 22:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			24JUL18 05:41
07MAY18 22:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		7212.007-272 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	MOD 7212.007-272 INCORPORATED REF AIP MCS 559/18				
A1PXXU1511989	COMPLETED	17MAY18 23:03	9073.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
17MAY18 22:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			17MAY18 23:03
17MAY18 22:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S67 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S67 SERVICING C/O IAW ATACSPO MRD WEB SITE REF AIP MCS 339/18-30-459-464				
A1PXXU1707671	COMPLETED	22AUG18 06:09	9073.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
21MAY18 06:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			22AUG18 06:09
21MAY18 06:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S41 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S41 C/O IAW MRD REF AIP MCS1062/18-4-4				
A1PXXU1803994	COMPLETED	12JUL18 00:27	9073.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
21MAY18 06:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			12JUL18 00:27
21MAY18 06:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S63 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S63 C/O IAW 7212.007-7. OIL PATCH SCREENED AND ASSESSED SERV IAW LED 06/15 STEPS G TO M. REF AIP MCS 338/18-16-4				
A1PXXU1806071	COMPLETED	28MAY18 02:45	9073.6	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
22MAY18 02:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
22MAY18 02:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0672 due on Serial A23-033				28MAY18 02:45
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03638  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: STI-PC9-672 INC IAW INSTRUCTION, NO NON COMPLIANT TIES FOUND

A1PXXU1806360	COMPLETED	22MAY18 05:01	9073.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
22MAY18 04:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			22MAY18 05:01
22MAY18 04:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		LH MLG ACTUATOR LEAKING FROM WEEPHOLE.				XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV LH MLG ACTUATOR FITTED IAW AAP 7212-007-2. REF AIP MCS 338/18-13-5.

REMOVALS/INSTALLATIONS FOR A1PXXU1806360

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	FYH167265	A23T	A2KBM	00	FYH166970	A23T	A2KBM	00
	4033 H2		22MAY18 04:57	A1PXXJ1808420	4033 H2		22MAY18 04:59	

A1PXXU1806411	COMPLETED	23MAY18 00:19	9073.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
23MAY18 00:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			23MAY18 00:19
23MAY18 00:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		TA due on Serial 0798				XXxxXXxxXXxxXXxxXXxx
		VALVE REFILL OXYGEN at WAC 0640				XXxxXXxxXXxxXXxxXXxx

Maint Acts: VALVE REFILL OXY REPLACED IAW AAP 7212.007-2 REF AIP MCS 338/18-7#1

REMOVALS/INSTALLATIONS FOR A1PXXU1806411

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0798	A23T	A1UMU	03	874	A23T	A1UMU	03
	OC-001-06		23MAY18 00:16	A1PXXJ1705906	OC-001-06		23MAY18 00:16	



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03639  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1806515	COMPLETED	24MAY18 23:20	9073.6	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
24MAY18 23:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
24MAY18 23:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FT due on Serial DN6188				24MAY18 23:20
		BCN UNDERWATER LOC at WAC 0740				XXxxXXxxXXxxXXxxXXxx

Maint Acts: FT C/O SERV IAW 7212-007-2 REF LSN AIP MCS 338/18-7-2

A1PXXU1806516	COMPLETED	24MAY18 23:28	9073.6	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
24MAY18 23:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
24MAY18 23:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FT due on Serial DU47427				24MAY18 23:28
		BCN UNDERWATER LOC at WAC 0640				XXxxXXxxXXxxXXxxXXxx

Maint Acts: FT C/O SERV IAW 7212-007-2 REF LSN AIP MCS 338/17-20-4

A1PXXU1807342	COMPLETED	15JUN18 02:00	9073.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
14JUN18 04:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			15JUN18 02:00
14JUN18 04:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FRONT AND REAR PARAS AND PSPS TO BE FITTED.				
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV FRONT AND REAR PARAS AND PSPS FITTED IAW AAP 7291-042-2. REF AIP MCS 138/18-2-5 WORKPACK.

REMOVALS/INSTALLATIONS FOR A1PXXU1807342

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001					R717426-SET5 MBEU100664	A23T	A1WBA 15JUN18 01:55	00
002					DD0043-SET5 STANDARDPACK-1	A23T	A1WBG 15JUN18 01:56	00

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03640  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

003					MB13782-SET5 MBEU12043PA	A23T	A26BA 15JUN18 01:57	00
-----	--	--	--	--	-----------------------------	------	------------------------	----

004					DF0211-SET5 STANDARDPACK-1	A23T	A26BG 15JUN18 01:58	00
-----	--	--	--	--	-------------------------------	------	------------------------	----

A1PXXU1808198 COMPLETED 05JUL18 05:41 9073.6 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
05JUL18 05:38 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
05JUL18 05:38 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
TA due on Serial PC1601076 05JUL18 05:41  
BATTERY FATIG METER at WAC 0730 XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV BATTERY FITTED IAW 7212-007-2 REF LSN AIPMCS 338/18-6-6

REMOVALS/INSTALLATIONS FOR A1PXXU1808198

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	PC1601076 LS14500	A23T	A1ULF00 05JUL18 05:39	00 A1PXXJ1619170	PC1800437 LS14500	A23T	A1ULF00 05JUL18 05:39	00
-----	----------------------	------	--------------------------	---------------------	----------------------	------	--------------------------	----

A1PXXU1808432 COMPLETED 10JUL18 22:49 9073.6 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
10JUL18 22:42 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
10JUL18 22:44 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
CONTROLLER INTERMITTENTLY SWITCHES BETWEEN FREQUENCIES, CHANNEL AND  
PROGRAM WHEN SELECTED OFF 10JUL18 22:49  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV CONTROLLER FITTED IAW 7212-007-2 REF LSN AIP MCS 338/18-22-6

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
Camm2  
ASSET HISTORY

PAGE 03641  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1808432

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	1753	A23T	A1UDA	00	2700	A23T	A1UDA	00
	071-1282-39		10JUL18 22:44	A1PXXJ1811252	071-1282-39		10JUL18 22:48	

A1PXXU1013005 COMPLETED 11JUL18 03:34 9073.6 AFHR SST XXxxXXxxXXxxXXxxXXxx  
11JUL18 03:29 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 11JUL18 03:34  
11JUL18 03:29 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S23 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: S23 SERV C/O IAW ATACSPO MRD WEB SITE,REF AIP MCS 338/18-23-1.

A1PXXU1808462 COMPLETED 22AUG18 12:59 9073.6 AFHR SST XXxxXXxxXXxxXXxxXXxx  
11JUL18 03:29 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 22AUG18 12:59  
11JUL18 03:29 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
MS1 due on Serial 0608-13264  
FATIG METER AMETEK at WAC 0730 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: MS1 SERV C/O IAW AAP7212.007-2 REF 584757/3-5-5

A1PXXU1808663 COMPLETED 12JUL18 22:21 9073.6 AFHR SST XXxxXXxxXXxxXXxxXXxx  
12JUL18 22:17 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 12JUL18 22:21  
12JUL18 22:17 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
STI-PC9-0673 due on Serial 3E536  
REDUCTION GEARBOX at WAC 0120 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: STI-PC9-0673 CARRIED OUT IAW INSTRUCTION. SOME SMALL DEBRIS SPOTTE  
THAT REFLECTS BORESCOPE LIGHT.

A1PXXU1808878 COMPLETED 18JUL18 05:06 9073.6 AFHR SST XXxxXXxxXXxxXXxxXXxx  
18JUL18 05:04 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 18JUL18 05:06  
18JUL18 05:05 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
ENGINE GROUND RUN REQUIRED FOR ENGINE COMPONENT OF EMF TEST PLAN -  
IPAD MINI XXxxXXxxXXxxXXxxXXxx  
Maint Acts: ENGINE GROUND RUN CARRIED OUT SERV IAW AAP 7212.007-2

A1PXXU1809279 COMPLETED 27AUG18 05:30 9073.6 AFHR SST XXxxXXxxXXxxXXxxXXxx  
26JUL18 06:19 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 27AUG18 05:30  
26JUL18 06:19 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
LEAK CHECK REQD ON LT 2,3,4 POST FIRST FLIGHT XXxxXXxxXXxxXXxxXXxx  
Maint Acts: LEAK CHECKS C/O. NO LEAKS FOUND. REF SMR.

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03642  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1809280 COMPLETED 23AUG18 06:20 9073.6 AFHR SST XXxxXXxxXXxxXXxxXXxx  
26JUL18 06:47 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 23AUG18 06:20  
26JUL18 06:47 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
NDT due on Serial 027LH  
LWNG RSPAR UP FLNG at WAC 0900 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: NDT CARRIED OUT IAW AAP 7212.007-36 SECT 4 CHAP 9. NIL CRACKS  
EVIDENT. REFER TO NDT REPORT AIP/NDT/A23-033/101.

A1PXXU1809281 COMPLETED 23AUG18 06:20 9073.6 AFHR SST XXxxXXxxXXxxXXxxXXxx  
26JUL18 06:47 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 23AUG18 06:20  
26JUL18 06:47 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
NDT due on Serial 027RH  
RWNG RSPAR UP FLNG at WAC 1000 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: NDT CARRIED OUT IAW AAP 7212.007-36 SECT 4 CHAP 9. NIL CRACKS  
EVIDENT. REFER TO NDT REPORT AIP/NDT/A23-033/101.

A1PXXU1809325 COMPLETED 09JUL19 22:24 9073.6 AFHR SST XXxxXXxxXXxxXXxxXXxx  
26JUL18 23:49 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 09JUL19 22:24  
26JUL18 23:50 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
SCREW P/NO MS24693-S6 FITTED IN LEIU OF P/NO MS24693-S4 AS STATED IN  
MOD 7212.007-272 XXxxXXxxXXxxXXxxXXxx  
aip01083 04SEP18 04:55:34  
FURTHER DETAILS OF U/S: SCREW PART NUMBER MS24693-S6 HAS BEEN  
FITTED TO THE ADSB CONTROL UNIT, THE ALTERNATE SCREW HAS BEEN AUTH  
TO FIT BY PILATUS, CURRENTLY AWAITING RE-ISSUE OF THE MOD ORDER  
DELAY REASON: MAINTENANCE EFFICIENCY AWAITING NEW MODIFICATION  
INSTRUCTIONS  
CONSEQUENCE: MINOR  
LIKELIHOOD: RARE  
TECHNICAL RISK: LOW  
RISK TREATMENT: NIL  
LIMITATIONS : NIL OPERATIONAL ENDORSEMENT  
PERIOD OF DEFERMENT : R2  
Maint Acts: SCREW P/NO MS24693-S6 APPROVED - AUTHORITY TO FIT IAW STI-PC9-0688  
(Continued on next page.)

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03643  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

(Continued from previous page.)

FURTHER DETAILS OF U/S: SCREW PART NUMBER MS24693-S6 HAS BEEN FITTED TO THE ADSB CONTROL UNIT, THE ALTERNATE SCREW HAS BEEN AUTH TO FIT BY PILATUS, CURRENTLY AWAITING RE-ISSUE OF THE MOD ORDER  
DELAY REASON: MAINTENANCE EFFICIENCY AWAITING NEW MODIFICATION INSTRUCTIONS  
CONSEQUENCE: MINOR  
LIKELIHOOD: RARE  
TECHNICAL RISK: LOW  
RISK TREATMENT: NIL  
LIMITATIONS : NIL OPERATIONAL ENDORSEMENT  
PERIOD OF DEFERMENT : R2

A1PXXU1810015	COMPLETED	22AUG18 22:59	9073.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
13AUG18 02:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			22AUG18 22:59
13AUG18 02:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx

FRONT AND REAR SEO'S 2B FITTED

XXxxXXxxXXxxXXxxXXxx

Maint Acts: FRONT & REAR SEO FITTED IAW AAP 7212.007-2. REF AIP MCS 1062/18-04 #01.

REMOVALS/INSTALLATIONS FOR A1PXXU1810015

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
=====	=====	=====	=====	=====	=====	=====	=====	=====
001					2746537	A23T	A1WBE	00
					MBEU100618		22AUG18 22:56	
002					8873286	A23T	A26BE	00
					GA1566		22AUG18 22:57	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 03644  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1810036	COMPLETED	23AUG18 05:42	9073.6	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
13AUG18 12:13	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			23AUG18 05:42
13AUG18 12:15	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
ENGINE SN 103169 TO BE REPLACED. TO BE SENT FOR LIGHT OVERHAUL (OVER 90 DAYS WITH NO ENGINE START)						
XXXXXXXXXXXXXXXXXXXX						

Maint Acts: ENGINE S/N 103169 REPLACED WITH ENGINE S/N 103186 IAW 7212.007-2 & 7113.022-2. REF AIP MCS 1062/18

REMOVALS/INSTALLATIONS FOR A1PXXU1810036

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	3959 23081-026	A23T	A1SAI14 14AUG18 02:00	00 A1PXXJ1813238	3959 23081-026	A23T	A1SAI14 16AUG18 03:26	00
002	772 3213876-9	A23T	A0Q 14AUG18 02:20	00 A1PXXJ1813239	772 3213876-9	A23T	A0Q 15AUG18 05:59	00
003	GG591 HC-D4N2A/D9512A	A23T	A00 14AUG18 02:56	00 A1PXXJ1813246	GG591 HC-D4N2A/D9512A	A23T	A00 15AUG18 09:42	00
004	R012553 578.10.09.023	A23T	A1SAM12 14AUG18 04:40	01 A1PXXJ1813252	L014763 578.10.09.023	A23T	A1SAM12 15AUG18 02:50	01
005	L219987 578.10.09.018	A23T	A1SAM14 14AUG18 04:41	00 A1PXXJ1813253	H200640 578.10.09.018	A23T	A1SAM14 15AUG18 02:50	00

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03645  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

SEQ	REMOVED SERIAL NO REMOVED PART NO	EIAC	LCN DATE/TIME	ALC JOB NUMBER	INSTALLED SERIAL NO INSTALLED PART NO	EIAC	LCN DATE/TIME	ALC
006	103169 3035300	A23T	A1S 15AUG18 02:40	00 A1PXXJ1813336	103186 3035300	A23T	A1S 15AUG18 02:40	00
007					AH1137AB 4200103	A23T	A1SAI12 15AUG18 03:23	01
008					RT151 RAAFA62FNS01	A23T	A1SAK27 15AUG18 06:34	00
009					20084791 3076016-08	A23T	A1SAG 16AUG18 03:34	20
010					NN01169935 3035889	A23T	A1SAA00 16AUG18 03:39	00
011	L523933 D5210	A23T	A00AI 17AUG18 06:19	00 A1PXXJ1813515	L523933 D5210	A23T	A00AI 20AUG18 00:30	00
012	L523933 D5210	A23T	A00AI 22AUG18 05:41	00 A1PXXJ1813697	A2311 D5210	A23T	A00AI 22AUG18 05:45	00
A1PXXU1810040	COMPLETED		23AUG18 05:35	9073.6	AFHR	SST	XXXXXXXXXXXXXXXXXXXX 23AUG18 05:35 XXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXX	

Maint Acts: ENG COWLS 1 + 2 REFITTED IAW 7212.007-2

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03646  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1810040

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	HLY300513	A23T	A06	00	HLY300513	A23T	A06	00
	571.10.09.044		13AUG18 13:15	A1PXXJ1813231	571.10.09.044		23AUG18 05:30	

A1PXXU1810101 COMPLETED 14AUG18 13:44 9073.6 AFHR SST  
14AUG18 13:28 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 14AUG18 13:44  
14AUG18 13:29 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
PUMP FUEL ENG DVN RFA  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: PUMP FUEL ENG DVN FITTED IAW 7212-007-2 REF AIP MCS 1062/18-5

REMOVALS/INSTALLATIONS FOR A1PXXU1810101

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	B3377	A23T	A0K	00	B3343	A23T	A0K	00
	RG9570R1/M		14AUG18 13:30	A1PXXJ1813304	RG9570R1/M		14AUG18 13:32	

A1PXXU1810243 COMPLETED 20AUG18 00:33 9073.6 AFHR SST  
17AUG18 06:48 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 20AUG18 00:33  
17AUG18 06:51 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
PROP S/N GG 591 FAILS DYNAMIC BALANCE  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: PROP S/N GG667 FITTED IAW 7212.007.2 REF AIP MCS1062/18-6-6

REMOVALS/INSTALLATIONS FOR A1PXXU1810243

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	PC1800396	A23T	A00AK	00				
	B-3339-1		17AUG18 06:51	A1PXXJ1813517				



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03647  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
002	GG591	A23T	A00	00	GG667	A23T	A00	00
	HC-D4N2A/D9512A		17AUG18 06:55	A1PXXJ1813518	HC-D4N2A/D9512A		20AUG18 00:22	

A1PXXU1808553 COMPLETED 21AUG18 11:46 9073.6 AFHR SST  
21AUG18 11:32 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 21AUG18 11:46  
21AUG18 11:32 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S63 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S63 C/O IAW ATACSPO MRD WEBSITE  
REF: AIPMCS 1062/18 7/1

REMOVALS/INSTALLATIONS FOR A1PXXU1808553

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	AS1393	A23T	A1SAK34	00	AS1393	A23T	A1SAK34	00
	3059258-01		21AUG18 11:33	A1PXXJ1813655	3059258-01		21AUG18 11:37	

A1PXXU1810385 COMPLETED 21AUG18 12:38 9073.6 AFHR SST  
21AUG18 12:34 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 21AUG18 12:38  
21AUG18 12:36 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
SPINNER ASSY RFA XXxxXXxxXXxxXXxxXXxx

Maint Acts: SPINNER ASSY REFITTED IAW 7212.007-2  
REF: AIPMCS 1062/18 7/3

REMOVALS/INSTALLATIONS FOR A1PXXU1810385

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	L523933	A23T	A00AI	00	L523933	A23T	A00AI	00
	D5210		21AUG18 12:37	A1PXXJ1813656	D5210		21AUG18 12:37	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03648  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME

A1PXXU1810487	COMPLETED	22AUG18 13:05	9073.6	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
22AUG18 13:01	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			22AUG18 13:05
22AUG18 13:01	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
EE500PG EE500LN		OH		due on Serial 1211		
STA WL BL ADMIN		BATTERY NICAD		at WAC 0660		XXXXXXXXXXXXXXXXXXXX

Maint Acts: BATT NICAD REPLACED IAW AAP7212.007-2 REF 584757/3-5-6

REMOVALS/INSTALLATIONS FOR A1PXXU1810487

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	1211	A23T	A1UOA	00	1471	A23T	A1UOA	00
	33490409201		22AUG18 13:03	A1PXXJ1800264	33490409201		22AUG18 13:03	

A1PXXU1810498	COMPLETED	22AUG18 23:41	9073.6	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
22AUG18 23:33	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			22AUG18 23:41
22AUG18 23:33	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BS1		due on Serial 504		
		PUMP FUEL HIGH PRES		at WAC 0130		XXXXXXXXXXXXXXXXXXXX

Maint Acts: BS1 C/O IAW 7113.022-2, NIL DEFECTS EVIDENT. REF AIP MCS 1062/18-3#3

A1PXXU1810504	COMPLETED	23AUG18 02:53	9073.6	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
23AUG18 02:39	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			23AUG18 02:53
23AUG18 02:39	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		MS4		due on Serial 103186		
		ENGINE CHANGE UNIT		at WAC 0100		XXXXXXXXXXXXXXXXXXXX

Maint Acts: MS4 C/O IAW 7113.022-2, SERV. REF AIP MCS 1062/18

A1PXXU1810516	COMPLETED	27AUG18 02:09	9073.6	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
23AUG18 04:09	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			27AUG18 02:09
23AUG18 04:18	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		A/C REQ'S MCF FOR R2, ENGINE CHANGE, S62, HPFP/FCU R+I AND INVERTED				
		FLIGHT FOD CHECK				XXXXXXXXXXXXXXXXXXXX

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03649  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: MTF C/O REF EE500: 584759/1 AND LINE 2 FOR ASSEMENT

A1PXXU1810595	COMPLETED	27AUG18 07:02	9073.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
24AUG18 02:11	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			27AUG18 07:02
24AUG18 02:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S27 SERV 2BC/O POST FIRST FLIGHT				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S27 CARRIED OUT VIA ATACSPO MRD WEB PSS. REF: EE 508 # 584759/3 PAGE 2 LINE 2

A1PXXU1810661	COMPLETED	27AUG18 03:08	9073.9	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
27AUG18 03:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			27AUG18 03:08
27AUG18 03:04	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		RCP COMMS1 DISPLAYED "ID 1". INOPERATIVE BUTTONS.				XXxxXXxxXXxxXXxxXXxx

Maint Acts: RCP COMMS1 CONTROLLER REPLACED IAW AAP 7212.007-2. REF 584759/3-1 #02.

REMOVALS/INSTALLATIONS FOR A1PXXU1810661

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	276	A23T	A1UHC	00	248	A23T	A1UHC	00
	631 367 409		27AUG18 03:05	A1PXXJ1814049	631 367 409		27AUG18 03:07	

A1PXXU1810682	COMPLETED	27AUG18 06:41	9073.9	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
27AUG18 06:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			27AUG18 06:41
27AUG18 06:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FT due on Serial 0539001				XXxxXXxxXXxxXXxxXXxx
		CRASH POSN IND at WAC 0660				XXxxXXxxXXxxXXxxXXxx

Maint Acts: CPI REPLACED IAW AAP7212.007-2 REF 584759/3-2-1

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03650  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1810682

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	0539001	A23T	A1UOY	00	0382001	A23T	A1UOY	00
	453-0406-503		27AUG18 06:39	N0NC2J1702926	453-0406		27AUG18 06:39	

A1PXXU1810684 COMPLETED 30AUG18 03:49 9073.9 AFHR SST XXxxXXxxXXxxXXxxXXxx  
27AUG18 07:30 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 30AUG18 03:49  
27AUG18 07:33 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
MTF REQUIRED FOR ITEMS 7 - 25 INCLUSIVE ON TFS AND FOD CHECK FOR X2  
COCKPIT PANEL CLIPNUTS XXxxXXxxXXxxXXxxXXxx

Maint Acts: MTF C/O SERV IAW 7212.007-6-15 & CONTROLLER BLI #2. REF 584761#1

A1PXXU1810699 COMPLETED 09JUL19 22:25 9073.9 AFHR SST XXxxXXxxXXxxXXxxXXxx  
28AUG18 00:50 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 09JUL19 22:25  
28AUG18 00:52 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
IMPACT DAMAGE ON THE LH WING TRAILING EDGE APPROX 230MM FROM THE  
DIHEDRAL XXxxXXxxXXxxXXxxXXxx

aip01083 28AUG18 00:52:54  
FURTHER DETAILS OF THE U/S: THE IS SLIGHT DAMAGE TO THE TRAILING  
EDGE ON THE  
LH SIDE OF THE WING, THE CAUSE OF THE DAMAGE IS UNKNOWN.  
DELAY REASON: MAINTENANCE EFFICIENCY, THE DAMAGED AREA HAS BEEN  
INSPECTED, THE IS NIL EVIDENCE OF ANY CRACKING AROUND THE DAMAGED  
AREA NOR IS THERE DAMAGE  
IS ANY OTHER WING STRUCTURE.  
CONSEQUENCE: MINOR  
LIKELIHOOD: RARE  
TECHNICAL RISK: LOW  
RISK TREATMENT: THE DAMAGE IS EXTERNAL OF THE WING AND IS CLEARLY  
VISABLE. THE AREA CAN BE EASILY INSPECTED AS PART OF EACH FLIGHT  
SERVICING FOR ANY FURTHER DAMAGE .  
LIMITATIONS: NIL  
PERIOD OF DEFERMENT: R2 SERV

Maint Acts: TRANSFERRED TO PAINT CONDITION/DENT REGISTER

A1PXXU1810589 COMPLETED 30AUG18 23:46 9075.9 AFHR MM Y XXxxXXxxXXxxXXxxXXxx  
30AUG18 11:09 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
30AUG18 11:09 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033 30AUG18 23:46  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O VIA EPSS REF 584763/1-1-1

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03651  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES -----

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1810973	COMPLETED	30AUG18 12:16	9075.9	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
30AUG18 12:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			30AUG18 12:16
30AUG18 12:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FRONT EADI INTERMITTENT				XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV FRONT EADI FITTED REF 584762-1

REMOVALS/INSTALLATIONS FOR A1PXXU1810973

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	3525	A23T	A1UDC	00	3663	A23T	A1UDC	00
	8095686-1001		30AUG18 12:11	A1PXXJ1814319	8095686-1001		30AUG18 12:14	

A1PXXU1810974	COMPLETED	31AUG18 02:35	9075.9	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
30AUG18 12:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			31AUG18 02:35
30AUG18 12:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRTEST REQD FOR FRONT EADI OPS				XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST C/O SERV REF EE500: 584764/1

A1PXXU1810977	COMPLETED	30AUG18 12:47	9075.9	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
30AUG18 12:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			30AUG18 12:47
30AUG18 12:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FRONT COCKLPIT TRIM BACK SWITCH INTERMITTENT.				XXxxXXxxXXxxXXxxXXxx

Maint Acts: FRONT COCKPIT STICK GRIP ASSY REPLACED IAW AAP7212.007-2 REF 584762-2

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03652  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1810977

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0608209	A23T	A1UEU00	00	0072	A23T	A1UEU00	00
	116.35.07.288		30AUG18 12:43	A1PXXJ1814323	116.35.07.288		30AUG18 12:45	

A1PXXU1811045 COMPLETED 02SEP18 23:08 9077.4 AFHR SST  
02SEP18 23:01 XXxxXXxx XXxxXXxxXXxxXXxx AIP 02SEP18 23:08  
02SEP18 23:03 XXxxXXxx XXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
CD1 & HDG ERRATIC AND UNCOMMANDED MOVEMENT  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: CONTROL PANEL EFIS REPLACED IAW AAP7212.007-2 REF 584764-2

REMOVALS/INSTALLATIONS FOR A1PXXU1811045

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	4151	A23T	A1UDW	00	647	A23T	A1UDW	00
	3614279-1003		02SEP18 23:03	A1PXXJ1814463	071-01334-0003		02SEP18 23:06	

A1PXXU1811229 COMPLETED 05SEP18 13:00 9087.6 AFHR SCT  
05SEP18 10:22 XXxxXXxx XXxxXXxxXXxxXXxx AIP 05SEP18 13:00  
05SEP18 10:22 XXxxXXxx XXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
MS1 due on Serial 0608-13264  
FATIG METER AMETEK at WAC 0730  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: MS1 SERVICING CARRIED OUT IAW AAP 7212.007-2. REF EE500 584772-1

A1PXXU1811001 COMPLETED 06SEP18 23:51 9090.3 AFHR MM  
06SEP18 06:24 XXxxXXxx XXxxXXxxXXxxXXxx AIP Y  
06SEP18 06:24 XXxxXXxx XXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O SERV VIA EPSS.  
REF 584774/1-1.

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03653  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1811266	COMPLETED	06SEP18 07:54	9090.3	AFHR	SCT	XXXXXXXXXXXXXXXXXXXX
06SEP18 06:25	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			06SEP18 07:54
06SEP18 06:25	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BS due on Serial 912097				
		REG OXYGEN DEMAND at WAC 0740				XXXXXXXXXXXXXXXXXXXX

Maint Acts: REAR REG OXY DEMAND REPLACED IAW AAP 7212.007-2. REF EE508  
584774-1-1 # 4

REMOVALS/INSTALLATIONS FOR A1PXXU1811266

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	912097	A23T	A1UIS	00	103154	A23T	A1UIS	00
	3260042-0201		06SEP18 07:51	A1PXXJ1715054	3260042-0201		06SEP18 07:53	

A1PXXU1811291	COMPLETED	13SEP18 08:01	9109.7	AFHR	MM	XXXXXXXXXXXXXXXXXXXX
13SEP18 07:50	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			Y
13SEP18 07:50	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S40 due on Serial A23-033				13SEP18 08:01
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX

Maint Acts: S40 SERV CARRIED OUT VIA EPSS REF EE500 584789

A1PXXU1811718	COMPLETED	18SEP18 08:48	9127.0	AFHR	SCT	XXXXXXXXXXXXXXXXXXXX
18SEP18 07:53	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			18SEP18 08:48
18SEP18 07:53	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		MS1 due on Serial 0608-13264				
		FATIG METER AMETEK at WAC 0730				XXXXXXXXXXXXXXXXXXXX

Maint Acts: MNS1 SERVICING CARRIED OUT IAW AAP 7212.007-2. REF EE508 593951-5-1  
#3

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03654  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1811573	COMPLETED	20SEP18 23:20	9135.1	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
20SEP18 08:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		Y	
20SEP18 08:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				20SEP18 23:20
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O VIA EPSS  
REF: 593956/1

A1PXXU1811798	COMPLETED	20SEP18 11:40	9135.1	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
20SEP18 11:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			20SEP18 11:40
20SEP18 11:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		LH AND RH BRAKE WTL				

Maint Acts: LH AND RH BRAKE REPLACED IAW 7212-007-2 REF EE500 593956

REMOVALS/INSTALLATIONS FOR A1PXXU1811798

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0212A 2-1524-1	A23T	A2KDI 20SEP18 11:33	00 A1PXXJ1815571				
002	0702P 2-1524-1	A23T	A2KEE 20SEP18 11:35	00 A1PXXJ1815572				

A1PXXU1811798	COMPLETED	21SEP18 03:13	9135.1	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
20SEP18 11:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			21SEP18 03:13
20SEP18 11:55	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRTEST REQUIRED FOR LH AND RH BRAKE OPS				

Maint Acts: AIRTEST C/O SERV REF EE500: 593957/1



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1811828	COMPLETED	20SEP18 23:52	9135.1	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
20SEP18 23:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			20SEP18 23:52
20SEP18 23:44	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		LH & RH BRAKES TO BE FITTED (CAMM2 ONLY)				XXxxXXxxXXxxXXxxXXxx

Maint Acts: LH & RH BRAKE UNITS INSTALLED ON CAMM2, REF 593956#2

REMOVALS/INSTALLATIONS FOR A1PXXU1811828

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001					0630P 2-1524-1	A23T	A2KDI 20SEP18 23:47	00
002					0668P 2-1524-1	A23T	A2KEE 20SEP18 23:49	00

A1PXXU1811881	COMPLETED	25SEP18 00:19	9137.9	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
25SEP18 00:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			25SEP18 00:19
25SEP18 00:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FRONT ESDP ITT GAUGE DELAMINATED.				XXxxXXxxXXxxXXxxXXxx

Maint Acts: FRONT ESDP REPLACED IAW AAP 7212.007-2. REF 593958/3-1 #02.

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03656  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1811881

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	96010162	A23T	A1UDI	00	90100104	A23T	A1UDI	00
	150.0001-2		25SEP18 00:17	A1PXXJ1815650	150.0001-2		25SEP18 00:18	

A1PXXU1811882 COMPLETED 25SEP18 03:09 9137.9 AFHR SST XXxxXXxxXXxxXXxxXXxx  
25SEP18 00:20 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 25SEP18 03:09  
25SEP18 00:20 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
A/.C REQUIRES AIRTEST FOR FRONT ESDP OPS.  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST C/O SERV REF EE500: 593959/1

A1PXXU1811953 COMPLETED 25SEP18 13:40 9141.5 AFHR SST XXxxXXxxXXxxXXxxXXxx  
25SEP18 13:31 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 25SEP18 13:40  
25SEP18 13:33 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
BOTH COCKPITS HDG BUG AND CDI BAR 45 DEGREES OFF DESIRED SELECTION  
DURING TOUCH AND GOES XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV REAL EFIS CONTROL PANEL FITTED REF 593961-1-1-2

REMOVALS/INSTALLATIONS FOR A1PXXU1811953

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	4053	A23T	A1UIC	00	4740	A23T	A1UIC	00
	071-01334-0003		25SEP18 13:34	A1PXXJ1815694	071-01334-0002		25SEP18 13:36	

A1PXXU1812014 COMPLETED 26SEP18 12:34 9145.7 AFHR SST XXxxXXxxXXxxXXxxXXxx  
26SEP18 12:28 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 26SEP18 12:34  
26SEP18 12:29 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
REAR ALTIMETER STICKING BETWEEN 200-300 FT  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV ALTIMETER REAR FITTED REF 593964-1

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03657  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1812014

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				

001	1200	A23T	A1UGW	00	1103	A23T	A1UGW	00
44929-903	26SEP18 12:31	A1PXXJ1815756	44929-903	26SEP18 12:32				

A1PXXU1812015	COMPLETED	27SEP18 01:34	9145.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
26SEP18 12:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			27SEP18 01:34
26SEP18 12:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRTEST REQD FOR REAR ALTIMETER OPS				XXxxXXxxXXxxXXxxXXxx

Maint Acts: AIRTEST C/O SERV REF EE500: 593965/1

A1PXXU1811823	COMPLETED	30SEP18 23:28	9151.7	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
27SEP18 13:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		Y	XXxxXXxxXXxxXXxxXXxx
27SEP18 13:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				30SEP18 23:28
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/O VIA EPSS  
REF: 593969/1

A1PXXU1812233	COMPLETED	02OCT18 13:14	9161.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
02OCT18 13:11	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			02OCT18 13:14
02OCT18 13:11	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MS1 due on Serial 0608-13264				XXxxXXxxXXxxXXxxXXxx
		FATIG METER AMETEK at WAC 0730				

Maint Acts: MS1 SERV C/O IAW AAP7212.007-2 REF 593978-3

A1PXXU1812297	COMPLETED	03OCT18 10:06	9166.2	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
03OCT18 10:04	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			03OCT18 10:06
03OCT18 10:04	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0678 due on Serial 311				XXxxXXxxXXxxXXxxXXxx
		ACTUATOR EFCU at WAC 0130				

Maint Acts: STI-PC9-0678 C/O IAW 7212.007-2 & STI INSTRUCTIONS, REF 593982/3-1

A1PXXU1812304	COMPLETED	03OCT18 22:37	9166.2	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
03OCT18 22:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			03OCT18 22:37
03OCT18 22:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0679 due on Serial 033				XXxxXXxxXXxxXXxxXXxx
		SBI FUS FRAME 4A at WAC 0600				

Maint Acts: STI-PC9-0679 CARRIED OUT SERV IAW STI-PC9-0679. REF EE500 593982-4

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1812100	COMPLETED	05OCT18 00:10	9169.6	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
04OCT18 12:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			Y
04OCT18 12:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40	due on Serial A23-033			05OCT18 00:10
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 SERVICING CARRIED OUT VIA EPSS. REF. EE500 SN: 593986-1				

A1PXXU1812500	COMPLETED	09OCT18 11:06	9181.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
09OCT18 11:04	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			09OCT18 11:06
09OCT18 11:05	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		LH TYRE WTL				
	Maint Acts:	LH HUB REPLACED IAW 7212.007 REF: 593995/1				

REMOVALS/INSTALLATIONS FOR A1PXXU1812500

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0415	A23T	A2KDM	01	0175	A23T	A2KDM	01
	3-1555		09OCT18 11:05	A1PXXJ1816408	3-1555		09OCT18 11:05	

A1PXXU1812406	COMPLETED	11OCT18 23:12	9189.5	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
11OCT18 09:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			Y
11OCT18 09:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40	due on Serial A23-033			11OCT18 23:12
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 C/O SERVICING CARRIED OUT VIA EPSS. REF EE508 SN: 594251/5-1-1.				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1812842	COMPLETED	16OCT18 09:48	9199.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
16OCT18 09:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			16OCT18 09:48
16OCT18 09:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MS1 due on Serial 0608-13264				
		FATIG METER AMETEK at WAC 0730				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	MS1 FATIGUE DOWNLOAD C/O IAW AAP722.007-2 REF 594259-1				
A1PXXU1812710	COMPLETED	22OCT18 03:39	9205.7	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
19OCT18 05:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			Y
19OCT18 05:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				22OCT18 03:39
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	S40 C/OUT VIA EPSS REF 594263-1				
A1PXXU1809600	COMPLETED	22OCT18 03:38	9205.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
22OCT18 02:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			22OCT18 03:38
22OCT18 02:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-674B due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	STI-PC9-674B C/OUT IAW STI INSTRUCTIONS REF 594263-2-1#3				
A1PXXU1813123	COMPLETED	23OCT18 09:52	9210.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
23OCT18 08:04	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			23OCT18 09:52
23OCT18 08:04	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial 912092				
		REG OXYGEN DEMAND at WAC 0730				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	FRONT OXY DEM REG REPLACED IAW AAP7212.007-2 REF 594267-1				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1813123

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	912092 3260042-0201	A23T	A1UES 23OCT18 09:48	00 A1PXXJ1621185	006128 3260042-0201	A23T	A1UES 23OCT18 09:48	00

A1PXXU1813040 COMPLETED 25OCT18 23:28 9216.0 AFHR MM  
 25OCT18 11:12 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP Y  
 25OCT18 11:12 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 S40 due on Serial A23-033  
 PC-9 at WAC 0000  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: S40 C/OUT VIA EPSS REF 594271-4-1#1

A1PXXU1813383 COMPLETED 29OCT18 09:42 9221.5 AFHR SST  
 29OCT18 08:37 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 29OCT18 08:37 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 BS due on Serial 1471  
 BATTERY NICAD at WAC 0660  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: BATT NICAD REPLACED IAW AAP 7212.007-2 REF: 594275/1-1#2

REMOVALS/INSTALLATIONS FOR A1PXXU1813383

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1471 33490409201	A23T	A1UOA 29OCT18 09:39	00 A1PXXJ1805619	0378 33490409201	A23T	A1UOA 29OCT18 09:39	00

A1PXXU1813458 COMPLETED 30OCT18 09:43 9228.5 AFHR SST  
 30OCT18 09:41 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 30OCT18 09:41 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 RH TYRE WTL  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: RH HUB REPLACED IAW 7212.007-2  
REF: 594280/2

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03661  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1813458

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 0350	A23T	A2KEI	01	0408	A23T	A2KEI	01	
3-1555	30OCT18 09:41	A1PXXJ1818506	3-1555	30OCT18 09:42				

A1PXXU1813465 COMPLETED 30OCT18 22:37 9231.1 AFHR SST  
30OCT18 15:42 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 30OCT18 22:37  
30OCT18 15:42 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
MS1 due on Serial 0608-13264  
FATIG METER AMETEK at WAC 0730 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: MS1 SERV C/O IAW AAP 7212.007-2. REF 594282 #01.

A1PXXU1813611 COMPLETED 17DEC18 05:15 9238.6 AFHR SCM  
01NOV18 02:59 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
01NOV18 02:59 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 17DEC18 05:15  
MS18 due on Serial 027 XXxxXXxxXXxxXXxxXXxx  
WING ASSY at WAC 0000  
Maint Acts: MS18 CARRIED OUT. REF: AIP MCS 1381/18

A1PXXU1511991 COMPLETED 10DEC18 13:25 9238.6 AFHR SCM  
02NOV18 03:24 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
02NOV18 03:24 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 10DEC18 13:25  
S50 due on Serial A23-033 XXxxXXxxXXxxXXxxXXxx  
PC-9 at WAC 0000  
Maint Acts: S50 CARRIED OUT VIA ATACSPO MRD WEB. REF: AIP MCS 1376/18 PAGE 3  
LINE 3

A1PXXU1706967 COMPLETED 13DEC18 03:44 9238.6 AFHR SCM  
02NOV18 03:24 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
02NOV18 03:24 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 13DEC18 03:44  
S66 due on Serial A23-033 XXxxXXxxXXxxXXxxXXxx  
PC-9 at WAC 0000  
Maint Acts: S66 CARRIED OUT. REF: AIP MCS 1377/18 CARD # 18 ITEM # 02

A1PXXU1706968 COMPLETED 12DEC18 05:32 9238.6 AFHR SST  
02NOV18 03:24 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 12DEC18 05:32  
02NOV18 03:24 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S51 due on Serial A23-033 XXxxXXxxXXxxXXxxXXxx  
PC-9 at WAC 0000  
Maint Acts: S51 SERVICING C/O IAW ATACSPO MRD WEBSITE REF AIP MCS 1377/18 CARD #  
(Continued on next page.)

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03662  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

(Continued from previous page.)  
 16

A1PXXU1714881	COMPLETED	20DEC18 04:52	9238.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
02NOV18 03:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			20DEC18 04:52
02NOV18 03:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		R1	due on Serial A23-033			
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: R1 SERV C/O IAW ATASPO MRD WEBSITE. REF AIP MCS 1377/18 AND AIP MCS 1376/18.

REMOVALS/INSTALLATIONS FOR A1PXXU1714881

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PC1701975 3059788-01	A23T	A1SAK48 10DEC18 00:00	01 A1PXXJ1821472	AS1437 3059788-01	A23T	A1SAK48 11DEC18 07:50	01

A1PXXU1801313	COMPLETED	11DEC18 05:01	9238.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
02NOV18 03:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			11DEC18 05:01
02NOV18 03:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S55	due on Serial A23-033			
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: S55 C/O IAW MRD REF AIP MCS 13377/18

A1PXXU1803713	COMPLETED	11DEC18 05:14	9238.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
02NOV18 03:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			11DEC18 05:14
02NOV18 03:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S77	due on Serial A23-033			
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

Maint Acts: S76 C/O IAW ATACPSO MRD WEBSITE  
 REF: AIPMCS 1377/18 WC#21



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03663  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1803714	COMPLETED	11DEC18 05:13	9238.6	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
02NOV18 03:24	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			11DEC18 05:13
02NOV18 03:24	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S76 due on Serial A23-033				
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	S76 C/O IAW ATACPSO MRD WEBSITE				
		REF: AIPMCS 1377/17 WC#20				
A1PXXU1810384	COMPLETED	02NOV18 06:34	9238.6	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
02NOV18 03:24	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			02NOV18 06:34
02NOV18 03:24	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S63 due on Serial A23-033				
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	S63 C/O IAW ATACSPO MRD WEB. REF AIP MCS 1376/18-3#4				
A1PXXU1810523	COMPLETED	19DEC18 03:17	9238.6	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
02NOV18 03:24	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			19DEC18 03:17
02NOV18 03:24	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S20 due on Serial A23-033				
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	S20 C/O IAW ATACSPO MRD WEBSITE REF AIP MCS 1376/18-2-2				
A1PXXU1813296	COMPLETED	18DEC18 06:24	9238.6	AFHR	MM	XXXXXXXXXXXXXXXXXXXX
02NOV18 03:24	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			
02NOV18 03:24	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S40 due on Serial A23-033				18DEC18 06:24
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	S40 CARRIED OUT VIA EPSS. REF: AIP MCS 1376/18 PAGE 2 LINE 4				
A1PXXU1813655	COMPLETED	12DEC18 03:34	9238.6	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
02NOV18 03:24	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			12DEC18 03:34
02NOV18 03:24	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BS due on Serial 3959				
		STARTER GENERATOR at WAC 0130				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	STARTER GENERATOR REFITTED IAW AAP 7212.007-2. REF AIP MCS 1376/18				
		(Continued on next page.)				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03664  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES -----  
SERV NUMBER STATUS STATUS DATE/TIME TOTAL LIFE INT TYPE CERTIFICATION TRADESMAN  
RAISED DATE/TIME RAISED USER ID RAISED NAME RAISED VENUE CAPABILITY CODE EPSS DATE/TIME  
ENTERED DATE/TIME ENTERED USER ID ENTERED NAME ENTERED VENUE IMIC NO SUPERVISOR  
OPERATION NO ASOR NO SYMPTOMS DATE/TIME  
EE500PG EE500LN INSPECTOR  
STA WL BL ADMIN MAINT ACTION/LIMITATIONS DATE/TIME  
=====

(Continued from previous page.)  
PG 8 # 6

REMOVALS/INSTALLATIONS FOR A1PXXU1813655

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	3959	A23T	A1SAI14	00	3959	A23T	A1SAI14	00
	23081-026		11DEC18 00:20	A1PXXJ1805008	23081-026		12DEC18 03:29	

A1PXXU1813656 COMPLETED 12DEC18 00:24 9238.6 AFHR SST XXxxXXxxXXxxXXxxXXxx  
02NOV18 03:24 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 12DEC18 00:24  
02NOV18 03:24 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
BS due on Serial 981  
REG PRESS REDUCING at WAC 0640 XXxxXXxxXXxxXXxxXXxx

Maint Acts: REG PRESSURE REDUCING REPLACED IAW AAP 7212.007-2. REF AIP MCS  
1376/18 PG 4 # 6

REMOVALS/INSTALLATIONS FOR A1PXXU1813656

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	981	A23T	A1UNC	02	390	A23T	A1UNC	02
	F103D000-15		04DEC18 23:23	A1PXXJ1613978	F103D000-15		12DEC18 00:21	

A1PXXU1813657 COMPLETED 11DEC18 02:11 9238.6 AFHR SST XXxxXXxxXXxxXXxxXXxx  
02NOV18 03:24 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 11DEC18 02:11  
02NOV18 03:24 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
NDT due on Serial 027LH  
LWNG RSPAR HLF R3 at WAC 0900 XXxxXXxxXXxxXXxxXXxx

Maint Acts: NDT CARRIED OUT IAW AAP 7212.007-36 SECT 4 CHAP 8. NIL CRACKS  
(Continued on next page.)

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
Camm2  
ASSET HISTORY

PAGE 03665  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES -----  
SERV NUMBER STATUS STATUS DATE/TIME TOTAL LIFE INT TYPE CERTIFICATION TRADESMAN  
RAISED DATE/TIME RAISED USER ID RAISED NAME RAISED VENUE CAPABILITY CODE EPSS DATE/TIME  
ENTERED DATE/TIME ENTERED USER ID ENTERED NAME ENTERED VENUE IMIC NO SUPERVISOR  
OPERATION NO ASOR NO SYMPTOMS  
EE500PG EE500LN  
STA WL BL ADMIN MAINT ACTION/LIMITATIONS  
=====

(Continued from previous page.)  
EVIDENT. REFER TO NDT REPORT AIP/NDT/A23-033/103.

A1PXXU1813658 COMPLETED 11DEC18 02:11 9238.6 AFHR SST XXxxXXxxXXxxXXxxXXxx  
02NOV18 03:24 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 11DEC18 02:11  
02NOV18 03:24 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
NDT due on Serial 027RH  
RWNG RSPAR HLF R3 at WAC 1000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: NDT CARRIED OUT IAW AAP 7212.007-36 SECT 4 CHAP 8. NIL CRACKS  
EVIDENT. REFER TO NDT REPORT AIP/NDT/A23-033/103.

A1PXXU1813659 COMPLETED 09JAN19 05:17 9238.6 AFHR SST XXxxXXxxXXxxXXxxXXxx  
02NOV18 03:24 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 09JAN19 05:17  
02NOV18 03:24 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
MS1 due on Serial 0608-13264  
FATIG METER AMETEK at WAC 0730 XXxxXXxxXXxxXXxxXXxx

Maint Acts: CAMM ACTION ONLY. AIRCRAFT NOT FLOWN SINCE LAST SERVICE. REF  
594288/1-3 #01.

A1PXXU1813660 COMPLETED 13DEC18 03:27 9238.6 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
02NOV18 03:24 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
02NOV18 03:24 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
FT due on Serial PC1500366  
BOLT WG-FUS CTR LH at WAC 0900 XXxxXXxxXXxxXXxxXXxx

Maint Acts: FT CARRIED OUT ON WG-FUS BOLT CTR LH. REF: AIP MCS 137/18 PAGE 3  
LINE 3

A1PXXU1813661 COMPLETED 13DEC18 03:26 9238.6 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
02NOV18 03:24 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
02NOV18 03:24 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
FT due on Serial PC1500368  
BOLT WG-FUS CTR RH at WAC 1000 XXxxXXxxXXxxXXxxXXxx

Maint Acts: FT CARRIED OUT ON WG-FUS BOLT CTR RH. REF: AIP MCS 137/18 PAGE 3  
LINE 3

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1813664	COMPLETED	11DEC18 05:31	9238.6	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
02NOV18 03:44	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			11DEC18 05:31
02NOV18 03:44	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BS due on Serial 504				
		PUMP FUEL HIGH PRES at WAC 0130				XXXXXXXXXXXXXXXXXXXX

Maint Acts: BS C/O SERV IAW 7112.022-2. REF AIP MCS 1376/18-3#6

REMOVALS/INSTALLATIONS FOR A1PXXU1813664

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	504	A23T	A1SAI10	00	504	A23T	A1SAI10	00
	025323-500B		11DEC18 05:14	A1PXXJ1717093	025323-500B		11DEC18 05:30	

A1PXXU1813665	COMPLETED	13DEC18 03:39	9238.6	AFHR	SCM	XXXXXXXXXXXXXXXXXXXX
02NOV18 03:45	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			
02NOV18 03:45	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		TA due on Serial PC1101049				13DEC18 03:39
		EMERG LG CABLE at WAC 0630				XXXXXXXXXXXXXXXXXXXX

Maint Acts: EMERGENCY LANDING GEAR CABLE REPLACED. REF: AIP MCS 1376/18 PAGE 4  
 LINE 5

REMOVALS/INSTALLATIONS FOR A1PXXU1813665

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PC1101049	A23T	A1UBO	01	PC1801181	A23T	A1UBO	01
	529.20.09.137		13DEC18 02:35	A1PXXJ1116184	529.20.09.137		13DEC18 02:56	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03667  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1813666	COMPLETED	02NOV18 06:26	9238.6	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
02NOV18 03:47	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			02NOV18 06:26
02NOV18 03:47	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		TA due on Serial AS1393				
		FILTER OIL at WAC 0130				XXXXXXXXXXXXXXXXXXXX

Maint Acts: OIL FILTER REPLACED IAW 7212.007-2. REF AIP MCS 1376/18-4#1

REMOVALS/INSTALLATIONS FOR A1PXXU1813666

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	AS1393	A23T	A1SAK34	00	PC1800290	A23T	A1SAK34	00
	3059258-01		02NOV18 04:16	ARDUXJ1501085	3059257-01		02NOV18 06:24	

A1PXXU1816019	COMPLETED	08JAN19 00:40	9238.6	AFHR	MM	XXXXXXXXXXXXXXXXXXXX
02NOV18 06:00	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			
20DEC18 01:56	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		" ADMINISTRATIVE U/S " AIRCRAFT REQUIRES MANDATORY AMCO/MCS AMD				08JAN19 00:40
		VALIDATION PRIOR TO FLIGHT IAW AAP 7001-060-1-3 SECT 1 CH 1 PARA				XXXXXXXXXXXXXXXXXXXX
		N 5.H.3 REF EE508 SNOW NO 594288/1 SHEET TWO LINE TWO				

Maint Acts: AMCO/MCS AMD VALIDATION C/O IAW AAP 7001.060-1-3 SECT 1 CH 1 PARA  
 5.H.3 - SATIS - REF EE508 SNOW NO 592488/1 SHEET TWO LINES TWO AND  
 FOUR

A1PXXU1814348	COMPLETED	11DEC18 06:15	9238.6	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
15NOV18 01:11	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			11DEC18 06:15
15NOV18 01:12	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BATT NICAD REMOVED				

Maint Acts: BATT NICAD FITTED IAW AAP 7212.007-2 REF: AIP MCS 1376/18PG6#3

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03668  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1814348

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0378	A23T	A1UOA	00	0055	A23T	A1UOA	00
	33490409201		15NOV18 01:12	A1PXXJ1819556	33490409201		11DEC18 06:14	

A1PXXU1815493 COMPLETED 18DEC18 05:29 9238.6 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
10DEC18 11:35 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
10DEC18 11:38 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
FRONT AND REAR EJECTION SEATS REMOVED FOR ACCESS  
18DEC18 05:29  
XXxxXXxxXXxxXXxxXXxx

N  
Maint Acts: FRONT & REAR EJECTION SEATS REPLACED IAW AAP 7212.007-2 FOR AIRCRAFT  
DISPOSAL MAINTENACE MANAGEMENT. REF AIP MCS 1556/18.

REMOVALS/INSTALLATIONS FOR A1PXXU1815493

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	047	A23T	A1W	00	167	A23T	A1W	00
	AU11A-1		10DEC18 11:38	A1PXXJ1821274	AU11A-1		18DEC18 05:27	
002	048	A23T	A26	00	002	A23T	A26	00
	AU11A-2		10DEC18 11:40	A1PXXJ1821275	AU11A-2		18DEC18 05:26	

A1PXXU1815494 COMPLETED 12DEC18 06:03 9238.6 AFHR SST XXxxXXxxXXxxXXxxXXxx  
10DEC18 12:37 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
10DEC18 12:38 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
FDR RFA  
12DEC18 06:03  
XXxxXXxxXXxxXXxxXXxx

N  
Maint Acts: FDR REFITTED IAW AAP7212.007-2 REF AIPMCS1376/18-7-5

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03669  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
REMOVALS/INSTALLATIONS FOR A1PXXU1815494

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	01496	A23T	A1UPM	00	01496	A23T	A1UPM	00
S703-1000-01	10DEC18 12:38	A1PXXJ1821276	S703-1000-01	12DEC18 05:56				

A1PXXU1815511 COMPLETED 19DEC18 05:21 9238.6 AFHR SST  
11DEC18 01:34 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 19DEC18 05:21  
11DEC18 01:36 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
ENG COWLS 1 & 2 REMOVED FOR R1 SERV ACCESS  
XXxxXXxxXXxxXXxxXXxx

N  
Maint Acts: ENG COWL 1&2 REFITTED. REF: EE 508 # 594288/1 PAGE 3 LINE 3

REMOVALS/INSTALLATIONS FOR A1PXXU1815511

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	A23034	A23T	A04	00	A23034	A23T	A04	00
571.10.09.054	11DEC18 01:37	A1PXXJ1821304	571.10.09.054	19DEC18 05:19				
002	HLY300513	A23T	A06	00	HLY300513	A23T	A06	00
571.10.09.044	11DEC18 01:44	A1PXXJ1821305	571.10.09.044	19DEC18 05:19				

A1PXXU1815515 COMPLETED 11DEC18 06:19 9238.6 AFHR SST  
11DEC18 03:51 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 11DEC18 06:19  
11DEC18 03:52 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
BOTH STATIC INVERTERS RFA  
XXxxXXxxXXxxXXxxXXxx

N  
Maint Acts: BOTH STATIC INVERTERS REFITTED IAW AAP 7212.007-2 REF: AIP MCS  
1376/18 PG9 #4

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03670  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1815515

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	6616 PC-125-12B	A23T	A1UOG 11DEC18 03:53	01 A1PXXJ1821323	6616 PC-125-12B	A23T	A1UOG 11DEC18 06:17	01
002	6567 975.04.21.103	A23T	A1UOE 11DEC18 03:54	01 A1PXXJ1821324	6567 975.04.21.103	A23T	A1UOE 11DEC18 06:16	01

A1PXXU1815523 COMPLETED 12DEC18 05:27 9238.6 AFHR SST XXxxXXxxXXxxXXxxXXxx  
11DEC18 07:10 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 12DEC18 05:27  
11DEC18 07:11 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
FRONT COCKPIT LGCU REMOVED FOR ACCESS ( CABLE INSPECTON )  
XXxxXXxxXXxxXXxxXXxx

N  
Maint Acts: FRONT COCKPIT LGCU REFITTED IAW AAP7212.007-2 REF AIP MCS  
1376/18-10-6

REMOVALS/INSTALLATIONS FOR A1PXXU1815523

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	128 532.30.09.216	A23T	A1UCQ 11DEC18 07:13	00 A1PXXJ1821431	128 532.30.09.216	A23T	A1UCQ 12DEC18 05:20	00

A1PXXU1815623 COMPLETED 18DEC18 23:16 9238.6 AFHR SST XXxxXXxxXXxxXXxxXXxx  
12DEC18 05:36 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 18DEC18 23:16  
12DEC18 05:37 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
FRONT COCKPIT PNL + CLOCK REMOVED FOR ACCESS ( LGCU REMOVAL )  
XXxxXXxxXXxxXXxxXXxx

N  
Maint Acts: FCP LH CLOCK PANEL RE-FITTED IAW AAP 7212.007-2  
REF AIP MCS 1376/18-10-5



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03671  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1815623

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	703606	A23T	A1UGI	00	703606	A23T	A1UGI	00
	Q17-941.22.052AB		12DEC18 05:38	A1PXXJ1821610	Q17-941.22.052AB		18DEC18 23:09	

A1PXXU1815640 COMPLETED 12DEC18 09:55 9238.6 AFHR SST  
12DEC18 07:26 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 12DEC18 09:55  
12DEC18 07:27 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
FDR REMOVED FOR ACCESS (FOR S66 SERVICING ACCESS)

N  
Maint Acts: FDR REFITTED IAW AAP7212.007-2 REF AIP MCS 1376/18 PG 12-1

REMOVALS/INSTALLATIONS FOR A1PXXU1815640

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	01496	A23T	A1UPM	00	01496	A23T	A1UPM	00
	S703-1000-01		12DEC18 07:27	A1PXXJ1821623	S703-1000-01		12DEC18 09:51	

A1PXXU1815842 COMPLETED 18DEC18 05:23 9238.6 AFHR SST  
17DEC18 23:47 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 18DEC18 05:23  
17DEC18 23:48 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
COMMAND SYSTEM CARTS, CDBU, CCV RFA

N  
Maint Acts: COMMAND SYS CARTS, CDBU & CCV REPLACED FOR AIRCRAFT DISPOSAL  
MAINTENACE MANAGEMENT ACTION. REF AIP MCS 1560/18.

REMOVALS/INSTALLATIONS FOR A1PXXU1815842

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	5073318	A23T	A1UJA	00	8686017	A23T	A1UJA	00
	MBEU60228		17DEC18 23:49	A1PXXJ1821870	MBEU60228		18DEC18 05:20	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03672  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC	
=====	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME		
002	MC1037 MBEU100433	A23T	A1UJC 17DEC18 23:50	00 A1PXXJ1821871	MD3581 MBEU100433	A23T	A1UJC 18DEC18 05:19	00	
003	DG1808 MBEU64438	A23T	A1UIY 17DEC18 23:52	00 A1PXXJ1821872	DG0744 MBEU64438	A23T	A1UIY 18DEC18 05:19	00	
A1PXXU1815942	COMPLETED		17JAN19 03:37	9238.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx		
19DEC18 04:19	XXxxXXxx		XXxxXXxxXXxxXXxxXXxx	AIP			17JAN19 03:37		
19DEC18 04:36	XXxxXXxx		XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx		
			AIRCRAFT REQUIRES MTF FOR HPFP R&I, ELEVATOR CABLE R&I AND POST R1 IAW AAP 7212.007-6-15 AND CONTROLLER BLI #2					XXxxXXxxXXxxXXxxXXxx	
		N	aip04034 09JAN19 05:40:49						
			A/C REQUIRES MTF FOR S62 ADJ.						
	Maint Acts:		MTF C/O SERV REF 594289-1						
A1PXXU1900099	COMPLETED		15JAN19 23:35	9238.6	AFHR	MM	XXxxXXxxXXxxXXxxXXxx		
07JAN19 04:05	XXxxXXxx		XXxxXXxxXXxxXXxxXXxx	AIP		Y			
07JAN19 04:05	XXxxXXxx		XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx		
			S40 due on Serial A23-033				15JAN19 23:35		
		N	PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx		
	Maint Acts:		S40 C/O VIA EPSS. REF 594288/1-2#5						
A1PXXU1900257	COMPLETED		09JAN19 00:11	9238.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx		
08JAN19 22:22	XXxxXXxx		XXxxXXxxXXxxXXxxXXxx	AIP			09JAN19 00:11		
08JAN19 22:22	XXxxXXxx		XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx		
			STI-PC9-0683 due on Serial 042						
		N	ELEVATOR ASSY at WAC 1300				XXxxXXxxXXxxXXxxXXxx		
	Maint Acts:		STI-PC9-0683 C/O AS PER STI INSTRUCTIONS. NO ANORMALY EVIDENT. REF EE508 SNOW 594288/1-4 #2.						
A1PXXU1900744	COMPLETED		23JAN19 06:27	9243.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx		
21JAN19 12:54	XXxxXXxx		XXxxXXxxXXxxXXxxXXxx	AIP			23JAN19 06:27		
21JAN19 12:54	XXxxXXxx		XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx		
			ENGINE COWL 1 + 2 RFA						
		N					XXxxXXxxXXxxXXxxXXxx		
	Maint Acts:		ENG COWL 1 & 2 REFITTED IAW 7212-007-2. REF EE500 - 594292/1-2-3						

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03673  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

REMOVALS/INSTALLATIONS FOR A1PXXU1900744

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	HLY300513	A23T	A06	00	HLY300513	A23T	A06	00
	571.10.09.044		21JAN19 13:01	A1PXXJ1901074	571.10.09.044		23JAN19 06:25	

A1PXXU1900793 COMPLETED 23JAN19 06:35 9243.6 AFHR SST XXxxXXxxXXxxXXxxXXxx  
22JAN19 02:51 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 23JAN19 06:35  
22JAN19 03:09 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
AT 5000 FT ,OAT 30 DEGRESS, ITT 775 ENGINE WAS PRODUCING 42  
PSI.ABNORMALLY SLOW TO ACCELRATE PERFORMANCS. DEGRADE FURTHER AT  
N ALTITUDE INCREASED XXxxXXxxXXxxXXxxXXxx

Maint Acts: REF TO EE 508 - 594292/1-1 TO 4 FOR INSPECTION, BOV RECTIFICATION  
AND EGR

REMOVALS/INSTALLATIONS FOR A1PXXU1900793

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	4Y639	A23T	A1SAK54	00	4Y639	A23T	A1SAK54	00
	3070262-01		22JAN19 03:10	A1PXXJ1901135	3070262-01		22JAN19 03:19	

A1PXXU1900795 COMPLETED 28JAN19 22:31 9243.6 AFHR SST XXxxXXxxXXxxXXxxXXxx  
22JAN19 03:25 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 28JAN19 22:31  
22JAN19 04:12 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
A/C REQS MCF FOR BOV CHECKS. XXxxXXxxXXxxXXxxXXxx

N  
Maint Acts: MCF C/O SERV REF EE500: 594293/1

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03674  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1900519	COMPLETED	23JAN19 23:37	9243.6	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
22JAN19 11:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			Y
22JAN19 11:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				23JAN19 23:37
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	N					
	Maint Acts:	S40 CARRIED OUT VIA EPSS REF SNOW 594292/1-3-5				

A1PXXU1900835	COMPLETED	23JAN19 06:22	9243.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
23JAN19 01:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			23JAN19 06:22
23JAN19 01:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BOV ASSY REMOVED FOR TROUBLE SHOOTING.				
	N					XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	BOV ASSY REPLACED WITH SERV ITEM FROM A23-034, ENG S/N: 103140. 0.47				
		ORIFICE FITTED. REF EE5078 SNOW 394292/1-4-2.				

REMOVALS/INSTALLATIONS FOR A1PXXU1900835

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	4Y639	A23T	A1SAK54	00	7P207	A23T	A1SAK54	00
	3070262-01		23JAN19 01:02	A1PXXJ1901199	3070262-01		23JAN19 06:19	

A1PXXU1900894	COMPLETED	23JAN19 10:44	9243.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
23JAN19 10:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			23JAN19 10:44
23JAN19 10:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MS1 due on Serial 0608-13264				
		FATIG METER AMETEK at WAC 0730				XXxxXXxxXXxxXXxxXXxx
	N					
	Maint Acts:	MS1 SERV C/O IAW AAP7212.007-2 REF 594292/1-4-5				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03675  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1900897	COMPLETED	23JAN19 11:39	9243.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
23JAN19 11:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			23JAN19 11:39
23JAN19 11:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial 1647223				
		SET EMERG OXYGEN at WAC 0740				XXxxXXxxXXxxXXxxXXxx
	N					
	Maint Acts:	SEO REPLACED IAW AAP7212.007-2 REF 594292/1-4-6				

A1PXXU1900898	COMPLETED	23JAN19 11:55	9243.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
23JAN19 11:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			23JAN19 11:55
23JAN19 11:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		REAR SEO TO BE FITTED				
	N					XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	SEO FITTED IAW AAP7212.007-2 REF 594292/1-4-6				

REMOVALS/INSTALLATIONS FOR A1PXXU1900898

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001					2746556	A23T	A26BE	00
					MBEU100618		23JAN19 11:54	

A1PXXU1900910	COMPLETED	30JAN19 02:07	9250.4	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
29JAN19 15:05	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
29JAN19 15:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				30JAN19 02:07
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	N					
	Maint Acts:	S40 C/O VIA EPSS				
		REF: 594298/2				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME

A1PXXU1901110	COMPLETED	29JAN19 23:32	9250.4	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
29JAN19 23:21	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			29JAN19 23:32
29JAN19 23:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
FRONT ADI FLICKERING INTERMITTENTLY						
N						
Maint Acts: FRONT DU1 REPLACED REF 594298-1						

REMOVALS/INSTALLATIONS FOR A1PXXU1901110

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	3663	A23T	A1UDC	00	3991	A23T	A1UDC	00
	8095686-1001		29JAN19 23:24	A1PXXJ1901536	066-03126-0000		29JAN19 23:25	

A1PXXU1901111	COMPLETED	30JAN19 02:09	9250.4	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
29JAN19 23:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			30JAN19 02:09
29JAN19 23:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
AIR TEST REQD FOR FRONT DU1 OPS						
N						
Maint Acts: AIRTEST C/O SERV REF EE500: 594299/1						

A1PXXU1901149	COMPLETED	30JAN19 07:51	9250.8	AFHR	SCT	XXxxXXxxXXxxXXxxXXxx
30JAN19 04:21	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			30JAN19 07:51
30JAN19 04:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
AIRCRAFT REQUIRES AIRTEST FOR ASOR CLEARANCE - DOOR LIGHT ILLUMINATED DURING CLIMBOUT						
N						
Maint Acts: AIRTEST CARRIED OUT REF 594300-1						

A1PXXU1901363	COMPLETED	01FEB19 03:25	9262.5	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
01FEB19 03:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			01FEB19 03:25
01FEB19 03:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
FRONT RMI OFF FLAG ON.						
N						

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03677  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: FRONT RMI REPLACED IAW AAP7212.007-2 REF 606509/1-1-1

REMOVALS/INSTALLATIONS FOR A1PXXU1901363

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	6088	A23T	A1UDU	00	5101	A23T	A1UDU	00
	066-3060-01		01FEB19 03:20	A1PXXJ1901768	066-3060-01		01FEB19 03:21	

A1PXXU1901421 COMPLETED 04FEB19 13:33 9262.5 AFHR SST XXxxXXxxXXxxXXxxXXxx  
04FEB19 06:25 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 04FEB19 13:33  
04FEB19 06:26 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
AIRCRAFT REQUIRES AIRTEST FOR PROP AND NG ADJUST  
XXxxXXxxXXxxXXxxXXxx

N  
Maint Acts: AIRTEST CARRIED OUT SERV REF 606510-1

A1PXXU1901129 COMPLETED 06FEB19 00:17 9269.3 AFHR MM XXxxXXxxXXxxXXxxXXxx  
05FEB19 12:46 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP Y  
05FEB19 12:46 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
06FEB19 00:17  
XXxxXXxxXXxxXXxxXXxx

N  
Maint Acts: S40 C/O VIA EPSS. REF 606514#3

A1PXXU1901517 COMPLETED 06FEB19 09:39 9273.8 AFHR SST XXxxXXxxXXxxXXxxXXxx  
06FEB19 09:35 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 06FEB19 09:39  
06FEB19 09:35 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
MS1 due on Serial 0608-13264  
FATIG METER AMETEK at WAC 0730  
XXxxXXxxXXxxXXxxXXxx

N  
Maint Acts: MS1 SERV C/O IAW AAP7212.007-2 REF 606517/1-1-1

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
Camm2  
ASSET HISTORY

PAGE 03678  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1901713	COMPLETED	11FEB19 09:20	9278.8	AFHR	SCT	XXXXXXXXXXXXXXXXXXXX
11FEB19 09:15	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			11FEB19 09:20
11FEB19 09:19	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		CAMM2 DOWN ; ENG COWL 1 AND 2 RFA				XXXXXXXXXXXXXXXXXXXX

N  
Maint Acts: ENG COWL 1 AND 2 REFITTED IAW AAP 7212.007-2 REF EE508 SNOW NUMBER 606522/2 SHEET ONE LINE SIX

REMOVALS/INSTALLATIONS FOR A1PXXU1901713

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	A23034 571.10.09.054	A23T	A04 11FEB19 09:16	00 A1PXXJ1902310	A23034 571.10.09.054	A23T	A04 11FEB19 09:19	00
002	HLY300513 571.10.09.044	A23T	A06 11FEB19 09:16	00 A1PXXJ1902311	HLY300513 571.10.09.044	A23T	A06 11FEB19 09:20	00

A1PXXU1901714	COMPLETED	11FEB19 09:44	9278.8	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
11FEB19 09:20	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			11FEB19 09:44
11FEB19 09:22	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		CAMM2 DOWN AIRCRAFT REQUIRES AIRTEST FOR NG ADJUSTMENT IAW AAP 7212.007-6-15 AND CONTROLLER BLI #2 (CSU ).				XXXXXXXXXXXXXXXXXXXX

N  
aip02188 11FEB19 09:36:29  
REF EE508 SNOW NO 606522/2 SHEET ONE LINE FIVE  
Maint Acts: AIRTEST C/O SERV BY AIRCREW, STANKY. REF EE500 606523 #1.



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03679  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1901490	COMPLETED	15FEB19 03:34	9286.0	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
13FEB19 07:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			Y
13FEB19 07:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				15FEB19 03:34
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

N  
 Maint Acts: S40 C/O IAW EPSS  
 REF: 606528/2 1/2

A1PXXU1901813	COMPLETED	14FEB19 13:23	9286.0	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
13FEB19 10:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			14FEB19 13:23
13FEB19 10:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		SUSPECT HYD LEAK AT NLG ACTUATOR.				

N  
 Maint Acts: NLG ACTUATOR REPLACED IAW AAP 7212.007-2 REF. EE500 SN:606528-1

REMOVALS/INSTALLATIONS FOR A1PXXU1901813

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	A23034 571.10.09.054	A23T	A04 13FEB19 10:44	00 A1PXXJ1902467	A23034 571.10.09.054	A23T	A04 14FEB19 13:01	00
002	A23033 571.10.09.027	A23T	A08 13FEB19 10:48	00 A1PXXJ1902468	A23033 571.10.09.027	A23T	A08 14FEB19 13:01	00
003	A23033 571.10.09.028	A23T	A0A 13FEB19 10:49	00 A1PXXJ1902469	A23033 571.10.09.028	A23T	A0A 14FEB19 13:00	00

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03680  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
004	FYH159145 4035 H2	A23T	A1I 13FEB19 10:51	00 A1PXXJ1902470	FYH164750 4035 H2	A23T	A1I 14FEB19 06:17	00
005	676 195980-3	A23T	A0M 13FEB19 13:08	00 A1PXXJ1902474	676 195980-3	A23T	A0M 14FEB19 12:59	00

A1PXXU1901835 COMPLETED 14FEB19 10:43 9286.0 AFHR SST XXxxXXxxXXxxXXxxXXxx  
13FEB19 11:30 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 14FEB19 10:43  
13FEB19 11:30 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
STARTER/GEN REF  
XXxxXXxxXXxxXXxxXXxx

N  
Maint Acts: START/GEN REFIT CARRIED OUT REF 606528/2-1-3 (AFTER AE MAINT FINISHED)

REMOVALS/INSTALLATIONS FOR A1PXXU1901835

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	3959 23081-026	A23T	A1SAI14 13FEB19 11:31	00 A1PXXJ1902471	3959 23081-026	A23T	A1SAI14 14FEB19 10:39	00

A1PXXU1901987 COMPLETED 19FEB19 03:29 9286.0 AFHR SST XXxxXXxxXXxxXXxxXXxx  
15FEB19 03:35 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 19FEB19 03:29  
15FEB19 03:37 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
AIRCRAFT REQUIRES AIRTEST FOR UNDERCARRIAGE FUNCTIONALS  
XXxxXXxxXXxxXXxxXXxx

N  
Maint Acts: MCF CARRIED OUT REF 606530-2

A1PXXU1902025 COMPLETED 18FEB19 03:35 9286.0 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
18FEB19 03:27 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
18FEB19 03:28 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
DURING PRE-START CHECKS, PILOTS REPORTED ERRATIC YAW TRIM  
INDICATIONS ON BOTH TRIPLE TRIM INDICATORS  
XXxxXXxxXXxxXXxxXXxx

N  
Maint Acts: RUDDER TRIM ACTUATOR REPLACED. REF: 606529/3 PAGE 1 LINE 3

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03681  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
REMOVALS/INSTALLATIONS FOR A1PXXU1902025

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	2232	A23T	A2GAK	30	2237	A23T	A2GAK	30
EM4069-3	18FEB19 03:29	A1PXXJ1902661	EM4069-3	18FEB19 03:32				

A1PXXU1902027 COMPLETED 19FEB19 03:28 9286.0 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
18FEB19 04:16 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
18FEB19 04:17 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
AIRCRAFT REQUIRES MCF FOR RUDDER ACTUATOR REPLACEMENT  
19FEB19 03:28  
XXxxXXxxXXxxXXxxXXxx

N  
Maint Acts: MCF CARRIED OUT REF 606530-1

A1PXXU1810528 COMPLETED 19FEB19 13:35 9289.7 AFHR SCT XXxxXXxxXXxxXXxxXXxx  
19FEB19 12:51 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
19FEB19 12:51 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
S16 due on Serial A23-033  
PC-9 at WAC 0000  
XXxxXXxxXXxxXXxxXXxx

N  
Maint Acts: S16 SERVICING CARRIED OUT IAW ATACSP0 MRD WEBSITE. REF EEE508  
606533-4-1 # 1

A1PXXU1902088 COMPLETED 19FEB19 23:15 9289.7 AFHR SST XXxxXXxxXXxxXXxxXXxx  
19FEB19 23:05 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
19FEB19 23:05 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
MS1 due on Serial 0608-13264  
FATIG METER AMETEK at WAC 0730  
XXxxXXxxXXxxXXxxXXxx

N  
Maint Acts: MS1 C/O REF 606533-4-1-3

A1PXXU1901986 COMPLETED 20FEB19 23:38 9292.5 AFHR MM Y XXxxXXxxXXxxXXxxXXxx  
20FEB19 09:05 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
20FEB19 09:05 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
S40 due on Serial A23-033  
PC-9 at WAC 0000  
XXxxXXxxXXxxXXxxXXxx

N  
Maint Acts: S40 CARRIED OUT VIA EPSS. REF: EE 500 # 606535 LINE 1

A1PXXU1902243 COMPLETED 21FEB19 13:45 9293.8 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
21FEB19 11:00 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
21FEB19 11:01 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
NOSE WHEEL STEERING NOT ACTIVATING ON RH TURNS  
21FEB19 13:45  
XXxxXXxxXXxxXXxxXXxx

N  
Maint Acts: NWS ACTUATOR REPLACED IAW 7212-007 REF 606536/1

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03682  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES -----  
SERV NUMBER STATUS STATUS DATE/TIME TOTAL LIFE INT TYPE CERTIFICATION TRADESMAN  
RAISED DATE/TIME RAISED USER ID RAISED NAME RAISED VENUE CAPABILITY CODE EPSS DATE/TIME  
ENTERED DATE/TIME ENTERED USER ID ENTERED NAME ENTERED VENUE IMIC NO SUPERVISOR  
OPERATION NO ASOR NO SYMPTOMS DATE/TIME  
EE500PG EE500LN INSPECTOR  
STA WL BL ADMIN MAINT ACTION/LIMITATIONS DATE/TIME  
=====

REMOVALS/INSTALLATIONS FOR ALPXXU1902243

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1184	A23T	A18AC	00	1612	A23T	A18AC	00
	HP1460100-3		21FEB19 12:55	ALPXXJ1902968	HP1460100-3		21FEB19 12:57	

A1PXXU1902308 COMPLETED 25FEB19 00:08 9293.8 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
22FEB19 03:49 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
22FEB19 03:51 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
DURING OPS TEST, NOSEWHEEL STEERING ACTUATOR MOVES UNCOMMANDED WITH  
INPUT LEVER DISCONNECTED. 25FEB19 00:08  
XXxxXXxxXXxxXXxxXXxx

N  
Maint Acts: SERVICEABLE ROTARY ACTUATOR FITTED AND TESTED. REF: EE 508 #  
606536/2 PAGE 1 LINE 5

REMOVALS/INSTALLATIONS FOR ALPXXU1902308

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1612	A23T	A18AC	00	1102	A23T	A18AC	00
	HP1460100-3		22FEB19 03:51	ALPXXJ1903002	HP1460100-3		25FEB19 00:07	

A1PXXU1902315 COMPLETED 25FEB19 04:41 9293.8 AFHR SST XXxxXXxxXXxxXXxxXXxx  
25FEB19 00:09 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 25FEB19 04:41  
25FEB19 00:10 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
AIRCRAFT REQUIRES AIRTEST FOR NOSE WHEEL STEERING OPS  
XXxxXXxxXXxxXXxxXXxx

N  
Maint Acts: A/T C/O. REF 606537 #01.

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME

EE500PG	EE500LN	BL	ADMIN	MAINT ACTION/LIMITATIONS	INSPECTOR	DATE/TIME
A1PXXU1902422	COMPLETED			26FEB19 13:35 9298.9 AFHR SST	XXxxXXxxXXxxXXxxXXxx	
26FEB19 12:02	XXxxXXxx			XXxxXXxxXXxxXXxxXXxx AIP	26FEB19 13:35	
26FEB19 12:02	XXxxXXxx			XXxxXXxxXXxxXXxxXXxx AIP	XXxxXXxxXXxxXXxxXXxx	
				BS due on Serial 0055		
				BATTERY NICAD at WAC 0660	XXxxXXxxXXxxXXxxXXxx	

N  
Maint Acts: BATT NICAD REPLACED IAW AAP 7212.007-2. REF EE508 606539/3-1 # 1

REMOVALS/INSTALLATIONS FOR A1PXXU1902422

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0055	A23T	A1UOA	00	1465	A23T	A1UOA	00
	33490409201		26FEB19 13:29	A1PXXJ1820779	33490409201		26FEB19 13:33	

A1PXXU1902425	COMPLETED	26FEB19 13:42	9298.9	AFHR	SCT	XXxxXXxxXXxxXXxxXXxx
26FEB19 13:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			26FEB19 13:42
26FEB19 13:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		ADF NEEDLE CONSISTENTLY LOCKING AT 9/3 O'CLOCK POSITION OR STEADY AT INCORRECT BEARING				XXxxXXxxXXxxXXxxXXxx

N  
Maint Acts: ADF RECEIVER REPLACED IAW AAP 7212.007-2. REF EE500 606539-1

REMOVALS/INSTALLATIONS FOR A1PXXU1902425

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	4401	A23T	A1UME	00	5396	A23T	A1UME	00
	066-1077-00		26FEB19 13:37	A1PXXJ1903113	066-1077-00		26FEB19 13:41	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 03684  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1902330	COMPLETED	27FEB19 23:58	9302.7	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
27FEB19 09:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			Y
27FEB19 09:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				27FEB19 23:58
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	N					
	Maint Acts:	S40 SERVICING CARRIED OUT VIA EPSS. REF. EE500 SN:606542-1				

A1PXXU1902498	COMPLETED	27FEB19 13:32	9302.7	AFHR	SCT	XXxxXXxxXXxxXXxxXXxx
27FEB19 12:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			27FEB19 13:32
27FEB19 12:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial 1690661				
		SET EMERG OXYGEN at WAC 0730				XXxxXXxxXXxxXXxxXXxx
	N					
	Maint Acts:	FRONT SEAT SEO REPLACED IAW AAP 7212.007-2. REF EE508 606542/3-1 # 1				

REMOVALS/INSTALLATIONS FOR A1PXXU1902498

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1690661	A23T	A1WBE	00	1533446	A23T	A1WBE	00
	MBEU100618		27FEB19 13:28	A1EXXJ1401787	MBEU100618		27FEB19 13:30	

A1PXXU1902579	COMPLETED	28FEB19 13:38	9305.9	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
28FEB19 13:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			28FEB19 13:38
28FEB19 13:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		REAR ALTIMETER LAGGING / STICKING INDICATION				
	N					XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	REAR ALTIMETER REPLACED IAW AAP 7212.007-2 REF: 606544/1-1#2				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03685  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1902579

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1103	A23T	A1UGW	00	1250	A23T	A1UGW	00
	44929-903		28FEB19 13:35	A1PXXJ1903426	44929-903		28FEB19 13:37	

A1PXXU1902580 COMPLETED 08MAR19 03:47 9305.9 AFHR SST XXxxXXxxXXxxXXxxXXxx  
28FEB19 13:41 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 08MAR19 03:47  
28FEB19 13:43 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
A/C REQUIRES AIRTEST FOR REAR ALTIMETER OPS  
XXxxXXxxXXxxXXxxXXxx

N  
Maint Acts: A/T C/O SERV REF 606546-2

A1PXXU1902617 COMPLETED 01MAR19 04:29 9305.9 AFHR SST XXxxXXxxXXxxXXxxXXxx  
01MAR19 04:19 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 01MAR19 04:29  
01MAR19 04:22 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
ADF UNRELIABLE - ERRONEOUS READINGS TOGETHER WITH INTERMITTENT DU  
AND RMI POINTERS PARKING AT 3 OR 9'O CLOCK POSITIONS  
XXxxXXxxXXxxXXxxXXxx

N  
Maint Acts: ADF ANTENNA REPLACED IAW AAP 7212.007-2 REF: 606544/1-2#1

REMOVALS/INSTALLATIONS FOR A1PXXU1902617

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	KA44B-A90726	A23T	A1UNK	00	KA44B-A95107	A23T	A1UNK	00
	071-1234-00		01MAR19 04:24	A1PXXJ1903436	071-1234-00		01MAR19 04:26	

A1PXXU1902633 COMPLETED 05MAR19 00:52 9305.9 AFHR SST XXxxXXxxXXxxXXxxXXxx  
05MAR19 00:41 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 05MAR19 00:52  
05MAR19 00:41 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
MS1 due on Serial 0608-13264  
FATIG METER AMETEK at WAC 0730  
XXxxXXxxXXxxXXxxXXxx

N  
Maint Acts: MS1 SERV C/O IAW AAP 7212.007-2. REF 606544/1-2 #05.

A1PXXU1810419 COMPLETED 05MAR19 12:31 9305.9 AFHR SCT XXxxXXxxXXxxXXxxXXxx  
05MAR19 01:17 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 05MAR19 12:31  
05MAR19 01:17 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S41 due on Serial A23-033  
PC-9 at WAC 0000  
XXxxXXxxXXxxXXxxXXxx

N

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03686  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME

EE500PG EE500LN  
STA WL BL ADMIN MAINT ACTION/LIMITATIONS  
=====

Maint Acts: S41 CARRIED OUT SERV IAW AAP7212.007-2

A1PXXU1813672	COMPLETED	05MAR19 12:33	9305.9	AFHR	SCT	XXxxXXxxXXxxXXxxXXxx
05MAR19 01:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			05MAR19 12:33
05MAR19 01:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S63 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx

N

Maint Acts: S63 CARRIED OUT SERV IAW AAP7212.007-2 REF 606544/1-4-5 FOR RESULTS

A1PXXU1902642	COMPLETED	05MAR19 01:19	9305.9	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
05MAR19 01:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			05MAR19 02:19
05MAR19 01:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial H21226				
		BLADE PROP NO.1 at WAC 0110				XXxxXXxxXXxxXXxxXXxx

N

Maint Acts: TRANSFERRED TO GG667

A1PXXU1902643	COMPLETED	05MAR19 01:19	9305.9	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
05MAR19 01:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			05MAR19 02:19
05MAR19 01:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial H21224				
		BLADE PROP NO.2 at WAC 0110				XXxxXXxxXXxxXXxxXXxx

N

Maint Acts: TRANSFERRED TO GG667

A1PXXU1902644	COMPLETED	05MAR19 01:19	9305.9	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
05MAR19 01:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			05MAR19 02:19
05MAR19 01:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial H21227				
		BLADE PROP NO.3 at WAC 0110				XXxxXXxxXXxxXXxxXXxx

N

Maint Acts: TRANSFERRED TO GG667

A1PXXU1902645	COMPLETED	05MAR19 01:19	9305.9	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
05MAR19 01:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			05MAR19 02:19
05MAR19 01:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial H21234				
		BLADE PROP NO.4 at WAC 0110				XXxxXXxxXXxxXXxxXXxx

N



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03687  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: TRANSFERRED TO GG667

A1PXXU1902646	COMPLETED	06MAR19 00:02	9305.9	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
05MAR19 01:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			06MAR19 00:02
05MAR19 01:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial GG667				
		PROPELLER ASSY at WAC 0110				XXxxXXxxXXxxXXxxXXxx

N

Maint Acts: PROP ASSY REPLACED IAW 7212.007-2. REF 606544/1-3#2

A1PXXU1902647	COMPLETED	05MAR19 22:08	9305.9	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
05MAR19 02:02	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			05MAR19 22:08
05MAR19 02:05	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		PROP ASSY R.F.A FOR O/H				
						XXxxXXxxXXxxXXxxXXxx

N

Maint Acts: PROP ASSY REPLACED IAW AAP 7212.007-2  
 REF SNO:606544/1-3-2

REMOVALS/INSTALLATIONS FOR A1PXXU1902647

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	A2311 D5210	A23T	A00AI 05MAR19 02:10	00 A1PXXJ1903459	A2311 D5210	A23T	A00AI 05MAR19 04:56	00
002	PB1500112 968.29.12.201	A23T	A00AK 05MAR19 02:12	00 A1PXXJ1903460	PB1500112 968.29.12.201	A23T	A00AK 05MAR19 04:55	00
003	GG667 HC-D4N2A/D9512A	A23T	A00 05MAR19 02:14	00 A1PXXJ1903461	GG477 HC-D4N2A/D9512A	A23T	A00 05MAR19 04:55	00

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03688  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

SEQ	REMOVED SERIAL NO REMOVED PART NO	EIAC	LCN DATE/TIME	ALC JOB NUMBER	INSTALLED SERIAL NO INSTALLED PART NO	EIAC	LCN DATE/TIME	ALC
004	A23034 571.10.09.054	A23T	A04 05MAR19 02:22	00 A1PXXJ1903462	A23034 571.10.09.054	A23T	A04 05MAR19 22:05	00
005	HLY300513 571.10.09.044	A23T	A06 05MAR19 02:24	00 A1PXXJ1903463	HLY300513 571.10.09.044	A23T	A06 05MAR19 22:05	00

A1PXXU1902670 COMPLETED 05MAR19 06:14 9305.9 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
 05MAR19 04:58 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 05MAR19 05:00 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 SMALL TEAR ON R/H INBOARD AILERON CURTAIN.  
 05MAR19 06:14  
 XXxxXXxxXXxxXXxxXXxx

N  
 Maint Acts: AILERON REMOVED REFITTED POST DIAPHRAGM REPLACEMENT IAWN 7212-007-02  
 REF 6065844/1-3-#1

REMOVALS/INSTALLATIONS FOR A1PXXU1902670

SEQ	REMOVED SERIAL NO REMOVED PART NO	EIAC	LCN DATE/TIME	ALC JOB NUMBER	INSTALLED SERIAL NO INSTALLED PART NO	EIAC	LCN DATE/TIME	ALC
001	326 557.51.09.002	A23T	A2KCC 05MAR19 05:01	00 A1PXXJ1903507	326 557.51.09.002	A23T	A2KCC 05MAR19 06:12	00

A1PXXU1902702 COMPLETED 08MAR19 03:47 9305.9 AFHR SST XXxxXXxxXXxxXXxxXXxx  
 05MAR19 23:51 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 05MAR19 23:54 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 A/C REQ'S MCF FOR PROPELLER CHANGE AND FLIGHT CONTROL R+I  
 XXxxXXxxXXxxXXxxXXxx

N  
 Maint Acts: MCF C/O SERV REF 606546-2

A1PXXU1902527 COMPLETED 06MAR19 23:49 9305.9 AFHR MM Y XXxxXXxxXXxxXXxxXXxx  
 06MAR19 09:10 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 06MAR19 09:10 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 S40 due on Serial A23-033  
 PC-9 at WAC 0000  
 06MAR19 23:49  
 XXxxXXxxXXxxXXxxXXxx

N  
 Maint Acts: S40 C/O VIA EPSS  
 (Continued on next page.)

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03689  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

(Continued from previous page.)  
 REF: 606545/2

A1PXXU1902761	COMPLETED	14MAR19 00:02	9314.9	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
13MAR19 07:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			Y
13MAR19 07:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40	due on Serial A23-033			14MAR19 00:02
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx
	N					
	Maint Acts:	S40 C/OUT VIA EPSS REF 604902-1				

A1PXXU1815936	COMPLETED	18MAR19 11:55	9322.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
18MAR19 07:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			18MAR19 11:55
18MAR19 07:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S20	due on Serial A23-033			
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx
	N					
	Maint Acts:	S20 C/O IAW MRD REF EE508 604908/1-1-1				

A1PXXU1903326	COMPLETED	18MAR19 12:38	9322.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
18MAR19 11:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			18MAR19 12:38
18MAR19 11:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		R/H BRAKE W.T.L				
	N					XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	RH BRAKE ASSY REPLACED IAW 7212-007-2. REF 604908/1-1-3				

REMOVALS/INSTALLATIONS FOR A1PXXU1903326

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0668P	A23T	A2KEE	00	0222A	A23T	A2KEE	00
	2-1524-1		18MAR19 12:32	A1PXXJ1904293	2-1524-1		18MAR19 12:36	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03690  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1903332	COMPLETED	19MAR19 03:20	9322.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
18MAR19 12:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			19MAR19 03:20
18MAR19 12:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRCRAFT REQUIRE AIRTEST FOR RH BRAKE OPS				
						XXxxXXxxXXxxXXxxXXxx
	N	Maint Acts:	AIRTEST CARRIED OUT SERV REF 604909/1			
A1PXXU1903387	COMPLETED	19MAR19 11:17	9326.3	AFHR	SCT	XXxxXXxxXXxxXXxxXXxx
19MAR19 09:05	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			19MAR19 11:17
19MAR19 09:05	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MS1 due on Serial 0608-13264				
		FATIG METER AMETEK at WAC 0730				XXxxXXxxXXxxXXxxXXxx
	N	Maint Acts:	MS1 SERVICING CARRIED OUT IAW AAP 7212.007-2. REF EE500 604911-1			
A1PXXU1903116	COMPLETED	21MAR19 00:00	9329.4	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
20MAR19 09:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
20MAR19 09:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				21MAR19 00:00
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	N	Maint Acts:	S40 CARRIED OUT VIA EPSS REF SNOW 604913-1			
A1PXXU1803709	COMPLETED	21MAR19 12:53	9332.3	AFHR	SCT	XXxxXXxxXXxxXXxxXXxx
21MAR19 08:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			21MAR19 12:53
21MAR19 08:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S37 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	N	Maint Acts:	S37 SERVICING CARRIED OUT IAW ATACSP0 MRD WEBSITE. REF EE508 604915-2-1 # 1			
A1PXXU1903523	COMPLETED	21MAR19 23:17	9332.3	AFHR	SCT	XXxxXXxxXXxxXXxxXXxx
21MAR19 13:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			21MAR19 23:17
21MAR19 13:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		REAR SEAT STOPWATCH INACCURATE ( LOSES APPROX 15MIN/HR )				
	N	Maint Acts:	REAR STOP WATCH REPLACED REF 604915-1			XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03691  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES -----  
SERV NUMBER STATUS STATUS DATE/TIME TOTAL LIFE INT TYPE CERTIFICATION TRADESMAN  
RAISED DATE/TIME RAISED USER ID RAISED NAME RAISED VENUE CAPABILITY CODE EPSS DATE/TIME  
ENTERED DATE/TIME ENTERED USER ID ENTERED NAME ENTERED VENUE IMIC NO SUPERVISOR  
OPERATION NO ASOR NO SYMPTOMS  
EE500PG EE500LN  
STA WL BL ADMIN MAINT ACTION/LIMITATIONS  
=====

REMOVALS/INSTALLATIONS FOR A1PXXU1903523

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
=====	=====	=====	=====	=====	=====	=====	=====	=====
001	621045	A23T	ALUGI	00	1082279	A23T	ALUGI	00
	Q17-941.22.052AB		21MAR19 23:13	A1PXXJ1904842	999.61.11.222		21MAR19 23:14	

A1PXXU1903754 COMPLETED 26MAR19 22:38 9339.3 AFHR SST XXxxXXxxXXxxXXxxXXxx  
26MAR19 22:22 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 26MAR19 22:38  
26MAR19 22:22 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
MS2 due on Serial 164  
RUDDER\_TRIM TABS at WAC 1410 XXxxXXxxXXxxXXxxXXxx  
N  
Maint Acts: MS2 SERV C/O REF 604922-1

A1PXXU1903493 COMPLETED 28MAR19 00:25 9343.9 AFHR SST XXxxXXxxXXxxXXxxXXxx  
27MAR19 09:32 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 28MAR19 00:25  
27MAR19 09:32 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx  
N  
Maint Acts: S40 CARRIED OUT REF SNOW 604925/2-1-1

A1PXXU1904078 COMPLETED 02APR19 09:28 9349.9 AFHR SST XXxxXXxxXXxxXXxxXXxx  
02APR19 09:25 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 02APR19 09:28  
02APR19 09:25 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
MS1 due on Serial 0608-13264  
FATIG METER AMETEK at WAC 0730 XXxxXXxxXXxxXXxxXXxx  
N  
Maint Acts: MS1 SERV C/O IAW AAP7212.007-2 REF 604931-1

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1903839	COMPLETED	03APR19 23:33	9351.2	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
03APR19 11:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			Y
03APR19 11:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				03APR19 23:33
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	N	Maint Acts:				
		S40 C/O VIA EPSS				
		REF: 604933/1				

A1PXXU1904349	COMPLETED	08APR19 13:32	9355.0	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
08APR19 13:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			08APR19 13:32
08APR19 13:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		GEN BUS INVERTER NIL OPS				
	N	Maint Acts:				XXxxXXxxXXxxXXxxXXxx
		GEN INVERTER REPLACED IAW AAP7212.007-2 REF 604936-3				

REMOVALS/INSTALLATIONS FOR A1PXXU1904349

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	6567	A23T	A1UOG	01	6623	A23T	A1UOG	01
	975.04.21.103		08APR19 13:29	A1PXXJ1906019	PC-125-12B		08APR19 13:30	

A1PXXU1904350	COMPLETED	09APR19 00:34	9355.0	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
08APR19 13:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			09APR19 00:34
08APR19 13:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BATT NICAD RFA				
	N	Maint Acts:				XXxxXXxxXXxxXXxxXXxx
		BATT NICAD REFITTED IAW AAP 7212.007-2 REF: 604936/4-1#2				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03693  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1904350

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 1465	A23T	A1UOA	00	1465	A23T	A1UOA	00	
33490409201	08APR19 13:18	A1PXXJ1906018	33490409201	09APR19 00:31				

A1PXXU1904405 COMPLETED 09APR19 02:53 9355.0 AFHR SST  
09APR19 02:38 XXxxXXxx XXxxXXxxXXxxXXxx AIP 09APR19 02:53  
09APR19 02:45 XXxxXXxx XXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
COMM1 REAR C/P DISPLAYING B4 FOR ALL PRESET FREQUENCIES  
XXxxXXxxXXxxXXxxXXxx

N  
Maint Acts: AMR345-2 TRANSCEIVER REPLACED IAW AAP 7212.007-2 REF: 604936#2

REMOVALS/INSTALLATIONS FOR A1PXXU1904405

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 133	A23T	A1UMC	00	160	A23T	A1UMC	00	
631 367 297	09APR19 02:49	A1PXXJ1906050	631 367 297	09APR19 02:50				

A1PXXU1904461 COMPLETED 10APR19 03:14 9355.0 AFHR SCM  
10APR19 01:54 XXxxXXxx XXxxXXxxXXxxXXxx AIP  
10APR19 01:57 XXxxXXxx XXxxXXxxXXxxXXxx AIP  
REMOVED FOR ACCESS  
XXxxXXxxXXxxXXxxXXxx

N  
Maint Acts: SERV ENG COWL 3L AND 3R FITTED IAW 7212-007-2 REF 604936/4-1#4

REMOVALS/INSTALLATIONS FOR A1PXXU1904461

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 A23033	A23T	A08	00					
571.10.09.027	10APR19 02:00	A1PXXJ1906143						

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
=====	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
002	A23033 571.10.09.028	A23T	A0A 10APR19 02:01	00 A1PXXJ1906145	A23056 571.10.09.028	A23T	A0A 10APR19 03:08	00
003					PC1701135 571.10.09.027	A23T	A08 10APR19 03:09	00
A1PXXU1904159	COMPLETED		10APR19 23:45	9356.3	AFHR	MM	XXxxXXxxXXxxXXxxXXxx	
10APR19 10:14	XXxxXXxx		XXxxXXxxXXxxXXxxXXxx	AIP		Y	XXxxXXxxXXxxXXxxXXxx	
10APR19 10:14	XXxxXXxx		XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
			S40	due on Serial A23-033			10APR19 23:45	
			PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx	
		N						
	Maint Acts:		S40 C/O VIA ERPSS					
			REF: 604937/1					
A1PXXU1904795	COMPLETED		16APR19 06:48	9365.1	AFHR	SCT	XXxxXXxxXXxxXXxxXXxx	
16APR19 06:06	XXxxXXxx		XXxxXXxxXXxxXXxxXXxx	AIP			16APR19 06:48	
16APR19 06:06	XXxxXXxx		XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
			MS1	due on Serial 0608-13264			XXxxXXxxXXxxXXxxXXxx	
			FATIG METER AMETEK	at WAC 0730				
		N						
	Maint Acts:		MS1 SERVICING CARRIED OUT IAW AAP 7212.007-2.					
			REF EE508 604943-2-1 #					
			2					
A1PXXU1904762	COMPLETED		16APR19 07:34	9365.1	AFHR	SST	XXxxXXxxXXxxXXxxXXxx	
16APR19 07:30	XXxxXXxx		XXxxXXxxXXxxXXxxXXxx	AIP			16APR19 07:34	
16APR19 07:30	XXxxXXxx		XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
			STI-PC9-0686	due on Serial A23-033				
			PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx	
		N						
	Maint Acts:		STI-PC9-0686 INCORPORATED IAW STI INSTRUCTIONS					
			REF: 604943/1					
A1PXXU1904534	COMPLETED		18APR19 04:37	9365.1	AFHR	SST	XXxxXXxxXXxxXXxxXXxx	
17APR19 06:08	XXxxXXxx		XXxxXXxxXXxxXXxxXXxx	AIP			18APR19 04:37	
17APR19 06:08	XXxxXXxx		XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
			S40	due on Serial A23-033				
			PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx	
		N						
	Maint Acts:		S40 C/O IAW ATCKSPO MRD WEBSITE REF EE508: 604943/2-5-1					



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 03695  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1905097	COMPLETED	25APR19 08:30	9373.0	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
24APR19 12:15	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			25APR19 08:30
24APR19 12:15	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		NDT due on Serial 027LH				
		INBOARD WING BAY LH at WAC 0920				XXXXXXXXXXXXXXXXXXXX
	N					
	Maint Acts:	INBOARD WING BAY INSPECTION CARRIED IAW AAP 7212-007-2. NIL				
		ANOMALIES EVIDENT				
		REF EE500 SNOW: 604949/1				
A1PXXU1905098	COMPLETED	25APR19 08:31	9373.0	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
24APR19 12:15	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			25APR19 08:31
24APR19 12:15	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		NDT due on Serial 027RH				
		INBOARD WING BAY RH at WAC 1020				XXXXXXXXXXXXXXXXXXXX
	N					
	Maint Acts:	INBOARD WING BAY INSPECTION CARRIED IAW AAP 7212-007-2. NIL				
		ANOMALIES EVIDENT				
		REF EE500 SNOW: 604949/1				
A1PXXU1904920	COMPLETED	24APR19 12:39	9373.0	AFHR	MM	XXXXXXXXXXXXXXXXXXXX
24APR19 12:33	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			
24APR19 12:33	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S40 due on Serial A23-033				24APR19 12:39
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX
	N					
	Maint Acts:	S40 C/OUT VIA EPSS REF 604949-2				
A1PXXU1905212	COMPLETED	29APR19 03:14	9375.7	AFHR	SCT	XXXXXXXXXXXXXXXXXXXX
29APR19 03:07	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			29APR19 03:14
29APR19 03:08	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		FCP AND RCP ALTIMETERS > 50FT DISCREPANCY - OUT OF LIMITS				
	N					XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	REAR ALTIMETER REPLACED IAW AAP 7212.007-2. REF EE500 601801-5				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03696  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1905212

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1250	A23T	A1UGW	00	1101	A23T	A1UGW	00
	44929-903		29APR19 03:08	A1PXXJ1906788	44929-903		29APR19 03:12	

A1PXXU1905213 COMPLETED 29APR19 07:04 9375.7 AFHR SST XXxxXXxxXXxxXXxxXXxx  
29APR19 03:14 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 29APR19 07:04  
29APR19 03:20 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
AIRCRAFT REQUIRES AIRTEST FOR REAR ALTIMETER OPS  
XXxxXXxxXXxxXXxxXXxx

N  
Maint Acts: AIRTEST CARRIED OUT SERV. REF EE500 SN: 601803/1

A1PXXU1905235 COMPLETED 29APR19 13:45 9378.4 AFHR SST XXxxXXxxXXxxXXxxXXxx  
29APR19 10:40 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 29APR19 13:45  
29APR19 10:41 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
LH BRAKE WORN TO LIMIT  
XXxxXXxxXXxxXXxxXXxx

N  
Maint Acts: BRAKE REPLACED IAW AAP 7212.007-2 REF. EE508 SN:601804/1-1-1

REMOVALS/INSTALLATIONS FOR A1PXXU1905235

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0630P	A23T	A2KDI	00	0210A	A23T	A2KDI	00
	2-1524-1		29APR19 12:42	A1PXXJ1907006	959.47.81.705		29APR19 13:38	
002	0175	A23T	A2KDM	01	0210A	A23T	A2KDI	00
	3-1555		29APR19 12:44	A1PXXJ1907007	959.47.81.705		29APR19 13:28	
003	0210A	A23T	A2KDI	00	0175	A23T	A2KDM	01
	959.47.81.705		29APR19 13:33	A1PXXJ1907009	3-1555		29APR19 13:44	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03697  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1905236	COMPLETED	30APR19 04:09	9378.4	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
29APR19 13:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
29APR19 13:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRCRAFT REQUIRES AIRTEST FOR BRAKE OPS				30APR19 04:09
						XXxxXXxxXXxxXXxxXXxx
		N				
	Maint Acts:	AIRTEST C/O SERV REF EE500: 601805/1				
A1PXXU1905306	COMPLETED	30APR19 12:58	9382.7	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
30APR19 10:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			30APR19 12:58
30APR19 10:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MS1 due on Serial 0608-13264				
		FATIG METER AMETEK at WAC 0730				XXxxXXxxXXxxXXxxXXxx
		N				
	Maint Acts:	MS1 C/O REF 601807-1				
A1PXXU1905099	COMPLETED	01MAY19 23:38	9387.2	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
01MAY19 12:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
01MAY19 12:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				01MAY19 23:38
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
		N				
	Maint Acts:	S40 C/O VIA EPSS REF 601511#1				
A1PXXU1707670	COMPLETED	08JUL19 03:21	9400.6	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
20MAY19 03:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
20MAY19 03:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S30 due on Serial A23-033				08JUL19 03:21
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
		N				
	Maint Acts:	S30 C/O IAW ATACSPO MRD WEB SIT REF AIP MCS 272-1/19-5-1				
A1PXXU1806209	COMPLETED	25JUN19 01:10	9400.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
20MAY19 03:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			25JUN19 01:10
20MAY19 03:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S67 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
		N				
	Maint Acts:	S67 C/O IAW PSS WORK CARD S67 REF AIP MCS 272/19 WC # 110 -111.				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03698  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1806542	COMPLETED	09JUL19 22:27	9400.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
20MAY19 03:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			09JUL19 22:27
20MAY19 03:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S57	due on Serial A23-033			
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx
	N	Maint Acts:	S57 CO REF AIP MCS 272/19			

A1PXXU1810527	COMPLETED	09JUL19 22:28	9400.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
20MAY19 03:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			09JUL19 22:28
20MAY19 03:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S62	due on Serial A23-033			
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx
	N	Maint Acts:	S62 CO REF AIP MCS 272-1/19-4-1			

A1PXXU1810531	COMPLETED	09JUL19 22:45	9400.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
20MAY19 03:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			09JUL19 22:45
20MAY19 03:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		R2	due on Serial A23-033			
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx
	N	Maint Acts:	R2 CO REF AIP MCS 272/19			

REMOVALS/INSTALLATIONS FOR A1PXXU1810531

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	AS1437 3059788-01	A23T	A1SAK48 19JUN19 03:14	01 A1PXXJ1910040	PC1900843 3059788-01	A23T	A1SAK48 19JUN19 23:11	01
002	0408 3-1555	A23T	A2KEI 19JUN19 03:31	01 A1PXXJ1910044	0175 3-1555	A23T	A2KEI 26JUN19 22:22	01

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03699  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
=====	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
003	PC1800290 3059257-01	A23T	A1SAK34 21JUN19 05:58	00 A1PXXJ1911193	PC1800290 3059257-01	A23T	A1SAK34 09JUL19 22:42	00
A1PXXU1902084	COMPLETED		04JUL19 00:11	9400.6	AFHR	SST	XXXXXXXXXXXXXXXXXXXX	
20MAY19 03:43	XXXXXXXX		XXXXXXXXXXXXXXXXXXXX	AIP			04JUL19 00:11	
20MAY19 03:43	XXXXXXXX		XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		N	S16	due on Serial A23-033				
			PC-9	at WAC 0000			XXXXXXXXXXXXXXXXXXXX	
		N	Maint Acts:	S16 SERV C/O IAW ATACSPO MRD WEBSITE. REF AIP MCS 272/19 WC 08 #02.				
A1PXXU1902687	COMPLETED		27JUN19 00:06	9400.6	AFHR	SST	XXXXXXXXXXXXXXXXXXXX	
20MAY19 03:43	XXXXXXXX		XXXXXXXXXXXXXXXXXXXX	AIP			27JUN19 00:06	
20MAY19 03:43	XXXXXXXX		XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		N	S63	due on Serial A23-033				
			PC-9	at WAC 0000			XXXXXXXXXXXXXXXXXXXX	
		N	Maint Acts:	S63 C/O IAW TASPO MRD PSS WC S63. REF AIP MCS 272-1/19-5-2.				
A1PXXU1903328	COMPLETED		09JUL19 22:29	9400.6	AFHR	SST	XXXXXXXXXXXXXXXXXXXX	
20MAY19 03:43	XXXXXXXX		XXXXXXXXXXXXXXXXXXXX	AIP			09JUL19 22:29	
20MAY19 03:43	XXXXXXXX		XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		N	S20	due on Serial A23-033				
			PC-9	at WAC 0000			XXXXXXXXXXXXXXXXXXXX	
		N	Maint Acts:	S20 CO REF AIP MCS 272-1/19-3-3				
A1PXXU1905398	COMPLETED		10JUL19 23:47	9400.6	AFHR	MM	XXXXXXXXXXXXXXXXXXXX	
20MAY19 03:43	XXXXXXXX		XXXXXXXXXXXXXXXXXXXX	AIP		Y	XXXXXXXXXXXXXXXXXXXX	
20MAY19 03:43	XXXXXXXX		XXXXXXXXXXXXXXXXXXXX	AIP			10JUL19 23:47	
		N	S40	due on Serial A23-033			XXXXXXXXXXXXXXXXXXXX	
			PC-9	at WAC 0000			XXXXXXXXXXXXXXXXXXXX	
		N	Maint Acts:	S40 CARRIED OUT IAW ATACSPO MRD WEBSITE VIA EPSS				
A1PXXU1905761	COMPLETED		06JUN19 04:43	9400.6	AFHR	SST	XXXXXXXXXXXXXXXXXXXX	
20MAY19 03:43	XXXXXXXX		XXXXXXXXXXXXXXXXXXXX	AIP			06JUN19 04:43	
20MAY19 03:43	XXXXXXXX		XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		N	STI-PC9-0687	due on Serial A23-033				
			PC-9	at WAC 0000			XXXXXXXXXXXXXXXXXXXX	
		N	Maint Acts:	STI-PC9-0687 CARRIED OUT IAW INSTRUCTIONS				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1906234	COMPLETED	09JUL19 22:35	9400.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
20MAY19 03:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			09JUL19 22:35
20MAY19 03:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MS1	due on Serial 0608-13264			
		FATIG METER AMETEK	at WAC 0730			XXxxXXxxXXxxXXxxXXxx
	N					
	Maint Acts:	MS1 CO REF AIP MCS 272-1/19-18-2				

A1PXXU1906235	COMPLETED	25JUN19 00:44	9400.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
20MAY19 03:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			25JUN19 00:44
20MAY19 03:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS	due on Serial 3959			
		STARTER GENERATOR	at WAC 0130			XXxxXXxxXXxxXXxxXXxx
	N					
	Maint Acts:	SERV STARTER GEN FITTED IAW 7212-007-2 REF AIP MCS 272-1/19-5-4				

REMOVALS/INSTALLATIONS FOR A1PXXU1906235

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	3959	A23T	A1SAI14	00	4876	A23T	A1SAI14	00
	23081-026		04JUN19 05:58	A1PXXJ1821318	23081-026-D		25JUN19 00:41	

A1PXXU1906236	COMPLETED	24JUN19 22:34	9400.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
20MAY19 03:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			24JUN19 22:34
20MAY19 03:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS	due on Serial RT151			
		FUEL NOZZLE SET	at WAC 0120			XXxxXXxxXXxxXXxxXXxx
	N					
	Maint Acts:	"US' FNS S/NO. RT151 REPLACED BY SERVICEABLE FUEL NOZZLE SET S/NO.RT306 IAW AAP7113.022-2 CHAPTER 73-10-05.				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03701  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR 1PXXU1906236

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	RT151	A23T	A1SAK27	00	RT306	A23T	A1SAK27	00
	RAAFA62FNS01		19JUN19 23:39	N0NC2J1802875	RAAFA62FNS01		24JUN19 05:51	

1PXXU1906237 COMPLETED 03JUL19 23:07 9400.6 AFHR SST XXxxXXxxXXxxXXxxXXxx  
20MAY19 03:43 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 03JUL19 23:07  
20MAY19 03:43 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx

TA due on Serial PC1800437  
BATTERY FATIG METER at WAC 0730

N  
Maint Acts: BATT FATIGUE METER REPLACED IAW AAP 7212.007-2. REF AIP MCS 272-1/19  
- 05 #03.

REMOVALS/INSTALLATIONS FOR 1PXXU1906237

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	PC1800437	A23T	A1ULF00	00	PC1900491	A23T	A1ULF00	00
	LS14500		03JUL19 23:05	1PXXJ1808836	LS14500		03JUL19 23:06	

1PXXU1906238 COMPLETED 11JUN19 06:55 9400.6 AFHR SST XXxxXXxxXXxxXXxxXXxx  
20MAY19 03:43 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 11JUN19 06:55  
20MAY19 03:43 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx

TA due on Serial 874  
VALVE REFILL OXYGEN at WAC 0640

N  
Maint Acts: VALVE REFILL OXYGEN REPLACED IAW AAP 7212.007-2 REF AIP MCS  
272-1/19-5-L5

REMOVALS/INSTALLATIONS FOR 1PXXU1906238

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	874	A23T	A1UMU	03	964	A23T	A1UMU	03
	OC-001-06		11JUN19 06:53	1PXXJ1807875	OC-001-06		11JUN19 06:53	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03702  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1906239	COMPLETED	20MAY19 03:43	9400.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
20MAY19 03:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			04JUN19 03:09
20MAY19 03:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FT due on Serial DU47427				
		BCN UNDERWATER LOC at WAC 0640				XXxxXXxxXXxxXXxxXXxx
	N					
	Maint Acts:	TRANSFERRED TO 01764				
A1PXXU1906240	COMPLETED	20MAY19 03:43	9400.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
20MAY19 03:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			10JUN19 22:24
20MAY19 03:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FT due on Serial DN6188				
		BCN UNDERWATER LOC at WAC 0740				XXxxXXxxXXxxXXxxXXxx
	N					
	Maint Acts:	TRANSFERRED TO 01496				
A1PXXU1906241	COMPLETED	26JUN19 23:41	9400.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
20MAY19 03:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			26JUN19 23:41
20MAY19 03:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		NDT due on Serial 033				
		SBI FUS FRAME 8 at WAC 0670				XXxxXXxxXXxxXXxxXXxx
	N					
	Maint Acts:	NDT C/O IAW AAP7212.007-36.SECT 4 CHAP20. NIL CRACKING DETECTED. REF # AIP/NDT/A23-033/105.				
A1PXXU1906242	COMPLETED	18JUN19 05:27	9400.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
20MAY19 03:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			18JUN19 05:27
20MAY19 03:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MS27 due on Serial 033Z				
		SBI FUS FRAME 9 at WAC 0670				XXxxXXxxXXxxXXxxXXxx
	N					
	Maint Acts:	MS 27 INSPECTIONS C/O IAW ATACSP0 MRD WEBSITE PSS.ASIMP VOL.2 CHAPTER 53-10-06NIL DEFECT EVIDENT.REF AIP MCS 272/19 WC 98-99				



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES								
SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN		
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME		
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR		
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME		
EE500PG EE500LN						INSPECTOR		
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME		
=====								
A1PXXU1906243	COMPLETED	18JUN19 05:30	9400.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx		
20MAY19 03:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			18JUN19 05:30		
20MAY19 03:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx		
		MS28 due on Serial 033						
		SBI FUS FRAME 10 at WAC 0670				XXxxXXxxXXxxXXxxXXxx		
	N							
	Maint Acts:	MS 28 INSPECTIONS C/O IAW ATACSP0 MRD WEBSITE PSS.ASIMP VOL.2 NIL DEFECT EVIDENT.REF AIP MCS 272/19 WC 100-101						
A1PXXU1906244	COMPLETED	26JUN19 23:50	9400.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx		
20MAY19 03:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			26JUN19 23:50		
20MAY19 03:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx		
		NDT due on Serial 033A						
		FUS FRM2 WLE ATTCH at WAC 0800				XXxxXXxxXXxxXXxxXXxx		
	N							
	Maint Acts:	NDT C/O IAW AAP7212.007-36 SECT5 CHAP2.NIL CRACKING DETECTED.REF : AIP/NDT/A23-033/109.						
A1PXXU1906245	COMPLETED	18JUN19 05:35	9400.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx		
20MAY19 03:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			18JUN19 05:35		
20MAY19 03:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx		
		MS37 due on Serial P/F017						
		SBI VSTAB INTERNAL at WAC 1400				XXxxXXxxXXxxXXxxXXxx		
	N							
	Maint Acts:	MS 37 INSPECTIONS C/O IAW ATACSP0 MRD WEBSITE PSS.ASIMP VOL.2 NIL DEFECT EVIDENT.REF AIP MCS 272/19 WC 102-103-104						
A1PXXU1906246	COMPLETED	26JUN19 03:44	9400.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx		
20MAY19 03:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			26JUN19 03:44		
20MAY19 03:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx		
		MS39 due on Serial 042L						
		SBI ELEV INT STR at WAC 1300				XXxxXXxxXXxxXXxxXXxx		
	N							
		Copied to 042						
	Maint Acts:	MS 39 C/O IAW AAIP MCS 275/19 WC#1-5.						

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03704  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1906246

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	042	A23T	A2IBC	00	042	A23T	A2IBC	00
	555.20.09.257		11JUN19 07:35	A1PXXJ1909725	555.20.09.257		26JUN19 03:39	

A1PXXU1906247 COMPLETED 18JUN19 05:21 9400.6 AFHR SST  
20MAY19 03:43 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 18JUN19 05:21  
20MAY19 03:43 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
MS16 due on Serial 027  
WING ASSY at WAC 0000 XXxxXXxxXXxxXXxxXXxx  
N  
Maint Acts: MS 16 INSPECTIONS C/O IAW ATACSP0 MRD WEBSITE PSS.CHAPTER  
53-20-01NIL DEFECT EVIDENT.REF AIP MCS 272/19 WC 102-103-104

A1PXXU1906248 COMPLETED 18JUN19 05:08 9400.6 AFHR SST  
20MAY19 03:43 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 18JUN19 05:08  
20MAY19 03:43 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
OH due on Serial 538  
STRUT SHOCK MLG LH at WAC 0950 XXxxXXxxXXxxXXxxXXxx  
N  
Maint Acts: LH MLG REPLACED WITH SERV ITEM S/N 544 IAW AAP 7212-007-2 REFER AIP  
MCS 272-1/19-6-2

REMOVALS/INSTALLATIONS FOR A1PXXU1906248

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	538	A23T	A2KDG	00	544	A23T	A2KDG	00
	532.10.09.075		11JUN19 03:11	A1PXXJ1909702	532.10.09.075		18JUN19 05:02	

A1PXXU1906249 COMPLETED 18JUN19 05:40 9400.6 AFHR SST  
20MAY19 03:43 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 18JUN19 05:40  
20MAY19 03:43 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
NDT1 due on Serial 027LH  
LWNG NSE SKN TO FUS at WAC 0900 XXxxXXxxXXxxXXxxXXxx  
N  
Maint Acts: LH WING NOSE SKIN TO FUSELAGE INSPECTIONS C/O IAW AAP 7212-007-2.NIL  
DEFECT EVIDENT.CHAPTER 57-10-06

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03705  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1906250	COMPLETED	27JUN19 00:03	9400.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
20MAY19 03:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			27JUN19 00:03
20MAY19 03:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		NDT1 due on Serial 027RH				
		RWNG NSE SKN TO FUS at WAC 1000				XXxxXXxxXXxxXXxxXXxx
	N					
	Maint Acts:	INSPECTIONS C/O ON RH WING NOSE SKIN TO FUSELAGE,NIL CRACKING				
		EVIDENT IAW AAP7212.007-2 CHAP 57-10-06.REF # AIP MCS 272-1/19-6-6.				
A1PXXU1906251	COMPLETED	06JUN19 01:32	9400.6	AFHR	SCT	XXxxXXxxXXxxXXxxXXxx
20MAY19 03:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			06JUN19 01:32
20MAY19 03:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		NDT due on Serial 027LH				
		LWNG RSPAR HLF R3 at WAC 0900				XXxxXXxxXXxxXXxxXXxx
	N					
	Maint Acts:	NDT CARRIED OUT IAW AAP 7212.007-36 SECT 4 CHAP 8. NIL CRACKING				
		DETECTED REF: AIP/NDT/A23-033/104 REF: AIP MCS 272-1/19-7-1&2				
A1PXXU1906252	COMPLETED	06JUN19 01:35	9400.6	AFHR	SCT	XXxxXXxxXXxxXXxxXXxx
20MAY19 03:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			06JUN19 01:35
20MAY19 03:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		NDT due on Serial 027RH				
		RWNG RSPAR HLF R3 at WAC 1000				XXxxXXxxXXxxXXxxXXxx
	N					
	Maint Acts:	NDT CARRIED OUT IAW AAP 7212.007-36 SECT 4 CHAP 8. 8.6MM CRACK				
		DETECTED REF: AIP/NDT/A23-033/104 REF: AIP MCS 272-1/19-7-1&2				
A1PXXU1906253	COMPLETED	21JUN19 02:10	9400.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
20MAY19 03:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			21JUN19 02:10
20MAY19 03:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		7113.022-307 due on Serial 103186				
		ENGINE CHANGE UNIT at WAC 0100				XXxxXXxxXXxxXXxxXXxx
	N					
	Maint Acts:	MOD 307 INCORPORATED IAW AAP 7113.022-100 MODIFICATION 7113.022-307.				
		FOR LEAKS ,RIGGING AND FUNCTIONAL CHECKS REF TO AIP MCS				
		272-1/19-13-5 & 6.				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03706  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1906253

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	C26012 3244856-7-6-3	A23T	A1SAI02 19JUN19 06:14	00 A1PXXJ1910048	C26012 3244856-7-6-3	A23T	A1SAI02 20JUN19 06:21	00
-----	-------------------------	------	--------------------------	---------------------	-------------------------	------	--------------------------	----

002	504 025323-500B	A23T	A1SAI10 19JUN19 06:17	00 A1PXXJ1910049	016591 399700	A23T	A1SAI10 20JUN19 06:20	02
-----	--------------------	------	--------------------------	---------------------	------------------	------	--------------------------	----

A1PXXU1906254 COMPLETED 26JUN19 03:29 9400.6 AFHR SST XXxxXXxxXXxxXXxxXXxx  
20MAY19 03:43 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 26JUN19 03:29  
20MAY19 03:43 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
BS due on Serial 1465  
BATTERY NICAD at WAC 0660 XXxxXXxxXXxxXXxxXXxx

N  
Maint Acts: SERV BATT NICAD FITTED IAW 7212-007-2 REF AIP MCS 272-1/19-8-4

REMOVALS/INSTALLATIONS FOR A1PXXU1906254

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	1465 33490409201	A23T	A1UOA 04JUN19 02:07	00 A1PXXJ1817607	1208 33490409201	A23T	A1UOA 26JUN19 03:26	00
-----	---------------------	------	------------------------	---------------------	---------------------	------	------------------------	----

A1PXXU1906255 COMPLETED 21MAY19 05:26 9400.6 AFHR SST XXxxXXxxXXxxXXxxXXxx  
20MAY19 03:43 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 21MAY19 05:26  
20MAY19 03:43 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
STI-PC9-0688 due on Serial 08797  
CONTROL UNIT TC20 at WAC 0730 XXxxXXxxXXxxXXxxXXxx

N  
Maint Acts: STI INCORPORATED IAW STI LEAFLET REF AIPMCS272-1/19-9-1

A1PXXU1906266 COMPLETED 25JUN19 01:14 9400.6 AFHR SST XXxxXXxxXXxxXXxxXXxx  
20MAY19 05:42 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 25JUN19 01:14  
20MAY19 05:42 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
BS1 due on Serial 504  
PUMP FUEL HIGH PRES at WAC 0130 XXxxXXxxXXxxXXxxXXxx

N  
Maint Acts: REFER TO AIP MCS 272-1/19-8-2.  
ITEM NOT APPLICABLE TO POST MOD 307 HPFP.

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03707  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME

A1PXXU1906267	COMPLETED	26JUN19 05:38	9400.6	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
20MAY19 05:44	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
20MAY19 05:44	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
EE500PG EE500LN		FT		due on Serial 0382001		26JUN19 05:38
STA WL BL ADMIN		CRASH POSN IND		at WAC 0660		XXxxXXxxXXxxXXxxXXxx

N  
Maint Acts: SERV CPI FITTED IAW 7212-007-2 REF AIP MCS 272-1/19-8-5

REMOVALS/INSTALLATIONS FOR A1PXXU1906267

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0382001	A23T	A1UOY	00	0410001	A23T	A1UOY	00
	453-0406		26JUN19 05:29	NONC2J1802786	453-0406		26JUN19 05:30	

A1PXXU1906268	COMPLETED	10JUL19 05:51	9400.6	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
20MAY19 05:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
20MAY19 05:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
601819 1		AIRCRAFT REQUIRES MANDATORY AMCO/MCS AMD VALIDATION PRIOR TO FLIGHT				10JUL19 05:51
		IAW AAP7001.060-1-3 SECT 1 CH 1 PARA 5.H/3				XXxxXXxxXXxxXXxxXXxx

N  
Maint Acts: AMCO/MCS AMD VALIDATION C/O IAW APP 701.060-1-3 SECT 1 CH 1 PARA 5.H.3 - SATIS - REF EE508 SNOW NO 601819/1 PAGE ONE LINES TWO AND FOUR

A1PXXU1906767	COMPLETED	03JUL19 02:30	9400.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
04JUN19 00:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			03JUL19 02:30
04JUN19 00:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FRONT AND REAR EJECTION SEATS RFA.				

N  
Maint Acts: F & R EJECTION SEATS REFITTED IAW AAP 7212.007-2. REF AIP MCS 272/19 WC 90 - 97.

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03708  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1906767

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				

001	167	A23T	A1W	00	167	A23T	A1W	00
AU11A-1	04JUN19 00:43	A1PXXJ1909325	AU11A-1	03JUL19 02:29				
002	002	A23T	A26	00	002	A23T	A26	00
AU11A-2	04JUN19 00:48	A1PXXJ1909326	AU11A-2	03JUL19 02:29				

A1PXXU1906770 COMPLETED 25JUN19 00:40 9400.6 AFHR SST XXxxXXxxXXxxXXxxXXxx  
04JUN19 01:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 25JUN19 00:40  
04JUN19 01:55 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
BOTH INVERTERS AND RACK REMOVED FOR ACCESS  
XXxxXXxxXXxxXXxxXXxx

N  
Maint Acts: BOTH INVS AND RACK REFITTED IAW 7212-007-2 REF AIP MCS 272-1/19-9-2

REMOVALS/INSTALLATIONS FOR A1PXXU1906770

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				

001	6616	A23T	A1UOE	01	6616	A23T	A1UOE	01
PC-125-12B	04JUN19 01:56	A1PXXJ1909334	PC-125-12B	25JUN19 00:38				
002	6623	A23T	A1UOG	01	6623	A23T	A1UOG	01
PC-125-12B	04JUN19 02:00	A1PXXJ1909335	PC-125-12B	25JUN19 00:38				

A1PXXU1906782 COMPLETED 24JUN19 22:29 9400.6 AFHR SST XXxxXXxxXXxxXXxxXXxx  
04JUN19 03:01 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 24JUN19 22:29  
04JUN19 03:02 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
COCKPIT VOICE RECORDER REMOVED FOR ACCESS  
XXxxXXxxXXxxXXxxXXxx

N  
Maint Acts: CVR REFITTED IAW 7212-007-2 REF AIP MCS 272--1/19-9-3

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03709  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1906782

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	01764	A23T	A1UPC	00	01764	A23T	A1UPC	00
	S200-0012-91		04JUN19 03:08	A1PXXJ1909349	S200-0012-91		24JUN19 22:27	

A1PXXU1906907 COMPLETED 12JUN19 02:06 9400.6 AFHR SST XXxxXXxxXXxxXXxxXXxx  
06JUN19 00:46 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 12JUN19 02:06  
06JUN19 00:47 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
BLOWER FAN REMOVED FOR ACCESS  
XXxxXXxxXXxxXXxxXXxx

N  
Maint Acts: BLOWER FAN ASSY REFITTED IAW AAP 7212.007-2 REF AIP MCS  
272-1/19-10#4

REMOVALS/INSTALLATIONS FOR A1PXXU1906907

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	45	A23T	A0E	00	45	A23T	A0E	00
	M5922H-9A1/HED608279		06JUN19 00:48	A1PXXJ1909540	M5922H-9A1/HED608279		12JUN19 02:04	

A1PXXU1907030 COMPLETED 25JUN19 23:19 9400.6 AFHR SST XXxxXXxxXXxxXXxxXXxx  
10JUN19 22:23 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 25JUN19 23:19  
10JUN19 22:24 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
FDR RFA  
XXxxXXxxXXxxXXxxXXxx

N  
Maint Acts: FDR REFITTED IAW 7212-007-2 REF AIP MCS 272-1/19-11-3

REMOVALS/INSTALLATIONS FOR A1PXXU1907030

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	01496	A23T	A1UPM	00	01496	A23T	A1UPM	00
	S703-1000-01		10JUN19 22:24	A1PXXJ1909673	S703-1000-01		25JUN19 23:18	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03710  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1907064	COMPLETED	26JUN19 22:33	9400.6	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
11JUN19 07:18	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			26JUN19 22:33
11JUN19 07:20	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		LH HUB ASSY.R.F.A				XXXXXXXXXXXXXXXXXXXX

N  
Maint Acts: LH MAIN WHEEL REFITTED IAW AAP7212.007-2.  
REF # AIP MCS 272/19 WC # 63 ITEM 06-7A.

REMOVALS/INSTALLATIONS FOR A1PXXU1907064

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0175	A23T	A2KDM	01	0408	A23T	A2KDM	01
	3-1555		11JUN19 07:20	A1PXXJ1909724	3-1555		26JUN19 22:27	

A1PXXU1907122	COMPLETED	26JUN19 23:07	9400.6	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
12JUN19 03:43	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			26JUN19 23:07
12JUN19 03:45	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		SPINNER ASSY R.FA				XXXXXXXXXXXXXXXXXXXX

N  
Maint Acts: SPINNER ASSY REFITTED IAW AAP7212.007-2.CHAP 61-10-01.  
REF # AIP MCS 272/19 WC# 69 ITEM 23-23A.

REMOVALS/INSTALLATIONS FOR A1PXXU1907122

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	A2311	A23T	A00AI	00	A2311	A23T	A00AI	00
	D5210		12JUN19 03:45	A1PXXJ1909808	D5210		26JUN19 23:04	



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1907123	COMPLETED	09JUL19 22:39	9400.6	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
12JUN19 03:53	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			09JUL19 22:39
12JUN19 03:54	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BUTTERFLY COWL R.F.A				
						XXXXXXXXXXXXXXXXXXXX

N  
 Maint Acts: BUTTERFLY COWL REFITTED REF AIP MCS 272/19

REMOVALS/INSTALLATIONS FOR A1PXXU1907123

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PC1701135	A23T	A08	00	PC1701135	A23T	A08	00
	571.10.09.027		12JUN19 04:31	A1PXXJ1909809	571.10.09.027		09JUL19 22:38	

A1PXXU1907125	COMPLETED	09JUL19 22:38	9400.6	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
12JUN19 04:35	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			09JUL19 22:38
12JUN19 04:36	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		ENGINE COWL R.F.A				
						XXXXXXXXXXXXXXXXXXXX

N  
 Maint Acts: ENGINE COWL REFITTED REF AIP MCS 272/19

REMOVALS/INSTALLATIONS FOR A1PXXU1907125

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	HLY300513	A23T	A06	00	HLY300513	A23T	A06	00
	571.10.09.044		12JUN19 04:36	A1PXXJ1909810	571.10.09.044		09JUL19 22:37	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03712  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1907187	COMPLETED	13JUN19 05:43	9400.6	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
13JUN19 05:24	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			13JUN19 05:43
13JUN19 05:27	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		LH/RH BOLTS AND NUTS POSITION A REMOVED AT FR2 FOR NDT INSPECTIONS				
						XXXXXXXXXXXXXXXXXXXX

N  
 Maint Acts: LH/RH BOLTS INSTALLED AND REPLACED NEW SERV NUTS IAW AAP 7212-007-2  
 REFER AIP MCS272-1/19-11-6

REMOVALS/INSTALLATIONS FOR A1PXXU1907187

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PC1701390	A23T	A1UAM	00	PC1900832	A23T	A1UAM	00
	938.09.14.307		13JUN19 05:32	A1PXXJ1909872	938.09.14.307		13JUN19 05:37	
002	PC1701391	A23T	A1UAO	00	PC1900833	A23T	A1UAO	00
	938.09.14.307		13JUN19 05:38	A1PXXJ1909873	938.09.14.307		13JUN19 05:40	

A1PXXU1907201	COMPLETED	25JUN19 23:17	9400.6	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
16JUN19 23:45	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			25JUN19 23:17
16JUN19 23:46	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		ELU RFA				
						XXXXXXXXXXXXXXXXXXXX

N  
 Maint Acts: ELU REFITTED IAW 7212-007-2 REF LSN AIP MCS 272-1/19-12-3

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03713  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR 1PXXU1907201

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	20084791	A23T	A1SAG	20	20084791	A23T	A1SAG	20
	3076016-08		16JUN19 23:49	A1PXXJ1909886	3076016-08		25JUN19 23:15	

A1PXXU1907387 COMPLETED 26JUN19 22:47 9400.6 AFHR SST XXxxXXxxXXxxXXxxXXxx  
19JUN19 05:18 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 26JUN19 22:47  
19JUN19 05:19 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
NOSE WHEEL BEARINGS SEATED AREA FOUND WITH FRETTED WEARS.  
XXxxXXxxXXxxXXxxXXxx

N  
Maint Acts: NOSE WHEEL REFITTED IAW AAP7212.007-2.CHAP 32-41-02.  
REF # AIP MCS 272/19 WC# 64 ITEM 08-9A.

REMOVALS/INSTALLATIONS FOR 1PXXU1907387

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0069	A23T	A18AG	00	0011	A23T	A18AG	00
	3-1451 OPT 1		19JUN19 05:20	A1PXXJ1910045	3-1451 OPT 1		26JUN19 22:44	

A1PXXU1907626 COMPLETED 25JUN19 06:22 9400.6 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
25JUN19 06:14 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 25JUN19 06:22  
25JUN19 06:16 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
DU2 CAPTION CAME ON DURING OPERATION,FCP DU2 FAN NIL OPS  
XXxxXXxxXXxxXXxxXXxx

N  
Maint Acts: FCP DU2 REPLACED WITH SERV ITEM IAW 7212-007-2 REF AIP MCS  
272-1/19-16-4

REMOVALS/INSTALLATIONS FOR 1PXXU1907626

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	3370	A23T	A1UDE	00	3424	A23T	A1UDE	00
	066-03126-0000		25JUN19 06:17	A1PXXJ1910305	8095686-1001		25JUN19 06:19	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03714  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1908234	COMPLETED	12JUL19 04:22	9400.6	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
09JUL19 06:16	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			12JUL19 04:22
09JUL19 06:17	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		MTF REQD POST R2 SERV AND HP PUMP/FCU CX				
						XXXXXXXXXXXXXXXXXXXX
	N					
	Maint Acts:	MCF C/O REF EE500: 601820/1 AND LINE 2 FOR ASSESMENT				
A1PXXU1908388	COMPLETED	17JUL19 07:53	9401.9	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
12JUL19 04:22	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			17JUL19 07:53
12JUL19 04:24	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		MCF REQUIRED FOR TFS ITEM 16				
						XXXXXXXXXXXXXXXXXXXX
	N					
	Maint Acts:	MCF CARRIED OUT SERV REF 601822-1				
A1PXXU1908483	COMPLETED	17JUL19 07:52	9401.9	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
16JUL19 02:27	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			17JUL19 07:52
16JUL19 02:30	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		AIRCRAFT REQUIRES AIRTEST FOR INVERTED FLIGHT FOD CHECKS				
						XXXXXXXXXXXXXXXXXXXX
	N					
	Maint Acts:	AIRTEST CARRIED OUT NIL FOD FOUND REF 601882-1				
A1PXXU1908321	COMPLETED	17JUL19 00:24	9401.9	AFHR	MM	XXXXXXXXXXXXXXXXXXXX
16JUL19 11:02	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP		Y	XXXXXXXXXXXXXXXXXXXX
16JUL19 11:02	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S40 due on Serial A23-033				17JUL19 00:24
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX
	N					
	Maint Acts:	S40 C/O VIA EPSS REF: EE500 SN: 601821/4				
A1PXXU1908505	COMPLETED	16JUL19 13:53	9401.9	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
16JUL19 13:48	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			16JUL19 13:53
16JUL19 13:49	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		NIL STALL WARNING AUDIO ON GROUND TEST				
						XXXXXXXXXXXXXXXXXXXX
	N					
	Maint Acts:	AOA ELECTRONIC UNIT REPLACED IAW AAP 7212.007-2 REF: 601821#3				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03715  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1908505

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	3215	A23T	A1UDG	00	116738	A23T	A1UDG	00
	AWS784C		16JUL19 13:50	A1PXXJ1911599	975.44.21.312		16JUL19 13:51	

A1PXXU1908721 COMPLETED 23JUL19 09:55 9407.6 AFHR SST  
23JUL19 09:28 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 23JUL19 09:55  
23JUL19 09:28 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
MS1 due on Serial 0608-13264  
FATIG METER AMETEK at WAC 0730 XXxxXXxxXXxxXXxxXXxx  
N  
Maint Acts: MS1 SERV C/O IAW AAP7212.007-2 REF 601827/1-1-1

A1PXXU1908528 COMPLETED 23JUL19 23:13 9407.6 AFHR MM  
23JUL19 12:52 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP Y XXxxXXxxXXxxXXxxXXxx  
23JUL19 12:52 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx  
N  
Maint Acts: S40 C/O VIA EPSS REF 601827/1-2-2

A1PXXU1908729 COMPLETED 23JUL19 23:14 9407.6 AFHR SST  
23JUL19 22:14 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 23JUL19 23:14  
23JUL19 22:14 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
BS due on Serial 1208  
BATTERY NICAD at WAC 0660 XXxxXXxxXXxxXXxxXXxx  
N  
Maint Acts: BATT NICAD REPLACED IAW AAP 7212.007-2 REF: 601827/1-1#6

REMOVALS/INSTALLATIONS FOR A1PXXU1908729

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1208	A23T	A1UOA	00	1245	A23T	A1UOA	00
	33490409201		23JUL19 23:11	A1PXXJ1907339	33490409201		23JUL19 23:12	

A1PXXU1908730 COMPLETED 23JUL19 23:18 9407.6 AFHR SST  
23JUL19 22:19 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 23JUL19 23:18  
23JUL19 22:19 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
OH due on Serial 2746556  
SET EMERG OXYGEN at WAC 0740 XXxxXXxxXXxxXXxxXXxx  
N

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03716  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: REAR SEAT SEO REPLACED IAW AAP 7212.007-2 REF:601827/1-2#1

REMOVALS/INSTALLATIONS FOR ALPXXU1908730

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001 2746556 A23T A26BE 00 1647225 A23T A26BE 00  
MBEU100618 23JUL19 23:15 NONC2J1401779 MBEU100618 23JUL19 23:16

ALPXXU1908731 COMPLETED 23JUL19 23:27 9407.6 AFHR SST XXxxXXxxXXxxXXxxXXxx  
23JUL19 22:20 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 23JUL19 23:27  
23JUL19 22:20 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
FT due on Serial SC46582  
BCN UNDERWATER LOC at WAC 0640 XXxxXXxxXXxxXXxxXXxx

N  
Maint Acts: FT C/O ON BCN U/W S.NO SC46582 IOAW AAP 7212.007-2 REF: 601827/1-1#5

ALPXXU1908913 COMPLETED 29JUL19 23:52 9415.7 AFHR SCT XXxxXXxxXXxxXXxxXXxx  
29JUL19 23:48 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 29JUL19 23:52  
29JUL19 23:50 XXxxXXxx XXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
FRONT DU1 INTERMITTENTLY BLURRY AT MAX BRIGHTNESS XXxxXXxxXXxxXXxxXXxx

N  
Maint Acts: FRONT DU1 REPLACED IAW AAP 7212.007-2. REF EE500 601834-1

REMOVALS/INSTALLATIONS FOR ALPXXU1908913

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001 3991 A23T A1UDC 00 3101 A23T A1UDC 00  
066-03126-0000 29JUL19 23:50 A1PXXJ1912197 8095686-1001 29JUL19 23:51

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03717  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1908914	COMPLETED	31JUL19 04:51	9415.7	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
30JUL19 00:04	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			31JUL19 04:51
30JUL19 00:06	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		AIRCRAFT REQUIRES AIRTEST FOR FRONT DU1 OPS				

N  
 Maint Acts: AIRTEST C/O. REF 601835 #01.

A1PXXU1908732	COMPLETED	31JUL19 01:15	9415.7	AFHR	MM	XXXXXXXXXXXXXXXXXXXX
30JUL19 13:25	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP		Y	
30JUL19 13:25	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S40 due on Serial A23-033				31JUL19 01:15
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX

N  
 Maint Acts: S40 CARRIED OUT VIA EPSS. REF EE508 SNOW: 601834/3-1-2

A1PXXU1909046	COMPLETED	01AUG19 12:12	9421.3	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
01AUG19 09:55	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			01AUG19 12:12
01AUG19 09:57	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		R/H BRAKE WTL & R/H MAIN WHEEL RFA				

N  
 Maint Acts: R/H BRAKE UNIT REPLACED WITH SERV ITEM & R/H MAIN WHEEL REPLACED DUE FUSE PLUGS U/S IAW AAP 7212.007-2 REF: SN 601838/1&3-1

REMOVALS/INSTALLATIONS FOR A1PXXU1909046

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0222A 2-1524-1	A23T	A2KEE 01AUG19 09:57	00 A1PXXJ1912339	0495P 2-1524-1	A23T	A2KEE 01AUG19 12:09	00
002	0175 3-1555	A23T	A2KEI 01AUG19 12:06	01 A1PXXJ1912355	0407 3-1555	A23T	A2KEI 01AUG19 12:08	01

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03718  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1909056	COMPLETED	02AUG19 01:51	9421.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
01AUG19 12:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			02AUG19 01:51
01AUG19 12:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRCRAFT REQUIRES AIRTEST FOR BRAKE OPS.				XXxxXXxxXXxxXXxxXXxx
	N	Maint Acts:	AIRTEST C/O SERV. REF 601839 #01.			
A1PXXU1908975	COMPLETED	05AUG19 23:38	9430.6	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
05AUG19 23:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		Y	XXxxXXxxXXxxXXxxXXxx
05AUG19 23:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				05AUG19 23:38
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	N	Maint Acts:	S40 CARRIED OUT VIA EPSS. REF EE500 SN: 601844/1			
A1PXXU1909189	COMPLETED	06AUG19 23:47	9435.2	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
06AUG19 08:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			06AUG19 23:47
06AUG19 08:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MS1 due on Serial 0608-13264				XXxxXXxxXXxxXXxxXXxx
		FATIG METER AMETEK at WAC 0730				XXxxXXxxXXxxXXxxXXxx
	N	Maint Acts:	MS1 C/O IAW AAP 72112.007-2 REF: 601849#1			
A1PXXU1909157	COMPLETED	12AUG19 23:24	9451.1	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
12AUG19 06:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		Y	XXxxXXxxXXxxXXxxXXxx
12AUG19 06:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				12AUG19 23:24
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	N	Maint Acts:	S40 CARRIED OUT VIA EPSS. REF EE500 SN: 605762/1			
A1PXXU1909342	COMPLETED	20AUG19 02:09	9455.6	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
19AUG19 11:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		Y	XXxxXXxxXXxxXXxxXXxx
19AUG19 11:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				20AUG19 02:09
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	N	Maint Acts:	S40 C/OUT VIA EPSS REF 605765/2-1#1			



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03719  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1909476	COMPLETED	20AUG19 01:18	9455.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
19AUG19 11:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			20AUG19 01:18
19AUG19 11:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 TO BE CARRIED OUT				
						XXxxXXxxXXxxXXxxXXxx
	N					
	Maint Acts:	S40 SERV C/O VIA EPSS REF 605765/2-1#3				
A1PXXU1909502	COMPLETED	21AUG19 02:58	9455.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
20AUG19 02:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			21AUG19 02:58
20AUG19 02:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		L/H BUTTERFLY COWL LOWER STAY BRACKET CRACKED. (AS MARKED)				
						XXxxXXxxXXxxXXxxXXxx
	N					
	Maint Acts:	CRACK BLENDED AND TREATED IAW 7212.007-3 REF 605766/1-1#1				
A1PXXU1909504	COMPLETED	02OCT19 23:44	9455.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
20AUG19 02:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			02OCT19 23:44
20AUG19 02:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		R/H BUTTERFLY COWL REAR STRINGER CORRODED (AS MARKED)				
						XXxxXXxxXXxxXXxxXXxx
	N	aip01083 21AUG19 05:04:57				
		DEFERRED DEFECT FLEXIBILITY PROVISION 2				
		ENDANGER FLIGHT SAFETY ASSESSMENT: THE DAMAGE TO THE ENGINE COWL				
		STRINGER HAS BEEN INSPECTED AND ASSESSED AS ONLY MINOR, THE DAMAGE				
		IS ON THE SECTION OF STRINGER OUTBOARD OF THE LAST RIVET. THERE IS				
		NIL EVIDENCE OF ANY OTHER DAMAGE				
		TO THE STRINGER OR SURROUNDING STRUCTURES.				
		THE DAMAGE IS ASSESSED AS MINOR AND THEREFORE THE DECISION TO DEFER				
		MAINTENANCE DOES NOT ENDANGER FLIGHT SAFETY. THE STRINGER IS				
		ASSESSED AS NOT PRIMARY STRUCTURE.				
		DELAY REASON: MAINTENANCE EFFICIENCY				
		OPERATIONAL AND LOGISTIC IMPACT: OPERATIONAL ENDORSEMENT N/A, NIL				
		LOGISTIAC IMPACTS				
		PERIOD OF DEFERMENT: R2				
		DEFERMENT CONDITIONS: NO PENALTY MAINTENANCE OR SMR				
	Maint Acts:	ANGLE SECTION REPLACED IAW AAP 7212.007-3,CHAPTER 51 AND 54,REF AIP				
		MCS 860-1/19-8-2.				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03720  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1909530	COMPLETED	20AUG19 13:24	9455.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
20AUG19 13:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			20AUG19 13:24
20AUG19 13:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MS1 due on Serial 0608-13264				
		FATIG METER AMETEK at WAC 0730				XXxxXXxxXXxxXXxxXXxx
	N					
	Maint Acts:	MS1 C/O REF 605765/3-1-1				
A1PXXU1909501	COMPLETED	26AUG19 23:51	9464.5	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
26AUG19 08:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			Y
26AUG19 08:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				26AUG19 23:51
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	N					
	Maint Acts:	S40 SERV C/O VIA EPSS REF 605770#1				
A1PXXU1909873	COMPLETED	02SEP19 07:22	9476.2	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
02SEP19 03:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			02SEP19 07:22
02SEP19 03:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRCRAFT REQUIRES AIRTEST FOR OIL PRESS DIAGNOSTICS				
	N					XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	AIRTEST C/O U/S REF EE500: 605781/1 AND 2				
A1PXXU1909678	COMPLETED	03SEP19 04:45	9476.9	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
02SEP19 09:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			Y
02SEP19 09:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				03SEP19 04:45
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	N					
	Maint Acts:	S40 C/O VIA EPSS IAW ATACSP0 MRD WEBSITE REF EE508 SN 605780/3-1-1				
A1PXXU1909902	COMPLETED	03SEP19 05:45	9476.9	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
02SEP19 22:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			03SEP19 05:45
02SEP19 23:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		OIL FILTER REMOVED FOR ACCESS				
	N					XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	OIL FILTER REPLACED IAW AAP 7212-007-2. (Continued on next page.)				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03721  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

(Continued from previous page.)  
REF EE508 SNOW: 605780/3-1-4

REMOVALS/INSTALLATIONS FOR A1PXXU1909902

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PC1800290 3059257-01	A23T	A1SAK34 02SEP19 23:02	00 A1PXXJ1913727	PC1900974 3059257-01	A23T	A1SAK34 03SEP19 05:45	00

A1PXXU1909933 COMPLETED 04SEP19 03:09 9476.9 AFHR SST XXxxXXxxXXxxXXxxXXxx  
03SEP19 05:51 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 04SEP19 03:09  
03SEP19 05:52 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
AIRCRAFT REQUIRES MCF FOR OIL PRESSURE DIAGNOSTICS  
XXxxXXxxXXxxXXxxXXxx

N  
Maint Acts: MCF CARRIED OUT SERV REF 605781-1

A1PXXU1909941 COMPLETED 03SEP19 11:06 9476.9 AFHR SST XXxxXXxxXXxxXXxxXXxx  
03SEP19 08:41 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 03SEP19 11:06  
03SEP19 08:41 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
MS1 due on Serial 0608-13264  
FATIG METER AMETEK at WAC 0730 XXxxXXxxXXxxXXxxXXxx

N  
Maint Acts: MS1 C/O IAW AAP 7212.007-2 REF: 605780/1-3#1

A1PXXU1910002 COMPLETED 04SEP19 11:38 9477.4 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
04SEP19 10:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
04SEP19 10:41 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
LEFT HAND MAIN WHEEL TYRE WORN TO LIMITS

N  
Maint Acts: LH MAIN WHEEL ASSY REPLACED IAW 7212-007-2 REF 65781/3-1#1

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03722  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1910002

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	0408	A23T	A2KDM	01	0398	A23T	A2KDM	01
3-1555	04SEP19 11:33	A1PXXJ1913831	3-1555	04SEP19 11:36				

A1PXXU1910024 COMPLETED 05SEP19 09:32 9477.4 AFHR SCT XXxxXXxxXXxxXXxxXXxx  
05SEP19 05:33 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 05SEP19 09:32  
05SEP19 05:33 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
BS due on Serial 103154  
REG OXYGEN DEMAND at WAC 0740 XXxxXXxxXXxxXXxxXXxx

N  
Maint Acts: REG OXY DEMAND REPALCED IAW AAP 7212.007-2. REF EE508605782/3-1 # 5

REMOVALS/INSTALLATIONS FOR A1PXXU1910024

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	103154	A23T	A1UIS	00	702021	A23T	A1UIS	00
3260042-0201	05SEP19 09:28	A1PXXJ1913857	3260042-0201	05SEP19 09:30				

A1PXXU1909926 COMPLETED 08SEP19 23:58 9478.8 AFHR MM XXxxXXxxXXxxXXxxXXxx  
06SEP19 05:28 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP Y  
06SEP19 05:28 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033 08SEP19 23:58  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

N  
Maint Acts: S40 SERVICING CARRIED OUT VIA EPSS. REF.EE500 SN:605783-1

A1PXXU1910075 COMPLETED 16SEP19 00:08 9491.1 AFHR MM XXxxXXxxXXxxXXxxXXxx  
15SEP19 21:55 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP Y  
15SEP19 21:55 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
S40 due on Serial A23-033 16SEP19 00:08  
PC-9 at WAC 0000 XXxxXXxxXXxxXXxxXXxx

N  
Maint Acts: S40 SERV C/O VIA EPSS REF 605792#1

A1PXXU1910317 COMPLETED 17SEP19 09:43 9495.6 AFHR SST XXxxXXxxXXxxXXxxXXxx  
17SEP19 09:41 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 17SEP19 09:43  
17SEP19 09:41 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
MS1 due on Serial 0608-13264  
FATIG METER AMETEK at WAC 0730 XXxxXXxxXXxxXXxxXXxx

N

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03723  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: MS1 CARRIED OUT IAW AAP 7212-007-2. REF EE500 SN: 605795/1

A1PXXU1816022	COMPLETED	13OCT19 21:59	9498.9	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
19SEP19 00:44	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			13OCT19 21:59
19SEP19 00:44	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		R1	due on Serial A23-033			
		PC-9	at WAC 0000			XXxxXXxxXXxxXXxxXXxx

N  
 Maint Acts: R1 CO REF AIP MCS 860/19

REMOVALS/INSTALLATIONS FOR A1PXXU1816022

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	A23034 571.10.09.054	A23T	A04 19SEP19 23:15	00 A1PXXJ1914449	A23034 571.10.09.054	A23T	A04 10OCT19 23:13	00
002	HLY300513 571.10.09.044	A23T	A06 19SEP19 23:16	00 A1PXXJ1914450	HLY300513 571.10.09.044	A23T	A06 10OCT19 23:12	00
003	042 555.20.09.257	A23T	A2IBC 20SEP19 03:03	00 A1PXXJ1914473	042 555.20.09.257	A23T	A2IBC 03OCT19 03:00	00
004	PC1701135 571.10.09.027	A23T	A08 24SEP19 05:42	00 A1PXXJ1914545	PC1701135 571.10.09.027	A23T	A08 02OCT19 00:45	00
005	A23056 571.10.09.028	A23T	A0A 24SEP19 05:44	00 A1PXXJ1914546	A23056 571.10.09.028	A23T	A0A 02OCT19 00:44	00

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03724  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

SEQ	REMOVED SERIAL NO REMOVED PART NO	EIAC	LCN DATE/TIME	ALC JOB NUMBER	INSTALLED SERIAL NO INSTALLED PART NO	EIAC	LCN DATE/TIME	ALC
006	PC1900843 3059788-01	A23T	A1SAK48 26SEP19 02:10	01 A1PXXJ1914616	PC1900662 3059788-01	A23T	A1SAK48 26SEP19 02:14	01
007	PC1900974 3059257-01	A23T	A1SAK34 26SEP19 02:17	00 A1PXXJ1914618	PC1900974 3059257-01	A23T	A1SAK34 26SEP19 02:22	00
008					542LH 555.10.09.185	A23T	A2IAU 02OCT19 22:29	00
009					542RH 555.10.09.185	A23T	A2IAV 02OCT19 22:30	00
010					538 555.10.09.144	A23T	A2IAW 02OCT19 23:38	02
011					PCY700157 932.19.60.445	A23T	A2IBE 04OCT19 02:30	00
012					PCY700158 555.10.09.101	A23T	A2IBG 04OCT19 02:31	00
013	2923790 MBEU100618	A23T	A1WBE 10OCT19 23:09	00 A1PXXJ1914919	2923790 MBEU100618	A23T	A1WBE 10OCT19 23:10	00
014	1888073 MBEU100618	A23T	A26BE 10OCT19 23:10	00 A1PXXJ1914920	1888073 MBEU100618	A23T	A26BE 10OCT19 23:11	00

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03725  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME

A1PXXU1907706	COMPLETED	09OCT19 02:12	9498.9	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
19SEP19 00:44	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			09OCT19 02:12
19SEP19 00:44	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S63	due on Serial A23-033			
		PC-9	at WAC 0000			XXXXXXXXXXXXXXXXXXXX
	N	Maint Acts:	S63 SERV C/O IAW AAP 7212.007-7,REF AIP MCS 860-1/19-3-2.			

A1PXXU1908258	COMPLETED	09OCT19 02:14	9498.9	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
19SEP19 00:44	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			09OCT19 02:14
19SEP19 00:44	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		S20	due on Serial A23-033			
		PC-9	at WAC 0000			XXXXXXXXXXXXXXXXXXXX
	N	Maint Acts:	S20 SERV C/O IAW AAP 7212.007-7,REF AIP MCS 860-1/19 AND 860/19 ( R1 WORK CARDS ).			

A1PXXU1910417	COMPLETED	02OCT19 00:49	9498.9	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
19SEP19 00:44	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			02OCT19 00:49
19SEP19 00:44	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BS	due on Serial 4876			
		STARTER GENERATOR	at WAC 0130			XXXXXXXXXXXXXXXXXXXX
	N	Maint Acts:	SERV STARTER GEN FITTED IAW 7212-007-2 REF AIP MCS 860-1/19-3-5			

REMOVALS/INSTALLATIONS FOR A1PXXU1910417

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	4876	A23T	A1SAI14	00	4876	A23T	A1SAI14	00
	23081-026-D		20SEP19 02:36	A1PXXJ1909680	23081-026-D		02OCT19 00:48	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 03726  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN	
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME	
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR	
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME	
EE500PG EE500LN						INSPECTOR	
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME	
A1PXXU1910236	COMPLETED	13OCT19 23:07	9498.9	AFHR	MM	XXXXXXXXXXXXXXXXXXXX	
19SEP19 02:01	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			Y	
19SEP19 02:01	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		S40 due on Serial A23-033				13OCT19 23:07	
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX	
	N						
	Maint Acts:	S40 SERV C/O THROUGH EPSS REF EE 508 SNOW NO. 605797-1-1-5.					
A1PXXU1910420	COMPLETED	09OCT19 03:06	9498.9	AFHR	SST	XXXXXXXXXXXXXXXXXXXX	
19SEP19 02:04	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			09OCT19 03:06	
19SEP19 02:04	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		STI-PC9-0693 due on Serial 027LH					
		AFT DIHEDRAL LH at WAC 0920				XXXXXXXXXXXXXXXXXXXX	
	N						
	Maint Acts:	STI-PC9-0693 C/O IAW STI INSTRUCTION REF; NDT REPORT # AIP/NDT/A23-033/110 NIL CRACKING DETECTEC, REF AIP MCS 860-1/19-4-6.					
A1PXXU1910421	COMPLETED	09OCT19 03:10	9498.9	AFHR	SST	XXXXXXXXXXXXXXXXXXXX	
19SEP19 02:08	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			09OCT19 03:10	
19SEP19 02:08	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		NDT due on Serial 027LH					
		LWNG RSPAR HLF R3 at WAC 0900				XXXXXXXXXXXXXXXXXXXX	
	N						
	Maint Acts:	NDT C/O IAW AAP 7212.007-36 SECT 4 CHAP 8.NIL CRACKING DETECTED.REF; NDT REPORT # AIP/NDT/A23-033/111.AIP MCS 860-1/19-5-1.					
A1PXXU1910422	COMPLETED	09OCT19 03:13	9498.9	AFHR	SST	XXXXXXXXXXXXXXXXXXXX	
19SEP19 02:08	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			09OCT19 03:13	
19SEP19 02:08	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		NDT due on Serial 027RH					
		RWNG RSPAR HLF R3 at WAC 1000				XXXXXXXXXXXXXXXXXXXX	
	N						
	Maint Acts:	NDT C/O IAW AAP 7212.007-36 SECT 4 CHAP 8.NIL CRACKING GROWTH DETECTED. CRACK REMAIN 8.6 MM LENGHT REF; NDT REPORT # AIP/NDT/A23-033/111.AIP MCS 860-1/19-5-2.					



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03727  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1512222	COMPLETED	13OCT19 22:02	9498.9	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
19SEP19 02:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			13OCT19 22:02
19SEP19 02:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S12 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	N					
	Maint Acts:	S12 CO REF AIP MCS 860-2/19				
A1PXXU1604715	COMPLETED	25SEP19 04:43	9498.9	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
19SEP19 02:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			25SEP19 04:43
19SEP19 02:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S64 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	N					
	Maint Acts:	S64 SERV C/O IAW AAP 7212-007-7. REF AIP MCS 860-1/19-3-3.				
A1PXXU1815519	COMPLETED	25SEP19 04:45	9498.9	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
19SEP19 02:11	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			25SEP19 04:45
19SEP19 02:11	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S76 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	N					
	Maint Acts:	S76 SERV C/O IAW AAP 7212-007-7. NIL DEFECTS EVIDENT. REF AIP MCS 860/19 WC#9.				
A1PXXU1815520	COMPLETED	25SEP19 04:42	9498.9	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
19SEP19 02:11	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			25SEP19 04:42
19SEP19 02:11	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S77 due on Serial A23-033				
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	N					
	Maint Acts:	S77 SERV C/O IAW AAP 7212-007-7. NIL DEFECTS EVIDENT. REF AIP MCS 860/19 WC# 16-17.				
A1PXXU1910423	COMPLETED	24SEP19 05:58	9498.9	AFHR	SCT	XXxxXXxxXXxxXXxxXXxx
19SEP19 02:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			24SEP19 05:58
19SEP19 02:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial 006128				
		REG OXYGEN DEMAND at WAC 0730				XXxxXXxxXXxxXXxxXXxx
	N					

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: FRONT OXY DEMAND REG REPLACED IAW AAP 7212.007-2. REF AI P MCS 860-1/19-07-02.

REMOVALS/INSTALLATIONS FOR A1PXXU1910423

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	006128	A23T	A1UES	00	901061	A23T	A1UES	00
	3260042-0201		24SEP19 05:55	A1PXXJ1619482	3260042-0201		24SEP19 05:56	

A1PXXU1910424	COMPLETED	03OCT19 03:52	9498.9	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
19SEP19 02:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
19SEP19 02:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS	due on Serial 1245			03OCT19 03:52
		BATTERY NICAD	at WAC 0660			XXxxXXxxXXxxXXxxXXxx

N  
Maint Acts: SERV BATTERY FITTED REF AIPXXU1910514 REF AIP MCS 860-1/19-7-4

A1PXXU1910425	COMPLETED	13OCT19 22:09	9498.9	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
19SEP19 02:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			13OCT19 22:09
19SEP19 02:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MS1	due on Serial 0608-13264			
		FATIG METER AMETEK	at WAC 0730			XXxxXXxxXXxxXXxxXXxx

N  
Maint Acts: MS1 CO REF AIP MCS 860-1/19-3-4

A1PXXU1910426	COMPLETED	25SEP19 04:48	9498.9	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
19SEP19 02:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			25SEP19 04:48
19SEP19 02:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MS30	due on Serial 533			
		FRM 10&11 SHEAR PLT	at WAC 0670			XXxxXXxxXXxxXXxxXXxx

N  
Maint Acts: MS30 SERV C/O IAW AAP 7212-007-7. NIL DEFECTS EVIDENT. REF AIP MCS 860/19 WC# 37.

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03729  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1910427	COMPLETED	09OCT19 02:19	9498.9	AFHR	SST	XXXXXXXXXX
19SEP19 02:16	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			09OCT19 02:19
19SEP19 02:16	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX
		MS36 due on Serial P/F017				
		VSTAB MSPAR AND ADJ at WAC 1400				XXXXXXXXXX
	N					
	Maint Acts:	MS 36 SERV C/O IAW AAP 7212.007-7, REF NDT REPORT #				
		AIP/NDT/A23-033/118, AIP MCS 860/19 PAGE 43 TO 46.				

REMOVALS/INSTALLATIONS FOR A1PXXU1910427

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	P/F017	A23T	A2GAY04	32	P/F017	A23T	A2GAY04	32
	SLL-C-4-2B		24SEP19 00:59	A1PXXJ1914535	SLL-C-4-2B		02OCT19 22:18	

A1PXXU1910428	COMPLETED	02OCT19 23:22	9498.9	AFHR	SST	XXXXXXXXXX
19SEP19 02:17	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			02OCT19 23:22
19SEP19 02:17	XXXXXXXX	XXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX
		MS38 due on Serial 164				
		RUDDER MSPAR & RIBS at WAC 1410				XXXXXXXXXX
	N					
		Copied to 164				
	Maint Acts:	MS 38 SERV C/O IAW AAP 7212.007-2, NIL CRACK/DAMAGE EVIDENT REF NDT				
		REPORT # AIP/NDT/A23-033/119, REF AIP MCS 860/19 WC # 48 TO 51.				

REMOVALS/INSTALLATIONS FOR A1PXXU1910428

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	164	A23T	A2GAM	30	164	A23T	A2GAM	30
	555.40.09.006		02OCT19 23:12	A1PXXJ1914729	555.40.09.006		02OCT19 23:21	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03730  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1910429	COMPLETED	09OCT19 02:55	9498.9	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
19SEP19 02:17	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			09OCT19 02:55
19SEP19 02:17	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		MS29 due on Serial 033				
		FRAME 11 HSTAB ATT at WAC 0600				XXXXXXXXXXXXXXXXXXXX
	N					
	Maint Acts:	MS 29 SERV C/O IAW AAP 7212.007-7, NIL ABNORMALITIES EVIDENT. NDT REPORT # AIP/NDT/A23-033/116, REF AIP MCS 860/19 R1 PAPER WORKS.				

REMOVALS/INSTALLATIONS FOR A1PXXU1910429

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	542	A23T	A2I	00	538	A23T	A2I	00
	555.10.09.130		20SEP19 03:07	A1PXXJ1914474	555.10.09.130		02OCT19 22:23	

A1PXXU1910430	COMPLETED	09OCT19 02:23	9498.9	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
19SEP19 02:18	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			09OCT19 02:23
19SEP19 02:18	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		MS40 due on Serial PC1601229				
		SBI ENG TUBE FRAME at WAC 0100				XXXXXXXXXXXXXXXXXXXX
	N					
	Maint Acts:	MS 40 SERV C/O IAW AAP 7212.007-7, NIL ABNORMALITIES EVIDENT REF AIP MCS 860/19 PAGE 54 TO 56.				

A1PXXU1910431	COMPLETED	19SEP19 02:18	9498.9	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
19SEP19 02:18	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			20SEP19 03:07
19SEP19 02:18	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		MS32 due on Serial PC1601680				
		SBI HSTAB FSPAR at WAC 1100				XXXXXXXXXXXXXXXXXXXX
	N					
	Maint Acts:	TRANSFERRED TO 542				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1910432	COMPLETED	01OCT19 04:38	9498.9	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
19SEP19 02:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
19SEP19 02:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		TA due on Serial PC1700580				01OCT19 04:38
		AIRBRAKE SWITCH at WAC 0730				XXxxXXxxXXxxXXxxXXxx
	N	Maint Acts:	NEW AIR BRAKE SWITCH FITTED IAW 7212-007-2 REF AIPMCS 860-1/19-4-3			

REMOVALS/INSTALLATIONS FOR A1PXXU1910432

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PC1700580 83141053	A23T	A1UBY02 01OCT19 04:35	00 A1PXXJ1703931	PC1800408 SP4644	A23T	A1UBY02 01OCT19 04:36	00

A1PXXU1910433	COMPLETED	01OCT19 04:42	9498.9	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
19SEP19 02:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
19SEP19 02:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		TA due on Serial PC1700581				01OCT19 04:42
		AIRBRAKE SWITCH at WAC 0740				XXxxXXxxXXxxXXxxXXxx
	N	Maint Acts:	NEW AIR BRAKE SWICH FITTED IAW 7212-007-2 REF AIP MCS 860-1/19-4-4			

REMOVALS/INSTALLATIONS FOR A1PXXU1910433

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PC1700581 83141053	A23T	A1UFU02 01OCT19 04:39	00 A1PXXJ1703932	PC1800405 SP4644	A23T	A1UFU02 01OCT19 04:40	00

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03732  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP  
LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20  
~S4080

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1910435	COMPLETED	19SEP19 02:32	9498.9	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
19SEP19 02:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			20SEP19 03:07
19SEP19 02:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MS33 due on Serial 542LH				
		SBI HSTAB INT/EXT at WAC 1100				XXxxXXxxXXxxXXxxXXxx
	N					
	Maint Acts:	TRANSFERRED TO 542				
A1PXXU1910436	COMPLETED	09OCT19 02:29	9498.9	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
19SEP19 02:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			09OCT19 02:29
19SEP19 02:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MS34 due on Serial 033				
		AFT FUS SIDE SKINS at WAC 0600				XXxxXXxxXXxxXXxxXXxx
	N					
	Maint Acts:	MS34 SERV C/O IAW AAP 7212.007-7, NIL ABNORMALITIES EVIDENT REF AIP MCS 860/19 PAGE 38 TO 42.				
A1PXXU1910437	COMPLETED	09OCT19 02:32	9498.9	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
19SEP19 02:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			09OCT19 02:32
19SEP19 02:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MS22 due on Serial 033				
		SBI FUS FRAME 4 at WAC 0600				XXxxXXxxXXxxXXxxXXxx
	N					
	Maint Acts:	MS 22 SERV C/O IAW AAP 7212.007-7, NIL ABNORMALITIES EVIDENT, NDT REPORT # AIP/NDT/A23-033/112 REF AIP MCS 860/19 PAGE 18 TO 20.				
A1PXXU1910438	COMPLETED	09OCT19 02:37	9498.9	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
19SEP19 02:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			09OCT19 02:37
19SEP19 02:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MS23 due on Serial 033				
		SBI FUS FRAME 4A at WAC 0600				XXxxXXxxXXxxXXxxXXxx
	N					
	Maint Acts:	MS 23 SERV C/O IAW AAP 7212.007-7, NIL ABNORMALITIES EVIDENT, NDT REPORT # AIP/NDT/A23-033/113 REF AIP MCS 860/19 PAGE 21 TO 24.				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03733  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1910439	COMPLETED	09OCT19 02:59	9498.9	AFHR	SST	XXXXXXXXXXXXXXXXXXXX	
19SEP19 02:32	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			09OCT19 02:59	
19SEP19 02:32	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		MS24 due on Serial 033					
		SBI FUS FRAME 6 at WAC 0600				XXXXXXXXXXXXXXXXXXXX	
	N						
	Maint Acts:	MS 24 SERV C/O IAW AAP 7212.007-7,NIL ABNORMALITIES EVIDENT.NDT					
		REPORT # AIP/NDT/A23-033/114,REF AIP MCS 860/19 PG 25 TO 26 R1 PAPER					
		WORKS.					

A1PXXU1910440	COMPLETED	09OCT19 03:02	9498.9	AFHR	SST	XXXXXXXXXXXXXXXXXXXX	
19SEP19 02:32	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			09OCT19 03:02	
19SEP19 02:32	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		MS25 due on Serial 033					
		SBI FUS FRAME 7 at WAC 0600				XXXXXXXXXXXXXXXXXXXX	
	N						
	Maint Acts:	MS 25 SERV C/O IAW AAP 7212.007-7,NIL ABNORMALITIES EVIDENT.NDT					
		REPORT # AIP/NDT/A23-033/115,REF AIP MCS 860/19 PG 27 TO 30 R1 PAPER					
		WORKS.					

A1PXXU1910441	COMPLETED	24SEP19 06:01	9498.9	AFHR	SCT	XXXXXXXXXXXXXXXXXXXX	
19SEP19 02:35	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			24SEP19 06:01	
19SEP19 02:35	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		BS due on Serial 390					
		REG PRESS REDUCING at WAC 0640				XXXXXXXXXXXXXXXXXXXX	
	N						
	Maint Acts:	OXY REG PRESS REDUCING REPLACED IAW AAP 7212.007-2. REF AIP MCS					
		860-1/19-06-06.					

REMOVALS/INSTALLATIONS FOR A1PXXU1910441

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	390	A23T	A1UNC	02	822	A23T	A1UNC	02
	F103D000-15		24SEP19 05:59	A1PXXJ1914547	F103D000-15		24SEP19 06:00	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1910788	COMPLETED	14OCT19 02:30	9498.9	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
19SEP19 05:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
04OCT19 05:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		AIRCRAFT REQUIRES MANDATORY AMCO/MCS AMD VALIDATION PRIOR TO FLIGHT				14OCT19 02:30
		IAW AAP 7001.060-1-3 SECT 1 CH 1 PARA 5.H.3 REF EE508 SNOW NO				XXxxXXxxXXxxXXxxXXxx
	N	605797-1 SHEET ONE LINE TWO				
	Maint Acts:	AMCO/MCS AMD VALIDATION C/O IAW AAP 7001.060-1-3 SECT 1 CH 1 PARA 5.H.3 REF EE508 SNOW NO 605797-1 SHEET 1 LINE TWO				

A1PXXU1910471	COMPLETED	20SEP19 00:51	9498.9	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
20SEP19 00:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			20SEP19 00:51
20SEP19 00:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		"R FUEL L" WARNING CAPTION ILLUMINATED WITH 3/4 FUEL TANK INDICATION.				XXxxXXxxXXxxXXxxXXxx
	N					
	Maint Acts:	FRONT CWS PANEL REPLACED IAW AAP 7212.007-2. REF AIP MCS 860-1/19-06-02.				

REMOVALS/INSTALLATIONS FOR A1PXXU1910471

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	206	A23T	A1UEC	00	116	A23T	A1UEC	00
	461 TS 06 Y		20SEP19 00:47	A1PXXJ1914462	972.81.31.503		20SEP19 00:50	

A1PXXU1910478	COMPLETED	03OCT19 03:49	9498.9	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
20SEP19 02:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			03OCT19 03:49
20SEP19 02:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BATT NICAD RFA.				XXxxXXxxXXxxXXxxXXxx
	N					
	Maint Acts:	SERV BATT NICAD FITTED IAW 7212-007-2 REF AIP MCS 860-1/19-7-4				



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03735  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1910478

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	1245	A23T	A1UOA	00	0934	A23T	A1UOA	00
	33490409201		20SEP19 02:38	A1PXXJ1914470	33490409201		03OCT19 03:45	

A1PXXU1910479 COMPLETED 02OCT19 23:50 9498.9 AFHR SST  
20SEP19 02:39 XXxxXXxx XXxxXXxxXXxxXXxx AIP 02OCT19 23:50  
20SEP19 02:43 XXxxXXxx XXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
BOTH STATIC INVERTERS & RACK RFA.  
XXxxXXxxXXxxXXxxXXxx

N  
Maint Acts: BOTH INVS AND RACK REFITTED IAW 7212-007-2 REF AIP MCS 860-1/19-7-5

REMOVALS/INSTALLATIONS FOR A1PXXU1910479

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	6616	A23T	A1UOE	01	6616	A23T	A1UOE	01
	PC-125-12B		20SEP19 02:44	A1PXXJ1914471	PC-125-12B		02OCT19 23:48	
002	6623	A23T	A1UOG	01	6623	A23T	A1UOG	01
	PC-125-12B		20SEP19 02:45	A1PXXJ1914472	PC-125-12B		02OCT19 23:47	

A1PXXU1910514 COMPLETED 04OCT19 02:16 9498.9 AFHR SST  
23SEP19 04:39 XXxxXXxx XXxxXXxxXXxxXXxx AIP 04OCT19 02:16  
23SEP19 04:40 XXxxXXxx XXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
FRONT AND REAR EJECTION RFA.  
XXxxXXxxXXxxXXxxXXxx

N  
Maint Acts: SERV FRONT AND REAR EJECTION SEAT FITTED IAW AAP 7212.007-2,REF AIP  
MCS 860-3/19 SEAT PAPER WORKS.

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03736  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1910514

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	167 AU11A-1	A23T	A1W 23SEP19 04:41	00 A1PXXJ1914507	039 AU11A-1	A23T	A1W 04OCT19 02:14	00
002	002 AU11A-2	A23T	A26 23SEP19 04:42	00 A1PXXJ1914508	040 AU11A-2	A23T	A26 04OCT19 02:13	00

A1PXXU1910518 COMPLETED 04OCT19 02:11 9498.9 AFHR SST  
23SEP19 05:06 XXxxXXxx XXxxXXxxXXxxXXxx AIP 04OCT19 02:11  
23SEP19 05:08 XXxxXXxx XXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
COMMAND SYSTEM CDBU AND CCV RFA. XXxxXXxxXXxxXXxxXXxx

N  
Maint Acts: SERV COMMAND SYS CDBU AND CCV FITTED IAW AAP 7212.007-2,REF AIP MCS  
899/19 COMMAND SYS REC'S PACK.

REMOVALS/INSTALLATIONS FOR A1PXXU1910518

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	MD3581 MBEU100433	A23T	A1UJC 23SEP19 05:08	00 A1PXXJ1914516	MD2153 MBEU100433	A23T	A1UJC 04OCT19 02:09	00
002	DG0744 MBEU64438	A23T	A1UIY 23SEP19 05:11	00 A1PXXJ1914517	DE3177 MBEU64438	A23T	A1UIY 04OCT19 02:08	00

A1PXXU1910519 COMPLETED 04OCT19 02:06 9498.9 AFHR SST  
23SEP19 05:12 XXxxXXxx XXxxXXxxXXxxXXxx AIP 04OCT19 02:06  
23SEP19 05:14 XXxxXXxx XXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
SET CART COMMAND RFA. XXxxXXxxXXxxXXxxXXxx

N  
Maint Acts: SERV SET CART COMMAND FITTED IAW AAP 7212.007-2,REF AIP MCS 899/19  
COMMAND SYS REC'S PACK.

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03737  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1910519

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	8686017	A23T	A1UJA	00	2518L507C	A23T	A1UJA	00
	MBEU60228		23SEP19 05:15	A1PXXJ1914518	MBEU60228		04OCT19 02:04	

A1PXXU1910789 COMPLETED 24SEP19 05:45 9498.9 AFHR SCT  
24SEP19 01:50 XXxxXXxx XXxxXXxxXXxxXXxx AIP 24SEP19 05:45  
04OCT19 05:50 XXxxXXxx XXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
CVR RFA REF WK PK LSN AIP MCS 860-1/19  
XXxxXXxxXXxxXXxxXXxx

N  
Maint Acts: CVR REFITTED IAW AAP 7212.007-2 REF WK SHT LSN AIP MCS 860-1/19 SHT  
9 LINE ONE

REMOVALS/INSTALLATIONS FOR A1PXXU1910789

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	01764	A23T	A1UPC	00	01764	A23T	A1UPC	00
	S200-0012-91		24SEP19 02:00	A1PXXJ1914794	S200-0012-91		24SEP19 05:45	

A1PXXU1910754 COMPLETED 03OCT19 01:56 9498.9 AFHR SCM  
03OCT19 01:46 XXxxXXxx XXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
03OCT19 01:47 XXxxXXxx XXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
RH BRAKE UNIT WORN TO LIMITS  
XXxxXXxxXXxxXXxxXXxx

N  
Maint Acts: RH BRAKE UNIT REPLACED IAW AAP 7212-007-2 REF: 594010/1-1#1

REMOVALS/INSTALLATIONS FOR A1PXXU1910754

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0495P	A23T	A2KEE	00	0630P	A23T	A2KEE	00
	2-1524-1		03OCT19 01:50	A1PXXJ1914742	2-1524-1		03OCT19 01:51	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 03738  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1910831	COMPLETED	09OCT19 02:43	9498.9	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
09OCT19 02:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			09OCT19 02:43
09OCT19 02:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0689 due on Serial 039				
		SEAT EJECTION FRONT at WAC 0730				XXxxXXxxXXxxXXxxXXxx
	N					
	Maint Acts:	STI-PC9-0689 C/O AS PER STI INSTRUCTION.				

A1PXXU1910832	COMPLETED	09OCT19 02:45	9498.9	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
09OCT19 02:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			09OCT19 02:45
09OCT19 02:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0689 due on Serial 040				
		SEAT EJECTION REAR at WAC 0740				XXxxXXxxXXxxXXxxXXxx
	N					
	Maint Acts:	STI-PC9-0689 C/O AS PER STI INSTRUCTION				

A1PXXU1910837	COMPLETED	09OCT19 03:47	9498.9	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
09OCT19 03:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
09OCT19 03:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			09OCT19 03:47
		BATT NICAD HAS LOW VOLTS				XXxxXXxxXXxxXXxxXXxx
	N					
	Maint Acts:	SERV BATT NICAD FITTED IAW 7212-007-2 REF AIP MCS 860-1/19-12-1				

REMOVALS/INSTALLATIONS FOR A1PXXU1910837

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	0934	A23T	A1UOA	00	0045	A23T	A1UOA	00
	33490409201		09OCT19 03:43	A1PXXJ1914862	33490409201		09OCT19 03:45	

A1PXXU1910873	COMPLETED	15OCT19 07:47	9498.9	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
10OCT19 06:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			15OCT19 07:47
10OCT19 06:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MTF REQD FOR R1 SERVICING, ELEVATOR AND RUDDER CX, 1ST STAGE				
		COMPRESSOR BLEND (HIGH LEVEL PERFORMANCE)				XXxxXXxxXXxxXXxxXXxx
	N					

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: MCF CARRIED OUT SERV. REF EE500 SN: 605798/1&2

A1PXXU1911011	COMPLETED	24OCT19 05:29	9505.4	AFHR	SST	XXxxXXxxXXxxXXxxXXxx	
18OCT19 03:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			24OCT19 05:29	
18OCT19 03:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		A/TEST REQD NEXT FLIGHT FOR ASR CLEARANCE					XXxxXXxxXXxxXXxxXXxx

N

Maint Acts: AIRTEST C/O SERV  
REF: 595605/1

A1PXXU1910889	COMPLETED	20OCT19 23:27	9505.4	AFHR	MM	XXxxXXxxXXxxXXxxXXxx	
18OCT19 05:11	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		Y	XXxxXXxxXXxxXXxxXXxx	
18OCT19 05:11	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		S40 due on Serial A23-033 PC-9 at WAC 0000					20OCT19 23:27 XXxxXXxxXXxxXXxxXXxx

N

Maint Acts: S40 SERV C/O VIA EPSS REF 595604#1

A1PXXU1911045	COMPLETED	22OCT19 00:16	9505.4	AFHR	SST	XXxxXXxxXXxxXXxxXXxx	
21OCT19 23:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			22OCT19 00:16	
21OCT19 23:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		MS1 due on Serial 0608-13264 FATIG METER AMETEK at WAC 0730					XXxxXXxxXXxxXXxxXXxx

N

Maint Acts: MS1 C/O IAW AAP 7212.007-2 REF: 595604/2-1#4

A1PXXU1911015	COMPLETED	27OCT19 23:55	9511.0	AFHR	MM	XXxxXXxxXXxxXXxxXXxx	
25OCT19 05:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP		Y	XXxxXXxxXXxxXXxxXXxx	
25OCT19 05:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		S40 due on Serial A23-033 PC-9 at WAC 0000					27OCT19 23:55 XXxxXXxxXXxxXXxxXXxx

N

Maint Acts: S40 C/OUT VIA EPSS REF 595608/1

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03740  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME

A1PXXU1911209	COMPLETED	30OCT19 06:06	9518.5	AFHR	SCT	XXXXXXXXXX
30OCT19 05:47	XXXXXXXX	XXXXXXXXXX	AIP			30OCT19 06:06
30OCT19 05:47	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
		OH due on Serial 2923790				
		SET EMERG OXYGEN at WAC 0730				XXXXXXXXXX
	N					
	Maint Acts:	FRONT SEAT SEO REPLACED IAW AAP 7212.007-2. REF EE500 595612-1				

REMOVALS/INSTALLATIONS FOR A1PXXU1911209

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	2923790	A23T	A1WBE	00	1533446	A23T	A1WBE	00
	MBEU100618		30OCT19 05:50	A1EXXJ1501535	MBEU100618		30OCT19 06:05	

A1PXXU1911146	COMPLETED	03NOV19 23:43	9520.9	AFHR	MM	XXXXXXXXXX
01NOV19 02:45	XXXXXXXX	XXXXXXXXXX	AIP		Y	
01NOV19 02:45	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
		S40 due on Serial A23-033				03NOV19 23:43
		PC-9 at WAC 0000				XXXXXXXXXX
	N					
	Maint Acts:	S40 CARRIED OUT VIA EPSS. REF EE500 SN: 595614/1				

A1PXXU1911324	COMPLETED	05NOV19 23:54	9524.6	AFHR	SST	XXXXXXXXXX
05NOV19 08:56	XXXXXXXX	XXXXXXXXXX	AIP			05NOV19 23:54
05NOV19 08:56	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
		MS1 due on Serial 0608-13264				
		FATIG METER AMETEK at WAC 0730				XXXXXXXXXX
	N					
	Maint Acts:	MS1 SERV C/O IAW AAP7212.007-2 REF 595617-1				

A1PXXU1911251	COMPLETED	10NOV19 23:00	9530.9	AFHR	MM	XXXXXXXXXX
08NOV19 04:36	XXXXXXXX	XXXXXXXXXX	AIP		Y	
08NOV19 04:36	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
		S40 due on Serial A23-033				10NOV19 23:00
		PC-9 at WAC 0000				XXXXXXXXXX
	N					

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03741  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: S40 CARRIED OUT VIA EPSS. REF EE500 SN: 595620/1

A1PXXU1911441	COMPLETED	14NOV19 03:30	9537.2	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
13NOV19 22:18	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			14NOV19 03:30
13NOV19 22:20	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		PARA AND PSP ASSY'S REMOVED FOR ACCESS (DUE B/S)				XXXXXXXXXXXXXXXXXXXX

N  
 Maint Acts: F AND R PARAS AND PSPS'S REPLACED IAW AAP 7212.007-2 REF: 595625/1-1#4

REMOVALS/INSTALLATIONS FOR A1PXXU1911441

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	MB10185-SET28 MBEU100664	A23T	A1WBA 14NOV19 03:07	00 A1PXXJ1915820	MB10274-SET1 MBEU100664	A23T	A1WBA 14NOV19 03:27	00
002	MB13543-SET28 MBEU12043PA	A23T	A26BA 14NOV19 03:09	00 A1PXXJ1915821	MB9843-SET1 MBEU12043PA	A23T	A26BA 14NOV19 03:26	00
003	DC4947-SET28 STANDARDPACK-1	A23T	A1WBG 14NOV19 03:11	00 A1PXXJ1915822	DE0538 STANDARDPACK-1	A23T	A1WBG 14NOV19 03:25	00
004	DE2473-SET28 STANDARDPACK-1	A23T	A26BG 14NOV19 03:15	00 A1PXXJ1915823	DE0541 STANDARDPACK-1	A23T	A26BG 14NOV19 03:24	00

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23-033 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN	
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME	
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR	
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME	
EE500PG EE500LN						INSPECTOR	
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME	
A1PXXU1911467	COMPLETED	14NOV19 01:45	9537.2	AFHR	SST	XXXXXXXXXXXXXXXXXXXX	
13NOV19 23:06	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			14NOV19 01:45	
13NOV19 23:16	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		FRONT COCKPIT CLOCK PANEL AND CLOCK REMOVED FOR ACCESS					XXXXXXXXXXXXXXXXXXXX

N  
 Maint Acts: FRONT COCKPIT PANEL REFITTED IAW AAP7212.007-2 REF 595625/1-1-6

REMOVALS/INSTALLATIONS FOR A1PXXU1911467

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	703606	A23T	A1UCC	00	703606	A23T	A1UCC	00
	Q17-941.22.052AB		13NOV19 23:17	A1PXXJ1915797	Q17-941.22.052AB		14NOV19 01:43	

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN	
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME	
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR	
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME	
EE500PG EE500LN						INSPECTOR	
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME	
A1PXXU1911480	COMPLETED	14NOV19 01:43	9537.2	AFHR	SST	XXXXXXXXXXXXXXXXXXXX	
14NOV19 00:19	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			14NOV19 01:43	
14NOV19 00:22	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX	
		ON SHORT FINALS TONE SOUNDING AOA INDEXERON AND OFF ALSO 3 GREANS ON AND OFF					XXXXXXXXXXXXXXXXXXXX

N  
 Maint Acts: FRONT LGCU REPLACED IAW AAP7212.007-2 REF 595625/1-1-1

REMOVALS/INSTALLATIONS FOR A1PXXU1911480

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	128	A23T	A1UCQ	00	056	A23T	A1UCQ	00
	532.30.09.216		14NOV19 00:23	A1PXXJ1915812	532.30.09.216		14NOV19 00:27	



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03743  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1911390	COMPLETED	15NOV19 00:21	9537.2	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
14NOV19 07:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			Y
14NOV19 07:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				15NOV19 00:21
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	N					
	Maint Acts:	S40 CARRIED OUT VIA EPSS. REF EE508 SNOW: 595625/1-2-2				
A1PXXU1911517	COMPLETED	18NOV19 02:50	9537.2	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
18NOV19 02:44	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			18NOV19 02:50
18NOV19 02:44	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MS1 due on Serial 0608-13264				
		FATIG METER AMETEK at WAC 0730				XXxxXXxxXXxxXXxxXXxx
	N					
	Maint Acts:	MS1 C/O REF 595625/1-2-4				
A1PXXU1911564	COMPLETED	19NOV19 22:26	9541.8	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
19NOV19 22:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			19NOV19 22:26
19NOV19 22:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		MS1 due on Serial 0608-13264				
		FATIG METER AMETEK at WAC 0730				XXxxXXxxXXxxXXxxXXxx
	N					
	Maint Acts:	MS1 SERVICING CARRIED OUT IAW AAP 7212.007-2. REF EE508 595627/1-1-1				
A1PXXU1911492	COMPLETED	21NOV19 23:20	9541.8	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
21NOV19 21:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			Y
21NOV19 21:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				21NOV19 23:20
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	N					
	Maint Acts:	S40 SERVICING C/OUT VIA EPSS REF 595627/1-1#4				
A1PXXU1911595	COMPLETED	02DEC19 23:22	9541.8	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
28NOV19 07:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			Y
28NOV19 07:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		S40 due on Serial A23-033				02DEC19 23:22
		PC-9 at WAC 0000				XXxxXXxxXXxxXXxxXXxx
	N					
	Maint Acts:	S40 CARRIED OUT VIA EPSS. REF EE508 SNOW: 595627/1-1-6				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1911730	COMPLETED	04DEC19 00:01	9543.1	AFHR	SCT	XXXXXXXXXXXXXXXXXXXX
03DEC19 23:55	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			04DEC19 00:01
03DEC19 23:55	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		MS1 due on Serial 0608-13264				
		FATIG METER AMETEK at WAC 0730				XXXXXXXXXXXXXXXXXXXX
	N					
	Maint Acts:	MS1 CARRIED OUT IAW AAP 7212.007-2. REF EE500 595628-1				
A1PXXU1911811	COMPLETED	10DEC19 03:22	9545.2	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
10DEC19 03:16	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			10DEC19 03:22
10DEC19 03:16	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		MS1 due on Serial 0608-13264				
		FATIG METER AMETEK at WAC 0730				XXXXXXXXXXXXXXXXXXXX
	N					
	Maint Acts:	MS1 SERVICING C/O IAW AAP 7212.007-2 REF: AIPMCS959/19 PG2 #2				
A1PXXU1911725	COMPLETED	18DEC19 05:34	9545.2	AFHR	MM	XXXXXXXXXXXXXXXXXXXX
18DEC19 05:32	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	A23DISP		Y	
18DEC19 05:32	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	A23DISP			XXXXXXXXXXXXXXXXXXXX
		S40 due on Serial A23-033				18DEC19 05:34
		PC-9 at WAC 0000				XXXXXXXXXXXXXXXXXXXX
	N					
	Maint Acts:	S40 CARRIED OUT VIA EPSS.				
A23DSU1900795	COMPLETED	18DEC19 05:48	9545.2	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
18DEC19 05:39	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	A23DISP			18DEC19 05:48
18DEC19 05:39	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	A23DISP			XXXXXXXXXXXXXXXXXXXX
		MS1 due on Serial 0608-13264				
		FATIG METER AMETEK at WAC 0730				XXXXXXXXXXXXXXXXXXXX
	N					
	Maint Acts:	MS1 CARRIED OUT				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03745  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

MOD NUMBER	CURRENT (Y/N)	STATUS	DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
7212.007-101	Y		13NOV91 00:00	N/A			
7212.007-102	Y		03SEP90 00:00	N/A			
7212.007-108A	Y		24JUL90 00:00	N/A			
7212.007-108B	Y		24JUL90 00:00	N/A			
7212.007-108C	Y		24JUL90 00:00	N/A			
7212.007-108D	Y		24JUL90 00:00	N/A			
7212.007-109	Y		01JUN93 00:00	INC			
7212.007-110	Y		24JUL90 00:00	INC			
7212.007-111	Y		13NOV91 00:00	N/A			
7212.007-113A	Y		29MAY92 00:00	INC			
7212.007-115	Y		24JUL90 00:00	N/A			
7212.007-116	Y		25JUL90 00:00	INC			
7212.007-117	Y		24JUL90 00:00	N/A			
7212.007-119	Y		09DEC92 00:00	N/A			
7212.007-120	Y		24JUL90 00:00	N/A			
7212.007-121	Y		24JUL90 00:00	N/A			
7212.007-122	Y		19DEC90 00:00	N/A			
7212.007-123	Y		25JUL90 00:00	INC			
7212.007-125	Y		09APR92 00:00	INC			
7212.007-126	Y		25JUL90 00:00	INC			
7212.007-128	Y		21SEP93 00:00	INC			
7212.007-131	Y		05AUG94 00:00	INC			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03746  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

MOD NUMBER	CURRENT (Y/N)	STATUS	DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE	SINCE	NEW
7212.007-132	N	09DEC92	00:00	NINC					
7212.007-132	Y	14JUL15	00:00	N/A					
7212.007-133	Y	25FEB97	00:00	INC					
7212.007-135	N	22AUG96	00:00	REM					
7212.007-135	N	06JUN14	00:00	NINC					
7212.007-135	Y	06JUN14	00:00	N/A					
7212.007-137	Y	08OCT02	00:00	N/A					
7212.007-142	Y	12FEB93	00:00	INC					
7212.007-145	Y	08MAY95	00:00	INC					
7212.007-146	N	01MAY03	00:00	NINC					
7212.007-146	Y	06APR05		INC	A1PXXUY415821	23NOV04 05:47	5196.9		AFHR
7212.007-148	Y	11FEB91	00:00	INC					
7212.007-149	Y	23MAY97	00:00	INC					
7212.007-153	Y	23JUN94	00:00	INC					
7212.007-157	Y	20MAY93	00:00	INC					
7212.007-162	Y	12APR95	00:00	INC					
7212.007-163	Y	23MAY97	00:00	INC					
7212.007-165	Y	12AUG94	00:00	INC					
7212.007-166	Y	09OCT02	00:00	N/A					
7212.007-168	Y	10JAN95	00:00	INC					
7212.007-169	Y	23MAY97	00:00	INC					
7212.007-170	Y	10JAN95	00:00	INC					

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03747  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 ~S4080  
 PERIOD: 01JAN90 TO 08JAN20

MOD NUMBER	CURRENT (Y/N)	STATUS	DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE	SINCE	NEW
7212.007-171	Y	INC	11APR95 00:00	INC					
7212.007-173	Y	INC	12APR95 00:00	INC					
7212.007-174	Y	N/A	12MAY95 00:00	N/A					
7212.007-175	Y	N/A	17JUL95 00:00	N/A					
7212.007-176	Y	INC	20JUN96 00:00	INC					
7212.007-177	Y	INC	10JUL96 00:00	INC					
7212.007-179	Y	INC	07JUN95 00:00	INC					
7212.007-181	Y	N/A	27MAR96 00:00	N/A					
7212.007-183	Y	INC	07AUG96 00:00	INC					
7212.007-184	Y	N/A	11APR96 00:00	N/A					
7212.007-185	N	NINC	02APR02 00:00	NINC					
7212.007-185	Y	INC	23JUN05	INC	A1PXXUY505286	21JUN05 03:48	5295.2		AFHR
7212.007-187	Y	N/A	23JAN97 00:00	N/A					
7212.007-188	Y	N/A	23JAN97 00:00	N/A					
7212.007-193	Y	INC	26AUG99 00:00	INC					
7212.007-194	Y	INC	26AUG99 00:00	INC					
7212.007-195	Y	INC	26AUG99 00:00	INC					
7212.007-196	Y	INC	10NOV97 00:00	INC					
7212.007-197	Y	INC	04NOV97 00:00	INC					
7212.007-198	Y	N/A	02JUL01 00:00	N/A					
7212.007-199	Y	INC	11NOV97 00:00	INC					
7212.007-200	Y	INC	11NOV97 00:00	INC					

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03748  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 ~S4080  
 PERIOD: 01JAN90 TO 08JAN20

MOD NUMBER	CURRENT (Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE	SINCE	NEW
7212.007-201	N	13AUG07	NINC					
7212.007-201	Y	18MAR13 03:39	INC	A1PXXUY711471	17SEP12 23:47	7672.0		AFHR
7212.007-203	Y	20NOV98 00:00	INC					
7212.007-204	Y	14MAY02 00:00	INC					
7212.007-206	Y	22NOV00 00:00	N/A					
7212.007-207	Y	08SEP99 00:00	INC					
7212.007-209	Y	17SEP02 00:00	INC					
7212.007-210	N	25MAY06	NINC					
7212.007-210	Y	14JAN08	INC	A1PXXUY605701	13JAN08 23:35	6101.4		AFHR
7212.007-211	Y	08OCT02 00:00	N/A					
7212.007-212A	Y	24SEP01 00:00	INC					
7212.007-212B	Y	11MAR03 00:00	INC					
7212.007-213	Y	21AUG02 00:00	N/A					
7212.007-214	N	04MAY06	NINC					
7212.007-214	Y	14JAN08	INC	A1PXXUY604737	13JAN08 23:34	6101.4		AFHR
7212.007-215	N	28FEB03 00:00	NINC					
7212.007-215	Y	06APR05	INC	A1PXXUY415820	23NOV04 05:47	5196.9		AFHR
7212.007-217	Y	23SEP02 00:00	INC					
7212.007-218	N	19AUG02 00:00	NINC					
7212.007-218	Y	22JUN05	INC	A1PXXUY505288	21JUN05 04:51	5295.2		AFHR
7212.007-219	N	11AUG03 00:00	NINC					
7212.007-219	Y	06APR05	INC	A1PXXUY415823	23NOV04 05:53	5196.9		AFHR

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03749  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 ~S4080  
 PERIOD: 01JAN90 TO 08JAN20

MOD NUMBER	CURRENT (Y/N)	STATUS	DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE	SINCE	NEW
7212.007-220	N		20MAR03 00:00	PINC					
7212.007-220	Y		02APR07	INC	A1PXXUY505290	02APR07 03:09	5892.2		AFHR
7212.007-223	N		25AUG03 00:00	NINC					
7212.007-223	Y		21APR05	INC	A1PXXUY505291	14APR05 01:21	5200.8		AFHR
7212.007-227	N		30AUG06	NINC					
7212.007-227	N		14NOV06	INC	A1PXXUY610338	14NOV06 04:42	5741.1		AFHR
7212.007-227	Y		30JUL07	REM	MANUAL				NOT REC.
7212.007-228	N		06SEP04	NINC					
7212.007-228	Y		08NOV05	INC	A1PXXUY505292	30OCT05 22:31	5445.0		AFHR
7212.007-237	N		06OCT05	NINC					
7212.007-237	Y		08NOV05	INC	A1PXXUY516237	30OCT05 22:31	5445.0		AFHR
7212.007-241	N		01SEP06	NINC					
7212.007-241	Y		01SEP06	INC	MANUAL				NOT REC.
7212.007-242	N		14AUG06	NINC					
7212.007-242	Y		04APR07	INC	A1PXXUY609435	22MAR07 22:06	5892.2		AFHR
7212.007-243	N		20APR10	NINC					
7212.007-243	Y		22JUL15 04:42	INC	A1PXXU1005208	08JUN15 00:32	8270.7		AFHR
7212.007-246	N		05DEC06	NINC					
7212.007-246	Y		04APR07	INC	A1PXXUY614910	22MAR07 22:06	5892.2		AFHR
7212.007-248	N		22MAY07	NINC					
7212.007-248	Y		22MAY08	INC	A1PXXUY707127	17SEP07 23:25	6101.4		AFHR
7212.007-249	N		18FEB07	NINC					

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03750  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 ~S4080  
 PERIOD: 01JAN90 TO 08JAN20

MOD NUMBER	CURRENT (Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE	SINCE	NEW
7212.007-249	Y	22MAY08	INC	A1PXXUY702234	17SEP07 23:24	6101.4		AFHR
7212.007-250	N	12DEC06	NINC					
7212.007-250	Y	03APR07	INC	A1PXXUY615190	22MAR07 22:06	5892.2		AFHR
7212.007-256	N	23NOV08	NINC					
7212.007-256	Y	13MAY09	INC	A1PXXUY816189	10MAY09 23:59	6487.5		AFHR
7212.007-257	N	20APR10	NINC					
7212.007-257	Y	06MAR13 00:08	INC	A1PXXU1005209	24OCT12 02:01	7672.0		AFHR
7212.007-258	N	19JAN09	NINC					
7212.007-258	Y	19MAY09	INC	A1PXXUY900922	10MAY09 23:12	6487.5		AFHR
7212.007-260	N	04MAR13 23:13	NINC					
7212.007-260	Y	28APR16 02:36	INC	A1PXXU1302894	14APR16 05:58	8585.3		AFHR
7212.007-263	Y	29AUG16 23:37	NINC					
7212.007-264	N	09DEC13 09:29	NINC					
7212.007-264	Y	30APR14 09:36	INC	A1PXXU1315732	28APR14 01:53	7971.5		AFHR
7212.007-268	N	16JAN14 01:36	NINC					
7212.007-268	Y	04MAY14 23:37	INC	A1PXXU1400332	28APR14 01:53	7971.5		AFHR
7212.007-269	N	22SEP14 03:39	NINC					
7212.007-269	Y	11AUG16 05:04	INC	A1PXXU1411995	09AUG16 05:33	8750.3		AFHR
7212.007-270	N	08JUN15 06:22	NINC					
7212.007-270	Y	11AUG16 00:00	N/A					
7212.007-272	N	26MAR18 22:10	NINC					
7212.007-272	Y	24JUL18 05:40	INC	A1PXXU1803845	07MAY18 22:40	9073.6		AFHR



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03751  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP  
LOCATION : A23-033  
~S4080  
PERIOD: 01JAN90 TO 08JAN20

STI NUMBER	CURRENT (Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
STI-AIRFIREEXT-0030	Y	09OCT02 00:00	N/A			
STI-AIRFIREEXT-0031	N	16APR91	NINC			
STI-AIRFIREEXT-0031	Y	12SEP03	N/A			
STI-PC9-0001	Y	26JUL90 00:00	N/A			
STI-PC9-0002	Y	26JUL90 00:00	N/A			
STI-PC9-0003	Y	26JUL90 00:00	N/A			
STI-PC9-0004	Y	26JUL90 00:00	N/A			
STI-PC9-0005	Y	26JUL90 00:00	N/A			
STI-PC9-0007	Y	26JUL90 00:00	N/A			
STI-PC9-0008	Y	26JUL90 00:00	N/A			
STI-PC9-0009	Y	26JUL90 00:00	N/A			
STI-PC9-0010	Y	26JUL90 00:00	N/A			
STI-PC9-0013	Y	26JUL90 00:00	N/A			
STI-PC9-0014	Y	26JUL90 00:00	N/A			
STI-PC9-0015	Y	26JUL90 00:00	N/A			
STI-PC9-0020	Y	09OCT02 00:00	N/A			
STI-PC9-0021	Y	26JUL90 00:00	N/A			
STI-PC9-0022	Y	26JUL90 00:00	N/A			
STI-PC9-0023	Y	26JUL90 00:00	N/A			
STI-PC9-0026	Y	24JUL90 00:00	N/A			
STI-PC9-0027	Y	26JUL90 00:00	N/A			
STI-PC9-0028	Y	24JUL90 00:00	N/A			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03752  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 ~S4080  
 PERIOD: 01JAN90 TO 08JAN20

STI STATUS CHANGE						
STI NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
=====	=====	=====	=====	=====	=====	=====
STI-PC9-0029	Y	26JUL90 00:00	N/A			
STI-PC9-0030	Y	26JUL90 00:00	N/A			
STI-PC9-0031	Y	26JUL90 00:00	N/A			
STI-PC9-0034	Y	26JUL90 00:00	N/A			
STI-PC9-0038	Y	26JUL90 00:00	N/A			
STI-PC9-0039	Y	26JUL90 00:00	N/A			
STI-PC9-0040	Y	26JUL90 00:00	N/A			
STI-PC9-0041	Y	26JUL90 00:00	N/A			
STI-PC9-0042	Y	24JUL90 00:00	N/A			
STI-PC9-0044	Y	26JUL90 00:00	N/A			
STI-PC9-0045	Y	26JUL90 00:00	N/A			
STI-PC9-0046	Y	24JUL90 00:00	N/A			
STI-PC9-0048	Y	25JUL90 00:00	INC			
STI-PC9-0049	Y	25JUL90 00:00	N/A			
STI-PC9-0050	Y	24JUL90 00:00	N/A			
STI-PC9-0052	Y	03OCT90 00:00	INC			
STI-PC9-0053	Y	27FEB91 00:00	INC			
STI-PC9-0054	Y	08APR91 00:00	N/A			
STI-PC9-0055	Y	06JUN91 00:00	N/A			
STI-PC9-0057	Y	01JUL91 00:00	INC			
STI-PC9-0058	Y	16JUL91 00:00	INC			
STI-PC9-0059	Y	12JUL91 00:00	INC			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03753  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 ~S4080  
 PERIOD: 01JAN90 TO 08JAN20

STI STATUS CHANGE						
STI NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
=====	=====	=====	=====	=====	=====	=====
STI-PC9-0060	Y	30JUL91 00:00	INC			
STI-PC9-0061	Y	02OCT91 00:00	INC			
STI-PC9-0062	Y	28AUG91 00:00	INC			
STI-PC9-0063	Y	28AUG91 00:00	INC			
STI-PC9-0064	Y	02OCT91 00:00	INC			
STI-PC9-0065	Y	03DEC91 00:00	INC			
STI-PC9-0066	Y	16OCT91 00:00	INC			
STI-PC9-0067	Y	28NOV91 00:00	INC			
STI-PC9-0069	Y	20NOV91 00:00	N/A			
STI-PC9-0070	Y	09APR92 00:00	INC			
STI-PC9-0071	Y	22JAN92 00:00	INC			
STI-PC9-0072	Y	06AUG93 00:00	RINC			
STI-PC9-0073	Y	15JAN92 00:00	N/A			
STI-PC9-0074	Y	10APR92 00:00	INC			
STI-PC9-0075	Y	20MAY93 00:00	RINC			
STI-PC9-0076	Y	10APR92 00:00	INC			
STI-PC9-0077	Y	13MAY92 00:00	N/A			
STI-PC9-0078	Y	13AUG92 00:00	INC			
STI-PC9-0079	Y	09OCT02 00:00	N/A			
STI-PC9-0081	Y	30JUN92 00:00	INC			
STI-PC9-0083	Y	10MAR93 00:00	N/A			
STI-PC9-0085	Y	18DEC92 00:00	INC			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03754  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 ~S4080  
 PERIOD: 01JAN90 TO 08JAN20

STI STATUS CHANGE						
STI NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
=====	=====	=====	=====	=====	=====	=====
STI-PC9-0088	Y	27APR93 00:00	INC			
STI-PC9-0089	Y	26MAY93 00:00	INC			
STI-PC9-0091	Y	06AUG93 00:00	INC			
STI-PC9-0092	Y	07JUL93 00:00	INC			
STI-PC9-0093	Y	04AUG93 00:00	INC			
STI-PC9-0094	Y	13SEP93 00:00	INC			
STI-PC9-0096	Y	16SEP93 00:00	INC			
STI-PC9-0097	Y	30SEP93 00:00	INC			
STI-PC9-0098	Y	20SEP93 00:00	N/A			
STI-PC9-0099	Y	03FEB94 00:00	INC			
STI-PC9-0102	Y	02FEB94 00:00	INC			
STI-PC9-0103	Y	21DEC93 00:00	INC			
STI-PC9-0104	Y	18JAN94 00:00	INC			
STI-PC9-0105	Y	10FEB94 00:00	INC			
STI-PC9-0106	Y	09OCT02 00:00	N/A			
STI-PC9-0107	Y	01FEB94 00:00	INC			
STI-PC9-0109	Y	23FEB94 00:00	N/A			
STI-PC9-0110	Y	29MAR94 00:00	INC			
STI-PC9-0111	Y	31MAR94 00:00	N/A			
STI-PC9-0113	Y	02MAY94 00:00	N/A			
STI-PC9-0114	Y	17JUN94 00:00	INC			
STI-PC9-0117	Y	07JUL94 00:00	N/A			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03755  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 ~S4080  
 PERIOD: 01JAN90 TO 08JAN20

STI STATUS CHANGE						
STI NUMBER	CURRENT (Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
=====	=====	=====	=====	=====	=====	=====
STI-PC9-0118	Y	09OCT02 00:00	N/A			
STI-PC9-0119	Y	14JUL94 00:00	INC			
STI-PC9-0120	Y	09OCT02 00:00	N/A			
STI-PC9-0121	Y	12AUG94 00:00	INC			
STI-PC9-0123	Y	09AUG94 00:00	N/A			
STI-PC9-0125	Y	12APR95 00:00	INC			
STI-PC9-0129	Y	06SEP94 00:00	INC			
STI-PC9-012A	Y	26JUL90 00:00	N/A			
STI-PC9-012B	Y	26JUL90 00:00	N/A			
STI-PC9-0130	Y	06SEP94 00:00	N/A			
STI-PC9-0131	Y	09OCT02 00:00	N/A			
STI-PC9-0132	Y	13OCT94 00:00	INC			
STI-PC9-0133	Y	26OCT94 00:00	N/A			
STI-PC9-0134	Y	27OCT94 00:00	INC			
STI-PC9-0135	Y	17NOV94 00:00	INC			
STI-PC9-0138	Y	12APR95 00:00	INC			
STI-PC9-0141	Y	17FEB95 00:00	N/A			
STI-PC9-0142	Y	27MAR95 00:00	INC			
STI-PC9-0143	Y	09OCT02 00:00	N/A			
STI-PC9-0145	Y	20SEP95 00:00	INC			
STI-PC9-0146	Y	13JUN95 00:00	INC			
STI-PC9-0147	Y	13JUN95 00:00	INC			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03756  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 ~S4080  
 PERIOD: 01JAN90 TO 08JAN20

STI STATUS CHANGE						
STI NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
=====	=====	=====	=====	=====	=====	=====
STI-PC9-0148	Y	09OCT02 00:00	N/A			
STI-PC9-0149	Y	23MAY97 00:00	N/A			
STI-PC9-0154	Y	16APR96 00:00	RINC			
STI-PC9-0157	Y	09OCT02 00:00	N/A			
STI-PC9-0158	Y	29JAN96 00:00	N/A			
STI-PC9-0160	Y	26MAR96 00:00	INC			
STI-PC9-0161	Y	16APR96 00:00	INC			
STI-PC9-0165	Y	22APR96 00:00	INC			
STI-PC9-0166	Y	22MAY96 00:00	INC			
STI-PC9-0169	Y	13MAY97 00:00	INC			
STI-PC9-0170	Y	03SEP96 00:00	INC			
STI-PC9-0171	Y	15AUG97 00:00	INC			
STI-PC9-0175	Y	31JUL96 00:00	INC			
STI-PC9-0176	Y	06MAR97 00:00	N/A			
STI-PC9-0177	Y	25SEP96 00:00	N/A			
STI-PC9-0178	Y	27SEP96 00:00	N/A			
STI-PC9-0179	Y	27SEP96 00:00	N/A			
STI-PC9-0180	Y	30SEP96 00:00	N/A			
STI-PC9-0181	Y	22OCT96 00:00	N/A			
STI-PC9-0183	Y	31OCT96 00:00	N/A			
STI-PC9-0184	Y	11NOV96 00:00	N/A			
STI-PC9-0185	Y	14NOV96 00:00	N/A			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03757  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 ~S4080  
 PERIOD: 01JAN90 TO 08JAN20

STI STATUS CHANGE

STI NUMBER	CURRENT (Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
STI-PC9-0186	Y	18NOV96 00:00	INC			
STI-PC9-0188	Y	21JAN97 00:00	N/A			
STI-PC9-0189	Y	12FEB97 00:00	N/A			
STI-PC9-0190	Y	14AUG97 00:00	N/A			
STI-PC9-0192	Y	23MAY97 00:00	INC			
STI-PC9-0193	Y	05MAY97 00:00	N/A			
STI-PC9-0195	N	04MAR03 00:00	RINC			
STI-PC9-0195	N	31MAY04	RINC	A1PXXUY406864	24MAY04 22:57	4995.3 AFHR
STI-PC9-0195	N	23JUN05	RINC	A1PXXUY505293	20JUN05 05:35	5295.2 AFHR
STI-PC9-0195	N	18JUN06	RINC	A1PXXUY511668	30APR06 23:56	5594.9 AFHR
STI-PC9-0195	Y	04APR07	RINC	A1PXXUY606833	22MAR07 22:06	5892.2 AFHR
STI-PC9-0197	Y	22JUL97 00:00	INC			
STI-PC9-0202	Y	12AUG97 00:00	N/A			
STI-PC9-0203	Y	12AUG97 00:00	N/A			
STI-PC9-0204	Y	18AUG97 00:00	N/A			
STI-PC9-0206	Y	29OCT97 00:00	N/A			
STI-PC9-0207	Y	07NOV97 00:00	INC			
STI-PC9-0208	Y	02DEC98 00:00	RINC			
STI-PC9-0210	N	12MAR03 00:00	RINC			
STI-PC9-0210	N	24JUN04	RINC	A1PXXUY406862	24MAY04 22:57	4995.3 AFHR
STI-PC9-0210	N	29JUN05	RINC	A1PXXUY505294	20JUN05 05:35	5295.2 AFHR
STI-PC9-0210	N	22JUN06	NINC			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03758  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 ~S4080  
 PERIOD: 01JAN90 TO 08JAN20

STI STATUS CHANGE						
STI NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
=====	=====	=====	=====	=====	=====	=====
STI-PC9-0210	Y	22JUN06	N/A			
STI-PC9-0211	Y	18MAY98 00:00	INC			
STI-PC9-0215	Y	12MAR98 00:00	N/A			
STI-PC9-0216	Y	03APR98 00:00	INC			
STI-PC9-0218	Y	23APR98 00:00	N/A			
STI-PC9-0219	Y	20MAY98 00:00	INC			
STI-PC9-0223	Y	27NOV98 00:00	INC			
STI-PC9-0224	Y	23NOV98 00:00	INC			
STI-PC9-0225	Y	02DEC98 00:00	INC			
STI-PC9-0227	Y	20NOV98 00:00	N/A			
STI-PC9-0229	Y	07MAR99 00:00	INC			
STI-PC9-0230	Y	21MAR99 00:00	INC			
STI-PC9-0231	Y	08SEP99 00:00	INC			
STI-PC9-0232	Y	13MAY99 00:00	INC			
STI-PC9-0233	Y	21MAY99 00:00	N/A			
STI-PC9-0234	Y	06JUL99 00:00	N/A			
STI-PC9-0235	Y	09JUL99 00:00	N/A			
STI-PC9-0237	Y	02DEC99 00:00	INC			
STI-PC9-0240	Y	23NOV99 00:00	N/A			
STI-PC9-0241	Y	06DEC99 00:00	N/A			
STI-PC9-0242	Y	27JAN00 00:00	N/A			
STI-PC9-0248	Y	09OCT00 00:00	N/A			



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03759  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 ~S4080  
 PERIOD: 01JAN90 TO 08JAN20

STI STATUS CHANGE

STI NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
STI-PC9-0249	Y	01MAR01 00:00	INC			
STI-PC9-0250	Y	30OCT00 00:00	N/A			
STI-PC9-0254	Y	14JUN01 00:00	INC			
STI-PC9-0259	Y	29AUG01 00:00	N/A			
STI-PC9-0264	Y	16MAY02 00:00	INC			
STI-PC9-0265	Y	07MAR02 00:00	INC			
STI-PC9-0268	Y	08APR02 00:00	N/A			
STI-PC9-0270	Y	08MAY02 00:00	N/A			
STI-PC9-0271	Y	13MAY02 00:00	N/A			
STI-PC9-0274	Y	02JUL02 00:00	N/A			
STI-PC9-0275	Y	02AUG02 00:00	N/A			
STI-PC9-0276	Y	21AUG02 00:00	N/A			
STI-PC9-0285	Y	22NOV02 00:00	INC			
STI-PC9-0287	Y	28NOV02 00:00	N/A			
STI-PC9-0290	N	12MAR03 00:00	RINC			
STI-PC9-0290	N	14JAN04	RINC	A1PXXUY400275	09JAN04 00:32	4845.3 AFHR
STI-PC9-0290	N	24JUN04	RINC	A1PXXUY406863	24MAY04 22:57	4995.3 AFHR
STI-PC9-0290	N	18OCT04	RINC	A1PXXUY413711	14OCT04 01:47	5145.2 AFHR
STI-PC9-0290	N	24JUN05	RINC	A1PXXUY505295	20JUN05 05:35	5295.2 AFHR
STI-PC9-0290	N	21SEP05	NINC			
STI-PC9-0290	Y	21SEP05	N/A			
STI-PC9-0291	Y	12MAY03 00:00	N/A			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03760  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 ~S4080  
 PERIOD: 01JAN90 TO 08JAN20

STI NUMBER	CURRENT (Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
STI-PC9-0292	N	13MAY03 00:00	NINC			
STI-PC9-0292	Y	14JAN04	INC	A1PXXUY400293	09JAN04 00:47	4845.3 AFHR
STI-PC9-0293	Y	21MAY03 00:00	N/A			
STI-PC9-0295	Y	26JUN03 00:00	INC			
STI-PC9-0297	Y	04JUL03 00:00	N/A			
STI-PC9-0299	Y	16JUL03 00:00	INC			
STI-PC9-0301	Y	08AUG03 00:00	INC			
STI-PC9-0302	Y	14AUG03 00:00	INC			
STI-PC9-0306	N	22SEP03	NINC			
STI-PC9-0306	Y	02OCT03	INC	A1PXXUY301145	02OCT03 03:22	4785.6 AFHR
STI-PC9-0312	N	27OCT03	NINC			
STI-PC9-0312	Y	28OCT03	N/A			
STI-PC9-0313	N	27OCT03	NINC			
STI-PC9-0313	N	30OCT03	INC	A1PXXUY302772	30OCT03 13:47	4785.6 AFHR
STI-PC9-0313	N	10NOV03	RINC	A1PXXUY303322	10NOV03 00:07	4802.0 AFHR
STI-PC9-0313	N	13NOV03	RINC	A1PXXUY303655	13NOV03 05:37	4805.7 AFHR
STI-PC9-0313	N	17NOV03	RINC	A1PXXUY303668	13NOV03 06:40	4805.7 AFHR
STI-PC9-0313	N	19NOV03	NINC			
STI-PC9-0313	Y	19NOV03	N/A			
STI-PC9-0318	N	23NOV03	NINC			
STI-PC9-0318	Y	25NOV03	INC	A1PXXUY304341	25NOV03 00:42	4810.3 AFHR
STI-PC9-0319	N	26NOV03	NINC			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03761  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 ~S4080  
 PERIOD: 01JAN90 TO 08JAN20

STI STATUS CHANGE								
STI NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW		
=====	=====	=====	=====	=====	=====	=====	=====	=====
STI-PC9-0319	Y	10DEC03	INC	A1PXXUY305287	10DEC03 03:57	4830.4	AFHR	
STI-PC9-0322	N	17FEB04	NINC					
STI-PC9-0322	Y	17FEB04	N/A					
STI-PC9-0323	N	18FEB04	NINC					
STI-PC9-0323	Y	18FEB04	INC	A1PXXUY402260	18FEB04 23:14	4899.0	AFHR	
STI-PC9-0333	N	25MAY04	NINC					
STI-PC9-0333	Y	14JUL15 00:00	N/A					
STI-PC9-0334	N	10JUN04	NINC					
STI-PC9-0334	Y	16AUG04	INC	A1PXXUY410908	16AUG04 11:23	5072.7	AFHR	
STI-PC9-0335	N	29JUN04	NINC					
STI-PC9-0335	Y	29JUN04	N/A					
STI-PC9-0337	N	20JUL04	NINC					
STI-PC9-0337	Y	19OCT04	INC	A1PXXUY413712	14OCT04 01:47	5145.2	AFHR	
STI-PC9-0342	N	17AUG04	NINC					
STI-PC9-0342	N	19OCT04	INC	A1PXXUY413713	14OCT04 01:47	5145.2	AFHR	
STI-PC9-0342	N	24JUN05	RINC	A1PXXUY505296	20JUN05 05:35	5295.2	AFHR	
STI-PC9-0342	N	08NOV05	RINC	A1PXXUY511703	30OCT05 22:31	5445.0	AFHR	
STI-PC9-0342	N	11MAY06	RINC	A1PXXUY517749	30APR06 23:56	5594.9	AFHR	
STI-PC9-0342	N	14NOV06	RINC	A1PXXUY605144	14NOV06 04:42	5741.1	AFHR	
STI-PC9-0342	N	04APR07	RINC	A1PXXUY613818	22MAR07 22:06	5892.2	AFHR	
STI-PC9-0342	N	31JUL07	RINC	A1PXXUY704829	29JUL07 23:56	6042.2	AFHR	
STI-PC9-0342	N	15MAY08	RINC	A1PXXUY710751	12MAY08 22:43	6101.4	AFHR	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03762  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 ~S4080  
 PERIOD: 01JAN90 TO 08JAN20

STI NUMBER	CURRENT (Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE	SINCE	NEW
STI-PC9-0342	Y	28AUG08	RINC	A1PXXUY806396	21AUG08 22:19	6192.2		AFHR
STI-PC9-0343	N	18AUG04	NINC					
STI-PC9-0343	Y	19AUG04	INC	A1PXXUY411109	19AUG04 09:50	5076.7		AFHR
STI-PC9-0344	N	19AUG04	NINC					
STI-PC9-0344	Y	19AUG04	N/A					
STI-PC9-0345	N	06SEP04	NINC					
STI-PC9-0345	Y	06SEP04	N/A					
STI-PC9-0347	N	13OCT04	NINC					
STI-PC9-0347	Y	19OCT04	INC	A1PXXUY413879	18OCT04 23:53	5145.2		AFHR
STI-PC9-0349	N	10NOV04	NINC					
STI-PC9-0349	Y	07APR05	INC	A1PXXUY507752	05APR05 00:00	5196.9		AFHR
STI-PC9-0352	N	12NOV04	NINC					
STI-PC9-0352	Y	15NOV04	INC	A1PXXUY415308	15NOV04 04:40	5195.6		AFHR
STI-PC9-0354	N	05DEC04	NINC					
STI-PC9-0354	N	10DEC04	INC	A1PXXUY416806	10DEC04 02:15	5196.9		AFHR
STI-PC9-0354	N	11MAY05	RINC	A1PXXUY505297	11MAY05 08:04	5226.5		AFHR
STI-PC9-0354	N	23MAY05	RINC	A1PXXUY509417	23MAY05 11:24	5244.7		AFHR
STI-PC9-0354	N	01JUN05	RINC	A1PXXUY509916	01JUN05 06:59	5266.0		AFHR
STI-PC9-0354	N	14JUN05	RINC	A1PXXUY510456	14JUN05 09:38	5284.2		AFHR
STI-PC9-0354	N	04JUL05	RINC	A1PXXUY511174	30JUN05 22:55	5295.2		AFHR
STI-PC9-0354	N	08AUG05	RINC	A1PXXUY512049	08AUG05 23:55	5312.8		AFHR
STI-PC9-0354	N	10AUG05	RINC	A1PXXUY513688	10AUG05 09:02	5312.8		AFHR

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03763  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 ~S4080  
 PERIOD: 01JAN90 TO 08JAN20

STI NUMBER	CURRENT (Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
STI-PC9-0354	N	16AUG05	RINC	A1PXXUY513829	16AUG05 02:05	5326.5 AFHR
STI-PC9-0354	N	30AUG05	RINC	A1PXXUY514054	30AUG05 09:20	5346.9 AFHR
STI-PC9-0354	N	13SEP05	RINC	A1PXXUY514677	13SEP05 11:40	5370.1 AFHR
STI-PC9-0354	N	27SEP05	RINC	A1PXXUY515309	27SEP05 06:21	5386.3 AFHR
STI-PC9-0354	N	10OCT05	RINC	A1PXXUY515782	10OCT05 08:57	5405.4 AFHR
STI-PC9-0354	N	18OCT05	RINC	A1PXXUY516328	18OCT05 07:52	5421.5 AFHR
STI-PC9-0354	N	24OCT05	RINC	A1PXXUY516690	24OCT05 09:02	5434.2 AFHR
STI-PC9-0354	N	03NOV05	RINC	A1PXXUY516984	30OCT05 22:31	5445.0 AFHR
STI-PC9-0354	N	25NOV05	RINC	A1PXXUY517543	25NOV05 03:32	5471.6 AFHR
STI-PC9-0354	N	07FEB06	RINC	A1PXXUY518439	07FEB06 07:33	5507.0 AFHR
STI-PC9-0354	N	20FEB06	RINC	A1PXXUY601277	20FEB06 22:33	5522.5 AFHR
STI-PC9-0354	N	14MAR06	RINC	A1PXXUY601796	14MAR06 07:40	5548.5 AFHR
STI-PC9-0354	N	04APR06	RINC	A1PXXUY602749	04APR06 09:35	5571.5 AFHR
STI-PC9-0354	N	21JUN06	NINC			
STI-PC9-0354	Y	21JUN06	N/A			
STI-PC9-0357	N	14DEC04	NINC			
STI-PC9-0357	Y	24JUN05	INC	A1PXXUY505298	20JUN05 05:35	5295.2 AFHR
STI-PC9-0358	N	20DEC04	NINC			
STI-PC9-0358	Y	20DEC04	N/A			
STI-PC9-0363	N	10MAR05	NINC			
STI-PC9-0363	Y	14JUL15 00:00	N/A			
STI-PC9-0367	N	17APR05	NINC			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03764  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 ~S4080  
 PERIOD: 01JAN90 TO 08JAN20

STI STATUS CHANGE								
STI NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW		
=====	=====	=====	=====	=====	=====	=====	=====	=====
STI-PC9-0367	Y	08NOV05	INC	A1PXXUY508236	30OCT05 22:31	5445.0	AFHR	
STI-PC9-0368	N	17APR05	NINC					
STI-PC9-0368	Y	27JUN05	INC	A1PXXUY508237	20JUN05 05:35	5295.2	AFHR	
STI-PC9-036A	Y	24JUL90 00:00	N/A					
STI-PC9-036B	Y	24JUL90 00:00	N/A					
STI-PC9-0372	N	13JUN05	NINC					
STI-PC9-0372	Y	13JUN05	N/A					
STI-PC9-0373	N	04JUL05	NINC					
STI-PC9-0373	Y	04JUL05	INC	A1PXXUY512045	04JUL05 05:53	5295.2	AFHR	
STI-PC9-0375	N	20JUL05	NINC					
STI-PC9-0375	Y	20JUL05	N/A					
STI-PC9-0376	N	09AUG05	NINC					
STI-PC9-0376	N	17AUG05	INC	A1PXXUY513707	17AUG05 02:32	5326.5	AFHR	
STI-PC9-0376	N	25OCT05	NINC					
STI-PC9-0376	Y	25OCT05	N/A					
STI-PC9-0378	N	14SEP05	NINC					
STI-PC9-0378	Y	14SEP05	N/A					
STI-PC9-037A	Y	25JUL90 00:00	INC					
STI-PC9-037B	Y	25SEP90 00:00	INC					
STI-PC9-0387	N	26OCT05	NINC					
STI-PC9-0387	N	28OCT05	INC	A1PXXUY517108	28OCT05 05:50	5445.0	AFHR	
STI-PC9-0387	N	21JUN06	NINC					

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03765  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 ~S4080  
 PERIOD: 01JAN90 TO 08JAN20

STI STATUS CHANGE								
STI NUMBER	CURRENT (Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW		
=====	=====	=====	=====	=====	=====	=====	=====	=====
STI-PC9-0387	Y	21JUN06	N/A					
STI-PC9-0388	N	30OCT05	NINC					
STI-PC9-0388	Y	08NOV05	INC	A1PXXUY517296	08NOV05 00:06	5445.0	AFHR	
STI-PC9-0409	N	27JUN06	NINC					
STI-PC9-0409	Y	21JUN07	INC	A1PXXUY607213	21JUN07 05:47	5998.7	AFHR	
STI-PC9-0410	N	29JUN06	NINC					
STI-PC9-0410	Y	16NOV06	INC	A1PXXUY607335	14NOV06 04:42	5741.1	AFHR	
STI-PC9-0411	N	05JUL06	NINC					
STI-PC9-0411	Y	09AUG06	INC	A1PXXUY607614	09AUG06 00:40	5594.9	AFHR	
STI-PC9-0428	N	04FEB07	NINC					
STI-PC9-0428	Y	19FEB07	INC	A1PXXUY701384	19FEB07 10:32	5869.1	AFHR	
STI-PC9-0429	N	07FEB07	NINC					
STI-PC9-0429	Y	19FEB07	INC	A1PXXUY701567	19FEB07 10:32	5869.1	AFHR	
STI-PC9-0433	N	26FEB07	NINC					
STI-PC9-0433	Y	22MAR07	INC	A1PXXUY702772	22MAR07 06:07	5891.4	AFHR	
STI-PC9-043A	Y	25JUL90 00:00	INC					
STI-PC9-043B	Y	30OCT90 00:00	RINC					
STI-PC9-0448	N	28MAY07	NINC					
STI-PC9-0448	Y	30JUL07	INC	A1PXXUY707489	29JUL07 23:57	6042.2	AFHR	
STI-PC9-0450	N	13JUN07	NINC					
STI-PC9-0450	Y	14JUL15 00:00	N/A					
STI-PC9-0453	N	13JUL07	NINC					

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03766  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 ~S4080  
 PERIOD: 01JAN90 TO 08JAN20

STI STATUS CHANGE							
STI NUMBER	CURRENT (Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW	
=====	=====	=====	=====	=====	=====	=====	=====
STI-PC9-0453	Y	22MAY08	INC	A1PXXUY709795	12MAY08 22:58	6101.4	AFHR
STI-PC9-0454	N	26JUL07	NINC				
STI-PC9-0454	Y	29JUL07	INC	A1PXXUY710540	29JUL07 05:17	6042.2	AFHR
STI-PC9-0456	N	21AUG07	NINC				
STI-PC9-0456	Y	22AUG07	INC	A1PXXUY711931	22AUG07 00:56	6080.1	AFHR
STI-PC9-0459	N	04OCT07	NINC				
STI-PC9-0459	Y	14JUL15 00:00	N/A				
STI-PC9-0460	N	15NOV07	NINC				
STI-PC9-0460	Y	15MAY08	INC	A1PXXUY715983	12MAY08 22:43	6101.4	AFHR
STI-PC9-0461	N	11DEC07	NINC				
STI-PC9-0461	Y	22MAY08	INC	A1PXXUY717196	12MAY08 22:43	6101.4	AFHR
STI-PC9-0466	N	05MAR08	NINC				
STI-PC9-0466	N	15MAY08	INC	A1PXXUY803088	12MAY08 22:43	6101.4	AFHR
STI-PC9-0466	N	28AUG08	RINC	A1PXXUY806341	21AUG08 22:19	6192.2	AFHR
STI-PC9-0466	N	13JAN09	RINC	A1PXXUY811734	11JAN09 23:12	6338.3	AFHR
STI-PC9-0466	N	13MAY09	RINC	A1PXXUY900685	10MAY09 23:11	6487.5	AFHR
STI-PC9-0466	Y	19AUG09	RINC	A1PXXUY907992	18AUG09 10:16	6636.7	AFHR
STI-PC9-0473	N	08JUN08	NINC				
STI-PC9-0473	Y	17JUL08	INC	A1PXXUY807469	15JUL08 05:17	6151.7	AFHR
STI-PC9-0475	N	02JUL08	NINC				
STI-PC9-0475	Y	28AUG08	INC	A1PXXUY808736	21AUG08 22:19	6192.2	AFHR
STI-PC9-0477	N	14JUL08	NINC				



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03767  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 ~S4080  
 PERIOD: 01JAN90 TO 08JAN20

STI STATUS CHANGE							
STI NUMBER	CURRENT (Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE	SINCE NEW
=====	=====	=====	=====	=====	=====	=====	=====
STI-PC9-0477	Y	15JUL08	INC	A1PXXUY809472	15JUL08 05:18	6151.7	AFHR
STI-PC9-0482	N	07SEP08	NINC				
STI-PC9-0482	Y	13JAN09	INC	A1PXXUY812114	11JAN09 23:20	6338.3	AFHR
STI-PC9-0490	N	10NOV08	NINC				
STI-PC9-0490	Y	12MAY15 22:36	INC	A1PXXUY815472	13APR15 04:52	8270.7	AFHR
STI-PC9-0491	N	08JAN09	NINC				
STI-PC9-0491	Y	15JUL09	INC	A1PXXUY900273	09JUL09 00:35	6570.7	AFHR
STI-PC9-0492	N	23JAN09	NINC				
STI-PC9-0492	Y	28JAN09	INC	A1PXXUY901312	28JAN09 01:41	6338.3	AFHR
STI-PC9-0493	N	28JAN09	NINC				
STI-PC9-0493	Y	02FEB09	INC	A1PXXUY901504	02FEB09 12:21	6338.3	AFHR
STI-PC9-0494	N	19FEB09	NINC				
STI-PC9-0494	Y	19FEB09	INC	MANUAL			NOT REC.
STI-PC9-0495	N	19FEB09	NINC				
STI-PC9-0495	Y	23FEB09	N/A				
STI-PC9-0496	N	23FEB09	NINC				
STI-PC9-0496	Y	26FEB09	INC	A1PXXUY903159	25FEB09 22:55	6386.2	AFHR
STI-PC9-0498	N	25FEB09	NINC				
STI-PC9-0498	Y	02MAR09	INC	A1PXXUY903424	25FEB09 22:56	6386.2	AFHR
STI-PC9-0500	N	05MAR09	NINC				
STI-PC9-0500	N	19MAY09	INC	A1PXXUY903899	10MAY09 23:11	6487.5	AFHR
STI-PC9-0500	Y	14DEC09	RINC	A1PXXUY908343	07DEC09 22:25	6786.7	AFHR

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03768  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 ~S4080  
 PERIOD: 01JAN90 TO 08JAN20

STI STATUS CHANGE							
STI NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW	
=====	=====	=====	=====	=====	=====	=====	=====
STI-PC9-0502	N	05MAR09	NINC				
STI-PC9-0502	N	06MAR09	INC	A1PXXUY903900	06MAR09 05:07	6396.4	AFHR
STI-PC9-0502	N	12MAR09	RINC	A1PXXUY904049	12MAR09 09:21	6415.7	AFHR
STI-PC9-0502	N	01APR09	RINC	A1PXXUY904444	01APR09 00:50	6444.8	AFHR
STI-PC9-0502	N	17APR09	RINC	A1PXXUY905557	17APR09 01:52	6468.8	AFHR
STI-PC9-0502	N	28MAY09	RINC	A1PXXUY906443	26MAY09 05:51	6489.8	AFHR
STI-PC9-0502	N	15JUN09	RINC	A1PXXUY908911	12JUN09 08:46	6524.2	AFHR
STI-PC9-0502	N	24JUN09	RINC	A1PXXUY909840	23JUN09 23:58	6547.5	AFHR
STI-PC9-0502	N	15JUL09	NINC				
STI-PC9-0502	Y	15JUL09	N/A				
STI-PC9-0512	N	10AUG09	NINC				
STI-PC9-0512	Y	15SEP09	INC	A1PXXUY913828	08SEP09 11:04	6660.7	AFHR
STI-PC9-051A	Y	30OCT90 00:00	N/A				
STI-PC9-051B	Y	26MAY92 00:00	RINC				
STI-PC9-0520	N	04FEB10	NINC				
STI-PC9-0520	Y	04FEB10	INC	A1PXXU1001509	04FEB10 00:30	6800.5	AFHR
STI-PC9-0522	N	01MAR10	NINC				
STI-PC9-0522	Y	14SEP10	INC	A1PXXU1002723	01SEP10 23:49	7082.8	AFHR
STI-PC9-0523	N	07MAR10	NINC				
STI-PC9-0523	Y	10MAR10	INC	MANUAL			NOT REC.
STI-PC9-0527	N	20APR10	NINC				
STI-PC9-0527	Y	22APR10	INC	A1PXXU1005210	22APR10 00:51	6898.3	AFHR

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03769  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 ~S4080  
 PERIOD: 01JAN90 TO 08JAN20

STI STATUS CHANGE							
STI NUMBER	CURRENT (Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW	
=====	=====	=====	=====	=====	=====	=====	=====
STI-PC9-0528	N	12MAY10	NINC				
STI-PC9-0528	Y	17MAY11	INC	A1PXXU1103633	11MAY11 23:01	7229.3	AFHR
STI-PC9-0529	N	17JUN10	NINC				
STI-PC9-0529	Y	13SEP10	N/A				
STI-PC9-0531	N	13SEP10	NINC				
STI-PC9-0531	Y	27OCT10	INC	A1PXXU1012379	20OCT10 09:30	7082.8	AFHR
STI-PC9-0532	N	29SEP10	NINC				
STI-PC9-0532	Y	03NOV11	INC	A1PXXU1013156	20OCT11 03:17	7379.3	AFHR
STI-PC9-0535	N	31OCT10	NINC				
STI-PC9-0535	Y	07SEP11	INC	A1PXXU1106221	07SEP11 09:31	7365.5	AFHR
STI-PC9-0542	N	28JUL11	NINC				
STI-PC9-0542	Y	05MAR13 03:22	INC	A1PXXU1109815	24OCT12 02:03	7672.0	AFHR
STI-PC9-0550	N	04JUL12 22:34	NINC				
STI-PC9-0550	N	26MAR13 02:44	INC	A1PXXU1208534	13MAR13 07:33	7672.0	AFHR
STI-PC9-0550	N	04MAY14 23:42	RINC	A1PXXU1304008	28APR14 01:54	7971.5	AFHR
STI-PC9-0550	N	05MAY14 00:00	NINC				
STI-PC9-0550	Y	05MAY14 00:00	N/A				
STI-PC9-0552	N	05SEP12 14:06	NINC				
STI-PC9-0552	Y	25MAR13 00:15	INC	A1PXXU1211312	13MAR13 07:33	7672.0	AFHR
STI-PC9-0558	N	08NOV12 10:04	NINC				
STI-PC9-0558	Y	26MAR13 02:55	INC	A1PXXU1214257	13MAR13 05:13	7672.0	AFHR
STI-PC9-0561	N	01MAY13 22:35	NINC				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03770  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 ~S4080  
 PERIOD: 01JAN90 TO 08JAN20

STI STATUS CHANGE									
STI NUMBER	CURRENT (Y/N)	STATUS DATE/TIME		STATUS	JOB/SERV NO	START DATE/TIME		LIFE SINCE NEW	
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
STI-PC9-0561	Y	02MAY13	13:05	INC	A1PXXU1305491	02MAY13	13:05	7672.3	AFHR
STI-PC9-0562	N	16MAY13	00:34	NINC					
STI-PC9-0562	Y	28JAN14	00:00	N/A					
STI-PC9-0565	N	12JUL13	00:39	NINC					
STI-PC9-0565	Y	12JUL13	00:46	INC	A1PXXU1308831	12JUL13	00:46	7747.3	AFHR
STI-PC9-0569	N	09DEC13	09:29	NINC					
STI-PC9-0569	Y	12DEC13	09:41	INC	A1PXXU1315733	12DEC13	05:59	7892.7	AFHR
STI-PC9-0570	N	29JAN14	06:12	NINC					
STI-PC9-0570	Y	04MAY14	23:30	INC	A1PXXU1401030	28APR14	01:53	7971.5	AFHR
STI-PC9-0575	N	31OCT14	05:43	NINC					
STI-PC9-0575	Y	03NOV14	11:02	INC	A1PXXU1413785	03NOV14	11:01	8127.5	AFHR
STI-PC9-0577	N	03NOV14	02:52	NINC					
STI-PC9-0577	Y	06NOV14	22:32	INC	A1PXXU1413878	06NOV14	22:32	8133.6	AFHR
STI-PC9-0579	N	21JAN15	22:08	NINC					
STI-PC9-0579	Y	22JUL15	03:53	INC	A1PXXU1500613	19MAY15	03:38	8270.7	AFHR
STI-PC9-0588	N	09APR15	00:59	NINC					
STI-PC9-0588	Y	11AUG16	00:00	N/A					
STI-PC9-0593	N	09APR15	00:59	NINC					
STI-PC9-0593	Y	04JUN15	02:31	INC	A1PXXU1503596	18MAY15	10:55	8270.7	AFHR
STI-PC9-0596	N	08JUN15	06:22	NINC					
STI-PC9-0596	Y	15APR16	00:58	INC	A1PXXU1506028	31MAR16	23:05	8585.3	AFHR
STI-PC9-0603	N	30OCT15	06:39	NINC					

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03771  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 ~S4080  
 PERIOD: 01JAN90 TO 08JAN20

STI STATUS CHANGE									
STI NUMBER	CURRENT (Y/N)	STATUS DATE/TIME		STATUS	JOB/SERV NO	START DATE/TIME		LIFE SINCE NEW	
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
STI-PC9-0603	Y	03NOV15	04:00	INC	A1PXXU1512090	03NOV15	03:59	8420.3	AFHR
STI-PC9-0606	N	02DEC15	05:38	NINC					
STI-PC9-0606	Y	14DEC15	04:45	INC	A1PXXU1513625	14DEC15	04:43	8492.6	AFHR
STI-PC9-0614	N	29MAR16	04:54	NINC					
STI-PC9-0614	Y	19APR16	04:36	INC	A1PXXU1603529	31MAR16	04:57	8585.3	AFHR
STI-PC9-0623	N	25JUL16	22:38	NINC					
STI-PC9-0623	Y	08JUN17	05:01	INC	A1PXXU1609011	30MAR17	05:42	8914.8	AFHR
STI-PC9-0624	N	16AUG16	01:25	NINC					
STI-PC9-0624	Y	08JUN17	05:03	INC	A1PXXU1610043	30MAR17	05:42	8914.8	AFHR
STI-PC9-0635	N	13DEC16	01:52	NINC					
STI-PC9-0635	Y	15MAY17	05:42	INC	A1PXXU1615365	03APR17	02:53	8914.8	AFHR
STI-PC9-0636	N	15DEC16	23:33	NINC					
STI-PC9-0636	Y	07FEB17	00:00	N/A					
STI-PC9-0638	N	15DEC16	23:33	NINC					
STI-PC9-0638	Y	09JAN17	02:20	INC	A1PXXU1615597	09JAN17	02:15	8914.8	AFHR
STI-PC9-0639	N	07FEB17	00:25	NINC					
STI-PC9-0639	Y	08JUN17	05:04	INC	A1PXXU1701525	03APR17	03:01	8914.8	AFHR
STI-PC9-0651	N	23JUL17	22:29	NINC					
STI-PC9-0651	Y	26MAR18	06:59	INC	A1PXXU1709792	21MAR18	03:22	9073.6	AFHR
STI-PC9-0656	N	18SEP17	22:10	NINC					
STI-PC9-0656	Y	21SEP17	03:25	INC	A1PXXU1712604	21SEP17	02:59	9041.6	AFHR
STI-PC9-0658	N	09OCT17	22:11	NINC					

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03772  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 ~S4080  
 PERIOD: 01JAN90 TO 08JAN20

STI STATUS CHANGE									
STI NUMBER	CURRENT(Y/N)	STATUS DATE/TIME		STATUS	JOB/SERV NO	START DATE/TIME		LIFE SINCE NEW	
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
STI-PC9-0658	Y	10NOV17	06:47	INC	A1PXXU1713269	10NOV17	06:40	9073.6	AFHR
STI-PC9-0664	N	22JAN18	21:55	NINC					
STI-PC9-0664	Y	26MAR18	07:04	INC	A1PXXU1800907	12FEB18	00:45	9073.6	AFHR
STI-PC9-0672	N	15MAY18	10:26	NINC					
STI-PC9-0672	Y	28MAY18	02:44	INC	A1PXXU1806071	22MAY18	02:12	9073.6	AFHR
STI-PC9-0686	N	16APR19	05:55	NINC					
STI-PC9-0686	Y	16APR19	07:34	INC	A1PXXU1904762	16APR19	07:30	9365.1	AFHR
STI-PC9-0687	N	10MAY19	03:45	NINC					
STI-PC9-0687	Y	06JUN19	04:41	INC	A1PXXU1905761	20MAY19	03:43	9400.6	AFHR
STI-PC9-068A	Y	17OCT91	00:00	INC					
STI-PC9-068B	Y	24OCT91	00:00	N/A					
STI-PC9-080A	Y	17JUN92	00:00	N/A					
STI-PC9-080B	Y	20MAY93	00:00	N/A					
STI-PC9-126A	Y	08AUG94	00:00	INC					
STI-PC9-200A	Y	30JUL97	00:00	N/A					
STI-PC9-209A	Y	26NOV97	00:00	N/A					
STI-PC9-209B	Y	26NOV97	00:00	N/A					
STI-PC9-253A	Y	04APR01	00:00	INC					
STI-PC9-256A	Y	01MAY01	00:00	N/A					
STI-PC9-256B	Y	01MAY01	00:00	N/A					
STI-PC9-258A	Y	25JUL01	00:00	INC					
STI-PC9-258B	Y	23JUL01	00:00	N/A					

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03773  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 ~S4080  
 PERIOD: 01JAN90 TO 08JAN20

STI STATUS CHANGE								
STI NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW		
=====	=====	=====	=====	=====	=====	=====	=====	=====
STI-PC9-260A	Y	31AUG01 00:00	INC					
STI-PC9-260B	Y	10OCT01 00:00	INC					
STI-PC9-296B	Y	08JUL03 00:00	N/A					
STI-PC9-304	N	11SEP03	NINC					
STI-PC9-304	Y	29OCT03	INC	A1PXXUY302645	29OCT03 01:31	4785.6	AFHR	
STI-PC9-309A	N	26OCT03	NINC					
STI-PC9-309A	Y	30OCT03	INC	A1PXXUY302701	29OCT03 23:34	4785.6	AFHR	
STI-PC9-315A	N	12NOV03	NINC					
STI-PC9-315A	Y	13NOV03	N/A					
STI-PC9-324A	N	25FEB04	NINC					
STI-PC9-324A	Y	26FEB04	N/A					
STI-PC9-324B	N	25FEB04	NINC					
STI-PC9-324B	Y	18MAY04	N/A					
STI-PC9-332A	N	20MAY04	NINC					
STI-PC9-332A	Y	20MAY04	N/A					
STI-PC9-332B	N	20MAY04	NINC					
STI-PC9-332B	Y	20MAY04	N/A					
STI-PC9-332C	N	20MAY04	NINC					
STI-PC9-332C	Y	20MAY04	N/A					
STI-PC9-338A	N	27JUL04	NINC					
STI-PC9-338A	Y	17AUG04	INC	A1PXXUY410937	17AUG04 02:17	5072.7	AFHR	
STI-PC9-338B	N	27JUL04	NINC					

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03774  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 ~S4080  
 PERIOD: 01JAN90 TO 08JAN20

STI STATUS CHANGE							
STI NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW	
=====	=====	=====	=====	=====	=====	=====	
STI-PC9-338B	Y	18OCT04	INC	A1PXXUY413813	15OCT04 02:20	5145.2	AFHR
STI-PC9-339A	N	04AUG04	NINC				
STI-PC9-339A	N	01SEP04	INC	A1PXXUY411842	01SEP04 09:55	5091.5	AFHR
STI-PC9-339A	N	19OCT04	RINC	A1PXXUY413710	14OCT04 01:47	5145.2	AFHR
STI-PC9-339A	N	24JUN05	RINC	A1PXXUY505300	20JUN05 05:35	5295.2	AFHR
STI-PC9-339A	N	03NOV05	RINC	A1PXXUY511725	30OCT05 22:31	5445.0	AFHR
STI-PC9-339A	N	21JUL06	RINC	A1PXXUY517554	30APR06 23:56	5594.9	AFHR
STI-PC9-339A	N	14NOV06	RINC	A1PXXUY608398	14NOV06 04:42	5741.1	AFHR
STI-PC9-339A	N	04APR07	RINC	A1PXXUY613795	22MAR07 22:06	5892.2	AFHR
STI-PC9-339A	N	30JUL07	RINC	A1PXXUY704842	29JUL07 23:56	6042.2	AFHR
STI-PC9-339A	N	22MAY08	NINC				
STI-PC9-339A	Y	22MAY08	N/A				
STI-PC9-369B	N	02MAY05	NINC				
STI-PC9-369B	Y	04JUL05	INC	A1PXXUY508937	23JUN05 07:05	5295.2	AFHR
STI-PC9-427A	N	09JAN07	NINC				
STI-PC9-427A	Y	23JAN07	INC	A1PXXUY700114	23JAN07 03:54	5801.6	AFHR
STI-PC9-449A	N	31MAY07	NINC				
STI-PC9-449A	Y	11DEC07	INC	A1PXXUY707667	11DEC07 01:32	6101.4	AFHR
STI-PC9-556A	N	17SEP12 00:54	NINC				
STI-PC9-556A	Y	15OCT12 07:05	INC	A1PXXU1211848	15OCT12 07:04	7672.0	AFHR
STI-PC9-556B	N	17SEP12 00:54	NINC				
STI-PC9-556B	Y	15OCT12 07:06	INC	A1PXXU1211849	15OCT12 07:04	7672.0	AFHR



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03775  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

STI NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
STI-PC9-556C	N	17SEP12 00:54	NINC			
STI-PC9-556C	Y	15OCT12 07:07	INC	A1PXXU1211850	15OCT12 07:04	7672.0 AFHR
STI-PC9-674A	N	03AUG18 06:10	NINC			
STI-PC9-674A	Y	22OCT18 00:00	N/A			
STI-PC9-674B	N	03AUG18 06:10	NINC			
STI-PC9-674B	Y	22OCT18 03:36	INC	A1PXXU1809600	22OCT18 02:07	9205.7 AFHR
STI-PWAPT6A62-0005	Y	12SEP03	N/A			
STI-PWAPTA62-0005	N	01JUL03 00:00	NINC			
STI-PWAPTA62-0005	Y	12SEP03	N/A			

POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	CHANGE DETAILS	USER ID
27OCT03 05:32	SM	S18	DLD Changed From: 01JAN1975	XXxxXXxx
11NOV03 06:42	SM	S20	DLD Changed From: 01JAN1975	XXxxXXxx
03DEC03 06:41	SM	S37	DLD Changed From: 18JAN2001	XXxxXXxx
10DEC03 06:09	SM	R2	DLD Changed From: 12JUL1990	XXxxXXxx
25MAY04 00:41	STI	STI-PC9-0333	DLD Changed From: 12JUL1990	XXxxXXxx
21JUN04 02:20	SM	S26	DLD Changed From: 26APR1993	XXxxXXxx
10AUG04 01:43	SM	S54	DLD Changed From: 12JUL1990	XXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03776  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23-033  
PART NO : PC9 ~S4080  
ENGINEERING NAME : PC9 AIRCRAFT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MAINTENANCE POLICY HISTORY

POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	CHANGE DETAILS	USER ID
17AUG04 02:30	STI	STI-PC9-338B	DLD Changed From: 12JUL1990 To:	XXxxXXxx
09JUN05 01:02	SM	S56	DLD Changed From: 12JUL1990 To:	XXxxXXxx
16AUG05 02:31	STI	STI-PC9-0354	DLD Changed From: 16AUG2005 To:	XXxxXXxx
26OCT05 02:06	SM	S49	DLD Changed From: 12JUL1990 To:	XXxxXXxx
02JUL08 23:47	SM	S55	DLD Changed From: 12JUL1990 To:	XXxxXXxx
02JUL08 23:48	SM	S58	DLD Changed From: 12JUL1990 To:	XXxxXXxx
17JUN09 13:52	SM	S16	DLD Changed From: 13JAN2009 To:	XXxxXXxx
30JUL09 08:46	SM	S63	DLD Changed From: 11MAY2009 To:	XXxxXXxx
07JUN10 22:30	SM	S64	DLD Changed From: 12JUL1990 To:	XXxxXXxx
25MAR11 05:35	SM	S40	DLD Changed From: 25MAR2011 To:	XXxxXXxx
05DEC11 03:43	SM	R2	DLD Changed From: 05DEC2011 To:	XXxxXXxx
05DEC11 03:45	SM	R1	DLD Changed From: 05DEC2011 To:	XXxxXXxx
28MAY12 01:05	SM	S65	DLD Changed From: 12JUL1990 To:	XXxxXXxx
24APR13 01:58	SM	R1	Claimed	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03777  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MAINTENANCE POLICY HISTORY

POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	CHANGE DETAILS	USER ID
13MAY14 03:46	SM	R1	Claimed	
17OCT14 03:44	SM	S68	DLD Changed From: 12JUL1990 To:	XXxxXXxx
15JUL15 03:35	SM	S75	DLD Changed From: 12JUL1990 To:	XXxxXXxx
27JUL15 00:39	SM	R1	Claimed	
30SEP15 04:12	SM	S77	DLD Changed From: 12JUL1990 To:	XXxxXXxx
30SEP15 04:12	SM	S76	DLD Changed From: 12JUL1990 To:	XXxxXXxx
28OCT15 13:11	SM	S49	Claimed	
28OCT15 13:11	SM	S50	Claimed	
28OCT15 13:11	SM	S67	Claimed	
20MAY16 04:09	SM	R1	Claimed	
09MAY17 06:05	SM	S49	Claimed By Activity: S3 US/Job: ALPXXU1511992	Serial: A23-033 Part: PC9 ~S4080
09MAY17 06:05	SM	S50	Claimed By Activity: S3 US/Job: ALPXXU1511992	Serial: A23-033 Part: PC9 ~S4080
09MAY17 06:05	SM	S67	Claimed By Activity: S3 US/Job: ALPXXU1511992	Serial: A23-033 Part: PC9 ~S4080

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03778  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23-033  
 PART NO : PC9 ~S4080  
 ENGINEERING NAME : PC9 AIRCRAFT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MAINTENANCE POLICY HISTORY

POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	CHANGE DETAILS	USER ID
07JUN17 23:21	SM	S49	Claimed By Activity: S3 US/Job: A1PXXU1706175	Serial: A23-033 Part: PC9 ~S4080
07JUN17 23:21	SM	S50	Claimed By Activity: S3 US/Job: A1PXXU1706175	Serial: A23-033 Part: PC9 ~S4080
07JUN17 23:21	SM	S67	Claimed By Activity: S3 US/Job: A1PXXU1706175	Serial: A23-033 Part: PC9 ~S4080
08JUN17 05:12	SM	S49	Claimed By Activity: S3 US/Job: A1PXXU1707627	Serial: A23-033 Part: PC9 ~S4080
08JUN17 05:12	SM	S50	Claimed By Activity: S3 US/Job: A1PXXU1707627	Serial: A23-033 Part: PC9 ~S4080
08JUN17 05:12	SM	S67	Claimed By Activity: S3 US/Job: A1PXXU1707627	Serial: A23-033 Part: PC9 ~S4080
09JUN17 01:50	SM	R1	Claimed By Activity: R2 US/Job: A1PXXU1606090	Serial: A23-033 Part: PC9 ~S4080
23AUG18 06:29	SM	R1	Claimed By Activity: R2 US/Job: A1PXXU1707725	Serial: A23-033 Part: PC9 ~S4080
09JUL19 22:45	SM	R1	Claimed By Activity: R2 US/Job: A1PXXU1810531	Serial: A23-033 Part: PC9 ~S4080

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23033LHU LITERAL SERIAL NO : FS 533 PERIOD: 01JAN90 TO 08JAN20  
PART NO : SBI-42B ~Z5514  
ENGINEERING NAME : OS GUIDE PIN HOLE  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 9545.2 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION		DATE UNPACKED		
08NOV12 05:00	A23033LHU	SBI-42A	~Z5514	A23T	00
aip04023	AIP	A23-033		ALUKM00AA	
K. ARUMUGAM		08MAR90		A1PXXR1201661	

0.0 AFHR

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03780  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23033LHU LITERAL SERIAL NO : FS 533 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : SBI-42B ~Z5514  
 ENGINEERING NAME : OS GUIDE PIN HOLE  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
LIFE SINCE NEW		TRANS REFERENCE			
08MAR90 12:00	Asset Installation	0.5	A23T A23033UL	ALUKM00AA A23-033	00 A23T ALUKM00AA 00AC XXXXXXXX
	546.8 AFHR Change Serviceability Stat	0.5	SERV S/I		
08NOV12 05:00	Reception History Record	0.0	Reception A23-033	MCS	XXXXXXXX
08NOV12 05:01	Maintenance Comment	0.0	LIF AFHR	CHANGED - OLD VALUE= 546.8	NEW VALUE= 7672.0 XXXXXXXX
08NOV12 05:02	Maintenance Comment	0.0	NEW NDT POLICY ADDED-RECURRING DELETED	AUTH:MPAN 27/2012	XXXXXXXX
26MAR13 03:27	Change Part Number of an A	8419.1	A1PXXX1211770		XXXXXXXX
	7672.0 AFHR		SBI-42A ~Z5514 SBI-42B ~Z5514		
26MAR13 03:31	Maintenance Comment	0.0	A1PXXX1303066		XXXXXXXX
	Position Change	8418.6	STI-0558 C/O. HOLE=12.77MM NEW ALC=01, NEW NDT=734AFHR		
	7672.0 AFHR		A23T ALUKM00AA 00 A23T ALUKM00AA 01		
26MAR13 05:19	Maintenance Comment	0.0	A1PXXX1303068		XXXXXXXX
	Position Change	8418.7	REF: A1PXXU1214257,LSN: AIP MCS 1102/12-50-6 & NDI=135/13		
	7672.0 AFHR		A23T ALUKM00AA 01 A23T ALUKM00AA 01		
21MAY15 01:08	Maintenance Comment	0.0	A1PXXX1303081		XXXXXXXX
	Change Serviceability Stat	55.6	REF: A1PXXU1214267. 528030-3-1#5 & NDI# 146/13		
	8270.7 AFHR		S/I US/I		
21MAY15 03:15	Change Serviceability Stat	0.0	A1PXXJ1217199		XXXXXXXX
	8270.7 AFHR		S/I		XXXXXXXX
03APR17 03:18	Change Serviceability Stat	128.9	S/I US/I		
	8914.8 AFHR		A1PXXJ1507856		XXXXXXXX

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23033LHU LITERAL SERIAL NO : FS 533 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : SBI-42B ~Z5514  
 ENGINEERING NAME : OS GUIDE PIN HOLE  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
07JUN17 06:23	Position Change	9952.7	A23T A1UKM00AA 01 A23T A1UKM00AA 01 A1PXXX1709044	XXxxXXxx
08JUN17 05:10	Maintenance Comment Change Serviceability Stat	0.0 66.0	POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE US/I S/I	XXxxXXxx

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJ1217199	C COMPLETED	21MAY15 03:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
07 SCHED PERFORMANCE MONITOR		21MAY15 03:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	8270.7	AFHR

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments:  
 NDT CARRIED OUT IAW AAP 7212.007-3 AAP SUPP 167. NIL CRACKS OR CORROSION EVIDENT. MAX HOLE DIAMETER 9.78MM. REFER TO NDT REPORT AIP/NDT/A23-033/011.

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT	734.0	AFHR	598.7		
SM	NDT	734.0	AFHR	598.7		

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23033LHU LITERAL SERIAL NO : FS 533 PERIOD: 01JAN90 TO 08JAN20  
PART NO : SBI-42B ~Z5514  
ENGINEERING NAME : OS GUIDE PIN HOLE  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJ1507856	C COMPLETED	08JUN17 05:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	08JUN17 05:10	03APR17 03:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	8914.8	AFHR
07 SCHED PERFORMANCE MONITOR				NDT	due on Serial A23033LHU		
				OS GUIDE PIN HOLE	at WAC 0730		
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		NDT CO REF AIP MCS 1036/16-11-5	NIL DAMAGE		

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
=====	=====	=====	=====	=====	=====	=====
SM	NDT	734.0	AFHR	644.1		
SM	NDT	734.0	AFHR	644.1		



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

SERIAL/TAIL NO : A23033LHU      LITERAL SERIAL NO : FS 533      PERIOD: 01JAN90 TO 08JAN20  
PART NO : SBI-42B      ~Z5514  
ENGINEERING NAME : OS GUIDE PIN HOLE  
VENUE : A23DISP      LOCATION : A23-033

MAINTENANCE POLICY HISTORY -----

POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	USER ID
26MAR13 03:34	SM	NDT	XXxxXXxx
	DLD Changed From: 08MAR1990		To:

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23033SS1 LITERAL SERIAL NO : FS 533 PERIOD: 01JAN90 TO 08JAN20  
PART NO : SSI 53053 ~S4080  
ENGINEERING NAME : LONGERONS UPPER  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 9545.2 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		

08NOV12 04:55	A23033SS1	SSI 53053	~S4080	A23T	ALUKM	00
aip04023	AIP	A23-033			A1PXXR1201659	
K. ARUMUGAM		08MAR90				

0.0 AFHR

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23033SS1 LITERAL SERIAL NO : FS 533 PERIOD: 01JAN90 TO 08JAN20  
PART NO : SSI 53053 ~S4080  
ENGINEERING NAME : LONGERONS UPPER  
VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
08MAR90 12:00	Asset Installation	0.5	A23T	A1UKM	A23-033	A23T A1UKM 00AC
	546.8 AFHR		533			XXXXXXxx
	Change Serviceability Stat	0.5	SERV			
08NOV12 04:55	Reception History Record	0.0	S/I		MCS	
	0.0 AFHR		Reception			XXXXXXxx
08NOV12 04:56	Maintenance Comment	0.0	A23-033			VALUE= 7672.0
	546.8 AFHR		LIF AFHR	CHANGED - OLD VALUE=	546.8	NEW VALUE= 7672.0
						XXXXXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23033UL LITERAL SERIAL NO : FS 533 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 553.10.09.083 ~S4080  
ENGINEERING NAME : LEFT UPPER LONGERON  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 9545.2 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
08NOV12 04:58	A23033UL	553.10.09.083	~S4080	A23T	00
aip04023	AIP	A23-033		ALUKM00	
K. ARUMUGAM		08MAR90		A1PXXR1201660	
	0.0 AFHR				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23033UL LITERAL SERIAL NO : FS 533 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 553.10.09.083 ~S4080  
ENGINEERING NAME : LEFT UPPER LONGERON  
VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
08MAR90 12:00	Asset Installation	0.5	A23T	A1UKM00	00	A23T A1UKM00 00AC
	546.8 AFHR		A23033SS1	A23-033		XXXXXXxx
	Change Serviceability Stat	0.5	SERV			
08NOV12 04:58	Reception History Record	0.0	S/I			
	0.0 AFHR		Reception	MCS		
	546.8 AFHR		A23-033			XXXXXXxx
08NOV12 04:59	Maintenance Comment	0.0	LIF AFHR	CHANGED - OLD VALUE=	546.8	NEW VALUE= 7672.0
						XXXXXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

SERIAL/TAIL NO : A23034                      LITERAL SERIAL NO : A23-034                      PERIOD: 01JAN90 TO 08JAN20  
PART NO : 571.10.09.054                      ~S4080  
ENGINEERING NAME : ENGINE COWL 1  
VENUE : A23DISP                      LOCATION : A23-033  
CURRENT CONDITION : S/I                      LIFE SINCE NEW : 9509.5 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
14FEB17 01:07	A23034	571.10.09.054	~S4080	A04	00
aip04023	AIP	HOLD	A23T	A1PXXR1700323	
K. ARUMUGAM		26JUL90			
	8564.9 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

CAMM2  
 ASSET HISTORY

SERIAL/TAIL NO : A23034 LITERAL SERIAL NO : A23-034 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 571.10.09.054 ~S4080  
 ENGINEERING NAME : ENGINE COWL 1  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
14FEB17 01:07	Reception History Record	0.0	Reception HOLD MCS	
27FEB17 06:06	Asset Installation	9713.2	A23T A04 A23-034 00	XXXXXXxx
	Change Serviceability Stat	13.2	SERV S/I HOLD A23-034 A23T A04 00AC	XXXXXXxx
12APR17 03:25	Asset Removal	43.8	A23-034 A23T A04 00	A23T A04 00A
	Change Serviceability Stat	15.1	S/I U/S A23-034 OPMH U/S SERV	XXXXXXxx
12APR17 03:25	Change Serviceability Stat	0.0		
20APR17 02:01	Asset Installation	7.9	A23T A04 A23-034 00	XXXXXXxx
	Change Serviceability Stat	7.9	SERV S/I OPMH A23-034 A23T A04 00AC	XXXXXXxx
05MAY17 03:18	Asset Removal	15.0	A23-034 A23T A04 00	A23T A04 00A
	Change Serviceability Stat	7.0	S/I U/S A23-034 OPMH	XXXXXXxx
	Change Location of an Asse	15.0		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03790  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23034 LITERAL SERIAL NO : A23-034 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 571.10.09.054 ~S4080  
 ENGINEERING NAME : ENGINE COWL 1  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
05MAY17 03:18	Change Serviceability Stat		0.0	U/S SERV	
10MAY17 09:22	Asset Installation	8582.4 AFHR	5.2	A23T A23-034 A04	00 A23T A04 00AC XXXXXXxx
	Change Serviceability Stat	8582.4 AFHR	5.2	SERV S/I OPMH A23-034	XXXXXXxx
	Change Location of an Asse		5.2		
14JUL17 06:44	Asset Removal		64.8	A23-034 A23T A04	00 A23T A04 00A XXXXXXxx
	Change Serviceability Stat	8729.9 AFHR	0.2	S/I U/S A23-034	
	Change Location of an Asse		64.8	OPMH U/S SERV	
14JUL17 06:45	Change Serviceability Stat		0.0		XXXXXXxx
18JUL17 06:04	Asset Installation	8729.9 AFHR	3.9	A23T A23-034 A04	00 A23T A04 00AC XXXXXXxx
	Change Serviceability Stat	8729.9 AFHR	3.9	SERV S/I OPMH A23-034	XXXXXXxx
	Change Location of an Asse		3.9		
25OCT17 04:31	Asset Removal		98.9	A23-034 A23T A04	00 A23T A04 00A XXXXXXxx
	Change Serviceability Stat	8894.3 AFHR	1.1	S/I U/S A23-034	
	Change Location of an Asse		98.9	HG122	



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : A23034 LITERAL SERIAL NO : A23-034 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 571.10.09.054 ~S4080  
 ENGINEERING NAME : ENGINE COWL 1  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN (DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
25OCT17 04:34	Change Serviceability Stat		0.0	U/S SERV	
17NOV17 02:19	Asset Installation	8894.3 AFHR	22.9	A23T A23-034 A04 A23-034	00 A23T A04 00AC
	Change Serviceability Stat	8894.3 AFHR	22.9	SERV S/I HG122 A23-034	XXxxXXxx
	Change Location of an Asse		22.9	A23-034	
04JUL18 06:46	Asset Removal		229.1	A23-034 A23T A04	00 A23T A04 00A
	Change Serviceability Stat	9037.9 AFHR	83.8	S/I U/S A23-034	XXxxXXxx
	Change Location of an Asse		229.1	OPMH U/S SERV	
04JUL18 06:47	Change Serviceability Stat		0.0		
26JUL18 01:58	Asset Installation	9037.9 AFHR	21.8	A23T A23-033 A04 A23-033	00 A23T A04 00AC
	Change Serviceability Stat	9037.9 AFHR	21.7	SERV S/I OPMH A23-033	XXxxXXxx
	Change Location of an Asse		21.8	A23-033	
11DEC18 01:37	Asset Removal		137.9	A23-033 A23T A04	00 A23T A04 00A
	Change Serviceability Stat	9202.9 AFHR	40.4	S/I U/S A23-033	XXxxXXxx
	Change Location of an Asse		137.9	OPMH	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03792  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23034 LITERAL SERIAL NO : A23-034 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 571.10.09.054 ~S4080  
 ENGINEERING NAME : ENGINE COWL 1  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
11DEC18 01:39	Change Serviceability Stat		0.0	U/S SERV	
19DEC18 05:19	Asset Installation	9202.9 AFHR	8.1	A23T A04 A23-033	00 XXxxXXxx
	Change Serviceability Stat	9202.9 AFHR	8.1	SERV S/I OPMH A23-033	A23T A04 00AC XXxxXXxx
	Change Location of an Asse		8.1		
11FEB19 09:16	Asset Removal		54.1	A23-033 A23T A04	00 A23T A04 00A
	Change Serviceability Stat	9243.1 AFHR	0.0	S/I U/S A23-033	00 XXxxXXxx
	Change Location of an Asse		54.1		
11FEB19 09:17	Change Serviceability Stat		0.0	MCS U/S SERV	
11FEB19 09:19	Asset Installation	9243.1 AFHR	0.0	A23T A04 A23-033	00 XXxxXXxx
	Change Serviceability Stat	9243.1 AFHR	0.0	SERV S/I MCS A23-033	A23T A04 00AC XXxxXXxx
	Change Location of an Asse		0.0		
13FEB19 10:44	Asset Removal		2.0	A23-033 A23T A04	00 A23T A04 00A
	Change Serviceability Stat	9250.3 AFHR	0.1	S/I U/S A23-033	00 XXxxXXxx
	Change Location of an Asse		2.0	OPMH	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

CAMM2  
 ASSET HISTORY

SERIAL/TAIL NO : A23034 LITERAL SERIAL NO : A23-034 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 571.10.09.054 ~S4080  
 ENGINEERING NAME : ENGINE COWL 1  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
13FEB19 10:46	Change Serviceability Stat	0.0	U/S SERV	
14FEB19 13:01	Asset Installation	1.0	A23T A04 A23-033	00 XXxxXXxx
	Change Serviceability Stat	1.0	SERV S/I OPMH A23-033	A23T A04 00AC XXxxXXxx
	Change Location of an Asse	1.0		
05MAR19 02:22	Asset Removal	18.5	A23-033 A23T A04	00 A23T A04 00A
	Change Serviceability Stat	4.8	S/I U/S A23-033	00 XXxxXXxx
	Change Location of an Asse	18.5		
05MAR19 02:23	Change Serviceability Stat	0.0	OPMH U/S SERV	
05MAR19 22:05	Asset Installation	0.8	A23T A04 A23-033	00 XXxxXXxx
	Change Serviceability Stat	0.8	SERV S/I OPMH A23-033	A23T A04 00AC XXxxXXxx
	Change Location of an Asse	0.8		
19SEP19 23:15	Asset Removal	198.0	A23-033 A23T A04	00 A23T A04 00A
	Change Serviceability Stat	1.6	S/I U/S A23-033	00 XXxxXXxx
	Change Location of an Asse	198.0	INTMH	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03794  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23034 LITERAL SERIAL NO : A23-034 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 571.10.09.054 ~S4080  
 ENGINEERING NAME : ENGINE COWL 1  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
19SEP19 23:16	Change Serviceability Stat	0.0	U/S SERV	
	9463.2 AFHR			XXxxXXxx
10OCT19 23:13	Asset Installation	20.9	A23T A04 A23-033 00	
	9463.2 AFHR			XXxxXXxx
	Change Serviceability Stat	20.9	SERV S/I	
	Change Location of an Asse	20.9	INTMH A23-033	

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJ1707651	C COMPLETED	12APR17 03:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	12APR17 03:25	12APR17 03:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	8579.4	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		ENGINE COWL 1 AND 2 REMOVED FOR QA ACCESS			
01	NO FAULT	04 CHECK/TEST SERV		Unserviceability Details: Maintenance Comments: CHECK/TEST SERV			
A1PXXJ1709056	C COMPLETED	05MAY17 03:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	05MAY17 03:18	05MAY17 03:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	8582.4	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		ENG COWL 1 AND BUTTERFLY COWLS LH AND RH REMOVED FOR ACCESS			
01	NO FAULT	04 CHECK/TEST SERV		Unserviceability Details: Maintenance Comments: CHECK/TEST SERV			
A1PXXJ1713751	C COMPLETED	14JUL17 06:44	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	14JUL17 06:45	14JUL17 06:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	8729.9	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		ENG COWL 1 RFA			
01	NO FAULT	04 CHECK/TEST SERV		Unserviceability Details: Maintenance Comments: CHECK/TEST SERV			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23034 LITERAL SERIAL NO : A23-034 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 571.10.09.054 ~S4080  
ENGINEERING NAME : ENGINE COWL 1  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJ1720042	C COMPLETED	25OCT17 04:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	25OCT17 04:34	25OCT17 04:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		8894.3	AFHR
13 REMOVED FOR ACCESS	99 NO FAILURE			R2 due on Serial A23-034			
				PC-9 at WAC 0000			
01 NO FAULT	04 CHECK/TEST SERV						
				Unserviceability Details:			
				Maintenance Comments:	RFA		

A1PXXJ1810909	C COMPLETED	04JUL18 06:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	04JUL18 06:47	04JUL18 06:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		9037.9	AFHR
13 REMOVED FOR ACCESS	99 NO FAILURE			ENGINE COWL 1 AND 2 REMOVED FOR ACCESS			
01 NO FAULT	04 CHECK/TEST SERV						
				Unserviceability Details:			
				Maintenance Comments:	CHECK/TEST SERV		

A1PXXJ1821304	C COMPLETED	11DEC18 01:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	11DEC18 01:39	11DEC18 01:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		9202.9	AFHR
13 REMOVED FOR ACCESS	99 NO FAILURE			ENG COWLS 1 & 2 REMOVED FOR R1 SERV ACCESS			
01 NO FAULT	04 CHECK/TEST SERV						
				Unserviceability Details:			
				Maintenance Comments:	CHECK/TEST SERV		

A1PXXJ1902310	C COMPLETED	11FEB19 09:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	11FEB19 09:17	11FEB19 09:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		9243.1	AFHR
13 REMOVED FOR ACCESS	99 NO FAILURE			CAMM2 DOWN ; ENG COWL 1 AND 2 RFA			
01 NO FAULT	04 CHECK/TEST SERV						
				Unserviceability Details:			
				Maintenance Comments:	CHECK/TEST SERV		

A1PXXJ1902467	C COMPLETED	13FEB19 10:44	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	13FEB19 10:46	13FEB19 10:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		9250.3	AFHR
13 REMOVED FOR ACCESS	99 NO FAILURE			SUSPECT HYD LEAK AT NLG ACTUATOR.			
01 NO FAULT	04 CHECK/TEST SERV						
				Unserviceability Details:			
				Maintenance Comments:	CHECK/TEST SERV		

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23034 LITERAL SERIAL NO : A23-034 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 571.10.09.054 ~S4080  
ENGINEERING NAME : ENGINE COWL 1  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

A1PXXJ1903462	C COMPLETED	05MAR19 02:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	05MAR19 02:23	05MAR19 02:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	9270.2	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		PROP ASSY R.F.A FOR O/H			

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

A1PXXJ1914449	C COMPLETED	19SEP19 23:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	19SEP19 23:16	19SEP19 23:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	9463.2	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		R1 due on Serial A23-033 PC-9 at WAC 0000			

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

SERIAL/TAIL NO : A23056 LITERAL SERIAL NO : A23-056 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 571.10.09.028 ~S4080  
ENGINEERING NAME : BUTTERFLY COWL RH  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 10040.2 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
14FEB17 02:56	A23056	571.10.09.028	~S4080	A0A	00
aip04023	AIP	HOLD	A23T	A1PXXR1700347	
K. ARUMUGAM		30OCT91			
	9220.4 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03798  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23056 LITERAL SERIAL NO : A23-056 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 571.10.09.028 ~S4080  
 ENGINEERING NAME : BUTTERFLY COWL RH  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW						
14FEB17 02:56	Reception History Record	0.0	Reception			
	9220.4 AFHR		HOLD	MCS		XXXXXXxx
20FEB17 22:32	Asset Installation	9245.9	A23T	A0A	00	
	9220.4 AFHR		A23-056	A23-056		A23T A0A 00AC
	Change Serviceability Stat	6.9	SERV			XXXXXXxx
	Change Location of an Asse	6.9	S/I			
			HOLD			
01MAR17 06:32	Asset Removal	8.3	A23-056	A23-056	00	A23T A0A 00A
	9220.4 AFHR		A23-056			
	Change Serviceability Stat	8.3	A23T	A0A	00	XXXXXXxx
	Change Location of an Asse	8.3	S/I			
			U/S			
01MAR17 06:32	Change Serviceability Stat	0.0	A23-056			
	9220.4 AFHR		HG121			
	Change Location of an Asse	0.0	U/S			
			SERV			XXXXXXxx
01MAR17 06:37	Asset Installation	0.0	A23T	A0A	00	
	9220.4 AFHR		A23-056	A23-056		A23T A0A 00AC
	Change Serviceability Stat	0.0	SERV			XXXXXXxx
	Change Location of an Asse	0.0	S/I			
			HG121			
19APR17 02:10	Asset Removal	48.8	A23-056	A23-056	00	A23T A0A 00A
	9220.4 AFHR		A23-056			
	Change Serviceability Stat	48.8	A23T	A0A	00	XXXXXXxx
	Change Location of an Asse	48.8	S/I			
			U/S			
			A23-056			
			INTMH			



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03799  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A23056 LITERAL SERIAL NO : A23-056 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 571.10.09.028 ~S4080  
 ENGINEERING NAME : BUTTERFLY COWL RH  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
19APR17 02:11	Change Serviceability Stat	0.0	U/S SERV	
	9220.4 AFHR			XXxxXXxx
20APR17 23:30	Change Serviceability Stat	1.8	SERV U/S	
	9220.4 AFHR			XXxxXXxx
18MAY17 02:29	Change Serviceability Stat	27.1	U/S SERV	
	9220.4 AFHR			XXxxXXxx
24MAY17 22:43	Asset Installation	35.8	A23T A23-056 A0A	00 A23T A0A 00AC
	9220.4 AFHR			XXxxXXxx
	Change Serviceability Stat	6.8	SERV S/I	
	Change Location of an Asse	35.8	INTMH A23-056	
14MAY18 03:04	Asset Removal	354.1	A23-056 A23T A0A	00 A23T A0A 00A
	9521.1 AFHR			XXxxXXxx
	Change Serviceability Stat	4.8	S/I U/S	
	Change Location of an Asse	354.1	A23-056 HG122	
14MAY18 03:05	Change Serviceability Stat	0.0	U/S SERV	
	9521.1 AFHR			XXxxXXxx
07JUN18 02:46	Asset Installation	23.9	A23T A23-056 A0A	00 A23T A0A 00AC
	9521.1 AFHR			XXxxXXxx
	Change Serviceability Stat	23.9	SERV S/I	
	Change Location of an Asse	23.9	HG122 A23-056	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

CAMM2  
 ASSET HISTORY

SERIAL/TAIL NO : A23056 LITERAL SERIAL NO : A23-056 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 571.10.09.028 ~S4080  
 ENGINEERING NAME : BUTTERFLY COWL RH  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
10APR19 02:21	Asset Removal	306.9	A23-056 A23T AOA	A23T AOA 00A
	9850.0 AFHR			XXXXXXxx
	Change Serviceability Stat	41.9	S/I U/S	
	Change Location of an Asse	0.7	A23-056 HOLD	
10APR19 02:22	Change Serviceability Stat	0.0	U/S SERV	
	9850.0 AFHR			XXXXXXxx
10APR19 02:36	Change Venue of an Asset	0.7	A23DISP AIP	
	9850.0 AFHR		A23DSX1900033	XXXXXXxx
	Change Location of an Asse	0.0	HOLD HG121	
10APR19 03:08	Asset Installation	0.0	A23T A23-033 AOA	A23T AOA 00AC
	9850.0 AFHR			XXXXXXxx
	Change Serviceability Stat	0.0	SERV S/I	
	Change Location of an Asse	0.0	HG121 A23-033	
24SEP19 05:44	Asset Removal	167.1	A23-033 A23T AOA	A23T AOA 00A
	9993.9 AFHR			XXXXXXxx
	Change Serviceability Stat	5.9	S/I U/S	
	Change Location of an Asse	167.1	A23-033 INTMH	
02OCT19 00:43	Change Serviceability Stat	7.7	U/S SERV	
	9993.9 AFHR			XXXXXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03801  
08JAN20  
23:16:15

SERIAL/TAIL NO : A23056 LITERAL SERIAL NO : A23-056 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 571.10.09.028 ~S4080  
ENGINEERING NAME : BUTTERFLY COWL RH  
VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
02OCT19 00:44	Asset Installation	7.7	A23T	A0A	00	
			A23-033		A23-033	A23T A0A 00AC
	9993.9 AFHR					XXXXXXXXXX
	Change Serviceability Stat	0.0	SERV			
	Change Location of an Asse	7.7	S/I			
			INTMH			
			A23-033			

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			
A1PXXJ1704753	C COMPLETED	01MAR17 06:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	01MAR17 06:32	01MAR17 06:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	9220.4	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE		ENGINE COWL 2 RFA			
01 NO FAULT		04 CHECK/TEST SERV		aip04023 01MAR17 06:17:15			
				ENG COWL 1, BUTERFLY COWL LH AND RH REMOVED DURING R2 ACCESS. TO BE FITTED AFTER POST MPAN POLICY UPDATE			
		Unserviceability Details:		CHECK/TEST SERV			
		Maintenance Comments:					
A1PXXJ1707902	C COMPLETED	19APR17 02:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	19APR17 02:11	19APR17 02:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	9220.4	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE		R2 due on Serial A23-056 PC-9 at WAC 0000			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:		CHECK/TEST SERV			
		Maintenance Comments:					
A1PXXJ1807923	C COMPLETED	14MAY18 03:04	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	14MAY18 03:05	14MAY18 03:04	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	9521.1	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE		R2 due on Serial A23-056 PC-9 at WAC 0000			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:		CHECK/TEST SERV			
		Maintenance Comments:					

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : A23056 LITERAL SERIAL NO : A23-056 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 571.10.09.028 ~S4080  
ENGINEERING NAME : BUTTERFLY COWL RH  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

```

=====
A23DSJ1900010  C  COMPLETED      10APR19  02:21  XXxxXXxx  XXxxXXxxXXxxXXxxXXxx  A23DISP      A23DISP
                10APR19  02:22      10APR19  02:21  XXxxXXxx  XXxxXXxxXXxxXXxxXXxx  A23DISP      9850.0  AFHR
13 REMOVED FOR ACCESS          99 NO FAILURE          LH & RH BUTTERFLY COWLS REMOVED FOR ACCESS

```

```

01 NO FAULT          04 CHECK/TEST SERV
                    Unserviceability Details:
                    Maintenance Comments:  CHECK/TEST SERV

```

```

A1PXXJ1914546  C  COMPLETED      24SEP19  05:44  XXxxXXxx  XXxxXXxxXXxxXXxxXXxx  AIP          AIP
                02OCT19  00:43      24SEP19  05:45  XXxxXXxx  XXxxXXxxXXxxXXxxXXxx  AIP          9993.9  AFHR
01 UNSERVICEABLE          08 R1 SERVICING          R1          due on Serial A23-033
                13 CORRODED          PC-9          at WAC 0000
08 DAMAGE          02 REPAIR

```

```

                    Unserviceability Details:  CORROSION ON R/H ANGLE CHANNEL REAR.
                    Maintenance Comments:  ANGLE SECTION REPLACED IAW AAP 7212.007-3.CHAP 51 AND 54 ,REF
                                           AIP MCS 860-1/19-8-2.

```

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03803  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A2311  
 PART NO : D5210 ~24692  
 ENGINEERING NAME : SPINNER ASSY  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 7712.9 ENHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
30AUG03	05:38	Maintenance Comment		0.0 ENHR	0.8	31Oct02	GG175	00.10 3020.4	0.0 AFHR 13-REMACCES HE23255 XXXXXXxx
30AUG03	05:39	Maintenance Comment		0.0 ENHR	0.8	19Apr00	GG175	01.10 2479.4	0.0 ENHR IN AS A23T 1650-02-00-H XXXXXXxx
30AUG03	05:40	Maintenance Comment		0.0 ENHR	0.8	19Apr00	AIEEN	FF: 01-NIL	MA: 04-CHK/TST XXXXXXxx
30AUG03	05:40	Maintenance Comment		0.0 ENHR	0.8	08Sep00	GG175	01.10 2600.6	0.0 AFHR 13-REMACCES HD07503 XXXXXXxx
30AUG03	05:40	Maintenance Comment		0.0 ENHR	0.8	31Oct02	ARDACPC9	FF: 01-NIL	MA: 04-CHK/TST XXXXXXxx
30AUG03	05:40	Maintenance Comment		0.0 ENHR	0.8	31Oct02	GG188	01.10 3020.4	0.0 AFHR IN AS A23T 1650-02-00-H XXXXXXxx
30AUG03	05:40	Maintenance Comment		0.0 ENHR	0.8	01Oct87	NEW - A2311	D5210	1650-02-00-H XXXXXXxx
30AUG03	05:41	Maintenance Comment		0.0 ENHR	0.8	08Sep00	ARDACPC9	FF: 01-NIL	MA: 04-CHK/TST XXXXXXxx
30AUG03	05:46	Maintenance Comment		0.0 ENHR	0.8	29Aug03	GG188	01.10 3126.8 AFHR	TX TO CAMM2 XXXXXXxx
30AUG03	05:46	Maintenance Comment		0.0 ENHR	0.8	19Apr00	GG139	00.10 2479.4	0.0 ENHR 13-REMACCES RW04055 XXXXXXxx
30AUG03	05:46	Maintenance Comment		0.0 ENHR	0.8	19Sep00	GG175	01.10 2600.6	0.0 AFHR IN AS A23T 1650-02-00-H XXXXXXxx
30AUG03	05:47	Maintenance Comment		0.0 ENHR	0.8	24Mar99	GG139	01.10 2299.0	0.0 ENHR IN AS A23T 1650-02-00-H XXXXXXxx
28JUL05	22:49	Asset Removal			699.6	GG188		A23-011	A23T A00AI 00A XXXXXXxx
		Change Serviceability Stat		3461.4 ENHR	6.7	S/I			
		Change Location of an Asse			4.0	U/S			
						A23-011			
28JUL05	22:50	Change Serviceability Stat			0.0	ENGINE		RSERV	
				3461.4 ENHR		U/S			XXXXXXxx
						SERV			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03804  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A2311  
 PART NO : D5210 ~24692  
 ENGINEERING NAME : SPINNER ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
02AUG05 06:16	Asset Installation	4.3	A23T A00AI GG437 A23-011	00 A23T A00AI 00AC XXXXXXXX
	3461.4 ENHR Change Serviceability Stat	4.3	SERV S/I	
	Change Location of an Asse	4.3	ENGINE A23-011 RSERV	
16MAR08 23:15	Asset Removal	957.7	GG437 A23-011 A23T A00AI	00 A23T A00AI 00A XXXXXXXX
	4072.2 ENHR Change Serviceability Stat	4.9	S/I U/S	
	Change Location of an Asse	96.9	A23-011 INTMH U/S SERV	
16MAR08 23:15	Change Serviceability Stat	0.0		XXXXXXXX
19MAR08 21:20	Asset Installation	2.9	A23T A00AI GG437 A23-011	00 A23T A00AI 00AC XXXXXXXX
	4072.2 ENHR Change Serviceability Stat	2.9	SERV S/I	
	Change Location of an Asse	2.9	INTMH A23-011	
28APR08 05:42	Asset Removal	39.3	GG437 A23-011 A23T A00AI	00 A23T A00AI 00A XXXXXXXX
	4082.0 ENHR Change Serviceability Stat	0.1	S/I U/S	
	Change Location of an Asse	39.3	A23-011 HG122 U/S SERV	
28APR08 05:45	Change Serviceability Stat	0.0		XXXXXXXX
	4082.0 ENHR			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03805  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A2311  
 PART NO : D5210 ~24692  
 ENGINEERING NAME : SPINNER ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
12NOV08 02:01	Asset Installation		197.8	A23T A00AI GG437 A23-011	00 A23T A00AI 00AC XXXXXXXX
	4082.0 ENHR Change Serviceability Stat		197.8	SERV S/I	
	Change Location of an Asse		197.8	HG122 A23-011	
01AUG10 23:28	Asset Removal		627.8	GG437 A23-011 A23T A00AI	00 A23T A00AI 00A XXXXXXXX
	4816.8 ENHR Change Serviceability Stat		2.9	S/I U/S	
	Change Location of an Asse		89.4	A23-011 INTMH	
01AUG10 23:28	Change Serviceability Stat		0.0	U/S SERV	XXXXXXXX
04AUG10 01:53	Asset Installation		2.1	A23T A00AI GG437 A23-011	00 A23T A00AI 00AC XXXXXXXX
	4816.8 ENHR Change Serviceability Stat		2.1	SERV S/I	
	Change Location of an Asse		2.1	INTMH A23-011	
02NOV10 23:23	Asset Removal		90.8	GG437 A23T A00AI	00 A23T A00AI 00M XXXXXXXX
	4816.8 ENHR Change Serviceability Stat		90.8	S/I U/S	
02NOV10 23:24	Change Serviceability Stat		0.0	U/S SERV	XXXXXXXX
	4816.8 ENHR				XXXXXXXX

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03806  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A2311  
 PART NO : D5210 ~24692  
 ENGINEERING NAME : SPINNER ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
02NOV10 23:40	Asset Installation	0.0	A23T A00AI GG569 A23-011	00 A23T A00AI 00AC XXXXXXXX
	4816.8 ENHR Change Serviceability Stat	0.0	SERV	
	Change Location of an Asse	0.7	S/I INTMH A23-011	
30NOV11 23:17	Asset Removal	392.9	GG569 A23-011 A23T A00AI	00 A23T A00AI 00A XXXXXXXX
	5094.9 ENHR Change Serviceability Stat	6.7	S/I	
	Change Location of an Asse	392.9	U/S A23-011	
30NOV11 23:17	Change Serviceability Stat	0.0	INTMH U/S SERV	XXXXXXXX
12JAN12 05:56	Asset Installation	42.2	A23T A00AI GG569 A23-011	00 A23T A00AI 00AC XXXXXXXX
	5094.9 ENHR Change Serviceability Stat	42.2	SERV	
	Change Location of an Asse	42.2	S/I INTMH A23-011	
11JUL12 05:24	Asset Removal	180.9	GG569 A23-011 A23T A00AI	00 A23T A00AI 00A XXXXXXXX
	5392.8 ENHR Change Serviceability Stat	12.9	S/I	
	Change Location of an Asse	180.9	U/S A23-011	
11JUL12 05:24	Change Serviceability Stat	0.0	INTMH U/S SERV	XXXXXXXX
	5392.8 ENHR			



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03807  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A2311  
 PART NO : D5210 ~24692  
 ENGINEERING NAME : SPINNER ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
12JUL12 09:47	Asset Installation	1.1	A23T A00AI GG569 A23-011	00 A23T A00AI 00AC XXxxXXxx
	5392.8 ENHR Change Serviceability Stat	1.1	SERV S/I INTMH A23-011	
	Change Location of an Asse	1.1	INTMH A23-011	
01MAY13 03:51	Asset Removal	292.7	GG569 A23T A00AI A23-011	00 A23T A00AI 00A XXxxXXxx
	5692.8 ENHR Change Serviceability Stat	6.8	S/I U/S A23-011	
	Change Location of an Asse	198.0	INTMH U/S SERV	
01MAY13 03:52	Change Serviceability Stat	0.0	INTMH U/S SERV	XXxxXXxx
03MAY13 03:40	Asset Installation	1.9	A23T A00AI GG569 A23-011	00 A23T A00AI 00AC XXxxXXxx
	5692.8 ENHR Change Serviceability Stat	1.9	SERV S/I INTMH A23-011	
	Change Location of an Asse	1.9	INTMH A23-011	
09APR14 22:31	Asset Removal	341.7	GG569 A23T A00AI A23-011	00 A23T A00AI 00A XXxxXXxx
	5988.8 ENHR Change Serviceability Stat	1.5	S/I U/S A23-011	
	Change Location of an Asse	341.7	INTMH U/S SERV	
09APR14 22:32	Change Serviceability Stat	0.0	INTMH U/S SERV	XXxxXXxx
	5988.8 ENHR			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03808  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A2311  
 PART NO : D5210 ~24692  
 ENGINEERING NAME : SPINNER ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
10JUN14 05:43	Asset Installation	61.2	A23T A00AI GG569 A23-011	00 A23T A00AI 00AC XXXXXXXX
	5988.8 ENHR Change Serviceability Stat	61.2	SERV S/I	
	Change Location of an Asse	61.2	INTMH A23-011	
18MAY15 01:53	Asset Removal	341.8	GG569 A23-011 A23T A00AI	00 A23T A00AI 00A XXXXXXXX
	6288.8 ENHR Change Serviceability Stat	2.8	S/I U/S	
	Change Location of an Asse	341.8	A23-011 INTMH	
18MAY15 01:53	Change Serviceability Stat	0.0	U/S SERV	XXXXXXXX
06JUL15 03:50	Asset Installation	49.0	A23T A00AI GG569 A23-011	00 A23T A00AI 00AC XXXXXXXX
	6288.8 ENHR Change Serviceability Stat	49.0	SERV S/I	
	Change Location of an Asse	49.0	INTMH A23-011	
10AUG16 06:04	Asset Removal	401.0	GG569 A23-011 A23T A00AI	00 A23T A00AI 00A XXXXXXXX
	6581.9 ENHR Change Serviceability Stat	168.8	S/I U/S	
	Change Location of an Asse	401.0	A23-011 INTMH	
10AUG16 06:07	Change Serviceability Stat	0.0	U/S SERV	XXXXXXXX
	6581.9 ENHR			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03809  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A2311  
 PART NO : D5210 ~24692  
 ENGINEERING NAME : SPINNER ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
16AUG16 04:47	Asset Installation	5.9	A23T A00AI GG799 A23-011	00 A23T A00AI 00AC XXXXXXXX
	6581.9 ENHR Change Serviceability Stat	5.9	SERV S/I	
	Change Location of an Asse	5.9	INTMH A23-011	
19JUL17 22:18	Asset Removal	337.7	GG799 A23-011 A23T A00AI	00 A23T A00AI 00A XXXXXXXX
	6911.7 ENHR Change Serviceability Stat	7.8	S/I U/S	
	Change Location of an Asse	103.8	A23-011 HG122	
19JUL17 22:19	Change Serviceability Stat	0.0	U/S SERV	XXXXXXXX
14AUG17 04:47	Asset Installation	25.2	A23T A00AI GG799 A23-011	00 A23T A00AI 00AC XXXXXXXX
	6911.7 ENHR Change Serviceability Stat	25.2	SERV S/I	
	Change Location of an Asse	25.2	HG122 A23-011	
19JUL18 02:26	Asset Removal	338.9	GG799 A23-011 A23T A00AI	00 A23T A00AI 00A XXXXXXXX
	7241.3 ENHR Change Serviceability Stat	6.7	S/I U/S	
	Change Location of an Asse	338.9	A23-011 HG122	
19JUL18 02:28	Change Serviceability Stat	0.0	U/S SERV	XXXXXXXX
	7241.3 ENHR			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03810  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A2311  
 PART NO : D5210 ~24692  
 ENGINEERING NAME : SPINNER ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
01AUG18 01:54	Asset Installation	12.9	A23T A00AI GG799 A23-003	00 A23T A00AI 00AC XXXXXXXX
	7241.3 ENHR Change Serviceability Stat	12.9	SERV S/I	
	Change Location of an Asse	12.9	HG122 A23-003	
15AUG18 22:44	Asset Removal	14.8	GG799 A23-003 A23T A00AI	00 A23T A00AI 00A XXXXXXXX
	7241.3 ENHR Change Serviceability Stat	14.8	S/I U/S	
	Change Location of an Asse	14.8	A23-003 INTMH	
15AUG18 22:46	Change Serviceability Stat	0.0	U/S SERV	XXXXXXXX
22AUG18 05:45	Asset Installation	6.2	A23T A00AI GG667 A23-033	00 A23T A00AI 00AC XXXXXXXX
	7241.3 ENHR Change Serviceability Stat	6.2	SERV S/I	
	Change Location of an Asse	6.2	INTMH A23-033	
05MAR19 02:10	Asset Removal	194.8	GG667 A23-033 A23T A00AI	00 A23T A00AI 00A XXXXXXXX
	7473.6 ENHR Change Serviceability Stat	4.8	S/I U/S	
	Change Location of an Asse	194.8	A23-033 OPMH	
05MAR19 02:11	Change Serviceability Stat	0.0	U/S SERV	XXXXXXXX
	7473.6 ENHR			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03811  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : A2311  
 PART NO : D5210 ~24692  
 ENGINEERING NAME : SPINNER ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
05MAR19 04:56	Asset Installation	0.1	A23T A00AI GG477 A23-033	00 A23T A00AI 00AC 7473.6 ENHR Change Serviceability Stat XXXXXXXXXX
	Change Location of an Asse	0.1	SERV S/I OPMH A23-033	
12JUN19 03:45	Asset Removal	98.9	GG477 A23-033 A23T A00AI	00 A23T A00AI 00A 7568.3 ENHR Change Serviceability Stat XXXXXXXXXX
	Change Location of an Asse	98.9	S/I U/S A23-033	
12JUN19 03:46	Change Serviceability Stat	0.0	INTMH U/S SERV	XXXXXXXXXX
26JUN19 23:04	Asset Installation	14.8	A23T A00AI GG477 A23-033	00 A23T A00AI 00AC 7568.3 ENHR Change Serviceability Stat XXXXXXXXXX
	Change Location of an Asse	14.8	SERV S/I INTMH A23-033	

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS		UNSERVICEABILITY DETAILS			
MAINT PROCESS	UNSERVICEABILITY	MAINTENANCE COMMENT					
FAULT FOUND	MAINTENANCE ACTION TAKEN						
A1EXXJY506019	C COMPLETED	28JUL05 22:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	28JUL05 22:50					3461.4	ENHR
13 REMOVED FOR ACCESS	99 NO FAILURE			STI-PC9-0336	due on Serial 103064		
				ENGINE CHANGE UNIT	at WAC 0100		
01 NO FAULT	04 CHECK/TEST SERV			7113.022-110	due on Serial 103064		
				ENGINE CHANGE UNIT	at WAC 0100		

Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03812  
08JAN20  
23:16:15

SERIAL/TAIL NO : A2311  
PART NO : D5210 ~24692  
ENGINEERING NAME : SPINNER ASSY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJY804792	C COMPLETED	16MAR08 23:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	99 NO FAILURE	16MAR08 23:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	4072.2	ENHR
01 NO FAULT	04 CHECK/TEST SERV			SPINNER ASSY RFA			
				Unserviceability Details:			
				Maintenance Comments:	CHECK/TEST SERV		
A1PXXJY806982	C COMPLETED	28APR08 05:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	99 NO FAILURE	28APR08 05:44	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	4082.0	ENHR
01 NO FAULT	04 CHECK/TEST SERV			S33 TBCO (MMI ITEMS TO BE REMOVED FOR ACCESS)			
				Unserviceability Details:			
				Maintenance Comments:	CHECK/TEST SERV		
A1PXXJ1013697	C COMPLETED	01AUG10 23:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	99 NO FAILURE	01AUG10 23:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	4816.8	ENHR
01 NO FAULT	04 CHECK/TEST SERV			SPINNER RFA			
				Unserviceability Details:			
				Maintenance Comments:	CHECK/TEST SERV		
A1PXXJ1020202	C COMPLETED	02NOV10 23:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	99 NO FAILURE	02NOV10 23:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	4816.8	ENHR
01 NO FAULT	04 CHECK/TEST SERV			TO REMOVE SPINNER AND PROP BOLTS: MCS ACTION			
				Unserviceability Details:			
				Maintenance Comments:	CHECK/TEST SERV		
A1PXXJ1117631	C COMPLETED	30NOV11 23:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	99 NO FAILURE	30NOV11 23:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	5094.9	ENHR
01 NO FAULT	04 CHECK/TEST SERV			R2 due on Serial A23-011			
				PC-9 at WAC 0000			
				Unserviceability Details:			
				Maintenance Comments:	CHECK/TEST SERV		

For-Official-Use-Only



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03814  
08JAN20  
23:16:15

SERIAL/TAIL NO : A2311  
PART NO : D5210 ~24692  
ENGINEERING NAME : SPINNER ASSY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJ1714071	C COMPLETED	19JUL17 22:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	19JUL17 22:19	19JUL17 22:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		6911.7	ENHR
13 REMOVED FOR ACCESS	99 NO FAILURE			R2 due on Serial A23-011			
				PC-9 at WAC 0000			
01 NO FAULT	04 CHECK/TEST SERV						
				Unserviceability Details:			
				Maintenance Comments:	CHECK/TEST SERV		

A1PXXJ1811843	C COMPLETED	19JUL18 02:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	19JUL18 02:28	19JUL18 02:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		7241.3	ENHR
13 REMOVED FOR ACCESS	99 NO FAILURE			R2 due on Serial A23-011			
				PC-9 at WAC 0000			
01 NO FAULT	04 CHECK/TEST SERV						
				Unserviceability Details:			
				Maintenance Comments:	CHECK/TEST SERV		

A1PXXJ1813417	C COMPLETED	15AUG18 22:44	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	15AUG18 22:46	15AUG18 22:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		7241.3	ENHR
13 REMOVED FOR ACCESS	99 NO FAILURE			PROP REMOVED DUE TO VIB IMBALANCE DURING S41			
01 NO FAULT	04 CHECK/TEST SERV						
				Unserviceability Details:			
				Maintenance Comments:	CHECK/TEST SERV		

A1PXXJ1903459	C COMPLETED	05MAR19 02:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	05MAR19 02:11	05MAR19 02:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		7473.6	ENHR
13 REMOVED FOR ACCESS	99 NO FAILURE			PROP ASSY R.F.A FOR O/H			
01 NO FAULT	04 CHECK/TEST SERV						
				Unserviceability Details:			
				Maintenance Comments:	CHECK/TEST SERV		

A1PXXJ1909808	C COMPLETED	12JUN19 03:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	12JUN19 03:46	12JUN19 03:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		7568.3	ENHR
13 REMOVED FOR ACCESS	99 NO FAILURE			SPINNER ASSY R.FA			
01 NO FAULT	04 CHECK/TEST SERV						
				Unserviceability Details:			
				Maintenance Comments:	CHECK/TEST SERV		



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03815  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : AA16523  
 PART NO : 3120377-01  
 ENGINEERING NAME : ELS ENGINE HARNESS  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

LOCATION : A23-033  
 LIFE SINCE NEW : 3920.6 ENHR

PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
			LIFE SINCE NEW					
02SEP03	15:47	Maintenance Comment	0.0 ENHR	4.3	22May01	103153	01.00 0.0 0.0	ENHR IN AS A23T 0011-23-00-C Camm LOG00002 XXXXXXxx
02SEP03	15:47	Maintenance Comment	0.0 ENHR	4.3	22May01	NEW - L132769	3120377-01	0011-23-00-C Camm LOG00004 XXXXXXxx
02SEP03	15:53	Maintenance Comment	0.0 ENHR	4.3	22May01	XLOC	00. 0.0 0.0	ENHR RECEPTION (MIRE) Camm LOG00001 XXXXXXxx
02SEP03	15:53	Maintenance Comment	0.0 ENHR	4.3	01Feb95	7198.020-103		MOD STATUS NOW INC Camm LOG00003 XXXXXXxx
02SEP03	15:54	Maintenance Comment	0.0 ENHR	4.3	29Aug03	103153	01.00 411.1	ENHR TX TO CAMM2 Camm LOG00005 XXXXXXxx
31JUL06	00:32	Change Serial Number of an	896.2 ENHR	1066.6	L132769	AA16523		XXXXXXxx
31JUL06	00:33	Maintenance Comment	896.2 ENHR	0.0	18NOV05	INSPECT AND TEST AT P&WC A/ASIA		XXXXXXxx
04NOV06	01:07	Asset Removal	896.2 ENHR	1162.6	103153	103153		A23T ALSAE 00M
		Change Serviceability Stat	896.2 ENHR	563.8	A23T	ALSAE	00	XXXXXXxx
		Change Location of an Asse		3.9	S/I			
					U/S			
					EXTERNAL			
04NOV06	01:11	Change Serviceability Stat		0.0	MMIST			
					U/S			
					SERV			
04NOV06	01:13	Asset Installation	896.2 ENHR	0.0	A23T	ALSAE	00	XXXXXXxx
		Change Serviceability Stat	896.2 ENHR	0.0	103186	A23-015		A23T ALSAE 00AC
					SERV			XXXXXXxx
		Change Location of an Asse		0.0	S/I			
					MMIST			
					A23-015			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : AA16523  
PART NO : 3120377-01 ~00198  
ENGINEERING NAME : ELS ENGINE HARNESS  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
LIFE SINCE NEW		TRANS REFERENCE			
20APR10 23:08	Position Change	1263.9	A23T	AlSAE	00
	1939.1 ENHR		A23T	AlSAE	00
			A1PXXX1004007		XXxxXXxx

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS		UNSERVICEABILITY DETAILS			
MAINT PROCESS	UNSERVICEABILITY	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			
A1PXXJY617948	C COMPLETED	04NOV06 01:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	04NOV06 01:11	04NOV06 01:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	896.2	ENHR
09 CANNIBALISATION	99 NO FAILURE	ELS HARNESS REMOVED FOR FITMENT TO A23-015					
01 NO FAULT	04 CHECK/TEST SERV	Unserviceability Details:		CHECK/TEST SERV			
		Maintenance Comments:					

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03817  
08JAN20  
23:16:15

SERIAL/TAIL NO : AA16523  
PART NO : 3120377-01 ~00198  
ENGINEERING NAME : ELS ENGINE HARNESS  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MODIFICATION ORDERS INCORPORATION STATUS CHANGE -----						
MOD NUMBER	CURRENT (Y/N)	STATUS	DATE/TIME	STATUS	JOB/SERV NO	LIFE SINCE NEW
=====	=====	=====	=====	=====	=====	=====
7198.020-103	Y		01FEB95 00:00	INC		

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : AC25610 LITERAL SERIAL NO : AC25610 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 968.32.11.504 ~S4080  
ENGINEERING NAME : COOLER OIL  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 3443.8 ENHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE UNPACKED			
27MAR08 00:29	AC25610	968.32.11.502	~S4080	A0G	00
aip01795	AIP	MMIST		A1PXXRY800944	
W. MCKENZIE		26FEB08			
	0.0 ENHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03819  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : AC25610 LITERAL SERIAL NO : AC25610 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 968.32.11.504 ~S4080  
 ENGINEERING NAME : COOLER OIL  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
27MAR08 00:29	Reception History Record	0.0	Reception MMIST MCS	
24APR08 00:19	Asset Installation	58.0	A23T A0G A23-033 00	XXxxXXxx
	Change Serviceability Stat	28.0	SERV S/I MMIST A23-033	XXxxXXxx
	Change Location of an Asse	28.0	SERV S/I MMIST A23-033	
13MAY08 05:39	Change Serviceability Stat	19.2	SERV S/I MMIST A23-033	
13MAY08 06:47	Change Part Number of an A	47.2	968.32.11.502 ~S4080	XXxxXXxx
	Change Serviceability Stat	0.0	968.32.11.504 ~S4080	XXxxXXxx
13MAY08 06:53	Change Serviceability Stat	0.0	US/I S/I	XXxxXXxx
20NOV15 07:03	Position Change	2766.2	A23T A0G 00	XXxxXXxx
	Maintenance Comment	0.0	A23T A0G 00	XXxxXXxx
07JUN17 07:59	Position Change	3331.3	A1PXXX1510904 POLICY COPIED IAW MPAN 040/2015 OID: AK11481078	
	Maintenance Comment	2813.4	A23T A0G 00	XXxxXXxx
	Maintenance Comment	0.0	A1PXXX1709120 POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE	

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJY805263	C COMPLETED	13MAY08 06:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
08 MOD/STI/DVI REQUIRED		13MAY08 06:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	0.0	ENHR
01 NO FAULT		08 MOD/STI/DVI INCORP		7130.018-102	due on Serial AC25610		
		Unserviceability Details:		COOLER OIL	at WAC 0130		
		Maintenance Comments:		MOD 7130.018-102	INC		

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : AC25610 LITERAL SERIAL NO : AC25610 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 968.32.11.504 ~S4080  
ENGINEERING NAME : COOLER OIL  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

=====

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

SERIAL/TAIL NO : AC25610 LITERAL SERIAL NO : AC25610 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 968.32.11.504 ~S4080  
ENGINEERING NAME : COOLER OIL  
VENUE : A23DISP LOCATION : A23-033

MOD NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
7130.018-102	N	27MAR08	NINC			
7130.018-102	Y	13MAY08	INC	A1PXXJY805263	13MAY08 06:46	0.0 ENHR

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03822  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : AH1137AB  
 PART NO : 4200103  
 ENGINEERING NAME : PUMP HYDRAULIC  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

~D0079  
 LOCATION : A23-033  
 LIFE SINCE NEW : 8196.2 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
				LIFE SINCE NEW				
01SEP03	11:54	Maintenance	Comment	3.1	01Jan88	NEW - AH1137AB	4049 H5	2002-00-00-L
		0.0	AFHR			CAMM LOG00020		XXXXXXxx
01SEP03	12:00	Maintenance	Comment	3.1	NEXT OH1 DUE:	OLD = 3500.0	AFHR	NEW = OC
		0.0	AFHR			CAMM LOG00019		XXXXXXxx
01SEP03	12:01	Maintenance	Comment	3.1	01Nov96	A23-033	01.3 869.8	869.8 AFHR
		0.0	AFHR			CAMM LOG00008		XXXXXXxx
01SEP03	12:02	Maintenance	Comment	3.1	29Oct02	A23-033	01.30 3287.9	3287.9 AFHR
		0.0	AFHR			CAMM LOG00018		XXXXXXxx
01SEP03	12:02	Maintenance	Comment	3.1	29Aug03	A23-033	01.30 3421.3	AFHR TX TO CAMM2
		0.0	AFHR			CAMM LOG00021		XXXXXXxx
01SEP03	12:02	Maintenance	Comment	3.1	13Jun96	XLOC	00. 852.5	852.5 AFHR
		0.0	AFHR			CAMM LOG00001		XXXXXXxx
01SEP03	12:02	Maintenance	Comment	3.1	LAST OH DONE:	OLD =		NEW = 01JUL93
		0.0	AFHR			CAMM LOG00002		XXXXXXxx
01SEP03	12:02	Maintenance	Comment	3.1	REPAIR AND TEST	IAW ABEX	CMM 29-10-52.	
		0.0	AFHR			CAMM LOG00004		XXXXXXxx
01SEP03	12:02	Maintenance	Comment	3.1	08Aug96	A23-033	01.3 852.5	852.5 AFHR
		0.0	AFHR			CAMM LOG00005		XXXXXXxx
01SEP03	12:02	Maintenance	Comment	3.1	25Jan02	A23-033	01.30 3005.2	3005.2 AFHR
		0.0	AFHR			CAMM LOG00015		XXXXXXxx
01SEP03	12:02	Maintenance	Comment	3.1	29Jan02	A23-033	01.30 3005.2	3005.2 AFHR
		0.0	AFHR			CAMM LOG00017		XXXXXXxx
01SEP03	12:03	Maintenance	Comment	3.1	01Nov96	2FTOPMH	FF: 01-NIL	MA: 04-CHK/TST
		0.0	AFHR			CAMM LOG00009		XXXXXXxx
01SEP03	12:03	Maintenance	Comment	3.1	17Apr98	A23-033	01.3 1582.8	1582.8 AFHR
		0.0	AFHR			CAMM LOG00014		XXXXXXxx
01SEP03	12:04	Maintenance	Comment	3.1	03Nov96	A23-033	01.3 869.8	869.8 AFHR
		0.0	AFHR			CAMM LOG00010		XXXXXXxx
01SEP03	12:04	Maintenance	Comment	3.1	17Apr98	A23-033	01.3 1582.8	1582.8 AFHR
		0.0	AFHR			CAMM LOG00011		XXXXXXxx
01SEP03	12:05	Maintenance	Comment	3.1	06Jun96	LRS	00. 852.5	852.5 AFHR
		0.0	AFHR			CAMM LOG00003		XXXXXXxx
01SEP03	12:06	Maintenance	Comment	3.1	17Apr98	A23-033	01.3 1582.8	1582.8 AFHR
		0.0	AFHR			CAMM LOG00013		XXXXXXxx



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03823  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : AH1137AB  
 PART NO : 4200103  
 ENGINEERING NAME : PUMP HYDRAULIC  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~D0079

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
01SEP03 12:08	Maintenance Comment	0.0 AFHR	3.1	NEXT OH1 DUE: OLD = 2286.8 AFHR CAMM LOG00012	NEW = 3500.0 AFHR XXXXXXxx
01SEP03 12:08	Maintenance Comment	0.0 AFHR	3.1	25Jan02 2FTINTMH CAMM LOG00016	FF: 01-NIL MA: 04-CHK/TST XXXXXXxx
01SEP03 12:09	Maintenance Comment	0.0 AFHR	3.1	06Sep96 A23-033 01.3 CAMM LOG00006	852.5 852.5 AFHR REM SVC TO A23-033 XXXXXXxx
01SEP03 12:10	Maintenance Comment	0.0 AFHR	3.1	06Sep96 A23-033 01.3 CAMM LOG00007	852.5 852.5 AFHR IN AS A23T 2002-00-00-L XXXXXXxx
12DEC05 05:11	Asset Removal	4153.4 AFHR	835.8	103177 A23T A1SAI12	A23-033 01 A23T A1SAI12 01A XXXXXXxx
	Change Serviceability Stat		0.1	S/I U/S A23-033	
	Change Location of an Asse		xxxx	OPMH U/S SERV	
12DEC05 05:12	Change Serviceability Stat	4153.4 AFHR	0.0		XXXXXXxx
14DEC05 03:47	Asset Installation	4153.4 AFHR	1.9	A23T 103155 A1SAI12 103155	01 A23T A1SAI12 01MMI XXXXXXxx
	Change Serviceability Stat		1.9	SERV S/I OPMH	
	Change Location of an Asse		1.9	MMIST 103155 A23T A1SAI12	A23-033 01 A23T A1SAI12 01A XXXXXXxx
22SEP14 13:01	Asset Removal	6726.8 AFHR	3204.3		
	Change Serviceability Stat		14.1	S/I U/S A23-033	
	Change Location of an Asse		3203.3	OPMH U/S SERV	
22SEP14 13:01	Change Serviceability Stat	6726.8 AFHR	0.0		XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03824  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : AH1137AB  
 PART NO : 4200103  
 ENGINEERING NAME : PUMP HYDRAULIC  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~D0079

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
=====	=====	=====	=====	=====	=====
	LIFE SINCE NEW		TRANS REFERENCE		
30SEP14 02:07	Asset Installation	7.5	A23T 103169	AlSAI12 A23-033	01 A23T AlSAI12 01AC
	6726.8 AFHR				XXXXXXxx
	Change Serviceability Stat	7.5	SERV		
	Change Location of an Asse	7.5	S/I OPMH A23-033		
07JUN17 06:15	Position Change	981.1	A23T A23T	AlSAI12 AlSAI12	01 01
	7565.8 AFHR		A1PXXX1709022		XXXXXXxx
	Maintenance Comment	0.0	POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE		
15AUG18 02:57	Asset Removal	1415.0	103169	103169	A23T AlSAI12 01M
	7724.6 AFHR		A23T	AlSAI12	01
	Change Serviceability Stat	286.0	S/I		XXXXXXxx
15AUG18 02:58	Change Serviceability Stat	0.0	U/S		
	7724.6 AFHR		SERV		
15AUG18 03:22	Change Part Number of an A	5464.7	4049 H5		XXXXXXxx
	7724.6 AFHR		4200103		
	Maintenance Comment	0.0	A1PXXX1807957		XXXXXXxx
15AUG18 03:23	Asset Installation	0.0	PART NUMBER CHANGE AS PER TMP AUTHORITY		
	7724.6 AFHR		A23T 103186	AlSAI12 A23-033	01 A23T AlSAI12 01AC
	Change Serviceability Stat	0.0	SERV		XXXXXXxx
	Change Location of an Asse	0.0	S/I OPMH A23-033		

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : AH1137AB  
PART NO : 4200103 ~D0079  
ENGINEERING NAME : PUMP HYDRAULIC  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

2FTSXJCA11260	C COMPLETED	01JUL93 00:00	XXxxXXxx		2FTS	0.0	
03 OVERHAUL DUE	01JUL93 00:00						

Unserviceability Details:  
Maintenance Comments:

A1PXXJY529044	C COMPLETED	12DEC05 05:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	AFHR
13 REMOVED FOR ACCESS	12DEC05 05:12	99 NO FAILURE		OH	due on Serial 103177	4153.4	
01 NO FAULT		04 CHECK/TEST SERV		ENGINE CHANGE UNIT	at WAC 0100		

Unserviceability Details:  
Maintenance Comments:

CHECK/TEST SERV

A1PXXJ1416681	C COMPLETED	22SEP14 13:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	AFHR
13 REMOVED FOR ACCESS	22SEP14 13:01	22SEP14 13:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	6726.8	
01 NO FAULT		99 NO FAILURE		ENGINE SLOW TO ACCELERATE AT	10000FT		

Unserviceability Details:  
Maintenance Comments:

CHECK/TEST SERV

A1PXXJ1813337	C COMPLETED	15AUG18 02:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	AFHR
13 REMOVED FOR ACCESS	15AUG18 02:58	15AUG18 02:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	7724.6	
01 NO FAULT		99 NO FAILURE		HYDRAULIC PUMP REMOVED TO SERVICE ENGINE	103186		

Unserviceability Details:  
Maintenance Comments:

CHECK/TEST SERV

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03826  
08JAN20  
23:16:15

SERIAL/TAIL NO : ALT279-25802  
PART NO : 89795050 ~53655 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : CYLINDER ASSY OXYGE  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 1379.5 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
23APR15 01:26	ALT279-25802	89795050	~53655 A23T	ALUNG	00
aip02017	AIP	AVOX		A1PXXR1500729	
J. MCLEAN		25MAR15			
	0.0 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03827  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : ALT279-25802  
 PART NO : 89795050 ~53655 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : CYLINDER ASSY OXYGE  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
20APR15 03:59	Change Serviceability Stat	0.0 AFHR	0.1	SERV U/S	XXXXXXxx
22APR15 07:30	Change Serviceability Stat	0.0 AFHR	2.1	U/S SERV	XXXXXXxx
23APR15 01:26	Reception History Record	0.0 AFHR	0.0	Reception AVOX MCS	XXXXXXxx
23APR15 03:52	Maintenance Comment	0.0 AFHR	0.0	NEW ASSET RECVD 20APR15. REFER ZODIAC AEROSPACE COC# 757807 A1PXXX1503528	XXXXXXxx
24APR15 02:21	Asset Installation	0.0 AFHR	30.0	A23T A1UNG 00 039 A23-004 A23T A1UNI 00AC	XXXXXXxx
	Change Serviceability Stat	0.0 AFHR	1.7	SERV S/I	
	Change Location of an Asse		4.0	AVOX A23-004	
24APR15 03:52	Asset Removal	0.0 AFHR	0.0	039 A23-004 A23T A1UNI 00	XXXXXXxx
	Change Serviceability Stat	0.0 AFHR	0.0	S/I U/S	
	Change Location of an Asse		0.0	A23-004 AVOX	
24APR15 03:53	Change Serviceability Stat	0.0 AFHR	0.0	U/S SERV	XXXXXXxx
28APR15 07:59	Position Change	0.0 AFHR	4.1	A23T A1UNI 00 A23T A1UNI 00	XXXXXXxx
	Maintenance Comment	0.0 AFHR	0.0	A1PXXX1503609 NEW TA= 15 DOMYR. AUTH: TASPO MPAN 016/2015. AK10254476	XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03828  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : ALT279-25802  
 PART NO : 89795050 ~53655  
 ENGINEERING NAME : CYLINDER ASSY OXYGE  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
11MAY15 05:38	Asset Installation	17.0	A23T A1UNI A23-002 00	A23T A1UNI 00AC
	0.0 AFHR Change Serviceability Stat	17.0	SERV S/I AVOX A23-002	XXXXXXxx
	Change Location of an Asse	17.0		
21MAY18 03:12	Asset Removal	1105.8	A23T A1UNI A23-002 00	A23T A1UNI 00A
	907.9 AFHR Change Serviceability Stat	19.7	S/I U/S A23-002	XXXXXXxx
	Change Location of an Asse	1105.8		
21MAY18 03:13	Change Serviceability Stat	0.0	INTMH U/S SERV	XXXXXXxx
	907.9 AFHR			
22MAY18 06:19	Asset Installation	1.1	A23T A1UNI A23-033 00	A23T A1UNI 00AC
	907.9 AFHR Change Serviceability Stat	1.1	SERV S/I INTMH A23-033	XXXXXXxx
	Change Location of an Asse	1.1		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			

16 PRE-INSTALLATION MAINT  
 01 NO FAULT  
 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: PIC /CO IAW AAP.7551.099-3M, REFER: AIP OXY 65/15.

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : ALT279-25802  
PART NO : 89795050 ~53655 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : CYLINDER ASSY OXYGE  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJ1506674	C COMPLETED	24APR15 03:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
14 CONFIGURATION CHANGE	24APR15 03:53	24APR15 03:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	0.0	AFHR
	99 NO FAILURE			FROM A1PXXU1504251.	INCORRECT SERIAL NO	FITTED ON	CAMM2.

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: ASSET REMOVED ON CAMM2 ONLY. REFER 553658/4-1/4.

A1PXXJ1808344	C COMPLETED	21MAY18 03:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	21MAY18 03:13	21MAY18 03:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	907.9	AFHR
	99 NO FAILURE			BOTH OXY CYL ASSY'S	REMOVED TO SERVICE	A23-033	

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03830  
08JAN20  
23:16:15

SERIAL/TAIL NO : ALT279-25808  
PART NO : 89795050 ~53655 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : CYLINDER ASSY OXYGE  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 1379.5 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC	
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID		
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO		
	DEFAULT LIFS ENTERED AT RECEPTION	DATE UNPACKED				
23APR15 01:27	ALT279-25808	89795050	~53655	A23T	ALUNG	00
aip02017	AIP	AVOX			A1PXXR1500730	
J. MCLEAN		25MAR15				
	0.0 AFHR					



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03831  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : ALT279-25808  
 PART NO : 89795050 ~53655 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : CYLINDER ASSY OXYGE  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
LIFE SINCE NEW		TRANS REFERENCE			
20APR15 04:00	Change Serviceability Stat	0.1	SERV		
	0.0 AFHR		U/S		XXxxXXxx
23APR15 01:27	Reception History Record	0.0	Reception		
	0.0 AFHR		AVOX	MCS	XXxxXXxx
23APR15 03:52	Maintenance Comment	0.0	NEW ASSET RECV'D 20APR15. REFER ZODIAC AEROSPACE COC# 757807		
	0.0 AFHR		A1PXXX1503529		XXxxXXxx
28APR15 07:59	Position Change	34.3	A23T ALUNG	00	
	0.0 AFHR		A23T ALUNG	00	XXxxXXxx
	Maintenance Comment	0.0	NEW TA= 15 DOMYR. AUTH: TASPO MPAN 016/2015. AK10254476		
08MAY15 02:01	Change Serviceability Stat	17.9	U/S		
	0.0 AFHR		SERV		XXxxXXxx
11MAY15 05:27	Asset Installation	47.2	A23T	ALUNG	00
	0.0 AFHR		033	A23-002	A23T ALUNG 00AC
	Change Serviceability Stat	3.1	SERV		
	Change Location of an Asse	21.2	S/I		
			AVOX		
21JAN16 10:48	Asset Removal	255.2	A23-002		
	292.9 AFHR		033	A23-002	A23T ALUNG 00A
	Change Serviceability Stat	70.2	A23T	ALUNG	00
	Change Location of an Asse	255.2	S/I		XXxxXXxx
			U/S		
21JAN16 10:49	Change Serviceability Stat	0.0	A23-002		
	292.9 AFHR		INTMH		
			U/S		
			SERV		XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03832  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : ALT279-25808  
 PART NO : 89795050 ~53655  
 ENGINEERING NAME : CYLINDER ASSY OXYGE  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
12MAY16 02:56	Asset Installation	111.6	A23T A1UNG 033	A23T A1UNG 00AC
	292.9 AFHR Change Serviceability Stat	111.6	SERV S/I INTMH A23-002	XXxxXXxx
	Change Location of an Asse	111.6		
21MAY18 03:14	Asset Removal	739.0	A23T A1UNG 033	A23T A1UNG 00A
	907.9 AFHR Change Serviceability Stat	19.7	SERV S/I U/S A23-002	XXxxXXxx
	Change Location of an Asse	739.0		
21MAY18 03:15	Change Serviceability Stat	0.0	SERV S/I U/S INTMH	
	907.9 AFHR			XXxxXXxx
22MAY18 06:18	Asset Installation	1.1	A23T A1UNG 533	A23T A1UNG 00AC
	907.9 AFHR Change Serviceability Stat	1.1	SERV S/I INTMH A23-033	XXxxXXxx
	Change Location of an Asse	1.1		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
16 PRE-INSTALLATION MAINT	C COMPLETED	20APR15 04:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	08MAY15 02:01	23APR15 04:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	0.0	AFHR
01 NO FAULT	04 CHECK/TEST SERV						
	Unserviceability Details:						
	Maintenance Comments:			PIC C/O IAW AAP 7551.99-3M & 7055-001-99-AMI REF LSN AIP OXY			
				64/15			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : ALT279-25808  
 PART NO : 89795050 ~53655 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : CYLINDER ASSY OXYGE  
 VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

A1PXXJ1602577	C COMPLETED	21JAN16 10:48	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	21JAN16 10:49	21JAN16 10:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	292.9	AFHR
13 REMOVED FOR ACCESS	99 NO FAILURE			LH OXY CYLINDER REMOVED FOR ACCESS (ASTFIT)			

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

A1PXXJ1808345	C COMPLETED	21MAY18 03:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	21MAY18 03:15	21MAY18 03:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	907.9	AFHR
13 REMOVED FOR ACCESS	99 NO FAILURE			BOTH OXY CYL ASSY'S REMOVED TO SERVICE A23-033			

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
Camm2  
ASSET HISTORY

PAGE 03834  
08JAN20  
23:16:15

SERIAL/TAIL NO : B1181  
PART NO : RG45400 ~51663 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PUMP JET TRANSFER  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 9036.4 AFHR

ASSET TRANSACTIONS -----

TRANSACTION	D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
01SEP03	11:31	Maintenance	Comment	0.0 AFHR	3.1	29Aug03	A23-003	10.20 5086.1 AFHR	TX TO Camm2 Camm LOG00002 XXXXXXxx
01SEP03	11:36	Maintenance	Comment	0.0 AFHR	3.1	23Nov87	NEW - B1181	RG45400	2130-00-00-C Camm LOG00001 XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 03835  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : B1263  
 PART NO : RG45400 ~51663 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : PUMP JET TRANSFER  
 VENUE : A23DISP LOCATION : A23-033  
 CURRENT CONDITION : S/I LIFE SINCE NEW : 5063.4 AFHR

ASSET TRANSACTIONS -----

TRANSACTION	D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
01SEP03	11:28	Maintenance	Comment	0.0 AFHR	3.1	29Aug03	A23-003	09.20 1113.1 AFHR	TX TO CMM2 CMM LOG00002 XXXXXXxx
01SEP03	11:37	Maintenance	Comment	0.0 AFHR	3.1	28Nov91	NEW - B1263	RG45400	2130-00-00-C CMM LOG00001 XXXXXXxx
07JUN17	06:15	Position	Change	4433.0 AFHR	5030.9	A23T	A2KFI	00	A23T A2KFI 00 A1PXXX1709024 XXXXXXxx
		Maintenance	Comment		0.0				POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 03836  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : B13420  
 PART NO : 3037189  
 ENGINEERING NAME : VALVE SOLENOID  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

~00198

PERIOD: 01JAN90 TO 08JAN20

LOCATION : A23-033  
 LIFE SINCE NEW : 7138.9 ENHR

ASSET TRANSACTIONS

TRANSACTION D/T CHANGE TYPE		LIFE SINCE NEW		SPAN(DYS) FROM		TO (OPTIONAL)		TRANS REFERENCE		USER	
=====		=====		=====		=====		=====		=====	
31AUG03	04:09	Maintenance Comment	0.0	ENHR	1.8	27Mar98	103186	01.3	1815.7	0.0	ENHR UPDATED LIFE (MPMI)
											XXXXXXxx
31AUG03	04:10	Maintenance Comment	0.0	ENHR	1.8	29Aug03	103186	01.30	3368.9	ENHR	TX TO CMM2
											XXXXXXxx
31AUG03	04:12	Maintenance Comment	0.0	ENHR	1.8	24Apr96	103186	00.0	991.7	0.0	AFHR RECEPTION (MIRE)
											XXXXXXxx
31AUG03	04:19	Maintenance Comment	0.0	ENHR	1.8	05Jun91	NEW - B13420		3037189		0011-18-00-F
											XXXXXXxx
31AUG03	04:19	Maintenance Comment	0.0	ENHR	1.8	28Apr98	103186	01.3	1842.5	0.0	ENHR UPDATED LIFE (MPMI)
											XXXXXXxx
11NOV09	06:15	Asset Removal	5076.2	ENHR	2265.9	103186			A23-015		A23T A1SAK60 00A
		Change Serviceability Stat			240.0	S/I					XXXXXXxx
11NOV09	06:16	Asset Installation	5076.2	ENHR	0.0	A23T	A1SAK60		00		A23T A1SAK60 00AC
		Change Serviceability Stat			0.0	SERV			A23-015		XXXXXXxx
19APR17	22:38	Position Change	6192.6	ENHR	2716.6	A23T	A1SAK60		00		
		Maintenance Comment			0.0	A23T	A1SAK60		00		XXXXXXxx
											POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03837  
08JAN20  
23:16:15

SERIAL/TAIL NO : B13420  
PART NO : 3037189 ~00198  
ENGINEERING NAME : VALVE SOLENOID  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MODIFICATION ORDERS INCORPORATION STATUS CHANGE						
MOD NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
7198.020-109	N	13SEP05	NINC			
7198.020-109	Y	04OCT05 02:00	INC			

STI STATUS CHANGE						
STI NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
STI-PC9-0282	N	14OCT02 00:00	NINC			
STI-PC9-0282	Y	29AUG03	N/A			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : B1820889  
PART NO : WL1001KCA1 ~K5294 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : COMPASS MAG STBY  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 9545.2 AFHR

ASSET TRANSACTIONS -----

TRANSACTION	D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
01SEP03	16:01	Maintenance	Comment	0.0 AFHR	3.3	20Jun90	NEW - B1820889 WL1001KCA1		2351-00-00-F
01SEP03	16:12	Maintenance	Comment	0.0 AFHR	3.3	29Aug03	A23-033 07.30 4770.4 AFHR		TX TO CAMM2
07JUN17	06:11	Position	Change		5030.9	A23T	A1UCO		00
				8914.8 AFHR		A23T	A1UCO		00
		Maintenance	Comment		0.0	A1PXXX1709015			XXxxXXxx
						POST R2	COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE		



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : B3343 LITERAL SERIAL NO : B3343 PERIOD: 01JAN90 TO 08JAN20  
PART NO : RG9570R1/M ~51663  
ENGINEERING NAME : PUMP FUEL ENG DRIVE  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 5367.8 ENHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE UNPACKED			

13MAY04 04:31	B3343	RG9570R1/M	~51663	A23T	AOK	00
aie1111	AIE	MCS			A1EXXRY400238	
R. COTTELL		23NOV87				

1994.2 ENHR

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

CAMM2  
 ASSET HISTORY

SERIAL/TAIL NO : B3343 LITERAL SERIAL NO : B3343 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : RG9570R1/M ~51663  
 ENGINEERING NAME : PUMP FUEL ENG DRIVE  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
13MAY04 04:31	Reception History Record	0.0	Reception MCS	
	1994.2 ENHR		MCS	XXxxXXxx
20MAY04 23:33	Change Location of an Asse	7.9	MCS HOLD	
	1994.2 ENHR		A1EXXXY403806	XXxxXXxx
18JUL04 23:54	Change Venue of an Asset	66.9	AIE FACDU	
	1994.2 ENHR		A1EXXXY405420	XXxxXXxx
	Change Location of an Asse	59.0	HOLD	
19JUL04 09:00	Asset Installation	67.3	A23T A0K	
	1994.2 ENHR		A23-031 A23-031	A23T A0K 00AC
	Change Serviceability Stat	67.3	SERV S/I	
	Change Location of an Asse	0.3	HOLD A23-031	
07JUN05 00:46	Asset Removal	322.6	A23-031 A23T	
	2152.3 ENHR		A0K	00 XXxxXXxx
	Change Serviceability Stat	42.8	S/I U/S	
	Change Location of an Asse	322.6	A23-031 ATECH	
07JUN05 00:48	Change Serviceability Stat	0.0	U/S SERV	
	2152.3 ENHR			XXxxXXxx
27JUN05 23:31	Asset Installation	20.9	A23T A0K	
	2152.3 ENHR		A23-031	A23T A0K 00AC
	Change Serviceability Stat	20.9	SERV S/I	
	Change Location of an Asse	20.9	ATECH A23-031	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03841  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : B3343 LITERAL SERIAL NO : B3343 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : RG9570R1/M ~51663  
 ENGINEERING NAME : PUMP FUEL ENG DRIVE  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
05NOV07 22:13	Asset Removal	860.9	A23-031 A23T AOK	A23T AOK 00A
	2877.1 ENHR Change Serviceability Stat	5.7	S/I U/S	XXXXXXxx
	Change Location of an Asse	350.0	A23-031	
05NOV07 22:16	Change Serviceability Stat	0.0	RSERV U/S SERV	XXXXXXxx
28NOV07 21:26	Asset Installation	22.9	A23T A23-031 AOK	A23T AOK 00AC
	2877.1 ENHR Change Serviceability Stat	22.9	SERV S/I	XXXXXXxx
	Change Location of an Asse	22.9	RSERV A23-031	
31AUG09 13:53	Change Serviceability Stat	6.3	S/I US/I	
07SEP09 04:44	Asset Removal	648.3	A1EXXJY403408 A23-031 A23T AOK	A23T AOK 00A
	3234.0 ENHR Change Serviceability Stat	6.6	US/I U/S	XXXXXXxx
	Change Location of an Asse	7.2	A23-031	
14SEP09 08:10	Change Venue of an Asset	14.4	INTMH AIP	
	3234.0 ENHR Change Location of an Asse	7.1	NONC2CONT A1PXXXY909769	XXXXXXxx
25JUN10 11:20	Change Serviceability Stat	291.2	INTMH HOLD U/S SERV	
	3234.0 ENHR			XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : B3343 LITERAL SERIAL NO : B3343 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : RG9570R1/M ~51663  
 ENGINEERING NAME : PUMP FUEL ENG DRIVE  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
22JUL10 05:34	Change Venue of an Asset	310.8	NONC2CONT AIP	
	3234.0 ENHR Change Location of an Asse	310.8	NONC2X1006783 HOLD	XXxxXXxx
14FEB11 09:59	Change Location of an Asse	207.1	MMIST MMIST	
	3234.0 ENHR Maintenance Comment	0.0	STORES A1PXXX1101082	MMI XXxxXXxx
18FEB11 01:35	Change Location of an Asse	3.6	MOVE ALL SERV ASSETS TO STORES - MMI STORES	MMI
	3234.0 ENHR Asset Installation	750.8	FAK A1PXXX1101234 A23T AOK	XXxxXXxx
28SEP11 01:04	Change Serviceability Stat	459.5	A23-024	A23T AOK 00AC
	Change Location of an Asse	221.9	SERV S/I FAK	
27APR15 01:46	Asset Removal	1307.0	A23-024 A23-024	A23T AOK 00A
	4177.4 ENHR Change Serviceability Stat	12.8	A23T AOK	00 XXxxXXxx
	Change Location of an Asse	234.8	S/I U/S A23-024	
27APR15 01:47	Change Serviceability Stat	0.0	PC9-AIRCRAFT U/S	
	4177.4 ENHR Asset Installation	3.9	SERV	XXxxXXxx
30APR15 23:56	Change Serviceability Stat	3.9	A23T AOK	00 A23T AOK 00AC
	4177.4 ENHR Change Serviceability Stat	3.9	A23-024	XXxxXXxx
	Change Location of an Asse	3.9	SERV S/I PC9-AIRCRAFT A23-024	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : B3343 LITERAL SERIAL NO : B3343 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : RG9570R1/M ~51663  
 ENGINEERING NAME : PUMP FUEL ENG DRIVE  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
14AUG18 12:42	Asset Removal	1201.5	A23-024 A23T AOK	A23T AOK 00A
	4896.2 ENHR Change Serviceability Stat	11.4	S/I U/S	XXxxXXxx
	Change Location of an Asse	694.4	A23-024 OPMH	
14AUG18 12:44	Change Serviceability Stat	0.0	U/S SERV	
	4896.2 ENHR			XXxxXXxx
14AUG18 13:32	Asset Installation	0.0	A23T AOK	A23T AOK 00AC
	4896.2 ENHR Change Serviceability Stat	0.0	SERV S/I OPMH A23-033	XXxxXXxx
	Change Location of an Asse	0.0		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS		UNSERVICEABILITY DETAILS			
MAINT PROCESS	UNSERVICEABILITY	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			
FAULT FOUND	MAINTENANCE ACTION TAKEN						
FACDUJY501171	C COMPLETED	07JUN05 00:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU	FACDU	
	07JUN05 00:48					2152.3	ENHR
13 REMOVED FOR ACCESS	99 NO FAILURE			EDP RFA			
01 NO FAULT	04 CHECK/TEST SERV						
	Unserviceability Details:						
	Maintenance Comments:	RFA SERV					
FACDUJY702044	C COMPLETED	05NOV07 22:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU	FACDU	
	05NOV07 22:16	05NOV07 22:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU	2877.1	ENHR
13 REMOVED FOR ACCESS	99 NO FAILURE			EDP AND T-PIECE REMOVED FROM ENG S# 103034 TO BE FITTED TO NEW ENG			
01 NO FAULT	04 CHECK/TEST SERV						
	Unserviceability Details:						
	Maintenance Comments:	CHECK/TEST SERV					

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : B3343 LITERAL SERIAL NO : B3343 PERIOD: 01JAN90 TO 08JAN20  
PART NO : RG9570R1/M ~51663  
ENGINEERING NAME : PUMP FUEL ENG DRIVE  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJY403408 C COMPLETED 07SEP09 04:44 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP NONC2CONT  
 25JUN10 11:20 31AUG09 13:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 3234.0 ENHR  
 03 OVERHAUL DUE OH due on Serial B3343  
 PUMP FUEL ENG DVN at WAC 0130  
 01 NO FAULT 07 OVERHAUL  
 Unserviceability Details:  
 Maintenance Comments: O/H C/O IAW 7271.302-3M AL 0

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	3500.0	ENHR	3234.0		
SM	OH	3500.0	ENHR	3234.0		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

ARDUXJ1501031 C COMPLETED 27APR15 01:46 XXxxXXxx XXxxXXxxXXxxXXxxXXxx ARDU ARDU  
 27APR15 01:47 27APR15 01:46 XXxxXXxx XXxxXXxxXXxxXXxxXXxx ARDU 4177.4 ENHR  
 13 REMOVED FOR ACCESS 99 NO FAILURE FORM EE505 REG # VIS/03/15 RAISED FOR RM07 . WORKSHEETS TO  
 BE CLEARED.  
 01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

A1PXXJ1813297 C COMPLETED 14AUG18 12:42 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 14AUG18 12:44 14AUG18 12:43 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 4896.2 ENHR  
 13 REMOVED FOR ACCESS 99 NO FAILURE PUMP FUEL ENG DVN RFA  
 01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : B3504 LITERAL SERIAL NO : B3504 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 968.84.71.103 ~S4080  
ENGINEERING NAME : PUMP JET DELIVERY  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 3950.3 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
30MAR06 06:03	B3504	968.84.71.103	~S4080	A23T	00
aip001	AIP	MMIST		A2KFE	
L. DOBSON		08NOV05		A1PXXRY601627	
	0.0 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

CAMM2  
 ASSET HISTORY

SERIAL/TAIL NO : B3504 LITERAL SERIAL NO : B3504 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 968.84.71.103 ~S4080  
 ENGINEERING NAME : PUMP JET DELIVERY  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
30MAR06 06:03	Reception History Record	0.0	Reception	MMIST	MCS	
17MAY06 04:57	Asset Installation	190.2	A23T	A2KFE	00	XXXXXXxx
	Change Serviceability Stat	48.2	SERV	S/I	027	XXXXXXxx
	Change Location of an Asse	48.2	MMIST	HG121		
07JUN17 07:49	Position Change	4039.1	A23T	A2KFE	00	
	Maintenance Comment	0.0	A23T	A2KFE	00	XXXXXXxx
			POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE			



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03847  
08JAN20  
23:16:15

SERIAL/TAIL NO : B3627  
PART NO : 968.84.71.103 ~S4080  
ENGINEERING NAME : PUMP JET DELIVERY  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 3950.3 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE UNPACKED			
10OCT05 03:11	B3627	968.84.71.103	~S4080 A23T	A2KFE	00
aip01713	AIP	MMIST		A1PXXRY501659	
R. ROSAM		20SEP05			

0.0 AFHR

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03848  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : B3627  
 PART NO : 968.84.71.103 ~S4080  
 ENGINEERING NAME : PUMP JET DELIVERY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
10OCT05 03:11	Reception History Record	0.0	0.0	Reception MMIST MCS	
17MAY06 04:56	Asset Installation	0.0 AFHR	239.2	A23T A2KFE 027 027 00	XXXXXXxx
	Change Serviceability Stat	0.0 AFHR	219.2	SERV S/I MMIST HG121	A23T A2KFG 00MMI XXXXXXxx
	Change Location of an Asse		219.2		

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : B6540 LITERAL SERIAL NO : B6540 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 968.84.11.407 ~S4080  
ENGINEERING NAME : PUMP FUEL BOOSTER  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 3443.8 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
28MAY07 01:12	B6540	968.84.11.407	~S4080	A23T	01
aip01795	AIP	MMIST		A2KFA	
W. MCKENZIE		01FEB07		A1PXXRY701685	
	0.0 AFHR				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : B6540 LITERAL SERIAL NO : B6540 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 968.84.11.407 ~S4080  
ENGINEERING NAME : PUMP FUEL BOOSTER  
VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
28MAY07 01:12	Reception History Record	0.0	Reception	MMIST	MCS	
05MAY08 04:54	Asset Installation	459.2	A23T	A2KFA	01	XXXXXXxx
	Change Serviceability Stat	343.2	SERV	S/I	A23-033	XXXXXXxx
	Change Location of an Asse	343.2	MMIST	A23-033		
07JUN17 07:58	Position Change	3320.1	A23T	A2KFA	01	
	Maintenance Comment	0.0	A23T	A2KFA	01	XXXXXXxx
			POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : B6542 LITERAL SERIAL NO : B6542 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 968.84.11.407 ~S4080  
 ENGINEERING NAME : PUMP FUEL BOOSTER  
 VENUE : A23DISP LOCATION : A23-033  
 CURRENT CONDITION : S/I LIFE SINCE NEW : 3443.8 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
28MAY07 01:17	B6542	968.84.11.407	~S4080	A23T	01
aip01795	AIP	MMIST		A2KFA	
W. MCKENZIE		01FEB07		A1PXXRY701686	
	0.0 AFHR				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : B6542 LITERAL SERIAL NO : B6542 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 968.84.11.407 ~S4080  
ENGINEERING NAME : PUMP FUEL BOOSTER  
VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
28MAY07 01:17	Reception History Record	0.0	0.0	Reception MMIST MCS	XXXXXXxx
05MAY08 05:27	Asset Installation	0.0 AFHR	459.2	A23T A2KFA 027 A23-033 01	XXXXXXxx
	Change Serviceability Stat	0.0 AFHR	343.2	SERV S/I MMIST A23-033	A23T A2KFC 01AC XXXXXXxx
	Change Location of an Asse		343.2		

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03853  
08JAN20  
23:16:15

SERIAL/TAIL NO : C24450  
PART NO : 3244807-4 ~06848  
ENGINEERING NAME : VALVE INTERFACE  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 1130.9 ENHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
26APR16 03:29	C24450	3244807-4	~07213	A23T	00
aip01694	AIP	STORES			
M. COX		16FEB16			
	0.0 ENHR		26APR16	A1SAK58	
				A1PXXR1600553	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03854  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : C24450  
 PART NO : 3244807-4 ~06848  
 ENGINEERING NAME : VALVE INTERFACE  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
26APR16 03:29	Reception History Record	0.0	0.0	Reception STORES MCS	
13NOV16 23:50	Change Part Number of an A	0.0 ENHR	201.9	3244807-4 ~07213 3244807-4 ~06848	XXxxXXxx
13NOV16 23:56	Maintenance Comment Asset Installation	0.0 ENHR	0.0 271.9	ALPXXX1611909 REPLACE CAGE CODE FOR ATF A23T A1SAK58 00 103186 A23-024	XXxxXXxx
	Change Serviceability Stat	0.0 ENHR	201.9	SERV S/I STORES A23-024	XXxxXXxx
	Change Location of an Asse		201.9		00AC

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03855  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : C26012  
 PART NO : 3244856-7-6-3  
 ENGINEERING NAME : FUEL CONTROL UNIT  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

LOCATION : A23-033  
 LIFE SINCE NEW : 3448.9 ENHR

PERIOD: 01JAN90 TO 08JAN20  
 ~07213

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
05SEP03 04:46	Maintenance Comment	0.0 ENHR	0.1	14Oct02 103207 00.30 1315.3 1315.3 ENHR	UPDATED LIFE (MPMI) XXXXXXxx
05SEP03 04:46	Maintenance Comment	0.0 ENHR	0.1	NEXT OH2 DUE: OLD = NEW = 21OCT08 ELPYR CAMM LOG00008	
05SEP03 04:46	Maintenance Comment	0.0 ENHR	0.1	14Oct02 STI-PC9-0283 CAMM LOG00010	STI STATUS NOW INC XXXXXXxx
05SEP03 04:46	Maintenance Comment	0.0 ENHR	0.1	19Jun02 STI-PC9-0124 CAMM LOG00013	STI STATUS NOW NA XXXXXXxx
05SEP03 04:48	Maintenance Comment	0.0 ENHR	0.1	27Feb97 103207 01.2 0.0 0.0 ENHR	IN AS A23T 0011-04-00-K XXXXXXxx
05SEP03 04:50	Maintenance Comment	0.0 ENHR	0.1	539 0 DAYS CAMM LOG00006	XXXXXXxx
05SEP03 04:50	Maintenance Comment	0.0 ENHR	0.1	2179 2179 DAYS CAMM LOG00009	XXXXXXxx
05SEP03 04:50	Maintenance Comment	0.0 ENHR	0.1	14Oct02 103207 00.30 1315.3 1315.3 ENHR	UPDATED LIFE (MPMI) XXXXXXxx
05SEP03 04:51	Maintenance Comment	0.0 ENHR	0.1	2179 2179 DAYS CAMM LOG00012	XXXXXXxx
05SEP03 04:52	Maintenance Comment	0.0 ENHR	0.1	125 0 DAYS CAMM LOG00004	XXXXXXxx
05SEP03 04:53	Maintenance Comment	0.0 ENHR	0.1	24Oct96 2FTMMIST 00. 0.0 0.0 ENHR	RECEPTION (MIRE) XXXXXXxx
05SEP03 04:54	Maintenance Comment	0.0 ENHR	0.1	0 0 DAYS CAMM LOG00002	XXXXXXxx
05SEP03 04:55	Maintenance Comment	0.0 ENHR	0.1	17Apr98 103207 01.3 175.9 175.9 ENHR	UPDATED LIFE (MPMI) XXXXXXxx
01APR04 22:54	Asset Removal	1315.3 ENHR	209.8	103207 103207 A23T ALSAI02 00	A23T ALSAI02 00M XXXXXXxx
	Change Serviceability Stat	2590.9	S/I SERV		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03856  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : C26012  
 PART NO : 3244856-7-6-3  
 ENGINEERING NAME : FUEL CONTROL UNIT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
19OCT05 04:39	Change Venue of an Asset	604.1	FACDU AIE	
	1315.3 ENHR Change Location of an Asse	566.9	FACDUXY600127 MMI MCS	XXxxXXxx
06FEB06 05:20	Maintenance Comment	0.0	OH CARRIED OUT P&W 20MAY05 MASLING FORM TRACK NO 4494	
	1315.3 ENHR		A1EXXXY600425	XXxxXXxx
09FEB06 03:00	Asset Installation	678.1	A23T ALSAI02 00	
	1315.3 ENHR Change Serviceability Stat	678.1	103149 A23-062	A23T ALSAI02 00AC XXxxXXxx
	Change Location of an Asse	112.9	SERV S/I MCS A23-062	
27MAR06 22:53	Change Part Number of an A	934.8	3244831-6-5 ~07213 3244856-7-6-3 ~07213	
	1315.3 ENHR		A1EXXXY601594	XXxxXXxx
18NOV09 21:27	Asset Removal	1378.7	103149 A23-062	A23T ALSAI02 00A
	1877.3 ENHR Change Serviceability Stat	69.6	A23T ALSAI02 00	XXxxXXxx
	Change Location of an Asse	152.9	S/I U/S A23-062	
18NOV09 21:30	Change Serviceability Stat	0.0	PC9-AIRCRAFT U/S SERV	
	1877.3 ENHR			XXxxXXxx
24NOV09 08:59	Asset Installation	5.4	A23T ALSAI02 00	
	1877.3 ENHR Change Serviceability Stat	5.4	103170 A23-045	A23T ALSAI02 00AC XXxxXXxx
	Change Location of an Asse	5.4	SERV S/I PC9-AIRCRAFT A23-045	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03857  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : C26012  
 PART NO : 3244856-7-6-3  
 ENGINEERING NAME : FUEL CONTROL UNIT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~07213

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
30NOV09 22:47	Asset Removal		6.5	103170 A23T A1SAI02 A23-045 00	A23T A1SAI02 00A
	Change Serviceability Stat	1877.3 ENHR	6.5	S/I U/S	XXXXXXxx
	Change Location of an Asse		6.5	A23-045 PC9-AIRCRAFT	
10DEC09 00:22	Change Venue of an Asset		174.1	ARDU NONC2CONT	
	Change Location of an Asse	1877.3 ENHR	9.0	ARDUXXY905153 PC9-AIRCRAFT	XXXXXXxx
31MAR10 12:00	Change Serviceability Stat		120.5	HOLD U/S SERV	
	Change Venue of an Asset	1877.3 ENHR	162.1	NONC2CONT AIP	XXXXXXxx
21MAY10 03:36	Change Location of an Asse	1877.3 ENHR	162.1	NONC2X1004716 HOLD	XXXXXXxx
27MAY10 22:47	Position Change		177.9	MMIST A23T A1SAI02 A23T A1SAI02 00	
	Asset Installation	1877.3 ENHR	363.3	A1PXXX1005458 A23T A1SAI02 103128 A23-040 00	XXXXXXxx
29NOV10 07:35	Change Serviceability Stat	1877.3 ENHR	242.8	SERV S/I	A23T A1SAI02 00AC
	Change Location of an Asse		192.1	MMIST A23-040	XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03858  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : C26012  
 PART NO : 3244856-7-6-3  
 ENGINEERING NAME : FUEL CONTROL UNIT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS											
TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER				
LIFE SINCE NEW											
=====											
01JUN11	06:47	Asset Removal	183.9	103128	A23T	A1SAI02	A23-040	00	A23T	A1SAI02	00A
		2017.9 ENHR									
		Change Serviceability Stat	14.0	S/I						XXXXXXxx	
		Change Location of an Asse	183.9	U/S							
01JUN11	06:48	Change Serviceability Stat	0.0	A23-040							
		2017.9 ENHR		OPMH							
		Change Serviceability Stat	6.8	U/S						XXXXXXxx	
08JUN11	02:38	Change Serviceability Stat	6.8	SERV							
		2017.9 ENHR		U/S							
25JUL11	23:17	Change Venue of an Asset	430.8	A1PXXJ1108439						XXXXXXxx	
		2017.9 ENHR		AIP							
		Change Location of an Asse	54.6	NONC2CONT						XXXXXXxx	
		2017.9 ENHR		A1PXXX1106488							
		Change Serviceability Stat	190.2	OPMH							
15DEC11	09:10	Change Serviceability Stat	190.2	HOLD							
		2017.9 ENHR		U/S							
		Change Venue of an Asset	398.2	SERV						XXXXXXxx	
27AUG12	05:10	Change Venue of an Asset	398.2	NONC2CONT							
		2017.9 ENHR		AIP							
		Change Location of an Asse	398.2	NONC2X1209291						XXXXXXxx	
		2017.9 ENHR		HOLD							
		Change Serviceability Stat	465.6	STORES							
25MAR13	01:17	Asset Installation	662.7	A23T	A1SAI02	A23-021	00		A23T	A1SAI02	00AC
		2017.9 ENHR		103156							
		Change Serviceability Stat	465.6	SERV						XXXXXXxx	
		Change Location of an Asse	209.8	S/I							
		2017.9 ENHR		STORES							
		Change Serviceability Stat	465.6	A23-021							

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03859  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : C26012  
 PART NO : 3244856-7-6-3  
 ENGINEERING NAME : FUEL CONTROL UNIT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~07213

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
26JUN14 22:16	Position Change	458.8	A23T A1SAI02 00 A23T A1SAI02 00	
	2465.9 ENHR Maintenance Comment	0.0	A1PXXX1406561 POLICY COPY; POSN. MPAN 13/2014. AMEND B/S + O/H.	XXxxXXxx
27MAY15 08:03	Position Change	793.2	A23T A1SAI02 00 A23T A1SAI02 00	
	2675.1 ENHR Maintenance Comment	0.0	A1PXXX1504630 AUTH: TASPO MPAN 19/2015 - NEW O/H INT= 6 ELPYRS. AK10395285	XXxxXXxx
05FEB16 00:29	Change Serviceability Stat	134.6	S/I US/I	
	2824.2 ENHR		NONC2J1000939	XXxxXXxx
11FEB16 05:52	Asset Removal	1053.1	103156 A23-021 A23T A1SAI02 00	A23T A1SAI02 00A
	2824.2 ENHR Change Serviceability Stat	6.2	US/I U/S	XXxxXXxx
	Change Location of an Asse	1053.1	A23-021 INTMH	
16FEB16 00:52	Change Venue of an Asset	1267.8	AIP NONC2CONT	
	2824.2 ENHR Change Location of an Asse	4.7	A1PXXX1601421 INTMH	XXxxXXxx
29NOV16 00:30	Change Serviceability Stat	291.7	HOLD U/S SERV	
	2824.2 ENHR			XXxxXXxx
14DEC16 06:27	Change Venue of an Asset	302.2	NONC2CONT AIP	
	2824.2 ENHR Maintenance Comment	0.0	NONC2X1613799 OH AT QDS ON 29NOV16. MOVED TO AIP PEA.	XXxxXXxx
	Change Location of an Asse	302.2	HOLD STORES	
30JAN17 23:06	Change Location of an Asse	47.6	STORES FAK	
	2824.2 ENHR		A1PXXX1701241	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03860  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : C26012  
 PART NO : 3244856-7-6-3  
 ENGINEERING NAME : FUEL CONTROL UNIT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~07213

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
26MAR18 05:57	Asset Installation	774.0	A23T 103186 A1SAI02 A23-024	A23T A1SAI02 00AC
	2824.2 ENHR Change Serviceability Stat	482.2	SERV S/I FAK A23-024	XXXXXXxx
	Change Location of an Asse	419.2		
02APR18 21:57	Change Serviceability Stat	4.6	S/I US/I A1PXXJ1802097	XXXXXXxx
03APR18 02:30	Change Serviceability Stat	0.1	S/I	
	2826.2 ENHR Asset Removal	450.0	103186 A23T A1SAI02 A23-033	A23T A1SAI02 00A
	3304.3 ENHR Change Serviceability Stat	43.6	S/I U/S A23-033	XXXXXXxx
	Change Location of an Asse	308.1	INTMH U/S SERV	
19JUN19 06:16	Change Serviceability Stat	0.0		
	3304.3 ENHR Asset Installation	1.0	A23T 103186 A1SAI02 A23-033	A23T A1SAI02 00AC
	3304.3 ENHR Change Serviceability Stat	1.0	SERV S/I INTMH A23-033	XXXXXXxx
	Change Location of an Asse	1.0		

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03861  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : C26012 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 3244856-7-6-3 ~07213  
 ENGINEERING NAME : FUEL CONTROL UNIT  
 VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

WLMXXJCA00287 C COMPLETED 24OCT96 00:00 XXxxXXxx WLM 0.0  
 24OCT96 00:00  
 02 BAY SERVICE DUE

Unserviceability Details:  
 Maintenance Comments:

WLMXXJCA00288 C COMPLETED 24OCT96 00:00 XXxxXXxx WLM 0.0  
 24OCT96 00:00  
 03 OVERHAUL DUE

Unserviceability Details:  
 Maintenance Comments:

ARDUXJY904595 C COMPLETED 18NOV09 21:27 XXxxXXxx XXxxXXxxXXxxXXxxXXxx ARDU ARDU  
 18NOV09 21:30 18NOV09 21:28 XXxxXXxx XXxxXXxxXXxxXXxxXXxx ARDU 1877.3 ENHR  
 09 CANNIBALISATION 99 NO FAILURE FCU CANNIBILISED TO SERVICE A23-045

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

ARDUXJY904689 C COMPLETED 30NOV09 22:47 XXxxXXxx XXxxXXxxXXxxXXxxXXxx ARDU NONC2CONT  
 31MAR10 12:00 30NOV09 22:49 XXxxXXxx XXxxXXxxXXxxXXxx ARDU 1877.3 ENHR  
 01 UNSERVICEABLE 32 DURING FAULT FINDING FCU UNABLE TO BE RIGGED IAW 7212.007-2  
 02 MECHANICAL COMPONENT FAIL 02 MECHANICAL FAILURE  
 07 OVERHAUL

Unserviceability Details: UNABLE TO BE RIGGED IAW 7212.007-2 AND DURING ENGINE RUNS CUT OFF SLOW TO SHUT DOWN ENGINE

Maintenance Comments: O/H C/O IAW HONEYWELL O/H MM REF 73-20-45 REV 2 TR 73-40 @ PWC AASIA

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	12.0	ELPYR			17MAY17

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03862  
08JAN20  
23:16:15

SERIAL/TAIL NO : C26012 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 3244856-7-6-3 ~07213  
ENGINEERING NAME : FUEL CONTROL UNIT  
VENUE : A23DISP LOCATION : A23-033

ACTIVITY TYPE ACTIVITY CODE INTERVAL INT TYPE CODE ELAPSED LIFE LIFE REMAINING DATE DUE  
=====

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJ1108111 C COMPLETED 01JUN11 06:47 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
01JUN11 06:48 01JUN11 06:47 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 2017.9 ENHR  
13 REMOVED FOR ACCESS 99 NO FAILURE STI-PC9-0538 due on Serial 0904  
PUMP FUEL HIGH PRES at WAC 0130  
01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV

A1PXXJ1108439 C COMPLETED 08JUN11 02:38 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP NONC2CONT  
15DEC11 09:10 08JUN11 02:38 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 2017.9 ENHR  
08 MOD/STI/DVI REQUIRED STI-PC9-0539 due on Serial C26012  
FUEL CONTROL UNIT at WAC 0130  
01 NO FAULT 08 MOD/STI/DVI INCORP  
Unserviceability Details:  
Maintenance Comments: STI INCORPORATED DURING ENGINE REPAIR. JOBNO:A1PXXJ1110115.

A1PXXJ1110115 C COMPLETED 06JUL11 23:28 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP NONC2CONT  
15DEC11 09:10 06JUL11 23:31 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 2017.9 ENHR  
01 UNSERVICEABLE 14 ANALYTICAL CONDITION INSPECTION CHIPPED TEETH  
02 MECHANICAL COMPONENT FAIL 02 MECHANICAL FAILURE  
06 BAY SERVICE  
Unserviceability Details: SHAFT TEETH FOUND CHIPPED OFF  
Maintenance Comments: ITEM INSPECTED, REPAIRED & MODIFIED (STI-0539) IAW HONEYWELL  
O/HAUL MANUAL 73-20-54 REV.2 TR 73-40  
PUB NO:D201106000028 INCORPORATED (ADDS SIB28 TO DATA PLATE).  
BENCH CHECKED & BAY SERVICE CARRIED OUT

NONC2J1000939 C COMPLETED 11FEB16 05:52 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP NONC2CONT  
29NOV16 00:30 05FEB16 00:29 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 2824.2 ENHR  
03 OVERHAUL DUE OH due on Serial C26012  
FUEL CONTROL UNIT at WAC 0130  
01 NO FAULT 07 OVERHAUL  
Unserviceability Details:  
Maintenance Comments: OVERHAULED IAW CMM 73-20-54 REV 2 REF QDS COC3650

For-Official-Use-Only



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03863  
08JAN20  
23:16:15

SERIAL/TAIL NO : C26012 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 3244856-7-6-3 ~07213  
ENGINEERING NAME : FUEL CONTROL UNIT  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	6.0	ELPYR			29MAR16
SM	OH	4500.0	ENHR	946.9		
SM	OH	6.0	ELPYR			29MAR16

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJ1802097 C COMPLETED 03APR18 02:26 XXxxXXxx XXxxXXxxXXxxXXxx AIP AIP  
03APR18 02:30 02APR18 21:57 XXxxXXxx XXxxXXxxXXxxXXxx AIP 2826.2 ENHR  
08 MOD/STI/DVI REQUIRED STI-PC9-0665 due on Serial C26012  
FUEL CONTROL UNIT at WAC 0130  
01 NO FAULT 08 MOD/STI/DVI INCORP  
Unserviceability Details:  
Maintenance Comments: INPS C/O IAW STI INSTRUCTION

A1PXXJ1910048 C COMPLETED 19JUN19 06:14 XXxxXXxx XXxxXXxxXXxxXXxx AIP AIP  
19JUN19 06:16 19JUN19 06:15 XXxxXXxx XXxxXXxxXXxxXXxx AIP 3304.3 ENHR  
13 REMOVED FOR ACCESS 99 NO FAILURE 7113.022-307 due on Serial 103186  
ENGINE CHANGE UNIT at WAC 0100  
01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

CAMM2  
 ASSET HISTORY

SERIAL/TAIL NO : C26012  
 PART NO : 3244856-7-6-3 ~07213  
 ENGINEERING NAME : FUEL CONTROL UNIT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MOD NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
7161.045-101	Y	05SEP03 02:07	NINC			
7161.045-105	Y	14SEP05	NINC			
7161.046-107	Y	09JAN07	NINC			

STI NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
STI-PC9-0124	Y	19JUN02 00:00	N/A			
STI-PC9-0283	Y	14OCT02 00:00	INC			
STI-PC9-0539	N	08JUN11	NINC			
STI-PC9-0539	Y	15DEC11 00:00	INC	A1PXXJ1108439	08JUN11 02:38	2017.9 ENHR
STI-PC9-0665	N	07FEB18 01:50	NINC			
STI-PC9-0665	Y	03APR18 02:28	INC	A1PXXJ1802097	03APR18 02:26	2826.2 ENHR

POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	USER ID
06FEB06 05:17	SM DLD Changed From: 24OCT1996	OH	XXxxXXxx
06FEB06 05:18	SM DLD Changed From: 24OCT1996	BS	XXxxXXxx
28AUG12 05:10	SM Claimed	FT	
14DEC16 06:26	SM Claimed	BS	
14DEC16 06:26	SM Claimed	FT	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 03865  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : C27197  
 PART NO : 3036834  
 ENGINEERING NAME : COMPENSATOR TEMP  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 3121.7 ENHR  
 PERIOD: 01JAN90 TO 08JAN20  
 ~00198

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
29AUG03 17:17	Maintenance Comment	0.0 ENHR	0.3	21Mar03 XLOC 00. 0.0 0.0 ENHR	RECEPTION (MIRE)
29AUG03 17:17	Maintenance Comment	0.0 ENHR	0.3	CAMM LOG00001 29Aug03 077PC9MI 00. .0 ENHR	TX TO CAMM2
29AUG03 17:18	Maintenance Comment	0.0 ENHR	0.3	CAMM LOG00004 14Jan03 .0 ENHR	NXT OH
29AUG03 17:18	Maintenance Comment	0.0 ENHR	0.3	CAMM LOG00003 14Jan03 NEW - C27197 3036834	0011-09-00-G
31MAR04 06:28	Change Location of an Asse	0.0 ENHR	376.2	CAMM LOG00002 PC9MI	XXXXXXxx
07AUG06 23:36	Change Venue of an Asset	0.0 ENHR	1074.6	MMI FACDUXY400674	XXXXXXxx
08AUG06 00:54	Asset Installation	0.0 ENHR	1074.6	FACDU AIP FACDUXY600978	XXXXXXxx
	Change Location of an Asse	0.0 ENHR	859.7	MMI MMIST	
	Change Serviceability Stat	0.0 ENHR	1302.0	A23T A1SAK28 00 103186 A23-015 A23T A1SAK28	00AC
	Change Location of an Asse	0.0 ENHR	0.0	SERV S/I	
19APR17 22:48	Position Change	2175.4 ENHR	3907.9	MMIST A23-015 A23T A1SAK28 00 A23T A1SAK28 00	
	Maintenance Comment	0.0 ENHR	0.0	A1PXXX1706295 POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE	XXXXXXxx

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
FACDUJCA00708	C COMPLETED	14JAN03 00:00	XXXXXXxx		FACDU	0.0	
03 OVERHAUL DUE		14JAN03 00:00					

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : C27197  
PART NO : 3036834 ~00198 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : COMPENSATOR TEMP  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

=====

Unserviceability Details:  
Maintenance Comments:

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03867  
08JAN20  
23:16:15

SERIAL/TAIL NO : C27197  
PART NO : 3036834 ~00198  
ENGINEERING NAME : COMPENSATOR TEMP  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MOD NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
7198.020-107	Y	04OCT05 02:00	INC			

STI NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
STI-PC9-0163	Y	21MAR03 00:00	N/A			
STI-PWAPT6A62-0009	Y	21MAR03 00:00	N/A			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03868  
08JAN20  
23:16:15

SERIAL/TAIL NO : CT1-186  
PART NO : CT1-3121111-01 ~Z5514  
ENGINEERING NAME : COMP TURB BLADE SET  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 2979.9 ENHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
20JAN09 10:05	CT1-186	CT1-3121111-01	~Z5514	A23T	00
aip01865	AIP	HOLD		A1SAK50AC00	
D. ULLMER		28JUL89		A1PXXRY900147	
	854.7 ENHR				

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03869  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : CT1-186  
 PART NO : CT1-3121111-01 ~Z5514  
 ENGINEERING NAME : COMP TURB BLADE SET  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
20JAN09 10:05	Asset Installation	854.7 ENHR	7116.4	A23T A1SAK50AC00 3Y877 A23-015 00	A23T A1SAK50AC00 00AC XXxxXXxx
	Change Serviceability Stat	0.4	0.4	SERV S/I	
	Change Location of an Asse	0.4	0.4	HOLD A23-015	
20JAN09 10:05	Reception History Record	854.7 ENHR	0.0	Reception HOLD MCS	XXxxXXxx
19APR17 22:36	Position Change	2033.6 ENHR	3011.5	A23T A1SAK50AC00 00 A23T A1SAK50AC00 00 A1PXXX1706281	XXxxXXxx
	Maintenance Comment	0.0	0.0	POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03870  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DD1109  
 PART NO : MBEU100710 ~U1604  
 ENGINEERING NAME : HPRU BODY  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 7193.3 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T CHANGE TYPE		LIFE SINCE NEW		SPAN(DYS) FROM TO (OPTIONAL) TRANS REFERENCE		USER	
DATE	TIME	DESCRIPTION	AFHR	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	SPAN(DYS)	USER
30AUG03	06:06	Maintenance Comment	0.0 AFHR	0.9	03Apr00 DD1109 00.40 3792	1693 DAYS	02-BS DUE RW03574
30AUG03	06:07	Maintenance Comment	0.0 AFHR	0.9	30Jun99 DD1109 07.40 3514	1415 DAYS	LOG INITIALIZED
30AUG03	06:07	Maintenance Comment	0.0 AFHR	0.9	2737.5 0.0 AFHR		
30AUG03	06:07	Maintenance Comment	0.0 AFHR	0.9	03Apr00 RV99907	FF: 01-NIL	MA: 06-BS
30AUG03	06:07	Maintenance Comment	0.0 AFHR	0.9	21Jan02 RX16094	FF: 01-NIL	MA: 07-OH
30AUG03	06:12	Maintenance Comment	0.0 AFHR	0.9	21Jan02 DD1109 00.40 4449	2350 DAYS	03-OH DUE RY20032
30AUG03	06:12	Maintenance Comment	0.0 AFHR	0.9	21Jan02	ELPYPYR LST OH 20JAN08	ELPYPYR NXT OH
30AUG03	06:15	Maintenance Comment	0.0 AFHR	0.9	21Jan02	ELPYPYR LST BS 21JAN04	ELPYPYR NXT BS
30AUG03	06:15	Maintenance Comment	0.0 AFHR	0.9	3130.9 0.0 AFHR		
30AUG03	06:21	Maintenance Comment	0.0 AFHR	0.9	29Aug03 DD1109 07.40 3417.5 AFHR	TX TO CAMM2	
30AUG03	06:22	Maintenance Comment	0.0 AFHR	0.9	13Nov89 NEW - DD1109 MBEU100710	1451-02-03-K	
11DEC03	00:32	Change Serviceability Stat	3447.5 AFHR	21.9	S/I		
18MAR04	22:27	Change Serviceability Stat	3447.5 AFHR	98.9	ARDUPJ301817		
03APR06	03:19	Change Serviceability Stat	3799.8 AFHR	17.0	S/I		
20APR06	23:50	Change Serviceability Stat	3799.8 AFHR	17.8	A1EXXJY401853		



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03871  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DD1109  
 PART NO : MBEU100710 ~U1604  
 ENGINEERING NAME : HPRU BODY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
17JAN08 00:00	Change Serviceability Stat	4078.8 AFHR	2.8	S/I US/I ARDUPJ301818X	XXxxXXxx
29APR08 01:23	Change Serviceability Stat	4078.8 AFHR	103.0	US/I S/I	XXxxXXxx
28MAR10 21:27	Change Serviceability Stat	4674.0 AFHR	3.6	S/I US/I A1EXXJY602729	XXxxXXxx
24MAY10 03:47	Change Serviceability Stat	4674.0 AFHR	56.2	US/I S/I	XXxxXXxx
02MAY12 03:49	Change Serviceability Stat	5253.2 AFHR	0.9	S/I US/I A1EXXJ1002926	XXxxXXxx
23MAY12 04:47	Change Serviceability Stat	5253.2 AFHR	21.0	US/I S/I	XXxxXXxx
15AUG13 01:12	Position Change	5676.5 AFHR	3638.6	A23T A26AM04 00 A23T A26AM04 00	XXxxXXxx
24FEB14 22:38	Change Serviceability Stat	5846.3 AFHR	10.8	A1EXXX1302729 S/I US/I A1EXXJY802834	XXxxXXxx
09OCT14 04:41	Change Serviceability Stat	5846.3 AFHR	226.2	US/I S/I	XXxxXXxx
22SEP16 04:29	Change Serviceability Stat	6288.1 AFHR	62.9	S/I US/I A1EXXJ1202820	XXxxXXxx
08NOV16 00:30	Change Serviceability Stat	6288.1 AFHR	46.8	US/I S/I	XXxxXXxx
15NOV18 00:17	Change Serviceability Stat	6891.9 AFHR	6.7	S/I US/I A1EXXJ1610654	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03872  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DD1109 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : MBEU100710 ~U1604  
 ENGINEERING NAME : HPRU BODY  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
19FEB19 01:39	Change Serviceability Stat	96.0	US/I S/I	XXxxXXxx
	6891.9 AFHR			

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
ARDUPJCA00452	C COMPLETED	21JAN02 00:00	XXxxXXxx		ARDUPEA		0.0
	21JAN02 00:00						
02 BAY SERVICE DUE							

Unserviceability Details:  
 Maintenance Comments:

ARDUPJCA00434	C COMPLETED	21JAN02 00:00	XXxxXXxx		ARDUPEA		0.0
	21JAN02 00:00						
03 OVERHAUL DUE							

Unserviceability Details:  
 Maintenance Comments:

ARDUPJ301817X	C COMPLETED	18MAR04 22:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU	AIE	
	18MAR04 22:27					3447.5	AFHR
02 BAY SERVICE DUE				BS HPRU BODY	due on Serial DD1109 at WAC 0740		
01 NO FAULT		06 BAY SERVICE					

Unserviceability Details:  
 Maintenance Comments: BS CO

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			21JAN04
SM	BS	2.0	ELPYR			21JAN04

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03873  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DD1109 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : MBEU100710 ~U1604  
 ENGINEERING NAME : HPRU BODY  
 VENUE : A23DISP LOCATION : A23-033

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
=====	=====	=====	=====	=====	=====	=====

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1EXXJY401853	C COMPLETED	20APR06 23:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	20APR06 23:50					3799.8	AFHR
02 BAY SERVICE DUE				BS	due on Serial DD1109		
				HPRU BODY	at WAC 0740		
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:		BSCO			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
=====	=====	=====	=====	=====	=====	=====
SM	BS	2.0	ELPYR			18MAR06

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

ARDUPJ301818X	C COMPLETED	27MAR08 23:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU	AIE	
	29APR08 01:23	17JAN08 00:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU	4078.8	AFHR
03 OVERHAUL DUE				OH	due on Serial DD1109		
				HPRU BODY	at WAC 0740		
01 NO FAULT		07 OVERHAUL					
		Unserviceability Details:					
		Maintenance Comments:		OH C/O			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
=====	=====	=====	=====	=====	=====	=====
SM	OH	6.0	ELPYR			20JAN08
SM	OH	6.0	ELPYR			20JAN08

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03874  
08JAN20  
23:16:15

SERIAL/TAIL NO : DD1109  
PART NO : MBEU100710 ~U1604  
ENGINEERING NAME : HPRU BODY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1EXXJY602729 C COMPLETED 24MAY10 03:44 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
24MAY10 03:47 28MAR10 21:27 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 4674.0 AFHR  
02 BAY SERVICE DUE BS due on Serial DD1109  
HPRU BODY at WAC 0740  
01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: BS C/O SERV REF SNOW 602739

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			29APR10

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1EXXJ1002926 C COMPLETED 23MAY12 04:45 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
23MAY12 04:47 02MAY12 03:49 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 5253.2 AFHR  
02 BAY SERVICE DUE BS due on Serial DD1109  
HPRU BODY at WAC 0740  
01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: BS C/O SERV REF SNOW 1002936

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			23MAY12

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03875  
08JAN20  
23:16:15

SERIAL/TAIL NO : DD1109  
PART NO : MBEU100710 ~U1604 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : HPRU BODY  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJY802834	C COMPLETED	09OCT14 04:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
03 OVERHAUL DUE	09OCT14 04:41	24FEB14 22:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	5846.3	AFHR
01 NO FAULT		07 OVERHAUL		OH HPRU BODY	due on Serial DD1109 at WAC 0740		
		Unserviceability Details:		Maintenance Comments:	OH C/O SERV REF SNOW 802851		

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	6.0	ELPYR			28APR14
SM	OH	6.0	ELPYR			28APR14

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJ1202820	C COMPLETED	23SEP16 01:02	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
02 BAY SERVICE DUE	08NOV16 00:30	22SEP16 04:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	6288.1	AFHR
01 NO FAULT		06 BAY SERVICE		BS HPRU BODY	due on Serial DD1109 at WAC 0740		
		Unserviceability Details:		Maintenance Comments:	BS C/O SERV REF SNOW 1202831 MCS ARM 52/16		

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			08OCT16
SM	BS	2.0	ELPYR			08OCT16

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : DD1109  
 PART NO : MBEU100710 ~U1604  
 ENGINEERING NAME : HPRU BODY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1EXXJ1610654	C COMPLETED	19FEB19 00:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	AIE	
	19FEB19 01:39	15NOV18 00:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	6891.9	AFHR
02 BAY SERVICE DUE				BS	due on Serial DD1109		
				HPRU BODY	at WAC 0740		
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:		INSITU BAY SERVICE CARRIED OUT SERV REF SNOW 1610669 AIE MCS			
				08/19			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
=====	=====	=====	=====	=====	=====	=====
SM	BS	2.0	ELPYR			08NOV18
SM	BS	2.0	ELPYR			08NOV18

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : DD1109  
PART NO : MBEU100710 ~U1604  
ENGINEERING NAME : HPRU BODY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MOD NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
7291.042-112	Y	12NOV97 00:00	N/A			

POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	USER ID
09OCT14 04:41	SM Claimed	BS	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 03878  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DD1109  
 PART NO : MBEU114626  
 ENGINEERING NAME : HPRU  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

~U1604

PERIOD: 01JAN90 TO 08JAN20

LOCATION : A23-033  
 LIFE SINCE NEW : 7193.3 AFHR

ASSET TRANSACTIONS

TRANSACTION D/T CHANGE TYPE		LIFE SINCE NEW		SPAN(DYS) FROM		TO (OPTIONAL)		TRANS REFERENCE		USER	
=====		=====		=====		=====		=====		=====	
30AUG03	05:38	Maintenance Comment	0.0	AFHR	0.8	21Jan02	040	00.40	4449	2350 DAYS	03-OH DUE RY20030
											XXxxXXxx
30AUG03	05:38	Maintenance Comment	0.0	AFHR	0.8	29Aug03	040	07.40	3417.5 AFHR	TX TO CMM2	XXxxXXxx
											XXxxXXxx
30AUG03	05:39	Maintenance Comment	0.0	AFHR	0.8	29Aug03	040	07.40	3417.5 AFHR	TX TO CMM2	XXxxXXxx
											XXxxXXxx
30AUG03	05:40	Maintenance Comment	0.0	AFHR	0.8	13Nov89	NEW - DD1109		MBEU114626	1451-02-00-H	XXxxXXxx
											XXxxXXxx
30AUG03	05:40	Maintenance Comment	0.0	AFHR	0.8	21Jan02		ELPYR	LST OH 20JAN08	ELPYR	NXT OH
											XXxxXXxx
30AUG03	05:41	Maintenance Comment	0.0	AFHR	0.8	21Jan02		ELPYR	LST BS 21JAN04	ELPYR	NXT BS
											XXxxXXxx
30AUG03	05:42	Maintenance Comment	0.0	AFHR	0.8	13Nov89	NEW - DD1109		MBEU114626	1451-02-00-H	XXxxXXxx
											XXxxXXxx
30AUG03	05:44	Maintenance Comment	0.0	AFHR	0.8	17Sep02	STI-PC9-0278			STI STATUS NOW	INC
											XXxxXXxx
30AUG03	05:44	Maintenance Comment	0.0	AFHR	0.8	21Jan02	RX16094		FF: 01-NIL		MA: 07-OH
											XXxxXXxx
30AUG03	05:45	Maintenance Comment	0.0	AFHR	0.8	03Apr00	RV99907		FF: 01-NIL		MA: 06-BS
											XXxxXXxx
30AUG03	05:47	Maintenance Comment	0.0	AFHR	0.8	3130.9	0.0 AFHR				XXxxXXxx
											XXxxXXxx
30AUG03	05:47	Maintenance Comment	0.0	AFHR	0.8	21Jan02		ELPYR	LST OH 20JAN08	ELPYR	NXT OH
											XXxxXXxx
30AUG03	05:47	Maintenance Comment	0.0	AFHR	0.8	21Jan02		ELPYR	LST BS 21JAN04	ELPYR	NXT BS
											XXxxXXxx
19NOV03	00:41	Position Change	3444.4	AFHR	81.6	A23T	A26AM		00		
									0		
											XXxxXXxx
11DEC03	00:32	Change Serviceability Stat	3447.5	AFHR	21.9	S/I					
						US/I					
						ARDUPJ302008					XXxxXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03879  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DD1109  
 PART NO : MBEU114626 ~U1604  
 ENGINEERING NAME : HPRU  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
			LIFE SINCE NEW		TRANS REFERENCE		
18MAR04	22:23	Change	Serviceability Stat	98.9	US/I		
			3447.5 AFHR		S/I		XXxxXXxx
03APR06	03:19	Change	Serviceability Stat	17.0	S/I		
			3799.8 AFHR		US/I	A1EXXJY401852	XXxxXXxx
21APR06	00:28	Change	Serviceability Stat	17.8	US/I		
			3799.8 AFHR		S/I		XXxxXXxx
17JAN08	00:00	Change	Serviceability Stat	2.8	S/I		
			4078.8 AFHR		US/I	ARDUPJ302009X	XXxxXXxx
29APR08	01:28	Change	Serviceability Stat	103.0	US/I		
			4078.8 AFHR		S/I		XXxxXXxx
28MAR10	21:27	Change	Serviceability Stat	3.6	S/I		
			4674.0 AFHR		US/I	A1EXXJY602737	XXxxXXxx
24MAY10	04:00	Change	Serviceability Stat	56.2	US/I		
			4674.0 AFHR		S/I		XXxxXXxx
02MAY12	03:49	Change	Serviceability Stat	0.9	S/I		
			5253.2 AFHR		US/I	A1EXXJ1002934	XXxxXXxx
23MAY12	05:07	Change	Serviceability Stat	21.0	US/I		
			5253.2 AFHR		S/I		XXxxXXxx
24FEB14	22:38	Change	Serviceability Stat	10.8	S/I		
			5846.3 AFHR		US/I	A1EXXJY802836	XXxxXXxx
09OCT14	04:50	Change	Serviceability Stat	226.2	US/I		
			5846.3 AFHR		S/I		XXxxXXxx
22SEP16	04:29	Change	Serviceability Stat	62.9	S/I		
			6288.1 AFHR		US/I	A1EXXJ1202829	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03880  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DD1109  
 PART NO : MBEU114626 ~U1604  
 ENGINEERING NAME : HPRU  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
23SEP16 01:00	Asset Removal	4773.6	040 A23T A26AM 040 00	A23T A26AM 00M
	6288.1 AFHR Change Serviceability Stat	0.8	US/I U/S U/S SERV	XXXXXXxx
23SEP16 01:00	Change Serviceability Stat	0.0		
	6288.1 AFHR			XXXXXXxx
08NOV16 03:40	Asset Installation	46.1	A23T A26AM 040 00	A23T A26AM 00MMI
	6288.1 AFHR Change Serviceability Stat	46.1	SERV S/I S/I	XXXXXXxx
15NOV18 00:17	Change Serviceability Stat	6.7	US/I	
	6891.9 AFHR		A1EXXJ1610656	XXXXXXxx
07FEB19 04:37	Asset Removal	821.0	040 A23T A26AM 040 00	A23T A26AM 00M
	6891.9 AFHR Change Serviceability Stat	84.1	US/I U/S U/S SERV	XXXXXXxx
07FEB19 04:37	Change Serviceability Stat	0.0		
	6891.9 AFHR			XXXXXXxx
19FEB19 01:58	Asset Installation	11.8	A23T A26AM 040 00	A23T A26AM 00MMI
	6891.9 AFHR Change Serviceability Stat	11.8	SERV S/I	XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : DD1109  
 PART NO : MBEU114626 ~U1604 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : HPRU  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1EXXU1605722	COMPLETED	08NOV16 00:43	6288.1	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
23SEP16 01:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			
23SEP16 01:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial DD1109				08NOV16 00:43
		GAS FRNG UNIT HPRU at WAC 0740				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-020				
		TRANSFERRED FROM 040				

Maint Acts: SERV GAS FIRING UNIT HPRU FITTED REF SNOW 1202831 MCS ARM 52/16

REMOVALS/INSTALLATIONS FOR A1EXXU1605722

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	DD1109	A23T	A26AM00	00	DD1109	A23T	A26AM00	00
	MBEU90848		23SEP16 01:03	A1EXXJ1202822	MBEU90848		08NOV16 00:42	

A1EXXU1605723	COMPLETED	08NOV16 00:37	6288.1	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
23SEP16 01:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			
23SEP16 01:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial DD1109				08NOV16 00:37
		HPRU BODY at WAC 0740				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-020				
		TRANSFERRED FROM 040				

Maint Acts: BS C/O SERV REF SNOW 1202831 MCS ARM 52/16

A1EXXU1900513	COMPLETED	19FEB19 01:49	6891.9	AFHR	SCT	XXxxXXxxXXxxXXxxXXxx
07FEB19 04:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			19FEB19 01:49
07FEB19 04:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial DD1109				
		GAS FRNG UNIT HPRU at WAC 0740				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM 040				

Maint Acts: GAS FIRING UNIT FITTED SERV REF SNOW 1610669 AIE MCS 08/19

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03882  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DD1109 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : MBEU114626 ~U1604  
 ENGINEERING NAME : HPRU  
 VENUE : A23DISP LOCATION : A23-033  
 REMOVALS/INSTALLATIONS FOR A1EXXU1900513

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	DD1109	A23T	A26AM00	00	DD1109	A23T	A26AM00	00
MBEU90848	07FEB19 04:42	A1EXXJ1610655	MBEU90848	19FEB19 01:48				

A1EXXU1900514 COMPLETED 19FEB19 01:50 6891.9 AFHR SCT  
 07FEB19 04:37 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 19FEB19 01:50  
 07FEB19 04:37 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE XXxxXXxxXXxxXXxxXXxx  
 BS due on Serial DD1109  
 HPRU BODY at WAC 0740 XXxxXXxxXXxxXXxxXXxx  
 N  
 TRANSFERRED FROM 040

Maint Acts: INSITU BAY SERVICE CARRIED OUR SERV REF SNOW 1610669 AIE MCS 08/19

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

ARDUPJCA00497 C COMPLETED 21JAN02 00:00 XXxxXXxx ARDUPEA 0.0  
 21JAN02 00:00  
 02 BAY SERVICE DUE

Unserviceability Details:  
 Maintenance Comments:

ARDUPJCA00409 C COMPLETED 21JAN02 00:00 XXxxXXxx ARDUPEA 0.0  
 21JAN02 00:00  
 03 OVERHAUL DUE

Unserviceability Details:  
 Maintenance Comments:

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03883  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DD1109  
 PART NO : MBEU114626 ~U1604  
 ENGINEERING NAME : HPRU  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			

ARDUPJ302008X	C COMPLETED	18MAR04 22:21	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU	AIE	
	18MAR04 22:23					3447.5	AFHR
02 BAY SERVICE DUE			BS		due on Serial DD1109		
			HPRU		at WAC 0740		
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:	BS	CO			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			21JAN04
SM	BS	2.0	ELPYR			21JAN04

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			

A1EXXJY401852	C COMPLETED	21APR06 00:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	21APR06 00:28					3799.8	AFHR
02 BAY SERVICE DUE			BS		due on Serial DD1109		
			HPRU		at WAC 0740		
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:	BSCO				

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			18MAR06

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03884  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DD1109  
 PART NO : MBEU114626 ~U1604  
 ENGINEERING NAME : HPRU  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

ARDUPJ302009X	C COMPLETED	27MAR08 23:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU	AIE	
03 OVERHAUL DUE	29APR08 01:28	17JAN08 00:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU	4078.8	AFHR
01 NO FAULT		07 OVERHAUL			OH HPRU	due on Serial DD1109 at WAC 0740	
		Unserviceability Details:					
		Maintenance Comments:			OH CO		

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	6.0	ELPYR			20JAN08
SM	OH	6.0	ELPYR			20JAN08

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1EXXJY602737	C COMPLETED	24MAY10 03:44	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
02 BAY SERVICE DUE	24MAY10 04:00	28MAR10 21:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	4674.0	AFHR
01 NO FAULT		06 BAY SERVICE			BS HPRU	due on Serial DD1109 at WAC 0740	
		Unserviceability Details:					
		Maintenance Comments:			BS C/O SERV REF SNOW 602739		

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			29APR10

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03885  
08JAN20  
23:16:15

SERIAL/TAIL NO : DD1109  
PART NO : MBEU114626 ~U1604  
ENGINEERING NAME : HPRU  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJ1002934	C COMPLETED	23MAY12 04:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	23MAY12 05:07	02MAY12 03:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	5253.2	AFHR
02 BAY SERVICE DUE				BS	due on Serial DD1109		
				HPRU	at WAC 0740		
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:		BS C/O SERV REF SNOW 1002936			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			23MAY12

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJY802836	C COMPLETED	09OCT14 04:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	09OCT14 04:50	24FEB14 22:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	5846.3	AFHR
03 OVERHAUL DUE				OH	due on Serial DD1109		
				HPRU	at WAC 0740		
01 NO FAULT		07 OVERHAUL					
		Unserviceability Details:					
		Maintenance Comments:		OH C/O SERV REF SNOW 802851			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	6.0	ELPYR			28APR14
SM	OH	6.0	ELPYR			28APR14

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03886  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DD1109  
 PART NO : MBEU114626 ~U1604  
 ENGINEERING NAME : HPRU  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJ1202829	C COMPLETED	23SEP16 01:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	08NOV16 00:31	22SEP16 04:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	6288.1	AFHR
02 BAY SERVICE DUE				BS	due on Serial DD1109		
				HPRU	at WAC 0740		
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:		BS C/O SERV REF SNOW 1202831	MCS ARM 52/16		

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			08OCT16
SM	BS	2.0	ELPYR			08OCT16

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJ1610656	C COMPLETED	07FEB19 04:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	AIE	
	19FEB19 01:43	15NOV18 00:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	6891.9	AFHR
02 BAY SERVICE DUE				BS	due on Serial DD1109		
				HPRU	at WAC 0740		
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:		BAY SERVICE CARRIED OUT SERV REF SNOW 1610669	AIE MCS 08/19		

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			08NOV18
SM	BS	2.0	ELPYR			08NOV18



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : DD1109  
PART NO : MBEU114626 ~U1604  
ENGINEERING NAME : HPRU  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MODIFICATION ORDERS INCORPORATION STATUS CHANGE							
MOD NUMBER	CURRENT (Y/N)	STATUS	DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
7291.042-108	N		25SEP95 00:00	NINC			
7291.042-108	Y		08SEP04	N/A			
7291.042-111	Y		12NOV97 00:00	INC			

STI STATUS CHANGE							
STI NUMBER	CURRENT (Y/N)	STATUS	DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
STI-PC9-0278	Y		17SEP02 00:00	INC			

MAINTENANCE POLICY HISTORY				USER ID
POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	CHANGE DETAILS	
09OCT14 04:50	SM	BS	Claimed	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03888  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DD1109  
 PART NO : MBEU90848  
 ENGINEERING NAME : GAS FIRING UNIT HPR  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

LOCATION : A23-033  
 LIFE SINCE NEW : 7193.3 AFHR

~U1604

PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
				LIFE SINCE NEW				
30AUG03	06:05	Maintenance	Comment	0.9	21Jan02	DD1109	00.40 4449	2350 DAYS 03-OH DUE RY20031
								XXxxXXxx
30AUG03	06:05	Maintenance	Comment	0.9	3130.9	0.0 AFHR		
								XXxxXXxx
30AUG03	06:06	Maintenance	Comment	0.9	21Jan02		ELPYR LST OH 20JAN08	ELPYR NXT OH
								XXxxXXxx
30AUG03	06:07	Maintenance	Comment	0.9	03Apr00	DD1109	00.40 3792	1693 DAYS 02-BS DUE RW03573
								XXxxXXxx
30AUG03	06:07	Maintenance	Comment	0.9	2599.3	0.0 AFHR		
								XXxxXXxx
30AUG03	06:08	Maintenance	Comment	0.9	21Jan02		ELPYR LST BS 21JAN04	ELPYR NXT BS
								XXxxXXxx
30AUG03	06:12	Maintenance	Comment	0.9	03Apr00	RV99907		FF: 01-NIL MA: 06-BS
								XXxxXXxx
30AUG03	06:13	Maintenance	Comment	0.9	21Jan02	RX16094		FF: 01-NIL MA: 07-OH
								XXxxXXxx
30AUG03	06:13	Maintenance	Comment	0.9	13Nov89	NEW - DD1109	MBEU90848	1451-02-01-E
								XXxxXXxx
30AUG03	06:14	Maintenance	Comment	0.9	2737.5	0.0 AFHR		
								XXxxXXxx
30AUG03	06:15	Maintenance	Comment	0.9	29Aug03	DD1109	07.40 3417.5 AFHR	TX TO CAMM2
								XXxxXXxx
11DEC03	00:32	Change	Serviceability Stat	21.9	S/I			
								XXxxXXxx
18MAR04	22:31	Change	Serviceability Stat	98.9	US/I	ARDUPJ301828		
								XXxxXXxx
03APR06	03:19	Change	Serviceability Stat	17.0	S/I			
								XXxxXXxx
20APR06	23:52	Change	Serviceability Stat	17.8	US/I	A1EXXJY401854		
								XXxxXXxx
								XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03889  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DD1109  
 PART NO : MBEU90848  
 ENGINEERING NAME : GAS FIRING UNIT HPR  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
17JAN08 00:00	Change Serviceability Stat	4078.8 AFHR	2.8	S/I US/I ARDUPJ301829X	XXxxXXxx
29APR08 01:25	Change Serviceability Stat	4078.8 AFHR	103.0	US/I S/I	XXxxXXxx
28MAR10 21:27	Change Serviceability Stat	4674.0 AFHR	3.6	S/I US/I A1EXXJY602730	XXxxXXxx
24MAY10 03:49	Change Serviceability Stat	4674.0 AFHR	56.2	US/I S/I	XXxxXXxx
02MAY12 03:49	Change Serviceability Stat	5253.2 AFHR	0.9	S/I US/I A1EXXJ1002927	XXxxXXxx
23MAY12 04:49	Change Serviceability Stat	5253.2 AFHR	21.0	US/I S/I	XXxxXXxx
24FEB14 22:38	Change Serviceability Stat	5846.3 AFHR	10.8	S/I US/I A1EXXJY802835	XXxxXXxx
09OCT14 04:41	Change Serviceability Stat	5846.3 AFHR	226.2	US/I S/I	XXxxXXxx
22SEP16 04:29	Change Serviceability Stat	6288.1 AFHR	62.9	S/I US/I A1EXXJ1202822	XXxxXXxx
23SEP16 01:03	Asset Removal	6288.1 AFHR	4773.6	DD1109 A23T A26AM00 DD1109 00	A23T A26AM00 00M
	Change Serviceability Stat	6288.1 AFHR	0.8	US/I	XXxxXXxx
08NOV16 00:31	Change Serviceability Stat	6288.1 AFHR	45.9	U/S U/S SERV	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03890  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DD1109  
 PART NO : MBEU90848 ~U1604  
 ENGINEERING NAME : GAS FIRING UNIT HPR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
08NOV16 00:42	Asset Installation	45.9	A23T A26AM00 DD1109 DD1109	A23T A26AM00 00MMI
	6288.1 AFHR Change Serviceability Stat	0.0	SERV S/I	XXXXXXxx
15NOV18 00:17	Change Serviceability Stat	6.7	S/I US/I	
	6891.9 AFHR		A1EXXJ1610655	XXXXXXxx
07FEB19 04:42	Asset Removal	821.1	DD1109 DD1109	A23T A26AM00 00M
	6891.9 AFHR Change Serviceability Stat	84.1	A23T A26AM00	XXXXXXxx
			US/I U/S	
19FEB19 00:51	Change Serviceability Stat	11.8	U/S SERV	
	6891.9 AFHR			XXXXXXxx
19FEB19 01:48	Asset Installation	11.8	A23T A26AM00 DD1109 DD1109	A23T A26AM00 00MMI
	6891.9 AFHR Change Serviceability Stat	0.0	SERV S/I	XXXXXXxx

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
ARDUPJCA00466	C COMPLETED	21JAN02 00:00	XXXXXXxx		ARDUPEA		
02 BAY SERVICE DUE	21JAN02 00:00					0.0	

Unserviceability Details:  
 Maintenance Comments:

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : DD1109  
 PART NO : MBEU90848 ~U1604  
 ENGINEERING NAME : GAS FIRING UNIT HPR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

ARDUPJCA00435 C COMPLETED 21JAN02 00:00 XXxxXXxx ARDUPEA 0.0  
 21JAN02 00:00  
 03 OVERHAUL DUE

Unserviceability Details:  
 Maintenance Comments:

ARDUPJ301828X C COMPLETED 18MAR04 22:30 XXxxXXxx XXxxXXxxXXxxXXxxXXxx ARDU AIE 3447.5 AFHR  
 18MAR04 22:31  
 02 BAY SERVICE DUE BS due on Serial DD1109  
 GAS FRNG UNIT HPRU at WAC 0740

01 NO FAULT 06 BAY SERVICE  
 Unserviceability Details:  
 Maintenance Comments: BS CO

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			21JAN04
SM	BS	2.0	ELPYR			21JAN04

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

A1EXXJY401854 C COMPLETED 20APR06 23:51 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE 3799.8 AFHR  
 20APR06 23:52  
 02 BAY SERVICE DUE BS due on Serial DD1109  
 GAS FRNG UNIT HPRU at WAC 0740

01 NO FAULT 06 BAY SERVICE  
 Unserviceability Details:  
 Maintenance Comments: BSCO

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03892  
08JAN20  
23:16:15

SERIAL/TAIL NO : DD1109 PERIOD: 01JAN90 TO 08JAN20  
PART NO : MBEU90848 ~U1604  
ENGINEERING NAME : GAS FIRING UNIT HPR  
VENUE : A23DISP LOCATION : A23-033

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			18MAR06

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

ARDUPJ301829X C COMPLETED 27MAR08 23:32 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU AIE  
29APR08 01:25 17JAN08 00:00 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU 4078.8 AFHR  
03 OVERHAUL DUE OH due on Serial DD1109  
GAS FRNG UNIT HPRU at WAC 0740

01 NO FAULT 07 OVERHAUL  
Unserviceability Details:  
Maintenance Comments: OH C/O

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	6.0	ELPYR			20JAN08
SM	OH	6.0	ELPYR			20JAN08

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

ALEXJY602730 C COMPLETED 24MAY10 03:44 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
24MAY10 03:49 28MAR10 21:27 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 4674.0 AFHR  
02 BAY SERVICE DUE BS due on Serial DD1109  
GAS FRNG UNIT HPRU at WAC 0740

01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: BS C/O SERV REF SNOW 602739

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			29APR10

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03893  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DD1109  
 PART NO : MBEU90848 ~U1604  
 ENGINEERING NAME : GAS FIRING UNIT HPR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJ1002927 C COMPLETED 23MAY12 04:45 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
 23MAY12 04:49 02MAY12 03:49 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 5253.2 AFHR  
 02 BAY SERVICE DUE BS due on Serial DD1109  
 GAS FRNG UNIT HPRU at WAC 0740  
 01 NO FAULT 06 BAY SERVICE  
 Unserviceability Details:  
 Maintenance Comments: BS C/O SERV REF SNOW 1002936

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			23MAY12

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJY802835 C COMPLETED 09OCT14 04:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
 09OCT14 04:41 24FEB14 22:38 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 5846.3 AFHR  
 03 OVERHAUL DUE OH due on Serial DD1109  
 GAS FRNG UNIT HPRU at WAC 0740  
 01 NO FAULT 07 OVERHAUL  
 Unserviceability Details:  
 Maintenance Comments: OH C/O SERV REF SNOW 802851

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	6.0	ELPYR			28APR14
SM	OH	6.0	ELPYR			28APR14

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03894  
08JAN20  
23:16:15

SERIAL/TAIL NO : DD1109  
PART NO : MBEU90848 ~U1604  
ENGINEERING NAME : GAS FIRING UNIT HPR  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJ1202822	C COMPLETED	23SEP16 01:03	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	08NOV16 00:31	22SEP16 04:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	6288.1	AFHR
02 BAY SERVICE DUE				BS	due on Serial DD1109		
					GAS FRNG UNIT HPRU at WAC 0740		
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:			BS C/O SERV REF SNOW 1202831 MCS ARM 52/16		

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			08OCT16
SM	BS	2.0	ELPYR			08OCT16

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJ1610655	C COMPLETED	07FEB19 04:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	AIE	
	19FEB19 00:51	15NOV18 00:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	6891.9	AFHR
02 BAY SERVICE DUE				BS	due on Serial DD1109		
					GAS FRNG UNIT HPRU at WAC 0740		
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:			BAY SERVICE CARRIED OUT SERV REF SNOW 1610669 AIE MCS 08/19		

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			08NOV18
SM	BS	2.0	ELPYR			08NOV18



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03895  
08JAN20  
23:16:15

SERIAL/TAIL NO : DD1109  
PART NO : MBEU90848 ~U1604  
ENGINEERING NAME : GAS FIRING UNIT HPR  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MAINTENANCE POLICY HISTORY			
POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	USER ID
CHANGE DETAILS			
09OCT14 04:41	SM Claimed	BS	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03896  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DD4449  
 PART NO : MBEU100710  
 ENGINEERING NAME : HPRU BODY  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

LOCATION : A23-033  
 LIFE SINCE NEW : 7191.9 AFHR

PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
30AUG03	06:06	Maintenance	Comment	0.0 AFHR	0.9	21Jan02	ELPYR LST OH	20JAN08 ELPYR	NXT OH
30AUG03	06:08	Maintenance	Comment	0.0 AFHR	0.9	30Oct89 NEW - DD4449	MBEU100710	1450-02-03-F	XXXXXXxx
30AUG03	06:09	Maintenance	Comment	0.0 AFHR	0.9	03Apr00 DD4449	00.30 3806	1693 DAYS	02-BS DUE RW03563
30AUG03	06:14	Maintenance	Comment	0.0 AFHR	0.9	2736.2 0.0 AFHR			XXXXXXxx
30AUG03	06:14	Maintenance	Comment	0.0 AFHR	0.9	3129.6 0.0 AFHR			XXXXXXxx
30AUG03	06:14	Maintenance	Comment	0.0 AFHR	0.9	29Aug03 DD4449	07.30 3416.2 AFHR	TX TO CAMM2	XXXXXXxx
30AUG03	06:14	Maintenance	Comment	0.0 AFHR	0.9	21Jan02 DD4449	00.30 4463	2350 DAYS	03-OH DUE RY20018
30AUG03	06:15	Maintenance	Comment	0.0 AFHR	0.9	30Jun99 DD4449	07.30 3528	1415 DAYS	LOG INITIALIZED
30AUG03	06:16	Maintenance	Comment	0.0 AFHR	0.9	03Apr00 RV99908	FF: 01-NIL		MA: 06-BS
30AUG03	06:16	Maintenance	Comment	0.0 AFHR	0.9	21Jan02 RX16093	FF: 01-NIL		MA: 07-OH
30AUG03	06:22	Maintenance	Comment	0.0 AFHR	0.9	21Jan02	ELPYR LST BS	21JAN04 ELPYR	NXT BS
11DEC03	00:29	Change	Serviceability Stat	3446.1 AFHR	21.9	S/I			XXXXXXxx
18MAR04	23:56	Change	Serviceability Stat	3446.1 AFHR	98.9	ARDUPJ301836			XXXXXXxx
03APR06	03:18	Change	Serviceability Stat	3798.4 AFHR	17.0	S/I			XXXXXXxx
20APR06	23:18	Change	Serviceability Stat	3798.4 AFHR	17.8	A1EXXJY401867			XXXXXXxx
				3798.4 AFHR		S/I			XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03897  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DD4449  
 PART NO : MBEU100710  
 ENGINEERING NAME : HPRU BODY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
16JAN08 23:40	Change Serviceability Stat	4077.4 AFHR	2.8	S/I US/I ARDUPJ301835X	XXxxXXxx
29APR08 00:27	Change Serviceability Stat	4077.4 AFHR	103.0	US/I S/I	XXxxXXxx
28MAR10 21:27	Change Serviceability Stat	4672.6 AFHR	3.6	S/I US/I A1EXXJY602719	XXxxXXxx
24MAY10 03:17	Change Serviceability Stat	4672.6 AFHR	56.2	US/I S/I	XXxxXXxx
02MAY12 03:49	Change Serviceability Stat	5251.8 AFHR	0.9	S/I US/I A1EXXJ1002908	XXxxXXxx
23MAY12 03:58	Change Serviceability Stat	5251.8 AFHR	21.0	US/I S/I	XXxxXXxx
24FEB14 22:38	Change Serviceability Stat	5844.9 AFHR	10.8	S/I US/I A1EXXJY802816	XXxxXXxx
09OCT14 03:55	Change Serviceability Stat	5844.9 AFHR	226.2	US/I S/I	XXxxXXxx
22SEP16 04:29	Change Serviceability Stat	6286.7 AFHR	62.9	S/I US/I A1EXXJ1202808	XXxxXXxx
08NOV16 05:19	Change Serviceability Stat	6286.7 AFHR	47.0	US/I S/I	XXxxXXxx
15NOV18 00:12	Change Serviceability Stat	6890.5 AFHR	6.7	S/I US/I A1EXXJ1610679	XXxxXXxx
19FEB19 04:24	Change Serviceability Stat	6890.5 AFHR	96.1	US/I S/I	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : DD4449  
 PART NO : MBEU100710 ~U1604  
 ENGINEERING NAME : HPRU BODY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

ARDUPJCA00496 C COMPLETED 21JAN02 00:00 XXxxXXxx ARDUPEA 0.0  
 21JAN02 00:00  
 02 BAY SERVICE DUE

Unserviceability Details:  
 Maintenance Comments:

ARDUPJCA00430 C COMPLETED 21JAN02 00:00 XXxxXXxx ARDUPEA 0.0  
 21JAN02 00:00  
 03 OVERHAUL DUE

Unserviceability Details:  
 Maintenance Comments:

ARDUPJ301836X C COMPLETED 18MAR04 23:54 XXxxXXxx XXxxXXxxXXxxXXxxXXxx ARDU AIE 3446.1 AFHR  
 18MAR04 23:56  
 02 BAY SERVICE DUE BS HPRU BODY due on Serial DD4449 at WAC 0730  
 01 NO FAULT 06 BAY SERVICE

Unserviceability Details:  
 Maintenance Comments: BS CO

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
=====	=====	=====	=====	=====	=====	=====
SM	BS	2.0	ELPYR			21JAN04
SM	BS	2.0	ELPYR			21JAN04

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03899  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DD4449  
 PART NO : MBEU100710 ~U1604  
 ENGINEERING NAME : HPRU BODY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJY401867 C COMPLETED 20APR06 23:17 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
 20APR06 23:18 3798.4 AFHR  
 02 BAY SERVICE DUE BS due on Serial DD4449  
 HPRU BODY at WAC 0730  
 01 NO FAULT 06 BAY SERVICE  
 Unserviceability Details:  
 Maintenance Comments: BSCO

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			18MAR06

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

ARDUPJ301835X C COMPLETED 28MAR08 00:09 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU AIE  
 29APR08 00:27 16JAN08 23:40 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU 4077.4 AFHR  
 03 OVERHAUL DUE OH due on Serial DD4449  
 HPRU BODY at WAC 0730  
 01 NO FAULT 07 OVERHAUL  
 Unserviceability Details:  
 Maintenance Comments: OH C/O

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	6.0	ELPYR			20JAN08
SM	OH	6.0	ELPYR			20JAN08

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03900  
08JAN20  
23:16:15

SERIAL/TAIL NO : DD4449  
PART NO : MBEU100710 ~U1604  
ENGINEERING NAME : HPRU BODY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1EXXJY602719 C COMPLETED 24MAY10 03:13 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
24MAY10 03:17 28MAR10 21:27 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 4672.6 AFHR  
02 BAY SERVICE DUE BS due on Serial DD4449  
HPRU BODY at WAC 0730  
01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: BS C/O SERV REF SNOW 602727

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			29APR10

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1EXXJ1002908 C COMPLETED 23MAY12 03:52 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
23MAY12 03:58 02MAY12 03:49 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 5251.8 AFHR  
02 BAY SERVICE DUE BS due on Serial DD4449  
HPRU BODY at WAC 0730  
01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: BS C/O SERV REF SNOW 1002923

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			23MAY12

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : DD4449  
PART NO : MBEU100710 ~U1604 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : HPRU BODY  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJY802816	C COMPLETED	09OCT14 03:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
03 OVERHAUL DUE	09OCT14 03:55	24FEB14 22:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	5844.9	AFHR
01 NO FAULT	07 OVERHAUL	Unserviceability Details:		OH C/O SERV REF SNOW 802830			
		Maintenance Comments:		OH HPRU BODY due on Serial DD4449 at WAC 0730			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	6.0	ELPYR			28APR14
SM	OH	6.0	ELPYR			28APR14

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJ1202808	C COMPLETED	23SEP16 00:55	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
02 BAY SERVICE DUE	08NOV16 05:19	22SEP16 04:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	6286.7	AFHR
01 NO FAULT	06 BAY SERVICE	Unserviceability Details:		BAY MAINT CO SNOW 1202816 MCS ARM 51/16			
		Maintenance Comments:		BS HPRU BODY due on Serial DD4449 at WAC 0730			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			08OCT16
SM	BS	2.0	ELPYR			08OCT16

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : DD4449  
 PART NO : MBEU100710 ~U1604  
 ENGINEERING NAME : HPRU BODY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

```

=====
A1EXXJ1610679  C  COMPLETED      19FEB19  04:23  XXxxXXxx  XXxxXXxxXXxxXXxxXXxx 4SQN      AIE
                19FEB19  04:24      15NOV18  00:12  XXxxXXxx  XXxxXXxxXXxxXXxxXXxx 4SQN      6890.5  AFHR
02 BAY SERVICE DUE
                BS
                HPRU BODY      due on Serial DD4449
                at WAC 0730
01 NO FAULT
                06 BAY SERVICE
                Unserviceability Details:
                Maintenance Comments:  INSITU BAY SERVICE CARRIED OUT SERV REF SNOW 1610682 AIE MCS
                07/19
  
```

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
=====	=====	=====	=====	=====	=====	=====
SM	BS	2.0	ELPYR			08NOV18
SM	BS	2.0	ELPYR			08NOV18



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : DD4449  
PART NO : MBEU100710 ~U1604  
ENGINEERING NAME : HPRU BODY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MOD NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
7291.042-112	Y	20AUG97 00:00	N/A			

POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	USER ID
09OCT14 03:55	SM Claimed	BS	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03904  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DD4449  
 PART NO : MBEU114626  
 ENGINEERING NAME : HPRU  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

LOCATION : A23-033  
 LIFE SINCE NEW : 7191.9 AFHR

~U1604

PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
				LIFE SINCE NEW				
30AUG03	05:31	Maintenance Comment		0.8	30Oct89 NEW - DD4449	MBEU114626	1450-02-00-D	
		0.0 AFHR			CAMM LOG00008		XXXXXXxx	
30AUG03	05:33	Maintenance Comment		0.8	17Sep02 STI-PC9-0278	STI STATUS NOW	INC	
		0.0 AFHR			CAMM LOG00007		XXXXXXxx	
30AUG03	05:35	Maintenance Comment		0.8	2736.2 0.0 AFHR			
		0.0 AFHR			CAMM LOG00002		XXXXXXxx	
30AUG03	05:35	Maintenance Comment		0.8	03Apr00 RV99908	FF: 01-NIL	MA: 06-BS	
		0.0 AFHR			CAMM LOG00003		XXXXXXxx	
30AUG03	05:35	Maintenance Comment		0.8	21Jan02 RX16093	FF: 01-NIL	MA: 07-OH	
		0.0 AFHR			CAMM LOG00006		XXXXXXxx	
30AUG03	05:37	Maintenance Comment		0.8	21Jan02	ELPYR LST BS 21JAN04	ELPYR NXT BS	
		0.0 AFHR			CAMM LOG00010		XXXXXXxx	
30AUG03	05:39	Maintenance Comment		0.8	21Jan02 039	00.30 4463	2350 DAYS 03-OH DUE	RY20016
		0.0 AFHR			CAMM LOG00004		XXXXXXxx	
30AUG03	05:39	Maintenance Comment		0.8	21Jan02	ELPYR LST OH 20JAN08	ELPYR NXT OH	
		0.0 AFHR			CAMM LOG00009		XXXXXXxx	
30AUG03	05:41	Maintenance Comment		0.8	29Aug03 039	07.30 3416.2 AFHR	TX TO CAMM2	
		0.0 AFHR			CAMM LOG00011		XXXXXXxx	
30AUG03	05:41	Maintenance Comment		0.8	03Apr00 039	00.30 3806	1693 DAYS 02-BS DUE	RW03561
		0.0 AFHR			CAMM LOG00001		XXXXXXxx	
30AUG03	05:41	Maintenance Comment		0.8	3129.6 0.0 AFHR			
		0.0 AFHR			CAMM LOG00005		XXXXXXxx	
19NOV03	00:41	Position Change		81.6	A23T AlWAM	00		
		3443.0 AFHR			A23T AlWAM	0		
					ARDUXXY300851		XXXXXXxx	
11DEC03	00:29	Change Serviceability Stat		21.9	S/I			
		3446.1 AFHR			US/I			
					ARDUPJ302039		XXXXXXxx	
19MAR04	00:19	Change Serviceability Stat		98.9	US/I			
		3446.1 AFHR			S/I			
							XXXXXXxx	
03APR06	03:18	Change Serviceability Stat		17.0	S/I			
		3798.4 AFHR			US/I			
					A1EXXJY401872		XXXXXXxx	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03905  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DD4449  
 PART NO : MBEU114626 ~U1604  
 ENGINEERING NAME : HPRU  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
20APR06 23:31	Change Serviceability Stat	3798.4 AFHR	17.8	US/I S/I	XXxxXXxx
16JAN08 23:39	Change Serviceability Stat	4077.4 AFHR	2.8	S/I US/I	XXxxXXxx
29APR08 00:45	Change Serviceability Stat	4077.4 AFHR	103.0	ARDUPJ302040X US/I S/I	XXxxXXxx
28MAR10 21:27	Change Serviceability Stat	4672.6 AFHR	3.6	S/I US/I	XXxxXXxx
24MAY10 03:22	Change Serviceability Stat	4672.6 AFHR	56.2	A1EXXJY602725 US/I S/I	XXxxXXxx
02MAY12 03:49	Change Serviceability Stat	5251.8 AFHR	0.9	S/I US/I	XXxxXXxx
23MAY12 04:12	Change Serviceability Stat	5251.8 AFHR	21.0	A1EXXJ1002915 US/I S/I	XXxxXXxx
24FEB14 22:38	Change Serviceability Stat	5844.9 AFHR	10.8	S/I US/I	XXxxXXxx
09OCT14 04:02	Change Serviceability Stat	5844.9 AFHR	226.2	A1EXXJY802825 US/I S/I	XXxxXXxx
22SEP16 04:29	Change Serviceability Stat	6286.7 AFHR	62.9	S/I US/I	XXxxXXxx
23SEP16 00:53	Asset Removal	6286.7 AFHR	4773.6	A1EXXJ1202814 039 A23T	XXxxXXxx
	Change Serviceability Stat	6286.7 AFHR	0.8	AlWAM US/I U/S	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03906  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DD4449  
 PART NO : MBEU114626 ~U1604  
 ENGINEERING NAME : HPRU  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
23SEP16 00:53	Change Serviceability Stat	0.0	U/S SERV	
09NOV16 22:25	Asset Installation	47.8	A23T A1WAM 039 00	XXxxXXxx
	Change Serviceability Stat	47.8	SERV S/I S/I US/I	A23T A1WAM 00MMI
15NOV18 00:12	Change Serviceability Stat	6.7	A1EXXJ1610680	XXxxXXxx
07FEB19 04:19	Asset Removal	819.2	039 039	A23T A1WAM 00M
	Change Serviceability Stat	84.1	A23T A1WAM 00	XXxxXXxx
07FEB19 04:19	Change Serviceability Stat	0.0	US/I U/S SERV	
19FEB19 04:55	Asset Installation	12.0	A23T A1WAM 039 00	XXxxXXxx
	Change Serviceability Stat	12.0	SERV S/I	A23T A1WAM 00MMI

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1EXXU1605719	COMPLETED	09NOV16 04:50	6286.7	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
23SEP16 00:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			
23SEP16 00:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial DD4449				09NOV16 04:50
		HPRU BODY at WAC 0730				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-020				
		TRANSFERRED FROM 039				

Maint Acts: BAY MAINT CO SNOW 1202816 MCS ARM 51/16

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : DD4449  
 PART NO : MBEU114626 ~U1604 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : HPRU  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1EXXU1900509	COMPLETED	19FEB19 04:34	6890.5	AFHR	SCT	XXxxXXxxXXxxXXxxXXxx
07FEB19 04:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			19FEB19 04:34
07FEB19 04:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial DD4449				
		GAS FRNG UNIT HPRU at WAC 0730				XXxxXXxxXXxxXXxxXXxx
	N	TRANSFERRED FROM 039				

Maint Acts: GAS FIRING UNIT FITTED SERV REF SNOW 1610682 AIE MCS 07/19

REMOVALS/INSTALLATIONS FOR A1EXXU1900509

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	DD4449	A23T	A1WAM00	00	DD4449	A23T	A1WAM00	00
	MBEU90848		07FEB19 04:27	A1EXXJ1610681	MBEU90848		19FEB19 04:32	

A1EXXU1900510	COMPLETED	19FEB19 04:48	6890.5	AFHR	SCT	XXxxXXxxXXxxXXxxXXxx
07FEB19 04:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			19FEB19 04:48
07FEB19 04:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial DD4449				
		HPRU BODY at WAC 0730				XXxxXXxxXXxxXXxxXXxx
	N	TRANSFERRED FROM 039				

Maint Acts: INSITU BAY SERVICE CARRIED OUT SERV REF SNOW 1610682 AIE MCS 07/18

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : DD4449  
 PART NO : MBEU114626 ~U1604  
 ENGINEERING NAME : HPRU  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

ARDUPJCA00460 C COMPLETED 21JAN02 00:00 XXxxXXxx ARDUPEA 0.0  
 02 BAY SERVICE DUE

Unserviceability Details:  
 Maintenance Comments:

ARDUPJCA00422 C COMPLETED 21JAN02 00:00 XXxxXXxx ARDUPEA 0.0  
 03 OVERHAUL DUE

Unserviceability Details:  
 Maintenance Comments:

ARDUPJ302039X C COMPLETED 19MAR04 00:18 XXxxXXxx XXxxXXxxXXxxXXxxXXxx ARDU AIE 3446.1 AFHR  
 02 BAY SERVICE DUE BS due on Serial DD4449  
 HPRU at WAC 0730  
 01 NO FAULT 06 BAY SERVICE

Unserviceability Details:  
 Maintenance Comments: BSCO

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			21JAN04
SM	BS	2.0	ELPYR			21JAN04

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03909  
08JAN20  
23:16:15

SERIAL/TAIL NO : DD4449  
PART NO : MBEU114626 ~U1604  
ENGINEERING NAME : HPRU  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1EXXJY401872 C COMPLETED 20APR06 23:30 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
20APR06 23:31 3798.4 AFHR  
02 BAY SERVICE DUE BS HPRU due on Serial DD4449 at WAC 0730  
01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: BSCO

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			19MAR06

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

ARDUPJ302040X C COMPLETED 28MAR08 00:14 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU AIE  
29APR08 00:45 16JAN08 23:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU 4077.4 AFHR  
03 OVERHAUL DUE OH HPRU due on Serial DD4449 at WAC 0730  
01 NO FAULT 07 OVERHAUL  
Unserviceability Details:  
Maintenance Comments: OH C/O

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	6.0	ELPYR			20JAN08
SM	OH	6.0	ELPYR			20JAN08

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03910  
08JAN20  
23:16:15

SERIAL/TAIL NO : DD4449  
PART NO : MBEU114626 ~U1604  
ENGINEERING NAME : HPRU  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1EXXJY602725 C COMPLETED 24MAY10 03:13 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
24MAY10 03:22 28MAR10 21:27 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 4672.6 AFHR  
02 BAY SERVICE DUE BS due on Serial DD4449  
HPRU at WAC 0730  
01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: BS C/O SERV REF SNOW 602727

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			29APR10

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1EXXJ1002915 C COMPLETED 23MAY12 03:52 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
23MAY12 04:12 02MAY12 03:49 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 5251.8 AFHR  
02 BAY SERVICE DUE BS due on Serial DD4449  
HPRU at WAC 0730  
01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: BS C/O SERV REF SNOW 1002923

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			23MAY12



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : DD4449 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : MBEU114626 ~U1604  
 ENGINEERING NAME : HPRU  
 VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJY802825 C COMPLETED 09OCT14 03:51 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
 09OCT14 04:02 24FEB14 22:38 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 5844.9 AFHR  
 03 OVERHAUL DUE OH due on Serial DD4449  
 HPRU at WAC 0730  
 01 NO FAULT 07 OVERHAUL  
 Unserviceability Details:  
 Maintenance Comments: OH C/O SERV REF SNOW 802830

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	6.0	ELPYR			28APR14
SM	OH	6.0	ELPYR			28APR14

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJ1202814 C COMPLETED 23SEP16 00:53 XXxxXXxx XXxxXXxxXXxxXXxx AIE AIE  
 08NOV16 05:20 22SEP16 04:29 XXxxXXxx XXxxXXxxXXxxXXxx AIE 6286.7 AFHR  
 02 BAY SERVICE DUE BS due on Serial DD4449  
 HPRU at WAC 0730  
 01 NO FAULT 06 BAY SERVICE  
 Unserviceability Details:  
 Maintenance Comments: BAY MAINT CO SNOW 1202816 MCS ARM 51/16

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			08OCT16
SM	BS	2.0	ELPYR			08OCT16

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : DD4449  
 PART NO : MBEU114626 ~U1604  
 ENGINEERING NAME : HPRU  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1EXXJ1610680	C COMPLETED	07FEB19 04:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	AIE	
	19FEB19 04:28	15NOV18 00:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	6890.5	AFHR

02 BAY SERVICE DUE  
 01 NO FAULT

06 BAY SERVICE  
 BS due on Serial DD4449  
 HPRU at WAC 0730

Unserviceability Details:  
 Maintenance Comments: BAY SERVICE CARRIED OUT SERV REF SNOW 1610682 AIE MCS 07/19

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
=====	=====	=====	=====	=====	=====	=====
SM	BS	2.0	ELPYR			08NOV18
SM	BS	2.0	ELPYR			08NOV18

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : DD4449  
PART NO : MBEU114626 ~U1604  
ENGINEERING NAME : HPRU  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MODIFICATION ORDERS INCORPORATION STATUS CHANGE							
MOD NUMBER	CURRENT (Y/N)	STATUS	DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
7291.042-108	N		25SEP95 00:00	NINC			
7291.042-108	Y		08SEP04	N/A			
7291.042-111	Y		12NOV97 00:00	INC			

STI STATUS CHANGE							
STI NUMBER	CURRENT (Y/N)	STATUS	DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
STI-PC9-0278	Y		17SEP02 00:00	INC			

MAINTENANCE POLICY HISTORY				USER ID
POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	CHANGE DETAILS	
09OCT14 04:02	SM	BS	Claimed	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03914  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DD4449  
 PART NO : MBEU90848 ~U1604  
 ENGINEERING NAME : GAS FIRING UNIT HPR  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 7191.9 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
30AUG03	06:11	Maintenance	Comment	0.0 AFHR	0.9	3129.6	0.0 AFHR	CAMM LOG00006	XXxxXXxx
30AUG03	06:12	Maintenance	Comment	0.0 AFHR	0.9	2598.0	0.0 AFHR	CAMM LOG00001	XXxxXXxx
30AUG03	06:13	Maintenance	Comment	0.0 AFHR	0.9	21Jan02	ELPYR LST OH 20JAN08	ELPYR NXT OH	XXxxXXxx
30AUG03	06:15	Maintenance	Comment	0.0 AFHR	0.9	21Jan02	RX16093 FF: 01-NIL	MA: 07-OH	XXxxXXxx
30AUG03	06:15	Maintenance	Comment	0.0 AFHR	0.9	30Oct89	NEW - DD4449 MBEU90848	1450-02-01-A	XXxxXXxx
30AUG03	06:16	Maintenance	Comment	0.0 AFHR	0.9	03Apr00	RV99908 FF: 01-NIL	MA: 06-BS	XXxxXXxx
30AUG03	06:17	Maintenance	Comment	0.0 AFHR	0.9	2736.2	0.0 AFHR	CAMM LOG00003	XXxxXXxx
30AUG03	06:18	Maintenance	Comment	0.0 AFHR	0.9	03Apr00	DD4449 00.30 3806 1693 DAYS	02-BS DUE	RW03562
30AUG03	06:19	Maintenance	Comment	0.0 AFHR	0.9	21Jan02	ELPYR LST BS 21JAN04	ELPYR NXT BS	XXxxXXxx
30AUG03	06:22	Maintenance	Comment	0.0 AFHR	0.9	21Jan02	DD4449 00.30 4463 2350 DAYS	03-OH DUE	RY20017
30AUG03	06:22	Maintenance	Comment	0.0 AFHR	0.9	29Aug03	DD4449 07.30 3416.2 AFHR	TX TO CAMM2	XXxxXXxx
11DEC03	00:29	Change	Serviceability Stat	3446.1 AFHR	21.9	S/I			XXxxXXxx
18MAR04	23:52	Change	Serviceability Stat	3446.1 AFHR	98.9	ARDUPJ301801			XXxxXXxx
03APR06	03:18	Change	Serviceability Stat	3798.4 AFHR	17.0	S/I			XXxxXXxx
20APR06	23:16	Change	Serviceability Stat	3798.4 AFHR	17.8	A1EXXJY401866			XXxxXXxx
						S/I			XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03915  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DD4449  
 PART NO : MBEU90848  
 ENGINEERING NAME : GAS FIRING UNIT HPR  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
16JAN08 23:40	Change Serviceability Stat	4077.4 AFHR	2.8	S/I US/I ARDUPJ301802X	XXxxXXxx
29APR08 00:11	Change Serviceability Stat	4077.4 AFHR	103.0	US/I S/I	XXxxXXxx
28MAR10 21:27	Change Serviceability Stat	4672.6 AFHR	3.6	S/I US/I A1EXXJY602718	XXxxXXxx
24MAY10 03:16	Change Serviceability Stat	4672.6 AFHR	56.2	US/I S/I	XXxxXXxx
02MAY12 03:49	Change Serviceability Stat	5251.8 AFHR	0.9	S/I US/I A1EXXJ1002905	XXxxXXxx
23MAY12 03:56	Change Serviceability Stat	5251.8 AFHR	21.0	US/I S/I	XXxxXXxx
24FEB14 22:38	Change Serviceability Stat	5844.9 AFHR	10.8	S/I US/I A1EXXJY802815	XXxxXXxx
09OCT14 03:54	Change Serviceability Stat	5844.9 AFHR	226.2	US/I S/I	XXxxXXxx
22SEP16 04:29	Change Serviceability Stat	6286.7 AFHR	62.9	S/I US/I A1EXXJ1202806	XXxxXXxx
23SEP16 00:49	Asset Removal	6286.7 AFHR	4773.6	DD4449 A23T A1WAM00 039 00	A23T A1WAM00 00M
	Change Serviceability Stat	6286.7 AFHR	0.8	US/I	XXxxXXxx
08NOV16 05:22	Change Serviceability Stat	6286.7 AFHR	46.1	U/S U/S SERV	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03916  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DD4449  
 PART NO : MBEU90848 ~U1604  
 ENGINEERING NAME : GAS FIRING UNIT HPR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
09NOV16 22:28	Asset Installation	47.9	A23T A1WAM00 DD4449 039 00	A23T A1WAM00 00MMI
	6286.7 AFHR Change Serviceability Stat	1.7	SERV S/I	XXXXXXxx
15NOV18 00:12	Change Serviceability Stat	6.7	S/I US/I	
	6890.5 AFHR		A1EXXJ1610681	XXXXXXxx
07FEB19 04:27	Asset Removal	819.2	DD4449 DD4449 A23T A1WAM00 00	A23T A1WAM00 00M
	6890.5 AFHR Change Serviceability Stat	84.1	US/I U/S	XXXXXXxx
19FEB19 04:21	Change Serviceability Stat	11.9	SERV	
	6890.5 AFHR			XXXXXXxx
19FEB19 04:32	Asset Installation	12.0	A23T A1WAM00 DD4449 DD4449 00	A23T A1WAM00 00MMI
	6890.5 AFHR Change Serviceability Stat	0.0	SERV S/I	XXXXXXxx

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
ARDUPJCA00464	C COMPLETED	21JAN02 00:00	XXXXXXxx		ARDUPEA		
02 BAY SERVICE DUE	21JAN02 00:00					0.0	

Unserviceability Details:  
 Maintenance Comments:

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : DD4449  
 PART NO : MBEU90848 ~U1604  
 ENGINEERING NAME : GAS FIRING UNIT HPR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

ARDUPJCA00436 C COMPLETED 21JAN02 00:00 XXxxXXxx ARDUPEA 0.0  
 03 OVERHAUL DUE

Unserviceability Details:  
 Maintenance Comments:

ARDUPJ301801X C COMPLETED 18MAR04 23:52 XXxxXXxx XXxxXXxxXXxxXXxxXXxx ARDU AIE 3446.1 AFHR  
 02 BAY SERVICE DUE BS due on Serial DD4449  
 GAS FRNG UNIT HPRU at WAC 0730

01 NO FAULT 06 BAY SERVICE  
 Unserviceability Details:  
 Maintenance Comments: BS CO

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			21JAN04
SM	BS	2.0	ELPYR			21JAN04

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

A1EXXJY401866 C COMPLETED 20APR06 23:15 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 3798.4 AFHR  
 02 BAY SERVICE DUE BS due on Serial DD4449  
 GAS FRNG UNIT HPRU at WAC 0730

01 NO FAULT 06 BAY SERVICE  
 Unserviceability Details:  
 Maintenance Comments: BSCO

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 03918  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DD4449 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : MBEU90848 ~U1604  
 ENGINEERING NAME : GAS FIRING UNIT HPR  
 VENUE : A23DISP LOCATION : A23-033

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			18MAR06

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS		UNSERVICEABILITY DETAILS			
MAINT PROCESS	UNSERVICEABILITY	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

ARDUPJ301802X C COMPLETED 28MAR08 00:08 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU AIE  
 29APR08 00:11 16JAN08 23:40 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU 4077.4 AFHR  
 03 OVERHAUL DUE OH due on Serial DD4449  
 GAS FRNG UNIT HPRU at WAC 0730  
 01 NO FAULT 07 OVERHAUL  
 Unserviceability Details:  
 Maintenance Comments: OH C/O

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	6.0	ELPYR			20JAN08
SM	OH	6.0	ELPYR			20JAN08

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS		UNSERVICEABILITY DETAILS			
MAINT PROCESS	UNSERVICEABILITY	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

ALEXJY602718 C COMPLETED 24MAY10 03:13 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
 24MAY10 03:16 28MAR10 21:27 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 4672.6 AFHR  
 02 BAY SERVICE DUE BS due on Serial DD4449  
 GAS FRNG UNIT HPRU at WAC 0730  
 01 NO FAULT 06 BAY SERVICE  
 Unserviceability Details:  
 Maintenance Comments: BS C/O SERV REF SNOW 602727

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			29APR10



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03919  
08JAN20  
23:16:15

SERIAL/TAIL NO : DD4449  
PART NO : MBEU90848 ~U1604  
ENGINEERING NAME : GAS FIRING UNIT HPR  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1EXXJ1002905 C COMPLETED 23MAY12 03:52 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
23MAY12 03:56 02MAY12 03:49 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 5251.8 AFHR  
02 BAY SERVICE DUE BS due on Serial DD4449  
GAS FRNG UNIT HPRU at WAC 0730  
01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: BS C/O SERV REF SNOW 1002923

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			23MAY12

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1EXXJY802815 C COMPLETED 09OCT14 03:51 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
09OCT14 03:54 24FEB14 22:38 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 5844.9 AFHR  
03 OVERHAUL DUE OH due on Serial DD4449  
GAS FRNG UNIT HPRU at WAC 0730  
01 NO FAULT 07 OVERHAUL  
Unserviceability Details:  
Maintenance Comments: OH C/O SERV REF SNOW 802830

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	6.0	ELPYR			28APR14
SM	OH	6.0	ELPYR			28APR14

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03920  
08JAN20  
23:16:15

SERIAL/TAIL NO : DD4449  
PART NO : MBEU90848 ~U1604  
ENGINEERING NAME : GAS FIRING UNIT HPR  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJ1202806	C COMPLETED	23SEP16 00:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
02 BAY SERVICE DUE	08NOV16 05:22	22SEP16 04:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	6286.7	AFHR
01 NO FAULT		06 BAY SERVICE		BS	due on Serial DD4449		
		Unserviceability Details:		GAS FRNG UNIT HPRU	at WAC 0730		
		Maintenance Comments:		BAY MAINT CO SNOW 1202816 MCS ARM 51/16			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			08OCT16
SM	BS	2.0	ELPYR			08OCT16

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJ1610681	C COMPLETED	07FEB19 04:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	AIE	
02 BAY SERVICE DUE	19FEB19 04:21	15NOV18 00:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	6890.5	AFHR
01 NO FAULT		06 BAY SERVICE		BS	due on Serial DD4449		
		Unserviceability Details:		GAS FRNG UNIT HPRU	at WAC 0730		
		Maintenance Comments:		BAY SERVICE CARRIED OUT SERV REF SNOW 1610682 AIE MCS 07/18			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			08NOV18
SM	BS	2.0	ELPYR			08NOV18

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03921  
08JAN20  
23:16:15

SERIAL/TAIL NO : DD4449  
PART NO : MBEU90848 ~U1604  
ENGINEERING NAME : GAS FIRING UNIT HPR  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MAINTENANCE POLICY HISTORY -----

POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	USER ID
09OCT14 03:54	SM Claimed	BS	

-----

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 03922  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DE0538  
 PART NO : STANDARDPACK-1  
 ENGINEERING NAME : SURVIVAL PACK ASSY  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

~Z5514

PERIOD: 01JAN90 TO 08JAN20

LOCATION : A23-033  
 LIFE SINCE NEW : 6588.1 AFHR

ASSET TRANSACTIONS

TRANSACTION D/T CHANGE TYPE		LIFE SINCE NEW		SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
=====		=====		=====	=====	=====	=====	=====
29AUG03	20:18	Maintenance Comment	0.0	0.4	3403.0	0.0	AFHR	
			AFHR		CAMM LOG00017			XXxxXXxx
29AUG03	20:18	Maintenance Comment	0.0	0.4	18Sep89 NEW - DE0538	STANDARDPACK-1	1450-13-00-D	
			AFHR		CAMM LOG00027			XXxxXXxx
29AUG03	20:19	Maintenance Comment	0.0	0.4	31Mar01 7220.029-102	MOD STATUS NOW	INC	
			AFHR		CAMM LOG00002			XXxxXXxx
29AUG03	20:19	Maintenance Comment	0.0	0.4	18Jun02 165	00.30	4653	0 DAYS UPDATED LIFE (MILX)
			AFHR		CAMM LOG00009			XXxxXXxx
29AUG03	20:19	Maintenance Comment	0.0	0.4	11Jul03 051	00.30	5041	0 DAYS IN AS A23T 1450-13-00-D
			AFHR		CAMM LOG00024			XXxxXXxx
29AUG03	20:20	Maintenance Comment	0.0	0.4	21Mar02 481ALS	FF: 01-NIL		MA: 06-BS
			AFHR		CAMM LOG00005			XXxxXXxx
29AUG03	20:20	Maintenance Comment	0.0	0.4	3381.2	0.0	AFHR	
			AFHR		CAMM LOG00015			XXxxXXxx
29AUG03	20:20	Maintenance Comment	0.0	0.4	3479.3	0.0	AFHR	
			AFHR		CAMM LOG00022			XXxxXXxx
29AUG03	20:24	Maintenance Comment	0.0	0.4	17Dec01 PARTNO REIDENTIFIED FROM	STANDARDPACK	Z533	
			AFHR		CAMM LOG00001			XXxxXXxx
29AUG03	20:24	Maintenance Comment	0.0	0.4	3381.2	0.0	AFHR	
			AFHR		CAMM LOG00012			XXxxXXxx
29AUG03	20:25	Maintenance Comment	0.0	0.4	28Mar02 DISPATCHED TO WLMXARDU			
			AFHR		CAMM LOG00006			XXxxXXxx
29AUG03	20:25	Maintenance Comment	0.0	0.4	13Sep02 165	07.30	4740	0 DAYS 13-REMACCES PV22533
			AFHR		CAMM LOG00016			XXxxXXxx
29AUG03	20:26	Maintenance Comment	0.0	0.4	05Jul02 077PC9AV	FF: 01-NIL		MA: 04-CBK/TST
			AFHR		CAMM LOG00013			XXxxXXxx
29AUG03	20:26	Maintenance Comment	0.0	0.4	13Sep02 077PC9AV	FF: 01-NIL		MA: 04-CBK/TST
			AFHR		CAMM LOG00018			XXxxXXxx
29AUG03	20:26	Maintenance Comment	0.0	0.4	29Aug03 051	07.30	3489.4 AFHR	TX TO CAMM2
			AFHR		CAMM LOG00029			XXxxXXxx
29AUG03	20:26	Maintenance Comment	0.0	0.4	18Jun02 165	00.30	4653	0 DAYS IN AS A23T 1450-13-00-D
			AFHR		CAMM LOG00007			XXxxXXxx
29AUG03	20:26	Maintenance Comment	0.0	0.4	01Jul03	ELPYR	LST BS 30JUN04	ELPYR NXT BS
			AFHR		CAMM LOG00028			XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03923  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DE0538  
 PART NO : STANDARDPACK-1  
 ENGINEERING NAME : SURVIVAL PACK ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~Z5514

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW	TRANS REFERENCE			
29AUG03	20:27	Maintenance Comment 0.0 AFHR	0.4	05Jul02 165 CAMM LOG00011	00.30 4670	0 DAYS 13-REMACCES PV22208 XXXXXXxx
29AUG03	20:28	Maintenance Comment 0.0 AFHR	0.5	3381.2 0.0 AFHR CAMM LOG00004		XXXXXXxx
29AUG03	20:28	Maintenance Comment 0.0 AFHR	0.5	05Jul02 165 CAMM LOG00014	00.30 4670	0 DAYS IN AS A23T 1450-13-00-D XXXXXXxx
29AUG03	20:29	Maintenance Comment 0.0 AFHR	0.5	25Sep02 165 CAMM LOG00019	07.30 4752	0 DAYS IN AS A23T 1450-13-00-D XXXXXXxx
29AUG03	20:33	Maintenance Comment 0.0 AFHR	0.5	3479.3 0.0 AFHR CAMM LOG00025		XXXXXXxx
29AUG03	20:33	Maintenance Comment 0.0 AFHR	0.5	11Jul03 7220.029-101 CAMM LOG00026	MOD STATUS NOW INC	XXXXXXxx
29AUG03	20:34	Maintenance Comment 0.0 AFHR	0.5	3381.2 0.0 AFHR CAMM LOG00008		XXXXXXxx
29AUG03	20:34	Maintenance Comment 0.0 AFHR	0.5	3403.0 0.0 AFHR CAMM LOG00020		XXXXXXxx
29AUG03	20:34	Maintenance Comment 0.0 AFHR	0.5	03Feb03 165 CAMM LOG00021	07.30 4883	0 DAYS 02-BS DUE PV32989 XXXXXXxx
29AUG03	20:34	Maintenance Comment 0.0 AFHR	0.5	3381.2 0.0 AFHR CAMM LOG00010		XXXXXXxx
29AUG03	20:34	Maintenance Comment 0.0 AFHR	0.5	01Jul03 077ALS CAMM LOG00023	FF: 01-NIL	MA: 06-BS XXXXXXxx
29AUG03	20:35	Maintenance Comment 0.0 AFHR	0.5	22Feb02 096 CAMM LOG00003	07.40 4537	0 DAYS 02-BS DUE PV21689 XXXXXXxx
03MAY04	03:41	Asset Removal 3590.9 AFHR Change Serviceability Stat	247.8	051 A23T A1WBG	051 00	A23T A1WBG 00M XXXXXXxx
03MAY04	03:42	Asset Installation 3590.9 AFHR Change Serviceability Stat	0.0	S/I SERV A23T A1WBG 085	A23-020 00	A23T A1WBG 00A XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03924  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DE0538  
 PART NO : STANDARDPACK-1  
 ENGINEERING NAME : SURVIVAL PACK ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~Z5514

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
14MAY04 03:50	Asset Removal	11.0	085 A23T A1WBG A23-020 00	A23T A1WBG 00A
	3617.6 AFHR Change Serviceability Stat	0.1	S/I U/S	XXXXXXxx
	Change Location of an Asse	73.9	A23-020 AVTECH	
16MAY04 21:36	Change Serviceability Stat	2.7	U/S SERV	
	3617.6 AFHR			XXXXXXxx
16MAY04 21:37	Asset Installation	2.7	A23T A1WBG A23-020 00	A23T A1WBG 00A
	3617.6 AFHR Change Serviceability Stat	0.0	SERV S/I	XXXXXXxx
	Change Location of an Asse	2.7	AVTECH A23-020	
24JUN04 06:22	Change Serviceability Stat	36.0	S/I US/I	
	3623.7 AFHR		FACDUJ302582	XXXXXXxx
24JUN04 06:24	Asset Removal	38.3	085 A23T A1WBG A23-020 00	A23T A1WBG 00A
	3623.7 AFHR Change Serviceability Stat	0.0	US/I U/S	XXXXXXxx
	Change Location of an Asse	38.3	A23-020 ALS	
12JUL04 05:07	Change Serviceability Stat	17.9	U/S SERV	
	3623.7 AFHR			XXXXXXxx
12JUL04 05:08	Change Serviceability Stat	0.0	SERV U/S	
	3623.7 AFHR Estimated Date/Time Servic	0.2	FACDUUY400896 SERV STAT SERV STAT	XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03925  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DE0538  
 PART NO : STANDARDPACK-1  
 ENGINEERING NAME : SURVIVAL PACK ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~Z5514

ASSET TRANSACTIONS -----

TRANSACTION D/T	CHANGE TYPE	SPAN (DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
12JUL04 05:16	Change Serviceability Stat	0.0	U/S SERV	
	3623.7 AFHR			XXXXXXxx
16AUG04 05:35	Asset Installation	52.9	A23T 097 A1WBG A23-032	00 A23T A1WBG 00AC
	3623.7 AFHR			XXXXXXxx
	Change Serviceability Stat	35.0	SERV S/I	
	Change Location of an Asse	52.9	ALS A23-032	
06OCT04 22:44	Asset Removal	51.7	097 A23T A1WBG A23-032	00 A23T A1WBG 00A
	3666.4 AFHR			XXXXXXxx
	Change Serviceability Stat	1.8	S/I U/S	
	Change Location of an Asse	51.7	A23-032	
06OCT04 22:47	Change Serviceability Stat	0.0	ALS U/S SERV	
	3666.4 AFHR			XXXXXXxx
07OCT04 00:52	Change Venue of an Asset	364.8	FACDU AIE	
	3666.4 AFHR		FACDUXY401599	XXXXXXxx
	Change Location of an Asse	0.0	ALS LIFE_SUPPORT	
20OCT04 23:44	Asset Installation	14.0	A23T 050 A1WBG A23-022	00 A23T A26BG 00AC
	3666.4 AFHR			XXXXXXxx
	Change Serviceability Stat	14.0	SERV S/I	
	Change Location of an Asse	13.9	LIFE_SUPPORT A23-022	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03926  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DE0538  
 PART NO : STANDARDPACK-1  
 ENGINEERING NAME : SURVIVAL PACK ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~Z5514

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
13DEC04 03:33	Asset Removal	53.1	050 A23T A26BG 050 00	A23T A26BG 00M
	3668.8 AFHR Change Serviceability Stat	53.1	S/I U/S	XXXXXXxx
	Change Location of an Asse	14.2	ATECH ALS	
27JUN05 00:31	Change Serviceability Stat	195.8	U/S SERV	
	3668.8 AFHR			XXXXXXxx
27JUN05 01:41	Asset Installation	195.9	A23T 049 A23-022 00	A23T A1WBG 00AC
	3668.8 AFHR Change Serviceability Stat	0.0	SERV S/I	XXXXXXxx
	Change Location of an Asse	195.9	ALS A23-022	
04MAY06 06:14	Asset Removal	311.1	049 A23T A1WBG 049 00	A23T A1WBG 00M
	3839.4 AFHR Change Serviceability Stat	94.0	S/I U/S	XXXXXXxx
	Change Location of an Asse	93.2	AVTECH ALS	
30AUG06 04:36	Change Serviceability Stat	117.9	U/S SERV	
	3839.4 AFHR			XXXXXXxx
14SEP06 04:52	Change Serviceability Stat	15.0	SERV U/S	
	3839.4 AFHR Estimated Date/Time Servic	732140.0	FACDUUY601165	XXXXXXxx
14SEP06 04:52	Change Serviceability Stat	0.0	SERV STAT U/S SERV	
	3839.4 AFHR			XXXXXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03927  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DE0538  
 PART NO : STANDARDPACK-1  
 ENGINEERING NAME : SURVIVAL PACK ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~Z5514

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
31OCT06 04:30	Asset Installation	179.9	A23T A1WBG 039 00	A23T A1WBG 00MMI
	3839.4 AFHR Change Serviceability Stat	46.9	SERV S/I	XXXXXXxx
	Change Location of an Asse	179.9	ALS ATECH	
12SEP07 00:15	Change Serviceability Stat	61.7	S/I US/I	
	4029.9 AFHR		FACDUJY601701	XXXXXXxx
12SEP07 00:18	Asset Removal	315.8	039 A23-032	A23T A1WBG 00A
	4029.9 AFHR Change Serviceability Stat	0.0	A23T A1WBG	XXXXXXxx
	Change Location of an Asse	295.9	US/I U/S A23-032	
16OCT07 21:57	Change Serviceability Stat	34.9	ALS U/S SERV	
	4029.9 AFHR			XXXXXXxx
06NOV07 20:36	Asset Installation	55.8	A23T A1WBG 00	A23T A26BG 00AC
	4029.9 AFHR Change Serviceability Stat	20.9	A23-022	XXXXXXxx
	Change Location of an Asse	55.8	SERV S/I ALS A23-022	
31MAR08 00:17	Asset Removal	145.1	046 A23-022	A23T A26BG 00A
	4196.9 AFHR Change Serviceability Stat	2.9	A23T A26BG	XXXXXXxx
	Change Location of an Asse	145.1	S/I U/S A23-022 RSERV	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03928  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DE0538  
 PART NO : STANDARDPACK-1  
 ENGINEERING NAME : SURVIVAL PACK ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~Z5514

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW								
31MAR08	00:18	Change	Serviceability Stat	0.0	U/S			
					SERV			
01APR08	21:24	Asset	Installation	1.8	A23T	A26BG	00	XXXXXXxx
					162	A23-022		A23T A26BG 00AC
								XXXXXXxx
		Change	Serviceability Stat	1.8	SERV			
		Change	Location of an Asse	1.8	S/I			
					RSERV			
15OCT08	05:04	Asset	Removal	196.3	A23-022			
					162	A23T	00	A23T A26BG 00A
					A23T	A26BG		
		Change	Serviceability Stat	0.1	S/I			XXXXXXxx
		Change	Location of an Asse	54.2	U/S			
					A23-022			
02FEB09	01:35	Change	Serviceability Stat	109.8	RSERV			
					U/S			
					SERV			
03FEB09	01:10	Asset	Installation	110.8	A23T	A26BG	00	XXXXXXxx
					327	A23-031		A23T A1WBG 00AC
		Change	Serviceability Stat	0.9	SERV			XXXXXXxx
		Change	Location of an Asse	110.8	S/I			
					RSERV			
21APR09	08:06	Asset	Removal	77.2	A23-031			
					327	A23T	00	A23T A1WBG 00A
					A23T	A1WBG		
		Change	Serviceability Stat	0.0	S/I			XXXXXXxx
		Change	Location of an Asse	47.3	U/S			
					A23-031			
					RSERV			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03929  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DE0538  
 PART NO : STANDARDPACK-1 ~Z5514  
 ENGINEERING NAME : SURVIVAL PACK ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
21APR09 08:06	Change Serviceability Stat	0.0	U/S SERV	
21APR09 08:07	Asset Installation	0.0	A23T 327 A1WBG A23-031	00 A23T A1WBG 00AC
	Change Serviceability Stat	0.0	SERV S/I RSERV A23-031	XXXXXXxx
	Change Location of an Asse	0.0	S/I US/I FACDUJY900179	
21JAN10 23:24	Change Serviceability Stat	42.7	A23T 327 A1WBG A23-031	00 A23T A1WBG 00A
21JAN10 23:49	Asset Removal	275.6	A23T 327 A1WBG A23-031	00 A23T A1WBG 00A
	Change Serviceability Stat	0.0	US/I U/S A23-031	XXXXXXxx
	Change Location of an Asse	78.5	ALS U/S SERV	
14MAY10 04:10	Change Serviceability Stat	112.1	A23T 097 A1WBG A23-020	00 A23T A1WBG 00AC
25MAY10 01:25	Asset Installation	123.0	A23T 097 A1WBG A23-020	00 A23T A1WBG 00AC
	Change Serviceability Stat	10.8	SERV S/I ALS A23-020	XXXXXXxx
	Change Location of an Asse	123.0		

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03930  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DE0538  
 PART NO : STANDARDPACK-1 ~Z5514  
 ENGINEERING NAME : SURVIVAL PACK ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS										
TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER		
LIFE SINCE NEW										
=====										
07JUL10	23:49	Asset Removal		43.9	097		097	A23T	A1WBG	00M
		4737.9 AFHR			A23T	A1WBG	00			
		Change Serviceability Stat		6.6	S/I				XXxxXXxx	
		Change Location of an Asse		5.9	U/S					
07JUL10	23:52	Change Serviceability Stat		0.0	INTMH					
		4737.9 AFHR			HG122					
		Change Serviceability Stat		0.0	U/S				XXxxXXxx	
08JUL10	00:37	Asset Installation		0.0	SERV					
		4737.9 AFHR			A23T	A1WBG	00			
		Change Serviceability Stat		0.0	094		094	A23T	A26BG	00MMI
		4737.9 AFHR			SERV				XXxxXXxx	
		Change Serviceability Stat		0.0	S/I					
08JUL10	07:27	Asset Removal		0.2	094		094	A23T	A26BG	00M
		4737.9 AFHR			A23T	A26BG	00			
		Change Serviceability Stat		0.2	S/I				XXxxXXxx	
		Change Serviceability Stat		0.0	U/S					
		4737.9 AFHR			U/S					
08JUL10	07:28	Asset Installation		0.0	SERV				XXxxXXxx	
		4737.9 AFHR			A23T	A26BG	00			
		Change Serviceability Stat		0.0	094		094	A23T	A26BG	00MMI
		4737.9 AFHR			SERV				XXxxXXxx	
		Change Serviceability Stat		0.0	S/I					
15MAY11	21:59	Change Serviceability Stat		0.0	US/I					
		4922.4 AFHR			US/I					
					4SQNXJ1000780				XXxxXXxx	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03931  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DE0538  
 PART NO : STANDARDPACK-1  
 ENGINEERING NAME : SURVIVAL PACK ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~Z5514

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
17MAY11 22:15	Asset Removal	313.6	094 A23T A26BG A23-032 00	A23T A26BG 00A
	4922.4 AFHR Change Serviceability Stat	0.9	S/I U/S	XXXXXXxx
	Change Location of an Asse	200.8	A23-032 ALS U/S SERV	
13JUL11 22:37	Change Serviceability Stat	57.0		XXXXXXxx
14JUL11 00:29	Asset Installation	57.0	A23T A26BG A23-020 00	A23T A26BG 00AC
	4922.4 AFHR Change Serviceability Stat	0.0	SERV S/I	XXXXXXxx
	Change Location of an Asse	57.0	ALS A23-020	
05OCT11 03:33	Asset Removal	83.1	098 A23T A26BG 098 00	A23T A26BG 00M
	5003.1 AFHR Change Serviceability Stat	6.7	S/I U/S	XXXXXXxx
07OCT11 00:36	Change Serviceability Stat	1.8	U/S SERV	
	5003.1 AFHR			XXXXXXxx
07OCT11 00:46	Asset Installation	1.8	A23T A26BG A23-020 00	A23T A26BG 00AC
	5003.1 AFHR Change Serviceability Stat	0.0	SERV S/I	XXXXXXxx
	Change Location of an Asse	2.0	ARM_SECTION A23-020	
11JUL12 23:56	Change Serviceability Stat	13.7	S/I US/I 4SQNXJ1101094	XXXXXXxx
	5250.5 AFHR			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03932  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DE0538  
 PART NO : STANDARDPACK-1  
 ENGINEERING NAME : SURVIVAL PACK ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~Z5514

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
12JUL12 00:44	Asset Removal	278.9	070 A23T A26BG A23-020 00	A23T A26BG 00A
	5250.5 AFHR Change Serviceability Stat	0.0	US/I	XXXXXXxx
	Change Location of an Asse	90.1	A23-020	
24JUL12 03:11	Change Serviceability Stat	12.1	ALS U/S SERV	
	5250.5 AFHR			XXXXXXxx
24JUL12 23:04	Asset Installation	12.9	A23T A26BG 043 A23-022 00	A23T A1WBG 00AC
	5250.5 AFHR Change Serviceability Stat	0.8	SERV S/I	XXXXXXxx
	Change Location of an Asse	12.9	ALS	
30MAY13 00:31	Position Change	309.0	A23-022 A23T A1WBG 00	
	5518.7 AFHR		A23T A1WBG 00	
22JUL13 03:34	Change Serviceability Stat	4.0	4SQNXX1301399 S/I	XXXXXXxx
	5536.5 AFHR		US/I	
22JUL13 04:39	Asset Removal	362.2	4SQNXJ1201114 043 A23-022 00	A23T A1WBG 00A
	5536.5 AFHR Change Serviceability Stat	0.0	A23T A1WBG	XXXXXXxx
	Change Location of an Asse	53.9	A23-022	
14OCT13 02:40	Change Serviceability Stat	83.9	ALS SERV_SHELF U/S SERV	
	5536.5 AFHR			XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03933  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DE0538  
 PART NO : STANDARDPACK-1 ~Z5514  
 ENGINEERING NAME : SURVIVAL PACK ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
20OCT13 22:01	Asset Installation	90.7	A23T A1WBG 093 A23-031	00 A23T A1WBG 00AC XXxxXXxx
	5536.5 AFHR Change Serviceability Stat	6.8	SERV S/I	
	Change Location of an Asse	90.7	ALS A23-031 SERV_SHELF	
11APR14 02:13	Asset Removal	172.1	093 A23T A1WBG 00	A23T A1WBG 00M XXxxXXxx
	5662.5 AFHR Change Serviceability Stat	3.9	S/I U/S	
11APR14 02:16	Change Serviceability Stat	0.0	U/S SERV	
	5662.5 AFHR			XXxxXXxx
14APR14 05:27	Asset Installation	3.1	A23T A1WBG 077	00 A23T A1WBG 00MMI XXxxXXxx
	5662.5 AFHR Change Serviceability Stat	3.1	SERV S/I	
10OCT14 00:12	Change Serviceability Stat	0.0	S/I US/I	
	5830.8 AFHR		4SQNXJ1301414	XXxxXXxx
10OCT14 01:06	Asset Removal	178.8	077 A23-031 A23T A1WBG 00	A23T A1WBG 00A XXxxXXxx
	5830.8 AFHR Change Serviceability Stat	0.0	US/I U/S	
	Change Location of an Asse	176.9	A23-031 ALS	
10OCT14 01:14	Change Location of an Asse	0.0	ALS US_SHELF	
	5830.8 AFHR		4SQNXX1402668	XXxxXXxx
30NOV14 21:07	Change Serviceability Stat	51.8	U/S SERV	
	5830.8 AFHR			XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03934  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DE0538  
 PART NO : STANDARDPACK-1  
 ENGINEERING NAME : SURVIVAL PACK ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~Z5514

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
14JAN15 00:02	Asset Installation	95.9	A23T A1WBG A23-020 00	A23T A26BG 00AC
	5830.8 AFHR			XXXXXX
	Change Serviceability Stat	44.1	SERV S/I	
	Change Location of an Asse	95.9	ALS A23-020 US_SHELF	
29JUL15 01:13	Asset Removal	196.0	A23T A26BG A23-020 00	A23T A26BG 00A
	5956.7 AFHR			XXXXXX
	Change Serviceability Stat	2.0	S/I U/S	
	Change Location of an Asse	91.8	A23-020 SERV_SHELF	
29JUL15 01:19	Change Serviceability Stat	0.0	ALS U/S SERV	
	5956.7 AFHR			XXXXXX
30JUL15 00:27	Asset Installation	0.9	A23T A26BG A23-020 00	A23T A26BG 00AC
	5956.7 AFHR			XXXXXX
	Change Serviceability Stat	0.9	SERV S/I	
	Change Location of an Asse	0.9	ALS A23-020 SERV_SHELF	
07DEC15 23:37	Change Serviceability Stat	4.9	S/I US/I	
	6082.3 AFHR		4SQNXJ1401926	XXXXXX
08DEC15 00:01	Asset Removal	130.9	A23T A26BG A23-020 00	A23T A26BG 00A
	6082.3 AFHR			XXXXXX
	Change Serviceability Stat	0.0	US/I U/S	
	Change Location of an Asse	97.0	A23-020 ALS US_SHELF	



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03935  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DE0538  
 PART NO : STANDARDPACK-1  
 ENGINEERING NAME : SURVIVAL PACK ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~Z5514

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
30AUG16 01:00	Change Serviceability Stat		266.0	U/S SERV	
01SEP16 23:29	Asset Installation	6082.3 AFHR	268.9	A23T 050 A26BG A23-032	00 A23T A26BG 00AC
	Change Serviceability Stat	6082.3 AFHR	2.9	SERV S/I	XXXXXXxx
	Change Location of an Asse		268.9	ALS A23-032 US_SHELF	
11OCT16 00:36	Change Serviceability Stat		0.0	S/I US/I	
11OCT16 01:17	Change Serviceability Stat	6107.4 AFHR	0.0	4SQNXJ1601647	XXXXXXxx
23MAR17 01:56	Asset Removal	6107.4 AFHR	202.1	050 A23T A26BG 050 00	XXXXXXxx A23T A26BG 00M
	Change Serviceability Stat	6193.0 AFHR	118.8	S/I U/S	XXXXXXxx
	Change Location of an Asse		64.1	ARMAMENT LIFE_SUPPORT	
21JUN17 22:13	Change Serviceability Stat		90.8	U/S SERV	
22JUN17 04:18	Asset Installation	6193.0 AFHR	91.0	A23T 050 A26BG 050 00	XXXXXXxx A23T A26BG 00MMI
	Change Serviceability Stat	6193.0 AFHR	0.2	SERV S/I	XXXXXXxx
	Change Location of an Asse		91.0	LIFE_SUPPORT ARMAMENT	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03936  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DE0538  
 PART NO : STANDARDPACK-1  
 ENGINEERING NAME : SURVIVAL PACK ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~Z5514

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
LIFE SINCE NEW				
05JUL17 01:20	Asset Removal	12.8	050 A23T A26BG	A23T A26BG 00A
	6193.0 AFHR Change Serviceability Stat	0.0	S/I U/S	XXXXXXxx
	Change Location of an Asse	12.8	A23-032 ARMAMENT	
05JUL17 01:20	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
	6193.0 AFHR Asset Installation	0.0	A23T A26BG	A23T A26BG 00AC
	6193.0 AFHR Change Serviceability Stat	0.0	SERV S/I	XXXXXXxx
	Change Location of an Asse	0.0	ARMAMENT A23-032	
10JUL17 00:45	Asset Removal	4.9	050 A23T A26BG	A23T A26BG 00A
	6193.3 AFHR Change Serviceability Stat	3.0	S/I U/S	XXXXXXxx
	Change Location of an Asse	4.9	A23-032 ARMAMENT	
10JUL17 00:45	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
	6193.3 AFHR Asset Installation	0.0	A23T A26BG	A23T A26BG 00AC
	6193.3 AFHR Change Serviceability Stat	0.0	SERV S/I	XXXXXXxx
	Change Location of an Asse	0.0	ARMAMENT A23-032	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03937  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DE0538  
 PART NO : STANDARDPACK-1  
 ENGINEERING NAME : SURVIVAL PACK ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~Z5514

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
27AUG17 21:26	Change Serviceability Stat	3.7	S/I US/I	
27AUG17 23:25	Asset Removal	48.9	4SQNXJ1601486 050 A23T A26BG	XXxxXXxx A23T A26BG 00A
	Change Serviceability Stat	0.0	US/I	XXxxXXxx
	Change Location of an Asse	24.9	U/S A23-032	
10OCT17 22:11	Change Location of an Asse	43.9	HANGAR_RACKS HANGAR_RACKS	
21JAN18 20:25	Change Serviceability Stat	146.8	ALS 4SQNXX1702195 U/S	XXxxXXxx
25FEB18 22:43	Asset Installation	181.9	SERV A23T A26BG	XXxxXXxx
	Change Serviceability Stat	35.0	101 A23-031	A23T A1WBG 00AC XXxxXXxx
	Change Location of an Asse	138.0	SERV S/I	
11DEC18 00:47	Change Serviceability Stat	0.6	ALS A23-031	
11DEC18 01:54	Asset Removal	288.1	S/I US/I 4SQNXJ1800077 101 A23T A1WBG	XXxxXXxx A23T A1WBG 00A
	Change Serviceability Stat	0.0	US/I	XXxxXXxx
	Change Location of an Asse	32.9	U/S A23-031	
16JAN19 01:19	Change Serviceability Stat	35.9	HANGAR_RACKS U/S	
			SERV	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03938  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DE0538  
 PART NO : STANDARDPACK-1  
 ENGINEERING NAME : SURVIVAL PACK ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~Z5514

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
11APR19 05:54	Asset Installation	121.1	A23T A1WBG 050 A23-032	00 A23T A26BG 00AC XXXXXXXX
	6406.1 AFHR Change Serviceability Stat	85.1	SERV S/I	
	Change Location of an Asse	121.1	HANGAR_RACKS A23-032	
20JUN19 03:27	Asset Removal	69.8	050 A23-005 A23T A26BG	00 A23T A26BG 00A XXXXXXXX
	6456.8 AFHR Change Serviceability Stat	5.8	S/I U/S	
	Change Location of an Asse	14.8	A23-005 AROM	
20JUN19 03:27	Change Serviceability Stat	0.0	U/S SERV	XXXXXXXX
21JUN19 02:28	Asset Installation	0.9	A23T A26BG 070 070	00 A23T A26BG 00MMI XXXXXXXX
	6456.8 AFHR Change Serviceability Stat	0.9	SERV S/I	
	Change Location of an Asse	0.9	AROM EGRESS	
03JUL19 02:14	Asset Removal	11.9	070 A23-005 A23T A26BG	00 A23T A26BG 00A XXXXXXXX
	6460.8 AFHR Change Serviceability Stat	0.8	S/I U/S	
	Change Location of an Asse	6.1	A23-005 OPMH	
03JUL19 02:15	Change Serviceability Stat	0.0	U/S SERV	XXXXXXXX
	6460.8 AFHR			XXXXXXXX

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03939  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DE0538  
 PART NO : STANDARDPACK-1 ~Z5514  
 ENGINEERING NAME : SURVIVAL PACK ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
03JUL19 03:33	Asset Installation	0.0	A23T A26BG 070 A23-005	A23T A26BG 00AC
	6460.8 AFHR Change Serviceability Stat	0.0	SERV S/I	XXXXXXxx
	Change Location of an Asse	0.0	OPMH A23-005	
06SEP19 05:16	Asset Removal	65.0	070 A23-005 A23T A26BG	A23T A26BG 00A
	6580.1 AFHR Change Serviceability Stat	0.8	S/I U/S	XXXXXXxx
	Change Location of an Asse	65.0	A23-005 AROM	
06SEP19 05:17	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
14NOV19 03:25	Asset Installation	68.9	A23T A26BG 039 A23-033	A23T A1WBG 00AC
	6580.1 AFHR Change Serviceability Stat	68.9	SERV S/I	XXXXXXxx
	Change Location of an Asse	68.9	AROM A23-033	

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
FACDUUY400880	COMPLETED	08JUL04 23:40	3623.7	AFHR		XXXXXXxxXXXXXXxxXXXX
08JUL04 23:29	XXXXXXxx	XXXXXXxxXXXXXXxxXXXX	FACDU			XXXXXXxxXXXXXXxxXXXX
		SET WATER TO BE REPLACED WITH SERV ITEM KIT FIRST AID TO BE REPLACED WITH SERV ITEM				08JUL04 23:40 XXXXXXxxXXXXXXxxXXXX

Maint Acts: ITEMS REPLACED WITH SERV ITEMS

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03940  
08JAN20  
23:16:15

SERIAL/TAIL NO : DE0538  
PART NO : STANDARDPACK-1 ~Z5514  
ENGINEERING NAME : SURVIVAL PACK ASSY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20  
REMOVALS/INSTALLATIONS FOR FACDUUY400880

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
=====	REMOVED PART NO	=====	DATE/TIME	JOB NUMBER	INSTALLED PART NO	=====	DATE/TIME	=====

001	DE0538	A23T	A1WBG08	00				
	ENGS4		08JUL04 23:34	FACDUJY401292				

002					DE0538W	A23T	A1WBG08	00
					ENGS4		08JUL04 23:35	

FACDUUY400893	COMPLETED	12JUL04 05:06	3623.7	AFHR	XXxxXXxxXXxxXXxxXXxx
12JUL04 04:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU		XXxxXXxxXXxxXXxxXXxx
		BS due on Serial P218235			12JUL04 05:06
		KIT FIRST AID at WAC 0730			XXxxXXxxXXxxXXxxXXxx

Maint Acts: BAY SERVICE COMPLETED

FACDUUY400894	COMPLETED	12JUL04 05:04	3623.7	AFHR	XXxxXXxxXXxxXXxxXXxx
12JUL04 04:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU		XXxxXXxxXXxxXXxxXXxx
		BS due on Serial 14			12JUL04 05:04
		LIFE RAFT INFLATABL at WAC 0730			XXxxXXxxXXxxXXxxXXxx

Maint Acts: BAY SERVICE COMPLETED

FACDUUY400895	COMPLETED	12JUL04 05:03	3623.7	AFHR	XXxxXXxxXXxxXXxxXXxx
12JUL04 04:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU		XXxxXXxxXXxxXXxxXXxx
		BS due on Serial 14292			12JUL04 05:03
		CYLINDER CO2 at WAC 0730			XXxxXXxxXXxxXXxxXXxx

Maint Acts: BAY SERVICE COMPLETED

FACDUUY400896	COMPLETED	12JUL04 05:29	3623.7	AFHR	XXxxXXxxXXxxXXxxXXxx
12JUL04 05:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU		XXxxXXxxXXxxXXxxXXxx
		FIRST AID KIT TO BE RPLACED			12JUL04 05:29
					XXxxXXxxXXxxXXxxXXxx

Maint Acts: REDUNDANT US. US COMPLETED ON ANOTHER JOB NUMBER

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : DE0538 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : STANDARDPACK-1 ~Z5514  
 ENGINEERING NAME : SURVIVAL PACK ASSY  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

FACDUUY400898	COMPLETED	12JUL04 05:31	3623.7	AFHR		XXXXXXXXXXXXXXXXXXXX
12JUL04 05:16	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	FACDU			XXXXXXXXXXXXXXXXXXXX
		FAK TO BE REPLACED				12JUL04 05:31
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: ITEM REPLACED WITH SERVICEABLE ASSET

REMOVALS/INSTALLATIONS FOR FACDUUY400898

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	P218235	A23T	A1WBG02	00	FACFAK01	A23T	A1WBG02	00
	CES11253		12JUL04 05:17	FACDUJY401307	CES11253		12JUL04 05:17	

FACDUUY500501	COMPLETED	27JUN05 00:14	3668.8	AFHR		XXXXXXXXXXXXXXXXXXXX
15MAR05 23:38	XXXXXXX	XXXXXXXXXXXXXXXXXXXX	FACDU			27JUN05 00:14
		FIRST AID KIT DUE BAY SERVICE, SET WATER DUE THROW AWAY				XXXXXXXXXXXXXXXXXXXX

Maint Acts: SERV ITEM FITTED IAW 7220.026-3M

REMOVALS/INSTALLATIONS FOR FACDUUY500501

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	FACFAK01	A23T	A26BG02	00	PEY500046	A23T	A26BG02	00
	CES11253		15MAR05 23:40	FACDUJY500450	CES11253		27JUN05 00:13	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : DE0538 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : STANDARDPACK-1 ~Z5514  
 ENGINEERING NAME : SURVIVAL PACK ASSY  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
FACDUUY500819	COMPLETED	27JUN05 00:26	3668.8	AFHR		
18MAY05 22:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			
		BS due on Serial 14				XXxxXXxxXXxxXXxxXXxx
		LIFE RAFT INFLATABL at WAC 0740				27JUN05 00:26
	Maint Acts:	BS CO SERV				
FACDUUY500820	COMPLETED	27JUN05 00:27	3668.8	AFHR		
18MAY05 22:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			
		BS due on Serial 14292				XXxxXXxxXXxxXXxxXXxx
		CYLINDER CO2 at WAC 0740				27JUN05 00:27
	Maint Acts:	BS CO SERV				
FACDUUY500821	COMPLETED	18MAY05 22:44	3668.8	AFHR		
18MAY05 22:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			
		WATER DUE T/A				XXxxXXxxXXxxXXxxXXxx
						18MAY05 22:44
						XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	B/S				

REMOVALS/INSTALLATIONS FOR FACDUUY500821

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	DE0538W	A23T	A26BG08	00	PEY500039	A23T	A26BG08	00
	ENGS4		18MAY05 22:42	FACDUJY501059	ENGS4		18MAY05 22:43	

FACDUUY601117	COMPLETED	13SEP06 03:28	3839.4	AFHR		
30AUG06 04:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			
		BS due on Serial 14292				XXxxXXxxXXxxXXxxXXxx
		CYLINDER CO2 at WAC 0730				13SEP06 03:28
						XXxxXXxxXXxxXXxxXXxx



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : DE0538  
 PART NO : STANDARDPACK-1 ~Z5514 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : SURVIVAL PACK ASSY  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME

EE500PG	EE500LN	STA	WL	BL	ADMIN	MAINT ACTION/LIMITATIONS	INSPECTOR	DATE/TIME
						Maint Acts: BS C/O		
FACDUUY601118						COMPLETED 13SEP06 03:28 3839.4 AFHR	XXxxXXxxXXxxXXxxXXxx	
30AUG06	04:21					XXxxXXxxXXxxXXxxXXxx		
						BS due on Serial 14DUP	13SEP06 03:28	
						LIFE RAFT INFLATABL at WAC 0730	XXxxXXxxXXxxXXxxXXxx	

						Maint Acts: BS C/O		
FACDUUY601120						COMPLETED 13SEP06 05:14 3839.4 AFHR	XXxxXXxxXXxxXXxxXXxx	
30AUG06	04:36					XXxxXXxxXXxxXXxxXXxx		
						TA due on Serial DE0538	13SEP06 05:14	
						LINE ASSY LOWERING at WAC 0730	XXxxXXxxXXxxXXxxXXxx	
						Maint Acts: LOWERING LINE ASSEMBLY REPLACED WITH SERV ITEM IAW AAP7220.029-2M		

REMOVALS/INSTALLATIONS FOR FACDUUY601120

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	DE0538		A23T		A1WBG06		00	
	MBEU5097DP				30AUG06 05:42		FACDUJY601587	
					PEY600086		A23T	
					MBEU5097DP		30AUG06 05:43	

FACDUUY601165						COMPLETED 17SEP06 23:14 3839.4 AFHR	XXxxXXxxXXxxXXxxXXxx	
14SEP06	04:52					XXxxXXxxXXxxXXxxXXxx		
						LIFERAFT PACKED INCORRECTLY, PSP TO BE OPENED AND REPACKED	17SEP06 23:02	
							XXxxXXxxXXxxXXxxXXxx	
						Maint Acts: LIFERAFT REPACKED CORRECTLY IAW AAP7220.029-3M	17SEP06 23:14	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : DE0538 PERIOD: 01JAN90 TO 08JAN20  
PART NO : STANDARDPACK-1 ~Z5514  
ENGINEERING NAME : SURVIVAL PACK ASSY  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

FACDUUY701167	COMPLETED	15OCT07 23:30	4029.9	AFHR		XXxxXXxxXXxxXXxxXXxx
14OCT07 23:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			
14OCT07 23:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial 14DUP				15OCT07 23:30
		LIFE RAFT INFLATABL at WAC 0730				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	B/S CARRIED OUT IAW 7220.025-3M. SCM TASK				

FACDUUY701168	COMPLETED	15OCT07 03:43	4029.9	AFHR		XXxxXXxxXXxxXXxxXXxx
14OCT07 23:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			
14OCT07 23:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial 14292				15OCT07 03:43
		CYLINDER CO2 at WAC 0730				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	CO2 CYLINDER REPLACED WITH SERV ITEM IAW 7220.029-3M. SCM TASK				

REMOVALS/INSTALLATIONS FOR FACDUUY701168

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	14292	A23T	A1WBG00	00	14317	A23T	A1WBG00	00
	FLU-2A/P		15OCT07 01:12	FACDUJ302165X	FLU-2A/P		15OCT07 01:12	

FACDUUY701170	COMPLETED	15OCT07 03:45	4029.9	AFHR		XXxxXXxxXXxxXXxxXXxx
15OCT07 01:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			
15OCT07 01:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial 14317				15OCT07 03:45
		CYLINDER CO2 at WAC 0730				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	NEW C02 CYLINDER FITTED IAW 7220.029				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : DE0538 PERIOD: 01JAN90 TO 08JAN20  
PART NO : STANDARDPACK-1 ~Z5514  
ENGINEERING NAME : SURVIVAL PACK ASSY  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR FACDUUY701170

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	14317	A23T	A1WBG00	00	21169	A23T	A1WBG00	00
	FLU-2A/P		15OCT07 01:18	FACDUJY701871	FLU-2A/P		15OCT07 01:21	

FACDUUY701172 COMPLETED 15OCT07 23:31 4029.9 AFHR XXxxXXxxXXxxXXxxXXxx  
15OCT07 03:14 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU  
15OCT07 03:14 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU  
BS due on Serial 21169  
CYLINDER CO2 at WAC 0730 XXxxXXxxXXxxXXxxXXxx

Maint Acts: B/S CARRIED OUT IAW 7226.009-3M. SCM TASK

FACDUUY701173 COMPLETED 15OCT07 03:41 4029.9 AFHR XXxxXXxxXXxxXXxxXXxx  
15OCT07 03:34 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU  
15OCT07 03:35 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU  
KIT FIRST AID DUE B/S BEFORE NEXT HABS 15OCT07 03:41  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: REPLACED WITH SERV ITEM IAW 7220.029-3M. SCM TASK

REMOVALS/INSTALLATIONS FOR FACDUUY701173

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PEY500046	A23T	A1WBG02	00	PEY700077	A23T	A1WBG02	00
	CES11253		15OCT07 03:38	FACDUJY701876	CES11253		15OCT07 03:39	

FACDUUY701174 COMPLETED 15OCT07 03:49 4029.9 AFHR XXxxXXxxXXxxXXxxXXxx  
15OCT07 03:46 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU  
15OCT07 03:47 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU  
SERT WATER DUE T/A BEFORE NEXT HABS 15OCT07 03:49  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: REPLACED WITH SERV ITEM IAW 7220.029-3M. SCM TASK

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03946  
08JAN20  
23:16:15

SERIAL/TAIL NO : DE0538 PERIOD: 01JAN90 TO 08JAN20  
PART NO : STANDARDPACK-1 ~Z5514  
ENGINEERING NAME : SURVIVAL PACK ASSY  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR FACDUUY701174

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	PEY500039	A23T	A1WBG08	00	PEY700079	A23T	A1WBG08	00
ENGS4	15OCT07 03:47	FACDUJY701877	ENGS4	15OCT07 03:49				

FACDUUY900244 COMPLETED 02FEB09 00:22 4404.7 AFHR SST XXxxXXxxXXxxXXxxXXxx  
27JAN09 20:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU 02FEB09 00:22  
27JAN09 20:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU XXxxXXxxXXxxXXxxXXxx  
BS due on Serial 14DUP  
LIFE RAFT INFLATABL at WAC 0740 XXxxXXxxXXxxXXxxXXxx

Maint Acts: BAY SERVICED IAW AAP 7220.025-3M REFER FACDUJY701880

FACDUUY900245 COMPLETED 02FEB09 01:33 4404.7 AFHR SST XXxxXXxxXXxxXXxxXXxx  
27JAN09 22:08 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU 02FEB09 01:33  
27JAN09 22:09 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU XXxxXXxxXXxxXXxxXXxx  
WATER DUE TX XXxxXXxxXXxxXXxxXXxx

Maint Acts: WATER REPLACED WITH SERV ITEM IAW AAP 7220.029-3M

REMOVALS/INSTALLATIONS FOR FACDUUY900245

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	PEY700079	A23T	A26BG08	00	PEY900012	A23T	A26BG08	00
ENGS4	27JAN09 22:09	FACDUJY900160	ENGS4	27JAN09 22:10				

FACDUUY900246 COMPLETED 02FEB09 01:34 4404.7 AFHR SST XXxxXXxxXXxxXXxxXXxx  
27JAN09 22:11 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU 02FEB09 01:34  
27JAN09 22:12 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU XXxxXXxxXXxxXXxxXXxx  
FIRST AID KIT DUE BAY SERV AT PHARMACY XXxxXXxxXXxxXXxxXXxx

Maint Acts: FIRST AID KIT REPLACED WITH SERV ITEM IAW AAP 7220.029-3M

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03947  
08JAN20  
23:16:15

SERIAL/TAIL NO : DE0538 PERIOD: 01JAN90 TO 08JAN20  
PART NO : STANDARDPACK-1 ~Z5514  
ENGINEERING NAME : SURVIVAL PACK ASSY  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR FACDUUY900246

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PEY700077	A23T	A26BG02	00	193	A23T	A26BG02	00
	CES11253		27JAN09 22:12	FACDUJY900161	CES11253		27JAN09 22:13	

FACDUUY900247 COMPLETED 02FEB09 01:34 4404.7 AFHR SST XXxxXXxxXXxxXXxxXXxx  
27JAN09 22:14 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU 02FEB09 01:34  
27JAN09 22:15 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU XXxxXXxxXXxxXXxxXXxx  
LOWERING LINE DUE TX  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: LOWERING LINE REPLACED WITH SERV ITEM IAW AAP 7220.029-3M

REMOVALS/INSTALLATIONS FOR FACDUUY900247

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PEY600086	A23T	A26BG06	00	PEY900013	A23T	A26BG06	00
	MBEU5097DP		27JAN09 22:15	FACDUJY900162	MBEU5097DP		27JAN09 22:15	

4SQNXU1001621 COMPLETED 14MAY10 03:56 4689.5 AFHR T+TS XXxxXXxxXXxxXXxxXXxx  
12MAY10 02:55 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 14MAY10 03:56  
12MAY10 02:56 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN XXxxXXxxXXxxXXxxXXxx  
BS due on Serial 14DUP 14MAY10 03:56  
LIFE RAFT INFLATABL at WAC 0730 XXxxXXxxXXxxXXxxXXxx

Maint Acts: BAY SERVICE COMPLETED IAW AAP 7220.025-3M REFER FACDUJY900177

4SQNXU1001622 COMPLETED 12MAY10 22:13 4689.5 AFHR T+TS XXxxXXxxXXxxXXxxXXxx  
12MAY10 02:55 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 12MAY10 07:51  
12MAY10 02:56 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN XXxxXXxxXXxxXXxxXXxx  
OH due on Serial 21169 12MAY10 22:13  
CYLINDER CO2 at WAC 0730 XXxxXXxxXXxxXXxxXXxx

Maint Acts: CO2 BOTTLE REPLACED WITH SERV ITEM IAW AAP 7212.007-7.

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : DE0538 PERIOD: 01JAN90 TO 08JAN20  
PART NO : STANDARDPACK-1 ~Z5514  
ENGINEERING NAME : SURVIVAL PACK ASSY  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR 4SQNXU1001622

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	21169	A23T	A1WBG00	00	25658	A23T	A1WBG00	00
	FLU-2A/P		12MAY10 07:43	FACDUJY701874	FLU-2A/P		12MAY10 07:50	

4SQNXU1001630 COMPLETED 13MAY10 05:30 4689.5 AFHR T+TS XXxxXXxxXXxxXXxxXXxx  
 12MAY10 07:38 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 13MAY10 05:13  
 12MAY10 07:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 13MAY10 05:30  
 WATER AND FIRST AID KIT TO BE REPLACED WITH SERV ITEMS  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: WATER AND FIRST AID KIT REPLACED WITH SERV ITEMS IAW AAP 7220.029-3M

REMOVALS/INSTALLATIONS FOR 4SQNXU1001630

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PEY900012	A23T	A1WBG08	00	PF1000027	A23T	A1WBG08	00
	ENGS4		12MAY10 07:39	4SQNXJ1000754	ENGS4		12MAY10 07:40	

002	193	A23T	A1WBG02	00	381	A23T	A1WBG02	00
	CES11253		12MAY10 07:40	4SQNXJ1000755	CES11253		13MAY10 05:12	

4SQNXU1001631 COMPLETED 14MAY10 03:54 4689.5 AFHR T+TS XXxxXXxxXXxxXXxxXXxx  
 12MAY10 07:51 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 14MAY10 03:54  
 12MAY10 07:51 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 14MAY10 03:54  
 BS due on Serial 25658  
 CYLINDER CO2 at WAC 0730  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: BAY SERVICE COMPLETED IAW AAP 7226.009-3M REFER 4SQNXJ1000756

4SQNXU1102028 COMPLETED 12JUL11 22:05 4922.4 AFHR T+TS XXxxXXxxXXxxXXxxXXxx  
 11JUL11 00:44 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 12JUL11 21:55  
 11JUL11 00:46 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 12JUL11 22:05  
 FIRST AID KIT DUE TX  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: FIRST AID KIT REPLACED WITH SERV ITEM IAW AAP 7220.029-2M

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : DE0538 PERIOD: 01JAN90 TO 08JAN20  
PART NO : STANDARDPACK-1 ~Z5514  
ENGINEERING NAME : SURVIVAL PACK ASSY  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR 4SQNXU1102028

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	381	A23T	A26BG02	00	490	A23T	A26BG02	00
	CES11253		11JUL11 00:46	4SQNXJ1101064	CES11253		11JUL11 00:47	

4SQNXU1102029 COMPLETED 12JUL11 22:07 4922.4 AFHR T+TS  
 11JUL11 00:48 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 12JUL11 21:46  
 11JUL11 00:50 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 12JUL11 22:07  
 WATER DUE TX XXxxXXxxXXxxXXxxXXxx

Maint Acts: WATER REPLACED WITH SERV ITEM IAW AAP 7220.029-2M

REMOVALS/INSTALLATIONS FOR 4SQNXU1102029

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PF1000027	A23T	A26BG08	00	PF1100080	A23T	A26BG08	00
	ENGS4		11JUL11 00:50	4SQNXJ1101065	ENGS4		11JUL11 00:50	

4SQNXU1102030 COMPLETED 12JUL11 22:07 4922.4 AFHR T+TS  
 11JUL11 03:02 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 12JUL11 21:45  
 11JUL11 03:03 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 12JUL11 22:07  
 LOWERING LINE ASSY DUE TX XXxxXXxxXXxxXXxxXXxx

Maint Acts: LOWERING LINE ASSY REPLACED WITH SERV ITEM IAW AAP 7220.029-2M

REMOVALS/INSTALLATIONS FOR 4SQNXU1102030

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PEY900013	A23T	A26BG06	00	PF1100081	A23T	A26BG06	00
	MBEU5097DP		11JUL11 03:04	4SQNXJ1101067	MBEU5097DP		11JUL11 03:04	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : DE0538  
 PART NO : STANDARDPACK-1 ~Z5514  
 ENGINEERING NAME : SURVIVAL PACK ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
4SQNXU1102043	COMPLETED	12JUL11 22:08	4922.4	AFHR	T+TS	XXXXXXXXXXXXXXXXXXXX
11JUL11 21:31	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	4SQN			12JUL11 21:45
11JUL11 21:32	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	4SQN			XXXXXXXXXXXXXXXXXXXX
		LIFERAFT DUE TX				12JUL11 22:08
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: LIFERAFT REPLACED WITH SERV ITEM IAW 7220.029-2M

REMOVALS/INSTALLATIONS FOR 4SQNXU1102043

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	14DUP	A23T	A26BG04	00	31122010	A23T	A26BG04	00
	LRU-16/P		11JUL11 21:33	4SQNXJ1101072	LRU-16/P		11JUL11 21:33	

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
4SQNXU1102093	COMPLETED	13JUL11 22:34	4922.4	AFHR	T+TS	XXXXXXXXXXXXXXXXXXXX
13JUL11 22:24	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	4SQN			13JUL11 22:34
13JUL11 22:24	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	4SQN			XXXXXXXXXXXXXXXXXXXX
		7220.025-104 due on Serial 31122010				13JUL11 22:34
		LIFE RAFT INFLATABL at WAC 0740				XXXXXXXXXXXXXXXXXXXX
		BS due on Serial 31122010				
		LIFE RAFT INFLATABL at WAC 0740				

Maint Acts: BS CARRIED OUT IAW AAP 7220.025-3M,CHAP5,SECT2.

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
4SQNXU1203084	COMPLETED	23JUL12 22:32	5250.5	AFHR	T+TS	XXXXXXXXXXXXXXXXXXXX
12JUL12 01:06	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	4SQN			23JUL12 21:41
12JUL12 01:06	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	4SQN			XXXXXXXXXXXXXXXXXXXX
		OH due on Serial 25658				23JUL12 22:32
		CYLINDER CO2 at WAC 0740				XXXXXXXXXXXXXXXXXXXX

Maint Acts: CO2 CYLINDER REPLACED WITH SERV ITEM IAW AAP 7220.025-3M



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03951  
08JAN20  
23:16:15

SERIAL/TAIL NO : DE0538 PERIOD: 01JAN90 TO 08JAN20  
PART NO : STANDARDPACK-1 ~Z5514  
ENGINEERING NAME : SURVIVAL PACK ASSY  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR 4SQNXU1203084

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	25658	A23T	A26BG00	00	35498	A23T	A26BG00	00
	FLU-2A/P		19JUL12 21:46	4SQNXJ1201103	FLU-2A/P		23JUL12 21:38	

4SQNXU1203085 COMPLETED 23JUL12 22:32 5250.5 AFHR T+TS XXxxXXxxXXxxXXxxXXxx  
12JUL12 01:06 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 23JUL12 22:16  
12JUL12 01:06 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN XXxxXXxxXXxxXXxxXXxx  
BS due on Serial 31122010 23JUL12 22:32  
LIFE RAFT INFLATABL at WAC 0740 XXxxXXxxXXxxXXxxXXxx

Maint Acts: BS CARRIED OUT IAW AAP 7220.025-3M, TOPIC 2 CHAP 2.

4SQNXU1203235 COMPLETED 23JUL12 22:33 5250.5 AFHR T+TS XXxxXXxxXXxxXXxxXXxx  
19JUL12 21:33 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 23JUL12 21:33  
19JUL12 21:34 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN XXxxXXxxXXxxXXxxXXxx  
KIT FIRST AID DUE THROWAWAY 23JUL12 22:33  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: KIT FIRST AID REPLACED WITH SERV ITEM IAW AAP7222.029-3M

REMOVALS/INSTALLATIONS FOR 4SQNXU1203235

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	490	A23T	A26BG02	00	615	A23T	A26BG02	00
	CES11253		19JUL12 21:34	4SQNXJ1201101	CES11253		23JUL12 21:32	

4SQNXU1203236 COMPLETED 23JUL12 22:35 5250.5 AFHR T+TS XXxxXXxxXXxxXXxxXXxx  
19JUL12 21:35 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 23JUL12 21:35  
19JUL12 21:43 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN XXxxXXxxXXxxXXxxXXxx  
WATER SATCHEL DUE THROWAWAY 23JUL12 22:35  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: WATER SATCHEL REPLACED WITH SERV ITEM IAW AAP7222.029-3M

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03952  
08JAN20  
23:16:15

SERIAL/TAIL NO : DE0538 PERIOD: 01JAN90 TO 08JAN20  
PART NO : STANDARDPACK-1 ~Z5514  
ENGINEERING NAME : SURVIVAL PACK ASSY  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR 4SQNXU1203236

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
=====	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PF1100080	A23T	A26BG08	00	PF1200032	A23T	A26BG08	00
	ENGS4		19JUL12 21:44	4SQNXJ1201102	ENGS4		23JUL12 21:34	

4SQNXU1203292 COMPLETED 23JUL12 22:34 5250.5 AFHR T+TS XXxxXXxxXXxxXXxxXXxx  
23JUL12 22:12 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 23JUL12 22:18  
23JUL12 22:12 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN XXxxXXxxXXxxXXxxXXxx  
BS due on Serial 35498 23JUL12 22:34  
CYLINDER CO2 at WAC 0740 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: BS CARRIED OUT IAW AAP 7220.025-3M, TOPIC 2 CHAP 3

4SQNXU1303477 COMPLETED 14OCT13 02:38 5536.5 AFHR T+TS XXxxXXxxXXxxXXxxXXxx  
07OCT13 23:26 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 14OCT13 02:30  
07OCT13 23:26 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN XXxxXXxxXXxxXXxxXXxx  
BS due on Serial 31122010 14OCT13 02:38  
LIFE RAFT INFLATABL at WAC 0730 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: BS CARRIED OUT IAW AAP 7220.025-3M,CHAP5,SECT2. ACG SI (LOG) 4-3-10.

4SQNXU1303478 COMPLETED 14OCT13 02:38 5536.5 AFHR T+TS XXxxXXxxXXxxXXxxXXxx  
07OCT13 23:26 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 14OCT13 02:32  
07OCT13 23:26 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN XXxxXXxxXXxxXXxxXXxx  
BS due on Serial 35498 14OCT13 02:38  
CYLINDER CO2 at WAC 0730 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: CO2 CYL B/S CARRIED OUT IAW AAP 7220.029-3M,SECT3,CHAP4.

4SQNXU1303532 COMPLETED 13OCT13 21:25 5536.5 AFHR T+TS XXxxXXxxXXxxXXxxXXxx  
13OCT13 21:03 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 13OCT13 21:09  
13OCT13 21:05 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN XXxxXXxxXXxxXXxxXXxx  
DRINKING BAG WATER AND FIRST AID KIT TX 13OCT13 21:25  
XXxxXXxxXXxxXXxxXXxx  
Maint Acts: DRINKING BAG WATER AND FIRST AID KIT REPLACED WITH SERV ITEM AAP  
7220.029-3M

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03953  
08JAN20  
23:16:15

SERIAL/TAIL NO : DE0538 PERIOD: 01JAN90 TO 08JAN20  
PART NO : STANDARDPACK-1 ~Z5514  
ENGINEERING NAME : SURVIVAL PACK ASSY  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR 4SQNXU1303532

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	PF1200032 ENGS4	A23T	A1WBG08 13OCT13 21:06	00 4SQNXJ1301364				
-----	--------------------	------	--------------------------	---------------------	--	--	--	--

002	615 CES11253	A23T	A1WBG02 13OCT13 21:08	00 4SQNXJ1301365				
-----	-----------------	------	--------------------------	---------------------	--	--	--	--

4SQNXU1303533	COMPLETED	13OCT13 21:24	5536.5	AFHR	T+TS	XXxxXXxxXXxxXXxxXXxx
13OCT13 21:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			13OCT13 21:14
13OCT13 21:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			XXxxXXxxXXxxXXxxXXxx
		LOWERING LINE ASSEMBLY TX				13OCT13 21:24
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: LOWERING LINE REPLACED WITH SERV ITEM IAW AAP7220.029-3M

REMOVALS/INSTALLATIONS FOR 4SQNXU1303533

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	PF1100081 MBEU5097DP	A23T	A1WBG06 13OCT13 21:13	00 4SQNXJ1301366	PF1300049 MBEU5097DP	A23T	A1WBG06 13OCT13 21:13	00
-----	-------------------------	------	--------------------------	---------------------	-------------------------	------	--------------------------	----

4SQNXU1404235	COMPLETED	15DEC14 02:12	5830.8	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
30NOV14 21:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			XXxxXXxxXXxxXXxxXXxx
30NOV14 21:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			15DEC14 02:12
		WORKSHEET ALSW/038/14 IN USE TO BE CLEARED AND CLOSED				XXxxXXxxXXxxXXxxXXxx

Maint Acts: WORKSHEET ALSW/038/14 CLEARED AND CLOSED

4SQNXU1404236	COMPLETED	15DEC14 02:04	5830.8	AFHR	T+TS	XXxxXXxxXXxxXXxxXXxx
30NOV14 21:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			15DEC14 02:00
30NOV14 21:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial 31122010				15DEC14 02:04
		LIFERAFT INFLATABLE at WAC 0730				XXxxXXxxXXxxXXxxXXxx

Maint Acts: BS CARRIED OUT IAW AAP 7220.025-3M,CHAP5,SECT2. ACG SI (LOG) 4-3-10.

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03954  
08JAN20  
23:16:15

SERIAL/TAIL NO : DE0538 PERIOD: 01JAN90 TO 08JAN20  
PART NO : STANDARDPACK-1 ~Z5514  
ENGINEERING NAME : SURVIVAL PACK ASSY  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME
=====		=====				=====
4SQNXU1404237	COMPLETED	15DEC14 02:03	5830.8	AFHR	T+TS	XXxxXXxxXXxxXXxxXXxx
30NOV14 21:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			15DEC14 02:01
30NOV14 21:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial 35498				15DEC14 02:03
		CYLINDER CO2 at WAC 0730				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	CO2 CYL B/S CARRIED OUT IAW AAP 7226.009-3M,SECT3,CHAP4.				
4SQNXU1603160	COMPLETED	01SEP16 22:07	6082.3	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
30AUG16 01:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			XXxxXXxxXXxxXXxxXXxx
30AUG16 01:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			01SEP16 22:07
		PSP WORKSHEET 4SQN/WS/050/16 IN USE.				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	PSP WORKSHEET 4SQN/WS/050/16 CLEARED AND CLOSED IAW AAP 7001.059 S4 C3				
4SQNXU1603161	COMPLETED	01SEP16 21:34	6082.3	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
30AUG16 02:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			XXxxXXxxXXxxXXxxXXxx
30AUG16 02:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			01SEP16 21:34
		CTK#7 IN USE, TO BE CLEARED AND CLOSED.				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	CTK #7 CLEARED AND CLOSED IAW ACG SI(LOG) 1-3-2				
4SQNXU1603163	COMPLETED	01SEP16 00:39	6082.3	AFHR	T+TS	XXxxXXxxXXxxXXxxXXxx
30AUG16 02:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			01SEP16 00:34
30AUG16 02:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial 31122010				01SEP16 00:39
		LIFERAFT INFLATABLE at WAC 0740				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	B/S C/O IAW AAP 7220.025-3M				
4SQNXU1603164	COMPLETED	31AUG16 22:23	6082.3	AFHR	T+TS	XXxxXXxxXXxxXXxxXXxx
30AUG16 02:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			31AUG16 22:21
30AUG16 02:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			XXxxXXxxXXxxXXxxXXxx
		TA due on Serial 35498				31AUG16 22:23
		CYLINDER CO2 at WAC 0740				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	CYLINDER CO2 REPLACED WITH SERV ITEM IAW AAP 7220.029-3M				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03955  
08JAN20  
23:16:15

SERIAL/TAIL NO : DE0538  
PART NO : STANDARDPACK-1 ~Z5514  
ENGINEERING NAME : SURVIVAL PACK ASSY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

REMOVALS/INSTALLATIONS FOR 4SQNXU1603164

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	35498	A23T	A26BG00	00	PF1600051	A23T	A26BG00	00
	FLU-2A/P		31AUG16 05:02	4SQNXJ1301531	FLU-2A/P		31AUG16 21:57	

4SQNXU1603165	COMPLETED	01SEP16 00:16	6082.3	AFHR	T+TS	XXXXXXXXXXXXXXXXXXXX
30AUG16 02:30	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	4SQN			01SEP16 00:07
30AUG16 02:30	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	4SQN			XXXXXXXXXXXXXXXXXXXX
		TA	due on Serial PF1300049			01SEP16 00:16
		LINE ASSY LOWERING at WAC 0740				XXXXXXXXXXXXXXXXXXXX

Maint Acts: LOWERING LINE REPLACED WITH SERV ITEM IAW AAP 7220.029-3M

REMOVALS/INSTALLATIONS FOR 4SQNXU1603165

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PF1300049	A23T	A26BG06	00	PF1600049	A23T	A26BG06	00
	MBEU5097DP		31AUG16 04:54	4SQNXJ1301351	MBEU5097DP		31AUG16 04:54	

4SQNXU1800113	COMPLETED	23JAN18 20:43	6216.2	AFHR	T+TS	XXXXXXXXXXXXXXXXXXXX
21JAN18 20:24	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	4SQN			23JAN18 20:39
21JAN18 20:24	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	4SQN			XXXXXXXXXXXXXXXXXXXX
		BS	due on Serial 31122010			23JAN18 20:43
		LIFERAFT INFLATABLE at WAC 0740				XXXXXXXXXXXXXXXXXXXX

Maint Acts: BS CARRIED OUT IAW AAP 7220.025-3M.

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : DE0538 PERIOD: 01JAN90 TO 08JAN20  
PART NO : STANDARDPACK-1 ~Z5514  
ENGINEERING NAME : SURVIVAL PACK ASSY  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN	
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME	
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR	
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME	
EE500PG EE500LN						INSPECTOR	
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME	
4SQNXU1800114	COMPLETED	23JAN18 20:43	6216.2	AFHR	T+TS	XXxxXXxxXXxxXXxxXXxx	
21JAN18 20:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			23JAN18 20:39	
21JAN18 20:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			XXxxXXxxXXxxXXxxXXxx	
		BS due on Serial PF1600051				23JAN18 20:43	
		CYLINDER CO2 at WAC 0740				XXxxXXxxXXxxXXxxXXxx	
	Maint Acts:	BS CARRIED OUT IAW AAP 7220.025-3M.					
4SQNXU1800115	COMPLETED	29JAN18 02:31	6216.2	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx	
21JAN18 20:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			XXxxXXxxXXxxXXxxXXxx	
21JAN18 20:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			29JAN18 02:31	
		CTK 7 IN USE, TO BE CLEARED AND CLOSED.					XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	CTK 7 CLEARED AND CLOSED/					
4SQNXU1800121	COMPLETED	29JAN18 02:29	6216.2	AFHR	MM	XXxxXXxxXXxxXXxxXXxx	
21JAN18 22:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			XXxxXXxxXXxxXXxxXXxx	
21JAN18 22:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			29JAN18 02:29	
		BAY SERVICE WORKSHEETS REGO # 4SQN/WS/004/18 IN USE. TO BE CLEARED AND CLOSED.					XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	WORKSHEET # 4SQN/WS/004/18 CLEARED AND CLOSED					
4SQNXU1805472	COMPLETED	21JAN19 04:05	6406.1	AFHR	SCT	XXxxXXxxXXxxXXxxXXxx	
11DEC18 02:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			21JAN19 04:05	
11DEC18 02:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			XXxxXXxxXXxxXXxxXXxx	
		BS due on Serial 31122010					
		LIFERAFT INFLATABLE at WAC 0730				XXxxXXxxXXxxXXxxXXxx	
	N						
	Maint Acts:	SCT 3 - B/S C/O IAW AAP 7220.025-3M					
4SQNXU1805473	COMPLETED	22JAN19 03:53	6406.1	AFHR	SCT	XXxxXXxxXXxxXXxxXXxx	
11DEC18 02:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			22JAN19 03:53	
11DEC18 02:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			XXxxXXxxXXxxXXxxXXxx	
		BS due on Serial PF1600051					
		CYLINDER CO2 at WAC 0730				XXxxXXxxXXxxXXxxXXxx	
	N						
	Maint Acts:	SCT 3 - CO2 CYL B/S CARRIED OUT IAW AAP 7220.025-3M, TOPIC 2, CHAP (Continued on next page.)					

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03957  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DE0538  
 PART NO : STANDARDPACK-1 ~Z5514  
 ENGINEERING NAME : SURVIVAL PACK ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

(Continued from previous page.)  
 3.

4SQNXU1900048	COMPLETED	29JAN19 23:30	6406.1	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
16JAN19 01:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			
16JAN19 01:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			XXxxXXxxXXxxXXxxXXxx
		BS WORKSHEETS REGO NUMBER # 4SQN/WS/001/19 IN USE. TO BE CLEARED AND CLOSED.				29JAN19 23:30
						XXxxXXxxXXxxXXxxXXxx

Y  
 Maint Acts: BS WORK SHEETS 4SQN/WS/001/19 CLEARED AND CLOSED.

4SQNXU1900065	COMPLETED	29JAN19 23:03	6406.1	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
17JAN19 03:11	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			
17JAN19 03:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			XXxxXXxxXXxxXXxxXXxx
		CTK7 IN USE, TO BE CLEARED AND CLOSED.				29JAN19 23:03
						XXxxXXxxXXxxXXxxXXxx

N  
 Maint Acts: CTK7 CLEARED AND CLOSED.

4SQNXU1900072	COMPLETED	21JAN19 00:22	6406.1	AFHR	SCT	XXxxXXxxXXxxXXxxXXxx
17JAN19 21:55	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			21JAN19 00:22
17JAN19 21:55	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			XXxxXXxxXXxxXXxxXXxx
		TA due on Serial PF1600049				
		LINE ASSY LOWERING at WAC 0730				XXxxXXxxXXxxXXxxXXxx

N  
 Maint Acts: SCT 3 - LINE ASSY LOWERING REPLACED WITH SERV ITEM IAW AAP 7220.029-2M

REMOVALS/INSTALLATIONS FOR 4SQNXU1900072

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PF1600049	A23T	A1WBG06	00	PF1900032	A23T	A1WBG06	00
	MBEU5097DP		17JAN19 22:00	4SQNXJ1601452	MBEU5097DP		20JAN19 21:04	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03958  
08JAN20  
23:16:15

SERIAL/TAIL NO : DE0538 PERIOD: 01JAN90 TO 08JAN20  
PART NO : STANDARDPACK-1 ~Z5514  
ENGINEERING NAME : SURVIVAL PACK ASSY  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

FACDUJCA00504	C COMPLETED	01JUL03 00:00	XXxxXXxx		FACDU	0.0	
---------------	-------------	---------------	----------	--	-------	-----	--

Unserviceability Details:  
Maintenance Comments:

FACDUJY400946	C COMPLETED	14MAY04 04:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU	FACDU 3617.6	AFHR
---------------	-------------	---------------	----------	----------------------	-------	-----------------	------

01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: CHECK SERV

FACDUJY400947	C COMPLETED	14MAY04 04:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU	FACDU 3617.6	AFHR
---------------	-------------	---------------	----------	----------------------	-------	-----------------	------

01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: SERV

FACDUJY400949	C COMPLETED	14MAY04 04:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU	FACDU 3617.6	AFHR
---------------	-------------	---------------	----------	----------------------	-------	-----------------	------

01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: SERV

FACDUJ302582X	C COMPLETED	24JUN04 06:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU	FACDU 3623.7	AFHR
---------------	-------------	---------------	----------	----------------------	-------	-----------------	------

02 BAY SERVICE DUE BS due on Serial DE0538  
SURVIVAL PACK ASSY at WAC 0730  
01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: BAY SERVICE COMPLETED



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03959  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DE0538 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : STANDARDPACK-1 ~Z5514  
 ENGINEERING NAME : SURVIVAL PACK ASSY  
 VENUE : A23DISP LOCATION : A23-033

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			30JUN04
SM	BS	1.0	ELPYR			30JUN04

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

FACDUJY401968 C COMPLETED 06OCT04 22:44 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU FACDU  
 06OCT04 22:47 3666.4 AFHR  
 13 REMOVED FOR ACCESS 31 DURING ACCESS PSPS DE0542 AND DE0538 DUE FOR REPLACEMENT OF WATER BAGS  
 06 OUT OF LIMITS  
 01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details: WATER DUE

Maintenance Comments: WATER NOT DUE UNTIL NOVEMBER

FACDUJY402423 C COMPLETED 13DEC04 03:33 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU FACDU  
 27JUN05 00:31 3668.8 AFHR  
 13 REMOVED FOR ACCESS 99 NO FAILURE TA due on Serial DE0538W  
 SET WATER at WAC 074A

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details: TA DUE  
 Maintenance Comments: TA DUE

FACDUJY401305 C COMPLETED 18MAY05 22:28 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU FACDU  
 27JUN05 00:25 3668.8 AFHR  
 02 BAY SERVICE DUE BS due on Serial  
 SURVIVAL PACK ASSY at WAC 0740

01 NO FAULT 06 BAY SERVICE  
 Unserviceability Details: BS CO SERV  
 Maintenance Comments: BS CO SERV

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			12JUL05
SM	BS	1.0	ELPYR			12JUL05

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03960  
08JAN20  
23:16:15

SERIAL/TAIL NO : DE0538  
PART NO : STANDARDPACK-1 ~Z5514  
ENGINEERING NAME : SURVIVAL PACK ASSY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

FACDUJY600891 C COMPLETED 04MAY06 06:14 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU FACDU  
30AUG06 04:28 99 NO FAILURE TA due on Serial DE0538  
13 REMOVED FOR ACCESS 01 NO FAULT 04 CHECK/TEST SERV LINE ASSY LOWERING at WAC 0730  
Unserviceability Details: CHECK TEST SERV  
Maintenance Comments:

FACDUJY501265 C COMPLETED 30AUG06 04:21 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU FACDU  
13SEP06 04:20 02 BAY SERVICE DUE BS due on Serial DE0538  
01 NO FAULT 06 BAY SERVICE SURVIVAL PACK ASSY at WAC 0730  
Unserviceability Details: BAY SERVICE CARRIED OUT IAW AAP7220.029-3M  
Maintenance Comments:

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			27JUN06
SM	BS	1.0	ELPYR			27JUN06

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

FACDUJY601701 C COMPLETED 12SEP07 00:18 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU FACDU  
16OCT07 21:57 12SEP07 00:15 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU 4029.9 AFHR  
02 BAY SERVICE DUE BS due on Serial DE0538  
01 NO FAULT 06 BAY SERVICE SURVIVAL PACK ASSY at WAC 0730  
Unserviceability Details: B/S CARRIED OUT IAW 7220.029-3M. SCM TASK  
Maintenance Comments:

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03961  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DE0538 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : STANDARDPACK-1 ~Z5514  
 ENGINEERING NAME : SURVIVAL PACK ASSY  
 VENUE : A23DISP LOCATION : A23-033

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			13SEP07
SM	BS	1.0	ELPYR			13SEP07

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

FACDUJY800645 C COMPLETED 31MAR08 00:17 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU FACDU  
 31MAR08 00:18 31MAR08 00:17 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU 4196.9 AFHR  
 13 REMOVED FOR ACCESS 99 NO FAILURE REAR PARA, PSP AND SEO ROC 2B UPDATED

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

FACDUJY701882 C COMPLETED 27JAN09 20:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU FACDU  
 02FEB09 00:54 27JAN09 20:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU 4404.7 AFHR  
 02 BAY SERVICE DUE BS due on Serial DE0538  
 SURVIVAL PACK ASSY at WAC 0740

01 NO FAULT 06 BAY SERVICE  
 Unserviceability Details:  
 Maintenance Comments: BAY SERVICED IAW AAP 7220.029-3M

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			15OCT08
SM	BS	1.0	ELPYR			15OCT08

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03962  
08JAN20  
23:16:15

SERIAL/TAIL NO : DE0538 PERIOD: 01JAN90 TO 08JAN20  
PART NO : STANDARDPACK-1 ~Z5514  
ENGINEERING NAME : SURVIVAL PACK ASSY  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

FACDUJY900581	C COMPLETED	21APR09 08:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU	FACDU	
	21APR09 08:06	21APR09 08:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU	4481.0	AFHR
13 REMOVED FOR ACCESS	99 NO FAILURE			PSP RFA (PARA CX)			

01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV

FACDUJY900179	C COMPLETED	21JAN10 23:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	4SQN	
	14MAY10 04:10	21JAN10 23:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	4689.5	AFHR
02 BAY SERVICE DUE				BS due on Serial DE0538			
				SURVIVAL PACK ASSY at WAC 0730			

01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: BAY SERVICE COMPLETED IAW AAP 7220.029-3M . SCIS16-26-INST 2 AND SCIS 16-27-INST CARRIED OUT

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			02FEB10
SM	BS	1.0	ELPYR			02FEB10

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJ1012106	C COMPLETED	07JUL10 23:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	07JUL10 23:52	07JUL10 23:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	4737.9	AFHR
09 CANNIBALISATION	99 NO FAILURE			PSP REMOVED TO SERV A/C A23-032			

01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
Camm2  
ASSET HISTORY

PAGE 03963  
08JAN20  
23:16:15

SERIAL/TAIL NO : DE0538  
PART NO : STANDARDPACK-1 ~Z5514 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : SURVIVAL PACK ASSY  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

=====  
A1PXXJ1012158 C COMPLETED 08JUL10 07:27 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
08JUL10 07:27 08JUL10 07:27 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 4737.9 AFHR  
13 REMOVED FOR ACCESS 99 NO FAILURE PSP REMOVED ON CAMM ONLY TO MAKE SEAT SERV FOR FITMENT

01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV

4SQNXJ1000780 C COMPLETED 17MAY11 22:15 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 4SQN  
13JUL11 22:37 19MAY11 01:55 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 4922.4 AFHR  
02 BAY SERVICE DUE BS due on Serial DE0538  
SURVIVAL PACK ASSY at WAC 0740

01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: B/S CARRIED OUT IAW AAP 7220.029-2M,SECT2 CHAP1 AND ACG  
SI(LOG) 4-3-10 . SCIS 16-26-INST 2, SCIS 16-26-INST 3, AND  
SCIS 16-27-INST CARRIED OUT.

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			14MAY11
SM	BS	1.0	ELPYR			14MAY11

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

=====  
4SQNXJ1101546 C COMPLETED 05OCT11 03:33 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 4SQN  
07OCT11 00:36 05OCT11 03:33 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 5003.1 AFHR  
13 REMOVED FOR ACCESS 99 NO FAILURE SURVIVAL PACK ASSY REMOVED FOR ACCESS

01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: PSP INSPECTED SERV IAW AAP 7291.042.2M

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03964  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DE0538  
 PART NO : STANDARDPACK-1 ~Z5514  
 ENGINEERING NAME : SURVIVAL PACK ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

4SQNXJ1101094 C COMPLETED 12JUL12 00:44 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 4SQN  
 24JUL12 03:11 11JUL12 23:56 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 5250.5 AFHR  
 02 BAY SERVICE DUE BS due on Serial DE0538  
 SURVIVAL PACK ASSY at WAC 0740

01 NO FAULT

06 BAY SERVICE

Unserviceability Details:  
 Maintenance Comments:

B/S CARRIED OUT IAW AAP 7220.029-2M,SECT2 CHAP1 AND ACG  
 SI(LOG) 4-3-10 . SCIS 16-26-INST 2, SCIS 16-26-INST 3, AND  
 SCIS 16-27-INST CARRIED OUT.

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			12JUL12
SM	BS	1.0	ELPYR			12JUL12

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

4SQNXJ1201114 C COMPLETED 22JUL13 04:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 4SQN  
 14OCT13 02:40 22JUL13 03:34 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 5536.5 AFHR  
 02 BAY SERVICE DUE BS due on Serial DE0538  
 SURVIVAL PACK ASSY at WAC 0730

01 NO FAULT

06 BAY SERVICE

Unserviceability Details:  
 Maintenance Comments:

BS CARRIED OUT IAW AAP 7220.029-2M,SECT2 CHAP1 AND ACG SI(LOG)  
 4-3-10 . SCIS 16-26-INST 2, SCIS 16-26-INST 3, AND SCIS  
 16-27-INST CARRIED OUT. ALSW/ 45/13

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			24JUL13
SM	BS	1.0	ELPYR			24JUL13

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03965  
08JAN20  
23:16:15

SERIAL/TAIL NO : DE0538  
PART NO : STANDARDPACK-1 ~Z5514  
ENGINEERING NAME : SURVIVAL PACK ASSY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

4SQNXJ1400623 C COMPLETED 11APR14 02:13 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 4SQN  
11APR14 02:16 11APR14 02:13 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 5662.5 AFHR  
13 REMOVED FOR ACCESS 99 NO FAILURE PARACHUTE ASSY, PSP AND SEO TO BE REMOVED FROM SEAT

01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV

4SQNXJ1301414 C COMPLETED 10OCT14 01:06 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 4SQN  
15DEC14 02:06 10OCT14 00:12 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 5830.8 AFHR  
02 BAY SERVICE DUE BS due on Serial DE0538  
SURVIVAL PACK ASSY at WAC 0730

01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: BS CARRIED OUT IAW AAP 7220.029-2M

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			14OCT14
SM	BS	1.0	ELPYR			14OCT14

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

4SQNXJ1500895 C COMPLETED 29JUL15 01:13 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 4SQN  
29JUL15 01:19 29JUL15 01:14 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 5956.7 AFHR  
13 REMOVED FOR ACCESS 99 NO FAILURE PARACHUTE ASSY at WAC 0740  
01 NO FAULT 04 CHECK/TEST SERV

Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 03966  
08JAN20  
23:16:15

SERIAL/TAIL NO : DE0538 PERIOD: 01JAN90 TO 08JAN20  
PART NO : STANDARDPACK-1 ~Z5514  
ENGINEERING NAME : SURVIVAL PACK ASSY  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

4SQNXJ1401926 C COMPLETED 08DEC15 00:01 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 4SQN  
01SEP16 21:33 07DEC15 23:37 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 6082.3 AFHR  
02 BAY SERVICE DUE BS due on Serial DE0538  
SURVIVAL PACK ASSY at WAC 0740  
01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: B/S C/O IAW AAP 7220.029-3M

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			15DEC15
SM	BS	1.0	ELPYR			15DEC15

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

4SQNXJ1601647 C COMPLETED 11OCT16 00:36 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 4SQN  
11OCT16 01:17 11OCT16 00:36 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 6107.4 AFHR  
08 MOD/STI/DVI REQUIRED 99 NO FAILURE 7291.042-114 due on Serial DE0538  
SURVIVAL PACK ASSY at WAC 0740  
01 NO FAULT 08 MOD/STI/DVI INCORP  
Unserviceability Details:  
Maintenance Comments: ENDURANCE CUSHION MOD 7291.042-114 CARRIED OUT SERV IAW  
7291.042-114

1LEXJ1701918 C COMPLETED 23MAR17 01:56 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
21JUN17 22:13 23MAR17 01:56 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 6193.0 AFHR  
13 REMOVED FOR ACCESS 99 NO FAILURE REAR PSP REMOVED FOR ACCESS  
01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: PSP CHECKED SERV IAW 7220.029-2M SECT2 CH1



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03967  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DE0538  
 PART NO : STANDARDPACK-1 ~Z5514  
 ENGINEERING NAME : SURVIVAL PACK ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

A1EXXJ1704369	C COMPLETED	05JUL17 01:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
13 REMOVED FOR ACCESS	05JUL17 01:20	05JUL17 01:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	6193.0	AFHR
	99 NO FAILURE			REAR EJECTION SEAT PSP REMOVED FOR ACCESS			

01 NO FAULT  
 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

A1EXXJ1704427	C COMPLETED	10JUL17 00:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
13 REMOVED FOR ACCESS	10JUL17 00:45	10JUL17 00:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	6193.3	AFHR
	99 NO FAILURE			REAR PSP REMOVED FOR ACCESS			

01 NO FAULT  
 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

4SQNXJ1601486	C COMPLETED	27AUG17 23:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	4SQN	
02 BAY SERVICE DUE	25JAN18 04:19	27AUG17 21:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	6216.2	AFHR
				BS due on Serial DE0538			
				SURVIVAL PACK ASSY at WAC 0740			

01 NO FAULT  
 06 BAY SERVICE  
 Unserviceability Details:  
 Maintenance Comments: BS CARRIED OUT IAW AAP 7220.029-2M,SECT2 CHAP1

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			01SEP17
SM	BS	1.0	ELPYR			01SEP17

For-Official-Use-Only



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : DE0538  
PART NO : STANDARDPACK-1 ~Z5514  
ENGINEERING NAME : SURVIVAL PACK ASSY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJ1910936	C COMPLETED	03JUL19 02:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	03JUL19 02:15	03JUL19 02:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	6460.8	AFHR
14	CONFIGURATION CHANGE	99 NO FAILURE		ALS REMOVED FOR CONFIGURARION CHANGE			

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details: CHECK/TEST SERV  
 Maintenance Comments:

A1PXXJ1913948	C COMPLETED	06SEP19 05:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	06SEP19 05:17	06SEP19 05:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	6580.1	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		FRONT AND REAR PARA AND PSP ASSY'S REMOVED FOR ACCESS			

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details: CHECK/TEST SERV  
 Maintenance Comments:

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : DE0538  
PART NO : STANDARDPACK-1 ~Z5514  
ENGINEERING NAME : SURVIVAL PACK ASSY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MODIFICATION ORDERS INCORPORATION STATUS CHANGE									
MOD NUMBER	CURRENT(Y/N)	STATUS	DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW		
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
7220.029-101	Y		11JUL03 00:00	INC					
7220.029-102	Y		26FEB02 00:00	INC					
7291.042-114	N		10OCT16 00:12	NINC					
7291.042-114	N		11OCT16 01:16	INC	4SQNXJ1601647	11OCT16 00:36	6107.4	AFHR	
7291.042-114	Y		15MAY19 00:00	NINC					

STI STATUS CHANGE									
STI NUMBER	CURRENT(Y/N)	STATUS	DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW		
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
STI-COMMON-003A	Y		26FEB02 00:00	N/A					

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 03971  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DE0541  
 PART NO : STANDARDPACK-1  
 ENGINEERING NAME : SURVIVAL PACK ASSY  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

~Z5514

PERIOD: 01JAN90 TO 08JAN20

LOCATION : A23-033  
 LIFE SINCE NEW : 6385.6 AFHR

ASSET TRANSACTIONS

TRANSACTION D/T CHANGE TYPE		LIFE SINCE NEW		SPAN(DYS) FROM		TO (OPTIONAL)		TRANS REFERENCE		USER	
=====		=====		=====		=====		=====		=====	
29AUG03	16:40	Maintenance Comment	0.0	AFHR	0.3	3252.4	0.0	AFHR			
						CMM LOG00005				XXxxXXxx	
29AUG03	16:41	Maintenance Comment	0.0	AFHR	0.3	26Oct89 NEW - DE0541		STANDARDPACK-1	1451-13-00-H		
						CMM LOG00025				XXxxXXxx	
29AUG03	16:46	Maintenance Comment	0.0	AFHR	0.3	26Nov02 7220.029-101		MOD STATUS NOW	INC		
						CMM LOG00003				XXxxXXxx	
29AUG03	16:47	Maintenance Comment	0.0	AFHR	0.3	3378.6	0.0	AFHR			
						CMM LOG00019				XXxxXXxx	
29AUG03	16:48	Maintenance Comment	0.0	AFHR	0.3	3252.4	0.0	AFHR			
						CMM LOG00001				XXxxXXxx	
29AUG03	16:48	Maintenance Comment	0.0	AFHR	0.3	3274.9	0.0	AFHR			
						CMM LOG00014				XXxxXXxx	
29AUG03	16:49	Maintenance Comment	0.0	AFHR	0.3	20Aug03 077ALS		FF: 01-NIL		MA: 06-BS	
						CMM LOG00024				XXxxXXxx	
29AUG03	16:50	Maintenance Comment	0.0	AFHR	0.3	03Feb03 102	07.40	4845	0 DAYS	IN AS A23T 1451-13-00-H	
						CMM LOG00013				XXxxXXxx	
29AUG03	16:50	Maintenance Comment	0.0	AFHR	0.3	3274.9	0.0	AFHR			
						CMM LOG00007				XXxxXXxx	
29AUG03	16:50	Maintenance Comment	0.0	AFHR	0.3	29Aug03 077ALS	00.	3381.4 AFHR	TX TO CMM2		
						CMM LOG00027				XXxxXXxx	
29AUG03	16:51	Maintenance Comment	0.0	AFHR	0.3	03Feb03 102	07.40	4845	0 DAYS	13-REMACCES PV32990	
						CMM LOG00006				XXxxXXxx	
29AUG03	16:51	Maintenance Comment	0.0	AFHR	0.3	3274.9	0.0	AFHR			
						CMM LOG00010				XXxxXXxx	
29AUG03	16:51	Maintenance Comment	0.0	AFHR	0.3	3381.4	0.0	AFHR			
						CMM LOG00021				XXxxXXxx	
29AUG03	16:53	Maintenance Comment	0.0	AFHR	0.3	26May03 102	00.40	4957	0 DAYS	13-REMACCES PV33540	
						CMM LOG00015				XXxxXXxx	
29AUG03	16:54	Maintenance Comment	0.0	AFHR	0.3	26Nov02 077PC9AV		FF: 01-NIL		MA: 04-CHK/TST	
						CMM LOG00002				XXxxXXxx	
29AUG03	16:54	Maintenance Comment	0.0	AFHR	0.3	03Feb03 077ALS		FF: 01-NIL		MA: 04-CHK/TST	
						CMM LOG00011				XXxxXXxx	
29AUG03	16:54	Maintenance Comment	0.0	AFHR	0.3	FIRST AID KIT CHECKED AND IS SERVICALBE					
						CMM LOG00012				XXxxXXxx	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03972  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DE0541  
 PART NO : STANDARDPACK-1  
 ENGINEERING NAME : SURVIVAL PACK ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~Z5514

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
					TRANS REFERENCE		
LIFE SINCE NEW							
29AUG03	16:54	Maintenance	Comment	0.3	3378.6	0.0 AFHR	
		0.0	AFHR		CAMM LOG00016		XXXXXXxx
29AUG03	16:54	Maintenance	Comment	0.3	26May03	077PC9AE	FF: 01-NIL
		0.0	AFHR		CAMM LOG00017		XXXXXXxx
29AUG03	16:54	Maintenance	Comment	0.3	25Jun03	098 07.40	4987 0 DAYS 02-BS DUE
		0.0	AFHR		CAMM LOG00020		XXXXXXxx
29AUG03	16:55	Maintenance	Comment	0.3	03Feb03	077ALS	FF: 01-NIL
		0.0	AFHR		CAMM LOG00008		XXXXXXxx
29AUG03	16:55	Maintenance	Comment	0.3	20Aug03	ELPYR	LST BS 19AUG04 ELPYR
		0.0	AFHR		CAMM LOG00026		XXXXXXxx
29AUG03	16:56	Maintenance	Comment	0.3	26Nov02	102 07.40	4777 0 DAYS
		0.0	AFHR		CAMM LOG00004		XXXXXXxx
29AUG03	16:56	Maintenance	Comment	0.3	26May03	098 07.40	4957 0 DAYS
		0.0	AFHR		CAMM LOG00018		XXXXXXxx
29AUG03	16:57	Maintenance	Comment	0.3	03Feb03	077ALS	00. 4845 0 DAYS
		0.0	AFHR		CAMM LOG00009		XXXXXXxx
29AUG03	16:57	Maintenance	Comment	0.3	01Jul03	7220.029-101	MOD STATUS NOW
		0.0	AFHR		CAMM LOG00022		NINC
29AUG03	16:57	Maintenance	Comment	0.3	11Jul03	7220.029-101	MOD STATUS NOW
		0.0	AFHR		CAMM LOG00023		NA
22JAN04	21:35	Asset	Installation	146.5	A23T	A26BG	00
		3381.4	AFHR		125		A23-022
		Change Serviceability Stat		155.8	SERV		A23T
		Change Location of an Asse		155.8	S/I		A1WBG
					ALS		00A
					A23-022		XXXXXXxx
22MAR04	02:10	Asset	Removal	59.1	125		A23-022
		3418.9	AFHR		A23T	A1WBG	00
		Change Serviceability Stat		13.0	S/I		A23T
		Change Location of an Asse		59.1	U/S		A1WBG
					A23-022		00A
					ALS		XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03973  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DE0541  
 PART NO : STANDARDPACK-1  
 ENGINEERING NAME : SURVIVAL PACK ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~Z5514

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
14APR04 01:09	Change Serviceability Stat	22.9	U/S SERV	
	3418.9 AFHR			XXxxXXxx
14APR04 01:19	Asset Installation	22.9	A23T 041 A1WBG A23-031	00 A23T A1WBG 00A
	3418.9 AFHR			XXxxXXxx
	Change Serviceability Stat	0.0	SERV S/I	
	Change Location of an Asse	22.9	ALS A23-031	
14APR04 02:58	Asset Removal	0.0	041 A23T A1WBG A23-031	00 A23T A1WBG 00A
	3418.9 AFHR			XXxxXXxx
	Change Serviceability Stat	0.0	S/I SERV	
14APR04 03:26	Asset Installation	0.0	A23T 041 A1WBG A23-031	00 A23T A1WBG 00A
	3418.9 AFHR			XXxxXXxx
	Change Serviceability Stat	0.0	SERV S/I	
16APR04 03:20	Asset Removal	1.9	041 A23T A1WBG A23-031	00 A23T A1WBG 00A
	3418.9 AFHR			XXxxXXxx
	Change Serviceability Stat	1.9	S/I U/S	
	Change Location of an Asse	2.0	A23-031	
18APR04 23:51	Change Serviceability Stat	2.8	ALS U/S SERV	
	3418.9 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03974  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DE0541  
 PART NO : STANDARDPACK-1 ~Z5514 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : SURVIVAL PACK ASSY  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS									
TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER	
			LIFE SINCE NEW						
19APR04	01:03	Asset	Installation	2.9	A23T	A1WBG	00		
			3418.9 AFHR		042		A23-031	A23T A26BG	00A
		Change	Serviceability Stat	0.0	SERV			XXXXXXxx	
		Change	Location of an Asse	2.9	S/I				
					ALS				
18MAY04	22:37	Asset	Removal	29.8	A23-031				
			3440.8 AFHR		042	A26BG	A23-031	A23T A26BG	00A
		Change	Serviceability Stat	0.7	A23T			XXXXXXxx	
		Change	Location of an Asse	29.8	S/I				
					U/S				
					A23-031				
18MAY04	23:00	Change	Serviceability Stat	0.0	ALS				
			3440.8 AFHR		U/S			XXXXXXxx	
23JUN04	00:01	Asset	Installation	35.0	A23T	A26BG	00		
			3440.8 AFHR		098		A23-032	A23T A26BG	0 A
		Change	Serviceability Stat	35.0	SERV			XXXXXXxx	
		Change	Location of an Asse	35.0	S/I				
					ALS				
					A23-032				
15JUL04	00:46	Asset	Removal	22.0	098		A23-032	A23T A26BG	00A
			3452.9 AFHR		A23T	A26BG	00	XXXXXXxx	
		Change	Serviceability Stat	2.7	S/I				
		Change	Location of an Asse	22.0	U/S				
					A23-032				
					ALS				
29NOV04	05:28	Change	Serviceability Stat	137.1	U/S				
			3452.9 AFHR		SERV			XXXXXXxx	

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03975  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DE0541  
 PART NO : STANDARDPACK-1 ~Z5514  
 ENGINEERING NAME : SURVIVAL PACK ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
03FEB05 22:26	Change Serviceability Stat	66.7	SERV U/S FACDUUY500078	XXxxXXxx
	3452.9 AFHR Estimated Date/Time Servic	0.9	SERV STAT SERV STAT	
03FEB05 22:26	Change Serviceability Stat	0.0	U/S SERV	
	3452.9 AFHR			XXxxXXxx
30MAR05 00:01	Asset Installation	257.9	A23T A26BG 049 00	A23T A1WBG 00MMI
	3452.9 AFHR Change Serviceability Stat	54.0	SERV S/I	XXxxXXxx
	Change Location of an Asse	257.9	ALS ATECH	
27JUN05 01:40	Asset Removal	89.0	049 A23-022 A23T A1WBG 00	A23T A1WBG 00A
	3558.7 AFHR Change Serviceability Stat	11.9	S/I U/S	XXxxXXxx
	Change Location of an Asse	88.1	A23-022 ALS	
22SEP05 04:28	Change Serviceability Stat	87.1	U/S SERV	
	3558.7 AFHR			XXxxXXxx
23SEP05 00:38	Asset Installation	87.9	A23T A1WBG A23-031 00	A23T A26BG 00AC
	3558.7 AFHR Change Serviceability Stat	0.8	SERV S/I	XXxxXXxx
	Change Location of an Asse	87.9	ALS A23-031	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03976  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DE0541  
 PART NO : STANDARDPACK-1  
 ENGINEERING NAME : SURVIVAL PACK ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~Z5514

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
02MAR06 00:16	Asset Removal	159.9	042 A23T A26BG 042 00	A23T A26BG 00M
	3657.3 AFHR Change Serviceability Stat	4.9	S/I U/S	XXXXXXxx
	Change Location of an Asse	0.6	AVTECH ALS	
02MAR06 00:19	Change Serviceability Stat	0.0	U/S SERV	
	3657.3 AFHR			XXXXXXxx
02MAR06 07:38	Asset Installation	0.3	A23T 070 A26BG 070 00	A23T A26BG 00MMI
	3657.3 AFHR Change Serviceability Stat	0.3	SERV S/I	XXXXXXxx
	Change Location of an Asse	0.3	ALS ATECH	
31MAY06 00:23	Asset Removal	89.6	070 A23T A26BG A23-031 00	A23T A26BG 00A
	3731.7 AFHR Change Serviceability Stat	0.0	S/I SERV	XXXXXXxx
31MAY06 00:23	Change Location of an Asse	41.0	A23-031 ALS	
	3731.7 AFHR		FACDUXY600662	XXXXXXxx
04JUN06 22:45	Asset Installation	4.9	A23T A26BG A23-031 00	A23T A26BG 00AC
	3731.7 AFHR Change Serviceability Stat	4.9	SERV S/I	XXXXXXxx
	Change Location of an Asse	4.9	ALS A23-031	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03977  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DE0541  
 PART NO : STANDARDPACK-1  
 ENGINEERING NAME : SURVIVAL PACK ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~Z5514

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
25JUL06 05:38	Asset Removal	50.2	070 A23T A26BG A23-031 00	A23T A26BG 00A
	3757.2 AFHR Change Serviceability Stat	0.1	S/I U/S	XXXXXXxx
	Change Location of an Asse	50.2	A23-031 ALS	
25JUL06 06:22	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
	3757.2 AFHR Change Serviceability Stat	50.8	SERV U/S	XXXXXXxx
14SEP06 02:33	Change Serviceability Stat	5.1	FACDUJY502680 U/S SERV	XXXXXXxx
	3757.2 AFHR Asset Installation	97.9	A23T A26BG 040 00	A23T A26BG 00MMI
31OCT06 04:14	Change Serviceability Stat	41.9	SERV S/I	XXXXXXxx
	Change Location of an Asse	97.9	ALS ATECH	
12SEP07 00:16	Change Serviceability Stat	61.7	S/I US/I	XXXXXXxx
	3947.7 AFHR Asset Removal	315.8	FACDUJY601737 040 A23-032 A23T A26BG 00	A23T A26BG 00A
12SEP07 00:24	Change Serviceability Stat	0.0	US/I U/S	XXXXXXxx
	Change Location of an Asse	295.9	A23-032 ALS	
10OCT07 21:41	Change Serviceability Stat	28.8	U/S SERV	XXXXXXxx
	3947.7 AFHR			XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03978  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DE0541  
 PART NO : STANDARDPACK-1  
 ENGINEERING NAME : SURVIVAL PACK ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~Z5514

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
06NOV07 20:34	Asset Installation	55.8	A23T A26BG 041A A23-022	00 A23T A1WBG 00AC XXXXXXXX
	3947.7 AFHR Change Serviceability Stat	26.9	SERV S/I	
	Change Location of an Asse	55.8	ALS A23-022	
26FEB08 05:07	Asset Removal	111.3	041A A23-022 A23T A1WBG	00 A23T A1WBG 00A XXXXXXXX
	4074.7 AFHR Change Serviceability Stat	0.0	S/I U/S	
	Change Location of an Asse	111.3	A23-022 RSERV	
26FEB08 05:08	Change Serviceability Stat	0.0	U/S SERV	XXXXXXXX
26FEB08 05:15	Asset Installation	0.0	A23T A1WBG 041A A23-022	00 A23T A1WBG 00AC XXXXXXXX
	4074.7 AFHR Change Serviceability Stat	0.0	SERV S/I	
	Change Location of an Asse	0.0	RSERV A23-022	
31MAR08 00:21	Asset Removal	33.7	041A A23-022 A23T A1WBG	00 A23T A1WBG 00A XXXXXXXX
	4114.7 AFHR Change Serviceability Stat	2.9	S/I U/S	
	Change Location of an Asse	33.7	A23-022 RSERV	
31MAR08 00:23	Change Serviceability Stat	0.0	U/S SERV	XXXXXXXX
	4114.7 AFHR			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03979  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DE0541  
 PART NO : STANDARDPACK-1 ~Z5514  
 ENGINEERING NAME : SURVIVAL PACK ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
01APR08	21:27	Asset Installation	1.8	A23T 099	A1WBG A23-022	00 A23T A1WBG 00AC XXXXXXXX
		4114.7 AFHR Change Serviceability Stat	1.8	SERV S/I		
		Change Location of an Asse	1.8	RSERV A23-022		
09OCT08	04:06	Change Serviceability Stat	0.0	S/I US/I		
		4313.4 AFHR Asset Removal	190.3	FACDUJY701862 099	A23-022	00 A23T A1WBG 00A XXXXXXXX
		4313.4 AFHR Change Serviceability Stat	0.0	US/I U/S		
		Change Location of an Asse	48.2	A23-022 ALS		
20JAN09	20:53	Change Serviceability Stat	103.6	U/S SERV		
		4313.4 AFHR Asset Installation	111.8	A23T 328	A1WBG A23-031	00 A23T A26BG 00AC XXXXXXXX
		4313.4 AFHR Change Serviceability Stat	8.2	SERV S/I		
		Change Location of an Asse	111.8	ALS A23-031		
21JAN10	23:24	Change Serviceability Stat	42.7	S/I US/I		
		4603.8 AFHR		FACDUJY900165		XXXXXXXX

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03980  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DE0541  
 PART NO : STANDARDPACK-1  
 ENGINEERING NAME : SURVIVAL PACK ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~Z5514

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
21JAN10 23:43	Asset Removal	357.8	328 A23T A26BG A23-031 00	A23T A26BG 00A
	4603.8 AFHR Change Serviceability Stat	0.0	US/I U/S	XXXXXXxx
	Change Location of an Asse	78.5	A23-031 ALS	
03MAR10 23:03	Change Serviceability Stat	40.9	U/S SERV	
	4603.8 AFHR Asset Installation	41.1	A23T A26BG A23-020 00	XXXXXXxx
	4603.8 AFHR Change Serviceability Stat	0.1	SERV S/I	A23T A26BG 00AC
	Change Location of an Asse	41.1	ALS A23-020	XXXXXXxx
08JUL10 00:04	Asset Removal	125.8	098 A23T A26BG 098 00	A23T A26BG 00M
	4685.5 AFHR Change Serviceability Stat	6.6	S/I U/S	XXXXXXxx
	Change Location of an Asse	5.9	INTMH HG122	
08JUL10 00:07	Change Serviceability Stat	0.0	U/S SERV	
	4685.5 AFHR Asset Installation	0.0	A23T A26BG 093 00	XXXXXXxx
	4685.5 AFHR Change Serviceability Stat	0.0	SERV S/I	A23T A1WBG 00MMI
	Change Location of an Asse	5.9	INTMH HG122	XXXXXXxx
03MAR11 20:13	Change Serviceability Stat	0.6	US/I 4SQNXJ1000381	
	4804.6 AFHR			XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03981  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DE0541  
 PART NO : STANDARDPACK-1  
 ENGINEERING NAME : SURVIVAL PACK ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~Z5514

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
03MAR11 20:40	Asset Removal	238.8	093 A23T A1WBG A23-032	A23T A1WBG 00A
	4804.6 AFHR Change Serviceability Stat	0.0	US/I U/S	XXXXXXxx
	Change Location of an Asse	125.7	A23-032 ALS	
03MAR11 21:32	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
15MAY11 22:30	Asset Installation	73.0	A23T A1WBG A23-032 094	A23T A26BG 00AC
	4804.6 AFHR Change Serviceability Stat	73.0	SERV S/I	XXXXXXxx
	Change Location of an Asse	73.0	ALS A23-032	
07DEC11 23:21	Asset Removal	206.0	094 A23T A26BG A23-032	A23T A26BG 00A
	4897.9 AFHR Change Serviceability Stat	2.9	S/I U/S	XXXXXXxx
	Change Location of an Asse	105.9	A23-032 ARM_SECTION	
11JAN12 02:57	Change Serviceability Stat	34.1	U/S SERV	XXXXXXxx
11JAN12 03:17	Asset Installation	34.1	A23T A26BG A23-032 066	A23T A26BG 00AC
	4897.9 AFHR Change Serviceability Stat	0.0	SERV S/I	XXXXXXxx
	Change Location of an Asse	34.1	ARM_SECTION A23-032	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03982  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DE0541  
 PART NO : STANDARDPACK-1  
 ENGINEERING NAME : SURVIVAL PACK ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~Z5514

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
06MAY12 23:32	Change Serviceability Stat	2.7	S/I US/I	
06MAY12 23:54	Asset Removal	116.8	4SQNXJ1100714 066 A23T A26BG	XXxxXXxx A23T A26BG 00A
	Change Serviceability Stat	0.0	4993.4 AFHR US/I	XXxxXXxx
	Change Location of an Asse	116.8	A23-032 ALS	
10JUL12 22:55	Change Serviceability Stat	64.9	U/S SERV	
12JUL12 00:45	Asset Installation	66.0	4993.4 AFHR A23T A26BG	XXxxXXxx
	Change Serviceability Stat	1.0	070 SERV	A23T A26BG 00AC
	Change Location of an Asse	66.0	A23-020 S/I	
02JUL13 03:55	Change Serviceability Stat	1.0	US/I	
02JUL13 04:46	Asset Removal	355.1	5277.7 AFHR 4SQNXJ1201031 070 A23T A26BG	XXxxXXxx A23T A26BG 00A
	Change Serviceability Stat	0.0	5277.7 AFHR US/I	XXxxXXxx
	Change Location of an Asse	89.2	A23-020 ALS	
09JUL13 04:12	Change Serviceability Stat	6.9	U/S SERV	
			5277.7 AFHR	XXxxXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03983  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DE0541  
 PART NO : STANDARDPACK-1  
 ENGINEERING NAME : SURVIVAL PACK ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~Z5514

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
15JUL13 02:22	Asset Installation	12.9	A23T A26BG 044 A23-022	00 A23T A26BG 00AC XXXXXXXX
	5277.7 AFHR Change Serviceability Stat	5.9	SERV	
	Change Location of an Asse	12.9	S/I ALS A23-022	
23SEP13 04:04	Asset Removal	70.0	044 A23T A26BG 044	00 A23T A26BG 00M XXXXXXXX
	5338.6 AFHR Change Serviceability Stat	5.0	S/I	
25SEP13 23:24	Change Serviceability Stat	2.8	U/S	
	5338.6 AFHR		SERV	XXXXXXXX
02OCT13 05:14	Asset Installation	9.0	A23T A26BG 044 044	00 A23T A26BG 00MMI XXXXXXXX
	5338.6 AFHR Change Serviceability Stat	6.2	SERV	
07JUL14 03:26	Change Serviceability Stat	23.9	S/I	
	5577.0 AFHR		US/I	XXXXXXXX
07JUL14 03:52	Asset Removal	277.9	4SQNXJ1300820 044 A23-022 A23T A26BG	00 A23T A26BG 00A XXXXXXXX
	5577.0 AFHR Change Serviceability Stat	0.0	US/I	
	Change Location of an Asse	264.0	U/S A23-022	
20AUG14 03:18	Change Location of an Asse	43.9	ALS	
	5577.0 AFHR		ALS	US_SHELF
28SEP14 22:43	Change Serviceability Stat	83.7	4SQNXX1401965	XXXXXXXX
	5577.0 AFHR		U/S	
			SERV	XXXXXXXX

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03984  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DE0541  
 PART NO : STANDARDPACK-1  
 ENGINEERING NAME : SURVIVAL PACK ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~Z5514

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
28SEP14 22:46	Change Location of an Asse	39.8	ALS US_SHELF ALS SERV_SHELF	
30SEP14 02:54	Asset Installation	84.9	4SQNXX1402483 A23T A26BG 0062	00 A23T A26BG 00AC
	Change Serviceability Stat	1.1	SERV S/I	XXxxXXxx
	Change Location of an Asse	1.1	ALS SERV_SHELF A23-031	
21MAY15 23:12	Asset Removal	233.8	0062 A23T A26BG	0062 A23T A26BG 00M
	Change Serviceability Stat	15.5	S/I U/S	XXxxXXxx
	Change Location of an Asse	0.8	ARM_SECTION	
21MAY15 23:13	Change Serviceability Stat	0.0	ALS SERV_SHELF U/S	
	Change Serviceability Stat	18.9	SERV S/I	XXxxXXxx
09JUN15 23:09	Asset Installation	18.9	A23T A26BG 042	00 A23T A26BG 00AC
	Change Serviceability Stat	18.9	SERV S/I	XXxxXXxx
	Change Location of an Asse	18.9	ALS SERV_SHELF A23-031	
10AUG15 06:47	Change Serviceability Stat	26.0	S/I US/I	
	Change Serviceability Stat	5767.4	4SQNXJ1401617	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03985  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DE0541  
 PART NO : STANDARDPACK-1  
 ENGINEERING NAME : SURVIVAL PACK ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~Z5514

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
10AUG15 22:49	Asset Removal	61.9	042 A23T A26BG	A23T A26BG 00A
	5767.4 AFHR Change Serviceability Stat	0.6	US/I U/S	XXXXXXxx
	Change Location of an Asse	14.7	A23-031 LIFE-SUPP	
18AUG15 00:40	Change Serviceability Stat	7.0	U/S SERV	XXXXXXxx
18AUG15 04:58	Asset Installation	7.2	A23T A26BG	A23T A26BG 00AC
	5767.4 AFHR Change Serviceability Stat	0.1	SERV S/I	XXXXXXxx
	Change Location of an Asse	7.2	LIFE-SUPP A23-031	
06MAY16 03:22	Asset Removal	261.9	042 A23T A26BG	A23T A26BG 00M
	5825.7 AFHR Change Serviceability Stat	150.7	S/I U/S	XXXXXXxx
06MAY16 03:22	Change Serviceability Stat	0.0	U/S SERV	
06MAY16 03:25	Asset Installation	0.0	A23T A26BG	A23T A26BG 00AC
	5825.7 AFHR Change Serviceability Stat	0.0	SERV S/I	XXXXXXxx
	Change Location of an Asse	108.6	AROM A23-031	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03986  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DE0541  
 PART NO : STANDARDPACK-1  
 ENGINEERING NAME : SURVIVAL PACK ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~Z5514

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
29JUN16 00:48	Asset Removal	53.8	128 A23T A26BG A23-031 00	A23T A26BG 00A
	5879.8 AFHR Change Serviceability Stat	0.7	S/I U/S	XXXXXXxx
	Change Location of an Asse	28.7	A23-031 ALS_WORKSHOP	
30AUG16 00:55	Change Serviceability Stat	0.0	SERV SERV	
	5879.8 AFHR Decommission Asset	63.9	M D	XXXXXXxx
	5879.8 AFHR Change Location of an Asse	63.9	4SQNXJ1601001 ALS_WORKSHOP	XXXXXXxx
	Change Venue of an Asset	92.7	RECEPTION 4SQN	
01SEP16 00:48	Decommission Asset	0.0	DECOM D	
	5879.8 AFHR Change Venue of an Asset	0.0	DECOM 4SQN	XXXXXXxx
	5879.8 AFHR Maintenance Comment	0.0	DECOMX1600391	XXXXXXxx
	Change Location of an Asse	0.0	RETURN REQUEST RECEPTION	
01SEP16 23:34	Change Serviceability Stat	0.9	HOLD U/S SERV	
	5879.8 AFHR Asset Installation	64.9	A23T A26BG A23-032 00	XXXXXXxx
	5879.8 AFHR Change Serviceability Stat	0.0	SERV S/I	A23T A1WBG XXXXXXxx
	Change Location of an Asse	0.9	HOLD A23-032	00AC

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03987  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DE0541  
 PART NO : STANDARDPACK-1  
 ENGINEERING NAME : SURVIVAL PACK ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~Z5514

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
11OCT16 00:34	Change Serviceability Stat	0.0	S/I US/I	
	5904.9 AFHR		4SQNXJ1601648	XXxxXXxx
11OCT16 01:12	Change Serviceability Stat	0.0	US/I S/I	
	5904.9 AFHR			XXxxXXxx
23MAR17 01:53	Asset Removal	202.0	049 A23T	A23T A1WBG 00M
	5990.5 AFHR		A1WBG	XXxxXXxx
	Change Serviceability Stat	118.8	S/I U/S	
	Change Location of an Asse	64.1	ARMAMENT LIFE_SUPPORT	
21JUN17 22:15	Change Serviceability Stat	90.8	U/S SERV	
	5990.5 AFHR			XXxxXXxx
22JUN17 04:10	Asset Installation	91.0	A23T 049	A23T A1WBG 00MMI
	5990.5 AFHR		049	XXxxXXxx
	Change Serviceability Stat	0.2	SERV S/I	
	Change Location of an Asse	91.0	LIFE_SUPPORT ARMAMENT	
27AUG17 21:26	Change Serviceability Stat	3.7	S/I US/I	
	6013.7 AFHR		4SQNXJ1601485	XXxxXXxx
27AUG17 23:18	Asset Removal	66.7	049 A23T	A23-032 A23T A1WBG 00A
	6013.7 AFHR		A1WBG	XXxxXXxx
	Change Serviceability Stat	0.0	US/I U/S	
	Change Location of an Asse	24.9	A23-032 HANGAR_RACKS	
10OCT17 22:11	Change Location of an Asse	43.9	HANGAR_RACKS ALS	
	6013.7 AFHR		4SQNXX1702194	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03988  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DE0541  
 PART NO : STANDARDPACK-1 ~Z5514  
 ENGINEERING NAME : SURVIVAL PACK ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
21JAN18 22:25	Change Serviceability Stat	146.9	U/S SERV	
26FEB18 04:48	Asset Installation	182.2	A23T 128 A1WBG 128 00	XXXXXXxx
	Change Serviceability Stat	35.2	SERV S/I	A23T A26BG 00MMI
	Change Location of an Asse	138.2	ALS HANGAR_RACKS	XXXXXXxx
11DEC18 00:43	Change Serviceability Stat	0.6	S/I US/I	
11DEC18 01:52	Asset Removal	287.8	4SQNXJ1800078 128 A23-031 A23T A26BG 00	XXXXXXxx
	Change Serviceability Stat	0.0	US/I	XXXXXXxx
	Change Location of an Asse	32.9	A23-031 HANGAR_RACKS	
16JAN19 01:24	Change Serviceability Stat	35.9	U/S SERV	
11APR19 05:52	Asset Installation	121.1	A23T 049 A26BG A23-032 00	XXXXXXxx
	Change Serviceability Stat	85.1	SERV S/I	A23T A1WBG 00AC
	Change Location of an Asse	121.1	HANGAR_RACKS A23-032	XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03989  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DE0541  
 PART NO : STANDARDPACK-1  
 ENGINEERING NAME : SURVIVAL PACK ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~Z5514

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
20JUN19 03:23	Asset Removal	69.8	049 A23T A1WBG A23-005	A23T A1WBG 00A
	6254.3 AFHR Change Serviceability Stat	5.8	S/I U/S	XXXXXXxx
	Change Location of an Asse	14.8	A23-005 AROM	
20JUN19 03:24	Change Serviceability Stat	0.0	U/S SERV	
	6254.3 AFHR			XXXXXXxx
21JUN19 02:23	Asset Installation	0.9	A23T A1WBG 065	A23T A1WBG 00MMI
	6254.3 AFHR Change Serviceability Stat	0.9	SERV S/I AROM	XXXXXXxx
	Change Location of an Asse	0.9	EGRESS	
03JUL19 02:11	Asset Removal	11.9	065 A23T A1WBG A23-005	A23T A1WBG 00A
	6258.3 AFHR Change Serviceability Stat	0.8	S/I U/S	XXXXXXxx
	Change Location of an Asse	6.0	A23-005 OPMH	
03JUL19 02:13	Change Serviceability Stat	0.0	U/S SERV	
	6258.3 AFHR			XXXXXXxx
03JUL19 03:32	Asset Installation	0.0	A23T A1WBG 065 A23-005	A23T A1WBG 00AC
	6258.3 AFHR Change Serviceability Stat	0.0	SERV S/I OPMH	XXXXXXxx
	Change Location of an Asse	0.0	A23-005	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03990  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DE0541  
 PART NO : STANDARDPACK-1 ~Z5514  
 ENGINEERING NAME : SURVIVAL PACK ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
06SEP19 05:14	Asset Removal	65.0	065 A23T A1WBG	A23T A1WBG 00A
	6377.6 AFHR Change Serviceability Stat	0.8	S/I U/S	XXXXXXxx
	Change Location of an Asse	65.0	A23-005 AROM	
06SEP19 05:15	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
	6377.6 AFHR Asset Installation	68.9	A23T A1WBG	A23T A26BG 00AC
	6377.6 AFHR Change Serviceability Stat	68.9	040 A23-033	XXXXXXxx
	Change Location of an Asse	68.9	SERV S/I AROM A23-033	

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
FACDUUY401457	COMPLETED	29NOV04 02:10	3452.9	AFHR		XXXXXXxxXXxxXXxxXXxx
29NOV04 02:08	XXXXXXxx	XXXXXXxxXXxxXXxxXXxx	FACDU			XXXXXXxxXXxxXXxxXXxx
		WATER DUE FOR THROW AWAY				29NOV04 02:10
						XXXXXXxxXXxxXXxxXXxx
	Maint Acts:	WATER REPLACED WITH SERV ITEM				



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03991  
08JAN20  
23:16:15

SERIAL/TAIL NO : DE0541 PERIOD: 01JAN90 TO 08JAN20  
PART NO : STANDARDPACK-1 ~Z5514  
ENGINEERING NAME : SURVIVAL PACK ASSY  
VENUE : A23DISP LOCATION : A23-033  
REMOVALS/INSTALLATIONS FOR FACDUUY401457

SEQ REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001 DE0541	A23T	A26BG08	00	DE0541W	A23T	A26BG08	00
ENGS4		29NOV04 02:09	FACDUJY402336	ENGS4		29NOV04 02:09	

FACDUUY401458 COMPLETED 29NOV04 02:20 3452.9 AFHR XXxxXXxxXXxxXXxxXXxx  
29NOV04 02:12 XXxxXXxx  
XXxxXXxxXXxxXXxxXXxx

BS due on Serial 0350997  
LIFE RAFT INFLATABL at WAC 0740

Maint Acts: BS COMPLETED

FACDUUY401459 COMPLETED 29NOV04 02:17 3452.9 AFHR XXxxXXxxXXxxXXxxXXxx  
29NOV04 02:13 XXxxXXxx  
XXxxXXxxXXxxXXxxXXxx

BS due on Serial P118176  
KIT FIRST AID at WAC 0740

Maint Acts: BS COMPLETED

FACDUUY401460 COMPLETED 29NOV04 02:15 3452.9 AFHR XXxxXXxxXXxxXXxxXXxx  
29NOV04 02:13 XXxxXXxx  
XXxxXXxxXXxxXXxxXXxx

BS due on Serial M5400  
CYLINDER CO2 at WAC 0740

Maint Acts: BS COMPLETED

FACDUUY500078 COMPLETED 03FEB05 22:28 3452.9 AFHR XXxxXXxxXXxxXXxxXXxx  
03FEB05 22:26 XXxxXXxx  
XXxxXXxxXXxxXXxxXXxx

VISUAL CONFIRMATION OF LIFE RAFT DOM TO BE CARRIED OUT

Maint Acts: VISUAL CONFIRMATION OF LIFE RAFT DOM CARRIED OUT AND LIFE RAFT  
REPACKED

FACDUUY501278 COMPLETED 22SEP05 03:21 3558.7 AFHR XXxxXXxxXXxxXXxxXXxx  
20SEP05 05:44 XXxxXXxx  
XXxxXXxxXXxxXXxxXXxx

LIFE RAFT U/S. WATER BAG AND LOWERING LINE DUE B/S

Maint Acts: LIFE RAFT, SET WATER, LOWERING LINE AND FIRST AID KIT REPLACED WITH  
(Continued on next page.)

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 03992  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DE0541  
 PART NO : STANDARDPACK-1 ~Z5514 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : SURVIVAL PACK ASSY  
 VENUE : A23DISP LOCATION : A23-033

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

(Continued from previous page.)  
 SERV ITEM

REMOVALS/INSTALLATIONS FOR FACDUUY501278

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	DE0541W ENGS4	A23T	A1WBG08 20SEP05 05:51	00 FACDUJY502660	PEY500112 ENGS4	A23T	A1WBG08 20SEP05 05:52	00
002	P218301 MBEU5097DP	A23T	A1WBG06 20SEP05 05:56	00 FACDUJY502662	PEY500111 MBEU5097DP	A23T	A1WBG06 20SEP05 05:56	00
003	P118176 CES11253	A23T	A1WBG02 20SEP05 06:35	00 FACDUJY502663	PEY500113 CES11253	A23T	A1WBG02 20SEP05 06:35	00
004	0350997 LRU-16/P	A23T	A1WBG04 22SEP05 03:18	00 FACDUJY502677	03042004 LRU-16/P	A23T	A1WBG04 22SEP05 03:18	00

FACDUUY501286 COMPLETED 22SEP05 04:06 3558.7 AFHR  
 22SEP05 03:56 XXXXX  
 BS due on Serial M5400DUP  
 CYLINDER CO2 at WAC 0730  
 XXXXX  
 XXXXX

Maint Acts: BAY SERVICE COMPLETE

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : DE0541  
 PART NO : STANDARDPACK-1 ~Z5514 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : SURVIVAL PACK ASSY  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
FACDUUY501287	COMPLETED	22SEP05 04:27	3558.7	AFHR		XXXXXXXXXX
22SEP05 04:06	XXXXXXXX	XXXXXXXXXXXXXXXX	FACDU			XXXXXXXXXX
		7220.025-107 due on Serial 03042004				22SEP05 04:27
		LIFE RAFT INFLATABL at WAC 0730				XXXXXXXXXX
		BS due on Serial 03042004				
		LIFE RAFT INFLATABL at WAC 0730				
	Maint Acts:	MOD INCORPORATED				
FACDUUY501288	COMPLETED	23SEP05 00:13	3558.7	AFHR		XXXXXXXXXX
22SEP05 04:28	XXXXXXXX	XXXXXXXXXXXXXXXX	FACDU			XXXXXXXXXX
		BS due on Serial 03042004				23SEP05 00:13
		LIFE RAFT INFLATABL at WAC 0730				XXXXXXXXXX
	Maint Acts:	BAY SERVICE COMPLETE				
FACDUUY601161	COMPLETED	19SEP06 06:05	3757.2	AFHR		XXXXXXXXXX
14SEP06 02:33	XXXXXXXX	XXXXXXXXXXXXXXXX	FACDU			XXXXXXXXXX
		BS due on Serial M5400DUP				19SEP06 06:05
		CYLINDER CO2 at WAC 0740				XXXXXXXXXX
	Maint Acts:	BS C/O				
FACDUUY601162	COMPLETED	19SEP06 06:06	3757.2	AFHR		XXXXXXXXXX
14SEP06 02:33	XXXXXXXX	XXXXXXXXXXXXXXXX	FACDU			XXXXXXXXXX
		BS due on Serial 03042004				19SEP06 06:06
		LIFE RAFT INFLATABL at WAC 0740				XXXXXXXXXX
	Maint Acts:	BS C/O				
FACDUUY601163	COMPLETED	14SEP06 03:02	3757.2	AFHR		XXXXXXXXXX
14SEP06 02:44	XXXXXXXX	XXXXXXXXXXXXXXXX	FACDU			14SEP06 03:02
		KIT FIRST AID AND SET WATER DUE FOR REPLACEMENT				XXXXXXXXXX

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : DE0541 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : STANDARDPACK-1 ~Z5514  
 ENGINEERING NAME : SURVIVAL PACK ASSY  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: SET WATER AND KIT FIRST AID REPLACED WITH SERV ITEMS IAW  
 AAP7220.022-3M

REMOVALS/INSTALLATIONS FOR FACDUUY601163

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PEY500113 CES11253	A23T	A26BG02 14SEP06 02:45	00 FACDUJY601714	PEY600090 CES11253	A23T	A26BG02 14SEP06 03:01	00
002	PEY500112 ENGS4	A23T	A26BG08 14SEP06 02:47	00 FACDUJY601715	PEY600091 ENGS4	A23T	A26BG08 14SEP06 03:00	00

FACDUUY701140 COMPLETED 10OCT07 01:10 3947.7 AFHR  
 08OCT07 05:36 XXXXX  
 08OCT07 05:36 XXXXX  
 OH due on Serial M5400DUP  
 CYLINDER CO2 at WAC 0740  
 XXXXX  
 XXXXX

Maint Acts: CO2 CYLINDER REPLACED WITH SERV ITEM IAW AAP7220.029-3M

REMOVALS/INSTALLATIONS FOR FACDUUY701140

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001					21154 FLU-2A/P	A23T	A26BG00 09OCT07 22:58	00

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : DE0541 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : STANDARDPACK-1 ~Z5514  
 ENGINEERING NAME : SURVIVAL PACK ASSY  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

FACDUUY701141	COMPLETED	10OCT07 01:22	3947.7	AFHR		XXxxXXxxXXxxXXxxXXxx
08OCT07 05:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			
08OCT07 05:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial 03042004				10OCT07 01:22
		LIFE RAFT INFLATABL at WAC 0740				XXxxXXxxXXxxXXxxXXxx

Maint Acts: BAY SERVICE CARRIED OUT, REFER JOB NO.

FACDUUY701150	COMPLETED	10OCT07 01:23	3947.7	AFHR		XXxxXXxxXXxxXXxxXXxx
09OCT07 23:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			
09OCT07 23:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial 21154				10OCT07 01:23
		CYLINDER CO2 at WAC 0740				XXxxXXxxXXxxXXxxXXxx

Maint Acts: BAY SERVICE CARRIED OUT REFER JOB NO.

FACDUUY701153	COMPLETED	10OCT07 02:42	3947.7	AFHR		XXxxXXxxXXxxXXxxXXxx
10OCT07 01:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			10OCT07 01:33
10OCT07 01:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU			XXxxXXxxXXxxXXxxXXxx
		KIT FIRST AID, WATER, AND LOWERING LINE ASSEMBLY DUE THROWAWAY				10OCT07 02:42
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: KIT FIRST AID, WATER AND LOWERING LINE REPLACED WITH SERV ITEMS IAW  
 AAP7220.029-3M

REMOVALS/INSTALLATIONS FOR FACDUUY701153

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PEY600090	A23T	A26BG02	00	PEY700074	A23T	A26BG02	00
	CES11253		10OCT07 01:27	FACDUJY701859	CES11253		10OCT07 01:29	
002	PEY500111	A23T	A26BG06	00	PEY700075	A23T	A26BG06	00
	MBEU5097DP		10OCT07 01:29	FACDUJY701860	MBEU5097DP		10OCT07 01:30	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMP2  
ASSET HISTORY

PAGE 03996  
08JAN20  
23:16:15

SERIAL/TAIL NO : DE0541 PERIOD: 01JAN90 TO 08JAN20  
PART NO : STANDARDPACK-1 ~Z5514  
ENGINEERING NAME : SURVIVAL PACK ASSY  
VENUE : A23DISP LOCATION : A23-033

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME		JOB NUMBER	INSTALLED PART NO	DATE/TIME			
003	PEY600091	A23T	A26BG08	00	PEY700076	A23T	A26BG08	00
ENGS4	10OCT07 01:31		FACDUJY701861	ENGS4	10OCT07 01:32			

FACDUUY900163 COMPLETED 28JAN09 05:02 4313.4 AFHR SST  
20JAN09 20:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU 28JAN09 05:02  
20JAN09 20:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU XXxxXXxxXXxxXXxxXXxx  
BS due on Serial 03042004  
LIFE RAFT INFLATABL at WAC 0730 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: BAY SERVICED IAW AAP 7220.025-3M REFER FACDUJY701858

FACDUUY900164 COMPLETED 28JAN09 05:01 4313.4 AFHR SST  
20JAN09 20:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU 28JAN09 05:01  
20JAN09 20:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU XXxxXXxxXXxxXXxxXXxx  
BS due on Serial 21154  
CYLINDER CO2 at WAC 0730 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: BAY SERVICED IAW AAP 7226.009-3M REFER FACDUJY701857

FACDUUY900165 COMPLETED 21JAN09 23:00 4313.4 AFHR  
20JAN09 21:33 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU 21JAN09 23:00  
20JAN09 21:33 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU XXxxXXxxXXxxXXxxXXxx  
FIRST AID KIT REMOVED FOR SERVICE AT BASE PHARMACY 21JAN09 23:00  
XXxxXXxxXXxxXXxxXXxx  
Maint Acts: FIRST AID KIT REPLACED WITH SERV ITEM IAW AAP 7220.029-3M

REMOVALS/INSTALLATIONS FOR FACDUUY900165

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME		JOB NUMBER	INSTALLED PART NO	DATE/TIME			
001	PEY700074	A23T	A1WBG02	00	192	A23T	A1WBG02	00
CES11253	20JAN09 21:34		FACDUJY900102	CES11253	21JAN09 22:59			

FACDUUY900166 COMPLETED 21JAN09 23:01 4313.4 AFHR  
20JAN09 21:35 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU 21JAN09 23:01  
20JAN09 21:36 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU XXxxXXxxXXxxXXxxXXxx  
SET WATER DUE THROWAWAY 21JAN09 23:01  
XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 03997  
08JAN20  
23:16:15

SERIAL/TAIL NO : DE0541  
PART NO : STANDARDPACK-1 ~Z5514  
ENGINEERING NAME : SURVIVAL PACK ASSY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: SET WATER REPLACED WITH SERV ITEM IAW AAP 7220.029-3M

REMOVALS/INSTALLATIONS FOR FACDUUY900166

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PEY700076	A23T	A1WBG08	00	PEY900003	A23T	A1WBG08	00
	ENGS4		20JAN09 21:39	FACDUJY900103	ENGS4		20JAN09 21:39	

4SQNXU1000677 COMPLETED 03MAR10 22:57 4603.8 AFHR T+TS XXxxXXxxXXxxXXxxXXxx  
01MAR10 02:26 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 03MAR10 22:56  
01MAR10 02:26 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN XXxxXXxxXXxxXXxxXXxx  
BS due on Serial 03042004 03MAR10 22:57  
LIFE RAFT INFLATABL at WAC 0740 XXxxXXxxXXxxXXxxXXxx

Maint Acts: BAY SERVICE CARRIED OUT IAW AAP 7220.025-3M

4SQNXU1000678 COMPLETED 01MAR10 02:34 4603.8 AFHR T+TS XXxxXXxxXXxxXXxxXXxx  
01MAR10 02:26 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 01MAR10 02:33  
01MAR10 02:26 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN XXxxXXxxXXxxXXxxXXxx  
OH due on Serial 21154 01MAR10 02:34  
CYLINDER CO2 at WAC 0740 XXxxXXxxXXxxXXxxXXxx

Maint Acts: CYLINDER REMOVED AND REPLACED WITH SERV ITEM IAW AAP 7220.029-2M

REMOVALS/INSTALLATIONS FOR 4SQNXU1000678

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	21154	A23T	A26BG00	00	26544	A23T	A26BG00	00
	FLU-2A/P		01MAR10 02:31	FACDUJY701852	FLU-2A/P		01MAR10 02:31	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : DE0541 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : STANDARDPACK-1 ~Z5514  
 ENGINEERING NAME : SURVIVAL PACK ASSY  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

4SQNXU1000679	COMPLETED	03MAR10 22:57	4603.8	AFHR	T+TS	XXXXXXXXXXXXXXXXXXXX
01MAR10 02:36	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	4SQN			03MAR10 22:57
01MAR10 02:36	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	4SQN			XXXXXXXXXXXXXXXXXXXX
		BS due on Serial 26544				03MAR10 22:57
		CYLINDER CO2 at WAC 0740				XXXXXXXXXXXXXXXXXXXX

Maint Acts: BAY SERVICE CARRIED OUT IAW AAP 7220.025-3M

4SQNXU1000686	COMPLETED	01MAR10 21:57	4603.8	AFHR	T+TS	XXXXXXXXXXXXXXXXXXXX
01MAR10 21:35	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	4SQN			01MAR10 21:38
01MAR10 21:36	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	4SQN			XXXXXXXXXXXXXXXXXXXX
		LOWERING LINE ASSY WILL NOT MAKE THE NEXT HIGHER ASSEMBLY BAY SERVICE.				01MAR10 21:57
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: LOWERING LINE REMOVED AND REPLACED WITH SERV ITEM IAW AAP 7220.029-2M

REMOVALS/INSTALLATIONS FOR 4SQNXU1000686

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PEY700075	A23T	A26BG06	00	PF1000015	A23T	A26BG06	00
	MBEU5097DP		01MAR10 21:36	4SQNXJ1000351	MBEU5097DP		01MAR10 21:37	

4SQNXU1000687	COMPLETED	01MAR10 21:57	4603.8	AFHR	T+TS	XXXXXXXXXXXXXXXXXXXX
01MAR10 21:38	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	4SQN			01MAR10 21:40
01MAR10 21:39	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	4SQN			XXXXXXXXXXXXXXXXXXXX
		SET WATER TO BE REMOVED DUE THROWAWAY				01MAR10 21:57
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: SET WATER REMOVED AND REPLACED WITH SERV ITEM IAW AAP 7220.029-2M



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
Camm2  
ASSET HISTORY

PAGE 03999  
08JAN20  
23:16:15

SERIAL/TAIL NO : DE0541 PERIOD: 01JAN90 TO 08JAN20  
PART NO : STANDARDPACK-1 ~Z5514  
ENGINEERING NAME : SURVIVAL PACK ASSY  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR 4SQNXU1000687

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	PEY900003	A23T	A26BG08	00	PF1000016	A23T	A26BG08	00
	ENGS4		01MAR10 21:39	4SQNXJ1000352	ENGS4		01MAR10 21:39	

4SQNXU1000703 COMPLETED 02MAR10 21:01 4603.8 AFHR T+TS XXxxXXxxXXxxXXxxXXxx  
02MAR10 20:54 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 02MAR10 21:01  
02MAR10 20:54 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN XXxxXXxxXXxxXXxxXXxx  
FIRST AID KIT DUE OVERHAUL AT PHARMACY 02MAR10 21:01  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: FIRST AID KIT REPLACED WITH SERV ITEM FROM PHARMACY IAW AAP 7220.029-2M

REMOVALS/INSTALLATIONS FOR 4SQNXU1000703

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	192	A23T	A26BG02	00	348	A23T	A26BG02	00
	CES11253		02MAR10 20:59	4SQNXJ1000365	CES11253		02MAR10 21:00	

4SQNXU1100475 COMPLETED 11MAY11 00:10 4804.6 AFHR T+TS XXxxXXxxXXxxXXxxXXxx  
03MAR11 21:32 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 11MAY11 00:04  
03MAR11 21:32 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN XXxxXXxxXXxxXXxxXXxx  
BS due on Serial 26544 11MAY11 00:10  
CYLINDER CO2 at WAC 0730 XXxxXXxxXXxxXXxxXXxx

Maint Acts: CO2 CYL B/S CARRIED OUT IAW AAP 7220.0253M, SECT 2/5.5.5 AND RAAF SUP 10, ACG SI 4-3-10. SCIS -16-27 CARRIED OUT.

4SQNXU1100476 COMPLETED 11MAY11 00:44 4804.6 AFHR T+TS XXxxXXxxXXxxXXxxXXxx  
03MAR11 21:32 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 11MAY11 00:44  
03MAR11 21:32 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN XXxxXXxxXXxxXXxxXXxx  
BS due on Serial 03042004 11MAY11 00:44  
LIFE RAFT INFLATABL at WAC 0730 XXxxXXxxXXxxXXxxXXxx

Maint Acts: LIFE RAFT REPLACED WITH SERV ITEM SNO 29-10-2009 IAW 7220.025-3M

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : DE0541 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : STANDARDPACK-1 ~Z5514  
 ENGINEERING NAME : SURVIVAL PACK ASSY  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

4SQNXU1101320	COMPLETED	10MAY11 23:05	4804.6	AFHR	T+TS	XXXXXXXXXXXXXXXXXXXX
10MAY11 22:58	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	4SQN			10MAY11 23:05
10MAY11 23:00	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	4SQN			XXXXXXXXXXXXXXXXXXXX
		LIFE RAFT TO BE REMOVED FOR ACCESS				10MAY11 23:05
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: LIFE RAFT REMOVED SERVICEABLE IAW AAP 7220.029-2M AND 7220.025-3M

REMOVALS/INSTALLATIONS FOR 4SQNXU1101320

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	03042004	A23T	A1WBG04	00	29-10/2009	A23T	A1WBG04	00
	LRU-16/P		10MAY11 23:01	4SQNXJ1100712	LRU-16/P		10MAY11 23:01	

4SQNXU1201828	COMPLETED	10JUL12 04:55	4993.4	AFHR	T+TS	XXXXXXXXXXXXXXXXXXXX
08MAY12 07:37	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	4SQN			10JUL12 04:53
08MAY12 07:37	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	4SQN			XXXXXXXXXXXXXXXXXXXX
		BS due on Serial 29-10/2009				10JUL12 04:55
		LIFE RAFT INFLATABL at WAC 0740				XXXXXXXXXXXXXXXXXXXX

Maint Acts: BS CARRIED OUT IAW AAP 7220.025-3M, TOP2, CHAP2.

4SQNXU1201829	COMPLETED	10JUL12 04:45	4993.4	AFHR	T+TS	XXXXXXXXXXXXXXXXXXXX
08MAY12 07:37	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	4SQN			10JUL12 03:10
08MAY12 07:37	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	4SQN			XXXXXXXXXXXXXXXXXXXX
		OH due on Serial 26544				10JUL12 04:45
		CYLINDER CO2 at WAC 0740				XXXXXXXXXXXXXXXXXXXX

Maint Acts: CO2 CYLINDER REPLACED WITH SERV ITEM IAW AAP 7220.025-3M

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : DE0541 PERIOD: 01JAN90 TO 08JAN20  
PART NO : STANDARDPACK-1 ~Z5514  
ENGINEERING NAME : SURVIVAL PACK ASSY  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR 4SQNXU1201829

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	26544	A23T	A26BG00	00	29925	A23T	A26BG00	00
	FLU-2A/P		08MAY12 07:37	4SQNXJ1000341	FLU-2A/P		10JUL12 03:08	

4SQNXU1201830 COMPLETED 10JUL12 04:46 4993.4 AFHR T+TS XXxxXXxxXXxxXXxxXXxx  
08MAY12 07:38 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 10JUL12 03:12  
08MAY12 07:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN XXxxXXxxXXxxXXxxXXxx  
BAG WATER DRINKING DUE THROW AWAY 10JUL12 04:46  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: BAG WATER DRINKING REPLACED WITH SERV ITEM IAW AAP7220.029-3M

REMOVALS/INSTALLATIONS FOR 4SQNXU1201830

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PF1000016	A23T	A26BG08	00	PF1200027	A23T	A26BG08	00
	ENGS4		08MAY12 07:40	4SQNXJ1200686	ENGS4		10JUL12 03:11	

4SQNXU1201831 COMPLETED 10JUL12 04:47 4993.4 AFHR T+TS XXxxXXxxXXxxXXxxXXxx  
08MAY12 07:40 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 10JUL12 03:22  
08MAY12 07:41 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN XXxxXXxxXXxxXXxxXXxx  
KIT FIRST AID DUE THROW AWAY 10JUL12 04:47  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: KIT FIRST AID REPLACED WITH SERV ITEM IAW AAP 7220.029-3M

REMOVALS/INSTALLATIONS FOR 4SQNXU1201831

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	348	A23T	A26BG02	00	612	A23T	A26BG02	00
	CES11253		08MAY12 07:42	4SQNXJ1200687	CES11253		10JUL12 03:20	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04002  
08JAN20  
23:16:15

SERIAL/TAIL NO : DE0541 PERIOD: 01JAN90 TO 08JAN20  
PART NO : STANDARDPACK-1 ~Z5514  
ENGINEERING NAME : SURVIVAL PACK ASSY  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME
=====		=====				=====
4SQNXU1201832	COMPLETED	10JUL12 04:48	4993.4	AFHR	T+TS	XXxxXXxxXXxxXXxxXXxx
08MAY12 07:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			10JUL12 03:24
08MAY12 07:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			XXxxXXxxXXxxXXxxXXxx
		LOWERING LINE ASSEMBLE DUE THROW AWAY				10JUL12 04:48
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: LOWERING LINE REPLACED WITH SERV ITEM IAW AAP7220.029-3M

REMOVALS/INSTALLATIONS FOR 4SQNXU1201832

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PF1000015	A23T	A26BG06	00	PF1200028	A23T	A26BG06	00
	MBEU5097DP		08MAY12 07:43	4SQNXJ1200688	MBEU5097DP		10JUL12 03:23	

4SQNXU1203059	COMPLETED	10JUL12 04:56	4993.4	AFHR	T+TS	XXxxXXxxXXxxXXxxXXxx
10JUL12 03:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			10JUL12 04:54
10JUL12 03:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial 29925				10JUL12 04:56
		CYLINDER CO2 at WAC 0740				XXxxXXxxXXxxXXxxXXxx

Maint Acts: BS CARRIED OUT IAW AAP 7220.025-3M, TOPIC2, CHAP3

4SQNXU1302229	COMPLETED	09JUL13 04:09	5277.7	AFHR	T+TS	XXxxXXxxXXxxXXxxXXxx
04JUL13 01:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			09JUL13 04:04
04JUL13 01:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial 29-10/2009				09JUL13 04:09
		LIFE RAFT INFLATABL at WAC 0740				XXxxXXxxXXxxXXxxXXxx

Maint Acts: BS CARRIED OUT IAW AAP 7220.025-3M, CHAP5, SECT2. ACG SI (LOG) 4-3-10.

4SQNXU1302230	COMPLETED	09JUL13 04:08	5277.7	AFHR	T+TS	XXxxXXxxXXxxXXxxXXxx
04JUL13 01:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			09JUL13 04:05
04JUL13 01:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial 29925				09JUL13 04:08
		CYLINDER CO2 at WAC 0740				XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : DE0541  
PART NO : STANDARDPACK-1 ~Z5514 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : SURVIVAL PACK ASSY  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: CO2 CYL B/S CARRIED OUT IAW AAP 7220.0253M

4SQNXU1302289	COMPLETED	09JUL13 03:58	5277.7	AFHR	T+TS	XXxxXXxxXXxxXXxxXXxx
09JUL13 03:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			09JUL13 03:47
09JUL13 03:44	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			XXxxXXxxXXxxXXxxXXxx
		FIRST AID KIT DUE THROW AWAY				09JUL13 03:58
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: FIRST AIR KIT REPLACED WITH SERV ITEM IAW AAP7220.029-3M

REMOVALS/INSTALLATIONS FOR 4SQNXU1302289

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 612	A23T	A26BG02	00					
CES11253		09JUL13 03:44	4SQNXJ1300815					

4SQNXU1302290	COMPLETED	09JUL13 03:58	5277.7	AFHR	T+TS	XXxxXXxxXXxxXXxxXXxx
09JUL13 03:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			09JUL13 03:49
09JUL13 03:48	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			XXxxXXxxXXxxXXxxXXxx
		SET WATER DUE THROW AWAY				09JUL13 03:58
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: SET WATER REPLACED WITH SERV ITEM IAW AAP7220.029-3M

REMOVALS/INSTALLATIONS FOR 4SQNXU1302290

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 PF1200027	A23T	A26BG08	00					
ENGS4		09JUL13 03:49	4SQNXJ1300816					

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : DE0541 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : STANDARDPACK-1 ~Z5514  
 ENGINEERING NAME : SURVIVAL PACK ASSY  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
4SQNXU1302291	COMPLETED	09JUL13 03:57	5277.7	AFHR	T+TS	XXXXXXXXXXXXXXXXXXXX
09JUL13 03:54	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	4SQN			09JUL13 03:56
09JUL13 03:55	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	4SQN			XXXXXXXXXXXXXXXXXXXX
		LINE ASSY LOWERING DUE THROWAWAY				09JUL13 03:57
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: LINE ASSY LOWERING REPLACED WITH SERV ITEM IAW AAP7220.029-3M

REMOVALS/INSTALLATIONS FOR 4SQNXU1302291

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PF1200028	A23T	A26BG06	00	PF1300036	A23T	A26BG06	00
	MBEU5097DP		09JUL13 03:55	4SQNXJ1300817	MBEU5097DP		09JUL13 03:56	

4SQNXU1402844	COMPLETED	28SEP14 22:43	5577.0	AFHR	T+TS+II	XXXXXXXXXXXXXXXXXXXX
20AUG14 03:19	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	4SQN			28SEP14 22:34
20AUG14 03:19	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	4SQN	REF		XXXXXXXXXXXXXXXXXXXX
		BS due on Serial 29-10/2009				28SEP14 22:37
		LIFERAFT INFLATABLE at WAC 0740				XXXXXXXXXXXXXXXXXXXX
						28SEP14 22:43

Maint Acts: BS CARRIED OUT IAW AAP 7220.025-3M

4SQNXU1402845	COMPLETED	26SEP14 00:43	5577.0	AFHR	T+TS	XXXXXXXXXXXXXXXXXXXX
20AUG14 03:19	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	4SQN			26SEP14 00:35
20AUG14 03:19	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	4SQN			XXXXXXXXXXXXXXXXXXXX
		TA due on Serial 29925				26SEP14 00:43
		CYLINDER CO2 at WAC 0740				

Maint Acts: REPLACED WITH SERV ITEM IAW AAP 7220.029-2M

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04005  
08JAN20  
23:16:15

SERIAL/TAIL NO : DE0541 PERIOD: 01JAN90 TO 08JAN20  
PART NO : STANDARDPACK-1 ~Z5514  
ENGINEERING NAME : SURVIVAL PACK ASSY  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR 4SQNXU1402845

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	29925	A23T	A26BG00	00	34033	A23T	A26BG00	00
FLU-2A/P	23SEP14 00:47	4SQNXJ1301538	FLU-2A/P	26SEP14 00:33				

ARDUXU1503881 COMPLETED 12AUG15 05:24 5767.4 AFHR T+TS XXxxXXxxXXxxXXxxXXxx  
11AUG15 23:37 XXxxXXxx XXxxXXxxXXxxXXxxXXxx ARDU 12AUG15 05:23  
11AUG15 23:42 XXxxXXxx XXxxXXxxXXxxXXxxXXxx ARDU 12AUG15 05:24  
PSP SEAT CUSHION LOWERING LINE BECKET TO BE RE-POSITIONED. XXxxXXxxXXxxXXxxXXxx

Maint Acts: LOWERING LINE BECKET REMOVED AND RE- POSITIONED IAW AAP 7291.042-2MB2, AAP SUP NO. 60

ARDUXU1503959 COMPLETED 18AUG15 00:37 5767.4 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
17AUG15 23:52 XXxxXXxx XXxxXXxxXXxxXXxxXXxx ARDU 18AUG15 00:37  
17AUG15 23:52 XXxxXXxx XXxxXXxxXXxxXXxxXXxx ARDU 18AUG15 00:37  
BS due on Serial 29-10/2009  
LIFERAFT INFLATABLE at WAC 0740 XXxxXXxxXXxxXXxxXXxx

Maint Acts: BS CO IAW AAP 7220.025-3M

ARDUXU1503960 COMPLETED 18AUG15 00:38 5767.4 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
17AUG15 23:52 XXxxXXxx XXxxXXxxXXxxXXxxXXxx ARDU 18AUG15 00:38  
17AUG15 23:52 XXxxXXxx XXxxXXxxXXxxXXxxXXxx ARDU 18AUG15 00:38  
BS due on Serial 34033  
CYLINDER CO2 at WAC 0740 XXxxXXxxXXxxXXxxXXxx

Maint Acts: BS CO IAW AAP 7220.025-3M

4SQNXU1603159 COMPLETED 01SEP16 22:05 5879.8 AFHR MM XXxxXXxxXXxxXXxxXXxx  
30AUG16 00:55 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN  
30AUG16 00:57 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN  
PSP WORKSHEET 4SQN/WS/051/16 IN USE. XXxxXXxxXXxxXXxxXXxx

Maint Acts: PSP WORKSHEET 4SQN/WS/051/16 CLEARED AND CLOSED IAW AAP 7001.059 S4 C3

4SQNXU1603162 COMPLETED 01SEP16 21:35 5879.8 AFHR MM XXxxXXxxXXxxXXxxXXxx  
30AUG16 02:27 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN  
30AUG16 02:27 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN  
CTK#7 IN USE, TO BE CLEARD AND CLOSED. XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : DE0541  
PART NO : STANDARDPACK-1 ~Z5514 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : SURVIVAL PACK ASSY  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: CTK #7 CLEARED AND CLOSED IAW ACG SI(LOG) 1-3-2

4SQNXU1603166	COMPLETED	01SEP16 01:46	5879.8	AFHR	T+TS	XXxxXXxxXXxxXXxxXXxx
30AUG16 02:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			01SEP16 01:02
30AUG16 02:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			XXxxXXxxXXxxXXxxXXxx
		BS		due on Serial 29-10/2009		01SEP16 01:46
		LIFERAFT INFLATABLE		at WAC 0740		XXxxXXxxXXxxXXxxXXxx

Maint Acts: B/S C/O IAW AAP 7220.025-3M

4SQNXU1603167	COMPLETED	31AUG16 22:22	5879.8	AFHR	T+TS	XXxxXXxxXXxxXXxxXXxx
30AUG16 02:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			31AUG16 22:21
30AUG16 02:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			XXxxXXxxXXxxXXxxXXxx
		TA		due on Serial 34033		31AUG16 22:22
		CYLINDER CO2		at WAC 0740		XXxxXXxxXXxxXXxxXXxx

Maint Acts: CYLINDER CO2 REPLACED WITH SERV ITEM IAW AAP 7220.029-3M

REMOVALS/INSTALLATIONS FOR 4SQNXU1603167

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	34033		A23T	A26BG00	00		A23T	A26BG00
	FLU-2A/P		31AUG16 05:03	4SQNXJ1401585	PF1600050		31AUG16 21:55	00

4SQNXU1603168	COMPLETED	01SEP16 00:13	5879.8	AFHR	T+TS	XXxxXXxxXXxxXXxxXXxx
30AUG16 02:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			01SEP16 00:08
30AUG16 02:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			XXxxXXxxXXxxXXxxXXxx
		LOWERING LINE REMOVED, DUE T/A				01SEP16 00:13
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: LOWERING LINE REPLACED WITH SERV ITEM IAW AAP 7220.029-3M



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : DE0541 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : STANDARDPACK-1 ~Z5514  
 ENGINEERING NAME : SURVIVAL PACK ASSY  
 VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR 4SQNXU1603168

SEQ REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME			
001 PF1300036	A23T	A26BG06	00	PF1600048	A23T	A26BG06	00
MBEU5097DP		31AUG16 04:47	4SQNXJ1601462	MBEU5097DP		31AUG16 04:48	

4SQNXU1603235 COMPLETED 01SEP16 23:35 5879.8 AFHR MM XXxxXXxxXXxxXXxxXXxx  
 01SEP16 23:34 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN  
 01SEP16 23:35 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN  
 CAMM2 ANOMALY: U/S RAISED TO CONFIRM SERV STATE OF ASSET.  
 01SEP16 23:35  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: CAMM2 ANOMALY. U/S RAISED FOR CAMM2 PURPOSES ONLY. NIL JOBS OR U/S'S ON ASSET. ASSET SERVICEABLE.

4SQNXU1800117 COMPLETED 23JAN18 20:44 6013.7 AFHR T+TS XXxxXXxxXXxxXXxxXXxx  
 21JAN18 21:04 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 23JAN18 20:38  
 21JAN18 21:04 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN XXxxXXxxXXxxXXxxXXxx  
 BS due on Serial 29-10/2009 23JAN18 20:44  
 LIFERAFT INFLATABLE at WAC 0730 XXxxXXxxXXxxXXxxXXxx

Maint Acts: BS CARRIED OUT IAW AAP 7220.025-3M.

4SQNXU1800118 COMPLETED 23JAN18 20:43 6013.7 AFHR T+TS XXxxXXxxXXxxXXxxXXxx  
 21JAN18 21:04 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 23JAN18 20:38  
 21JAN18 21:04 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN XXxxXXxxXXxxXXxxXXxx  
 BS due on Serial PF1600050 23JAN18 20:43  
 CYLINDER CO2 at WAC 0730 XXxxXXxxXXxxXXxxXXxx

Maint Acts: BS CARRIED OUT IAW AAP 7220.025-3M.

4SQNXU1800119 COMPLETED 29JAN18 02:32 6013.7 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
 21JAN18 21:05 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN  
 21JAN18 21:05 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN XXxxXXxxXXxxXXxxXXxx  
 CTK 7 IN USE, TO BE CLEARED AND CLOSED. 29JAN18 02:32  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: CTK 7 CLEARED AND CLOSED.

4SQNXU1800120 COMPLETED 29JAN18 02:35 6013.7 AFHR MM XXxxXXxxXXxxXXxxXXxx  
 21JAN18 22:25 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN  
 21JAN18 22:26 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN XXxxXXxxXXxxXXxxXXxx  
 BAY SERVICE WORKSHEETS REGO # 4SQN/WS/003/18 IN USE. TO BE CLEARED 29JAN18 02:35  
 AND CLOSED. XXxxXXxxXXxxXXxxXXxx

Maint Acts: WORKSHEET # 4SQN/WS/003/18 CLEARED AND CLOSED

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04008  
08JAN20  
23:16:15

SERIAL/TAIL NO : DE0541 PERIOD: 01JAN90 TO 08JAN20  
PART NO : STANDARDPACK-1 ~Z5514  
ENGINEERING NAME : SURVIVAL PACK ASSY  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME
4SQNXU1805467	COMPLETED	22JAN19 02:56	6203.6	AFHR	SCT	XXxxXXxxXXxxXXxxXXxx
11DEC18 02:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			22JAN19 02:56
11DEC18 02:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial 29-10/2009				XXxxXXxxXXxxXXxxXXxx
		LIFERAFT INFLATABLE at WAC 0740				
	N					
	Maint Acts:	B/S C/O IAW AAP 7220.025-3M				
4SQNXU1805468	COMPLETED	22JAN19 03:07	6203.6	AFHR	SCT	XXxxXXxxXXxxXXxxXXxx
11DEC18 02:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			22JAN19 03:07
11DEC18 02:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial PF1600050				XXxxXXxxXXxxXXxxXXxx
		CYLINDER CO2 at WAC 0740				
	N					
	Maint Acts:	SCT 3 - CO2 CYL B/S CARRIED OUT IAW AAP 7220.025-3M, TOPIC 2, CHAP 3.				
4SQNXU1900049	COMPLETED	29JAN19 23:21	6203.6	AFHR	MM	XXxxXXxxXXxxXXxxXXxx
16JAN19 01:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			XXxxXXxxXXxxXXxxXXxx
16JAN19 01:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			29JAN19 23:21
		BS WORKSHEETS REGO NUMBER 4SQN/WS/002/19 IN USE. TO BE CLEARED AND CLOSED.				XXxxXXxxXXxxXXxxXXxx
	Y					
	Maint Acts:	BS WORKSHEETS 4SQN/WS/002/19 CLEARED AND CLOSED.				
4SQNXU1900064	COMPLETED	29JAN19 23:03	6203.6	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
17JAN19 03:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			XXxxXXxxXXxxXXxxXXxx
17JAN19 03:11	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			29JAN19 23:03
		CTK7 IN USE, TO BE CLEARED AND CLOSED.				XXxxXXxxXXxxXXxxXXxx
	N					
	Maint Acts:	CTK7 CLEARED AND CLOSED.				
4SQNXU1900073	COMPLETED	21JAN19 03:19	6203.6	AFHR	SCT	XXxxXXxxXXxxXXxxXXxx
17JAN19 21:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			21JAN19 03:19
17JAN19 21:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN			XXxxXXxxXXxxXXxxXXxx
		TA due on Serial PF1600048				XXxxXXxxXXxxXXxxXXxx
		LINE ASSY LOWERING at WAC 0740				
	N					

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04009  
08JAN20  
23:16:15

SERIAL/TAIL NO : DE0541  
PART NO : STANDARDPACK-1 ~Z5514 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : SURVIVAL PACK ASSY  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: LINE ASSY LOWERING REPLACED WITH SERV ITEM IAW AAP 7220.029-2M

REMOVALS/INSTALLATIONS FOR 4SQNXU1900073

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PF1600048	A23T	A26BG06	00	PF1900033	A23T	A26BG06	00
	MBEU5097DP		17JAN19 22:23	4SQNXJ1601451	MBEU5097DP		21JAN19 03:14	

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

FACDUJCA00300 C COMPLETED 20AUG03 00:00 XXxxXXxx FACDU 0.0  
20AUG03 00:00  
02 BAY SERVICE DUE

Unserviceability Details:  
Maintenance Comments:

FACDUJY400555 C COMPLETED 22MAR04 02:10 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU FACDU 3418.9 AFHR  
14 APR04 01:09  
14 CONFIGURATION CHANGE 99 NO FAILURE FRONT PSP TO BE REPLACED WITH DESERT PSP

01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04010  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DE0541  
 PART NO : STANDARDPACK-1 ~Z5514  
 ENGINEERING NAME : SURVIVAL PACK ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

FACDUJY400699	C COMPLETED	16APR04 03:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU	FACDU	
	18APR04 23:51					3418.9	AFHR
01 UNSERVICEABLE		25 OTHER SCHEDULED SERVICING		FRONT PSP TO BE REPLACED WITH SERV ITEM			
		06 OUT OF LIMITS					
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:		LINE LOWERING TX			
		Maintenance Comments:		COMPLETED			
FACDUJY400969	C COMPLETED	18MAY04 22:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU	FACDU	
	18MAY04 23:00					3440.8	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE		FRONT AND REAR STANDARDPACKS TO BE REPLACED WITH DESERTPACKS			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:		ITEM SERV			
		Maintenance Comments:					
FACDUJY401345	C COMPLETED	15JUL04 00:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU	FACDU	
	29NOV04 02:21					3452.9	AFHR
14 CONFIGURATION CHANGE		99 NO FAILURE		FRONT & REAR DESERT PSP'S 2B FITTED FOR EXERCISE			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:		TESTED SERV			
		Maintenance Comments:					
FACDUJ303389X	C COMPLETED	29NOV04 02:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU	FACDU	
	29NOV04 05:28					3452.9	AFHR
02 BAY SERVICE DUE				BS due on Serial			
				SURVIVAL PACK ASSY at WAC 0740			
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:		BS COMPLETED			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			19AUG04
SM	BS	1.0	ELPYR			19AUG04

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04011  
08JAN20  
23:16:15

SERIAL/TAIL NO : DE0541  
PART NO : STANDARDPACK-1 ~Z5514 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : SURVIVAL PACK ASSY  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

FACDUJY501270	C COMPLETED	27JUN05 01:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU	FACDU	
	22SEP05 23:53					3558.7	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		TA	due on Serial P218301		
				LINE ASSY LOWERING	at WAC 0730		
01	NO FAULT	04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		REMOVED FOR ACCESS AND PLACED IN ALS			

FACDUJY402346	C COMPLETED	22SEP05 23:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU	FACDU	
	22SEP05 23:44					3558.7	AFHR
02	BAY SERVICE DUE			BS	due on Serial DE0541		
				SURVIVAL PACK ASSY	at WAC 0730		
01	NO FAULT	06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:		BAY SERVICE COMPLETE			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			29NOV05
SM	BS	1.0	ELPYR			29NOV05

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

FACDUJY600464	C COMPLETED	02MAR06 00:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU	FACDU	
	02MAR06 00:19					3657.3	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		STANDARD PSP TO BE REMOVED			
01	NO FAULT	04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		VISUAL CHECK SERV			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04012  
08JAN20  
23:16:15

SERIAL/TAIL NO : DE0541  
PART NO : STANDARDPACK-1 ~Z5514  
ENGINEERING NAME : SURVIVAL PACK ASSY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

FACDUJY502680 C COMPLETED 14SEP06 02:33 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU FACDU  
19SEP06 06:21 3757.2 AFHR  
02 BAY SERVICE DUE BS due on Serial DE0541  
SURVIVAL PACK ASSY at WAC 0740  
01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: BAY SERVICE CARRIED OUT IAW AAP7220.029

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			22SEP06
SM	BS	1.0	ELPYR			22SEP06

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

FACDUJY601737 C COMPLETED 12SEP07 00:24 XXxxXXxx XXxxXXxxXXxxXXxx FACDU FACDU  
10OCT07 21:41 12SEP07 00:16 XXxxXXxx XXxxXXxxXXxxXXxx FACDU 3947.7 AFHR  
02 BAY SERVICE DUE BS due on Serial DE0541  
SURVIVAL PACK ASSY at WAC 0740  
01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: BAY SERVICE CARRIED OUT IAW AAP7220.029-3M

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			19SEP07
SM	BS	1.0	ELPYR			19SEP07

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04013  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DE0541  
 PART NO : STANDARDPACK-1 ~Z5514  
 ENGINEERING NAME : SURVIVAL PACK ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

FACDUJY800396	C COMPLETED	26FEB08 05:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU	FACDU	
	26FEB08 05:08	26FEB08 05:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU	4074.7	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		OH	due on Serial MB15749		
01	NO FAULT	04 CHECK/TEST SERV		PARACHUTE ASSY	at WAC 0730		
		Unserviceability Details:					
		Maintenance Comments:		CHECK/TEST SERV			

FACDUJY800648	C COMPLETED	31MAR08 00:21	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU	FACDU	
	31MAR08 00:23	31MAR08 00:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU	4114.7	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		FRONT PARA,PSP AND SEO ROC 2B UPDATED			
01	NO FAULT	04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		CHECK/TEST SERV			

FACDUJY701862	C COMPLETED	09OCT08 04:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU	FACDU	
	28JAN09 05:01	09OCT08 04:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU	4313.4	AFHR
02	BAY SERVICE DUE			BS	due on Serial DE0541		
				SURVIVAL PACK ASSY	at WAC 0730		
01	NO FAULT	06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:		BAY SERVICED IAW AAP 7220.029-3M			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			09OCT08
SM	BS	1.0	ELPYR			09OCT08

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04014  
08JAN20  
23:16:15

SERIAL/TAIL NO : DE0541  
PART NO : STANDARDPACK-1 ~Z5514  
ENGINEERING NAME : SURVIVAL PACK ASSY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

FACDUJY900165 C COMPLETED 21JAN10 23:43 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 4SQN  
03MAR10 23:03 21JAN10 23:24 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 4603.8 AFHR  
02 BAY SERVICE DUE BS due on Serial DE0541  
SURVIVAL PACK ASSY at WAC 0740  
01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: BAY SERVICE CARRIED OUT IAW AAP 7220.029-3M

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			28JAN10
SM	BS	1.0	ELPYR			28JAN10

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJ1012115 C COMPLETED 08JUL10 00:04 XXxxXXxx XXxxXXxxXXxxXXxx AIP AIP  
08JUL10 00:07 08JUL10 00:04 XXxxXXxx XXxxXXxxXXxxXXxx AIP 4685.5 AFHR  
09 CANNIBALISATION 99 NO FAILURE PSP REMOVED TOP SERV A/C A23-032  
01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV

4SQNXJ1000381 C COMPLETED 03MAR11 20:40 XXxxXXxx XXxxXXxxXXxxXXxx 4SQN 4SQN  
11MAY11 00:41 03MAR11 20:13 XXxxXXxx XXxxXXxxXXxxXXxx 4SQN 4804.6 AFHR  
02 BAY SERVICE DUE BS due on Serial DE0541  
SURVIVAL PACK ASSY at WAC 0730  
01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: B/S CARRIED OUT IAW AAP 7220.029-2M, SECT2 CHAP1 AND ACG  
SI(LOG) 4-3-10 . SCIS 16-26-INST 2, SCIS 16-26-INST 3, AND  
SCIS 16-27-INST CARRIED OUT.

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04015  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DE0541 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : STANDARDPACK-1 ~Z5514  
 ENGINEERING NAME : SURVIVAL PACK ASSY  
 VENUE : A23DISP LOCATION : A23-033

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			03MAR11
SM	BS	1.0	ELPYR			03MAR11

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

4SQNXJ1101828	C COMPLETED	07DEC11 23:21	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	4SQN	
	11JAN12 02:57	07DEC11 23:21	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	4897.9	AFHR
13 REMOVED FOR ACCESS	99 NO FAILURE			FRONT AND REAR EJECTION SEATS TO BE REMOVED FOR BAY SERVICE			

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: PSP INSPECTED SERV IAW 7291.042-2

4SQNXJ1100714	C COMPLETED	06MAY12 23:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	4SQN	
	10JUL12 22:55	06MAY12 23:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	4993.4	AFHR
02 BAY SERVICE DUE				BS due on Serial DE0541			
				SURVIVAL PACK ASSY at WAC 0740			

01 NO FAULT 06 BAY SERVICE  
 Unserviceability Details:  
 Maintenance Comments: B/S CARRIED OUT IAW AAP 7220.029-2M,SECT2 CHAP1 AND ACG  
 SI(LOG) 4-3-10 . SCIS 16-26-INST 2, SCIS 16-26-INST 3, AND  
 SCIS 16-27-INST CARRIED OUT.

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			10MAY12
SM	BS	1.0	ELPYR			10MAY12

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04016  
08JAN20  
23:16:15

SERIAL/TAIL NO : DE0541  
PART NO : STANDARDPACK-1 ~Z5514 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : SURVIVAL PACK ASSY  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

4SQNXJ1201031 C COMPLETED 02JUL13 04:46 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 4SQN  
09JUL13 04:12 02JUL13 03:55 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 5277.7 AFHR  
02 BAY SERVICE DUE BS due on Serial DE0541  
SURVIVAL PACK ASSY at WAC 0740  
01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: BS CARRIED OUT IAW AAP 7220.029-2M,SECT2 CHAP1 AND ACG SI(LOG)  
4-3-10 . SCIS 16-26-INST 2, SCIS 16-26-INST 3, AND SCIS  
16-27-INST CARRIED OUT. ALSW/ 030 /13

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			10JUL13
SM	BS	1.0	ELPYR			10JUL13

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

1EXXJ1304827 C COMPLETED 23SEP13 04:04 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
25SEP13 23:24 23SEP13 04:04 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 5338.6 AFHR  
13 REMOVED FOR ACCESS 99 NO FAILURE REAR PSP REMOVED FOR ACCESS  
01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: PSP ASSY CHECKED SERV IAW 7220.029-3M SECT 2 CHAP 1  
4SQNXJ1300820 C COMPLETED 07JUL14 03:26 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 4SQN  
28SEP14 22:33 07JUL14 03:26 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 5577.0 AFHR  
02 BAY SERVICE DUE BS due on Serial DE0541  
SURVIVAL PACK ASSY at WAC 0740  
01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: BS CARRIED OUT IAW AAP 7220.029-2M

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04017  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DE0541  
 PART NO : STANDARDPACK-1 ~Z5514  
 ENGINEERING NAME : SURVIVAL PACK ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			09JUL14
SM	BS	1.0	ELPYR			09JUL14

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

4SQNXJ1401021 C COMPLETED 07JUL14 03:52 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 4SQN  
 28SEP14 22:43 07JUL14 03:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 5577.0 AFHR  
 13 REMOVED FOR ACCESS 99 NO FAILURE BS due on Serial DE0541  
 SURVIVAL PACK ASSY at WAC 0740

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: BS CARRIED OUT IAW AAP 7220.029-2M

4SQNXJ1500593 C COMPLETED 21MAY15 23:12 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 4SQN  
 21MAY15 23:13 21MAY15 23:12 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 5758.4 AFHR  
 13 REMOVED FOR ACCESS 99 NO FAILURE PSP TO BE REMOVED FROM EJECTION SEAT

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

4SQNXJ1401617 C COMPLETED 10AUG15 22:49 XXxxXXxx XXxxXXxxXXxxXXxxXXxx ARDU ARDU  
 18AUG15 00:40 10AUG15 06:47 XXxxXXxx XXxxXXxxXXxxXXxxXXxx ARDU 5767.4 AFHR  
 02 BAY SERVICE DUE BS due on Serial DE0541  
 SURVIVAL PACK ASSY at WAC 0740

01 NO FAULT 06 BAY SERVICE  
 Unserviceability Details:  
 Maintenance Comments: BS CO IAW AAP 7220.029-3M

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			28SEP15
SM	BS	1.0	ELPYR			28SEP15

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : DE0541  
 PART NO : STANDARDPACK-1 ~Z5514  
 ENGINEERING NAME : SURVIVAL PACK ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS		UNSERVICEABILITY DETAILS			
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS		MAINTENANCE COMMENT			
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

1PXXJ1610535	C COMPLETED	06MAY16 03:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
09 CANNIBALISATION	06MAY16 03:22	06MAY16 03:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	5825.7	AFHR
	99 NO FAILURE			PSP REMOVED TO SERVICE A23-031 REPLACEMENT SEAT (S/NO 128)			

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

4SQNXJ1601001	C COMPLETED	29JUN16 00:48	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	4SQN	
13 REMOVED FOR ACCESS	01SEP16 01:45	29JUN16 00:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	5879.8	AFHR
	99 NO FAILURE			TA due on Serial PF1300036			
				LINE ASSY LOWERING at WAC 0740			

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: T/A C/O IAW AAP 7220.029-3M, REF 4SQNXJ1300725

ARDUXJ1502091	C COMPLETED	29AUG16 23:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	4SQN	
02 BAY SERVICE DUE	01SEP16 21:32	29AUG16 23:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	5879.8	AFHR
				BS due on Serial DE0541			
				SURVIVAL PACK ASSY at WAC 0740			

01 NO FAULT 06 BAY SERVICE  
 Unserviceability Details:  
 Maintenance Comments: B/S C/O IAW AAP 7220.029-3M

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			17AUG16
SM	BS	1.0	ELPYR			17AUG16

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04019  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DE0541  
 PART NO : STANDARDPACK-1 ~Z5514  
 ENGINEERING NAME : SURVIVAL PACK ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			

4SQNXJ1601648	C COMPLETED	11OCT16 00:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	4SQN	
	11OCT16 01:12	11OCT16 00:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	5904.9	AFHR
08 MOD/STI/DVI REQUIRED	99 NO FAILURE			7291.042-114	due on Serial DE0541		
				SURVIVAL PACK ASSY at WAC 0730			
01 NO FAULT	08 MOD/STI/DVI INCORP						
	Unserviceability Details:			ENDURANCE CUSHION MOD 7291.042-114 CARRIED OUT SERV IAW			
	Maintenance Comments:			7291.042-114			

A1EXXJ1701917	C COMPLETED	23MAR17 01:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	21JUN17 22:15	23MAR17 01:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	5990.5	AFHR
13 REMOVED FOR ACCESS	99 NO FAILURE			FRONT PSP REMOVED FOR ACCESS			
01 NO FAULT	04 CHECK/TEST SERV						
	Unserviceability Details:			PSP CHECKED SERV IAW 7220.029-2M SECT2 CH1			
	Maintenance Comments:						

4SQNXJ1601485	C COMPLETED	27AUG17 23:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	4SQN	
	25JAN18 04:20	27AUG17 21:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	6013.7	AFHR
02 BAY SERVICE DUE				BS	due on Serial DE0541		
				SURVIVAL PACK ASSY at WAC 0730			
01 NO FAULT	06 BAY SERVICE						
	Unserviceability Details:			BS CARRIED OUT IAW AAP 7220.029-2M,SECT2 CHAP1			
	Maintenance Comments:						

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
=====	=====	=====	=====	=====	=====	=====
SM	BS	1.0	ELPYR			01SEP17
SM	BS	1.0	ELPYR			01SEP17

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04020  
08JAN20  
23:16:15

SERIAL/TAIL NO : DE0541  
PART NO : STANDARDPACK-1 ~Z5514 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : SURVIVAL PACK ASSY  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

4SQNXJ1800078 C COMPLETED 11DEC18 01:52 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 4SQN  
29JAN19 21:21 11DEC18 00:43 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 6203.6 AFHR  
02 BAY SERVICE DUE BS due on Serial DE0541  
SURVIVAL PACK ASSY at WAC 0740  
01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: SCT 3 - BS CARRIED OUT IAW AAP 7220.029-2M

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			25JAN19
SM	BS	1.0	ELPYR			25JAN19

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

4SQNXJ1801798 C COMPLETED 11DEC18 01:52 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 4SQN  
11DEC18 01:53 11DEC18 01:52 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 6203.6 AFHR  
13 REMOVED FOR ACCESS 99 NO FAILURE FRONT AND REAR EJECTION SEAT REMOVED FOR OH  
01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV

A1PXXJ1910100 C COMPLETED 20JUN19 03:23 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
20JUN19 03:24 20JUN19 03:23 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 6254.3 AFHR  
13 REMOVED FOR ACCESS 99 NO FAILURE FRONT & REAR SEAT PARA ASSY, PSP & SEO RFA.  
01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : DE0541  
 PART NO : STANDARDPACK-1 ~Z5514  
 ENGINEERING NAME : SURVIVAL PACK ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJ1910934	C COMPLETED	03JUL19 02:11	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	03JUL19 02:13	03JUL19 02:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	6258.3	AFHR
14	CONFIGURATION CHANGE	99 NO FAILURE		ALS REMOVED FOR CONFIGURARION CHANGE			

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

A1PXXJ1913946	C COMPLETED	06SEP19 05:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	06SEP19 05:15	06SEP19 05:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	6377.6	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		FRONT AND REAR PARA AND PSP ASSY'S REMOVED FOR ACCESS			

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04022  
08JAN20  
23:16:15

SERIAL/TAIL NO : DE0541  
PART NO : STANDARDPACK-1 ~Z5514  
ENGINEERING NAME : SURVIVAL PACK ASSY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MODIFICATION ORDERS INCORPORATION STATUS CHANGE									
MOD NUMBER	CURRENT(Y/N)	STATUS	DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW		
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
7220.029-101	Y		11JUL03 00:00	N/A					
7220.029-102	Y		25JUN02 00:00	INC					
7291.042-114	N		10OCT16 00:13	NINC					
7291.042-114	N		11OCT16 01:11	INC	4SQNXJ1601648	11OCT16 00:34	5904.9	AFHR	
7291.042-114	Y		15MAY19 00:00	NINC					
STI STATUS CHANGE									
STI NUMBER	CURRENT(Y/N)	STATUS	DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW		
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
STI-COMMON-003A	Y		25JUN02 00:00	N/A					



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04023  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DE3177  
 PART NO : MBEU50086  
 ENGINEERING NAME : FIRING PIN-CONTROL  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

~U1604

LOCATION : A23-033  
 LIFE SINCE NEW : 6786.2 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T CHANGE TYPE		LIFE SINCE NEW		SPAN(DYS)	FROM	TO (OPTIONAL)		TRANS REFERENCE		USER
=====		=====		=====	=====	=====		=====		=====
30AUG03	05:42	Maintenance Comment	0.0	0.8	21Jan02	ELPYR	LST BS	21JAN04	ELPYR	NXT BS
			AFHR		CAMM LOG00014					XXXXXXxx
30AUG03	05:43	Maintenance Comment	0.0	0.8	03Apr00	AIEAR	FF: 01-NIL			MA: 06-BS
			AFHR		CAMM LOG00004					XXXXXXxx
30AUG03	05:44	Maintenance Comment	0.0	0.8	04Apr00	DE3177	07.40	3784	1694	DAYS IN AS A23T 1452-01-00-F
			AFHR		CAMM LOG00005					XXXXXXxx
30AUG03	05:49	Maintenance Comment	0.0	0.8	2192.2	0.0	AFHR			
			AFHR		CAMM LOG00001					XXXXXXxx
30AUG03	05:49	Maintenance Comment	0.0	0.8	2723.8	0.0	AFHR			
			AFHR		CAMM LOG00008					XXXXXXxx
30AUG03	05:49	Maintenance Comment	0.0	0.8	2723.8	0.0	AFHR			
			AFHR		CAMM LOG00011					XXXXXXxx
30AUG03	05:51	Maintenance Comment	0.0	0.8	09Nov99	DE3177	07.40	3637	1547	DAYS 02-BS DUE RV99904
			AFHR		CAMM LOG00002					XXXXXXxx
30AUG03	05:52	Maintenance Comment	0.0	0.8	2330.4	0.0	AFHR			
			AFHR		CAMM LOG00003					XXXXXXxx
30AUG03	05:52	Maintenance Comment	0.0	0.8	07Aug01	DE3177	07.40	4273	2183	DAYS 03-OH DUE RX16096
			AFHR		CAMM LOG00007					XXXXXXxx
30AUG03	05:53	Maintenance Comment	0.0	0.8	2330.4	0.0	AFHR			
			AFHR		CAMM LOG00006					XXXXXXxx
30AUG03	05:53	Maintenance Comment	0.0	0.8	22Nov89	NEW - DE3177	MBEU50086		1452-01-00-F	
			AFHR		CAMM LOG00012					XXXXXXxx
30AUG03	05:53	Maintenance Comment	0.0	0.8	21Jan02	DE3177	00.40	4441	1	DAYS IN AS A23T 1452-01-00-F
			AFHR		CAMM LOG00010					XXXXXXxx
30AUG03	05:53	Maintenance Comment	0.0	0.8	29Aug03	DE3177	07.40	3010.4	AFHR	TX TO CAMM2
			AFHR		CAMM LOG00015					XXXXXXxx
30AUG03	05:59	Maintenance Comment	0.0	0.8	21Jan02	AIEAR	FF: 01-NIL			MA: 07-OH
			AFHR		CAMM LOG00009					XXXXXXxx
30AUG03	05:59	Maintenance Comment	0.0	0.8	21Jan02	ELPYR	LST OH	20JAN08	ELPYR	NXT OH
			AFHR		CAMM LOG00013					XXXXXXxx
11DEC03	00:33	Change Serviceability Stat		21.9	S/I					
					US/I					
		3040.4	AFHR		ARDUPJ301956					XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04024  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DE3177  
 PART NO : MBEU50086  
 ENGINEERING NAME : FIRING PIN-CONTROL  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW								
11DEC03	00:36	Asset Removal		103.6	DE3177	DE3177		A23T A1UIY00 00M
		3040.4 AFHR			A23T	A1UIY00	00	XXXXXXxx
		Change Serviceability Stat		0.0	US/I			
11DEC03	00:52	Change Venue of an Asset		40.8	ARDU			
		3040.4 AFHR			ARDU	ARDUXXY300961		XXXXXXxx
		Change Location of an Asse		1.0	ARDARH			
18MAR04	21:53	Change Serviceability Stat		98.8	ARMAMENT			
		3040.4 AFHR			U/S			
24MAR04	22:22	Asset Installation		104.9	SERV			XXXXXXxx
		3040.4 AFHR			A23T	A1UIY00	00	
		Change Serviceability Stat		6.0	DE3177	A23-011		A23T A1UIY00 0 A
		Change Location of an Asse		104.8	SERV			XXXXXXxx
20APR06	22:49	Change Serviceability Stat		34.9	S/I			
		3392.7 AFHR			US/I	A1EXXJY401849		XXXXXXxx
20APR06	22:51	Change Serviceability Stat		0.0	US/I			
		3392.7 AFHR			S/I			XXXXXXxx
28MAR08	00:19	Change Serviceability Stat		73.8	S/I			
		3671.7 AFHR			US/I	ARDUPJ301957X		XXXXXXxx
29APR08	02:12	Change Serviceability Stat		32.0	US/I			
		3671.7 AFHR			S/I			XXXXXXxx
28MAR10	21:26	Change Serviceability Stat		3.6	S/I			
		4266.9 AFHR			US/I	A1EXXJY602713		XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04025  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DE3177  
 PART NO : MBEU50086  
 ENGINEERING NAME : FIRING PIN-CONTROL  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
24MAY10 03:07	Change Serviceability Stat	4266.9 AFHR	56.2	US/I S/I	XXxxXXxx
02MAY12 03:49	Change Serviceability Stat	4846.1 AFHR	0.9	S/I US/I A1EXXJ1002900	XXxxXXxx
23MAY12 05:17	Change Serviceability Stat	4846.1 AFHR	21.0	US/I S/I	XXxxXXxx
24FEB14 22:38	Change Serviceability Stat	5439.2 AFHR	10.8	S/I US/I A1EXXJY802852	XXxxXXxx
09OCT14 05:03	Change Serviceability Stat	5439.2 AFHR	226.2	US/I S/I	XXxxXXxx
22SEP16 04:29	Change Serviceability Stat	5881.0 AFHR	36.2	S/I US/I A1EXXJ1202833	XXxxXXxx
23SEP16 00:56	Asset Removal	5881.0 AFHR	4565.1	DE3177 A23T A1UIY00	A23T A1UIY00 00M
	Change Serviceability Stat		0.8	US/I U/S SERV	XXxxXXxx
09NOV16 21:57	Change Serviceability Stat	5881.0 AFHR	47.8	A23T A1UIY00	00
09NOV16 22:04	Asset Installation	5881.0 AFHR	47.8	DE3177 DE3177	A23T A1UIY00 00MMI
	Change Serviceability Stat		0.0	SERV S/I	XXxxXXxx
07FEB19 04:49	Change Serviceability Stat	6484.8 AFHR	90.9	US/I A1EXXJ1610728	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04026  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DE3177  
 PART NO : MBEU50086 ~U1604  
 ENGINEERING NAME : FIRING PIN-CONTROL  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
07FEB19 04:50	Asset Removal	819.2	DE3177	DE3177	A23T	A1UIY00 00M
	6484.8 AFHR Change Serviceability Stat	0.0	A23T	A1UIY00		00 XXXXXXxx
19FEB19 05:27	Change Serviceability Stat	12.0	US/I	U/S		
	6484.8 AFHR		U/S	SERV		XXXXXXxx
19FEB19 05:29	Asset Installation	12.0	A23T	A1UIY00	DE3177	00M
	6484.8 AFHR Change Serviceability Stat	0.0	DE3177	SERV	A23T	A1UIY00 00MMI XXXXXXxx
			S/I			

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
ARDUPJCA00467	C COMPLETED	21JAN02 00:00	XXxxXXxx		ARDUPEA		0.0
03 OVERHAUL DUE	21JAN02 00:00						

Unserviceability Details:  
 Maintenance Comments:

ARDUPJCA00440	C COMPLETED	21JAN02 00:00	XXxxXXxx		ARDUPEA		0.0
02 BAY SERVICE DUE	21JAN02 00:00						

Unserviceability Details:  
 Maintenance Comments:

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : DE3177  
PART NO : MBEU50086 ~U1604  
ENGINEERING NAME : FIRING PIN-CONTROL  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

ARDUPJ301956X C COMPLETED 11DEC03 00:36 XXxxXXxx XXxxXXxxXXxxXXxxXXxx ARDU AIE  
 18MAR04 21:53 3040.4 AFHR  
 02 BAY SERVICE DUE BS due on Serial DE3177  
 FIRING PIN-CONTROL at WAC 0740  
 01 NO FAULT 06 BAY SERVICE  
 Unserviceability Details:  
 Maintenance Comments: BS CO

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			21JAN04
SM	BS	2.0	ELPYR			21JAN04

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

ARDUXJY301500 C COMPLETED 11DEC03 00:36 XXxxXXxx XXxxXXxxXXxxXXxxXXxx ARDU ARDU  
 11DEC03 00:38 3040.4 AFHR  
 13 REMOVED FOR ACCESS 99 NO FAILURE  
 FIRING PIN CONTROL REMOVED  
 01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: SERV

A1EXXJY401849 C COMPLETED 20APR06 22:50 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
 20APR06 22:51 3392.7 AFHR  
 02 BAY SERVICE DUE BS due on Serial DE3177  
 FIRING PIN-CONTROL at WAC 0740  
 01 NO FAULT 06 BAY SERVICE  
 Unserviceability Details:  
 Maintenance Comments: BSCO

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04028  
08JAN20  
23:16:15

SERIAL/TAIL NO : DE3177 PERIOD: 01JAN90 TO 08JAN20  
PART NO : MBEU50086 ~U1604  
ENGINEERING NAME : FIRING PIN-CONTROL  
VENUE : A23DISP LOCATION : A23-033

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			18MAR06

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

ARDUPJ301957X C COMPLETED 28MAR08 00:19 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
29APR08 02:12 28MAR08 00:19 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 3671.7 AFHR  
03 OVERHAUL DUE OH due on Serial DE3177  
FIRING PIN-CONTROL at WAC 0740  
01 NO FAULT 07 OVERHAUL  
Unserviceability Details:  
Maintenance Comments: OH CO

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	6.0	ELPYR			20JAN08
SM	OH	6.0	ELPYR			20JAN08

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

ALEXJY602713 C COMPLETED 24MAY10 03:06 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
24MAY10 03:07 28MAR10 21:26 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 4266.9 AFHR  
02 BAY SERVICE DUE BS due on Serial DE3177  
FIRING PIN-CONTROL at WAC 0740  
01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: BS C/O SERV REF SNOW 802853

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			29APR10

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04029  
08JAN20  
23:16:15

SERIAL/TAIL NO : DE3177  
PART NO : MBEU50086 ~U1604  
ENGINEERING NAME : FIRING PIN-CONTROL  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1EXXJ1002900 C COMPLETED 23MAY12 05:15 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
23MAY12 05:17 02MAY12 03:49 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 4846.1 AFHR  
02 BAY SERVICE DUE BS due on Serial DE3177  
FIRING PIN-CONTROL at WAC 0740  
01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: BS C/O SERV REF SNOW 1201755

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			23MAY12

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1EXXJY802852 C COMPLETED 09OCT14 05:02 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
09OCT14 05:03 24FEB14 22:38 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 5439.2 AFHR  
03 OVERHAUL DUE OH due on Serial DE3177  
FIRING PIN-CONTROL at WAC 0740  
01 NO FAULT 07 OVERHAUL  
Unserviceability Details:  
Maintenance Comments: OH C/O SERV REF SNOW 1202837

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	6.0	ELPYR			28APR14
SM	OH	6.0	ELPYR			28APR14

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04030  
08JAN20  
23:16:15

SERIAL/TAIL NO : DE3177 PERIOD: 01JAN90 TO 08JAN20  
PART NO : MBEU50086 ~U1604  
ENGINEERING NAME : FIRING PIN-CONTROL  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJ1202833	C COMPLETED	23SEP16 00:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
02 BAY SERVICE DUE	09NOV16 21:57	22SEP16 04:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	5881.0	AFHR
01 NO FAULT		06 BAY SERVICE		BS	due on Serial DE3177		
		Unserviceability Details:		FIRING PIN-CONTROL	at WAC 0740		
		Maintenance Comments:		BS C/O SERV REF SNOW 1406420	MCS ARM 54/16		

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			08OCT16
SM	BS	2.0	ELPYR			08OCT16

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJ1610728	C COMPLETED	07FEB19 04:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
02 BAY SERVICE DUE	19FEB19 05:27	07FEB19 04:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	6484.8	AFHR
01 NO FAULT		06 BAY SERVICE		BS	due on Serial DE3177		
		Unserviceability Details:		FIRING PIN-CONTROL	at WAC 0740		
		Maintenance Comments:		BAY SERVICE CARRIED OUT SERV REF SNOW 1610729	AIE MCS 10/19		

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			09NOV18
SM	BS	2.0	ELPYR			09NOV18



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : DE3177  
PART NO : MBEU50086 ~U1604  
ENGINEERING NAME : FIRING PIN-CONTROL  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MAINTENANCE POLICY HISTORY			
POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	USER ID
CHANGE DETAILS			
09OCT14 05:03	SM Claimed	BS	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04032  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DE3177  
 PART NO : MBEU64438  
 ENGINEERING NAME : VALVE COMMAND CONT  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

~U1604

PERIOD: 01JAN90 TO 08JAN20

LOCATION : A23-033  
 LIFE SINCE NEW : 6786.2 AFHR

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
30AUG03 04:28	Maintenance Comment	0.0 AFHR	0.8	2330.4 0.0 AFHR Camm LOG00003	XXXXXXxx
30AUG03 04:34	Maintenance Comment	0.0 AFHR	0.8	21Jan02 AIEAR FF: 01-NIL Camm LOG00006	MA: 06-BS XXXXXXxx
30AUG03 04:34	Maintenance Comment	0.0 AFHR	0.8	31Jan02 A23-007 07.40 4450 Camm LOG00007	0 DAYS IN AS A23T 1452-00-00-L XXXXXXxx
30AUG03 04:36	Maintenance Comment	0.0 AFHR	0.8	2723.8 0.0 AFHR Camm LOG00008	XXXXXXxx
30AUG03 04:37	Maintenance Comment	0.0 AFHR	0.8	04Apr00 A23-046 07.40 3784 Camm LOG00002	0 DAYS IN AS A23T 1452-00-00-L XXXXXXxx
30AUG03 04:37	Maintenance Comment	0.0 AFHR	0.8	03Apr00 AIEAR FF: 01-NIL Camm LOG00001	MA: 06-BS XXXXXXxx
30AUG03 04:37	Maintenance Comment	0.0 AFHR	0.8	2723.8 0.0 AFHR Camm LOG00005	XXXXXXxx
30AUG03 04:38	Maintenance Comment	0.0 AFHR	0.8	07Aug01 A23-046 07.40 4273 Camm LOG00004	0 DAYS 02-BS DUE RX16097 XXXXXXxx
30AUG03 04:39	Maintenance Comment	0.0 AFHR	0.8	29Aug03 A23-007 07.40 3010.4 AFHR Camm LOG00011	TX TO CAMM2 XXXXXXxx
30AUG03 04:42	Maintenance Comment	0.0 AFHR	0.8	22Nov89 NEW - DE3177 MBEU64438 Camm LOG00009	1452-00-00-L XXXXXXxx
30AUG03 04:42	Maintenance Comment	0.0 AFHR	0.8	21Jan02 ELPYR LST BS 21JAN04 ELPYR Camm LOG00010	NXT BS XXXXXXxx
10DEC03 00:40	Asset Removal	3040.4 AFHR	102.6	051 A23-007 A23T A1UIY 00	A23T A1UIY 00A XXXXXXxx
	Change Serviceability Stat	3040.4 AFHR	21.0	S/I	
	Change Location of an Asse	3040.4 AFHR	39.8	U/S A23-007 ARDARH	
10DEC03 00:43	Change Serviceability Stat	3040.4 AFHR	0.0	U/S SERV	XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04033  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DE3177  
 PART NO : MBEU64438  
 ENGINEERING NAME : VALVE COMMAND CONT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS		-----										
TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER				
			LIFE SINCE NEW									
=====												
11DEC03	00:33	Change	Serviceability Stat	0.9	SERV							
			3040.4 AFHR		U/S		ARDUPJ302241	XXxxXXxx				
11DEC03	00:35	Change	Serviceability Stat	0.0	U/S							
			3040.4 AFHR		SERV			XXxxXXxx				
11DEC03	00:51	Change	Venue of an Asset	40.8	ARDU							
			3040.4 AFHR		ARDU		ARDUXXY300960	XXxxXXxx				
		Change	Location of an Asse	1.0	ARDARH							
24MAR04	22:18	Asset	Installation	105.9	ARMAMENT							
			3040.4 AFHR		A23T	A1UIY						
		Change	Serviceability Stat	104.9	512		A23-011	A23T	A1UIY	0	A	
			Change Location of an Asse	104.8	SERV			XXxxXXxx				
					S/I							
		Change	Location of an Asse	104.8	ARMAMENT							
					A23-011							
21MAR06	09:50	Change	Serviceability Stat	4.3	S/I							
			3392.7 AFHR		US/I							
21MAR06	09:51	Asset	Removal	726.4	A1EXXJY401850			XXxxXXxx				
					512		A23-011	A23T	A1UIY	00A		
			3392.7 AFHR		A23T	A1UIY						
		Change	Serviceability Stat	0.0				XXxxXXxx				
					US/I							
					U/S							
		Change	Location of an Asse	188.4	A23-011							
					PC9-AVIONICS							
03APR06	01:45	Change	Venue of an Asset	201.0	ARDU							
			3392.7 AFHR		AIE							
		Change	Location of an Asse	12.6	ARDUXXY601828			XXxxXXxx				
					PC9-AVIONICS							
					ARMAMENT							
20APR06	22:48	Change	Serviceability Stat	30.5	U/S							
			3392.7 AFHR		SERV			XXxxXXxx				

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04034  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DE3177  
 PART NO : MBEU64438  
 ENGINEERING NAME : VALVE COMMAND CONT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
20APR06 22:49	Change Serviceability Stat	0.0	SERV U/S A1EXXUY601667	XXxxXXxx
	3392.7 AFHR Estimated Date/Time Servic	0.9	SERV STAT SERV STAT	
20APR06 22:49	Change Serviceability Stat	0.0	U/S SERV	XXxxXXxx
	3392.7 AFHR			
14NOV06 05:16	Change Venue of an Asset	225.1	AIE FACDU A1EXXXY606876	XXxxXXxx
	3392.7 AFHR Change Location of an Asse	225.1	ARMAMENT	
14NOV06 05:18	Asset Installation	237.8	HOLD A23T A1UIY A23-032 00	A23T A1UIY 00AC
	3392.7 AFHR Change Serviceability Stat	207.2	SERV S/I	XXxxXXxx
	Change Location of an Asse	0.0	HOLD A23-032	
17JAN08 04:52	Change Serviceability Stat	3.0	S/I US/I	
	3671.7 AFHR		A1EXXJY602711	XXxxXXxx
17JAN08 04:54	Asset Removal	428.9	532 A23-032	A23T A1UIY 00A
	3671.7 AFHR		A23T A1UIY 00	XXxxXXxx
	Change Serviceability Stat	0.0	US/I U/S	
	Change Location of an Asse	428.9	A23-032	
27MAR08 02:49	Change Venue of an Asset	498.8	RSERV FACDU	
	3671.7 AFHR		AIE FACDUXY800243	XXxxXXxx
	Change Location of an Asse	69.9	RSERV ARMAMENT	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04035  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DE3177  
 PART NO : MBEU64438  
 ENGINEERING NAME : VALVE COMMAND CONT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
29APR08 02:14	Change Serviceability Stat	102.8	U/S SERV	
29APR08 03:33	Asset Installation	102.9	A23T 509 A1UIY A23-012	00 A23T A1UIY 00AC
	Change Serviceability Stat	0.0	SERV S/I ARMAMENT A23-012	XXXXXXxx
	Change Location of an Asse	33.0	S/I US/I A1EXXJY802853	
28MAR10 21:26	Change Serviceability Stat	3.6	US/I A23T A1UIY A23-012	00 A23T A1UIY 00A
28MAR10 21:36	Asset Removal	698.7	A23T A1UIY A23-012	00 A23T A1UIY 00A
	Change Serviceability Stat	0.0	US/I U/S A23-012 ARMAMENT	XXXXXXxx
28MAR10 21:36	Change Serviceability Stat	0.0	U/S SERV	
25MAY10 04:32	Asset Installation	57.2	A23T 509 A1UIY A23-012	00 A23T A1UIY 00AC
	Change Serviceability Stat	57.2	SERV S/I ARMAMENT A23-012	XXXXXXxx
	Change Location of an Asse	57.2	S/I US/I A1EXXJ1002901	
02MAY12 03:49	Change Serviceability Stat	0.9	US/I A1EXXJ1002901	XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04036  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DE3177  
 PART NO : MBEU64438  
 ENGINEERING NAME : VALVE COMMAND CONT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS									
TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER		
LIFE SINCE NEW									
02MAY12	03:55	Asset Removal	707.9	509	A23-012	A23T	A1UIY	00	00A
		4846.1 AFHR		A23T					
		Change Serviceability Stat	0.0	US/I			XXxxXXxx		
		Change Location of an Asse	707.9	U/S					
02MAY12	03:55	Change Serviceability Stat	0.0	A23-012					
		4846.1 AFHR		ARMAMENT					
		Change Serviceability Stat	0.0	U/S			XXxxXXxx		
		Change Location of an Asse	707.9	SERV					
24MAY12	05:25	Asset Installation	22.0	A23T	A23-012	A23T	A1UIY	00	00AC
		4846.1 AFHR		509					
		Change Serviceability Stat	22.0	SERV			XXxxXXxx		
		Change Location of an Asse	22.0	S/I					
		Change Location of an Asse	22.0	ARMAMENT					
15AUG13	00:57	Position Change	447.8	A23-012					
		5269.4 AFHR		A23T					
		Change Serviceability Stat	10.8	A23T					
		5439.2 AFHR		A1EXXX1302694			XXxxXXxx		
		Change Serviceability Stat	10.8	S/I					
		Change Location of an Asse	641.7	US/I					
		Change Location of an Asse	641.7	A1EXXJ1202837			XXxxXXxx		
24FEB14	22:38	Asset Removal	641.7	509	A23-012	A23T	A1UIY	00	00A
		5439.2 AFHR		A23T					
		Change Serviceability Stat	0.0	US/I			XXxxXXxx		
		Change Location of an Asse	641.7	U/S					
		Change Location of an Asse	641.7	A23-012					
		Change Serviceability Stat	226.2	ARMAMENT					
		5439.2 AFHR		U/S					
		Change Serviceability Stat	226.2	SERV			XXxxXXxx		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04037  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DE3177  
 PART NO : MBEU64438  
 ENGINEERING NAME : VALVE COMMAND CONT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
20OCT14 04:25	Change Venue of an Asset	2398.0	AIE 4SQN	
	5439.2 AFHR Change Location of an Asse	237.2	A1EXXX1404243 ARMAMENT ARM_SECTION	XXXXXXxx
28OCT14 03:54	Asset Installation	245.2	A23T A1UIY	
	5439.2 AFHR Change Serviceability Stat	18.9	520 A23-020	A23T A1UIY XXXXXXxx
	Change Location of an Asse	7.9	SERV S/I ARM_SECTION A23-020	
22SEP16 04:28	Change Serviceability Stat	36.2	S/I US/I	
	5881.0 AFHR Asset Removal	695.0	A1EXXJ1406420 520 A23-020	XXXXXXxx A23T A1UIY
	5881.0 AFHR Change Serviceability Stat	0.0	A23T A1UIY	XXXXXXxx
	Change Location of an Asse	3.2	US/I U/S A23-020 ARMAMENT	
22SEP16 04:34	Change Serviceability Stat	0.0	U/S SERV	
	5881.0 AFHR Asset Installation	56.0	A23T A1UIY	XXXXXXxx
	5881.0 AFHR Change Serviceability Stat	56.0	520 A23-020	A23T A1UIY XXXXXXxx
	Change Location of an Asse	56.0	SERV S/I ARMAMENT A23-020	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04038  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DE3177  
 PART NO : MBEU64438  
 ENGINEERING NAME : VALVE COMMAND CONT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
29MAY18 05:12	Asset Removal	558.0	520 A23T A1UIY A23-020	A23T A1UIY 00A
	6314.5 AFHR Change Serviceability Stat	4.0	S/I U/S	XXXXXXxx
	Change Location of an Asse	97.0	A23-020 HANGAR_RACKS	
29MAY18 05:14	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
29MAY18 05:17	Asset Installation	0.0	A23T A1UIY 520 A23-020	A23T A1UIY 00AC
	6314.5 AFHR Change Serviceability Stat	0.0	SERV S/I	XXXXXXxx
	Change Location of an Asse	0.0	HANGAR_RACKS A23-020	
12NOV18 03:42	Asset Removal	166.9	520 A23T A1UIY A23-020	A23T A1UIY 00A
	6484.8 AFHR Change Serviceability Stat	3.9	S/I U/S	XXXXXXxx
	Change Location of an Asse	166.9	A23-020 HANGAR_RACKS	
12NOV18 03:43	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
	6484.8 AFHR Change Serviceability Stat	2.8	SERV U/S	XXXXXXxx
07FEB19 03:09	Change Venue of an Asset	350.9	A1EXXJ1610729 4SQN AIE	XXXXXXxx
	6484.8 AFHR Change Location of an Asse	86.9	4SQNXX1900098 HANGAR_RACKS ARMAMENT	XXXXXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04039  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : DE3177  
 PART NO : MBEU64438  
 ENGINEERING NAME : VALVE COMMAND CONT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
07FEB19 04:49	Change Serviceability Stat	84.1	U/S SERV	
	6484.8 AFHR			XXXXXXxx
20FEB19 03:25	Asset Installation	99.9	A23T 525 A1UIY A23-025	00 A23T A1UIY 00AC
	6484.8 AFHR			XXXXXXxx
	Change Serviceability Stat	12.9	SERV S/I	
	Change Location of an Asse	13.0	ARMAMENT A23-025	
12SEP19 03:34	Asset Removal	204.0	525 A23T A1UIY A23-025	00 A23T A1UIY 00A
	6739.9 AFHR			XXXXXXxx
	Change Serviceability Stat	5.9	S/I U/S	
	Change Location of an Asse	2.0	A23-025 MCS	
12SEP19 03:34	Change Serviceability Stat	0.0	U/S SERV	
	6739.9 AFHR			XXXXXXxx
12SEP19 03:37	Change Venue of an Asset	2.0	A23DISP AIP	
	6739.9 AFHR		A23DSX1900743	XXXXXXxx
	Change Location of an Asse	0.0	MCS EGRESS	
04OCT19 02:08	Asset Installation	21.9	A23T 533 A1UIY A23-033	00 A23T A1UIY 00AC
	6739.9 AFHR			XXXXXXxx
	Change Serviceability Stat	21.9	SERV S/I	
	Change Location of an Asse	21.9	EGRESS A23-033	

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04040  
08JAN20  
23:16:15

SERIAL/TAIL NO : DE3177  
PART NO : MBEU64438 ~U1604  
ENGINEERING NAME : VALVE COMMAND CONT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

ARDEXUY300887 11DEC03 00:33	COMPLETED XXxxXXxx	18MAR04 21:55 XXxxXXxxXXxxXXxxXXxx	3040.4 ARDU	AFHR		XXxxXXxxXXxxXXxxXXxx 18MAR04 21:55 XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	BS CO				

ARDEXUY300888 11DEC03 00:35	COMPLETED XXxxXXxx	18MAR04 22:08 XXxxXXxxXXxxXXxxXXxx	3040.4 ARDU	AFHR		XXxxXXxxXXxxXXxxXXxx 18MAR04 22:08 XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	BS CO				

REMOVALS/INSTALLATIONS FOR ARDEXUY300888

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	DE3177 MBEU50086	A23T	A1UIY00 11DEC03 00:36	00 ARDEXUY301500				

A1EXXUY601667 20APR06 22:49	COMPLETED XXxxXXxx	20APR06 22:52 XXxxXXxxXXxxXXxxXXxx	3392.7 AIE	AFHR		XXxxXXxxXXxxXXxxXXxx 20APR06 22:52 XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	BSCO				

A1EXXUY801052 28MAR08 00:19 28MAR08 00:19	COMPLETED XXxxXXxx XXxxXXxx	29APR08 02:13 XXxxXXxxXXxxXXxxXXxx XXxxXXxxXXxxXXxxXXxx	3671.7 AIE AIE	AFHR		XXxxXXxxXXxxXXxxXXxx 29APR08 02:13 XXxxXXxxXXxxXXxxXXxx
		OH FIRING PIN-CONTROL at WAC 0740	due on Serial DE3177			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04041  
08JAN20  
23:16:15

SERIAL/TAIL NO : DE3177  
PART NO : MBEU64438 ~U1604  
ENGINEERING NAME : VALVE COMMAND CONT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: OH C/O

A1EXXU1001357	COMPLETED	24MAY10 03:11	4266.9	AFHR	T+TS+II	XXxxXXxxXXxxXXxxXXxx
28MAR10 21:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			24MAY10 03:11
28MAR10 21:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial DE3177				24MAY10 03:11
		FIRING PIN-CONTROL at WAC 0740				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-012				24MAY10 03:11

Maint Acts: BS C/O SERV REF SNOW 802853

A1EXXU1201755	COMPLETED	23MAY12 05:18	4846.1	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
02MAY12 03:55	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
02MAY12 03:55	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			23MAY12 05:18
		BS due on Serial DE3177				XXxxXXxxXXxxXXxxXXxx
		FIRING PIN-CONTROL at WAC 0740				
		TRANSFERRED FROM A23-012				

Maint Acts: BS C/O SERV REF SNOW 1201755

A1EXXU1401299	COMPLETED	09OCT14 05:04	5439.2	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
24FEB14 22:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
24FEB14 22:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			09OCT14 05:04
		OH due on Serial DE3177				XXxxXXxxXXxxXXxxXXxx
		FIRING PIN-CONTROL at WAC 0740				
		TRANSFERRED FROM A23-012				

Maint Acts: OH C/O SERV REF SNOW 1202837

A1EXXU1605692	COMPLETED	09NOV16 22:05	5881.0	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
22SEP16 04:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
22SEP16 04:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			09NOV16 22:05
		BS due on Serial DE3177				XXxxXXxxXXxxXXxxXXxx
		FIRING PIN-CONTROL at WAC 0740				
		TRANSFERRED FROM A23-020				

Maint Acts: SERV FIRING PIN CONTROL FITTED REF SNOW 1406420 MCS ARM 54/16

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : DE3177 PERIOD: 01JAN90 TO 08JAN20  
PART NO : MBEU64438 ~U1604  
ENGINEERING NAME : VALVE COMMAND CONT  
VENUE : A23DISP LOCATION : A23-033  
REMOVALS/INSTALLATIONS FOR A1EXXU1605692

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	DE3177	A23T	A1UIY00	00	DE3177	A23T	A1UIY00	00
MBEU50086	23SEP16 00:56	A1EXXJ1202833	MBEU50086	09NOV16 22:04				

A1EXXU1900516 COMPLETED 19FEB19 05:31 6484.8 AFHR SCT  
 07FEB19 04:49 XXXXX  
 07FEB19 04:49 XXXXX

BS due on Serial DE3177  
FIRING PIN-CONTROL at WAC 0740

N  
Maint Acts: FIRING PIN-CONTROL FITTED SERV REF SNOW 1610729 AIE MCS 10/19

REMOVALS/INSTALLATIONS FOR A1EXXU1900516

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	DE3177	A23T	A1UIY00	00	DE3177	A23T	A1UIY00	00
MBEU50086	07FEB19 04:50	A1EXXJ1610728	MBEU50086	19FEB19 05:29				

MMI JOBS-----  
 JOB NUMBER STATUS RAISED DATE/TIME RAISED USER ID RAISED NAME RAISED VENUE CERT VENUE EPSS  
 DEFECT REF STATUS DATE/TIME ENTERED DATE/TIME ENTERED USER ID ENTERED NAME ENTERED VENUE LIFE SINCE NEW  
 REASON FOR REPORT WHEN FAILURE DISCOVERED SYMPTOMS  
 MAINT PROCESS UNSERVICEABILITY UNSERVICEABILITY DETAILS  
 FAULT FOUND MAINTENANCE ACTION TAKEN MAINTENANCE COMMENT  
 -----

ARDUPJCA00239 C COMPLETED 21JAN02 00:00 XXXXX ARDUPEA 0.0  
 02 BAY SERVICE DUE

Unserviceability Details:  
Maintenance Comments:

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04043  
08JAN20  
23:16:15

SERIAL/TAIL NO : DE3177  
PART NO : MBEU64438 ~U1604  
ENGINEERING NAME : VALVE COMMAND CONT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

ARDUXJY301470 C COMPLETED 10DEC03 00:40 XXxxXXxx XXxxXXxxXXxxXXxxXXxx ARDU ARDU  
10DEC03 00:43 3040.4 AFHR  
13 REMOVED FOR ACCESS 99 NO FAILURE CDBU AND CCV RFA

01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: SERV

ARDUPJ302241X C COMPLETED 11DEC03 00:33 XXxxXXxx XXxxXXxxXXxxXXxxXXxx ARDU AIE  
18MAR04 21:59 3040.4 AFHR  
02 BAY SERVICE DUE BS due on Serial  
VALVE COMMAND CONT at WAC 0740

01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: BS CO

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			21JAN04
SM	BS	2.0	ELPYR			21JAN04

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1EXXJY401850 C COMPLETED 21MAR06 09:51 XXxxXXxx XXxxXXxxXXxxXXxxXXxx ARDU AIE  
20APR06 22:48 3392.7 AFHR  
02 BAY SERVICE DUE BS due on Serial DE3177  
VALVE COMMAND CONT at WAC 0740

01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: BSCO

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04044  
08JAN20  
23:16:15

SERIAL/TAIL NO : DE3177 PERIOD: 01JAN90 TO 08JAN20  
PART NO : MBEU64438 ~U1604  
ENGINEERING NAME : VALVE COMMAND CONT  
VENUE : A23DISP LOCATION : A23-033

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			18MAR06
SM	BS	2.0	ELPYR			18MAR06

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

1A1EXXJY602711 C COMPLETED 17JAN08 04:54 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU AIE  
29APR08 02:14 17JAN08 04:52 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU 3671.7 AFHR  
02 BAY SERVICE DUE BS due on Serial DE3177  
VALVE COMMAND CONT at WAC 0740  
01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: C/O

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			19APR08
SM	BS	2.0	ELPYR			19APR08

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

1A1EXXJY802853 C COMPLETED 28MAR10 21:36 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
24MAY10 03:10 28MAR10 21:26 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 4266.9 AFHR  
02 BAY SERVICE DUE BS due on Serial DE3177  
VALVE COMMAND CONT at WAC 0740  
01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: BS C/O SERV REF SNOW 802853

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			29APR10

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04045  
08JAN20  
23:16:15

SERIAL/TAIL NO : DE3177 PERIOD: 01JAN90 TO 08JAN20  
PART NO : MBEU64438 ~U1604  
ENGINEERING NAME : VALVE COMMAND CONT  
VENUE : A23DISP LOCATION : A23-033

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			29APR10

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

1AEXXJ1002901 C COMPLETED 23MAY12 05:19 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
23MAY12 05:50 02MAY12 03:49 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 4846.1 AFHR  
02 BAY SERVICE DUE BS due on Serial DE3177  
VALVE COMMAND CONT at WAC 0740  
01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: BS C/O SERV REF SNOW 1201755

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			23MAY12
SM	BS	2.0	ELPYR			23MAY12

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

1AEXXJ1202837 C COMPLETED 24FEB14 22:42 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
09OCT14 05:05 24FEB14 22:38 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 5439.2 AFHR  
02 BAY SERVICE DUE BS due on Serial DE3177  
VALVE COMMAND CONT at WAC 0740  
01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: BS C/O SERV REF SNOW 1202837

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			23MAY14
SM	BS	2.0	ELPYR			23MAY14

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04046  
08JAN20  
23:16:15

SERIAL/TAIL NO : DE3177 PERIOD: 01JAN90 TO 08JAN20  
PART NO : MBEU64438 ~U1604  
ENGINEERING NAME : VALVE COMMAND CONT  
VENUE : A23DISP LOCATION : A23-033

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
---------------	---------------	----------	---------------	--------------	----------------	----------

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJ1406420	C COMPLETED	22SEP16 04:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	09NOV16 22:04	22SEP16 04:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	5881.0	AFHR
02 BAY SERVICE DUE				BS	due on Serial DE3177		
					VALVE COMMAND CONT at WAC 0740		
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:			BS C/O SERV REF SNOW 1406420 MCS ARM 54/16		

SM	BS	2.0	ELPYR			08OCT16
SM	BS	2.0	ELPYR			08OCT16

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

4SQNXJ1800859	C COMPLETED	29MAY18 05:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	4SQN	
	29MAY18 05:14	29MAY18 05:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	6314.5	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE		TA	due on Serial 2016L868C		
					SET CART COMMAND at WAC 0700		
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:			CHECK/TEST SERV		

4SQNXJ1801664	C COMPLETED	12NOV18 03:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	4SQN	
	12NOV18 03:43	12NOV18 03:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	6484.8	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE			REAR EJECTION SEAT S/NO: 040 TO BE REMOVED FOR BS		
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:					

For-Official-Use-Only



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04047  
08JAN20  
23:16:15

SERIAL/TAIL NO : DE3177 PERIOD: 01JAN90 TO 08JAN20  
PART NO : MBEU64438 ~U1604  
ENGINEERING NAME : VALVE COMMAND CONT  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

Maintenance Comments: CHECK/TEST SERV

A1EXXJ1610729 C COMPLETED 15NOV18 00:23 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN AIE  
19FEB19 05:29 15NOV18 00:23 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 6484.8 AFHR  
02 BAY SERVICE DUE BS due on Serial DE3177  
VALVE COMMAND CONT at WAC 0740

01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: BAY SERVICE CARRIED OUT SERV REF SNOW 1610729 AIE MCS 10/19

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			09NOV18
SM	BS	2.0	ELPYR			09NOV18

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A23DSJ1900612 C COMPLETED 12SEP19 03:34 XXxxXXxx XXxxXXxxXXxxXXxx A23DISP A23DISP  
12SEP19 03:34 12SEP19 03:34 XXxxXXxx XXxxXXxxXXxxXXxx A23DISP 6739.9 AFHR  
13 REMOVED FOR ACCESS 99 NO FAILURE COMMAND CART SET, CCV AND CDBU REMOVED TO SERVICE A23-033

01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : E1262963 LITERAL SERIAL NO : E1262963 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : GQ06916 ~K6967  
 ENGINEERING NAME : CANOPY PARACHUTE  
 VENUE : A23DISP LOCATION : A23-033  
 CURRENT CONDITION : S/I LIFE SINCE NEW : 406.9 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		

10SEP18 04:06	E1262963	GQ06916	A23T	A1WBA00	00
aip01963	AIP	ALS	PC9	A1PXXR1801116	
P. GREEN		31MAR17	17		

0.0 AFHR

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : E1262963 LITERAL SERIAL NO : E1262963 PERIOD: 01JAN90 TO 08JAN20  
PART NO : GQ06916 ~K6967  
ENGINEERING NAME : CANOPY PARACHUTE  
VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
02SEP18 00:10	Asset Installation	520.0	A23T	A1WBA00	00	
	0.0 AFHR		MB9843-SET1	MB9843-SET1		A23T A26BA00
	Change Serviceability Stat	520.0	SERV			XXXXXXxx
	Change Location of an Asse	520.0	S/I		PC9	
			ALS			
			ALS			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : E1262995 LITERAL SERIAL NO : E1262995 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : GQ06916 ~K6967  
 ENGINEERING NAME : CANOPY PARACHUTE  
 VENUE : A23DISP LOCATION : A23-033  
 CURRENT CONDITION : S/I LIFE SINCE NEW : 406.9 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
10SEP18 04:04	E1262995	GQ06916	A23T	A1WBA00	00
aip01963	AIP	ALS	PC9	A1PXXR1801115	
P. GREEN		30APR17	17		
	0.0 AFHR				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : E1262995 LITERAL SERIAL NO : E1262995 PERIOD: 01JAN90 TO 08JAN20  
PART NO : GQ06916 ~K6967  
ENGINEERING NAME : CANOPY PARACHUTE  
VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
02SEP18 00:50	Asset Installation	490.0	A23T	A1WBA00	00	
	0.0 AFHR		MB10274-SET1	MB10274-SET1		A23T A1WBA00
	Change Serviceability Stat	490.0	SERV			XXXXXXXX
	Change Location of an Asse	490.0	S/I			
			ALS	PC9		
			ALS			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04052  
08JAN20  
23:16:15

SERIAL/TAIL NO : EA1400083  
PART NO : 308 9946 204 ~D8034  
ENGINEERING NAME : TEMP SENSOR  
VENUE : A23DISP  
CURRENT CONDITION : S/I  
LOCATION : A23-033  
LIFE SINCE NEW : 893.5 AFHR  
PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	DATE NEW	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	HA PART	DATE UNPACKED		
09APR14 00:05	EA1400083	308 9946 204	~D8034 A23T	ALUOA00	00
rayth61	ARDU	MCS		ARDUXR1400053	
R. BROOME		09APR14			
	0.0 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04053  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : EA1400083  
 PART NO : 308 9946 204  
 ENGINEERING NAME : TEMP SENSOR  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~D8034

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
09APR14 00:05	Reception History Record	0.0	Reception MCS	
	0.0 AFHR		MCS	XXxxXXxx
09APR14 00:09	Asset Installation	0.0	A23T 0045 A1UOA00 A23-007	A23T A1UOA00 00AC
	0.0 AFHR			XXxxXXxx
	Change Serviceability Stat	0.0	SERV S/I	
	Change Location of an Asse	0.0	MCS A23-007	
17MAR15 20:50	Change Serviceability Stat	1.7	S/I US/I	
	224.5 AFHR		ARDUXJ1400856	XXxxXXxx
01APR15 00:44	Change Serviceability Stat	14.1	US/I S/I	
	224.5 AFHR			XXxxXXxx
05JUL16 00:46	Position Change	818.0	A23T A1UOA00 A23T A1UOA00	00 00
	417.4 AFHR		A1EXXX1602597	XXxxXXxx
07JAN19 02:30	Change Serviceability Stat	27.0	S/I US/I	
	756.5 AFHR		A1EXXJ1501781	XXxxXXxx
01MAR19 01:00	Change Serviceability Stat	52.9	US/I S/I	
	756.5 AFHR			XXxxXXxx

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
ARDUXJ1400856	C COMPLETED	17MAR15 21:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	01APR15 00:44	17MAR15 20:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	224.5	AFHR
05 SCHED FUNCTION CHECK/TEST				FT	due on	Serial EA1400083	
01 NO FAULT	04 CHECK/TEST SERV			TEMPERATURE SENSOR	at WAC 0660		
	Unserviceability Details:			Maintenance Comments:	FUNCTIONAL TEST CO IAW AAP7414.030-3M		

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04054  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : EA1400083  
 PART NO : 308 9946 204 ~D8034  
 ENGINEERING NAME : TEMP SENSOR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	FT	4.0	ELPYR			
SM	FT	4.0	ELPYR			

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				
A1EXXJ1501781	C COMPLETED	07JAN19 02:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		NONC2CONT	
	01MAR19 01:00	07JAN19 02:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		756.5 AFHR	
05 SCHED FUNCTION CHECK/TEST				FT	due on Serial EA1400083		
				TEMPERATURE SENSOR at WAC 0660			
01 NO FAULT		04 CHECK/TEST SERV					

Unserviceability Details:  
 Maintenance Comments:

TEMP SENSOR S/NO EA1400083 FUNCTIONAL TEST CARRIED OUT IAW AAP  
 7414.030-3M REF WORK SHEET LSN AIP MCS 012/19 @ AIP BATT SHOP

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	FT	4.0	ELPYR			31MAR19
SM	FT	4.0	ELPYR			31MAR19



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04055  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : FYH164750  
 PART NO : 4035 H2  
 ENGINEERING NAME : ACTUATOR HYD NLG  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

LOCATION : A23-033  
 LIFE SINCE NEW : 7681.6 AFHR

~K0659

PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
29AUG03	15:27	Maintenance	Comment	0.0 AFHR	0.2	21Nov97	A23-018	05.0 21693.2	0.0 AFHR IN AS A23T 1126-00-00-A
29AUG03	15:31	Maintenance	Comment	0.0 AFHR	0.2	23Nov87	NEW - YH164750 4035 H2		1126-00-00-A
29AUG03	15:32	Maintenance	Comment	0.0 AFHR	0.2	29Jul03	A23-018 05.00	23978.2	0.0 AFHR 01-FAILED LG32051
29AUG03	15:33	Maintenance	Comment	0.0 AFHR	0.2	2FTREP	WFD: 09-R2		US: 09-LEAKING
29AUG03	15:34	Maintenance	Comment	0.0 AFHR	0.2	INTERNAL SEAL FAILURE			XXXXXXXXXX
29AUG03	15:35	Maintenance	Comment	0.0 AFHR	0.2	23Apr98	A23-018 05.0	21862.4	0.0 AFHR UPDATED LIFE (MPMI)
29AUG03	15:35	Maintenance	Comment	0.0 AFHR	0.2	30Jul03	DISPATCHED TO PEAXCON		XXXXXXXXXX
29AUG03	15:41	Maintenance	Comment	0.0 AFHR	0.3	29Aug03	LG32051 00.	23978.2 AFHR	TX TO CAMM2
29AUG03	15:42	Maintenance	Comment	0.0 AFHR	0.3	11Sep97	XLOC 00.	21693.2	0.0 AFHR RECEPTION (MIRE)
29AUG03	15:42	Maintenance	Comment	0.0 AFHR	0.3	25Aug97	REPAIR CARRIED OUT BY DHG		XXXXXXXXXX
29AUG03	15:42	Maintenance	Comment	0.0 AFHR	0.3	09Oct02	STI-PC9-0167		STI STATUS NOW NA
11MAY04	08:00	Change	Serviceability Stat	23978.2 AFHR	2363.3	U/S			XXXXXXXXXX
09AUG04	08:14	Change	Serial Number of an	23978.2 AFHR	345.9	YH164750			XXXXXXXXXX
						FYH164750			
						A1PXXXY420141			XXXXXXXXXX

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04056  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : FYH164750  
 PART NO : 4035 H2  
 ENGINEERING NAME : ACTUATOR HYD NLG  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~K0659

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
16NOV04 09:53	Asset Installation	445.0	A23T AII A23-034 A23-034	00 A23T AII 00AC
	23978.2 AFHR Change Serviceability Stat	189.0	SERV S/I	XXXXXXxx
	Change Location of an Asse	440.4	EXTERNAL A23-034	
27MAY10 06:19	Position Change	2017.8	A23T AII A23T AII	00 00
	25430.3 AFHR		A1PXXX1005443	XXXXXXxx
23NOV16 22:54	Maintenance Comment	0.0	LIF LDG	CHANGED - OLD VALUE= 50000.0 NEW VALUE= 16432.0
	27422.4 AFHR			XXXXXXxx
01DEC16 05:40	Asset Removal	4397.8	A23-034 A23T AII	A23-034 A23T AII 00A
	27422.4 AFHR Change Serviceability Stat	16.0	S/I U/S	XXXXXXxx
	Change Location of an Asse	204.0	A23-034 STORES	
23FEB17 05:26	Change Venue of an Asset	4922.2	AIP NONC2CONT	
	27422.4 AFHR Change Location of an Asse	83.9	A1PXXX1702788 STORES	XXXXXXxx
			HOLD	
08DEC17 02:36	Maintenance Comment	0.0	LIF AFHR	CHANGED - OLD VALUE= 27422.4 NEW VALUE= 7422.4
	27422.4 AFHR			XXXXXXxx
08DEC17 02:37	Maintenance Comment	0.0	REMOVED 20K HRS. ASSET RECIEVED WITH 20K AFHRS	
	7422.4 AFHR		NONC2X1713288	XXXXXXxx
14JAN19 00:30	Change Serviceability Stat	773.7	U/S SERV	
	7422.4 AFHR			XXXXXXxx
23JAN19 07:48	Change Venue of an Asset	699.0	NONC2CONT AIP	
	7422.4 AFHR Change Location of an Asse	699.0	NONC2X1900455 HOLD	XXXXXXxx
			STORES	MMI

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04057  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : FYH164750  
 PART NO : 4035 H2 ~K0659  
 ENGINEERING NAME : ACTUATOR HYD NLG  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
14FEB19 06:17	Asset Installation	805.0	A23T AII A23-033	00 A23T AII 00AC
	7422.4 AFHR Change Serviceability Stat	31.2	SERV S/I	XXxxXXxx
	Change Location of an Asse	21.9	STORES A23-033	MMI

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS		UNSERVICEABILITY DETAILS			
MAINT PROCESS	UNSERVICEABILITY	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					
LG32051XXXXXX	C COMPLETED	29JUL03 09:01	XXxxXXxx		PEA	AIP	0.0
01 UNSERVICEABLE	09 R2 SERVICING						
	09 LEAKING						
02 MECHANICAL COMPONENT FAIL	02 REPAIR						
	Unserviceability Details:	INTERNAL SEAL FAILURE					
	Maintenance Comments:	11MAY04 REPAIRED AT PACIFIC TURBINE PERTH					
A1PXXJ1625321	C COMPLETED	01DEC16 05:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	NONC2CONT	
	14JAN19 00:30	01DEC16 05:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	27422.4 AFHR	
01 UNSERVICEABLE	09 R2 SERVICING						
	09 LEAKING						
15 EXPECTED DETERIORATION	02 REPAIR						
	Unserviceability Details:	HYD LEAKING FROM THE WEEP HOLE.					
	Maintenance Comments:	REPAIRED - INTERNAL SEALS REPLACED IAW AAP 7272.654-3M REF LSN HEN/031/2018 REF AIRFLITE ARC NO HHYD1145 DATED 14AN19 AUTH P MEIER @ AIP HYD SHOP HEND					

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : FYH164750  
PART NO : 4035 H2 ~K0659  
ENGINEERING NAME : ACTUATOR HYD NLG  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

STI STATUS CHANGE -----

STI NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
STI-PC9-0167	Y	09OCT02 00:00	N/A			

MAINTENANCE POLICY HISTORY -----

POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	USER ID
23JAN19 07:55	SM DLD Changed From: 23NOV1987	FT To: 14JAN2019	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 04059  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : FYH166970  
 PART NO : 4033 H2  
 ENGINEERING NAME : ACTUATOR HYD MLG  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

~K0659

LOCATION : A23-033  
 LIFE SINCE NEW : 6800.7 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T CHANGE TYPE		LIFE SINCE NEW		SPAN(DYS) FROM		TO (OPTIONAL)		TRANS REFERENCE		USER	
=====		=====		=====		=====		=====		=====	
31AUG03	21:14	Maintenance Comment	0.0	AFHR	2.5	19Jun01	A23-014	10.50	3493.5	0.0	AFHR 01-FAILED LC17185
											XXxxXXxx
31AUG03	21:14	Maintenance Comment	0.0	AFHR	2.5	21Jun01	DISPATCHED TO PEAXCON				XXxxXXxx
											XXxxXXxx
31AUG03	21:14	Maintenance Comment	0.0	AFHR	2.5	17Jul01	REPAIRED AND TESTED BY PTP				XXxxXXxx
											XXxxXXxx
31AUG03	21:21	Maintenance Comment	0.0	AFHR	2.5	30Sep98	A23-014	10.5	2496.1	0.0	AFHR IN AS A23T 1152-00-00-E
											XXxxXXxx
31AUG03	21:22	Maintenance Comment	0.0	AFHR	2.5	29Aug03	A23-048	09.50	3869.7	AFHR	TX TO CMM2
											XXxxXXxx
31AUG03	21:24	Maintenance Comment	0.0	AFHR	2.5	14Apr98	2FTMMIST 00.		2496.1	0.0	AFHR UPDATED LIFE (MILX)
											XXxxXXxx
31AUG03	21:24	Maintenance Comment	0.0	AFHR	2.5	12Jan98	REPAIR CARRIED OUT BY DHG				XXxxXXxx
											XXxxXXxx
31AUG03	21:28	Maintenance Comment	0.0	AFHR	2.5	01Aug88	NEW - 166970		4033 H2		1152-00-00-E
											XXxxXXxx
31AUG03	21:29	Maintenance Comment	0.0	AFHR	2.5	06Aug02	A23-048	09.50	3493.5	0.0	AFHR IN AS A23T 1152-00-00-E
											XXxxXXxx
31AUG03	21:31	Maintenance Comment	0.0	AFHR	2.5	2FTREP			WFD: 09-R2		US: 09-LEAKING
											XXxxXXxx
31AUG03	21:31	Maintenance Comment	0.0	AFHR	2.5						LEAKING
											XXxxXXxx
31AUG03	21:31	Maintenance Comment	0.0	AFHR	2.5	17Jul01	PEAXCON		FF: 02-MECHFAIL		MA: 02-REPAIR
											XXxxXXxx
31AUG03	21:31	Maintenance Comment	0.0	AFHR	2.5	22Jan02	2FTMMIST 00.		3493.5	0.0	AFHR UPDATED LIFE (JOBX)
											XXxxXXxx
31AUG03	21:36	Maintenance Comment	0.0	AFHR	2.5	23Apr98	2FTMMIST 00.		2496.1	0.0	AFHR UPDATED LIFE (MPMI)
											XXxxXXxx
31AUG03	21:36	Maintenance Comment	0.0	AFHR	2.5	09Oct02	STI-PC9-0167				STI STATUS NOW NA
											XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04060  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : FYH166970  
 PART NO : 4033 H2  
 ENGINEERING NAME : ACTUATOR HYD MLG  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~K0659

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
16FEB09 12:56	Asset Removal	1998.1	113 A23T A2KBM A23-048 00	A23T A2KBM 00A
	5765.1 AFHR Change Serviceability Stat	0.5	S/I U/S	XXXXXXxx
	Change Location of an Asse	xxxx	A23-048	
19FEB09 22:48	Change Serial Number of an	2001.6	INTMH 166970 FYH166970	
	5765.1 AFHR Change Venue of an Asset	2001.6	A1PXXXY901952	XXXXXXxx
20FEB09 00:04	Change Venue of an Asset	2001.6	AIP NONC2CONT	
	5765.1 AFHR Change Location of an Asse	3.4	A1PXXXY901963	XXXXXXxx
	Change Location of an Asse	3.4	INTMH	
19AUG10 08:00	Change Venue of an Asset	545.3	HOLD NONC2CONT	
	5765.1 AFHR Change Location of an Asse	545.3	AIE NONC2X1102888	XXXXXXxx
19AUG10 08:30	Change Serviceability Stat	548.8	HOLD EQUIP_STORE	
	5765.1 AFHR Asset Installation	770.5	U/S SERV	XXXXXXxx
29MAR11 01:54	Asset Installation	770.5	A23T A2KBM A23-027 00	A23T A2KBO 00AC
	5765.1 AFHR Change Serviceability Stat	221.7	147 SERV	XXXXXXxx
	Change Location of an Asse	221.7	S/I EQUIP_STORE	
08FEB15 23:26	Asset Removal	1412.8	A23-027 147	A23T A2KBO 00M
	6029.8 AFHR Change Serviceability Stat	66.8	A23T A2KBO 00	XXXXXXxx
	Change Serviceability Stat	66.8	S/I U/S	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04061  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : FYH166970  
 PART NO : 4033 H2  
 ENGINEERING NAME : ACTUATOR HYD MLG  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~K0659

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
08FEB15 23:27	Change Serviceability Stat	0.0	U/S SERV	
03MAR15 22:06	Asset Installation	22.9	A23T 147 A2KBO 147 00	XXxxXXxx
	Change Serviceability Stat	22.9	SERV S/I LIF LDG	A23T A2KBO 00MMI
15NOV16 03:02	Maintenance Comment	0.0	CHANGED - OLD VALUE= 50077.0 NEW VALUE= 14100.0	XXxxXXxx
30JAN17 03:43	Asset Removal	698.2	147 A23-027 A23T A2KBO 00	A23T A2KBO 00A
	Change Serviceability Stat	94.9	S/I U/S A23-027	XXxxXXxx
31JAN17 03:31	Change Venue of an Asset	1169.0	EQUIP_STORE AIE NONC2CONT	
	Change Location of an Asse	0.9	A1EXXX1700294 EQUIP_STORE	XXxxXXxx
17APR18 04:00	Change Serviceability Stat	442.0	HOLD U/S SERV	
17MAY18 05:14	Change Venue of an Asset	471.0	NONC2CONT AIP	XXxxXXxx
	Change Location of an Asse	471.0	NONC2X1805019 HOLD STORES	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04062  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : FYH166970  
 PART NO : 4033 H2 ~K0659  
 ENGINEERING NAME : ACTUATOR HYD MLG  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
22MAY18 04:59	Asset Installation	477.0	A23T 027 A2KBO A23-033 00	A23T A2KBM 00AC
	6329.1 AFHR			XXxxXXxx
	Change Serviceability Stat	35.0	SERV S/I	
	Change Location of an Asse	4.9	STORES A23-033 MMI	

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS	UNSERVICEABILITY DETAILS				
MAINT PROCESS	UNSERVICEABILITY	MAINTENANCE COMMENT					
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					
A1PXXJY903296	C COMPLETED	16FEB09 12:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	NONC2CONT	
	19AUG10 08:30	16FEB09 12:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	5765.1 AFHR	
12 DAMAGED	04 AIRCREW B/F			LH MLG ACTUATOR LEAKING FROM PISTON SEAL END			
	09 LEAKING						
15 EXPECTED DETERIORATION	02 REPAIR						
	Unserviceability Details:	ACTUATOR LEAKING FROM PISTON SEAL					
	Maintenance Comments:	LEAKING AT GLAND END. REPLACE 1000/0 STIALS. UNIT TESTED PASS AND RETURNED SERVICEABLE IAW AAP 7272.653-3M ALO					
A1EXXJ1500677	C COMPLETED	08FEB15 23:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	08FEB15 23:27	08FEB15 23:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	6029.8 AFHR	
13 REMOVED FOR ACCESS	99 NO FAILURE			RH MLG ACTUATOR REMOVED FOR ACCESS			
01 NO FAULT	04 CHECK/TEST SERV						
	Unserviceability Details:	CHECK/TEST SERV					
	Maintenance Comments:	CHECK/TEST SERV					
A1EXXJ1700537	C COMPLETED	30JAN17 03:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	NONC2CONT	
	17APR18 04:00	30JAN17 03:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	6329.1 AFHR	
01 UNSERVICEABLE	09 R2 SERVICING			RH MLG ACTUATOR LEAKING			
	09 LEAKING						
15 EXPECTED DETERIORATION	02 REPAIR						
	Unserviceability Details:	RH MLG ACTUATOR LEAKING					
	Maintenance Comments:	REPAIRED - EARTH END AND INTERNAL SEALS REPLACED IAW AAP (Continued on next page.)					



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : FYH166970  
PART NO : 4033 H2 ~K0659 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : ACTUATOR HYD MLG  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

=====

(Continued from previous page.)  
7272.653-3M REF JSF/078/2015 REF AIRFLITE ARC NO HHYD1138 @  
AIRFLITE HYD SHOP

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : FYH166970  
PART NO : 4033 H2 ~K0659  
ENGINEERING NAME : ACTUATOR HYD MLG  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

STI STATUS CHANGE -----

STI NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
STI-PC9-0167	Y	09OCT02 00:00	N/A			

MAINTENANCE POLICY HISTORY -----

POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	USER ID
17MAY18 05:13	SM DLD Changed From: 01AUG1988	FT To: 14MAY2018	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04065  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : FYH177092  
 PART NO : 4041 H3  
 ENGINEERING NAME : ACT HYD AIRBRAKE  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 8331.5 AFHR  
 PERIOD: 01JAN90 TO 08JAN20  
 ~K0659

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
01SEP03	04:25	Maintenance Comment		0.0 AFHR	2.8	26Mar91 NEW - YH177092 4041 H3			1401-00-00-C XXXXXXxx
01SEP03	04:28	Maintenance Comment		0.0 AFHR	2.8	29Aug03 A23-054 06.30 4546.0 AFHR			TX TO CAMM2 XXXXXXxx
01SEP03	04:31	Maintenance Comment		0.0 AFHR	2.8	13Jun02 A23-054 06.30 4045.8			13-REMACCES LE24008 XXXXXXxx
01SEP03	04:34	Maintenance Comment		0.0 AFHR	2.8	23Apr98 A23-054 06.3 2558.2			0.0 AFHR UPDATED LIFE (MPMI) XXXXXXxx
01SEP03	04:35	Maintenance Comment		0.0 AFHR	2.8	11Nov91 A23-054 06.3 0.0			0.0 AFHR ^^^^^^RECEPTION XXXXXXxx
01SEP03	04:36	Maintenance Comment		0.0 AFHR	2.8	13Jun02 2FTINTMH FF: 01-NIL			MA: 04-CHK/TST XXXXXXxx
01SEP03	04:36	Maintenance Comment		0.0 AFHR	2.8	13Jun02 A23-054 06.30 4045.8			0.0 AFHR IN AS A23T 1401-00-00-C XXXXXXxx
06NOV07	04:48	Asset Removal		6075.3 AFHR	1529.8	118 118			A23T A2KBE 00M XXXXXXxx
06NOV07	04:49	Change Serviceability Stat		6075.3 AFHR	62.7	S/I U/S U/S SERV			XXXXXXxx
06NOV07	04:53	Asset Installation		6075.3 AFHR	0.0	A23T 045 045			A23T A2KBE 00MMI XXXXXXxx
		Change Serviceability Stat		6075.3 AFHR	0.0	SERV S/I HG121 JANDAKOT			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04066  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : FYH177092  
 PART NO : 4041 H3  
 ENGINEERING NAME : ACT HYD AIRBRAKE  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~K0659

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
LIFE SINCE NEW				
27NOV07 05:19	Asset Removal	21.0	045 A23T A2KBE A23-054 00	A23T A2KBE 00A
	6075.3 AFHR Change Serviceability Stat	21.0	S/I U/S	XXXXXXxx
	Change Location of an Asse	20.3	A23-054 HG121	
28NOV07 21:17	Change Serial Number of an	1552.5	YH177092 FYH177092	
	6075.3 AFHR Change Location of an Asse	1.7	A1PXXXY710969 HG121	XXXXXXxx
28NOV07 22:35	Change Location of an Asse	1.7	JANDAKOT	
19JUN08 07:05	Change Serviceability Stat	205.0	A1PXXXY710975 U/S SERV	XXXXXXxx
07JUL08 07:40	Change Venue of an Asset	1773.9	AIP NONC2CONT	XXXXXXxx
	6075.3 AFHR Change Location of an Asse	221.3	A1PXXXY806041 JANDAKOT	XXXXXXxx
11MAR09 23:06	Change Venue of an Asset	247.6	HOLD NONC2CONT	
	6075.3 AFHR Change Location of an Asse	247.6	AIP NONC2XY903106	XXXXXXxx
13MAR09 00:31	Asset Installation	471.8	HOLD MMIST A23T A2KBE A23-016 00	A23T A2KBE 00AC
	6075.3 AFHR Change Serviceability Stat	266.7	099 SERV S/I	XXXXXXxx
	Change Location of an Asse	1.0	MMIST A23-016	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04067  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : FYH177092 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 4041 H3 ~K0659  
 ENGINEERING NAME : ACT HYD AIRBRAKE  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
20FEB13 02:38	Asset Removal	1440.0	099 A23T A2KBE A23-016 00	A23T A2KBE 00A
	6757.8 AFHR Change Serviceability Stat	8.9	S/I U/S	XXXXXXxx
	Change Location of an Asse	313.8	A23-016 INTMH	
21FEB13 00:38	Change Venue of an Asset	1442.0	AIP NONC2CONT A1PXXX1301699	XXXXXXxx
	6757.8 AFHR Change Location of an Asse	0.9	INTMH HOLD U/S SERV	
03SEP13 00:10	Change Serviceability Stat	194.8		XXXXXXxx
	6757.8 AFHR Change Venue of an Asset	391.0	NONC2CONT AIP NONC2X1402643	XXXXXXxx
19MAR14 01:56	Maintenance Comment	0.0	REPAIRED ON 03SEP13 AND MOVED TO AIP	
	Change Location of an Asse	391.0	HOLD STORES	
02MAY14 02:37	Asset Installation	435.9	A23T A2KBE A23-033 00	A23T A2KBE 00AC
	6757.8 AFHR Change Serviceability Stat	241.1	027 SERV S/I STORES A23-033	XXXXXXxx
	Change Location of an Asse	44.0		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJY720245	C COMPLETED	06NOV07 04:48	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	06NOV07 04:49	06NOV07 04:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	6075.3	AFHR
	99 NO FAILURE			ACT HYD AIRBRAKE REMOVED FOR ACCESS			
01 NO FAULT	04 CHECK/TEST SERV						

Unserviceability Details:

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : FYH177092  
PART NO : 4041 H3 ~K0659 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : ACT HYD AIRBRAKE  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

Maintenance Comments: CHECK/TEST SERV

A1PXXJY721351	C COMPLETED	27NOV07 05:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	NONC2CONT	
	19JUN08 07:05	27NOV07 05:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	6075.3	AFHR
01 UNSERVICEABLE		05 TECHNICAL B/F		AIR BRAKE ACTUATOR LEAKING			
		02 MECHANICAL FAILURE					
15 EXPECTED DETERIORATION		02 REPAIR					

Unserviceability Details: LEAKING

Maintenance Comments: ACTUATOR RESEALED

A1PXXJ1302462	C COMPLETED	20FEB13 02:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	03SEP13 00:10	20FEB13 02:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	6757.8	AFHR
01 UNSERVICEABLE		09 R2 SERVICING		AIRBRAKE ACTUATOR, SN FYH177092, LEAKINF AT RAM END.			
		09 LEAKING					
15 EXPECTED DETERIORATION		02 REPAIR					

Unserviceability Details: RAM END LEAKAGE.

Maintenance Comments: INTERNAL SEALS REPLACED IAW AAP7272.660-3M REF COAM 4363/13

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : FYH191633 LITERAL SERIAL NO : YH191633 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 4037 H2 ~K0659  
ENGINEERING NAME : ACT HYD LDG DOOR  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 2768.7 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC	
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID		
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO		
	DEFAULT LIFS ENTERED AT RECEPTION	DATE UNPACKED				
20DEC04 02:22	YH191633	4037 H2	~K0659	A23T	A2KBI	00
aie1111	AIE	MCS			A1EXXRY400816	
R. COTTELL		06MAR97				
	0.0 AFHR					

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04070  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : FYH191633 LITERAL SERIAL NO : YH191633 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 4037 H2 ~K0659  
 ENGINEERING NAME : ACT HYD LDG DOOR  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
LIFE SINCE NEW				
20DEC04 02:22	Reception History Record	0.0	Reception MCS MCS	
	0.0 AFHR			XXxxXXxx
20DEC04 02:23	Change Serviceability Stat	0.0	SERV U/S	
	0.0 AFHR			XXxxXXxx
20DEC04 02:26	Maintenance Comment	0.0	SHELF LIFE T/X. A1EXXXY409611	XXxxXXxx
20DEC04 02:35	Change Venue of an Asset	0.1	AIE NONC2CONT A1EXXXY409612	XXxxXXxx
	0.0 AFHR			
	Change Location of an Asse	0.1	MCS HOLD U/S SERV	
18MAR05 08:00	Change Serviceability Stat	88.2		
	0.0 AFHR			XXxxXXxx
15APR05 02:51	Change Serial Number of an	116.1	YH191633 FYH191633 NONC2XY501466	XXxxXXxx
	0.0 AFHR			
15APR05 03:02	Change Venue of an Asset	116.0	NONC2CONT AIP NONC2XY501467	XXxxXXxx
	0.0 AFHR			
	Change Location of an Asse	116.0	HOLD MMIST SERV U/S	
09OCT06 00:19	Change Serviceability Stat	569.6		
	0.0 AFHR			XXxxXXxx
10OCT06 23:34	Change Location of an Asse	543.8	MMIST JANDAKOT A1PXXXY608207	XXxxXXxx
	0.0 AFHR			
20NOV06 11:40	Change Serviceability Stat	42.4	U/S SERV	
	0.0 AFHR			XXxxXXxx
29OCT07 06:10	Change Location of an Asse	383.2	JANDAKOT MMIST A1PXXXY709647	XXxxXXxx
	0.0 AFHR			



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

CAMM2  
 ASSET HISTORY

SERIAL/TAIL NO : FYH191633 LITERAL SERIAL NO : YH191633 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 4037 H2 ~K0659  
 ENGINEERING NAME : ACT HYD LDG DOOR  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
31OCT07	00:02	Asset Installation	1045.0	A23T 530	A2KBI A23-036	00 A23T A2KBI 00AC XXXXXXXX
		0.0 AFHR Change Serviceability Stat	344.5	SERV S/I		
		Change Location of an Asse	1.7	MMIST A23-036		
27MAY10	06:35	Position Change	939.2	A23T A23T	A2KBI A2KBI	00 00
		999.6 AFHR		A1PXXX1005448		XXXXXXXX
19JUN12	06:08	Asset Removal	1693.2	530 A23T	A2KBI A2KBI	A23T A2KBI 00A 00
		1494.2 AFHR Change Serviceability Stat	56.7	S/I U/S		XXXXXXXX
		Change Location of an Asse	1693.2	A23-036 INTMH		
20JUN12	05:45	Change Venue of an Asset	2623.1	AIP NONC2CONT		
		1494.2 AFHR Change Location of an Asse	0.9	A1PXXX1205910 INTMH		XXXXXXXX
15MAY14	01:45	Change Serviceability Stat	694.8	HOLD U/S		
		1494.2 AFHR		SERV		XXXXXXXX
10JUN14	05:33	Change Serviceability Stat	26.1	SERV U/S		
		1494.2 AFHR		A1PXXJ1009596		XXXXXXXX
10JUN14	05:34	Change Serviceability Stat	0.0	U/S SERV		
		1494.2 AFHR				XXXXXXXX

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04072  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : FYH191633 LITERAL SERIAL NO : YH191633 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 4037 H2 ~K0659  
 ENGINEERING NAME : ACT HYD LDG DOOR  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
10JUN14 05:34	Change Venue of an Asset	719.9	NONC2CONT AIP NONC2X1405976	XXXXXXxx
	1494.2 AFHR Maintenance Comment	0.0	REPAIRED ON 15MAY14 AND MOVED TO AIP	
	Change Location of an Asse	719.9	HOLD STORES	
29MAY15 02:37	Asset Installation	1073.8	A23T A2KBI 00 027 A23-033	A23T A2KBI 00AC XXXXXXxx
	1494.2 AFHR Change Serviceability Stat	352.8	SERV S/I	
	Change Location of an Asse	352.8	STORES A23-033	
30NOV16 14:21	Maintenance Comment 2138.3 AFHR	0.0	LIF LDG CHANGED - OLD VALUE= 50309.0 NEW VALUE= 4765.0	XXXXXXxx

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1EXXJY409721	C COMPLETED	20DEC04 02:23	XXXXXXxx	XXXXXXxxXXXXXXxx	AIE	AIP	
16	PRE-INSTALLATION MAINT	18MAR05 08:00				0.0	AFHR
01	NO FAULT	04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		18MAR05 NEW SEALS FITTED AT PTP			
A1PXXJY616130	C COMPLETED	09OCT06 00:19	XXXXXXxx	XXXXXXxxXXXXXXxx	AIP	AIP	
	20NOV06 11:40	09OCT06 00:21	XXXXXXxx	XXXXXXxxXXXXXXxx	AIP	0.0	AFHR
01	UNSERVICEABLE	13 SPECIAL SERVICING		CHECK TEST SERV TBCO			
		12 CONTAMINATED					
10	CONTAMINATED	02 REPAIR					
		Unserviceability Details:		BAY SERV			
		Maintenance Comments:		20NOV06 BS C/O IAW AAP7272.657 BY PTP			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : FYH191633 LITERAL SERIAL NO : YH191633 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 4037 H2 ~K0659  
ENGINEERING NAME : ACT HYD LDG DOOR  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJ1208848	C COMPLETED	19JUN12 06:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	15MAY14 01:45	19JUN12 06:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	1494.2	AFHR
01 UNSERVICEABLE		09 R2 SERVICING		MLG INBOARD DOOR ACTUATOR LEAKING			
		09 LEAKING					
15 EXPECTED DETERIORATION		02 REPAIR					

Unserviceability Details: MLG INBOARD DOOR ACTUATOR LEAKING  
Maintenance Comments: INTERNAL SEALS REPLACED IAW AAP7272.657-3M REF JSF/025/14

A1PXXJ1009596	C COMPLETED	10JUN14 05:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	NONC2CONT	NONC2CONT	
	10JUN14 05:34	29MAY15 02:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	1494.2	AFHR
05 SCHED FUNCTION CHECK/TEST				FT due on Serial FYH191633			
				ACTUATOR MLG DOORS at WAC 0950			

01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: FUNC CHECK/TEST CLAIMED AS PART OF A1PXXJ1208848 - REPAIR C/O REFER: JSF/025/14.

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	FT	2.0	UINSYR			18JUN14
SM	FT	2.0	UINSYR			18JUN14

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

SERIAL/TAIL NO : FYH191633 LITERAL SERIAL NO : YH191633 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 4037 H2 ~K0659  
ENGINEERING NAME : ACT HYD LDG DOOR  
VENUE : A23DISP LOCATION : A23-033

MAINTENANCE POLICY HISTORY -----

POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	USER ID
29MAY15 02:27	SM	FT	XXxxXXxx
	DLD Changed From: 10JUN2014 To:		

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04075  
08JAN20  
23:16:15

SERIAL/TAIL NO : FYH192353  
PART NO : 960.10.01.101 ~S4080  
ENGINEERING NAME : ACTUATOR HYD MLG  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 3950.3 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	DATE NEW	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	HA PART	DATE UNPACKED		
10JAN06 05:56	FYH192353	960.10.01.101	~S4080 A23T	A2KBM	00
aip01711	AIP	MMIST		A1PXXRY600015	
L. WOODS		30MAY05			
	0.0 AFHR				

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 04076  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : FYH192353  
 PART NO : 960.10.01.101 ~S4080  
 ENGINEERING NAME : ACTUATOR HYD MLG  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
10JAN06 05:56	Reception History Record	0.0	Reception	MMIST	MCS	
01JUN06 00:28	Asset Installation	367.0	A23T	A2KBM	00	XXXXXXxx
	Change Serviceability Stat	142.0	SERV	S/I	027	XXXXXXxx
	Change Location of an Asse	142.0	MMIST	HG121		
30NOV16 14:30	Maintenance Comment	0.0	LIF LDG	CHANGED - OLD VALUE= 50309.0	NEW VALUE= 7400.0	XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 04077  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : GG477 LITERAL SERIAL NO : GG477 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : HC-D4N2A/D9512A ~24692  
 ENGINEERING NAME : PROPELLER ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 CURRENT CONDITION : S/I LIFE SINCE NEW : 3349.2 ENHR

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
			LIFE SINCE NEW					
30AUG03	14:33	Maintenance	Comment	1.2	NEXT OH1 DUE:	OLD = 3000.0 ENHR	NEW = 3500.0 ENHR	XXXXXXXXXX
		0.0	ENHR		CAMM LOG00010			XXXXXXXXXX
30AUG03	14:33	Maintenance	Comment	1.2	17Feb03 AIEEN	00. 716.8	716.8 ENHR	UPDATED LIFE (+MIOP)
		0.0	ENHR		CAMM LOG00015			XXXXXXXXXX
30AUG03	14:33	Maintenance	Comment	1.2	20Sep00	.0 ENHR	LST OH 3500.0 ENHR	NXT OH
		0.0	ENHR		CAMM LOG00022			XXXXXXXXXX
30AUG03	14:33	Maintenance	Comment	1.2	29Aug03 A23-064	01.10	882.7 ENHR	TX TO CAMM2
		0.0	ENHR		CAMM LOG00024			XXXXXXXXXX
30AUG03	14:34	Maintenance	Comment	1.2	04Feb03 A23-064	01.10	715.6	715.6 ENHR 13-REMACCES RC30572
		0.0	ENHR		CAMM LOG00012			XXXXXXXXXX
30AUG03	14:34	Maintenance	Comment	1.2	1.2 ENHR			XXXXXXXXXX
		0.0	ENHR		CAMM LOG00018			XXXXXXXXXX
30AUG03	14:35	Maintenance	Comment	1.2	20Sep00 ACA	00. 0.0	0.0 ENHR	OVERHAUL
		0.0	ENHR		CAMM LOG00003			XXXXXXXXXX
30AUG03	14:35	Maintenance	Comment	1.2	NEXT OH2 DUE:	OLD = 19SEP05 ELPYR	NEW = 19SEP06 ELPYR	XXXXXXXXXX
		0.0	ENHR		CAMM LOG00011			XXXXXXXXXX
30AUG03	14:35	Maintenance	Comment	1.2	ACOP 353681 DID NOT PROPAGATE TO STRUCTURE.			XXXXXXXXXX
		0.0	ENHR		CAMM LOG00017			XXXXXXXXXX
30AUG03	14:35	Maintenance	Comment	1.2	HUB CHANGE AT OVERHAUL. OFF- GG159, ON- GG477.			XXXXXXXXXX
		0.0	ENHR		CAMM LOG00005			XXXXXXXXXX
30AUG03	14:37	Maintenance	Comment	1.2	OH IAW AAP 7181.016-3M.			XXXXXXXXXX
		0.0	ENHR		CAMM LOG00004			XXXXXXXXXX
30AUG03	14:37	Maintenance	Comment	1.2	769 769 DAYS			XXXXXXXXXX
		0.0	ENHR		CAMM LOG00009			XXXXXXXXXX
30AUG03	14:37	Maintenance	Comment	1.2	879 879 DAYS			XXXXXXXXXX
		0.0	ENHR		CAMM LOG00016			XXXXXXXXXX
30AUG03	14:37	Maintenance	Comment	1.2	03Nov00 A23-064	01.10	0.0	0.0 ENHR IN AS A23T 1650-00-00-G
		0.0	ENHR		CAMM LOG00006			XXXXXXXXXX
30AUG03	14:39	Maintenance	Comment	1.2	19Feb03 A23-064	01.10	716.8	716.8 ENHR IN AS A23T 1650-00-00-G
		0.0	ENHR		CAMM LOG00019			XXXXXXXXXX
30AUG03	14:39	Maintenance	Comment	1.2	22 22 DAYS			XXXXXXXXXX
		0.0	ENHR		CAMM LOG00002			XXXXXXXXXX
30AUG03	14:40	Maintenance	Comment	1.2	20Sep00	ELPYR	LST OH 19SEP06 ELPYR	NXT OH
		0.0	ENHR		CAMM LOG00023			XXXXXXXXXX

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04078  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : GG477 LITERAL SERIAL NO : GG477 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : HC-D4N2A/D9512A ~24692  
 ENGINEERING NAME : PROPELLER ASSY  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN (DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
				LIFE	SINCE	NEW		
30AUG03	14:41	Maintenance	Comment	1.2	04Feb03	AIEEN	FF: 01-NIL	MA: 04-CHK/TST
		0.0	ENHR		CAMM LOG00014			XXXXXXXXXX
30AUG03	14:41	Maintenance	Comment	1.2	882	882 DAYS		XXXXXXXXXX
		0.0	ENHR		CAMM LOG00020			XXXXXXXXXX
30AUG03	14:42	Maintenance	Comment	1.2	12Oct00	XLOC 00.	0.0 0.0 0.0	ENHR RECEPTION (MIRE)
		0.0	ENHR		CAMM LOG00001			XXXXXXXXXX
30AUG03	14:42	Maintenance	Comment	1.2	874	874 DAYS		XXXXXXXXXX
		0.0	ENHR		CAMM LOG00013			XXXXXXXXXX
30AUG03	14:43	Maintenance	Comment	1.2	20Sep00	NEW - GG477	HC-D4N2A/D9512A	1650-00-00-G
		0.0	ENHR		CAMM LOG00021			XXXXXXXXXX
30AUG03	14:44	Maintenance	Comment	1.2	44	44 DAYS		XXXXXXXXXX
		0.0	ENHR		CAMM LOG00007			XXXXXXXXXX
30AUG03	14:44	Maintenance	Comment	1.2	30Oct02	A23-064	01.10 689.8 689.8	ENHR UPDATED LIFE (MPMI)
		0.0	ENHR		CAMM LOG00008			XXXXXXXXXX
22JAN04	05:11	Asset Removal		145.8	A23-064		A23-064	A23T A00 00A
		954.5	ENHR		A23T	A00	00	XXXXXXXXXX
		Change Serviceability Stat		2.2	S/I			
		Change Location of an Asse		xxxx	U/S	A23-064		
22JAN04	05:19	Change Serviceability Stat		0.0	ENGINE			
		954.5	ENHR		U/S			
		Change Serviceability Stat		11.8	SERV			XXXXXXXXXX
03FEB04	00:36	Asset Installation		11.8	A23T	A00	00	
		954.5	ENHR		A23-064		A23-064	A23T A00 0 A
		Change Serviceability Stat		11.8	SERV			XXXXXXXXXX
		Change Location of an Asse		11.8	S/I			
		Change Location of an Asse		11.8	ENGINE	A23-064		



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04079  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : GG477 LITERAL SERIAL NO : GG477 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : HC-D4N2A/D9512A ~24692  
 ENGINEERING NAME : PROPELLER ASSY  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
LIFE SINCE NEW		TRANS REFERENCE			
17JAN06 23:28	Asset Removal	714.9	A23-064 A23T	A23-064 A00	A23T A00 00A
	1547.7 ENHR Change Serviceability Stat	55.8	S/I U/S		XXXXXXxx
	Change Location of an Asse	714.9	A23-064 EQUIP_STORE		
30JAN06 00:24	Change Venue of an Asset	884.6	AIE NONC2CONT		XXXXXXxx
	1547.7 ENHR Change Location of an Asse	12.0	A1EXXXY600264 EQUIP_STORE		
20JUN06 00:30	Change Serviceability Stat	153.0	HOLD U/S		
	1547.7 ENHR Change Serviceability Stat	0.0	SERV U/S		XXXXXXxx
29JUN06 04:15	Change Venue of an Asset	150.1	AIEXXJ310666 NONC2CONT		XXXXXXxx
	1547.7 ENHR Change Location of an Asse	150.1	ARDU NONC2XY606241		XXXXXXxx
29JUN06 05:36	Change Location of an Asse	0.0	HOLD PC9-AIRCRAFT		
	1547.7 ENHR Change Location of an Asse	0.0	PC9-AIRCRAFT PC9-AVIONICS		XXXXXXxx
29JUN06 05:37	Change Location of an Asse	0.0	ARDUXXY603115 PC9-AVIONICS		
	1547.7 ENHR Change Serviceability Stat	9.2	PC9-AIRCRAFT ARDUXXY603116		XXXXXXxx
29JUN06 05:42	Change Serviceability Stat		U/S SERV		
	1547.7 ENHR				XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04080  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : GG477 LITERAL SERIAL NO : GG477 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : HC-D4N2A/D9512A ~24692  
 ENGINEERING NAME : PROPELLER ASSY  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
=====	=====	=====	=====	=====	=====	=====
29JUN06 05:46	Asset Installation	162.2	A23T	A00	00	
	1547.7 ENHR		A23-007	A23-007	00	A23T A00 XXXXXXxx
	Change Serviceability Stat	0.0	SERV			
	Change Location of an Asse	0.0	S/I			
			PC9-AIRCRAFT			
10DEC07 05:11	Asset Removal	528.9	A23-007	A23-007	00	A23T A00
	1759.9 ENHR		A23-007	A23-007	00	A23T A00
	Change Serviceability Stat	25.1	A23T	A00	00	XXXXXXxx
	Change Location of an Asse	25.1	S/I			
			U/S			
			A23-007			
16JAN08 22:38	Change Serviceability Stat	37.7	QUARANTINE			
	1759.9 ENHR		U/S			
	Change Serviceability Stat	38.7	SERV			XXXXXXxx
17JAN08 22:13	Asset Installation	38.7	A23T	A00	00	
	1759.9 ENHR		A23-007	A23-007	00	A23T A00
	Change Serviceability Stat	0.9	SERV			XXXXXXxx
	Change Location of an Asse	38.7	S/I			
			QUARANTINE			
28MAY09 02:55	Asset Removal	496.1	A23-007	A23-007	00	A23T A00
	2022.2 ENHR		A23-007	A23-007	00	A23T A00
	Change Serviceability Stat	27.8	A23T	A00	00	XXXXXXxx
	Change Location of an Asse	27.8	S/I			
			U/S			
			A23-007			
28MAY09 02:56	Change Serviceability Stat	0.0	ENGINE			
	2022.2 ENHR		U/S			
			SERV			XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04081  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : GG477 LITERAL SERIAL NO : GG477 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : HC-D4N2A/D9512A ~24692  
 ENGINEERING NAME : PROPELLER ASSY  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
11JUN09 04:06	Asset Installation	14.0	A23T A00 A23-007	00 A23T A00 00AC
	2022.2 ENHR Change Serviceability Stat	14.0	SERV S/I	XXXXXXXX
	Change Location of an Asse	14.0	ENGINE A23-007	
04MAR11 02:04	Asset Removal	630.9	A23-007 A23T A00	00 A23T A00 00A
	2427.3 ENHR Change Serviceability Stat	28.0	S/I U/S	XXXXXXXX
	Change Location of an Asse	223.9	A23-007 PC9-AIRCRAFT	
04MAR11 02:08	Change Serviceability Stat	0.0	U/S SERV	XXXXXXXX
21MAR11 05:59	Asset Installation	17.1	A23T A00 A23-007	00 A23T A00 00AC
	2427.3 ENHR Change Serviceability Stat	17.1	SERV S/I	XXXXXXXX
	Change Location of an Asse	17.1	PC9-AIRCRAFT A23-007	
21JUL11 05:39	Asset Removal	121.9	A23-007 A23T A00	00 A23T A00 00A
	2530.8 ENHR Change Serviceability Stat	14.0	S/I U/S	XXXXXXXX
	Change Location of an Asse	10.2	A23-007 ENGINE	
21JUL11 05:53	Change Serviceability Stat	0.0	U/S SERV	XXXXXXXX
	2530.8 ENHR			XXXXXXXX

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04082  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : GG477 LITERAL SERIAL NO : GG477 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : HC-D4N2A/D9512A ~24692  
 ENGINEERING NAME : PROPELLER ASSY  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
28JUL11 22:59	Asset Installation	7.7	A23T A00 A23-007	00 A23T A00 00AC
	2530.8 ENHR Change Serviceability Stat	7.7	SERV	XXXXXXxx
	Change Location of an Asse	7.7	S/I ENGINE A23-007	RSERV
27JUN12 01:50	Change Serviceability Stat	5.0	S/I US/I	
	2735.1 ENHR Asset Removal	334.1	ARDUXJY602052 A23-007	XXXXXXxx A23T A00 00A
	2735.1 ENHR Change Serviceability Stat	0.0	A23T A00	00 XXXXXXxx
	Change Location of an Asse	265.9	US/I U/S A23-007	
17JUL12 00:10	Change Venue of an Asset	285.9	MSI ARDU NONC2CONT	
	2735.1 ENHR Change Location of an Asse	19.9	ARDUXX1201837	XXXXXXxx
09AUG12 03:51	Change Serviceability Stat	43.0	MSI HOLD U/S SERV	
	2735.1 ENHR Change Venue of an Asset	510.3	NONC2CONT	XXXXXXxx
09DEC13 08:00	Change Venue of an Asset	510.3	AIE NONC2X1609084	XXXXXXxx
	2735.1 ENHR Change Location of an Asse	510.3	HOLD EQUIP_STORE	
15AUG16 02:15	Position Change	1510.0	A23T A00 A23T A00	00 00
	2735.1 ENHR		A1EXXX1603705	XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04083  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : GG477 LITERAL SERIAL NO : GG477 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : HC-D4N2A/D9512A ~24692  
 ENGINEERING NAME : PROPELLER ASSY  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
15AUG16 22:15	Asset Installation	1510.8	A23T A00 A23-012	00 A23T A00 00AC
	2735.1 ENHR Change Serviceability Stat	1467.7	SERV S/I EQUIP_STORE A23-012	XXXXXXxx
	Change Location of an Asse	980.5	A23-012	
02NOV17 02:02	Asset Removal	443.1	A23T A00 A23-012	00 A23T A00 00A
	3007.3 ENHR Change Serviceability Stat	127.8	S/I U/S A23-012	XXXXXXxx
	Change Location of an Asse	443.1	AIRFRAME U/S SERV	
02NOV17 02:03	Change Serviceability Stat	0.0	RSERV	
	3007.3 ENHR			XXXXXXxx
28NOV17 21:49	Asset Installation	26.8	A23T A00 A23-012	00 A23T A00 00AC
	3007.3 ENHR Change Serviceability Stat	26.8	SERV S/I AIRFRAME A23-012	XXXXXXxx
	Change Location of an Asse	26.8	RSERV	
14MAY18 01:42	Asset Removal	166.1	A23T A00 A23-012	00 A23T A00 00A
	3109.9 ENHR Change Serviceability Stat	6.8	S/I U/S A23-012	XXXXXXxx
	Change Location of an Asse	166.1	EQUIP_STORE U/S SERV	
14MAY18 01:44	Change Serviceability Stat	0.0		
	3109.9 ENHR			XXXXXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : GG477 LITERAL SERIAL NO : GG477 PERIOD: 01JAN90 TO 08JAN20  
PART NO : HC-D4N2A/D9512A ~24692  
ENGINEERING NAME : PROPELLER ASSY  
VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
11JUL18 04:45	Change Location of an Asse	58.1	EQUIP_STORE STI_MOD_REPORT A1EXXX1801709	XXxxXXxx
11JUL18 04:46	Change Location of an Asse	0.0	STI_MOD_REPORT EQUIP_STORE A1EXXX1801710	XXxxXXxx
11JUL18 22:54	Change Venue of an Asset	1675.6	AIE NONC2CONT A1EXXX1801716	XXxxXXxx
05MAR19 03:39	Change Location of an Asse	0.7	EQUIP_STORE HOLD NONC2CONT	XXxxXXxx
05MAR19 03:39	Change Venue of an Asset	236.1	AIP NONC2X1901514	XXxxXXxx
	Maintenance Comment	0.0	FOR A23-033	
05MAR19 04:55	Change Location of an Asse	236.1	HOLD OPMH	
05MAR19 04:55	Asset Installation	295.1	A23T A00 A23-033 A23-033 00	A23T A00 XXxxXXxx 00AC
	Change Serviceability Stat	295.1	SERV	
	Change Location of an Asse	0.0	S/I OPMH A23-033	

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1EXXUY600207	CANCELLED	24JAN06 03:18	1547.7	ENHR		
24JAN06 03:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			
		REMOVAL BOLTS FOR TA				XXxxXXxxXXxxXXxxXXxx
						24JAN06 03:18
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: ENTERED IN ERROR

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : GG477 LITERAL SERIAL NO : GG477 PERIOD: 01JAN90 TO 08JAN20  
PART NO : HC-D4N2A/D9512A ~24692  
ENGINEERING NAME : PROPELLER ASSY  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
ARDEXUY605004 20JUN06 00:30	CANCELLED XXxxXXxx	29JUN06 05:29 XXxxXXxxXXxxXXxxXXxx OH BLADE PROP NO.1	1547.7 ARDU	ENHR		XXxxXXxxXXxxXXxxXXxx 29JUN06 05:29
	Maint Acts:	ENTERED IN ERROR				
ARDEXUY605005 20JUN06 00:30	CANCELLED XXxxXXxx	29JUN06 05:29 XXxxXXxxXXxxXXxxXXxx OH BLADE PROP NO.2	1547.7 ARDU	ENHR		XXxxXXxxXXxxXXxxXXxx 29JUN06 05:29
	Maint Acts:	ENTERED IN ERROR				
ARDEXUY605006 20JUN06 00:30	CANCELLED XXxxXXxx	29JUN06 05:30 XXxxXXxxXXxxXXxxXXxx OH BLADE PROP NO.3	1547.7 ARDU	ENHR		XXxxXXxxXXxxXXxxXXxx 29JUN06 05:30
	Maint Acts:	ENTERED IN ERROR				
ARDEXUY605007 20JUN06 00:30	CANCELLED XXxxXXxx	29JUN06 05:30 XXxxXXxxXXxxXXxxXXxx OH BLADE PROP NO.4	1547.7 ARDU	ENHR		XXxxXXxxXXxxXXxxXXxx 29JUN06 05:30
	Maint Acts:	ENTERED IN ERROR				
A1EXXUY600208 24JAN06 03:30	COMPLETED XXxxXXxx	29JUN06 05:00 XXxxXXxxXXxxXXxxXXxx PROPELLER BOLTS REMOVED DUE TA	1547.7 AIE	ENHR		XXxxXXxxXXxxXXxxXXxx 29JUN06 04:58 XXxxXXxxXXxxXXxxXXxx 29JUN06 05:00 XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	PROPELLER BOLTS REPLACED WITH SERV ITEMS				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : GG477 LITERAL SERIAL NO : GG477 PERIOD: 01JAN90 TO 08JAN20  
PART NO : HC-D4N2A/D9512A ~24692  
ENGINEERING NAME : PROPELLER ASSY  
VENUE : A23DISP LOCATION : A23-033  
REMOVALS/INSTALLATIONS FOR A1EXXUY600208

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	GG477 B-3339-1	A23T	A00AK 24JAN06 03:33	00 A1EXXJY600319	EAY600040 B-3339-1	A23T	A00AK 29JUN06 04:51	00
002	A2364 D5210	A23T	A00AI 24JAN06 03:34	00 A1EXXJY600320	A2307 D5210	A23T	A00AI 29JUN06 04:57	00

ARDEXUY604998 COMPLETED 27JUN06 04:00 1547.7 ENHR  
20JUN06 00:30 XXXXX  
OH due on Serial H16638  
BLADE PROP NO.3 at WAC 011C  
Maint Acts: O/H CARRIED OUT BY TENIX AVIATION PTY LTD IAW AAP7181.016-3M AL8

ARDEXUY604999 COMPLETED 27JUN06 04:00 1547.7 ENHR  
20JUN06 00:30 XXXXX  
OH due on Serial H16628  
BLADE PROP NO.4 at WAC 011D  
Maint Acts: O/H CARRIED BY TENIX AVIATION IAW AAP7181.016-3M AL8

ARDEXUY605000 COMPLETED 27JUN06 04:00 1547.7 ENHR  
20JUN06 00:30 XXXXX  
OH due on Serial H16634  
BLADE PROP NO.1 at WAC 011A  
Maint Acts: O/H CARRIED BY TENIX AVIATION IAW AAP7181.016-3M AL8

ARDEXUY605001 COMPLETED 27JUN06 04:00 1547.7 ENHR  
20JUN06 00:30 XXXXX  
OH due on Serial H16633  
BLADE PROP NO.2 at WAC 011B  
Maint Acts: O/H CARRIED BY TENIX AVIATION IAW AAP7181.016-3M AL8



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : GG477 LITERAL SERIAL NO : GG477 PERIOD: 01JAN90 TO 08JAN20  
PART NO : HC-D4N2A/D9512A ~24692  
ENGINEERING NAME : PROPELLER ASSY  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

ARDEXUY605008	COMPLETED	29JUN06 05:43	1547.7	ENHR		XXxxXXxxXXxxXXxxXXxx
29JUN06 05:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU			XXxxXXxxXXxxXXxxXXxx
		POST OVERHAUL INSPECTION				29JUN06 05:43
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: INSPECTION CARRIED OUT ITEM SERV

ARDEXU1203220	COMPLETED	15AUG16 02:10	2735.1	ENHR	SCM	XXxxXXxxXXxxXXxxXXxx
02JUL12 01:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU			XXxxXXxxXXxxXXxxXXxx
02JUL12 01:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU			XXxxXXxxXXxxXXxxXXxx
		TA due on Serial PBX800021				15AUG16 02:10
		PROPELLER ATT BOLTS at WAC 0110				XXxxXXxxXXxxXXxxXXxx

Maint Acts: REFER TO ALEXU1604770 FOR FITMENT OF PROPELLER ATTACH BOLTS. REFER SNOW 546677-1

REMOVALS/INSTALLATIONS FOR ARDEXU1203220

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PBX800021	A23T	A00AK	00				
	B-3339-1		02JUL12 01:28	ALEXJY800456				

NONC2U1200285	COMPLETED	15AUG16 02:12	2735.1	ENHR	SCM	XXxxXXxxXXxxXXxxXXxx
09AUG12 03:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	NONC2CONT			XXxxXXxxXXxxXXxxXXxx
09AUG12 03:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	NONC2CONT			15AUG16 02:12
		SPINNER ASSY REMOVED				XXxxXXxxXXxxXXxxXXxx

Maint Acts: REFER ALEXU1604769 FOR FITMENT OF SPINNER ASSY. REFER SNOW 546676-5

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : GG477 LITERAL SERIAL NO : GG477 PERIOD: 01JAN90 TO 08JAN20  
PART NO : HC-D4N2A/D9512A ~24692  
ENGINEERING NAME : PROPELLER ASSY  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR NONC2U1200285

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	A2307 D5210	A23T	A00AI 09AUG12 03:52	00 NONC2J1202681				
-----	----------------	------	------------------------	---------------------	--	--	--	--

A1EXXU1604790	COMPLETED		10DEC13 10:30	2735.1	ENHR	T+TS+II	XXXXXXXXXX	
09DEC13 08:00	XXXXXXXX		XXXXXXXXXX	NONC2CONT			09DEC13 10:30	
15AUG16 00:40	XXXXXXXX		XXXXXXXXXX	AIE			XXXXXXXXXX	
			OH	due on Serial H16638			10DEC13 07:45	
			BLADE PROP NO.3	at WAC 0110			XXXXXXXXXX	
							10DEC13 10:30	

Maint Acts: NEW PROPELLER BLADE FITTED IAW AAP 7181.015-3, AAP7181.016-3M, AAP 7181.017-99. B1 TO B2.

REMOVALS/INSTALLATIONS FOR A1EXXU1604790

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	H16638 D9512A	A23T	A00AE 09DEC13 08:00	00 ARDUXJY602053	L42852 D9512A	A23T	A00AE 09DEC13 10:30	00
-----	------------------	------	------------------------	---------------------	------------------	------	------------------------	----

A1EXXU1604791	COMPLETED		10DEC13 10:30	2735.1	ENHR	T+TS+II	XXXXXXXXXX	
09DEC13 08:00	XXXXXXXX		XXXXXXXXXX	NONC2CONT			09DEC13 10:30	
15AUG16 00:40	XXXXXXXX		XXXXXXXXXX	AIE			XXXXXXXXXX	
			OH	due on Serial H16628			10DEC13 07:45	
			BLADE PROP NO.4	at WAC 0110			XXXXXXXXXX	
							10DEC13 10:30	

Maint Acts: NEW PROPELLER BLADE FITTED IAW AAP 7181.015-3, AAP7181.016-3M, AAP 7181.017-99. B1 TO B2.

REMOVALS/INSTALLATIONS FOR A1EXXU1604791

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	H16628 D9512A	A23T	A00AG 09DEC13 08:00	00 ARDUXJY602054	L42853 D9512A	A23T	A00AG 09DEC13 10:30	00
-----	------------------	------	------------------------	---------------------	------------------	------	------------------------	----

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : GG477 LITERAL SERIAL NO : GG477 PERIOD: 01JAN90 TO 08JAN20  
PART NO : HC-D4N2A/D9512A ~24692  
ENGINEERING NAME : PROPELLER ASSY  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1EXXU1604792	COMPLETED	10DEC13 10:30	2735.1	ENHR	T+TS+II	XXXXXXXXXX
09DEC13 08:00	XXXXXXXX	XXXXXXXXXX	NONC2CONT			09DEC13 10:30
15AUG16 00:40	XXXXXXXX	XXXXXXXXXX	AIE			XXXXXXXXXX
		OH due on Serial H16634				10DEC13 07:45
		BLADE PROP NO.1 at WAC 0110				XXXXXXXXXX
						10DEC13 10:30
	Maint Acts:	NEW PROPELLER BLADE FITTED IAW AAP 7181.015-3, AAP7181.016-3M, AAP 7181.017-99. B1 TO B2.				

REMOVALS/INSTALLATIONS FOR A1EXXU1604792

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	H16634 D9512A	A23T	A00AA 09DEC13 08:00	00 ARDUXJY602055	L42850 D9512A	A23T	A00AA 09DEC13 10:30	00

A1EXXU1604793	COMPLETED	10DEC13 10:30	2735.1	ENHR	T+TS+II	XXXXXXXXXX
09DEC13 08:00	XXXXXXXX	XXXXXXXXXX	NONC2CONT			09DEC13 10:30
15AUG16 00:40	XXXXXXXX	XXXXXXXXXX	AIE			XXXXXXXXXX
		OH due on Serial H16633				10DEC13 07:45
		BLADE PROP NO.2 at WAC 0110				XXXXXXXXXX
						10DEC13 10:30
	Maint Acts:	NEW PROPELLER BLADE FITTED IAW AAP 7181.015-3, AAP7181.016-3M, AAP 7181.017-99. B1 TO B2.				

REMOVALS/INSTALLATIONS FOR A1EXXU1604793

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	H16633 D9512A	A23T	A00AC 09DEC13 08:00	00 ARDUXJY602056	L42851 D9512A	A23T	A00AC 09DEC13 10:30	00

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : GG477 LITERAL SERIAL NO : GG477 PERIOD: 01JAN90 TO 08JAN20  
PART NO : HC-D4N2A/D9512A ~24692  
ENGINEERING NAME : PROPELLER ASSY  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1EXXU1802042	COMPLETED	05MAR19 04:31	3109.9	ENHR	SST	XXXXXXXXXXXXXXXXXXXX
14MAY18 01:44	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			05MAR19 04:31
14MAY18 01:45	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			XXXXXXXXXXXXXXXXXXXX
SPINNER ASSY AND PROPELLER ATT BOLTS REMOVED FOR ACCESS						
XXXXXXXXXXXXXXXXXXXX						

Maint Acts: SPINNER ASSY AND ATTACHMENT BOLTS FITTED AT TIME OF FITMENT TO A23-033 UNDER THE AIRCRAFT US.

REMOVALS/INSTALLATIONS FOR A1EXXU1802042

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	L523909 D5210	A23T	A00AI 14MAY18 01:45	00 A1EXXJ1802123				
002	PB1500112 968.29.12.201	A23T	A00AK 14MAY18 01:46	00 A1EXXJ1802124				

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			
A1EXXJCA03833	C COMPLETED	20SEP00 00:00	XXXXXXXX		AIE		0.0
03 OVERHAUL DUE	20SEP00 00:00						

Unserviceability Details:  
Maintenance Comments:

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : GG477 LITERAL SERIAL NO : GG477 PERIOD: 01JAN90 TO 08JAN20  
PART NO : HC-D4N2A/D9512A ~24692  
ENGINEERING NAME : PROPELLER ASSY  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1EXXJY400522 C COMPLETED 22JAN04 05:11 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
 22JAN04 05:19 954.5 ENHR  
 13 REMOVED FOR ACCESS 99 NO FAILURE 7113.022-110 due on Serial 103117  
 ENGINE CHANGE UNIT at WAC 0100  
 01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: PROPELLER SERVICEABLE

A1EXXJY600165 C COMPLETED 17JAN06 23:28 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE NONC2CONT  
 27JUN06 04:00 1547.7 ENHR  
 01 UNSERVICEABLE 09 R2 SERVICING GREASE LEAKING FROM AROUND PROPELLER BLADE ROOT AREA  
 09 LEAKING  
 02 MECHANICAL COMPONENT FAIL 02 REPAIR  
 Unserviceability Details: GREASE LEAKING FROM BLADE ROOT SEALS  
 Maintenance Comments: PROP REPAIRED AND O/H CARRIED OUT

AIEXXJ310666X C COMPLETED 20JUN06 00:30 XXxxXXxx XXxxXXxxXXxxXXxxXXxx ARDU NONC2CONT  
 27JUN06 04:00 1547.7 ENHR  
 03 OVERHAUL DUE OH due on Serial GG477  
 PROPELLER ASSY at WAC 0110  
 01 NO FAULT 07 OVERHAUL  
 Unserviceability Details:  
 Maintenance Comments: O/H CARRIED BY TENIX AVIATION IAW AAP7181.016-3M AL8

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	6.0	ELPYR			19SEP06
SM	OH	3500.0	ENHR	1547.7		
SM	OH	6.0	ELPYR			19SEP06

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04092  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : GG477 LITERAL SERIAL NO : GG477 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : HC-D4N2A/D9512A ~24692  
 ENGINEERING NAME : PROPELLER ASSY  
 VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

```

=====
A1EXXJY903432  C COMPLETED      28MAY09  02:55  XXxxXXxx  XXxxXXxxXXxxXXxxXXxx AIE  AIE
                28MAY09  02:56      28MAY09  02:55  XXxxXXxx  XXxxXXxxXXxxXXxxXXxx AIE  2022.2  ENHR
13 REMOVED FOR ACCESS          99 NO FAILURE          PROPELLER ASSY REMOVED FOR ACCESS

01 NO FAULT                    04 CHECK/TEST SERV
                               Unserviceability Details:
                               Maintenance Comments: CHECK/TEST SERV

ARDUXJ1100548  C COMPLETED      04MAR11  02:04  XXxxXXxx  XXxxXXxxXXxxXXxxXXxx ARDU  ARDU
                04MAR11  02:08      04MAR11  02:05  XXxxXXxx  XXxxXXxxXXxxXXxxXXxx ARDU  2427.3  ENHR
13 REMOVED FOR ACCESS          99 NO FAILURE          FORM EE505 REG # 007/05/11 RAISED FOR RM01. WORKSHEETS TO BE
                               CLEARED.

01 NO FAULT                    04 CHECK/TEST SERV
                               Unserviceability Details:
                               Maintenance Comments: CHECK/TEST SERV

A1EXXJ1103592  C COMPLETED      21JUL11  05:39  XXxxXXxx  XXxxXXxxXXxxXXxxXXxx AIE  AIE
                21JUL11  05:53      21JUL11  05:40  XXxxXXxx  XXxxXXxxXXxxXXxxXXxx AIE  2530.8  ENHR
13 REMOVED FOR ACCESS          99 NO FAILURE          FIRST AND SECOND STAGE COMPRESSOR FOD DAMAGED

01 NO FAULT                    04 CHECK/TEST SERV
                               Unserviceability Details:
                               Maintenance Comments: CHECK/TEST SERV

ARDUXJY602052  C COMPLETED      27JUN12  01:51  XXxxXXxx  XXxxXXxxXXxxXXxxXXxx ARDU  NONC2CONT
                10DEC13  10:30      27JUN12  01:50  XXxxXXxx  XXxxXXxxXXxxXXxxXXxx ARDU  2735.1  ENHR
03 OVERHAUL DUE                OH due on Serial GG477
                               PROPELLER ASSY at WAC 0110

01 NO FAULT                    07 OVERHAUL
                               Unserviceability Details:
                               Maintenance Comments: OVERHAULED IAW AAP 7181.015-3, AAP 7181.016-3M, AAP
                               7181.017-99.
=====

```

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	6.0	ELPYR			25JUN12
SM	OH	3500.0	ENHR	1187.4		
SM	OH	6.0	ELPYR			25JUN12

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : GG477 LITERAL SERIAL NO : GG477 PERIOD: 01JAN90 TO 08JAN20  
PART NO : HC-D4N2A/D9512A ~24692  
ENGINEERING NAME : PROPELLER ASSY  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1EXXJ1706598	C COMPLETED	02NOV17 02:02	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	02NOV17 02:03	02NOV17 02:03	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	3007.3	ENHR
13	REMOVED FOR ACCESS	99 NO FAILURE		PROP ASSY REMOVED FOR ACCESS			

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

A1EXXJ1802122	C COMPLETED	14MAY18 01:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	NONC2CONT	
	14FEB19 09:30	14MAY18 01:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	3109.9	ENHR

01 UNSERVICEABLE 05 TECHNICAL B/F  
 01 DAMAGED/CRACKED  
 08 DAMAGE 02 REPAIR

Unserviceability Details: PROPELLER HAS DAMAGE TO BLADE & THRUSTFACE. DEEMED UNBLENDABLE  
 IAW AAP 7212.007-2 CH 61  
 Maintenance Comments: REPAIRED IAW CMM 61-10-42 REV16 & CMM 61-01-02 AT NGA-TS

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04094  
08JAN20  
23:16:15

SERIAL/TAIL NO : GM5102LP9120008  
PART NO : 999.71.11.521 ~S4080  
ENGINEERING NAME : ACCELEROMETER  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 1837.1 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	DATE NEW	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	HA PART	DATE UNPACKED		

30JAN13 03:04	GM5102LP9120008	999.71.11.521	~S4080	A23T	01
aip01694	AIP	STORES		ALUCK	
M. COX		11JUN12		A1PXXR1300103	

0.0 AFHR



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04095  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : GM5102LP9120008  
 PART NO : 999.71.11.521 ~S4080  
 ENGINEERING NAME : ACCELEROMETER  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW						
30JAN13 03:04	Reception History Record	0.0	Reception STORES	MCS		XXXXXXxx
17JUN13 02:32	Asset Installation	371.1	A23T 533	A1UCK	A23-033 01	A23T A1UGU 01AC XXXXXXxx
	Change Serviceability Stat	138.1	SERV S/I STORES			
	Change Location of an Asse	138.1	A23-033			
14OCT13 10:34	Position Change	119.3	A23T A1UGU		01	
	Maintenance Comment	0.0	A23T A1UGU		01	XXXXXXxx
			POLICY COPY; POSN. NEW TA = OC. AUTH: MPAN 30/2013 AK7106397			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04096  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : H200640  
 PART NO : 578.10.09.018 ~S4080  
 ENGINEERING NAME : STUB EXHAUST RH  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 5461.3 ENHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
02SEP03	17:28	Maintenance Comment		0.0 ENHR	4.3	DATE NEW FIX:	OLD = 26MAY99	NEW = 20FEB91	
						CAMM LOG00005		XXxxXXxx	
02SEP03	17:29	Maintenance Comment		0.0 ENHR	4.3	11Sep02 2FTMMIST 00.	1262.7	0.0 ENHR	UPDATED LIFE (MIUP)
						CAMM LOG00003		XXxxXXxx	
02SEP03	17:30	Maintenance Comment		0.0 ENHR	4.3	11Sep02 XLOC 00.	0.0	0.0 ENHR	RECEPTION (MIRE)
						CAMM LOG00002		XXxxXXxx	
02SEP03	17:31	Maintenance Comment		0.0 ENHR	4.3	11Sep02 103209 01.20	1262.7	0.0 ENHR	IN AS A23T 0012-13-08-L
						CAMM LOG00007		XXxxXXxx	
02SEP03	17:33	Maintenance Comment		0.0 ENHR	4.3	20Feb91 NEW - H200640	578.10.09.018	0012-13-08-L	
						CAMM LOG00008		XXxxXXxx	
02SEP03	17:35	Maintenance Comment		0.0 ENHR	4.3	CURRENT LIFE: OLD =	ENHR	NEW = 1262.7 ENHR	
						CAMM LOG00004		XXxxXXxx	
02SEP03	17:36	Maintenance Comment		0.0 ENHR	4.3	26May99 REPAIR CARRIED OUT BY PTB			
						CAMM LOG00001		XXxxXXxx	
02SEP03	17:37	Maintenance Comment		0.0 ENHR	4.3	29Aug03 103209 01.20	1462.0 ENHR	TX TO CAMM2	
						CAMM LOG00009		XXxxXXxx	
02SEP03	17:44	Maintenance Comment		0.0 ENHR	4.3	11Sep02 SERNO REIDENTIFIED FROM	H200647		
						CAMM LOG00006		XXxxXXxx	
19APR04	06:34	Asset Removal			233.9	103209	103112	A23T	ALSAM14 00M
						A23T	ALSAM14	00	
		1654.0 ENHR							XXxxXXxx
		Change Serviceability Stat		4.1		S/I			
		Change Location of an Asse		0.0		U/S			
						EXTERNAL			
19APR04	07:07	Change Serviceability Stat		0.0		INTMH			
						U/S			
		1654.0 ENHR				SERV			XXxxXXxx
22APR04	05:54	Change Part Number of an A			236.8	578.10.09.018		~S4080	
						578.10.09.020		~S4080	
		1654.0 ENHR				A1PXXXY409570			XXxxXXxx
22APR04	05:59	Change Part Number of an A			0.0	578.10.09.020		~S4080	
						578.10.09.018		~S4080	
		1654.0 ENHR				A1PXXXY409571			XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04097  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : H200640  
 PART NO : 578.10.09.018 ~S4080  
 ENGINEERING NAME : STUB EXHAUST RH  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
22APR04 06:11	Asset Installation	2.9	A23T A1SAM14 103171 A23-024	00 A23T A1SAM14 0 A
	1654.0 ENHR Change Serviceability Stat	2.9	SERV S/I	XXXXXXXX
	Change Location of an Asse	2.9	INTMH A23-024	
31AUG05 00:53	Asset Removal	495.7	103171 A23T A1SAM14 A23-024	00 A23T A1SAM14 00A
	1999.1 ENHR Change Serviceability Stat	91.9	S/I U/S	XXXXXXXX
	Change Location of an Asse	495.7	A23-024 HG122	
31AUG05 01:01	Change Serviceability Stat	0.0	U/S SERV	XXXXXXXX
02DEC05 02:44	Asset Installation	93.0	A23T A1SAM14 103171 A23-024	00 A23T A1SAM14 00AC
	1999.1 ENHR Change Serviceability Stat	93.0	SERV S/I	XXXXXXXX
	Change Location of an Asse	93.0	HG122 A23-024	
15MAY08 08:22	Asset Removal	895.2	103171 A23T A1SAM14 A23-024	00 A23T A1SAM14 00A
	2448.5 ENHR Change Serviceability Stat	3.1	S/I U/S	XXXXXXXX
	Change Location of an Asse	895.2	A23-024 INTMH	
15MAY08 08:22	Change Serviceability Stat	0.0	U/S SERV	XXXXXXXX
	2448.5 ENHR			XXXXXXXX

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04098  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : H200640  
 PART NO : 578.10.09.018 ~S4080  
 ENGINEERING NAME : STUB EXHAUST RH  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
19MAY08 08:05	Asset Installation	3.9	A23T A1SAM14 103143 A23-024	00 A23T A1SAM14 00AC XXxxXXxx
	2448.5 ENHR Change Serviceability Stat	3.9	SERV S/I	
	Change Location of an Asse	3.9	INTMH A23-024	
28NOV12 11:08	Asset Removal	1654.1	103143 A23T A1SAM14 A23-024	00 A23T A1SAM14 00A XXxxXXxx
	3584.0 ENHR Change Serviceability Stat	19.1	S/I U/S	
	Change Location of an Asse	1126.4	A23-024 OPMH	
28NOV12 11:10	Change Serviceability Stat	0.0	U/S SERV	XXxxXXxx
11DEC12 05:06	Asset Installation	12.7	A23T A1SAM14 103143 A23-024	00 A23T A1SAM14 00AC XXxxXXxx
	3584.0 ENHR Change Serviceability Stat	12.7	SERV S/I	
	Change Location of an Asse	12.7	OPMH A23-024	
17APR15 03:45	Asset Removal	856.9	103143 A23T A1SAM14 A23-024	00 A23T A1SAM14 00A XXxxXXxx
	4270.9 ENHR Change Serviceability Stat	2.9	S/I U/S	
	Change Location of an Asse	224.9	A23-024 PC9-AIRCRAFT	
17APR15 03:45	Change Serviceability Stat	0.0	U/S SERV	XXxxXXxx
	4270.9 ENHR			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04099  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : H200640  
 PART NO : 578.10.09.018 ~S4080  
 ENGINEERING NAME : STUB EXHAUST RH  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
01MAY15 00:00	Asset Installation	13.8	A23T A1SAM14 103186 A23-024	00 A23T A1SAM14 00AC
	4270.9 ENHR Change Serviceability Stat	13.8	SERV S/I	XXXXXXxx
	Change Location of an Asse	13.8	PC9-AIRCRAFT A23-024	
01MAY17 08:42	Change Serviceability Stat	0.0	S/I US/I A1PXXJ1708448	XXXXXXxx
01MAY17 12:59	Change Serviceability Stat	0.1	US/I S/I	
	4543.2 ENHR Asset Removal	1201.5	103186 A23T A1SAM14 A23-024	00 A23T A1SAM14 00A
	4989.7 ENHR Change Serviceability Stat	11.4	S/I U/S	XXXXXXxx
	Change Location of an Asse	694.4	A23-024 OPMH	
14AUG18 12:49	Change Serviceability Stat	0.0	U/S SERV	
	4989.7 ENHR Asset Installation	0.5	A23T A1SAM14 103186 A23-033	00 A23T A1SAM14 00AC
	4989.7 ENHR Change Serviceability Stat	0.5	SERV S/I	XXXXXXxx
	Change Location of an Asse	0.5	OPMH A23-033	

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04100  
08JAN20  
23:16:15

SERIAL/TAIL NO : H200640  
PART NO : 578.10.09.018 ~S4080  
ENGINEERING NAME : STUB EXHAUST RH  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
ALPXXJY407032	C COMPLETED	19APR04 06:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	99 NO FAILURE			ENG TO BE STRIPPED		1654.0	ENHR
01 NO FAULT	04 CHECK/TEST SERV						
				Unserviceability Details:			
				Maintenance Comments:			
ALPXXJY515233	C COMPLETED	31AUG05 01:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	99 NO FAILURE			LH AND RH EXHAUST STUB REMOVED FOR S33		1999.1	ENHR
01 NO FAULT	04 CHECK/TEST SERV						
				Unserviceability Details:			
				Maintenance Comments:			
ALPXXJY808246	C COMPLETED	15MAY08 08:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	99 NO FAILURE			PART OF RETAINING RING IN ENG POWER SECTION MISSING		2448.5	ENHR
01 NO FAULT	04 CHECK/TEST SERV						
				Unserviceability Details:			
				Maintenance Comments:			
ALPXXJ1218161	C COMPLETED	28NOV12 11:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	99 NO FAILURE			RH EXHAUST STUB RFA		3584.0	ENHR
01 NO FAULT	04 CHECK/TEST SERV						
				Unserviceability Details:			
				Maintenance Comments:			
ARDUXJ1500979	C COMPLETED	17APR15 03:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU	ARDU	
13 REMOVED FOR ACCESS	99 NO FAILURE			FORM EE505 REG # VIS/02/15 RAISED FOR RM01. WORKSHEETS TO BE CLEARED.		4270.9	ENHR
01 NO FAULT	04 CHECK/TEST SERV						
				Unserviceability Details:			
				Maintenance Comments:			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : H200640  
 PART NO : 578.10.09.018 ~S4080  
 ENGINEERING NAME : STUB EXHAUST RH  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

A1PXXJ1708448	C COMPLETED	01MAY17 12:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	01MAY17 12:59	01MAY17 08:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	4543.2	ENHR
08 MOD/STI/DVI REQUIRED				STI-PC9-0644	due on Serial H200640		
01 NO FAULT	08 MOD/STI/DVI INCORP			STUB EXHAUST RH	at WAC 0120		
	Unserviceability Details:			STI-PC9-0644 C/O IAW STI INSTRUCTIONS	NIL CRACKING EVIDENT REF		
	Maintenance Comments:			575306#2			

A1PXXJ1813299	C COMPLETED	14AUG18 12:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	14AUG18 12:49	14AUG18 12:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	4989.7	ENHR
13 REMOVED FOR ACCESS	99 NO FAILURE			STUB EXHAUST LH & RH RFA			
01 NO FAULT	04 CHECK/TEST SERV						
	Unserviceability Details:			CHECK/TEST SERV			
	Maintenance Comments:						

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04102  
08JAN20  
23:16:15

SERIAL/TAIL NO : H200640  
PART NO : 578.10.09.018 ~S4080  
ENGINEERING NAME : STUB EXHAUST RH  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

STI STATUS CHANGE -----

STI NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
=====	=====	=====	=====	=====	=====	=====
STI-PC9-0644	N	26APR17 09:11	NINC			
STI-PC9-0644	Y	01MAY17 12:58	INC	A1PXXJ1708448	01MAY17 12:53	4543.2 ENHR



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

SERIAL/TAIL NO : HLA576AA  
PART NO : 3041861CL ~00198  
ENGINEERING NAME : STAT ASSY TURB COMP  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 1190.4 ENHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

-----  
RECEPTION D/T SER NO PART NO EIAC LCN ALC  
USER ID VENUE LOCATION SUB-LOCATION ASSET ID  
NAME DATE NEW BATCH MATCHED SET NO  
HA SERIAL HA PART  
DATE UNPACKED  
DEFAULT LIFS ENTERED AT RECEPTION  
-----

29APR15 00:02 HLA576AA 3041861CL ~00198 A23T A1SAK50AE 00  
rayth61 ARDU MCS ARDUXR1500085  
R. BROOME 16APR15

0.0 ENHR

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04104  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : HLA576AA  
 PART NO : 3041861CL ~00198  
 ENGINEERING NAME : STAT ASSY TURB COMP  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS -----

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW						
29APR15 00:02	Reception History Record	0.0	Reception			
	0.0 ENHR		MCS	MCS		XXxxXXxx
29APR15 00:30	Asset Installation	13.0	A23T	ALSAK50AE	00	
	0.0 ENHR		3Y877	103186		A23T ALSAK50AE 00MMI
	Change Serviceability Stat	0.0	SERV			XXxxXXxx
			S/I			

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

SERIAL/TAIL NO : HLY300479  
PART NO : MSI 30002 ~S4080  
ENGINEERING NAME : INERTIAL SEP SWITCH  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 4774.9 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION		DATE UNPACKED		
01SEP03 00:54	HLY300479	MSI 30002	~S4080 A23T	ALUEM	00
aip002	AIP	MCS		AIPXXRY300058	
M. COX		12JUL90			

0.0 AFHR

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04106  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : HLY300479  
 PART NO : MSI 30002 ~S4080  
 ENGINEERING NAME : INERTIAL SEP SWITCH  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
01SEP03 00:54	Reception History Record	0.0	Reception			
	0.0 AFHR		MCS	MCS		XXXXXXxx
01SEP03 00:55	Asset Installation	0.0	A23T	ALUEM	00	
	0.0 AFHR		533	A23-033		A23T ALUEM 0 A
	Change Serviceability Stat	0.0	SERV			XXXXXXxx
	Change Location of an Asse	0.0	S/I			
			MCS			
07JUN17 08:01	Position Change	5028.2	A23-033			
			A23T	ALUEM	00	
	4144.5 AFHR		A23T	ALUEM	00	
	Maintenance Comment	0.0	A1PXXX1709124			XXXXXXxx
			POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE			

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : HLY300513  
PART NO : 571.10.09.044 ~S4080  
ENGINEERING NAME : ENGINE COWL 2  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 3670.4 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	DATE NEW	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	HA PART	DATE UNPACKED		

01SEP03 02:15	HLY300513	571.10.09.044	~S4080	A23T	A06	00
a514422	AIP	MCS			AIPXXRY300096	
J. CAESAR		05DEC90				

0.0 AFHR

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04108  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : HLY300513  
 PART NO : 571.10.09.044  
 ENGINEERING NAME : ENGINE COWL 2  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW								
01SEP03	02:15	Reception	History Record	0.0	Reception			
		0.0	AFHR		MCS	MCS		XXXXXXxx
01SEP03	02:28	Asset	Installation	0.1	A23T	A06	00	
		0.0	AFHR		A23-043	A23-043		A23T A06 0 A
		0.0	AFHR					XXXXXXxx
		Change Serviceability Stat		0.1	SERV			
		Change Location of an Asse		0.1	S/I			
					MCS			
05JAN05	03:56	Asset	Removal	492.0	A23-043	A23-043	00	
		556.0	AFHR		A23-043	A23-043		A23T A06 00A
		556.0	AFHR		A23T	A06	00	XXXXXXxx
		Change Serviceability Stat		27.9	S/I			
		Change Location of an Asse		492.0	U/S			
					A23-043			
18JAN05	05:43	Change	Serviceability Stat	13.0	INTMH			
		556.0	AFHR		U/S			
18JAN05	05:46	Asset	Installation	13.0	SERV			XXXXXXxx
		556.0	AFHR		A23T	A06	00	
		556.0	AFHR		A23-043	A23-043		A23T A06 00AC
		Change Serviceability Stat		0.0	SERV			XXXXXXxx
		Change Location of an Asse		13.0	S/I			
					INTMH			
25JAN06	01:52	Asset	Removal	371.8	A23-043	A23-043	00	
		854.1	AFHR		A23-043	A23-043		A23T A06 00A
		854.1	AFHR		A23T	A06	00	XXXXXXxx
		Change Serviceability Stat		4.9	S/I			
		Change Location of an Asse		371.8	U/S			
					A23-043			
					INTMH			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04109  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : HLY300513  
 PART NO : 571.10.09.044  
 ENGINEERING NAME : ENGINE COWL 2  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
25JAN06 01:52	Change Serviceability Stat	0.0	U/S SERV	
02FEB06 04:56	Asset Installation	8.1	A23T A23-043 A06 A23-043	00 A23T A06 00AC
	Change Serviceability Stat	8.1	SERV S/I INTMH A23-043	00A
15MAY06 00:42	Asset Removal	101.8	A23-043 A23T A06	00 A23T A06 00A
	Change Serviceability Stat	3.9	S/I U/S A23-043	
	Change Location of an Asse	101.8	INTMH U/S SERV	
15MAY06 00:42	Change Serviceability Stat	0.0	INTMH U/S SERV	
26JUN06 03:04	Asset Installation	42.0	A23T A23-043 A06 A23-043	00 A23T A06 00AC
	Change Serviceability Stat	42.0	SERV S/I INTMH A23-043	00A
	Change Location of an Asse	42.0	INTMH A23-043 A23T A06	
11SEP06 11:29	Asset Removal	77.3	A23-043 A23T A06	00 A23T A06 00A
	Change Serviceability Stat	0.2	S/I U/S A23-043	
	Change Location of an Asse	77.3	OPMH	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04110  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : HLY300513  
 PART NO : 571.10.09.044  
 ENGINEERING NAME : ENGINE COWL 2  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
11SEP06 11:29	Change Serviceability Stat	0.0	U/S SERV	
12SEP06 00:22	Asset Installation	0.5	A23T A23-043 A06 A23-043	00 A23T A06 00AC
	Change Serviceability Stat	0.5	SERV S/I OPMH A23-043	00A
25SEP06 00:54	Asset Removal	13.0	A23-043 A23T A06	00
	Change Serviceability Stat	6.8	S/I U/S A23-043	
25SEP06 01:51	Change Serviceability Stat	0.0	OPMH U/S SERV	
25SEP06 01:52	Asset Installation	0.0	A23T A23-043 A06 A23-043	00 A23T A06 00AC
	Change Serviceability Stat	0.0	SERV S/I OPMH A23-043	00A
25SEP06 02:05	Asset Removal	0.0	A23-043 A23T A06	00
	Change Serviceability Stat	0.0	S/I U/S A23-043	
	Change Location of an Asse	0.0	INTMH	



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04111  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : HLY300513  
 PART NO : 571.10.09.044  
 ENGINEERING NAME : ENGINE COWL 2  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
07FEB07 23:03	Change Location of an Asse	135.8	INTMH JANDAKOT A1PXXXY701101	XXxxXXxx
07JUL08 09:30	Change Venue of an Asset	1771.3	AIP NONC2CONT A1PXXXY806041	XXxxXXxx
07SEP08 23:16	Change Venue of an Asset	62.5	HOLD NONC2CONT AIP NONC2XY809938	XXxxXXxx
07OCT08 06:03	Change Serviceability Stat	743.1	HOLD HG122 U/S SERV	XXxxXXxx
08APR09 00:03	Asset Installation	925.9	A23T A23-014 A06 A23-014 00	A23T A06 00AC
16FEB10 00:03	Asset Removal	313.9	SERV S/I HG122 A23-014 A23-014 A23T A06 A23-014 00	A23T A06 00A
16FEB10 00:03	Change Serviceability Stat	3.9	S/I U/S A23-014 OPMH U/S SERV	XXxxXXxx
16FEB10 00:03	Change Serviceability Stat	0.0	1428.5 AFHR	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04112  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : HLY300513  
 PART NO : 571.10.09.044  
 ENGINEERING NAME : ENGINE COWL 2  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
19FEB10 03:16	Asset Installation	3.1	A23T A06 A23-014	00 A23T A06 00AC
	1428.5 AFHR Change Serviceability Stat	3.1	SERV	XXXXXXxx
	Change Location of an Asse	3.1	S/I OPMH A23-014	
24AUG10 23:03	Asset Removal	186.8	A23-014 A23T A06	00 A23T A06 00A
	1611.8 AFHR Change Serviceability Stat	0.6	S/I	XXXXXXxx
	Change Location of an Asse	186.8	U/S A23-014	
24AUG10 23:04	Change Serviceability Stat	0.0	INTMH U/S SERV	
	1611.8 AFHR			XXXXXXxx
24AUG10 23:04	Asset Installation	0.0	A23T A06 A23-014	00 A23T A06 00AC
	1611.8 AFHR Change Serviceability Stat	0.0	SERV	XXXXXXxx
	Change Location of an Asse	0.0	S/I INTMH A23-014	
20JUL11 23:12	Asset Removal	330.0	A23-014 A23T A06	00 A23T A06 00A
	1728.1 AFHR Change Serviceability Stat	84.6	S/I	XXXXXXxx
	Change Location of an Asse	330.0	U/S A23-014	
20JUL11 23:12	Change Serviceability Stat	0.0	INTMH U/S SERV	
	1728.1 AFHR			XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04113  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : HLY300513  
 PART NO : 571.10.09.044  
 ENGINEERING NAME : ENGINE COWL 2  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS									
TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER	
LIFE SINCE NEW									
31OCT11	04:46	Asset	Installation	102.2	A23T	A06			
		1728.1	AFHR		A23-014	A23-014		A23T	A06
		Change Serviceability Stat		102.2	SERV			XXXXXX	00AC
		Change Location of an Asse		102.2	S/I				
					INTMH				
15MAY13	01:54	Asset	Removal	561.8	A23-014	A23-014		A23T	A06
		1878.1	AFHR		A23T	A06			
		Change Serviceability Stat		420.7	S/I			XXXXXX	
		Change Location of an Asse		561.8	U/S				
					A23-014				
15MAY13	01:56	Change Serviceability Stat		0.0	INTMH				
					U/S				
					SERV			XXXXXX	
29JUL13	05:00	Asset	Installation	75.1	A23T	A06			
		1878.1	AFHR		A23-014	A23-014		A23T	A06
		Change Serviceability Stat		75.1	SERV			XXXXXX	00AC
		Change Location of an Asse		75.1	S/I				
					INTMH				
31JUL13	00:16	Asset	Removal	1.8	A23-014	A23-014		A23T	A06
		1878.1	AFHR		A23T	A06			
		Change Serviceability Stat		1.8	S/I			XXXXXX	
		Change Location of an Asse		1.8	U/S				
					A23-014				
					INTMH				
02AUG13	00:17	Change Serviceability Stat		2.0	U/S				
					SERV			XXXXXX	
		1878.1	AFHR						

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04114  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : HLY300513  
 PART NO : 571.10.09.044  
 ENGINEERING NAME : ENGINE COWL 2  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS										
TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER			
LIFE SINCE NEW										
09AUG13	02:07	Asset Installation	9.0	A23T	A06					
		1878.1 AFHR		A23-014	A23-014		A23T A06		00AC	
		Change Serviceability Stat	7.0	SERV			XXXXXXxx			
		Change Location of an Asse	9.0	S/I						
				INTMH						
23MAY14	03:21	Asset Removal	287.0	A23-014	A06	A23-014	A23T A06		00A	
		2160.1 AFHR		A23T						
		Change Serviceability Stat	15.7	A23-014			XXXXXXxx			
		Change Location of an Asse	287.0	S/I						
				U/S						
				A23-014						
23MAY14	03:24	Change Serviceability Stat	0.0	INTMH						
				U/S						
				SERV			XXXXXXxx			
21NOV14	01:46	Asset Installation	181.9	A23T	A06					
		2160.1 AFHR		A23-014	A23-014		A23T A06		00AC	
		Change Serviceability Stat	181.9	SERV			XXXXXXxx			
		Change Location of an Asse	181.9	S/I						
				INTMH						
				A23-014						
05AUG15	06:42	Asset Removal	257.2	A23-014	A06	A23-014	A23T A06		00A	
		2293.1 AFHR		A23T						
		Change Serviceability Stat	0.9	S/I			XXXXXXxx			
		Change Location of an Asse	257.2	U/S						
				A23-014						
				OPMH						
05AUG15	06:43	Change Serviceability Stat	0.0	U/S						
		2293.1 AFHR		SERV			XXXXXXxx			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04115  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : HLY300513  
 PART NO : 571.10.09.044  
 ENGINEERING NAME : ENGINE COWL 2  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
11AUG15 03:32	Asset Installation	5.8	A23T A06 A23-014	00 A23T A06 00AC
	2293.1 AFHR Change Serviceability Stat	5.8	SERV	XXXXXX
	Change Location of an Asse	5.8	S/I OPMH A23-014	
05NOV15 05:43	Asset Removal	86.0	A23-014 A23T A06	00 A23T A06 00A
	2458.1 AFHR Change Serviceability Stat	3.1	S/I	XXXXXX
	Change Location of an Asse	86.0	U/S A23-014	
05NOV15 05:44	Change Serviceability Stat	0.0	OPMH U/S SERV	
	2458.1 AFHR			XXXXXX
09NOV15 00:59	Asset Installation	3.8	A23T A06 A23-014	00 A23T A06 00AC
	2458.1 AFHR Change Serviceability Stat	3.8	SERV	XXXXXX
	Change Location of an Asse	3.8	S/I OPMH A23-014	
25NOV15 03:12	Asset Removal	16.0	A23-014 A23T A06	00 A23T A06 00A
	2490.2 AFHR Change Serviceability Stat	6.7	S/I	XXXXXX
	Change Location of an Asse	16.0	U/S A23-014	
25NOV15 03:13	Change Serviceability Stat	0.0	INTMH U/S SERV	
	2490.2 AFHR			XXXXXX

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04116  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : HLY300513  
 PART NO : 571.10.09.044  
 ENGINEERING NAME : ENGINE COWL 2  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
17JAN16 22:05	Asset Installation	53.7	A23T A06 A23-014	00 A23T A06 XXxxXXxx
	2490.2 AFHR Change Serviceability Stat	53.7	SERV	
	Change Location of an Asse	53.7	S/I INTMH A23-014	
11MAY16 01:03	Asset Removal	114.1	A23-014 A23T A06	00 A23T A06 00A XXxxXXxx
	2655.1 AFHR Change Serviceability Stat	0.6	S/I	
	Change Location of an Asse	114.1	U/S A23-014	
11MAY16 01:04	Change Serviceability Stat	0.0	INTMH U/S SERV	XXxxXXxx
16MAY16 10:35	Asset Installation	5.3	A23T A06 A23-014	00 A23T A06 XXxxXXxx
	2655.1 AFHR Change Serviceability Stat	5.3	SERV	
	Change Location of an Asse	5.3	S/I INTMH A23-014	
26JUN16 23:49	Asset Removal	41.5	A23-014 A23T A06	00 A23T A06 00A XXxxXXxx
	2725.8 AFHR Change Serviceability Stat	2.8	S/I	
	Change Location of an Asse	41.5	U/S A23-014	
27JUL16 09:54	Change Venue of an Asset	2879.4	INTMH AIP NONC2CONT	
	2725.8 AFHR Change Location of an Asse	30.4	A1PXXX1607063 INTMH HOLD	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04117  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : HLY300513  
 PART NO : 571.10.09.044  
 ENGINEERING NAME : ENGINE COWL 2  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
21FEB17 01:14	Change Venue of an Asset	208.6	NONC2CONT AIP NONC2X1702016	XXXXXXxx
	2725.8 AFHR Change Location of an Asse	208.6	HOLD HG122	
27FEB17 02:50	Change Serviceability Stat	245.1	U/S SERV	
	2725.8 AFHR			XXXXXXxx
27FEB17 06:06	Asset Installation	245.2	A23T A06 A23-034 A23-034	A23T A06 XXXXXXxx
	2725.8 AFHR Change Serviceability Stat	0.1	SERV S/I	
	Change Location of an Asse	6.2	HG122 A23-034	
12APR17 03:25	Asset Removal	43.8	A23-034 A23T A06	A23T A06 XXXXXXxx
	2740.3 AFHR Change Serviceability Stat	15.1	S/I U/S	
	Change Location of an Asse	43.8	A23-034 OPMH	
12APR17 03:26	Change Serviceability Stat	0.0	U/S SERV	
	2740.3 AFHR			XXXXXXxx
20APR17 02:00	Asset Installation	7.9	A23T A06 A23-034 A23-034	A23T A06 XXXXXXxx
	2740.3 AFHR Change Serviceability Stat	7.9	SERV S/I	
	Change Location of an Asse	7.9	OPMH A23-034	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04118  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : HLY300513  
 PART NO : 571.10.09.044  
 ENGINEERING NAME : ENGINE COWL 2  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
14JUL17 06:51	Asset Removal	85.2	A23-034 A23T A06	A23T A06 00A
	2890.8 AFHR Change Serviceability Stat	0.2	S/I U/S	XXXXXXxx
	Change Location of an Asse	85.2	A23-034 OPMH	
14JUL17 06:52	Change Serviceability Stat	0.0	U/S SERV	
	2890.8 AFHR			XXXXXXxx
18JUL17 06:02	Asset Installation	3.9	A23T A23-034 A06	A23T A06 00AC
	2890.8 AFHR Change Serviceability Stat	3.9	SERV S/I	XXXXXXxx
	Change Location of an Asse	3.9	OPMH A23-034	
25OCT17 04:33	Asset Removal	98.9	A23-034 A23T A06	A23T A06 00A
	3055.2 AFHR Change Serviceability Stat	1.1	S/I U/S	XXXXXXxx
	Change Location of an Asse	98.9	A23-034 HG122	
25OCT17 04:33	Change Serviceability Stat	0.0	U/S SERV	
	3055.2 AFHR			XXXXXXxx
17NOV17 02:19	Asset Installation	22.9	A23T A23-034 A06	A23T A06 00AC
	3055.2 AFHR Change Serviceability Stat	22.9	SERV S/I	XXXXXXxx
	Change Location of an Asse	22.9	HG122 A23-034	

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04119  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : HLY300513  
 PART NO : 571.10.09.044  
 ENGINEERING NAME : ENGINE COWL 2  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
04JUL18 05:13	Asset Removal	229.1	A23-034 A23T A06	A23T A06 00A
	3198.8 AFHR Change Serviceability Stat	83.8	S/I U/S	XXXXXXxx
	Change Location of an Asse	229.1	A23-034 OPMH	
04JUL18 05:14	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
04JUL18 05:16	Asset Installation	0.0	A23T A06 A23-034	A23T A06 00AC
	3198.8 AFHR Change Serviceability Stat	0.0	SERV S/I	XXXXXXxx
	Change Location of an Asse	0.0	OPMH A23-034	
04JUL18 05:18	Asset Removal	0.0	A23-034 A23T A06	A23T A06 00A
	3198.8 AFHR Change Serviceability Stat	0.0	S/I U/S	XXXXXXxx
	Change Location of an Asse	0.0	A23-034 OPMH	
04JUL18 05:20	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
26JUL18 01:58	Asset Installation	21.8	A23T A06 A23-033	A23T A06 00AC
	3198.8 AFHR Change Serviceability Stat	21.8	SERV S/I	XXXXXXxx
	Change Location of an Asse	21.8	OPMH A23-033	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04120  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : HLY300513  
 PART NO : 571.10.09.044  
 ENGINEERING NAME : ENGINE COWL 2  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
13AUG18 13:15	Asset Removal	18.4	A23-033 A23T A06	A23T A06 00A
	3198.8 AFHR Change Serviceability Stat	18.4	S/I U/S	XXXXXXxx
	Change Location of an Asse	18.4	A23-033 INTMH	
13AUG18 13:16	Change Serviceability Stat	0.0	U/S SERV	
	3198.8 AFHR			XXXXXXxx
23AUG18 05:30	Asset Installation	9.6	A23T A23-033 A06	A23T A06 00AC
	3198.8 AFHR Change Serviceability Stat	9.6	SERV S/I	XXXXXXxx
	Change Location of an Asse	9.6	INTMH A23-033	
11DEC18 01:44	Asset Removal	109.8	A23-033 A23T A06	A23T A06 00A
	3363.8 AFHR Change Serviceability Stat	40.4	S/I U/S	XXXXXXxx
	Change Location of an Asse	109.8	A23-033 OPMH	
11DEC18 01:45	Change Serviceability Stat	0.0	U/S SERV	
	3363.8 AFHR			XXXXXXxx
19DEC18 05:19	Asset Installation	8.1	A23T A23-033 A06	A23T A06 00AC
	3363.8 AFHR Change Serviceability Stat	8.1	SERV S/I	XXXXXXxx
	Change Location of an Asse	8.1	OPMH A23-033	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04121  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : HLY300513  
 PART NO : 571.10.09.044  
 ENGINEERING NAME : ENGINE COWL 2  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
21JAN19 13:01	Asset Removal	33.3	A23-033 A23T A06	A23T A06 00A
	3368.8 AFHR Change Serviceability Stat	0.4	S/I U/S	XXXXXXxx
	Change Location of an Asse	33.3	A23-033 OPMH	
21JAN19 13:02	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
23JAN19 06:25	Asset Installation	1.7	A23T A06 A23-033	A23T A06 00AC
	3368.8 AFHR Change Serviceability Stat	1.7	SERV S/I	XXXXXXxx
	Change Location of an Asse	1.7	OPMH A23-033	
11FEB19 09:16	Asset Removal	19.1	A23-033 A23T A06	A23T A06 00A
	3404.0 AFHR Change Serviceability Stat	0.0	S/I U/S	XXXXXXxx
	Change Location of an Asse	19.1	A23-033 MCS	
11FEB19 09:17	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
11FEB19 09:20	Asset Installation	0.0	A23T A06 A23-033	A23T A06 00AC
	3404.0 AFHR Change Serviceability Stat	0.0	SERV S/I	XXXXXXxx
	Change Location of an Asse	0.0	MCS A23-033	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04122  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : HLY300513  
 PART NO : 571.10.09.044  
 ENGINEERING NAME : ENGINE COWL 2  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
05MAR19 02:24	Asset Removal	21.7	A23-033 A23T A06	A23T A06 00A
	3431.1 AFHR Change Serviceability Stat	4.8	S/I U/S	XXXXXXxx
	Change Location of an Asse	21.7	A23-033 OPMH	
05MAR19 02:24	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
	3431.1 AFHR Asset Installation	0.8	A23T A23-033 A06	A23T A06 00AC
	3431.1 AFHR Change Serviceability Stat	0.8	SERV S/I OPMH	XXXXXXxx
	Change Location of an Asse	0.8	A23-033 INTMH	
12JUN19 04:36	Asset Removal	98.2	A23-033 A23T A06	A23T A06 00A
	3525.8 AFHR Change Serviceability Stat	36.5	S/I U/S	XXXXXXxx
	Change Location of an Asse	98.2	A23-033 INTMH	
12JUN19 04:37	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
	3525.8 AFHR Asset Installation	27.7	A23T A23-033 A06	A23T A06 00AC
	3525.8 AFHR Change Serviceability Stat	27.7	SERV S/I INTMH	XXXXXXxx
	Change Location of an Asse	27.7	A23-033	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04123  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : HLY300513  
 PART NO : 571.10.09.044 ~S4080  
 ENGINEERING NAME : ENGINE COWL 2  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
19SEP19 23:16	Asset Removal	72.0	A23-033 A23T A06	A23T A06 00A
	3624.1 AFHR Change Serviceability Stat	1.6	S/I U/S	XXXXXXxx
	Change Location of an Asse	72.0	A23-033 INTMH	
19SEP19 23:17	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
	3624.1 AFHR Asset Installation	20.9	A23T A23-033 A06	A23T A06 00AC
	3624.1 AFHR Change Serviceability Stat	20.9	SERV S/I	XXXXXXxx
	Change Location of an Asse	20.9	INTMH A23-033	

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJY500126	C COMPLETED	05JAN05 03:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	18JAN05 05:43					556.0	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		ENG COWL 2 RFA FOR R1			
01	NO FAULT	04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		ENG COWL 2 REFITTED POST MOD146 AND 219			
A1PXXJY600868	C COMPLETED	25JAN06 01:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	25JAN06 01:52					854.1	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		ENG COWL 2 RFA			
01	NO FAULT	04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		CHECK/TEST SERV			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04124  
08JAN20  
23:16:15

SERIAL/TAIL NO : HLY300513  
PART NO : 571.10.09.044 ~S4080  
ENGINEERING NAME : ENGINE COWL 2  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJY607309	C COMPLETED	15MAY06 00:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	99 NO FAILURE			ENG COWL 2 R.F.A.		1003.5	AFHR
01 NO FAULT	04 CHECK/TEST SERV			Unserviceability Details: Maintenance Comments: CHECK/TEST SERV			
A1PXXJY614245	C COMPLETED	11SEP06 11:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	99 NO FAILURE			ENG COWL 2 R.F.A.		1145.6	AFHR
01 NO FAULT	04 CHECK/TEST SERV			Unserviceability Details: Maintenance Comments: CHECK/TEST SERV			
A1PXXJY615130	C COMPLETED	25SEP06 00:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	99 NO FAILURE	25SEP06 00:55	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
01 NO FAULT	04 CHECK/TEST SERV			ENG COWL S 1+2 RFA		1153.5	AFHR
				Unserviceability Details: Maintenance Comments: ENG COWLS FOUND SERV			
A1PXXJY615138	C COMPLETED	25SEP06 02:05	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
12 DAMAGED	07OCT08 06:03	25SEP06 02:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
08 DAMAGE	01 DAMAGED/CRACKED			2 CRACKS ON RIVET OF ENG COWL2 LH INSIDE EXHAUST CUT OUT AS MARKED.		1153.5	AFHR
	02 REPAIR			Unserviceability Details: Maintenance Comments: 2 CRACKS ON RIVET LH INSIDE EXHAUST CUTOUT SKIN, FRAME, ANGLES REPLACED IAW 7212.007-3.REF JSF/91/07.			
A1PXXJ1002896	C COMPLETED	16FEB10 00:03	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	99 NO FAILURE	16FEB10 00:03	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
01 NO FAULT	04 CHECK/TEST SERV			ENGINE COWL 2 RFA		1428.5	AFHR
				Unserviceability Details: Maintenance Comments: CHECK/TEST SERV			

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04125  
08JAN20  
23:16:15

SERIAL/TAIL NO : HLY300513  
PART NO : 571.10.09.044 ~S4080  
ENGINEERING NAME : ENGINE COWL 2  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
ALPXXJ1015201	C COMPLETED	24AUG10 23:03	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
13 REMOVED FOR ACCESS	99 NO FAILURE	24AUG10 23:04	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		1611.8	AFHR
01 NO FAULT	04 CHECK/TEST SERV			S40 due on Serial A23-014			
				PC-9 at WAC 0000			
				Unserviceability Details:			
				Maintenance Comments:	CHECK/TEST SERV		
ALPXXJ1111072	C COMPLETED	20JUL11 23:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
13 REMOVED FOR ACCESS	99 NO FAILURE	20JUL11 23:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		1728.1	AFHR
01 NO FAULT	04 CHECK/TEST SERV			R2 due on Serial A23-014			
				PC-9 at WAC 0000			
				Unserviceability Details:			
				Maintenance Comments:	CHECK/TEST SERV		
ALPXXJ1306359	C COMPLETED	15MAY13 01:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
13 REMOVED FOR ACCESS	99 NO FAILURE	15MAY13 01:55	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		1878.1	AFHR
01 NO FAULT	04 CHECK/TEST SERV			R2 due on Serial A23-014			
				PC-9 at WAC 0000			
				Unserviceability Details:			
				Maintenance Comments:	CHECK/TEST SERV		
ALPXXJ1310515	C COMPLETED	31JUL13 00:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
13 REMOVED FOR ACCESS	99 NO FAILURE	02AUG13 00:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		1878.1	AFHR
01 NO FAULT	04 CHECK/TEST SERV			R2 due on Serial A23-014			
				PC-9 at WAC 0000			
				Unserviceability Details:			
				Maintenance Comments:	CHECK/TEST SERV		
ALPXXJ1408655	C COMPLETED	23MAY14 03:21	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
15 FAULT FINDING	99 NO FAILURE	23MAY14 03:21	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		2160.1	AFHR
01 NO FAULT	04 CHECK/TEST SERV			R2 due on Serial A23-014			
				PC-9 at WAC 0000			
				Unserviceability Details:			
				Maintenance Comments:	ENGINE COWL # 2 REMOVED CLEANED AND INSPECTED SERV IAW AAP		
					7212.007-2.		

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04126  
08JAN20  
23:16:15

SERIAL/TAIL NO : HLY300513  
PART NO : 571.10.09.044 ~S4080  
ENGINEERING NAME : ENGINE COWL 2  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJ1512145	C COMPLETED	05AUG15 06:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
		05AUG15 06:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	2293.1	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		ENG COWL 1+2 RFA			

01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV

A1PXXJ1517428	C COMPLETED	05NOV15 05:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
		05NOV15 05:44	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	2458.1	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		ENG COWL 2 RFA			

01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV

A1PXXJ1518490	C COMPLETED	25NOV15 03:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
		25NOV15 03:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	2490.2	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		R2 due on Serial A23-014			
				PC-9 at WAC 0000			

01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV

A1PXXJ1610768	C COMPLETED	11MAY16 01:03	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
		11MAY16 01:04	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	2655.1	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		R1 due on Serial A23-014			
				PC-9 at WAC 0000			

01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV

A1PXXJ1613699	C COMPLETED	26JUN16 23:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
		27FEB17 02:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	2725.8	AFHR
01	UNSERVICEABLE	02 DURING OPERATION		APPROX 1 INCH CRACK IN SKIN LHS UPPER REAR SECTION ON ENG COWL			
		01 DAMAGED/CRACKED		2			
09	OUT OF LIMITS	02 REPAIR					

Unserviceability Details: APPROX 1 INCH CRACK LHS REAR UPPER SECTION IN COWL SKIN

Maintenance Comments: PATCH REPAIR CARRIED OUT IAW SRM 51-70-01 FIG 3 REF AIP MCS  
(Continued on next page.)

For-Official-Use-Only



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04127  
08JAN20  
23:16:15

SERIAL/TAIL NO : HLY300513 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 571.10.09.044 ~S4080  
ENGINEERING NAME : ENGINE COWL 2  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

(Continued from previous page.)  
991/16-36-1

A1PXXJ1707652	C COMPLETED	12APR17 03:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	12APR17 03:26	12APR17 03:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		2740.3	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE		ENGINE COWL 1 AND 2 REMOVED FOR QA ACCESS			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:		CHECK/TEST SERV			
		Maintenance Comments:					
A1PXXJ1713752	C COMPLETED	14JUL17 06:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	14JUL17 06:52	14JUL17 06:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		2890.8	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE		ENG COWL 2 RFA			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:		CHECK/TEST SERV			
		Maintenance Comments:					
A1PXXJ1720043	C COMPLETED	25OCT17 04:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	25OCT17 04:33	25OCT17 04:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		3055.2	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE		R2 due on Serial A23-034			
				PC-9 at WAC 0000			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:		CHECK/TEST SERV			
		Maintenance Comments:					
A1PXXJ1810905	C COMPLETED	04JUL18 05:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	04JUL18 05:14	04JUL18 05:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		3198.8	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE		R1 due on Serial A23-034			
				PC-9 at WAC 0000			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:		CHECK/TEST SERV			
		Maintenance Comments:					
A1PXXJ1810906	C COMPLETED	04JUL18 05:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	04JUL18 05:20	04JUL18 05:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		3198.8	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE		ENGINE COWL 1 AND 2 REMOVED FOR ACCESS			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:					

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04128  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : HLY300513 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 571.10.09.044 ~S4080  
 ENGINEERING NAME : ENGINE COWL 2  
 VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

Maintenance Comments: CHECK/TEST SERV

A1PXXJ1813231 C COMPLETED 13AUG18 13:15 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 13AUG18 13:16 13AUG18 13:15 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 3198.8 AFHR  
 13 REMOVED FOR ACCESS 99 NO FAILURE ENG COWL 1 AND 2 RFA

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

A1PXXJ1821305 C COMPLETED 11DEC18 01:44 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 11DEC18 01:45 11DEC18 01:44 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 3363.8 AFHR  
 13 REMOVED FOR ACCESS 99 NO FAILURE ENG COWLS 1 & 2 REMOVED FOR R1 SERV ACCESS

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

A1PXXJ1901074 C COMPLETED 21JAN19 13:01 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 21JAN19 13:02 21JAN19 13:01 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 3368.8 AFHR  
 13 REMOVED FOR ACCESS 99 NO FAILURE ENGINE COWL 1 + 2 RFA

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

A1PXXJ1902311 C COMPLETED 11FEB19 09:16 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 11FEB19 09:17 11FEB19 09:28 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 3404.0 AFHR  
 13 REMOVED FOR ACCESS 99 NO FAILURE CAMM2 DOWN ; ENG COWL 1 AND 2 RFA

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

A1PXXJ1903463 C COMPLETED 05MAR19 02:24 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 05MAR19 02:24 05MAR19 02:24 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 3431.1 AFHR  
 13 REMOVED FOR ACCESS 99 NO FAILURE PROP ASSY R.F.A FOR O/H

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : HLY300513  
PART NO : 571.10.09.044 ~S4080  
ENGINEERING NAME : ENGINE COWL 2  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJ1909810	C COMPLETED	12JUN19 04:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	12JUN19 04:37	12JUN19 04:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	3525.8	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		ENGINE COWL R.F.A			

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

A1PXXJ1914450	C COMPLETED	19SEP19 23:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	19SEP19 23:17	19SEP19 23:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	3624.1	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		R1 due on Serial A23-033 PC-9 at WAC 0000			

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : HLY300651  
PART NO : 532.10.09.060 ~S4080  
ENGINEERING NAME : HEAVY LDG INDIC  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 4504.6 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE UNPACKED			

01SEP03 07:08	HLY300651	532.10.09.060	~S4080	A23T	00
aip002	AIP	MCS		A2KEC00	
M. COX		06MAR90		AIPXXRY300250	

0.0 AFHR

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04131  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : HLY300651  
 PART NO : 532.10.09.060 ~S4080  
 ENGINEERING NAME : HEAVY LDG INDIC  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
01SEP03 07:08	Reception History Record	0.0	Reception			
	0.0 AFHR		MCS	MCS		XXXXXXxx
01SEP03 07:09	Asset Installation	0.2	A23T	A2KEC00	00	
	0.0 AFHR		544	A23-026		A23T A2KDG00 0 A
	Change Serviceability Stat	0.2	SERV			XXXXXXxx
	Change Location of an Asse	0.2	S/I			
			MCS			
14FEB17 02:32	Position Change	4914.8	A23-026			
			A23T	A2KDG00	00	
	3887.0 AFHR		A23T	A2KDG00	00	
	Maintenance Comment	0.0	A1PXXX1702160			XXXXXXxx
			POSITION CX TO CLEAR COMPARE ASSET POLICY ERROR			

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04132  
08JAN20  
23:16:15

SERIAL/TAIL NO : HLY400622  
PART NO : AN175C10A ~88044  
ENGINEERING NAME : BOLT HORIZONTAL STA  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 3612.2 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
24MAR04 04:44	HLY400622	AN175C10A	~88044 A23T	A2IAE	00
aip01254	AIP	OPMH		A1PXXRY400638	
J. O'NEILL		24MAR04	24MAR04		
	0.0 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04133  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : HLY400622  
 PART NO : AN175C10A  
 ENGINEERING NAME : BOLT HORIZONTAL STA  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~88044

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
24MAR04 04:44	Reception History Record	0.0	Reception OPMH	MCS
	0.0 AFHR			XXXXXXxx
24MAR04 05:59	Asset Installation	0.2	A23T 554	A2IAE A23-016 00
	0.0 AFHR			A23T A2IAE 0 A XXXXXXxx
	Change Serviceability Stat	0.2	SERV S/I OPMH A23-016	
	Change Location of an Asse	0.2	SERV S/I OPMH A23-016	
15JUN06 01:10	Asset Removal	812.7	554 A23T	A2IAE A23-016 00
	763.1 AFHR			A23T A2IAE 00A XXXXXXxx
	Change Serviceability Stat	2.9	S/I U/S	
	Change Location of an Asse	812.7	A23-016 INTMH U/S	
15JUN06 01:10	Change Serviceability Stat	0.0	SERV	
	763.1 AFHR			XXXXXXxx
15JUN06 11:08	Asset Installation	0.4	A23T 538	A2IAE A23-016 00
	763.1 AFHR			A23T A2IAE 00AC XXXXXXxx
	Change Serviceability Stat	0.4	SERV S/I INTMH A23-016	
	Change Location of an Asse	0.4		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			
A1PXXJY609199	C COMPLETED	15JUN06 01:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	15JUN06 01:10					763.1 AFHR	
13	REMOVED FOR ACCESS	99 NO FAILURE		HORIZONTAL STAB REAR SPAR CORRODED ALONG LH LOWER ANGLE APPROX 300MM IN LENGTH			
01	NO FAULT	04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:	CHECK/TEST SERV				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : HLY400622  
PART NO : AN175C10A ~88044 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : BOLT HORIZONTAL STA  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

=====



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04135  
08JAN20  
23:16:15

SERIAL/TAIL NO : HLY400623  
PART NO : AN175C10A ~88044  
ENGINEERING NAME : BOLT HORIZONTAL STA  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 3612.2 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
24MAR04 04:46	HLY400623	AN175C10A	A23T	A2IAG	00
aip01254	AIP	OPMH		A1PXXRY400641	
J. O'NEILL		24MAR04	24MAR04		
	0.0 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04136  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : HLY400623 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : AN175C10A ~88044  
 ENGINEERING NAME : BOLT HORIZONTAL STA  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
24MAR04 04:46	Reception History Record	0.0	Reception OPMH	MCS
	0.0 AFHR			XXXXXXxx
24MAR04 05:56	Asset Installation	0.2	A23T 554	A2IAG A23-016 00
	0.0 AFHR			A23T A2IAG 0 A XXXXXXxx
	Change Serviceability Stat	0.2	SERV S/I OPMH A23-016	
	Change Location of an Asse	0.2	SERV S/I OPMH A23-016	
15JUN06 01:12	Asset Removal	812.8	554 A23T	A2IAG A23-016 00
	763.1 AFHR			A23T A2IAG 00A XXXXXXxx
	Change Serviceability Stat	2.9	S/I U/S	
	Change Location of an Asse	812.8	A23-016 INTMH U/S	
15JUN06 01:12	Change Serviceability Stat	0.0	SERV	
	763.1 AFHR			XXXXXXxx
15JUN06 11:08	Asset Installation	0.4	A23T 538	A2IAG A23-016 00
	763.1 AFHR			A23T A2IAG 00AC XXXXXXxx
	Change Serviceability Stat	0.4	SERV S/I INTMH A23-016	
	Change Location of an Asse	0.4	SERV S/I INTMH A23-016	

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			
A1PXXJY609201	C COMPLETED	15JUN06 01:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	15JUN06 01:12					763.1 AFHR	
13	REMOVED FOR ACCESS	99 NO FAILURE		HORIZONTAL STAB REAR SPAR CORRODED ALONG LH LOWER ANGLE APPROX 300MM IN LENGTH			
01	NO FAULT	04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:	CHECK/TEST SERV				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04137  
08JAN20  
23:16:15

SERIAL/TAIL NO : HLY400623  
PART NO : AN175C10A ~88044 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : BOLT HORIZONTAL STA  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----  
JOB NUMBER STATUS RAISED DATE/TIME RAISED USER ID RAISED NAME RAISED VENUE CERT VENUE EPSS  
DEFECT REF STATUS DATE/TIME ENTERED DATE/TIME ENTERED USER ID ENTERED NAME ENTERED VENUE LIFE SINCE NEW  
REASON FOR REPORT WHEN FAILURE DISCOVERED SYMPTOMS  
MAINT PROCESS UNSERVICEABILITY UNSERVICEABILITY DETAILS  
FAULT FOUND MAINTENANCE ACTION TAKEN MAINTENANCE COMMENT  
=====

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04138  
08JAN20  
23:16:15

SERIAL/TAIL NO : HLY400624  
PART NO : MS21046C5E ~96906  
ENGINEERING NAME : NUT  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 3612.2 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
24MAR04 04:49	HLY400624	MS21046C5E	A23T	A2IAI	00
aip01254	AIP	OPMH		A1PXXRY400644	
J. O'NEILL		24MAR04	24MAR04		
	0.0 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04139  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : HLY400624  
 PART NO : MS21046C5E  
 ENGINEERING NAME : NUT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~96906

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
24MAR04 04:49	Reception History Record	0.0	Reception OPMH	MCS
24MAR04 05:49	Asset Installation	0.2	A23T 554	A2IAI A23-016 00
	Change Serviceability Stat	0.2	SERV S/I OPMH A23-016	A23T A2IAI 0 A
15JUN06 01:13	Asset Removal	812.8	554 A23T	A2IAI A23-016 00
	Change Serviceability Stat	2.9	S/I U/S A23-016	A2IAI A23-016 00A
15JUN06 01:13	Change Serviceability Stat	0.0	INTMH U/S SERV	
15JUN06 11:07	Asset Installation	0.4	A23T 538	A2IAI A23-016 00
	Change Serviceability Stat	0.4	SERV S/I INTMH A23-016	A23T A2IAI 00AC
08OCT19 08:56	Position Change	4862.9	A23T A23T	A2IAI A2IAI 00
	Maintenance Comment	0.0	A1PXXX1908993	POST R1 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : HLY400624  
PART NO : MS21046C5E ~96906 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : NUT  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

```

=====
A1PXXJY609203  C  COMPLETED      15JUN06  01:13   XXxxXXxx      XXxxXXxxXXxxXXxxXXxx AIP          AIP
                15JUN06  01:13                                     763.1    AFHR
13 REMOVED FOR ACCESS      99 NO FAILURE                                     HORIZONTAL STAB REAR SPAR CORRODED ALONG LH LOWER ANGLE APPROX
                                                                300MM IN LENGTH
01 NO FAULT                04 CHECK/TEST SERV
                               Unserviceability Details:
                               Maintenance Comments: CHECK/TEST SERV
=====

```

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04141  
08JAN20  
23:16:15

SERIAL/TAIL NO : HLY400625  
PART NO : MS21046C5E ~96906  
ENGINEERING NAME : NUT  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 3612.2 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	DATE NEW	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	HA PART	DATE UNPACKED		
24MAR04 04:51	HLY400625	MS21046C5E	A23T	A2IAK	00
aip01254	AIP	OPMH		A1PXXRY400647	
J. O'NEILL		24MAR04	24MAR04		
	0.0 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04142  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : HLY400625  
 PART NO : MS21046C5E  
 ENGINEERING NAME : NUT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~96906

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
24MAR04 04:51	Reception History Record	0.0	Reception OPMH	MCS
24MAR04 05:41	Asset Installation	0.2	A23T 554	A2IAK A23-016 00
	Change Serviceability Stat	0.2	SERV S/I OPMH A23-016	A23T A2IAK 0 A
15JUN06 01:14	Asset Removal	812.8	554 A23T	A2IAK A23-016 00
	Change Serviceability Stat	2.9	S/I U/S A23-016	A23T A2IAK 00A
15JUN06 01:15	Change Serviceability Stat	0.0	INTMH U/S SERV	
15JUN06 11:07	Asset Installation	0.4	A23T 538	A2IAK A23-016 00
	Change Serviceability Stat	0.4	SERV S/I INTMH A23-016	A23T A2IAK 00AC

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJY609204	C COMPLETED	15JUN06 01:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13	REMOVED FOR ACCESS	99 NO FAILURE		HORIZONTAL STAB REAR SPAR CORRODED ALONG LH LOWER ANGLE APPROX 300MM IN LENGTH		763.1 AFHR	
01	NO FAULT	04 CHECK/TEST SERV					

Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : HLY400625  
PART NO : MS21046C5E ~96906 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : NUT  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

=====

RUN ID: ASSTHIST

RUN BY: tforner

ASSET HISTORY

08JAN20

PROGRM: ASSTHIST

23:16:15

SERIAL/TAIL NO : KA44B-A95107 LITERAL SERIAL NO : KA44B-A95107 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 071-1234-00 ~22373  
 ENGINEERING NAME : ANTENNA KA44B  
 VENUE : A23DISP LOCATION : A23-033  
 CURRENT CONDITION : S/I LIFE SINCE NEW : 239.3 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC	
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID		
NAME	HA SERIAL	DATE NEW	BATCH	MATCHED SET NO		
	DEFAULT LIFS ENTERED AT RECEPTION	HA PART	DATE UNPACKED			
07AUG18 07:07	KA44B-A95107	071-1234-00	~22373	A23T	ALUNK	00
aip02188	AIP	STORES		MMI	ALPXXR1801003	
R. ORLOWSKI		06DEC17		N/A		
	0.0 AFHR					

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : KA44B-A95107 LITERAL SERIAL NO : KA44B-A95107 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 071-1234-00 ~22373  
ENGINEERING NAME : ANTENNA KA44B  
VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
07AUG18 07:10	Maintenance Comment	0.0 AFHR	0.0	HONEYWELL INT INC ARC DATED 06DEC2017 AUTH H MARSHALL A1PXXX1807635	XXXXXXxx
07AUG18 07:11	Maintenance Comment	0.0 AFHR	0.0	HONEYWELL INT INC ARC NO 20170004015554Y14 8006962026-10 A1PXXX1807636	XXXXXXxx
01MAR19 04:26	Asset Installation	0.0 AFHR	450.1	A23T A1UNK 00 533	A23T A1UNK 00AC XXXXXXxx
	Change Serviceability Stat		450.1	SERV S/I	
	Change Location of an Asse		450.1	STORES A23-033	MMI

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04146  
08JAN20  
23:16:15

SERIAL/TAIL NO : KL10120499  
PART NO : 3119388-02 ~00198 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : TRANSDUCER TORQUE  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 1448.4 ENHR

ASSET RECEPTION -----

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE UNPACKED			
08OCT12 03:11	KL10120499	3119388-02	~00198	A23T	00
aip04023	AIP	FAK		A1SAO06	
K. ARUMUGAM		03MAR11		A1PXXR1201341	
	0.0 ENHR		08OCT12		

-----

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04147  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : KL10120499  
 PART NO : 3119388-02  
 ENGINEERING NAME : TRANSDUCER TORQUE  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~00198

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
08OCT12 03:11	Reception History Record	0.0	0.0	Reception FAK	MCS
21NOV12 13:24	Asset Installation	0.0 ENHR	629.5	A23T 103186	1SAO06 A23-036 00
	Change Serviceability Stat	0.0 ENHR	44.5	SERV S/I FAK	A23T A1SAM22AG 00AC
	Change Location of an Asse		44.5	A23-036	XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04148  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : L014763  
 PART NO : 578.10.09.023  
 ENGINEERING NAME : STUB EXHAUST LH  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

~S4080

LOCATION : A23-033  
 LIFE SINCE NEW : 8548.3 ENHR

PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T CHANGE TYPE				SPAN(DYS) FROM			TO (OPTIONAL)		TRANS REFERENCE		USER	
LIFE SINCE NEW												
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
02SEP03	16:41	Maintenance Comment	0.0 ENHR	4.3	09Jul98	103212	01.2	3339.7	0.0	AFHR	UPDATED LIFE	(MIUP)
											XXXXXXxx	
02SEP03	16:41	Maintenance Comment	0.0 ENHR	4.3	25Jul03	103161	01.20	4594.5	0.0	ENHR	UPDATED LIFE	(MIUP)
											XXXXXXxx	
02SEP03	16:42	Maintenance Comment	0.0 ENHR	4.3	15Jan98	103212	01.2	3089.7	0.0	AFHR	UPDATED LIFE	(MIUP)
											XXXXXXxx	
02SEP03	16:42	Maintenance Comment	0.0 ENHR	4.3	26Mar01	103212	01.20	4263.8	0.0	ENHR	13-REMACCES	LC12493
											XXXXXXxx	
02SEP03	16:43	Maintenance Comment	0.0 ENHR	4.3	29Mar01	103212	01.20	4263.8	0.0	ENHR	IN AS A23T 0012-13-07-C	
											XXXXXXxx	
02SEP03	16:43	Maintenance Comment	0.0 ENHR	4.3	12Apr01	2FTOPMH				FF: 01-NIL	MA: 04-CHK/TST	
											XXXXXXxx	
02SEP03	16:45	Maintenance Comment	0.0 ENHR	4.3	29Apr98	103212	01.2	3205.5	0.0	AFHR	UPDATED LIFE	(MPMI)
											XXXXXXxx	
02SEP03	16:45	Maintenance Comment	0.0 ENHR	4.3	26Mar01	2FTOPMH				FF: 01-NIL	MA: 04-CHK/TST	
											XXXXXXxx	
02SEP03	16:49	Maintenance Comment	0.0 ENHR	4.3	29Aug03	103161	01.20	4594.5	ENHR	TX TO CAMM2		
											XXXXXXxx	
02SEP03	16:50	Maintenance Comment	0.0 ENHR	4.3	08Mar89	NEW - L014763	578.10.09.017			0012-13-07-C		
											XXXXXXxx	
02SEP03	16:51	Maintenance Comment	0.0 ENHR	4.3	25Sep00	103212	01.20	4085.6	0.0	ENHR	UPDATED LIFE	(MIUP)
											XXXXXXxx	
02SEP03	16:52	Maintenance Comment	0.0 ENHR	4.3	06Apr99	103212	01.2	3587.3	0.0	AFHR	UPDATED LIFE	(MIUP)
											XXXXXXxx	
02SEP03	16:52	Maintenance Comment	0.0 ENHR	4.3	29Jun00	103212	01.20	3979.6	0.0	ENHR	UPDATED LIFE	(MPMI)
											XXXXXXxx	
02SEP03	16:58	Maintenance Comment	0.0 ENHR	4.3	12Apr01	103212	00.20	4263.8	0.0	ENHR	13-REMACCES	LC13796
											XXXXXXxx	
02SEP03	16:58	Maintenance Comment	0.0 ENHR	4.3	09May01	103161	00.20	4263.8	0.0	ENHR	IN AS A23T 0012-13-07-C	
											XXXXXXxx	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04149  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : L014763  
 PART NO : 578.10.09.023 ~S4080  
 ENGINEERING NAME : STUB EXHAUST LH  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
05FEB04 06:09	Asset Removal	159.9	103161 103161 A23T A1SAM12	A23T A1SAM12 00
	4741.0 ENHR Change Serviceability Stat	14.1	S/I U/S	XXXXXXxx
15MAR04 06:12	Change Part Number of an A	198.9	578.10.09.017 578.10.09.023	~S4080 ~S4080
	4741.0 ENHR Change Serviceability Stat	39.0	U/S SERV	XXXXXXxx
15MAR04 06:15	Change Location of an Asse	41.0	EXTERNAL MMIST	XXXXXXxx
	4741.0 ENHR Asset Installation	77.0	A1PXXXY405820 A23T A1SAM12	XXXXXXxx
22APR04 06:24	Change Serviceability Stat	38.0	103171 A23-024	A23T A1SAM12 1 A
	4741.0 ENHR Change Location of an Asse	38.0	SERV S/I MMIST	XXXXXXxx
31AUG05 00:47	Asset Removal	495.7	A23-024 103171 A23T A1SAM12	A23T A1SAM12 01
	5086.1 ENHR Change Serviceability Stat	91.9	S/I U/S	XXXXXXxx
	Change Location of an Asse	495.7	A23-024 HG122	
31AUG05 00:47	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
	5086.1 ENHR			XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04150  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : L014763  
 PART NO : 578.10.09.023 ~S4080  
 ENGINEERING NAME : STUB EXHAUST LH  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
02DEC05 02:45	Asset Installation	93.0	A23T A1SAM12 103171 A23-024	01 A23T A1SAM12 01AC XXXXXXXX
	5086.1 ENHR Change Serviceability Stat	93.0	SERV S/I HG122 A23-024	
	Change Location of an Asse	93.0		
15MAY08 08:21	Asset Removal	895.2	103171 A23T A1SAM12 A23-024	01 A23T A1SAM12 01A XXXXXXXX
	5535.5 ENHR Change Serviceability Stat	3.1	S/I U/S A23-024	
	Change Location of an Asse	895.2		
15MAY08 08:22	Change Serviceability Stat	0.0	INTMH U/S SERV	XXXXXXXX
19MAY08 08:05	Asset Installation	3.9	A23T A1SAM12 103143 A23-024	01 A23T A1SAM12 01AC XXXXXXXX
	5535.5 ENHR Change Serviceability Stat	3.9	SERV S/I INTMH A23-024	
	Change Location of an Asse	3.9		
28NOV12 11:15	Asset Removal	1654.1	103143 A23T A1SAM12 A23-024	01 A23T A1SAM12 01A XXXXXXXX
	6671.0 ENHR Change Serviceability Stat	19.1	S/I U/S A23-024	
	Change Location of an Asse	1126.4		
28NOV12 11:16	Change Serviceability Stat	0.0	OPMH U/S SERV	XXXXXXXX
	6671.0 ENHR			



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04151  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : L014763  
 PART NO : 578.10.09.023 ~S4080  
 ENGINEERING NAME : STUB EXHAUST LH  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
11DEC12 05:09	Asset Installation	12.7	A23T 103143 A1SAM12 A23-024	01 A23T A1SAM12 01AC XXxxXXxx
	6671.0 ENHR Change Serviceability Stat	12.7	SERV S/I	
	Change Location of an Asse	12.7	OPMH A23-024	
17APR15 03:43	Asset Removal	856.9	103143 A23T A1SAM12 A23-024	01 A23T A1SAM12 01A XXxxXXxx
	7357.9 ENHR Change Serviceability Stat	2.9	S/I U/S	
	Change Location of an Asse	224.9	A23-024 PC9-AIRCRAFT	
17APR15 03:44	Change Serviceability Stat	0.0	U/S SERV	XXxxXXxx
30APR15 23:58	Asset Installation	13.8	A23T 103186 A1SAM12 A23-024	01 A23T A1SAM12 01AC XXxxXXxx
	7357.9 ENHR Change Serviceability Stat	13.8	SERV S/I	
	Change Location of an Asse	13.8	PC9-AIRCRAFT A23-024	
01MAY17 08:42	Change Serviceability Stat	0.0	S/I US/I	
01MAY17 13:00	Change Serviceability Stat	0.1	A1PXXJ1708442 US/I	XXxxXXxx
	7630.2 ENHR		S/I	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04152  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : L014763  
 PART NO : 578.10.09.023 ~S4080  
 ENGINEERING NAME : STUB EXHAUST LH  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
14AUG18 12:47	Asset Removal	1201.5	103186 A23T A1SAM12 A23-024 01	A23T A1SAM12 01A
	8076.7 ENHR Change Serviceability Stat	11.4	S/I U/S	XXXXXXxx
	Change Location of an Asse	694.4	A23-024 OPMH	
14AUG18 12:48	Change Serviceability Stat	0.0	U/S SERV	
	8076.7 ENHR			XXXXXXxx
15AUG18 02:50	Asset Installation	0.5	A23T A1SAM12 103186 A23-033 01	A23T A1SAM12 01AC
	8076.7 ENHR Change Serviceability Stat	0.5	SERV S/I	XXXXXXxx
	Change Location of an Asse	0.5	OPMH A23-033	

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS		UNSERVICEABILITY DETAILS			
MAINT PROCESS	UNSERVICEABILITY	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					
A1PXXJY402221	C COMPLETED	05FEB04 06:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	15MAR04 06:15					4741.0	ENHR
13	REMOVED FOR ACCESS	99 NO FAILURE		ENGINE TO BE STRIPPED TO BE SENT OFF FOR REPAIR			
01	NO FAULT	04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		MOD 7198.020.104 C/O			
2FTSXJY314225	C COMPLETED	05FEB04 06:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	15MAR04 06:14					4741.0	ENHR
08	MOD/STI/DVI REQUIRED			7198.020-104 due on Serial			
				STUB EXHAUST LH at WAC 0120			
01	NO FAULT	08 MOD/STI/DVI INCORP					
		Unserviceability Details:					
		Maintenance Comments:		MOD 7198-020-104 C/O			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04153  
08JAN20  
23:16:15

SERIAL/TAIL NO : L014763  
PART NO : 578.10.09.023 ~S4080  
ENGINEERING NAME : STUB EXHAUST LH  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJY515231	C COMPLETED	31AUG05 00:47	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13	REMOVED FOR ACCESS	99 NO FAILURE		LH AND RH EXHAUST STUB REMOVED FOR S33		5086.1	ENHR
01	NO FAULT	04 CHECK/TEST SERV					
Unserviceability Details:							
Maintenance Comments: CHECK/TEST SERV							
A1PXXJY808244	C COMPLETED	15MAY08 08:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13	REMOVED FOR ACCESS	99 NO FAILURE		PART OF RETAINING RING IN ENG POWER SECTION MISSING		5535.5	ENHR
01	NO FAULT	04 CHECK/TEST SERV					
Unserviceability Details:							
Maintenance Comments: CHECK/TEST SERV							
A1PXXJ1218162	C COMPLETED	28NOV12 11:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13	REMOVED FOR ACCESS	99 NO FAILURE		LH EXHAUST STUB RFA		6671.0	ENHR
01	NO FAULT	04 CHECK/TEST SERV					
Unserviceability Details:							
Maintenance Comments: CHECK/TEST SERV							
ARDUXJ1500978	C COMPLETED	17APR15 03:44	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU	ARDU	
13	REMOVED FOR ACCESS	99 NO FAILURE		FORM EE505 REG # VIS/02/15 RAISED FOR RM01. WORKSHEETS TO BE CLEARED.		7357.9	ENHR
01	NO FAULT	04 CHECK/TEST SERV					
Unserviceability Details:							
Maintenance Comments: CHECK/TEST SERV							
A1PXXJ1708442	C COMPLETED	01MAY17 13:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
08	MOD/STI/DVI REQUIRED	01MAY17 08:42		STI-PC9-0644 due on Serial L014763		7630.2	ENHR
01	NO FAULT	08 MOD/STI/DVI INCORP		STUB EXHAUST LH at WAC 0120			
Unserviceability Details:							
Maintenance Comments: STI-PC9-0644 C/O IAW STI INSTRUCTIONS NIL CRACKING EVIDENT REF 575306#2							

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : L014763 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 578.10.09.023 ~S4080  
ENGINEERING NAME : STUB EXHAUST LH  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS		UNSERVICEABILITY DETAILS			
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS		MAINTENANCE COMMENT			
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

```

=====
A1PXXJ1813298  C  COMPLETED      14AUG18  12:47  XXxxXXxx      XXxxXXxxXXxxXXxxXXxx AIP      AIP
                14AUG18  12:48      14AUG18  12:47  XXxxXXxx      XXxxXXxxXXxxXXxxXXxx AIP      8076.7  ENHR
13 REMOVED FOR ACCESS      99 NO FAILURE      STUB EXHAUST LH & RH RFA
01 NO FAULT                04 CHECK/TEST SERV
                               Unserviceability Details:
                               Maintenance Comments:  CHECK/TEST SERV
=====

```

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04155  
08JAN20  
23:16:15

SERIAL/TAIL NO : L014763  
PART NO : 578.10.09.023 ~S4080  
ENGINEERING NAME : STUB EXHAUST LH  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MODIFICATION ORDERS INCORPORATION STATUS CHANGE								
MOD NUMBER	CURRENT(Y/N)	STATUS	DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE	SINCE NEW
7198.020-104	N		11AUG03 00:00	NINC				
7198.020-104	Y		15MAR04	INC	2FTSXJY314225	05FEB04 06:50	4741.0	ENHR

STI STATUS CHANGE								
STI NUMBER	CURRENT(Y/N)	STATUS	DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE	SINCE NEW
STI-PC9-0644	N		26APR17 09:09	NINC				
STI-PC9-0644	Y		01MAY17 13:00	INC	A1PXXJ1708442	01MAY17 12:53	7630.2	ENHR

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 04156  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : L117458  
 PART NO : 116.35.07.288 ~S4080  
 ENGINEERING NAME : STICK GRIP ASSY  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 9408.1 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
				LIFE SINCE NEW				
31AUG03	16:48	Maintenance Comment		2.3	29Aug03	2FTMMIST 00.	4686.4 AFHR	TX TO CMM2
		0.0 AFHR				CMM LOG00008		XXXXXXxx
31AUG03	16:55	Maintenance Comment		2.3	2FTREP	WFD: 01-IN FLIGHT		US: 03-ELECFAIL
		0.0 AFHR				CMM LOG00003		XXXXXXxx
31AUG03	16:57	Maintenance Comment		2.3	25Jun91	NEW - L117458 116.35.07.288	1425-00-00-C	
		0.0 AFHR				CMM LOG00007		XXXXXXxx
31AUG03	16:58	Maintenance Comment		2.3	15Mar00	A23-049 07.40 3501.3	0.0 AFHR	LOG INITIALIZED
		0.0 AFHR				CMM LOG00001		XXXXXXxx
31AUG03	16:58	Maintenance Comment		2.3	30Jun03	A23-049 07.40 4686.4	0.0 AFHR	01-FAILED LG30796
		0.0 AFHR				CMM LOG00002		XXXXXXxx
31AUG03	16:58	Maintenance Comment		2.3	03Jul03	2FTAVOP FF: 03-ELECFAIL		MA: 02-REPAIR
		0.0 AFHR				CMM LOG00005		XXXXXXxx
31AUG03	16:58	Maintenance Comment		2.3	CXD TRIM SWITCH			
		0.0 AFHR				CMM LOG00006		XXXXXXxx
31AUG03	16:58	Maintenance Comment		2.3	NIL DETENT ON TRIM SWITCH			
		0.0 AFHR				CMM LOG00004		XXXXXXxx
03DEC03	07:51	Asset Installation		95.9	A23T	A1UEU00 00		
		4686.3 AFHR				XX02FTSXRY309429 A23-033	A23T	A1UIU00 0 A
		Change Serviceability Stat		153.3	SERV			XXXXXXxx
		Change Location of an Asse		153.3	S/I			
					MMIST			
					A23-033			
09JUN17	05:27	Position Change		4936.8	A23T	A1UIU00 00		
		8777.7 AFHR			A23T	A1UIU00 00		
		Maintenance Comment		0.0	A1PXXX1709242			XXXXXXxx
					POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE			

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : L42850 LITERAL SERIAL NO : L42850 PERIOD: 01JAN90 TO 08JAN20  
PART NO : D9512A ~24692  
ENGINEERING NAME : BLADE PROPELLER  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 614.1 ENHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
15AUG16 00:52	L42850	D9512A	~24692	A00AA	00
aiel671	AIE	MCS	A23T	A1EXXR1600597	
C. LLOYD-WEBB		01JAN87			
	0.0 ENHR				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : L42850 LITERAL SERIAL NO : L42850 PERIOD: 01JAN90 TO 08JAN20  
PART NO : D9512A ~24692  
ENGINEERING NAME : BLADE PROPELLER  
VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
09DEC13 10:30	Asset Installation	9839.4	A23T A00AA GG477	GG477 00 A23T A00AA 00MMI
	0.0 ENHR			XXXXXXxx
	Change Serviceability Stat	1.4	SERV S/I	
	Change Location of an Asse	1.4	MCS	
15AUG16 00:52	Reception History Record	0.0	EQUIP_STORE Reception	MCS
	0.0 ENHR			XXXXXXxx



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : L42851 LITERAL SERIAL NO : L42851 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : D9512A ~24692  
 ENGINEERING NAME : BLADE PROPELLER  
 VENUE : A23DISP LOCATION : A23-033  
 CURRENT CONDITION : S/I LIFE SINCE NEW : 614.1 ENHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
15AUG16 00:54	L42851	D9512A	~24692	A00AC	00
aiel671	AIE	MCS		A1EXXR1600598	
C. LLOYD-WEBB		01JAN87			
	0.0 ENHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : L42851 LITERAL SERIAL NO : L42851 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : D9512A ~24692  
 ENGINEERING NAME : BLADE PROPELLER  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS -----

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW						
09DEC13 10:30	Asset Installation	9839.4	A23T	A00AC	GG477	00
	0.0 ENHR		GG477		GG477	A23T A00AC
	Change Serviceability Stat	1.4	SERV			XXXXXXxx
	Change Location of an Asse	1.4	S/I			
			MCS			
15AUG16 00:54	Reception History Record	0.0	EQUIP_STORE			
	0.0 ENHR		Reception			
			MCS		MCS	XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : L42852                      LITERAL SERIAL NO : L42852                      PERIOD: 01JAN90 TO 08JAN20  
 PART NO : D9512A                              ~24692  
 ENGINEERING NAME : BLADE PROPELLER  
 VENUE : A23DISP                              LOCATION : A23-033  
 CURRENT CONDITION : S/I                      LIFE SINCE NEW : 614.1 ENHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
15AUG16 00:56	L42852	D9512A	~24692	A00AE	00
aiel671	AIE	MCS	A23T	A1EXXR1600599	
C. LLOYD-WEBB		01JAN87			
	0.0 ENHR				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : L42852 LITERAL SERIAL NO : L42852 PERIOD: 01JAN90 TO 08JAN20  
PART NO : D9512A ~24692  
ENGINEERING NAME : BLADE PROPELLER  
VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
09DEC13 10:30	Asset Installation	9839.4	A23T A00AE GG477	GG477 00 A23T A00AE 00MMI
	0.0 ENHR			XXXXXXXXXX
	Change Serviceability Stat	1.4	SERV S/I	
	Change Location of an Asse	1.4	MCS EQUIP_STORE	
15AUG16 00:56	Reception History Record	0.0	Reception MCS	MCS XXXXXX
	0.0 ENHR			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : L42853 LITERAL SERIAL NO : L42853 PERIOD: 01JAN90 TO 08JAN20  
PART NO : D9512A ~24692  
ENGINEERING NAME : BLADE PROPELLER  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 614.1 ENHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
15AUG16 00:57	L42853	D9512A	~24692	A00AG	00
aiel671	AIE	MCS	A23T	A1EXXR1600600	
C. LLOYD-WEBB		01JAN87			
	0.0 ENHR				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : L42853 LITERAL SERIAL NO : L42853 PERIOD: 01JAN90 TO 08JAN20  
PART NO : D9512A ~24692  
ENGINEERING NAME : BLADE PROPELLER  
VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
09DEC13 10:30	Asset Installation	9839.4	A23T A00AG GG477	GG477 00 A23T A00AG 00MMI
	0.0 ENHR Change Serviceability Stat	1.4	SERV S/I	XXXXXXXX
	Change Location of an Asse	1.4	MCS EQUIP_STORE	
15AUG16 00:57	Reception History Record	0.0	Reception MCS	MCS XXXXXX
	0.0 ENHR			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 04165  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : L727062  
 PART NO : 972.81.31.563-M ~Z5023  
 ENGINEERING NAME : FACEPLATE  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 8040.1 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T CHANGE TYPE			SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER	
LIFE SINCE NEW								
01SEP03	20:14	Maintenance Comment	3.4	29Aug03	116	07.30 3445.9 AFHR	TX TO CMM2	
		0.0 AFHR					XXXXXXxx	
01SEP03	20:23	Maintenance Comment	3.4	09Sep86	NEW - L727062	*2.81.31.563-3M	2276-01-00-C	
		0.0 AFHR					XXXXXXxx	
10APR07	02:12	Change Part Number of an A	1319.7	972.81.31.563-3M		~F0214		
		4548.4 AFHR		972.81.31.563-M		~Z5023		
				A1PXXXY703084			XXXXXXxx	
29JUN17	08:03	Position Change	5052.9	A23T	A1UEC00	00		
				A23T	A1UEC00	00		
		7516.7 AFHR		A1PXXX1710191			XXXXXXxx	
		Maintenance Comment	0.0	POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE				

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04166  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : L727166  
 PART NO : 8000-01-2  
 ENGINEERING NAME : DELAY UNIT ELECTRIC  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

~K0659

LOCATION : A23-033  
 LIFE SINCE NEW : 9526.4 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T CHANGE TYPE		LIFE SINCE NEW		SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
02SEP03	01:52	Maintenance Comment	0.0	3.7	04Apr00	2FTOPMH	FF: 01-NIL	MA: 04-CHK/TST
			AFHR					XXXXXXxx
02SEP03	02:01	Maintenance Comment	0.0	3.7	04Apr00	YH169948 06.20	3593.8	0.0 AFHR IN AS A23T 2001-02-00-H
			AFHR					XXXXXXxx
02SEP03	02:01	Maintenance Comment	0.0	3.7	20Dec90	NEW - L727166 8000-01-2		2001-02-00-H
			AFHR					XXXXXXxx
02SEP03	02:02	Maintenance Comment	0.0	3.7	04Apr00	YH175266 00.20	3593.8	0.0 AFHR 13-REMACCES LA08470
			AFHR					XXXXXXxx
02SEP03	02:05	Maintenance Comment	0.0	3.7	06Jun97	SERNO REIDENTIFIED FROM	XX030960	
			AFHR					XXXXXXxx
02SEP03	02:06	Maintenance Comment	0.0	3.7	29Aug03	YH169948 06.20	4751.5 AFHR	TX TO CAMM2
			AFHR					XXXXXXxx
07JUN17	06:08	Position Change		5030.9	A23T	A1UJU00	00	
					A23T	A1UJU00	00	
		8896.0	AFHR					XXXXXXxx
		Maintenance Comment		0.0	A1PXXX1709006			POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04167  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : L930579  
 PART NO : 527.10.09.034 ~S4080  
 ENGINEERING NAME : SPRING STRUT AIL  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 7723.7 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
				LIFE SINCE NEW				
01SEP03	03:57	Maintenance	Comment	2.8	29Aug03	A23-009	09.20 4441.8 AFHR	TX TO CAMM2
		0.0	AFHR			CAMM LOG00004		XXXXXXxx
01SEP03	03:58	Maintenance	Comment	2.8	23Nov87	.0 AFHR	LST OH 5000.0 AFHR	NXT OH
		0.0	AFHR			CAMM LOG00003		XXXXXXxx
01SEP03	04:04	Maintenance	Comment	2.8	05Jun03	A23-009	09.20 4346.0 4346.0 AFHR	LOG INITIALIZED
		0.0	AFHR			CAMM LOG00001		XXXXXXxx
01SEP03	04:04	Maintenance	Comment	2.8	23Nov87	NEW - L930579	527.10.09.034	1303-00-00-J
		0.0	AFHR			CAMM LOG00002		XXXXXXxx
28OCT06	04:57	Asset Removal		1155.8	511	A23-009		A23T A2KFU 00A
		4666.0	AFHR		A23T	A2KFU	00	XXXXXXxx
		Change Serviceability Stat		898.0	S/I			
		Change Location of an Asse		xxxx	U/S	A23-009		
23JAN07	01:57	Change Location of an Asse		86.8	HG121			
		4666.0	AFHR		JANDAKOT			
22MAY07	08:00	Change Serviceability Stat		206.1	A1PXXXY700417			XXXXXXxx
		4666.0	AFHR		U/S			
28MAY07	00:26	Change Location of an Asse		124.9	SERV			XXXXXXxx
		4666.0	AFHR		JANDAKOT			
14MAY09	04:56	Asset Installation		928.9	MMIST	A1PXXXY704541		XXXXXXxx
		4666.0	AFHR		A23T	A2KFU	00	
		Change Serviceability Stat		722.8	027	A23-033		A23T A2KFU 00AC
		Change Location of an Asse		717.1	SERV			XXXXXXxx
					S/I			
					MMIST			
					A23-033			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04168  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : L930579  
 PART NO : 527.10.09.034 ~S4080  
 ENGINEERING NAME : SPRING STRUT AIL  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
14APR15 05:25	Asset Removal	2161.0	027 A23T A2KFU	A23T A2KFU 00M
	6449.2 AFHR Change Serviceability Stat	18.8	S/I U/S SERV	XXXXXXxx
14APR15 05:25	Change Serviceability Stat	0.0	U/S SERV	
	6449.2 AFHR			XXXXXXxx
14MAY15 04:42	Asset Installation	29.9	A23T A2KFU 027	A23T A2KFU 00MMI
	6449.2 AFHR Change Serviceability Stat	29.9	SERV S/I	XXXXXXxx

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			
A1PXXJY617385	C COMPLETED	28OCT06 04:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	22MAY07 08:00	28OCT06 04:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	4666.0	AFHR
13 REMOVED FOR ACCESS	99 NO FAILURE			SPRING STRUT AILERON REMOVED FOR ACCESS			
01 NO FAULT	04 CHECK/TEST SERV			Unserviceability Details: Maintenance Comments: 22MAY07 O/H AT AIRFLITE JANDAKOT			
A1PXXJ1505841	C COMPLETED	14APR15 05:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	14APR15 05:25	14APR15 05:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	6449.2	AFHR
13 REMOVED FOR ACCESS	99 NO FAILURE			AILERON TRIM ACT AND SPRING STRUT RFA			
01 NO FAULT	04 CHECK/TEST SERV			Unserviceability Details: Maintenance Comments: CHECK/TEST SERV			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

SERIAL/TAIL NO : L930579  
PART NO : 527.10.09.034 ~S4080  
ENGINEERING NAME : SPRING STRUT AIL  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MAINTENANCE POLICY HISTORY -----

POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	USER ID
28MAY07 00:25	SM	OH	XXXXXXxx
	DLD Changed From: 23NOV1987		To:

=====

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 04170  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : LE0357  
 PART NO : MBEU100078  
 ENGINEERING NAME : GUN ASSY TELESCOPIC  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

~U1604

PERIOD: 01JAN90 TO 08JAN20

LOCATION : A23-033  
 LIFE SINCE NEW : 7193.3 AFHR

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
				LIFE SINCE NEW				
30AUG03	05:55	Maintenance	Comment	0.8	2737.5	0.0	AFHR	XXxxXXxx
					CMM LOG00007			MA: 07-OH
30AUG03	05:56	Maintenance	Comment	0.8	21Jan02		RX16094	FF: 01-NIL
					CMM LOG00011			XXxxXXxx
30AUG03	05:56	Maintenance	Comment	0.8	13Nov89	NEW -	LE0357	MBEU100078
					CMM LOG00012			1451-05-00-D
30AUG03	05:57	Maintenance	Comment	0.8	21Jan02	040	00.40	4449
					CMM LOG00009			2350 DAYS
								03-OH DUE
								RY20035
30AUG03	05:57	Maintenance	Comment	0.8	21Jan02		ELPYR	LST OH
					CMM LOG00013			20JAN08
								ELPYR
30AUG03	05:57	Maintenance	Comment	0.8	12Nov97	RT75270		FF: 01-NIL
					CMM LOG00001			XXxxXXxx
								MA: 06-BS
30AUG03	05:59	Maintenance	Comment	0.8	03Apr00	040	00.40	3792
					CMM LOG00006			1693 DAYS
								02-BS DUE
								RW03576
30AUG03	05:59	Maintenance	Comment	0.8	21Jan02		ELPYR	LST BS
					CMM LOG00014			21JAN04
								ELPYR
30AUG03	06:01	Maintenance	Comment	0.8	01Jul99	040	07.40	3515
					CMM LOG00004			1416 DAYS
								UPDATED LIFE
								(MPMI)
30AUG03	06:04	Maintenance	Comment	0.9	3130.9	0.0	AFHR	XXxxXXxx
					CMM LOG00010			
30AUG03	06:05	Maintenance	Comment	0.9	2599.3	0.0	AFHR	XXxxXXxx
					CMM LOG00005			
30AUG03	06:11	Maintenance	Comment	0.9	22Apr98	040	07.4	3080
					CMM LOG00002			981 DAYS
								UPDATED LIFE
								(MPMI)
30AUG03	06:11	Maintenance	Comment	0.9	2191.4	0.0	AFHR	XXxxXXxx
					CMM LOG00003			
30AUG03	06:11	Maintenance	Comment	0.9	03Apr00	RV99907		FF: 01-NIL
					CMM LOG00008			MA: 06-BS
								XXxxXXxx
30AUG03	06:11	Maintenance	Comment	0.9	29Aug03	040	07.40	3417.5
					CMM LOG00015			AFHR
								TX TO
								CMM2
17NOV03	22:11	Position	Change	80.5	A23T	A26AI		00
					A23T	A26AI		0
					3443.6	AFHR		ARDUXXY300841
								XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04171  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : LE0357  
 PART NO : MBEU100078  
 ENGINEERING NAME : GUN ASSY TELESCOPIC  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
			LIFE SINCE NEW		TRANS REFERENCE		
11DEC03	00:32	Change	Serviceability Stat	21.9	S/I		
			3447.5 AFHR		US/I	ARDUPJ301899	XXxxXXxx
18MAR04	22:43	Change	Serviceability Stat	98.9	US/I		
			3447.5 AFHR		S/I		XXxxXXxx
03APR06	03:19	Change	Serviceability Stat	17.0	S/I		
			3799.8 AFHR		US/I	A1EXXJY401857	XXxxXXxx
20APR06	23:58	Change	Serviceability Stat	17.8	US/I		
			3799.8 AFHR		S/I		XXxxXXxx
17JAN08	00:00	Change	Serviceability Stat	2.8	S/I		
			4078.8 AFHR		US/I	ARDUPJ301900X	XXxxXXxx
29APR08	01:55	Change	Serviceability Stat	103.0	US/I		
			4078.8 AFHR		S/I		XXxxXXxx
28MAR10	21:27	Change	Serviceability Stat	3.6	S/I		
			4674.0 AFHR		US/I	A1EXXJY602733	XXxxXXxx
24MAY10	03:54	Change	Serviceability Stat	56.2	US/I		
			4674.0 AFHR		S/I		XXxxXXxx
02MAY12	03:49	Change	Serviceability Stat	0.9	S/I		
			5253.2 AFHR		US/I	A1EXXJ1002930	XXxxXXxx
23MAY12	05:01	Change	Serviceability Stat	21.0	US/I		
			5253.2 AFHR		S/I		XXxxXXxx
24FEB14	22:38	Change	Serviceability Stat	10.8	S/I		
			5846.3 AFHR		US/I	A1EXXJY802846	XXxxXXxx
09OCT14	04:45	Change	Serviceability Stat	226.2	US/I		
			5846.3 AFHR		S/I		XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04172  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : LE0357  
 PART NO : MBEU100078  
 ENGINEERING NAME : GUN ASSY TELESCOPIC  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
22SEP16 04:29	Change Serviceability Stat	62.9	S/I US/I	
23SEP16 00:57	Asset Removal	4773.6	A1EXXJ1202825 040 A23T A26AI	XXxxXXxx A23T A26AI 00M
	Change Serviceability Stat	0.8	US/I	XXxxXXxx
16NOV16 04:38	Change Serviceability Stat	54.1	U/S U/S SERV	
16NOV16 04:39	Asset Installation	54.1	A23T A26AI 040	XXxxXXxx A23T A26AI 00MMI
	Change Serviceability Stat	0.0	SERV	XXxxXXxx
28MAY18 01:57	Asset Removal	557.8	S/I 040 A23T A26AI	A23T A26AI 00M
	Change Serviceability Stat	2.9	S/I	XXxxXXxx
	Change Location of an Asse	0.0	U/S HANGAR_RACKS ARM_SECTION	
29MAY18 00:36	Change Serviceability Stat	0.9	U/S SERV	
29MAY18 04:24	Asset Installation	1.1	A23T A26AI 040	XXxxXXxx A23T A26AI 00MMI
	Change Serviceability Stat	0.1	SERV	XXxxXXxx
	Change Location of an Asse	1.1	S/I ARM_SECTION HANGAR_RACKS	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04173  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : LE0357  
 PART NO : MBEU100078  
 ENGINEERING NAME : GUN ASSY TELESCOPIC  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
12NOV18 04:24	Asset Removal	167.0	040 A23T A26AI 040 00	A23T A26AI 00M
	6891.9 AFHR Change Serviceability Stat	3.9	S/I U/S SERV	XXXXXXxx
12NOV18 04:25	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
	6891.9 AFHR Change Serviceability Stat	2.8	SERV U/S	XXXXXXxx
07FEB19 03:10	Change Venue of an Asset	350.9	A1EXXJ1610858 4SQN AIE	XXXXXXxx
	6891.9 AFHR Change Location of an Asse	87.1	4SQNXX1900100 HANGAR_RACKS ARMAMENT	XXXXXXxx
07FEB19 03:33	Change Serviceability Stat	84.1	U/S SERV	XXXXXXxx
07FEB19 03:34	Asset Installation	86.9	A23T A26AI 040 00	A23T A26AI 00MMI
	6891.9 AFHR Change Serviceability Stat	0.0	SERV S/I S/I US/I	XXXXXXxx
07FEB19 03:41	Change Serviceability Stat	0.0	A1EXXJ1900662 040 A23T A26AI 040 00	XXXXXXxx
07FEB19 04:39	Asset Removal	0.0	A23T A26AI 040 00	A23T A26AI 00M
	6891.9 AFHR Change Serviceability Stat	0.0	US/I U/S SERV	XXXXXXxx
07FEB19 04:39	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
	6891.9 AFHR			XXXXXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04174  
08JAN20  
23:16:15

SERIAL/TAIL NO : LE0357 PERIOD: 01JAN90 TO 08JAN20  
PART NO : MBEU100078 ~U1604  
ENGINEERING NAME : GUN ASSY TELESCOPIC  
VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
19FEB19 02:02	Asset Installation	11.8	A23T A26AI 040 040 00	A23T A26AI 00MMI
	6891.9 AFHR			XXxxXXxx
	Change Serviceability Stat	11.8	SERV S/I	

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1EXXU1605720	COMPLETED	08NOV16 00:39	6288.1	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
23SEP16 00:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			
23SEP16 00:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial LE0357				08NOV16 00:39
		GAS FIRING UNIT GUN at WAC 0740				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-020				
		TRANSFERRED FROM 040				

Maint Acts: SERV GAS FIRING UNIT GUN FITTED REF SNOW 12022831 MCS ARM 52/16

REMOVALS/INSTALLATIONS FOR A1EXXU1605720

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	LE0357	A23T	A26AI00	00	LE0357	A23T	A26AI00	00
	MBEU70156		23SEP16 01:01	A1EXXJ1202823	MBEU70156		08NOV16 00:38	

A1EXXU1900515	COMPLETED	19FEB19 01:45	6891.9	AFHR	SCT	XXxxXXxxXXxxXXxxXXxx
07FEB19 04:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			19FEB19 01:45
07FEB19 04:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial LE0357				
		GAS FIRING UNIT GUN at WAC 0740				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM 040				

N



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04175  
08JAN20  
23:16:15

SERIAL/TAIL NO : LE0357  
PART NO : MBEU100078 ~U1604  
ENGINEERING NAME : GUN ASSY TELESCOPIC  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: GAS FIRING UNIT FITTED SERV REF SNOW 1610669 AIE MCS 08/19

REMOVALS/INSTALLATIONS FOR ALEXXU1900515

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	LE0357	A23T	A26AI00	00	LE0357	A23T	A26AI00	00
	MBEU70156		07FEB19 04:40	ALEXXJ1610651	MBEU70156		19FEB19 01:44	

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

ARDUPJCA00454 C COMPLETED 21JAN02 00:00 XXxxXXxx ARDUPEA 0.0  
02 BAY SERVICE DUE

Unserviceability Details:  
Maintenance Comments:

ARDUPJCA00240 C COMPLETED 21JAN02 00:00 XXxxXXxx ARDUPEA 0.0  
03 OVERHAUL DUE

Unserviceability Details:  
Maintenance Comments:

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : LE0357  
PART NO : MBEU100078 ~U1604  
ENGINEERING NAME : GUN ASSY TELESCOPIC  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

ARDUPJ301899X C COMPLETED 18MAR04 22:41 XXxxXXxx XXxxXXxxXXxxXXxxXXxx ARDU AIE  
 18MAR04 22:43 3447.5 AFHR  
 02 BAY SERVICE DUE BS due on Serial LE0357  
 GUN ASSY TELESCOPIC at WAC 0740  
 01 NO FAULT 06 BAY SERVICE  
 Unserviceability Details:  
 Maintenance Comments: BS CO

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			21JAN04
SM	BS	2.0	ELPYR			21JAN04

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJY401857 C COMPLETED 20APR06 23:57 XXxxXXxx XXxxXXxxXXxxXXxx AIE AIE  
 20APR06 23:58 3799.8 AFHR  
 02 BAY SERVICE DUE BS due on Serial LE0357  
 GUN ASSY TELESCOPIC at WAC 0740  
 01 NO FAULT 06 BAY SERVICE  
 Unserviceability Details:  
 Maintenance Comments: BSCIO

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			18MAR06

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04177  
08JAN20  
23:16:15

SERIAL/TAIL NO : LE0357  
PART NO : MBEU100078 ~U1604  
ENGINEERING NAME : GUN ASSY TELESCOPIC  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

ARDUPJ301900X	C COMPLETED	27MAR08 23:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU	AIE	
03 OVERHAUL DUE	29APR08 01:55	17JAN08 00:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU	4078.8	AFHR
01 NO FAULT		07 OVERHAUL			OH	due on Serial LE0357	
						GUN ASSY TELESCOPIC at WAC 0740	

Unserviceability Details:  
Maintenance Comments: OH C/O

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	6.0	ELPYR			20JAN08
SM	OH	6.0	ELPYR			20JAN08

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJY602733	C COMPLETED	24MAY10 03:44	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
02 BAY SERVICE DUE	24MAY10 03:54	28MAR10 21:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	4674.0	AFHR
01 NO FAULT		06 BAY SERVICE			BS	due on Serial LE0357	
						GUN ASSY TELESCOPIC at WAC 0740	

Unserviceability Details:  
Maintenance Comments: BS C/O SERV REF SNOW 602739

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			29APR10

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04178  
08JAN20  
23:16:15

SERIAL/TAIL NO : LE0357  
PART NO : MBEU100078 ~U1604  
ENGINEERING NAME : GUN ASSY TELESCOPIC  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1EXXJ1002930 C COMPLETED 23MAY12 04:45 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
23MAY12 05:01 02MAY12 03:49 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 5253.2 AFHR  
02 BAY SERVICE DUE BS due on Serial LE0357  
GUN ASSY TELESCOPIC at WAC 0740  
01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: BS C/O SERV REF SNOW 1002936

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			23MAY12

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1EXXJY802846 C COMPLETED 09OCT14 04:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
09OCT14 04:45 24FEB14 22:38 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 5846.3 AFHR  
03 OVERHAUL DUE OH due on Serial LE0357  
GUN ASSY TELESCOPIC at WAC 0740  
01 NO FAULT 07 OVERHAUL  
Unserviceability Details:  
Maintenance Comments: OH C/O SERV REF SNOW 802851

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	6.0	ELPYR			28APR14
SM	OH	6.0	ELPYR			28APR14

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : LE0357  
PART NO : MBEU100078 ~U1604  
ENGINEERING NAME : GUN ASSY TELESCOPIC  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJ1202825	C COMPLETED	23SEP16 00:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	16NOV16 04:38	22SEP16 04:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	6288.1	AFHR
02 BAY SERVICE DUE				BS	due on Serial LE0357		
				GUN ASSY TELESCOPIC at WAC 0740			
01 NO FAULT		06 BAY SERVICE		Unserviceability Details:			
				Maintenance Comments: BS C/O SERV REF SNOW 1202831 MCS ARM 52/16			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			08OCT16
SM	BS	2.0	ELPYR			08OCT16

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

4SQNXJ1800849	C COMPLETED	28MAY18 01:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	4SQN	
	29MAY18 00:36	28MAY18 01:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	6721.6	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE		TA	due on Serial 2016L898R		
				CARTRIDGE SET SEAT at WAC 0740			
01 NO FAULT		04 CHECK/TEST SERV		TRANSFERRED FROM A23-020			

Unserviceability Details:  
Maintenance Comments: CARTS REPLACED WITH SERV ITEMS SN 2018L548R REFER WORKSHEETS 4SQN/WS/45/18 AND 4SQN/WS/49/18

4SQNXJ1801672	C COMPLETED	12NOV18 04:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	4SQN	
	12NOV18 04:25	12NOV18 04:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	6891.9	AFHR
14 CONFIGURATION CHANGE		99 NO FAILURE		REAR EJECTION SEAT CARTS, PSP, EMERGENCY OXYGEN BOTTLE AND PARACHUTE ASSY TO BE REMOVED FROM EJECTION SEAT FOR TRANSFER TO NEW EJECTION SEAT			
01 NO FAULT		04 CHECK/TEST SERV					

Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : LE0357 PERIOD: 01JAN90 TO 08JAN20  
PART NO : MBEU100078 ~U1604  
ENGINEERING NAME : GUN ASSY TELESCOPIC  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

```

A1EXXJ1900662 C COMPLETED 07FEB19 04:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE
19FEB19 00:48 07FEB19 03:41 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 6891.9 AFHR
02 BAY SERVICE DUE BS due on Serial LE0357
GUN ASSY TELESCOPIC at WAC 0740
01 NO FAULT 06 BAY SERVICE
Unserviceability Details:
Maintenance Comments: BAY SERVICE CARRIED OUT SERV REF SNOW 1610669 AIE MCS08/19

```

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
=====	=====	=====	=====	=====	=====	=====
SM	BS	2.0	ELPYR			16NOV18
SM	BS	2.0	ELPYR			16NOV18

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04181  
08JAN20  
23:16:15

SERIAL/TAIL NO : LE0357  
PART NO : MBEU100078 ~U1604  
ENGINEERING NAME : GUN ASSY TELESCOPIC  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MAINTENANCE POLICY HISTORY -----

POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	USER ID
09OCT14 04:45	SM Claimed	BS	

-----

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04182  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : LE0357  
 PART NO : MBEU70156  
 ENGINEERING NAME : GAS FIRING UNIT GUN  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

~U1604

PERIOD: 01JAN90 TO 08JAN20

LOCATION : A23-033  
 LIFE SINCE NEW : 7193.3 AFHR

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
30AUG03	06:00	Maintenance Comment		0.0 AFHR	0.8	NEXT OH1 DUE:	OLD = 8224 HAOH	NEW = 12AUG01 ELPYR	XXXXXXxx
30AUG03	06:00	Maintenance Comment		0.0 AFHR	0.8	CAMM LOG00001	03Apr00 RV99907	FF: 01-NIL	MA: 06-BS
30AUG03	06:00	Maintenance Comment		0.0 AFHR	0.8	CAMM LOG00007	21Jan02 LE0357 00.40	4449 2350 DAYS	03-OH DUE RY20036
30AUG03	06:01	Maintenance Comment		0.0 AFHR	0.8	CAMM LOG00008	13Nov89 NEW - LE0357	MBEU70156	1451-05-01-A
30AUG03	06:01	Maintenance Comment		0.0 AFHR	0.8	CAMM LOG00011	29Aug03 LE0357 07.40	3417.5 AFHR	TX TO CAMM2
30AUG03	06:01	Maintenance Comment		0.0 AFHR	0.8	CAMM LOG00014	21Jan02	ELPYR LST OH 20JAN08	ELPYR NXT OH
30AUG03	06:02	Maintenance Comment		0.0 AFHR	0.8	CAMM LOG00009	3130.9 0.0 AFHR		XXXXXXxx
30AUG03	06:02	Maintenance Comment		0.0 AFHR	0.8	CAMM LOG00013	21Jan02	ELPYR LST BS 21JAN04	ELPYR NXT BS
30AUG03	06:03	Maintenance Comment		0.0 AFHR	0.8	CAMM LOG00004	2599.3 0.0 AFHR		XXXXXXxx
30AUG03	06:03	Maintenance Comment		0.0 AFHR	0.8	CAMM LOG00005	03Apr00 LE0357 00.40	3792 1693 DAYS	02-BS DUE RW03577
30AUG03	06:08	Maintenance Comment		0.0 AFHR	0.9	CAMM LOG00010	21Jan02 RX16094	FF: 01-NIL	MA: 07-OH
30AUG03	06:09	Maintenance Comment		0.0 AFHR	0.9	CAMM LOG00003	01Jul99 LE0357 07.40	3515 1416 DAYS	UPDATED LIFE (MPMI)
30AUG03	06:09	Maintenance Comment		0.0 AFHR	0.9	CAMM LOG00006	2737.5 0.0 AFHR		XXXXXXxx
30AUG03	06:09	Maintenance Comment		0.0 AFHR	0.9	CAMM LOG00002	NEXT OH2 DUE: OLD = 12AUG01	ELPYR NEW =	XXXXXXxx
17NOV03	22:15	Position Change		3443.6 AFHR	80.5	A23T A26AI00	00		
11DEC03	00:32	Change Serviceability Stat		3447.5 AFHR	21.9	A23T A26AI00	0		
						ARDUXXY300842			XXXXXXxx
						S/I			
						US/I			
						ARDUPJ301869			XXXXXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04183  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : LE0357  
 PART NO : MBEU70156  
 ENGINEERING NAME : GAS FIRING UNIT GUN  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
			LIFE SINCE NEW		TRANS REFERENCE		
18MAR04	22:36	Change	Serviceability Stat	98.9	US/I		
			3447.5 AFHR		S/I		XXxxXXxx
03APR06	03:19	Change	Serviceability Stat	17.0	S/I		
			3799.8 AFHR		US/I	A1EXXJY401855	XXxxXXxx
20APR06	23:54	Change	Serviceability Stat	17.8	US/I		
			3799.8 AFHR		S/I		XXxxXXxx
17JAN08	00:00	Change	Serviceability Stat	2.8	S/I		
			4078.8 AFHR		US/I	ARDUPJ301868X	XXxxXXxx
29APR08	01:33	Change	Serviceability Stat	103.0	US/I		
			4078.8 AFHR		S/I		XXxxXXxx
28MAR10	21:27	Change	Serviceability Stat	3.6	S/I		
			4674.0 AFHR		US/I	A1EXXJY602731	XXxxXXxx
24MAY10	03:50	Change	Serviceability Stat	56.2	US/I		
			4674.0 AFHR		S/I		XXxxXXxx
02MAY12	03:49	Change	Serviceability Stat	0.9	S/I		
			5253.2 AFHR		US/I	A1EXXJ1002928	XXxxXXxx
23MAY12	04:51	Change	Serviceability Stat	21.0	US/I		
			5253.2 AFHR		S/I		XXxxXXxx
24FEB14	22:38	Change	Serviceability Stat	10.8	S/I		
			5846.3 AFHR		US/I	A1EXXJY802840	XXxxXXxx
09OCT14	04:42	Change	Serviceability Stat	226.2	US/I		
			5846.3 AFHR		S/I		XXxxXXxx
22SEP16	04:29	Change	Serviceability Stat	62.9	S/I		
			6288.1 AFHR		US/I	A1EXXJ1202823	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04184  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : LE0357  
 PART NO : MBEU70156 ~U1604  
 ENGINEERING NAME : GAS FIRING UNIT GUN  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
23SEP16 01:01	Asset Removal	4773.6	LE0357 A23T A26AI00	A23T A26AI00 00M
	6288.1 AFHR Change Serviceability Stat	0.8	US/I U/S U/S SERV	XXXXXXxx
08NOV16 00:27	Change Serviceability Stat	45.9		
	6288.1 AFHR			XXXXXXxx
08NOV16 00:38	Asset Installation	45.9	A23T LE0357 A26AI00	A23T A26AI00 00MMI
	6288.1 AFHR Change Serviceability Stat	0.0	SERV S/I S/I US/I	XXXXXXxx
07FEB19 03:41	Change Serviceability Stat	90.9		
	6891.9 AFHR		A1EXXJ1610651	XXXXXXxx
07FEB19 04:40	Asset Removal	821.1	LE0357 A23T A26AI00	A23T A26AI00 00M
	6891.9 AFHR Change Serviceability Stat	0.0	US/I U/S U/S SERV	XXXXXXxx
19FEB19 00:45	Change Serviceability Stat	11.8		
	6891.9 AFHR			XXXXXXxx
19FEB19 01:44	Asset Installation	11.8	A23T LE0357 A26AI00	A23T A26AI00 00MMI
	6891.9 AFHR Change Serviceability Stat	0.0	SERV S/I	XXXXXXxx

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
ARDUPJCA00463	C COMPLETED	21JAN02 00:00	XXXXXXxx		ARDUPEA		
	21JAN02 00:00					0.0	
02 BAY SERVICE DUE							

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04185  
08JAN20  
23:16:15

SERIAL/TAIL NO : LE0357 PERIOD: 01JAN90 TO 08JAN20  
PART NO : MBEU70156 ~U1604  
ENGINEERING NAME : GAS FIRING UNIT GUN  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

Unserviceability Details:  
Maintenance Comments:

ARDUPJCA00433 C COMPLETED 21JAN02 00:00 XXxxXXxx ARDUPEA 0.0  
21JAN02 00:00  
03 OVERHAUL DUE

Unserviceability Details:  
Maintenance Comments:

ARDUPJ301869X C COMPLETED 18MAR04 22:34 XXxxXXxx XXxxXXxxXXxxXXxxXXxx ARDU AIE 3447.5 AFHR  
18MAR04 22:36  
02 BAY SERVICE DUE BS due on Serial LE0357  
GAS FIRING UNIT GUN at WAC 0740  
01 NO FAULT 06 BAY SERVICE

Unserviceability Details:  
Maintenance Comments: BS CO

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			21JAN04
SM	BS	2.0	ELPYR			21JAN04

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1EXXJY401855 C COMPLETED 20APR06 23:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE 3799.8 AFHR  
20APR06 23:54  
02 BAY SERVICE DUE BS due on Serial LE0357  
GAS FIRING UNIT GUN at WAC 0740  
01 NO FAULT 06 BAY SERVICE

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : LE0357 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : MBEU70156 ~U1604  
 ENGINEERING NAME : GAS FIRING UNIT GUN  
 VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

Unserviceability Details:  
 Maintenance Comments: BSCO

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			18MAR06

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

ARDUPJ301868X C COMPLETED 27MAR08 23:34 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU AIE  
 29APR08 01:33 17JAN08 00:00 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU 4078.8 AFHR  
 03 OVERHAUL DUE OH due on Serial LE0357  
 GAS FIRING UNIT GUN at WAC 0740  
 01 NO FAULT 07 OVERHAUL

Unserviceability Details:  
 Maintenance Comments: OH C/O

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	6.0	ELPYR			20JAN08
SM	OH	6.0	ELPYR			20JAN08

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04187  
08JAN20  
23:16:15

SERIAL/TAIL NO : LE0357  
PART NO : MBEU70156 ~U1604  
ENGINEERING NAME : GAS FIRING UNIT GUN  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1EXXJY602731 C COMPLETED 24MAY10 03:44 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
24MAY10 03:50 28MAR10 21:27 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 4674.0 AFHR  
02 BAY SERVICE DUE BS due on Serial LE0357  
GAS FIRING UNIT GUN at WAC 0740  
01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: BS C/O SERV REF SNOW 602739

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			29APR10

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1EXXJ1002928 C COMPLETED 23MAY12 04:45 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
23MAY12 04:51 02MAY12 03:49 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 5253.2 AFHR  
02 BAY SERVICE DUE BS due on Serial LE0357  
GAS FIRING UNIT GUN at WAC 0740  
01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: BS C/O SERV REF SNOW 1002936

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			23MAY12

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : LE0357  
PART NO : MBEU70156 ~U1604  
ENGINEERING NAME : GAS FIRING UNIT GUN  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJY802840	C COMPLETED	09OCT14 04:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE		
03 OVERHAUL DUE	09OCT14 04:42	24FEB14 22:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	5846.3	AFHR	
01 NO FAULT	07 OVERHAUL	Unserviceability Details: Maintenance Comments: OH C/O SERV REF SNOW 802851						

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	6.0	ELPYR			28APR14
SM	OH	6.0	ELPYR			28APR14

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJ1202823	C COMPLETED	23SEP16 01:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE		
02 BAY SERVICE DUE	08NOV16 00:27	22SEP16 04:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	6288.1	AFHR	
01 NO FAULT	06 BAY SERVICE	Unserviceability Details: Maintenance Comments: BS C/O SERV REF SNOW 1202831 MCS ARM 52/16						

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			08OCT16
SM	BS	2.0	ELPYR			08OCT16

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : LE0357  
 PART NO : MBEU70156 ~U1604  
 ENGINEERING NAME : GAS FIRING UNIT GUN  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS		UNSERVICEABILITY DETAILS			
MAINT PROCESS	UNSERVICEABILITY	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

A1EXXJ1610651	C COMPLETED	07FEB19 04:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	19FEB19 00:45	07FEB19 03:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	6891.9	AFHR
02 BAY SERVICE DUE				BS	due on Serial LE0357		
				GAS FIRING UNIT GUN at WAC 0740			
01 NO FAULT	06 BAY SERVICE	Unserviceability Details:					
		Maintenance Comments: BAY SERVICE CARRIED OUT SERV REF SNOW 1610669 AIE MCS 08/19					

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
=====	=====	=====	=====	=====	=====	=====
SM	BS	2.0	ELPYR			08NOV18
SM	BS	2.0	ELPYR			08NOV18

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

SERIAL/TAIL NO : LE0357  
PART NO : MBEU70156 ~U1604  
ENGINEERING NAME : GAS FIRING UNIT GUN  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MAINTENANCE POLICY HISTORY -----

POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	USER ID
09OCT14 04:42	SM Claimed	BS	

-----



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04191  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : LE0361  
 PART NO : MBEU100078  
 ENGINEERING NAME : GUN ASSY TELESCOPIC  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

LOCATION : A23-033  
 LIFE SINCE NEW : 7191.9 AFHR

~U1604

PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
				LIFE SINCE NEW				
30AUG03	05:42	Maintenance	Comment	0.8	29Jun99	039	07.30 3527	1414 DAYS UPDATED LIFE (MPMI)
								XXXXXXxx
30AUG03	05:43	Maintenance	Comment	0.8	30Oct89	NEW - LE0361	MBEU100078	1450-05-00-L
								XXXXXXxx
30AUG03	05:44	Maintenance	Comment	0.8	2598.0	0.0 AFHR		
								XXXXXXxx
30AUG03	05:44	Maintenance	Comment	0.8	29Aug03	039	07.30 3416.2 AFHR	TX TO CAMM2
								XXXXXXxx
30AUG03	05:49	Maintenance	Comment	0.8	21Jan02		ELPYR LST OH	20JAN08 ELPYR NXT OH
								XXXXXXxx
30AUG03	05:51	Maintenance	Comment	0.8	21Jan02	039	00.30 4463	2350 DAYS 03-OH DUE RY20021
								XXXXXXxx
30AUG03	05:51	Maintenance	Comment	0.8	21Jan02	RX16093	FF: 01-NIL	MA: 07-OH
								XXXXXXxx
30AUG03	05:51	Maintenance	Comment	0.8	2190.1	0.0 AFHR		
								XXXXXXxx
30AUG03	05:51	Maintenance	Comment	0.8	03Apr00	RV99908	FF: 01-NIL	MA: 06-BS
								XXXXXXxx
30AUG03	05:52	Maintenance	Comment	0.8	03Apr00	039	00.30 3806	1693 DAYS 02-BS DUE RW03565
								XXXXXXxx
30AUG03	05:52	Maintenance	Comment	0.8	2736.2	0.0 AFHR		
								XXXXXXxx
30AUG03	05:56	Maintenance	Comment	0.8	21Jan02		ELPYR LST BS	21JAN04 ELPYR NXT BS
								XXXXXXxx
30AUG03	05:58	Maintenance	Comment	0.8	3129.6	0.0 AFHR		
								XXXXXXxx
17NOV03	22:11	Position	Change	80.5	A23T	AlWAI		00
								0
								XXXXXXxx
11DEC03	00:29	Change	Serviceability Stat	21.9	ARDUXXY	300841		
								XXXXXXxx
								XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04192  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : LE0361  
 PART NO : MBEU100078 ~U1604  
 ENGINEERING NAME : GUN ASSY TELESCOPIC  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
18MAR04 23:59	Change Serviceability Stat		98.9	US/I S/I	
		3446.1 AFHR			XXxxXXxx
03APR06 03:18	Change Serviceability Stat		17.0	S/I US/I	
		3798.4 AFHR		A1EXXJY401868	XXxxXXxx
20APR06 23:20	Change Serviceability Stat		17.8	US/I S/I	
		3798.4 AFHR			XXxxXXxx
16JAN08 23:39	Change Serviceability Stat		2.8	S/I US/I	
		4077.4 AFHR		ARDUPJ301951X	XXxxXXxx
29APR08 00:29	Change Serviceability Stat		103.0	US/I S/I	
		4077.4 AFHR			XXxxXXxx
28MAR10 21:27	Change Serviceability Stat		3.6	S/I US/I	
		4672.6 AFHR		A1EXXJY602720	XXxxXXxx
24MAY10 03:18	Change Serviceability Stat		56.2	US/I S/I	
		4672.6 AFHR			XXxxXXxx
02MAY12 03:49	Change Serviceability Stat		0.9	S/I US/I	
		5251.8 AFHR		A1EXXJ1002909	XXxxXXxx
23MAY12 03:59	Change Serviceability Stat		21.0	US/I S/I	
		5251.8 AFHR			XXxxXXxx
24FEB14 22:38	Change Serviceability Stat		10.8	S/I US/I	
		5844.9 AFHR		A1EXXJY802817	XXxxXXxx
09OCT14 03:55	Change Serviceability Stat		226.2	US/I S/I	
		5844.9 AFHR			XXxxXXxx
22SEP16 04:29	Change Serviceability Stat		62.9	S/I US/I	
		6286.7 AFHR		A1EXXJ1202809	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04193  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : LE0361  
 PART NO : MBEU100078  
 ENGINEERING NAME : GUN ASSY TELESCOPIC  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
23SEP16 00:51	Asset Removal		4773.6	039 A23T AlWAI	039 00 A23T AlWAI 00M
	Change Serviceability Stat	6286.7 AFHR	0.8	US/I U/S SERV	XXxxXXxx
16NOV16 22:24	Change Serviceability Stat		54.8	US/I U/S SERV	
	Change Serviceability Stat	6286.7 AFHR			XXxxXXxx
16NOV16 22:27	Asset Installation		54.9	A23T AlWAI	039 00 A23T AlWAI 00MMI
	Change Serviceability Stat	6286.7 AFHR	0.0	SERV S/I	XXxxXXxx
28MAY18 01:56	Asset Removal		557.1	039 A23T AlWAI	039 00 A23T AlWAI 00M
	Change Serviceability Stat	6720.2 AFHR	2.9	S/I U/S	XXxxXXxx
	Change Location of an Asse		0.0	HANGAR_RACKS ARM_SECTION	
29MAY18 00:34	Change Serviceability Stat		0.9	U/S SERV	
	Change Serviceability Stat	6720.2 AFHR			XXxxXXxx
29MAY18 00:36	Asset Installation		0.9	A23T AlWAI	039 00 A23T AlWAI 00MMI
	Change Serviceability Stat	6720.2 AFHR	0.0	SERV S/I	XXxxXXxx
	Change Location of an Asse		0.9	ARM_SECTION HANGAR_RACKS	
11NOV18 23:05	Asset Removal		166.9	039 A23T AlWAI	039 00 A23T AlWAI 00M
	Change Serviceability Stat	6890.5 AFHR	3.7	S/I U/S	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04194  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : LE0361  
 PART NO : MBEU100078  
 ENGINEERING NAME : GUN ASSY TELESCOPIC  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
11NOV18 23:05	Change Serviceability Stat	0.0	U/S SERV	
	6890.5 AFHR			XXxxXXxx
15NOV18 00:13	Change Serviceability Stat	3.0	SERV U/S	
	6890.5 AFHR		A1EXXJ1610875	XXxxXXxx
07FEB19 03:08	Change Venue of an Asset	350.9	4SQN AIE	
	6890.5 AFHR		4SQNXX1900096	XXxxXXxx
	Change Location of an Asse	87.2	HANGAR_RACKS	
07FEB19 03:50	Change Serviceability Stat	84.1	ARMAMENT U/S	
	6890.5 AFHR		SERV	XXxxXXxx
07FEB19 03:51	Asset Installation	87.1	A23T 039	A23T A1WAI 00MMI
	6890.5 AFHR			XXxxXXxx
	Change Serviceability Stat	0.0	SERV S/I	
07FEB19 03:55	Change Serviceability Stat	0.0	S/I US/I	
	6890.5 AFHR		A1EXXJ1900664	XXxxXXxx
07FEB19 04:22	Asset Removal	0.0	039 A23T A1WAI	A23T A1WAI 00M
	6890.5 AFHR			XXxxXXxx
	Change Serviceability Stat	0.0	US/I U/S	
07FEB19 04:22	Change Serviceability Stat	0.0	U/S SERV	
	6890.5 AFHR			XXxxXXxx
19FEB19 04:59	Asset Installation	12.0	A23T 039	A23T A1WAI 00MMI
	6890.5 AFHR			XXxxXXxx
	Change Serviceability Stat	12.0	SERV S/I	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04195  
08JAN20  
23:16:15

SERIAL/TAIL NO : LE0361 PERIOD: 01JAN90 TO 08JAN20  
PART NO : MBEU100078 ~U1604  
ENGINEERING NAME : GUN ASSY TELESCOPIC  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1EXXU1900511	COMPLETED	19FEB19 04:30	6890.5	AFHR	SCT	XXXXXXXXXXXXXXXXXXXX
07FEB19 04:22	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			19FEB19 04:30
07FEB19 04:22	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			XXXXXXXXXXXXXXXXXXXX
		BS due on Serial LE0361				
		GAS FIRING UNIT GUN at WAC 0730				XXXXXXXXXXXXXXXXXXXX
	N	TRANSFERRED FROM 039				

Maint Acts: GAS FIRING UNIT FITTED SERV REF SNOW 1610682 AIE MCS 07/19

REMOVALS/INSTALLATIONS FOR A1EXXU1900511

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	LE0361	A23T	A1WAI00	00	LE0361	A23T	A1WAI00	00
	MBEU70156		07FEB19 04:25	A1EXXJ1610675	MBEU70156		19FEB19 04:28	

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

ARDUPJCA00442	C COMPLETED	21JAN02 00:00	XXXXXXXX		ARDUPEA		0.0
03 OVERHAUL DUE		21JAN02 00:00					

Unserviceability Details:  
Maintenance Comments:

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : LE0361  
 PART NO : MBEU100078 ~U1604  
 ENGINEERING NAME : GUN ASSY TELESCOPIC  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

ARDUPJCA00237 C COMPLETED 21JAN02 00:00 XXxxXXxx ARDUPEA 0.0  
 21JAN02 00:00  
 02 BAY SERVICE DUE

Unserviceability Details:  
 Maintenance Comments:

ARDUPJ301950X C COMPLETED 18MAR04 23:58 XXxxXXxx XXxxXXxxXXxxXXxxXXxx ARDU AIE 3446.1 AFHR  
 18MAR04 23:59  
 02 BAY SERVICE DUE BS due on Serial LE0361  
 GUN ASSY TELESCOPIC at WAC 0730

01 NO FAULT 06 BAY SERVICE  
 Unserviceability Details:  
 Maintenance Comments: BS CO

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			21JAN04
SM	BS	2.0	ELPYR			21JAN04

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

A1EXXJY401868 C COMPLETED 20APR06 23:19 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE 3798.4 AFHR  
 20APR06 23:20  
 02 BAY SERVICE DUE BS due on Serial LE0361  
 GUN ASSY TELESCOPIC at WAC 0730

01 NO FAULT 06 BAY SERVICE  
 Unserviceability Details:  
 Maintenance Comments: BSCO

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 04197  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : LE0361 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : MBEU100078 ~U1604  
 ENGINEERING NAME : GUN ASSY TELESCOPIC  
 VENUE : A23DISP LOCATION : A23-033

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			18MAR06

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS		UNSERVICEABILITY DETAILS			
MAINT PROCESS	UNSERVICEABILITY	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

ARDUPJ301951X C COMPLETED 28MAR08 00:09 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU AIE  
 29APR08 00:29 16JAN08 23:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU 4077.4 AFHR  
 03 OVERHAUL DUE OH due on Serial LE0361  
 GUN ASSY TELESCOPIC at WAC 0730  
 01 NO FAULT 07 OVERHAUL  
 Unserviceability Details:  
 Maintenance Comments: OH C/O

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	6.0	ELPYR			20JAN08
SM	OH	6.0	ELPYR			20JAN08

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS		UNSERVICEABILITY DETAILS			
MAINT PROCESS	UNSERVICEABILITY	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

ALEXJY602720 C COMPLETED 24MAY10 03:13 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
 24MAY10 03:18 28MAR10 21:27 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 4672.6 AFHR  
 02 BAY SERVICE DUE BS due on Serial LE0361  
 GUN ASSY TELESCOPIC at WAC 0730  
 01 NO FAULT 06 BAY SERVICE  
 Unserviceability Details:  
 Maintenance Comments: BS C/O SERV REF SNOW 602727

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			29APR10

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04198  
08JAN20  
23:16:15

SERIAL/TAIL NO : LE0361  
PART NO : MBEU100078 ~U1604  
ENGINEERING NAME : GUN ASSY TELESCOPIC  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJ1002909	C COMPLETED	23MAY12 03:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	23MAY12 03:59	02MAY12 03:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	5251.8	AFHR
02 BAY SERVICE DUE				BS	due on Serial LE0361		
					GUN ASSY TELESCOPIC at WAC 0730		
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:		BS C/O SERV REF SNOW 1002923			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			23MAY12

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJY802817	C COMPLETED	09OCT14 03:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	09OCT14 03:55	24FEB14 22:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	5844.9	AFHR
03 OVERHAUL DUE				OH	due on Serial LE0361		
					GUN ASSY TELESCOPIC at WAC 0730		
01 NO FAULT		07 OVERHAUL					
		Unserviceability Details:					
		Maintenance Comments:		OH C/O SERV REF SNOW 802830			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	6.0	ELPYR			28APR14
SM	OH	6.0	ELPYR			28APR14



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : LE0361  
PART NO : MBEU100078 ~U1604  
ENGINEERING NAME : GUN ASSY TELESCOPIC  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJ1202809	C COMPLETED	23SEP16 00:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	16NOV16 22:24	22SEP16 04:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	6286.7	AFHR
02 BAY SERVICE DUE				BS	due on Serial LE0361		
					GUN ASSY TELESCOPIC at WAC 0730		
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:			BAY MAINT CO SERV REF SNOW 1202816 MCS ARM 51/16		

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			08OCT16
SM	BS	2.0	ELPYR			08OCT16

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

4SQNXJ1800848	C COMPLETED	28MAY18 01:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	4SQN	
	29MAY18 00:34	28MAY18 01:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	6720.2	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE			THROWAWAY DUE ON CARTS SN 2016L898F		
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:			CARTS REPLACED WITH SERV ITEMS SN 2018L548F REFER WORKSHEETS 4SQN/WS/46/18 AND 4SQN/WS/48/18		

4SQNXJ1801658	C COMPLETED	11NOV18 23:05	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	4SQN	
	11NOV18 23:05	11NOV18 23:05	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	6890.5	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE			FRONT SEAT PARACUTE ASSY DUE B/S		
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:			CHECK/TEST SERV		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : LE0361  
 PART NO : MBEU100078 ~U1604  
 ENGINEERING NAME : GUN ASSY TELESCOPIC  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

```

=====
A1EXXJ1900664  C  COMPLETED      07FEB19  04:22  XXxxXXxx  XXxxXXxxXXxxXXxxXXxx AIE      AIE
                19FEB19  04:19      07FEB19  03:55  XXxxXXxx  XXxxXXxxXXxxXXxxXXxx AIE      6890.5  AFHR
02 BAY SERVICE DUE
                BS                      due on Serial LE0361
                GUN ASSY TELESCOPIC at WAC 0730
01 NO FAULT
                06 BAY SERVICE
                Unserviceability Details:
                Maintenance Comments:  BAY SERVICE CARRIED OUT SERV REF SNOW 1610682 AIE MCS 07/19
  
```

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
=====	=====	=====	=====	=====	=====	=====
SM	BS	2.0	ELPYR			16NOV18
SM	BS	2.0	ELPYR			16NOV18

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04201  
08JAN20  
23:16:15

SERIAL/TAIL NO : LE0361  
PART NO : MBEU100078 ~U1604  
ENGINEERING NAME : GUN ASSY TELESCOPIC  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MAINTENANCE POLICY HISTORY -----

POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	USER ID
09OCT14 03:55	SM Claimed	BS	

-----

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
Camm2  
ASSET HISTORY

PAGE 04202  
08JAN20  
23:16:15

SERIAL/TAIL NO : LE0361  
PART NO : MBEU70156  
ENGINEERING NAME : GAS FIRING UNIT GUN  
VENUE : A23DISP  
CURRENT CONDITION : S/I  
LOCATION : A23-033  
LIFE SINCE NEW : 7191.9 AFHR  
~U1604  
PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER	
30AUG03	06:12	Maintenance	Comment	0.0 AFHR	0.9	29Aug03	LE0361	07.30 3416.2 AFHR	TX TO Camm2 Camm LOG00014 XXXXXXxx	
30AUG03	06:12	Maintenance	Comment	0.0 AFHR	0.9	2598.0	0.0 AFHR		XXXXXXxx	
30AUG03	06:13	Maintenance	Comment	0.0 AFHR	0.9	2736.2	0.0 AFHR		XXXXXXxx	
30AUG03	06:14	Maintenance	Comment	0.0 AFHR	0.9	03Apr00	RV99908	FF: 01-NIL	MA: 06-BS XXXXXXxx	
30AUG03	06:14	Maintenance	Comment	0.0 AFHR	0.9	30Oct89	NEW - LE0361	MBEU70156	1450-05-01-H XXXXXXxx	
30AUG03	06:17	Maintenance	Comment	0.0 AFHR	0.9	NEXT OH2 DUE:	OLD = 12AUG01	ELPYR	NEW = XXXXXXxx	
30AUG03	06:17	Maintenance	Comment	0.0 AFHR	0.9	21Jan02	RX16093	FF: 01-NIL	MA: 07-OH XXXXXXxx	
30AUG03	06:17	Maintenance	Comment	0.0 AFHR	0.9	21Jan02		ELPYR LST OH 20JAN08	ELPYR NXT OH XXXXXXxx	
30AUG03	06:18	Maintenance	Comment	0.0 AFHR	0.9	3129.6	0.0 AFHR		XXXXXXxx	
30AUG03	06:19	Maintenance	Comment	0.0 AFHR	0.9	21Jan02	LE0361	00.30 4463 2350 DAYS	03-OH DUE RY20022 XXXXXXxx	
30AUG03	06:19	Maintenance	Comment	0.0 AFHR	0.9	21Jan02		ELPYR LST BS 21JAN04	ELPYR NXT BS XXXXXXxx	
30AUG03	06:19	Maintenance	Comment	0.0 AFHR	0.9	03Apr00	LE0361	00.30 3806 1693 DAYS	02-BS DUE RW03566 XXXXXXxx	
30AUG03	06:21	Maintenance	Comment	0.0 AFHR	0.9	29Jun99	LE0361	07.30 3527 1414 DAYS	UPDATED LIFE (MPMI) XXXXXXxx	
30AUG03	06:21	Maintenance	Comment	0.0 AFHR	0.9	NEXT OH1 DUE:	OLD = 8224	HAOH	NEW = 12AUG01	ELPYR XXXXXXxx
17NOV03	22:15	Position	Change		80.5	A23T	AlWAI00	00		
				3442.2 AFHR		A23T	AlWAI00	0		
11DEC03	00:29	Change	Serviceability Stat		21.9	ARDUXXY	300842		XXXXXXxx	
				3446.1 AFHR		US/I				
						ARDUPJ	301793		XXXXXXxx	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04203  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : LE0361  
 PART NO : MBEU70156  
 ENGINEERING NAME : GAS FIRING UNIT GUN  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
			LIFE SINCE NEW		TRANS REFERENCE		
18MAR04	23:49	Change	Serviceability Stat	98.9	US/I		
			3446.1 AFHR		S/I		XXxxXXxx
03APR06	03:18	Change	Serviceability Stat	17.0	S/I		
			3798.4 AFHR		US/I	A1EXXJY401865	XXxxXXxx
20APR06	23:13	Change	Serviceability Stat	17.8	US/I		
			3798.4 AFHR		S/I		XXxxXXxx
16JAN08	23:39	Change	Serviceability Stat	2.8	S/I		
			4077.4 AFHR		US/I	ARDUPJ301794X	XXxxXXxx
29APR08	00:07	Change	Serviceability Stat	103.0	US/I		
			4077.4 AFHR		S/I		XXxxXXxx
28MAR10	21:27	Change	Serviceability Stat	3.6	S/I		
			4672.6 AFHR		US/I	A1EXXJY602717	XXxxXXxx
24MAY10	03:15	Change	Serviceability Stat	56.2	US/I		
			4672.6 AFHR		S/I		XXxxXXxx
02MAY12	03:49	Change	Serviceability Stat	0.9	S/I		
			5251.8 AFHR		US/I	A1EXXJ1002904	XXxxXXxx
23MAY12	03:54	Change	Serviceability Stat	21.0	US/I		
			5251.8 AFHR		S/I		XXxxXXxx
24FEB14	22:38	Change	Serviceability Stat	10.8	S/I		
			5844.9 AFHR		US/I	A1EXXJY802814	XXxxXXxx
09OCT14	03:53	Change	Serviceability Stat	226.2	US/I		
			5844.9 AFHR		S/I		XXxxXXxx
22SEP16	04:29	Change	Serviceability Stat	62.9	S/I		
			6286.7 AFHR		US/I	A1EXXJ1202805	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04204  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : LE0361  
 PART NO : MBEU70156  
 ENGINEERING NAME : GAS FIRING UNIT GUN  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
23SEP16 00:50	Asset Removal	4773.6	LE0361 039 A23T A1WAI00	A23T A1WAI00 00M
	6286.7 AFHR Change Serviceability Stat	0.8	US/I U/S U/S SERV	XXXXXXxx
08NOV16 05:13	Change Serviceability Stat	46.1		
	6286.7 AFHR			XXXXXXxx
16NOV16 22:33	Asset Installation	54.9	A23T A1WAI00 LE0361 039	A23T A1WAI00 00MMI
	6286.7 AFHR Change Serviceability Stat	8.7	SERV S/I	XXXXXXxx
07FEB19 03:55	Change Serviceability Stat	90.9	US/I A1EXXJ1610675	
07FEB19 04:25	Asset Removal	812.2	LE0361 A23T A1WAI00	A23T A1WAI00 00M
	6890.5 AFHR Change Serviceability Stat	0.0	US/I U/S U/S SERV	XXXXXXxx
19FEB19 04:16	Change Serviceability Stat	11.9		
	6890.5 AFHR			XXXXXXxx
19FEB19 04:28	Asset Installation	12.0	A23T A1WAI00 LE0361 LE0361	A23T A1WAI00 00MMI
	6890.5 AFHR Change Serviceability Stat	0.0	SERV S/I	XXXXXXxx

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
ARDUPJCA00479	C COMPLETED	21JAN02 00:00	XXXXXXxx		ARDUPEA		0.0
	21JAN02 00:00						
02 BAY SERVICE DUE							

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04205  
08JAN20  
23:16:15

SERIAL/TAIL NO : LE0361 PERIOD: 01JAN90 TO 08JAN20  
PART NO : MBEU70156 ~U1604  
ENGINEERING NAME : GAS FIRING UNIT GUN  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

Unserviceability Details:  
Maintenance Comments:

ARDUPJCA00455 C COMPLETED 21JAN02 00:00 XXxxXXxx ARDUPEA 0.0  
21JAN02 00:00  
03 OVERHAUL DUE

Unserviceability Details:  
Maintenance Comments:

ARDUPJ301793X C COMPLETED 18MAR04 23:47 XXxxXXxx XXxxXXxxXXxxXXxxXXxx ARDU AIE 3446.1 AFHR  
18MAR04 23:49  
02 BAY SERVICE DUE BS due on Serial LE0361  
GAS FIRING UNIT GUN at WAC 0730  
01 NO FAULT 06 BAY SERVICE

Unserviceability Details:  
Maintenance Comments: BS CO

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			21JAN04
SM	BS	2.0	ELPYR			21JAN04

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1EXXJY401865 C COMPLETED 20APR06 23:12 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE 3798.4 AFHR  
20APR06 23:13  
02 BAY SERVICE DUE BS due on Serial LE0361  
GAS FIRING UNIT GUN at WAC 0730  
01 NO FAULT 06 BAY SERVICE

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : LE0361 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : MBEU70156 ~U1604  
 ENGINEERING NAME : GAS FIRING UNIT GUN  
 VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

Unserviceability Details:  
 Maintenance Comments: BSCO

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			18MAR06

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

ARDUPJ301794X C COMPLETED 28MAR08 00:07 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU AIE  
 29APR08 00:07 16JAN08 23:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU 4077.4 AFHR  
 03 OVERHAUL DUE OH due on Serial LE0361  
 GAS FIRING UNIT GUN at WAC 0730  
 01 NO FAULT 07 OVERHAUL

Unserviceability Details:  
 Maintenance Comments: OH C/O

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	6.0	ELPYR			20JAN08
SM	OH	6.0	ELPYR			20JAN08



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04207  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : LE0361  
 PART NO : MBEU70156 ~U1604  
 ENGINEERING NAME : GAS FIRING UNIT GUN  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1EXXJY602717	C COMPLETED	24MAY10 03:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	24MAY10 03:15	28MAR10 21:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	4672.6	AFHR
02 BAY SERVICE DUE				BS	due on Serial LE0361		
				GAS FIRING UNIT GUN at WAC 0730			
01 NO FAULT		06 BAY SERVICE		Unserviceability Details:			
				Maintenance Comments: BS C/O SERV REF SNOW 602727			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			29APR10

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1EXXJ1002904	C COMPLETED	23MAY12 03:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	23MAY12 03:54	02MAY12 03:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	5251.8	AFHR
02 BAY SERVICE DUE				BS	due on Serial LE0361		
				GAS FIRING UNIT GUN at WAC 0730			
01 NO FAULT		06 BAY SERVICE		Unserviceability Details:			
				Maintenance Comments: BS C/O SERV REF SNOW 1002923			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			23MAY12

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04208  
08JAN20  
23:16:15

SERIAL/TAIL NO : LE0361  
PART NO : MBEU70156 ~U1604  
ENGINEERING NAME : GAS FIRING UNIT GUN  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJY802814	C COMPLETED	09OCT14 03:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
03 OVERHAUL DUE	09OCT14 03:53	24FEB14 22:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	5844.9	AFHR
01 NO FAULT	07 OVERHAUL	Unserviceability Details:		OH due on Serial LE0361 GAS FIRING UNIT GUN at WAC 0730			
		Maintenance Comments:		OH C/O SERV REF SNOW 802830			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	6.0	ELPYR			28APR14
SM	OH	6.0	ELPYR			28APR14

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJ1202805	C COMPLETED	23SEP16 00:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
02 BAY SERVICE DUE	08NOV16 05:13	22SEP16 04:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	6286.7	AFHR
01 NO FAULT	06 BAY SERVICE	Unserviceability Details:		BS due on Serial LE0361 GAS FIRING UNIT GUN at WAC 0730			
		Maintenance Comments:		BAY MAINT CO SNOW 1202816 MCS ARM 51/16			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			08OCT16
SM	BS	2.0	ELPYR			08OCT16

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : LE0361  
 PART NO : MBEU70156 ~U1604  
 ENGINEERING NAME : GAS FIRING UNIT GUN  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

```

=====
A1EXXJ1610675  C  COMPLETED      07FEB19  04:25  XXxxXXxx  XXxxXXxxXXxxXXxxXXxx  AIE  AIE
                19FEB19  04:16      07FEB19  03:55  XXxxXXxx  XXxxXXxxXXxxXXxxXXxx  AIE  6890.5  AFHR
02 BAY SERVICE DUE
                06 BAY SERVICE
                Unserviceability Details:
                Maintenance Comments:  BAY SERVICE CARRIED OUT SERV REF SNOW 1610682 AIE MCS 07/19
=====

```

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
=====	=====	=====	=====	=====	=====	=====
SM	BS	2.0	ELPYR			08NOV18
SM	BS	2.0	ELPYR			08NOV18

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : LE0361  
PART NO : MBEU70156 ~U1604  
ENGINEERING NAME : GAS FIRING UNIT GUN  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MAINTENANCE POLICY HISTORY			
POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	USER ID
CHANGE DETAILS			
09OCT14 03:53	SM Claimed	BS	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : M2230 LITERAL SERIAL NO : M2230 PERIOD: 01JAN90 TO 08JAN20  
PART NO : AN6011-2 ~81350  
ENGINEERING NAME : GAUGE OXY PRESSURE  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 1994.4 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC	
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID		
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO		
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED			
02APR08 04:17	M2230	AN6011-2	~81350	A23T	ALUMY	00
aip01795	AIP	MMIST			ALPXXRY800977	
W. MCKENZIE		21NOV05				
	0.0 AFHR					

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04212  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : M2230 LITERAL SERIAL NO : M2230 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : AN6011-2 ~81350  
 ENGINEERING NAME : GAUGE OXY PRESSURE  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
02APR08 04:17	Reception History Record	0.0	Reception MMIST MCS	
	0.0 AFHR			XXxxXXxx
03NOV08 00:19	Change Location of an Asse	215.0	MMIST AVOX A1PXXXY810546	XXxxXXxx
12MAR09 04:22	Change Serviceability Stat	344.1	SERV U/S A1PXXJY805552	XXxxXXxx
12MAR09 23:45	Change Serviceability Stat	0.8	U/S SERV	XXxxXXxx
12MAR09 23:45	Change Location of an Asse	129.9	AVOX MMIST A1PXXXY902588	XXxxXXxx
06AUG09 02:30	Asset Installation	1354.1	A23T A1UMY A23-043 00	A23T A1UMY 00AC
	0.0 AFHR			XXxxXXxx
	Change Serviceability Stat	146.1	SERV S/I	
	Change Location of an Asse	146.1	MMIST A23-043	
15SEP15 06:50	Asset Removal	2231.1	543 A23T A1UMY A23-043 00	A23T A1UMY 00A
	869.5 AFHR			XXxxXXxx
	Change Serviceability Stat	908.9	S/I U/S A23-043	
	Change Location of an Asse	2231.1	AVOX U/S SERV	
23OCT15 02:52	Change Serviceability Stat	37.8		
	869.5 AFHR			XXxxXXxx
23OCT15 02:53	Change Serviceability Stat	0.0	SERV U/S A1PXXJY905166	XXxxXXxx
	869.5 AFHR			XXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : M2230 LITERAL SERIAL NO : M2230 PERIOD: 01JAN90 TO 08JAN20  
PART NO : AN6011-2 ~81350  
ENGINEERING NAME : GAUGE OXY PRESSURE  
VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
23OCT15 02:55	Change Serviceability Stat	0.0	U/S SERV	
	869.5 AFHR			XXxxXXxx
23OCT15 02:59	Change Location of an Asse	37.8	AVOX STORES MMI	
	869.5 AFHR		A1PXXX1509838	XXxxXXxx
26OCT15 03:38	Asset Installation	40.8	A23T A1UMY 00	
	869.5 AFHR		533 A23-033	A23T A1UMY 00AC
	Change Serviceability Stat	3.0	SERV S/I	XXxxXXxx
	Change Location of an Asse	3.0	STORES MMI	
			A23-033	

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			
A1PXXJY805552	C COMPLETED	12MAR09 04:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	12MAR09 23:45	12MAR09 04:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	0.0	AFHR
02 BAY SERVICE DUE				BS due on Serial M2230			
				GAUGE OXYGEN SYSTEM at WAC 0640			
01 NO FAULT	06 BAY SERVICE						
	Unserviceability Details:						
	Maintenance Comments:			B/S C/O IAW AAP 7551.035-6			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	5.0	ELPYR			20NOV10
SM	BS	5.0	ELPYR			20NOV10

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : M2230 LITERAL SERIAL NO : M2230 PERIOD: 01JAN90 TO 08JAN20  
PART NO : AN6011-2 ~81350  
ENGINEERING NAME : GAUGE OXY PRESSURE  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJ1514311	C COMPLETED	15SEP15 06:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	23OCT15 02:52	15SEP15 06:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	869.5	AFHR
14	CONFIGURATION CHANGE	33 DURING CONFIGURATION CHANGE		OXY SYSTEM GAUGE REMOVED FOR SPARES			
01	NO FAULT	06 OUT OF LIMITS					
		04 CHECK/TEST SERV					
		Unserviceability Details:		OXY GAUGE DUE BAY SERVICE.			
		Maintenance Comments:		B/S C/O IAW AAP 7551.035-6-10 REFER LSN AIP OXY 212/15			

A1PXXJY905166	C COMPLETED	23OCT15 02:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	23OCT15 02:55	23OCT15 02:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	869.5	AFHR
02	BAY SERVICE DUE			BS due on Serial M2230			
		GAUGE OXYGEN SYSTEM at WAC 0640					
01	NO FAULT	06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:		B/S C/O IAW AAP 7551.035-6-10 REFER LSN AIP OXY 212/15			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	5.0	ELPYR			11MAR14
SM	BS	5.0	ELPYR			11MAR14



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04215  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MB10274-SET1  
 PART NO : MBEU100664 ~U1604  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 9236.8 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T CHANGE TYPE		LIFE SINCE NEW		SPAN(DYS) FROM		TO (OPTIONAL)		TRANS REFERENCE		USER	
=====		=====		=====		=====		=====		=====	
02SEP03	02:38	Maintenance Comment	0.0	AFHR	3.7	14Aug01	127	07.30	4365	0 DAYS	13-REMACCES LD10212
											XXxxXXxx
02SEP03	02:39	Maintenance Comment	0.0	AFHR	3.7	05Apr02	133	07.30	4599	0 DAYS	02-BS DUE LE20875
											XXxxXXxx
02SEP03	02:39	Maintenance Comment	0.0	AFHR	3.7	16May03	087	07.30	5005	0 DAYS	02-BS DUE LF38581
											XXxxXXxx
02SEP03	02:39	Maintenance Comment	0.0	AFHR	3.7	11Jun03	031	07.30	5031	0 DAYS	IN AS A23T 1450-12-00-J
											XXxxXXxx
02SEP03	02:39	Maintenance Comment	0.0	AFHR	3.7	05Jun03		ELPYR	LST BS 04JUN04	ELPYR	NXT BS
											XXxxXXxx
02SEP03	02:40	Maintenance Comment	0.0	AFHR	3.7	4228.5	0.0	AFHR			
											XXxxXXxx
02SEP03	02:40	Maintenance Comment	0.0	AFHR	3.7	4316.4	0.0	AFHR			
											XXxxXXxx
02SEP03	02:41	Maintenance Comment	0.0	AFHR	3.7	12Jul01	2FTAROM		FF: 01-NIL		MA: 04-CHK/TST
											XXxxXXxx
02SEP03	02:44	Maintenance Comment	0.0	AFHR	3.7	3754.7	0.0	AFHR			
											XXxxXXxx
02SEP03	02:44	Maintenance Comment	0.0	AFHR	3.7	4316.4	0.0	AFHR			
											XXxxXXxx
02SEP03	02:45	Maintenance Comment	0.0	AFHR	3.7	05Jun03	2FTALS		FF: 01-NIL		MA: 06-BS
											XXxxXXxx
02SEP03	02:45	Maintenance Comment	0.0	AFHR	3.7	29Aug89	NEW - MB10274	MBEU100664		1450-12-00-J	
											XXxxXXxx
02SEP03	02:45	Maintenance Comment	0.0	AFHR	3.7	3683.3	0.0	AFHR			
											XXxxXXxx
02SEP03	02:45	Maintenance Comment	0.0	AFHR	3.7	27Feb03	087	07.30	4927	0 DAYS	IN AS A23T 1450-12-00-J
											XXxxXXxx
02SEP03	02:47	Maintenance Comment	0.0	AFHR	3.7	12Jul01	055	00.30	4332	0 DAYS	13-REMACCES LC18539
											XXxxXXxx
02SEP03	02:47	Maintenance Comment	0.0	AFHR	3.7	3683.3	0.0	AFHR			
											XXxxXXxx
02SEP03	02:47	Maintenance Comment	0.0	AFHR	3.7	3754.7	0.0	AFHR			
											XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04216  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MB10274-SET1  
 PART NO : MBEU100664 ~U1604  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
02SEP03	02:47	Maintenance Comment	0.0 AFHR	3.7	22May02 017 07.30 4646	0 DAYS IN AS A23T 1450-12-00-J XXXXXXxx
02SEP03	02:47	Maintenance Comment	0.0 AFHR	3.7	3641.7 0.0 AFHR	XXXXXXxx
02SEP03	02:47	Maintenance Comment	0.0 AFHR	3.7	25Feb03 2FTOPMH FF: 01-NIL	MA: 04-CHK/TST XXXXXXxx
02SEP03	02:47	Maintenance Comment	0.0 AFHR	3.7	29Aug03 031 07.30 4443.8 AFHR	TX TO CAMM2 XXXXXXxx
02SEP03	02:48	Maintenance Comment	0.0 AFHR	3.7	12Jul01 127 07.30 4332	0 DAYS IN AS A23T 1450-12-00-J XXXXXXxx
02SEP03	02:48	Maintenance Comment	0.0 AFHR	3.7	14Aug01 2FTAROM FF: 01-NIL	MA: 04-CHK/TST XXXXXXxx
02SEP03	02:48	Maintenance Comment	0.0 AFHR	3.7	16Aug01 133 07.30 4367	0 DAYS IN AS A23T 1450-12-00-J XXXXXXxx
02SEP03	02:48	Maintenance Comment	0.0 AFHR	3.7	16May02 2FTALS FF: 01-NIL	MA: 06-BS XXXXXXxx
02SEP03	02:48	Maintenance Comment	0.0 AFHR	3.7	3969.4 0.0 AFHR	XXXXXXxx
02SEP03	02:48	Maintenance Comment	0.0 AFHR	3.7	4228.5 0.0 AFHR	XXXXXXxx
02SEP03	02:49	Maintenance Comment	0.0 AFHR	3.7	3969.4 0.0 AFHR	XXXXXXxx
02SEP03	02:53	Maintenance Comment	0.0 AFHR	3.7	25Feb03 017 07.30 4925	0 DAYS 13-REMACCES LF34723 XXXXXXxx
02SEP03	02:54	Maintenance Comment	0.0 AFHR	3.7	09Oct02 STI-PARACHUTE-0146 STI STATUS NOW NA	XXXXXXxx
21NOV03	03:09	Asset Removal	4466.1 AFHR	83.7	031 031	A23T A1WBA 00M XXXXXXxx
		Change Serviceability Stat		66.9	S/I	
		Change Location of an Asse		0.0	U/S	
					AR	
21NOV03	03:30	Change Serviceability Stat	4466.1 AFHR	0.0	AROM	
					U/S	
					SERV	
						XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04217  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MB10274-SET1  
 PART NO : MBEU100664 ~U1604  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
23NOV03 23:28	Asset Installation	2.8	A23T A1WBA 023 A23-034	00 A23T A1WBA 00A XXXXXXxx
	4466.1 AFHR Change Serviceability Stat	2.8	SERV S/I AROM A23-034	
	Change Location of an Asse	2.8	A23-034	
11MAR04 01:27	Asset Removal	108.0	023 A23T A1WBA A23-034	00 A23T A1WBA 00A XXXXXXxx
	4466.1 AFHR Change Serviceability Stat	108.0	S/I U/S A23-034	
	Change Location of an Asse	108.0	INTMH U/S SERV	
11MAR04 07:03	Change Serviceability Stat	0.2		XXXXXXxx
15MAR04 03:52	Asset Installation	4.1	A23T A1WBA 057 A23-056	00 A23T A1WBA 00A XXXXXXxx
	4466.1 AFHR Change Serviceability Stat	3.8	SERV S/I INTMH A23-056	
	Change Location of an Asse	4.1	S/I US/I AIPXXJ305160	
17MAY04 01:59	Change Serviceability Stat	2.9		XXXXXXxx
17MAY04 05:22	Asset Removal	63.0	057 A23T A1WBA A23-056	00 A23T A1WBA 00A XXXXXXxx
	4570.9 AFHR Change Serviceability Stat	0.1	US/I U/S A23-056	
	Change Location of an Asse	63.0	ALS	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04218  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MB10274-SET1  
 PART NO : MBEU100664  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
26MAY04 06:19	Change Serviceability Stat	9.0	U/S SERV	
	4570.9 AFHR			XXXXXXxx
28MAY04 00:56	Asset Installation	10.8	A23T 005 A1WBA A23-043	A23T A1WBA 0 A
	4570.9 AFHR			XXXXXXxx
	Change Serviceability Stat	1.7	SERV S/I	
	Change Location of an Asse	10.8	ALS A23-043	
10MAR05 05:28	Asset Removal	286.1	005 A23T A1WBA A23-043	A23T A1WBA 00A
	4819.1 AFHR			XXXXXXxx
	Change Serviceability Stat	1.0	S/I U/S	
	Change Location of an Asse	16.1	A23-043 ALS	
10MAR05 05:29	Change Serviceability Stat	0.0	U/S SERV	
	4819.1 AFHR			XXXXXXxx
21MAR05 05:41	Change Serviceability Stat	11.0	SERV U/S A1PXXJY410022	XXXXXXxx
04MAY05 04:38	Change Serviceability Stat	43.9	U/S SERV	
	4819.1 AFHR			XXXXXXxx
06MAY05 05:49	Asset Installation	57.0	A23T 009 A1WBA 009	A23T A1WBA 00MMI
	4819.1 AFHR			XXXXXXxx
	Change Serviceability Stat	2.0	SERV S/I	
	Change Location of an Asse	57.0	ALS AR	
03MAY06 22:06	Change Serviceability Stat	0.7	S/I US/I A1PXXJY508361	XXXXXXxx
	5158.6 AFHR			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04219  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MB10274-SET1  
 PART NO : MBEU100664  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
03MAY06 22:18	Asset Removal	362.6	009 A23T A1WBA A23-017 00	A23T A1WBA 00A
	5158.6 AFHR Change Serviceability Stat	0.0	US/I U/S	XXXXXXxx
	Change Location of an Asse	196.7	A23-017 ALS	
21MAY06 01:32	Change Serviceability Stat	17.1	U/S SERV	XXXXXXxx
27JUL06 05:37	Asset Installation	84.3	A23T A1WBA A23-038 011 00	A23T A1WBA 00AC
	5158.6 AFHR Change Serviceability Stat	67.1	SERV S/I	XXXXXXxx
	Change Location of an Asse	84.3	ALS A23-038	
16MAY07 10:56	Asset Removal	293.2	011 A23T A1WBA 011 00	A23T A1WBA 00M
	5507.5 AFHR Change Serviceability Stat	0.2	S/I U/S	XXXXXXxx
	Change Location of an Asse	0.0	AR AROM	
16MAY07 10:57	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
16MAY07 11:34	Asset Installation	0.0	A23T A1WBA 009 00	A23T A1WBA 00MMI
	5507.5 AFHR Change Serviceability Stat	0.0	SERV S/I	XXXXXXxx
	Change Location of an Asse	0.0	AROM AR	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04220  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MB10274-SET1  
 PART NO : MBEU100664 ~U1604  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
27JUN07 21:51	Change Serviceability Stat	0.8	S/I US/I	
	5572.1 AFHR		A1PXXJY610374	XXXXXXxx
27JUN07 21:54	Asset Removal	42.4	009 A23T A1WBA	A23T A1WBA 00A
	5572.1 AFHR			XXXXXXxx
	Change Serviceability Stat	0.0	US/I	
	Change Location of an Asse	42.4	U/S A23-038	
01SEP07 01:21	Change Serviceability Stat	65.1	ALS U/S	
	5572.1 AFHR		SERV	XXXXXXxx
04SEP07 05:45	Asset Installation	68.3	A23T A1WBA	A23T A1WBA 00AC
	5572.1 AFHR		0099 A23-026	XXXXXXxx
	Change Serviceability Stat	3.1	SERV	
	Change Location of an Asse	68.3	S/I ALS A23-026	
20SEP07 06:30	Asset Removal	16.0	0099 A23T A1WBA	A23T A1WBA 00M
	5592.5 AFHR			XXXXXXxx
	Change Serviceability Stat	1.0	S/I	
	Change Location of an Asse	0.9	U/S AR	
20SEP07 06:31	Change Serviceability Stat	0.0	AROM U/S	
	5592.5 AFHR		SERV	XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04221  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MB10274-SET1  
 PART NO : MBEU100664 ~U1604  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS		-----									
TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN(DYS)	FROM	TO (OPTIONAL)		TRANS REFERENCE		USER	
=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====	=====
20SEP07 11:16	Asset Installation	0.1		0.1	A23T	A1WBA		00			
	5944.7 AFHR				025		025		A23T	A1WBA	00MMI
	Change Serviceability Stat	0.1			SERV				XXXXXXxx		
	Change Location of an Asse	0.1			S/I						
14AUG08 06:40	Asset Removal	328.8		328.8	AR				A23T	A1WBA	00M
	5944.7 AFHR				025		025				
	Change Serviceability Stat	1.2			A23T	A1WBA		00			
	Change Location of an Asse	0.0			S/I				XXXXXXxx		
	Change Serviceability Stat	0.0			U/S						
14AUG08 06:41	Change Serviceability Stat	0.0			AROM						
	5944.7 AFHR				INTMH						
14AUG08 06:43	Asset Installation	0.0		0.0	U/S						
	5944.7 AFHR				SERV				XXXXXXxx		
	Change Serviceability Stat	0.0			A23T	A1WBA		00			
	Change Location of an Asse	0.0			109		A23-014		A23T	A1WBA	00AC
	Change Serviceability Stat	0.0			SERV				XXXXXXxx		
	Change Location of an Asse	0.0			S/I						
29AUG08 03:36	Change Serviceability Stat	0.0			INTMH						
	5954.9 AFHR				A23-014						
29AUG08 04:39	Asset Removal	14.9		14.9	S/I						
	5954.9 AFHR				US/I				XXXXXXxx		
	Change Serviceability Stat	0.0			A1PXXJY716742						
	Change Location of an Asse	14.9			109		A23-014		A23T	A1WBA	00A
	Change Serviceability Stat	0.0			A23T	A1WBA		00			
	Change Location of an Asse	14.9							XXXXXXxx		
	Change Serviceability Stat	0.0			US/I						
	Change Location of an Asse	14.9			U/S						
	Change Serviceability Stat	0.0			A23-014						
	Change Location of an Asse	14.9			ALS						

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04222  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MB10274-SET1  
 PART NO : MBEU100664 ~U1604  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
15SEP08 01:05	Change Serviceability Stat	16.8	U/S SERV	
15SEP08 02:56	Asset Installation	16.9	A23T 087 A1WBA A23-015 00	XXXXXXxx
	Change Serviceability Stat	0.0	SERV S/I ALS A23-015	A23T A1WBA 00AC
27NOV08 22:52	Asset Removal	73.8	A23T 087 A1WBA A23-015 00	XXXXXXxx
	Change Serviceability Stat	1.6	S/I U/S A23-015	
27NOV08 22:53	Change Serviceability Stat	0.0	INTMH U/S SERV	
10DEC08 22:32	Asset Installation	12.9	A23T 001 A1WBA 001 00	XXXXXXxx
	Change Serviceability Stat	12.9	SERV S/I INTMH AR	A23T A1WBA 00MMI
12AUG09 02:49	Change Serviceability Stat	148.8	US/I A1PXXJY815320	XXXXXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04223  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MB10274-SET1  
 PART NO : MBEU100664 ~U1604  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
12AUG09 02:49	Asset Removal	244.1	001 A23T A1WBA 001 00	A23T A1WBA 00M
	6112.5 AFHR Change Serviceability Stat	0.0	US/I U/S	XXXXXXxx
	Change Location of an Asse	117.0	A23-015 ALS	
10SEP09 00:45	Change Serviceability Stat	28.9	U/S SERV	
	6112.5 AFHR Asset Installation	29.1	A23T A1WBA 105 A23-021	XXXXXXxx A23T A1WBA 00AC
	6112.5 AFHR Change Serviceability Stat	0.2	SERV S/I	XXXXXXxx
	Change Location of an Asse	29.1	ALS A23-021	
07APR10 10:34	Asset Removal	209.1	105 A23T A1WBA 105 00	A23T A1WBA 00M
	6352.3 AFHR Change Serviceability Stat	0.2	S/I U/S	XXXXXXxx
	Change Location of an Asse	0.0	INTMH OPMH	
07APR10 10:34	Change Serviceability Stat	0.0	U/S SERV	
	6352.3 AFHR Asset Installation	0.1	A23T A1WBA 067 00	XXXXXXxx A23T A1WBA 00MMI
	6352.3 AFHR Change Serviceability Stat	0.1	SERV S/I	XXXXXXxx
	Change Location of an Asse	0.1	OPMH AR	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04224  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MB10274-SET1  
 PART NO : MBEU100664  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
26MAY10 22:48	Position Change	49.3	A23T A1WBA 00	
	6402.4 AFHR		A23T A1WBA 00	
02SEP10 22:32	Change Serviceability Stat	8.6	A1PXXX1005417	XXxxXXxx
	6500.4 AFHR		S/I US/I A1PXXJ1009288	XXxxXXxx
02SEP10 22:39	Asset Removal	148.3	067 A23-021	A23T A1WBA 00A
	6500.4 AFHR		A23T A1WBA 00	XXxxXXxx
	Change Serviceability Stat	0.0	US/I U/S	
	Change Location of an Asse	98.9	A23-021	
05SEP10 23:23	Change Location of an Asse	3.0	AROM AROM ALS	
	6500.4 AFHR		A1PXXX1009054	XXxxXXxx
01MAR11 22:35	Change Serviceability Stat	179.9	U/S SERV	XXxxXXxx
	6500.4 AFHR		A23T A1WBA	XXxxXXxx
24MAR11 23:08	Asset Installation	203.0	117 A23-033	A23T A1WBA 00AC
	6500.4 AFHR		SERV S/I	XXxxXXxx
	Change Serviceability Stat	23.0	ALS A23-033	
	Change Location of an Asse	199.9	117 A23-033	
21OCT11 02:24	Asset Removal	210.1	A23T A1WBA	A23T A1WBA 00A
	6724.7 AFHR		A23T A1WBA 00	XXxxXXxx
	Change Serviceability Stat	3.7	S/I U/S	
	Change Location of an Asse	210.1	A23-033	
21OCT11 02:24	Change Serviceability Stat	0.0	AROM U/S SERV	XXxxXXxx
	6724.7 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04225  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MB10274-SET1  
 PART NO : MBEU100664 ~U1604  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS										
TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER			
LIFE SINCE NEW										
03NOV11	13:39	Asset Installation	13.4	A23T	A1WBA	A23-033	00	A23T	A1WBA	00AC
		6724.7 AFHR						XXXXXXxx		
		Change Serviceability Stat	13.4	SERV						
		Change Location of an Asse	13.4	S/I						
18JAN12	05:04	Change Serviceability Stat	0.0	AROM						
		6736.6 AFHR		A23-033						
18JAN12	05:53	Asset Removal	75.6	S/I				XXXXXXxx		
		6736.6 AFHR		US/I						
		Change Serviceability Stat	0.0	A1PXXJ1102831		A23-033	00	A23T	A1WBA	00A
		Change Location of an Asse	75.6	013						
		6736.6 AFHR		A23T	A1WBA			XXXXXXxx		
		Change Serviceability Stat	0.0	US/I						
		Change Location of an Asse	75.6	U/S						
22MAR12	22:10	Change Serviceability Stat	64.6	A23-033						
		6736.6 AFHR		ALS				XXXXXXxx		
27MAR12	01:08	Asset Installation	68.8	U/S						
		6736.6 AFHR		SERV						
		Change Serviceability Stat	4.1	A23T	A1WBA	169	00	A23T	A1WBA	00MMI
		Change Location of an Asse	68.8	169				XXXXXXxx		
		6736.6 AFHR								
		Change Serviceability Stat	0.9	SERV						
		Change Location of an Asse	68.8	S/I						
24JUL12	07:19	Asset Removal	119.2	ALS						
		6952.2 AFHR		AROM		A23-065	00	A23T	A1WBA	00A
		Change Serviceability Stat	0.9	169						
		Change Location of an Asse	119.2	A23T	A1WBA			XXXXXXxx		
		6952.2 AFHR								
		Change Serviceability Stat	0.9	S/I						
		Change Location of an Asse	119.2	U/S						
		6952.2 AFHR		A23-065						
		Change Serviceability Stat	0.9	AROM						

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04226  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MB10274-SET1  
 PART NO : MBEU100664 ~U1604  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
24JUL12 07:19	Change Serviceability Stat	0.0	U/S SERV	
25JUL12 12:51	Asset Installation	1.2	A23T 015 A1WBA A23-065 00	XXXXXXxx
	Change Serviceability Stat	1.2	SERV S/I AROM A23-065	XXXXXXxx
	Change Location of an Asse	1.2	A23-065	
02NOV12 03:49	Change Serial Number of an	3352.8	MB10274 MB10274-SET1 A1PXXX1211254	
13FEB13 09:37	Asset Removal	202.8	015 A23T A1WBA A23-065 00	XXXXXXxx
	Change Serviceability Stat	21.2	S/I U/S A23-065	
	Change Location of an Asse	34.4	ALS U/S SERV	
13FEB13 09:38	Change Serviceability Stat	0.0		
17FEB13 22:09	Change Serviceability Stat	4.5	SERV U/S A1PXXJ1203944	XXXXXXxx
18FEB13 03:00	Change Location of an Asse	4.7	ALS ALS PC9	XXXXXXxx
21FEB13 02:35	Change Serviceability Stat	3.1	A1PXXX1301521 U/S SERV	XXXXXXxx
	Change Serviceability Stat		7037.1 AFHR	XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04227  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MB10274-SET1  
 PART NO : MBEU100664 ~U1604  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
22FEB13 00:20	Asset Installation	8.6	A23T A1WBA A23-026	00 A23T A1WBA 00AC
	7037.1 AFHR			XXXXXX
	Change Serviceability Stat	0.9	SERV S/I	
	Change Location of an Asse	3.8	ALS PC9	
14JUN13 00:58	Asset Removal	112.0	A23-026 079 A23T A1WBA	00 A23T A1WBA 00A
	7186.0 AFHR			XXXXXX
	Change Serviceability Stat	1.6	S/I U/S	
	Change Location of an Asse	112.0	A23-026 INTMH	
14JUN13 00:58	Change Serviceability Stat	0.0	U/S SERV	
	7186.0 AFHR			XXXXXX
18JUN13 03:47	Asset Installation	4.1	A23T A1WBA A23-026	00 A23T A1WBA 00AC
	7186.0 AFHR			XXXXXX
	Change Serviceability Stat	4.1	SERV S/I	
	Change Location of an Asse	4.1	INTMH A23-026	
23FEB14 23:54	Change Serviceability Stat	2.6	S/I US/I	
	7407.2 AFHR		A1PXXJ1302577	XXXXXX
23FEB14 23:59	Asset Removal	250.8	0073 A23-026 A23T A1WBA	00 A23T A1WBA 00A
	7407.2 AFHR			XXXXXX
	Change Serviceability Stat	0.0	US/I U/S	
	Change Location of an Asse	153.6	A23-026 ALS	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04228  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MB10274-SET1  
 PART NO : MBEU100664  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
24FEB14 03:16	Change Location of an Asse	0.1	ALS ALS A1PXXX1401787 PC9	XXXXXXxx
06MAR14 04:40	Change Serviceability Stat	10.1	U/S SERV	XXXXXXxx
31MAR14 11:29	Asset Installation	35.4	A23T 081 A1WBA A23-015 00	A23T A1WBA XXXXXXxx 00AC
	Change Serviceability Stat	25.2	SERV S/I	
	Change Location of an Asse	35.3	ALS A23-015 PC9	
18SEP14 03:23	Asset Removal	170.6	081 A23T A1WBA A23-015 00	A23T A1WBA XXXXXXxx 00A
	Change Serviceability Stat	0.5	S/I U/S	
	Change Location of an Asse	170.6	A23-015 AROM	
18SEP14 03:24	Change Serviceability Stat	0.0	U/S SERV	
19SEP14 01:21	Asset Installation	0.9	A23T 169 A1WBA A23-015 00	A23T A1WBA XXXXXXxx 00AC
	Change Serviceability Stat	0.9	SERV S/I	
	Change Location of an Asse	0.9	AROM A23-015	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04229  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MB10274-SET1  
 PART NO : MBEU100664 ~U1604  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
05MAR15 11:09	Asset Removal	167.4	169 A23T A1WBA A23-015 00	A23T A1WBA 00A
	7621.9 AFHR Change Serviceability Stat	113.3	S/I U/S	XXXXXXxx
	Change Location of an Asse	91.2	A23-015 ALS	
05MAR15 11:10	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
	7621.9 AFHR Change Serviceability Stat	3.7	SERV U/S	XXXXXXxx
	7621.9 AFHR Change Serviceability Stat	20.7	A1PXXJ1403617 U/S SERV	XXXXXXxx
	7621.9 AFHR Asset Installation	24.7	A23T A1WBA A23-028 00	A23T A1WBA 00AC
	7621.9 AFHR Change Serviceability Stat	0.2	SERV S/I	XXXXXXxx
	Change Location of an Asse	24.7	ALS A23-028	
07SEP15 23:28	Asset Removal	161.7	059 A23T A1WBA 059 00	A23T A1WBA 00M
	7765.5 AFHR Change Serviceability Stat	24.8	S/I U/S	XXXXXXxx
	Change Location of an Asse	5.7	AROM INTMH	
07SEP15 23:29	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
	7765.5 AFHR			XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04230  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MB10274-SET1  
 PART NO : MBEU100664 ~U1604  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS									
TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER	
			LIFE SINCE NEW						
07SEP15	23:35	Asset	Installation	0.0	A23T	A1WBA			
			7765.5 AFHR		0099		A23-001	A23T A1WBA	00AC
		Change	Serviceability Stat	0.0	SERV			XXXXXXxx	
		Change	Location of an Asse	0.0	S/I				
					INTMH				
17FEB16	23:07	Asset	Removal	162.9	A23-001				
			7986.2 AFHR		0099	A23-001	A23-001	A23T A1WBA	00A
		Change	Serviceability Stat	0.6	A23T	A1WBA			
		Change	Location of an Asse	162.9	S/I			XXXXXXxx	
					U/S				
					A23-001				
17FEB16	23:09	Change	Serviceability Stat	0.0	ALS				
			7986.2 AFHR		U/S			XXXXXXxx	
18FEB16	00:21	Change	Serviceability Stat	0.0	SERV				
			7986.2 AFHR		U/S			XXXXXXxx	
18FEB16	00:52	Change	Location of an Asse	0.0	A1PXXJ1504856				
			7986.2 AFHR		ALS		PC9	XXXXXXxx	
					ALS				
13MAY16	03:31	Change	Serviceability Stat	85.1	A1PXXX1601549			XXXXXXxx	
			7986.2 AFHR		U/S				
					SERV			XXXXXXxx	
14JUN16	00:11	Asset	Installation	117.0	A23T	A1WBA			
			7986.2 AFHR		161		A23-047	A23T A1WBA	00AC
		Change	Serviceability Stat	31.8	SERV			XXXXXXxx	
		Change	Location of an Asse	116.9	S/I		PC9		
					ALS				
					A23-047				



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04231  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MB10274-SET1  
 PART NO : MBEU100664 ~U1604  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
18AUG16 07:16	Asset Removal	65.2	161 A23T A1WBA A23-047 00	A23T A1WBA 00A
	8092.4 AFHR Change Serviceability Stat	1.8	S/I U/S	XXXXXXxx
	Change Location of an Asse	1.9	A23-047 ALS	
24AUG16 02:53	Change Serviceability Stat	5.8	U/S SERV	XXXXXXxx
01SEP16 02:46	Asset Installation	13.8	A23T A1WBA 071 00	A23T A1WBA 00MMI
	8092.4 AFHR Change Serviceability Stat	7.9	SERV S/I	XXXXXXxx
	Change Location of an Asse	13.8	ALS AROM	
22NOV16 05:10	Asset Removal	82.0	071 A23T A1WBA A23-002 00	A23T A1WBA 00A
	8257.3 AFHR Change Serviceability Stat	1.0	S/I U/S	XXXXXXxx
	Change Location of an Asse	82.0	A23-002 AROM	
22NOV16 05:11	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
01DEC16 07:53	Asset Installation	9.1	A23T A1WBA 169 00	A23T A1WBA 00AC
	8257.3 AFHR Change Serviceability Stat	9.1	SERV S/I	XXXXXXxx
	Change Location of an Asse	9.1	AROM A23-002	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04232  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MB10274-SET1  
 PART NO : MBEU100664  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
11MAY17 13:17	Asset Removal	161.2	169 A23T A1WBA A23-002 00	A23T A1WBA 00A
	8408.9 AFHR Change Serviceability Stat	0.1	S/I U/S	XXXXXXxx
	Change Location of an Asse	161.2	A23-002 AROM	
11MAY17 13:18	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
	8408.9 AFHR Change Serviceability Stat	0.5	SERV U/S	XXXXXXxx
	8408.9 AFHR Change Location of an Asse	0.5	A1PXXJ1611039 AROM ALS PC9	XXXXXXxx
10AUG17 23:29	Change Serviceability Stat	90.8	A1PXXX1707415 U/S SERV	XXXXXXxx
	8408.9 AFHR Asset Installation	91.5	A23T A1WBA 117 00	A23T A1WBA 00MMI
	8408.9 AFHR Change Serviceability Stat	0.1	SERV S/I	XXXXXXxx
	Change Location of an Asse	91.0	ALS AROM PC9	
03NOV17 04:49	Asset Removal	84.0	117 A23T A1WBA A23-061 00	A23T A1WBA 00A
	8546.5 AFHR Change Serviceability Stat	1.0	S/I U/S	XXXXXXxx
	Change Location of an Asse	81.2	A23-061 AROM	
03NOV17 04:50	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
	8546.5 AFHR			XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04233  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MB10274-SET1  
 PART NO : MBEU100664 ~U1604  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
06NOV17 11:16	Asset Installation	3.2	A23T A1WBA 035 A23-061	00 A23T A1WBA 00AC XXXXXXXX
	8546.5 AFHR Change Serviceability Stat	3.2	SERV S/I	
	Change Location of an Asse	3.2	AROM A23-061	
09AUG18 12:08	Asset Removal	276.0	035 A23-061 A23T A1WBA	00 A23T A1WBA 00A XXXXXXXX
	8829.9 AFHR Change Serviceability Stat	1.1	S/I U/S	
	Change Location of an Asse	49.4	A23-061 ALS	
09AUG18 12:09	Change Serviceability Stat	0.0	U/S SERV	XXXXXXXX
	8829.9 AFHR Change Serviceability Stat	0.5	SERV U/S	XXXXXXXX
	8829.9 AFHR Change Serviceability Stat	26.9	A1PXXJ1715670 U/S SERV	XXXXXXXX
30OCT18 12:50	Asset Installation	82.0	A23T A1WBA 005 A23-040	00 A23T A1WBA 00AC XXXXXXXX
	8829.9 AFHR Change Serviceability Stat	54.5	SERV S/I	
	Change Location of an Asse	82.0	ALS A23-040	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04234  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MB10274-SET1  
 PART NO : MBEU100664  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
02JUL19 05:37	Asset Removal	244.6	005 A23T A1WBA A23-040 00	A23T A1WBA 00A
	9109.5 AFHR Change Serviceability Stat	3.9	S/I U/S	XXXXXXxx
	Change Location of an Asse	81.9	A23-040 OPMH	
02JUL19 05:38	Change Serviceability Stat	0.0	U/S SERV	
	9109.5 AFHR			XXXXXXxx
03JUL19 02:17	Asset Installation	0.8	A23T A1WBA A23-005 00	A23T A1WBA 00AC
	9109.5 AFHR Change Serviceability Stat	0.8	SERV S/I	XXXXXXxx
	Change Location of an Asse	0.8	OPMH A23-005	
05SEP19 23:36	Change Serviceability Stat	0.6	S/I US/I	
	9228.8 AFHR		A1PXXJ1815002	XXXXXXxx
06SEP19 05:02	Change Serviceability Stat	0.2	US/I S/I	
	9228.8 AFHR			XXXXXXxx
06SEP19 05:13	Asset Removal	65.1	065 A23T A1WBA A23-005 00	A23T A1WBA 00A
	9228.8 AFHR Change Serviceability Stat	0.0	S/I U/S	XXXXXXxx
	Change Location of an Asse	65.1	A23-005 AROM	
06SEP19 05:14	Change Serviceability Stat	0.0	U/S SERV	
	9228.8 AFHR			XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04235  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MB10274-SET1  
 PART NO : MBEU100664 ~U1604  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
13SEP19 03:00	Change Serviceability Stat	9228.8 AFHR Estimated Date/Time Servic	6.9	SERV U/S A1PXXU1910693	XXxxXXxx
13SEP19 03:00	Change Serviceability Stat	9228.8 AFHR	0.0	SERV STAT U/S SERV	XXxxXXxx
13SEP19 03:15	Change Serviceability Stat	9228.8 AFHR	0.0	SERV U/S A1PXXJ1913943	XXxxXXxx
27SEP19 23:00	Change Serviceability Stat	9228.8 AFHR	14.8	U/S SERV	XXxxXXxx
14NOV19 03:27	Asset Installation	9228.8 AFHR	68.9	A23T A1WBA 00 039 A23-033	A23T A1WBA 00AC XXxxXXxx
	Change Serviceability Stat	9228.8 AFHR	47.1	SERV S/I	
	Change Location of an Asse		68.9	AROM A23-033	

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY406376	COMPLETED	26MAY04 03:58	4570.9	AFHR		XXxxXXxxXXxxXXxxXXxx
18MAY04 00:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial MF0998				26MAY04 03:58
		QUICK REL FITTING at WAC 0730				XXxxXXxxXXxxXXxxXXxx

Maint Acts: BAY SERVICE CARRIED OUT IAW 7221.001-3M REFER TO OAM 564/04

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : MB10274-SET1 PERIOD: 01JAN90 TO 08JAN20  
PART NO : MBEU100664 ~U1604  
ENGINEERING NAME : PARACHUTE ASSY  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY406376

SEQ REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001 MF0998	A23T	A1WBA12	00	MF0998	A23T	A1WBA12	00
MBEU72851		18MAY04 00:46	AIPXXJ304674X	MBEU72851		26MAY04 03:56	

A1PXXUY406969 COMPLETED 26MAY04 03:46 4570.9 AFHR XXxxXXxxXXxxXXxxXXxx  
 26MAY04 03:40 XXxxXXxx  
 TA due on Serial MB10274  
 LINE DROG WITHDRAW at WAC 0730 XXxxXXxxXXxxXXxxXXxx

Maint Acts: TX

REMOVALS/INSTALLATIONS FOR A1PXXUY406969

SEQ REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001 MB10274	A23T	A1WBA06	00	PCY400234	A23T	A1WBA06	00
MBEU90727		26MAY04 03:44	AIPXXJ304531X	MBEU90727		26MAY04 03:45	

A1PXXUY406970 COMPLETED 26MAY04 03:48 4570.9 AFHR XXxxXXxxXXxxXXxxXXxx  
 26MAY04 03:41 XXxxXXxx  
 BS due on Serial J3128A44  
 DROGUE ASSY 5 FT at WAC 0730 XXxxXXxxXXxxXXxxXXxx

Maint Acts: BAY SERVICE CARRIED OUT IAW 7291.042-2M REFER TO OAM 562/04

A1PXXUY406971 COMPLETED 26MAY04 03:50 4570.9 AFHR XXxxXXxxXXxxXXxxXXxx  
 26MAY04 03:41 XXxxXXxx  
 BS due on Serial MB10274  
 PACK ASSY PARACHUTE at WAC 0730 XXxxXXxxXXxxXXxxXXxx

Maint Acts: BAY SERVICE CARRIED OUT IAW 7291.042-2M REFER TO OAM 562/04

A1PXXUY406972 COMPLETED 26MAY04 03:52 4570.9 AFHR XXxxXXxxXXxxXXxxXXxx  
 26MAY04 03:43 XXxxXXxx  
 BS due on Serial L334418  
 HARNESS at WAC 0730 XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : MB10274-SET1  
 PART NO : MBEU100664 ~U1604  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: BAY SERVICE CARRIED OUT IAW 7291.042-2M REFER TO OAM 562/04

A1PXXUY506971	COMPLETED	04MAY05 03:54	4819.1	AFHR		XXxxXXxxXXxxXXxxXXxx
21MAR05 05:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS		due on Serial MF0998		04MAY05 03:54
		QUICK REL FITTING		at WAC 0730		XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERVICEABLE QRF FITTED IAW 7291.042-2MB2 REFER TO WORK DOC OAM 311/05

REMOVALS/INSTALLATIONS FOR A1PXXUY506971

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	

001	MF0998	A23T	A1WBA12	00	MF0998	A23T	A1WBA12	00
	MBEU72851		21MAR05 05:42	A1PXXJY409992	MBEU72851		04MAY05 03:52	

A1PXXUY506972	COMPLETED	04MAY05 04:32	4819.1	AFHR		XXxxXXxxXXxxXXxxXXxx
21MAR05 05:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS		due on Serial L334418		04MAY05 04:32
		HARNESS		at WAC 0730		XXxxXXxxXXxxXXxxXXxx

Maint Acts: BS IAW AAP 7291.042-2MB2 REFER TO WOEK DOC OAM 311/05

A1PXXUY506973	COMPLETED	04MAY05 04:33	4819.1	AFHR		XXxxXXxxXXxxXXxxXXxx
21MAR05 05:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS		due on Serial MB10274		04MAY05 04:33
		PACK ASSY PARACHUTE		at WAC 0730		XXxxXXxxXXxxXXxxXXxx

Maint Acts: BS IAW AAP 7291.042-2MB2 REFER TO WOEK DOC OAM 311/05

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : MB10274-SET1  
 PART NO : MBEU100664 ~U1604  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY506974 21MAR05 05:44	COMPLETED XXxxXXxx	04MAY05 04:35 XXxxXXxxXXxxXXxxXXxx	4819.1 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx 04MAY05 04:35 XXxxXXxxXXxxXXxxXXxx
		BS DROGUE ASSY 5 FT		due on Serial J3128A44 at WAC 0730		
	Maint Acts:	BS IAW AAP 7291.042-2MB2 REFER TO WOEK DOC OAM 311/05				

A1PXXUY506975 21MAR05 05:45	COMPLETED XXxxXXxx	04MAY05 03:51 XXxxXXxxXXxxXXxxXXxx	4819.1 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx 04MAY05 03:51 XXxxXXxxXXxxXXxxXXxx
		TA DROG EXTEND STRAP		due on Serial MB10274 at WAC 0730		
	Maint Acts:	NEW STRAP EXTENDER FITTED IAW AAP 7291.001-2MB2 REFER TO WORK DOC OAM311/05				

REMOVALS/INSTALLATIONS FOR A1PXXUY506975

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	MB10274 MBEU51480	A23T	A1WBA14 21MAR05 05:45	00 A1PXXJ304430X	PCY500596 MBEU51480	A23T	A1WBA14 04MAY05 03:50	00

A1PXXUY509041 04MAY05 03:55	COMPLETED XXxxXXxx	04MAY05 03:58 XXxxXXxxXXxxXXxxXXxx	4819.1 AIP	AFHR		XXxxXXxxXXxxXXxxXXxx 04MAY05 03:58 XXxxXXxxXXxxXXxxXXxx
		FRONT DROGUE FLAP OUTER FLAP TORN				
	Maint Acts:	NEW FRONT DROGUE FLAP OUTER FITTED IAW 7291.042-2MB2 REFER TO WORK DOC OAM 311/05				



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : MB10274-SET1  
PART NO : MBEU100664 ~U1604 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PARACHUTE ASSY  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY605497	COMPLETED	09JUL06 22:45	5158.6	AFHR		XXXXXXXXXXXXXXXXXXXX
21MAY06 01:32	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		TA		due on Serial J3128A44		09JUL06 22:45
		DROGUE ASSY 5 FT		at WAC 0730		XXXXXXXXXXXXXXXXXXXX

Maint Acts: B/S CARRIED OUT IAW AAP 7291.042-2M REFER OAM 587/06

REMOVALS/INSTALLATIONS FOR A1PXXUY605497

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	J3128A44	A23T	A1WBA02	00	B7916-A-0034	A23T	A1WBA02	00
	MBEU90690		09JUL06 22:42	AIPXXJ304522X	MBEU90690		09JUL06 22:43	

A1PXXUY605498	COMPLETED	09JUL06 22:48	5158.6	AFHR		XXXXXXXXXXXXXXXXXXXX
21MAY06 01:32	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		OH		due on Serial MF0998		09JUL06 22:48
		QUICK REL FITTING		at WAC 0730		XXXXXXXXXXXXXXXXXXXX

Maint Acts: B/S CARRIED OUT IAW AAP 7291.042-2M REFER OAM 587/06

REMOVALS/INSTALLATIONS FOR A1PXXUY605498

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	MF0998	A23T	A1WBA12	00	MF0998	A23T	A1WBA12	00
	MBEU72851		21MAY06 01:33	A1PXXJY508347	MBEU72851		09JUL06 22:47	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : MB10274-SET1  
 PART NO : MBEU100664 ~U1604  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY605499	COMPLETED	09JUL06 22:46	5158.6	AFHR		XXxxXXxxXXxxXXxxXXxx
21MAY06 01:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		TA		due on Serial PCY400234		09JUL06 22:46
		LINE DROG WITHDRAW		at WAC 0730		XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	B/S CARRIED OUT IAW AAP 7291.042-2M REFER OAM 587/06				

REMOVALS/INSTALLATIONS FOR A1PXXUY605499

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PCY400234	A23T	A1WBA06	00	PCY600626	A23T	A1WBA06	00
	MBEU90727		09JUL06 22:45	A1PXXJY409779	MBEU90727		09JUL06 22:45	

A1PXXUY606324	COMPLETED	06JUN06 05:19	5158.6	AFHR		XXxxXXxxXXxxXXxxXXxx
06JUN06 04:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STI-PC9-0404		due on Serial L334418		06JUN06 05:19
		HARNES		at WAC 0730		XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	STI-PC9-0404 INCORPORATED				

A1PXXUY607808	COMPLETED	09JUL06 22:40	5158.6	AFHR		XXxxXXxxXXxxXXxxXXxx
09JUL06 22:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		STRAP EXTENDER WORN BEYOND LIMITS				09JUL06 22:40
						XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	NEW STRAP EXTENDER FITTED REFER OAM 587/06				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : MB10274-SET1 PERIOD: 01JAN90 TO 08JAN20  
PART NO : MBEU100664 ~U1604  
ENGINEERING NAME : PARACHUTE ASSY  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR 1PXXUY607808

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PCY500596	A23T	A1WBA14	00	PCY600641	A23T	A1WBA14	00
	MBEU51480		09JUL06 22:38	A1PXXJY610372	MBEU51480		09JUL06 22:39	

A1PXXUY709191 COMPLETED 01SEP07 01:09 5572.1 AFHR  
 28JUN07 11:36 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 28JUN07 11:36 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 OH due on Serial MF0998  
 QUICK REL FITTING at WAC 0730

Maint Acts: BAY SERVICE CARRIED OUT IAW AAP 7221-001-3M REFER OAM 286/07

REMOVALS/INSTALLATIONS FOR 1PXXUY709191

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	MF0998	A23T	A1WBA12	00	MC0760	A23T	A1WBA12	00
	MBEU72851		28JUN07 11:36	A1PXXJY610373	MBEU72851		01SEP07 01:09	

A1PXXUY712498 COMPLETED 01SEP07 01:13 5572.1 AFHR  
 01SEP07 01:11 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 01SEP07 01:11 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP  
 TA due on Serial 754971  
 CANOPY PARACHUTE at WAC 0730

Maint Acts: NEW CANOPY FITTED

REMOVALS/INSTALLATIONS FOR 1PXXUY712498

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	754971	A23T	A1WBA00	00	940457	A23T	A1WBA00	00
	GQ06916		01SEP07 01:12	A1PXXJ304491X	GQ06916		01SEP07 01:12	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : MB10274-SET1  
 PART NO : MBEU100664 ~U1604  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY712499	COMPLETED	01SEP07 01:17	5572.1	AFHR		XXXXXXXXXXXXXXXXXXXX
01SEP07 01:13	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			
01SEP07 01:14	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX 01SEP07 01:17 XXXXXXXXXX
LINE DROGUE WITHDRAWAL DUE T/A						

Maint Acts: OVERHAUL CARRIED OUT IAW AAP 7291.042-2MB2 REFER OAM 876/07

REMOVALS/INSTALLATIONS FOR A1PXXUY712499

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PCY600626	A23T	A1WBA06	00	PCY700847	A23T	A1WBA06	00
	MBEU90727		01SEP07 01:15	A1PXXJY716740	MBEU90727		01SEP07 01:15	

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXUY712500	COMPLETED	01SEP07 01:20	5572.1	AFHR		XXXXXXXXXX
01SEP07 01:14	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			
01SEP07 01:15	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX 01SEP07 01:20 XXXXXXXXXX
LINE PARA WITHDRAWAL DUE T/A						

Maint Acts: BAY SERVICE CARRIED OUT IAW AAP 7291.042-2MB2 REFER OAM 876/07

REMOVALS/INSTALLATIONS FOR A1PXXUY712500

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	L031757	A23T	A1WBA08	00	PCY700844	A23T	A1WBA08	00
	MBEU10385PA		01SEP07 01:18	A1PXXJY716741	MBEU10385PA		01SEP07 01:18	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : MB10274-SET1  
PART NO : MBEU100664 ~U1604  
ENGINEERING NAME : PARACHUTE ASSY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY812002	COMPLETED	15SEP08 00:52	5954.9	AFHR		XXxxXXxxXXxxXXxxXXxx
03SEP08 23:48	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
03SEP08 23:48	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial MC0760				15SEP08 00:52
		QUICK REL FITTING at WAC 0730				XXxxXXxxXXxxXXxxXXxx

Maint Acts: OVERHAUL CARRIED OUT IAW AAP 7291.042-2M REFER OAM 1222/08

REMOVALS/INSTALLATIONS FOR A1PXXUY812002

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	MC0760	A23T	A1WBA12	00	MC0760	A23T	A1WBA12	00
	MBEU72851		03SEP08 23:51	A1PXXJY716739	MBEU72851		15SEP08 00:52	

A1PXXUY812003	COMPLETED	15SEP08 00:54	5954.9	AFHR		XXxxXXxxXXxxXXxxXXxx
03SEP08 23:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
03SEP08 23:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		TA due on Serial L334418				15SEP08 00:54
		HARNES at WAC 0730				XXxxXXxxXXxxXXxxXXxx

Maint Acts: OVERHAUL CARRIED OUT IAW AAP 7291.042-2M REFER OAM 1222/08

REMOVALS/INSTALLATIONS FOR A1PXXUY812003

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	L334418	A23T	A1WBA04	00	PCY800857	A23T	A1WBA04	00
	MBEU12788PA		15SEP08 00:53	A1PXXJ304673X	MBEU12788PA		15SEP08 00:53	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : MB10274-SET1  
 PART NO : MBEU100664 ~U1604  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY812004	COMPLETED	15SEP08 01:02	5954.9	AFHR		XXxxXXxxXXxxXXxxXXxx
03SEP08 23:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
03SEP08 23:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		TA due on Serial PCY600641				15SEP08 01:02
		DROG EXTEND STRAP at WAC 0730				XXxxXXxxXXxxXXxxXXxx

Maint Acts: OVERHAUL CARRIED OUT IAW AAP 7291.042-2M REFER OAM 1222/08

REMOVALS/INSTALLATIONS FOR A1PXXUY812004

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PCY600641	A23T	A1WBA14	00	PCY800858	A23T	A1WBA14	00
	MBEU51480		15SEP08 00:55	A1PXXJY609957	MBEU51480		15SEP08 00:59	

A1PXXUY812005	COMPLETED	15SEP08 01:04	5954.9	AFHR		XXxxXXxxXXxxXXxxXXxx
03SEP08 23:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
03SEP08 23:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		TA due on Serial PCY700847				15SEP08 01:04
		LINE DROG WITHDRAW at WAC 0730				XXxxXXxxXXxxXXxxXXxx

Maint Acts: OVERHAUL CARRIED OUT IAW AAP 7291.042-2M REFER OAM 1222/08

REMOVALS/INSTALLATIONS FOR A1PXXUY812005

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PCY700847	A23T	A1WBA06	00	PCY800859	A23T	A1WBA06	00
	MBEU90727		15SEP08 01:03	A1PXXJY716709	MBEU90727		15SEP08 01:03	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : MB10274-SET1  
PART NO : MBEU100664 ~U1604 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PARACHUTE ASSY  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY913441	COMPLETED	10SEP09 00:42	6112.5	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
13AUG09 01:00	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			10SEP09 00:42
13AUG09 01:00	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		OH due on Serial MC0760				
		QUICK REL FITTING at WAC 0730				XXXXXXXXXXXXXXXXXXXX

Maint Acts: OVERHAUL CARRIED OUT IAW AAP 7221.001-3M REF OAM 963/09

REMOVALS/INSTALLATIONS FOR A1PXXUY913441

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	MC0760	A23T	A1WBA12	00	MC0760	A23T	A1WBA12	00
	MBEU72851		13AUG09 01:01	A1PXXJY815314	MBEU72851		10SEP09 00:41	

A1PXXUY913442	COMPLETED	10SEP09 00:44	6112.5	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
13AUG09 01:00	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			10SEP09 00:44
13AUG09 01:00	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		TA due on Serial PCY800859				
		LINE DROG WITHDRAW at WAC 0730				XXXXXXXXXXXXXXXXXXXX

Maint Acts: TX LDW REMOVED AND SERV LDW FITTED IAW AAP 7291.042-2M REF OAM 963/09

REMOVALS/INSTALLATIONS FOR A1PXXUY913442

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PCY800859	A23T	A1WBA06	00	PCY901287	A23T	A1WBA06	00
	MBEU90727		10SEP09 00:43	A1PXXJY814819	MBEU90727		10SEP09 00:43	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : MB10274-SET1  
 PART NO : MBEU100664 ~U1604 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1012035	COMPLETED	01MAR11 22:30	6500.4	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
05SEP10 23:31	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			01MAR11 22:30
05SEP10 23:31	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		OH due on Serial MC0760				01MAR11 22:30
		QUICK REL FITTING at WAC 0730				XXXXXXXXXXXXXXXXXXXX

Maint Acts: OVERHAUL CARRIED OUT IAW AAP 7221.001-3M REF ALS3038 /10

REMOVALS/INSTALLATIONS FOR A1PXXU1012035

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	MC0760	A23T	A1WBA12	00	MC0760	A23T	A1WBA12	00
	MBEU72851		05SEP10 23:32	A1PXXJY920191	MBEU72851		03MAR11 01:43	

A1PXXU1012036	COMPLETED	27FEB11 23:13	6500.4	AFHR	T+TS+II	XXXXXXXXXXXXXXXXXXXX
05SEP10 23:35	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			25FEB11 01:23
05SEP10 23:36	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		HARNES ASSY U/S DUE TO EXCESSIVE WEAR TO YOKE STRAP				25FEB11 01:23
						XXXXXXXXXXXXXXXXXXXX
						27FEB11 23:13

Maint Acts: FITTED NEW HARNES IAW 7291.042-2M REF ALS 3038/10

REMOVALS/INSTALLATIONS FOR A1PXXU1012036

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PCY800857	A23T	A1WBA04	00	PC1100022	A23T	A1WBA04	00
	MBEU12788PA		05SEP10 23:38	A1PXXJ1015977	MBEU12788PA		03MAR11 01:46	



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : MB10274-SET1 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : MBEU100664 ~U1604  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1102645	COMPLETED	28FEB11 02:50	6500.4	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
24FEB11 23:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			28FEB11 02:50
03MAR11 01:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		TA due on Serial B7916-A-0034				28FEB11 02:50
		DROGUE ASSY 5 FT at WAC 0730				XXxxXXxxXXxxXXxxXXxx

Maint Acts: FITTED NEW DROGUE ASSY IAW 7291.042-2M REF ALS 3038/10

REMOVALS/INSTALLATIONS FOR A1PXXU1102645

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	B7916-A-0034	A23T	A1WBA02	00	W4443-A-0005	A23T	A1WBA02	00
	MBEU90690		03MAR11 02:07	A1PXXJY609598	MBEU90690		03MAR11 02:36	

A1PXXU1102646	COMPLETED	27FEB11 23:13	6500.4	AFHR	T+TS+II	XXxxXXxxXXxxXXxxXXxx
24FEB11 23:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			25FEB11 01:10
03MAR11 01:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		TA due on Serial PCY700844				25FEB11 01:10
		LINE PARA WITHDRAW at WAC 0730				XXxxXXxxXXxxXXxxXXxx

Maint Acts: FITTED NEW LPW AIW 7291-042-2M REF ALS 3038/10

REMOVALS/INSTALLATIONS FOR A1PXXU1102646

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PCY700844	A23T	A1WBA08	00	PC1100198	A23T	A1WBA08	00
	MBEU10385PA		03MAR11 02:00	A1PXXJY716576	MBEU10385PA		03MAR11 02:02	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : MB10274-SET1 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : MBEU100664 ~U1604  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1102647	COMPLETED	28FEB11 03:24	6500.4	AFHR	T+TS+II	XXXXXXXXXXXXXXXXXXXX
24FEB11 23:00	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			28FEB11 03:20
03MAR11 01:59	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		TA due on Serial PCY800858				28FEB11 03:20
		DROG EXTEND STRAP at WAC 0730				XXXXXXXXXXXXXXXXXXXX
						28FEB11 03:24

Maint Acts: FITTED NEW STRAP EXTENDER IAW 7291.042-2M REF ALS 3038/10

REMOVALS/INSTALLATIONS FOR A1PXXU1102647

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PCY800858	A23T	A1WBA14	00	PC1100195	A23T	A1WBA14	00
	MBEU51480		03MAR11 02:21	A1PXXJY814818	MBEU51480		03MAR11 02:23	

A1PXXU1102648	COMPLETED	28FEB11 03:24	6500.4	AFHR	T+TS+II	XXXXXXXXXXXXXXXXXXXX
24FEB11 23:00	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			28FEB11 03:15
03MAR11 01:59	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		TA due on Serial PCY901287				28FEB11 03:15
		LINE DROG WITHDRAW at WAC 0730				XXXXXXXXXXXXXXXXXXXX
						28FEB11 03:24

Maint Acts: FITTED NEW LDW IAW 7291.042-2M REF ALS3038/10

REMOVALS/INSTALLATIONS FOR A1PXXU1102648

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PCY901287	A23T	A1WBA06	00	PC1100080	A23T	A1WBA06	00
	MBEU90727		03MAR11 02:14	A1PXXJY919094	MBEU90727		03MAR11 02:16	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : MB10274-SET1  
 PART NO : MBEU100664 ~U1604 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1200918	COMPLETED	22MAR12 22:09	6736.6	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
20JAN12 03:25	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			22MAR12 22:09
20JAN12 03:25	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BS due on Serial MC0760				
		QUICK REL FITTING at WAC 0730				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	BAY SERVICE CARRIED OUT IAW AAP 7221.001-3M REF ALS 6512/12				

A1PXXU1203770	COMPLETED	22MAR12 21:58	6736.6	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
22MAR12 21:54	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			22MAR12 21:58
22MAR12 21:56	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		LINE DROGUE W/D DUE T/A				
	Maint Acts:	TX LINE DROGUE W/D REMOVED AND SERV LINE DROGUE W/D FITTED IAW AAP 7291.042-2M REF ALS 6511/12				

REMOVALS/INSTALLATIONS FOR A1PXXU1203770

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PC1100080	A23T	A1WBA06	00	PC1100864	A23T	A1WBA06	00
	MBEU90727		22MAR12 21:57	A1PXXJ1203942	MBEU90727		22MAR12 21:57	

A1PXXU1302014	COMPLETED	21FEB13 02:34	7037.1	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
17FEB13 22:09	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			21FEB13 02:34
17FEB13 22:09	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BS due on Serial MC0760				
		QUICK REL FITTING at WAC 0730				XXXXXXXXXXXXXXXXXXXX
	Maint Acts:	BAY SERVICE CARRIED OUT IAW AAP 7221.001-3M REF ALS 8782/13				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : MB10274-SET1  
PART NO : MBEU100664 ~U1604 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PARACHUTE ASSY  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1402320	COMPLETED	06MAR14 03:59	7407.2	AFHR	SST	XXXXXXXXXX
24FEB14 04:51	XXXXXXXX	XXXXXXXXXX	AIP			06MAR14 03:59
24FEB14 04:51	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
		TA due on Serial PC1100195				
		DROG EXTEND STRAP at WAC 0730				XXXXXXXXXX

Maint Acts: TX STRAP EXTENDER REMOVED AND SERV STRAP EXTENDER FITTED IAW AAP  
7291.042-2M REF ALS 10805/14

REMOVALS/INSTALLATIONS FOR A1PXXU1402320

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PC1100195	A23T	A1WBA14	00	PC1400177	A23T	A1WBA14	00
	MBEU51480		06MAR14 03:57	A1PXXJ1102420	MBEU51480		06MAR14 03:57	

A1PXXU1402321	COMPLETED	06MAR14 04:01	7407.2	AFHR	SST	XXXXXXXXXX
24FEB14 04:51	XXXXXXXX	XXXXXXXXXX	AIP			06MAR14 04:01
24FEB14 04:51	XXXXXXXX	XXXXXXXXXX	AIP			XXXXXXXXXX
		TA due on Serial PC1100864				
		LINE DROG WITHDRAW at WAC 0730				XXXXXXXXXX

Maint Acts: TX LINE DROGUE W/D REMOVED AND SERV LINE DROGUE W/D FITTED IAW AAP  
7291.042-2M REF ALS 10805/14

REMOVALS/INSTALLATIONS FOR A1PXXU1402321

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PC1100864	A23T	A1WBA06	00	PC1400104	A23T	A1WBA06	00
	MBEU90727		06MAR14 03:59	A1PXXJ1113182	MBEU90727		06MAR14 04:00	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04251  
08JAN20  
23:16:15

SERIAL/TAIL NO : MB10274-SET1  
PART NO : MBEU100664 ~U1604 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PARACHUTE ASSY  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1402326	COMPLETED	06MAR14 04:39	7407.2	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
24FEB14 05:04	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			06MAR14 04:39
24FEB14 05:04	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial MC0760				
		QUICK REL FITTING at WAC 0730				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	BAY SERVICE CARRIED OUT IAW AAP 7221.001-3M REF ALS 10805/14				
A1PXXU1402725	COMPLETED	06MAR14 04:39	7407.2	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
06MAR14 04:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			06MAR14 04:39
06MAR14 04:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		L/H & R/H QRF OPERATING LEVER SPRINGS TO BE REPLACED DUE T/A				
						XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	LEFT & RIGHT HAND QRF OPERATING LEVER SPRINGS REPLACED IAW AAP 7221.001-3M REF ALS 10805/14				
A1PXXU1502323	COMPLETED	29MAR15 23:01	7621.9	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
09MAR15 05:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			29MAR15 23:01
09MAR15 05:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial MC0760				
		QUICK REL FITTING at WAC 0730				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	BAY SERVICE CARRIED OUT IAW AAP 7221.001-3M REF ALS 12577/15				
A1PXXU1503191	COMPLETED	29MAR15 23:00	7621.9	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
29MAR15 22:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			29MAR15 23:00
29MAR15 22:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		L/H & R/H RISERS WORN TO LIMITS				
						XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	SERV L/H & R/H RISERS FITTED IAW AAP 7291.042-2M REF ALS 12577/15				
A1PXXU1601928	COMPLETED	13MAY16 03:29	7986.2	AFHR	SCT	XXxxXXxxXXxxXXxxXXxx
18FEB16 00:21	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			13MAY16 03:29
18FEB16 00:21	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial MC0760				
		QUICK REL FITTING at WAC 0730				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	B/S C/O IAW 7221.001-3M				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04252  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MB10274-SET1  
 PART NO : MBEU100664 ~U1604  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1601929	COMPLETED	13MAY16 03:20	7986.2	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
18FEB16 00:21	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			13MAY16 03:20
18FEB16 00:21	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		TA	due on Serial W4443-A-0005			
		DROGUE ASSY 5 FT	at WAC 0730			XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV DROGUE ASSY 5FT FITTED IAW 7291.042-2M REF AIP MCS 317/16

REMOVALS/INSTALLATIONS FOR A1PXXU1601929

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	W4443-A-0005 MBEU90690	A23T	A1WBA02 13MAY16 03:15	00 A1PXXJ1102830				
002	PC1400104 MBEU90727	A23T	A1WBA06 13MAY16 03:16	00 A1PXXJ1611035				
003	PC1400177 MBEU51480	A23T	A1WBA14 13MAY16 03:17	00 A1PXXJ1611036				
004					W37567-A-0045 MBEU90690	A23T	A1WBA02 13MAY16 03:18	00
005					PC1600483 MBEU51480	A23T	A1WBA14 13MAY16 03:19	00

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04253  
08JAN20  
23:16:15

SERIAL/TAIL NO : MB10274-SET1  
PART NO : MBEU100664 ~U1604 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PARACHUTE ASSY  
VENUE : A23DISP LOCATION : A23-033

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
006					PC1600476 MBEU90727	A23T	A1WBA06 13MAY16 03:19	00

A1PXXU1601930 COMPLETED 13MAY16 03:21 7986.2 AFHR SCT  
18FEB16 00:21 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 13MAY16 03:21  
18FEB16 00:21 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
TA due on Serial PC1400104  
LINE DROG WITHDRAW at WAC 0730 XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV LINE DROGUE W/D FITTED IAW 7291.042-2M REF AIP MCS 317/16 EE508 L2

A1PXXU1601931 COMPLETED 13MAY16 03:26 7986.2 AFHR SCM  
18FEB16 00:28 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
18FEB16 00:29 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
HARNES ASSY PC1100022 DUE T/A BEFORE NEXT SCHEDULED SERVICE 13MAY16 03:26  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV HARNES ASSY FITTED IAW 7291.042-2M REF AIP MCS 317/16 EE508 L3

REMOVALS/INSTALLATIONS FOR A1PXXU1601931

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PC1100022 MBEU12788PA	A23T	A1WBA04 13MAY16 03:24	00 A1PXXJ1611037				

002					PC1600535 MBEU12788PA	A23T	A1WBA04 13MAY16 03:25	00
-----	--	--	--	--	--------------------------	------	--------------------------	----

A1PXXU1601933 COMPLETED 13MAY16 03:23 7986.2 AFHR SCM  
18FEB16 00:30 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
18FEB16 00:34 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
STRAP EXTENDER PC1400177 DUE T/A BEFORE NEXT SCHEDULED SERVICE 13MAY16 03:23  
XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV STRAP EXTENDER FITTED IAW 7291.042-2M REF AIP MCS 317/16 EE508  
(Continued on next page.)

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : MB10274-SET1  
PART NO : MBEU100664 ~U1604 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PARACHUTE ASSY  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

(Continued from previous page.)  
L4

A1PXXU1610507	COMPLETED	24AUG16 02:44	8092.4	AFHR	SCT	XXxxXXxxXXxxXXxxXXxx
24AUG16 02:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			24AUG16 02:44
24AUG16 02:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		HARNES ASSY CONTAMINATED				XXxxXXxxXXxxXXxxXXxx

Maint Acts: FITTED NEW SERV HARNES ASSY IAW 7291.042-2M REF AIPMCS 1062/16

REMOVALS/INSTALLATIONS FOR A1PXXU1610507

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PC1600535 MBEU12788PA	A23T	A1WBA04 24AUG16 02:42	00 A1PXXJ1617961				
002					PC1601015 MBEU12788PA	A23T	A1WBA04 24AUG16 02:43	00

A1PXXU1610508	COMPLETED	24AUG16 02:48	8092.4	AFHR	SCT	XXxxXXxxXXxxXXxxXXxx
24AUG16 02:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			24AUG16 02:48
24AUG16 02:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		QUICK RELEASE FITTING CONTAMINATED				XXxxXXxxXXxxXXxxXXxx

Maint Acts: NEW SERV QRF FITTED IAW 7291.042-2M



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : MB10274-SET1 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : MBEU100664 ~U1604  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1610508

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				

001	MC0760	A23T	A1WBA12	00				
	MBEU72851		24AUG16	02:46	A1PXXJ1617962			

002					MD0273	A23T	A1WBA12	00
					MBEU72851		24AUG16	02:47

A1PXXU1706421 COMPLETED 10AUG17 23:26 8408.9 AFHR SCT XXxxXXxxXXxxXXxxXXxx  
 12MAY17 02:25 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 10AUG17 23:26  
 12MAY17 02:25 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 TA due on Serial PC1100198  
 LINE PARA WITHDRAW at WAC 0730 XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV CANOPY W/D LINE FITTED IAW 7291.042-2M REF AIP MCS 625/17

REMOVALS/INSTALLATIONS FOR A1PXXU1706421

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				

001	PC1100198	A23T	A1WBA08	00	PC1701302	A23T	A1WBA08	00
	MBEU10385PA		10AUG17	23:25	A1PXXJ1102423		10AUG17	23:25

A1PXXU1706422 COMPLETED 10AUG17 23:24 8408.9 AFHR SCT XXxxXXxxXXxxXXxxXXxx  
 12MAY17 02:25 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 10AUG17 23:24  
 12MAY17 02:25 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 TA due on Serial 940457  
 CANOPY PARACHUTE at WAC 0730 XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV CANOPY PARACHUTE FITTED IAW 7291.042-2M REF AIP MCS 625/17

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04256  
08JAN20  
23:16:15

SERIAL/TAIL NO : MB10274-SET1 PERIOD: 01JAN90 TO 08JAN20  
PART NO : MBEU100664 ~U1604  
ENGINEERING NAME : PARACHUTE ASSY  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1706422

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	940457	A23T	A1WBA00	00	E001154	A23T	A1WBA00	00
	GQ06916		10AUG17 23:23	A1PXXJY715869	GQ06916		10AUG17 23:23	

A1PXXU1706426 COMPLETED 10AUG17 23:29 8408.9 AFHR SCT  
12MAY17 02:29 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 10AUG17 23:29  
12MAY17 02:29 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
BS due on Serial MD0273  
QUICK REL FITTING at WAC 0730 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: BAY SERVICE C/O IAW 7221.001-3M REF AIP MCS 625/17

A1PXXU1710745 COMPLETED 09AUG17 00:26 8408.9 AFHR SCT  
09AUG17 00:24 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 09AUG17 00:26  
09AUG17 00:24 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
STI-PC9-0653 due on Serial PC1601015  
HARNESS at WAC 0730 XXxxXXxxXXxxXXxxXXxx  
Maint Acts: STI-PC9-0653 C/O NIL FAULTS FOUND REF AIP MCS 625/17 LINE 3

A1PXXU1710902 COMPLETED 10AUG17 23:22 8408.9 AFHR SCT  
10AUG17 23:19 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 10AUG17 23:22  
10AUG17 23:19 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
LINE DROGUE W/D DUE T/A BEFORE NEXT SCHEDULED SERVICE  
Maint Acts: SERV LINE DROGUE W/D FITTED IAW 7291.042-2M REF AIP MCS 625/17

REMOVALS/INSTALLATIONS FOR A1PXXU1710902

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	PC1600476	A23T	A1WBA06	00	PC1701656	A23T	A1WBA06	00
	MBEU90727		10AUG17 23:19	A1PXXJ1715667	MBEU90727		10AUG17 23:20	

A1PXXU1809938 COMPLETED 02SEP18 00:31 8829.9 AFHR SCT+II  
10AUG18 00:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 02SEP18 00:30  
10AUG18 00:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 16-17 & 20-RIG XXxxXXxxXXxxXXxxXXxx  
TA due on Serial PC1600483  
DROG EXTEND STRAP at WAC 0730 XXxxXXxxXXxxXXxxXXxx  
02SEP18 00:31

(Continued on next page.)

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : MB10274-SET1  
PART NO : MBEU100664 ~U1604  
ENGINEERING NAME : PARACHUTE ASSY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

(Continued from previous page.)  
aip04023 11SEP18 05:05:33  
LINE DROGUE WITHDRAWAL DUE T/A (NEVER MAKE IT FOR NEXT 2 YEARS)

Maint Acts: FITTED NEW STRAP EXTENDER AND LINE DROGUE WITHDRAWAL IAW 7291.042-2M  
B2 REF: AIP MCS 1077/18-2-2,3

REMOVALS/INSTALLATIONS FOR ALPXXU1809938

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001 PC1600483 MBEU51480	A23T 02SEP18 00:10	00 ALPXXJ1609673	A1WBA14 02SEP18	00 ALPXXJ1814996	PC1800704 MBEU51480	A23T	A1WBA14 02SEP18 00:20	00
002 PC1701656 MBEU90727	A23T 02SEP18 00:10	00 ALPXXJ1814996	A1WBA06 02SEP18	00 ALPXXJ1814996	PC1800698 MBEU90727	A23T	A1WBA06 02SEP18 00:30	00

ALPXXU1809939 COMPLETED 06SEP18 14:52 8829.9 AFHR SST  
10AUG18 00:53 XXXXX  
10AUG18 00:53 XXXXX  
BS due on Serial MD0273  
QUICK REL FITTING at WAC 0730  
XXXXXXXXXXXXXXXXXXXX

Maint Acts: BAY SERVICE CARRIED OUT IAW AAP7221.001-3MREF: AIP MCS 1077/18

ALPXXU1809940 COMPLETED 02SEP18 00:51 8829.9 AFHR SCT+II  
10AUG18 00:53 XXXXX  
10AUG18 00:53 XXXXX  
TA 16-18-RIG due on Serial E001154  
CANOPY PARACHUTE at WAC 0730  
XXXXXXXXXXXXXXXXXXXX

Maint Acts: FITTED NEW CANOPY PARACHUTE IAW AAP7291.042-2M REF: AIP MCS  
1077/18-2-1

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04258  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MB10274-SET1 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : MBEU100664 ~U1604  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 REMOVALS/INSTALLATIONS FOR ALPXXU1809940

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	E001154	A23T	A1WBA00	00	E1262995	A23T	A1WBA00	00
	GQ06916		02SEP18 00:15	ALPXXJY904021	GQ06916		02SEP18 00:50	

ALPXXU1910693 COMPLETED 27SEP19 23:00 9228.8 AFHR T+TS XXxxXXxxXXxxXXxxXXxx  
 13SEP19 03:00 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 26SEP19 05:32  
 01OCT19 02:09 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 BS due on Serial MD0273 27SEP19 23:00  
 QUICK REL FITTING at WAC 0730 XXxxXXxxXXxxXXxxXXxx

N  
 Maint Acts: BAY SERVICE CARRIED OUT IAW AAP 7221.001-3M REF WK SHEET LSN AIP MCS  
 871/19 @ AIP ALS

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

2FTSXJCA05088 C COMPLETED 05JUN03 00:00 XXxxXXxx 2FTS 0.0  
 05JUN03 00:00  
 02 BAY SERVICE DUE

Unserviceability Details:  
 Maintenance Comments:

ALPXXJY307210 C COMPLETED 21NOV03 03:09 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 21NOV03 03:30 4466.1 AFHR  
 13 REMOVED FOR ACCESS 99 NO FAILURE CARTS RFA

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: CHECKED SERV

ALPXXJY404476 C COMPLETED 11MAR04 01:27 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 11MAR04 07:03 4466.1 AFHR  
 09 CANNIBALISATION 99 NO FAILURE FRONT AND REAR PARA'S REMOVED SERV TO A23-056

01 NO FAULT 04 CHECK/TEST SERV

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04259  
08JAN20  
23:16:15

SERIAL/TAIL NO : MB10274-SET1 PERIOD: 01JAN90 TO 08JAN20  
PART NO : MBEU100664 ~U1604  
ENGINEERING NAME : PARACHUTE ASSY  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

Unserviceability Details:

Maintenance Comments: SERV  
SERV

AIPXXJ305160X C COMPLETED 17MAY04 05:22 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
26MAY04 06:19 4570.9 AFHR  
02 BAY SERVICE DUE BS due on Serial MB10274  
PARACHUTE ASSY at WAC 0730  
01 NO FAULT 06 BAY SERVICE

Unserviceability Details:

Maintenance Comments: BAY SERVICE CARRIED OUT IAW 7291.042-2M REFER TO OAM 562/04

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			04JUN04
SM	BS	1.0	ELPYR			04JUN04

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

AIPXXJY504175 C COMPLETED 10MAR05 05:28 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
10MAR05 05:29 4819.1 AFHR  
13 REMOVED FOR ACCESS 99 NO FAILURE FRONT PARA ASSY RFA  
01 NO FAULT 04 CHECK/TEST SERV

Unserviceability Details:

Maintenance Comments: CHECK/TEST SERV

AIPXXJY410022 C COMPLETED 21MAR05 05:41 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
04MAY05 04:36 4819.1 AFHR  
02 BAY SERVICE DUE BS due on Serial  
PARACHUTE ASSY at WAC 0730  
01 NO FAULT 06 BAY SERVICE

Unserviceability Details:

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : MB10274-SET1  
 PART NO : MBEU100664 ~U1604  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

Maintenance Comments: BS IAW AAP 7291.042-2MB2 REFER TO WOEK DOC OAM 311/05

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			26MAY05

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJY507353 C COMPLETED 15APR05 00:43 XXxxXXxx XXXXX  
 03 OVERHAUL DUE 04MAY05 04:38 OH PARACHUTE ASSY due on Serial at WAC 0730  
 01 NO FAULT 07 OVERHAUL

Unserviceability Details:  
 Maintenance Comments: OH IAW AAP 7291.042-2MB2 REFER TO WOEK DOC OAM 311/05

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	1.0	ELPYR			29AUG90
SM	OH	1.0	ELPYR			29AUG90

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : MB10274-SET1  
PART NO : MBEU100664 ~U1604  
ENGINEERING NAME : PARACHUTE ASSY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

=====  
A1PXXJY508361 C COMPLETED 03MAY06 22:18 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
09JUL06 22:47 5158.6 AFHR  
03 OVERHAUL DUE OH due on Serial MB10274  
PARACHUTE ASSY at WAC 0730  
01 NO FAULT 07 OVERHAUL  
Unserviceability Details:  
Maintenance Comments: B/S CARRIED OUT IAW AAP 7291.042-2M REFER OAM 587/06

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	1.0	ELPYR			04MAY06
SM	OH	1.0	ELPYR			04MAY06

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

=====  
A1PXXJY709770 C COMPLETED 16MAY07 10:56 XXxxXXxx XXxxXXxxXXxxXXxx AIP AIP  
16MAY07 10:57 16MAY07 10:56 XXxxXXxx XXxxXXxxXXxxXXxx AIP 5507.5 AFHR  
13 REMOVED FOR ACCESS 99 NO FAILURE SEO PSP PARA AND SET CART EJECT RFA  
01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV

A1PXXJY610374 C COMPLETED 27JUN07 21:54 XXxxXXxx XXxxXXxxXXxxXXxx AIP AIP  
01SEP07 01:21 27JUN07 21:51 XXxxXXxx XXxxXXxxXXxxXXxx AIP 5572.1 AFHR  
03 OVERHAUL DUE OH due on Serial MB10274  
PARACHUTE ASSY at WAC 0730  
01 NO FAULT 07 OVERHAUL  
Unserviceability Details:  
Maintenance Comments: OVERHAUL CARRIED OUT IAW AAP 7291.042-2MB2 REFER OAM 876/07

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 04262  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MB10274-SET1  
 PART NO : MBEU100664 ~U1604  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	1.0	ELPYR			09JUL07
SM	OH	1.0	ELPYR			09JUL07

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJY717902	C COMPLETED	20SEP07 06:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	99 NO FAILURE	20SEP07 06:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	5592.5	AFHR
01 NO FAULT	04 CHECK/TEST SERV			PARA,PSP AND SEO RFA			
	Unserviceability Details:			CHECK/TEST SERV			
	Maintenance Comments:						
A1PXXJY813540	C COMPLETED	14AUG08 06:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
09 CANNIBALISATION	99 NO FAILURE	14AUG08 06:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	5944.7	AFHR
01 NO FAULT	04 CHECK/TEST SERV			FRONT PARAS CANIBALISED TOA23-014			
	Unserviceability Details:						
	Maintenance Comments:			CHECK/TEST SERV			
A1PXXJY716742	C COMPLETED	29AUG08 04:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
03 OVERHAUL DUE	07 OVERHAUL	15SEP08 01:05	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	5954.9	AFHR
01 NO FAULT	07 OVERHAUL			OH due on Serial MB10274 PARACHUTE ASSY at WAC 0730			
	Unserviceability Details:						
	Maintenance Comments:			OVERHAUL CARRIED OUT IAW AAP 7291.042-2M REFER OAM 1222/08			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	1.0	ELPYR			31AUG08
SM	OH	1.0	ELPYR			31AUG08



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04263  
08JAN20  
23:16:15

SERIAL/TAIL NO : MB10274-SET1  
PART NO : MBEU100664 ~U1604  
ENGINEERING NAME : PARACHUTE ASSY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJY821111	C COMPLETED	27NOV08 22:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
	27NOV08 22:53	27NOV08 22:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		6046.7	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		FRONT AND REAR PARAS,PSPS AND SEOS REMOVED FOR ACCESS			

01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details: CHECK/TEST SERV  
Maintenance Comments:

A1PXXJY815320	C COMPLETED	12AUG09 02:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
	10SEP09 00:45	12AUG09 02:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		6112.5	AFHR
03	OVERHAUL DUE			OH due on Serial MB10274 PARACHUTE ASSY at WAC 0730			

01 NO FAULT 07 OVERHAUL  
Unserviceability Details:  
Maintenance Comments: OVERHAUL CARRIED OUT IAW AAP 7291.042-2M REF OAM 963/09

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	1.0	ELPYR			15SEP09
SM	OH	1.0	ELPYR			15SEP09

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJ1006027	C COMPLETED	07APR10 10:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
	07APR10 10:34	07APR10 10:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		6352.3	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		PARA,PAS,CARTS,SEO RFA			

01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04264  
08JAN20  
23:16:15

SERIAL/TAIL NO : MB10274-SET1  
PART NO : MBEU100664 ~U1604  
ENGINEERING NAME : PARACHUTE ASSY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

=====  
A1PXXJ1009288 C COMPLETED 02SEP10 22:39 XXxxXXxx XXxxXXxxXXxxXXxx AIP AIP  
01MAR11 22:35 02SEP10 22:32 XXxxXXxx XXxxXXxxXXxxXXxx AIP 6500.4 AFHR  
02 BAY SERVICE DUE BS due on Serial MB10274  
PARACHUTE ASSY at WAC 0730  
01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: BS C/O IAW 7291.042-2M REF 3038/10

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			09SEP10
SM	BS	1.0	ELPYR			09SEP10

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

=====  
A1PXXJ1115692 C COMPLETED 21OCT11 02:24 XXxxXXxx XXxxXXxxXXxxXXxx AIP AIP  
21OCT11 02:24 21OCT11 02:24 XXxxXXxx XXxxXXxxXXxxXXxx AIP 6724.7 AFHR  
13 REMOVED FOR ACCESS 99 NO FAILURE SEO'S,PARA'S, PSP'S AND CART SETS SEATS RFA  
01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV

A1PXXJ1102831 C COMPLETED 18JAN12 05:53 XXxxXXxx XXxxXXxxXXxxXXxx AIP AIP  
22MAR12 22:10 18JAN12 05:04 XXxxXXxx XXxxXXxxXXxxXXxx AIP 6736.6 AFHR  
02 BAY SERVICE DUE BS due on Serial MB10274  
PARACHUTE ASSY at WAC 0730  
01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: BAY SERVICE CARRIED OUT IAW AAP 7291.042-2M REF ALS 6511/12

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04265  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MB10274-SET1  
 PART NO : MBEU100664 ~U1604  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			29FEB12
SM	BS	1.0	ELPYR			29FEB12

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1PXXJ1210735 C COMPLETED 24JUL12 07:19 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 24JUL12 07:19 24JUL12 07:19 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 6952.2 AFHR  
 13 REMOVED FOR ACCESS 99 NO FAILURE FRONT AND REAR PARA ASSY, PSP AND SEO'S REMOVED FOR ACCESS

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

A1PXXJ1302021 C COMPLETED 13FEB13 09:37 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 13FEB13 09:38 13FEB13 09:37 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 7037.1 AFHR  
 13 REMOVED FOR ACCESS 99 NO FAILURE FRONT AND REAR PARAS RFA (SENT TO ALS)

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

A1PXXJ1203944 C COMPLETED 17FEB13 22:09 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 21FEB13 02:35 17FEB13 22:09 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 7037.1 AFHR  
 02 BAY SERVICE DUE BS due on Serial MB10274-SET1  
 PARACHUTE ASSY at WAC 0730

01 NO FAULT 06 BAY SERVICE  
 Unserviceability Details:  
 Maintenance Comments: BAY SERVICE CARRIED OUT IAW AAP 7291.042-2M REF ALS 8781/13

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			22MAR13
SM	BS	1.0	ELPYR			22MAR13

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04266  
08JAN20  
23:16:15

SERIAL/TAIL NO : MB10274-SET1  
PART NO : MBEU100664 ~U1604  
ENGINEERING NAME : PARACHUTE ASSY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJ1307798	C COMPLETED	14JUN13 00:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
	14JUN13 00:58	14JUN13 00:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		7186.0	AFHR
13 REMOVED FOR ACCESS	99 NO FAILURE			FRONT AND REAR PARAS, PSPS AND SEOS RFA			

01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details: CHECK/TEST SERV  
Maintenance Comments:

A1PXXJ1302577	C COMPLETED	23FEB14 23:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
	06MAR14 04:24	23FEB14 23:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		7407.2	AFHR
02 BAY SERVICE DUE				BS due on Serial MB10274-SET1 PARACHUTE ASSY at WAC 0730			

01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: BAY SERVICE CARRIED OUT IAW AAP 7291.042-2M REF ALS 10805/14

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			21FEB14
SM	BS	1.0	ELPYR			21FEB14

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJ1416551	C COMPLETED	18SEP14 03:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
	18SEP14 03:24	18SEP14 03:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		7572.4	AFHR
13 REMOVED FOR ACCESS	99 NO FAILURE			FRONT AND REAR EJECTION SEATS, CARTS, PARAS, PSPS AND SEOS REMOVED FOR ACCESS			

01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04267  
08JAN20  
23:16:15

SERIAL/TAIL NO : MB10274-SET1  
PART NO : MBEU100664 ~U1604  
ENGINEERING NAME : PARACHUTE ASSY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJ1503401	C COMPLETED	05MAR15 11:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	05MAR15 11:10	05MAR15 11:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		7621.9	AFHR
13 REMOVED FOR ACCESS	99 NO FAILURE			FRONT AND REAR PARA ASSY'S AND PSP ASSY'S REMOVED FOR ACCESS			

01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details: CHECK/TEST SERV  
Maintenance Comments:

A1PXXJ1403617	C COMPLETED	09MAR15 05:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	29MAR15 23:02	09MAR15 05:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		7621.9	AFHR
02 BAY SERVICE DUE				BS due on Serial MB10274-SET1 PARACHUTE ASSY at WAC 0730			

01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: BAY SERVICE CARRIED OUT IAW AAP 7291.042-2M REF ALS 12577/15

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			06MAR15
SM	BS	1.0	ELPYR			06MAR15

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJ1513821	C COMPLETED	07SEP15 23:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	07SEP15 23:29	07SEP15 23:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		7765.5	AFHR
13 REMOVED FOR ACCESS	99 NO FAILURE			PARA AND PSP REMOVED TO A23-001			

01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04268  
08JAN20  
23:16:15

SERIAL/TAIL NO : MB10274-SET1  
PART NO : MBEU100664 ~U1604  
ENGINEERING NAME : PARACHUTE ASSY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJ1604138 C COMPLETED 17FEB16 23:07 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
17FEB16 23:09 17FEB16 23:07 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 7986.2 AFHR  
13 REMOVED FOR ACCESS 99 NO FAILURE FRONT AND REAR PARA AND PSP ASSY'S REMOVED FOR ACCESS

01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details: CHECK/TEST SERV  
Maintenance Comments:

A1PXXJ1504856 C COMPLETED 18FEB16 00:21 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
13MAY16 03:31 18FEB16 00:21 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 7986.2 AFHR  
02 BAY SERVICE DUE BS due on Serial MB10274-SET1  
PARACHUTE ASSY at WAC 0730

01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: B/S C/O IAW 7291.042-2M, 7221.001-3M REF AIP MCS 317/16

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			28MAR16
SM	BS	1.0	ELPYR			28MAR16

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJ1617524 C COMPLETED 18AUG16 07:16 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
24AUG16 02:53 18AUG16 07:19 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 8092.4 AFHR  
01 UNSERVICEABLE 01 IN FLIGHT FRONT PARA AND PSP ASSY'S CONTAMINATED WITH VOMIT  
12 CONTAMINATED

10 CONTAMINATED 02 REPAIR  
Unserviceability Details: FRONT SEAT PARA AND PSP ASSY CONTAMINATED  
Maintenance Comments: HARNESS ASSY AND QRF REPLACED IAW 7291.042-2M

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04269  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MB10274-SET1 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : MBEU100664 ~U1604  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJ1617964	C COMPLETED	24AUG16 02:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	24AUG16 02:51	24AUG16 02:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	8092.4	AFHR
01 UNSERVICEABLE		07 AFTER FLIGHT		CONTAMINATED WITH VOMIT			
		12 CONTAMINATED					
10 CONTAMINATED		02 REPAIR					

Unserviceability Details: VOMIT CONTAMINATED HARNESS

Maintenance Comments: HARNESS ASSY AND QRF REPLACED IAW 7291.042-2M

A1PXXJ1624439	C COMPLETED	22NOV16 05:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	22NOV16 05:11	22NOV16 05:11	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	8257.3	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE		PARA ASSY'S , PSP ASSY'S AND REAR SEO REMOVED FOR ACCESS			

01 NO FAULT 04 CHECK/TEST SERV

Unserviceability Details:

Maintenance Comments: CHECK/TEST SERV

A1PXXJ1709480	C COMPLETED	11MAY17 13:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	11MAY17 13:18	11MAY17 13:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	8408.9	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE		FRONT AND REAR PARA'S AND PSP'S RFA			

01 NO FAULT 04 CHECK/TEST SERV

Unserviceability Details:

Maintenance Comments: CHECK/TEST SERV

A1PXXJ1611039	C COMPLETED	12MAY17 02:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	10AUG17 23:29	12MAY17 02:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	8408.9	AFHR
02 BAY SERVICE DUE				BS due on Serial MB10274-SET1			
				PARACHUTE ASSY at WAC 0730			

01 NO FAULT 06 BAY SERVICE

Unserviceability Details:

Maintenance Comments: BAY SERVICE C/O IAW 7291.042-2M REF AIP MCS 625/17

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			13MAY17
SM	BS	1.0	ELPYR			13MAY17

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04270  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MB10274-SET1  
 PART NO : MBEU100664 ~U1604  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS		UNSERVICEABILITY DETAILS			
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS		MAINTENANCE COMMENT			
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

A1PXXJ1720523	C COMPLETED	03NOV17 04:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	03NOV17 04:50	03NOV17 04:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	8546.5	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		FRONT AND REAR PARA, PSP AND SEO'S REMOVED FOR ACCESS			

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

A1PXXJ1813088	C COMPLETED	09AUG18 12:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	09AUG18 12:09	09AUG18 12:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	8829.9	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		FRONT AND REAR PARA AND PSP ASSEMBLIES RFA (B/S TO BE INITIATED BY MCS)			

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

A1PXXJ1715670	C COMPLETED	10AUG18 00:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	06SEP18 00:34	10AUG18 00:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	8829.9	AFHR
02	BAY SERVICE DUE			BS due on Serial MB10274-SET1 PARACHUTE ASSY at WAC 0730			

01 NO FAULT 06 BAY SERVICE  
 Unserviceability Details:  
 Maintenance Comments: BAY SERVICE CARRIED OUT IAW AAP7291.042-2M & 7221.001-3M REF:  
 AIP MCS 1077/18

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			10AUG18
SM	BS	1.0	ELPYR			10AUG18



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04271  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MB10274-SET1  
 PART NO : MBEU100664 ~U1604  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJ1910873	C COMPLETED	02JUL19 05:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
14 CONFIGURATION CHANGE	02JUL19 05:38	02JUL19 05:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	9109.5	AFHR
	99 NO FAILURE			ALS REMOVED FOR CONFIGURATION CHANGE			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:		CHECK/TEST SERV			
		Maintenance Comments:					
A1PXXJ1913945	C COMPLETED	06SEP19 05:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	06SEP19 05:14	06SEP19 05:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	9228.8	AFHR
	99 NO FAILURE			FRONT AND REAR PARA AND PSP ASSY'S REMOVED FOR ACCESS			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:		CHECK/TEST SERV			
		Maintenance Comments:					
A1PXXJ1913943	C COMPLETED	13SEP19 03:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
02 BAY SERVICE DUE	27SEP19 23:00	01OCT19 02:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	9228.8	AFHR
				BS due on Serial MB10274-SET1			
				PARACHUTE ASSY at WAC 0730			
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:		BAY SERVICE CARRIED OUT IAW AAP 7291.042-2M AND 7221.001-3M			
		Maintenance Comments:		REF WK SHEET LSN AIP MCS 871/19 @ AIP ALS			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			06SEP19
SM	BS	1.0	ELPYR			06SEP19

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : MB10274-SET1  
PART NO : MBEU100664 ~U1604  
ENGINEERING NAME : PARACHUTE ASSY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

STI STATUS CHANGE -----

STI NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
STI-PARACHUTE-0146	Y	09OCT02 00:00	N/A			
STI-PARACHUTE-0156	Y	07DEC90 00:00	N/A			
STI-PC9-0222	Y	18SEP98 00:00	INC			

MAINTENANCE POLICY HISTORY -----

POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	USER ID
14SEP09 23:47	SM DLD Changed From:	OH 10SEP2009	XXxxXXxx
27MAY10 00:26	SM DLD Changed From:	BS 29AUG1989	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04273  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MB10274-SET1  
 PART NO : MBEU12095PA  
 ENGINEERING NAME : PACK ASSY PARACHUTE  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

LOCATION : A23-033  
 LIFE SINCE NEW : 9236.8 AFHR

~U1604

PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
				LIFE SINCE NEW				
02SEP03	04:27	Maintenance	Comment	3.8	17May01	LC13881	FF: 01-NIL	MA: 06-BS
		0.0	AFHR		CAMM	LOG00001		XXXXXXxx
02SEP03	04:27	Maintenance	Comment	3.8	4316.4	0.0	AFHR	
		0.0	AFHR		CAMM	LOG00008		XXXXXXxx
02SEP03	04:28	Maintenance	Comment	3.8	05Jun03	MB10274	00.30 5661	0 DAYS 02-BS DUE LF39416
		0.0	AFHR		CAMM	LOG00007		XXXXXXxx
02SEP03	04:29	Maintenance	Comment	3.8	16May02	LE20875	FF: 01-NIL	MA: 06-BS
		0.0	AFHR		CAMM	LOG00004		XXXXXXxx
02SEP03	04:29	Maintenance	Comment	3.8	05Jun03	LF38581	FF: 01-NIL	MA: 06-BS
		0.0	AFHR		CAMM	LOG00009		XXXXXXxx
02SEP03	04:29	Maintenance	Comment	3.8	01Dec87	NEW - MB10274	MBEU12095PA	1450-12-08-G
		0.0	AFHR		CAMM	LOG00010		XXXXXXxx
02SEP03	04:30	Maintenance	Comment	3.8	05Jun03	ELPYR	LST BS 04JUN04	ELPYR NXT BS
		0.0	AFHR		CAMM	LOG00011		XXXXXXxx
02SEP03	04:37	Maintenance	Comment	3.8	3969.4	0.0	AFHR	
		0.0	AFHR		CAMM	LOG00003		XXXXXXxx
02SEP03	04:37	Maintenance	Comment	3.8	4211.4	0.0	AFHR	
		0.0	AFHR		CAMM	LOG00006		XXXXXXxx
02SEP03	04:37	Maintenance	Comment	3.8	25Nov02	MB10274	07.30 5469	0 DAYS UPDATED LIFE (MPMI)
		0.0	AFHR		CAMM	LOG00005		XXXXXXxx
02SEP03	04:38	Maintenance	Comment	3.8	16May02	MB10274	00.30 5276	0 DAYS 02-BS DUE LE22568
		0.0	AFHR		CAMM	LOG00002		XXXXXXxx
02SEP03	04:38	Maintenance	Comment	3.8	29Aug03	MB10274	07.30 4443.8	AFHR TX TO CAMM2
		0.0	AFHR		CAMM	LOG00012		XXXXXXxx
26MAY04	03:41	Change	Serviceability Stat	12.0	S/I			
		4570.9	AFHR		US/I			
26MAY04	03:49	Change	Serviceability Stat	0.0	AIPXXJ304631			XXXXXXxx
					US/I			
		4570.9	AFHR		S/I			XXXXXXxx
21MAR05	05:43	Change	Serviceability Stat	12.0	S/I			
		4819.1	AFHR		US/I			
					A1PXXJY409990			XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04274  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MB10274-SET1 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : MBEU12095PA ~U1604  
 ENGINEERING NAME : PACK ASSY PARACHUTE  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS		-----			
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
LIFE SINCE NEW		TRANS REFERENCE			
04MAY05 04:33	Change Serviceability Stat	43.9	US/I		
	4819.1 AFHR		S/I		XXxxXXxx
07NOV12 00:41	Change Serial Number of an	3357.6	MB10274		
	7010.8 AFHR		MB10274-SET1		XXxxXXxx
07DEC15 05:09	Position Change	4482.8	A1PXXX1211604		
	7929.6 AFHR		A23T A1WBA10 00		XXxxXXxx
	Maintenance Comment	0.0	A23T A1WBA10 00		
			A1PXXX1511446		XXxxXXxx
			UPDATE POLICY TO REMOVE ERROR		

MMI JOBS-----							
JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS		UNSERVICEABILITY DETAILS			
MAINT PROCESS	UNSERVICEABILITY	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			
FAULT FOUND	MAINTENANCE ACTION TAKEN	-----					

2FTSXJCA04723 C COMPLETED 05JUN03 00:00 XXxxXXxx 2FTS 0.0  
 02 BAY SERVICE DUE

Unserviceability Details:  
 Maintenance Comments:

AIPXXJ304631X C COMPLETED 26MAY04 03:43 XXxxXXxx XXxxXXxxXXxxXXxx AIP AIP 4570.9 AFHR  
 02 BAY SERVICE DUE BS due on Serial MB10274  
 PACK ASSY PARACHUTE at WAC 0730  
 01 NO FAULT 06 BAY SERVICE  
 Unserviceability Details:  
 Maintenance Comments: BAY SERVICE CARRIED OUT IAW 7291.042-2M REFER TO OAM 562/04

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			04JUN04
SM	BS	1.0	ELPYR			04JUN04

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : MB10274-SET1 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : MBEU12095PA ~U1604  
 ENGINEERING NAME : PACK ASSY PARACHUTE  
 VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

```

=====
A1PXXJY409990  C  COMPLETED      21MAR05  05:44   XXxxXXxx      XXxxXXxxXXxxXXxxXXxx AIP      AIP
                04MAY05  04:33
02 BAY SERVICE DUE                                     BS      due on Serial MB10274
                PACK ASSY PARACHUTE at WAC 0730
01 NO FAULT                                           06 BAY SERVICE
                Unserviceability Details:
                Maintenance Comments:   BS IAW AAP 7291.042-2MB2 REFER TO WOEK DOC OAM 311/05
  
```

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
=====	=====	=====	=====	=====	=====	=====
SM	BS	1.0	ELPYR			26MAY05
SM	BS	1.0	ELPYR			26MAY05

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04276  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MB9843-SET1  
 PART NO : MBEU12043PA  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

~U1604

PERIOD: 01JAN90 TO 08JAN20

LOCATION : A23-033  
 LIFE SINCE NEW : 9264.2 AFHR

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
01SEP03	23:46	Maintenance	Comment	0.0 AFHR	3.6	29Aug03	048	07.40 4511.9 AFHR	TX TO CAMM2
01SEP03	23:47	Maintenance	Comment	0.0 AFHR	3.6	07Dec00	2FTALS	FF: 01-NIL	XXXXXXxx MA: 06-BS
01SEP03	23:47	Maintenance	Comment	0.0 AFHR	3.6	06Jul01	022	07.40 5156	0 DAYS IN AS A23T 1451-12-00-B
01SEP03	23:47	Maintenance	Comment	0.0 AFHR	3.6	05Nov01	022	07.40 5278	0 DAYS 02-BS DUE LD14555
01SEP03	23:47	Maintenance	Comment	0.0 AFHR	3.6	27Mar03		ELPYR LST BS 26MAR04	ELPYR NXT BS
01SEP03	23:47	Maintenance	Comment	0.0 AFHR	3.6	21May87	NEW - MB9843	MBEU12043PA	1451-12-00-B
01SEP03	23:48	Maintenance	Comment	0.0 AFHR	3.6	06Jul01	2FTAROM	FF: 01-NIL	XXXXXXxx MA: 04-CHK/TST
01SEP03	23:48	Maintenance	Comment	0.0 AFHR	3.6	09Oct02	STI-PARACHUTE-0146	STI STATUS NOW	NA
01SEP03	23:49	Maintenance	Comment	0.0 AFHR	3.6	3666.2	0.0 AFHR		XXXXXXxx
01SEP03	23:49	Maintenance	Comment	0.0 AFHR	3.6	4383.7	0.0 AFHR		XXXXXXxx
01SEP03	23:53	Maintenance	Comment	0.0 AFHR	3.6	04Dec01	2FTALS	FF: 01-NIL	XXXXXXxx MA: 06-BS
01SEP03	23:53	Maintenance	Comment	0.0 AFHR	3.6	04Dec02	0100	07.40 5672	0 DAYS 02-BS DUE LF21430
01SEP03	23:55	Maintenance	Comment	0.0 AFHR	3.6	3478.5	0.0 AFHR		XXXXXXxx
01SEP03	23:55	Maintenance	Comment	0.0 AFHR	3.6	3918.1	0.0 AFHR		XXXXXXxx
01SEP03	23:55	Maintenance	Comment	0.0 AFHR	3.6	3666.2	0.0 AFHR		XXXXXXxx
01SEP03	23:55	Maintenance	Comment	0.0 AFHR	3.6	4383.7	0.0 AFHR		XXXXXXxx
01SEP03	23:56	Maintenance	Comment	0.0 AFHR	3.6	28Nov00	016	07.40 4937	0 DAYS 02-BS DUE LB08154
									XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04277  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MB9843-SET1  
 PART NO : MBEU12043PA  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
01SEP03	23:57	Maintenance Comment 0.0 AFHR	3.6	28Feb01 118 CAMM LOG00005	07.40 5028	0 DAYS IN AS A23T 1451-12-00-B XXXXXXxx
01SEP03	23:57	Maintenance Comment 0.0 AFHR	3.6	3918.1 0.0 AFHR CAMM LOG00013		XXXXXXxx
02SEP03	00:01	Maintenance Comment 0.0 AFHR	3.6	3724.1 0.0 AFHR CAMM LOG00011		XXXXXXxx
02SEP03	00:01	Maintenance Comment 0.0 AFHR	3.6	27Mar03 2FTALS CAMM LOG00021	FF: 01-NIL	MA: 06-BS XXXXXXxx
02SEP03	00:01	Maintenance Comment 0.0 AFHR	3.6	02Apr03 048 CAMM LOG00022	07.40 5791	0 DAYS IN AS A23T 1451-12-00-B XXXXXXxx
02SEP03	00:03	Maintenance Comment 0.0 AFHR	3.6	17Jan02 0100 CAMM LOG00015	07.40 5351	0 DAYS IN AS A23T 1451-12-00-B XXXXXXxx
02SEP03	00:09	Maintenance Comment 0.0 AFHR	3.6	06Jul01 118 CAMM LOG00007	07.40 5156	0 DAYS 13-REMACCES LC18255 XXXXXXxx
02SEP03	00:09	Maintenance Comment 0.0 AFHR	3.6	3724.1 0.0 AFHR CAMM LOG00008		XXXXXXxx
02SEP03	00:09	Maintenance Comment 0.0 AFHR	3.6	09Oct02 STI-PARACHUTE-0156 CAMM LOG00018	STI STATUS NOW NA	NA XXXXXXxx
25MAR04	23:01	Change Serviceability Stat 4678.9 AFHR	0.8	S/I US/I AIPXXJ306064		XXXXXXxx
25MAR04	23:02	Asset Removal 4678.9 AFHR	209.6	048 A23T A26BA	A23-040 00	A23T A26BA XXXXXXxx
		Change Serviceability Stat	0.0	US/I U/S		
		Change Location of an Asse	55.9	A23-040 ALS		
14APR04	03:25	Change Serviceability Stat 4678.9 AFHR	19.1	U/S SERV		XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04278  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MB9843-SET1  
 PART NO : MBEU12043PA ~U1604  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS										
TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER			
LIFE SINCE NEW										
15APR04	07:25	Asset Installation	20.3	A23T	A26BA					
		4678.9 AFHR		110		A23-038	00	A23T	A26BA	
		Change Serviceability Stat	1.1	SERV				XXxxXXxx	00A	
		Change Location of an Asse	20.3	S/I						
				ALS						
04MAY04	23:51	Asset Removal	19.6	A23-038						
		4716.8 AFHR		110	A26BA	A23-038	00	A23T	A26BA	
		Change Serviceability Stat	0.9	A23T				XXxxXXxx		
		Change Location of an Asse	19.6	S/I						
				U/S						
05MAY04	00:00	Change Serviceability Stat	0.0	A23-038						
		4716.8 AFHR		OPMH				XXxxXXxx		
05MAY04	03:16	Asset Installation	0.1	U/S						
		4716.8 AFHR		A23-024	A26BA	A23-024	00	A23T	A26BA	
		Change Serviceability Stat	0.1	SERV				XXxxXXxx	0 A	
		Change Location of an Asse	0.1	S/I						
				OPMH						
29OCT04	00:24	Asset Removal	176.8	A23-024						
		4866.6 AFHR		016	A26BA	A23-024	00	A23T	A26BA	
		Change Serviceability Stat	13.7	A23T				XXxxXXxx	00A	
		Change Location of an Asse	31.6	S/I						
				U/S						
29OCT04	00:29	Change Serviceability Stat	0.0	A23-024						
		4866.6 AFHR		INTMH				XXxxXXxx		
				U/S						
				SERV						



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04279  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MB9843-SET1  
 PART NO : MBEU12043PA ~U1604  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS									
TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER	
			LIFE SINCE NEW						
29OCT04	00:41	Asset	Installation	0.0	A23T	A26BA			
			4866.6 AFHR		038		A23-002	A23T A26BA	00AC
		Change	Serviceability Stat	0.0	SERV			XXXXXXxx	
		Change	Location of an Asse	0.0	S/I				
					INTMH				
13APR05	03:06	Change	Serviceability Stat	1.7	A23-002				
			5004.6 AFHR		S/I				
					US/I			XXXXXXxx	
13APR05	03:09	Asset	Removal	166.1	A1PXXJY406703				
			5004.6 AFHR		038		A23-002	A23T A26BA	00A
		Change	Serviceability Stat	0.0	A23T	A26BA			
			5004.6 AFHR					XXXXXXxx	
		Change	Serviceability Stat	0.0	US/I				
		Change	Location of an Asse	148.9	U/S				
					A23-002				
30MAY05	05:32	Change	Serviceability Stat	47.0	ALS				
			5004.6 AFHR		U/S				
		Asset	Installation	57.8	SERV			XXXXXXxx	
			5004.6 AFHR		A23T	A26BA			
		Change	Serviceability Stat	10.7	100		100	A23T A26BA	00MMI
		Change	Location of an Asse	57.8	SERV			XXXXXXxx	
					S/I				
					ALS				
10JUN05	00:41	Asset	Removal	0.0	OPMH				
			5004.6 AFHR		100		100	A23T A26BA	00M
		Change	Serviceability Stat	0.0	A23T	A26BA			
			5004.6 AFHR					XXXXXXxx	
		Change	Serviceability Stat	0.0	S/I				
					U/S				
10JUN05	00:42	Change	Serviceability Stat	0.0	U/S				
			5004.6 AFHR		SERV			XXXXXXxx	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04280  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MB9843-SET1  
 PART NO : MBEU12043PA ~U1604  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
10JUN05 00:46	Asset Installation	0.0	A23T A26BA 092 092 00	A23T A26BA 00MMI
	5004.6 AFHR Change Serviceability Stat	0.0	SERV S/I OPMH AR	XXXXXXxx
	Change Location of an Asse	0.0	S/I US/I	
14MAY06 23:19	Change Serviceability Stat	2.8	A1PXXJY509932	XXXXXXxx
15MAY06 01:06	Asset Removal	339.0	092 A23-013 A23T A26BA 00	A23T A26BA 00A
	5289.3 AFHR Change Serviceability Stat	0.0	US/I U/S	XXXXXXxx
	Change Location of an Asse	20.9	A23-013 ALS	
22MAY06 05:14	Change Serviceability Stat	7.1	U/S SERV	
	5289.3 AFHR Asset Installation	74.1	A23T A26BA 054 00	A23T A26BA 00MMI
	5289.3 AFHR Change Serviceability Stat	66.9	SERV S/I ALS	XXXXXXxx
	Change Location of an Asse	74.1	AROM	
24JUL07 00:09	Change Serviceability Stat	24.9	S/I US/I	
	5373.4 AFHR		A1PXXJY611614	XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04281  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MB9843-SET1  
 PART NO : MBEU12043PA  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
24JUL07 03:38	Asset Removal	360.9	054 A23T A26BA	A23T A26BA 00A
	5373.4 AFHR Change Serviceability Stat	0.1	US/I U/S	XXXXXXxx
	Change Location of an Asse	187.6	A23-062 ALS	
30JUL07 05:46	Change Serviceability Stat	6.0	U/S SERV	XXXXXXxx
30JUL07 23:58	Asset Installation	6.8	A23T A26BA	A23T A26BA 00AC
	5373.4 AFHR Change Serviceability Stat	0.7	0074 SERV S/I	XXXXXXxx
	Change Location of an Asse	6.8	ALS A23-033	
04OCT07 02:33	Asset Removal	65.1	0074 A23T A26BA	A23T A26BA 00M
	5432.6 AFHR Change Serviceability Stat	23.5	S/I U/S	XXXXXXxx
	Change Location of an Asse	14.8	AROM HG121	
04OCT07 02:34	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
08OCT07 00:14	Asset Installation	3.9	A23T A26BA	A23T A26BA 00AC
	5432.6 AFHR Change Serviceability Stat	3.9	118 SERV S/I	XXXXXXxx
	Change Location of an Asse	3.9	HG121 A23-040	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04282  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MB9843-SET1  
 PART NO : MBEU12043PA ~U1604  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
25JAN08 02:43	Asset Removal		109.1	118 A23T A26BA	118 00 A23T A26BA 00M
	5578.2 AFHR				XXxxXXxx
	Change Serviceability Stat	2.0		S/I U/S	
	Change Location of an Asse	0.0		AR AROM	
25JAN08 02:43	Change Serviceability Stat		0.0	U/S SERV	
	5578.2 AFHR				XXxxXXxx
06FEB08 06:51	Asset Installation		12.1	A23T 0074 A26BA	0074 00 A23T A26BA 00MMI
	5578.2 AFHR				XXxxXXxx
	Change Serviceability Stat	12.1		SERV S/I	
22APR08 23:36	Asset Removal		76.6	0074 A23T A26BA	A23-040 00 A23T A26BA 00A
	5651.2 AFHR				XXxxXXxx
	Change Serviceability Stat	1.7		S/I U/S	
	Change Location of an Asse	76.6		A23-040 ALS	
24APR08 03:44	Change Serviceability Stat		1.1	U/S SERV	
	5651.2 AFHR				XXxxXXxx
24APR08 05:42	Asset Installation		1.2	A23T 0074 A26BA	A23-040 00 A23T A26BA 00AC
	5651.2 AFHR				XXxxXXxx
	Change Serviceability Stat	0.0		SERV S/I	
	Change Location of an Asse	1.2		ALS A23-040	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04283  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MB9843-SET1  
 PART NO : MBEU12043PA ~U1604  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS									
TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER	
			LIFE SINCE NEW						
24JUN08	23:39	Asset Removal		61.7	0074	A23-040		A23T A26BA	00A
		5735.2 AFHR			A23T	A26BA	00	XXXXXXxx	
		Change Serviceability Stat		4.9	S/I				
		Change Location of an Asse		61.7	U/S	A23-040			
24JUN08	23:39	Change Serviceability Stat		0.0	AROM				
		5735.2 AFHR			U/S			XXXXXXxx	
25JUN08	00:17	Asset Installation		0.0	SERV				
		5735.2 AFHR			A23T	A26BA	00	A23T A26BA	00MMI
		Change Serviceability Stat		0.0	018	018		XXXXXXxx	
		5760.7 AFHR			SERV				
24JUL08	23:53	Change Serviceability Stat		0.4	S/I				
		5760.7 AFHR			S/I			XXXXXXxx	
25JUL08	03:16	Asset Removal		30.1	US/I	A23-017		A23T A26BA	00A
		5760.7 AFHR			A1PXXJY714584				
		Change Serviceability Stat		0.1	018	A26BA	00	XXXXXXxx	
		Change Location of an Asse		30.1	A23T				
31JUL08	05:57	Change Serviceability Stat		6.1	ALS	A23-017			
		5760.7 AFHR			U/S			XXXXXXxx	
21AUG08	06:22	Asset Installation		27.1	SERV	A23-053		A23T A26BA	00AC
		5760.7 AFHR			038			XXXXXXxx	
		Change Serviceability Stat		21.0	SERV				
		Change Location of an Asse		27.1	S/I	A23-053			
					ALS				
					A23-053				

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04284  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MB9843-SET1  
 PART NO : MBEU12043PA ~U1604  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS										
TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER		
			LIFE SINCE NEW							
26JUN09	05:14	Asset Removal		308.9	038		038	A23T	A26BA	00M
		6139.9 AFHR			A23T	A26BA	00			
		Change Serviceability Stat	1.0		S/I				XXxxXXxx	
		Change Location of an Asse	0.1		U/S					
26JUN09	05:14	Change Serviceability Stat	0.0		AR					
		6139.9 AFHR			AROM					
		Change Serviceability Stat	0.0		U/S				XXxxXXxx	
		Change Serviceability Stat	0.0		SERV					
26JUN09	13:49	Asset Installation		0.3	A23T	A26BA	004	00		
		6139.9 AFHR			004		004			
		Change Serviceability Stat	0.3		SERV			A23T	A26BA	00MMI
		Change Location of an Asse	0.3		S/I				XXxxXXxx	
		Change Location of an Asse	0.3		AROM					
19AUG09	00:17	Change Serviceability Stat	53.4		AR					
		6139.9 AFHR			S/I					
		Change Serviceability Stat	53.4		US/I					
19AUG09	00:52	Asset Removal		53.4	A1PXXJY813636				XXxxXXxx	
		6139.9 AFHR			004		A23-053			
		Change Serviceability Stat	0.0		A23T	A26BA	00	A23T	A26BA	00A
		Change Location of an Asse	47.8							
		6139.9 AFHR			US/I				XXxxXXxx	
		Change Serviceability Stat	0.0		U/S					
		Change Location of an Asse	47.8		A23-053					
10SEP09	00:09	Change Serviceability Stat	21.9		ALS					
		6139.9 AFHR			U/S					
		Change Serviceability Stat	21.9		SERV				XXxxXXxx	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04285  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MB9843-SET1  
 PART NO : MBEU12043PA ~U1604  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
10SEP09 06:01	Asset Installation	22.2	A23T A26BA 106 A23-021	00 A23T A26BA 00AC XXXXXXXX
	6139.9 AFHR Change Serviceability Stat	0.2	SERV S/I	
	Change Location of an Asse	22.2	ALS A23-021	
07APR10 10:33	Asset Removal	209.1	106 A23T A26BA	00 A23T A26BA 00M XXXXXXXX
	6379.7 AFHR Change Serviceability Stat	0.2	S/I U/S	
07APR10 10:34	Change Serviceability Stat	0.0	U/S SERV	
	6379.7 AFHR			XXXXXXXX
07APR10 13:10	Asset Installation	0.1	A23T A26BA 0076 0076	00 A23T A26BA 00MMI XXXXXXXX
	6379.7 AFHR Change Serviceability Stat	0.1	SERV S/I	
	Change Location of an Asse	0.1	INTMH AR	
26MAY10 23:09	Position Change	49.4	A23T A26BA A23T A26BA	00 00
	6429.8 AFHR Change Serviceability Stat	8.6	A1PXXX1005418 S/I	XXXXXXXX
	6527.8 AFHR		US/I A1PXXJ1009353	XXXXXXXX
02SEP10 22:35	Asset Removal	148.3	0076 A23T A26BA	00 A23T A26BA 00A XXXXXXXX
	6527.8 AFHR Change Serviceability Stat	0.0	US/I U/S	
	Change Location of an Asse	98.9	A23-021 AROM	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04286  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MB9843-SET1  
 PART NO : MBEU12043PA ~U1604  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
LIFE SINCE NEW				
05SEP10 23:23	Change Location of an Asse	3.0	AROM ALS A1PXXX1009053	XXXXXXxx
01MAR11 22:34	Change Serviceability Stat	179.9	U/S SERV	XXXXXXxx
24MAR11 23:01	Asset Installation	203.0	A23T A26BA 118 A23-033 00	A23T A26BA XXXXXXxx 00AC
	Change Serviceability Stat	23.0	SERV S/I	XXXXXXxx
	Change Location of an Asse	199.9	ALS A23-033	
21OCT11 02:19	Asset Removal	210.1	118 A23T A26BA A23-033 00	A23T A26BA XXXXXXxx 00A
	Change Serviceability Stat	3.7	S/I U/S	XXXXXXxx
	Change Location of an Asse	210.1	A23-033	
21OCT11 02:20	Change Serviceability Stat	0.0	AROM U/S SERV	XXXXXXxx
03NOV11 13:34	Asset Installation	13.4	A23T A26BA 014 A23-033 00	A23T A26BA XXXXXXxx 00AC
	Change Serviceability Stat	13.4	SERV S/I	XXXXXXxx
	Change Location of an Asse	13.4	AROM A23-033	
18JAN12 05:04	Change Serviceability Stat	0.0	S/I US/I A1PXXJ1102838	XXXXXXxx
	Change Serviceability Stat	6764.0	AFHR	XXXXXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04287  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MB9843-SET1  
 PART NO : MBEU12043PA  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS									
TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER	
			LIFE SINCE NEW						
18JAN12	05:55	Asset Removal		75.6	014	A23T	A26BA	A23T	A26BA
		6764.0 AFHR						XXxxXXxx	00A
		Change Serviceability Stat		0.0	US/I				
		Change Location of an Asse		75.6	U/S	A23-033			
20JAN12	03:26	Change Serviceability Stat		1.8	ALS				
		6764.0 AFHR			U/S			XXxxXXxx	
27MAR12	00:59	Asset Installation		68.7	A23T	A26BA		A23T	A26BA
		6764.0 AFHR			168	168		XXxxXXxx	00MMI
		Change Serviceability Stat		66.8	SERV				
		Change Location of an Asse		68.7	S/I				
24JUL12	07:22	Asset Removal		119.2	ALS	A23-065		A23T	A26BA
		6979.6 AFHR			AROM				00A
		Change Serviceability Stat		0.9	168			XXxxXXxx	
		Change Location of an Asse		119.2	A23T	A26BA			
24JUL12	07:22	Change Serviceability Stat		0.0	U/S				
		6979.6 AFHR			SERV			XXxxXXxx	
25JUL12	12:50	Asset Installation		1.2	A23T	A26BA		A23T	A26BA
		6979.6 AFHR			080	A23-065		XXxxXXxx	00AC
		Change Serviceability Stat		1.2	SERV				
		Change Location of an Asse		1.2	S/I				
					AROM				
					A23-065				

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04288  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MB9843-SET1  
 PART NO : MBEU12043PA ~U1604  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
02NOV12 03:49	Change Serial Number of an		3352.8	MB9843 MB9843-SET1	
13FEB13 09:44	Asset Removal	7038.2 AFHR	202.8	A1PXXX1211255 080 A23T A26BA	XXxxXXxx A23T A26BA 00A
	Change Serviceability Stat	7064.5 AFHR	21.2	S/I U/S	XXxxXXxx
	Change Location of an Asse		34.4	A23-065 ALS	
13FEB13 09:45	Change Serviceability Stat		0.0	U/S SERV	
17FEB13 22:14	Change Serviceability Stat	7064.5 AFHR	4.5	SERV U/S	XXxxXXxx
	Estimated Date/Time Servic	7064.5 AFHR	735281.0	A1PXXU1302015 SERV STAT	XXxxXXxx
18FEB13 03:00	Change Location of an Asse		4.7	ALS ALS PC9	
21FEB13 03:14	Change Serviceability Stat	7064.5 AFHR	3.2	A1PXXX1301520 U/S SERV	XXxxXXxx
22FEB13 00:18	Asset Installation	7064.5 AFHR	8.6	A23T A26BA 084	XXxxXXxx A23T A26BA 00AC
	Change Serviceability Stat	7064.5 AFHR	0.8	SERV S/I	XXxxXXxx
	Change Location of an Asse		3.8	ALS A23-026 PC9	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04289  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MB9843-SET1  
 PART NO : MBEU12043PA  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
14JUN13 01:01	Asset Removal	112.0	084 A23T A26BA	A23T A26BA 00A
	7213.4 AFHR Change Serviceability Stat	1.6	S/I U/S	XXXXXXxx
	Change Location of an Asse	112.0	A23-026 INTMH	
14JUN13 01:05	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
	7213.4 AFHR Asset Installation	4.1	A23T A26BA	A23T A26BA 00AC
	7213.4 AFHR Change Serviceability Stat	4.1	SERV S/I	XXXXXXxx
	Change Location of an Asse	4.1	INTMH A23-026	
23FEB14 23:54	Change Serviceability Stat	2.6	S/I US/I	XXXXXXxx
	7434.6 AFHR Asset Removal	250.8	A1PXXJ1302581 0074 A23T A26BA	A23T A26BA 00A
	7434.6 AFHR Change Serviceability Stat	0.0	US/I U/S	XXXXXXxx
	Change Location of an Asse	153.6	A23-026 ALS	
24FEB14 03:16	Change Location of an Asse	0.1	ALS ALS	PC9
	7434.6 AFHR Change Serviceability Stat	10.2	A1PXXX1401788 U/S SERV	XXXXXXxx
06MAR14 05:08	Change Serviceability Stat			XXXXXXxx
	7434.6 AFHR			XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04290  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MB9843-SET1  
 PART NO : MBEU12043PA ~U1604  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
31MAR14 11:30	Asset Installation	35.4	A23T A26BA 078 A23-015	00 A23T A26BA 00AC 7434.6 AFHR XXXXXXXXXX
	Change Serviceability Stat	25.2	SERV	
	Change Location of an Asse	35.3	S/I ALS PC9	
18SEP14 03:19	Asset Removal	170.6	A23-015 078 A23T A26BA	00 A23T A26BA 00A 7599.8 AFHR XXXXXXXXXX
	Change Serviceability Stat	0.5	S/I	
	Change Location of an Asse	170.6	U/S A23-015	
18SEP14 03:20	Change Serviceability Stat	0.0	AROM U/S SERV	XXXXXXXXXX
19SEP14 01:17	Asset Installation	0.9	A23T A26BA 168 A23-015	00 A23T A26BA 00AC 7599.8 AFHR XXXXXXXXXX
	Change Serviceability Stat	0.9	SERV	
	Change Location of an Asse	0.9	S/I AROM	
05MAR15 11:11	Asset Removal	167.4	A23-015 168 A23T A26BA	00 A23T A26BA 00A 7649.3 AFHR XXXXXXXXXX
	Change Serviceability Stat	113.3	S/I	
	Change Location of an Asse	91.3	U/S A23-015	
05MAR15 11:12	Change Serviceability Stat	0.0	ALS U/S SERV	XXXXXXXXXX

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04291  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MB9843-SET1  
 PART NO : MBEU12043PA  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
09MAR15 05:32	Change Serviceability Stat	3.7	SERV U/S A1PXXU1502325	XXxxXXxx
	7649.3 AFHR Estimated Date/Time Servic	735282.6	SERV STAT SERV STAT	
29MAR15 23:12	Change Serviceability Stat	20.7	U/S SERV	XXxxXXxx
	7649.3 AFHR			
30MAR15 05:23	Asset Installation	24.7	A23T A26BA 060 A23-028	A23T A26BA 00AC
	7649.3 AFHR			XXxxXXxx
	Change Serviceability Stat	0.2	SERV S/I	
	Change Location of an Asse	24.7	ALS A23-028	
07SEP15 23:32	Asset Removal	161.7	060 A23T A26BA 060	A23T A26BA 00M
	7792.9 AFHR			XXxxXXxx
	Change Serviceability Stat	24.8	S/I U/S	
	Change Location of an Asse	5.7	AROM INTMH	
07SEP15 23:32	Change Serviceability Stat	0.0	U/S SERV	
	7792.9 AFHR			XXxxXXxx
07SEP15 23:36	Asset Installation	0.0	A23T A26BA 100 A23-001	A23T A26BA 00AC
	7792.9 AFHR			XXxxXXxx
	Change Serviceability Stat	0.0	SERV S/I	
	Change Location of an Asse	0.0	INTMH A23-001	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04292  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MB9843-SET1  
 PART NO : MBEU12043PA ~U1604  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
17FEB16 23:20	Asset Removal	162.9	100 A23T A26BA A23-001 00	A23T A26BA 00A
	8013.6 AFHR			XXXXXXxx
	Change Serviceability Stat	0.6	S/I U/S	
	Change Location of an Asse	162.9	A23-001 ALS	
17FEB16 23:21	Change Serviceability Stat	0.0	U/S SERV	
	8013.6 AFHR			XXXXXXxx
18FEB16 00:38	Change Serviceability Stat	0.0	SERV SERV	
	8013.6 AFHR			XXXXXXxx
18FEB16 00:38	Change Serviceability Stat	0.0	SERV U/S	
	8013.6 AFHR		A1PXXU1601934	XXXXXXxx
	Estimated Date/Time Servic	736032.2	SERV STAT	
	Change Location of an Asse	0.0	SERV STAT ALS	
	8013.6 AFHR		ALS PC9	
	Change Serviceability Stat	85.0	A1PXXX1601550	XXXXXXxx
13MAY16 02:58	Change Serviceability Stat	85.0	U/S SERV	
	8013.6 AFHR			XXXXXXxx
14JUN16 00:21	Asset Installation	117.0	A23T A26BA A23-047 00	A23T A26BA 00AC
	8013.6 AFHR			XXXXXXxx
	Change Serviceability Stat	31.8	SERV S/I	
	Change Location of an Asse	116.9	ALS PC9	
			A23-047	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04293  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MB9843-SET1  
 PART NO : MBEU12043PA ~U1604  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
18AUG16 07:21	Asset Removal	65.2	020 A23T A26BA	A23T A26BA 00A
	8119.8 AFHR Change Serviceability Stat	1.9	S/I U/S	XXXXXXxx
	Change Location of an Asse	1.9	A23-047 ALS	
18AUG16 21:39	Change Serviceability Stat	0.5	U/S SERV	XXXXXXxx
01SEP16 03:18	Asset Installation	13.8	A23T 082 A26BA	A23T A26BA 00MMI
	8119.8 AFHR Change Serviceability Stat	13.2	SERV S/I	XXXXXXxx
	Change Location of an Asse	13.8	ALS AROM	
22NOV16 05:13	Asset Removal	82.0	082 A23T A26BA	A23T A26BA 00A
	8284.7 AFHR Change Serviceability Stat	1.0	S/I U/S	XXXXXXxx
	Change Location of an Asse	82.0	A23-002 AROM	
22NOV16 05:14	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
01DEC16 08:20	Asset Installation	9.1	A23T 168 A26BA	A23T A26BA 00AC
	8284.7 AFHR Change Serviceability Stat	9.1	SERV S/I	XXXXXXxx
	Change Location of an Asse	9.1	AROM A23-002	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04294  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MB9843-SET1  
 PART NO : MBEU12043PA ~U1604  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
11MAY17 13:20	Asset Removal	161.2	168 A23T A26BA	A23T A26BA 00A
	8436.3 AFHR			XXxxXXxx
	Change Serviceability Stat	0.1	S/I U/S	
	Change Location of an Asse	161.2	A23-002 OPMH	
11MAY17 13:20	Change Serviceability Stat	0.0	U/S SERV	
	8436.3 AFHR			XXxxXXxx
12MAY17 02:26	Change Serviceability Stat	0.5	SERV U/S	
	8436.3 AFHR		A1PXXU1706423	XXxxXXxx
	Estimated Date/Time Servic	736377.9	SERV STAT	
12MAY17 02:31	Change Location of an Asse	0.5	OPMH ALS	
	8436.3 AFHR		A1PXXX1707416	XXxxXXxx
10AUG17 23:12	Change Serviceability Stat	90.8	U/S SERV	
	8436.3 AFHR			XXxxXXxx
11AUG17 03:11	Asset Installation	91.5	A23T 118	A23T A26BA 00MMI
	8436.3 AFHR			XXxxXXxx
	Change Serviceability Stat	0.1	SERV S/I	
	Change Location of an Asse	91.0	ALS AROM	
03NOV17 04:53	Asset Removal	84.0	118 A23T A26BA	A23T A26BA 00A
	8573.9 AFHR			XXxxXXxx
	Change Serviceability Stat	1.0	S/I U/S	
	Change Location of an Asse	81.2	A23-061 AROM	



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04295  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MB9843-SET1  
 PART NO : MBEU12043PA  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN (DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
03NOV17 04:54	Change Serviceability Stat	0.0	U/S SERV	
06NOV17 11:18	Asset Installation	3.2	A23T 038 A26BA A23-061	00 A23T A26BA 00AC
09AUG18 12:09	Asset Removal	276.0	038 A23T A26BA A23-061	00 A23T A26BA 00A
09AUG18 12:10	Change Serviceability Stat	0.0	U/S SERV	
10AUG18 00:54	Change Serviceability Stat	0.5	SERV U/S A1PXXU1809941	
06SEP18 03:39	Change Serviceability Stat	27.1	SERV STAT U/S SERV	
30OCT18 12:49	Asset Installation	82.0	A23T 004 A26BA A23-040	00 A23T A26BA 00AC
	Change Serviceability Stat	54.3	SERV S/I	
	Change Location of an Asse	82.0	ALS A23-040	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04296  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MB9843-SET1  
 PART NO : MBEU12043PA  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS										
TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER		
LIFE SINCE NEW										
02JUL19	05:39	Asset Removal		244.7	004	A23T	A26BA	A23-040	00	A23T A26BA 00A
		9136.9 AFHR								XXXXXXxx
		Change Serviceability Stat		3.9	S/I					
		Change Location of an Asse		81.9	U/S					
02JUL19	05:41	Change Serviceability Stat		0.0	A23-040					
		9136.9 AFHR			OPMH					XXXXXXxx
03JUL19	02:18	Asset Installation		0.8	U/S					
		9136.9 AFHR			SERV					XXXXXXxx
		Change Serviceability Stat		0.8	A23T	A26BA	A23-005	00		A23T A26BA 00AC
		Change Location of an Asse		0.8	070					XXXXXXxx
05SEP19	23:42	Change Serviceability Stat		0.6	SERV					
		9256.2 AFHR			S/I					
06SEP19	05:04	Change Serviceability Stat		0.2	U/S					XXXXXXxx
		9256.2 AFHR			A1PXXJ1815014					XXXXXXxx
06SEP19	05:15	Asset Removal		65.1	US/I					
		9256.2 AFHR			S/I					XXXXXXxx
		Change Serviceability Stat		0.0	070	A23T	A26BA	A23-005	00	A23T A26BA 00A
		Change Location of an Asse		65.1	A23T					XXXXXXxx
06SEP19	05:16	Change Serviceability Stat		0.0	U/S					
		9256.2 AFHR			A23-005					XXXXXXxx
		Change Serviceability Stat		0.0	AROM					
		9256.2 AFHR			U/S					XXXXXXxx
		Change Serviceability Stat		0.0	SERV					XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04297  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MB9843-SET1  
 PART NO : MBEU12043PA  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
13SEP19 01:30	Change Serviceability Stat	6.8	SERV U/S A1PXXU1910696	XXxxXXxx
	9256.2 AFHR Estimated Date/Time Servic	737281.9	SERV STAT	
13SEP19 01:30	Change Serviceability Stat	0.0	SERV U/S	XXxxXXxx
	9256.2 AFHR			
25SEP19 03:10	Change Serviceability Stat	12.0	SERV U/S A1PXXU1910697	XXxxXXxx
	9256.2 AFHR Estimated Date/Time Servic	737680.9	SERV STAT	
25SEP19 03:10	Change Serviceability Stat	0.0	SERV U/S	
	9256.2 AFHR			XXxxXXxx
25SEP19 06:00	Change Serviceability Stat	0.1	SERV U/S A1PXXJ1913944	XXxxXXxx
	9256.2 AFHR			
27SEP19 23:00	Change Serviceability Stat	2.7	SERV U/S	XXxxXXxx
	9256.2 AFHR			
14NOV19 03:26	Asset Installation	68.9	A23T 040 A26BA A23-033 00	A23T A26BA 00AC
	9256.2 AFHR			XXxxXXxx
	Change Serviceability Stat	47.1	SERV S/I	
	Change Location of an Asse	68.9	AROM A23-033	

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04298  
08JAN20  
23:16:15

SERIAL/TAIL NO : MB9843-SET1  
PART NO : MBEU12043PA ~U1604  
ENGINEERING NAME : PARACHUTE ASSY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY510274	CANCELLED	30MAY05 05:26	5004.6	AFHR		
30MAY05 05:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
		LINE DROGUE WITHDRAWAL TX				XXxxXXxxXXxxXXxxXXxx
						30MAY05 05:26
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: ENTERED IN ERROR

A1PXXUY404246	COMPLETED	14APR04 03:24	4678.9	AFHR		
01APR04 00:11	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
		BS due on Serial MB2622				XXxxXXxxXXxxXXxxXXxx
		QUICK REL FITTING at WAC 0740				14APR04 03:24
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: BAY SERVICE CARRIED OUT IAW 7221.001-3M REFER TO OAM 358/04

REMOVALS/INSTALLATIONS FOR A1PXXUY404246

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	MB2622	A23T	A26BA12	00	MB2622	A23T	A26BA12	00
	MBEU72851		01APR04 00:11	AIPXXJ304162X	MBEU72851		14APR04 03:22	

A1PXXUY404642	COMPLETED	14APR04 02:57	4678.9	AFHR		
14APR04 02:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
		BS due on Serial MB9843				XXxxXXxxXXxxXXxxXXxx
		PACK ASSY PARACHUTE at WAC 0740				14APR04 02:57
						XXxxXXxxXXxxXXxxXXxx

Maint Acts: BAY SERVICE CARRIED OUT IAW 7291.042-2M REFER TO OAM355/04

A1PXXUY404643	COMPLETED	14APR04 02:59	4678.9	AFHR		
14APR04 02:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
		BS due on Serial J3128A52				XXxxXXxxXXxxXXxxXXxx
		DROGUE ASSY 5 FT at WAC 0740				14APR04 02:59
						XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : MB9843-SET1  
PART NO : MBEU12043PA ~U1604 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PARACHUTE ASSY  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN		
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME		
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR		
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME		
EE500PG EE500LN						INSPECTOR		
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME		
=====								
	Maint Acts:	BAY SERVICE CARRIED OUT IAW 7291.042-2M REFER TO OAM355/04						
A1PXXUY404644	COMPLETED	14APR04 03:01	4678.9	AFHR		XXxxXXxxXXxxXXxxXXxx		
14APR04 02:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx		
		BS due on Serial L032035				14APR04 03:01		
		HARNES at WAC 0740				XXxxXXxxXXxxXXxxXXxx		
	Maint Acts:	BAY SERVICE CARRIED OUT IAW 7291.042-2M REFER TO OAM355/04						
A1PXXUY404648	COMPLETED	14APR04 03:15	4678.9	AFHR		XXxxXXxxXXxxXXxxXXxx		
14APR04 03:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx		
		STRAP EXTENDER TX				14APR04 03:15		
						XXxxXXxxXXxxXXxxXXxx		
	Maint Acts:	ITEM TX						
REMOVALS/INSTALLATIONS FOR A1PXXUY404648								
SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
===	=====	=====	=====	=====	=====	=====	=====	=====
001	MB9843	A23T	A26BA14	00	HLY400846	A23T	A26BA14	00
	MBEU51480		14APR04 03:13	A1PXXJY406697	MBEU51480		14APR04 03:14	
A1PXXUY404649	COMPLETED	14APR04 03:19	4678.9	AFHR		XXxxXXxxXXxxXXxxXXxx		
14APR04 03:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx		
		ITEM TX				14APR04 03:19		
						XXxxXXxxXXxxXXxxXXxx		
	Maint Acts:	DROGUE WITHDRAWAL LINE TX REFER TO OAM 355/04						

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : MB9843-SET1 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : MBEU12043PA ~U1604  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR 1PXXUY404649

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	L334260	A23T	A26BA06	00	HL400847	A23T	A26BA06	00
	MBEU90727		14APR04 03:17	A1PXXJY406700	MBEU90727		14APR04 03:18	

1PXXUY509258 COMPLETED 30MAY05 05:26 5004.6 AFHR  
 09MAY05 05:51 XXXXX  
 XXXXX  
 LINE DROGUE WITHDRAWAL TX BEFORE NEXT OH  
 XXXXX  
 XXXXX

Maint Acts: NEW LDW FITTED

REMOVALS/INSTALLATIONS FOR 1PXXUY509258

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	HL400847	A23T	A26BA06	00	PCY500704	A23T	A26BA06	00
	MBEU90727		30MAY05 05:25	A1PXXJY509930	MBEU90727		30MAY05 05:25	

1PXXUY509259 COMPLETED 30MAY05 05:28 5004.6 AFHR  
 09MAY05 05:52 XXXXX  
 XXXXX  
 OH due on Serial MB2622  
 QUICK REL FITTING at WAC 0740  
 XXXXX  
 XXXXX

Maint Acts: NEW QRF FITTED

REMOVALS/INSTALLATIONS FOR 1PXXUY509259

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	MB2622	A23T	A26BA12	00	MD2338	A23T	A26BA12	00
	MBEU72851		09MAY05 05:53	A1PXXJY507350	MBEU72851		30MAY05 05:27	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : MB9843-SET1  
 PART NO : MBEU12043PA ~U1604  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES -----  
 SERV NUMBER STATUS STATUS DATE/TIME TOTAL LIFE INT TYPE CERTIFICATION TRADESMAN  
 RAISED DATE/TIME RAISED USER ID RAISED NAME RAISED VENUE CAPABILITY CODE EPSS DATE/TIME  
 ENTERED DATE/TIME ENTERED USER ID ENTERED NAME ENTERED VENUE IMIC NO SUPERVISOR  
 OPERATION NO ASOR NO SYMPTOMS  
 EE500PG EE500LN  
 STA WL BL ADMIN MAINT ACTION/LIMITATIONS  
 =====

A1PXXUY605492 COMPLETED 28JUL06 01:56 5289.3 AFHR XXxxXXxxXXxxXXxxXXxx  
 21MAY06 01:10 XXxxXXxx  
 TA due on Serial L032035  
 HARNESS at WAC 0740  
 STI-PC9-0404 due on Serial L032035  
 HARNESS at WAC 0740  
 XXxxXXxxXXxxXXxxXXxx  
 28JUL06 01:56  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: ITEM TX

REMOVALS/INSTALLATIONS FOR A1PXXUY605492

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
=====	=====	=====	=====	=====	=====	=====	=====	=====
001	L032035	A23T	A26BA04	00	PCY600640	A23T	A26BA04	00
	MBEU12788PA		28JUL06 01:54	A1PXXJ303903X	MBEU12788PA		28JUL06 01:55	

A1PXXUY605493 COMPLETED 28JUL06 02:01 5289.3 AFHR XXxxXXxxXXxxXXxxXXxx  
 21MAY06 01:10 XXxxXXxx  
 OH due on Serial MD2338  
 QUICK REL FITTING at WAC 0740  
 XXxxXXxxXXxxXXxxXXxx  
 28JUL06 02:01  
 XXxxXXxxXXxxXXxxXXxx

Maint Acts: BAY SERVICE CARRIED OUT IAW 7221.001-3M REFER TO OAM 584/06

REMOVALS/INSTALLATIONS FOR A1PXXUY605493

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
=====	=====	=====	=====	=====	=====	=====	=====	=====
001	MD2338	A23T	A26BA12	00	MD2338	A23T	A26BA12	00
	MBEU72851		21MAY06 01:10	A1PXXJY509929	MBEU72851		28JUL06 02:00	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : MB9843-SET1  
PART NO : MBEU12043PA ~U1604  
ENGINEERING NAME : PARACHUTE ASSY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY605519	COMPLETED	28JUL06 02:03	5289.3	AFHR		XXxxXXxxXXxxXXxxXXxx
22MAY06 05:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		TA	due on Serial J3128A52			28JUL06 02:03
		DROGUE ASSY 5 FT	at WAC 0740			XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	DROGUE TX				

REMOVALS/INSTALLATIONS FOR A1PXXUY605519

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	J3128A52	A23T	A26BA02	00	B7916-A-0042	A23T	A26BA02	00
	MBEU90690		28JUL06 02:02	A1PXXJ303573X	MBEU90690		28JUL06 02:02	

A1PXXUY605520	COMPLETED	28JUL06 02:07	5289.3	AFHR		XXxxXXxxXXxxXXxxXXxx
22MAY06 05:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		TA	due on Serial HLY400846			28JUL06 02:07
		DROG EXTEND STRAP	at WAC 0740			XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	ITEM TX				

REMOVALS/INSTALLATIONS FOR A1PXXUY605520

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	HLY400846	A23T	A26BA14	00	PCY600763	A23T	A26BA14	00
	MBEU51480		28JUL06 02:06	A1PXXJY406250	MBEU51480		28JUL06 02:06	



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : MB9843-SET1  
PART NO : MBEU12043PA ~U1604  
ENGINEERING NAME : PARACHUTE ASSY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY605521	COMPLETED	28JUL06 02:32	5289.3	AFHR		XXXXXXXXXXXXXXXXXXXX
22MAY06 05:14	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		TA		due on Serial PCY500704		28JUL06 02:32
		LINE DROG WITHDRAWL at WAC 0740				XXXXXXXXXXXXXXXXXXXX

Maint Acts: NEW LINE DROGUE WITHDRAWAL FITTED IAW MB7291.042-2MB2 REFER TO OAM 583/06

REMOVALS/INSTALLATIONS FOR A1PXXUY605521

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PCY500704	A23T	A26BA06	00	PCY600762	A23T	A26BA06	00
	MBEU90727		28JUL06 02:29	A1PXXJY509162	MBEU90727		28JUL06 02:30	

A1PXXUY710423	COMPLETED	30JUL07 05:44	5373.4	AFHR		XXXXXXXXXXXXXXXXXXXX
25JUL07 01:54	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
25JUL07 01:54	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		OH		due on Serial MD2338		30JUL07 05:44
		QUICK REL FITTING at WAC 0740				XXXXXXXXXXXXXXXXXXXX

Maint Acts: OVERHAUL CARRIED OUT IAW AAP 7221.001-3M REFER OAM 972/07

A1PXXUY805356	COMPLETED	23APR08 02:38	5651.2	AFHR		XXXXXXXXXXXXXXXXXXXX
23APR08 02:28	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
23APR08 02:28	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		TA		due on Serial 763798		23APR08 02:38
		CANOPY PARACHUTE at WAC 0740				XXXXXXXXXXXXXXXXXXXX

Maint Acts: NEW CANOPY PARACHUTE FITTED IAW AAP7291.042-2M

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : MB9843-SET1 PERIOD: 01JAN90 TO 08JAN20  
PART NO : MBEU12043PA ~U1604  
ENGINEERING NAME : PARACHUTE ASSY  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXUY805356

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	763798	A23T	A26BA00	00	E957391	A23T	A26BA00	00
	GQ06916		23APR08 02:29	A1PXXJ303542X	GQ06916		23APR08 02:37	

A1PXXUY810257 COMPLETED 15AUG08 03:44 5760.7 AFHR  
 31JUL08 05:57 XXXXX  
 31JUL08 05:57 XXXXX  
 OH due on Serial MD2338  
 QUICK REL FITTING at WAC 0740

Maint Acts: OVERHAUL CARRIED OUT IAW AAP 7291.042-2M REFER OAM 1016/08

REMOVALS/INSTALLATIONS FOR A1PXXUY810257

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	MD2338	A23T	A26BA12	00	MD2338	A23T	A26BA12	00
	MBEU72851		31JUL08 05:58	A1PXXJY714583	MBEU72851		15AUG08 03:43	

A1PXXUY810258 COMPLETED 15AUG08 03:39 5760.7 AFHR  
 31JUL08 05:57 XXXXX  
 31JUL08 05:57 XXXXX  
 TA due on Serial PCY600762  
 LINE DROG WITHDRAWL at WAC 0740

Maint Acts: OVERHAUL CARRIED OUT IAW AAP 7291.042-2M REFER OAM 1016/08

REMOVALS/INSTALLATIONS FOR A1PXXUY810258

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PCY600762	A23T	A26BA06	00	PCY800743	A23T	A26BA06	00
	MBEU90727		15AUG08 03:38	A1PXXJY611191	MBEU90727		15AUG08 03:39	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : MB9843-SET1  
 PART NO : MBEU12043PA ~U1604  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXUY810259	COMPLETED	15AUG08 03:41	5760.7	AFHR		XXxxXXxxXXxxXXxxXXxx
31JUL08 05:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			
31JUL08 05:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		TA due on Serial PCY600763				15AUG08 03:41
		DROG EXTEND STRAP at WAC 0740				XXxxXXxxXXxxXXxxXXxx

Maint Acts: OVERHAUL CARRIED OUT IAW AAP 7291.042-2M REFER OAM 1016/08

REMOVALS/INSTALLATIONS FOR A1PXXUY810259

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PCY600763	A23T	A26BA14	00	PCY800742	A23T	A26BA14	00
	MBEU51480		15AUG08 03:41	A1PXXJY611192	MBEU51480		15AUG08 03:41	

A1PXXUY913763	COMPLETED	09SEP09 23:56	6139.9	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
19AUG09 22:21	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			09SEP09 23:56
19AUG09 22:21	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		OH due on Serial MD2338				
		QUICK REL FITTING at WAC 0740				XXxxXXxxXXxxXXxxXXxx

Maint Acts: OVERHAUL CARRIED OUT IAW AAP 7221.001-3M REF OAM 981/09

REMOVALS/INSTALLATIONS FOR A1PXXUY913763

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	MD2338	A23T	A26BA12	00	MD2338	A23T	A26BA12	00
	MBEU72851		19AUG09 22:23	A1PXXJY813632	MBEU72851		09SEP09 23:56	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : MB9843-SET1  
 PART NO : MBEU12043PA ~U1604  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES -----  
 SERV NUMBER STATUS STATUS DATE/TIME TOTAL LIFE INT TYPE CERTIFICATION TRADESMAN  
 RAISED DATE/TIME RAISED USER ID RAISED NAME RAISED VENUE CAPABILITY CODE EPSS DATE/TIME  
 ENTERED DATE/TIME ENTERED USER ID ENTERED NAME ENTERED VENUE IMIC NO SUPERVISOR  
 OPERATION NO ASOR NO SYMPTOMS  
 EE500PG EE500LN  
 STA WL BL ADMIN MAINT ACTION/LIMITATIONS  
 =====

A1PXXUY913764 COMPLETED 10SEP09 00:05 6139.9 AFHR SST XXxxXXxxXXxxXXxxXXxx  
 19AUG09 22:21 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 10SEP09 00:05  
 19AUG09 22:21 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 TA due on Serial L032500  
 LINE PARA WITHDRAWL at WAC 0740 XXxxXXxxXXxxXXxxXXxx

Maint Acts: TX LPW REMOVED AND SERV LPW FITTED IAW AAP 7291.042-2M REF OAM  
 980/09

REMOVALS/INSTALLATIONS FOR A1PXXUY913764

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	L032500	A23T	A26BA08	00	PCY901307	A23T	A26BA08	00
	MBEU10385PA		10SEP09 00:02	A1PXXJ303541X	MBEU10385PA		10SEP09 00:03	

A1PXXUY913765 COMPLETED 10SEP09 00:08 6139.9 AFHR SST XXxxXXxxXXxxXXxxXXxx  
 19AUG09 22:21 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 10SEP09 00:08  
 19AUG09 22:21 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 TA due on Serial PCY800743  
 LINE DROG WITHDRAWL at WAC 0740 XXxxXXxxXXxxXXxxXXxx

Maint Acts: TX LDW REMOVED AND SERV LDW FITTED IAW AAP 7221.001-3M REF OAM  
 981/09

REMOVALS/INSTALLATIONS FOR A1PXXUY913765

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PCY800743	A23T	A26BA06	00	PCY901288	A23T	A26BA06	00
	MBEU90727		10SEP09 00:06	A1PXXJY813615	MBEU90727		10SEP09 00:06	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : MB9843-SET1  
PART NO : MBEU12043PA ~U1604  
ENGINEERING NAME : PARACHUTE ASSY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1012033	COMPLETED	01MAR11 22:30	6527.8	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
05SEP10 23:20	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			01MAR11 22:30
05SEP10 23:20	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		OH due on Serial MD2338				01MAR11 22:30
		QUICK REL FITTING at WAC 0740				XXXXXXXXXXXXXXXXXXXX

Maint Acts: BS CARRIED OUT IAW AAP 7221.001-3M REF ALS3036 /10

REMOVALS/INSTALLATIONS FOR A1PXXU1012033

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	MD2338	A23T	A26BA12	00	MD2338	A23T	A26BA12	00
	MBEU72851		05SEP10 23:23	A1PXXJY920179	MBEU72851		03MAR11 03:14	

A1PXXU1012034	COMPLETED	27FEB11 23:13	6527.8	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
05SEP10 23:24	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			25FEB11 00:34
05SEP10 23:28	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		EXCESSIVE WEAR ON YOKE STRAP				25FEB11 00:34
						XXXXXXXXXXXXXXXXXXXX
						27FEB11 23:13

Maint Acts: U/S HARNESS ASSY REMOVED AND SERV HARNESS ASSY FITTED IAW AAP 7291.042-2M REF ALS 3036/10

REMOVALS/INSTALLATIONS FOR A1PXXU1012034

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PCY600640	A23T	A26BA04	00	PC1100023	A23T	A26BA04	00
	MBEU12788PA		05SEP10 23:29	A1PXXJ1015976	MBEU12788PA		03MAR11 03:20	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : MB9843-SET1  
 PART NO : MBEU12043PA ~U1604  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1102649	COMPLETED	28FEB11 05:50	6527.8	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
24FEB11 23:10	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			28FEB11 05:50
03MAR11 03:23	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		TA due on Serial B7916-A-0042				28FEB11 05:50
		DROGUE ASSY 5 FT at WAC 0740				XXXXXXXXXXXXXXXXXXXX

Maint Acts: NEW DROGUE 5FT ASSY FITTED IAW 7291-042-2M REF ALS3036/10

REMOVALS/INSTALLATIONS FOR A1PXXU1102649

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	B7916-A-0042	A23T	A26BA02	00	W4443-A-0011	A23T	A26BA02	00
	MBEU90690		03MAR11 03:25	A1PXXJY611193	MBEU90690		03MAR11 03:31	

A1PXXU1102650	COMPLETED	28FEB11 06:16	6527.8	AFHR	T+TS+II	XXXXXXXXXXXXXXXXXXXX
24FEB11 23:10	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			28FEB11 05:50
03MAR11 03:23	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		TA due on Serial PCY800742				28FEB11 05:50
		DROG EXTEND STRAP at WAC 0740				XXXXXXXXXXXXXXXXXXXX
						28FEB11 06:16

Maint Acts: NEW DROGUE EXT STRAP FITTED IAW 7291.042-2M REF ALS 3036/10

REMOVALS/INSTALLATIONS FOR A1PXXU1102650

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PCY800742	A23T	A26BA14	00	PC1100188	A23T	A26BA14	00
	MBEU51480		03MAR11 03:39	A1PXXJY813614	MBEU51480		03MAR11 03:40	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : MB9843-SET1  
 PART NO : MBEU12043PA ~U1604  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1PXXU1102651	COMPLETED	28FEB11 03:17	6527.8	AFHR	T+TS+II	XXXXXXXXXXXXXXXXXXXX
24FEB11 23:10	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			28FEB11 02:56
03MAR11 03:23	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		TA due on Serial PCY901288				28FEB11 02:56
		LINE DROG WITHDRAWL at WAC 0740				XXXXXXXXXXXXXXXXXXXX
						28FEB11 03:17

Maint Acts: NEW DROGUE W/D LINE FITTED IAW 7291.042-2M REF ALS 3036/10

REMOVALS/INSTALLATIONS FOR A1PXXU1102651

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PCY901288	A23T	A26BA06	00	PC1100081	A23T	A26BA06	00
	MBEU90727		03MAR11 03:35	A1PXXJY919095	MBEU90727		03MAR11 03:37	

A1PXXU1200919	COMPLETED	22MAR12 22:42	6764.0	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
20JAN12 03:26	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			22MAR12 22:42
20JAN12 03:26	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		BS due on Serial MD2338				
		QUICK REL FITTING at WAC 0740				XXXXXXXXXXXXXXXXXXXX

Maint Acts: BAY SERVICE CARRIED OUT IAW AAP 7291.042-2M REF ALS 6514/12

A1PXXU1203772	COMPLETED	22MAR12 22:28	6764.0	AFHR	SST	XXXXXXXXXXXXXXXXXXXX
22MAR12 22:21	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			22MAR12 22:28
22MAR12 22:23	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXXXXXXXXXXXX
		LINE DROGUE W/D DUE T/A				
						XXXXXXXXXXXXXXXXXXXX

Maint Acts: TX LINE DROGUE W/D REMOVED AND SERV LINE DROGUE W/D FITTED IAW AAP 7291.042-2M REF ALS 6513/12

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04310  
08JAN20  
23:16:15

SERIAL/TAIL NO : MB9843-SET1 PERIOD: 01JAN90 TO 08JAN20  
PART NO : MBEU12043PA ~U1604  
ENGINEERING NAME : PARACHUTE ASSY  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1203772

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PC1100081	A23T	A26BA06	00	PC1100865	A23T	A26BA06	00
	MBEU90727		22MAR12 22:26	A1PXXJ1203947	MBEU90727		22MAR12 22:27	

A1PXXU1302015 COMPLETED 21FEB13 03:13 7064.5 AFHR SST XXxxXXxxXXxxXXxxXXxx  
17FEB13 22:14 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 21FEB13 03:13  
17FEB13 22:14 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
BS due on Serial MD2338  
QUICK REL FITTING at WAC 0740 XXxxXXxxXXxxXXxxXXxx

Maint Acts: BAY SERVICE CARRIED OUT IAW AAP 7221.001-3M REF ALS 8784/13

A1PXXU1302016 COMPLETED 21FEB13 03:12 7064.5 AFHR SST XXxxXXxxXXxxXXxxXXxx  
17FEB13 22:14 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 21FEB13 03:12  
17FEB13 22:16 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
LINE PARA WITHDRAWAL DUE T/A BEFORE NEXT SCHEDULED SERVICE XXxxXXxxXXxxXXxxXXxx

Maint Acts: TX LPW REMOVED AND SERV LPW FITTED IAW AAP 7291.042-2M REF ALS 8783/13

REMOVALS/INSTALLATIONS FOR A1PXXU1302016

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PCY901307	A23T	A26BA08	00	PC1100685	A23T	A26BA08	00
	MBEU10385PA		21FEB13 03:10	A1PXXJ1302579	MBEU10385PA		21FEB13 03:11	

A1PXXU1402323 COMPLETED 06MAR14 05:07 7434.6 AFHR SST XXxxXXxxXXxxXXxxXXxx  
24FEB14 05:02 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 06MAR14 05:07  
24FEB14 05:02 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
BS due on Serial MD2338  
QUICK REL FITTING at WAC 0740 XXxxXXxxXXxxXXxxXXxx

Maint Acts: BAY SERVICE CARRIED OUT IAW AAP 7221.001-3M REF ALS 10806/14



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : MB9843-SET1  
 PART NO : MBEU12043PA ~U1604  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

ALPXXU1402324	COMPLETED	06MAR14 05:04	7434.6	AFHR	SST	XXXXXXXXXX
24FEB14 05:02	XXXXXXXX	XXXXXXXXXXXXXXXXXX	AIP			06MAR14 05:04
24FEB14 05:02	XXXXXXXX	XXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX
		TA due on Serial PC1100188				
		DROG EXTEND STRAP at WAC 0740				XXXXXXXXXX

Maint Acts: TX STRAP EXTENDER REMOVED AND SERV STRAP EXTENDER FITTED IAW AAP  
 7291.042-2M REF ALS 10806 /14

REMOVALS/INSTALLATIONS FOR ALPXXU1402324

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PC1100188	A23T	A26BA14	00	PC1400178	A23T	A26BA14	00
	MBEU51480		06MAR14 05:02	ALPXXJ1102413	MBEU51480		06MAR14 05:03	

ALPXXU1402325	COMPLETED	06MAR14 05:02	7434.6	AFHR	SST	XXXXXXXXXX
24FEB14 05:02	XXXXXXXX	XXXXXXXXXXXXXXXXXX	AIP			06MAR14 05:02
24FEB14 05:02	XXXXXXXX	XXXXXXXXXXXXXXXXXX	AIP			XXXXXXXXXX
		TA due on Serial PC1100865				
		LINE DROG WITHDRAWL at WAC 0740				XXXXXXXXXX

Maint Acts: TX LINE DROGUE W/D REMOVED AND SERV LINE DROGUE W/D FITTED IAW AAP  
 7291.042-2M REF ALS 10806/14

REMOVALS/INSTALLATIONS FOR ALPXXU1402325

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PC1100865	A23T	A26BA06	00	PC1400107	A23T	A26BA06	00
	MBEU90727		06MAR14 05:01	ALPXXJ1113183	MBEU90727		06MAR14 05:01	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : MB9843-SET1  
 PART NO : MBEU12043PA ~U1604  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1PXXU1402728	COMPLETED	06MAR14 05:00	7434.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
06MAR14 04:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			06MAR14 05:00
06MAR14 04:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		C L/H & R/H QRF OPERATING LEVER SPRINGS TO BE REPLACED DUE T/A				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	LEFT & RIGHT HAND QRF OPERATING LEVER SPRINGS REPLACED IAW AAP 7221.001-3M REF ALS 10806/14				
A1PXXU1402729	COMPLETED	06MAR14 04:59	7434.6	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
06MAR14 04:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			06MAR14 04:59
06MAR14 04:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		FRONT DROGUE FLAP WORN TO LIMITS				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	FITTED NEW SERV FRONT DROGUE FLAP IAW AAP 7291.042-2M REF ALS 10806/14				
A1PXXU1502325	COMPLETED	29MAR15 23:12	7649.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
09MAR15 05:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			29MAR15 23:12
09MAR15 05:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial MD2338				XXxxXXxxXXxxXXxxXXxx
		QUICK REL FITTING at WAC 0740				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	BAY SERVICE CARRIED OUT IAW AAP 7221.001-3M REF ALS 12578/15				
A1PXXU1503193	COMPLETED	29MAR15 23:08	7649.3	AFHR	SST	XXxxXXxxXXxxXXxxXXxx
29MAR15 22:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			29MAR15 23:08
29MAR15 22:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		L/H & R/H RISERS WORN TO LIMITS				XXxxXXxxXXxxXXxxXXxx
	Maint Acts:	SERV L/H & R/H RISERS FITTED IAW AAP 7291.042-2M REF ALS 12578/15				
A1PXXU1601934	COMPLETED	13MAY16 02:50	8013.6	AFHR	SCT	XXxxXXxxXXxxXXxxXXxx
18FEB16 00:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			13MAY16 02:50
18FEB16 00:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial MD2338				XXxxXXxxXXxxXXxxXXxx
		QUICK REL FITTING at WAC 0740				XXxxXXxxXXxxXXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : MB9843-SET1  
PART NO : MBEU12043PA ~U1604 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PARACHUTE ASSY  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

Maint Acts: B/S C/O IAW 7221.001-3M

A1PXXU1601935	COMPLETED	13MAY16 02:35	8013.6	AFHR	SCT	XXxxXXxxXXxxXXxxXXxx
18FEB16 00:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			13MAY16 02:35
18FEB16 00:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx
		TA	due on Serial W4443-A-0011			
		DROGUE ASSY 5 FT	at WAC 0740			XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV DROGUE ASSY 5FT FITTED IAW 7291.042-2M REF AIP MCS318/16  
EE508L1

REMOVALS/INSTALLATIONS FOR A1PXXU1601935

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PC1600484 MBEU51480	A23T	A26BA14 13MAY16 02:29	00 A1PXXJ1611026				
002	W4443-A-0011 MBEU90690	A23T	A26BA02 13MAY16 02:30	00 A1PXXJ1102467				
003	PC1400107 MBEU90727	A23T	A26BA06 13MAY16 02:31	00 A1PXXJ1611027				
004					W22337-A-0018 MBEU90690	A23T	A26BA02 13MAY16 02:32	00

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : MB9843-SET1 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : MBEU12043PA ~U1604  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP LOCATION : A23-033

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
005					PC1600475	A23T	A26BA06	00
					MBEU90727		13MAY16 02:33	
006					PC1600484	A23T	A26BA14	00
					MBEU51480		13MAY16 02:34	

A1PXXU1601936 COMPLETED 13MAY16 02:36 8013.6 AFHR SCT XXxxXXxxXXxxXXxxXXxx  
 18FEB16 00:38 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 13MAY16 02:36  
 18FEB16 00:38 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 TA due on Serial PC1400107  
 LINE DROG WITHDRAWL at WAC 0740 XXxxXXxxXXxxXXxxXXxx  
 Maint Acts: SERV LINE DROGUE W/D FITTED IAW 7291.042-2M REF AIP MCS318/16 EE508L2

A1PXXU1601937 COMPLETED 13MAY16 02:39 8013.6 AFHR SCM XXxxXXxxXXxxXXxxXXxx  
 18FEB16 00:40 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 13MAY16 02:39  
 18FEB16 00:42 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 HARNESS ASSY PC1100023 DUE T/A BEFORE NEXT SCHEDULED SERVICE  
 Maint Acts: SERV HARNESS ASSY FITTED IAW 7291.042-2M REF AIP MCS318/16 EE508 L3

REMOVALS/INSTALLATIONS FOR A1PXXU1601937

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	PC1100023	A23T	A26BA04	00				
	MBEU12788PA		13MAY16 02:37	A1PXXJ1611028				
002					PC1600536	A23T	A26BA04	00
					MBEU12788PA		13MAY16 02:38	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : MB9843-SET1  
PART NO : MBEU12043PA ~U1604 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : PARACHUTE ASSY  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN	
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME	
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR	
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME	
EE500PG EE500LN						INSPECTOR	
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME	
A1PXXU1601938	COMPLETED	13MAY16 02:27	8013.6	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx	
18FEB16 00:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP				
18FEB16 00:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		STRAP EXTENDER PC1400178 DUE T/A BEFORE NEXT SCHEDULED SERVICE					13MAY16 02:27
						XXxxXXxxXXxxXXxxXXxx	

Maint Acts: SERV STRAP EXTENDER FITTED IAW 7291.042-2M REF AIPMCS 318/16 EE508 L4

REMOVALS/INSTALLATIONS FOR A1PXXU1601938

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PC1400178 MBEU51480	A23T	A26BA14 13MAY16 02:24	00 A1PXXJ1611024				
002					PC1600484 MBEU51480	A23T	A26BA14 13MAY16 02:26	00

A1PXXU1706423	COMPLETED	10AUG17 23:11	8436.3	AFHR	SCT	XXxxXXxxXXxxXXxxXXxx	
12MAY17 02:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			10AUG17 23:11	
12MAY17 02:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		BS due on Serial MD2338					
		QUICK REL FITTING at WAC 0740					XXxxXXxxXXxxXXxxXXxx

Maint Acts: BAY SERVICE C/O IAW 7221.001-3M REF AIP MCS 626/17

A1PXXU1706424	COMPLETED	10AUG17 23:03	8436.3	AFHR	SCT	XXxxXXxxXXxxXXxxXXxx	
12MAY17 02:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			10AUG17 23:03	
12MAY17 02:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP			XXxxXXxxXXxxXXxxXXxx	
		TA due on Serial PC1100685					
		LINE PARA WITHDRAWL at WAC 0740					XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV CANOPY W/D LINE FITTED IAW 7291.042-2M REF AIP MCS 626/17

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : MB9843-SET1 PERIOD: 01JAN90 TO 08JAN20  
PART NO : MBEU12043PA ~U1604  
ENGINEERING NAME : PARACHUTE ASSY  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1706424

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	PC1100685	A23T	A26BA08	00	PC1701301	A23T	A26BA08	00
	MBEU10385PA		10AUG17 23:00	A1PXXJ1109177	MBEU10385PA		10AUG17 23:01	

A1PXXU1706425 COMPLETED 10AUG17 22:59 8436.3 AFHR SCT  
 12MAY17 02:26 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 10AUG17 22:59  
 12MAY17 02:26 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 TA due on Serial E957391  
 CANOPY PARACHUTE at WAC 0740 XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV CANOPY FITTED IAW 7291.042-2M REF AIP MCS 626/17

REMOVALS/INSTALLATIONS FOR A1PXXU1706425

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	E957391	A23T	A26BA00	00	E010682	A23T	A26BA00	00
	GQ06916		10AUG17 22:57	A1PXXJY806781	GQ06916		10AUG17 22:57	

A1PXXU1710748 COMPLETED 09AUG17 00:28 8436.3 AFHR SCT  
 09AUG17 00:26 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 09AUG17 00:28  
 09AUG17 00:26 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 STI-PC9-0653 due on Serial PC1600536  
 HARNESS at WAC 0740 XXxxXXxxXXxxXXxxXXxx

Maint Acts: STI-PC9-0653 C/O NIL FAULTS FOUND REF AIP MCS 626/17 LINE 3

A1PXXU1710901 COMPLETED 10AUG17 23:07 8436.3 AFHR SCT  
 10AUG17 23:04 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 10AUG17 23:07  
 10AUG17 23:06 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
 LINE DROGUE W/D DUE T/A BEFORE NEXT SCHEDULED SERVICE XXxxXXxxXXxxXXxxXXxx

Maint Acts: SERV LINE DROGUE FITTED IAW 7291.042-2M REF AIP MCS 626/17

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04317  
08JAN20  
23:16:15

SERIAL/TAIL NO : MB9843-SET1 PERIOD: 01JAN90 TO 08JAN20  
PART NO : MBEU12043PA ~U1604  
ENGINEERING NAME : PARACHUTE ASSY  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1710901

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PC1600475	A23T	A26BA06	00	PC1600900	A23T	A26BA06	00
	MBEU90727		10AUG17 23:06	A1PXXJ1715664	MBEU90727		10AUG17 23:06	

A1PXXU1809941 COMPLETED 06SEP18 01:32 8857.3 AFHR SST  
10AUG18 00:54 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 06SEP18 01:32  
10AUG18 00:54 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
BS due on Serial MD2338  
QUICK REL FITTING at WAC 0740 XXxxXXxxXXxxXXxxXXxx

Maint Acts: BAY SERVICE CARRIED OUT IAW AAP7221.001-3MREF: AIP MCS 1078/18

A1PXXU1809942 COMPLETED 02SEP18 00:31 8857.3 AFHR SCT+II  
10AUG18 00:54 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 02SEP18 00:15  
10AUG18 00:54 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 16-20-RIG XXxxXXxxXXxxXXxxXXxx  
TA due on Serial PC1600484  
DROG EXTEND STRAP at WAC 0740 XXxxXXxxXXxxXXxxXXxx

aip04023 11SEP18 06:26:33  
LINE DROGUE WITHDRAWAL DUE T/A (NEVER MAKE IT FOR NEXT 2 YEARS)

Maint Acts: FITTED NEW STRAP EXTENDER AND LINE DROGUE WITHDRAWAL IAW 7291.042-2M  
B2 REF: AIP MCS 1077818-2-2,3 (REF: A1PXXU1809943)

REMOVALS/INSTALLATIONS FOR A1PXXU1809942

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	PC1600484	A23T	A26BA14	00	PC1800703	A23T	A26BA14	00
	MBEU51480		01SEP18 01:00	A1PXXJ1609674	MBEU51480		02SEP18 00:10	

A1PXXU1809943 COMPLETED 02SEP18 00:31 8857.3 AFHR SCT+II  
10AUG18 00:54 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 02SEP18 00:30  
10AUG18 00:54 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 16-17-RIG XXxxXXxxXXxxXXxxXXxx  
TA due on Serial PC1600900  
LINE DROG WITHDRAWAL at WAC 0740 XXxxXXxxXXxxXXxxXXxx

Maint Acts: FITTED NEW LINE DROG WITHDRAWAL IAW AAP7291.042-2M REF: AIP MCS  
1078/18-2-3

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04318  
08JAN20  
23:16:15

SERIAL/TAIL NO : MB9843-SET1 PERIOD: 01JAN90 TO 08JAN20  
PART NO : MBEU12043PA ~U1604  
ENGINEERING NAME : PARACHUTE ASSY  
VENUE : A23DISP LOCATION : A23-033

REMOVALS/INSTALLATIONS FOR A1PXXU1809943

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	PC1600900	A23T	A26BA06	00	PC1800699	A23T	A26BA06	00
	MBEU90727		02SEP18 00:05	A1PXXJ1715597	MBEU90727		02SEP18 00:30	

A1PXXU1809944 COMPLETED 02SEP18 00:11 8857.3 AFHR SCT+II XXxxXXxxXXxxXXxxXXxx  
10AUG18 00:54 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 01SEP18 00:10  
10AUG18 00:54 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 16-18-RIG XXxxXXxxXXxxXXxxXXxx  
TA due on Serial E010682  
CANOPY PARACHUTE at WAC 0740 XXxxXXxxXXxxXXxxXXxx  
02SEP18 00:11

Maint Acts: FITTED NEW CANOPY PARACHUTE IAW AAP7291.042-2M B2 REF: AIP MCS  
1078/18-2-1

REMOVALS/INSTALLATIONS FOR A1PXXU1809944

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
REMOVED PART NO	DATE/TIME	JOB NUMBER	INSTALLED PART NO	DATE/TIME				
001	E010682	A23T	A26BA00	00	E1262963	A23T	A26BA00	00
	GQ06916		01SEP18 00:05	A1PXXJY906541	GQ06916		02SEP18 00:10	

A1PXXU1910696 COMPLETED 27SEP19 23:00 9256.2 AFHR T+TS XXxxXXxxXXxxXXxxXXxx  
13SEP19 01:30 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 25SEP19 06:15  
01OCT19 02:49 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP XXxxXXxxXXxxXXxxXXxx  
BS due on Serial MD2338 27SEP19 23:00  
QUICK REL FITTING at WAC 0740 XXxxXXxxXXxxXXxxXXxx

N  
Maint Acts: BAY SERVICE CARRIED OUT IAW AAP 7221.001-3M REF WK SHEET LSN AIP  
MCS 872/19 @ AIP ALS

A1PXXU1910697 COMPLETED 25SEP19 05:30 9256.2 AFHR SCT+II XXxxXXxxXXxxXXxxXXxx  
25SEP19 03:10 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 25SEP19 05:27  
01OCT19 02:58 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP NIL IMIC XXxxXXxxXXxxXXxxXXxx  
TA due on Serial W22337-A-0018  
DROGUE ASSY 5 FT at WAC 0740 XXxxXXxxXXxxXXxxXXxx  
25SEP19 05:30

N  
Maint Acts: SERVICEABLE NEW DROGUE ASSY FITTED 7291.042-2M REF WK SHEET LSN AIP  
MCS 872/19 @ AIP ALS



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04319  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MB9843-SET1 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : MBEU12043PA ~U1604  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 REMOVALS/INSTALLATIONS FOR A1PXXU1910697  
 SEQ REMOVED SERIAL NO EIAC LCN ALC INSTALLED SERIAL NO EIAC LCN ALC  
 REMOVED PART NO DATE/TIME JOB NUMBER INSTALLED PART NO DATE/TIME  
 === =====  
 001 W22337-A-0018 A23T A26BA02 00 Z08031-A-0007 A23T A26BA02 00  
 MBEU90690 25SEP19 05:00 A1PXXJ1610280 MBEU90690 25SEP19 05:30

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
2FTSXJCA05786	C COMPLETED	27MAR03 00:00	XXxxXXxx		2FTS		
02 BAY SERVICE DUE		27MAR03 00:00				0.0	

Unserviceability Details:  
 Maintenance Comments:

AIPXXJ306064X	C COMPLETED	25MAR04 23:02	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
02 BAY SERVICE DUE		14APR04 03:25		BS	4678.9	AFHR	
				due on Serial MB9843			
				PARACHUTE ASSY at WAC 0740			
01 NO FAULT		06 BAY SERVICE					
			Unserviceability Details: Maintenance Comments: BAY SERVICE CARRIED OUT IAW 7291.042-2M REFER TO OAM355/04				

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			26MAR04
SM	BS	1.0	ELPYR			26MAR04

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : MB9843-SET1  
 PART NO : MBEU12043PA ~U1604  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			

A1PXXJY408148 C COMPLETED 04MAY04 23:51 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 05MAY04 00:00 4716.8 AFHR  
 09 CANNIBALISATION 99 NO FAILURE FRONT AND REAR PARAS REMOVED SERV TO A23-024

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: FRONT + REAR PSPS REMOVED SERV TO A23-024

A1PXXJY421007 C COMPLETED 29OCT04 00:24 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 29OCT04 00:29 4866.6 AFHR  
 13 REMOVED FOR ACCESS 99 NO FAILURE FRONT AND REAR PARA ASSY'S RFA

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: SERV

A1PXXJY406703 C COMPLETED 13APR05 03:09 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 30MAY05 05:30 5004.6 AFHR  
 02 BAY SERVICE DUE BS due on Serial MB9843  
 PARACHUTE ASSY at WAC 0740

01 NO FAULT 06 BAY SERVICE  
 Unserviceability Details:  
 Maintenance Comments: BAY SERVICE CARRIED OUT IAW AAP 7291.042-2MB2 REFER OAM  
 498/05

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
=====	=====	=====	=====	=====	=====	=====
SM	BS	1.0	ELPYR			14APR05

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : MB9843-SET1  
PART NO : MBEU12043PA ~U1604  
ENGINEERING NAME : PARACHUTE ASSY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1PXXJY507479	C COMPLETED	15APR05 00:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	30MAY05 05:32					5004.6	AFHR
03 OVERHAUL DUE				OH	DUE ON SERIAL MB9843		
				PARACHUTE ASSY	AT WAC 0740		
01 NO FAULT		07 OVERHAUL					
		Unserviceability Details:					
		Maintenance Comments:		BAY SERVICE CARRIED OUT IAW AAP 7291.042-2MB2	REFER OAM		
				498/05			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	1.0	ELPYR			20MAY88
SM	OH	1.0	ELPYR			20MAY88

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1PXXJY511110	C COMPLETED	10JUN05 00:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	10JUN05 00:42					5004.6	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE		PARA REMOVED CAMM TRANSACTION ONLY			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		CHECK/TEST SERV			

A1PXXJY509932	C COMPLETED	15MAY06 01:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	28JUL06 02:26					5289.3	AFHR
03 OVERHAUL DUE				OH	due on Serial MB9843		
				PARACHUTE ASSY	at WAC 0740		
01 NO FAULT		07 OVERHAUL					
		Unserviceability Details:					
		Maintenance Comments:		OVERHAUL CARRIED OUT IAW 7291.042-2MB2	REFER TO OAM	583/06	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 04322  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MB9843-SET1  
 PART NO : MBEU12043PA ~U1604  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	1.0	ELPYR			30MAY06
SM	OH	1.0	ELPYR			30MAY06

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1PXXJY611614 C COMPLETED 24JUL07 03:38 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 30JUL07 05:46 24JUL07 00:09 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 5373.4 AFHR  
 03 OVERHAUL DUE OH due on Serial MB9843  
 PARACHUTE ASSY at WAC 0740  
 01 NO FAULT 07 OVERHAUL  
 Unserviceability Details:  
 Maintenance Comments: OVERHAUL CARRIED OUT IAW AAP 7291.042-2M REFER OAM 971/07

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	1.0	ELPYR			28JUL07
SM	OH	1.0	ELPYR			28JUL07

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1PXXJY718526 C COMPLETED 04OCT07 02:33 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 04OCT07 02:34 04OCT07 02:33 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 5432.6 AFHR  
 13 REMOVED FOR ACCESS 99 NO FAILURE PSP REMOVED FOR ACCESS  
 01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04323  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MB9843-SET1  
 PART NO : MBEU12043PA ~U1604  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

A1PXXJY801757	C COMPLETED	25JAN08 02:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	25JAN08 02:43	25JAN08 02:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	5578.2	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		PARA PSP AND SEO RFA			
01	NO FAULT	04 CHECK/TEST SERV					
		Unserviceability Details:		CHECK/TEST SERV			
		Maintenance Comments:					
A1PXXJY806775	C COMPLETED	22APR08 23:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	24APR08 03:44	22APR08 23:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	5651.2	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		RCP PARA ASSY RFA			
01	NO FAULT	04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		NEW PARACHUTE CANOPY FITTED IAW AAP 7291.042-2M REFER OAM 521/08			
A1PXXJY810200	C COMPLETED	24JUN08 23:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	24JUN08 23:39	24JUN08 23:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	5735.2	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		F & R PARA,S RFA			
01	NO FAULT	04 CHECK/TEST SERV					
		Unserviceability Details:		CHECK/TEST SERV			
		Maintenance Comments:					
A1PXXJY714584	C COMPLETED	25JUL08 03:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	15AUG08 03:43	24JUL08 23:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	5760.7	AFHR
03	OVERHAUL DUE			OH due on Serial MB9843			
				PARACHUTE ASSY at WAC 0740			
01	NO FAULT	07 OVERHAUL					
		Unserviceability Details:					
		Maintenance Comments:		OVERHAUL CARRIED OUT IAW AAP 7291.042-2M REFER OAM 1016/08			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	1.0	ELPYR			29JUL08
SM	OH	1.0	ELPYR			29JUL08

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04324  
08JAN20  
23:16:15

SERIAL/TAIL NO : MB9843-SET1  
PART NO : MBEU12043PA ~U1604  
ENGINEERING NAME : PARACHUTE ASSY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJY913811	C COMPLETED	26JUN09 05:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	26JUN09 05:14	26JUN09 05:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	6139.9	AFHR
01 NO FAULT	99 NO FAILURE			CART SET SEAT, SEO, PARA ASSY AND PSP RFA			

04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV

A1PXXJY813636	C COMPLETED	19AUG09 00:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
03 OVERHAUL DUE	10SEP09 00:09	19AUG09 00:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	6139.9	AFHR
01 NO FAULT	07 OVERHAUL			OH due on Serial MB9843 PARACHUTE ASSY at WAC 0740			

Unserviceability Details:  
Maintenance Comments: OVERHAUL CARRIED OUT IAW AAP 7291.042-2M REF OAM 980/09

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	1.0	ELPYR			15AUG09
SM	OH	1.0	ELPYR			15AUG09

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJ1006026	C COMPLETED	07APR10 10:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	07APR10 10:34	07APR10 10:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	6379.7	AFHR
01 NO FAULT	99 NO FAILURE			PARA, PSP, CARTS AND SEO RFA			

04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04325  
08JAN20  
23:16:15

SERIAL/TAIL NO : MB9843-SET1  
PART NO : MBEU12043PA ~U1604  
ENGINEERING NAME : PARACHUTE ASSY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

=====  
A1PXXJ1009353 C COMPLETED 02SEP10 22:43 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
01MAR11 22:34 02SEP10 22:35 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 6527.8 AFHR  
02 BAY SERVICE DUE BS due on Serial MB9843  
PARACHUTE ASSY at WAC 0740  
01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: BS C/O IAW 7291.042-2M REF ALS 3036/10

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			09SEP10
SM	BS	1.0	ELPYR			09SEP10

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

=====  
A1PXXJ1115688 C COMPLETED 21OCT11 02:19 XXxxXXxx XXxxXXxxXXxxXXxx AIP AIP  
21OCT11 02:20 21OCT11 02:19 XXxxXXxx XXxxXXxxXXxxXXxx AIP 6752.1 AFHR  
13 REMOVED FOR ACCESS 99 NO FAILURE SEO'S,PARA'S, PSP'S AND CART SETS SEATS RFA  
01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV

A1PXXJ1102838 C COMPLETED 18JAN12 05:55 XXxxXXxx XXxxXXxxXXxxXXxx AIP AIP  
22MAR12 22:41 18JAN12 05:04 XXxxXXxx XXxxXXxxXXxxXXxx AIP 6764.0 AFHR  
02 BAY SERVICE DUE BS due on Serial MB9843  
PARACHUTE ASSY at WAC 0740  
01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: BAY SERVICE CARRIED OUT IAW AAP 7291.042-2M REF ALS 6513/12

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04326  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MB9843-SET1  
 PART NO : MBEU12043PA ~U1604  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			29FEB12
SM	BS	1.0	ELPYR			29FEB12

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJ1210738	C COMPLETED	24JUL12 07:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
13	REMOVED FOR ACCESS	24JUL12 07:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	6979.6	AFHR
01	NO FAULT	99	NO FAILURE	FRONT AND REAR PARA ASSY, PSP AND SEO'S REMOVED FOR ACCESS			
04	CHECK/TEST SERV	Unserviceability Details: Maintenance Comments: CHECK/TEST SERV					
A1PXXJ1302023	C COMPLETED	13FEB13 09:44	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
13	REMOVED FOR ACCESS	13FEB13 09:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	7064.5	AFHR
01	NO FAULT	99	NO FAILURE	FRONT AND REAR PSP RFA (SENT TO ALS FOR FURTHER SERVICING)			
04	CHECK/TEST SERV	Unserviceability Details: Maintenance Comments: CHECK/TEST SERV					
A1PXXJ1203949	C COMPLETED	17FEB13 22:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
02	BAY SERVICE DUE	17FEB13 22:14	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	7064.5	AFHR
01	NO FAULT	06	BAY SERVICE	BS due on Serial MB9843-SET1 PARACHUTE ASSY at WAC 0740			
06	BAY SERVICE	Unserviceability Details: Maintenance Comments: BAY SERVICE CARRIED OUT IAW AAP 7291.042-2M REF ALS 8783/13					

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			22MAR13
SM	BS	1.0	ELPYR			22MAR13



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04327  
08JAN20  
23:16:15

SERIAL/TAIL NO : MB9843-SET1  
PART NO : MBEU12043PA ~U1604  
ENGINEERING NAME : PARACHUTE ASSY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJ1307801	C COMPLETED	14JUN13 01:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	14JUN13 01:05	14JUN13 01:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		7213.4	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		FRONT AND REAR PARAS, PSPS AND SEOS RFA			

01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: SERV

A1PXXJ1302581	C COMPLETED	24FEB14 00:02	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	06MAR14 05:08	23FEB14 23:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		7434.6	AFHR
02	BAY SERVICE DUE			BS due on Serial MB9843-SET1 PARACHUTE ASSY at WAC 0740			

01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: BAY SERVICE CARRIED OUT IAW AAP 7291.042-2M REF ALS 10806/14

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			21FEB14
SM	BS	1.0	ELPYR			21FEB14

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJ1416547	C COMPLETED	18SEP14 03:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	18SEP14 03:20	18SEP14 03:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		7599.8	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		FRONT AND REAR EJECTION SEATS, CARTS, PARAS, PSPS AND SEOS REMOVED FOR ACCESS			

01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04328  
08JAN20  
23:16:15

SERIAL/TAIL NO : MB9843-SET1  
PART NO : MBEU12043PA ~U1604  
ENGINEERING NAME : PARACHUTE ASSY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJ1503402	C COMPLETED	05MAR15 11:11	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
	05MAR15 11:12	05MAR15 11:11	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		7649.3 AFHR	
13 REMOVED FOR ACCESS	99 NO FAILURE			FRONT AND REAR PARA ASSY'S AND PSP ASSY'S REMOVED FOR ACCESS			

01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details: CHECK/TEST SERV  
Maintenance Comments:

A1PXXJ1403631	C COMPLETED	09MAR15 05:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
	29MAR15 23:12	09MAR15 05:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		7649.3 AFHR	
02 BAY SERVICE DUE				BS due on Serial MB9843-SET1 PARACHUTE ASSY at WAC 0740			

01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: BAY SERVICE CARRIED OUT IAW AAP 7291.042-2M REF ALS 12578/15

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			06MAR15
SM	BS	1.0	ELPYR			06MAR15

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJ1513823	C COMPLETED	07SEP15 23:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
	07SEP15 23:32	07SEP15 23:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		7792.9 AFHR	
13 REMOVED FOR ACCESS	99 NO FAILURE			PARA AND PSP REMOVED TO A23-001			

01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04329  
08JAN20  
23:16:15

SERIAL/TAIL NO : MB9843-SET1  
PART NO : MBEU12043PA ~U1604  
ENGINEERING NAME : PARACHUTE ASSY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJ1604140	C COMPLETED	17FEB16 23:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
13 REMOVED FOR ACCESS	17FEB16 23:21	17FEB16 23:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	8013.6 AFHR	

01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details: CHECK/TEST SERV  
Maintenance Comments:

A1PXXJ1504858	C COMPLETED	18FEB16 00:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
02 BAY SERVICE DUE	13MAY16 02:46	18FEB16 00:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	8013.6 AFHR	

01 NO FAULT 06 BAY SERVICE  
Unserviceability Details: BS due on Serial MB9843-SET1  
Maintenance Comments: PARACHUTE ASSY at WAC 0740  
B/S C/O IAW 7291.042-2M , 7221.001-3M REF AIP MCS 318/16

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			28MAR16
SM	BS	1.0	ELPYR			28MAR16

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJ1611031	C COMPLETED	13MAY16 02:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
13 REMOVED FOR ACCESS	13MAY16 02:58	13MAY16 02:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	8013.6 AFHR	

01 NO FAULT 04 CHECK/TEST SERV  
Unserviceability Details: JOB RAISED TO RESET CAMM2 SERV  
Maintenance Comments: CAMM2 STATUS RESET

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04331  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MB9843-SET1  
 PART NO : MBEU12043PA ~U1604  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1PXXJ1720526 C COMPLETED 03NOV17 04:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 03NOV17 04:54 03NOV17 04:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 8573.9 AFHR  
 13 REMOVED FOR ACCESS 99 NO FAILURE FRONT AND REAR PARA, PSP AND SEO'S REMOVED FOR ACCESS

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

A1PXXJ1813089 C COMPLETED 09AUG18 12:09 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 09AUG18 12:10 09AUG18 12:10 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 8857.3 AFHR  
 13 REMOVED FOR ACCESS 99 NO FAILURE FRONT AND REAR PARA AND PSP ASSEMBLIES RFA (B/S TO BE INITIATED BY MCS)

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

A1PXXJ1715666 C COMPLETED 10AUG18 00:54 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 06SEP18 03:39 10AUG18 00:54 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 8857.3 AFHR  
 02 BAY SERVICE DUE BS due on Serial MB9843-SET1  
 PARACHUTE ASSY at WAC 0740

01 NO FAULT 06 BAY SERVICE  
 Unserviceability Details:  
 Maintenance Comments: BAY SERVICE CARRIED OUT IAW AAP7291.042-2M & 7221.001-3M REF:  
 AIP MCS 1078/18

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			10AUG18
SM	BS	1.0	ELPYR			10AUG18

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04332  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MB9843-SET1  
 PART NO : MBEU12043PA ~U1604  
 ENGINEERING NAME : PARACHUTE ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

A1PXXJ1910876	C COMPLETED	02JUL19 05:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
14 CONFIGURATION CHANGE	02JUL19 05:41	02JUL19 05:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	9136.9	AFHR
01 NO FAULT	99 NO FAILURE	ALS REMOVED FOR CONFIGURATION CHANGE					
	04 CHECK/TEST SERV	Unserviceability Details:		CHECK/TEST SERV			
	Maintenance Comments:						
A1PXXJ1913947	C COMPLETED	06SEP19 05:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	06SEP19 05:16	06SEP19 05:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	9256.2	AFHR
01 NO FAULT	99 NO FAILURE	FRONT AND REAR PARA AND PSP ASSY'S REMOVED FOR ACCESS					
	04 CHECK/TEST SERV	Unserviceability Details:		CHECK/TEST SERV			
	Maintenance Comments:						
A1PXXJ1913944	C COMPLETED	25SEP19 06:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
02 BAY SERVICE DUE	27SEP19 23:00	01OCT19 03:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	9256.2	AFHR
01 NO FAULT	06 BAY SERVICE	BS due on Serial MB9843-SET1		PARACHUTE ASSY at WAC 0740			
	Unserviceability Details:		BAY SERVICE CARRIED OUT IAW AAP 7291.042-2M AND 7221.001-3M				
	Maintenance Comments:		REF WK SHEET LSN AIP MCS 872/19 @ AIP ALS				

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			06SEP19
SM	BS	1.0	ELPYR			06SEP19

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : MB9843-SET1  
PART NO : MBEU12043PA ~U1604  
ENGINEERING NAME : PARACHUTE ASSY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

STI STATUS CHANGE -----

STI NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
STI-PARACHUTE-0146	Y	09OCT02 00:00	N/A			
STI-PARACHUTE-0156	Y	09OCT02 00:00	N/A			
STI-PC9-0222	Y	22SEP98 00:00	INC			

MAINTENANCE POLICY HISTORY -----

POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	USER ID
28SEP09 23:31	SM DLD Changed From:	OH 10SEP2009	XXxxXXxx
27MAY10 00:29	SM DLD Changed From:	BS 21MAY1987	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 04334  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MB9843-SET1  
 PART NO : MBEU12095PA  
 ENGINEERING NAME : PACK ASSY PARACHUTE  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

LOCATION : A23-033  
 LIFE SINCE NEW : 8917.0 AFHR

~U1604

PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T CHANGE TYPE		LIFE SINCE NEW		SPAN(DYS) FROM		TO (OPTIONAL)		TRANS REFERENCE		USER	
=====											
02SEP03	09:08	Maintenance Comment	0.0	AFHR	4.0	4036.5	0.0	AFHR			XXxxXXxx
02SEP03	09:09	Maintenance Comment	0.0	AFHR	4.0	27Mar03 MB9843	00.40	5785	0	DAYS	02-BS DUE LF36305
02SEP03	09:10	Maintenance Comment	0.0	AFHR	4.0	27Mar03		ELPYR LST BS 26MAR04	ELPYR	NXT BS	XXxxXXxx
02SEP03	09:15	Maintenance Comment	0.0	AFHR	4.0	21May87 NEW - MB9843		MBEU12095PA	1451-12-08-L		XXxxXXxx
02SEP03	09:16	Maintenance Comment	0.0	AFHR	4.0	4014.7	0.0	AFHR			XXxxXXxx
02SEP03	09:17	Maintenance Comment	0.0	AFHR	4.0	25Nov02 MB9843	07.40	5663	0	DAYS	UPDATED LIFE (MPMI)
02SEP03	09:17	Maintenance Comment	0.0	AFHR	4.0	04Dec01 MB9843	00.40	5307	0	DAYS	02-BS DUE LD15976
02SEP03	09:19	Maintenance Comment	0.0	AFHR	4.0	27Mar03 LF21430		FF: 01-NIL			XXxxXXxx
02SEP03	09:19	Maintenance Comment	0.0	AFHR	4.0	29Aug03 MB9843	07.40	4164.7 AFHR	TX TO	CMM2	XXxxXXxx
02SEP03	09:21	Maintenance Comment	0.0	AFHR	4.0	07Dec00 LB08154		FF: 01-NIL			XXxxXXxx
02SEP03	09:24	Maintenance Comment	0.0	AFHR	4.0	3570.9	0.0	AFHR			XXxxXXxx
02SEP03	09:24	Maintenance Comment	0.0	AFHR	4.0	04Dec01 LD14555		FF: 01-NIL			XXxxXXxx
14APR04	02:52	Change Serviceability Stat			20.0	S/I					
14APR04	02:57	Change Serviceability Stat	4331.7	AFHR	0.0	US/I					XXxxXXxx
07NOV12	00:42	Change Serial Number of an	4331.7	AFHR	3357.6	S/I					XXxxXXxx
			6691.0	AFHR		MB9843					XXxxXXxx
						MB9843-SET1					
						A1PXXX1211605					XXxxXXxx



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04335  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MB9843-SET1  
 PART NO : MBEU12095PA ~U1604  
 ENGINEERING NAME : PACK ASSY PARACHUTE  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
07DEC15 05:09	Position Change	4482.8	A23T A26BA10 00 A23T A26BA10 00	
	Maintenance Comment	0.0	A1PXXX1511445 UPDATE POLICY TO REMOVE ERROR	XXxxXXxx

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
2FTSXJCA05727	C COMPLETED	27MAR03 00:00	XXxxXXxx		2FTS		0.0
02 BAY SERVICE DUE							

Unserviceability Details:  
 Maintenance Comments:

AIPXXJ303177X	C COMPLETED	14APR04 02:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	4331.7	AFHR
02 BAY SERVICE DUE				BS due on Serial MB9843 PACK ASSY PARACHUTE at WAC 0740			
01 NO FAULT							

06 BAY SERVICE

Unserviceability Details:  
 Maintenance Comments:

BAY SERVICE CARRIED OUT IAW 7291.042-2M REFER TO OAM355/04

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			26MAR04
SM	BS	1.0	ELPYR			26MAR04

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04336  
08JAN20  
23:16:15

SERIAL/TAIL NO : MD0273  
PART NO : MBEU72851 ~U1604  
ENGINEERING NAME : QUICK REL FITTING  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 1144.4 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	DATE NEW	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	HA PART	DATE UNPACKED		
22AUG16 02:22	MD0273	MBEU72851	A23T	A1WBA12	00
aip01694	AIP	ALS	RALB232	A1PXXR1601391	
M. COX		07APR11	22AUG16		
	0.0 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04337  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MD0273  
 PART NO : MBEU72851  
 ENGINEERING NAME : QUICK REL FITTING  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS		-----						
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS) FROM		TO (OPTIONAL)	USER			
=====	=====	=====		=====	=====			
	LIFE SINCE NEW			TRANS REFERENCE				
22AUG16 02:22	Reception History Record	0.0		Reception ALS		PC9		
	0.0 AFHR						XXxxXXxx	
24AUG16 02:39	Change Serviceability Stat	2.1		SERV U/S				
	0.0 AFHR			A1PXXJ1617719			XXxxXXxx	
24AUG16 02:40	Change Serviceability Stat	0.0		U/S SERV				
	0.0 AFHR						XXxxXXxx	
24AUG16 02:47	Asset Installation	1966.1		A23T A1WBA12 MB10274-SET1	00 MB10274-SET1			
	0.0 AFHR					A23T A1WBA12	00MMI	
	Change Serviceability Stat	0.0		SERV S/I				
	Change Location of an Asse	2.1		ALS ALS		PC9		
12MAY17 02:29	Change Serviceability Stat	0.7		S/I US/I				
	316.5 AFHR			A1PXXJ1617960			XXxxXXxx	
10AUG17 23:28	Change Serviceability Stat	90.8		US/I S/I				
	316.5 AFHR						XXxxXXxx	
10AUG18 00:53	Change Serviceability Stat	1.6		S/I US/I				
	737.5 AFHR			A1PXXJ1715669			XXxxXXxx	
06SEP18 01:49	Change Serviceability Stat	27.0		US/I S/I				
	737.5 AFHR						XXxxXXxx	
13SEP19 03:00	Change Serviceability Stat	7.7		S/I US/I				
	1136.4 AFHR			A1PXXJ1815000			XXxxXXxx	
26SEP19 05:32	Change Serviceability Stat	13.1		US/I S/I				
	1136.4 AFHR						XXxxXXxx	

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04338  
08JAN20  
23:16:15

SERIAL/TAIL NO : MD0273  
PART NO : MBEU72851 ~U1604  
ENGINEERING NAME : QUICK REL FITTING  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

=====  
A1PXXJ1617719 C COMPLETED 24AUG16 02:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
24AUG16 02:40 24AUG16 02:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 0.0 AFHR  
02 BAY SERVICE DUE BS due on Serial MD0273  
QUICK REL FITTING at WAC 0730  
01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: BAY SERV C/O IAW 7221.001-3M

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			06APR12
SM	BS	1.0	ELPYR			06APR12

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

=====  
A1PXXJ1617960 C COMPLETED 10AUG17 23:27 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
10AUG17 23:28 12MAY17 02:29 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 316.5 AFHR  
02 BAY SERVICE DUE BS due on Serial MD0273  
QUICK REL FITTING at WAC 0730  
01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: BAY SERVICE C/O IAW 7221.001-3M REF AIP MCS 625/17

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			24AUG17
SM	BS	1.0	ELPYR			24AUG17

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04339  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MD0273  
 PART NO : MBEU72851 ~U1604  
 ENGINEERING NAME : QUICK REL FITTING  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			

A1PXXJ1715669	C COMPLETED	10AUG18 00:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	06SEP18 01:49	10AUG18 00:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	737.5	AFHR
02 BAY SERVICE DUE				BS	due on Serial MD0273		
				QUICK REL FITTING	at WAC 0730		
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:			BAY SERVICE CARRIED OUT IAW AAP7221.001-3M REF: AIP MCS 1077/18		

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			10AUG18
SM	BS	1.0	ELPYR			10AUG18

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			

A1PXXJ1815000	C COMPLETED	13SEP19 03:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	26SEP19 05:32	01OCT19 02:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	1136.4	AFHR
02 BAY SERVICE DUE				BS	due on Serial MD0273		
				QUICK REL FITTING	at WAC 0730		
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:			BAY SERVICE CARRIED OUT IAW AAP 7221.001-3M REF WK SHEET LSN AIP MCS 871/19 @ AIP ALS		

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			06SEP19
SM	BS	1.0	ELPYR			06SEP19

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04340  
08JAN20  
23:16:15

SERIAL/TAIL NO : MD0273  
PART NO : MBEU72851 ~U1604  
ENGINEERING NAME : QUICK REL FITTING  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

STI STATUS CHANGE -----

STI NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
=====	=====	=====	=====	=====	=====	=====
STI-HORNET-1495	Y	24OCT17 00:00	N/A			
STI-HORNET-1495	N	24OCT17 22:12	NINC			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04341  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MD1414  
 PART NO : MBEU91524  
 ENGINEERING NAME : GUN DROGUE  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

LOCATION : A23-033  
 LIFE SINCE NEW : 7193.3 AFHR

PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
				LIFE SINCE NEW				
30AUG03	05:48	Maintenance	Comment	0.8	2599.3	0.0	AFHR	XXXXXXxx
								CAMM LOG00002
30AUG03	05:48	Maintenance	Comment	0.8	03Apr00	RV99907	FF: 01-NIL	MA: 06-BS
								XXXXXXxx
30AUG03	05:48	Maintenance	Comment	0.8	29Aug03	040	07.40	3417.5 AFHR TX TO CAMM2
								XXXXXXxx
30AUG03	05:51	Maintenance	Comment	0.8	03Apr00	040	00.40	3792 1693 DAYS 02-BS DUE RW03570
								XXXXXXxx
30AUG03	05:51	Maintenance	Comment	0.8	13Nov89	NEW - MD1414	MBEU91524	1451-01-00-B
								XXXXXXxx
30AUG03	05:52	Maintenance	Comment	0.8	2737.5	0.0	AFHR	XXXXXXxx
								CAMM LOG00004
30AUG03	05:54	Maintenance	Comment	0.8	3130.9	0.0	AFHR	XXXXXXxx
								CAMM LOG00007
30AUG03	05:55	Maintenance	Comment	0.8	30Jun99	040	07.40	3514 1415 DAYS UPDATED LIFE (MPMI)
								XXXXXXxx
30AUG03	05:56	Maintenance	Comment	0.8	21Jan02		ELPYR	LST BS 21JAN04 ELPYR NXT BS
								XXXXXXxx
30AUG03	06:04	Maintenance	Comment	0.9	21Jan02	040	00.40	4449 2350 DAYS 03-OH DUE RY20028
								XXXXXXxx
30AUG03	06:05	Maintenance	Comment	0.9	21Jan02	RX16094	FF: 01-NIL	MA: 07-OH
								XXXXXXxx
17NOV03	22:21	Position	Change	80.5	A23T	A26AK	00	
								0
								XXXXXXxx
11DEC03	00:32	Change	Serviceability Stat	21.9	3443.6	AFHR		ARDUXXY300843
								S/I
								US/I
18MAR04	22:51	Change	Serviceability Stat	98.9	3447.5	AFHR		ARDUPJ301924
								S/I
								US/I
03APR06	03:19	Change	Serviceability Stat	17.0	3447.5	AFHR		
								S/I
								US/I
					3799.8	AFHR		A1EXXJY401859
								XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04342  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MD1414  
 PART NO : MBEU91524 ~U1604  
 ENGINEERING NAME : GUN DROGUE  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
21APR06 00:24	Change Serviceability Stat	3799.8 AFHR	17.8	US/I S/I	XXxxXXxx
17JAN08 00:00	Change Serviceability Stat	4078.8 AFHR	2.8	S/I US/I A1EXXJY602735	XXxxXXxx
29APR08 01:21	Change Serviceability Stat	4078.8 AFHR	103.0	US/I S/I	XXxxXXxx
28MAR10 21:27	Change Serviceability Stat	4674.0 AFHR	3.6	S/I US/I A1EXXJY802831	XXxxXXxx
24MAY10 03:58	Change Serviceability Stat	4674.0 AFHR	56.2	US/I S/I	XXxxXXxx
02MAY12 03:49	Change Serviceability Stat	5253.2 AFHR	0.9	S/I US/I A1EXXJ1002932	XXxxXXxx
23MAY12 05:04	Change Serviceability Stat	5253.2 AFHR	21.0	US/I S/I	XXxxXXxx
24FEB14 22:38	Change Serviceability Stat	5846.3 AFHR	10.8	S/I US/I A1EXXJ1202827	XXxxXXxx
09OCT14 04:47	Change Serviceability Stat	5846.3 AFHR	226.2	US/I S/I	XXxxXXxx
22SEP16 04:29	Change Serviceability Stat	6288.1 AFHR	62.9	S/I US/I A1EXXJ1406413	XXxxXXxx
23SEP16 00:58	Asset Removal	6288.1 AFHR	4773.6	040 A23T A26AK	XXxxXXxx
	Change Serviceability Stat		0.8	US/I U/S	

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04343  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MD1414  
 PART NO : MBEU91524  
 ENGINEERING NAME : GUN DROGUE  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
23SEP16 00:58	Change Serviceability Stat	0.0	U/S SERV	
08NOV16 03:43	Asset Installation	46.1	A23T 040 A26AK 040 00	XXxxXXxx
	Change Serviceability Stat	46.1	SERV S/I S/I US/I	A23T A26AK 00MMI
15NOV18 00:17	Change Serviceability Stat	6.7	A1EXXJ1610653	XXxxXXxx
07FEB19 04:36	Asset Removal	821.0	040 A23T A26AK 040 00	A23T A26AK 00M
	Change Serviceability Stat	84.1	US/I U/S U/S SERV	XXxxXXxx
07FEB19 04:36	Change Serviceability Stat	0.0		
19FEB19 01:56	Asset Installation	11.8	A23T 040 A26AK 040 00	XXxxXXxx
	Change Serviceability Stat	11.8	SERV S/I	A23T A26AK 00MMI

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME
A1EXXU1605721	COMPLETED	08NOV16 00:42	6288.1	AFHR	SCM	XXxxXXxxXXxxXXxxXXxx
23SEP16 00:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			
23SEP16 00:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE			XXxxXXxxXXxxXXxxXXxx
		BS due on Serial MD1414A				08NOV16 00:42
		GAS FRNG UNIT DROG at WAC 0740				XXxxXXxxXXxxXXxxXXxx
		TRANSFERRED FROM A23-020				
		TRANSFERRED FROM 040				

Maint Acts: SERV GAS FIRING UNIT DROGUE FITTED REF SNOW 1202831 MCS ARM 52/16

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : MD1414  
PART NO : MBEU91524 ~U1604 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : GUN DROGUE  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL BL ADMIN		MAINT ACTION/LIMITATIONS				DATE/TIME

REMOVALS/INSTALLATIONS FOR A1EXXU1605721

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	MD1414A MBEU62327	A23T	A26AK00 23SEP16 01:02	00 A1EXXJ1406425	MD1414A MBEU62327	A23T	A26AK00 08NOV16 00:40	00

A1EXXU1900512 COMPLETED 19FEB19 01:47 6891.9 AFHR SCT XXxxXXxxXXxxXXxxXXxx  
07FEB19 04:36 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 19FEB19 01:47  
07FEB19 04:36 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE XXxxXXxxXXxxXXxxXXxx  
BS due on Serial MD1414A  
GAS FRNG UNIT DROG at WAC 0740 XXxxXXxxXXxxXXxxXXxx  
N  
TRANSFERRED FROM 040

Maint Acts: GAS FIRING UNIT FITTED SERV REF SNOW 1610669 AIE MCS 08/19

REMOVALS/INSTALLATIONS FOR A1EXXU1900512

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	MD1414A MBEU62327	A23T	A26AK00 07FEB19 04:41	00 A1EXXJ1610652	MD1414A MBEU62327	A23T	A26AK00 19FEB19 01:46	00

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : MD1414  
 PART NO : MBEU91524 ~U1604  
 ENGINEERING NAME : GUN DROGUE  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			

ARDUPJCA00476 C COMPLETED 21JAN02 00:00 XXxxXXxx ARDUPEA 0.0  
 21JAN02 00:00  
 02 BAY SERVICE DUE

Unserviceability Details:  
 Maintenance Comments:

ARDUPJCA00458 C COMPLETED 21JAN02 00:00 XXxxXXxx ARDUPEA 0.0  
 21JAN02 00:00  
 03 OVERHAUL DUE

Unserviceability Details:  
 Maintenance Comments:

ARDUPJ301924X C COMPLETED 18MAR04 22:51 XXxxXXxx XXxxXXxxXXxxXXxxXXxx ARDU AIE 3447.5 AFHR  
 18MAR04 22:51  
 02 BAY SERVICE DUE BS due on Serial MD1414  
 GUN DROGUE at WAC 0740  
 01 NO FAULT 06 BAY SERVICE

Unserviceability Details:  
 Maintenance Comments: BS CO

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
=====	=====	=====	=====	=====	=====	=====
SM	BS	2.0	ELPYR			21JAN04
SM	BS	2.0	ELPYR			21JAN04

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : MD1414  
PART NO : MBEU91524 ~U1604  
ENGINEERING NAME : GUN DROGUE  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJY401859 C COMPLETED 21APR06 00:23 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
 21APR06 00:24 3799.8 AFHR  
 02 BAY SERVICE DUE BS due on Serial MD1414  
 GUN DROGUE at WAC 0740  
 01 NO FAULT 06 BAY SERVICE  
 Unserviceability Details:  
 Maintenance Comments: BSCO

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			18MAR06
SM	BS	2.0	ELPYR			18MAR06

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

ARDUPJ301925X C COMPLETED 27MAR08 23:43 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
 29APR08 01:21 27MAR08 23:42 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 4078.8 AFHR  
 03 OVERHAUL DUE OH due on Serial MD1414  
 GUN DROGUE at WAC 0740  
 01 NO FAULT 07 OVERHAUL  
 Unserviceability Details:  
 Maintenance Comments: OH C/O

A1EXXJY602735 C COMPLETED 29APR08 01:14 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU AIE  
 29APR08 01:15 17JAN08 00:00 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU 4078.8 AFHR  
 02 BAY SERVICE DUE BS due on Serial MD1414  
 GUN DROGUE at WAC 0740  
 01 NO FAULT 06 BAY SERVICE  
 Unserviceability Details:  
 Maintenance Comments: C/O

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04347  
08JAN20  
23:16:15

SERIAL/TAIL NO : MD1414  
PART NO : MBEU91524 ~U1604  
ENGINEERING NAME : GUN DROGUE  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			20APR08
SM	BS	2.0	ELPYR			20APR08

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

1A1EXXJY802831 C COMPLETED 24MAY10 03:44 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
24MAY10 03:58 28MAR10 21:27 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 4674.0 AFHR  
02 BAY SERVICE DUE BS due on Serial MD1414  
GUN DROGUE at WAC 0740  
01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: BS C/O SERV REF SNOW 602739

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			29APR10
SM	BS	2.0	ELPYR			29APR10

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

1A1EXXJ1002932 C COMPLETED 23MAY12 04:45 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
23MAY12 05:04 02MAY12 03:49 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 5253.2 AFHR  
02 BAY SERVICE DUE BS due on Serial MD1414  
GUN DROGUE at WAC 0740  
01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: BS C/O SERV REF SNOW 1002936

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			23MAY12

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 04348  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MD1414  
 PART NO : MBEU91524 ~U1604  
 ENGINEERING NAME : GUN DROGUE  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			23MAY12

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS		UNSERVICEABILITY DETAILS			
MAINT PROCESS	UNSERVICEABILITY	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

1AEXXJ1202827 C COMPLETED 09OCT14 04:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
 09OCT14 04:47 24FEB14 22:38 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 5846.3 AFHR  
 02 BAY SERVICE DUE BS due on Serial MD1414  
 GUN DROGUE at WAC 0740  
 01 NO FAULT 06 BAY SERVICE  
 Unserviceability Details:  
 Maintenance Comments: OH C/O SERV REF SNOW 802851

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			23MAY14
SM	BS	2.0	ELPYR			23MAY14

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS		UNSERVICEABILITY DETAILS			
MAINT PROCESS	UNSERVICEABILITY	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

1AEXXJ1406413 C COMPLETED 23SEP16 00:58 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
 08NOV16 00:29 22SEP16 04:29 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 6288.1 AFHR  
 02 BAY SERVICE DUE BS due on Serial MD1414  
 GUN DROGUE at WAC 0740  
 01 NO FAULT 06 BAY SERVICE  
 Unserviceability Details:  
 Maintenance Comments: BS C/O SERV REF SNOW 1202831 MCS ARM 52/16

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			08OCT16
SM	BS	2.0	ELPYR			08OCT16

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04349  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MD1414  
 PART NO : MBEU91524 ~U1604  
 ENGINEERING NAME : GUN DROGUE  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
---------------	---------------	----------	---------------	--------------	----------------	----------

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1EXXJ1610653	C	COMPLETED	07FEB19 04:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	AIE
		19FEB19 00:47	15NOV18 00:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	6891.9 AFHR
02 BAY SERVICE DUE				BS	due on Serial MD1414		
01 NO FAULT		06 BAY SERVICE		GUN DROGUE	at WAC 0740		

Unserviceability Details:  
 Maintenance Comments: BAY SERVICE CARRIED OUT SERV REF SNOW 1610669 AIE MCS 08/19

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			08NOV18
SM	BS	2.0	ELPYR			08NOV18

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04350  
08JAN20  
23:16:15

SERIAL/TAIL NO : MD1414  
PART NO : MBEU91524  
ENGINEERING NAME : GUN DROGUE  
VENUE : A23DISP  
LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20  
~U1604

STI STATUS CHANGE -----

STI NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
=====	=====	=====	=====	=====	=====	=====
STI-PC9-0101	N	24NOV93 00:00	NINC			
STI-PC9-0101	Y	08SEP04	N/A			
STI-PC9-0140	Y	14AUG95 00:00	INC			
STI-PC9-0162	Y	13MAR96 00:00	N/A			



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04351  
08JAN20  
23:16:15

SERIAL/TAIL NO : MD1414A  
PART NO : MBEU62327 ~U1604  
ENGINEERING NAME : GAS FIRING UNIT DRO  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 1347.0 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
09OCT14 03:38	MD1414A	MBEU62327	~U1604 A23T	A26AK00	00
aie2043	AIE	ARMAMENT		A1EXXR1400583	
K. HALLETT		09OCT14			

0.0 AFHR

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04352  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MD1414A  
 PART NO : MBEU62327  
 ENGINEERING NAME : GAS FIRING UNIT DRO  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
09OCT14	03:38	Reception History Record	0.0	Reception ARMAMENT	PC9	
		0.0 AFHR				XXxxXXxx
09OCT14	03:42	Maintenance Comment	0.0	DOM CHANGE - OLD VALUE=09-oct-2014	00:00:00	
		0.0 AFHR				XXxxXXxx
09OCT14	05:14	Asset Installation	0.2	A23T MD1414	A26AK00 040 00	A23T A26AK00 00MMI
		0.0 AFHR				XXxxXXxx
		Change Serviceability Stat	0.2	SERV S/I		
09OCT14	05:23	Change Serviceability Stat	0.0	S/I US/I		
		0.0 AFHR		A1EXXJ1406383		XXxxXXxx
09OCT14	05:24	Change Serviceability Stat	0.0	US/I S/I		
		0.0 AFHR				XXxxXXxx
22SEP16	04:29	Change Serviceability Stat	62.9	S/I US/I		
		441.8 AFHR		A1EXXJ1406425		XXxxXXxx
23SEP16	01:02	Asset Removal	714.8	MD1414 A23T	MD1414 A26AK00 00	A23T A26AK00 00M
		441.8 AFHR				XXxxXXxx
		Change Serviceability Stat	0.8	US/I U/S		
08NOV16	00:28	Change Serviceability Stat	45.9	U/S SERV		
		441.8 AFHR				XXxxXXxx
08NOV16	00:40	Asset Installation	45.9	A23T MD1414	A26AK00 MD1414 00	A23T A26AK00 00MMI
		441.8 AFHR				XXxxXXxx
		Change Serviceability Stat	0.0	SERV S/I		
15NOV18	00:17	Change Serviceability Stat	6.7	S/I US/I		
		1045.6 AFHR		A1EXXJ1610652		XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04353  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MD1414A PERIOD: 01JAN90 TO 08JAN20  
 PART NO : MBEU62327 ~U1604  
 ENGINEERING NAME : GAS FIRING UNIT DRO  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
07FEB19 04:41	Asset Removal	821.1	MD1414 A23T A26AK00 MD1414 00	A23T A26AK00 00M
	1045.6 AFHR Change Serviceability Stat	84.1	US/I U/S SERV	XXXXXXxx
19FEB19 00:49	Change Serviceability Stat	11.8	US/I U/S SERV	
	1045.6 AFHR			XXXXXXxx
19FEB19 01:46	Asset Installation	11.8	A23T MD1414 A26AK00 MD1414 00	A23T A26AK00 00MMI
	1045.6 AFHR Change Serviceability Stat	0.0	SERV S/I	XXXXXXxx

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1EXXJ1406383	C COMPLETED	09OCT14 05:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	09OCT14 05:24	09OCT14 05:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	0.0	AFHR
02 BAY SERVICE DUE			BS	due on Serial MD1414A			
01 NO FAULT		06 BAY SERVICE		GAS FRNG UNIT DROG at WAC 0740			
		Unserviceability Details:					
		Maintenance Comments:	BS C/O SERV REF SNOW 802851				

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			22MAY13
SM	BS	2.0	ELPYR			22MAY13

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04354  
08JAN20  
23:16:15

SERIAL/TAIL NO : MD1414A PERIOD: 01JAN90 TO 08JAN20  
PART NO : MBEU62327 ~U1604  
ENGINEERING NAME : GAS FIRING UNIT DRO  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJ1406425	C COMPLETED	23SEP16 01:02	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	08NOV16 00:28	22SEP16 04:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	6288.1	AFHR
02 BAY SERVICE DUE				BS	due on Serial MD1414A		
				GAS FRNG UNIT DROG	at WAC 0740		
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:		BS C/O SERV REF SNOW 1202831	MCS ARM 52/16		

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			08OCT16
SM	BS	2.0	ELPYR			08OCT16

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJ1610652	C COMPLETED	07FEB19 04:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	AIE	
	19FEB19 00:49	15NOV18 00:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	6891.9	AFHR
02 BAY SERVICE DUE				BS	due on Serial MD1414A		
				GAS FRNG UNIT DROG	at WAC 0740		
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:		BAY SERVICE CARRIED OUT SERV REF SNOW 1610669	AIE MCS 08/19		

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			08NOV18
SM	BS	2.0	ELPYR			08NOV18

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 04355  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MD1440  
 PART NO : MBEU90652  
 ENGINEERING NAME : REL BAROSTATIC TIME  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

~U1604

PERIOD: 01JAN90 TO 08JAN20

LOCATION : A23-033  
 LIFE SINCE NEW : 7193.3 AFHR

ASSET TRANSACTIONS

TRANSACTION D/T CHANGE TYPE		LIFE SINCE NEW		SPAN(DYS) FROM		TO (OPTIONAL)		TRANS REFERENCE		USER	
=====		=====		=====		=====		=====		=====	
30AUG03	05:37	Maintenance Comment	0.0	AFHR	0.8	21Jan02	040	00.40	4449	2350 DAYS	03-OH DUE RY20037
											XXXXXXxx
30AUG03	05:37	Maintenance Comment	0.0	AFHR	0.8	21Jan02	ELPYR	LST OH	20JAN08	ELPYR	NXT OH
											XXXXXXxx
30AUG03	05:38	Maintenance Comment	0.0	AFHR	0.8	3130.9	0.0	AFHR			
											XXXXXXxx
30AUG03	05:38	Maintenance Comment	0.0	AFHR	0.8	21Jan02	ELPYR	LST BS	21JAN04	ELPYR	NXT BS
											XXXXXXxx
30AUG03	05:43	Maintenance Comment	0.0	AFHR	0.8	29Aug03	040	07.40	3417.5	AFHR	TX TO CMM2
											XXXXXXxx
30AUG03	05:44	Maintenance Comment	0.0	AFHR	0.8	03Apr00	040	00.40	3792	1693 DAYS	02-BS DUE RW03578
											XXXXXXxx
30AUG03	05:45	Maintenance Comment	0.0	AFHR	0.8	21Jan02	RX16094			FF: 01-NIL	MA: 07-OH
											XXXXXXxx
30AUG03	05:47	Maintenance Comment	0.0	AFHR	0.8	NEXT BS2 DUE:		OLD =	12NOV99	ELPYR	NEW =
											XXXXXXxx
30AUG03	05:50	Maintenance Comment	0.0	AFHR	0.8	13Nov89	NEW - MD1440		MBEU90652		1451-06-00-K
											XXXXXXxx
30AUG03	05:52	Maintenance Comment	0.0	AFHR	0.8	NEXT OH1 DUE:		OLD =	8224	HAOH	NEW = 12AUG01 ELPYR
											XXXXXXxx
30AUG03	05:52	Maintenance Comment	0.0	AFHR	0.8	01Jul99	040	07.40	3515	1416 DAYS	UPDATED LIFE (MPMI)
											XXXXXXxx
30AUG03	05:52	Maintenance Comment	0.0	AFHR	0.8	2737.5	0.0	AFHR			
											XXXXXXxx
30AUG03	05:53	Maintenance Comment	0.0	AFHR	0.8	NEXT OH2 DUE:		OLD =	12AUG01	ELPYR	NEW =
											XXXXXXxx
30AUG03	05:53	Maintenance Comment	0.0	AFHR	0.8	2599.3	0.0	AFHR			
											XXXXXXxx
30AUG03	05:54	Maintenance Comment	0.0	AFHR	0.8	03Apr00	RV99907			FF: 01-NIL	MA: 06-BS
											XXXXXXxx
19NOV03	02:18	Position Change			81.7	A23T	A26BC		00		
									0		
			3444.4	AFHR		A23T	A26BC				
						ARDUXXY300853					XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04356  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MD1440  
 PART NO : MBEU90652  
 ENGINEERING NAME : REL BAROSTATIC TIME  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
11DEC03	00:32	Change Serviceability Stat	21.9	S/I US/I ARDUPJ301980	XXxxXXxx
18MAR04	22:55	Change Serviceability Stat	98.9	US/I S/I	XXxxXXxx
03APR06	03:19	Change Serviceability Stat	17.0	S/I US/I A1EXXJY401860	XXxxXXxx
21APR06	00:26	Change Serviceability Stat	17.8	US/I S/I	XXxxXXxx
17JAN08	00:00	Change Serviceability Stat	2.8	S/I US/I ARDUPJ301979X	XXxxXXxx
29APR08	02:05	Change Serviceability Stat	103.0	US/I S/I	XXxxXXxx
28MAR10	21:27	Change Serviceability Stat	3.6	S/I US/I A1EXXJY602736	XXxxXXxx
24MAY10	03:59	Change Serviceability Stat	56.2	US/I S/I	XXxxXXxx
02MAY12	03:49	Change Serviceability Stat	0.9	S/I US/I A1EXXJ1002933	XXxxXXxx
23MAY12	05:05	Change Serviceability Stat	21.0	US/I S/I	XXxxXXxx
24FEB14	22:38	Change Serviceability Stat	10.8	S/I US/I A1EXXJY802850	XXxxXXxx
09OCT14	04:49	Change Serviceability Stat	226.2	US/I S/I	XXxxXXxx
		5846.3 AFHR			XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04357  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MD1440  
 PART NO : MBEU90652  
 ENGINEERING NAME : REL BAROSTATIC TIME  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
22SEP16 04:29	Change Serviceability Stat	62.9	S/I US/I	
23SEP16 00:59	Asset Removal	4773.6	A1EXXJ1202828 040 A23T A26BC	040 00 A23T A26BC 00M
	Change Serviceability Stat	0.8	6288.1 AFHR US/I	XXxxXXxx
08NOV16 00:32	Change Serviceability Stat	45.9	U/S U/S SERV	
08NOV16 03:39	Asset Installation	46.1	6288.1 AFHR A23T A26BC	040 00 A23T A26BC 00MMI
	Change Serviceability Stat	0.1	6288.1 AFHR SERV	XXxxXXxx
15NOV18 00:17	Change Serviceability Stat	6.7	S/I S/I US/I	
07FEB19 04:38	Asset Removal	821.0	6891.9 AFHR A1EXXJ1610657 040 A23T A26BC	040 00 A23T A26BC 00M
	Change Serviceability Stat	84.1	6891.9 AFHR US/I	XXxxXXxx
19FEB19 01:41	Change Serviceability Stat	11.8	U/S U/S SERV	
19FEB19 02:00	Asset Installation	11.8	6891.9 AFHR A23T A26BC	040 00 A23T A26BC 00MMI
	Change Serviceability Stat	0.0	6891.9 AFHR SERV S/I	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : MD1440 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : MBEU90652 ~U1604  
 ENGINEERING NAME : REL BAROSTATIC TIME  
 VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

ARDUPJCA00457 C COMPLETED 21JAN02 00:00 XXxxXXxx ARDUPEA 0.0  
 21JAN02 00:00  
 02 BAY SERVICE DUE

Unserviceability Details:  
 Maintenance Comments:

ARDUPJCA00429 C COMPLETED 21JAN02 00:00 XXxxXXxx ARDUPEA 0.0  
 21JAN02 00:00  
 03 OVERHAUL DUE

Unserviceability Details:  
 Maintenance Comments:

ARDUPJ301980X C COMPLETED 18MAR04 22:54 XXxxXXxx XXxxXXxxXXxxXXxxXXxx ARDU AIE 3447.5 AFHR  
 18MAR04 22:55  
 02 BAY SERVICE DUE BS due on Serial MD1440  
 REL BAROSTATIC TIME at WAC 0740

01 NO FAULT 06 BAY SERVICE  
 Unserviceability Details:  
 Maintenance Comments: BS CO

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
=====	=====	=====	=====	=====	=====	=====
SM	BS	2.0	ELPYR			21JAN04
SM	BS	2.0	ELPYR			21JAN04



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04359  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MD1440  
 PART NO : MBEU90652 ~U1604  
 ENGINEERING NAME : REL BAROSTATIC TIME  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1EXXJY401860 C COMPLETED 21APR06 00:25 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
 21APR06 00:26 3799.8 AFHR  
 02 BAY SERVICE DUE BS due on Serial MD1440  
 REL BAROSTATIC TIME at WAC 0740  
 01 NO FAULT 06 BAY SERVICE  
 Unserviceability Details:  
 Maintenance Comments: BSCO

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			18MAR06

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

ARDUPJ301979X C COMPLETED 27MAR08 23:40 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU AIE  
 29APR08 02:05 17JAN08 00:00 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU 4078.8 AFHR  
 03 OVERHAUL DUE OH due on Serial MD1440  
 REL BAROSTATIC TIME at WAC 0740  
 01 NO FAULT 07 OVERHAUL  
 Unserviceability Details:  
 Maintenance Comments: OH C/O

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	6.0	ELPYR			20JAN08
SM	OH	6.0	ELPYR			20JAN08

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04360  
08JAN20  
23:16:15

SERIAL/TAIL NO : MD1440  
PART NO : MBEU90652 ~U1604 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : REL BAROSTATIC TIME  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJY602736	C COMPLETED	24MAY10 03:44	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	24MAY10 03:59	28MAR10 21:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	4674.0	AFHR
02 BAY SERVICE DUE				BS	due on Serial MD1440		
					REL BAROSTATIC TIME at WAC 0740		
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:		BS C/O SERV REF SNOW 602739			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			29APR10

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJ1002933	C COMPLETED	23MAY12 04:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	23MAY12 05:05	02MAY12 03:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	5253.2	AFHR
02 BAY SERVICE DUE				BS	due on Serial MD1440		
					REL BAROSTATIC TIME at WAC 0740		
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:		BS C/O SERV REF SNOW 1002936			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			23MAY12

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04361  
08JAN20  
23:16:15

SERIAL/TAIL NO : MD1440  
PART NO : MBEU90652 ~U1604 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : REL BAROSTATIC TIME  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1EXXJY802850 C COMPLETED 09OCT14 04:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
09OCT14 04:49 24FEB14 22:38 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 5846.3 AFHR  
03 OVERHAUL DUE OH due on Serial MD1440  
REL BAROSTATIC TIME at WAC 0740  
01 NO FAULT 07 OVERHAUL  
Unserviceability Details:  
Maintenance Comments: OH C/O SERV REF SNOW 802851

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	6.0	ELPYR			28APR14
SM	OH	6.0	ELPYR			28APR14

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1EXXJ1202828 C COMPLETED 23SEP16 00:59 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
08NOV16 00:32 22SEP16 04:29 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 6288.1 AFHR  
02 BAY SERVICE DUE BS due on Serial MD1440  
REL BAROSTATIC TIME at WAC 0740  
01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: BS C/O SERV REF SNOW 1202831 MCS ARM 52/16

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			08OCT16
SM	BS	2.0	ELPYR			08OCT16

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : MD1440  
 PART NO : MBEU90652 ~U1604 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : REL BAROSTATIC TIME  
 VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

```

=====
A1EXXJ1610657  C  COMPLETED      07FEB19  04:38  XXxxXXxx  XXxxXXxxXXxxXXxxXXxx 4SQN      AIE
                19FEB19  01:41      15NOV18  00:17  XXxxXXxx  XXxxXXxxXXxxXXxxXXxx 4SQN      6891.9  AFHR
02 BAY SERVICE DUE
                BS                      due on Serial MD1440
                REL BAROSTATIC TIME at WAC 0740
01 NO FAULT
                06 BAY SERVICE
                Unserviceability Details:
                Maintenance Comments:  BAY SERVICE CARRIED OUT SERV REF SNOW 1610669 AIE MCS 08/19
=====

```

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
=====	=====	=====	=====	=====	=====	=====
SM	BS	2.0	ELPYR			08NOV18
SM	BS	2.0	ELPYR			08NOV18

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04363  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MD1440  
 PART NO : MBEU90652 ~U1604  
 ENGINEERING NAME : REL BAROSTATIC TIME  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MODIFICATION ORDERS INCORPORATION STATUS CHANGE						
MOD NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
7291.042-105	Y	24JAN91 00:00	INC			

STI STATUS CHANGE						
STI NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
STI-ESCFAC-0259	Y	16NOV90 00:00	INC			
STI-PC9-0101	N	24NOV93 00:00	NINC			
STI-PC9-0101	Y	08SEP04	N/A			
STI-PC9-0140	Y	14AUG95 00:00	INC			
STI-PC9-0162	Y	13MAR96 00:00	N/A			

MAINTENANCE POLICY HISTORY			
POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	USER ID
09OCT14 04:49	SM Claimed	BS	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04364  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MD1475  
 PART NO : MBEU100490 ~U1604  
 ENGINEERING NAME : ACTUATOR SEAT PAN  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 7193.3 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
30AUG03	05:25	Maintenance	Comment	0.0 AFHR	0.8	21Jan02	ELPYR LST BS 21JAN04	ELPYR NXT BS	XXXXXXXXXX
30AUG03	05:26	Maintenance	Comment	0.0 AFHR	0.8	01Jul99 040	07.40 3515 1416 DAYS	UPDATED LIFE (MPMI)	XXXXXXXXXX
30AUG03	05:26	Maintenance	Comment	0.0 AFHR	0.8	13Nov89 NEW - MD1475	MBEU100490	1451-03-00-C	XXXXXXXXXX
30AUG03	05:31	Maintenance	Comment	0.0 AFHR	0.8	CAMM LOG00011	NEXT OH2 DUE: OLD = 12AUG01	ELPYR NEW =	XXXXXXXXXX
30AUG03	05:32	Maintenance	Comment	0.0 AFHR	0.8	3130.9 0.0 AFHR			XXXXXXXXXX
30AUG03	05:33	Maintenance	Comment	0.0 AFHR	0.8	CAMM LOG00009	03Apr00 RV99907	FF: 01-NIL	XXXXXXXXXX
30AUG03	05:33	Maintenance	Comment	0.0 AFHR	0.8	CAMM LOG00007	29Aug03 040 07.40	3417.5 AFHR TX TO CAMM2	XXXXXXXXXX
30AUG03	05:33	Maintenance	Comment	0.0 AFHR	0.8	CAMM LOG00014	NEXT OH1 DUE: OLD = 8224	HAOH NEW = 12AUG01	ELPYR
30AUG03	05:35	Maintenance	Comment	0.0 AFHR	0.8	CAMM LOG00001	21Jan02 RX16094	FF: 01-NIL	XXXXXXXXXX
30AUG03	05:36	Maintenance	Comment	0.0 AFHR	0.8	CAMM LOG00010	2599.3 0.0 AFHR		XXXXXXXXXX
30AUG03	05:36	Maintenance	Comment	0.0 AFHR	0.8	CAMM LOG00004	21Jan02 040 00.40	4449 2350 DAYS	03-OH DUE RY20033
30AUG03	05:36	Maintenance	Comment	0.0 AFHR	0.8	CAMM LOG00008	21Jan02	ELPYR LST OH 20JAN08	ELPYR NXT OH
30AUG03	05:39	Maintenance	Comment	0.0 AFHR	0.8	CAMM LOG00012	03Apr00 040 00.40	3792 1693 DAYS	02-BS DUE RW03575
30AUG03	05:39	Maintenance	Comment	0.0 AFHR	0.8	CAMM LOG00005	2737.5 0.0 AFHR		XXXXXXXXXX
11DEC03	00:32	Change	Serviceability Stat	3447.5 AFHR	21.9	CAMM LOG00006	S/I		XXXXXXXXXX
18MAR04	22:58	Change	Serviceability Stat	3447.5 AFHR	98.9	US/I	ARDUPJ302048		XXXXXXXXXX
				3447.5 AFHR		US/I	S/I		XXXXXXXXXX

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04365  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MD1475  
 PART NO : MBEU100490  
 ENGINEERING NAME : ACTUATOR SEAT PAN  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
			LIFE SINCE NEW		TRANS REFERENCE		
03APR06	03:19	Change	Serviceability Stat	17.0	S/I		
			3799.8 AFHR		US/I	A1EXXJY401861	XXxxXXxx
21APR06	00:29	Change	Serviceability Stat	17.8	US/I		
			3799.8 AFHR		S/I		XXxxXXxx
17JAN08	00:00	Change	Serviceability Stat	2.8	S/I		
			4078.8 AFHR		US/I	ARDUPJ302047X	XXxxXXxx
29APR08	01:31	Change	Serviceability Stat	103.0	US/I		
			4078.8 AFHR		S/I		XXxxXXxx
28MAR10	21:27	Change	Serviceability Stat	3.6	S/I		
			4674.0 AFHR		US/I	A1EXXJY602738	XXxxXXxx
24MAY10	04:02	Change	Serviceability Stat	56.2	US/I		
			4674.0 AFHR		S/I		XXxxXXxx
02MAY12	03:49	Change	Serviceability Stat	0.9	S/I		
			5253.2 AFHR		US/I	A1EXXJ1002935	XXxxXXxx
23MAY12	05:08	Change	Serviceability Stat	21.0	US/I		
			5253.2 AFHR		S/I		XXxxXXxx
24FEB14	22:38	Change	Serviceability Stat	10.8	S/I		
			5846.3 AFHR		US/I	A1EXXJY802838	XXxxXXxx
09OCT14	04:50	Change	Serviceability Stat	226.2	US/I		
			5846.3 AFHR		S/I		XXxxXXxx
22SEP16	04:29	Change	Serviceability Stat	62.9	S/I		
			6288.1 AFHR		US/I	A1EXXJ1202830	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04366  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MD1475  
 PART NO : MBEU100490 ~U1604  
 ENGINEERING NAME : ACTUATOR SEAT PAN  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
23SEP16 01:00	Asset Removal	4773.6	040 A23T A26AC 040 00	A23T A26AC 00M
	6288.1 AFHR Change Serviceability Stat	0.8	US/I U/S U/S SERV	XXXXXXxx
08NOV16 00:26	Change Serviceability Stat	45.9		
	6288.1 AFHR			XXXXXXxx
08NOV16 03:41	Asset Installation	46.1	A23T A26AC 040 00	A23T A26AC 00MMI
	6288.1 AFHR Change Serviceability Stat	0.1	SERV S/I S/I US/I	XXXXXXxx
15NOV18 00:17	Change Serviceability Stat	6.7		
	6891.9 AFHR		A1EXXJ1610650	XXXXXXxx
07FEB19 04:35	Asset Removal	821.0	040 A23T A26AC 040 00	A23T A26AC 00M
	6891.9 AFHR Change Serviceability Stat	84.1	US/I U/S U/S SERV	XXXXXXxx
19FEB19 00:42	Change Serviceability Stat	11.8		
	6891.9 AFHR			XXXXXXxx
19FEB19 01:53	Asset Installation	11.8	A23T A26AC 040 00	A23T A26AC 00MMI
	6891.9 AFHR Change Serviceability Stat	0.0	SERV S/I	XXXXXXxx

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
ARDUPJCA00423	C COMPLETED	21JAN02 00:00	XXXXXXxx		ARDUPEA	0.0	
03 OVERHAUL DUE	21JAN02 00:00						



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04367  
08JAN20  
23:16:15

SERIAL/TAIL NO : MD1475 PERIOD: 01JAN90 TO 08JAN20  
PART NO : MBEU100490 ~U1604  
ENGINEERING NAME : ACTUATOR SEAT PAN  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

Unserviceability Details:  
Maintenance Comments:

ARDUPJCA00238 C COMPLETED 21JAN02 00:00 XXxxXXxx ARDUPEA 0.0  
21JAN02 00:00  
02 BAY SERVICE DUE

Unserviceability Details:  
Maintenance Comments:

ARDUPJ302048X C COMPLETED 18MAR04 22:57 XXxxXXxx XXxxXXxxXXxxXXxxXXxx ARDU AIE 3447.5 AFHR  
18MAR04 22:58  
02 BAY SERVICE DUE BS due on Serial MD1475  
ACTUATOR SEAT PAN at WAC 0740  
01 NO FAULT 06 BAY SERVICE

Unserviceability Details:  
Maintenance Comments: BS CO

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			21JAN04
SM	BS	2.0	ELPYR			21JAN04

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1EXXJY401861 C COMPLETED 21APR06 00:29 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE 3799.8 AFHR  
21APR06 00:29  
02 BAY SERVICE DUE BS due on Serial MD1475  
ACTUATOR SEAT PAN at WAC 0740  
01 NO FAULT 06 BAY SERVICE

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04368  
08JAN20  
23:16:15

SERIAL/TAIL NO : MD1475 PERIOD: 01JAN90 TO 08JAN20  
PART NO : MBEU100490 ~U1604  
ENGINEERING NAME : ACTUATOR SEAT PAN  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

Unserviceability Details:  
Maintenance Comments: BSCO

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			18MAR06

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

ARDUPJ302047X C COMPLETED 27MAR08 23:42 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU AIE  
29APR08 01:31 17JAN08 00:00 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU 4078.8 AFHR  
03 OVERHAUL DUE OH due on Serial MD1475  
ACTUATOR SEAT PAN at WAC 0740

01 NO FAULT

07 OVERHAUL

Unserviceability Details:  
Maintenance Comments: OH CO

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	6.0	ELPYR			20JAN08
SM	OH	6.0	ELPYR			20JAN08

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04369  
08JAN20  
23:16:15

SERIAL/TAIL NO : MD1475  
PART NO : MBEU100490 ~U1604  
ENGINEERING NAME : ACTUATOR SEAT PAN  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1EXXJY602738 C COMPLETED 24MAY10 03:44 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
24MAY10 04:02 28MAR10 21:27 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 4674.0 AFHR  
02 BAY SERVICE DUE BS due on Serial MD1475  
ACTUATOR SEAT PAN at WAC 0740  
01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: BS C/O SERV REF SNOW 602739

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			29APR10

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1EXXJ1002935 C COMPLETED 23MAY12 04:45 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
23MAY12 05:08 02MAY12 03:49 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 5253.2 AFHR  
02 BAY SERVICE DUE BS due on Serial MD1475  
ACTUATOR SEAT PAN at WAC 0740  
01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: BS C/O SERV REF SNOW 1002936

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			23MAY12

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04370  
08JAN20  
23:16:15

SERIAL/TAIL NO : MD1475  
PART NO : MBEU100490 ~U1604  
ENGINEERING NAME : ACTUATOR SEAT PAN  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJY802838	C COMPLETED	09OCT14 04:39	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
03 OVERHAUL DUE	09OCT14 04:50	24FEB14 22:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	5846.3	AFHR
01 NO FAULT	07 OVERHAUL	Unserviceability Details:		OH C/O SERV REF SNOW 802851			
		Maintenance Comments:		OH due on Serial MD1475 ACTUATOR SEAT PAN at WAC 0740			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	6.0	ELPYR			28APR14
SM	OH	6.0	ELPYR			28APR14

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJ1202830	C COMPLETED	23SEP16 01:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
02 BAY SERVICE DUE	08NOV16 00:26	22SEP16 04:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	6288.1	AFHR
01 NO FAULT	06 BAY SERVICE	Unserviceability Details:		BS C/O SERV REF SNOW 1202831 MCS ARM 52/16			
		Maintenance Comments:		BS due on Serial MD1475 ACTUATOR SEAT PAN at WAC 0740			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			08OCT16
SM	BS	2.0	ELPYR			08OCT16

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : MD1475  
 PART NO : MBEU100490 ~U1604  
 ENGINEERING NAME : ACTUATOR SEAT PAN  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS		UNSERVICEABILITY DETAILS			
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS		MAINTENANCE COMMENT			
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

```

=====
A1EXXJ1610650  C  COMPLETED      07FEB19  04:35  XXxxXXxx  XXxxXXxxXXxxXXxxXXxx 4SQN      AIE
                19FEB19  00:42      15NOV18  00:17  XXxxXXxx  XXxxXXxxXXxxXXxxXXxx 4SQN      6891.9  AFHR
02 BAY SERVICE DUE
                BS                      due on Serial MD1475
                ACTUATOR SEAT PAN      at WAC 0740
01 NO FAULT
                06 BAY SERVICE
                Unserviceability Details:
                Maintenance Comments:   BAY SERVICE CARRIWED OUT SERV REF SNOW 1610669 AIE MCS 08/19
=====

```

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
=====	=====	=====	=====	=====	=====	=====
SM	BS	2.0	ELPYR			08NOV18
SM	BS	2.0	ELPYR			08NOV18

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04372  
08JAN20  
23:16:15

SERIAL/TAIL NO : MD1475  
PART NO : MBEU100490 ~U1604  
ENGINEERING NAME : ACTUATOR SEAT PAN  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MAINTENANCE POLICY HISTORY -----

POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	USER ID
09OCT14 04:50	SM Claimed	BS	

-----

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04373  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MD1878  
 PART NO : MBEU91524  
 ENGINEERING NAME : GUN DROGUE  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

~U1604

PERIOD: 01JAN90 TO 08JAN20

LOCATION : A23-033  
 LIFE SINCE NEW : 7191.9 AFHR

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
				LIFE SINCE NEW				
30AUG03	05:43	Maintenance	Comment	0.8	21Jan02	039	00.30 4463	2350 DAYS 03-OH DUE RY20014
								XXxxXXxx
30AUG03	05:43	Maintenance	Comment	0.8	2736.2	0.0 AFHR		
								XXxxXXxx
30AUG03	05:44	Maintenance	Comment	0.8	03Apr00	039	00.30 3806	1693 DAYS 02-BS DUE RW03559
								XXxxXXxx
30AUG03	05:45	Maintenance	Comment	0.8	30Oct89	NEW - MD1878	MBEU91524	1450-01-00-J
								XXxxXXxx
30AUG03	05:45	Maintenance	Comment	0.8	NEXT BS1 DUE:	OLD = 8224 HABS		NEW = 12NOV99 ELPYR
								XXxxXXxx
30AUG03	05:45	Maintenance	Comment	0.8	29Jun99	039	07.30 3527	1414 DAYS UPDATED LIFE (MPMI)
								XXxxXXxx
30AUG03	05:45	Maintenance	Comment	0.8	03Apr00	RV99908	FF: 01-NIL	MA: 06-BS
								XXxxXXxx
30AUG03	05:46	Maintenance	Comment	0.8	2598.0	0.0 AFHR		
								XXxxXXxx
30AUG03	05:46	Maintenance	Comment	0.8	3129.6	0.0 AFHR		
								XXxxXXxx
30AUG03	05:46	Maintenance	Comment	0.8	29Aug03	039	07.30 3416.2 AFHR	TX TO CAMM2
								XXxxXXxx
30AUG03	05:48	Maintenance	Comment	0.8	NEXT BS2 DUE:	OLD = 12NOV99 ELPYR		NEW =
								XXxxXXxx
30AUG03	05:52	Maintenance	Comment	0.8	21Jan02	RX16093	FF: 01-NIL	MA: 07-OH
								XXxxXXxx
30AUG03	05:53	Maintenance	Comment	0.8	21Jan02		ELPYR LST BS 21JAN04 ELPYR	NXT BS
								XXxxXXxx
17NOV03	22:22	Position	Change	80.5	A23T	AlWAK	00	
							0	
								XXxxXXxx
11DEC03	00:29	Change	Serviceability Stat	21.9	S/I			
								XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04374  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MD1878  
 PART NO : MBEU91524  
 ENGINEERING NAME : GUN DROGUE  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
19MAR04 00:10	Change	Serviceability Stat	98.9	US/I S/I	
		3446.1 AFHR			XXxxXXxx
03APR06 03:18	Change	Serviceability Stat	17.0	S/I US/I	
		3798.4 AFHR		A1EXXJY401870	XXxxXXxx
20APR06 23:25	Change	Serviceability Stat	17.8	US/I S/I	
		3798.4 AFHR			XXxxXXxx
16JAN08 23:39	Change	Serviceability Stat	2.8	S/I US/I	
		4077.4 AFHR		A1EXXJY602722	XXxxXXxx
29APR08 00:53	Change	Serviceability Stat	103.0	US/I S/I	
		4077.4 AFHR			XXxxXXxx
28MAR10 21:27	Change	Serviceability Stat	3.6	S/I US/I	
		4672.6 AFHR		A1EXXJY802829	XXxxXXxx
24MAY10 03:20	Change	Serviceability Stat	56.2	US/I S/I	
		4672.6 AFHR			XXxxXXxx
02MAY12 03:49	Change	Serviceability Stat	0.9	S/I US/I	
		5251.8 AFHR		A1EXXJ1002912	XXxxXXxx
23MAY12 04:03	Change	Serviceability Stat	21.0	US/I S/I	
		5251.8 AFHR			XXxxXXxx
24FEB14 22:38	Change	Serviceability Stat	10.8	S/I US/I	
		5844.9 AFHR		A1EXXJ1202811	XXxxXXxx
09OCT14 03:59	Change	Serviceability Stat	226.2	US/I S/I	
		5844.9 AFHR			XXxxXXxx
22SEP16 04:29	Change	Serviceability Stat	62.9	S/I US/I	
		6286.7 AFHR		A1EXXJ1406398	XXxxXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04375  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MD1878  
 PART NO : MBEU91524 ~U1604  
 ENGINEERING NAME : GUN DROGUE  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
23SEP16 00:52	Asset Removal	4773.6	039 A23T A1WAK 039 00	A23T A1WAK 00M
	6286.7 AFHR Change Serviceability Stat	0.8	US/I U/S U/S SERV	XXXXXXxx
08NOV16 05:06	Change Serviceability Stat	46.1		
	6286.7 AFHR			XXXXXXxx
09NOV16 22:33	Asset Installation	47.9	A23T A1WAK 039 00	A23T A1WAK 00MMI
	6286.7 AFHR Change Serviceability Stat	1.7	SERV S/I S/I US/I	XXXXXXxx
15NOV18 00:12	Change Serviceability Stat	6.7		
	6890.5 AFHR		A1EXXJ1610674	XXXXXXxx
07FEB19 04:18	Asset Removal	819.2	039 A23T A1WAK 039 00	A23T A1WAK 00M
	6890.5 AFHR Change Serviceability Stat	84.1	US/I U/S U/S SERV	XXXXXXxx
07FEB19 04:19	Change Serviceability Stat	0.0		
	6890.5 AFHR			XXXXXXxx
19FEB19 04:53	Asset Installation	12.0	A23T A1WAK 039 00	A23T A1WAK 00MMI
	6890.5 AFHR Change Serviceability Stat	12.0	SERV S/I	XXXXXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04376  
08JAN20  
23:16:15

SERIAL/TAIL NO : MD1878  
PART NO : MBEU91524 ~U1604 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : GUN DROGUE  
VENUE : A23DISP LOCATION : A23-033

UNSERVICEABILITIES

SERV NUMBER	STATUS	STATUS DATE/TIME	TOTAL LIFE	INT TYPE	CERTIFICATION	TRADESMAN
RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CAPABILITY CODE	EPSS	DATE/TIME
ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	IMIC NO		SUPERVISOR
OPERATION NO	ASOR NO	SYMPTOMS				DATE/TIME
EE500PG EE500LN						INSPECTOR
STA WL	BL ADMIN	MAINT ACTION/LIMITATIONS				DATE/TIME

A1EXXU1900508	COMPLETED	19FEB19 04:32	6890.5	AFHR	SCT	XXXXXXXXXXXXXXXXXXXX
07FEB19 04:19	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			19FEB19 04:32
07FEB19 04:19	XXXXXXXX	XXXXXXXXXXXXXXXXXXXX	AIE			XXXXXXXXXXXXXXXXXXXX
		BS due on Serial MD1878A				
		GAS FRNG UNIT DROG at WAC 0730				XXXXXXXXXXXXXXXXXXXX
	N	TRANSFERRED FROM 039				

Maint Acts: GAS FIRING UNIT FITTED SERV REF SNOW 1610682 AIE MCS 07/19

REMOVALS/INSTALLATIONS FOR A1EXXU1900508

SEQ	REMOVED SERIAL NO	EIAC	LCN	ALC	INSTALLED SERIAL NO	EIAC	LCN	ALC
	REMOVED PART NO		DATE/TIME	JOB NUMBER	INSTALLED PART NO		DATE/TIME	
001	MD1878A	A23T	A1WAK00	00	MD1878A	A23T	A1WAK00	00
	MBEU62327		07FEB19 04:26	A1EXXJ1610673	MBEU62327		19FEB19 04:31	

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

ARDUPJCA00474	C COMPLETED	21JAN02 00:00	XXXXXXXX		ARDUPEA		0.0
02 BAY SERVICE DUE		21JAN02 00:00					

Unserviceability Details:  
Maintenance Comments:

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : MD1878  
 PART NO : MBEU91524 ~U1604  
 ENGINEERING NAME : GUN DROGUE  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

ARDUPJCA00411 C COMPLETED 21JAN02 00:00 XXxxXXxx ARDUPEA 0.0  
 03 OVERHAUL DUE

Unserviceability Details:  
 Maintenance Comments:

ARDUPJ301986X C COMPLETED 19MAR04 00:08 XXxxXXxx XXxxXXxxXXxxXXxxXXxx ARDU AIE 3446.1 AFHR  
 02 BAY SERVICE DUE BS due on Serial MD1878  
 GUN DROGUE at WAC 0730

01 NO FAULT 06 BAY SERVICE  
 Unserviceability Details:  
 Maintenance Comments: BSCO

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			21JAN04
SM	BS	2.0	ELPYR			21JAN04

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJY401870 C COMPLETED 20APR06 23:24 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE 3798.4 AFHR  
 02 BAY SERVICE DUE BS due on Serial MD1878  
 GUN DROGUE at WAC 0730

01 NO FAULT 06 BAY SERVICE  
 Unserviceability Details:  
 Maintenance Comments: BSCO

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04378  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MD1878  
 PART NO : MBEU91524 ~U1604  
 ENGINEERING NAME : GUN DROGUE  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			19MAR06
SM	BS	2.0	ELPYR			19MAR06

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

ARDUPJ301985X C COMPLETED 28MAR08 00:17 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
 03 OVERHAUL DUE 29APR08 00:53 28MAR08 00:16 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 4077.4 AFHR  
 01 NO FAULT 07 OVERHAUL  
 OH due on Serial MD1878  
 GUN DROGUE at WAC 0730  
 Unserviceability Details:  
 Maintenance Comments: OH C/O

ALEXJY602722 C COMPLETED 29APR08 00:57 16JAN08 23:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU AIE  
 02 BAY SERVICE DUE 29APR08 00:57 16JAN08 23:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU 4077.4 AFHR  
 01 NO FAULT 06 BAY SERVICE  
 BS due on Serial MD1878  
 GUN DROGUE at WAC 0730  
 Unserviceability Details:  
 Maintenance Comments: C/O

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			19APR08
SM	BS	2.0	ELPYR			19APR08

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : MD1878  
PART NO : MBEU91524 ~U1604  
ENGINEERING NAME : GUN DROGUE  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJY802829	C COMPLETED	24MAY10 03:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	24MAY10 03:20	28MAR10 21:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	4672.6	AFHR
02 BAY SERVICE DUE				BS	due on Serial MD1878		
				GUN DROGUE	at WAC 0730		
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:		BS C/O SERV REF SNOW 602727			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			29APR10
SM	BS	2.0	ELPYR			29APR10

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJ1002912	C COMPLETED	23MAY12 03:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	23MAY12 04:03	02MAY12 03:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	5251.8	AFHR
02 BAY SERVICE DUE				BS	due on Serial MD1878		
				GUN DROGUE	at WAC 0730		
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:		BS C/O SERV REF SNOW 1002923			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			23MAY12
SM	BS	2.0	ELPYR			23MAY12

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : MD1878  
PART NO : MBEU91524 ~U1604  
ENGINEERING NAME : GUN DROGUE  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJ1202811	C COMPLETED	09OCT14 03:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	09OCT14 03:59	24FEB14 22:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	5844.9	AFHR
02 BAY SERVICE DUE				BS	due on Serial MD1878		
				GUN DROGUE	at WAC 0730		
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:		OH C/O SERV REF SNOW 802830			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			23MAY14
SM	BS	2.0	ELPYR			23MAY14

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJ1406398	C COMPLETED	23SEP16 00:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	08NOV16 05:06	22SEP16 04:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	6286.7	AFHR
02 BAY SERVICE DUE				BS	due on Serial MD1878		
				GUN DROGUE	at WAC 0730		
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:		BAY MAINT CO SNOW 1202816 MCS ARM 51/16			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			08OCT16
SM	BS	2.0	ELPYR			08OCT16

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : MD1878  
 PART NO : MBEU91524 ~U1604  
 ENGINEERING NAME : GUN DROGUE  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

```

=====
A1EXXJ1610674  C  COMPLETED      07FEB19  04:18  XXxxXXxx  XXxxXXxxXXxxXXxxXXxx 4SQN      AIE
                19FEB19  04:17      15NOV18  00:12  XXxxXXxx  XXxxXXxxXXxxXXxxXXxx 4SQN      6890.5  AFHR
02 BAY SERVICE DUE
                01 NO FAULT          06 BAY SERVICE
                Unserviceability Details:
                Maintenance Comments:  BAY SERVICE CARRIED OUT SERV REF SNOW 1610682 AIE MCS 07/19
=====

```

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
=====	=====	=====	=====	=====	=====	=====
SM	BS	2.0	ELPYR			08NOV18
SM	BS	2.0	ELPYR			08NOV18

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04382  
08JAN20  
23:16:15

SERIAL/TAIL NO : MD1878  
PART NO : MBEU91524  
ENGINEERING NAME : GUN DROGUE  
VENUE : A23DISP  
LOCATION : A23-033  
~U1604  
PERIOD: 01JAN90 TO 08JAN20

STI STATUS CHANGE -----

STI NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
=====	=====	=====	=====	=====	=====	=====
STI-PC9-0101	N	24NOV93 00:00	NINC			
STI-PC9-0101	Y	08SEP04	N/A			
STI-PC9-0140	Y	14AUG95 00:00	INC			
STI-PC9-0162	Y	13MAR96 00:00	N/A			

For-Official-Use-Only



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04383  
08JAN20  
23:16:15

SERIAL/TAIL NO : MD1878A  
PART NO : MBEU62327 ~U1604  
ENGINEERING NAME : GAS FIRING UNIT DRO  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 1347.0 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
09OCT14 03:40	MD1878A	MBEU62327	~U1604 A23T	A1WAK00	00
aie2043	AIE	ARMAMENT		A1EXXR1400584	
K. HALLETT		23MAY11			

0.0 AFHR

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04384  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MD1878A  
 PART NO : MBEU62327  
 ENGINEERING NAME : GAS FIRING UNIT DRO  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS		-----									
TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN(DYS)	FROM	TO (OPTIONAL)			USER		
						TRANS REFERENCE					
=====											
09OCT14	03:40	Reception History Record		0.0	Reception	ARMAMENT			PC9		
		0.0	AFHR						XXxxXXxx		
09OCT14	05:11	Asset Installation		1235.2	A23T	A1WAK00			00		
		0.0	AFHR		MD1878	039			A23T	A1WAK00	
		Change Serviceability Stat		0.2	SERV				XXxxXXxx	00MMI	
09OCT14	05:21	Change Serviceability Stat		0.0	S/I						
		0.0	AFHR		S/I						
09OCT14	05:22	Change Serviceability Stat		0.0	US/I	A1EXXJ1406385			XXxxXXxx		
		0.0	AFHR		S/I				XXxxXXxx		
22SEP16	04:29	Change Serviceability Stat		62.9	S/I						
		441.8	AFHR		US/I				XXxxXXxx		
23SEP16	00:48	Asset Removal		714.8	A1EXXJ1406424				XXxxXXxx		
		441.8	AFHR		MD1878	039			A23T	A1WAK00	
		Change Serviceability Stat		0.8	A23T	A1WAK00			00		
		441.8	AFHR		US/I				XXxxXXxx		
08NOV16	05:04	Change Serviceability Stat		46.1	U/S						
		441.8	AFHR		U/S				XXxxXXxx		
09NOV16	22:35	Asset Installation		47.9	A23T	A1WAK00			00		
		441.8	AFHR		MD1878	039			A23T	A1WAK00	
		Change Serviceability Stat		1.7	SERV				XXxxXXxx	00MMI	
15NOV18	00:12	Change Serviceability Stat		6.7	S/I						
		1045.6	AFHR		S/I						
					US/I	A1EXXJ1610673			XXxxXXxx		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04385  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MD1878A PERIOD: 01JAN90 TO 08JAN20  
 PART NO : MBEU62327 ~U1604  
 ENGINEERING NAME : GAS FIRING UNIT DRO  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
07FEB19 04:26	Asset Removal	819.2	MD1878 A23T A1WAK00	A23T A1WAK00 00
	1045.6 AFHR Change Serviceability Stat	84.1	US/I U/S U/S SERV	XXXXXXxx
19FEB19 04:18	Change Serviceability Stat	11.9		
	1045.6 AFHR			XXXXXXxx
19FEB19 04:31	Asset Installation	12.0	A23T A1WAK00 MD1878	A23T A1WAK00 00
	1045.6 AFHR Change Serviceability Stat	0.0	SERV S/I	XXXXXXxx 00MMI

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1EXXJ1406385	C COMPLETED	09OCT14 05:21	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	09OCT14 05:22	09OCT14 05:21	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	0.0	AFHR
02 BAY SERVICE DUE				BS due on Serial MD1878A			
01 NO FAULT		06 BAY SERVICE		GAS FRNG UNIT DROG at WAC 0730			
		Unserviceability Details:					
		Maintenance Comments:		BS C/O SERV REF SNOW 802830			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			22MAY13
SM	BS	2.0	ELPYR			22MAY13

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04386  
08JAN20  
23:16:15

SERIAL/TAIL NO : MD1878A  
PART NO : MBEU62327 ~U1604  
ENGINEERING NAME : GAS FIRING UNIT DRO  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJ1406424	C COMPLETED	23SEP16 00:48	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
02 BAY SERVICE DUE	08NOV16 05:04	22SEP16 04:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	6286.7	AFHR
01 NO FAULT		06 BAY SERVICE		BS	due on Serial MD1878A		
		Unserviceability Details:		GAS FRNG UNIT DROG	at WAC 0730		
		Maintenance Comments:		BAY MAINT CO SNOW 1202816	MCS ARM 51/16		

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			08OCT16
SM	BS	2.0	ELPYR			08OCT16

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJ1610673	C COMPLETED	07FEB19 04:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	AIE	
02 BAY SERVICE DUE	19FEB19 04:18	15NOV18 00:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	6890.5	AFHR
01 NO FAULT		06 BAY SERVICE		BS	due on Serial MD1878A		
		Unserviceability Details:		GAS FRNG UNIT DROG	at WAC 0730		
		Maintenance Comments:		BAY SERVICE CARRIED OUT SERV REF SNOW 1610682	AIE MCS 07/19		

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			08NOV18
SM	BS	2.0	ELPYR			08NOV18

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04387  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MD1904  
 PART NO : MBEU100490 ~U1604  
 ENGINEERING NAME : ACTUATOR SEAT PAN  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 7191.9 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
30AUG03	05:25	Maintenance	Comment	0.0 AFHR	0.8	2736.2	0.0 AFHR	CAMM LOG00004	XXxxXXxx
30AUG03	05:26	Maintenance	Comment	0.0 AFHR	0.8	3129.6	0.0 AFHR	CAMM LOG00007	XXxxXXxx
30AUG03	05:31	Maintenance	Comment	0.0 AFHR	0.8	03Apr00 039	00.30 3806 1693 DAYS	02-BS DUE	RW03564
30AUG03	05:33	Maintenance	Comment	0.0 AFHR	0.8	21Jan02	ELPYR LST BS 21JAN04	ELPYR NXT BS	XXxxXXxx
30AUG03	05:33	Maintenance	Comment	0.0 AFHR	0.8	29Aug03 039	07.30 3416.2 AFHR	TX TO CAMM2	XXxxXXxx
30AUG03	05:34	Maintenance	Comment	0.0 AFHR	0.8	2598.0	0.0 AFHR	CAMM LOG00002	XXxxXXxx
30AUG03	05:35	Maintenance	Comment	0.0 AFHR	0.8	29Jun99 039	07.30 3527 1414 DAYS	UPDATED LIFE (MPMI)	XXxxXXxx
30AUG03	05:35	Maintenance	Comment	0.0 AFHR	0.8	21Jan02 039	00.30 4463 2350 DAYS	03-OH DUE	RY20019
30AUG03	05:35	Maintenance	Comment	0.0 AFHR	0.8	21Jan02 RX16093	FF: 01-NIL	MA: 07-OH	XXxxXXxx
30AUG03	05:35	Maintenance	Comment	0.0 AFHR	0.8	30Oct89 NEW - MD1904	MBEU100490 1450-03-00-K	XXxxXXxx	XXxxXXxx
30AUG03	05:36	Maintenance	Comment	0.0 AFHR	0.8	03Apr00 RV99908	FF: 01-NIL	MA: 06-BS	XXxxXXxx
30AUG03	05:41	Maintenance	Comment	0.0 AFHR	0.8	21Jan02	ELPYR LST OH 20JAN08	ELPYR NXT OH	XXxxXXxx
11DEC03	00:29	Change	Serviceability Stat	3446.1 AFHR	21.9	S/I			
19MAR04	00:25	Change	Serviceability Stat	3446.1 AFHR	98.9	US/I	ARDUPJ302050		XXxxXXxx
03APR06	03:18	Change	Serviceability Stat	3798.4 AFHR	17.0	S/I			XXxxXXxx
						US/I	A1EXXJY401873		XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04388  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MD1904  
 PART NO : MBEU100490 ~U1604  
 ENGINEERING NAME : ACTUATOR SEAT PAN  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
			LIFE SINCE NEW		TRANS REFERENCE		
20APR06	23:33	Change	Serviceability Stat	17.8	US/I		
			3798.4 AFHR		S/I		XXxxXXxx
16JAN08	23:39	Change	Serviceability Stat	2.8	S/I		
			4077.4 AFHR		US/I		
29APR08	00:48	Change	Serviceability Stat	103.0	ARDUPJ302049X		XXxxXXxx
			4077.4 AFHR		US/I		
28MAR10	21:27	Change	Serviceability Stat	3.6	S/I		XXxxXXxx
			4672.6 AFHR		US/I		
24MAY10	03:23	Change	Serviceability Stat	56.2	A1EXXJY602726		XXxxXXxx
			4672.6 AFHR		US/I		
02MAY12	03:49	Change	Serviceability Stat	0.9	S/I		XXxxXXxx
			5251.8 AFHR		US/I		
23MAY12	04:20	Change	Serviceability Stat	21.0	A1EXXJ1002917		XXxxXXxx
			5251.8 AFHR		US/I		
24FEB14	22:38	Change	Serviceability Stat	10.8	S/I		XXxxXXxx
			5844.9 AFHR		US/I		
09OCT14	04:03	Change	Serviceability Stat	226.2	A1EXXJY802826		XXxxXXxx
			5844.9 AFHR		US/I		
22SEP16	04:29	Change	Serviceability Stat	62.9	S/I		XXxxXXxx
			6286.7 AFHR		US/I		
23SEP16	00:54	Asset Removal		4773.6	A1EXXJ1202815		XXxxXXxx
			6286.7 AFHR		039	039	A23T A1WAC 00M
		Change	Serviceability Stat	0.8	A23T A1WAC	00	XXxxXXxx
					US/I		
					U/S		

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04389  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MD1904  
 PART NO : MBEU100490 ~U1604  
 ENGINEERING NAME : ACTUATOR SEAT PAN  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
08NOV16 04:51	Change Serviceability Stat	46.1	U/S SERV	
09NOV16 22:31	Asset Installation	47.9	A23T A1WAC 039 00	XXxxXXxx
	Change Serviceability Stat	1.7	SERV S/I S/I US/I	A23T A1WAC 00MMI
15NOV18 00:12	Change Serviceability Stat	6.7	A1EXXJ1610671	XXxxXXxx
07FEB19 04:17	Asset Removal	819.2	039 039	A23T A1WAC 00M
	Change Serviceability Stat	84.1	A23T A1WAC 00	XXxxXXxx
19FEB19 04:09	Change Serviceability Stat	11.9	US/I U/S SERV	
19FEB19 04:51	Asset Installation	12.0	A23T A1WAC 039 00	XXxxXXxx
	Change Serviceability Stat	0.0	SERV S/I	A23T A1WAC 00MMI

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
ARDUPJCA00461	C COMPLETED	21JAN02 00:00	XXxxXXxx		ARDUPEA	0.0	
02 BAY SERVICE DUE							

Unserviceability Details:  
 Maintenance Comments:

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : MD1904 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : MBEU100490 ~U1604  
 ENGINEERING NAME : ACTUATOR SEAT PAN  
 VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

ARDUPJCA00447 C COMPLETED 21JAN02 00:00 XXxxXXxx ARDUPEA 0.0  
 21JAN02 00:00  
 03 OVERHAUL DUE

Unserviceability Details:  
 Maintenance Comments:

ARDUPJ302050X C COMPLETED 19MAR04 00:22 XXxxXXxx XXxxXXxxXXxxXXxxXXxx ARDU AIE 3446.1 AFHR  
 19MAR04 00:25  
 02 BAY SERVICE DUE BS due on Serial MD1904  
 ACTUATOR SEAT PAN at WAC 0730  
 01 NO FAULT 06 BAY SERVICE

Unserviceability Details:  
 Maintenance Comments: BSCO

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			21JAN04
SM	BS	2.0	ELPYR			21JAN04

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

A1EXXJY401873 C COMPLETED 20APR06 23:32 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE 3798.4 AFHR  
 20APR06 23:33  
 02 BAY SERVICE DUE BS due on Serial MD1904  
 ACTUATOR SEAT PAN at WAC 0730  
 01 NO FAULT 06 BAY SERVICE

Unserviceability Details:  
 Maintenance Comments: BSCO



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 04391  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MD1904 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : MBEU100490 ~U1604  
 ENGINEERING NAME : ACTUATOR SEAT PAN  
 VENUE : A23DISP LOCATION : A23-033

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			19MAR06

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS		UNSERVICEABILITY DETAILS			
MAINT PROCESS	UNSERVICEABILITY	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

ARDUPJ302049X C COMPLETED 28MAR08 00:15 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU AIE  
 29APR08 00:48 16JAN08 23:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU 4077.4 AFHR  
 03 OVERHAUL DUE OH due on Serial MD1904  
 ACTUATOR SEAT PAN at WAC 0730  
 01 NO FAULT 07 OVERHAUL  
 Unserviceability Details:  
 Maintenance Comments: OH C/O

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	6.0	ELPYR			20JAN08
SM	OH	6.0	ELPYR			20JAN08

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS		UNSERVICEABILITY DETAILS			
MAINT PROCESS	UNSERVICEABILITY	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

ALEXJY602726 C COMPLETED 24MAY10 03:13 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
 24MAY10 03:23 28MAR10 21:27 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 4672.6 AFHR  
 02 BAY SERVICE DUE BS due on Serial MD1904  
 ACTUATOR SEAT PAN at WAC 0730  
 01 NO FAULT 06 BAY SERVICE  
 Unserviceability Details:  
 Maintenance Comments: BS C/O SERV REF SNOW 602727

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			29APR10

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04392  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MD1904  
 PART NO : MBEU100490 ~U1604  
 ENGINEERING NAME : ACTUATOR SEAT PAN  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJ1002917 C COMPLETED 23MAY12 03:52 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
 23MAY12 04:20 02MAY12 03:49 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 5251.8 AFHR  
 02 BAY SERVICE DUE BS due on Serial MD1904  
 ACTUATOR SEAT PAN at WAC 0730  
 01 NO FAULT 06 BAY SERVICE  
 Unserviceability Details:  
 Maintenance Comments: BS C/O SERV REF SNOW 1002923

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			23MAY12

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJY802826 C COMPLETED 09OCT14 03:51 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
 09OCT14 04:03 24FEB14 22:38 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 5844.9 AFHR  
 03 OVERHAUL DUE OH due on Serial MD1904  
 ACTUATOR SEAT PAN at WAC 0730  
 01 NO FAULT 07 OVERHAUL  
 Unserviceability Details:  
 Maintenance Comments: OH C/O SERV REF SNOW 802830

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	6.0	ELPYR			28APR14
SM	OH	6.0	ELPYR			28APR14

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04393  
08JAN20  
23:16:15

SERIAL/TAIL NO : MD1904 PERIOD: 01JAN90 TO 08JAN20  
PART NO : MBEU100490 ~U1604  
ENGINEERING NAME : ACTUATOR SEAT PAN  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJ1202815	C COMPLETED	23SEP16 00:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	08NOV16 04:51	22SEP16 04:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	6286.7	AFHR
02 BAY SERVICE DUE				BS	due on Serial MD1904		
				ACTUATOR SEAT PAN	at WAC 0730		
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:		BAY SETV CO SNOW 1202816 MCS ARM 51/16			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			08OCT16
SM	BS	2.0	ELPYR			08OCT16

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJ1610671	C COMPLETED	07FEB19 04:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	AIE	
	19FEB19 04:09	15NOV18 00:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	6890.5	AFHR
02 BAY SERVICE DUE				BS	due on Serial MD1904		
				ACTUATOR SEAT PAN	at WAC 0730		
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:		BAY SERVICE CARRIED OUT SERV REF SNOW 1610682 AIE MCS 07/19			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			08NOV18
SM	BS	2.0	ELPYR			08NOV18

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04394  
08JAN20  
23:16:15

SERIAL/TAIL NO : MD1904  
PART NO : MBEU100490 ~U1604  
ENGINEERING NAME : ACTUATOR SEAT PAN  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MAINTENANCE POLICY HISTORY -----

POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	USER ID
09OCT14 04:03	SM Claimed	BS	

-----

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04395  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MD2153  
 PART NO : MBEU100433 ~U1604  
 ENGINEERING NAME : COM DEL BREECH UNIT  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 6786.2 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
30AUG03	04:22	Maintenance	Comment	0.0 AFHR	0.8	07Aug01	A23-046	07.30 4273	0 DAYS 02-BS DUE RX16095 XXxxXXxx
30AUG03	04:23	Maintenance	Comment	0.0 AFHR	0.8	04Apr00	A23-046	07.30 3784	0 DAYS IN AS A23T 1453-00-00-D XXxxXXxx
30AUG03	04:26	Maintenance	Comment	0.0 AFHR	0.8	2723.8	0.0 AFHR		XXxxXXxx
30AUG03	04:26	Maintenance	Comment	0.0 AFHR	0.8	22Nov89	NEW - MD2153	MBEU100433	1453-00-00-D XXxxXXxx
30AUG03	04:29	Maintenance	Comment	0.0 AFHR	0.8	21Jan02	AIEAR	FF: 01-NIL	MA: 06-BS XXxxXXxx
30AUG03	04:29	Maintenance	Comment	0.0 AFHR	0.8	31Jan02	A23-007	07.30 4450	0 DAYS IN AS A23T 1453-00-00-D XXxxXXxx
30AUG03	04:29	Maintenance	Comment	0.0 AFHR	0.8	2330.4	0.0 AFHR		XXxxXXxx
30AUG03	04:30	Maintenance	Comment	0.0 AFHR	0.8	2723.8	0.0 AFHR		XXxxXXxx
30AUG03	04:30	Maintenance	Comment	0.0 AFHR	0.8	29Aug03	A23-007	07.30 3010.4 AFHR	TX TO CAMM2 XXxxXXxx
30AUG03	04:31	Maintenance	Comment	0.0 AFHR	0.8	2330.4	0.0 AFHR		XXxxXXxx
30AUG03	04:32	Maintenance	Comment	0.0 AFHR	0.8	03Apr00	AIEAR	FF: 01-NIL	MA: 06-BS XXxxXXxx
30AUG03	04:33	Maintenance	Comment	0.0 AFHR	0.8	21Jan02		ELPYR LST BS 21JAN04	ELPYR NXT BS XXxxXXxx
10DEC03	00:39	Asset Removal		3040.4 AFHR	102.6	051	A23-007		A23T A1UJC 00A XXxxXXxx
		Change Serviceability Stat			21.0	S/I			
		Change Location of an Asse			39.8	U/S	A23-007		
10DEC03	00:44	Change Serviceability Stat		3040.4 AFHR	0.0	ARDARH			XXxxXXxx
						U/S			
						SERV			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04396  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MD2153  
 PART NO : MBEU100433  
 ENGINEERING NAME : COM DEL BREECH UNIT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
11DEC03 00:34	Change Serviceability Stat	0.9	SERV U/S ARDUPJ302267	XXXXXXxx
11DEC03 00:53	Change Venue of an Asset	40.8	ARDU ARDU ARDUXXY300962	XXXXXXxx
18MAR04 21:49	Change Serviceability Stat	98.8	ARDARH ARMAMENT U/S SERV	XXXXXXxx
24MAR04 22:08	Asset Installation	105.8	A23T 512 A1UJC A23-011	A23T A1UJC 0 A
	Change Serviceability Stat	6.0	SERV S/I ARMAMENT A23-011	XXXXXXxx
21MAR06 09:50	Change Serviceability Stat	4.3	S/I US/I A1EXXJY401848	XXXXXXxx
21MAR06 09:52	Asset Removal	726.4	512 A23T A1UJC A23-011	A23T A1UJC 00A
	Change Serviceability Stat	0.0	US/I U/S A23-011	XXXXXXxx
03APR06 01:46	Change Venue of an Asset	201.0	PC9-AVIONICS ARDU AIE ARDUXXY601829	XXXXXXxx
	Change Location of an Asse	12.6	PC9-AVIONICS ARMAMENT	
20APR06 22:24	Change Serviceability Stat	30.5	U/S SERV	XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04397  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MD2153  
 PART NO : MBEU100433  
 ENGINEERING NAME : COM DEL BREECH UNIT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
14NOV06 05:16	Change Venue of an Asset	225.1	AIE FACDU	
	3392.7 AFHR Change Location of an Asse	225.1	A1EXXXY606875 ARMAMENT	XXxxXXxx
14NOV06 05:21	Asset Installation	237.8	HOLD A23T A1UJC	
	3392.7 AFHR Change Serviceability Stat	207.2	532 A23-032	A23T A1UJC XXxxXXxx
	Change Location of an Asse	0.0	SERV S/I	
17JAN08 04:52	Change Serviceability Stat	3.0	HOLD A23-032	
	3671.7 AFHR Asset Removal	428.9	S/I US/I A1EXXJY602709	XXxxXXxx
17JAN08 04:56	Asset Removal	428.9	532 A23-032	A23T A1UJC
	3671.7 AFHR Change Serviceability Stat	0.0	A23T A1UJC	XXxxXXxx
	Change Location of an Asse	428.9	US/I U/S	
27MAR08 02:50	Change Venue of an Asset	498.8	A23-032 RSERV FACDU	
	3671.7 AFHR Change Location of an Asse	69.9	AIE FACDUXY800244	XXxxXXxx
29APR08 02:17	Change Serviceability Stat	102.8	RSERV ARMAMENT	
	3671.7 AFHR		U/S SERV	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04398  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MD2153  
 PART NO : MBEU100433  
 ENGINEERING NAME : COM DEL BREECH UNIT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
29APR08 03:28	Asset Installation	102.9	A23T A1UJC 509 A23-012	00 A23T A1UJC 00AC
	3671.7 AFHR Change Serviceability Stat	0.0	SERV S/I	XXXXXXxx
	Change Location of an Asse	33.0	ARMAMENT A23-012	
15APR09 23:55	Asset Removal	351.8	509 A23T A1UJC A23-012	00 A23T A1UJC 00A
	3971.1 AFHR Change Serviceability Stat	6.8	S/I U/S	XXXXXXxx
	Change Location of an Asse	351.8	A23-012 ARMAMENT	
15APR09 23:56	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
21MAY09 23:13	Asset Installation	35.9	A23T A1UJC 509 A23-012	00 A23T A1UJC 00AC
	3971.1 AFHR Change Serviceability Stat	35.9	SERV S/I	XXXXXXxx
	Change Location of an Asse	35.9	ARMAMENT A23-012	
28MAR10 21:27	Change Serviceability Stat	3.6	S/I US/I	
28MAR10 21:36	Asset Removal	310.9	4266.9 AFHR A1EXXJY802854 509 A23T A1UJC A23-012	00 A23T A1UJC 00A
	4266.9 AFHR Change Serviceability Stat	0.0	US/I U/S	XXXXXXxx
	Change Location of an Asse	310.9	A23-012 ARMAMENT	



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04399  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MD2153  
 PART NO : MBEU100433  
 ENGINEERING NAME : COM DEL BREECH UNIT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
24MAY10 03:03	Change Serviceability Stat	56.2	U/S SERV	
25MAY10 04:31	Asset Installation	57.2	A23T 509 A1UJC A23-012	00 A23T A1UJC 00AC
	Change Serviceability Stat	1.0	SERV S/I	XXXXXXxx
	Change Location of an Asse	57.2	ARMAMENT A23-012	
21FEB11 23:52	Asset Removal	272.8	509 A23T A1UJC A23-012	00 A23T A1UJC 00A
	Change Serviceability Stat	14.8	S/I U/S	XXXXXXxx
	Change Location of an Asse	272.8	A23-012 ARMAMENT	
22FEB11 00:05	Change Serviceability Stat	0.0	U/S SERV	
22FEB11 00:19	Asset Installation	0.0	A23T 509 A1UJC A23-012	00 A23T A1UJC 00AC
	Change Serviceability Stat	0.0	SERV S/I	XXXXXXxx
	Change Location of an Asse	0.0	ARMAMENT A23-012	
03NOV11 03:52	Asset Removal	254.1	509 A23T A1UJC A23-012	00 A23T A1UJC 00A
	Change Serviceability Stat	0.0	S/I U/S	XXXXXXxx
	Change Location of an Asse	254.1	A23-012 ARMAMENT	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04400  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MD2153  
 PART NO : MBEU100433  
 ENGINEERING NAME : COM DEL BREECH UNIT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
03NOV11 03:52	Change Serviceability Stat	0.0	U/S SERV	
	4715.8 AFHR			XXXXXXxx
03NOV11 03:58	Asset Installation	0.0	A23T 509 A1UJC A23-012	00 A23T A1UJC 00AC
	4715.8 AFHR			XXXXXXxx
	Change Serviceability Stat	0.0	SERV S/I ARMAMENT A23-012	
	Change Location of an Asse	0.0		
02MAY12 03:49	Change Serviceability Stat	0.9	S/I US/I A1EXXJ1002898	
02MAY12 03:54	Asset Removal	180.9	509 A23T A1UJC A23-012	00 A23T A1UJC 00A
	4846.1 AFHR			XXXXXXxx
	Change Serviceability Stat	0.0	US/I U/S A23-012 ARMAMENT	
	Change Location of an Asse	180.9		
23MAY12 05:12	Change Serviceability Stat	21.0	U/S SERV	
	4846.1 AFHR			XXXXXXxx
24MAY12 05:49	Asset Installation	22.0	A23T 509 A1UJC A23-012	00 A23T A1UJC 00AC
	4846.1 AFHR			XXXXXXxx
	Change Serviceability Stat	1.0	SERV S/I ARMAMENT A23-012	
	Change Location of an Asse	22.0		
15AUG13 00:58	Position Change	447.7	A23T A1UJC A23T A1UJC A1EXXX1302696	00 00
	5269.4 AFHR			XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04401  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MD2153  
 PART NO : MBEU100433  
 ENGINEERING NAME : COM DEL BREECH UNIT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
09SEP13 23:24	Asset Removal	473.7	509 A23T A1UJC	A23T A1UJC 00A
	5289.8 AFHR Change Serviceability Stat	0.8	S/I U/S	XXXXXXxx
	Change Location of an Asse	473.7	A23-012 ARMAMENT	
09SEP13 23:25	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
	5289.8 AFHR Asset Installation	0.2	A23T A1UJC	A23T A1UJC 00AC
	5289.8 AFHR Change Serviceability Stat	0.2	SERV S/I	XXXXXXxx
	Change Location of an Asse	0.2	ARMAMENT A23-012	
24FEB14 22:38	Change Serviceability Stat	10.8	S/I US/I	
	5439.2 AFHR Asset Removal	167.7	A1EXXJ1202832 509 A23T A1UJC	XXXXXXxx A23T A1UJC 00A
	5439.2 AFHR Change Serviceability Stat	0.0	US/I U/S	XXXXXXxx
	Change Location of an Asse	167.7	A23-012 ARMAMENT	
09OCT14 05:07	Change Serviceability Stat	226.2	U/S SERV	
	5439.2 AFHR Change Venue of an Asset	2398.0	AIE 4SQN	XXXXXXxx
	5439.2 AFHR Change Location of an Asse	237.2	A1EXXX1404245 ARMAMENT ARM_SECTION	XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04402  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MD2153  
 PART NO : MBEU100433  
 ENGINEERING NAME : COM DEL BREECH UNIT  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
28OCT14 03:52	Asset Installation	245.2	A23T A1UJC 520 A23-020	00 A23T A1UJC 00AC
	5439.2 AFHR Change Serviceability Stat	18.9	SERV S/I	XXXXXXxx
	Change Location of an Asse	7.9	ARM_SECTION A23-020	
08MAR16 03:52	Asset Removal	497.0	520 A23T A1UJC A23-020	00 A23T A1UJC 00A
	5799.1 AFHR Change Serviceability Stat	4.1	S/I U/S	XXXXXXxx
	Change Location of an Asse	0.2	A23-020 ARMAMENT	
08MAR16 03:53	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
07APR16 01:48	Asset Installation	29.9	A23T A1UJC 520 A23-020	00 A23T A1UJC 00AC
	5799.1 AFHR Change Serviceability Stat	29.9	SERV S/I	XXXXXXxx
	Change Location of an Asse	29.9	ARMAMENT A23-020	
22SEP16 04:29	Change Serviceability Stat	36.2	S/I US/I	
22SEP16 04:33	Asset Removal	168.1	520 A23T A1UJC A23-020	00 A23T A1UJC 00A
	5881.0 AFHR Change Serviceability Stat	0.0	US/I U/S	XXXXXXxx
	Change Location of an Asse	3.2	A23-020 ARMAMENT	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04403  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MD2153  
 PART NO : MBEU100433  
 ENGINEERING NAME : COM DEL BREECH UNIT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
09NOV16 22:08	Change Serviceability Stat	48.7	U/S SERV	
	5881.0 AFHR			XXXXXXxx
17NOV16 05:10	Asset Installation	56.0	A23T 520 A1UJC A23-020	00 A23T A1UJC 00AC
	5881.0 AFHR			XXXXXXxx
	Change Serviceability Stat	7.2	SERV S/I	
	Change Location of an Asse	56.0	ARMAMENT A23-020	
29MAY18 05:10	Asset Removal	557.9	520 A23T A1UJC A23-020	00 A23T A1UJC 00A
	6314.5 AFHR			XXXXXXxx
	Change Serviceability Stat	4.0	S/I U/S	
	Change Location of an Asse	97.0	A23-020 HANGAR_RACKS	
29MAY18 05:12	Change Serviceability Stat	0.0	U/S SERV	
	6314.5 AFHR			XXXXXXxx
29MAY18 05:18	Asset Installation	0.0	A23T 520 A1UJC A23-020	00 A23T A1UJC 00AC
	6314.5 AFHR			XXXXXXxx
	Change Serviceability Stat	0.0	SERV S/I	
	Change Location of an Asse	0.0	HANGAR_RACKS A23-020	
12NOV18 03:44	Asset Removal	166.9	520 A23T A1UJC A23-020	00 A23T A1UJC 00A
	6484.8 AFHR			XXXXXXxx
	Change Serviceability Stat	3.9	S/I U/S	
	Change Location of an Asse	166.9	A23-020 HANGAR_RACKS	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04404  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MD2153  
 PART NO : MBEU100433  
 ENGINEERING NAME : COM DEL BREECH UNIT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN (DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
12NOV18 03:45	Change Serviceability Stat	0.0	U/S SERV	
	6484.8 AFHR			XXxxXXxx
15NOV18 00:15	Change Serviceability Stat	2.8	SERV U/S	
	6484.8 AFHR		A1EXXJ1610730	XXxxXXxx
07FEB19 03:08	Change Venue of an Asset	350.9	4SQN AIE	
	6484.8 AFHR		4SQNXX1900097	XXxxXXxx
	Change Location of an Asse	86.9	HANGAR_RACKS ARMAMENT	
19FEB19 05:25	Change Serviceability Stat	96.2	U/S SERV	
	6484.8 AFHR			XXxxXXxx
20FEB19 03:23	Asset Installation	99.9	A23T 525	
	6484.8 AFHR		A23-025	A23T A1UJC 00AC
	Change Serviceability Stat	0.9	SERV S/I	
	Change Location of an Asse	13.0	ARMAMENT A23-025	
12SEP19 03:35	Asset Removal	204.0	525 A23T	
	6739.9 AFHR		A1UJC	A23T A1UJC 00A
	Change Serviceability Stat	5.9	S/I U/S	XXxxXXxx
	Change Location of an Asse	2.0	A23-025	
12SEP19 03:35	Change Serviceability Stat	0.0	MCS U/S SERV	
	6739.9 AFHR			XXxxXXxx
12SEP19 03:37	Change Venue of an Asset	2.0	A23DISP AIP	
	6739.9 AFHR		A23DSX1900744	XXxxXXxx
	Change Location of an Asse	0.0	MCS EGRESS	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04405  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MD2153  
 PART NO : MBEU100433 ~U1604  
 ENGINEERING NAME : COM DEL BREECH UNIT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
04OCT19 02:09	Asset Installation	21.9	A23T A1UJC 533 A23-033	00 A23T A1UJC 00AC
	6739.9 AFHR Change Serviceability Stat	21.9	SERV S/I	XXXXXXxx
	Change Location of an Asse	21.9	EGRESS A23-033	

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	UNSERVICEABILITY	SYMPTOMS	UNSERVICEABILITY DETAILS	MAINTENANCE COMMENT		
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY	UNSERVICEABILITY	UNSERVICEABILITY	UNSERVICEABILITY		
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE ACTION TAKEN	MAINTENANCE ACTION TAKEN	MAINTENANCE ACTION TAKEN	MAINTENANCE ACTION TAKEN		

ARDUPJCA00438 C COMPLETED 21JAN02 00:00 XXxxXXxx ARDUPEA 0.0  
 21JAN02 00:00  
 02 BAY SERVICE DUE

Unserviceability Details:  
 Maintenance Comments:

ARDUXJY301469 C COMPLETED 10DEC03 00:39 XXxxXXxx XXxxXXxxXXxxXXxxXXxx ARDU ARDU 3040.4 AFHR  
 10DEC03 00:44  
 13 REMOVED FOR ACCESS 99 NO FAILURE CDBU AND CCV RFA

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: SERV

ARDUPJ302267X C COMPLETED 11DEC03 00:34 XXxxXXxx XXxxXXxxXXxxXXxxXXxx ARDU AIE 3040.4 AFHR  
 18MAR04 21:49  
 02 BAY SERVICE DUE BS due on Serial COM DEL BREECH UNIT at WAC 0730

01 NO FAULT 06 BAY SERVICE  
 Unserviceability Details:  
 Maintenance Comments: BS CO

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 04406  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MD2153 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : MBEU100433 ~U1604  
 ENGINEERING NAME : COM DEL BREECH UNIT  
 VENUE : A23DISP LOCATION : A23-033

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			21JAN04
SM	BS	2.0	ELPYR			21JAN04

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
1ALEXXJY401848	C COMPLETED	21MAR06 09:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	ARDU	AIE	
02 BAY SERVICE DUE	20APR06 22:24					3392.7	AFHR
01 NO FAULT		06 BAY SERVICE					

due on Serial MD2153  
 COM DEL BREECH UNIT at WAC 0730

Unserviceability Details:  
 Maintenance Comments: BSCO

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			18MAR06
SM	BS	2.0	ELPYR			18MAR06

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
1ALEXXJY602709	C COMPLETED	17JAN08 04:56	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU	AIE	
02 BAY SERVICE DUE	29APR08 02:17	17JAN08 04:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	FACDU	3671.7	AFHR
01 NO FAULT		06 BAY SERVICE					

due on Serial MD2153  
 COM DEL BREECH UNIT at WAC 0730

Unserviceability Details:  
 Maintenance Comments: C/O

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			19APR08



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04407  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MD2153 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : MBEU100433 ~U1604  
 ENGINEERING NAME : COM DEL BREECH UNIT  
 VENUE : A23DISP LOCATION : A23-033

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			19APR08

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS		UNSERVICEABILITY DETAILS			
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS		MAINTENANCE COMMENT			
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

1A1EXXJY902048 C COMPLETED 15APR09 23:55 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
 15APR09 23:56 15APR09 23:55 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 3971.1 AFHR  
 13 REMOVED FOR ACCESS 99 NO FAILURE CDBU RFA REF WS 448674-1-2-4-2-1-2

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

1A1EXXJY802854 C COMPLETED 28MAR10 21:36 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
 24MAY10 03:03 28MAR10 21:27 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 4266.9 AFHR  
 02 BAY SERVICE DUE BS due on Serial MD2153  
 COM DEL BREECH UNIT at WAC 0730

01 NO FAULT 06 BAY SERVICE  
 Unserviceability Details:  
 Maintenance Comments: BS C/O SERV REF SNOW 802854

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			29APR10
SM	BS	2.0	ELPYR			29APR10

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS		UNSERVICEABILITY DETAILS			
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS		MAINTENANCE COMMENT			
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

1A1EXXJ1100874 C COMPLETED 21FEB11 23:52 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
 22FEB11 00:05 21FEB11 23:52 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 4489.1 AFHR  
 13 REMOVED FOR ACCESS 99 NO FAILURE CDBU REMOVED FOR ACCESS

01 NO FAULT 04 CHECK/TEST SERV

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04408  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MD2153 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : MBEU100433 ~U1604  
 ENGINEERING NAME : COM DEL BREECH UNIT  
 VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

Unserviceability Details:

Maintenance Comments: CHECK/TEST SERV

A1EXXJ1105913	C COMPLETED	03NOV11 03:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	03NOV11 03:52	03NOV11 03:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	4715.8	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		CDBU REMOVED FOR ACCESS			
01	NO FAULT	04 CHECK/TEST SERV					

Unserviceability Details:

Maintenance Comments: CHECK/TEST SERV

A1EXXJ1002898	C COMPLETED	02MAY12 03:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	23MAY12 05:12	02MAY12 03:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	4846.1	AFHR
02	BAY SERVICE DUE			due on Serial MD2153			
				COM DEL BREECH UNIT at WAC 0730			
01	NO FAULT	06 BAY SERVICE					

Unserviceability Details:

Maintenance Comments: BS C/O SERV REF SNOW 1002898

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			23MAY12
SM	BS	2.0	ELPYR			23MAY12

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJ1304656	C COMPLETED	09SEP13 23:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	09SEP13 23:25	09SEP13 23:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	5289.8	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		CDBU REMOVED FOR ACCESS			
01	NO FAULT	04 CHECK/TEST SERV					

Unserviceability Details:

Maintenance Comments: CHECK/TEST SERV

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : MD2153 PERIOD: 01JAN90 TO 08JAN20  
PART NO : MBEU100433 ~U1604  
ENGINEERING NAME : COM DEL BREECH UNIT  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJ1202832	C COMPLETED	24FEB14 22:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	09OCT14 05:07	24FEB14 22:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	5439.2	AFHR
02 BAY SERVICE DUE				BS	due on Serial MD2153		
				COM DEL BREECH UNIT at WAC 0730			
01 NO FAULT		06 BAY SERVICE		Unserviceability Details:			
				Maintenance Comments: BS C/O SERV REF SNOW 1202832			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			23MAY14
SM	BS	2.0	ELPYR			23MAY14

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJ1602066	C COMPLETED	08MAR16 03:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	08MAR16 03:53	08MAR16 03:53	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	5799.1	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE		CDBU REMOVED FOR ACCESS'			
01 NO FAULT		04 CHECK/TEST SERV		Unserviceability Details:			
				Maintenance Comments: CHECK/TEST SERV			

A1EXXJ1406421	C COMPLETED	22SEP16 04:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	09NOV16 22:08	22SEP16 04:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	5881.0	AFHR
02 BAY SERVICE DUE				BS	due on Serial MD2153		
				COM DEL BREECH UNIT at WAC 0730			
01 NO FAULT		06 BAY SERVICE		Unserviceability Details:			
				Maintenance Comments: BAY SERV CO SNOW 1406421 MCS ARM 53/16			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04410  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MD2153  
 PART NO : MBEU100433 ~U1604  
 ENGINEERING NAME : COM DEL BREECH UNIT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			08OCT16
SM	BS	2.0	ELPYR			08OCT16

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
4SQNXJ1800858	C COMPLETED	29MAY18 05:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	4SQN	
13	REMOVED FOR ACCESS	29MAY18 05:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	6314.5	AFHR
01	NO FAULT	99 NO FAILURE		TA	due on Serial 2016L868C		
04	CHECK/TEST SERV			SET CART COMMAND	at WAC 0700		
Unserviceability Details:							
Maintenance Comments: CHECK/TEST SERV							
4SQNXJ1801665	C COMPLETED	12NOV18 03:44	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	4SQN	
13	REMOVED FOR ACCESS	12NOV18 03:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	6484.8	AFHR
01	NO FAULT	99 NO FAILURE		FRONT EJECTION SEAT S/NO: 039 TO BE REMOVED FOR BS			
04	CHECK/TEST SERV			Unserviceability Details:			
Maintenance Comments: CHECK/TEST SERV							
A1EXXJ1610730	C COMPLETED	15NOV18 00:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	AIE	
02	BAY SERVICE DUE	15NOV18 00:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	6484.8	AFHR
01	NO FAULT	06 BAY SERVICE		BS	due on Serial MD2153		
COM DEL BREECH UNIT at WAC 0730							
Unserviceability Details:							
Maintenance Comments: BAY SERVICE CARRIED OUT SERV REF SNOW 1610730 AIE MCS 09/19							

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			09NOV18
SM	BS	2.0	ELPYR			09NOV18

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : MD2153  
PART NO : MBEU100433 ~U1604  
ENGINEERING NAME : COM DEL BREECH UNIT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

```

=====
A23DSJ1900613  C  COMPLETED      12SEP19  03:35  XXxxXXxx  XXxxXXxxXXxxXXxxXXxx  A23DISP      A23DISP
                12SEP19  03:35      12SEP19  03:35  XXxxXXxx  XXxxXXxxXXxxXXxxXXxx  A23DISP      6739.9  AFHR
13 REMOVED FOR ACCESS      99 NO FAILURE      COMMAND CART SET, CCV AND CDBU REMOVED TO SERVICE A23-033

01 NO FAULT                04 CHECK/TEST SERV
                               Unserviceability Details:
                               Maintenance Comments:  CHECK/TEST SERV

```

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : MD2153  
PART NO : MBEU100433 ~U1604  
ENGINEERING NAME : COM DEL BREECH UNIT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MODIFICATION ORDERS INCORPORATION STATUS CHANGE						
MOD NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
7291.042-110	Y	28AUG95 00:00	INC			

STI STATUS CHANGE						
STI NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
STI-ESCFAC-0258	Y	25JUL90 00:00	NINC			
STI-ESCFAC-0276	Y	14NOV90 00:00	INC			
STI-ESCFAC-0293	Y	16FEB93 00:00	INC			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04413  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MD2338  
 PART NO : MBEU72851  
 ENGINEERING NAME : QUICK REL FITTING  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

~U1604

PERIOD: 01JAN90 TO 08JAN20

LOCATION : A23-033  
 LIFE SINCE NEW : 8891.5 AFHR

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER			
				LIFE SINCE NEW							
02SEP03	06:23	Maintenance	Comment	3.9	3649.2	0.0	AFHR	XXxxXXxx			
								CAMM LOG00003			
02SEP03	06:23	Maintenance	Comment	3.9	4093.0	0.0	AFHR	XXxxXXxx			
								CAMM LOG00005			
02SEP03	06:23	Maintenance	Comment	3.9	15May03		ELPYR LST BS 14MAY04 ELPYR	NXT BS			
								XXxxXXxx			
02SEP03	06:24	Maintenance	Comment	3.9	4114.8	0.0	AFHR	XXxxXXxx			
								CAMM LOG00010			
02SEP03	06:25	Maintenance	Comment	3.9	25Nov02	MB9843	07.40	5014	0 DAYS	UPDATED LIFE (MPMI)	
										XXxxXXxx	
02SEP03	06:25	Maintenance	Comment	3.9	15May03	2FTALS		FF: 01-NIL		MA: 06-BS	
										XXxxXXxx	
02SEP03	06:26	Maintenance	Comment	3.9	16Dec02	MB9843	00.40	5035	0 DAYS	02-BS DUE LF21895	
										XXxxXXxx	
02SEP03	06:26	Maintenance	Comment	3.9	15May03	MB10541	00.40	5185	0 DAYS	IN AS A23T 1451-12-05-J	
										XXxxXXxx	
02SEP03	06:26	Maintenance	Comment	3.9	01Mar89	NEW - MD2338		MBEU72851	1451-12-05-J		
										XXxxXXxx	
02SEP03	06:31	Maintenance	Comment	3.9	29Aug03	MB10541	07.40	4237.8	AFHR	TX TO CAMM2	
										XXxxXXxx	
02SEP03	06:32	Maintenance	Comment	3.9	4114.8	0.0	AFHR			XXxxXXxx	
										CAMM LOG00007	
02SEP03	06:32	Maintenance	Comment	3.9	04Dec01	MB9843	00.40	4658	0 DAYS	IN AS A23T 1451-12-05-J	
										XXxxXXxx	
02SEP03	06:33	Maintenance	Comment	3.9	04Dec01	2FTALS		FF: 01-NIL		MA: 06-BS	
										XXxxXXxx	
04MAR04	04:33	Change Serviceability	Stat	8.0	S/I						
										US/I	
					4324.9	AFHR				XXxxXXxx	
04MAR04	04:33	Asset Removal		187.8	AIPXXJ304041						
					MB10541		MB10541		A23T	A26BA12	00M
					A23T	A26BA12	00				
					4324.9	AFHR				XXxxXXxx	
		Change Serviceability	Stat	0.0	US/I						
					U/S						

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04414  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MD2338  
 PART NO : MBEU72851  
 ENGINEERING NAME : QUICK REL FITTING  
 VENUE : A23DISP  
 LOCATION : A23-033  
 ~U1604  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS		-----									
TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN(DYS)	FROM	TO (OPTIONAL)			USER		
						TRANS REFERENCE					
=====											
10MAR04	23:21	Change	Serviceability Stat	6.7	U/S						
					SERV						
10MAR04	23:23	Asset	Installation	6.7	A23T	A26BA12			00	XXXXXXxx	
					MB10541		A23-054				
				0.0	SERV			A23T	A26BA12	0 A	
			Change Serviceability Stat		S/I					XXXXXXxx	
					S/I						
31MAR05	07:42	Change	Serviceability Stat	48.1	US/I						
					A1PXXJY404456					XXXXXXxx	
31MAR05	07:42	Asset	Removal	385.3	MB10541		MB10541				
					A23T	A26BA12			00	XXXXXXxx	
			Change Serviceability Stat	0.0	US/I						
					U/S						
30MAY05	05:11	Change	Serviceability Stat	59.8	U/S						
					SERV						
30MAY05	05:27	Asset	Installation	59.9	A23T	A26BA12			00	XXXXXXxx	
					MB9843		MB9843				
				0.0	SERV			A23T	A26BA12	00MMI	
			Change Serviceability Stat		S/I					XXXXXXxx	
					S/I						
21MAY06	01:10	Change	Serviceability Stat	8.9	US/I						
					A1PXXJY509929					XXXXXXxx	
21MAY06	01:10	Asset	Removal	355.8	MB9843		MB9843				
					A23T	A26BA12			00	XXXXXXxx	
			Change Serviceability Stat	0.0	US/I						
					U/S						
28JUL06	01:58	Change	Serviceability Stat	68.0	U/S						
					SERV						
										XXXXXXxx	



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04415  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MD2338  
 PART NO : MBEU72851  
 ENGINEERING NAME : QUICK REL FITTING  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
28JUL06 02:00	Asset Installation	68.0	A23T A26BA12 MB9843	00 A23T A26BA12 00MMI
	4916.6 AFHR Change Serviceability Stat	0.0	SERV	XXXXXXxx
25JUL07 01:54	Change Serviceability Stat	26.0	S/I	
	5000.7 AFHR Change Serviceability Stat	5.1	US/I A1PXXJY611593	XXXXXXxx
30JUL07 05:44	Change Serviceability Stat	5.1	S/I	
	5000.7 AFHR Change Serviceability Stat	6.7	S/I	XXXXXXxx
31JUL08 05:57	Change Serviceability Stat	6.7	US/I	
	5388.0 AFHR Asset Removal	734.1	A1PXXJY714583 MB9843	XXXXXXxx
31JUL08 05:58	Asset Removal	734.1	A23T A26BA12 MB9843	00 A23T A26BA12 00M
	5388.0 AFHR Change Serviceability Stat	0.0	US/I	XXXXXXxx
15AUG08 03:37	Change Serviceability Stat	14.9	U/S	
	5388.0 AFHR Change Serviceability Stat	14.9	U/S SERV	XXXXXXxx
15AUG08 03:43	Asset Installation	14.9	A23T A26BA12 MB9843	00 A23T A26BA12 00MMI
	5388.0 AFHR Change Serviceability Stat	0.0	SERV	XXXXXXxx
19AUG09 22:21	Change Serviceability Stat	55.7	S/I	
	5767.2 AFHR Asset Removal	369.7	US/I A1PXXJY813632 MB9843	XXXXXXxx
19AUG09 22:23	Asset Removal	369.7	A23T A26BA12 MB9843	00 A23T A26BA12 00M
	5767.2 AFHR Change Serviceability Stat	0.0	US/I	XXXXXXxx
			U/S	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04416  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MD2338  
 PART NO : MBEU72851  
 ENGINEERING NAME : QUICK REL FITTING  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
09SEP09 23:53	Change Serviceability Stat	21.0	U/S SERV	
	5767.2 AFHR			XXXXXXxx
09SEP09 23:56	Asset Installation	21.0	A23T MB9843 A26BA12 MB9843	A23T A26BA12 00MMI
	5767.2 AFHR			XXXXXXxx
	Change Serviceability Stat	0.0	SERV	
15MAR10 12:49	Change Serviceability Stat	0.2	S/I S/I US/I	
	5991.4 AFHR		A1PXXJ1004630	XXXXXXxx
15MAR10 12:51	Change Serviceability Stat	0.0	US/I S/I	
	5991.4 AFHR			XXXXXXxx
05SEP10 23:20	Change Serviceability Stat	11.6	S/I US/I	
	6155.1 AFHR		A1PXXJY920179	XXXXXXxx
05SEP10 23:23	Asset Removal	360.9	MB9843 A23T A26BA12 MB9843	A23T A26BA12 00M
	6155.1 AFHR			XXXXXXxx
	Change Serviceability Stat	0.0	US/I	
	Change Location of an Asse	3.0	U/S AROM	
03MAR11 03:06	Change Serviceability Stat	178.1	ALS U/S SERV	
	6155.1 AFHR			XXXXXXxx
03MAR11 03:14	Asset Installation	178.1	A23T MB9843 A26BA12 MB9843	A23T A26BA12 00MMI
	6155.1 AFHR			XXXXXXxx
	Change Serviceability Stat	0.0	SERV	
20JAN12 03:26	Change Serviceability Stat	2.0	S/I S/I US/I	
	6391.3 AFHR		A1PXXJ1102837	XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04417  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MD2338  
 PART NO : MBEU72851  
 ENGINEERING NAME : QUICK REL FITTING  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
22MAR12 22:30	Change Serviceability Stat	6391.3 AFHR	62.7	US/I S/I	
17FEB13 22:14	Change Serviceability Stat	6691.8 AFHR	25.7	S/I US/I	XXxxXXxx
21FEB13 03:13	Change Serviceability Stat	6691.8 AFHR	3.2	A1PXXJ1203948 US/I S/I	XXxxXXxx
24FEB14 05:02	Change Serviceability Stat	6691.8 AFHR	2.9	S/I US/I	XXxxXXxx
06MAR14 05:06	Change Serviceability Stat	7061.9 AFHR	10.0	A1PXXJ1302580 US/I S/I	XXxxXXxx
09MAR15 05:32	Change Serviceability Stat	7061.9 AFHR	117.1	S/I US/I	XXxxXXxx
29MAR15 23:09	Change Serviceability Stat	7276.6 AFHR	20.7	A1PXXJ1403630 US/I S/I	XXxxXXxx
18FEB16 00:38	Change Serviceability Stat	7276.6 AFHR	0.7	S/I US/I	XXxxXXxx
13MAY16 02:49	Change Serviceability Stat	7640.9 AFHR	85.0	A1PXXJ1504857 US/I S/I	XXxxXXxx
12MAY17 02:26	Change Serviceability Stat	7640.9 AFHR	0.7	S/I US/I	XXxxXXxx
10AUG17 23:11	Change Serviceability Stat	8063.6 AFHR	90.8	A1PXXJ1611030 US/I S/I	XXxxXXxx
10AUG18 00:54	Change Serviceability Stat	8063.6 AFHR	1.6	S/I US/I	XXxxXXxx
		8484.6 AFHR		A1PXXJ1715665	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04418  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MD2338  
 PART NO : MBEU72851 ~U1604  
 ENGINEERING NAME : QUICK REL FITTING  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
06SEP18 01:32	Change Serviceability Stat	27.0	US/I S/I	
	8484.6 AFHR			XXxxXXxx
13SEP19 01:30	Change Serviceability Stat	7.6	S/I US/I	
	8883.5 AFHR		AIPXXJ1815011	XXxxXXxx
25SEP19 06:00	Change Serviceability Stat	12.1	US/I S/I	
	8883.5 AFHR			XXxxXXxx

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
2FTSXJCA05035	C COMPLETED	15MAY03 00:00	XXxxXXxx		2FTS		0.0
02 BAY SERVICE DUE							

Unserviceability Details:  
 Maintenance Comments:

AIPXXJ304041X	C COMPLETED	04MAR04 04:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	10MAR04 23:21					4324.9	AFHR
02 BAY SERVICE DUE							
BS due on Serial MD2338							
QUICK REL FITTING at WAC 0740							
01 NO FAULT							
06 BAY SERVICE							
Unserviceability Details:							
Maintenance Comments: BAY SERVICE CARRIED IAW 7291.042-2MB1/B2 REFER TO OAM 261/04							

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			14MAY04
SM	BS	1.0	ELPYR			14MAY04

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04419  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MD2338  
 PART NO : MBEU72851 ~U1604  
 ENGINEERING NAME : QUICK REL FITTING  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJY404456 C COMPLETED 31MAR05 07:42 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 30MAY05 05:09 4631.9 AFHR  
 02 BAY SERVICE DUE BS due on Serial MD2338  
 QUICK REL FITTING at WAC 0740  
 01 NO FAULT 06 BAY SERVICE  
 Unserviceability Details:  
 Maintenance Comments: BAY SERVICE CARRIED OUT IAW AAP 7221.001-3M REFER OAM 360/05

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			10MAR05

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJY507420 C COMPLETED 15APR05 02:54 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 30MAY05 05:11 4631.9 AFHR  
 03 OVERHAUL DUE OH DUE ON SERIAL MD2338  
 QUICK REL FITTING AT WAC 0740  
 01 NO FAULT 07 OVERHAUL  
 Unserviceability Details:  
 Maintenance Comments: BAY SERVICE CARRIED OUT IAW AAP 7221.001-3M REFER OAM360/05

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	1.0	ELPYR			01MAR90
SM	OH	1.0	ELPYR			01MAR90

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04420  
08JAN20  
23:16:15

SERIAL/TAIL NO : MD2338  
PART NO : MBEU72851 ~U1604  
ENGINEERING NAME : QUICK REL FITTING  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJY509929 C COMPLETED 21MAY06 01:10 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
28JUL06 01:58 4916.6 AFHR  
03 OVERHAUL DUE OH due on Serial MD2338  
QUICK REL FITTING at WAC 0740  
01 NO FAULT 07 OVERHAUL  
Unserviceability Details:  
Maintenance Comments: BAY SERVICE CARRIED OUT IAW 7221.001-3M REFER TO OAM 584/06

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	1.0	ELPYR			30MAY06
SM	OH	1.0	ELPYR			30MAY06

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJY611593 C COMPLETED 30JUL07 05:43 XXxxXXxx XXxxXXxxXXxxXXxx AIP AIP  
30JUL07 05:44 25JUL07 01:54 XXxxXXxx XXxxXXxxXXxxXXxx AIP 5000.7 AFHR  
03 OVERHAUL DUE OH due on Serial MD2338  
QUICK REL FITTING at WAC 0740  
01 NO FAULT 07 OVERHAUL  
Unserviceability Details:  
Maintenance Comments: OVERHAUL CARRIED OUT IAW AAP 7221.001-3M REFER OAM 972/07

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	1.0	ELPYR			28JUL07
SM	OH	1.0	ELPYR			28JUL07

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04421  
08JAN20  
23:16:15

SERIAL/TAIL NO : MD2338  
PART NO : MBEU72851 ~U1604 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : QUICK REL FITTING  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

1PXXJY714583	C COMPLETED	31JUL08 05:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
03 OVERHAUL DUE	15AUG08 03:37	31JUL08 05:57	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	5388.0	AFHR	
01 NO FAULT		07 OVERHAUL		OH due on Serial MD2338			
				QUICK REL FITTING at WAC 0740			
				Unserviceability Details:			
				Maintenance Comments:	OVERHAUL CARRIED OUT IAW AAP 7221.001-3M REFER OAM 1017/08		

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	1.0	ELPYR			29JUL08
SM	OH	1.0	ELPYR			29JUL08

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

1PXXJY813632	C COMPLETED	19AUG09 22:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
03 OVERHAUL DUE	09SEP09 23:53	19AUG09 22:21	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	5767.2	AFHR	
01 NO FAULT		07 OVERHAUL		OH due on Serial MD2338			
				QUICK REL FITTING at WAC 0740			
				Unserviceability Details:			
				Maintenance Comments:	OVERHAUL CARRIED OUT IAW AAP 7221.001-3M REF OAM 981/09		

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	1.0	ELPYR			15AUG09
SM	OH	1.0	ELPYR			15AUG09

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : MD2338  
 PART NO : MBEU72851 ~U1604  
 ENGINEERING NAME : QUICK REL FITTING  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			

A1PXXJ1004630	C COMPLETED	15MAR10 12:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	15MAR10 12:51	15MAR10 12:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		5991.4	AFHR
08 MOD/STI/DVI REQUIRED				STI-PC9-0524	due on Serial MD2338		
				QUICK REL FITTING	at WAC 0740		
01 NO FAULT	08 MOD/STI/DVI INCORP						
	Unserviceability Details:						
	Maintenance Comments:			STI-PC9-0524 INC IAW STI INSTRUCTION REF 462469-1			

A1PXXJ1100691	C COMPLETED	06SEP10 12:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	01MAR11 22:30	03MAR11 03:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		6155.1	AFHR
02 BAY SERVICE DUE				BS	due on Serial MD2338		
				QUICK REL FITTING	at WAC 0740		
01 NO FAULT	06 BAY SERVICE						
	Unserviceability Details:						
	Maintenance Comments:			BS C/O IAW 7221.001-3M REF ALS 3037/10			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			09SEP10
SM	BS	1.0	ELPYR			09SEP10

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			

A1PXXJ1102837	C COMPLETED	22MAR12 22:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	22MAR12 22:30	20JAN12 03:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		6391.3	AFHR
02 BAY SERVICE DUE				BS	due on Serial MD2338		
				QUICK REL FITTING	at WAC 0740		
01 NO FAULT	06 BAY SERVICE						
	Unserviceability Details:						
	Maintenance Comments:			BAY SERVICE CARRIED OUT IAW AAP 7221.001-3M REF ALS 6514/12			



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 04423  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MD2338  
 PART NO : MBEU72851  
 ENGINEERING NAME : QUICK REL FITTING  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			29FEB12
SM	BS	1.0	ELPYR			29FEB12

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1PXXJ1203948 C COMPLETED 21FEB13 03:06 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 21FEB13 03:13 17FEB13 22:14 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 6691.8 AFHR  
 02 BAY SERVICE DUE BS due on Serial MD2338  
 QUICK REL FITTING at WAC 0740  
 01 NO FAULT 06 BAY SERVICE  
 Unserviceability Details:  
 Maintenance Comments: BAY SERVICE CARRIED OUT IAW AAP 7221.001-3M REF ALS 8784/13

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			22MAR13
SM	BS	1.0	ELPYR			22MAR13

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1PXXJ1302580 C COMPLETED 06MAR14 03:53 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 06MAR14 05:06 24FEB14 05:02 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 7061.9 AFHR  
 02 BAY SERVICE DUE BS due on Serial MD2338  
 QUICK REL FITTING at WAC 0740  
 01 NO FAULT 06 BAY SERVICE  
 Unserviceability Details:  
 Maintenance Comments: BAY SERVICE CARRIED OUT IAW AAP 7221.001-3M REF ALS 10806/14

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			21FEB14

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04424  
08JAN20  
23:16:15

SERIAL/TAIL NO : MD2338 PERIOD: 01JAN90 TO 08JAN20  
PART NO : MBEU72851 ~U1604  
ENGINEERING NAME : QUICK REL FITTING  
VENUE : A23DISP LOCATION : A23-033

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			21FEB14

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS		UNSERVICEABILITY DETAILS			
MAINT PROCESS	UNSERVICEABILITY	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

1PXXJ1403630 C COMPLETED 29MAR15 23:09 09MAR15 05:32 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP 7276.6 AFHR  
02 BAY SERVICE DUE BS due on Serial MD2338  
QUICK REL FITTING at WAC 0740  
01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: BAY SERVICE CARRIED OUT IAW AAP 7221.001-3M REF ALS 12578/15

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			06MAR15
SM	BS	1.0	ELPYR			06MAR15

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS		UNSERVICEABILITY DETAILS			
MAINT PROCESS	UNSERVICEABILITY	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

1PXXJ1504857 C COMPLETED 13MAY16 02:49 18FEB16 00:38 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP 7640.9 AFHR  
02 BAY SERVICE DUE BS due on Serial MD2338  
QUICK REL FITTING at WAC 0740  
01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: BAY SERVICE C/O IAW 7221.001-3M

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			28MAR16
SM	BS	1.0	ELPYR			28MAR16

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04425  
08JAN20  
23:16:15

SERIAL/TAIL NO : MD2338 PERIOD: 01JAN90 TO 08JAN20  
PART NO : MBEU72851 ~U1604  
ENGINEERING NAME : QUICK REL FITTING  
VENUE : A23DISP LOCATION : A23-033

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
---------------	---------------	----------	---------------	--------------	----------------	----------

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS		UNSERVICEABILITY DETAILS			
MAINT PROCESS	UNSERVICEABILITY	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJ1611030	C COMPLETED	10AUG17 23:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	10AUG17 23:11	12MAY17 02:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	8063.6	AFHR
02 BAY SERVICE DUE			BS	due on	Serial MD2338		
				QUICK REL FITTING	at WAC 0740		
01 NO FAULT	06 BAY SERVICE						
	Unserviceability Details:						
	Maintenance Comments:			BAY SERVICE C/O IAW 7221.001-3M REF AIP MCS 626/17			

SM	BS	1.0	ELPYR			13MAY17
SM	BS	1.0	ELPYR			13MAY17

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS		UNSERVICEABILITY DETAILS			
MAINT PROCESS	UNSERVICEABILITY	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJ1715665	C COMPLETED	10AUG18 00:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	06SEP18 01:32	10AUG18 00:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	8484.6	AFHR
02 BAY SERVICE DUE			BS	due on	Serial MD2338		
				QUICK REL FITTING	at WAC 0740		
01 NO FAULT	06 BAY SERVICE						
	Unserviceability Details:						
	Maintenance Comments:			QRF:			
				BAY SERVICE CARRIED OUT IAW AAP7221.001-3MREF: AIP MCS 1078/18			

SM	BS	1.0	ELPYR			10AUG18
SM	BS	1.0	ELPYR			10AUG18

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04426  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MD2338  
 PART NO : MBEU72851 ~U1604  
 ENGINEERING NAME : QUICK REL FITTING  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
---------------	---------------	----------	---------------	--------------	----------------	----------

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS		UNSERVICEABILITY DETAILS			
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS		MAINTENANCE COMMENT			
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

A1PXXJ1815011	C COMPLETED	13SEP19 01:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	25SEP19 06:00	01OCT19 02:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	8883.5	AFHR
02 BAY SERVICE DUE				BS	due on Serial MD2338		
01 NO FAULT	06 BAY SERVICE			QUICK REL FITTING	at WAC 0740		
	Unserviceability Details:	BAY SERVICE CARRIED OUT IAW AAP 7221.001-3M REF WK SHEET LSN					
	Maintenance Comments:	AIP MCS 872/19 @ AIP ALS					

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			06SEP19
SM	BS	1.0	ELPYR			06SEP19

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : MD2338  
PART NO : MBEU72851 ~U1604  
ENGINEERING NAME : QUICK REL FITTING  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

STI NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
STI-HORNET-1141A	Y	10MAR10	N/A			
STI-HORNET-1141A	N	10MAR10	NINC			
STI-HORNET-1141B	Y	10MAR10	N/A			
STI-HORNET-1141B	N	10MAR10	NINC			
STI-HORNET-1495	N	17OCT17 11:07	NINC			
STI-HORNET-1495	Y	24OCT17 00:00	N/A			
STI-PC9-0524	N	10MAR10	NINC			
STI-PC9-0524	Y	15MAR10	INC	A1PXXJ1004630	15MAR10 12:50	5991.4 AFHR

POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	USER ID
21JAN11 00:13	SM	BS	XXxxXXxx
	DLD Changed From: 01MAR1989		To:

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04428  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MD2428  
 PART NO : MBEU90652  
 ENGINEERING NAME : REL BAROSTATIC TIME  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

~U1604

PERIOD: 01JAN90 TO 08JAN20

LOCATION : A23-033  
 LIFE SINCE NEW : 7191.9 AFHR

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
30AUG03	05:43	Maintenance	Comment	0.0 AFHR	0.8	29Jun99	039	07.30 3527 1414 DAYS	UPDATED LIFE (MPMI)
30AUG03	05:43	Maintenance	Comment	0.0 AFHR	0.8	21Jan02	039	00.30 4463 2350 DAYS	03-OH DUE RY20023
30AUG03	05:45	Maintenance	Comment	0.0 AFHR	0.8	03Apr00	RV99908	FF: 01-NIL	MA: 06-BS
30AUG03	05:45	Maintenance	Comment	0.0 AFHR	0.8	2736.2	0.0 AFHR		
30AUG03	05:45	Maintenance	Comment	0.0 AFHR	0.8	21Jan02	ELPYR	LST OH 20JAN08	ELPYR NXT OH
30AUG03	05:49	Maintenance	Comment	0.0 AFHR	0.8	30Oct89	NEW - MD2428	MBEU90652	1450-06-00-F
30AUG03	05:50	Maintenance	Comment	0.0 AFHR	0.8	2598.0	0.0 AFHR		
30AUG03	05:50	Maintenance	Comment	0.0 AFHR	0.8	3129.6	0.0 AFHR		
30AUG03	05:50	Maintenance	Comment	0.0 AFHR	0.8	21Jan02	ELPYR	LST BS 21JAN04	ELPYR NXT BS
30AUG03	05:51	Maintenance	Comment	0.0 AFHR	0.8	21Jan02	RX16093	FF: 01-NIL	MA: 07-OH
30AUG03	05:51	Maintenance	Comment	0.0 AFHR	0.8	03Apr00	039	00.30 3806 1693 DAYS	02-BS DUE RW03567
30AUG03	05:53	Maintenance	Comment	0.0 AFHR	0.8	29Aug03	039	07.30 3416.2 AFHR	TX TO CAMM2
19NOV03	02:18	Position	Change	3443.0 AFHR	81.7	A23T	ALWBC	00	
11DEC03	00:29	Change	Serviceability Stat	3446.1 AFHR	21.9	ARDUXXY300853	S/I		
19MAR04	00:05	Change	Serviceability Stat	3446.1 AFHR	98.9	ARDUPJ301960	US/I		
				3446.1 AFHR		S/I			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04429  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MD2428  
 PART NO : MBEU90652  
 ENGINEERING NAME : REL BAROSTATIC TIME  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
03APR06 03:18	Change Serviceability Stat	3798.4 AFHR	17.0	S/I US/I A1EXXJY401869	XXxxXXxx
20APR06 23:22	Change Serviceability Stat	3798.4 AFHR	17.8	US/I S/I	XXxxXXxx
16JAN08 23:40	Change Serviceability Stat	4077.4 AFHR	2.8	S/I US/I ARDUPJ301959X	XXxxXXxx
29APR08 00:32	Change Serviceability Stat	4077.4 AFHR	103.0	US/I S/I	XXxxXXxx
28MAR10 21:27	Change Serviceability Stat	4672.6 AFHR	3.6	S/I US/I A1EXXJY602721	XXxxXXxx
24MAY10 03:19	Change Serviceability Stat	4672.6 AFHR	56.2	US/I S/I	XXxxXXxx
02MAY12 03:49	Change Serviceability Stat	5251.8 AFHR	0.9	S/I US/I A1EXXJ1002910	XXxxXXxx
23MAY12 04:02	Change Serviceability Stat	5251.8 AFHR	21.0	US/I S/I	XXxxXXxx
24FEB14 22:38	Change Serviceability Stat	5844.9 AFHR	10.8	S/I US/I A1EXXJY802818	XXxxXXxx
09OCT14 03:56	Change Serviceability Stat	5844.9 AFHR	226.2	US/I S/I	XXxxXXxx
22SEP16 04:29	Change Serviceability Stat	6286.7 AFHR	62.9	S/I US/I A1EXXJ1202810	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04430  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MD2428  
 PART NO : MBEU90652  
 ENGINEERING NAME : REL BAROSTATIC TIME  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
23SEP16 00:52	Asset Removal	4773.6	039 A23T A1WBC 039 00	A23T A1WBC 00M
	6286.7 AFHR Change Serviceability Stat	0.8	US/I U/S U/S SERV	XXXXXXxx
08NOV16 05:17	Change Serviceability Stat	46.1		
	6286.7 AFHR			XXXXXXxx
09NOV16 22:21	Asset Installation	47.8	A23T A1WBC 039 00	A23T A1WBC 00MMI
	6286.7 AFHR Change Serviceability Stat	1.7	SERV S/I S/I US/I	XXXXXXxx
15NOV18 00:12	Change Serviceability Stat	6.7		
	6890.5 AFHR		A1EXXJ1610678	XXXXXXxx
07FEB19 04:21	Asset Removal	819.2	039 A23T A1WBC 039 00	A23T A1WBC 00M
	6890.5 AFHR Change Serviceability Stat	84.1	US/I U/S U/S SERV	XXXXXXxx
19FEB19 04:26	Change Serviceability Stat	12.0		
	6890.5 AFHR			XXXXXXxx
19FEB19 04:57	Asset Installation	12.0	A23T A1WBC 039 00	A23T A1WBC 00MMI
	6890.5 AFHR Change Serviceability Stat	0.0	SERV S/I	XXXXXXxx

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
ARDUPJCA00503	C COMPLETED	21JAN02 00:00	XXXXXXxx		ARDUPEA	0.0	
	21JAN02 00:00						
02 BAY SERVICE DUE							



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04431  
08JAN20  
23:16:15

SERIAL/TAIL NO : MD2428 PERIOD: 01JAN90 TO 08JAN20  
PART NO : MBEU90652 ~U1604  
ENGINEERING NAME : REL BAROSTATIC TIME  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

Unserviceability Details:  
Maintenance Comments:

ARDUPJCA00459 C COMPLETED 21JAN02 00:00 XXxxXXxx ARDUPEA 0.0  
21JAN02 00:00  
03 OVERHAUL DUE

Unserviceability Details:  
Maintenance Comments:

ARDUPJ301960X C COMPLETED 19MAR04 00:02 XXxxXXxx XXxxXXxxXXxxXXxxXXxx ARDU AIE 3446.1 AFHR  
19MAR04 00:05  
02 BAY SERVICE DUE BS due on Serial MD2428  
REL BAROSTATIC TIME at WAC 0730  
01 NO FAULT 06 BAY SERVICE

Unserviceability Details:  
Maintenance Comments: BSCO

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			21JAN04
SM	BS	2.0	ELPYR			21JAN04

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1EXXJY401869 C COMPLETED 20APR06 23:22 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE 3798.4 AFHR  
20APR06 23:22  
02 BAY SERVICE DUE BS due on Serial MD2428  
REL BAROSTATIC TIME at WAC 0730  
01 NO FAULT 06 BAY SERVICE

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 04432  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MD2428 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : MBEU90652 ~U1604  
 ENGINEERING NAME : REL BAROSTATIC TIME  
 VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

Unserviceability Details:  
 Maintenance Comments: BSCO

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			19MAR06

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

ARDUPJ301959X C COMPLETED 28MAR08 00:10 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU AIE  
 29APR08 00:32 16JAN08 23:40 XXxxXXxx XXxxXXxxXXxxXXxxXXxx FACDU 4077.4 AFHR  
 03 OVERHAUL DUE OH due on Serial MD2428  
 REL BAROSTATIC TIME at WAC 0730  
 01 NO FAULT 07 OVERHAUL

Unserviceability Details:  
 Maintenance Comments: OH C/O

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	6.0	ELPYR			20JAN08
SM	OH	6.0	ELPYR			20JAN08

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04433  
08JAN20  
23:16:15

SERIAL/TAIL NO : MD2428  
PART NO : MBEU90652 ~U1604 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : REL BAROSTATIC TIME  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJY602721	C COMPLETED	24MAY10 03:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	24MAY10 03:19	28MAR10 21:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	4672.6	AFHR
02 BAY SERVICE DUE				BS	due on Serial MD2428		
					REL BAROSTATIC TIME at WAC 0730		
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:		BS C/O SERV REF SNOW 602727			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			29APR10

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1EXXJ1002910	C COMPLETED	23MAY12 03:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	23MAY12 04:02	02MAY12 03:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	5251.8	AFHR
02 BAY SERVICE DUE				BS	due on Serial MD2428		
					REL BAROSTATIC TIME at WAC 0730		
01 NO FAULT		06 BAY SERVICE					
		Unserviceability Details:					
		Maintenance Comments:		BS C/O SERV REF SNOW 1002923			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			23MAY12

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04434  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MD2428  
 PART NO : MBEU90652 ~U1604  
 ENGINEERING NAME : REL BAROSTATIC TIME  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJY802818 C COMPLETED 09OCT14 03:51 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
 09OCT14 03:56 24FEB14 22:38 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 5844.9 AFHR  
 03 OVERHAUL DUE OH due on Serial MD2428  
 REL BAROSTATIC TIME at WAC 0730  
 01 NO FAULT 07 OVERHAUL  
 Unserviceability Details:  
 Maintenance Comments: OH C/O SERV REF SNOW 802830

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	6.0	ELPYR			28APR14
SM	OH	6.0	ELPYR			28APR14

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJ1202810 C COMPLETED 23SEP16 00:52 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE  
 08NOV16 05:17 22SEP16 04:29 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 6286.7 AFHR  
 02 BAY SERVICE DUE BS due on Serial MD2428  
 REL BAROSTATIC TIME at WAC 0730  
 01 NO FAULT 06 BAY SERVICE  
 Unserviceability Details:  
 Maintenance Comments: BAY SERV CO SNOW 1202816 MCS ARM 51/16

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			08OCT16
SM	BS	2.0	ELPYR			08OCT16

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : MD2428  
 PART NO : MBEU90652 ~U1604  
 ENGINEERING NAME : REL BAROSTATIC TIME  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

A1EXXJ1610678	C COMPLETED	07FEB19 04:21	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	AIE	
	19FEB19 04:26	15NOV18 00:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	6890.5	AFHR

02 BAY SERVICE DUE  
 01 NO FAULT

06 BAY SERVICE  
 Unserviceability Details:  
 Maintenance Comments: BAY SERVICE CARRIED OUT SERV REF SNOW 1610682 AIE MCS 07/19

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	2.0	ELPYR			08NOV18
SM	BS	2.0	ELPYR			08NOV18

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04436  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : MD2428  
 PART NO : MBEU90652 ~U1604  
 ENGINEERING NAME : REL BAROSTATIC TIME  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MODIFICATION ORDERS INCORPORATION STATUS CHANGE							
MOD NUMBER	CURRENT(Y/N)	STATUS	DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
7291.042-105	Y		24JAN91 00:00	INC			

STI STATUS CHANGE							
STI NUMBER	CURRENT(Y/N)	STATUS	DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
STI-ESCFAC-0259	Y		15NOV90 00:00	INC			
STI-PC9-0101	N		24NOV93 00:00	NINC			
STI-PC9-0101	Y		08SEP04	N/A			
STI-PC9-0140	Y		14AUG95 00:00	INC			
STI-PC9-0162	Y		13MAR96 00:00	N/A			

MAINTENANCE POLICY HISTORY				USER ID
POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	CHANGE DETAILS	
09OCT14 03:56	SM	BS	Claimed	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04437  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : NN01169935  
 PART NO : 3035889 ~00198  
 ENGINEERING NAME : EXCITER IGNITION  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 3769.0 ENHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T		CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
29AUG03	21:34	Maintenance Comment	0.0 ENHR	0.5	18Jul01 XLOC 00. 0.0 0.0 ENHR	RECEPTION (MIRE)
29AUG03	21:36	Maintenance Comment	0.0 ENHR	0.5	29Aug03 103169 01.30 115.9 ENHR	TX TO CAMM2
29AUG03	21:43	Maintenance Comment	0.0 ENHR	0.5	25Feb03 103169 01.30 0.0 0.0 ENHR	IN AS A23T 0011-01-00-C
29AUG03	21:43	Maintenance Comment	0.0 ENHR	0.5	18Jul01 NEW - 01169935 3035889	0011-01-00-C
26JUL09	23:24	Asset Removal	1406.3 ENHR	2158.6	103169 A23-022 A23T A1SAA00 00	A23T A1SAA00 00A
		Change Serviceability Stat	6.8	6.8	S/I U/S	XXXXXXxx
		Change Location of an Asse	6.8	6.8	A23-022 AVIONICS	
26JUL09	23:25	Change Serviceability Stat	1406.3 ENHR	0.0	U/S SERV	XXXXXXxx
14SEP09	23:53	Asset Installation	1406.3 ENHR	50.0	A23T A1SAA00 00	A23T A1SAA00 00AC
		Change Serviceability Stat	50.0	50.0	SERV S/I	XXXXXXxx
		Change Location of an Asse	50.0	50.0	AVIONICS A23-022	
10DEC12	21:26	Change Serial Number of an	2166.4 ENHR	3391.5	01169935 NN01169935	
10DEC12	21:27	Asset Removal	2166.4 ENHR	1182.8	A1EXXX1203204 103169 103169	A23T A1SAA00 00M
		Change Serviceability Stat	280.4	280.4	A23T A1SAA00 00	XXXXXXxx
					S/I SERV	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04438  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : NN01169935  
 PART NO : 3035889 ~00198  
 ENGINEERING NAME : EXCITER IGNITION  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
15JAN13 01:39	Asset Installation	35.1	A23T A1SAA00 103169 A23-050	00 A23T A1SAA00 00AC
	2166.4 ENHR Change Serviceability Stat	35.1	SERV S/I	XXXXXXXX
	Change Location of an Asse	69.7	EQUIP_STORE A23-050	
03JUN13 05:34	Asset Removal	139.1	103169 A23T A1SAA00	00 A23T A1SAA00 00A
	2299.6 ENHR Change Serviceability Stat	5.0	S/I U/S	XXXXXXXX
	Change Location of an Asse	139.1	A23-050 AVIONICS	
03JUN13 05:35	Change Serviceability Stat	0.0	U/S SERV	XXXXXXXX
05JUN13 03:15	Asset Installation	1.9	A23T A1SAA00 103169 A23-050	00 A23T A1SAA00 00AC
	2299.6 ENHR Change Serviceability Stat	1.9	SERV S/I	XXXXXXXX
	Change Location of an Asse	1.9	AVIONICS A23-050	
16AUG18 03:38	Asset Removal	1898.0	103169 A23T A1SAA00	00 A23T A1SAA00 00M
	3297.4 ENHR Change Serviceability Stat	287.0	S/I U/S	XXXXXXXX
16AUG18 03:38	Change Serviceability Stat	0.0	U/S SERV	XXXXXXXX
	3297.4 ENHR			XXXXXXXX

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04439  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : NN01169935  
 PART NO : 3035889 ~00198  
 ENGINEERING NAME : EXCITER IGNITION  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
16AUG18 03:39	Asset Installation	0.0	A23T A1SAA00 103186 A23-033 00	A23T A1SAA00 00AC
	3297.4 ENHR Change Serviceability Stat	0.0	SERV S/I	XXXXXXXXXX
	Change Location of an Asse	1.0	OPMH A23-033	

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS	UNSERVICEABILITY DETAILS				
MAINT PROCESS	UNSERVICEABILITY	MAINTENANCE COMMENT	MAINTENANCE ACTION TAKEN				
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					
A1EXXJY904762	C COMPLETED	26JUL09 23:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	26JUL09 23:25	26JUL09 23:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	1406.3	ENHR
13 REMOVED FOR ACCESS	99 NO FAILURE			EXCITER REMOVED FOR ACCESS			
01 NO FAULT	04 CHECK/TEST SERV			Unserviceability Details: Maintenance Comments:	CHECK/TEST SERV		
A1EXXJ1302770	C COMPLETED	03JUN13 05:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	03JUN13 05:35	03JUN13 05:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	2299.6	ENHR
13 REMOVED FOR ACCESS	99 NO FAILURE			IGNITION EXCITER RFA			
01 NO FAULT	04 CHECK/TEST SERV			Unserviceability Details: Maintenance Comments:	CHECK/TEST SERV		
A1PXXJ1813454	C COMPLETED	16AUG18 03:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	16AUG18 03:38	16AUG18 03:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	3297.4	ENHR
13 REMOVED FOR ACCESS	99 NO FAILURE			IGNITION EXCITOR RFA.			
01 NO FAULT	04 CHECK/TEST SERV			Unserviceability Details: Maintenance Comments:	CHECK/TEST SERV		

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : P/F017 LITERAL SERIAL NO : P/F017 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 555.30.09.016 ~S4080  
ENGINEERING NAME : VERTICAL STAB ASSY  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 1873.2 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
19SEP12 02:41	P/F017	555.30.09.016	~S4080	A23T	A2G
aip01963	AIP	SURFIN			30
P. GREEN		21JAN10			A1PXXR1201254

0.0 AFHR

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : P/F017 LITERAL SERIAL NO : P/F017 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 555.30.09.016 ~S4080  
 ENGINEERING NAME : VERTICAL STAB ASSY  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
01SEP12 01:00	Change Serviceability Stat	954.0	SERV U/S	
	0.0 AFHR			XXxxXXxx
19SEP12 02:41	Reception History Record	0.0	Reception SURFIN PC9	
	0.0 AFHR			XXxxXXxx
30OCT12 00:31	Change Serviceability Stat	58.9	U/S SERV	
	0.0 AFHR			XXxxXXxx
05MAR13 03:11	Asset Installation	1139.1	A23T A2G A23-033 30	
	0.0 AFHR			XXxxXXxx
	Change Serviceability Stat	126.1	SERV S/I	
	Change Location of an Asse	167.1	SURFIN A23-033	
	Change Part Number of an A		NO PARENT TRANSACTION DETAILS	
04JUL16 22:59	Maintenance Comment	0.0	PC9/A VSTAB MAIN SPAR LWR RUDD HGE BOLT HOLE REF 61/2016-003	
09AUG16 03:01	Change Serviceability Stat	0.7	S/I US/I	
	1078.3 AFHR		A1PXXJ1614255	XXxxXXxx
10AUG16 22:58	Change Serviceability Stat	1.8	US/I S/I	
	1078.3 AFHR			XXxxXXxx
25JUL17 01:01	Change Serviceability Stat	0.7	S/I US/I	
	1306.5 AFHR		A1PXXJ1714241	XXxxXXxx
25JUL17 01:14	Change Serviceability Stat	0.0	US/I S/I	
	1306.5 AFHR			XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

CAMM2  
 ASSET HISTORY

SERIAL/TAIL NO : P/F017 LITERAL SERIAL NO : P/F017 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 555.30.09.016 ~S4080  
 ENGINEERING NAME : VERTICAL STAB ASSY  
 VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			

A1PXXJ1214455	C COMPLETED	01SEP12 01:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	30OCT12 00:31	19SEP12 02:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	0.0	AFHR
16	PRE-INSTALLATION MAINT			ITEM REQUIRES SURFACE FINISH TO BE APPLIED			

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: SURFACE FINISH CARRIED OUT IAW 7021.004-1.REF W/S COAM 8056/12

A1PXXJ1614255	C COMPLETED	10AUG16 13:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	10AUG16 22:58	09AUG16 03:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	1078.3	AFHR
08	MOD/STI/DVI REQUIRED			STI-PC9-0622 due on Serial P/F017			
				VERTICAL STAB ASSY at WAC 1400			

01 NO FAULT 08 MOD/STI/DVI INCORP  
 Unserviceability Details:  
 Maintenance Comments: STI-PC9-0622 C/O. NIL BUSHES DETECTED. REFER TO NDT REPORT AIP/NDT/A23-033/065.

A1PXXJ1714241	C COMPLETED	25JUL17 01:02	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	25JUL17 01:14	25JUL17 01:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	1306.5	AFHR
08	MOD/STI/DVI REQUIRED			STI-PC9-0652 due on Serial P/F017			
				VERTICAL STAB ASSY at WAC 1400			

01 NO FAULT 08 MOD/STI/DVI INCORP  
 Unserviceability Details:  
 Maintenance Comments: STI-PC9-0652 C/O, NIL DEFECTS EVIDENT IAW STI INSTRUCTIONS. REFER 588480/1

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : P/F017 LITERAL SERIAL NO : P/F017 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 555.30.09.016 ~S4080  
 ENGINEERING NAME : VERTICAL STAB ASSY  
 VENUE : A23DISP LOCATION : A23-033

STI STATUS CHANGE -----

STI NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
=====	=====	=====	=====	=====	=====	=====
STI-PC9-0622	N	04JUL16 22:59	NINC			
STI-PC9-0622	Y	10AUG16 22:58	INC	A1PXXJ1614255	10AUG16 13:41	1078.3 AFHR
STI-PC9-0652	N	21JUL17 07:14	NINC			
STI-PC9-0652	Y	25JUL17 01:13	INC	A1PXXJ1714241	25JUL17 01:02	1306.5 AFHR

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04444  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : P/F017  
 PART NO : SBI-126A ~Z5514  
 ENGINEERING NAME : VSTAB MSPAR & ADJ  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 1873.2 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
19SEP12 02:41	Reception History Record	0.0 AFHR	0.0	Received as sub assembly of Ser No P/F017 Part No 555.30.09.016	~S4080 XXxxXXxx
21MAR13 05:22	Change Serial Number of an	0.0 AFHR	1155.2	XX0A1PXXR1201261 P/F017 A1PXXX1302886	XXxxXXxx
07DEC16 07:05	Maintenance Comment Change Part Number of an A	0.0 AFHR	0.0 2512.2	SERIALNO CHANGED TO REFLECT PARENT STRUCTURE SLL-C-80A ~Z5514 SBI-126A ~Z5514	
07DEC16 07:07	Maintenance Comment Position Change	1242.8 AFHR	0.0 2512.2	A1PXXX1612904 APPLIED MPAN 031/2016 A23T A2GBA 30 A23T A2GBA 71	XXxxXXxx
30MAR17 05:42	Maintenance Comment Change Serviceability Stat	1242.8 AFHR	0.0 125.0	A1PXXX1612905 APPLIED MPAN 031/2016 S/I US/I	XXxxXXxx
08JUN17 00:55	Change Serviceability Stat	1826.9 AFHR	69.8	A1PXXJ1625755 US/I S/I	XXxxXXxx
19SEP19 02:16	Change Serviceability Stat	1242.8 AFHR	0.8	S/I US/I	XXxxXXxx
09OCT19 02:18	Change Serviceability Stat	1826.9 AFHR	20.0	A1PXXJ1711272 US/I S/I	XXxxXXxx
		1826.9 AFHR			XXxxXXxx

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	UNSERVICEABILITY	UNSERVICEABILITY DETAILS	MAINTENANCE COMMENT			
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS	UNSERVICEABILITY DETAILS	MAINTENANCE COMMENT			
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					
A1PXXJ1625755	C COMPLETED	08JUN17 00:52	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	08JUN17 00:55	30MAR17 05:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	1242.8 AFHR	
19 MMI SERVICING DUE				MS36 due on Serial P/F017			
01 NO FAULT		12 MMI SERVICING		VSTAB MSPAR AND ADJ at WAC 1400			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04445  
08JAN20  
23:16:15

SERIAL/TAIL NO : P/F017  
PART NO : SBI-126A ~Z5514 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : VSTAB MSPAR & ADJ  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

Unserviceability Details:  
Maintenance Comments: MS36 CO REF AIP MCS 1037/16

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS36	660.0	AFHR			
SM	MS36	660.0	AFHR			

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJ1711272 C COMPLETED 20SEP19 03:06 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
09OCT19 02:18 19SEP19 02:16 XXxxXXxx XXxxXXxxXXxxXXxx AIP 1826.9 AFHR  
19 MMI SERVICING DUE MS36 due on Serial P/F017  
VSTAB MSPAR AND ADJ at WAC 1400

01 NO FAULT 12 MMI SERVICING  
Unserviceability Details:  
Maintenance Comments: MS 36 SERV C/O IAW AAP 7212.007-7,REF NDT REPORT #  
AIP/NDT/A23-033/118,AIP MCS 860/19 PAGE 43 TO 46.

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS36	660.0	AFHR	584.1		
SM	MS36	660.0	AFHR	584.1		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04446  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : P/F017  
 PART NO : SBI-127A ~Z5514  
 ENGINEERING NAME : SBI VSTAB INTERNAL  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 1873.2 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
19SEP12 02:41	Reception History Record		0.0	Received as sub assembly of Ser No P/F017 Part No 555.30.09.016	~S4080
		0.0 AFHR			XXXXXXxx
21MAR13 05:22	Change Serial Number of an		1155.2	XX0A1PXXR1201262 P/F017	
		0.0 AFHR		A1PXXX1302887	XXXXXXxx
07DEC16 06:55	Maintenance Comment Change Part Number of an A		0.0 2512.2	SERIALNO CHANGED TO REFLECT PARENT STRUCTURE SBI-41C ~Z5514 SBI-127A ~Z5514	
		1242.8 AFHR		A1PXXX1612901	XXXXXXxx
07DEC16 06:56	Maintenance Comment Position Change		0.0 2512.2	APPLIED MPAN 031/2016 A23T A2GBD 30 A23T A2GBD 71	
		1242.8 AFHR		A1PXXX1612902	XXXXXXxx
30MAR17 05:42	Change Serviceability Stat		125.0	APPLIED MPAN 031/2016 S/I	
		1242.8 AFHR		US/I A1PXXJ1625754	XXXXXXxx
08JUN17 00:56	Change Serviceability Stat		69.8	US/I S/I	
		1242.8 AFHR			XXXXXXxx
21MAR18 05:23	Change Serviceability Stat		139.1	S/I US/I	
		1401.6 AFHR		A1PXXJ1711273	XXXXXXxx
22MAR18 05:55	Change Serviceability Stat		1.0	US/I S/I	
		1401.6 AFHR			XXXXXXxx
20MAY19 03:43	Change Serviceability Stat		13.5	S/I US/I	
		1728.6 AFHR		A1PXXJ1804974	XXXXXXxx
18JUN19 05:34	Change Serviceability Stat		29.0	US/I S/I	
		1728.6 AFHR			XXXXXXxx

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04447  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : P/F017  
 PART NO : SBI-127A ~Z5514  
 ENGINEERING NAME : SBI VSTAB INTERNAL  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

1PXXJ1625754 C COMPLETED 08JUN17 00:52 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 08JUN17 00:56 30MAR17 05:42 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 1242.8 AFHR  
 19 MMI SERVICING DUE MS37 due on Serial P/F017  
 SBI VSTAB INTERNAL at WAC 1400  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS37 CO REF AIP MCS 1037/16

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS37	330.0	AFHR			
SM	MS37	330.0	AFHR			

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

1PXXJ1711273 C COMPLETED 22MAR18 05:53 XXxxXXxx XXxxXXxxXXxxXXxx AIP AIP  
 22MAR18 05:55 21MAR18 05:23 XXxxXXxx XXxxXXxxXXxxXXxx AIP 1401.6 AFHR  
 19 MMI SERVICING DUE MS37 due on Serial P/F017  
 SBI VSTAB INTERNAL at WAC 1400  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS37 CARRIED OUT IAW AAP 7212-007-2. REF AIP MCS 339/18 WC 13  
 TASK SEQ: 209 & 210

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS37	330.0	AFHR	158.8		
SM	MS37	330.0	AFHR	158.8		

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : P/F017  
 PART NO : SBI-127A ~Z5514 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : SBI VSTAB INTERNAL  
 VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

1PXXJ1804974	C COMPLETED	18JUN19 05:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	18JUN19 05:34	20MAY19 03:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	1728.6	AFHR
19 MMI SERVICING DUE				MS37	due on Serial P/F017		
				SBI VSTAB INTERNAL	at WAC 1400		

01 NO FAULT

12 MMI SERVICING

Unserviceability Details:  
 Maintenance Comments:

MS 37 INSPECTIONS C/O IAW ATACSP0 MRD WEBSITE PSS.ASIMP VOL.2  
 NIL DEFECT EVIDENT.REF AIP MCS 272/19 WC 102-103-104

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
=====	=====	=====	=====	=====	=====	=====
SM	MS37	330.0	AFHR	327.0		
SM	MS37	330.0	AFHR	327.0		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04449  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : P/F017  
 PART NO : SLL-C-4-1A ~Z5514  
 ENGINEERING NAME : VSTAB RSPAR FLNG  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 1873.2 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
19SEP12 02:41	Reception History Record		0.0	Received as sub assembly of Ser No P/F017 Part No 555.30.09.016	~S4080 XXXXXXxx
21MAR13 05:22	Change Serial Number of an	0.0 AFHR	1155.2	XX0A1PXXR1201266 P/F017 A1PXXX1302889	XXXXXXxx
02SEP14 09:45	Maintenance Comment Position Change	0.0 AFHR	1685.4	SERIALNO CHANGED TO REFLECT PARENT STRUCTURE A23T A2GAY02 30 A23T A2GAY02 30 A1PXXX1409557	XXXXXXxx
18APR18 04:51	Maintenance Comment Position Change	394.5 AFHR	0.0 3009.2	POLICY COPY; POSN. AUTH: MPAN 18/2014. NEW TA = 6,700 AFHRS A23T A2GAY02 30 A23T A2GAY02 30 A1PXXX1803466	XXXXXXxx
19APR18 22:01	Maintenance Comment Change Part Number of an A	1401.6 AFHR	0.0 3010.9	POLICY UPDATE AS PER OID: AK16097130 SLL-C-4-2A ~Z5514 SLL-C-4-1A ~Z5514 A1PXXX1803512	XXXXXXxx
	Maintenance Comment	1401.6 AFHR	0.0	P/N CHANGE AS PER MPAN 014/2018 - IRN: 109/2015-149	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04450  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : P/F017  
 PART NO : SLL-C-4-2B ~Z5514  
 ENGINEERING NAME : VSTAB LWR HINGE  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 1873.2 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
19SEP12 02:41	Reception History Record		0.0	Received as sub assembly of Ser No P/F017 Part No 555.30.09.016	~S4080
		0.0 AFHR			XXXXXXxx
21MAR13 05:23	Change Serial Number of an		1155.2	XX0A1PXXR1201267 P/F017	
		0.0 AFHR		A1PXXX1302890	XXXXXXxx
10OCT13 00:52	Maintenance Comment Position Change		0.0 1358.0	SERIALNO CHANGED TO REFLECT PARENT STRUCTURE A23T A2GAY04 30 A23T A2GAY04 30	
		166.3 AFHR		A1PXXX1310957	XXXXXXxx
28APR14 01:58	Maintenance Comment Change Serviceability Stat		0.0 11.0	POLICY COPY; POSN. NEW MS7 LOADED. AUTH: TASPO MPAN 28/2013. S/I	
		299.5 AFHR		US/I A1PXXJ1313603	XXXXXXxx
29APR14 07:14	Change Serviceability Stat		1.2	US/I S/I	
		299.5 AFHR			XXXXXXxx
29APR14 11:17	Change Part Number of an A		1559.4	SLL-C-4-3A ~Z5514 SLL-C-4-3B ~Z5514	
		299.5 AFHR		A1PXXX1404259	XXXXXXxx
29APR14 11:20	Maintenance Comment Position Change		0.0 1559.4	MS7 C/O REF; MCS 203/14. MATERIAL SPEC = 2124 T851 A23T A2GAY04 30 A23T A2GAY04 32	
		299.5 AFHR		A1PXXX1404260	XXXXXXxx
19APR18 22:18	Maintenance Comment Change Part Number of an A		0.0 1451.4	MS7 C/O REF; MCS 203/14. MATERIAL SPEC = 2124 T851 SLL-C-4-3B ~Z5514 SLL-C-4-2B ~Z5514	
		1401.6 AFHR		A1PXXX1803548	XXXXXXxx
	Maintenance Comment		0.0	MPAN 014/2018 INC'D AS PER IRN: 109/2015-149	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04451  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : P/F017  
 PART NO : SLL-C-4-2B ~Z5514  
 ENGINEERING NAME : VSTAB LWR HINGE  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
24SEP19 00:59	Asset Removal	3533.0	P/F017 A23T A2GAY04	A23T A2GAY04 32A
	1826.9 AFHR Change Serviceability Stat	5.7	S/I U/S	XXXXXXxx
	Change Location of an Asse	2393.9	A23-033 INTMH	
24SEP19 00:59	Change Serviceability Stat	0.0	U/S SERV	
	1826.9 AFHR			XXXXXXxx
02OCT19 22:18	Asset Installation	8.8	A23T A2GAY04	A23T A2GAY04 32AC
	1826.9 AFHR Change Serviceability Stat	8.8	P/F017 A23-033 SERV	XXXXXXxx
	Change Location of an Asse	8.8	S/I INTMH A23-033	

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJ1313603	C COMPLETED	28APR14 01:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
19 MMI SERVICING DUE	29APR14 07:14	28APR14 01:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	299.5	AFHR
01 NO FAULT	12 MMI SERVICING			MS7 VSTAB LWR HINGE	due on Serial P/F017 at WAC 1400		
	Unserviceability Details:			MS7 CARRIED OUT REF AIP/NDT/A23-033/001 MATERIAL SPEC 2124-T851			
A1PXXJ1914535	C COMPLETED	24SEP19 00:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	24SEP19 00:59	24SEP19 00:59	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	1826.9	AFHR
01 NO FAULT	99 NO FAILURE			MS36 VSTAB MSPAR AND ADJ	due on Serial P/F017 at WAC 1400		
	04 CHECK/TEST SERV						
	Unserviceability Details:			CHECK/TEST SERV			
	Maintenance Comments:						

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : P/F017  
PART NO : SLL-C-4-2B ~Z5514  
ENGINEERING NAME : VSTAB LWR HINGE  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

=====

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04453  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : P/F017  
 PART NO : SLL-C-40A ~Z5514  
 ENGINEERING NAME : RUDD HNGE SUPP STR  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 1873.2 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS -----

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
			LIFE SINCE NEW					
=====								
19SEP12	02:41	Reception History Record	0.0	0.0	AFHR	Received as sub assembly of Ser No P/F017	Part No 555.30.09.016	~S4080
21MAR13	05:21	Change Serial Number of an	1155.2	0.0	AFHR	XX0A1PXXR1201260	P/F017	XXXXXXxx
		Maintenance Comment	0.0	0.0	AFHR	A1PXXX1302884	SERIALNO CHANGED TO REFLECT PARENT STRUCTURE	XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04454  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : P/F017  
 PART NO : SLL-FS-26A ~Z5514  
 ENGINEERING NAME : VSTAB FIN FWD ATTCH  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 1873.2 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS -----

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
			LIFE SINCE NEW					
19SEP12	02:41	Reception History Record	0.0	Received as sub assembly of Ser No P/F017				
			0.0 AFHR	Part No 555.30.09.016				~S4080 XXXXXXxx
21MAR13	05:21	Change Serial Number of an	1155.2	XX0A1PXXR1201259				
			0.0 AFHR	P/F017				
		Maintenance Comment	0.0	A1PXXX1302883				XXXXXXxx
				SERIALNO CHANGED TO REFLECT PARENT STRUCTURE				

For-Official-Use-Only



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04455  
08JAN20  
23:16:15

SERIAL/TAIL NO : PB1500112  
PART NO : 968.29.12.201 ~S4080  
ENGINEERING NAME : PROPELLER ATT BOLTS  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 1155.3 ENHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
30JUN15 05:52	PB1500112	968.29.12.201	~S4080	A00AK	00
aiel671	AIE	ENGINE	A23T	A1EXXR1500219	
C. LLOYD-WEBB		30JUN15			
	0.0 ENHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04456  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PB1500112  
 PART NO : 968.29.12.201 ~S4080  
 ENGINEERING NAME : PROPELLER ATT BOLTS  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
30JUN15 05:52	Reception History Record	0.0	Reception ENGINE	RSERV
	0.0 ENHR			XXXXXXxx
30JUN15 06:13	Asset Installation	0.2	A23T A00AK GG554 A23-012	00 A23T A00AK 00AC
	0.0 ENHR			XXXXXXxx
	Change Serviceability Stat	0.2	SERV S/I	
	Change Location of an Asse	0.2	ENGINE A23-012	RSERV
11AUG16 22:03	Asset Removal	408.6	GG554 A23T A00AK	A23-012 00 A23T A00AK 00A
	308.9 ENHR			XXXXXXxx
	Change Serviceability Stat	0.6	S/I U/S	
	Change Location of an Asse	203.9	A23-012 AIRFRAME	
11AUG16 22:04	Change Serviceability Stat	0.0	U/S SERV	
	308.9 ENHR			XXXXXXxx
15AUG16 22:27	Asset Installation	4.0	A23T A00AK GG477 A23-012	00 A23T A00AK 00AC
	308.9 ENHR			XXXXXXxx
	Change Serviceability Stat	4.0	SERV S/I	
	Change Location of an Asse	4.0	AIRFRAME A23-012	
14MAY18 01:46	Asset Removal	636.1	GG477 A23T A00AK	GG477 00 A23T A00AK 00M
	683.7 ENHR			XXXXXXxx
	Change Serviceability Stat	6.8	S/I U/S	
	Change Location of an Asse	0.0	EQUIP_STORE ENGINE	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04457  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PB1500112 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 968.29.12.201 ~S4080  
 ENGINEERING NAME : PROPELLER ATT BOLTS  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
14MAY18 01:46	Change Serviceability Stat	0.0	U/S SERV	
14MAY18 02:44	Asset Installation	0.0	A23T A00AK GG667 00	XXxxXXxx
	Change Serviceability Stat	0.0	SERV S/I ENGINE EQUIP_STORE	XXxxXXxx
05MAR19 02:12	Asset Removal	294.9	A23T A00AK GG667 A23-033 00	00MMI
	Change Serviceability Stat	4.8	S/I U/S	XXxxXXxx
	Change Location of an Asse	197.0	A23-033 OPMH	
05MAR19 04:46	Change Serviceability Stat	0.1	U/S SERV	
05MAR19 04:55	Asset Installation	0.1	A23T A00AK GG477 A23-033 00	XXxxXXxx
	Change Serviceability Stat	0.0	SERV S/I OPMH A23-033	XXxxXXxx
	Change Location of an Asse	0.1		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
11AUG16 22:04	C COMPLETED	11AUG16 22:03	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
13	REMOVED FOR ACCESS	99 NO FAILURE	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	308.9	ENHR
01	NO FAULT	04 CHECK/TEST SERV					

UNSERVICEABILITY DETAILS:  
 MAINTENANCE COMMENTS: CHECK/TEST SERV

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : PB1500112 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 968.29.12.201 ~S4080  
ENGINEERING NAME : PROPELLER ATT BOLTS  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1EXXJ1802124	C COMPLETED	14MAY18 01:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	14MAY18 01:46	14MAY18 01:46	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	683.7	ENHR
13	REMOVED FOR ACCESS	99 NO FAILURE		SPINNER ASSY AND PROPELLER ATT BOLTS			REMOVED FOR ACCESS

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

A1PXXJ1903460	C COMPLETED	05MAR19 02:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	05MAR19 04:46	05MAR19 02:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	916.0	ENHR
13	REMOVED FOR ACCESS	99 NO FAILURE		PROP ASSY R.F.A FOR O/H			

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: PROP DUE O/H

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

SERIAL/TAIL NO : PC1001025  
PART NO : 532.11.09.094 ~S4080  
ENGINEERING NAME : DOOR MLG RH OUTBOAR  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 1274.5 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
09AUG10 02:32	PC1001025	532.11.09.094	~S4080 A23T	A2KCQ	00
aip01482	AIP	MMIST		A1PXXR1001519	
T. WRIGHT		23JUN10			
	0.0 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04460  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PC1001025  
 PART NO : 532.11.09.094 ~S4080  
 ENGINEERING NAME : DOOR MLG RH OUTBOAR  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
09AUG10 02:32	Reception History Record	0.0	Reception MMIST	
	0.0 AFHR		RSERV	XXxxXXxx
14FEB11 09:59	Change Location of an Asse	189.4	MMIST STORES	
	0.0 AFHR		MMI	XXxxXXxx
25JUL11 23:29	Maintenance Comment Change Serviceability Stat	0.0 350.9	ALPXXX1101082 MOVE ALL SERV ASSETS TO STORES - MMI	
	0.0 AFHR		SERV U/S	XXxxXXxx
25OCT11 03:08	Change Serviceability Stat	91.1	U/S SERV	
	0.0 AFHR			XXxxXXxx
21MAY15 03:01	Asset Installation	1793.1	A23T 027	
	0.0 AFHR		A2KQC 00	XXxxXXxx
	Change Serviceability Stat	1303.9	A23-033	A23T A2KQC 00AC
	0.0 AFHR		SERV S/I	XXxxXXxx
	Change Location of an Asse	1556.7	STORES A23-033	
			MMI	

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJ1111260	C COMPLETED	25JUL11 23:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	25OCT11 03:08	25JUL11 23:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	0.0	AFHR
01 UNSERVICEABLE		13 SPECIAL SERVICING		ITEM REQUIRES SURFACE FINISHING PRIOR TO FITMENT			
		06 OUT OF LIMITS					
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:		ITEM REQUIRES SURFACE FINISHING PRIOR TO FITMENT			
		Maintenance Comments:		SURFACE FINISH C/O IAW 7021.004-1			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04461  
08JAN20  
23:16:15

SERIAL/TAIL NO : PC1200223  
PART NO : AN175C12A ~88044  
ENGINEERING NAME : BOLT HORIZONTAL STA  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 1558.6 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
28MAR12 23:46	PC1200223	AN175C12A	~88044 A23T	A2IAM	00
aip01200	AIP	INTMH		A1PXXR1200345	
A. GOOD		28MAR12			

0.0 AFHR

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04462  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PC1200223  
 PART NO : AN175C12A ~88044  
 ENGINEERING NAME : BOLT HORIZONTAL STA  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
28MAR12 23:46	Reception History Record	0.0	Reception INTMH	
	0.0 AFHR		RSERV	XXXXXXxx
11APR12 02:06	Asset Installation	14.0	A23T A2IAM 538	
	0.0 AFHR		A23-016	A23T A2IAM 00AC
	Change Serviceability Stat	14.0	SERV S/I INTMH	XXXXXXxx
	Change Location of an Asse	14.0	A23-016	
08OCT19 08:54	Position Change	2736.2	A23T A2IAM	
	1512.3 AFHR		A23T A2IAM	00
	Maintenance Comment	0.0	A1PXXX1908989	XXXXXXxx
			POST R1 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE	

For-Official-Use-Only



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

SERIAL/TAIL NO : PC1200224  
PART NO : AN175C12A ~88044  
ENGINEERING NAME : BOLT HORIZONTAL STA  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 1558.6 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS	ENTERED AT	DATE UNPACKED		
	RECEPTION				
28MAR12 23:49	PC1200224	AN175C12A	~88044 A23T	A2IAM	00
aip01200	AIP	INTMH		A1PXXR1200346	
A. GOOD		28MAR12			
	0.0 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04464  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PC1200224  
 PART NO : AN175C12A ~88044  
 ENGINEERING NAME : BOLT HORIZONTAL STA  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
28MAR12 23:48	Reception History Record	0.0	0.0	Reception INTMH	
		0.0 AFHR			RSERV
11APR12 02:07	Asset Installation	0.0	14.0	A23T 538	XXxxXXxx
		0.0 AFHR		A2IAM	
	Change Serviceability Stat	0.0	14.0	A23-016	A23T A2IAO
	Change Location of an Asse	0.0	14.0	SERV S/I INTMH A23-016	XXxxXXxx 00AC

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04465  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PC1400364  
 PART NO : 527.30.09.010 ~S4080  
 ENGINEERING NAME : CON STICK ASSY  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 54774.9 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
15APR14 06:18	Change Serial Number of an	53196.1 AFHR	3881.9	XX02FTSXRY309063 PC1400364 A1PXXX1403801	XXXXXXxx
29APR14 08:43	Maintenance Comment Asset Removal		0.0 3896.0	SERIALNO IDENTIFIED DURING MOD -264 @ A23-033. 533 A23-033 A23T A1UEU 00	A23T A1UEU 00A
	Change Serviceability Stat	53201.2 AFHR	12.2	S/I U/S	XXXXXXxx
29APR14 08:44	Change Location of an Asse Change Serviceability Stat		xxxx 0.0	A23-033 INTMH U/S SERV	
29APR14 08:45	Asset Installation	53201.2 AFHR	0.0	A23T A1UEU A23-033 00	XXXXXXxx
	Change Serviceability Stat	53201.2 AFHR	0.0	SERV S/I INTMH A23-033	A23T A1UEU 00AC XXXXXXxx

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS		UNSERVICEABILITY DETAILS			
MAINT PROCESS	UNSERVICEABILITY	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			
A1PXXJ1406904	C COMPLETED	29APR14 08:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	29APR14 08:44	29APR14 08:44	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	53201.2 AFHR	
13 REMOVED FOR ACCESS	99 NO FAILURE			MMI ITEMS REMOVED FOR MOD 7212.007-248			
01 NO FAULT	04 CHECK/TEST SERV			Unserviceability Details: Maintenance Comments: CHECK/TEST SERV			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04466  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PC1400365  
 PART NO : 527.30.09.010 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : CON STICK ASSY  
 VENUE : A23DISP LOCATION : A23-033  
 CURRENT CONDITION : S/I LIFE SINCE NEW : 54774.9 AFHR

ASSET TRANSACTIONS

TRANSACTION D/T		CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)		USER
		LIFE SINCE NEW		TRANS REFERENCE			
15APR14	06:18	Change Serial Number of an	3881.9	XX02FTSXRY309429			
		53196.1 AFHR		PC1400365			
		Maintenance Comment	0.0	A1PXXX1403802			XXxxXXxx
29APR14	09:24	Asset Removal	3896.0	SERIALNO IDENTIFED DURING MOD -264 @ A23-033.			
				533 A23-033			A23T A1UIU 00A
		53201.2 AFHR		A23T A1UIU			00
		Change Serviceability Stat	12.3	S/I			XXxxXXxx
		Change Location of an Asse	xxxx	U/S			
29APR14	09:25	Change Serviceability Stat	0.0	A23-033			
				INTMH			
				U/S			
				SERV			
29APR14	09:25	Asset Installation	0.0	A23T A1UIU			XXxxXXxx
				533 A23-033			A23T A1UIU 00AC
		53201.2 AFHR		SERV			XXxxXXxx
		Change Serviceability Stat	0.0	S/I			
		Change Location of an Asse	0.0	INTMH			
02APR15	02:13	Asset Removal	337.6	A23-033			
				533 A23-033			A23T A1UIU 00A
		53500.4 AFHR		A23T A1UIU			00
		Change Serviceability Stat	6.7	S/I			XXxxXXxx
		Change Location of an Asse	337.6	U/S			
02APR15	02:14	Change Serviceability Stat	0.0	A23-033			
				HG122			
				U/S			
				SERV			
		53500.4 AFHR					XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04467  
08JAN20  
23:16:15

SERIAL/TAIL NO : PC1400365  
PART NO : 527.30.09.010 ~S4080  
ENGINEERING NAME : CON STICK ASSY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
25MAY15 05:01	Asset Installation	53.1	A23T A1UIU 533 A23-033 00	A23T A1UIU 00AC XXxxXXxx
	53500.4 AFHR Change Serviceability Stat	53.1	SERV S/I HG122 A23-033	
	Change Location of an Asse	53.1		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJ1406905	C COMPLETED	29APR14 09:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	29APR14 09:25	29APR14 09:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	53201.2 AFHR	
13 REMOVED FOR ACCESS	99 NO FAILURE			MMI ITEMS REMOVED FOR MOD 7212.007-248			
01 NO FAULT	04 CHECK/TEST SERV			Unserviceability Details: Maintenance Comments: CHECK/TEST SERV			
A1PXXJ1505125	C COMPLETED	02APR15 02:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	02APR15 02:14	02APR15 02:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	53500.4 AFHR	
13 REMOVED FOR ACCESS	99 NO FAILURE			REAR C/PIT CONTROL COLUMN ASSY REMOVED FOR WING R&I. X-REF WING R&I WORK PACK AIP MCS 097/15 WC14/02.			
01 NO FAULT	04 CHECK/TEST SERV			Unserviceability Details: Maintenance Comments: CHECK/TEST SERV			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04468  
08JAN20  
23:16:15

SERIAL/TAIL NO : PC1400399  
PART NO : 527.30.09.082 ~S4080  
ENGINEERING NAME : ELEVATOR CENTER CONTROL ROD  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 1573.7 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION		DATE UNPACKED		
29APR14 09:20	PC1400399	527.30.09.082	A23T	ALUUA	02
aip04023	AIP	STORES	0020	ALPXXR1400854	
K. ARUMUGAM		01APR14	29APR14		
	0.0 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04469  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PC1400399  
 PART NO : 527.30.09.082 ~S4080  
 ENGINEERING NAME : ELEVATOR CENTER CONTROL ROD  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
29APR14 09:20	Reception History Record	0.0	Reception STORES MMI	
	0.0 AFHR			XXXXXXxx
29APR14 09:34	Asset Installation	28.3	A23T A1UUA 533 A23-033 02	A23T A1UUA 02AC
	0.0 AFHR			XXXXXXxx
	Change Serviceability Stat	0.3	SERV S/I STORES A23-033 MMI	
	Change Location of an Asse	0.3		
02APR15 02:18	Asset Removal	337.6	533 A23-033 A23T A1UUA 02	A23T A1UUA 02A
	299.2 AFHR			XXXXXXxx
	Change Serviceability Stat	6.7	S/I U/S A23-033	
	Change Location of an Asse	337.6	HG122 U/S SERV	
02APR15 02:19	Change Serviceability Stat	0.0		
	299.2 AFHR			XXXXXXxx
15APR15 01:39	Position Change	12.9	A23T A1UUA 02	
	299.2 AFHR		A23T A1UUA 02	
	Maintenance Comment	0.0	A1PXXX1503208	XXXXXXxx
15APR15 23:44	Position Change	13.8	POLICY COPY; POSN. AUTH: MPAN 13/2015. TA= 10,000 AFHRS	
	299.2 AFHR		A23T A1UUA 02	
	Maintenance Comment	0.0	A23T A1UUA 02	XXXXXXxx
25MAY15 04:56	Asset Installation	53.1	A1PXXX1503240 POLICY COPY; POSN. MISSING TA= 10,000 AUTH: MPAN 013/2015.	
	299.2 AFHR		A23T A1UUA 02	A23T A1UUA 02AC
	Change Serviceability Stat	53.1	533 A23-033	XXXXXXxx
	Change Location of an Asse	53.1	SERV S/I HG122 A23-033	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : PC1400399  
PART NO : 527.30.09.082 ~S4080  
ENGINEERING NAME : ELEVATOR CENTER CONTROL ROD  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

A1PXXJ1505126	C COMPLETED	02APR15 02:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	02APR15 02:19	02APR15 02:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	299.2	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		REAR C/PIT ELEVATOR CONTROL ROD REMOVED FOR WING R&I. X-REF			
01	NO FAULT	04 CHECK/TEST SERV		WING R&I WORK PACK AIP MCS 097/15 WC14/03.			
		Unserviceability Details:					
		Maintenance Comments:		CHECK/TEST SERV			



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04471  
08JAN20  
23:16:15

SERIAL/TAIL NO : PC1400400  
PART NO : 527.30.09.083 ~S4080  
ENGINEERING NAME : ELEVATOR REAR CONTROL ROD  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 1573.7 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	DATE NEW	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	HA PART	DATE UNPACKED		
29APR14 09:23	PC1400400	527.30.09.083	A23T	ALUUB	02
aip04023	AIP	STORES	0030	ALPXXR1400855	
K. ARUMUGAM		01APR14	29APR14		
	0.0 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04472  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PC1400400  
 PART NO : 527.30.09.083 ~S4080  
 ENGINEERING NAME : ELEVATOR REAR CONTROL ROD  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
29APR14 09:23	Reception History Record	0.0	Reception STORES	MMI
	0.0 AFHR			XXXXXXxx
29APR14 09:31	Asset Installation	28.3	A23T A1UUB 533	02 A23T A1UUB 02AC
	0.0 AFHR			XXXXXXxx
	Change Serviceability Stat	0.3	SERV S/I STORES	MMI
	Change Location of an Asse	0.3	A23-033	
15APR15 01:40	Position Change	350.6	A23T A1UUB	02
	299.2 AFHR		A23T A1UUB	02
	Maintenance Comment	0.0	A1PXXX1503209	XXXXXXxx
15APR15 23:49	Position Change	351.5	POLICY COPY; POSN. AUTH: MPAN 13/2015. TA= 10,000 AFHRS	
	299.2 AFHR		A23T A1UUB	02
	Maintenance Comment	0.0	A1PXXX1503242	XXXXXXxx
			POLICY COPY; POSN. MISSING TA= 10,000 AUTH: MPAN 013/2015.	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : PC1401008 LITERAL SERIAL NO : WING 027 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 557.10.09.045 ~S4080  
ENGINEERING NAME : MLG ATT BRACKET LH  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 3950.3 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
15AUG14 01:53	PC1401008	557.10.09.045	~S4080	A23T	01
aip02017	AIP	A23-033		A2KKB	
J. MCLEAN		22JUN06		A1PXXR1401710	
	0.0 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

CAMM2  
 ASSET HISTORY

SERIAL/TAIL NO : PC1401008 LITERAL SERIAL NO : WING 027 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 557.10.09.045 ~S4080  
 ENGINEERING NAME : MLG ATT BRACKET LH  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
22JUN06 00:01	Asset Installation	0.0	A23T	A2KKB	01	
	0.0 AFHR		027		A23-033	A23T A2KKB 01AC
	Change Serviceability Stat	0.0	SERV			XXXXXXxx
15AUG14 01:53	Reception History Record	0.0	S/I			
	0.0 AFHR		Reception		MMI	
	Change Serviceability Stat	0.0	A23-033			XXXXXXxx
18AUG14 03:29	Maintenance Comment	0.0	MPAN 17/2014; MOD -208 =INC. DOM: =DATE INC.			AFHRS ELAPSED=
	0.0 AFHR		A1PXXX1408923			XXXXXXxx
18AUG14 06:12	Maintenance Comment	0.0	LIF AFHR	CHANGED - OLD VALUE= 50000.0	NEW VALUE= 2445.8	
	50000.0 AFHR					XXXXXXxx
06DEC16 11:54	Maintenance Comment	0.0	LIF LDG	CHANGED - OLD VALUE= 50000.0	NEW VALUE= 18354.0	
	3319.9 AFHR					XXXXXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

SERIAL/TAIL NO : PC1401009 LITERAL SERIAL NO : WING 027 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 557.10.09.046 ~S4080  
ENGINEERING NAME : MLG ATT BRACKET RH  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 3950.3 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
15AUG14 01:54	PC1401009	557.10.09.046	~S4080	A23T	01
aip02017	AIP	A23-033		A2KKC	
J. MCLEAN		22JUN06		A1PXXR1401711	

0.0 AFHR

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

CAMM2  
 ASSET HISTORY

SERIAL/TAIL NO : PC1401009 LITERAL SERIAL NO : WING 027 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 557.10.09.046 ~S4080  
 ENGINEERING NAME : MLG ATT BRACKET RH  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS -----

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
22JUN06 00:01	Asset Installation	0.0	A23T	A2KKC	01	
	0.0 AFHR		027	A23-033		A23T A2KKC 01AC
	Change Serviceability Stat	0.0	SERV			XXXXXXXXXX
15AUG14 01:54	Reception History Record	0.0	S/I			
	0.0 AFHR		Reception	MMI		XXXXXXXXXX
18AUG14 03:29	Maintenance Comment	0.0	A23-033			
	0.0 AFHR		MPAN 17/2014; MOD -208 =INC. DOM: =DATE INC.			AFHRS ELAPSED=
18AUG14 06:13	Maintenance Comment	0.0	A1PXXX1408923			XXXXXXXXXX
	50000.0 AFHR		LIF AFHR CHANGED - OLD VALUE= 50000.0			NEW VALUE= 2445.8
06DEC16 11:55	Maintenance Comment	0.0	LIF LDG			XXXXXXXXXX
	3319.9 AFHR		CHANGED - OLD VALUE= 50000.0			NEW VALUE= 18354.0
						XXXXXXXXXX

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : PC1401202 LITERAL SERIAL NO : FUSE: 533 A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : SBI-130A LU ~Z5514  
ENGINEERING NAME : FUS ENG MNT SUPP LU  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 9545.2 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
05SEP14 05:39	PC1401202	553.10.09.123	~S4080 A23T	ALUSI00	00
aip02017	AIP	A23-033		A1PXXR1401966	
J. MCLEAN		12JUL90			
	8074.7 AFHR				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : PC1401202 LITERAL SERIAL NO : FUSE: 533 A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : SBI-130A LU ~Z5514  
ENGINEERING NAME : FUS ENG MNT SUPP LU  
VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
05SEP14 05:39	Reception History Record	0.0	Reception	A23-033	MMI	XXXXXXXXXX
	8074.7 AFHR					
05SEP14 05:45	Asset Installation	8821.2	A23T	A1USI00	00	A23T A1USI00 00AC
	8074.7 AFHR					XXXXXXXXXX
	Change Serviceability Stat	0.2	SERV			
06DEC16 08:49	Change Part Number of an A	823.3	S/I	553.10.09.123	~S4080	
	8914.8 AFHR			SBI-130A LU	~Z5514	
	Maintenance Comment	0.0	A1PXXX1612850			XXXXXXXXXX
07JUN17 07:02	Position Change	1006.0	APPLIED MPAN 031/2016			
	8914.8 AFHR		A23T A1USI00	00		
	Maintenance Comment	0.0	A23T A1USI00	00		XXXXXXXXXX
			A1PXXX1709062			
			POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE			



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : PC1401202 LITERAL SERIAL NO : FUSE: 533 A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : SBI-130A LU ~Z5514  
ENGINEERING NAME : FUS ENG MNT SUPP LU  
VENUE : A23DISP LOCATION : A23-033

MAINTENANCE POLICY HISTORY

POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	USER ID
05SEP14 05:43	SM DLD Changed From: 12JUL1990	NDT To:	XXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : PC1401203 LITERAL SERIAL NO : FUSE: 533 A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : SBI-130A RU ~Z5514  
ENGINEERING NAME : FUS ENG MNT SUPP RU  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 9545.2 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		

05SEP14 05:40	PC1401203	553.10.09.122	~S4080	A23T	00
aip02017	AIP	A23-033		ALUSI02	
J. MCLEAN		12JUL90		ALPXXR1401967	
	8074.7 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : PC1401203 LITERAL SERIAL NO : FUSE: 533 A23-033 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : SBI-130A RU ~Z5514  
 ENGINEERING NAME : FUS ENG MNT SUPP RU  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS -----

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
=====	=====	=====	=====	=====	=====	=====
05SEP14 05:40	Reception History Record	0.0	Reception			
	8074.7 AFHR		A23-033	MMI		XXXXXXxx
05SEP14 05:45	Asset Installation	8821.2	A23T	ALUSI02	00	
	8074.7 AFHR		033	A23-033		A23T ALUSI02 00AC
	Change Serviceability Stat	0.2	SERV			XXXXXXxx
06DEC16 08:53	Change Part Number of an A	823.3	S/I			
	8914.8 AFHR		553.10.09.122		~S4080	
	Maintenance Comment	0.0	SBI-130A RU		~Z5514	
	Position Change	1006.0	A1PXXX1612852			XXXXXXxx
07JUN17 07:03	Position Change	1006.0	APPLIED MPAN 031/2016			
	8914.8 AFHR		A23T ALUSI02	00		
	Maintenance Comment	0.0	A23T ALUSI02	00		XXXXXXxx
			A1PXXX1709063			
			POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : PC1401203 LITERAL SERIAL NO : FUSE: 533 A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : SBI-130A RU ~Z5514  
ENGINEERING NAME : FUS ENG MNT SUPP RU  
VENUE : A23DISP LOCATION : A23-033

MAINTENANCE POLICY HISTORY -----

POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	USER ID
=====	CHANGE DETAILS	=====	=====
05SEP14 05:43	SM DLD Changed From: 12JUL1990	NDT To:	XXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : PC1401204 LITERAL SERIAL NO : FUSE: 533 A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : SBI-130A LL ~Z5514  
ENGINEERING NAME : FUS ENG MNT SUPP LL  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 9545.2 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
05SEP14 05:41	PC1401204	553.10.09.124	~S4080	A23T	00
aip02017	AIP	A23-033		ALUSI01	
J. MCLEAN		12JUL90		ALPXXR1401968	
	8074.7 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : PC1401204 LITERAL SERIAL NO : FUSE: 533 A23-033 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : SBI-130A LL ~Z5514  
 ENGINEERING NAME : FUS ENG MNT SUPP LL  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS -----

TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW								
05SEP14	05:41	Reception	History Record	0.0	Reception		A23-033 MMI	XXXXXXxx
		8074.7	AFHR					
05SEP14	05:46	Asset	Installation	8821.2	A23T	A1USI01	00	A23T A1USI01 00AC
		8074.7	AFHR					XXXXXXxx
		Change	Serviceability Stat	0.2	SERV			
06DEC16	08:51	Change	Part Number of an A	823.3	S/I			
		8914.8	AFHR		553.10.09.124		~S4080	
		Maintenance	Comment	0.0	SBI-130A LL		~Z5514	
		8914.8	AFHR		A1PXXX1612851			XXXXXXxx
07JUN17	07:04	Position	Change	1006.0	APPLIED MPAN	031/2016		
		8914.8	AFHR		A23T	A1USI01	00	
		Maintenance	Comment	0.0	A23T	A1USI01	00	XXXXXXxx
					A1PXXX1709064			
					POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : PC1401204 LITERAL SERIAL NO : FUSE: 533 A23-033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : SBI-130A LL ~Z5514  
ENGINEERING NAME : FUS ENG MNT SUPP LL  
VENUE : A23DISP LOCATION : A23-033

MAINTENANCE POLICY HISTORY -----

POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	USER ID
=====	CHANGE DETAILS	=====	=====
05SEP14 05:44	SM DLD Changed From: 12JUL1990	NDT To:	XXxxXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

08JAN20  
23:16:15

SERIAL/TAIL NO : PC1500043 LITERAL SERIAL NO : HSTAB: 538 A23-016 PERIOD: 01JAN90 TO 08JAN20  
PART NO : MS21046C5E ~96906  
ENGINEERING NAME : NUT  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 676.0 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		

05FEB15 02:51	PC1500043	MS21046C5E	~96906	A23T	
aip02017	AIP	INTMH			
J. MCLEAN		05FEB15			

0.0 AFHR



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : PC1500043 LITERAL SERIAL NO : HSTAB: 538 A23-016 PERIOD: 01JAN90 TO 08JAN20  
PART NO : MS21046C5E ~96906  
ENGINEERING NAME : NUT  
VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
05FEB15 02:51	Reception History Record	0.0	0.0	Reception INTMH	MMI
05FEB15 04:46	Asset Installation	0.0 AFHR	0.1	A23T 538 A2IAQ A23-016	00 A23T A2IAQ 00AC XXXXXXXXXX
	Change Serviceability Stat	0.0 AFHR	0.1	SERV S/I INTMH A23-016	XXXXXXXXXX
	Change Location of an Asse		0.1		

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : PC1500044 LITERAL SERIAL NO : HSTAB: 538 A23-016 PERIOD: 01JAN90 TO 08JAN20  
PART NO : MS21046C5E ~96906  
ENGINEERING NAME : NUT  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 676.0 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		

05FEB15 02:52	PC1500044	MS21046C5E	~96906	A23T	A2IAS	00
aip02017	AIP	INTMH			A1PXXR1500201	
J. MCLEAN		05FEB15				

0.0 AFHR

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : PC1500044 LITERAL SERIAL NO : HSTAB: 538 A23-016 PERIOD: 01JAN90 TO 08JAN20  
PART NO : MS21046C5E ~96906  
ENGINEERING NAME : NUT  
VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW						
05FEB15 02:52	Reception History Record	0.0	Reception			
	0.0 AFHR		INTMH	MMI		XXxxXXxx
05FEB15 04:50	Asset Installation	0.2	A23T	A2IAS	00	
	0.0 AFHR		538	A23-016		A23T A2IAS 00AC
	Change Serviceability Stat	0.2	SERV			XXxxXXxx
	Change Location of an Asse	0.2	S/I			
			INTMH			
			A23-016			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : PC1500362 LITERAL SERIAL NO : POSN-D; WING 027 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 938.07.68.306 ~S4080  
ENGINEERING NAME : NUT WING-FUSELAGE  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 1274.5 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
14APR15 00:12	PC1500362	938.07.68.306	~S4080	A23T	00
aip02017	AIP	HG122		ALUAA	
J. MCLEAN		14APR15		A1PXXR1500694	
	0.0 AFHR				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : PC1500362 LITERAL SERIAL NO : POSN-D; WING 027 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 938.07.68.306 ~S4080  
ENGINEERING NAME : NUT WING-FUSELAGE  
VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW						
14APR15 00:12	Reception History Record	0.0	Reception			
	0.0 AFHR		HG122	MMI		XXxxXXxx
12MAY15 03:54	Asset Installation	28.1	A23T	ALUAA	00	
	0.0 AFHR		533	A23-033		A23T ALUAA 00AC
	Change Serviceability Stat	28.1	SERV			XXxxXXxx
	Change Location of an Asse	28.1	S/I			
			HG122			
			A23-033			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : PC1500363 LITERAL SERIAL NO : POSN-D; WING 027 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 938.07.68.306 ~S4080  
ENGINEERING NAME : NUT WING-FUSELAGE  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 1274.5 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
14APR15 00:14	PC1500363	938.07.68.306	~S4080	A23T	00
aip02017	AIP	HG122		ALUAC	
J. MCLEAN		14APR15		A1PXXR1500695	
	0.0 AFHR				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : PC1500363 LITERAL SERIAL NO : POSN-D; WING 027 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 938.07.68.306 ~S4080  
ENGINEERING NAME : NUT WING-FUSELAGE  
VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW						
14APR15 00:14	Reception History Record	0.0	Reception			
	0.0 AFHR		HG122	MMI		XXxxXXxx
12MAY15 05:32	Asset Installation	28.2	A23T	ALUAC	00	
	0.0 AFHR		533	A23-033		A23T ALUAC 00AC
	Change Serviceability Stat	28.2	SERV			XXxxXXxx
	Change Location of an Asse	28.2	S/I			
			HG122			
			A23-033			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : PC1500364 LITERAL SERIAL NO : POSN-C; WING 027 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 938.07.68.307 ~S4080  
ENGINEERING NAME : NUT WING-FUSELAGE  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 1274.5 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
14APR15 00:15	PC1500364	938.07.68.307	~S4080	A23T	00
aip02017	AIP	HG122		ALUAK	
J. MCLEAN		14APR15		A1PXXR1500696	
	0.0 AFHR				



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : PC1500364 LITERAL SERIAL NO : POSN-C; WING 027 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 938.07.68.307 ~S4080  
ENGINEERING NAME : NUT WING-FUSELAGE  
VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW						
14APR15 00:15	Reception History Record	0.0	Reception			
	0.0 AFHR		HG122	MMI		XXxxXXxx
12MAY15 05:54	Asset Installation	28.2	A23T	ALUAK	00	
	0.0 AFHR		533	A23-033		A23T ALUAK 00AC
	Change Serviceability Stat	28.2	SERV			XXxxXXxx
	Change Location of an Asse	28.2	S/I			
			HG122			
			A23-033			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : PC1500365 LITERAL SERIAL NO : POSN-C; WING 027 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 938.07.68.307 ~S4080  
ENGINEERING NAME : NUT WING-FUSELAGE  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 1274.5 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		

14APR15 00:16	PC1500365	938.07.68.307	~S4080	A23T	ALUAI	00
aip02017	AIP	HG122			A1PXXR1500697	
J. MCLEAN		14APR15				

0.0 AFHR

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : PC1500365 LITERAL SERIAL NO : POSN-C; WING 027 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 938.07.68.307 ~S4080  
ENGINEERING NAME : NUT WING-FUSELAGE  
VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW						
14APR15 00:16	Reception History Record	0.0	Reception			
	0.0 AFHR		HG122	MMI		XXxxXXxx
12MAY15 07:14	Asset Installation	28.3	A23T	ALUAI	00	
	0.0 AFHR		533	A23-033		A23T ALUAI 00AC
	Change Serviceability Stat	28.3	SERV			XXxxXXxx
	Change Location of an Asse	28.3	S/I			
			HG122			
			A23-033			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : PC1500366 LITERAL SERIAL NO : POSN-B; WING 027 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 110.30.07.008 ~S4080  
ENGINEERING NAME : BOLT WING-FUSELAGE  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 1274.5 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
14APR15 00:18	PC1500366	110.30.07.008	~S4080	A23T	00
aip02017	AIP	HG122		ALUAW	
J. MCLEAN		14APR15		A1PXXR1500698	
	0.0 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : PC1500366 LITERAL SERIAL NO : POSN-B; WING 027 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 110.30.07.008 ~S4080  
 ENGINEERING NAME : BOLT WING-FUSELAGE  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
14APR15 00:18	Reception History Record	0.0	Reception HG122	MMI
	0.0 AFHR			XXXXXXxx
12MAY15 21:49	Asset Installation	28.9	A23T A1UAW 533 A23-033 00	A23T A1UAW 00AC
	0.0 AFHR			XXXXXXxx
	Change Serviceability Stat	28.9	SERV S/I HG122 A23-033	
	Change Location of an Asse	28.9	SERV S/I US/I	
26OCT15 01:08	Change Serviceability Stat	2.8	A1PXXJ1505797	XXXXXXxx
27OCT15 00:56	Position Change	167.1	A23T A1UAW 00 A23T A1UAW 00	
	149.6 AFHR		A1PXXX1509939	XXXXXXxx
28OCT15 13:06	Maintenance Comment Change Serviceability Stat	0.0 2.4	POLICY COPIED IAW IRN: 253/2015-028	
	149.6 AFHR		SERV S/I	XXXXXXxx
17MAY18 22:35	Asset Removal	1101.0	533 A23T A1UAW A23-033 00	A23T A1UAW 00A
	802.9 AFHR			XXXXXXxx
	Change Serviceability Stat	196.8	SERV S/I U/S A23-033	
	Change Location of an Asse	1101.0	INTMH U/S	
17MAY18 22:37	Change Serviceability Stat	0.0	SERV	XXXXXXxx
	802.9 AFHR			XXXXXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : PC1500366 LITERAL SERIAL NO : POSN-B; WING 027 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 110.30.07.008 ~S4080  
ENGINEERING NAME : BOLT WING-FUSELAGE  
VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
17MAY18 22:40	Asset Installation	0.0	A23T A1UAW 533 A23-033 00	A23T A1UAW 00AC XXXXXXXX
	802.9 AFHR Change Serviceability Stat	0.0	SERV S/I	
	Change Location of an Asse	0.0	INTMH A23-033	
02NOV18 03:24	Change Serviceability Stat	1.5	S/I US/I	
	967.9 AFHR Change Serviceability Stat	41.0	A1PXXJ1516897	XXXXXX
13DEC18 03:25	Change Serviceability Stat		US/I S/I	XXXXXX
	967.9 AFHR			XXXXXX

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJ1505797	C COMPLETED	28OCT15 12:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	28OCT15 13:06	26OCT15 01:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	149.6	AFHR
05	SCHED FUNCTION CHECK/TEST			FT due on Serial PC1500366			
01	NO FAULT	04 CHECK/TEST SERV		BOLT WG-FUS CTR LH at WAC 0900			
		Unserviceability Details:					
		Maintenance Comments:		S3 AND FT C/O IAW AAP7212.007-2 REF AIP MCS 454/15			
A1PXXJ1808292	C COMPLETED	17MAY18 22:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	17MAY18 22:37	17MAY18 22:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	802.9	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		S36 due on Serial A23-033			
				PC-9 at WAC 0000			
01	NO FAULT	04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		CHECK/TEST SERV			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : PC1500366 LITERAL SERIAL NO : POSN-B; WING 027 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 110.30.07.008 ~S4080  
ENGINEERING NAME : BOLT WING-FUSELAGE  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS		UNSERVICEABILITY DETAILS			
MAINT PROCESS	UNSERVICEABILITY	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

1PXXJ1516897	C COMPLETED	13DEC18 03:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	13DEC18 03:25	02NOV18 03:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	967.9	AFHR
05 SCHED FUNCTION CHECK/TEST				FT	due on Serial PC1500366		
				BOLT WG-FUS CTR LH at WAC 0900			
01 NO FAULT	04 CHECK/TEST SERV	Unserviceability Details:					
		Maintenance Comments: NO FAULT EVIDENT					

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : PC1500366 LITERAL SERIAL NO : POSN-B; WING 027 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 110.30.07.008 ~S4080  
ENGINEERING NAME : BOLT WING-FUSELAGE  
VENUE : A23DISP LOCATION : A23-033

MAINTENANCE POLICY HISTORY

POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	CHANGE DETAILS	USER ID
28OCT15 13:11	SM	FT	Claimed	
09MAY17 06:05	SM	FT	Claimed By Activity: S3 US/Job: A1PXXU1511992	XXxxXXxx ~S4080
07JUN17 23:21	SM	FT	Claimed By Activity: S3 US/Job: A1PXXU1706175	XXxxXXxx ~S4080
08JUN17 05:12	SM	FT	Claimed By Activity: S3 US/Job: A1PXXU1707627	XXxxXXxx ~S4080



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : PC1500368 LITERAL SERIAL NO : POSN-B; WING 027 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 110.30.07.008 ~S4080  
ENGINEERING NAME : BOLT WING-FUSELAGE  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 1274.5 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
14APR15 00:20	PC1500368	110.30.07.008	~S4080	A23T	00
aip02017	AIP	HG122		ALUUAU	
J. MCLEAN		14APR15		A1PXXR1500700	
	0.0 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04504  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PC1500368 LITERAL SERIAL NO : POSN-B; WING 027 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 110.30.07.008 ~S4080  
 ENGINEERING NAME : BOLT WING-FUSELAGE  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW						
14APR15 00:20	Reception History Record	0.0	Reception			
	0.0 AFHR		HG122	MMI		XXXXXXxx
12MAY15 21:51	Asset Installation	28.9	A23T	ALUUAU	00	
	0.0 AFHR		533	A23-033		A23T ALUUAU 00AC
	Change Serviceability Stat	28.9	SERV			XXXXXXxx
	Change Location of an Asse	28.9	S/I			
			HG122			
			A23-033			
26OCT15 01:16	Change Serviceability Stat	2.8	S/I			
	149.6 AFHR		US/I			
			A1PXXJ1505800			XXXXXXxx
27OCT15 00:56	Position Change	167.1	A23T	ALUUAU	00	
	149.6 AFHR		A23T	ALUUAU	00	
	Maintenance Comment	0.0	A1PXXX1509939			XXXXXXxx
28OCT15 13:04	Change Serviceability Stat	2.4	US/I			
			S/I			
	149.6 AFHR					XXXXXXxx
17MAY18 22:28	Asset Removal	1101.0	533	A23-033		A23T ALUUAU 00A
	802.9 AFHR		A23T	ALUUAU	00	XXXXXXxx
	Change Serviceability Stat	196.8	S/I			
	Change Location of an Asse	1101.0	U/S			
			A23-033			
17MAY18 22:30	Change Serviceability Stat	0.0	INTMH			
	802.9 AFHR		U/S			XXXXXXxx
			SERV			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : PC1500368 LITERAL SERIAL NO : POSN-B; WING 027 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 110.30.07.008 ~S4080  
 ENGINEERING NAME : BOLT WING-FUSELAGE  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
17MAY18 22:34	Asset Installation	0.0	A23T	A1UAU	00	
	802.9 AFHR		533	A23-033		A23T A1UAU 00AC XXXXXXxx
	Change Serviceability Stat	0.0	SERV			
	Change Location of an Asse	0.0	S/I			
02NOV18 03:24	Change Serviceability Stat	1.5	INTMH			
	967.9 AFHR		A23-033			
13DEC18 03:22	Change Serviceability Stat	40.9	S/I			
	967.9 AFHR		A1PXXJ1516896			XXXXXXxx
			US/I			
			S/I			XXXXXXxx

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			
A1PXXJ1505800	C COMPLETED	28OCT15 12:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	28OCT15 13:04	26OCT15 01:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	149.6	AFHR
05 SCHED FUNCTION CHECK/TEST				FT due on Serial PC1500368			
01 NO FAULT	04 CHECK/TEST SERV			BOLT WG-FUS CTR RH at WAC 1000			
	Unserviceability Details:						
	Maintenance Comments:			S3 AND FT C/O IAW AAP7212.007-2 REF AIP MCS 454/15			
A1PXXJ1808290	C COMPLETED	17MAY18 22:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	17MAY18 22:30	17MAY18 22:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	802.9	AFHR
13 REMOVED FOR ACCESS	99 NO FAILURE			S36 due on Serial A23-033			
01 NO FAULT	04 CHECK/TEST SERV			PC-9 at WAC 0000			
	Unserviceability Details:						
	Maintenance Comments:			CHECK/TEST SERV			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : PC1500368 LITERAL SERIAL NO : POSN-B; WING 027 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 110.30.07.008 ~S4080  
ENGINEERING NAME : BOLT WING-FUSELAGE  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS		UNSERVICEABILITY DETAILS			
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS		MAINTENANCE COMMENT			
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

```

=====
A1PXXJ1516896  C  COMPLETED      13DEC18  03:10  XXxxXXxx  XXxxXXxxXXxxXXxxXXxx  AIP          AIP
                13DEC18  03:22      02NOV18  03:24  XXxxXXxx  XXxxXXxxXXxxXXxxXXxx  AIP          967.9  AFHR
05 SCHED FUNCTION CHECK/TEST
                04 CHECK/TEST SERV
                Unserviceability Details:
                Maintenance Comments:  NO FAULT EVIDENT
=====

```

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : PC1500368 LITERAL SERIAL NO : POSN-B; WING 027 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 110.30.07.008 ~S4080  
ENGINEERING NAME : BOLT WING-FUSELAGE  
VENUE : A23DISP LOCATION : A23-033

MAINTENANCE POLICY HISTORY

POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	CHANGE DETAILS	USER ID
28OCT15 13:11	SM	FT	Claimed	
09MAY17 06:05	SM	FT	Claimed By Activity: S3 US/Job: ALPXXU1511992	XXxxXXxx ~S4080
07JUN17 23:21	SM	FT	Claimed By Activity: S3 US/Job: ALPXXU1706175	XXxxXXxx ~S4080
08JUN17 05:12	SM	FT	Claimed By Activity: S3 US/Job: ALPXXU1707627	XXxxXXxx ~S4080

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : PC1500385 LITERAL SERIAL NO : A23-033 NEW PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 553.10.09.855 ~S4080  
 ENGINEERING NAME : FR3 PICKUP BKT LH  
 VENUE : A23DISP LOCATION : A23-033  
 CURRENT CONDITION : S/I LIFE SINCE NEW : 1274.5 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
21APR15 01:19	PC1500385	553.10.09.855	~S4080	A23T	02
aip02017	AIP	HG122		ALUKC01	
J. MCLEAN		21APR15		A1PXXR1500721	
	0.0 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : PC1500385 LITERAL SERIAL NO : A23-033 NEW PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 553.10.09.855 ~S4080  
 ENGINEERING NAME : FR3 PICKUP BKT LH  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS -----

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
21APR15 01:19	Reception History Record	0.0	0.0	Reception HG122	MMI
03MAY15 22:24	Asset Installation	0.0 AFHR	12.9	A23T 533 A1UKC01 A23-033	02 A23T A1UKC01 02AC XXXXXXxx
	Change Serviceability Stat	0.0 AFHR	12.9	SERV S/I HG122 A23-033	XXXXXXxx
07JUN17 07:04	Position Change		765.3	A23T A1UKC01 A23T A1UKC01	02 02
	Maintenance Comment	644.1 AFHR	0.0	A1PXXX1709065 POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE	XXXXXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : PC1500386 LITERAL SERIAL NO : A23-033 NEW PERIOD: 01JAN90 TO 08JAN20  
PART NO : 553.10.09.856 ~S4080  
ENGINEERING NAME : FR3 PICKUP BKT RH  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 1274.5 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
21APR15 01:20	PC1500386	553.10.09.856	~S4080	A23T	02
aip02017	AIP	HG122		ALUKC02	
J. MCLEAN		21APR15		A1PXXR1500722	
	0.0 AFHR				



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

CAMM2  
 ASSET HISTORY

SERIAL/TAIL NO : PC1500386 LITERAL SERIAL NO : A23-033 NEW PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 553.10.09.856 ~S4080  
 ENGINEERING NAME : FR3 PICKUP BKT RH  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
21APR15 01:20	Reception History Record	0.0	0.0	Reception HG122	MMI
03MAY15 22:15	Asset Installation	0.0 AFHR	12.9	A23T 533 A1UKC02 A23-033	02 A23T A1UKC02 02AC XXXXXXxx
	Change Serviceability Stat	0.0 AFHR	12.9	SERV S/I HG122 A23-033	XXXXXXxx
07JUN17 07:04	Position Change		765.3	A23T A1UKC02 A23T A1UKC02	02 02
	Maintenance Comment	644.1 AFHR	0.0	A1PXXX1709066 POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE	XXXXXXxx

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04512  
08JAN20  
23:16:15

SERIAL/TAIL NO : PC1500477  
PART NO : QA07367 ~K6539 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : ELEMNT FILT LP HYD  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 1274.5 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION		DATE UNPACKED		
03JUN15 03:15	PC1500477	QA07367	A23T	ALUJU02	00
aip01963	AIP	STORES	187380	ALPXXR1500873	
P. GREEN		31MAR97	03JUN15		
	0.0 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04513  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PC1500477  
 PART NO : QA07367  
 ENGINEERING NAME : ELEMNT FILT LP HYD  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~K6539

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
03JUN15 03:15	Reception History Record	0.0	0.0	Reception STORES MMI	
03JUN15 05:10	Asset Installation	0.0 AFHR	6638.2	A23T A1UJU02 YH169948 A23-033	00 A23T A1UJU02 00AC XXXXXXxx
	Change Serviceability Stat	0.0 AFHR	0.2	SERV S/I STORES A23-033 MMI	
07JUN17 07:05	Position Change		735.0	A23T A1UJU02 A23T A1UJU02	00 00
	Maintenance Comment	644.1 AFHR	0.0	A1PXXX1709067 POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE	XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04514  
08JAN20  
23:16:15

SERIAL/TAIL NO : PC1600371  
PART NO : 944.30.19.030 ~S4080  
ENGINEERING NAME : RUDDER TRIM SWITCH  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 959.9 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	DATE NEW	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	HA PART	DATE UNPACKED		
03APR16 23:02	PC1600371	944.30.19.030	A23T	ALUBY00	00
aip01694	AIP	STORES	50011459/0001/20	ALPXXR1600408	
M. COX		03MAY12	03APR16		
	0.0 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04515  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PC1600371  
 PART NO : 944.30.19.030 ~S4080  
 ENGINEERING NAME : RUDDER TRIM SWITCH  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS -----

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
LIFE SINCE NEW				
03APR16 23:02	Reception History Record	0.0	Reception STORES MMI	XXXXXXxx
11APR16 00:34	Asset Installation	1439.0	A23T A1UBY00 XX02FTSXRY309179 A23-033	A23T A1UBY00 XXXXXXxx
	Change Serviceability Stat	8.0	SERV S/I	
	Change Location of an Asse	8.0	STORES A23-033	

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04516  
08JAN20  
23:16:15

SERIAL/TAIL NO : PC1600372  
PART NO : 944.30.19.030 ~S4080  
ENGINEERING NAME : RUDDER TRIM SWITCH  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 959.9 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION		DATE UNPACKED		
03APR16 23:05	PC1600372	944.30.19.030	~S4080	A23T	00
aip01694	AIP	STORES		50011459/0001/20	
M. COX		24MAR11		03APR16	
	0.0 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04517  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PC1600372  
 PART NO : 944.30.19.030 ~S4080  
 ENGINEERING NAME : RUDDER TRIM SWITCH  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS -----

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
03APR16 23:05	Reception History Record	0.0	0.0	Reception STORES MMI	XXXXXXxx
11APR16 00:38	Asset Installation	0.0 AFHR	1845.0	A23T A1UBY00 XX02FTSXRY309180 A23-033	A23T A1UFU00 XXXXXXxx
	Change Serviceability Stat	0.0 AFHR	8.0	SERV S/I STORES	
	Change Location of an Asse		8.0	A23-033	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04518  
08JAN20  
23:16:15

SERIAL/TAIL NO : PC1600387  
PART NO : SP4501-40 ~F9111 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : MICROSWITCH  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 959.9 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
06APR16 00:58	PC1600387	SP4501-40	~F9111 A23T	A2KDS	00
aip01694	AIP	STORES		A1PXXR1600431	
M. COX		01JAN16	06APR16		
	0.0 AFHR				



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04519  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PC1600387  
 PART NO : SP4501-40 ~F9111  
 ENGINEERING NAME : MICROSWITCH  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
06APR16 00:58	Reception History Record	0.0	0.0	Reception STORES MMI	XXXXXXxx
13APR16 04:53	Asset Installation	0.0 AFHR	103.2	A23T A2KDS 027 A23-033 00	A23T A2KDS 00AC XXXXXXxx
	Change Serviceability Stat	0.0 AFHR	7.2	SERV S/I STORES A23-033	
	Change Location of an Asse		7.2		
23AUG18 12:04	Position Change		862.2	A23T A2KDS 00 A23T A2KDS 00	
	Maintenance Comment	488.3 AFHR	0.0	A1PXXX1808351 POS CX TO CLEAR COMP DEFAULT POLICY ERROR	XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

SERIAL/TAIL NO : PC1600536  
PART NO : MBEU12788PA ~U1604  
ENGINEERING NAME : HARNESS  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 1250.6 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	DATE NEW	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	HA PART	DATE UNPACKED		
05MAY16 05:41	PC1600536	MBEU12788PA	A23T	A1WBA04	00
aip01694	AIP	ALS	W30840	A1PXXR1600701	
M. COX		30SEP15	05MAY16		
	0.0 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04521  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PC1600536  
 PART NO : MBEU12788PA  
 ENGINEERING NAME : HARNESS  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
05MAY16 05:41	Reception History Record	0.0	Reception ALS PC9	
13MAY16 02:38	Asset Installation	226.1	A23T A1WBA04 MB9843-SET1 MB9843-SET1	XXxxXXxx
	Change Serviceability Stat	8.1	SERV S/I S/I US/I	XXxxXXxx
09AUG17 00:26	Change Serviceability Stat	89.6	A1PXXJ1715379	XXxxXXxx
09AUG17 00:28	Change Serviceability Stat	0.0	US/I S/I	XXxxXXxx
06NOV17 22:29	Maintenance Comment	0.0	NO PARENT TRANSACTION DETAILS	
07NOV17 01:05	Change Serviceability Stat	4.8	MPAN 067/2017 POLICY UPDATE - OID: AK15488995	
07NOV17 01:06	Change Serviceability Stat	0.0	S/I US/I A1PXXJ1720690	XXxxXXxx
	Change Serviceability Stat	560.3	US/I S/I	XXxxXXxx

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJ1715379	C COMPLETED	09AUG17 00:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
08 MOD/STI/DVI REQUIRED		09AUG17 00:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	422.7	AFHR
01 NO FAULT		08 MOD/STI/DVI INCORP		STI-PC9-0653	due on Serial PC1600536		
		Unserviceability Details:		HARNESS	at WAC 0740		
		Maintenance Comments:		STI-PC9-0653 C/O NIL FAULTS FOUND REF AIP MCS 626/17 LINE 3			

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : PC1600536  
PART NO : MBEU12788PA ~U1604  
ENGINEERING NAME : HARNESS  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

=====  
A1PXXJ1720690 C COMPLETED 07NOV17 01:05 XXxxXXxx XXxxXXxxXXxxXXxx AIP AIP  
07NOV17 01:06 07NOV17 01:05 XXxxXXxx XXxxXXxxXXxxXXxx AIP 560.3 AFHR  
08 MOD/STI/DVI REQUIRED STI-PC9-0660 due on Serial PC1600536  
HARNESS at WAC 0740  
01 NO FAULT 08 MOD/STI/DVI INCORP  
Unserviceability Details:  
Maintenance Comments: STI-PC9-0660 CARRIED OUT NIL FAULT FOUND

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04523  
08JAN20  
23:16:15

SERIAL/TAIL NO : PC1600536  
PART NO : MBEU12788PA  
ENGINEERING NAME : HARNESS  
VENUE : A23DISP  
LOCATION : A23-033  
~U1604  
PERIOD: 01JAN90 TO 08JAN20

STI STATUS CHANGE -----

STI NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
=====	=====	=====	=====	=====	=====	=====
STI-PC9-0653	N	07AUG17 22:50	NINC			
STI-PC9-0653	Y	09AUG17 00:27	INC	A1PXXJ1715379	09AUG17 00:27	422.7 AFHR
STI-PC9-0660	N	06NOV17 22:29	NINC			
STI-PC9-0660	Y	07NOV17 01:06	INC	A1PXXJ1720690	07NOV17 01:05	560.3 AFHR

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

SERIAL/TAIL NO : PC1600689  
PART NO : 171Z005-4CR0110 ~ZA014  
ENGINEERING NAME : MLG EXTEND HOSE RH  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 895.1 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

-----  
RECEPTION D/T SER NO PART NO EIAC LCN ALC  
USER ID VENUE LOCATION SUB-LOCATION ASSET ID  
NAME DATE NEW BATCH MATCHED SET NO  
HA SERIAL HA PART  
DATE UNPACKED  
DEFAULT LIFS ENTERED AT RECEPTION  
-----

20JUN16 06:04 PC1600689 171Z005-4CR0110 ~ZA014 A23T A2KBO01 01  
aip02188 AIP OPMH A1PXXR1601045  
R. ORLOWSKI 01MAY16

0.0 AFHR

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04525  
08JAN20  
23:16:15

SERIAL/TAIL NO : PC1600689  
PART NO : 171Z005-4CR0110 ~ZA014  
ENGINEERING NAME : MLG EXTEND HOSE RH  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
20JUN16 06:04	Reception History Record	0.0	0.0	Reception OPMH PC9	XXXXXXxx
20JUN16 06:09	Asset Installation	0.0 AFHR	50.2	A23T FYH192353 A2KBO01 A23-033 01	A23T A2KBO01 01AC XXXXXXxx
	Change Serviceability Stat	0.0 AFHR	0.2	SERV S/I OPMH A23-033	
	Change Location of an Asse		0.2		

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04526  
08JAN20  
23:16:15

SERIAL/TAIL NO : PC1600769  
PART NO : 532.20.09.161 ~S4080  
ENGINEERING NAME : NLG FOLDING STRUT  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 1556.0 LDG

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS	ENTERED AT	DATE UNPACKED		
	RECEPTION				
12JUL16 02:21	PC1600769	532.20.09.161	~S4080 A23T	AlK	10
aip01694	AIP	STORES		AlPXXR1601171	
M. COX		21MAR07			
	0.0 AFHR	0.0 LDG	12JUL16		



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04527  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PC1600769  
 PART NO : 532.20.09.161 ~S4080  
 ENGINEERING NAME : NLG FOLDING STRUT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
12JUL16 02:21	Reception History Record	0.0	0.0	Reception STORES PC9	
11AUG16 06:17	Asset Installation	0.0 LDG	3431.2	A23T A1K A23-033 10	XXxxXXxx
	Change Serviceability Stat	0.0 LDG	30.2	SERV S/I STORES A23-033	A23T A1K XXxxXXxx
	Change Location of an Asse		30.2		10AC

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04528  
08JAN20  
23:16:15

SERIAL/TAIL NO : PC1601015  
PART NO : MBEU12788PA ~U1604  
ENGINEERING NAME : HARNESS  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 1144.4 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	DATE NEW	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	HA PART	DATE UNPACKED		
22AUG16 02:13	PC1601015	MBEU12788PA	A23T	A1WBA04	00
aip01694	AIP	ALS	W30640	A1PXXR1601390	
M. COX		30SEP15	22AUG16		
	0.0 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04529  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PC1601015  
 PART NO : MBEU12788PA  
 ENGINEERING NAME : HARNESS  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
22AUG16 02:13	Reception History Record	0.0	Reception ALS PC9	
24AUG16 02:43	Asset Installation	329.1	A23T A1WBA04 MB10274-SET1 MB10274-SET1	XXxxXXxx
	Change Serviceability Stat	2.1	SERV S/I ALS PC9	XXxxXXxx
09AUG17 00:24	Change Serviceability Stat	89.6	S/I US/I A1PXXJ1715384	XXxxXXxx
09AUG17 00:25	Change Serviceability Stat	0.0	S/I	XXxxXXxx
06NOV17 22:29	Maintenance Comment	0.0	NO PARENT TRANSACTION DETAILS MPAN 067/2017 POLICY UPDATE - OID: AK15488995	
07NOV17 01:03	Change Serviceability Stat	4.8	S/I US/I A1PXXJ1720694	XXxxXXxx
07NOV17 01:04	Change Serviceability Stat	0.0	S/I	XXxxXXxx

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJ1715384	C COMPLETED	09AUG17 00:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
08 MOD/STI/DVI REQUIRED		09AUG17 00:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	316.5	AFHR
01 NO FAULT		08 MOD/STI/DVI INCORP		STI-PC9-0653 HARNESS	due on Serial PC1601015 at WAC 0730		
		Unserviceability Details:					
		Maintenance Comments:		STI-PC9-0653 C/O NIL FAULTS FOUND REF AIP MCS 625/17 LINE 3			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : PC1601015  
PART NO : MBEU12788PA ~U1604 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : HARNESS  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS	UNSERVICEABILITY DETAILS				
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS	MAINTENANCE COMMENT				
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					
=====							
A1PXXJ1720694	C COMPLETED	07NOV17 01:03	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	07NOV17 01:04	07NOV17 01:03	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	454.1	AFHR
08 MOD/STI/DVI REQUIRED				STI-PC9-0660	due on Serial PC1601015		
				HARNESS	at WAC 0730		
01 NO FAULT	08 MOD/STI/DVI INCORP						
	Unserviceability Details:						
	Maintenance Comments:			STI-PC9-0660	CARRIED OUT NIL FAULT FOUND		

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04531  
08JAN20  
23:16:15

SERIAL/TAIL NO : PC1601015  
PART NO : MBEU12788PA  
ENGINEERING NAME : HARNESS  
VENUE : A23DISP  
LOCATION : A23-033  
~U1604  
PERIOD: 01JAN90 TO 08JAN20

STI STATUS CHANGE -----

STI NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
=====	=====	=====	=====	=====	=====	=====
STI-PC9-0653	N	07AUG17 22:51	NINC			
STI-PC9-0653	Y	09AUG17 00:25	INC	A1PXXJ1715384	09AUG17 00:25	316.5 AFHR
STI-PC9-0660	N	06NOV17 22:29	NINC			
STI-PC9-0660	Y	07NOV17 01:04	INC	A1PXXJ1720694	07NOV17 01:03	454.1 AFHR

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04532  
08JAN20  
23:16:15

SERIAL/TAIL NO : PC1601229  
PART NO : SBI-131 ~Z5514  
ENGINEERING NAME : ENG MNT TUBE FRAME  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 54774.9 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION		DATE UNPACKED		
29SEP16 02:24	PC1601229	SBI-131	A23T	A0CAE	70
aip02188	AIP	A23-033		A1PXXR1601715	
R. ORLOWSKI		01JAN75	MPAN 039/2016		
	54076.5 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04533  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PC1601229  
 PART NO : SBI-131 ~Z5514  
 ENGINEERING NAME : ENG MNT TUBE FRAME  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
29SEP16 02:24	Reception History Record	0.0	Reception A23-033 PC9	
29SEP16 02:25	Asset Installation	xxxx	A23T A0CAE A23-033 70	XXxxXXxx
	Change Serviceability Stat	0.1	SERV S/I US/I	XXxxXXxx
30MAR17 05:42	Change Serviceability Stat	125.0	A1PXXJ1620307	XXxxXXxx
07JUN17 07:05	Position Change	251.1	A23T A0CAE A23T A0CAE 70	XXxxXXxx
08JUN17 04:53	Maintenance Comment	0.0	A1PXXX1709070	XXxxXXxx
	Change Serviceability Stat	69.9	POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE	
23AUG18 12:07	Position Change	693.4	A23T A0CAE A23T A0CAE 70	XXxxXXxx
	Maintenance Comment	0.0	A1PXXX1808355	XXxxXXxx
19SEP19 02:18	Change Serviceability Stat	0.8	POS CX TO CLEAR COMP DEFAULT POLICY ERROR	
09OCT19 02:23	Change Serviceability Stat	20.0	S/I US/I A1PXXJ1711354	XXxxXXxx
	Change Serviceability Stat	54728.6	S/I	XXxxXXxx

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJ1620307	C COMPLETED	08JUN17 01:03	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
19 MMI SERVICING DUE		08JUN17 04:53	30MAR17 05:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	54144.5 AFHR
01 NO FAULT		12 MMI SERVICING			MS40	due on Serial PC1601229	
					SBI ENG TUBE FRAME	at WAC 0100	

Unserviceability Details:

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 04534  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PC1601229 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : SBI-131 ~Z5514  
 ENGINEERING NAME : ENG MNT TUBE FRAME  
 VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

Maintenance Comments: MS40 REF AIP MCS 1037/16

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS40	660.0	AFHR			
SM	MS40	660.0	AFHR			

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJ1711354 C COMPLETED 20SEP19 03:08 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 09OCT19 02:23 19SEP19 02:18 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 54728.6 AFHR  
 19 MMI SERVICING DUE MS40 due on Serial PC1601229  
 SBI ENG TUBE FRAME at WAC 0100

01 NO FAULT

12 MMI SERVICING

Unserviceability Details:  
 Maintenance Comments:

MS 40 SERV C/O IAW AAP 7212.007-7, NIL ABNORMALITIES EVIDENT  
 REF AIP MCS 860/19 PAGE 54 TO 56.

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS40	660.0	AFHR	584.1		
SM	MS40	660.0	AFHR	584.1		



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : PC1601429 LITERAL SERIAL NO : H/STAB 538 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : SBI-121 ~Z5514  
 ENGINEERING NAME : SBI HSTAB FSPAR  
 VENUE : A23DISP LOCATION : A23-033  
 CURRENT CONDITION : S/I LIFE SINCE NEW : 7246.0 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
18OCT16 05:04	PC1601429	SBI-121	~Z5514	A23T	70
aip04023	AIP	HOLD		A2IBM	
K. ARUMUGAM		15OCT90		A1PXXR1602000	
	0.0 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04536  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PC1601429 LITERAL SERIAL NO : H/STAB 538 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : SBI-121 ~Z5514  
 ENGINEERING NAME : SBI HSTAB FSPAR  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
18OCT16 05:04	Reception History Record	0.0	Reception HOLD PC9	
18OCT16 05:07	Maintenance Comment	0.0	LIF AFHR CHANGED - OLD VALUE=	NEW VALUE= 7199.7
18OCT16 05:08	Asset Installation	9500.2	A23T A2IBM 70 538 A23-021	A23T A2IBM 70AC
	Change Serviceability Stat	0.2	SERV S/I	
	Change Location of an Asse	0.2	HOLD A23-021	
03NOV16 03:40	Change Serviceability Stat	15.9	S/I US/I	
16NOV16 03:28	Change Serviceability Stat	12.9	A1PXXJ1621893	XXxxXXxx
08OCT19 08:55	Position Change	1085.1	A23T A2IBM 70 A23T A2IBM 70	XXxxXXxx
	Maintenance Comment	0.0	A1PXXX1908990	XXxxXXxx
			POST R1 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE	

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			

A1PXXJ1621893 C COMPLETED 16NOV16 03:26 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP AIP  
 16NOV16 03:28 03NOV16 03:40 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIP 7199.7 AFHR  
 19 MMI SERVICING DUE MS32 due on Serial PC1601429  
 SBI HSTAB FSPAR at WAC 1100  
 01 NO FAULT 12 MMI SERVICING  
 Unserviceability Details:  
 Maintenance Comments: MS32 CARRIED OUT IAW INSTRUCTIONS. NO DEFECTS FOUND EITHER VISUALLY OR WITH NDT. REFER AIP MCS 928/16 WORK CARDS 159-162 AND NDT REPORT AIP/NDT/A23-021/057

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : PC1601429 LITERAL SERIAL NO : H/STAB 538 PERIOD: 01JAN90 TO 08JAN20  
PART NO : SBI-121 ~Z5514  
ENGINEERING NAME : SBI HSTAB FSPAR  
VENUE : A23DISP LOCATION : A23-033

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
=====	=====	=====	=====	=====	=====	=====
SM	MS32	660.0	AFHR			
SM	MS32	660.0	AFHR			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04538  
08JAN20  
23:16:15

SERIAL/TAIL NO : PC1601430  
PART NO : SBI-123 ~Z5514  
ENGINEERING NAME : HSTAB INT/EXT STRUC  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 7246.0 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	DATE NEW	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	HA PART	DATE UNPACKED		
20FEB06 02:20	538LH	SLL-C-3A	~Z5514 A23T	A2IBI	00
aip01713	AIP	MMIST		A1PXXRY600580	
R. ROSAM		15OCT90			
	4396.9 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04539  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PC1601430  
 PART NO : SBI-123  
 ENGINEERING NAME : HSTAB INT/EXT STRUC  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~Z5514

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
20FEB06 02:20	Reception History Record	0.0	Reception MMIST PC9	
20FEB06 02:25	Asset Installation	5607.1	A23T A2IBI 538 00	XXxxXXxx
	4396.9 AFHR			
	Change Serviceability Stat	0.1	SERV S/I MMIST POM	XXxxXXxx
	Change Location of an Asse	0.1		
26AUG14 09:32	Change Part Number of an A	3109.3	SLL-C-3A SBI-23A ~Z5514 ~Z5514	
	6388.6 AFHR		A1PXXX1409326	XXxxXXxx
	Maintenance Comment	0.0	PART NO CHANGE TO ACRN SET ERROR	
27JAN15 04:36	Change Serviceability Stat	3.9	S/I US/I	
	6570.0 AFHR		A1PXXJY804027	XXxxXXxx
29JAN15 09:09	Change Serviceability Stat	2.1	US/I S/I	
	6570.0 AFHR			XXxxXXxx
23AUG16 05:37	Change Serviceability Stat	5.1	S/I US/I	
	7137.3 AFHR		A1PXXJ1501320	XXxxXXxx
23AUG16 23:19	Change Serviceability Stat	0.7	US/I S/I	
	7137.3 AFHR			XXxxXXxx
18OCT16 05:14	Change Serial Number of an	3893.2	538LH PC1601430	
	7199.7 AFHR		A1PXXX1610514	XXxxXXxx
	Maintenance Comment	0.0	MPAN 031/2016 INCORPORATION	
18OCT16 05:21	Change Part Number of an A	783.8	SBI-23A SBI-123 ~Z5514 ~Z5514	
	7199.7 AFHR		A1PXXX1610519	XXxxXXxx
	Maintenance Comment	0.0	MPAN 031/2016 AL1 INC'D.	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04540  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PC1601430  
 PART NO : SBI-123 ~Z5514  
 ENGINEERING NAME : HSTAB INT/EXT STRUC  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS		LIFE SINCE NEW		SPAN(DYS) FROM		TO (OPTIONAL)		USER	
TRANSACTION D/T	CHANGE TYPE					TRANS REFERENCE			
18OCT16 05:21	Position Change	7199.7	AFHR	3893.1		A23T A2IBI	00		
	Maintenance Comment					A23T A2IBI	70		
03NOV16 03:40	Change Serviceability Stat			0.0		A1PXXX1610520			XXxxXXxx
				21.1		MPAN 031/2016 AL1 INC'D.			
		7199.7	AFHR			S/I			
16NOV16 03:50	Change Serviceability Stat			13.0		US/I			
						A1PXXJ1621894			XXxxXXxx
		7199.7	AFHR			US/I			
						S/I			XXxxXXxx

MMI JOBS									
JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS		
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW		
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT					
A1PXXJY804027	C COMPLETED	28JAN15 10:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP			
	29JAN15 09:09	27JAN15 04:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	6570.0	AFHR		
07 SCHED PERFORMANCE MONITOR				NDT	due on Serial 538LH				
01 NO FAULT	04 CHECK/TEST SERV				L HSTAB ELEV OB HNG at WAC 1150				
	Unserviceability Details:								
	Maintenance Comments:				NDI CARRIED OUT ON SBI-23A NIL CRACKS EVIDENT REFER				
					AIP/NDT/A23-016/019 AND MCS 001/15-15 #2				

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT	6700.0	AFHR	6570.0		
SM	NDT	6700.0	AFHR	6570.0		

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04541  
08JAN20  
23:16:15

SERIAL/TAIL NO : PC1601430 PERIOD: 01JAN90 TO 08JAN20  
PART NO : SBI-123 ~Z5514  
ENGINEERING NAME : HSTAB INT/EXT STRUC  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJ1501320	C COMPLETED	23AUG16 23:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
07 SCHED PERFORMANCE MONITOR		23AUG16 05:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		7137.3	AFHR
				NDT due on Serial 538LH			
				L HSTAB ELEV OB HNG at WAC 1150			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		NDT CARRIED OUT IAW AAP 7212.007-3 SUPP 99 REF:			
				AIP/NDT/A23-021/046 REF: 591771/1-3-2,3			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	NDT	600.0	AFHR	567.3		
SM	NDT	600.0	AFHR	567.3		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJ1621894	C COMPLETED	16NOV16 03:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	AIP	
19 MMI SERVICING DUE		16NOV16 03:50	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		7199.7	AFHR
		25 OTHER SCHEDULED SERVICING		MS33 due on Serial PC1601430			
		13 CORRODED		SBI HSTAB INT/EXT at WAC 1100			
12 CORRODED		12 MMI SERVICING					
		Unserviceability Details:		ALL FOUR CENTRE BRACKET ATTACHMENT BOLT HOLES HAVE CORROSION			
		Maintenance Comments:		MS33 C/O MS33 TASK CARDS WK PK AIP MCS 928/19 WC # 163 TO 177			
				INCL ALSO REF TO DNT REPORT NUMBERS AIP/NDT/A23-021/058 AND			
				AIP/NDT/A23-021/059 @ AIP ILM			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	MS33	660.0	AFHR			
SM	MS33	660.0	AFHR			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04542  
08JAN20  
23:16:15

SERIAL/TAIL NO : PC1700751  
PART NO : 83770122 ~FA0X2  
ENGINEERING NAME : MICROSWITCH S80  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 19551.0 LDG

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	DATE NEW	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	HA PART	DATE UNPACKED		
23FEB17 11:52	PC1700751	83770122	~FA0X2 A23T	A2KKJ	00
aip04023	AIP	HOLD		A1PXXR1700811	
K. ARUMUGAM		14FEB87			
	18354.0 LDG				



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04543  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PC1700751  
 PART NO : 83770122  
 ENGINEERING NAME : MICROSWITCH S80  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~FA0X2

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
23FEB17 11:52	Asset Installation	18354.0 LDG	xxxx	A23T 027 A2KKJ A23-033	00 A23T A2KKJ 00AC XXXXXXXX
	Change Serviceability Stat		0.4	SERV S/I	
	Change Location of an Asse		0.4	HOLD A23-033	
23FEB17 11:52	Reception History Record	18354.0 LDG	0.0	Reception HOLD PC9	XXXXXXXX
07JUN17 07:08	Position Change	18354.0 LDG	103.8	A23T A2KKJ A23T A2KKJ	00 00
	Maintenance Comment		0.0	A1PXXX1709073 POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE	XXXXXXXX

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04544  
08JAN20  
23:16:15

SERIAL/TAIL NO : PC1700777  
PART NO : 532.30.09.243 ~S4080  
ENGINEERING NAME : MLG UPLOCK  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 9036.4 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC	
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID		
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO		
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED			
23FEB17 13:22	PC1700777	532.30.09.243	~S4080	A23T	A2KEQ	00
aip04023	AIP	HOLD			A1PXXR1700837	
K. ARUMUGAM		14FEB87				
	8406.0 AFHR	18354.0 LDG				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04545  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PC1700777  
 PART NO : 532.30.09.243  
 ENGINEERING NAME : MLG UPLOCK  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
23FEB17 13:22	Reception History Record	0.0	Reception HOLD PC9	
23FEB17 13:24	Asset Installation	xxxx	A23T A2KEQ 027 A23-033 00	XXXXXXxx
	Change Serviceability Stat	0.5	SERV S/I HOLD A23-033	XXXXXXxx
07JUN17 07:08	Position Change	103.7	A23T A2KEQ 00	
	Maintenance Comment	0.0	A23T A2KEQ 00 A1PXXX1709074 POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE	XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04546  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PC1700778  
 PART NO : 83770121  
 ENGINEERING NAME : MLG UPLOCK M/SW  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

~FA0X2

PERIOD: 01JAN90 TO 08JAN20

LOCATION : A23-033  
 LIFE SINCE NEW : 19551.0 LDG

ASSET TRANSACTIONS -----

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
23FEB17 13:22	Reception History Record	18354.0 LDG	0.0	Received as sub assembly of Ser No PC1700777 Part No 532.30.09.243	~S4080 XXXXXXxx
23FEB17 13:23	Change Serial Number of an	18354.0 LDG	0.5	XX0A1PXXR1700838 PC1700778 A1PXXX1702812	XXXXXXxx
07JUN17 07:08	Position Change	18354.0 LDG	xxxx	A23T A2KEQ00 00 A23T A2KEQ00 00	XXXXXXxx
	Maintenance Comment	18354.0 LDG	0.0	A1PXXX1709075 POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE	XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04547  
08JAN20  
23:16:15

SERIAL/TAIL NO : PC1700779  
PART NO : 532.30.09.243 ~S4080  
ENGINEERING NAME : MLG UPLOCK  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 9036.4 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC	
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID		
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO		
	DEFAULT LIFS ENTERED AT RECEPTION	DATE UNPACKED				
23FEB17 13:25	PC1700779	532.30.09.243	~S4080	A23T	A2KDW	00
aip04023	AIP	HOLD			A1PXXR1700839	
K. ARUMUGAM		14FEB87				
	8406.0 AFHR	18354.0 LDG				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04548  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PC1700779  
 PART NO : 532.30.09.243  
 ENGINEERING NAME : MLG UPLOCK  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
23FEB17 13:25	Reception History Record	0.0	Reception HOLD PC9	
23FEB17 13:26	Asset Installation	xxxx	A23T A2KDW 027 A23-033 00	XXXXXXxx
	Change Serviceability Stat	0.5	SERV S/I HOLD A23-033	XXXXXXxx
07JUN17 07:08	Position Change	103.7	A23T A2KDW 00	
	Maintenance Comment	0.0	A23T A2KDW 00 A1PXXX1709076 POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE	XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04549  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PC1700780  
 PART NO : 83770121  
 ENGINEERING NAME : MLG UPLOCK M/SW  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

~FA0X2

PERIOD: 01JAN90 TO 08JAN20

LOCATION : A23-033  
 LIFE SINCE NEW : 19551.0 LDG

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
23FEB17 13:25	Reception History Record	18354.0 LDG	0.0	Received as sub assembly of Ser No PC1700779 Part No 532.30.09.243	~S4080 XXXXXX
23FEB17 13:26	Change Serial Number of an	18354.0 LDG	0.5	XX0A1PXXR1700840 PC1700780	XXXXXX
07JUN17 07:09	Maintenance Comment Position Change	18354.0 LDG	0.0 xxxx	A1PXXX1702813 MPAN 004/2017 A23T A2KDW00 00 A23T A2KDW00 00	XXXXXX
	Maintenance Comment	18354.0 LDG	0.0	A1PXXX1709077 POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE	XXXXXX

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04550  
08JAN20  
23:16:15

SERIAL/TAIL NO : PC1700781  
PART NO : 83770121 ~FA0X2  
ENGINEERING NAME : MLG UPLOCK M/SW  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 19551.0 LDG

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	DATE NEW	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	HA PART	DATE UNPACKED		
23FEB17 13:28	PC1700781	83770121	~FA0X2	A23T	00
aip04023	AIP	HOLD		A2KKK	
K. ARUMUGAM		14FEB87		A1PXXR1700841	
	18354.0 LDG				



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04551  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PC1700781  
 PART NO : 83770121  
 ENGINEERING NAME : MLG UPLOCK M/SW  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~FA0X2

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
23FEB17 13:28	Reception History Record	0.0	Reception HOLD PC9	
	18354.0 LDG			XXXXXXxx
23FEB17 13:28	Asset Installation	xxxx	A23T A2KKK 027 A23-033 00	A23T A2KKK 00AC
	18354.0 LDG			XXXXXXxx
	Change Serviceability Stat	0.5	SERV S/I HOLD A23-033	
	Change Location of an Asse	0.5		
07JUN17 07:09	Position Change	103.7	A23T A2KKK 00 A23T A2KKK 00	
	18354.0 LDG			XXXXXXxx
	Maintenance Comment	0.0	POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE	

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04552  
08JAN20  
23:16:15

SERIAL/TAIL NO : PC1700782  
PART NO : 83770121 ~FA0X2  
ENGINEERING NAME : MLG UPLOCK M/SW  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 19551.0 LDG

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	DATE NEW	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	HA PART	DATE UNPACKED		
23FEB17 13:29	PC1700782	83770121	~FA0X2 A23T	A2KKL	00
aip04023	AIP	HOLD		A1PXXR1700842	
K. ARUMUGAM		14FEB87			
	18354.0 LDG				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04553  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PC1700782  
 PART NO : 83770121  
 ENGINEERING NAME : MLG UPLOCK M/SW  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~FA0X2

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW						
23FEB17 13:29	Asset Installation	xxxx	A23T 027	A2KKL	A23-033	00 A23T A2KKL 00AC XXXXXXXX
	18354.0 LDG Change Serviceability Stat	0.5	SERV S/I			
	Change Location of an Asse	0.5	HOLD A23-033			
23FEB17 13:29	Reception History Record	0.0	Reception HOLD		PC9	XXXXXXXX
	18354.0 LDG Position Change	103.7	A23T A23T	A2KKL A2KKL		00 00
07JUN17 07:09	Maintenance Comment	0.0	A1PXXX1709079 POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE			XXXXXXXX

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

ASSET HISTORY

08JAN20  
23:16:15

SERIAL/TAIL NO : PC1700783  
PART NO : 83770127 ~FA0X2 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : MLG SEQ M/SW  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 19551.0 LDG

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	DATE NEW	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	HA PART	DATE UNPACKED		
23FEB17 13:30	PC1700783	83770127	~FA0X2	A23T	A2KCI
aip04023	AIP	HOLD			A1PXXR1700843
K. ARUMUGAM		14FEB87			00
	18354.0 LDG				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 04555  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PC1700783  
 PART NO : 83770127  
 ENGINEERING NAME : MLG SEQ M/SW  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~FA0X2

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
23FEB17 13:30	Reception History Record	0.0	Reception HOLD PC9	
	18354.0 LDG			XXXXXXxx
23FEB17 13:31	Asset Installation	xxxx	A23T A2KCI 027 A23-033 00	A23T A2KCI 00AC
	18354.0 LDG			XXXXXXxx
	Change Serviceability Stat	0.5	SERV S/I HOLD A23-033	
	Change Location of an Asse	0.5		
07JUN17 07:09	Position Change	103.7	A23T A2KCI 00	
	18354.0 LDG		A23T A2KCI 00	
	Maintenance Comment	0.0	A1PXXX1709080 POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE	XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04556  
08JAN20  
23:16:15

SERIAL/TAIL NO : PC1700784  
PART NO : 83770127 ~FA0X2  
ENGINEERING NAME : MLG SEQ M/SW  
VENUE : A23DISP  
CURRENT CONDITION : S/I  
LOCATION : A23-033  
LIFE SINCE NEW : 19551.0 LDG  
PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	DATE NEW	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	HA PART	DATE UNPACKED		
23FEB17 13:32	PC1700784	83770127	~FA0X2	A2KCM	00
aip04023	AIP	HOLD	A23T	A1PXXR1700844	
K. ARUMUGAM		14FEB87			
	18354.0 LDG				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04557  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PC1700784  
 PART NO : 83770127  
 ENGINEERING NAME : MLG SEQ M/SW  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~FA0X2

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
23FEB17 13:32	Asset Installation	18354.0 LDG	xxxx	A23T 027 A2KCM A23-033	00 A23T A2KCM 00AC XXXXXXXX
	Change Serviceability Stat		0.5	SERV S/I	
	Change Location of an Asse		0.5	HOLD A23-033	
23FEB17 13:32	Reception History Record	18354.0 LDG	0.0	Reception HOLD PC9	XXXXXXXX
07JUN17 07:10	Position Change	18354.0 LDG	103.7	A23T A2KCM A23T A2KCM	00 00
	Maintenance Comment		0.0	A1PXXX1709081 POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE	XXXXXXXX

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04558  
08JAN20  
23:16:15

SERIAL/TAIL NO : PC1701135  
PART NO : 571.10.09.027 ~S4080  
ENGINEERING NAME : BUTTERFLY COWL LH  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 50819.8 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
11APR17 03:01	PC1701135	571.10.09.027	~S4080 A23T	A08	00
aip01963	AIP	INTMH		A1PXXR1701272	
P. GREEN		01JAN88			
	50000.0 AFHR				



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04559  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PC1701135  
 PART NO : 571.10.09.027 ~S4080  
 ENGINEERING NAME : BUTTERFLY COWL LH  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
20APR17 23:28	Change Serviceability Stat	50000.0 AFHR	xxxx	SERV U/S	XXxxXXxx
23MAY17 03:30	Change Serviceability Stat	50000.0 AFHR	32.1	U/S SERV	XXxxXXxx
24MAY17 22:44	Asset Installation	50000.0 AFHR	xxxx	A23T A23-056 A08	A23T A08 00AC
	Change Serviceability Stat	50000.0 AFHR	1.8	SERV S/I	XXxxXXxx
	Change Location of an Asse		xxxx	INTMH A23-056	
14MAY18 03:01	Asset Removal		354.1	A23-056 A23T A08	A23T A08 00A
	Change Serviceability Stat	50300.7 AFHR	4.8	S/I U/S	XXxxXXxx
	Change Location of an Asse		354.1	A23-056 HG122	
14MAY18 03:02	Change Serviceability Stat		0.0	U/S SERV	
07JUN18 02:49	Asset Installation	50300.7 AFHR	23.9	A23T A23-056 A08	A23T A08 00AC
	Change Serviceability Stat	50300.7 AFHR	23.9	SERV S/I	XXxxXXxx
	Change Location of an Asse		23.9	HG122 A23-056	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04560  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PC1701135  
 PART NO : 571.10.09.027 ~S4080  
 ENGINEERING NAME : BUTTERFLY COWL LH  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
10APR19 02:16	Asset Removal	306.9	A23-056 A23T A08	A23T A08 00A
	50629.6 AFHR Change Serviceability Stat	41.9	S/I U/S	XXXXXXxx
	Change Location of an Asse	0.7	A23-056 HOLD	
10APR19 02:20	Change Serviceability Stat	0.0	U/S SERV	
	50629.6 AFHR Change Venue of an Asset	0.7	A23DISP AIP	XXXXXXxx
	50629.6 AFHR Change Location of an Asse	0.0	A23DSX1900032 HOLD	XXXXXXxx
10APR19 03:09	Asset Installation	0.0	HG121 A23T A23-033 A08	A23T A08 00AC
	50629.6 AFHR Change Serviceability Stat	0.0	SERV S/I	XXXXXXxx
	Change Location of an Asse	0.0	HG121 A23-033	
12JUN19 04:31	Asset Removal	63.0	A23-033 A23T A08	A23T A08 00A
	50675.2 AFHR Change Serviceability Stat	36.5	S/I U/S	XXXXXXxx
	Change Location of an Asse	63.0	A23-033 INTMH	
12JUN19 04:32	Change Serviceability Stat	0.0	U/S SERV	
	50675.2 AFHR			XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04561  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PC1701135  
 PART NO : 571.10.09.027 ~S4080  
 ENGINEERING NAME : BUTTERFLY COWL LH  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
09JUL19 22:38	Asset Installation	27.7	A23T A08 A23-033	00 A23T A08 00AC XXXXXXxx
	50675.2 AFHR Change Serviceability Stat	27.7	SERV S/I	
	Change Location of an Asse	27.7	INTMH A23-033	
24SEP19 05:42	Asset Removal	76.2	A23-033 A23T A08	00 A23T A08 00A XXXXXXxx
	50773.5 AFHR Change Serviceability Stat	5.9	S/I U/S	
	Change Location of an Asse	76.2	A23-033 INTMH	
24SEP19 05:43	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
	50773.5 AFHR Asset Installation	7.7	A23T A08 A23-033	00 A23T A08 00AC XXXXXXxx
	50773.5 AFHR Change Serviceability Stat	7.7	SERV S/I	
	Change Location of an Asse	7.7	INTMH A23-033	

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
ALPXXJ1708154	C COMPLETED	20APR17 23:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	23MAY17 03:30	20APR17 23:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	50000.0	AFHR
01 UNSERVICEABLE		09 R2 SERVICING		STIFFNER CRACKED AT ATTACHMENT POINT FOR STAY			
		01 DAMAGED/CRACKED					
08 DAMAGE		02 REPAIR					
		Unserviceability Details:		STIFFNER CRACKED AT ATTACHMENT POINT FOR STAY			
		Maintenance Comments:		LH SECTION ANGLE REPLACED, ATTACHMENT STAYS REPLACED ,HARDWEAR REPLACED, IAW AAP 7212.007-3/ AIP MCS 481/17 PAGE 2 AND PAGE 3.			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04562  
08JAN20  
23:16:15

SERIAL/TAIL NO : PC1701135  
PART NO : 571.10.09.027 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : BUTTERFLY COWL LH  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJ1807922	C COMPLETED	14MAY18 03:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
		14MAY18 03:02	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		50300.7	AFHR
13 REMOVED FOR ACCESS	99 NO FAILURE			R2 due on Serial A23-056			
				PC-9 at WAC 0000			
01 NO FAULT	04 CHECK/TEST SERV						
				Unserviceability Details:			
				Maintenance Comments:	CHECK/TEST SERV		

A23DSJ1900009	C COMPLETED	10APR19 02:16	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx A23DISP	A23DISP		
		10APR19 02:20	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx A23DISP		50629.6	AFHR
13 REMOVED FOR ACCESS	99 NO FAILURE			LH & RH BUTTERFLY COWLS REMOVED FOR ACCESS			
01 NO FAULT	04 CHECK/TEST SERV						
				Unserviceability Details:			
				Maintenance Comments:	SERVICEABLE ITEM TO BE TESTED UPON INSTALLATION		

A1PXXJ1909809	C COMPLETED	12JUN19 04:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
		12JUN19 04:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		50675.2	AFHR
13 REMOVED FOR ACCESS	99 NO FAILURE			BUTTERFLY COWL R.F.A			
01 NO FAULT	04 CHECK/TEST SERV						
				Unserviceability Details:			
				Maintenance Comments:	CHECK/TEST SERV		

A1PXXJ1914545	C COMPLETED	24SEP19 05:42	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
		24SEP19 05:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		50773.5	AFHR
13 REMOVED FOR ACCESS	99 NO FAILURE			R1 due on Serial A23-033			
				PC-9 at WAC 0000			
01 NO FAULT	04 CHECK/TEST SERV						
				Unserviceability Details:			
				Maintenance Comments:	CHECK/TEST SERV		

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04563  
08JAN20  
23:16:15

SERIAL/TAIL NO : PC1701255  
PART NO : SBI-130B RL ~Z5514  
ENGINEERING NAME : FUS ENG MNT SUPP RL  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 630.4 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
16MAY17 02:33	PC1701255	SBI-130B RL	A23T	ALUSI03	01
aip01963	AIP	INTMH		ALPXXR1701424	
P. GREEN		10JUN14			

0.0 AFHR

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04564  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PC1701255  
 PART NO : SBI-130B RL ~Z5514  
 ENGINEERING NAME : FUS ENG MNT SUPP RL  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
22MAY17 04:45	Asset Installation	1077.1	A23T A1USI03 033 A23-033 01	A23T A1USI03 01AC XXXXXXxx
	0.0 AFHR Change Serviceability Stat	1077.1	SERV S/I	
	Change Location of an Asse	1077.1	INTMH A23-033	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04565  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PC1701301  
 PART NO : MBEU10385PA ~U1604  
 ENGINEERING NAME : LINE PARA WITHDRAWA  
 VENUE : A23DISP LOCATION : A23-033  
 CURRENT CONDITION : S/I LIFE SINCE NEW : 827.9 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE UNPACKED			
23MAY17 00:19	PC1701301	MBEU10385PA	~U1604	A1WBA08	00
aip01694	AIP	ALS		A1PXXR1701471	
M. COX		31AUG11			
	0.0 AFHR		23MAY17		

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04566  
08JAN20  
23:16:15

SERIAL/TAIL NO : PC1701301  
PART NO : MBEU10385PA ~U1604  
ENGINEERING NAME : LINE PARA WITHDRAWA  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
10AUG17 23:01	Asset Installation	2171.9	A23T	A1WBA08	00	
	0.0 AFHR		MB9843-SET1	MB9843-SET1		A23T A26BA08 00MMI
	Change Serviceability Stat	2171.9	SERV			XXXXXXXX
	Change Location of an Asse	2171.9	S/I			
			ALS			
			ALS	PC9		

For-Official-Use-Only



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04567  
08JAN20  
23:16:15

SERIAL/TAIL NO : PC1701302  
PART NO : MBEU10385PA ~U1604  
ENGINEERING NAME : LINE PARA WITHDRAWA  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 827.9 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE UNPACKED			
23MAY17 00:27	PC1701302	MBEU10385PA	A23T	A1WBA08	00
aip01694	AIP	ALS		A1PXXR1701472	
M. COX		31AUG11	23MAY17		
	0.0 AFHR				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04568  
08JAN20  
23:16:15

SERIAL/TAIL NO : PC1701302  
PART NO : MBEU10385PA ~U1604  
ENGINEERING NAME : LINE PARA WITHDRAWA  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
10AUG17 23:25	Asset Installation	2171.9	A23T	A1WBA08	00	
	0.0 AFHR		MB10274-SET1	MB10274-SET1		A23T A1WBA08 00MMI
	Change Serviceability Stat	2171.9	SERV			XXXXXXXX
	Change Location of an Asse	2171.9	S/I			
			ALS			
			ALS	PC9		

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04569  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PC1701389  
 PART NO : 553.10.09.870 ~S4080  
 ENGINEERING NAME : FRAME 11 FITTING RH  
 VENUE : A23DISP LOCATION : A23-033  
 CURRENT CONDITION : S/I LIFE SINCE NEW : 630.4 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
08JUN17 05:43	PC1701389	553.10.09.870	~S4080	A1UQS03	02
aip02188	AIP	INTMH		A1PXXR1701580	
R. ORLOWSKI		07JUN17	N/A		
	0.0 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04570  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PC1701389  
 PART NO : 553.10.09.870 ~S4080  
 ENGINEERING NAME : FRAME 11 FITTING RH  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW						
08JUN17 22:32	Asset Installation	1.9	A23T	A1UQS03	02	
	0.0 AFHR		533	A23-033		A23T A1UQS03 02AC
	Change Serviceability Stat	1.9	SERV			XXXXXXxx
	Change Location of an Asse	1.9	S/I			
			INTMH			
			A23-033			
23AUG18 12:07	Position Change	440.5	A23T	A1UQS03	02	
	158.8 AFHR		A23T	A1UQS03	02	
	Maintenance Comment	0.0	A1PXXX1808356			XXXXXXxx
			POS CX TO CLEAR COMP DEFAULT POLICY ERROR			
23AUG18 12:07	Position Change	440.5	A23T	A1UQS03	02	
	158.8 AFHR		A23T	A1UQS03	02	
			A1PXXX1808357			XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04571  
08JAN20  
23:16:15

SERIAL/TAIL NO : PC1800232  
PART NO : MSI 27016 ~S4080  
ENGINEERING NAME : AIL/ELEV TRIM SW  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 469.3 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC	
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID		
NAME	HA SERIAL	DATE NEW	BATCH	MATCHED SET NO		
	DEFAULT LIFS ENTERED AT RECEPTION	HA PART	DATE UNPACKED			
15MAR18 00:00	XX0A1PXXR1800314	MSI 27016	~S4080	A23T	ALUEU00AA	00
aip02188	AIP	STORES		MMI	A1PXXR1800314	
R. ORLOWSKI	0072	17MAR17				
	0.0 AFHR	116.35.07.288	~S4080	17MAR17		

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04572  
08JAN20  
23:16:15

SERIAL/TAIL NO : PC1800232  
PART NO : MSI 27016  
ENGINEERING NAME : AIL/ELEV TRIM SW  
VENUE : A23DISP  
LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20  
~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
16MAR18 00:17	Change Serial Number of an	0.0 AFHR	364.0	XX0A1PXXR1800314 PC1800232 A1PXXX1802390	XXxxXXxx
16MAR18 00:19	Maintenance Comment	0.0 AFHR	0.0	REF HA STICK GRIP ASSY S/NO 0072	
	Maintenance Comment	0.0 AFHR	0.0	HA PILATUS COFC NO 80220846 DATE 17MAR17 AUTH F ANTONAZZO	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04573  
08JAN20  
23:16:15

SERIAL/TAIL NO : PC1800383  
PART NO : 938.09.14.307 ~S4080  
ENGINEERING NAME : NUT WING-FUSELAGE  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 471.6 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	DATE NEW	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	HA PART	DATE UNPACKED		
17MAY18 02:50	PC1800383	938.09.14.307	~S4080	A23T	00
aip04023	AIP	STORES	MMI	ALUAE	
K. ARUMUGAM		14MAY18		A1PXXR1800612	
	0.0 AFHR				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04574  
08JAN20  
23:16:15

SERIAL/TAIL NO : PC1800383  
PART NO : 938.09.14.307 ~S4080  
ENGINEERING NAME : NUT WING-FUSELAGE  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
17MAY18 22:20	Asset Installation	3.9	A23T	A1UAE	00	
	0.0 AFHR		533		A23-033	A23T A1UAE 00AC
	Change Serviceability Stat	3.9	SERV			XXXXXXXX
	Change Location of an Asse	3.9	S/I		MMI	
			STORES			
			A23-033			

For-Official-Use-Only



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04575  
08JAN20  
23:16:15

SERIAL/TAIL NO : PC1800384  
PART NO : 938.09.14.307 ~S4080  
ENGINEERING NAME : NUT WING-FUSELAGE  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 471.6 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	DATE NEW	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	HA PART	DATE UNPACKED		
17MAY18 02:52	PC1800384	938.09.14.307	~S4080	A23T	00
aip04023	AIP	STORES	MMI	ALUAG	
K. ARUMUGAM		14MAY18		A1PXXR1800613	
	0.0 AFHR				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04576  
08JAN20  
23:16:15

SERIAL/TAIL NO : PC1800384  
PART NO : 938.09.14.307 ~S4080  
ENGINEERING NAME : NUT WING-FUSELAGE  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
17MAY18 22:26	Asset Installation	3.9	A23T	A1UAG	00	
	0.0 AFHR		533		A23-033	A23T A1UAG 00AC
	Change Serviceability Stat	3.9	SERV			XXXXXXXX
	Change Location of an Asse	3.9	S/I		MMI	
			STORES			
			A23-033			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : PC1800385  
 PART NO : 571.20.09.031 ~S4080  
 ENGINEERING NAME : BOLT ENGINE FRAME  
 VENUE : A23DISP LOCATION : A23-033  
 CURRENT CONDITION : S/I LIFE SINCE NEW : 471.6 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	DATE NEW	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	HA PART	DATE UNPACKED		
17MAY18 02:55	PC1800385	571.20.09.031	~S4080	A0CAD00	00
aip04023	AIP	STORES	MMI	A1PXXR1800614	
K. ARUMUGAM		14MAY18			
	0.0 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04578  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PC1800385  
 PART NO : 571.20.09.031 ~S4080  
 ENGINEERING NAME : BOLT ENGINE FRAME  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW						
17MAY18 23:23	Asset Installation	3.9	A23T	A0CAD00	00	A23T A0CAD00 00AC
	0.0 AFHR		PCY400387	A23-033		XXXXXXXX
	Change Serviceability Stat	3.9	SERV			
	Change Location of an Asse	3.9	S/I		MMI	
			STORES			
			A23-033			

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

SERIAL/TAIL NO : PC1800386  
PART NO : 571.20.09.031 ~S4080  
ENGINEERING NAME : BOLT ENGINE FRAME  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 471.6 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
17MAY18 03:00	PC1800386	571.20.09.031	~S4080	A0CAD02	00
aip04023	AIP	STORES	MMI	A1PXXR1800615	
K. ARUMUGAM		14MAY18			
	0.0 AFHR				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04580  
08JAN20  
23:16:15

SERIAL/TAIL NO : PC1800386  
PART NO : 571.20.09.031 ~S4080  
ENGINEERING NAME : BOLT ENGINE FRAME  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
17MAY18 23:42	Asset Installation	3.9	A23T	A0CAD02	00	A23T A0CAD02 00AC
	0.0 AFHR		PCY400387	A23-033		XXXXXXXX
	Change Serviceability Stat	3.9	SERV			
	Change Location of an Asse	3.9	S/I			
			STORES	MMI		
			A23-033			

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04581  
08JAN20  
23:16:15

SERIAL/TAIL NO : PC1800387  
PART NO : 571.20.09.031 ~S4080  
ENGINEERING NAME : BOLT ENGINE FRAME  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 471.6 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
17MAY18 03:01	PC1800387	571.20.09.031	~S4080	A0CAD04	00
aip04023	AIP	STORES	MMI	A1PXXR1800616	
K. ARUMUGAM		14MAY18			
	0.0 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04582  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PC1800387  
 PART NO : 571.20.09.031 ~S4080  
 ENGINEERING NAME : BOLT ENGINE FRAME  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS -----

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW						
17MAY18 23:58	Asset Installation	3.9	A23T	A0CAD04	00	A23T A0CAD04 00AC
	0.0 AFHR		PCY400387	A23-033		XXXXXXXX
	Change Serviceability Stat	3.9	SERV			
	Change Location of an Asse	3.9	S/I		MMI	
			STORES			
			A23-033			

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : PC1800388  
 PART NO : 571.20.09.031 ~S4080  
 ENGINEERING NAME : BOLT ENGINE FRAME  
 VENUE : A23DISP LOCATION : A23-033  
 CURRENT CONDITION : S/I LIFE SINCE NEW : 471.6 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
17MAY18 03:02	PC1800388	571.20.09.031	~S4080	A0CAD06	00
aip04023	AIP	STORES	MMI	A1PXXR1800617	
K. ARUMUGAM		14MAY18			
	0.0 AFHR				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04584  
08JAN20  
23:16:15

SERIAL/TAIL NO : PC1800388  
PART NO : 571.20.09.031 ~S4080  
ENGINEERING NAME : BOLT ENGINE FRAME  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS -----

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
18MAY18 00:09	Asset Installation	4.0	A23T	A0CAD06	00	
	0.0 AFHR		PCY400387	A23-033		A23T A0CAD06 00AC
	Change Serviceability Stat	4.0	SERV			XXXXXXXX
	Change Location of an Asse	4.0	S/I			
			STORES	MMI		
			A23-033			

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04585  
08JAN20  
23:16:15

SERIAL/TAIL NO : PC1800389  
PART NO : 571.20.09.032 ~S4080  
ENGINEERING NAME : NUT ENGINE FRAME  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 471.6 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	DATE NEW	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	HA PART	DATE UNPACKED		
17MAY18 03:06	PC1800389	571.20.09.032	~S4080	A0CAD08	00
aip04023	AIP	STORES	MMI	A1PXXR1800618	
K. ARUMUGAM		14MAY18			
	0.0 AFHR				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04586  
08JAN20  
23:16:15

SERIAL/TAIL NO : PC1800389  
PART NO : 571.20.09.032 ~S4080  
ENGINEERING NAME : NUT ENGINE FRAME  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
18MAY18 00:24	Asset Installation	4.0	A23T	A0CAD08	00	A23T A0CAD08 00AC
	0.0 AFHR		PCY400387	A23-033		XXXXXXXX
	Change Serviceability Stat	4.0	SERV			
	Change Location of an Asse	4.0	S/I			
			STORES	MMI		
			A23-033			

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04587  
08JAN20  
23:16:15

SERIAL/TAIL NO : PC1800390  
PART NO : 571.20.09.032 ~S4080  
ENGINEERING NAME : NUT ENGINE FRAME  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 471.6 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	DATE NEW	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	HA PART	DATE UNPACKED		
17MAY18 03:06	PC1800390	571.20.09.032	~S4080	A0CAD10	00
aip04023	AIP	STORES	MMI	A1PXXR1800619	
K. ARUMUGAM		14MAY18			
	0.0 AFHR				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04588  
08JAN20  
23:16:15

SERIAL/TAIL NO : PC1800390  
PART NO : 571.20.09.032 ~S4080  
ENGINEERING NAME : NUT ENGINE FRAME  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS -----

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
18MAY18 00:31	Asset Installation	4.0	A23T	A0CAD10	00	A23T A0CAD10 00AC
	0.0 AFHR		PCY400387	A23-033		XXXXXXXX
	Change Serviceability Stat	4.0	SERV			
	Change Location of an Asse	4.0	S/I			
			STORES	MMI		
			A23-033			

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04589  
08JAN20  
23:16:15

SERIAL/TAIL NO : PC1800391  
PART NO : 571.20.09.032 ~S4080  
ENGINEERING NAME : NUT ENGINE FRAME  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 471.6 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	DATE NEW	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	HA PART	DATE UNPACKED		
17MAY18 03:07	PC1800391	571.20.09.032	~S4080	A0CAD12	00
aip04023	AIP	STORES	MMI	A1PXXR1800620	
K. ARUMUGAM		14MAY18			
	0.0 AFHR				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04590  
08JAN20  
23:16:15

SERIAL/TAIL NO : PC1800391  
PART NO : 571.20.09.032 ~S4080  
ENGINEERING NAME : NUT ENGINE FRAME  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
18MAY18 00:40	Asset Installation	4.0	A23T	A0CAD12	00	A23T A0CAD12 00AC
	0.0 AFHR		PCY400387	A23-033		XXXXXXXX
	Change Serviceability Stat	4.0	SERV			
	Change Location of an Asse	4.0	S/I			
			STORES	MMI		
			A23-033			

For-Official-Use-Only



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04591  
08JAN20  
23:16:15

SERIAL/TAIL NO : PC1800392  
PART NO : 571.20.09.032 ~S4080  
ENGINEERING NAME : NUT ENGINE FRAME  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 471.6 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	DATE NEW	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	HA PART	DATE UNPACKED		
17MAY18 03:08	PC1800392	571.20.09.032	~S4080	A0CAD14	00
aip04023	AIP	STORES	MMI	A1PXXR1800621	
K. ARUMUGAM		14MAY18			
	0.0 AFHR				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04592  
08JAN20  
23:16:15

SERIAL/TAIL NO : PC1800392  
PART NO : 571.20.09.032 ~S4080  
ENGINEERING NAME : NUT ENGINE FRAME  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
18MAY18 00:48	Asset Installation	4.0	A23T	A0CAD14	00	A23T A0CAD14 00AC
	0.0 AFHR		PCY400387	A23-033		XXXXXXXX
	Change Serviceability Stat	4.0	SERV			
	Change Location of an Asse	4.0	S/I			
			STORES	MMI		
			A23-033			

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04593  
08JAN20  
23:16:15

SERIAL/TAIL NO : PC1800405  
PART NO : SP4644 ~FA0X2  
ENGINEERING NAME : AIRBRAKE SWITCH  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 86.0 LDG

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	DATE NEW	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	HA PART	DATE UNPACKED		
23MAY18 03:32	PC1800405	SP4644	~FA0X2	A23T	00
aip02188	AIP	STORES		MMI	
R. ORLOWSKI		21MAY18		N/A	
	0.0 LDG				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04594  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PC1800405  
 PART NO : SP4644  
 ENGINEERING NAME : AIRBRAKE SWITCH  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~FA0X2

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW						
01OCT19 04:40	Asset Installation	498.1	A23T	A1UBY02	00	A23T A1UFU02 00AC
	0.0 LDG		XX02FTSXRY309180	A23-033		XXXXXXxx
	Change Serviceability Stat	498.1	SERV			
	Change Location of an Asse	498.1	S/I		MMI	
			STORES			
			A23-033			

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04595  
08JAN20  
23:16:15

SERIAL/TAIL NO : PC1800408  
PART NO : SP4644 ~FA0X2  
ENGINEERING NAME : AIRBRAKE SWITCH  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 86.0 LDG

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	DATE NEW	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	HA PART	DATE UNPACKED		
23MAY18 03:37	PC1800408	SP4644	~FA0X2	A1UBY02	00
aip02188	AIP	STORES	MMI	A1PXXR1800648	
R. ORLOWSKI		21MAY18	N/A		
	0.0 LDG				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04596  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PC1800408  
 PART NO : SP4644  
 ENGINEERING NAME : AIRBRAKE SWITCH  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~FA0X2

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW						
01OCT19 04:36	Asset Installation	498.1	A23T	A1UBY02	00	
	0.0 LDG		XX02FTSXRY309179	A23-033		A23T A1UBY02 00AC
	Change Serviceability Stat	498.1	SERV			XXXXXXxx
	Change Location of an Asse	498.1	S/I		MMI	
			STORES			
			A23-033			

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04597  
08JAN20  
23:16:15

SERIAL/TAIL NO : PC1800698  
PART NO : MBEU90727 ~U1604  
ENGINEERING NAME : LINE DROG WITHDRAWA  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 406.9 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION		DATE UNPACKED		
08AUG18 09:39	PC1800698	MBEU10385PA	A23T	A1WBA08	00
aip02188	AIP	ALS	PC9	A1PXXR1801012	
R. ORLOWSKI		01SEP17	W81624		
	0.0 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04598  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PC1800698  
 PART NO : MBEU90727 ~U1604  
 ENGINEERING NAME : LINE DROG WITHDRAWA  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW						
13AUG18 00:42	Change Part Number of an A	346.0	MBEU10385PA	~U1604		
	0.0 AFHR		MBEU90727	~U1604		
	Maintenance Comment	0.0	A1PXXX1807782			XXxxXXxx
13AUG18 00:44	Position Change	346.0	P/N CHANGED TO CORRECT ITEM			
	0.0 AFHR		A23T A1WBA08 00			
	Maintenance Comment	0.0	A23T A26BA06 00			XXxxXXxx
	Asset Installation	366.0	A1PXXX1807784			
02SEP18 00:30	Change Serviceability Stat	366.0	REPLACE WITH CORRECT ITEM.			
	0.0 AFHR		A23T A26BA06 00			
	Change Location of an Asse	366.0	MB10274-SET1 MB10274-SET1	A23T	A1WBA06	00MMI
			SERV			XXxxXXxx
			S/I			
			ALS	PC9		
			ALS			

For-Official-Use-Only



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04599  
08JAN20  
23:16:15

SERIAL/TAIL NO : PC1800699  
PART NO : MBEU90727 ~U1604  
ENGINEERING NAME : LINE DROG WITHDRAWA  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 406.9 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
08AUG18 09:40	PC1800699	MBEU10385PA	A23T	A1WBA08	00
aip02188	AIP	ALS	PC9	A1PXXR1801013	
R. ORLOWSKI		01SEP17	W81624		
	0.0 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04600  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PC1800699  
 PART NO : MBEU90727 ~U1604  
 ENGINEERING NAME : LINE DROG WITHDRAWA  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW						
13AUG18 00:43	Change Part Number of an A	346.0	MBEU10385PA	~U1604		
	0.0 AFHR		MBEU90727	~U1604		
	Maintenance Comment	0.0	A1PXXX1807783			XXXXXXxx
13AUG18 00:44	Position Change	346.0	CHANGED TO CORRECT ITEM			
	0.0 AFHR		A23T A1WBA08	00		
	Maintenance Comment	0.0	A23T A26BA06	00		XXXXXXxx
	Asset Installation	366.0	A1PXXX1807785			
02SEP18 00:30	Change Serviceability Stat	366.0	REPLACE WITH CORRECT ITEM.			
	0.0 AFHR		A23T A26BA06	00		
	Change Location of an Asse	366.0	MB9843-SET1	MB9843-SET1	A23T A26BA06	00MMI
			SERV			XXXXXXxx
			S/I			
			ALS	PC9		
			ALS			

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04601  
08JAN20  
23:16:15

SERIAL/TAIL NO : PC1800703  
PART NO : MBEU51480 ~U1604  
ENGINEERING NAME : DROG EXTEND STRAP  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 406.9 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION		DATE UNPACKED		
08AUG18 09:49	PC1800703	MBEU51480	A23T	A1WBA14	00
aip02188	AIP	ALS	PC9	A1PXXR1801017	
R. ORLOWSKI		01JUN17	W76450		
	0.0 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04602  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PC1800703  
 PART NO : MBEU51480  
 ENGINEERING NAME : DROG EXTEND STRAP  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW						
02SEP18 00:10	Asset Installation	458.0	A23T	A1WBA14	00	
	0.0 AFHR		MB9843-SET1	MB9843-SET1		A23T A26BA14
	Change Serviceability Stat	458.0	SERV			XXXXXXxx
	Change Location of an Asse	458.0	S/I			
			ALS	PC9		
			ALS			

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04603  
08JAN20  
23:16:15

SERIAL/TAIL NO : PC1800704  
PART NO : MBEU51480 ~U1604  
ENGINEERING NAME : DROG EXTEND STRAP  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 406.9 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION		DATE UNPACKED		
08AUG18 09:50	PC1800704	MBEU51480	A23T	A1WBA14	00
aip02188	AIP	ALS	PC9	A1PXXR1801018	
R. ORLOWSKI		01JUN17	W76450		
	0.0 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04604  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PC1800704  
 PART NO : MBEU51480  
 ENGINEERING NAME : DROG EXTEND STRAP  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
02SEP18 00:20	Asset Installation	458.0	A23T	A1WBA14	00	
	0.0 AFHR		MB10274-SET1	MB10274-SET1		A23T A1WBA14
	Change Serviceability Stat	458.0	SERV			XXXXXXXX
	Change Location of an Asse	458.0	S/I			
			ALS	PC9		
			ALS			

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

SERIAL/TAIL NO : PC1801181  
PART NO : 529.20.09.137 ~S4080  
ENGINEERING NAME : EMERG LG CABLE  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 306.6 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	DATE NEW	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	HA PART	DATE UNPACKED		
13DEC18 02:44	PC1801181	529.20.09.137	~S4080	A23T	01
aip04023	AIP	STORES	MMI	ALUBO	
K. ARUMUGAM		12DEC18		ALPXXR1801619	
	0.0 AFHR				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04606  
08JAN20  
23:16:15

SERIAL/TAIL NO : PC1801181  
PART NO : 529.20.09.137 ~S4080  
ENGINEERING NAME : EMERG LG CABLE  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS -----

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
13DEC18 02:56	Asset Installation	1.1	A23T	A1UBO	01	A23T A1UBO 01AC
	0.0 AFHR		533		A23-033	XXXXXXXX
	Change Serviceability Stat	1.1	SERV			
	Change Location of an Asse	1.1	S/I		MMI	
			STORES			
			A23-033			

For-Official-Use-Only



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04607  
08JAN20  
23:16:15

SERIAL/TAIL NO : PC1900491  
PART NO : LS14500 ~7X634  
ENGINEERING NAME : BATTERY  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 144.6 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION		DATE UNPACKED		
04APR19 12:40	PC1900491	LS14500	A23T	A1ULF00	00
aip04023	AIP	STORES	MMI	A1PXXR1900586	
K. ARUMUGAM		01APR19	04224X		
	0.0 AFHR				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04608  
08JAN20  
23:16:15

SERIAL/TAIL NO : PC1900491  
PART NO : LS14500 ~7X634  
ENGINEERING NAME : BATTERY  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
03JUL19 23:06	Asset Installation	0.0 AFHR	93.9	A23T A1ULF00 0608-13264 A23-033 00	A23T A1ULF00 00AC XXXXXXXX
	Change Serviceability Stat		93.9	SERV S/I	
	Change Location of an Asse		93.9	STORES A23-033 MMI	

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04609  
08JAN20  
23:16:15

SERIAL/TAIL NO : PC1900662  
PART NO : 3059788-01 ~00198  
ENGINEERING NAME : FILTER ELEMENT P3  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 46.3 ENHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
08MAY19 04:47	PC1900662	3059788-01	A23T	A1SAK48	01
aip02188	AIP	STORES	MMI	A1PXXR1900781	
R. ORLOWSKI		12NOV18	SPL00198		
	0.0 ENHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04610  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PC1900662  
 PART NO : 3059788-01 ~00198  
 ENGINEERING NAME : FILTER ELEMENT P3  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
26SEP19 02:14	Asset Installation	318.0	A23T 103186 A1SAK48 A23-033 01	A23T A1SAK48 01AC XXXXXXXX
	0.0 ENHR Change Serviceability Stat	318.0	SERV S/I	
	Change Location of an Asse	318.0	STORES A23-033 MMI	

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04611  
08JAN20  
23:16:15

SERIAL/TAIL NO : PC1900832  
PART NO : 938.09.14.307 ~S4080  
ENGINEERING NAME : NUT WING-FUSELAGE  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 144.6 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	DATE NEW	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	HA PART	DATE UNPACKED		
13JUN19 02:17	PC1900832	938.09.14.307	~S4080	A23T	00
aip04023	AIP	STORES	MMI	ALUAM	
K. ARUMUGAM		12JUN19		A1PXXR1901001	
	0.0 AFHR				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04612  
08JAN20  
23:16:15

SERIAL/TAIL NO : PC1900832  
PART NO : 938.09.14.307 ~S4080  
ENGINEERING NAME : NUT WING-FUSELAGE  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
13JUN19 05:37	Asset Installation	0.0 AFHR	1.2	A23T 533 A1UAM A23-033	A23T A1UAM 00AC XXXXXXXX
	Change Serviceability Stat		1.2	SERV S/I	
	Change Location of an Asse		1.2	STORES A23-033	MMI

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : PC1900833  
 PART NO : 938.09.14.307 ~S4080  
 ENGINEERING NAME : NUT WING-FUSELAGE  
 VENUE : A23DISP LOCATION : A23-033  
 CURRENT CONDITION : S/I LIFE SINCE NEW : 144.6 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	DATE NEW	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	HA PART	DATE UNPACKED		
13JUN19 02:18	PC1900833	938.09.14.307	~S4080	A1UAO	00
aip04023	AIP	STORES	MMI	A1PXXR1901002	
K. ARUMUGAM		12JUN19			
	0.0 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04614  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PC1900833  
 PART NO : 938.09.14.307 ~S4080  
 ENGINEERING NAME : NUT WING-FUSELAGE  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW						
13JUN19 05:40	Asset Installation	1.2	A23T	A1UAO	00	A23T A1UAO 00AC
	0.0 AFHR		533		A23-033	XXXXXXXX
	Change Serviceability Stat	1.2	SERV			
	Change Location of an Asse	1.2	S/I		MMI	
			STORES			
			A23-033			

For-Official-Use-Only



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04615  
08JAN20  
23:16:15

SERIAL/TAIL NO : PC1900974  
PART NO : 3059257-01 ~00198  
ENGINEERING NAME : FILTER OIL  
VENUE : A23DISP  
CURRENT CONDITION : S/I  
LOCATION : A23-033  
LIFE SINCE NEW : 68.3 ENHR  
PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	DATE NEW	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	HA PART	DATE UNPACKED		
24JUL19 02:04	PC1900974	3059257-01	A23T	A1SAK34	00
aip02188	AIP	STORES	MMI	A1PXXR1901159	
R. ORLOWSKI		11SEP10	MXC 190		
	0.0 ENHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04616  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PC1900974  
 PART NO : 3059257-01  
 ENGINEERING NAME : FILTER OIL  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~00198

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
03SEP19 05:45	Asset Installation	3279.2	A23T 103186 A1SAK34 A23-033	00 A23T A1SAK34 00AC XXXXXXXX
	0.0 ENHR Change Serviceability Stat	3279.2	SERV S/I	
	Change Location of an Asse	3279.2	STORES A23-033 MMI	
26SEP19 02:17	Asset Removal	22.8	103186 A23-033 A23T A1SAK34	00 A23T A1SAK34 00A XXXXXXXX
	22.0 ENHR Change Serviceability Stat	7.8	S/I U/S	
	Change Location of an Asse	22.8	A23-033 INTMH U/S	
26SEP19 02:21	Change Serviceability Stat	0.0	SERV	XXXXXXXX
26SEP19 02:22	Asset Installation	0.0	A23T 103186 A1SAK34 A23-033	00 A23T A1SAK34 00AC XXXXXXXX
	22.0 ENHR Change Serviceability Stat	0.0	SERV S/I	
	Change Location of an Asse	0.0	INTMH A23-033	

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
15	FAULT FINDING	26SEP19 02:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	ENHR
01	NO FAULT	04	CHECK/TEST SERV				
				Unserviceability Details:			
				Maintenance Comments: OIL FILTER REMOVE,CHECK,CLEANED AND INSPECTED ASSESSED SERV IAW AAP 7113.022-2.			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : PCY400036  
PART NO : SSI 55001 ~S4080  
ENGINEERING NAME : ELEVATOR BOLTS  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : US/I LIFE SINCE NEW : 4592.4 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		

29APR04 02:52	PCY400036	SSI 55001	~S4080	A23T	
aip01613	AIP	OPMH			
P. BENNETT		29APR04			

0.0 AFHR

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04618  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PCY400036  
 PART NO : SSI 55001  
 ENGINEERING NAME : ELEVATOR BOLTS  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
29APR04 02:52	Reception History Record	0.0	Reception OPMH PC9	
29APR04 03:09	Asset Installation	0.1	A23T 042 A2IBC14 A23-053 00	XXxxXXxx
	Change Serviceability Stat	0.1	SERV S/I OPMH A23-053	XXxxXXxx
16DEC19 05:22	Change Serviceability Stat	10.8	S/I US/I A1PXXJY407749	XXxxXXxx

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJY407749	P PENDING	16DEC19 05:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	A23DISP		
04 THROWAWAY DUE		16DEC19 05:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	A23DISP	4592.4	AFHR

TA due on Serial PCY400036  
 SET ELEV BOLTS at WAC 1300

Unserviceability Details:  
 Maintenance Comments:

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	TA	5000.0	AFHR	4592.4		

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : PCY400387 LITERAL SERIAL NO : A23033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : A23NUTBOLTENGFRM ~Z5514  
ENGINEERING NAME : SET NUT/BOLT ENG MNT FRM  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 4427.4 AFHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		

17JUN04 01:09	PCY400387	A23NUTBOLTENGFRM	~Z5514	A23T	A0CAD	00
a125666	AIP	MCS			A1PXXRY401314	
P. GREEN		01JAN87				

0.0 AFHR

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04620  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PCY400387 LITERAL SERIAL NO : A23033 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : A23NUTBOLTENGFRM ~Z5514  
 ENGINEERING NAME : SET NUT/BOLT ENG MNT FRM  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
17JUN04 01:09	Reception History Record	0.0	Reception MCS PC9	
23JUN04 03:44	Asset Installation	6.1	A23T A0CAD A23-033 00	XXxxXXxx
	Change Serviceability Stat	6.1	SERV S/I MCS A23-033	XXxxXXxx
	Change Location of an Asse	6.1	MCS A23-033	
13JUL04 08:33	Asset Removal	20.2	111 A23T A0CAD A23-033 00	00A
	Change Serviceability Stat	20.2	S/I U/S A23-033	XXxxXXxx
	Change Location of an Asse	20.2	OPMH U/S SERV	
13JUL04 08:37	Change Serviceability Stat	0.0		
	Change Serviceability Stat	0.0	SERV S/I OPMH A23-033	XXxxXXxx
13JUL04 08:37	Asset Installation	0.0	A23T A0CAD A23-033 00	00AC
	Change Serviceability Stat	0.0	SERV S/I OPMH A23-033	XXxxXXxx
	Change Location of an Asse	0.0		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJY413400	C COMPLETED	13JUL04 08:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		SET NUT BOLT ENG MOUNT FRAME REMOVED FOR S48		3.8	
01	NO FAULT	04 CHECK/TEST SERV					

Unserviceability Details:  
 Maintenance Comments: CHECK SERV

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : PCY400387 LITERAL SERIAL NO : A23033 PERIOD: 01JAN90 TO 08JAN20  
PART NO : A23NUTBOLTENGFRM ~Z5514  
ENGINEERING NAME : SET NUT/BOLT ENG MNT FRM  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

=====

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04622  
08JAN20  
23:16:15

SERIAL/TAIL NO : PCY400427  
PART NO : AN5C4A ~88044  
ENGINEERING NAME : BOLT WING-FUSELAGE  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 4549.9 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
23JUN04 05:09	PCY400427	AN5C4A	~88044 A23T	ALUAQ	00
aip01538	AIP	MMIST		ALPXXRY401361	
M. ANSELL		23JUN04	23JUN04		
	0.0 AFHR				



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04623  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PCY400427  
 PART NO : AN5C4A  
 ENGINEERING NAME : BOLT WING-FUSELAGE  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~88044

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN (DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
23JUN04 05:09	Reception History Record	0.0	Reception MMIST PC9	
	0.0 AFHR			XXXXXXxx
23JUN04 05:23	Asset Installation	0.2	A23T A1UAQ 533 A23-033 00	A23T A1UAQ 0 A
	0.0 AFHR			XXXXXXxx
	Change Serviceability Stat	0.2	SERV S/I MMIST A23-033	
	Change Location of an Asse	0.2	A23T A1UAQ 533 A23-033 00	A23T A1UAQ 00A
02MAY06 05:13	Asset Removal	677.9	A23T A1UAQ 533 A23-033 00	
	599.6 AFHR			XXXXXXxx
	Change Serviceability Stat	6.1	S/I U/S A23-033	
	Change Location of an Asse	677.9	OPMH U/S SERV	
02MAY06 05:14	Change Serviceability Stat	0.0		XXXXXXxx
	599.6 AFHR			XXXXXXxx
14JUN06 03:41	Asset Installation	42.9	A23T A1UAQ 533 A23-033 00	A23T A1UAQ 00AC
	599.6 AFHR			XXXXXXxx
	Change Serviceability Stat	42.9	SERV S/I OPMH A23-033	
	Change Location of an Asse	42.9	S/I US/I A1PXXJY510835	XXXXXXxx
14NOV06 04:43	Change Serviceability Stat	0.0		
	745.8 AFHR			XXXXXXxx
15NOV06 09:47	Change Serviceability Stat	1.2	US/I S/I	
	747.1 AFHR			XXXXXXxx
17NOV09 22:37	Position Change	1252.7	A23T A1UAQ 00	
	1761.8 AFHR		A23T A1UAQ 00	
			A1PXXXY912400	XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04624  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PCY400427  
 PART NO : AN5C4A  
 ENGINEERING NAME : BOLT WING-FUSELAGE  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~88044

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
08APR15 02:37	Asset Removal	3219.9	533 A23T A1UAQ	A23T A1UAQ 00A
	3275.4 AFHR Change Serviceability Stat	12.7	S/I U/S	XXXXXXxx
	Change Location of an Asse	3219.9	A23-033 HG122	
08APR15 02:37	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
	3275.4 AFHR Asset Installation	34.0	A23T A1UAQ	00
	3275.4 AFHR Change Serviceability Stat	34.0	SERV S/I HG122	A23T A1UAS 00AC
	Change Location of an Asse	34.0	A23-033	XXXXXXxx
26OCT15 01:17	Change Serviceability Stat	2.8	S/I US/I	
	3425.0 AFHR Position Change	167.8	A1PXXJY618660	XXXXXXxx
	3425.0 AFHR Change Serviceability Stat	2.4	A23T A1UAS	00
	3425.0 AFHR		A1PXXX1509938	XXXXXXxx
			US/I S/I	XXXXXXxx

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			
A1PXXJY606691	C COMPLETED	02MAY06 05:13	XXXXXXxx	XXXXXXxxXXXXXXxx	AIP	AIP	
	02MAY06 05:14					599.6	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		WING ATTACH HARDWARE REMOVED FOR WING R&I			
01	NO FAULT	04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		CHECK/TEST SERV			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04625  
08JAN20  
23:16:15

SERIAL/TAIL NO : PCY400427  
PART NO : AN5C4A ~88044  
ENGINEERING NAME : BOLT WING-FUSELAGE  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJY510835	C COMPLETED	15NOV06 04:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	15NOV06 09:47	14NOV06 04:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		745.8	AFHR
05 SCHED FUNCTION CHECK/TEST				FT due on Serial PCY400427			
				BOLT WING-FUSELAGE at WAC 0900			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		BOLT RETORQUED IAW AAP 7212.007-2			

A1PXXJ1505320	C COMPLETED	08APR15 02:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	08APR15 02:37	08APR15 02:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		3275.4	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE		WING ASSY AND HARDWARE REMOVED FOR HALF RIB 3 REPAIR			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		CHECK/TEST SERV			

A1PXXJY618660	C COMPLETED	28OCT15 12:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	28OCT15 13:04	26OCT15 01:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		3425.0	AFHR
05 SCHED FUNCTION CHECK/TEST				FT due on Serial PCY400427			
				BOLT WING-FUSELAGE at WAC 1000			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		S3 AND FT C/O IAW AAP7212.007-2 REF AIP MCS 454/15			

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04626  
08JAN20  
23:16:15

SERIAL/TAIL NO : PCY400427  
PART NO : AN5C4A ~88044  
ENGINEERING NAME : BOLT WING-FUSELAGE  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MAINTENANCE POLICY HISTORY

POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	CHANGE DETAILS	USER ID
28OCT15 13:11	SM	FT	Claimed	
09MAY17 06:05	SM	FT	Claimed By Activity: S3 US/Job: A1PXXU1511992	XXxxXXxx ~S4080
07JUN17 23:21	SM	FT	Claimed By Activity: S3 US/Job: A1PXXU1706175	XXxxXXxx ~S4080
08JUN17 05:12	SM	FT	Claimed By Activity: S3 US/Job: A1PXXU1707627	XXxxXXxx ~S4080

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04627  
08JAN20  
23:16:15

SERIAL/TAIL NO : PCY400428  
PART NO : AN5C4A ~88044  
ENGINEERING NAME : BOLT WING-FUSELAGE  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 4549.9 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE UNPACKED			
23JUN04 05:31	PCY400428	AN5C4A	~88044	A23T	00
aip01538	AIP	MMIST		ALUAS	
M. ANSELL		23JUN04		A1PXXRY401362	
	0.0 AFHR		23JUN04		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04628  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PCY400428  
 PART NO : AN5C4A  
 ENGINEERING NAME : BOLT WING-FUSELAGE  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~88044

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN (DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
23JUN04	05:31	Reception History Record	0.0	Reception MMIST	PC9	
		0.0 AFHR				XXXXXXxx
23JUN04	05:33	Asset Installation	0.2	A23T 533	A1UAS A23-033	00 A23T A1UAS 0 A
		0.0 AFHR				XXXXXXxx
		Change Serviceability Stat	0.2	SERV S/I		
		Change Location of an Asse	0.2	MMIST A23-033		
02MAY06	05:15	Asset Removal	677.9	533 A23T	A1UAS A23-033	00 A23T A1UAS 00A
		599.6 AFHR				XXXXXXxx
		Change Serviceability Stat	6.1	S/I U/S		
		Change Location of an Asse	677.9	A23-033		
02MAY06	05:42	Change Serviceability Stat	0.0	OPMH U/S		
		599.6 AFHR				XXXXXXxx
14JUN06	03:29	Asset Installation	42.9	A23T 533	A1UAS A23-033	00 A23T A1UAS 00AC
		599.6 AFHR				XXXXXXxx
		Change Serviceability Stat	42.9	SERV S/I		
		Change Location of an Asse	42.9	OPMH A23-033		
14NOV06	04:43	Change Serviceability Stat	0.0	S/I US/I		
		745.8 AFHR				XXXXXXxx
15NOV06	09:48	Change Serviceability Stat	1.2	A1PXXJY510836		
		747.1 AFHR				XXXXXXxx
17NOV09	22:37	Position Change	1252.7	A23T A23T	A1UAS A1UAS	00 00
		1761.8 AFHR		A1PXXXY912400		XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04629  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PCY400428  
 PART NO : AN5C4A  
 ENGINEERING NAME : BOLT WING-FUSELAGE  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~88044

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
08APR15 02:31	Asset Removal	3219.9	533 A23T A1UAS	A23T A1UAS 00A
	3275.4 AFHR Change Serviceability Stat	12.7	S/I U/S	XXXXXXxx
	Change Location of an Asse	3219.9	A23-033 HG122	
08APR15 02:32	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
	3275.4 AFHR Asset Installation	34.0	A23T A1UAS	A23T A1UAQ 00AC
	3275.4 AFHR Change Serviceability Stat	34.0	SERV S/I	XXXXXXxx
	Change Location of an Asse	34.0	HG122 A23-033	
26OCT15 01:17	Change Serviceability Stat	2.8	S/I US/I	
	3425.0 AFHR Position Change	167.8	A1PXXJY618661 A23T A1UAQ	XXXXXXxx 00
	3425.0 AFHR Change Serviceability Stat	2.4	A23T A1UAQ A1PXXX1509938	XXXXXXxx
	3425.0 AFHR		US/I S/I	XXXXXXxx

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJY606692	C COMPLETED	02MAY06 05:15	XXXXXXxx	XXXXXXxxXXXXXXxx	AIP	AIP	
	02MAY06 05:42					599.6	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		WING ATTACH HARDWARE REMOVED FOR WING R&I			
01	NO FAULT	04 CHECK/TEST SERV		Unserviceability Details: Maintenance Comments: CHECK/TEST SERV			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04630  
08JAN20  
23:16:15

SERIAL/TAIL NO : PCY400428  
PART NO : AN5C4A ~88044  
ENGINEERING NAME : BOLT WING-FUSELAGE  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJY510836	C COMPLETED	15NOV06 04:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	15NOV06 09:48	14NOV06 04:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		745.8	AFHR
05 SCHED FUNCTION CHECK/TEST				FT due on Serial PCY400428			
				BOLT WING-FUSELAGE at WAC 1000			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		BOLT RETORQUED IAW AAP 7212.007-2			

A1PXXJ1505317	C COMPLETED	08APR15 02:31	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	08APR15 02:32	08APR15 02:32	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		3275.4	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE		WING ASSY AND HARDWARE REMOVED FOR HALF RIB 3 REPAIR			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		CHECK/TEST SERV			

A1PXXJY618661	C COMPLETED	28OCT15 12:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	28OCT15 13:03	26OCT15 01:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		3425.0	AFHR
05 SCHED FUNCTION CHECK/TEST				FT due on Serial PCY400428			
				BOLT WING-FUSELAGE at WAC 0900			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		S3 AND FT C/O IAW AAP7212.007-2 REF AIP MCS 454/15			

For-Official-Use-Only



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : PCY400428 PERIOD: 01JAN90 TO 08JAN20  
PART NO : AN5C4A ~88044  
ENGINEERING NAME : BOLT WING-FUSELAGE  
VENUE : A23DISP LOCATION : A23-033

MAINTENANCE POLICY HISTORY

POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	CHANGE DETAILS	USER ID
28OCT15 13:11	SM	FT	Claimed	
09MAY17 06:05	SM	FT	Claimed By Activity: S3 US/Job: A1PXXU1511992	XXxxXXxx ~S4080
07JUN17 23:21	SM	FT	Claimed By Activity: S3 US/Job: A1PXXU1706175	XXxxXXxx ~S4080
08JUN17 05:12	SM	FT	Claimed By Activity: S3 US/Job: A1PXXU1707627	XXxxXXxx ~S4080

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04632  
08JAN20  
23:16:15

SERIAL/TAIL NO : PCY400431  
PART NO : AN7C40A ~88044  
ENGINEERING NAME : BOLT U-BKT WING-FUS  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 4549.9 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	DATE NEW	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	HA PART	DATE UNPACKED		
23JUN04 06:08	PCY400431	AN7C40A	~88044 A23T	ALUBC	00
aip01538	AIP	MMIST		ALPXXRY401365	
M. ANSELL		23JUN04	23JUN04		
	0.0 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04633  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PCY400431  
 PART NO : AN7C40A  
 ENGINEERING NAME : BOLT U-BKT WING-FUS  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~88044

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN (DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
23JUN04 06:08	Reception History Record	0.0	Reception MMIST PC9	
23JUN04 06:09	Asset Installation	0.2	A23T 533 A1UBC A23-033 00	XXXXXXxx
	Change Serviceability Stat	0.2	SERV S/I MMIST A23-033	XXXXXXxx
	Change Location of an Asse	0.2	SERV S/I MMIST A23-033	
02MAY06 06:06	Asset Removal	677.9	A23T 533 A1UBC A23-033 00	00A
	Change Serviceability Stat	6.1	SERV S/I U/S A23-033	XXXXXXxx
	Change Location of an Asse	677.9	OPMH U/S SERV	
02MAY06 06:07	Change Serviceability Stat	0.0	OPMH U/S SERV	XXXXXXxx
14JUN06 01:56	Asset Installation	42.8	A23T 533 A1UBC A23-033 00	00AC
	Change Serviceability Stat	42.8	SERV S/I OPMH A23-033	XXXXXXxx
	Change Location of an Asse	42.8	SERV S/I OPMH A23-033	
14NOV06 04:43	Change Serviceability Stat	0.0	SERV S/I US/I A1PXXJY510673	XXXXXXxx
15NOV06 09:49	Change Serviceability Stat	1.2	US/I S/I	XXXXXXxx
17NOV09 22:30	Position Change	1252.8	A23T A1UBC A23T A1UBC A1PXXXY912395 00 00	XXXXXXxx
		1761.8	AFHR	XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04634  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PCY400431  
 PART NO : AN7C40A  
 ENGINEERING NAME : BOLT U-BKT WING-FUS  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~88044

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
07APR15 23:27	Asset Removal	3219.8	533 A23T A1UBC A23-033 00	A23T A1UBC 00A
	3275.4 AFHR Change Serviceability Stat	12.5	S/I U/S	XXXXXXxx
	Change Location of an Asse	3219.8	A23-033 HG122	
07APR15 23:28	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
12MAY15 22:27	Asset Installation	34.9	A23T A1UBC A23-033 00	A23T A1UBC 00AC
	3275.4 AFHR Change Serviceability Stat	34.9	SERV S/I	XXXXXXxx
	Change Location of an Asse	34.9	HG122 A23-033	
26OCT15 01:18	Change Serviceability Stat	2.8	S/I US/I	
	3425.0 AFHR		A1PXXJY618662	XXXXXXxx
27OCT15 01:13	Position Change	167.1	A23T A1UBC A23T A1UBC 00 00	
	3425.0 AFHR		A1PXXX1509944	XXXXXXxx
	Maintenance Comment	0.0	POLICY UPDATE IAW: IRN: 253/2015-028	
28OCT15 13:02	Change Serviceability Stat	2.4	US/I S/I	
	3425.0 AFHR			XXXXXXxx
08JUN17 03:34	Asset Removal	757.2	533 A23T A1UBC A23-033 00	A23T A1UBC 00A
	3919.5 AFHR Change Serviceability Stat	194.9	S/I U/S	XXXXXXxx
	Change Location of an Asse	757.2	A23-033 INTMH	

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04635  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PCY400431  
 PART NO : AN7C40A ~88044  
 ENGINEERING NAME : BOLT U-BKT WING-FUS  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
08JUN17 03:35	Change Serviceability Stat	0.0	U/S SERV	
	3919.5 AFHR			XXxxXXxx
08JUN17 22:30	Asset Installation	0.7	A23T 533 A1UBC A23-033 00	A23T A1UBC 00AC
	3919.5 AFHR			XXxxXXxx
	Change Serviceability Stat	0.7	SERV S/I INTMH A23-033	
	Change Location of an Asse	0.7	S/I US/I A1PXXJ1516893	XXxxXXxx
09NOV17 03:25	Change Serviceability Stat	7.0	S/I US/I	
	4078.3 AFHR			XXxxXXxx
10NOV17 00:41	Change Serviceability Stat	0.8	S/I	
	4078.3 AFHR			XXxxXXxx

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJY606704	C COMPLETED	02MAY06 06:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	02MAY06 06:07					599.6	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		WING ATTACH HARDWARE REMOVED FOR WING R&I			
01	NO FAULT	04 CHECK/TEST SERV		Unserviceability Details: Maintenance Comments: CHECK/TEST SERV			
A1PXXJY510673	C COMPLETED	15NOV06 04:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	15NOV06 09:49	14NOV06 04:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	745.8	AFHR
05	SCHED FUNCTION CHECK/TEST			FT due on Serial PCY400431 BOLT U-B W-F FWD RH at WAC 1000			
01	NO FAULT	04 CHECK/TEST SERV		Unserviceability Details: Maintenance Comments: BOLT RETORQUED IAW AAP 7212.007-2			

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04636  
08JAN20  
23:16:15

SERIAL/TAIL NO : PCY400431  
PART NO : AN7C40A ~88044  
ENGINEERING NAME : BOLT U-BKT WING-FUS  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			
=====							
A1PXXJ1505258	C COMPLETED	07APR15 23:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	07APR15 23:28	07APR15 23:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	3275.4	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE		WING ASSY AND HARDWARE REMOVED FOR HALF RIB 3 REPAIR			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:		CHECK/TEST SERV			
		Maintenance Comments:					
A1PXXJY618662	C COMPLETED	28OCT15 12:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	28OCT15 13:02	26OCT15 01:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	3425.0	AFHR
05 SCHED FUNCTION CHECK/TEST				FT due on Serial PCY400431			
				BOLT U-B W-F FWD RH at WAC 1000			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		S3 AND FT C/O IAW AAP7212.007-2 REF AIP MCS 454/15			
A1PXXJ1711331	C COMPLETED	08JUN17 03:34	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	08JUN17 03:35	08JUN17 03:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	3919.5	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE		FWD WING ATTACH BOLTS/ NUTS (POSITION A) REMOVED FOR SLL-C-1B			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:		CHECK/TEST SERV			
		Maintenance Comments:					
A1PXXJ1516893	C COMPLETED	10NOV17 00:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	10NOV17 00:41	09NOV17 03:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	4078.3	AFHR
05 SCHED FUNCTION CHECK/TEST				FT due on Serial PCY400431			
				BOLT U-B W-F FWD RH at WAC 1000			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:		WING BOLT "A" RETORQUED IAW AAP 7212-007-2.			
		Maintenance Comments:					

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : PCY400431 PERIOD: 01JAN90 TO 08JAN20  
PART NO : AN7C40A ~88044  
ENGINEERING NAME : BOLT U-BKT WING-FUS  
VENUE : A23DISP LOCATION : A23-033

MAINTENANCE POLICY HISTORY -----

POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	CHANGE DETAILS	USER ID
28OCT15 13:11	SM	FT	Claimed	
09MAY17 06:05	SM	FT	Claimed By Activity: S3 US/Job: ALPXXU1511992	XXxxXXxx ~S4080
07JUN17 23:21	SM	FT	Claimed By Activity: S3 US/Job: ALPXXU1706175	XXxxXXxx ~S4080

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04638  
08JAN20  
23:16:15

SERIAL/TAIL NO : PCY400432  
PART NO : AN7C40A ~88044  
ENGINEERING NAME : BOLT U-BKT WING-FUS  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 4549.9 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	DATE NEW	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	HA PART	DATE UNPACKED		
23JUN04 06:15	PCY400432	AN7C40A	~88044 A23T	ALUBE	00
aip01538	AIP	MMIST		ALPXXRY401366	
M. ANSELL		23JUN04	23JUN04		
	0.0 AFHR				



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04639  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PCY400432  
 PART NO : AN7C40A ~88044  
 ENGINEERING NAME : BOLT U-BKT WING-FUS  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
23JUN04 06:15	Reception History Record	0.0	Reception MMIST PC9	
	0.0 AFHR			XXXXXXxx
23JUN04 06:15	Asset Installation	0.2	A23T A1UBE 533 A23-033 00	A23T A1UBE 00A
	0.0 AFHR			XXXXXXxx
	Change Serviceability Stat	0.2	SERV S/I MMIST A23-033	
	Change Location of an Asse	0.2	A23T A1UBE 533 A23-033 00	A23T A1UBE 00A
23JUN04 06:18	Asset Removal	0.0	A23T A1UBE 533 A23-033 00	A23T A1UBE 00A
	0.0 AFHR			XXXXXXxx
	Change Serviceability Stat	0.0	S/I U/S A23-033	
	Change Location of an Asse	0.0	INTMH U/S SERV	
23JUN04 06:20	Change Serviceability Stat	0.0		XXXXXXxx
23JUN04 06:21	Asset Installation	0.0	A23T A1UBE 533 A23-033 00	A23T A1UBE 0 A
	0.0 AFHR			XXXXXXxx
	Change Serviceability Stat	0.0	SERV S/I INTMH A23-033	
	Change Location of an Asse	0.0	A23T A1UBE 533 A23-033 00	A23T A1UBE 00A
02MAY06 06:08	Asset Removal	677.9	A23T A1UBE 533 A23-033 00	A23T A1UBE 00A
	599.6 AFHR			XXXXXXxx
	Change Serviceability Stat	6.1	S/I U/S A23-033	
	Change Location of an Asse	677.9	OPMH	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04640  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PCY400432  
 PART NO : AN7C40A ~88044  
 ENGINEERING NAME : BOLT U-BKT WING-FUS  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
02MAY06 06:08	Change Serviceability Stat	0.0	U/S SERV	
	599.6 AFHR			XXXXXXxx
14JUN06 01:54	Asset Installation	42.8	A23T A1UBE 533 A23-033 00	A23T A1UBE 00AC
	599.6 AFHR			XXXXXXxx
	Change Serviceability Stat	42.8	SERV S/I OPMH A23-033	
	Change Location of an Asse	42.8	S/I US/I A1PXXJY510674	
14NOV06 04:43	Change Serviceability Stat	0.0	US/I S/I	
	745.8 AFHR			XXXXXXxx
15NOV06 09:50	Change Serviceability Stat	1.2	US/I S/I	
	747.1 AFHR			XXXXXXxx
17NOV09 22:30	Position Change	1252.8	A23T A1UBE 00	
	1761.8 AFHR		A23T A1UBE 00	
07APR15 23:33	Asset Removal	3219.9	A1PXXXY912395 533 A23-033 00	A23T A1UBE 00A
	3275.4 AFHR			XXXXXXxx
	Change Serviceability Stat	12.6	S/I U/S A23-033	
	Change Location of an Asse	3219.9	HG122 U/S SERV	
07APR15 23:34	Change Serviceability Stat	0.0	U/S SERV	
	3275.4 AFHR			XXXXXXxx
12MAY15 21:56	Asset Installation	34.9	A23T A1UBE 533 A23-033 00	A23T A1UBE 00AC
	3275.4 AFHR			XXXXXXxx
	Change Serviceability Stat	34.9	SERV S/I HG122 A23-033	
	Change Location of an Asse	34.9		

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04641  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PCY400432  
 PART NO : AN7C40A ~88044  
 ENGINEERING NAME : BOLT U-BKT WING-FUS  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
26OCT15 01:18	Change Serviceability Stat	2.8	S/I US/I	
	3425.0 AFHR		A1PXXJY618663	XXxxXXxx
27OCT15 01:13	Position Change	167.1	A23T ALUBE 00 A23T ALUBE 00	
	3425.0 AFHR		A1PXXX1509944	XXxxXXxx
28OCT15 13:01	Maintenance Comment Change Serviceability Stat	0.0 2.4	POLICY UPDATE IAW: IRN: 253/2015-028 US/I	
	3425.0 AFHR		S/I	XXxxXXxx
08JUN17 03:35	Asset Removal	757.2	533 A23-033 A23T ALUBE 00	A23T ALUBE 00A
	3919.5 AFHR			XXxxXXxx
	Change Serviceability Stat	194.9	S/I	
	Change Location of an Asse	757.2	U/S A23-033	
08JUN17 03:36	Change Serviceability Stat	0.0	INTMH U/S	
	3919.5 AFHR		SERV	XXxxXXxx
08JUN17 22:30	Asset Installation	0.7	A23T ALUBE 00 533 A23-033	A23T ALUBE 00AC
	3919.5 AFHR			XXxxXXxx
	Change Serviceability Stat	0.7	SERV	
	Change Location of an Asse	0.7	S/I INTMH A23-033	
09NOV17 03:25	Change Serviceability Stat	7.0	S/I	
	4078.3 AFHR		US/I	XXxxXXxx
10NOV17 00:42	Change Serviceability Stat	0.8	A1PXXJ1516892 US/I	
	4078.3 AFHR		S/I	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04642  
08JAN20  
23:16:15

SERIAL/TAIL NO : PCY400432  
PART NO : AN7C40A ~88044 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : BOLT U-BKT WING-FUS  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
ALPXXJY412045	C COMPLETED	23JUN04 06:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	99 NO FAILURE					0.0	AFHR
01 NO FAULT	04 CHECK/TEST SERV						
		Unserviceability Details:					
		Maintenance Comments:		SERV			
ALPXXJY606705	C COMPLETED	02MAY06 06:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	99 NO FAILURE					599.6	AFHR
01 NO FAULT	04 CHECK/TEST SERV						
		Unserviceability Details:					
		Maintenance Comments:		CHECK/TEST SERV			
ALPXXJY510674	C COMPLETED	15NOV06 04:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
05 SCHED FUNCTION CHECK/TEST		14NOV06 04:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	745.8	AFHR
01 NO FAULT	04 CHECK/TEST SERV						
		Unserviceability Details:					
		Maintenance Comments:		BOLT RETORQUED IAW AAP 7212.007-2			
ALPXXJ1505262	C COMPLETED	07APR15 23:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	99 NO FAILURE	07APR15 23:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	3275.4	AFHR
01 NO FAULT	04 CHECK/TEST SERV						
		Unserviceability Details:					
		Maintenance Comments:		CHECK/TEST SERV			
ALPXXJY618663	C COMPLETED	28OCT15 12:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
05 SCHED FUNCTION CHECK/TEST		26OCT15 01:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	3425.0	AFHR
01 NO FAULT	04 CHECK/TEST SERV						
		Unserviceability Details:					
		Maintenance Comments:		S3 AND FT C/O IAW AAP7212.007-2 REF AIP MCS 454/15			

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : PCY400432 PERIOD: 01JAN90 TO 08JAN20  
PART NO : AN7C40A ~88044  
ENGINEERING NAME : BOLT U-BKT WING-FUS  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1PXXJ1711332	C COMPLETED	08JUN17 03:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	08JUN17 03:36	08JUN17 03:35	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	3919.5	AFHR	
13	REMOVED FOR ACCESS	99 NO FAILURE		FWD WING ATTACH BOLTS/ NUTS (POSITION A)	REMOVED FOR SLL-C-1B		

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: CHECK/TEST SERV

A1PXXJ1516892	C COMPLETED	10NOV17 00:40	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	10NOV17 00:42	09NOV17 03:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	4078.3	AFHR	
05	SCHED FUNCTION CHECK/TEST			FT due on Serial PCY400432			
				BOLT U-B W-F FWD LH at WAC 0900			

01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:  
 Maintenance Comments: WING BOLT "A" RETORQUED IAW AAP 7212-007-2

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

SERIAL/TAIL NO : PCY400432 PERIOD: 01JAN90 TO 08JAN20  
PART NO : AN7C40A ~88044  
ENGINEERING NAME : BOLT U-BKT WING-FUS  
VENUE : A23DISP LOCATION : A23-033

MAINTENANCE POLICY HISTORY

POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	CHANGE DETAILS	USER ID
28OCT15 13:11	SM	FT	Claimed	
09MAY17 06:05	SM	FT	Claimed By Activity: S3 US/Job: ALPXXU1511992	XXxxXXxx ~S4080
07JUN17 23:21	SM	FT	Claimed By Activity: S3 US/Job: ALPXXU1706175	XXxxXXxx ~S4080

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : PCY601190  
 PART NO : 527.20.09.120 ~S4080  
 ENGINEERING NAME : SPRING STRUT RUDDER  
 VENUE : A23DISP LOCATION : A23-033  
 CURRENT CONDITION : S/I LIFE SINCE NEW : 2758.5 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
31OCT06 23:39	PCY601190	527.20.09.120	~S4080	A23T	A2GAO
aip001	AIP	MMIST			A1PXXRY603058
L. DOBSON		01SEP05			00
	0.0 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04646  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PCY601190 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 527.20.09.120 ~S4080  
 ENGINEERING NAME : SPRING STRUT RUDDER  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS		-----									
TRANSACTION	D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)			USER		
						TRANS	REFERENCE				
LIFE SINCE NEW				-----							
31OCT06	23:39	Reception	History Record	0.0	Reception						
		0.0	AFHR		MMIST		PC9			XXXXXXxx	
11DEC09	00:44	Asset	Installation	1562.0	A23T	A2GAO		00			
		0.0	AFHR		533	A23-033			A23T	A2GAO 00AC	
		Change Serviceability Stat		1137.0	SERV					XXXXXXxx	
		Change Location of an Asse		1137.0	S/I						
					MMIST						
20MAR13	09:00	Asset	Removal	1195.3	A23-033						
		885.3	AFHR		533	533			A23T	A2GAO 00M	
		Change Serviceability Stat		239.0	A23T	A2GAQ		00		XXXXXXxx	
		Change Location of an Asse		156.1	S/I						
					U/S						
					HG122						
22MAR13	00:46	Change Serviceability Stat		1.6	HOLD						
		885.3	AFHR		U/S						
		Change Serviceability Stat		4.8	SERV					XXXXXXxx	
25MAR13	05:46	Asset	Installation	4.8	A23T	A2GAQ		00			
		885.3	AFHR		P/F017	A23-033			A23T	A2GAO 30AC	
		Change Serviceability Stat		3.2	SERV					XXXXXXxx	
		Change Location of an Asse		4.8	S/I						
					HOLD						
					A23-033						
04APR17	03:27	Asset	Removal	1470.9	P/F017	A23-033			A23T	A2GAO 30A	
		2128.1	AFHR		A23T	A2GAO		30		XXXXXXxx	
		Change Serviceability Stat		129.9	S/I						
		Change Location of an Asse		1470.9	U/S						
					A23-033						
					INTMH						

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04647  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PCY601190  
 PART NO : 527.20.09.120 ~S4080  
 ENGINEERING NAME : SPRING STRUT RUDDER  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS		-----									
TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW		SPAN(DYS)	FROM	TO (OPTIONAL)			USER		
						TRANS REFERENCE					
04APR17	03:28	Change Serviceability Stat		0.0	U/S						
		2128.1	AFHR		SERV						XXxxXXxx
11MAY17	04:39	Asset Installation		37.0	A23T	A2GAO		30			
		2128.1	AFHR		P/F017	A23-033			A23T	A2GAO	30AC
		Change Serviceability Stat		37.0	SERV						XXxxXXxx
		Change Location of an Asse		37.0	S/I						
					INTMH						
					A23-033						

MMI JOBS-----									
JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS		
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW		
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT					
A1PXXJ1303916	C COMPLETED	20MAR13 09:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP			
	22MAR13 00:46	21MAR13 06:04	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	885.3	AFHR		
13	REMOVED FOR ACCESS	99 NO FAILURE		RUDDER SPRING STRUT LH & RH REMOVED SERVICEABLE TO SERVICE					
				A23-033					
01	NO FAULT	04 CHECK/TEST SERV		Unserviceability Details:					
				Maintenance Comments:					
				RUDDER SPRING STRUT ASSESSED SERV AND FITTED IAW AAP					
				7212.007-2					
A1PXXJ1706996	C COMPLETED	04APR17 03:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP			
	04APR17 03:28	04APR17 03:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	2128.1	AFHR		
13	REMOVED FOR ACCESS	99 NO FAILURE		R2 due on Serial A23-033					
				PC-9 at WAC 0000					
01	NO FAULT	04 CHECK/TEST SERV		Unserviceability Details:					
				Maintenance Comments:					
				CHECK/TEST SERV					

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04648  
08JAN20  
23:16:15

SERIAL/TAIL NO : PCY601267  
PART NO : 932.35.14.313 ~S4080  
ENGINEERING NAME : WING BOLT FUSELAGE  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 3802.8 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION		DATE UNPACKED		
16NOV06 02:11	PCY601267	932.35.14.313	~S4080 A23T	ALUAY	00
aip01601	AIP	OPMH		ALPXXRY603205	
L. BEVERLEY		16NOV06	16NOV06		
	0.0 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04649  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PCY601267  
 PART NO : 932.35.14.313 ~S4080  
 ENGINEERING NAME : WING BOLT FUSELAGE  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE	TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
		LIFE SINCE NEW		TRANS REFERENCE		
16NOV06	02:11	Reception History Record	0.0	Reception OPMH	PC9	XXXXXXxx
16NOV06	02:12	Asset Installation	0.0	A23T 533	ALUAY A23-033	A23T ALUAY 00AC
		Change Serviceability Stat	0.0	SERV S/I OPMH A23-033		XXXXXXxx
16NOV06	02:22	Asset Removal	0.0	533 A23T	A23-033 ALUAY	A23T ALUAY 00A
		Change Serviceability Stat	0.0	S/I U/S A23-033		XXXXXXxx
16NOV06	02:24	Change Serviceability Stat	0.0	OPMH U/S SERV		XXXXXXxx
16NOV06	02:25	Asset Installation	0.0	A23T 533	ALUAY A23-033	A23T ALUAY 00AC
		Change Serviceability Stat	0.0	SERV S/I OPMH A23-033		XXXXXXxx
22MAR07	22:08	Change Serviceability Stat	0.9	S/I US/I		XXXXXXxx
03APR07	07:10	Change Serviceability Stat	11.3	149.8 AFHR A1PXXJY618732		XXXXXXxx
17NOV09	22:35	Position Change	1097.8	149.8 AFHR A23T A23T	ALUAY ALUAY	XXXXXXxx
				1014.7 AFHR A1PXXXY912397		XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04650  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PCY601267  
 PART NO : 932.35.14.313 ~S4080  
 ENGINEERING NAME : WING BOLT FUSELAGE  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
08APR15 02:02	Asset Removal	3064.9	533 A23T A1UAY A23-033 00	A23T A1UAY 00A
	2528.3 AFHR Change Serviceability Stat	12.7	S/I U/S	XXxxXXxx
	Change Location of an Asse	3064.9	A23-033 HG122	
08APR15 02:03	Change Serviceability Stat	0.0	U/S SERV	XXxxXXxx
	2528.3 AFHR Asset Installation	34.1	A23T A1UAY A23-033 00	A23T A1UAY 00AC
	2528.3 AFHR Change Serviceability Stat	34.1	SERV S/I HG122	XXxxXXxx
	Change Location of an Asse	34.1	A23-033	
26OCT15 01:18	Change Serviceability Stat	2.8	S/I US/I	
	2677.9 AFHR Position Change	167.7	A1PXXJY706557 A23T A1UAY 00	XXxxXXxx
	2677.9 AFHR Maintenance Comment	0.0	A23T A1UAY 00 A1PXXX1509940	XXxxXXxx
28OCT15 13:00	Change Serviceability Stat	2.4	POLICY COPY IAW IRN: 253/2015-028 US/I S/I	
	2677.9 AFHR			XXxxXXxx

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			
A1PXXJY618740	C COMPLETED	16NOV06 02:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	16NOV06 02:24	16NOV06 02:23	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	0.0	AFHR	
13 REMOVED FOR ACCESS	99 NO FAILURE			STI-PC9-0410 due on Serial A23-033			
				PC-9 at WAC 0000			
01 NO FAULT	04 CHECK/TEST SERV						
	Unserviceability Details:						
	Maintenance Comments:			CHECK/TEST SERV			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04651  
08JAN20  
23:16:15

SERIAL/TAIL NO : PCY601267 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 932.35.14.313 ~S4080  
ENGINEERING NAME : WING BOLT FUSELAGE  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

DEFECT REF STATUS DATE/TIME ENTERED DATE/TIME ENTERED USER ID ENTERED NAME ENTERED VENUE LIFE SINCE NEW  
REASON FOR REPORT WHEN FAILURE DISCOVERED SYMPTOMS  
MAINT PROCESS UNSERVICEABILITY UNSERVICEABILITY DETAILS  
FAULT FOUND MAINTENANCE ACTION TAKEN MAINTENANCE COMMENT  
=====

A1PXXJY618732	C COMPLETED	03APR07 06:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
		03APR07 07:10	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	149.8	AFHR
05 SCHED FUNCTION CHECK/TEST				FT due on Serial PCY601267			
				BOLT WG-FUS AFT RH at WAC 1000			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		ASSESSED SERV			

A1PXXJ1505303	C COMPLETED	08APR15 02:02	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
		08APR15 02:03	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	2528.3	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE		WING ASSY AND HARDWARE REMOVED FOR HALF RIB 3 REPAIR			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		CHECK/TEST SERV			

A1PXXJY706557	C COMPLETED	28OCT15 12:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
		28OCT15 13:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	2677.9	AFHR
05 SCHED FUNCTION CHECK/TEST				FT due on Serial PCY601267			
				BOLT WG-FUS AFT RH at WAC 1000			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		S3 AND FT C/O IAW AAP7212.007-2 REF AIP MCS 454/15			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04652  
08JAN20  
23:16:15

SERIAL/TAIL NO : PCY601267  
PART NO : 932.35.14.313 ~S4080  
ENGINEERING NAME : WING BOLT FUSELAGE  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MAINTENANCE POLICY HISTORY

POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	CHANGE DETAILS	USER ID
28OCT15 13:11	SM	FT	Claimed	
09MAY17 06:05	SM	FT	Claimed By Activity: S3 US/Job: ALPXXU1511992	XXxxXXxx ~S4080
07JUN17 23:21	SM	FT	Claimed By Activity: S3 US/Job: ALPXXU1706175	XXxxXXxx ~S4080
08JUN17 05:12	SM	FT	Claimed By Activity: S3 US/Job: ALPXXU1707627	XXxxXXxx ~S4080

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04653  
08JAN20  
23:16:15

SERIAL/TAIL NO : PCY601268  
PART NO : 932.35.14.313 ~S4080  
ENGINEERING NAME : WING BOLT FUSELAGE  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 3802.8 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION		DATE UNPACKED		
16NOV06 02:15	PCY601268	932.35.14.313	~S4080 A23T	ALUAY	00
aip01601	AIP	OPMH		ALPXXRY603206	
L. BEVERLEY		16NOV06	16NOV06		
	0.0 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04654  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PCY601268  
 PART NO : 932.35.14.313  
 ENGINEERING NAME : WING BOLT FUSELAGE  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
16NOV06 02:15	Reception History Record	0.0	Reception OPMH PC9	
16NOV06 02:16	Asset Installation	0.0	A23T 533 A1UAY A23-033	00 A23T A1UBA 00AC
	Change Serviceability Stat	0.0	SERV S/I OPMH A23-033	XXxxXXxx
22MAR07 22:08	Change Serviceability Stat	0.9	S/I US/I A1PXXJY618735	XXxxXXxx
03APR07 07:10	Change Serviceability Stat	11.3	S/I	XXxxXXxx
17NOV09 22:35	Position Change	1097.8	A23T A1UBA A23T A1UBA A1PXXXY912397	00 00 XXxxXXxx
08APR15 02:26	Asset Removal	3065.0	A23T 533 A1UBA	00 A23T A1UBA 00A
	Change Serviceability Stat	12.7	S/I U/S A23-033	XXxxXXxx
08APR15 02:26	Change Serviceability Stat	0.0	HG122 U/S SERV	
12MAY15 05:50	Asset Installation	34.1	A23T 533 A1UBA A23-033	00 A23T A1UBA 00AC
	Change Serviceability Stat	34.1	SERV S/I HG122 A23-033	XXxxXXxx
	Change Location of an Asse	34.1		

For-Official-Use-Only



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04655  
08JAN20  
23:16:15

SERIAL/TAIL NO : PCY601268 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 932.35.14.313 ~S4080  
ENGINEERING NAME : WING BOLT FUSELAGE  
VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
	LIFE SINCE NEW		TRANS REFERENCE		
26OCT15 01:18	Change Serviceability Stat	2.8	S/I US/I		
	2677.9 AFHR		A1PXXJY706558		XXxxXXxx
27OCT15 01:04	Position Change	167.8	A23T ALUBA 00 A23T ALUBA 00		
	2677.9 AFHR		A1PXXX1509940		XXxxXXxx
28OCT15 12:59	Maintenance Comment Change Serviceability Stat	0.0 2.4	POLICY COPY IAW IRN: 253/2015-028 US/I S/I		
	2677.9 AFHR				XXxxXXxx

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			
A1PXXJY618735	C COMPLETED	03APR07 06:54	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	03APR07 07:10	22MAR07 22:08	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		149.8	AFHR
05 SCHED FUNCTION CHECK/TEST				FT due on Serial PCY601268			
01 NO FAULT		04 CHECK/TEST SERV		BOLT WG-FUS AFT LH at WAC 0900			
		Unserviceability Details:					
		Maintenance Comments:		ASSESSED SERV			
A1PXXJ1505314	C COMPLETED	08APR15 02:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	08APR15 02:26	08APR15 02:26	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		2528.3	AFHR
13 REMOVED FOR ACCESS		99 NO FAILURE		WING ASSY AND HARDWARE REMOVED FOR HALF RIB 3 REPAIR			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		CHECK/TEST SERV			
A1PXXJY706558	C COMPLETED	28OCT15 12:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
	28OCT15 12:59	26OCT15 01:18	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		2677.9	AFHR
05 SCHED FUNCTION CHECK/TEST				FT due on Serial PCY601268			
01 NO FAULT		04 CHECK/TEST SERV		BOLT WG-FUS AFT LH at WAC 0900			
		Unserviceability Details:					
		Maintenance Comments:		S3 AND FT C/O IAW AAP7212.007-2 REF AIP MCS 454/15			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : PCY601268  
PART NO : 932.35.14.313 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : WING BOLT FUSELAGE  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04657  
08JAN20  
23:16:15

SERIAL/TAIL NO : PCY601268  
PART NO : 932.35.14.313 ~S4080  
ENGINEERING NAME : WING BOLT FUSELAGE  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

MAINTENANCE POLICY HISTORY

POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	CHANGE DETAILS	USER ID
28OCT15 13:11	SM	FT	Claimed	
09MAY17 06:05	SM	FT	Claimed By Activity: S3 US/Job: ALPXXU1511992	XXxxXXxx ~S4080
07JUN17 23:21	SM	FT	Claimed By Activity: S3 US/Job: ALPXXU1706175	XXxxXXxx ~S4080
08JUN17 05:12	SM	FT	Claimed By Activity: S3 US/Job: ALPXXU1707627	XXxxXXxx ~S4080

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04658  
08JAN20  
23:16:15

SERIAL/TAIL NO : PCY700157  
PART NO : 932.19.60.445 ~S4080  
ENGINEERING NAME : HORIZ-ELEV CNTR BLT  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 3957.4 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS	ENTERED AT RECEPTION	DATE UNPACKED		
18JAN07 00:00	PCY700157	932.19.60.445	~S4080	A23T	00
aip01493	AIP	HG121			
C. HOLLAND		17JAN07			
	0.0 AFHR		17JAN07		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04659  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PCY700157  
 PART NO : 932.19.60.445 ~S4080  
 ENGINEERING NAME : HORIZ-ELEV CNTR BLT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
18JAN07 00:00	Reception History Record	0.0	Reception HG121 PC9	
21JAN07 21:46	Asset Installation	4.9	A23T A2IBE 542 A23-048 00	XXxxXXxx
	Change Serviceability Stat	4.9	SERV S/I HG121 A23-048	XXxxXXxx
04OCT19 02:27	Asset Removal	4638.1	A23T A2IBE 542 00	
	Change Serviceability Stat	15.8	SERV S/I U/S	XXxxXXxx
04OCT19 02:28	Change Serviceability Stat	0.0	SERV	
04OCT19 02:30	Asset Installation	0.0	A23T A2IBE 538 A23-033 00	XXxxXXxx
	Change Serviceability Stat	0.0	SERV S/I INTMH A23-033	XXxxXXxx
	Change Location of an Asse	13.9		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJ1914784	C COMPLETED	04OCT19 02:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS		04OCT19 02:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	3911.1 AFHR	
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		CHECK/TEST SERV			

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04660  
08JAN20  
23:16:15

SERIAL/TAIL NO : PCY700158  
PART NO : 555.10.09.101 ~S4080  
ENGINEERING NAME : HORIZ-ELEV O/BD BLT  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 3957.4 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION		DATE UNPACKED		
18JAN07 00:01	PCY700158	555.10.09.101	~S4080	A23T	00
aip01493	AIP	HG121			
C. HOLLAND		18JAN07			
	0.0 AFHR		18JAN07		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04661  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PCY700158  
 PART NO : 555.10.09.101 ~S4080  
 ENGINEERING NAME : HORIZ-ELEV O/BD BLT  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
18JAN07 00:01	Reception History Record	0.0	Reception HG121 PC9	
21JAN07 21:48	Asset Installation	3.9	A23T A2IBG 542 A23-048 00	XXxxXXxx
	Change Serviceability Stat	3.9	SERV S/I HG121 A23-048	XXxxXXxx
07JUN17 07:50	Position Change	3789.4	A23T A2IBG 00	
	Maintenance Comment	0.0	A23T A2IBG 00	XXxxXXxx
04OCT19 02:28	Asset Removal	4638.1	POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE 542 A23T A2IBG 00	00M
	Change Serviceability Stat	15.8	S/I U/S U/S SERV	XXxxXXxx
04OCT19 02:31	Asset Installation	0.0	A23T A2IBG 538 A23-033 00	XXxxXXxx
	Change Serviceability Stat	0.0	SERV S/I INTMH A23-033	XXxxXXxx

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
ALPXXJ1914785	C COMPLETED	04OCT19 02:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
		04OCT19 02:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	3911.1 AFHR	
13	REMOVED FOR ACCESS	99 NO FAILURE		SET HORSSTAB ELEV BOLTS RFA.			
01	NO FAULT	04 CHECK/TEST SERV					

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : PCY700158 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 555.10.09.101 ~S4080  
ENGINEERING NAME : HORIZ-ELEV O/BD BLT  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : PF1600050  
PART NO : FLU-2A/P ~80049  
ENGINEERING NAME : CYLINDER CO2  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 505.8 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		

30AUG16 03:21	PF1600050	FLU-2A/P	~80049	A23T	A26BG00	00
8545960	4SQN	ALS			4SQNXR1600083	
J. MATSON		18APR16				

0.0 AFHR

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04664  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PF1600050  
 PART NO : FLU-2A/P ~80049  
 ENGINEERING NAME : CYLINDER CO2  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
30AUG16 03:21	Reception History Record	0.0	Reception ALS PC9	
	0.0 AFHR			XXxxXXxx
30AUG16 04:15	Maintenance Comment	0.0	DOM CHANGE - OLD VALUE=18-apr-2016 00:00:00	XXxxXXxx
	0.0 AFHR			
31AUG16 05:22	Change Serviceability Stat	1.2	SERV U/S 4SQNXJ1601453	XXxxXXxx
	0.0 AFHR			
31AUG16 21:53	Change Serviceability Stat	0.6	U/S SERV	XXxxXXxx
	0.0 AFHR			
31AUG16 21:55	Asset Installation	135.9	A23T A26BG00 DE0541 00	A23T A26BG00 00MMI
	0.0 AFHR			XXxxXXxx
	Change Serviceability Stat	0.0	SERV S/I	
	Change Location of an Asse	1.9	ALS ALS_WORKSHOP	
06SEP16 22:27	Position Change	6.0	A23T A1WBG00 00	
	0.0 AFHR		A23T A1WBG00 00	XXxxXXxx
	Maintenance Comment	0.0	4SQNXX1601646	
21JAN18 21:04	Change Serviceability Stat	150.7	LCN CX C/O TO UPDATE POLICY	
	133.9 AFHR		S/I US/I 4SQNXJ1601468	XXxxXXxx
23JAN18 20:29	Change Serviceability Stat	1.9	US/I S/I	XXxxXXxx
	133.9 AFHR			
04MAR18 20:20	Position Change	549.9	A23T A26BG00 00	
	133.9 AFHR		A23T A26BG00 00	XXxxXXxx
11DEC18 02:34	Change Serviceability Stat	0.6	4SQNXX1800406	
	323.8 AFHR		S/I US/I 4SQNXJ1800053	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04665  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PF1600050 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : FLU-2A/P ~80049  
 ENGINEERING NAME : CYLINDER CO2  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS		LIFE SINCE NEW		SPAN(DYS) FROM		TO (OPTIONAL)		USER	
TRANSACTION D/T	CHANGE TYPE				TRANS REFERENCE				
22JAN19 03:05	Change Serviceability Stat			42.0	US/I S/I				
		323.8	AFHR						XXxxXXxx
14APR19 22:13	Position Change			956.0	A23T A1WBG00 A23T A1WBG00		00 00		
		323.8	AFHR		4SQNXX1900959				XXxxXXxx

MMI JOBS									
JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS		
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW			
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT					
4SQNXJ1601453	C COMPLETED	31AUG16 05:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	4SQN			
	31AUG16 21:53	31AUG16 05:22	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	0.0	AFHR		
02 BAY SERVICE DUE				BS	due on Serial PF1600050				
01 NO FAULT		06 BAY SERVICE		CYLINDER CO2	at WAC 0740				
		Unserviceability Details:			B/S C/O IAW AAP 7220.025-3M				
		Maintenance Comments:							

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			31DEC16
SM	BS	1.0	ELPYR			31DEC16

MMI JOBS									
JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS		
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW			
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT					
4SQNXJ1601468	C COMPLETED	21JAN18 21:05	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	4SQN			
	23JAN18 20:29	21JAN18 21:04	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	133.9	AFHR		
02 BAY SERVICE DUE				BS	due on Serial PF1600050				
01 NO FAULT		06 BAY SERVICE		CYLINDER CO2	at WAC 0730				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04666  
08JAN20  
23:16:15

SERIAL/TAIL NO : PF1600050  
PART NO : FLU-2A/P ~80049 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : CYLINDER CO2  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

Unserviceability Details:  
Maintenance Comments: BS CARRIED OUT IAW AAP 7220.025-3M.

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			31AUG17
SM	BS	1.0	ELPYR			31AUG17

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

4SQNXJ1800053 C COMPLETED 17JAN19 20:17 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 4SQN  
22JAN19 03:05 11DEC18 02:34 XXxxXXxx XXxxXXxxXXxxXXxx 4SQN 323.8 AFHR  
02 BAY SERVICE DUE BS due on Serial PF1600050  
CYLINDER CO2 at WAC 0740  
01 NO FAULT 06 BAY SERVICE

Unserviceability Details:  
Maintenance Comments: SCT 3 - CO2 CYL B/S CARRIED OUT IAW AAP 7220.025-3M, TOPIC 2, CHAP 3.

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			23JAN19
SM	BS	1.0	ELPYR			23JAN19

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

SERIAL/TAIL NO : PF1600051  
PART NO : FLU-2A/P ~80049  
ENGINEERING NAME : CYLINDER CO2  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 505.8 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
30AUG16 03:22	PF1600051	FLU-2A/P	~80049	A26BG00	00
8545960	4SQN	ALS	A23T	4SQNXR1600084	
J. MATSON		18APR16			
	0.0 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04668  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PF1600051  
 PART NO : FLU-2A/P ~80049  
 ENGINEERING NAME : CYLINDER CO2  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
30AUG16 03:22	Reception History Record	0.0	Reception ALS PC9	
	0.0 AFHR			XXxxXXxx
30AUG16 04:14	Maintenance Comment	0.0	DOM CHANGE - OLD VALUE=18-apr-2016 00:00:00	XXxxXXxx
	0.0 AFHR			
31AUG16 05:17	Change Serviceability Stat	1.2	SERV U/S 4SQNXJ1601455	XXxxXXxx
	0.0 AFHR			
31AUG16 21:53	Change Serviceability Stat	0.6	U/S SERV	XXxxXXxx
	0.0 AFHR			
31AUG16 21:57	Asset Installation	135.9	A23T A26BG00 DE0538 00	A23T A26BG00 00MMI
	0.0 AFHR			XXxxXXxx
	Change Serviceability Stat	0.0	SERV S/I	
	Change Location of an Asse	1.9	ALS US_SHELF	
21JAN18 20:24	Change Serviceability Stat	150.7	S/I US/I 4SQNXJ1601469	XXxxXXxx
	133.9 AFHR			
23JAN18 20:29	Change Serviceability Stat	2.0	US/I S/I	XXxxXXxx
	133.9 AFHR			
27FEB18 00:50	Position Change	544.1	A23T A1WBG00 00	
	133.9 AFHR		A23T A1WBG00 00	XXxxXXxx
11DEC18 02:38	Change Serviceability Stat	0.7	4SQNXX1800339 S/I	
	323.8 AFHR		US/I 4SQNXJ1800051	XXxxXXxx
22JAN19 03:08	Change Serviceability Stat	42.0	US/I S/I	
	323.8 AFHR			XXxxXXxx
14APR19 22:14	Position Change	956.0	A23T A26BG00 00	
	323.8 AFHR		A23T A26BG00 00	XXxxXXxx
			4SQNXX1900960	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04669  
08JAN20  
23:16:15

SERIAL/TAIL NO : PF1600051  
PART NO : FLU-2A/P ~80049 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : CYLINDER CO2  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

4SQNXJ1601455 C COMPLETED 31AUG16 05:17 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 4SQN  
31AUG16 21:53 31AUG16 05:17 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 0.0 AFHR  
02 BAY SERVICE DUE BS due on Serial PF1600051  
CYLINDER CO2 at WAC 0740  
01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: B/S C/O IAW AAP 7220.025-3M

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			30NOV16
SM	BS	1.0	ELPYR			30NOV16

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

4SQNXJ1601469 C COMPLETED 21JAN18 20:24 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 4SQN  
23JAN18 20:29 21JAN18 20:24 XXxxXXxx XXxxXXxxXXxxXXxxXXxx 4SQN 133.9 AFHR  
02 BAY SERVICE DUE BS due on Serial PF1600051  
CYLINDER CO2 at WAC 0740  
01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments: BS CARRIED OUT IAW AAP 7220.025-3M.

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	1.0	ELPYR			31AUG17
SM	BS	1.0	ELPYR			31AUG17

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : PF1600051  
 PART NO : FLU-2A/P ~80049 PERIOD: 01JAN90 TO 08JAN20  
 ENGINEERING NAME : CYLINDER CO2  
 VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

4SQNXJ1800051	C COMPLETED	17JAN19 20:17	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	4SQN	
	22JAN19 03:08	11DEC18 02:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	323.8	AFHR

02 BAY SERVICE DUE BS due on Serial PF1600051  
 CYLINDER CO2 at WAC 0730

01 NO FAULT 06 BAY SERVICE

Unserviceability Details:  
 Maintenance Comments:

SCT 3 - CO2 CYL B/S CARRIED OUT IAW AAP 7220.025-3M, TOPIC 2,  
 CHAP 3.

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
=====	=====	=====	=====	=====	=====	=====
SM	BS	1.0	ELPYR			23JAN19
SM	BS	1.0	ELPYR			23JAN19



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04671  
08JAN20  
23:16:15

SERIAL/TAIL NO : PF1900032  
PART NO : MBEU5097DP ~U1604  
ENGINEERING NAME : LINE ASSY LOWERING  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 182.0 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION		DATE UNPACKED		
17JAN19 04:44	PF1900032	MBEU5097DP	A23T	A1WBG06	00
8202377	4SQN	ALS	SERV_SHELF	4SQNXR1900002	
S. MEDLEN		30NOV17	LT# W86650		
	0.0 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04672  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : PF1900032  
 PART NO : MBEU5097DP ~U1604  
 ENGINEERING NAME : LINE ASSY LOWERING  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
17JAN19 04:47	Maintenance Comment	0.0 AFHR	0.0	AUTH RECIEVED R/NOTE# 80226995 LT # W86650	DOM NOV17
				4SQNXX1900012	XXXXXXxx
20JAN19 21:04	Asset Installation	0.0 AFHR	416.8	A23T A1WBG06 DE0538	00 A23T A1WBG06
					XXXXXXxx 00MMI
	Change Serviceability Stat		416.8	SERV S/I	
	Change Location of an Asse		416.8	ALS HANGAR_RACKS	SERV_SHELF

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04673  
08JAN20  
23:16:15

SERIAL/TAIL NO : PF1900033  
PART NO : MBEU5097DP ~U1604  
ENGINEERING NAME : LINE ASSY LOWERING  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 182.0 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	DATE NEW	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	HA PART	DATE UNPACKED		
17JAN19 04:49	PF1900033	MBEU5097DP	A23T	A1WBG06	00
8202377	4SQN	ALS	SERV_SHELF	4SQNXR1900003	
S. MEDLEN		31JAN18	LT # W89583		
	0.0 AFHR				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04674  
08JAN20  
23:16:15

SERIAL/TAIL NO : PF1900033  
PART NO : MBEU5097DP ~U1604  
ENGINEERING NAME : LINE ASSY LOWERING  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
17JAN19 04:51	Maintenance Comment	0.0 AFHR	0.0	AUTHR ECIEVED R/NOTE # 80226995 DOM JAN 2018 4SQNXX1900013	XXXXXXxx
21JAN19 03:14	Asset Installation	0.0 AFHR	355.1	A23T A1WBG06 DE0541 00	A23T A26BG06 00MMI
	Change Serviceability Stat		355.1	SERV S/I	XXXXXXxx
	Change Location of an Asse		355.1	ALS HANGAR_RACKS	SERV_SHELF

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : PT1-186 LITERAL SERIAL NO : PT1-186 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PT1-3054822-01 ~Z5514  
ENGINEERING NAME : PT BLADE SET 1 STG  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 3732.2 ENHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
25FEB09 07:14	PT1-186	PT1-3054822-01	~Z5514	A23T	00
aip01795	AIP	INTMH		A1SAM04AA	
W. MCKENZIE		30MAR04		A1PXXRY900557	
	1666.9 ENHR				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : PT1-186 LITERAL SERIAL NO : PT1-186 PERIOD: 01JAN90 TO 08JAN20  
PART NO : PT1-3054822-01 ~Z5514  
ENGINEERING NAME : PT BLADE SET 1 STG  
VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
25FEB09 07:14	Reception History Record	0.0	Reception	INTMH	PC9	
25FEB09 07:17	Asset Installation	1793.3	A23T	A1SAM04AA	00	XXXXXXxx
	Change Serviceability Stat	1793.3	A001EWBP	A23-015		XXXXXXxx
19APR17 22:36	Position Change	2975.6	SERV	S/I		
	Maintenance Comment	0.0	Change Location of an Asse	INTMH	A23-015	
			A23T	A1SAM04AA	00	
			A23T	A1SAM04AA	00	
			A1PXXX1706282			XXXXXXxx
			POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : PT2-186 LITERAL SERIAL NO : PT2-186 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : PT2-3103203-01 ~Z5514  
 ENGINEERING NAME : PT BLADE SET 2 STG  
 VENUE : A23DISP LOCATION : A23-033  
 CURRENT CONDITION : S/I LIFE SINCE NEW : 7138.9 ENHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
25FEB09 07:17	PT2-186	PT2-3103203-01	~Z5514	A23T	00
aip01795	AIP	INTMH		A1SAM06AA	
W. MCKENZIE		30JUN91		A1PXXRY900558	
	5073.6 ENHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

CAMM2  
 ASSET HISTORY

SERIAL/TAIL NO : PT2-186 LITERAL SERIAL NO : PT2-186 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : PT2-3103203-01 ~Z5514  
 ENGINEERING NAME : PT BLADE SET 2 STG  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW						
25FEB09 07:16	Reception History Record	0.0	Reception			
	5073.6 ENHR		INTMH		PC9	XXXXXXxx
25FEB09 07:18	Asset Installation	6450.3	A23T	A1SAM06AA	00	
	5073.6 ENHR		26A697	A23-015		A23T A1SAM06AA 00AC
	Change Serviceability Stat	6450.3	SERV			XXXXXXxx
	Change Location of an Asse	6450.3	S/I			
			INTMH			
			A23-015			
19APR17 22:37	Position Change	2975.6	A23T	A1SAM06AA	00	
	6192.6 ENHR		A23T	A1SAM06AA	00	
	Maintenance Comment	0.0	A1PXXX1706283			XXXXXXxx
			POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE			



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04679  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : R113299  
 PART NO : 527.20.09.120 ~S4080  
 ENGINEERING NAME : SPRING STRUT RUDDER  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I  
 LOCATION : A23-033  
 LIFE SINCE NEW : 9006.1 AFHR  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T		CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
01SEP03	02:59	Maintenance Comment	0.0 AFHR	2.7	07Feb90 NEW - R113299 527.20.09.120	1352-00-00-J		XXXXXXxx
01SEP03	03:00	Maintenance Comment	0.0 AFHR	2.7	29Aug03 A23-044 14.1P 4324.9 AFHR	TX TO CAMM2		XXXXXXxx
01SEP03	03:05	Maintenance Comment	0.0 AFHR	2.7	05Jun03 A23-044 14.1P 4237.2 4237.2 AFHR	LOG INITIALIZED		XXXXXXxx
01SEP03	03:15	Maintenance Comment	0.0 AFHR	2.7	07Feb90 .0 AFHR LST OH 5000.0 AFHR	NXT OH		XXXXXXxx
19OCT05	10:44	Change Serviceability Stat	4992.5 AFHR	0.3	S/I			XXXXXXxx
24OCT05	03:02	Asset Removal	4992.5 AFHR	786.7	US/I AIPXXJ309758	A23-044	A23T A2GAO	00A
		Change Serviceability Stat	4992.5 AFHR	4.6	545	A23-044	A23T A2GAO 00	XXXXXXxx
		Change Location of an Asse		xxxx	US/I			
26OCT05	01:17	Change Location of an Asse		1.9	U/S			
25NOV05	01:00	Change Serviceability Stat	4992.5 AFHR	31.9	A23-044			
27FEB06	09:49	Asset Installation	4992.5 AFHR	126.2	EXTERNAL			
		Change Serviceability Stat	4992.5 AFHR	94.3	JANDAKOT			
		Change Location of an Asse		124.3	A1PXXXY515170			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04680  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : R113299  
 PART NO : 527.20.09.120  
 ENGINEERING NAME : SPRING STRUT RUDDER  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~S4080

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
20MAR13 09:00	Asset Removal	2577.9	533 A23T A2GAO	A23T A2GAO 00M
	7132.9 AFHR Change Serviceability Stat	239.0	S/I U/S	XXXXXXxx
	Change Location of an Asse	156.1	HG122	
22MAR13 00:32	Change Serviceability Stat	1.6	HOLD U/S SERV	
	7132.9 AFHR			XXXXXXxx
25MAR13 05:47	Asset Installation	4.8	A23T P/F017	A23T A2GAO 30AC
	7132.9 AFHR Change Serviceability Stat	3.2	SERV S/I	XXXXXXxx
	Change Location of an Asse	4.8	HOLD	
04APR17 03:29	Asset Removal	1470.9	A23-033 P/F017 A23T	A23T A2GAO 30A
	8375.7 AFHR Change Serviceability Stat	129.9	A2GAQ	XXXXXXxx
	Change Location of an Asse	1470.9	A23-033	
04APR17 03:30	Change Serviceability Stat	0.0	INTMH U/S SERV	
	8375.7 AFHR			XXXXXXxx
11MAY17 04:37	Asset Installation	37.0	A23T P/F017	A23T A2GAO 30AC
	8375.7 AFHR Change Serviceability Stat	37.0	SERV S/I	XXXXXXxx
	Change Location of an Asse	37.0	INTMH A23-033	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : R113299 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 527.20.09.120 ~S4080  
ENGINEERING NAME : SPRING STRUT RUDDER  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

2FTSXJCA12100	C COMPLETED	07FEB90 00:00	XXxxXXxx		2FTS		
03 OVERHAUL DUE	07FEB90 00:00					0.0	

Unserviceability Details:  
Maintenance Comments:

AIPXXJ309758X	C COMPLETED	24OCT05 03:02	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
03 OVERHAUL DUE	25NOV05 01:00			OH due on Serial R113299	4992.5	AFHR	
01 NO FAULT		07 OVERHAUL		SPRING STRUT RUD LH at WAC 141P			

Unserviceability Details:  
Maintenance Comments: O/H IAW AAP 7298.020-3M AT JANDAKOT 25NOV05

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	OH	5000.0	AFHR	4992.5		
SM	OH	5000.0	AFHR	4992.5		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

AIPXXJ1303918	C COMPLETED	20MAR13 09:00	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP		
13 REMOVED FOR ACCESS	22MAR13 00:32	21MAR13 06:09	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	7132.9	AFHR	
01 NO FAULT		99 NO FAILURE		RUDDER SPRING STRUT LH & RH REMOVED SERVICEABLE TO SERVICE			
		04 CHECK/TEST SERV		A23-033			

Unserviceability Details:  
Maintenance Comments: RUDDER SPRING STRUT ASSESSED SERV AND FITTED IAW AAP 7212.007-2.

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : R113299  
PART NO : 527.20.09.120 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : SPRING STRUT RUDDER  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

A1PXXJ1706997	C COMPLETED	04APR17 03:29	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	04APR17 03:30	04APR17 03:30	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	8375.7	AFHR
13	REMOVED FOR ACCESS	99 NO FAILURE		R2	due on Serial A23-033		
				PC-9	at WAC 0000		
01	NO FAULT	04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		CHECK/TEST SERV			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : RT306 LITERAL SERIAL NO : RT306 PERIOD: 01JAN90 TO 08JAN20  
PART NO : RAAFA62FNS01 ~Z5514  
ENGINEERING NAME : FUEL NOZZLE SET  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 3630.8 ENHR

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE UNPACKED			

15JUL04 00:15	RT306	RAAFA62FNS01	~Z5514	A23T	A1SAK27	00
aiel1111	AIE	MCS			A1EXXRY400419	
R. COTTELL		28MAY04				

0.0 ENHR

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04684  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : RT306 LITERAL SERIAL NO : RT306 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : RAAFA62FNS01 ~Z5514  
 ENGINEERING NAME : FUEL NOZZLE SET  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
15JUL04 00:15	Reception History Record	0.0	Reception MCS PC9	
	0.0 ENHR			XXxxXXxx
15JUL04 00:39	Change Location of an Asse	0.0	MCS EQUIP_STORE A1EXXXY405325	
	0.0 ENHR			XXxxXXxx
28JUL04 23:04	Asset Installation	13.9	A23T A1SAK27 103092 103092 00	A23T A1SAK27 00MMI
	0.0 ENHR			XXxxXXxx
	Change Serviceability Stat	13.9	SERV S/I	
	Change Location of an Asse	13.9	EQUIP_STORE	
08JUN05 01:41	Change Serviceability Stat	6.0	ENGINE S/I	
	298.9 ENHR		US/I A1EXXJY405050	XXxxXXxx
14JUN05 03:45	Asset Removal	320.1	103092 A23-050 A23T A1SAK27 00	A23T A1SAK27 00A
	298.9 ENHR			XXxxXXxx
	Change Serviceability Stat	6.0	US/I U/S	
	Change Location of an Asse	313.2	A23-050 EQUIP_STORE	
15JUN05 05:41	Change Venue of an Asset	335.2	AIE NONC2CONT	
	298.9 ENHR		A1EXXXY503663	XXxxXXxx
	Change Location of an Asse	1.0	EQUIP_STORE	
23JUN05 01:28	Change Serviceability Stat	8.9	HOLD U/S	
	298.9 ENHR		SERV	XXxxXXxx
28JUN05 00:58	Change Venue of an Asset	12.8	NONC2CONT AIE	
	298.9 ENHR		NONC2XY503215	XXxxXXxx
	Change Location of an Asse	12.8	HOLD MCS	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

CAMM2  
 ASSET HISTORY

SERIAL/TAIL NO : RT306 LITERAL SERIAL NO : RT306 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : RAAFA62FNS01 ~Z5514  
 ENGINEERING NAME : FUEL NOZZLE SET  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW						
28JUN05 03:02	Change Location of an Asse	0.0	MCS			
	298.9 ENHR		EQUIP_STORE			
11JUL05 22:47	Asset Installation	27.7	A1EXXXY503850			XXxxXXxx
	298.9 ENHR		A23T A1SAK27		00	
	Change Serviceability Stat	18.8	103168	A23-052		A23T A1SAK27 00AC
	Change Location of an Asse	13.8	SERV			XXxxXXxx
	Change Serviceability Stat	18.8	S/I			
11SEP05 23:05	Position Change	62.0	EQUIP_STORE			
	358.9 ENHR		A23-052			
14SEP05 03:28	Position Change	64.1	A23T A1SAK27		00	XXxxXXxx
	358.9 ENHR		A23T A1SAK27		00	
12SEP06 22:41	Change Serviceability Stat	6.9	A1EXXXY505753			XXxxXXxx
	596.0 ENHR		S/I			
12SEP06 22:42	Asset Removal	427.9	US/I			
	596.0 ENHR		A1EXXJY505349			XXxxXXxx
	Change Serviceability Stat	0.0	103168	A23-052		A23T A1SAK27 00A
	Change Location of an Asse	427.9	A23T A1SAK27		00	XXxxXXxx
12SEP06 23:24	Change Venue of an Asset	441.9	US/I			
	596.0 ENHR		U/S			
	Change Location of an Asse	0.0	A23-052			
21SEP06 04:35	Change Serviceability Stat	8.2	ENGINE			
	596.0 ENHR		A1E			
	Change Serviceability Stat	8.2	NONC2CONT			
	596.0 ENHR		A1EXXXY605422			XXxxXXxx
	Change Serviceability Stat	8.2	ENGINE			
	596.0 ENHR		HOLD			
	Change Serviceability Stat	8.2	U/S			
	596.0 ENHR		SERV			XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : RT306 LITERAL SERIAL NO : RT306 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : RAAFA62FNS01 ~Z5514  
 ENGINEERING NAME : FUEL NOZZLE SET  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
25SEP06 04:31	Change Venue of an Asset	12.2	NONC2CONT AIE	
	596.0 ENHR Change Location of an Asse	12.2	NONC2XY609113 HOLD	XXxxXXxx
25SEP06 04:38	Change Location of an Asse	0.0	MCS	
	596.0 ENHR Asset Installation	22.1	MCS EQUIP_STORE A1EXXXY605723	XXxxXXxx
05OCT06 02:46	Change Serviceability Stat	13.9	A23T A1SAK27 103120 A23-063	A23T A1SAK27 00AC
	596.0 ENHR Change Location of an Asse	9.9	SERV S/I EQUIP_STORE A23-063	XXxxXXxx
23JUL07 03:51	Change Serviceability Stat	4.1	S/I	
	894.7 ENHR Asset Removal	294.8	US/I A1EXXJY606461 103120 A23-063	XXxxXXxx
26JUL07 23:25	Change Serviceability Stat	3.8	A23T A1SAK27	A23T A1SAK27 00A
	894.7 ENHR Change Location of an Asse	294.8	US/I U/S A23-063 EQUIP_STORE	XXxxXXxx
30JUL07 04:15	Change Venue of an Asset	307.9	AIE	
	894.7 ENHR Change Location of an Asse	3.2	NONC2CONT A1EXXXY705254 EQUIP_STORE	XXxxXXxx
09AUG07 23:23	Change Serviceability Stat	13.9	HOLD U/S SERV	
	894.7 ENHR			XXxxXXxx



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : RT306 LITERAL SERIAL NO : RT306 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : RAAFA62FNS01 ~Z5514  
 ENGINEERING NAME : FUEL NOZZLE SET  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
05SEP07 23:19	Change Venue of an Asset	37.7	NONC2CONT AIE	
	894.7 ENHR Change Location of an Asse	37.7	NONC2XY709632 HOLD	XXxxXXxx
05SEP07 23:25	Change Location of an Asse	0.0	MCS	
	894.7 ENHR		EQUIP_STORE	
02OCT07 03:53	Asset Installation	67.1	A1EXXXY706210	XXxxXXxx
	894.7 ENHR		A23T A1SAK27	
	Change Serviceability Stat	53.1	103160 A23-057	A23T A1SAK27 00AC
	Change Location of an Asse	26.1	SERV	
	Change Serviceability Stat	3.0	S/I	
19JAN09 04:38	Change Serviceability Stat	3.0	EQUIP_STORE	
	1193.4 ENHR		A23-057	
26JAN09 21:25	Asset Removal	482.7	US/I	
	1193.4 ENHR		A1EXXJY706707	XXxxXXxx
	Change Serviceability Stat	7.6	103160 A23-057	A23T A1SAK27 00A
	Change Location of an Asse	362.6	A23T A1SAK27	XXxxXXxx
	Change Serviceability Stat	7.6	US/I	
	Change Location of an Asse	362.6	U/S	
27JAN09 21:29	Change Venue of an Asset	363.6	A23-057	
	1193.4 ENHR		EQUIP_STORE	
	Change Location of an Asse	1.0	AIE	
	Change Serviceability Stat	10.0	NONC2CONT	
05FEB09 23:43	Change Serviceability Stat	10.0	A1EXXXY900280	XXxxXXxx
	1193.4 ENHR		EQUIP_STORE	
	Change Serviceability Stat	10.0	HOLD	
	1193.4 ENHR		U/S	
	Change Serviceability Stat	10.0	SERV	XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04688  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : RT306 LITERAL SERIAL NO : RT306 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : RAAFA62FNS01 ~Z5514  
 ENGINEERING NAME : FUEL NOZZLE SET  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
=====	=====	=====	=====	=====
12FEB09 23:03	Change Venue of an Asset	16.0	NONC2CONT AIE	
	1193.4 ENHR		NONC2XY901895	XXxxXXxx
	Change Location of an Asse	16.0	HOLD	
12FEB09 23:45	Change Location of an Asse	0.0	MCS	
	1193.4 ENHR		EQUIP_STORE	
	Maintenance Comment	0.0	A1EXXXY900521	XXxxXXxx
23MAR09 03:45	Asset Installation	55.2	MCS MOVED TO STORE A23T A1SAK27	
	1193.4 ENHR		103151 A23-027 00	A23T A1SAK27 00AC
	Change Serviceability Stat	45.1	SERV	XXxxXXxx
	Change Location of an Asse	38.1	S/I	
18JAN10 02:24	Change Serviceability Stat	32.9	EQUIP_STORE	
	1491.1 ENHR		A23-027	
19JAN10 00:01	Asset Removal	301.8	S/I	
	1491.1 ENHR		US/I	
	Change Serviceability Stat	0.9	A1EXXJY900830	XXxxXXxx
	Change Location of an Asse	73.9	103151 A23-027	A23T A1SAK27 00A
19JAN10 05:04	Change Venue of an Asset	74.2	A23T A1SAK27 00	
	1491.1 ENHR		US/I	
	Change Location of an Asse	0.2	U/S	
15FEB10 08:00	Change Venue of an Asset	27.1	A23-027	
	1491.1 ENHR		EQUIP_STORE	
	Change Location of an Asse	27.1	AIE	
			NONC2CONT	
			A1EXXX1000144	XXxxXXxx
			EQUIP_STORE	
			HOLD	
			NONC2CONT	
			AIE	
			NONC2X1001752	XXxxXXxx
			HOLD	
			EQUIP_STORE	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : RT306 LITERAL SERIAL NO : RT306 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : RAAFA62FNS01 ~Z5514  
 ENGINEERING NAME : FUEL NOZZLE SET  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
15FEB10 08:30	Change Serviceability Stat	27.3	U/S SERV	
	1491.1 ENHR			XXXXXXxx
07APR10 02:57	Asset Installation	78.1	A23T A1SAK27 103187 A23-012 00	A23T A1SAK27 00AC
	1491.1 ENHR			XXXXXXxx
	Change Serviceability Stat	50.7	SERV S/I	
	Change Location of an Asse	50.7	EQUIP_STORE A23-012	
27APR11 00:50	Change Serviceability Stat	8.7	S/I US/I	
	1770.4 ENHR		A1EXXJ1001058	XXXXXXxx
01MAY11 22:07	Asset Removal	389.7	103187 A23-012 00	A23T A1SAK27 00A
	1770.4 ENHR			XXXXXXxx
	Change Serviceability Stat	4.8	US/I U/S	
	Change Location of an Asse	389.7	A23-012 EQUIP_STORE	
01MAY11 22:33	Change Venue of an Asset	440.6	AIE NONC2CONT	
	1770.4 ENHR		A1EXXJ1101115	XXXXXXxx
	Change Location of an Asse	0.0	EQUIP_STORE HOLD	
02JUN11 08:00	Change Venue of an Asset	31.3	NONC2CONT AIE	
	1770.4 ENHR		NONC2X1109434	XXXXXXxx
	Change Location of an Asse	31.3	HOLD EQUIP_STORE	
02JUN11 09:00	Change Serviceability Stat	31.4	U/S SERV	
	1770.4 ENHR			XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04690  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : RT306 LITERAL SERIAL NO : RT306 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : RAAFA62FNS01 ~Z5514  
 ENGINEERING NAME : FUEL NOZZLE SET  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
=====	=====	=====	=====	=====	=====
	LIFE SINCE NEW		TRANS REFERENCE		
24OCT11 00:08	Asset Installation	175.0	A23T 103160	A1SAK27 A23-057	00 A23T A1SAK27 00AC
	1770.4 ENHR Change Serviceability Stat	143.6	SERV S/I		XXXXXXXX
	Change Location of an Asse	143.6	EQUIP_STORE A23-057		
10AUG12 01:52	Change Serviceability Stat	1.0	S/I US/I		
	2064.9 ENHR Asset Removal	301.1	A1EXXJ1104760 103160	A23-057	XXXXXXXX A23T A1SAK27 00A
	2064.9 ENHR Change Serviceability Stat	10.0	A23T A1SAK27	00	XXXXXXXX
	Change Location of an Asse	301.1	US/I U/S		
20AUG12 03:12	Change Venue of an Asset	444.8	A23-057 EQUIP_STORE AIE		
	2064.9 ENHR Change Location of an Asse	0.0	NONC2CONT A1EXX1202046		XXXXXXXX
	Change Location of an Asse	0.0	EQUIP_STORE HOLD		
17SEP12 01:15	Change Serviceability Stat	27.9	U/S SERV		
	2064.9 ENHR Change Venue of an Asset	62.8	NONC2CONT AIP		XXXXXXXX
21OCT12 23:11	Maintenance Comment	0.0	NONC2X1211429		XXXXXXXX
	Change Location of an Asse	62.8	RECVD FROM QDS VIL @ AIP STORES 24SEP12		
			HOLD STORES	MMI	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04691  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : RT306 LITERAL SERIAL NO : RT306 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : RAAFA62FNS01 ~Z5514  
 ENGINEERING NAME : FUEL NOZZLE SET  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
=====	=====	=====	=====	=====	=====
	LIFE SINCE NEW		TRANS REFERENCE		
24OCT12 00:22	Asset Installation	64.8	A23T 103142	A1SAK27 103142	00 A23T A1SAK27 00MMI
	2064.9 ENHR Change Serviceability Stat	36.9	SERV S/I		XXxxXXxx
	Change Location of an Asse	2.0	STORES INTMH	MMI	
24FEB13 23:21	Change Serviceability Stat	3.7	S/I US/I		
	2178.6 ENHR		NONC2J1203619		XXxxXXxx
27FEB13 03:06	Asset Removal	126.1	103142 A23T	A23-001 A1SAK27	A23T A1SAK27 00A
	2178.6 ENHR Change Serviceability Stat	2.1	US/I U/S		XXxxXXxx
	Change Location of an Asse	120.8	A23-001 STORES		
05MAR13 23:26	Change Venue of an Asset	135.0	AIP NONC2CONT		
	2178.6 ENHR Change Location of an Asse	6.8	A1PXXX1302226 STORES		XXxxXXxx
10APR13 07:30	Change Serviceability Stat	42.1	HOLD U/S		
	2178.6 ENHR		SERV		XXxxXXxx
30APR13 03:23	Change Venue of an Asset	55.1	NONC2CONT 4SQN		
	2178.6 ENHR Change Location of an Asse	55.1	NONC2X1304017 HOLD		XXxxXXxx
			HANGAR_RACKS		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04692  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : RT306 LITERAL SERIAL NO : RT306 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : RAAFA62FNS01 ~Z5514  
 ENGINEERING NAME : FUEL NOZZLE SET  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
LIFE SINCE NEW		TRANS REFERENCE			
09MAY13 23:21	Asset Installation	71.8	A23T 103135	A1SAK27 A23-022	00 A23T A1SAK27 00AC
	2178.6 ENHR Change Serviceability Stat	29.6	SERV S/I		XXXXXXXX
	Change Location of an Asse	9.8	HANGAR_RACKS A23-022		
19SEP13 23:19	Change Serviceability Stat	1.8	S/I US/I		XXXXXXXX
25SEP13 01:38	Asset Removal	138.0	NONC2J1300895 103135	A23-022	A23T A1SAK27 00A
	2249.9 ENHR Change Serviceability Stat	5.0	A23T A1SAK27		XXXXXXXX
	Change Location of an Asse	6.9	US/I U/S A23-022		
29OCT13 02:45	Change Venue of an Asset	41.0	EQUIP_STORE AIE		
	2249.9 ENHR Change Location of an Asse	34.0	NONC2CONT A1EXXX1306277		XXXXXXXX
02DEC13 08:00	Change Venue of an Asset	34.2	EQUIP_STORE HOLD		
	2249.9 ENHR Change Location of an Asse	34.2	NONC2CONT AIE		XXXXXXXX
02DEC13 09:30	Change Serviceability Stat	68.3	NONC2X1401348		
	2249.9 ENHR		EQUIP_STORE U/S SERV		XXXXXXXX

For-Official-Use-Only



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

CAMM2  
 ASSET HISTORY

SERIAL/TAIL NO : RT306 LITERAL SERIAL NO : RT306 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : RAAFA62FNS01 ~Z5514  
 ENGINEERING NAME : FUEL NOZZLE SET  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
LIFE SINCE NEW		TRANS REFERENCE			
26NOV15 05:47	Asset Installation	78.1	A23T 103185	A1SAK27 A23-005	00 A23T A1SAK27 00AC
	2504.4 ENHR Change Serviceability Stat	29.0	SERV S/I		XXXXXXXXXX
	Change Location of an Asse	9.0	STORES A23-005		
16AUG16 03:24	Change Serviceability Stat	0.5	S/I US/I		
	2827.0 ENHR Asset Removal	269.7	NONC2J1502691 103185	A23-005	XXXXXXXXXX A23T A1SAK27 00A
	2827.0 ENHR Change Serviceability Stat	5.8	A23T A1SAK27	00	XXXXXXXXXX
	Change Location of an Asse	269.7	US/I U/S A23-005		
06SEP16 02:48	Change Venue of an Asset	293.9	INTMH AIP		
	2827.0 ENHR Change Location of an Asse	15.1	NONC2CONT A1PXXX1608730		XXXXXXXXXX
10OCT16 03:15	Change Serviceability Stat	49.1	HOLD U/S SERV		
	2827.0 ENHR Change Venue of an Asset	54.8	NONC2CONT AIP		XXXXXXXXXX
30OCT16 22:27	Change Venue of an Asset	54.8	NONC2X1612017		XXXXXXXXXX
	2827.0 ENHR Change Location of an Asse	54.8	HOLD STORES	MMI	



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : RT306 LITERAL SERIAL NO : RT306 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : RAAFA62FNS01 ~Z5514  
 ENGINEERING NAME : FUEL NOZZLE SET  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
LIFE SINCE NEW		TRANS REFERENCE			
16JAN17 12:52	Asset Installation	147.5	A23T 103212	A1SAK27 A23-053	00 A23T A1SAK27 00AC
	2827.0 ENHR Change Serviceability Stat	98.4	SERV S/I		XXXXXXXX
	Change Location of an Asse	77.6	STORES A23-053	MMI	
07SEP17 02:36	Change Serviceability Stat	0.7	S/I US/I		
	3156.7 ENHR Asset Removal	244.4	NONC2J1602979 103212	A23-053	XXXXXXXX A23T A1SAK27 00A
	3156.7 ENHR Change Serviceability Stat	10.8	A23T A1SAK27	00	XXXXXXXX
	Change Location of an Asse	244.4	US/I U/S A23-053		
22SEP17 02:30	Change Venue of an Asset	326.1	STORES AIP		
	3156.7 ENHR Change Location of an Asse	4.1	NONC2CONT A1PXXX1714407		XXXXXXXX
23NOV17 04:00	Change Serviceability Stat	66.2	HOLD U/S SERV		
	3156.7 ENHR Change Venue of an Asset	68.8	NONC2CONT AIP		XXXXXXXX
29NOV17 22:43	Change Venue of an Asset	68.8	NONC2X1712941		XXXXXXXX
	3156.7 ENHR Change Location of an Asse	68.8	HOLD STORES	MMI	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04696  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : RT306 LITERAL SERIAL NO : RT306 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : RAAFA62FNS01 ~Z5514  
 ENGINEERING NAME : FUEL NOZZLE SET  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	USER
LIFE SINCE NEW		TRANS REFERENCE			
28FEB18 05:12	Asset Installation	163.2	A23T 103171	A1SAK27 A23-065	00 A23T A1SAK27 00AC
	3156.7 ENHR Change Serviceability Stat	97.0	SERV S/I		XXXXXXXX
	Change Location of an Asse	90.2	STORES A23-065	MMI	
19DEC18 05:27	Change Serviceability Stat	12.8	S/I US/I		XXXXXXXX
16JAN19 05:37	Asset Removal	322.0	NONC2J1703448 103171	A23-065	A23T A1SAK27 00A
	3486.2 ENHR Change Serviceability Stat	28.0	A23T A1SAK27		XXXXXXXX
	Change Location of an Asse	322.0	US/I U/S A23-065		
16JAN19 23:38	Change Venue of an Asset	413.0	HG121 AIP		
	3486.2 ENHR Change Location of an Asse	0.7	NONC2CONT A1PXXX1900226		XXXXXXXX
04MAR19 04:00	Change Serviceability Stat	46.9	HG121 HOLD U/S		
	3486.2 ENHR Change Venue of an Asset	54.0	SERV NONC2CONT		XXXXXXXX
12MAR19 00:43	Change Venue of an Asset	54.0	AIP NONC2X1901774		XXXXXXXX
	3486.2 ENHR Change Location of an Asse	54.0	HOLD STORES	MMI	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : RT306 LITERAL SERIAL NO : RT306 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : RAAFA62FNS01 ~Z5514  
 ENGINEERING NAME : FUEL NOZZLE SET  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
24JUN19 05:51	Asset Installation	159.0	A23T A1SAK27 103186 A23-033 00	A23T A1SAK27 00AC
	3486.2 ENHR Change Serviceability Stat	112.0	SERV S/I	XXxxXXxx
	Change Location of an Asse	104.2	STORES A23-033 MMI	

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS		UNSERVICEABILITY DETAILS			
MAINT PROCESS	UNSERVICEABILITY	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1EXXJY405050 C COMPLETED 14JUN05 03:45 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE 298.9 ENHR  
 23JUN05 01:28  
 02 BAY SERVICE DUE BS FUEL NOZZLE SET due on Serial RT306 at WAC 0120  
 01 NO FAULT 06 BAY SERVICE  
 Unserviceability Details:  
 Maintenance Comments: BAY SERVICE AT PWA IAW PUBS 3034543, 3034542.

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	300.0	ENHR	298.9		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS		UNSERVICEABILITY DETAILS			
MAINT PROCESS	UNSERVICEABILITY	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

A1EXXJY505349 C COMPLETED 12SEP06 22:42 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE AIE 596.0 ENHR  
 21SEP06 04:35  
 02 BAY SERVICE DUE BS FUEL NOZZLE SET due on Serial RT306 at WAC 0120  
 01 NO FAULT 06 BAY SERVICE

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : RT306 LITERAL SERIAL NO : RT306 PERIOD: 01JAN90 TO 08JAN20  
PART NO : RAAFA62FNS01 ~Z5514  
ENGINEERING NAME : FUEL NOZZLE SET  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			

Unserviceability Details:

Maintenance Comments: BAY SERVICE AT PWA IAW PUB. 3034542.

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	300.0	ENHR	297.1		

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			

A1EXXJY606461	C COMPLETED	26JUL07 23:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	09AUG07 23:23	23JUL07 03:51	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	894.7	ENHR
02 BAY SERVICE DUE					BS	due on Serial RT306	
					FUEL NOZZLE SET	at WAC 0120	

01 NO FAULT

06 BAY SERVICE

Unserviceability Details:

Maintenance Comments: BAY SERVICE AT PWA IAW PUB. 3034542.

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	300.0	ENHR	298.7		
SM	BS	300.0	ENHR	298.7		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

SERIAL/TAIL NO : RT306 LITERAL SERIAL NO : RT306 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : RAAFA62FNS01 ~Z5514  
 ENGINEERING NAME : FUEL NOZZLE SET  
 VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			

A1EXXJY706707	C COMPLETED	26JAN09 21:25	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIE	
	05FEB09 23:43	19JAN09 04:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	1193.4	ENHR
02 BAY SERVICE DUE				BS	due on Serial RT306		
				FUEL NOZZLE SET	at WAC 0120		
01 NO FAULT		06 BAY SERVICE		Unserviceability Details:			
				Maintenance Comments: BAY SERVICE CARRIED OUT IAW PUBLICATION REF 3034543/3034542, REV 29/35 REF 72-30-00/73-10-05			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	300.0	ENHR	298.7		
SM	BS	300.0	ENHR	298.7		

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			

A1EXXJY900830	C COMPLETED	19JAN10 00:01	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	NONC2CONT	
	15FEB10 08:30	18JAN10 02:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	1491.1	ENHR
02 BAY SERVICE DUE				BS	due on Serial RT306		
				FUEL NOZZLE SET	at WAC 0120		
01 NO FAULT		06 BAY SERVICE		Unserviceability Details:			
				Maintenance Comments: BAT SERV CO IAW P&WC P/NO 3030542 REV 37 REF 73-10-05			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	300.0	ENHR	297.7		
SM	BS	300.0	ENHR	297.7		

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : RT306 LITERAL SERIAL NO : RT306 PERIOD: 01JAN90 TO 08JAN20  
PART NO : RAAFA62FNS01 ~Z5514  
ENGINEERING NAME : FUEL NOZZLE SET  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

1A1EXXJ1001058 C COMPLETED 01MAY11 22:07 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE NONC2CONT  
 02JUN11 09:00 27APR11 00:50 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 1770.4 ENHR  
 02 BAY SERVICE DUE BS due on Serial RT306  
 FUEL NOZZLE SET at WAC 0120  
 01 NO FAULT 06 BAY SERVICE  
 Unserviceability Details:  
 Maintenance Comments: B/S C/O SERVIAW PWC MM3034542 REV39 REF 73.10.05

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	300.0	ENHR	279.3		
SM	BS	300.0	ENHR	279.3		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

1A1EXXJ1104760 C COMPLETED 20AUG12 02:57 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE NONC2CONT  
 17SEP12 01:15 10AUG12 01:52 XXxxXXxx XXxxXXxxXXxxXXxxXXxx AIE 2064.9 ENHR  
 02 BAY SERVICE DUE BS due on Serial RT306  
 FUEL NOZZLE SET at WAC 0120  
 01 NO FAULT 06 BAY SERVICE  
 Unserviceability Details:  
 Maintenance Comments: BAY SERVICED IAW AAP.7113.022-2M (AL.5) REFER PSBU-QDSCOC  
 ##.2103. DATED: 17SEP12

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	300.0	ENHR	294.5		

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : RT306 LITERAL SERIAL NO : RT306 PERIOD: 01JAN90 TO 08JAN20  
PART NO : RAAFA62FNS01 ~Z5514  
ENGINEERING NAME : FUEL NOZZLE SET  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

NONC2J1203619	C COMPLETED	27FEB13 03:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	NONC2CONT	
	10APR13 07:30	24FEB13 23:21	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	2178.6	ENHR

02 BAY SERVICE DUE BS due on Serial RT306  
FUEL NOZZLE SET at WAC 0120

01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments:

BAY SERVICED IAW AAP7113.022-2 MAINTENANCE MANUAL AL 5, NIL  
MODS/STI INCOPORATED. DONE BY QANTAS, COC PSBU-QDSCOC ##2337,  
CONTRACT # VT2012001.

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	300.0	ENHR	113.7		
SM	BS	300.0	ENHR	113.7		

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

NONC2J1300895	C COMPLETED	25SEP13 01:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	NONC2CONT	
	02DEC13 09:30	19SEP13 23:19	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	2249.9	ENHR

02 BAY SERVICE DUE BS due on Serial RT306  
FUEL NOZZLE SET at WAC 0120

01 NO FAULT 06 BAY SERVICE  
Unserviceability Details:  
Maintenance Comments:

BAY SERV C/O IAW AAP 7113.022-2 B1-B4

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	71.3	ENHR	71.3		
SM	BS	71.3	ENHR	71.3		

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : RT306 LITERAL SERIAL NO : RT306 PERIOD: 01JAN90 TO 08JAN20  
PART NO : RAAFA62FNS01 ~Z5514  
ENGINEERING NAME : FUEL NOZZLE SET  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

A1EXXJ1401052	C COMPLETED	09SEP15 01:45	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	AIP	
	28OCT15 04:15	28JUL15 03:33	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIE	2504.4	ENHR
02 BAY SERVICE DUE				BS	due on Serial RT306		
				FUEL NOZZLE SET	at WAC 0120		
01 NO FAULT		06 BAY SERVICE		Unserviceability Details:			
				Maintenance Comments: BAY SERVICE CARRIED OUT IAW P&WC MANUAL P/N 3034542 REV 45			
				REF QDS COC3419			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	300.0	ENHR	254.5		
SM	BS	300.0	ENHR	254.5		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

NONC2J1502691	C COMPLETED	22AUG16 00:15	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	NONC2CONT	
	10OCT16 03:15	16AUG16 03:24	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	2827.0	ENHR
02 BAY SERVICE DUE				BS	due on Serial RT306		
				FUEL NOZZLE SET	at WAC 0120		
01 NO FAULT		06 BAY SERVICE		Unserviceability Details:			
				Maintenance Comments: FUEL NOZZLE SET BAY SERVICED IAW AAP 7113.022-2 MAINTENANCE			
				MANUAL MOD'S/STI'S INCORPORATED NIL SHOP VISIT NOTES BAY			
				SERVICED IAW AAP 7113.022-2 REF IDS COFC NO COC3626 @			
				INTERGRATED DEFENCE SERVICES PTY LTD			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	400.0	ENHR	322.6		
SM	BS	400.0	ENHR	322.6		



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : RT306 LITERAL SERIAL NO : RT306 PERIOD: 01JAN90 TO 08JAN20  
PART NO : RAAFA62FNS01 ~Z5514  
ENGINEERING NAME : FUEL NOZZLE SET  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			

NONC2J1602979	C COMPLETED	17SEP17 23:11	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		NONC2CONT	
	23NOV17 04:00	07SEP17 02:36	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		3156.7	ENHR
02 BAY SERVICE DUE				BS	due on Serial RT306		
				FUEL NOZZLE SET	at WAC 0120		
01 NO FAULT		06 BAY SERVICE		Unserviceability Details:			
				Maintenance Comments: FUEL NOZZLE SET BAY SERVICE IAW AAP 7113.022-2 MAINTENANCE MANUAL REF IDS COFC NO COC3841 @ IDS			

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	400.0	ENHR	329.7		
SM	BS	400.0	ENHR	329.7		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			

A1PXXJ1900798	C COMPLETED	16JAN19 05:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		NONC2CONT	
	04MAR19 04:00	16JAN19 05:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		3486.2	ENHR
13 REMOVED FOR ACCESS		99 NO FAILURE		R2	due on Serial A23-065		
				PC-9	at WAC 0000		
01 NO FAULT		04 CHECK/TEST SERV		Unserviceability Details:			
				Maintenance Comments: FUEL NOZZLE SET BAY SERVICED IAW AAP 7113.022-2 MAINTENANCE MANUAL , MOD'S/STI'S INCORPORATED NIL REF INTERGRATED DEFENCE SERVICES PTY LTD COFC NO COC4074 DATED 04MAR19 AUTH J FOSSE @ IDS			

NONC2J1703448	C COMPLETED	16JAN19 05:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		NONC2CONT	
	04MAR19 04:00	19DEC18 05:27	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP		3486.2	ENHR
02 BAY SERVICE DUE				BS	due on Serial RT306		
				FUEL NOZZLE SET	at WAC 0120		
01 NO FAULT		06 BAY SERVICE		Unserviceability Details:			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : RT306 LITERAL SERIAL NO : RT306 PERIOD: 01JAN90 TO 08JAN20  
PART NO : RAAFA62FNS01 ~Z5514  
ENGINEERING NAME : FUEL NOZZLE SET  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

Maintenance Comments: FUEL NOZZLE SET BAY SERVICED IAW AAP 7113.022-2 MAINTENANCE MANUAL , MOD'S/STI'S INCORPORATED NIL REF INTERGRATED DEFENCE SERVICES PTY LTD COFC NO COC4074 DATED 04MAR19 AUTH J FOSSE @ IDS

ACTIVITY TYPE	ACTIVITY CODE	INTERVAL	INT TYPE CODE	ELAPSED LIFE	LIFE REMAINING	DATE DUE
SM	BS	400.0	ENHR	329.5		
SM	BS	400.0	ENHR	329.5		

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

SERIAL/TAIL NO : RT306 LITERAL SERIAL NO : RT306 PERIOD: 01JAN90 TO 08JAN20  
PART NO : RAAFA62FNS01 ~Z5514  
ENGINEERING NAME : FUEL NOZZLE SET  
VENUE : A23DISP LOCATION : A23-033

MOD NUMBER	INCORPORATION	STATUS	CHANGE	DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
=====	=====	=====	=====	=====	=====	=====	=====	=====
7113.022-260	Y			15SEP05	NINC			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04706  
08JAN20  
23:16:15

SERIAL/TAIL NO : SET6F  
PART NO : MBEU116936 ~U1604  
ENGINEERING NAME : STANDARD CUSHION  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 50866.9 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	DATE NEW	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	HA PART	DATE UNPACKED		
06OCT16 01:28	SET6F	MBEU116936	~U1604	A23T	00
aip01963	AIP	STORES		A1WBG20	
P. GREEN		01JAN88		A1PXXR1601806	
	50000.0 AFHR				

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04707  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : SET6F  
 PART NO : MBEU116936  
 ENGINEERING NAME : STANDARD CUSHION  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~U1604

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
06OCT16 01:28	Reception History Record	0.0	Reception STORES PC9	
06OCT16 01:29	Asset Installation	xxxx	A23T A1WBG20 DC1676-SET6	XXxxXXxx
	50000.0 AFHR			
	Change Serviceability Stat	0.0	SERV S/I STORES ALS	XXxxXXxx
	Change Location of an Asse	0.0		
14MAY19 06:07	Asset Removal	950.1	DC1676-SET6 A23-022 A23T A1WBG20	00MMI
	50689.7 AFHR			
	Change Serviceability Stat	0.0	S/I U/S A23-022 ALS_WORKSHOP	
	Change Location of an Asse	5.0		
14MAY19 06:09	Change Serviceability Stat	0.0	U/S SERV	
	50689.7 AFHR			
14MAY19 06:12	Asset Installation	0.0	A23T A1WBG20 DE0541 A23-005	XXxxXXxx
	50689.7 AFHR			
	Change Serviceability Stat	0.0	SERV S/I ALS_WORKSHOP A23-005	XXxxXXxx
	Change Location of an Asse	0.0		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
4SQNXJ1900670	C COMPLETED	14MAY19 06:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	4SQN	
14 CONFIGURATION CHANGE	99 NO FAILURE	14MAY19 06:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	4SQN	50689.7 AFHR	
01 NO FAULT	04 CHECK/TEST SERV			7291.042-114	due on Serial	DC1676-SET6	
	Unserviceability Details:			SURVIVAL PACK ASSY	at WAC	0730	
	Maintenance Comments:			SERV IAW AAP 7220.029-2M			

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : SET6F  
PART NO : MBEU116936 ~U1604 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : STANDARD CUSHION  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS	DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

=====

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04709  
08JAN20  
23:16:15

SERIAL/TAIL NO : SET6R  
PART NO : MBEU116936 ~U1604  
ENGINEERING NAME : STANDARD CUSHION  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 50864.7 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	DATE NEW	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	HA PART	DATE UNPACKED		
10OCT16 07:15	SET6R	MBEU116936-SS	~Z5514	A23T	01
aip02188	AIP	MCS		A1WBG20	
R. ORLOWSKI		17OCT90		A1PXXR1601896	
	50000.0 AFHR			MPAN 042/2016	

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04710  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : SET6R  
 PART NO : MBEU116936 ~U1604  
 ENGINEERING NAME : STANDARD CUSHION  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
10OCT16 07:15	Reception History Record	0.0	Reception MCS	
	50000.0 AFHR		HOLD	XXXXXXxx
10OCT16 07:16	Asset Installation	9490.3	A23T A1WBG20 DF1700-SET6	01 DF1700-SET6 A23T A26BG20 01MMI
	50000.0 AFHR			XXXXXXxx
	Change Serviceability Stat	0.3	SERV S/I	
	Change Location of an Asse	0.3	MCS ALS	HOLD
10OCT16 12:25	Change Part Number of an A	0.5	MBEU116936-SS MBEU116936	~Z5514 ~U1604
	50000.0 AFHR		A1PXXX1610163	XXXXXXxx
	Maintenance Comment	0.0	MPAN 042/2016 DATA CORRECTION	
10OCT16 12:26	Position Change	0.2	A23T A26BG20 A23T A26BG20	01 00
	50000.0 AFHR		A1PXXX1610164	XXXXXXxx
	Maintenance Comment	0.0	MPAN 042/2016 DATA CORRECTION	
14MAY19 05:52	Asset Removal	945.9	DF1700-SET6 A23T A26BG20	A23-020 00 A23T A26BG20 00A
	50687.5 AFHR			XXXXXXxx
	Change Serviceability Stat	0.0	S/I U/S	
	Change Location of an Asse	1.3	A23-020 ALS_WORKSHOP	
14MAY19 05:53	Change Serviceability Stat	0.0	U/S SERV	
	50687.5 AFHR			XXXXXXxx
14MAY19 06:13	Asset Installation	0.0	A23T DE0538 A26BG20	A23-005 00 A23T A26BG20 00AC
	50687.5 AFHR			XXXXXXxx
	Change Serviceability Stat	0.0	SERV S/I	
	Change Location of an Asse	0.0	ALS_WORKSHOP A23-005	

For-Official-Use-Only



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : SET6R  
PART NO : MBEU116936 ~U1604 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : STANDARD CUSHION  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED	SYMPTOMS					
MAINT PROCESS	UNSERVICEABILITY	UNSERVICEABILITY DETAILS					
FAULT FOUND	MAINTENANCE ACTION TAKEN	MAINTENANCE COMMENT					

```

=====
4SQNXJ1900669  C  COMPLETED      14MAY19  05:52  XXxxXXxx  XXxxXXxxXXxxXXxxXXxx 4SQN      4SQN
                14MAY19  05:53      14MAY19  05:53  XXxxXXxx  XXxxXXxxXXxxXXxxXXxx 4SQN      50687.5  AFHR
14 CONFIGURATION CHANGE      99 NO FAILURE      7291.042-114      due on Serial DF1700-SET6
                SURVIVAL PACK ASSY at WAC 0740
01 NO FAULT      04 CHECK/TEST SERV
                Unserviceability Details:
                Maintenance Comments: CHECK/TEST SERV
=====

```

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04712  
08JAN20  
23:16:15

SERIAL/TAIL NO : W37567-A-0045  
PART NO : MBEU90690 ~U1604  
ENGINEERING NAME : DROGUE ASSY 5 FT  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 1250.6 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS	ENTERED AT RECEPTION	DATE UNPACKED		
05MAY16 05:10	W37567-A-0045	MBEU90690	A23T	A1WBA02	00
aip01694	AIP	ALS	0000663267	A1PXXR1600686	
M. COX		31JAN16	05MAY16		
	0.0 AFHR				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04713  
08JAN20  
23:16:15

SERIAL/TAIL NO : W37567-A-0045  
PART NO : MBEU90690 ~U1604  
ENGINEERING NAME : DROGUE ASSY 5 FT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
05MAY16 05:10	Reception History Record	0.0 AFHR	0.0	Reception ALS PC9	XXXXXXxx
13MAY16 03:18	Asset Installation	0.0 AFHR	103.1	A23T A1WBA02 MB10274-SET1 MB10274-SET1	A23T A1WBA02 00MMI
	Change Serviceability Stat	0.0 AFHR	8.1	SERV S/I	XXXXXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 04714  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : X1567  
 PART NO : 2CM9ABZ7  
 ENGINEERING NAME : GENERATOR TACHO  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

~97424

PERIOD: 01JAN90 TO 08JAN20

LOCATION : A23-033  
 LIFE SINCE NEW : 7365.0 ENHR

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
29AUG03	15:25	Maintenance	Comment	0.0	0.2	29Aug03	LF37149	00. 4852.8 ENHR	TX TO CMM2 XXxxXXxx
29AUG03	15:26	Maintenance	Comment	0.0	0.2	15Mar90	NEW - X1567	2CM9ABZ7	0011-20-00-G XXxxXXxx
29AUG03	15:27	Maintenance	Comment	0.0	0.2		INDICATION		XXxxXXxx
29AUG03	15:27	Maintenance	Comment	0.0	0.2	12Nov02	103098	01.30 4734.5	4734.5 ENHR 13-REMACCES LF20362 XXxxXXxx
29AUG03	15:28	Maintenance	Comment	0.0	0.2	26Nov02	103131	01.30 4735.8	4735.8 ENHR UPDATED LIFE (MPMI) XXxxXXxx
29AUG03	15:31	Maintenance	Comment	0.0	0.2	12Nov02	2FTINTMH	FF: 01-NIL	MA: 04-CHK/TST XXxxXXxx
29AUG03	15:33	Maintenance	Comment	0.0	0.2	16Apr03	103131	01.30 4852.8	4852.8 ENHR 10-ABNML OP LF37149 XXxxXXxx
29AUG03	15:33	Maintenance	Comment	0.0	0.2		2FTREP	WFD: 02-OPERATION	US: 03-ELECFAIL XXxxXXxx
29AUG03	15:34	Maintenance	Comment	0.0	0.2	22Apr03	DISPATCHED TO PEAXCON		XXxxXXxx
29AUG03	15:42	Maintenance	Comment	0.0	0.3	12Nov02	103131	01.30 4734.5	4734.5 ENHR IN AS A23T 0011-20-00-G XXxxXXxx
29AUG03	15:42	Maintenance	Comment	0.0	0.3	17Apr03	SERNO	REIDENTIFIED FROM L726951	XXxxXXxx
03AUG04	02:53	Change	Serviceability Stat		630.1		U/S		
				4852.8					ENHR XXxxXXxx
12MAY05	01:58	Change	Venue of an Asset		617.0		AIP		
				4852.8			NONC2CONT		
			Change Location of an Asse		617.0		A1PXXXY507277		XXxxXXxx
							EXTERNAL		
							HOLD		

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04715  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : X1567  
 PART NO : 2CM9ABZ7  
 ENGINEERING NAME : GENERATOR TACHO  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~97424

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
08MAY08 02:54	Change Venue of an Asset	1092.0	NONC2CONT AIP	
	4852.8 ENHR Change Location of an Asse	1092.0	NONC2XY804669 HOLD	XXxxXXxx
05AUG08 08:07	Change Location of an Asse	89.2	MMIST MMIST	
	4852.8 ENHR Change Location of an Asse	268.7	FAK A1PXXXY807193	XXxxXXxx
01MAY09 01:54	Change Location of an Asse	268.7	FAK MMIST	
	4852.8 ENHR Asset Installation	2160.6	A1PXXXY904508 A23T A1SAI04	XXxxXXxx
28JUL09 23:38	Change Serviceability Stat	1820.8	103143 A23-024	A23T A1SAI04 00AC
	4852.8 ENHR Change Location of an Asse	88.9	SERV S/I	
27APR15 01:52	Asset Removal	2098.0	MMIST A23-024 103143	A23T A1SAI04 00M
	6174.6 ENHR Change Serviceability Stat	12.8	A23T A1SAI04	XXxxXXxx
27APR15 01:53	Change Serviceability Stat	0.0	SERV U/S U/S	
	6174.6 ENHR Asset Installation	3.1	SERV	XXxxXXxx
30APR15 05:02	Change Serviceability Stat	3.1	A23T A1SAI04 103186 103186	A23T A1SAI04 00MMI
	6174.6 ENHR Change Serviceability Stat	3.1	SERV S/I	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04716  
08JAN20  
23:16:15

SERIAL/TAIL NO : X1567  
PART NO : 2CM9ABZ7 ~97424 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : GENERATOR TACHO  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

PEAXXJCA00802 C COMPLETED 15MAR90 00:00 XXxxXXxx PEA 0.0  
03 OVERHAUL DUE

Unserviceability Details:  
Maintenance Comments:

LF37149XXXXXX C COMPLETED 16APR03 09:53 XXxxXXxx PEA AIP  
03AUG04 02:53 0.0  
10 ABNORMALLY OPERATED 02 DURING OPERATION INDICATION WINDS UP ON SHUTDOWN  
03 ELECTRICAL FAILURE  
15 EXPECTED DETERIORATION 07 OVERHAUL

Unserviceability Details: INDICATION  
Maintenance Comments: O/H C/O IAW AAP 7516.030-3M

ARDUXJ1501032 C COMPLETED 27APR15 01:52 XXxxXXxx XXxxXXxxXXxxXXxxXXxx ARDU ARDU  
27APR15 01:53 27APR15 01:52 XXxxXXxx XXxxXXxxXXxxXXxx ARDU 6174.6 ENHR  
13 REMOVED FOR ACCESS 99 NO FAILURE ENG STRIP DOWN TO BE CARRIED OUT. REF ARDUXU1501959  
01 NO FAULT 04 CHECK/TEST SERV

Unserviceability Details:  
Maintenance Comments: CHECK/TEST SERV

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : XX02FTSXRY300179  
PART NO : SSI 57031  
ENGINEERING NAME : FLAP ASSY  
VENUE : A23DISP  
CURRENT CONDITION : S/I

~S4080

PERIOD: 01JAN90 TO 08JAN20

LOCATION : A23-033  
LIFE SINCE NEW : 53950.3 AFHR

ASSET TRANSACTIONS -----

TRANSACTION D/T CHANGE TYPE

SPAN(DYS)FROM

TO (OPTIONAL)

LIFE SINCE NEW

TRANS REFERENCE

USER

=====

\*\* NO RECORDS SELECTED \*\*

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

SERIAL/TAIL NO : XX02FTSXRY309179  
PART NO : MSI 72013 ~S4080  
ENGINEERING NAME : POWER CONTROL LEVER  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 54774.9 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS -----

TRANSACTION D/T CHANGE TYPE	SPAN(DYS) FROM	TO (OPTIONAL)	USER
LIFE SINCE NEW	TRANS REFERENCE		

=====

\*\* NO RECORDS SELECTED \*\*



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04719  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : XX02FTSXRY309180 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : MSI 72013 ~S4080  
 ENGINEERING NAME : POWER CONTROL LEVER  
 VENUE : A23DISP LOCATION : A23-033  
 CURRENT CONDITION : S/I LIFE SINCE NEW : 54774.9 AFHR

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
10SEP10 02:37	Asset Removal	52312.5 AFHR	2568.7	533 A23T A1UFU A23-033 00	A23T A1UFU 00A
	Change Serviceability Stat	14.7	S/I U/S		XXXXXXxx
	Change Location of an Asse	xxxx	A23-033 INTMH		
10SEP10 02:38	Change Serviceability Stat	52312.5 AFHR	0.0	U/S SERV	XXXXXXxx
10SEP10 02:41	Change Serviceability Stat	52312.5 AFHR	0.0	SERV U/S	XXXXXXxx
16SEP10 05:58	Change Serviceability Stat	52312.5 AFHR	6.1	U/S SERV	XXXXXXxx
16SEP10 05:59	Asset Installation	52312.5 AFHR	6.1	A23T 533 A1UFU A23-033 00	A23T A1UFU 00AC
	Change Serviceability Stat	0.0	SERV S/I		XXXXXXxx
	Change Location of an Asse	6.1	INTMH A23-033		

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJ1016278	C COMPLETED	10SEP10 02:37	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	99 NO FAILURE	10SEP10 02:38	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	52312.5 AFHR	
01 NO FAULT	04 CHECK/TEST SERV			463429-3-1#1 REAR PCL TORQUE TUBE RIVETS WORKING			
				aip0108316AUG10 01:11:33			
				NIL IMPACT ON AIRWORTHINESS OR AIRCRAFT OPERATIONS THE MOVEMENT IN THE REAR PCL HAS BEEN INSPECTED AND THE MOVEMENT ASSESSED AS ACCEPTABLE LOW RISK. TOTAL FAILURE IS ASSESSED AS (Continued on next page.)			

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : XX02FTSXRY309180  
PART NO : MSI 72013 ~S4080 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : POWER CONTROL LEVER  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT		WHEN FAILURE DISCOVERED		SYMPTOMS			
MAINT PROCESS		UNSERVICEABILITY		UNSERVICEABILITY DETAILS			
FAULT FOUND		MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT			

(Continued from previous page.)  
IMPROBABLE.

Unserviceability Details:  
Maintenance Comments:

CHECK/TEST SERV

A1PXXJ1016279	C COMPLETED	10SEP10 02:41	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	16SEP10 05:58	10SEP10 02:43	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	52312.5	AFHR
01 UNSERVICEABLE		05 TECHNICAL B/F		PCL TORQUE TUBE HAS WORKING RIVETS			
		16 WORN/FRAYED					
09 OUT OF LIMITS		02 REPAIR					

Unserviceability Details:

PCL HAS WORKING RIVETS

Maintenance Comments:

PCL RIVETS AND BEARINGS REPLACED IAW AAP 7212-007-2

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04721  
08JAN20  
23:16:15

SERIAL/TAIL NO : XX0A1PXXR1400450  
PART NO : SSI 53018 ~S4080  
ENGINEERING NAME : FRAME 3 ATTACHMENT  
VENUE : A23DISP  
CURRENT CONDITION : S/I  
LOCATION : A23-033  
LIFE SINCE NEW : 10092.0 AFHR  
PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS -----

TRANSACTION D/T CHANGE TYPE	SPAN(DYS) FROM	TO (OPTIONAL)	USER
LIFE SINCE NEW	TRANS REFERENCE		
=====	=====	=====	=====
10MAR14 12:30 Reception History Record	0.0	Received as sub assembly of Ser No 533 Part No 553.10.09.013	~S4080 XXXXXXxx
7954.4 AFHR			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04722  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : XX0A1PXXR1900602  
 PART NO : 102-1545 ~99167  
 ENGINEERING NAME : FILT FUEL DISCHARGE  
 VENUE : A23DISP LOCATION : A23-033  
 CURRENT CONDITION : S/I LIFE SINCE NEW : 144.6 ENHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	HA PART	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	DATE NEW	DATE UNPACKED		
12APR19 00:00	XX0A1PXXR1900602	102-1545	~99167	A23T	02
aip04023	AIP	STORES		MMI	
K. ARUMUGAM	016591	28NOV18			
	0.0 ENHR	399700	~59875	28NOV18	

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : XX0A1PXXR1900602  
PART NO : 102-1545 ~99167 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : FILT FUEL DISCHARGE  
VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS -----			
TRANSACTION D/T	CHANGE TYPE	SPAN(DYS) FROM	TO (OPTIONAL)
LIFE SINCE NEW		TRANS REFERENCE	USER
=====			

\*\* NO RECORDS SELECTED \*\*

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04724  
08JAN20  
23:16:15

SERIAL/TAIL NO : XX0A1PXXR1900603  
PART NO : 26281 ~59875  
ENGINEERING NAME : FILTER FUEL INLET  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 144.6 ENHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC	
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID		
NAME	HA SERIAL	DATE NEW	BATCH	MATCHED SET NO		
	DEFAULT LIFS ENTERED AT RECEPTION	HA PART	DATE UNPACKED			
12APR19 00:00	XX0A1PXXR1900603	26281	~59875	A23T	A1SAI10AC	02
aip04023	AIP	STORES		MMI	A1PXXR1900603	
K. ARUMUGAM	016591	28NOV18				
	0.0 ENHR	399700	~59875	28NOV18		

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

SERIAL/TAIL NO : XX0A1PXXR1900603  
PART NO : 26281  
ENGINEERING NAME : FILTER FUEL INLET  
VENUE : A23DISP

~59875

PERIOD: 01JAN90 TO 08JAN20

LOCATION : A23-033

ASSET TRANSACTIONS -----

TRANSACTION D/T CHANGE TYPE	SPAN(DYS) FROM	TO (OPTIONAL)	USER
LIFE SINCE NEW	TRANS REFERENCE		
=====	=====	=====	=====

\*\* NO RECORDS SELECTED \*\*





RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04727  
08JAN20  
23:16:15

SERIAL/TAIL NO : XX0A1PXXR1900604  
PART NO : 217194-1  
ENGINEERING NAME : GEARSET  
VENUE : A23DISP

~59875

PERIOD: 01JAN90 TO 08JAN20

LOCATION : A23-033

ASSET TRANSACTIONS -----

TRANSACTION D/T CHANGE TYPE	SPAN(DYS) FROM	TO (OPTIONAL)	USER
LIFE SINCE NEW	TRANS REFERENCE		
=====	=====	=====	=====

\*\* NO RECORDS SELECTED \*\*

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04728  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : YH167726  
 PART NO : 4039 H2  
 ENGINEERING NAME : ACTUATOR HYD FLAPS  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

~K0659

PERIOD: 01JAN90 TO 08JAN20

LOCATION : A23-033  
 LIFE SINCE NEW : 9350.5 AFHR

ASSET TRANSACTIONS

TRANSACTION D/T		CHANGE TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
01SEP03	05:11	Maintenance Comment	0.0 AFHR	2.8	29Aug03 A23-033 06.30 4575.6 AFHR	TX TO CAMM2 XXXXXXxx
01SEP03	05:17	Maintenance Comment	0.0 AFHR	2.8	23Apr98 A23-038 06.3 3257.8	0.0 AFHR UPDATED LIFE (MPMI) XXXXXXxx
01SEP03	05:17	Maintenance Comment	0.0 AFHR	2.8	07Jun00 2FTMMIST 00. 3901.2	0.0 AFHR UPDATED LIFE (JOBX) XXXXXXxx
01SEP03	05:17	Maintenance Comment	0.0 AFHR	2.8	26Jun01 A23-033 06.30 3901.2	0.0 AFHR IN AS A23T 1379-00-00-K XXXXXXxx
01SEP03	05:19	Maintenance Comment	0.0 AFHR	2.8	25Feb00 A23-038 06.30 3901.2	0.0 AFHR 10-ABNML OP LA06907 XXXXXXxx
01SEP03	05:19	Maintenance Comment	0.0 AFHR	2.8	2FTREP WFD: 02-OPERATION	US: 02-MECHFAIL XXXXXXxx
01SEP03	05:20	Maintenance Comment	0.0 AFHR	2.8	28Apr00 REPAIRED BY PTP	XXXXXXxx
01SEP03	05:22	Maintenance Comment	0.0 AFHR	2.8	28Apr00 PEAXCON FF: 02-MECHFAIL	MA: 02-REPAIR XXXXXXxx
01SEP03	05:26	Maintenance Comment	0.0 AFHR	2.8	INTERNAL	XXXXXXxx
01SEP03	05:26	Maintenance Comment	0.0 AFHR	2.8	28Feb00 DISPATCHED TO PEAXCON	XXXXXXxx
01SEP03	05:28	Maintenance Comment	0.0 AFHR	2.8	01Jun89 NEW - YH167726 4039 H2	1379-00-00-K XXXXXXxx
05MAY06	02:31	Asset Removal	5400.2 AFHR	979.7	527 A23T A2KBK 527 00	A23T A2KBK 00M XXXXXXxx
05MAY06	02:32	Change Serviceability Stat	5400.2 AFHR	0.0	S/I U/S U/S SERV	XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 04729  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : YH167726  
 PART NO : 4039 H2  
 ENGINEERING NAME : ACTUATOR HYD FLAPS  
 VENUE : A23DISP  
 LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~K0659

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
17MAY06 05:04	Asset Installation	12.1	A23T A2KKBK 027 027 00	A23T A2KKBK 00MMI
	5400.2 AFHR Change Serviceability Stat	12.1	SERV S/I OPMH HG121	XXXXXXxx
	Change Location of an Asse	15.1	027 A23-033	
24SEP07 01:06	Asset Removal	494.8	A23T A2KKBK 00	A23T A2KKBK 00A
	5906.7 AFHR Change Serviceability Stat	13.4	S/I U/S	XXXXXXxx
	Change Location of an Asse	460.1	A23-033 HG121	
24SEP07 01:12	Change Serviceability Stat	0.0	U/S SERV	XXXXXXxx
	5906.7 AFHR Asset Installation	234.1	A23T A2KKBK 00	A23T A2KKBK 00AC
	5906.7 AFHR Change Serviceability Stat	234.1	SERV S/I HG121 A23-033	XXXXXXxx
	Change Location of an Asse	234.1	A23T A2KKBK 00	
07JUN17 06:19	Position Change	3310.1	A23T A2KKBK 00	A23T A2KKBK 00
	8720.1 AFHR Maintenance Comment	0.0	A1PXXX1709034 POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE	XXXXXXxx

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE NEW	
REASON FOR REPORT	WHEN FAILURE DISCOVERED			SYMPTOMS			
MAINT PROCESS	UNSERVICEABILITY			UNSERVICEABILITY DETAILS			
FAULT FOUND	MAINTENANCE ACTION TAKEN			MAINTENANCE COMMENT			

A1PXXJY606903 C COMPLETED 05MAY06 02:31 XXXXXxx XXXXXxx  
 09 CANNIBALISATION 99 NO FAILURE FLAP ACTUATOR REMOVED (CANNIBILISED TO WING S/N 027)  
 01 NO FAULT 04 CHECK/TEST SERV  
 Unserviceability Details:

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

CAMM2  
ASSET HISTORY

SERIAL/TAIL NO : YH167726 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 4039 H2 ~K0659  
ENGINEERING NAME : ACTUATOR HYD FLAPS  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS-----

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
DEFECT REF	STATUS DATE/TIME	ENTERED DATE/TIME	ENTERED USER ID	ENTERED NAME	ENTERED VENUE	LIFE SINCE	NEW
REASON FOR REPORT	WHEN FAILURE DISCOVERED		SYMPTOMS				
MAINT PROCESS	UNSERVICEABILITY		UNSERVICEABILITY DETAILS				
FAULT FOUND	MAINTENANCE ACTION TAKEN		MAINTENANCE COMMENT				

Maintenance Comments: CHECK/TEST SERV

A1PXXJY718025	C COMPLETED	24SEP07 01:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
13 REMOVED FOR ACCESS	24SEP07 01:12	24SEP07 01:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	5906.7	AFHR
	99 NO FAILURE	ACTUATOR HYDRAULIC FLAPS REMOVED FOR MOD 232					

01 NO FAULT                    04 CHECK/TEST SERV  
                                   Unserviceability Details:  
                                   Maintenance Comments: SERV

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04731  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : YH169948  
 PART NO : 4045 H3  
 ENGINEERING NAME : RESERVOIR POWER PAC  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

~K0659

PERIOD: 01JAN90 TO 08JAN20

LOCATION : A23-033  
 LIFE SINCE NEW : 9095.7 AFHR

ASSET TRANSACTIONS

TRANSACTION D/T CHANGE TYPE		LIFE SINCE NEW		SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
=====		=====		=====	=====	=====	=====	=====
01SEP03	11:05	Maintenance Comment	0.0 AFHR	3.1	19Sep01	STI-PC9-0196	STI STATUS NOW	RINC XXXXXXxx
01SEP03	11:05	Maintenance Comment	0.0 AFHR	3.1	29Aug03	A23-033 06.20	4320.9 AFHR TX TO	CAMM2 Camm LOG00015 XXXXXXxx
01SEP03	11:06	Maintenance Comment	0.0 AFHR	3.1	14May02	STI-PC9-0196	STI STATUS NOW	RINC XXXXXXxx
01SEP03	11:06	Maintenance Comment	0.0 AFHR	3.1	18Jun01	STI-PC9-0196	STI STATUS NOW	RINC Camm LOG00003 XXXXXXxx
01SEP03	11:06	Maintenance Comment	0.0 AFHR	3.1	05Mar03	A23-033 06.20	4248.4 0.0 AFHR	13-REMACCES LF35045 Camm LOG00008 XXXXXXxx
01SEP03	11:06	Maintenance Comment	0.0 AFHR	3.1	14Mar03	STI-PC9-0196	STI STATUS NOW	RINC Camm LOG00013 XXXXXXxx
01SEP03	11:07	Maintenance Comment	0.0 AFHR	3.1	15Mar90	NEW - YH169948 4045 H3	2001-00-00-G	Camm LOG00014 XXXXXXxx
01SEP03	11:08	Maintenance Comment	0.0 AFHR	3.1	11Dec01	STI-PC9-0196	STI STATUS NOW	RINC Camm LOG00005 XXXXXXxx
01SEP03	11:08	Maintenance Comment	0.0 AFHR	3.1	11Mar03	A23-033 06.20	4248.4 0.0 AFHR	IN AS A23T 2001-00-00-G Camm LOG00012 XXXXXXxx
01SEP03	11:12	Maintenance Comment	0.0 AFHR	3.1	05Mar03	2FTINTMH	FF: 01-NIL	MA: 04-CHK/TST Camm LOG00009 XXXXXXxx
01SEP03	11:13	Maintenance Comment	0.0 AFHR	3.1	19Sep02	STI-PC9-0196	STI STATUS NOW	RINC Camm LOG00007 XXXXXXxx
01SEP03	11:13	Maintenance Comment	0.0 AFHR	3.1		REMOVED FOR SOUND INSUL MOD		Camm LOG00010 XXXXXXxx
01SEP03	11:14	Maintenance Comment	0.0 AFHR	3.1	23Oct00	STI-PC9-0196	STI STATUS NOW	RINC Camm LOG00001 XXXXXXxx
01SEP03	11:18	Maintenance Comment	0.0 AFHR	3.1		REFIT ON COMPLETION OF SOUND INSUL MOD		Camm LOG00011 XXXXXXxx
01SEP03	11:20	Maintenance Comment	0.0 AFHR	3.1	06Mar01	STI-PC9-0196	STI STATUS NOW	RINC Camm LOG00002 XXXXXXxx
09JAN04	00:32	Change Serviceability Stat	4395.8 AFHR	18.0		S/I US/I A1PXXJY301133		XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04732  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : YH169948 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 4045 H3 ~K0659  
 ENGINEERING NAME : RESERVOIR POWER PAC  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
13JAN04 00:02	Change Serviceability Stat	3.9	US/I S/I	
	4395.8 AFHR			XXxxXXxx
24MAY04 22:57	Change Serviceability Stat	10.8	S/I US/I	
	4545.8 AFHR		A1PXXJY400448	XXxxXXxx
01JUN04 23:45	Change Serviceability Stat	8.0	US/I S/I	
	4545.8 AFHR			XXxxXXxx
14OCT04 01:47	Change Serviceability Stat	2.9	S/I US/I	
	4695.7 AFHR		A1PXXJY410507	XXxxXXxx
15OCT04 01:15	Change Serviceability Stat	0.9	US/I S/I	
	4695.7 AFHR			XXxxXXxx
20JUN05 05:35	Change Serviceability Stat	0.0	S/I US/I	
	4845.7 AFHR		A1PXXJY420170	XXxxXXxx
24JUN05 01:06	Change Serviceability Stat	3.8	US/I S/I	
	4845.7 AFHR			XXxxXXxx
07JUN17 06:16	Position Change	5030.9	A23T A1UJU 00 A23T A1UJU 00	
	8465.3 AFHR		A1PXXX1709026	XXxxXXxx
	Maintenance Comment	0.0	POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE	

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
A1PXXJY301133	C COMPLETED	09JAN04 00:49	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	13JAN04 00:02				4395.8	AFHR	
08 MOD/STI/DVI REQUIRED				STI-PC9-0196	due on Serial YH169948		
				RSVR POWER PACK	at WAC 0620		
01 NO FAULT		08 MOD/STI/DVI INCORP					
		Unserviceability Details:					
		Maintenance Comments:		STI-PC9-196 RINC			

For-Official-Use-Only

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04733  
08JAN20  
23:16:15

SERIAL/TAIL NO : YH169948  
PART NO : 4045 H3 ~K0659 PERIOD: 01JAN90 TO 08JAN20  
ENGINEERING NAME : RESERVOIR POWER PAC  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJY400448	C COMPLETED	24MAY04 23:07	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	4545.8	AFHR
08 MOD/STI/DVI REQUIRED	01JUN04 23:45			STI-PC9-0196 due on Serial YH169948			
01 NO FAULT		08 MOD/STI/DVI INCORP		RSVR POWER PACK at WAC 0620			
		Unserviceability Details:		STI-PC9-0196 CARRIED OUT. SERVICEABLE.			
		Maintenance Comments:					

A1PXXJY410507	C COMPLETED	15OCT04 01:13	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	4695.7	AFHR
08 MOD/STI/DVI REQUIRED	15OCT04 01:15			STI-PC9-0196 due on Serial YH169948			
01 NO FAULT		08 MOD/STI/DVI INCORP		RSVR POWER PACK at WAC 0620			
		Unserviceability Details:		SERV			
		Maintenance Comments:					

A1PXXJY420170	C COMPLETED	24JUN05 01:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx AIP	AIP	4845.7	AFHR
08 MOD/STI/DVI REQUIRED	24JUN05 01:06			STI-PC9-0196 due on Serial YH169948			
01 NO FAULT		08 MOD/STI/DVI INCORP		RSVR POWER PACK at WAC 0620			
		Unserviceability Details:		STI-0196 C/O SERV			
		Maintenance Comments:					

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04734  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : YH169948  
 PART NO : 4045 H3  
 ENGINEERING NAME : RESERVOIR POWER PAC  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20  
 ~K0659

STI STATUS CHANGE

STI NUMBER	CURRENT(Y/N)	STATUS DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
STI-PC9-0156	Y	29FEB96 00:00	INC			
STI-PC9-0196	N	14MAR03 00:00	RINC			
STI-PC9-0196	N	13JAN04	RINC	A1PXXJY301133	09JAN04 00:49	4395.8 AFHR
STI-PC9-0196	N	01JUN04	RINC	A1PXXJY400448	24MAY04 23:07	4545.8 AFHR
STI-PC9-0196	N	15OCT04	RINC	A1PXXJY410507	15OCT04 01:13	4695.7 AFHR
STI-PC9-0196	Y	24JUN05	RINC	A1PXXJY420170	24JUN05 01:06	4845.7 AFHR

MAINTENANCE POLICY HISTORY

POLICY DATE/TIME	ACTIVITY TYPE	ACTIVITY CODE	USER ID
21SEP03 08:10	STI DLD Changed From:	STI-PC9-0196 15MAR1990	XXxxXXxx



RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 04735  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : YH171533  
 PART NO : 4103 H1  
 ENGINEERING NAME : VALVE HYD SHUT-OFF  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

~K0659

LOCATION : A23-033  
 LIFE SINCE NEW : 9545.2 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T CHANGE TYPE			SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
LIFE SINCE NEW							
01SEP03	11:20	Maintenance Comment	3.1	03Sep97	A23-033	06.2 2623.9	0.0 AFHR UPDATED LIFE (MIUP)
		0.0 AFHR					XXXXXXxx
01SEP03	11:22	Maintenance Comment	3.1	29Apr98	A23-033	06.2 2946.0	0.0 AFHR UPDATED LIFE (MPMI)
		0.0 AFHR					XXXXXXxx
01SEP03	11:24	Maintenance Comment	3.1	CURRENT LIFE:	OLD =	2622.9 AFHR	NEW = 2623.9 AFHR
		0.0 AFHR					XXXXXXxx
01SEP03	11:24	Maintenance Comment	3.1	14Mar90	NEW - YH171533	4103 H1	2026-00-00-L
		0.0 AFHR					XXXXXXxx
01SEP03	11:26	Maintenance Comment	3.1	26Jul90	A23-033	06.2 0.0	0.0 AFHR ^^^^^^RECEPTION
		0.0 AFHR					XXXXXXxx
01SEP03	11:27	Maintenance Comment	3.1	29Aug03	A23-033	06.20 4770.4 AFHR	TX TO CMM2
		0.0 AFHR					XXXXXXxx
01SEP03	11:28	Maintenance Comment	3.1	21May92	SERNO	REIDENTIFIED FROM 171533	
		0.0 AFHR					XXXXXXxx
01SEP03	11:28	Maintenance Comment	3.1	16Nov92	A23-033	06.2 1011.6	0.0 AFHR MPMI CHANGE
		0.0 AFHR					XXXXXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CMM2  
 ASSET HISTORY

PAGE 04736  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : YH172186  
 PART NO : 4043 H2  
 ENGINEERING NAME : M/FOLD SELECTOR HYD  
 VENUE : A23DISP  
 CURRENT CONDITION : S/I

~K0659

PERIOD: 01JAN90 TO 08JAN20

LOCATION : A23-033  
 LIFE SINCE NEW : 9545.2 AFHR

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
01SEP03	11:15	Maintenance	Comment	0.0 AFHR	3.1	05Mar03	A23-033	06.20 4697.9	0.0 AFHR 13-REMACCES LF35046 CMM LOG00007 XXXXXXXXXX
01SEP03	11:16	Maintenance	Comment	0.0 AFHR	3.1	REMOVED FOR SOUND INSUL MOD CMM LOG00009 XXXXXXXXXX			
01SEP03	11:17	Maintenance	Comment	0.0 AFHR	3.1	11Mar03	A23-033	06.20 4697.9	0.0 AFHR IN AS A23T 2025-00-00-G CMM LOG00011 XXXXXXXXXX
01SEP03	11:18	Maintenance	Comment	0.0 AFHR	3.1	29Apr98	A23-033	06.2 2946.0	0.0 AFHR UPDATED LIFE (MPMI) CMM LOG00005 XXXXXXXXXX
01SEP03	11:20	Maintenance	Comment	0.0 AFHR	3.1	26Jul90	A23-033	06.2 0.0	0.0 AFHR ^^^^^^RECEPTION CMM LOG00001 XXXXXXXXXX
01SEP03	11:21	Maintenance	Comment	0.0 AFHR	3.1	05Mar03	2FTINTMH	FF: 01-NIL	MA: 04-CHK/TST CMM LOG00008 XXXXXXXXXX
01SEP03	11:22	Maintenance	Comment	0.0 AFHR	3.1	21May92	SERNO	REIDENTIFIED FROM 172186	CMM LOG00002 XXXXXXXXXX
01SEP03	11:22	Maintenance	Comment	0.0 AFHR	3.1	REFIT ON COMPLETION OF SOUND INSUL MO CMM LOG00010 XXXXXXXXXX			
01SEP03	11:22	Maintenance	Comment	0.0 AFHR	3.1	01Feb90	NEW - YH172186	4043 H2 2025-00-00-G	CMM LOG00012 XXXXXXXXXX
01SEP03	11:22	Maintenance	Comment	0.0 AFHR	3.1	26Nov02	A23-033	06.20 4661.4	0.0 AFHR UPDATED LIFE (MPMI) CMM LOG00006 XXXXXXXXXX
01SEP03	11:24	Maintenance	Comment	0.0 AFHR	3.1	03Sep97	A23-033	06.2 2623.9	0.0 AFHR UPDATED LIFE (MIUP) CMM LOG00003 XXXXXXXXXX
01SEP03	11:24	Maintenance	Comment	0.0 AFHR	3.1	29Aug03	A23-033	06.20 4770.4 AFHR	TX TO CMM2 CMM LOG00013 XXXXXXXXXX
01SEP03	11:31	Maintenance	Comment	0.0 AFHR	3.1	CURRENT LIFE: OLD = 2622.9 AFHR NEW = 2623.9 AFHR CMM LOG00004 XXXXXXXXXX			
07JUN17	06:16	Position	Change	8914.8 AFHR	5030.9	A23T	A1UJW	00	A23T A1UJW 00 A1PXXX1709025 XXXXXXXXXX
		Maintenance	Comment		0.0	POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE			

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04737  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : YH191612 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 4155 H3 MOD A607 ~K0659  
 ENGINEERING NAME : POWER PACK HYD EMER  
 VENUE : A23DISP LOCATION : A23-033  
 CURRENT CONDITION : S/I LIFE SINCE NEW : 6747.3 AFHR

ASSET TRANSACTIONS

TRANSACTION	D/T	CHANGE	TYPE	LIFE SINCE NEW	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
01SEP03	11:26	Maintenance	Comment	0.0 AFHR	3.1	MOD 7272.651-103A			XXxxXXxx
01SEP03	11:29	Maintenance	Comment	0.0 AFHR	3.1	13Jun00 A23-033 06.30	902.5	0.0 AFHR	08-MOD/STI LB01210
01SEP03	11:29	Maintenance	Comment	0.0 AFHR	3.1	14Jun00 2FTINTMH	FF: 01-NIL		MA: 08-MOD/STI
01SEP03	11:30	Maintenance	Comment	0.0 AFHR	3.1	02Dec99 A23-033 06.30	652.5	0.0 AFHR	IN AS A23T 2050-00-00-G
01SEP03	11:30	Maintenance	Comment	0.0 AFHR	3.1	14Jun00 A23-033 06.30	902.5	0.0 AFHR	IN AS A23T 2050-00-00-G
01SEP03	11:30	Maintenance	Comment	0.0 AFHR	3.1	11Dec96 NEW - YH191612	*55 H3 MOD A413	2050-00-00-G	
01SEP03	11:33	Maintenance	Comment	0.0 AFHR	3.1	STI-PC9-0221 C/O.			XXxxXXxx
01SEP03	11:33	Maintenance	Comment	0.0 AFHR	3.1	29Aug03 A23-033 06.30	1972.4 AFHR	TX TO CAMM2	
01SEP03	11:33	Maintenance	Comment	0.0 AFHR	3.1	02Dec99 STI-PC9-0221	STI STATUS NOW	RINC	
01SEP03	11:35	Maintenance	Comment	0.0 AFHR	3.1	14Jun00 7272.651-103B	MOD STATUS NOW	NA	
01SEP03	11:35	Maintenance	Comment	0.0 AFHR	3.1	02Dec99 2FTINTMH	FF: 01-NIL		MA: 08-MOD/STI
01SEP03	11:35	Maintenance	Comment	0.0 AFHR	3.1	01Nov02 STI-PC9-0284	STI STATUS NOW	INC	
01SEP03	11:36	Maintenance	Comment	0.0 AFHR	3.1	14Jun00 7272.651-103A	MOD STATUS NOW	INC	
21DEC03	23:28	Change Serviceability	Stat	2045.8 AFHR	0.0	S/I			XXxxXXxx
21DEC03	23:56	Change Serviceability	Stat	2045.8 AFHR	0.0	US/I			XXxxXXxx
						A1PXXJY300214			
						S/I			XXxxXXxx

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04738  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : YH191612  
 PART NO : 4155 H3 MOD A607 ~K0659  
 ENGINEERING NAME : POWER PACK HYD EMER  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
10MAR05 22:58	Change Serviceability Stat	113.8	S/I US/I A1PXXJY503103	XXxxXXxx
10MAR05 22:59	Change Serviceability Stat	0.0	US/I S/I	XXxxXXxx
05MAY06 00:58	Asset Removal	979.6	527 A23T A2KEU 527 00	A23T A2KEU 00M
	Change Serviceability Stat	8.9	S/I U/S	XXxxXXxx
05MAY06 00:59	Change Serviceability Stat	0.0	U/S SERV	XXxxXXxx
17MAY06 04:55	Asset Installation	12.1	A23T A2KEU 027 00	A23T A2KEU 00MMI
	Change Serviceability Stat	12.1	SERV S/I OPMH HG121	XXxxXXxx
10MAY09 23:12	Change Serviceability Stat	4.8	S/I US/I	XXxxXXxx
13MAY09 05:06	Asset Removal	1092.0	A1PXXJY901096 027 A23-033 A23T A2KEU 00	A23T A2KEU 00A
	Change Serviceability Stat	2.2	US/I U/S	XXxxXXxx
	Change Location of an Asse	1057.2	A23-033 INTMH	
13MAY09 05:09	Change Part Number of an A	2083.8	4155 H3 MOD A413 4155 H3 MOD A607	~K0659 ~K0659
	Change Serviceability Stat	3689.6	AFHR	XXxxXXxx

For-Official-Use-Only

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

For-Official-Use-Only  
 CAMM2  
 ASSET HISTORY

PAGE 04739  
 08JAN20  
 23:16:15

SERIAL/TAIL NO : YH191612 PERIOD: 01JAN90 TO 08JAN20  
 PART NO : 4155 H3 MOD A607 ~K0659  
 ENGINEERING NAME : POWER PACK HYD EMER  
 VENUE : A23DISP LOCATION : A23-033

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM TO (OPTIONAL) TRANS REFERENCE	USER
13MAY09 05:11	Change Serviceability Stat	0.0	U/S SERV	
	3689.6 AFHR			XXxxXXxx
13MAY09 05:12	Asset Installation	0.0	A23T A2KEU 00 027 A23-033	A23T A2KEU 00AC XXxxXXxx
	3689.6 AFHR			
	Change Serviceability Stat	0.0	SERV S/I	
	Change Location of an Asse	0.0	INTMH A23-033	
27MAY10 06:09	Position Change	379.0	A23T A2KEU 00 A23T A2KEU 00	
	4141.7 AFHR		A1PXXX1005441	XXxxXXxx
09MAR16 22:24	Position Change	2492.7	A23T A2KEU 00 A23T A2KEU 00	
	5769.3 AFHR		A1PXXX1602214	XXxxXXxx
	Maintenance Comment	0.0	POLICY COPY POSN; NEW NDT= @ REMOVAL. MPAN 04/2016.	
07JUN17 06:15	Position Change	2947.0	A23T A2KEU 00 A23T A2KEU 00	
	6116.9 AFHR		A1PXXX1709023	XXxxXXxx
	Maintenance Comment	0.0	POST R2 COMPARE ASSET POLICY TO DEFAULT POLICY UPDATE	

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
ALPXXJY300214	C COMPLETED	21DEC03 23:28	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	21DEC03 23:56				2045.8	AFHR	
08 MOD/STI/DVI REQUIRED				STI-PC9-305 due on Serial YH191612			
				POWER PACK HYD EMER at WAC 0630			
01 NO FAULT		08 MOD/STI/DVI INCORP					
		Unserviceability Details:					
		Maintenance Comments:	INC				

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRAM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04740  
08JAN20  
23:16:15

SERIAL/TAIL NO : YH191612 PERIOD: 01JAN90 TO 08JAN20  
PART NO : 4155 H3 MOD A607 ~K0659  
ENGINEERING NAME : POWER PACK HYD EMER  
VENUE : A23DISP LOCATION : A23-033

MMI JOBS

JOB NUMBER	STATUS	RAISED DATE/TIME	RAISED USER ID	RAISED NAME	RAISED VENUE	CERT VENUE	EPSS
------------	--------	------------------	----------------	-------------	--------------	------------	------

A1PXXJY503103	C COMPLETED	10MAR05 22:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	10MAR05 22:59					2399.0	AFHR
08 MOD/STI/DVI REQUIRED				STI-PC9-0360	due on Serial YH191612		
				POWER PACK HYD EMER at WAC 0630			
01 NO FAULT		08 MOD/STI/DVI INCORP					
		Unserviceability Details:					
		Maintenance Comments:		ASSESSED SERV			

A1PXXJY606884	C COMPLETED	05MAY06 00:58	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	05MAY06 00:59					2797.0	AFHR
09 CANNIBALISATION		99 NO FAILURE			HYD EMERGENCY POWER PACK REMOVED (CANNIBILISED TO WING S/N		
				027)			
01 NO FAULT		04 CHECK/TEST SERV					
		Unserviceability Details:					
		Maintenance Comments:		CHECK/TEST SERV			

A1PXXJY901096	C COMPLETED	13MAY09 05:06	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	AIP	
	13MAY09 05:11	10MAY09 23:12	XXxxXXxx	XXxxXXxxXXxxXXxxXXxx	AIP	3689.6	AFHR
08 MOD/STI/DVI REQUIRED				7272.651-105	due on Serial YH191612		
				POWER PACK HYD EMER at WAC 0630			
01 NO FAULT		08 MOD/STI/DVI INCORP					
		Unserviceability Details:					
		Maintenance Comments:		MOD 7272.651-105 CO			

RUN ID: ASSTHIST  
 RUN BY: tforner  
 PROGRAM: ASSTHIST

CAMM2  
 ASSET HISTORY

SERIAL/TAIL NO : YH191612  
 PART NO : 4155 H3 MOD A607 ~K0659  
 ENGINEERING NAME : POWER PACK HYD EMER  
 VENUE : A23DISP LOCATION : A23-033  
 PERIOD: 01JAN90 TO 08JAN20

MODIFICATION ORDERS INCORPORATION STATUS CHANGE							
MOD NUMBER	CURRENT (Y/N)	STATUS	DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
7272.651-101	Y		29AUG03 08:31	NINC			
7272.651-102	Y		29AUG03 08:31	NINC			
7272.651-103A	Y		14JUN00 00:00	INC			
7272.651-103B	Y		14JUN00 00:00	N/A			
7272.651-104	Y		23NOV08	NINC			
7272.651-105	N		15JAN09	NINC			
7272.651-105	Y		13MAY09	INC	A1PXXJY901096	13MAY09 05:06	3689.6 AFHR

STI STATUS CHANGE							
STI NUMBER	CURRENT (Y/N)	STATUS	DATE/TIME	STATUS	JOB/SERV NO	START DATE/TIME	LIFE SINCE NEW
STI-PC9-0284	Y		01NOV02 00:00	INC			
STI-PC9-0360	N		22FEB05	NINC			
STI-PC9-0360	Y		10MAR05	INC	A1PXXJY503103	10MAR05 22:58	2399.0 AFHR
STI-PC9-305	N		11SEP03	NINC			
STI-PC9-305	Y		21DEC03	INC	A1PXXJY300214	21DEC03 23:28	2045.8 AFHR

RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CAMM2  
ASSET HISTORY

PAGE 04742  
08JAN20  
23:16:15

SERIAL/TAIL NO : Z08031-A-0007  
PART NO : MBEU90690 ~U1604  
ENGINEERING NAME : DROGUE ASSY 5 FT  
VENUE : A23DISP LOCATION : A23-033  
CURRENT CONDITION : S/I LIFE SINCE NEW : 8.0 AFHR

PERIOD: 01JAN90 TO 08JAN20

ASSET RECEPTION

RECEPTION D/T	SER NO	PART NO	EIAC	LCN	ALC
USER ID	VENUE	LOCATION	SUB-LOCATION	ASSET ID	
NAME	HA SERIAL	DATE NEW	BATCH	MATCHED SET NO	
	DEFAULT LIFS ENTERED AT RECEPTION	HA PART	DATE UNPACKED		
25SEP19 07:53	Z08031-A-0007	MBEU90690	A23T	A26BA02	00
aip04023	AIP	ALS	PC9	A1PXXR1901272	
K. ARUMUGAM		01OCT18	Z08031		
	0.0 AFHR				



RUN ID: ASSTHIST  
RUN BY: tforner  
PROGRM: ASSTHIST

For-Official-Use-Only  
CMM2  
ASSET HISTORY

PAGE 04743  
08JAN20  
23:16:15

SERIAL/TAIL NO : Z08031-A-0007  
PART NO : MBEU90690 ~U1604  
ENGINEERING NAME : DROGUE ASSY 5 FT  
VENUE : A23DISP LOCATION : A23-033  
PERIOD: 01JAN90 TO 08JAN20

ASSET TRANSACTIONS

TRANSACTION D/T	CHANGE TYPE	SPAN(DYS)	FROM	TO (OPTIONAL)	TRANS REFERENCE	USER
25SEP19 05:30	Asset Installation	359.2	A23T	A26BA02	00	
	0.0 AFHR		MB9843-SET1	MB9843-SET1		A23T A26BA02 00MMI
	Change Serviceability Stat	359.2	SERV			XXXXXXxx
	Change Location of an Asse	359.2	S/I			
			ALS	PC9		
			AROM			

For-Official-Use-Only

For-Official-Use-Only

```
*****
*****
*****
*****END OF REPORT
*****
*****
*****
*****
*****
```